

XXXI. *A Catalogue of the Fifty Plants, from Chelsea Garden, presented to the Royal Society, by the Worshipful Company of Apothecaries, for the Year 1773, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. et Soc. Reg. nuper Præses. By William Curtis, clariff. Soc. Pharmaceut. Lond. Soc. Hort. Chelsean. Præfect. et Prælector Botan.*

Presented February 17, 1774.

- 2501 **Æ** **GOPODIUM** (Podagraria) foliis caulinis
 summis ternatis. Lin. Spec. plant.
 ed. 3tia. 379.
 Angelica sylvestris minor five erratica. Bauh.
 pin. 155. 3.
 Herba Gerardi. Gerard, 848. fig. 2.
- 2502 **BALLOTA** (Nigra) foliis cordatis, indivisis,
 ferratis; calycibus acuminatis. Lin. Spec.
 plant. 814. 1.
 Marrubium nigrum foetidum. Bauh. pin.
 230. 4.
 Marrubium nigrum. Gerrard, 566.
- 2
- 2503 Bu-

- 2503 **BUNIAS** (*Orientalis*) filiculis ovatis, gibbis, verrucosis. Lin. Spec. plant. 936. 3.
Crambe Orientalis dentis leonis folio, erucae-
ginis facie. Tournef. cor. 41.
- 2504 **CACALIA** (*Suaveolens*) caule herbaceo, foliis hastato-fagitatis, denticulatis; petiolis superne dilatis. Lin. Spec. plant. 1170. 10.
- 2505 **CALCEOLARIA** (*Pinnata*) foliis pinnatis. Lin. Mantif. alter. 171. descript. opt.
Calceolaria foliis scabiosæ vulgaris. Feuill. Peruv. 3. 12. t. 7.
- 2506 **CHELONE** (*Glabra* β) foliis lanceolatis ferratis; summis oppositis. Lin. Spec. plant. 849. 1.
Chelone floribus speciosis pulcherrimis, colore rosæ damascenæ. Gron. Virg. 71. Miller, Icon. 62. t. 93.
- 2507 **CHENOPODIUM** (*Vulvaria*) foliis integerrimis rhombeo ovatis; floribus conglomeratis. Lin. Spec. plant. 321.
Atriplex foetida. Bauh. pin. 119. Ger. em. 327.
- 2508 **CONIUM** (*Maculatum*) feminibus striatis. Lin. Spec. plant. 349.
Cicuta major. Bauh. pin. 160.
- 2509 **CORONILLA** (*Varia*) herbacea, leguminibus erectis teretibus, torosis, numerosis; foliolis plurimis glabris. Lin. Spec. plant. 1048.
Securidaca dumetorum major, flore vario, filiquis articulatis. Bauh. pin. 349.
- 2510 **CROTALARIA** (*Chinensis*) foliis simplicibus, ovatis, subpetiolatis; stipulis minutissimis. Lin. Spec. plant. 1003.

- 2511 **CYTISUS** (Supinus) floribus umbellatis, terminalibus; ramis decumbentibus; foliolis ovatis. Lin. Spec. plant. 1042.
Cytisus supinus foliis infra et filiquis molli lanugine pubescentibus. Bauh. pin. 390.
- 2512 **DIANTHUS** (Armeria) floribus aggregatis fasciculatis, squamis calycinis lanceolatis, villosis, tubum æquantibus. Lin. Spec. plant. 586. 3.
Caryophyllus barbatus sylvestris. Bauh. pin. 208.
- 2513 **DRABA** (Alpina) scapo nudo simplici, foliis lanceolatis integerrimis. Lin. Spec. plant. 896. Oeder. fl. Dan. tab. 56.
Sedum alpinum lateum hirtutum. Bauh. pin. 284.
- 2514 **ELYMUS** (Caninus) spica nutante arcta, spiculis rectis involucre destitutis, infimis geminis. Lin. Spec. plant. 124. Buxb. Cent. 4. p. 29. t. 50.
- 2515 **ELYMUS** (Sibiricus) spica pendula arcta, spiculis binatis, calyce longioribus. Lin. Spec. plant. 123. Gmelin. Sibir. 1. p. 123. t. 28.
- 2516 **ERICA** (Multiflora) antheris simplicibus, bifidis, exsertis; corollis cylindricis; foliis quinque patentibus. Lin. Spec. plant. 503.
Erica foliis corios multiflora. Bauh. Hist. 1. 356. Lobel. Hist. 620.
- 2517 **FUMARIA** (Capnoides) filiquis linearibus, tetragonis; caulibus diffusis, acutangulis. Lin. Spec. plant. 984. Pluk. alm. 262. t. 90.
 Miller, Icons.

- 2518 **INULA** (Squarrosa) foliis ovalibus, lævibus, reticulato-venosis, subcrenatis; calyculis squarrosis. Lin. Spec. plant. 1240.
 Aster luteus latifolius glaber, foliis rigidis et minutissime crenatis. Pluk. alm. 37. t. 16. f. 1.
- 2519 **LOBELIA** (Triquetra) caule erecto; foliis lanceolatis, dentatis; racemo terminali aphylo. Lin. Mantiff. 120. 27.
- 2520 **LUPINUS** (Angustifolius) calycibus alternis appendiculatis; labio superiore bipartito, inferiore integro. Lin. Spec. plant. 1015.
 Lupinus angustifolius cœruleus elatior. Ray Hist. 908.
- 2521 **LUPINUS** (Luteus) calycibus verticillatis, appendiculatis; labio superiore bipartito, inferiore tridentato. Lin. Sp. pl. 1015. 6.
 Lupinus sylvestris flore luteo. Bauh. pin. 348.
- 2522 **LANTANA** (Involucrata) foliis oppositis; caule inermi; floribus capitato-umbellatis, involucrato-foliofis. Lin. Spec. plant. 874.
 Camara arborefcens salviæ folio. Plum. gen. 32. Ic. 71. fig. 2.
- 2523 **MIRABILIS** (Longiflora) floribus congestis, terminalibus, longissimis, nutantibus; foliis subvillosis. Lin. Spec. plant. 252.
 Mirabilis Mexicana. Hern. Mex. 170. f. 2.
- 2524 **MONARDA** (Punctata) floribus verticillatis; corollis punctatis. Lin. Spec. plant. 33. 4.
 Clinopodium Virginianum angustifolium quovis verticillo duodecim foliolis rubentibus cincto. Pluk. alm. 111. t. 24. fig. 1.

- 2525 *NEPETA* (Cataria) floribus spicatis, verticillis subpedicellatis; foliis petiolatis cordatis dentato-ferratis. Lin. Spec. plant. 796.
Mentha Cataria vulgaris et major. Bauh. pin. 228.
- 2526 *OENOTHERA* (Pumila) foliis lanceolatis, obtusis, glabris, subpetiolatis; caulibus prostratis; capsulis acutangulis. Lin. Spec. plant. 493.
Lyfimachia filiquosa glabra minor mariana, angustioribus foliis. Pluk. mant. 123.
Miller, Icon. 188.
- 2527 *OENOTHERA* (Fruticosa) foliis lanceolatis, subdentatis; capsulis pedicellatis, acutangulis; racemo pedunculato. Lin. Spec. plant. 492.
- 2528 *ONONIS* (Rotundifolia) fruticosa; pedunculis trifloris; calycibus triphylo-bracteatis; foliis ternatis subrotundis. Lin. Spec. plant. 1010.
Cicer sylvestre latifolium triphyllum. Bauh. pin. 347.
- 2529 *OROBUS* (Vernus) foliis pinnatis ovatis; stipulis semisagittatis integerrimis; caule simplici. Lin. Spec. plant. 1028.
Orobus sylvaticus purpureus vernus. Bauh. pin. 351.
- 2530 *PANICUM* (Filiforme) spicis subdigitatis, approximatis, erectis, filiformibus; rachi flexuosa; dentibus bifloris, altero sessili. Lin. Spec. plant. 85.
- 2531 *PANICUM* (Capillare) panicula capillari erecta, patenti; caule hirto. Lin. Spec. plant. 85.

- 2532 **PANICUM** (Polyftachion) spicis teretibus; involuclis unifloris, fasciculato-setosis, culmis erectis superne ramosis. Lin. Spec. plant. 82.
- 2533 **PHLOMIS** (Herba Venti) involuclis fetaceis, hispidis; foliis ovato-oblongis, scabris; caule herbaceo. Lin. Spec. plant. 819.
Marrubium nigrum longifolium. Bauh. pin. 230.
- 2534 **PHLOMIS** (Tuberosa) involuclis hispidis, subulatis; foliis cordatis, scabris; caule herbaceo. Lin. Spec. plant. 820.
Galeopsis maxima foliis hormini. Buxb. cent. 1. p. 4. t. 6.
- 2535 **PHLOX** (Glaberrima) foliis lineari-lanceolatis, glabris; caule erecto; corymbo terminali. Lin. Spec. plant. 217.
Lychnidea folio malampyri. Dill. Hort. Elth. 203. t. 166. f. 202.
- 2536 **POLYGONUM** (Amphibium) floribus pentandris, semidigynis; staminibus corolla longioribus. Lin. Spec. plant. 517.
Potamogeton salicis folio. Bauh. pin. 193.
- 2537 **PSORALEA** (Pinnata) foliis pinnatis, linearibus; floribus axillaribus. Lin. Spec. plant. 1074.
Genistæ affinis arbor Africana monospermos, flore cœruleo, foliis pinnatis. Herm. Lugdb. 272. t. 273.
- 2538 **PTERIS** (Cheusanica). Polypodium caule simplicis, foliis simplicibus variis longis serratis. Burm. Thes. Zeyl. p. 196. tab. 87.

- Filicula cheufanica. Pluk. Amalthr. p. 94.
Phyt. t. 407. fig. 2.
- 2539 RANUNCULUS (Arvensis) seminibus aculeatis;
foliis superioribus decompositis linearibus.
Lin. Spec. plant. 780.
Ranunculus arvensis echinatus. Bauh. pin.
179.
- 2540 ROSMARINUS (Officinalis). Lin. Sp. pl. 33.
Bauh. pin. 217.
- 2541 SAXIFRAGA (Stolonifera) foliis radicalibus
subrotundis, crenatis, hirsutis; stolonibus re-
pentibus.
- 2542 SIEGESBECHIA (Orientalis) petiolis sessilibus;
calycibus exterioribus linearibus majoribus
patentibus. Lin. Spec. plant. 1269.
Bidenti similis foliis latissimis ferratis. Buxb.
cent. 3. p. 29. t. 52.
- 2543 SILENE (Acaulis). Lin. Spec. plant. Oed.
dan. t. 21.
Muscus alpinus lychnidis flore. Bauh. hist. 3.
p. 767.
- 2544 TEUCRIUM (Virginicum) foliis ovatis, inæ-
qualiter ferratis; racemis terminalibus. Lin.
Spec. plant. Gron. Virg. 64.
- 2545 TRAGOPOGON (Dalechampii) calycibus mo-
nophyllis, corolla brevioribus, inermibus;
foliis runcinatis. Lin. Spec. plant. 1110.
Hieracium asperum flore magno dentis leonis.
Bauh. pin. 127.
- 2546 TRIFOLIUM (Rubens) spicis villosis longis;
corollis monopetalis, caule erecto, foliis
ferrulatis. Lin. Spec. plant. 1081.

Trifolium

- Trifolium montanum* spica longissima rubente.
 Bauh. pin. 328.
- 2547 *VERBENA* (Nodiflora) tetrandra, spicis capitato-conicis; foliis ferratis; caule repente.
 Lin. Spec. plant. 28.
Verbena nodiflora. Bauh. pin. 269.
- 2548 *VICIA* (Faba minor β) caule erecto, petiolis absque cirrhis. Lin. Spec. plant. 1039.
Faba minor five *equina.* Bauh. pin. 338.
- 2549 *ZIZIPHORA* (Capitata) capitalis terminalibus, foliis ovatis. Lin. Spec. plant. 31.
Thymus humilis latifolius. Buxb. cent. 3. p. 28. t. 51. f. 1.
- 2550 *ZIZIPHORA* (Tenuior) floribus lateralibus; foliis lanceolatis. Lin. Spec. plant. 31.
Aeinos Syriaca folio mucronato capsulis hirsutis. Moris. hist. 3. p. 404. f. 11. t. 19. f. 3, 4.