XVIII. Extract of a Register of the Barometer, Thermometer, and Rain, at Lyndon, in Rutland, 1774. By Thomas Barker, Esquire. Communicated by Sir John Pringle, Bart. P. R. S.

Redde, March 23, 1775.

		Barometer.			Thermometer.					Rain.	
		Higheft	Lowest	Mean.	In the High.	he Ho	oufe. Mean	A High.	broad Low.	l. Mean	
Jan.	Morn. Aftern.	29,77	28,32	29,15	42 43	31½ 32	35 36	43 46	20 28	29 33½	3,308
Feb.	Morn. Aftern	30,05	28,49	29,25	46 46½	331/2	40 41	45 51½	22 29½	34½ 41	1,946
Mar.	Morn. Aftern.	29,81	28,56	29,30	48½ 51	35 38 39	43 44 ¹ / ₂	44 57½	28½ 35½	46	2,728
Apr.	Morn. Aftern.	29,77	28,72	29,24	53 54½	44½ 45½	48 49	52½ 62½	32½ 37½	51	1,523
May	Morn. Aftern.	29,67	28,76	29,35	55 56 1		51½ 53	691		46 57	3,142
J un	Artern.	29,76	28,87	29,33	62 66	54 55½		61 73½	50 56	55 65 1	2,483
July	Morn. Aftern.	29,76	29,10	29,41	63½		62	61 76 1		56 66	3,227
Aug.	Morn. Aftern.	29,80	28,80	29,38	68 70	58 60	61½ 63½	781		55½	3,910
Sept.	1,71,00,110	29,74	28,70	29,28	65 68 <u>‡</u>			61 73	40 48 <u>1</u>	49½ 59	8,0 00
oa.	Morn. Aftern.	30,06	28,92	29,64	56½ 57½	46	52 53½		34	43½ 53	1,15(
Nov.	Morn. Aftern.	29,73	28,73	29,36	52½ 52½	36	44	49 55 ¹ / ₂	32	37 41	1,530
Dec.	Morn. Aftern.	30,21	28,68	29,60	45½ 46	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	39½ 40	44½ 47	25	33½ 38	2,28
			·····								35,235

Vol. LXV.

 $\mathbf{F} \mathbf{f}$

Wettest

[200]

W	Wettest Months from								
_	one to twelve.								
1	Sept.	8,000							
2	Aug Sept.	11,910							
3	July -Sept.	15,137							
4	June —Sept.	17,620							
5	May —Sept.	20,762							
6	April—Sept.	22,285							
7	Mar.—Sept.	25,013							
8	Feb. —Sept	26,959							
9	Jan. —Sept.	30,267							
10	Dec. —Sept.	33,164							
11	Nov.—Sept.	36,769							
12	Oct. —Sept.	39,390							
		ւ							

The quantity of rain this year having exceeded any I ever had before, I have added here a new table of the wettest months from one to twelve to those I had before given. See vol. LXI. p. 226. In the seventeen months from May 1773 to September 1774 there fell 55,890 inches of rain, which is 3,288 inches each month; and in the three years 1772, 1773, and 1774, there came 93,258 inches; that is, 31,046 inches each year. The year began very severe with a sharp frost, which was not out of the ground for seven weeks together, though in

the mean time there were feveral breaks, attended with great rains or fnows and floods, and then freezing again. After the frost it was windy and wet for near a month, till above a week in March; the latter part of that month and all April were more fair, a good seed-time; and though with some frosty mornings, yet we had in general more mild weather than there has been in spring of late years. There was at times a good deal of sine weather in summer, yet mixed with a great deal of wet; it was a great grass year, and a cool summer. The hay-time and beginning of harvest were showery, yet more hindering than hurting; but the latter part of harvest in September was exceeding bad indeed. No grain could be carried for three weeks together; for it rained every

day, and in great quantities. I never measured so wet a month before. The wheat and oats were chiefly got in before it, and a great deal of barley; yet, as it was a late harvest, there was a great deal of the barley out, some wheat, and almost all the beans and pease. The wheat through the fevere and wet winter was all along thin, and much of it mildewed by the wet towards harvest. The crop of barley was not amifs, if it could have been all well got; but some of it suffered by the wet after it was cut. The beans and peafe were a remarkable great crop till harvest; but almost intirely spoiled in it. There was a great deal of winter meat for the cattle this year, plenty of good grass, a great deal of hay, and fine crops of turneps; but the straw of that corn, which was out in The weather fettled just at the the wet, was spoiled. beginning of October, which was a very fine month, almost like fummer; and it was not till then that the harvest could be finished. The wheat feed-time was good, and the rest of the year favourable upon the whole; though a frost at the end of November and beginning of December was earlier than usual, attended with snow, and threatened a fevere winter in most parts of Europe; yet it grew mild again afterward, was in general fair, and the ground continued tolerably dry, and a few frosty days concluded the year.