IV. Description of a new Electrometer. In a Letter from the Rev. Abraham Bennet, M. A. to the Rev. Joseph Priestley, LL.D. F. R. S.

## Read December 7, 1786.

REV. SIR,

Wirksworth, Sept. 14, 1786.

SEND you a description of my electrometer, which, having the honour of your approbation, may be communicated to the Royal Society. (See Tab. II. fig. 1. and 2. which represent two sections of the instrument.)

It consists of two slips of leaf gold, aa, suspended in a glass b. The foot c may be made of wood or metal; the cap d of metal. The cap is made flat on the top, that plates, books, evaporating water, or other things to be electrified, may be conveniently placed upon it. The cap is about an inch wider in diameter than the glass, and its rim about three-quarters of an inch broad, which hangs parallel to the glass, to turn off the rain and keep it sufficiently insulated. Within this is another circular rim, about half as broad as the other, which is lined with silk or velvet, and sits close upon the outside of the glass; thus the cap sits well, and may be easily taken off to repair any accident happening to the leaf gold. Within this rim is a tin tube e, hanging from the center of the cap, somewhat longer than the depth of the inner rim. In the tube a small peg f is placed, and may be occasionally taken out. To the

peg,

peg, which is made round at one end and flat at the other, two flips of leaf gold are fastened with paste, gum-water, or varnish. These slips, suspended by the peg, and that in the tube fast to the center of the cap, hang in the middle of the glass, about three inches long, and a quarter of an inch broad. In one fide of the cap there is a small tube g, to place wires in. It is evident, that without the glass the leaf gold would be so agitated by the least motion of the air, that it would be useless; and if the electricity should be communicated to the surface of the glass, it would interfere with the repulsion of the leaf gold; therefore two long pieces b b of tin-foil are fastened with varnish on opposite sides of the internal surface of the glass, where the leaf gold may be expected to strike, and in connexion with the foot. The upper end of the glass is covered and lined with fealing-wax as low as the outermost rim, to make its infulation more perfect. Tab. III. fig. 1. represents the instrument joined together, and ready for use.

The following experiments will shew the sensibility of this instrument. See Tab. IV.

Ift, Powdered chalk was put into a pair of bellows, and blown upon the cap, which electrified it positively when the cap was about the distance of fix inches from the nozzle of the bellows; but the same stream of powdered chalk electrified it negatively at the distance of three seet, as represented in sig. 2. and 3. In this experiment there is a change of electricity from positive to negative, by the dispersion or wider dissussion of the powder in the air. It is also changed by placing a bunch of sine wire, silk, or feathers, in the nozzle of the bellows, and is wholly negative when blown from a pair of bellows without their iron pipe, so as to come out in a larger stream; this last

The positive electricity of the chalk, thus blown, is communicated because part of the powder sticks to the cap; but the negative is not communicated, the leaf gold collapsing as soon as the cloud of chalk is dispersed.

2dly, A piece of chalk drawn over a brush, or powdered chalk put into the brush, and projected upon the cap, electristics it negatively; but its electricity is not communicated. Fig. 4.

gdly, Powdered chalk blown with the mouth or bellows from a metal plate placed upon the cap, electrifies it permanently positive. Fig. 5. Or if the chalk is blown from the plate, either insulated or not, so that the powder may pass over the cap, if not too far off, it is also positive. Or if a brush is placed upon the cap, and a piece of chalk drawn over it, when the hand is withdrawn the leaf gold gradually opens with positive electricity as the cloud of chalk disperses.

4thly, Powdered chalk falling, from one plate, to another placed upon the inftrument, electrifies it negatively. Fig. 6.

Other methods of producing electricity with chalk and other powders have been tried; as projecting chalk from a goofe wing, chalking the edges of books and clapping the book fuddenly together, also fifting the powder upon the cap; all which electrified it negatively: but the instrument being placed in a dusty road, and the dust struck up with a stick near it, electrified it positively. Breaking the glass tear upon a book electrified it negatively, probably by friction in the act of shivering, for when broken in water it did not electrify it.

Wheat flour, and red lead, are strongly negative in all cases where the chalk is positive. The following powders were like chalk: red ochre and yellow, rosin, coal ashes, powdered crocus metallorum, aurum mosaicum, black-lead, lampblack (which was only sensible in the two first methods), powdered

quick-lime, umber, lapis calaminaris, Spanish brown, powdered fulphur, flowers of tulphur, iron silings, rust of iron, sand. Rosin and chalk, separately alike, were changed by mixture; this was often tried in dry weather, but did not succeed in damp: white lead also sometimes produced positive, and sometimes negative, when blown from a plate.

If a metal cup be placed upon the cap, with a red-hot coal in it, a spoonful of water thrown in electrifies the cup negatively; and if a bent wire be placed in the cap, with a piece of paper fastened to it to increase its surface, the positive electricity of the ascending vapour may be tried by introducing the paper into it. Perhaps the electrification of sogs and rain is well illustrated by pouring water through an insulated cullender, containing hot coals, where the ascending vapour is positive, and falling drops negative. Fig. 7.

The fensibility of this electrometer may be considerably increased by placing a candle upon the cap. By this means a cloud of chalk, which only just opens the leaf gold, will cause it to strike the sides for a long time together; and the electricity, which was not before communicated, now passes into the electrometer, causing the leaf gold to repel, after it is carried away. Even sealing wax by this means communicates its fire at the distance of twelve inches at least, which it would scarcely otherwise do by rubbing upon the cap.

A cloud of chalk or wheat flour may be made in one room, and the electrometer, with its candle, be afterwards leifurely brought from another room, and the cloud will electrify it before it comes very near. The air of a room, adjoining to that wherein the electrical machine was used, was very sensibly electrified, which was perceived by carrying the instrument through it with its candle. Fig. 8.

In very clear weather, when no clouds were visible, the electrometer has been often applied to the insulated string of kites without metal, and their positive electricity caused the leaf gold to strike the sides; but when a kite was raised in cloudy weather, with a wire in the string, and when it gave sparks about a quarter of an inch long, the electricity was sensible by the electrometer at the distance of ten yards or more from the string; but, when placed at the distance of six seet, the leaf gold continued to strike the sides of the electrometer, for more than an hour together, with a velocity increasing and decreasing with the density or distance of the unequal clouds which passed over.

Sometimes the electricity of an approaching cloud has been fenfible without a kite, though in a very unfavourable fituation for it, being in a town furrounded with hills, and where buildings encompassed the wall on which the electrometer was placed. A thunder cloud passing over, caused the leaf gold to strike the sides of the glass very quick at each flath of lightning.

No fensible electricity is produced by blowing pure air, projecting water, by smoke, flame, or explosions of gunpowder.

A book was placed upon the cap, and struck with silk, linen, woollen, cotton, parchment, and paper, all which produced negative repulsion; but when the other side of the book was struck with silk, it became positive; this side, struck at right angles with the former, was again negative; and, by continuing the strokes which produced positive, it changed to negative, for a little while; and, by stopping again, became positive. No other book would do the same, though the sides were scraped unchalked, upon a supposition that altering the surface would produce it. At last, one side of a book was moistened, which changed it; so I concluded, that one edge

of the book had lain in a damp place; which conjecture was farther confirmed by all the books becoming positive in damp weather, and one of them being dried at the fire again became negative.


When the cap is approached with excited fealing-wax, the leaf gold may be made to strike the sides of the glass more than twelve times; and as the sealing wax recedes, it strikes nearly as often; but, if it approaches much quicker than it recedes, the second number will sometimes be greater.

The quantity of electricity necessary to cause a repulsion of the leaf gold is so small, that the sharpest point or edges do not draw it off without touching; hence it is unnecessary to avoid points or edges in the construction of this instrument.


I am, &c.


ABRAHAM BENNET.







os. Trans. Vol. LXXVII. Tab. II. p. 34.





Dalire Sc





Butter A