X. Concerning the Differences in the magnetic Needle, on Board the Investigator, arising from an Alteration in the Direction of the Ship's Head. By Matthew Flinders, Esq. Commander of his Majesty's Ship Investigator. In a Letter to the Right Hon. Sir Joseph Banks, K. B. P. R. S.

Read March 28, 1805.

Whilst surveying along the south coast of New Holland, in 1801 and 1802, I observed a considerable difference in the direction of the magnetic needle, when there was no other apparent cause for it than that of the ship's head being in a different direction. This occasioned much perplexity in laying down the bearings, and in allowing a proper variation upon them, and put me under the necessity of endeavouring to find out some method of correcting or allowing for these differences; for unless this could be done, many errors must unavoidably get admission into the chart. I first removed two guns into the hold, which had stood near the compasses, and afterwards fixed the surveying compass exactly a-midships upon the binnacle, for at first it was occasionally shifted to the weather side as the ship went about; but neither of these two arrangements produced any material effect in remedying the disagreements.

The following Table contains the observations for the variation of the compass in which the differences are most remarkable, and from which I shall beg to point out such inferences as I think may be drawn from them.

Mr. Flinders on certain Differences of the magnetic Needle. 187

Time.	Latitude.	Longitude,		Number of sets of observations taken.	Place of the compass.	Supposed true variation.	Observed variation	Ship's head.	Observer.
1801. Dec. AM	35 5 S Princess Ro	116 28 E yal Harbour	two three theodolite	4 azimuths 6 —	binnacle on shore	° ′ W 6 15	5 59 W 6 23 6 8	NW b. N	Commander
1802. Jan. 9, PM 16, AM 1803.	34 I Goose Island	 121 20 Bay	one one	2 — 2 —	binnacle —	5 O 4 O	9 22 0 54	ESE W	en n
May 20, AM 1802. Jan. 18, PM	33 37	124 10		2 —	_	_	6 8	E NNE	
20, PM 21, PM 22, PM 23, PM 24, AM 26, PM 30, AM Feb. 4, AM 6, AM 16, PM —, PM 18, AM Mar. 1, PM 17, PM 18, PM 21, AM 26, AM 27, AM April 6, AM 10, AM 11, PM 13, PM 13, PM 16, AM 17, PM 13, PM 16, AM 17, PM 18, PM 19, AM 21, AM 26, AM 27, AM 26, AM 27, AM April 6, AM 10, AM 11, PM 13, PM 16, AM 17, PM 22, AM 26, PM —, AM	32 38 32 30 32 30 32 30 32 21 32 5 32 15 32 18 No. 4, bay 32 36 34 5 34 50 In No. 10, 34 12 34 23 35 33 Kanguroo 35 10 35 21 Kanguroo 35 47 35 53 36 45 37 55 37 57 39 38 38 35 38 38	125 35 125 48 126 7 126 33 128 15 128 15 132 29 in island e 133 55 133 58 135 20 137 20 137 36 137 36 137 36 137 36 137 41 137 52 Island 139 15 139 26 140 5 139 56 144 50 144 25 144 35	three one three two one one one one one one one one one on	amplitude azimuths	on shore binnacle ————————————————————————————————————	4 30 4 15 4 0 0 3 0 0 15 1 5 E 1 12 1 39 2 15 2 2 45 2 2 45 2 2 58 3 3 0 4 15 4 15 7 45 7 30 7 30	5 44 7 15 6 13 4 18 6 4 3 7 1 223 1 56 E 1 33 E 1 39 0 35 1 12 1 39 0 35 1 49 2 58 1 49 2 58 1 49 2 58 5 11 5 2 20 2 2 3 48	E b. N S NE b. E S b. E E b. N S b. E SSE Easterly E b. S NW SE b. E SW S S S b. E	Lt. Flinders Commander Lt. Flinders Commander Lt. Flinders Commander

Note. All the compasses made use of on board the Investigator were of Walker's construction, one excepted, which was made by Adams, and used only on July 22d, 1801.

It is apparent that some of the observed variations in the above Table are 4° less and others 4° greater than the truth; and it may be remarked, that when this error is westward, the ship's head was east, or nearly so, and when it was eastward the head was in the opposite direction. When the observations agree nearest with what was taken on shore, or with what may be deemed the true variation, the ship's head was nearly north or south; and a minute inspection of the Table will favour the opinion, that the excess or diminution of the variation was generally in proportion as the ship's head inclined on either side from the magnetic meridian.

After I had well ascertained the certainty of a difference in the compasses, arising from an alteration in the point steered, I judged it necessary, when I wanted a set of bearings from a point where we tacked the ship, to take one set just before and another immediately after that operation: some specimens of these here follow.

```
Head ESE.
                                                                    Head SWb. W.
                                         N 55° to 71° E
N 4 W - after tacking N 9° W
S 32 E - - S 40 E.
Head SE b. E.
                                                                      Head W.
April 14th β point rocky, inner part N 39° E gh 29', AM β projecting part N 67 E
                                                     - after tacking, N 30° E
           Furthest visible extreme from
                                      S 51 E
             deck
                                                                        S 55 E,
                                     Head ENE.
                                                                 Head SW b. S.
N 15° W
                                                      - after tacking, N 21° W
                                                                       S 61 E
           Centre of a naked sandy patch - E
                                                                       E 5 N.
Variation per amplitude April 15, AM, taken with the surveying compass } 4° 8' E, ship's head being S.
                                                                  Head SW b. S.
                                          Head E.
                                          N 12° W - after tacking, N 18° W
April 15th, The peaked hummock -
           Former extreme, a projection S 59 E
Naked sandy patch, distant 3½ N 33 E
```

From some little change of place after tacking the ship, and from the part whose bearing was set not being perhaps the individual spot in both instances, the difference between the separate bearings in any set will not be always the same: to these causes for error also may be added inaccuracies in taking the angles arising from the motion of the ship and compass, from the view of the object being obstructed by the rigging, masts, or ship's upper works, and from too much haste to get the bearings before the ship's place was materially altered. Even in the Table of azimuths and amplitudes greater accuracy than one degree must not be looked for; and in ship-bearings 2 or even 3 degrees is not, I believe, too great an allowance for error, unless in very favourable circumstances.

Without attending to small differences, it is evident that the bearings correspond with the observations in requiring a less east variation to be applied when the ship's head was easterly, and a greater when it was to the westward, in order to get at the true direction of the object.* When examining the north

• As a specimen of the plan I followed in protracting such bearings as the above, take the set of April 15, AM, when the true variation appears to have been 4° E. On the first bearings the ship's head was six points on one side of the meridian, and on the second it was three points on the other side, the mean is one point and an half on the east side; now for this one point and an half I allow 1° of error, which, as it is on the east side of the meridian, and the variation is easterly, must be subtracted: the variation then to be allowed upon the mean between the bearings before and after tacking will be 3° E, from which the true bearings will stand as follows:

```
April 15th, AM \ 11 western part - - - N 15° E

1.1h 50' \( \) A peaked hummock - - - N 20 E

Eurthest extreme from deck - - S 54 E

Centre of a naked sandy patch - E 0\( \frac{1}{2} \) S.
```

In the same manner upon single sets of bearings I was obliged to allow a variation different from what I supposed the true to be, unless the ship's head was nearly north or south: but, that I might proceed as little upon conjecture as possible, I always

and east coasts of New Holland, I always endeavoured to take the angles on shore with a Troughton's portable theodolite, and to observe for the variation in the same places, that all the errors might be done away or corrected; and as I was frequently fortunate enough to carry on my surveys in this manner for weeks together, instances that might corroborate or contradict the preceding remarks are neither very numerous or pointed; the following are the most remarkable.

Time,	Latitude.	Longitude.	Number of compasses used.	Number of sets of observa- tions taken.	Place of the compass.	Supposed true variation.	Observed variation.	Ship's head.	Observer.
Oct. 14, PM 20, PM 21, AM Nov. 2, PM 7, AM 9, PM 1803. Jan. 3, PM 7, PM 13, {PM 13, {AM} 14, AM	23 51 S 23 51 S 23 51 S 23 30 23 23 22 23 Upon Pier 20 44 19 22 18 15 10 30 12 11 12 37 14 20 14 20 13 38 13 35 In NW Bay Arnhem S ————————————————————————————————————	151 42 E 151 40 151 11 151 16 150 38 Head 150 42 148 40 148 38 142 32 142 0 142 2 136 16 136 37 137 20 136 58 (Gr. Eyl.) Bay	one	I amplitude I — 6 azimuths 2 — I amplitude I — I — I — I azimuth 6 —	on shore	8 ° E 7 45 7 3° 8 ° 0 7 ° 0 6 ° 0 1 ° 0 1 ° 0 2 3° 0 1 ° 0 1 ° 0	10 15 6 50 7 52 4 49 8 6 40 5 34 2 4 5 5 4 5 5 6 8 6 9 7 5 7 8 9 7 5 7 8 9 7 8 9 7 8 9 8 9 7 8 8 9 7 8 9	WNW SSE W E SSE S N b. E E S W F. SE	Commander Lt. Flinders Commander

endeavoured to get observations for the variation when the ship's head was in the same direction as when I had taken or wished to take a particular set of bearings, and I then allowed that variation exactly, whatever it was. The perplexity arising from disagreements in bearings was by these means much alleviated, and happy agreements were frequently produced, when, without such corrections, there was nothing but discord.

In the latter of these observations, the differences arising from a change in the direction of the ship's head is less considerable than in the higher latitudes; indeed, on approaching the line of no variation upon the south coast, the differences in the variation were smaller than before and afterwards; but that these differences shall be greater in a large variation and smaller in a less, both places being equally distant from the magnetic pole, I will not venture to assert. The inferences that I think may be safely drawn from the above observations are as follows: 1st. That there was a difference in the direction of the magnetic needle on board the Investigator when the ship's head pointed to the east, and when it was directed westward. 2d. That this difference was easterly when the ship's head was west, and westerly when it was east. gd. That when the ship's head was north or south the needle took the same direction or nearly so that it would on shore; and shewed a variation from the true meridian, which was nearly the medium between what it showed when east and when west. 4th. That the error in variation was nearly proportionate to the number of points which the ship's head was from the north or south. Constant employment upon practice has not allowed me to become much acquainted with theories, but the little information I have upon the subject of magnetism has led me to form some notion concerning the cause of these differences, and although most probably vague and unscientific, I trust for the candour of the learned in submitting it, as well as the inferences above drawn, to their judgment.

1st. I suppose the attractive power of the different bodies in a ship, which are capable of affecting the compass, to be collected into something like a focal point or center of gravity, and that this point is nearly in the center of the ship where the shot are deposited, for here the greatest quantity of iron is collected together.

2d. I suppose this point to be endued with the same kind of attraction as the pole of the hemisphere where the ship is; consequently, in New Holland the south end of the needle would be attracted by it and the north end repelled.

3d. That the attractive power of this point is sufficiently strong in a ship of war to interfere with the action of the magnetic poles upon a compass placed upon or in the binnacle.

If these suppositions are consistent with the laws of magnetism, established by experiments, I judge that they will account for all the differences above noticed: for the interference will necessarily be most perceptible upon a compass when the attractive point is at right angles to the magnetic meridian, that is, when the ship's head is east or west, and will altogether vanish or become imperceptible when the attractive point and meridian coincide, or when the ship's head is north or south. That the power of this point should become less as the ship increases her distance from the magnetic pole has not indeed entered into my suppositions; but it may probably be true, and is indeed almost a necessary consequence of the second supposition. If the above hypothesis, so to call it, be true, it must follow, that the differences in the variation of the magnetic needle, arising from a change in the ship's head, ought to be directly contrary to those before recited, when the ship is on the north side of the magnetic equator, for the north point of the needle should then be attracted, and the south end repelled. I have no observations which are very decisive upon this head, but those that were taken on board

the Investigator seem to be peak that it is so; they are as follows.

Time,	Latitude.	Longitude.	Number of com- passes used.	Number of sets of observations taken.	Place of the compass.	Suppos- cd true varia- tion.	Observed variation.	Ship's head.	Observer.
1801. July 21, PM 22, PM -, AM 28, PM 31, PM Aug. 24, AM 29, AM Sept. 5, AM	Start Point to the 1 49° 10′ N 48 15 38 1 Porto Sante to the 10 20 5 40 2 15	NE 5° 25' W 6 45 14 20 o in sight	two one two one five two one two	5 azimuths 1 amplitude 4 azimuths 1 amplitude to azimuths 11 4	upon the booms in the middle	Section Sectio	29 34 W 29 30 24 12 24 49 20 57 25 34 22 45 19 51 12 45 12 18	W WNW WSW SW SE b. S	Mr. Thistle Commander Mr. Thistle Commander Lt. Flinders Mr. Thistle

These observations, particularly those of July 28, seem to be decisive in showing that the variation is more westerly when taken upon the binnacle of a ship whose head is westward in north latitude, than when observed in the center of the ship, which is a strong confirmation of the suppositions before given; but the observations on the change of the ship's head are too few to be satisfactory. Almost every sea officer can tell whether he has observed the variation of the compass to be greater when going down the English Channel than when coming up it: and indeed it would be very easy for a ship lying in harbour to ascertain the point beyond controversy. Should this point be well established, I think it would follow, that from a high south latitude where the differences are great on one side, they are most likely to decrease gradually to the equator, and to increase in the same way to a high north latitude, where they are great on the other side; thus the smaller

differences on the north coast of New Holland will be accounted for. I shall leave it to the learned on the subject of magnetism to compare the observations here given with those made by others in different parts of the earth, and to form from them an hypothesis that may embrace the whole of the phenomena: the opinion I have ventured to offer is merely the vague conjecture of one who does not profess to understand the subject. Some account of the magnetism of Pier Head, upon the east coast of New Holland, may not perhaps be thought an unappropriate conclusion to this Paper. I was induced to attend to this from the following passage in HAWKESWORTH, Vol. III. p. 126. "At sun-rise I went ashore," says Captain Cook, "and "climbing a considerable hill," Pier Head, "I took a view of "the coast and the islands that lie off it, with their bearings, "having an azimuth compass with me for that purpose; but I " observed that the needle differed very considerably in its "position, even to thirty degrees, in some places more, in "others less; and once I found it differ from itself no less "than two points in the distance of fourteen feet.* I took up " some of the loose stones that lay upon the ground, and "applied them to the needle, but they produced no effect;

In a set of angles taken near the head of Arnhem north bay, on the west side of the gulph of Carpentaria, I found the needle of the theodolite had been drawn 50° from its proper direction. The shore consisted of grains of iron ore caked into a stony mass; and a piece of it, when applied to the needle, drew it 6 or 8 degrees from its direction, but it then swung back to its error of 50° where it was stationary. In Arnhem south bay a small piece of similar stone drew the needle of the theodolite entirely round, yet the bearings taken in this place did not show any disagreement from the variation and bearings taken in the neighbouring places, where the stone did not produce any such effect. In most places on shore, where I had occasion to take angles, it was my practice to try the effect of a piece of the stone upon the theodolite, in order to detect the presence of iron ore, as well as on account of my survey. It

" and I therefore concluded that there was iron ore in the hills, " of which I had remarked other indications, both here and " in the neighbouring parts."

On landing at Pier Head I found the stones lying on the surface to be porphyry, of a dark bluish colour; but although I understand this species is usually found to possess some magnetic power, a piece did not produce any sensible effect upon the needle of the theodolite when applied to it. In the following observations the theodolite always stood about four feet from the ground, that being nearly the length of its legs. I first took an extensive set of bearings from the top of the hill, amongst which were two stations whence Pier Head had been before set. The first, called Extensive Mount, distant 34 miles, differed from its back bearing 4° 35' to the right, and the second, island a, distant 29 $\frac{1}{3}$ miles, differed 4° 45' the same way. I now moved the theodolite three yards to the westward. and the same two objects bore 2° 10' to the right of their back bearing; on moving it three yards to the south-eastward from the first place, they differed 2° to the left; and on moving the theodolite four yards to the northward, the same two objects bore 1° 10' to the right of their back bearings. On the following morning I determined to try the magnetism more particularly. Taking the theodolite and dipping-needle, I landed upon the shore of the Head, whence the top of the hill bore N 50° W, about one-third of a mile. The variation of the theodolite in this place I observed to be 8° 2' E, and the

commonly happened that no effect was apparent, but yet I could not trust implicitly to the angles, (particularly on the main land,) unless observations for the variation were taken before the instrument was moved, or I had a back bearing of some station where such observations had been made.

inclination of the south end of the dipping needle 50° 50', the needle stood vertical when the face of the instrument was S 2° E. I then took the following bearings: Extensive Mount 108° 30', the same exactly as by back bearing. Double Peak 143° 30'; from hence I rowed round the Head, and landed on a rock, whence the top of the hill bore SSW one-sixth of a mile; Extensive Mount bore 110° 14', the inclination of the dipping-needle 50° 20', and the needle stood vertical when the instrument faced S 3° E. Thus the difference was 13° in the horizontal, and $\frac{1}{2}$ in the vertical direction of the needle. Ascending the hill, I made the following observations on the top: Extensive Mount 113° 50', a island 133° 52', Double Peak 148° 32'; the inclination of the needle was 53° 20', and it stood vertical at S 3° E. The differences here are 5° 10' in the horizontal, and 2° 30' in the vertical direction, from what the needle stood at in the first morning's place. On moving ten yards SSE, the bearings were, Extensive Mount 108° 44', Double Peak 143° 25'; the inclination was 52° 18', and the needle was vertical when the instrument faced S 5° W. In this 4th set of observations, the horizontal direction of the needle is only a few minutes different from the first place, but the vertical direction is 1° 28'. From the top of the hill I now moved twenty yards to the north-eastward, when Extensive Mount bore 110°, Double Peak 144° 42'; the inclination of the dipping needle was now 50° 35′, and it stood vertical at S 3° W. Thus it appears that the polarity of the magnetic needle is most interrupted at the top of the hill, both according to the theodolite and dipping-needle. Whether this may arise from some particular magnetic substance lodged in the heart of the hill, or from the attractive powers of all the substances

which compose Pier Head being centered in a similar point to what I have supposed to take place with all the ferruginous bodies lodged within a ship, I shall not attempt to decide. The greater differences in the horizontal direction of the needle observed by Captain Cook, might have arisen from his using a common azimuth compass, which was probably not further elevated from the ground than to be placed on a stone.

MATTHEW FLINDERS.

Isle of France, March 5th, 1804.