

XII. *Tables of the Weights of the Human Body and Internal Organs in the Sane and Insane of both Sexes at various Ages, arranged from 2614 post-mortem examinations.*
 By ROBERT BOYD, M.D., F.R.C.P.L., *Physician to the Somerset County Lunatic Asylum.* Communicated by Dr. SHARPEY, Sec. R.S.

Received February 7,—Read February 28, 1861.

THESE Tables have been compiled from notes of 2086 examinations made at St. Mary-lebone Infirmary, between 1839 and 1847; and of 528 examinations in cases of insanity made at the Somerset Lunatic Asylum, between 1848 and the end of December 1860, comprehending in all a period of twenty-one years. The calculations alone have been the labour of many months; a task, which, owing to the pressure of daily duties in a large establishment, I could not now have completed but for the able assistance of my relative Major BOYD.

The Tables are submitted with a hope that they may aid in forming a standard of the weight of the human organs from early infancy to old age. The cases are arranged at eighteen periods of life, under eighteen different heads, showing the average height and weight of the body (the measurement of the head, and weight of the spinal marrow in No. 2), the average weight of the encephalon and its several parts; also of each lung, of the heart, and of all the abdominal viscera. The assigned causes of death are given in the margin; also the variations in weight of the lungs, heart, and liver.

TABLE I.

of the internal organs in both sexes, and in the foetus, at eighteen periods from infancy to old age; parochial infirmary from 1839 to 1847. The assigned causes of death, the maximum, minimum, below the general average, and the mean weight of each kidney, where weighed separately, are

Age.	Sex.	Body.		Cerebral organs.				Thoracic organs.				Abdominal organs.						
		Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.
Premature, still-born.	Maximum.																	
	M.	oz. 85	in. 18	oz. 9	oz. .75	oz. .5	oz. 9.2	oz. 1.25	oz. 1.25	oz. .75	oz. .33	oz. .5	oz. 7	oz. .75	oz. .25	oz. 1.13	oz. .29	oz. .06
	F.	75	18	8.5	.5	.19	9.13	1	1	.62	.19	.2	5.5	1	.2	.75	.33	.06
	Minimum.																	
	M.	12	10	1.25	.05	.04	1.31	.19	.16	.06	.01	.02	.5	.02	.01	.13	.02	
	F.	8.5	10	.8	.19	.03	1.29	.06	.06	.06	.01	.02	.25	.02	.01	.6	.02	.002
	Average.																	
	M.	45.5	14	5.33	.28	.12	5.6	.57	.52	.31	.1	.12	2.42	.2	.06	.44	.13	
	F.	38	13.5	4.42	.36	.1	4.62	.5	.42	.26	.07	.05	2.1	.23	.05	.32	.1	.02
	Number examined.																	
	M.	28	26	21	19	19	25	24	24	27	24	20	27	26	17	24	25	
	F.	20	19	10	6	6	18	19	19	20	18	18	19	18	18	19	18	14
Still born; full period.	Maximum.																	
	M.	172	22	21	2	1	22	1.75	1.75	1.75	.75	.75	8.5	.75	.37	1.7	.75	
	F.	154	22	14.5	1.25	.37	15.12	1.75	.56	1	.75	.5	8.5	1.25	.25	1.62	.39	.13
	Minimum.																	
	M.	60	16	8.75	.37	.04	9.37	.5	.31	.37	.06	.12	2.75	.12	.04	.5	.06	
	F.	67	17	7.5	.37	.03	8	.62	.5	.16	.08	.12	2.62	.12	.04	.37	.12	.01
	Average.																	
	M.	105.7	18.5	12.87	.8	.02	13.87	1.03	.83	.72	.31	.22	5.33	.29	.11	.89	.25	
	F.	98.5	19	11.25	.75	.16	12.25	1.03	.83	.65	.3	.25	5.5	.37	.11	.82	.23	.06
	Number examined.																	
	M.	51	48	42	43	43	43	47	47	50	50	42	49	47	46	48	45	
	F.	32	32	30	29	29	31	29	29	30	30	31	32	30	28	31	30	27
New born.	Maximum.																	
	M.	140	21	14	1.25	.37	15.37	1.75	1.25	1.25	1.02	.5	8.5	1	.37	2.25	.5	
	F.	128	21	15	1.25	.37	16	1.75	1.5	1.12	.56	.75	8.75	1.25	.25	1.5	.28	.08
	Minimum.																	
	M.	42.5	14	5.62	.25	.06	6	.37	.29	.18	.06	.06	1.75	.06	.03	.25	.06	
	F.	25	14	1.62	.12	.04	1.75	.25	.21	.16	.02	.04	1.25	.04	.03	.25	.06	.01
	Average.																	
	M.	81	18.2	10.84	.69	.2	11.67	1.04	.85	.54	.25	.23	4	.33	.11	.87	.17	
	F.	67.7	17.5	9.26	.62	.16	10	1.19	.86	.59	.21	.22	3.82	.34	.11	.68	.16	.04
	Number examined.																	
	M.	45	45	44	40	40	42	44	44	44	44	42	45	42	39	28	42	
	F.	45	40	38	35	35	39	38	38	42	34	40	44	40	34	38	33	27

TABLE I.

Age.	Assigned causes of death.		Lungs.	No.		Average.		Maximum.		Minimum.																																									
	Causes.	Males.		Females.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.																																							
Under 3 months.	Diseases of { Digestive organs..... Genito-urinary organs ... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Fevers..... Inquest cases..... Total	0 0 6 3 5 0 0 2	4 1 8 4 2 1 2 0	Female. Male. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	7 ... 4 ... 11 ... 4 ...	8 ... 3 ... 11 ... 4 ...	1.3 ... 1.87 ... 1.04 ... 1.7595 ... 1.7598 ... 1.62 ...	1.5 ... 2.5 ... 1.5 ... 2 ...	1.25 ... 2.25 ... 1.5 ... 275 ... 1 1.25575 1.25 ...																																							
													From 3 to 6 months.	Diseases of { Digestive organs..... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Fevers..... Inquest cases..... Total	2 5 4 2 1 0 1	2 16 1 3 2 1 0	Female. Male. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	9 2 4 ... 8 1 9	9 2 4 ... 9 1 8	1.42 2.25 2.28 ... 1.32 ... 2.86	1.38 2 1.93 ... 1.31 ... 2.19	2 2.5 2.5 ... 1.5 3 5.5	1.75 2.25 2 ... 1.5 2.75 2.25	.75 2 2 ... 1.13 ... 1.5	.75 1.75 1.75 ... 1 ... 1.25																										
																										From 6 to 12 months.	Diseases of { Digestive organs..... Genito-urinary organs ... Respiratory organs..... Vascular system..... Nervous system..... Fevers..... Total	3 0 29 5 6 3	0 1 23 4 4 8	Female. Male. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	15 4 18 1 14 1 19	14 4 19 1 16 1 17	1.87 4.47 4.09 ... 1.87 ... 3.37	1.77 4.25 3.37 ... 1.86 ... 2.85	2.75 9.25 5.5 1.5 2.75 3 5.5	2.37 9.25 5 1.5 2.5 3 4.5	1.25 2 2.5 ... 1 ... 2.12	1.13 2 2.25 ... 1.13 ... 2 1.75													
																																							From 1 to 2 years.	Diseases of { Digestive organs..... Respiratory organs..... Vascular system..... Nervous system..... Fevers..... Total	1 19 2 3 9	2 15 2 5 9	Female. Male. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	6 3 19 2 14	6 3 19 2 15	3.38 4 4.68 2.5 2.69	3.06 4.87 4.47 2.5 2.17	3.5 5 7.25 2.25 4.5	3.5 6 6.5 2.5 3.25	3 3 3.75 2.75 1.5	2.5 2.75 3.25 2.5 2.5

continued).

Age.	Sex.	Body.		Cerebral organs.				Thoracic organs.				Abdominal organs.							
		Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.	
Under 3 months.		Maximum.																	
	M.	12 0	24	31.5	1.62	.5	32.75	2.5	2.25	1.5	.37	.77	8	.75	.75	2.25	.19	oz.	
	F.	12 0	22	31	1.75	.5	32.5	2.25	2	1	.75	.62	7	.75	.5	1.5	.25	.25	
		Minimum.																	
	M.	4 0	18	9.25	.5	.13	10.5	.75	.5	.5	.04	.25	2.5	.13	.06	.25	.06	.06	
	F.	3 6	16	11	.5	.13	11	.37	.37	.25	.06	.20	3	.17	.06	.37	.06	.03	
		Average.																	
	M.	7 3	22	16.2	1.07	.24	17.42	1.51	1.16	.68	.16	.37	5	.34	.27	.99	.13		
	F.	6 2	20.7	14.81	.9	.25	15.94	1.23	1.15	.64	.17	.4	4.32	.33	.19	.94	.11	.06	
		Number examined.																	
M.	16	16	15	15	15	16	11	11	16	11	15	16	16	15	14	13			
F.	22	17	19	18	18	20	15	15	21	13	19	21	19	18	22	15	14		
From 3 to 6 months.		Maximum.																	
	M.	12 8	32	27.5	3	.5	30.75	2.5	2.25	1	.62	1.25	9	1.5	.5	2	.29		
	F.	11 8	25	33	2.75	.62	34.75	5.5	2.75	1.5	.5	.75	8.5	1.5	.5	2.5	.5	.06	
		Minimum.																	
	M.	4 8	19.5	15.5	.75	.25	10.75	.75	.75	.62	.06	.25	3	.25	.06	.75	.06		
	F.	4 0	19	13.5	.25	.13	13	1.13	1	.5	.03	.25	2.75	.19	.1	.75	.06	.02	
		Average.																	
	M.	8 5	22.7	20	1.72	.29	21.29	1.77	1.6	.88	.22	.49	6.22	.71	.21	1.3	.13		
	F.	7 0	22.5	18.05	1.69	.30	19.76	2.19	1.76	.81	.15	.5	5.44	.46	.22	1.09	.14	.04	
		Number examined.																	
M.	15	15	14	14	14	15	15	15	15	9	15	15	15	14	14	13			
F.	25	22	23	21	21	25	18	18	24	13	21	25	24	20	23	18	12		
From 6 to 12 months.		Maximum.																	
	M.	18 0	30	32	3.75	.75	36.13	9.25	9.25	2.25	.75	1.25	18.5	1.75	1.04	3.75	.5		
	F.	18 0	33	34.75	4	.62	39.13	5.5	4.5	2.25	.5	1.25	13	1.5	1.25	3	.37	.13	
		Minimum.																	
	M.	5 12	18	14.5	.75	.13	17.75	1.25	1.13	.5	.04	.25	4	.25	.08	1.25	.06		
	F.	6 0	19	13.5	1.75	.25	16.37	1	1.13	.5	.06	.25	3.5	.25	.13	.62	.06	.02	
		Average.																	
	M.	12 1.5	26	24.29	2.74	.39	27.42	3.20	2.86	1.13	.18	.64	9.41	.79	.34	2.43	.21		
	F.	10 11.5	25.7	22.68	2.32	.35	25.7	2.73	2.39	1.08	.15	.66	8.35	.72	.32	1.85	.18	.05	
		Number examined.																	
M.	45	45	46	46	46	46	38	38	46	29	42	44	43	41	45	33			
F.	40	39	38	38	38	40	37	37	40	25	29	40	40	36	39	32	27		
From 1 to 2 years.		Maximum.																	
	M.	26 0	34	36	4.5	.75	41.25	7.25	6.5	3.5	.5	1.75	17	8	.75	4	.25		
	F.	25 0	35	33.25	4.25	1	37	7	6.5	2.25	.5	1.37	17.25	2.25	1	4	.25	.13	
		Minimum.																	
	M.	10 8	24	20.5	2.75	.25	23.25	2.75	2.5	1	.06	.5	7.5	.5	.06	1	.06		
	F.	5 8	22	14.75	1.75	.25	18	1.5	1.25	.75	.04	.37	7	.5	.06	1.5	.06	.03	
		Average.																	
	M.	14 6	28.5	29.21	3.54	.5	33.25	4.12	3.99	1.66	.17	1	11.7	1.34	.44	2.55	.16		
	F.	13 2	27.7	26.19	3.15	.46	29.8	3.58	2.95	1.47	.13	.91	11.17	1.04	.49	2.4	.14	.05	
		Number examined.																	
M.	34	32	34	34	34	34	30	30	34	19	32	34	33	30	33	30			
F.	33	33	33	33	33	33	30	30	32	18	30	33	32	32	29	28	25		

TABLE I.

Age.	Assigned causes of death.			No.		Average.		Maximum.		Minimum.		
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
From 2 to 4 years.	Diseases of { Digestive organs..... Genito-urinary organs ... Respiratory organs Vascular system Nervous system Fevers Total	2 0 16 1 3 7 29	3 1 16 2 2 5 29	Female. Male. Lungs. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	8	7	3.8	3.35	4.75	4.75	3.25	2.75
					6	6	6.16	5.87	10.75	10.75	3	4.5
					10	11	6.85	6.76	8.75	11	5.5	3.13
					2	2	4	3	4.5	4	3.5	2
					13	14	3.76	3.5	4.75	4.5	1.75	1.42
					3	3	6.37	5.25	8.25	6.5	5.5	5
					11	10	7.01	5.91	9.5	8	4	3.5
				
				
				
From 4 to 7 years.	Diseases of { Digestive organs..... Respiratory organs Vascular system Nervous system Locomotive organs Fevers Total	1 15 3 4 0 4 27	1 10 3 1 1 5 21	Female. Male. Lungs. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	No.		Average.		Maximum.		Minimum.	
					Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
					6	5	3.79	3.58	6.5	5.5	2	1.75
					9	9	7.36	6.25	10	9.75	4.5	3.5
					6	7	6.96	8.46	8.5	14.5	5	5
					3	3	6.58	5.25	7	5.5	6	5
					8	7	3.13	3.23	4.5	4.75	2.13	2
					8	8	7.15	7.06	11	11	3.5	3
					3	3	7.5	6.33	8	7.25	7.25	6
				
				Male.				Female.				
		No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.			
Kidneys.				2	2.75	2.25	2.5	5	5.25	1.75	2.7	
Right				2	3	2.5	2.75	5	3.25	1.75	2.34	
Left				2	3	2.5	2.75	5	3.25	1.75	2.34	
From 7 to 14 years.	Diseases of { Digestive organs..... Respiratory organs Vascular system Nervous system Locomotive organs Fevers Total	3 11 4 2 1 1 22	2 6 2 4 0 4 18	Female. Male. Lungs. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	No.		Average.		Maximum.		Minimum.	
					Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.
					3	4	7.42	6.06	9.25	6.75	4.5	4.5
					7	7	9.5	10.22	15.25	16	5	5
					6	5	12.46	14.64	16.5	23.5	7.5	8
					1	1	9.5	7.5
					8	7	6.19	6.07	8	9	4.5	4
					2	2	8.5	8.25	12.5	11	4.5	5.5
					1	2	...	14	29.5	16.5	...	11.5
					2	2	9.5	9.5	10	11.25	9	7.75
				Male.				Female.				
		No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.			
Livers.				11	32.25	18.25	26.79	11	23.5	15.5	20.8	
Under general average				8	71	35.25	47.17	6	44	28	35.16	
Above general average				10	6	1.87	3.51	1	2.25	
Right				10	4.25	1.74	3.27	1	2.75	
Left				10	4.25	1.74	3.27	1	2.75	

(continued).

Age.	Sex.	Body.		Cerebral organs.				Thoracic organs.				Abdominal organs.						
		Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.
From 2 to 4 years.	Maximum.																	
	M.	lbs. oz.	in.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.
	F.	29 0	38	45	5	1	50.5	10.75	11	3.5	.5	2.5	22	4.5	1.5	5.5	.75	.13
	F.	31 0	37	39.5	5	.75	44.5	9.5	8	2.75	.33	1.75	19.75	4	1.25	5	.25	.13
	Minimum.																	
	M.	12 0	27	26	3	.25	30.5	3	2	1.25	.08	1	11	.5	.25	1.75	.06	.01
	F.	8 .2	26	24.25	3	.25	27.75	1.75	1.42	1	.08	.62	4.75	.25	.25	1.75	.08	.01
	Average.																	
	M.	20 0	31.6	34.03	4.02	.66	38.71	5.45	5.08	2.14	.25	1.48	16.85	1.58	.76	3.33	.23	.08
	F.	18 7.5	31.6	30.77	3.7	.5	34.97	5.04	4.24	2.11	.16	1.2	13.49	1.28	.68	3.14	.15	.08
	Number examined.																	
	M.	28	27	28	28	28	29	26	26	27	9	27	29	28	27	29	25	
F.	28	28	29	29	29	29	27	27	29	14	28	29	27	27	28	24	21	
From 4 to 7 years.	Maximum.																	
	M.	47 0	45	43.5	5.25	1	49.5	10	14.5	3.75	.5	3.25	29	3.5	2.5	8.5	.37	.25
	F.	40 0	43	43	5.25	1.5	48.25	11	11	3.5	.25	3	31	4.25	1.5	6.5	.5	.25
	Minimum.																	
	M.	14 0	29	21.5	2.5	.25	24.5	2	1.75	1.25	.13	.75	10.5	.5	.13	2	.13	.04
	F.	14 4	29	30	2.75	.5	34.75	2.13	2	.75	.06	1	12	.6	.37	2.37	.06	.04
	Average.																	
	M.	25 8	37.5	35.44	4.17	.62	40.23	6.27	6.01	2.77	.25	1.95	19.13	1.85	.8	4.05	.21	.1
	F.	24 9	37	35.04	4.19	.68	40.11	5.52	5.45	2.3	1.07	1.67	19.56	1.65	.8	4.26	.16	.1
	Number examined.																	
	M.	26	25	27	27	27	27	24	24	27	7	27	27	23	26	24	23	
	F.	23	23	17	17	17	19	19	18	20	3	21	20	18	19	21	20	16
From 7 to 14 years.	Maximum.																	
	M.	74 0	54	50	6.25	1	57.25	16.5	23.5	5.5	...	9	71	5.75	2.17	10.5	.75	.5
	F.	72 0	59	46	5	1	52	29.5	16.5	6	.25	4.5	44	7	1.75	9.5	.5	.5
	Minimum.																	
	M.	26 0	36	33.5	4	.5	39.25	4.5	4.5	2.25	...	2.25	18.25	1	.25	3.4	.13	.03
	F.	34 0	34	30	3.5	.5	34	4.5	4	1.75	.13	1	15.5	.5	.6	3.5	.26	.03
	Average.																	
	M.	42 6	47	40.36	4.84	.76	45.96	10.14	10.38	4.25	...	3.69	34.71	3.03	1.68	6.58	.37	.19
	F.	38 6	45	35.86	4.27	.65	40.78	8.82	8.17	4.38	.17	2.55	25.86	2.54	1.34	5.75	.27	.19
	Number examined.																	
	M.	19	19	22	22	22	22	17	17	21	...	19	19	19	18	20	13	
	F.	18	18	18	18	18	18	13	13	17	4	16	17	16	16	17	13	16

Age.	Assigned causes of death.		No.		Average.		Maximum.		Minimum.																								
	Causes.	Males.	Females.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.																						
From 14 to 20 years.	Diseases of Digestive organs..... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Fevers..... Total.....	1 7 0 5 4 2 19	2 8 1 1 1 3 16	Lungs. Healthy..... Phthisis..... Pneumonia..... Bronchitis..... Healthy..... Phthisis..... Pneumonia..... Bronchitis.....	6 5 3 2 5 2 4 1	5 5 4 2 7 2 2 1	11.71 28.1 27.42 16.75 11.1 21 23.75 ...	9.89 32 18.5 15.5 10.85 20.25 21.25 ...	18.5 37.5 47 19.5 16.5 27.25 30 19	17.5 42 20.5 19.75 16 24 33 16.5	7.75 10.5 13.5 14 7 14.75 19.5 ...	6.5 15.25 17 11.25 7 16.5 15.5 ...																					
													Male.				Female.																
													No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.													
													11	7.5	3.5	5.71	7	8.25	4.5	7.4													
													7	14	8.5	9.32	7	16.5	9.25	10.68													
													Livers.				Kidneys.																
													8	56	32	39.41	5	53	23	35.64													
													9	96	58	67.58	9	73	55	58.83													
													10	6.5	3.5	4.52	2	7	3.5	5.25													
													10	7.5	3	4.84	2	6.5	3	4.75													
													From 20 to 30 years.	Diseases of Digestive organs..... Genito-urinary organs... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Fevers..... Inquest cases..... Total.....	4 1 42 1 3 0 6 2 59	10 9 25 6 13 3 9 0 75	Lungs. Healthy..... Phthisis..... Pneumonia..... Bronchitis..... Healthy..... Phthisis..... Pneumonia..... Bronchitis.....	9 28 3 ... 32 16 11 2	8 28 4 ... 33 16 10 2	17.36 35.6 23.67 ... 14.65 25.78 30.26 19.75	17.31 35 20.27 ... 13.5 26.16 21.27 19.75	20.75 64.5 24.5 ... 21 36.5 31.5 22	19.5 58 21 ... 20 36.5 30.25 21.5	11 23 23 ... 6.25 16 22 19.5	9 20.75 19.5 ... 6.25 14 18.5 18								
																										Male.				Female.			
																										No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
																										36	10	5.5	8.54	44	9	3.5	7.3
																										22	17	11	14	30	26	9.25	11.69
Livers.				Kidneys.																													
39	60	32	51.53	38	52.25	28	45.52																										
17	114	60.5	79.16	36	83.5	53	68.81																										
14	7.25	1.5	5.82	25	8	2.25	5.3																										
14	9	4	6.48	25	6.75	2.25	5.3																										
From 30 to 40 years.	Diseases of Digestive organs..... Genito-urinary organs... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Fevers..... Inquest cases..... Total.....	3 3 70 4 26 0 5 2 113	9 3 44 9 15 1 5 3 89	Lungs. Healthy..... Phthisis..... Pneumonia..... Bronchitis..... Healthy..... Phthisis..... Pneumonia..... Bronchitis.....	19 49 16 12 35 25 10 6	20 49 15 12 33 25 12 6	19.08 36.71 39.89 24.14 14.53 24.86 25.6	17.16 31.24 25.98 20.27 13.11 22.7 24.51 16.25	24.5 63.5 87 32.5 20.25 37 33 26.5	23.5 52 47 28.5 18.75 37 34 19	10.75 14 21.5 20 9.5 9 19 14.25	10.5 10.5 22.5 13.75 6.25 13 17 12.5																					
																										Male.				Female.			
																										No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
																										68	11.25	3.5	8.91	52	9.25	5.5	7.83
																										40	30.25	11.5	15.51	35	18.75	9.5	12.11
													Livers.				Kidneys.																
													62	58	24.5	48.58	52	53.5	22.5	43.84													
													48	101	58.5	70.83	35	103	54	66.84													
													35	8	3.25	5.88	32	6.25	3	4.61													
													35	9	3.37	6.3	32	8.75	2.75	4.94													

(continued).

Age.	Sex.	Body.		Cerebral organs.				Thoracic organs.				Abdominal organs.							
		Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.	
From 14 to 20 years.		Maximum.																	
	M.	lbs. oz.	ft. in.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.
	F.	104 0	0 71	50-75	6-5	1-25	58-5	47	42	14	...	7	96	10-75	3-5	14	1	2-5	2-5
	F.	107 0	0 67	45-5	5-5	1	52	30	33	16-5	...	6-5	73	7-25	4	13-5	1-25	2-5	
		Minimum.																	
	M.	40 0	0 54	34-5	4-25	.75	36-5	7-75	6-5	3-5	...	2-5	32	2-75	1	5-5	.25		
	F.	47 0	0 42	34	2	.5	37-5	7	7	4-5	.19	2-5	23	3-5	1-5	6-5	.25		.6
		Average.																	
	M.	68 0	0 60-5	41-77	5-32	1	48-54	20-4	19-67	7-61	...	4-51	57-76	5-19	2-19	9-34	.52		
	F.	63 14	0 57-7	38-88	4-65	.85	43-94	17-52	15-08	8-46	...	4-6	54-33	4-68	2-64	9-09	.63		1-04
	Number examined.																		
M.	17	17	18	17	17	19	16	16	18	...	18	17	17	17	18	15			
F.	14	12	15	15	15	16	12	12	15	...	14	15	14	14	14	10		11	
From 20 to 30 years.		Maximum.																	
	M.	132 0	6 0	48	6-25	1-25	57	64-5	58	17	...	8	114	19	5	16-5	1-25		
	F.	145 0	5 7	48-75	5-5	1-25	55-25	36-5	36	26	...	8-5	83-5	15	5	17	1	4-25	
		Minimum.																	
	M.	60 0	5 0	33	4-5	.5	39-25	11	9	5-5	...	4	32	2-75	1-75	6	.12		
	F.	40 0	4 7	31-5	4	.5	35-75	6-25	6-25	.5	...	2-5	28	1-75	1-25	3-5	.25		.75
		Average.																	
	M.	92 14-5	5 6-75	41-98	5-19	.93	47-9	32-34	30-09	10-06	...	5-51	60-29	7-19	3-54	11-57	.62		
	F.	86 13	5 2	38	4-82	.88	43-7	21-89	16-71	9-08	...	5-32	52-74	6-53	2-95	10-17	.63		1-73
		Number examined.																	
M.	55	57	52	52	52	59	50	50	58	...	53	56	59	55	57	47			
F.	79	71	69	69	69	72	61	61	74	...	72	74	73	68	73	57		47	
From 30 to 40 years.		Maximum.																	
	M.	154 0	6 2	50	6-75	1-5	60-75	87	52	30-25	...	9-5	101	36	7	25	1-25		
	F.	147 0	5 9	46	6	1-5	53	37	37	18-75	...	8-5	103	20-5	6	20	1	4-5	
		Minimum.																	
	M.	60 0	4 2	28-25	2-75	.37	33-75	10-75	10-5	3-5	...	3-5	24-5	1-75	1	6-6	.25		
	F.	57 0	4 6	28-25	3-75	.5	33-25	9	6-25	5-5	...	3-25	22-5	1-25	1-25	6	.25		.5
		Average.																	
	M.	98 3-5	5 6-5	42-06	5-15	.98	48-2	28-47	24-29	11-36	...	5-72	58-11	7-12	3-47	11-35	.61		
	F.	87 0	5 2	37-92	4-74	.91	43-09	18-74	17-64	9-45	...	5-34	53-61	6-13	3-05	10-34	.47		1-98
		Number examined.																	
M.	103	106	99	99	99	110	96	96	118	...	105	110	103	105	108	89			
F.	85	84	79	80	80	89	76	76	87	...	83	87	85	85	80	67		79	

Age.	Assigned causes of death.		No.		Average.		Maximum.		Minimum.										
	Causes.	Males.	Females.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.								
From 40 to 50 years.	Diseases of	Digestive organs.....	2	15	Female.	Male.	Healthy	28	32	18.86	17.5	28	27	5	5				
								Phthisis	54	54	35.49	31.53	57	58	13.5	17.5			
								Pneumonia	33	30	32.14	30.53	83.5	66	22	20			
								Bronchitis	12	11	25.54	23.82	46	37.5	15.5	13.5			
								Healthy	40	42	15.06	13.21	20.5	21	7.5	8.25			
								Phthisis	27	27	25.62	23.01	42.5	43.5	16.5	16			
								Pneumonia	13	11	25	25.24	38.5	41.5	20	18.25			
								Bronchitis	7	7	22.51	18.96	24	23.25	20	12.5			
								Total		141	98	Male.				Female.			
												No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
								Hearts.		Under general average		88	11.5	5.75	9.52	60	9.5	5	7.58
								Above general average		Livers.		49	27	11.75	16.29	46	17.25	9.75	12.36
								Under general average		Kidneys.		88	58	30	53.41	65	49	25.5	41.08
								Above general average		Right		50	9	2.5	5.07	32	7	2.25	4.25
								Left		Left		50	9	2.5	5.57	32	7	2.5	4.42
From 50 to 60 years.	Diseases of	Digestive organs.....	1	9	Female.	Male.	Healthy	21	22	19.28	16.04	25.5	25.5	10	9.25				
								Phthisis	42	42	34.42	29.54	57.5	45	14	13.5			
								Pneumonia	35	34	17.89	29.6	57	56.5	19	15.5			
								Bronchitis	10	10	26.7	23.2	36	27.25	15.5	17.5			
								Healthy	55	57	15.21	13.25	26	26	7.5	7			
								Phthisis	15	15	26.27	21.89	38.75	32	21	11.5			
								Pneumonia	16	14	25.75	25.25	35.5	55	19.25	13			
								Bronchitis	11	11	20.68	15.65	24.5	20.5	16	10.5			
								Total		121	108	Male.				Females.			
												No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
								Hearts.		Under general average		71	11.75	6	9.62	63	10.25	5	8.33
								Above general average		Livers.		48	30	12	15.51	43	24	10.5	13.24
								Under general average		Kidneys.		63	55.25	30	46.06	63	43.75	28	37.07
								Above general average		Right		55	88	55.5	65.42	44	90	44	54.37
								Left		Left		36	7.25	3.25	5.21	37	7.75	1.5	4.27
		Left		36	9.25	3.5	5.62	38	8	2.25	4.58								
From 60 to 70 years.	Diseases of	Digestive organs.....	7	17	Female.	Male.	Healthy	24	36	17.84	16.92	30	27	13	10				
								Phthisis	28	28	31.75	29.83	45	52	14.5	14			
								Pneumonia	52	40	27.59	23.81	59.25	40.5	20.5	19			
								Bronchitis	10	10	23.79	20.06	30	27	18	15			
								Healthy	57	74	14.34	13.52	18	19.5	7	6.5			
								Phthisis	21	21	24.62	22	34	34.5	13	7.5			
								Pneumonia	36	19	27.06	22.15	49.5	32	17.75	15.75			
								Bronchitis	22	22	19.83	17.08	28	24	12.75	10.5			
								Total		131	148	Male.				Female.			
												No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
								Hearts.		Under general average		79	12.75	7	10.52	90	10.5	5.25	8.72
								Above general average		Livers.		47	24.75	13	17.02	59	20	10.75	13.5
								Under general average		Kidneys.		69	48	23	38.32	91	42.75	25	37.54
								Above general average		Right		58	173	48.25	57.31	63	79	43	51.03
								Left		Left		35	7.5	2.75	4.54	50	12.5	1.5	4.38
		Left		35	7.25	.5	4.68	50	7	1.5	4.46								

(continued).

Age.	Sex.	Body.		Cerebral organs.				Thoracic organs.				Abdominal organs.								
		Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.		
From 40 to 50 years.	Maximum.																			
	M.	135	0	6	1	53.5	6.75	1.5	60	83.5	68	27	...	11.5	192	33	6	20.5	1.5	oz.
	F.	133	0	5	7	46	6	1.25	52.5	42.5	43.5	17.25	...	9.5	130	15	5.25	21.5	1.25	oz.
	Minimum.																			
	M.	54	0	4	6	27.75	4.5	.75	33.75	5	5	5.75	...	3.75	39	1.75	2	5.5	.27	oz.
	F.	44	0	4	10	31.25	4	.5	27.5	7.5	8.25	5	...	3	25.5	1	1.75	3.5	.25	oz.
	Average.																			
	M.	102	0	5	6.8	41.48	5.22	1.06	47.75	31.21	28.63	11.53	...	5.83	58.06	6.19	3.48	10.89	.74	oz.
	F.	84	9.5	5	2	37.12	4.69	.89	42.81	19.73	17.47	9.6	...	5.2	49.03	5.04	2.73	8.8	.62	1.95
	Number examined.																			
M.	135	137	121	120	120	137	127	127	137	...	136	139	138	132	140	106	106	88		
F.	97	97	94	94	94	106	87	87	106	...	103	106	104	99	106	77				
From 50 to 60 years.	Maximum.																			
	M.	188	0	6	2	52	7	1.75	59	57.5	56.5	30	...	10	88	22	7	16.5	1.25	oz.
	F.	171	0	5	7	46	5.75	1.5	52.5	38.75	55	24	...	8.5	90	17	6	14.25	1.25	4.5
	Minimum.																			
	M.	66	0	4	10	24.5	4	.5	30.5	10	9.25	6	...	3.5	30	.75	1	5.5	.25	oz.
	F.	50	0	4	6	29.5	3	.5	36.25	7.5	7	5	...	2.5	28	.75	1.25	4	.25	.75
	Average.																			
	M.	102	5	5	6	41.09	5.13	.98	47.44	30.32	26.29	11.83	...	5.58	55.37	6.23	3.46	9.1	.64	oz.
	F.	86	0	5	2	37.38	4.62	.86	43.12	19.48	17.08	10.44	...	5.42	44	4.67	2.83	8.55	.65	1.75
	Number examined.																			
M.	110	114	111	111	111	119	108	108	119	...	113	118	112	116	116	101				
F.	100	104	91	91	91	103	97	97	106	...	103	107	105	89	108	89			93	
From 60 to 70 years.	Maximum.																			
	M.	256	0	6	2	52.5	7	1.5	59.5	59.25	52	24.75	...	9	173	20	5	14.5	1.25	oz.
	F.	147	0	6	0	48	6.25	1.25	54	49.5	34.5	20	...	9.25	79	15.5	6	14	1.25	3.5
	Minimum.																			
	M.	70	0	5	0	31	3.5	.5	36.25	13	10	7	...	3	23	1.5	1.5	3.25	.12	oz.
	F.	50	0	4	6	27.5	3.75	.5	32.5	7	6.5	5.25	...	3	25	.5	1.25	4	.25	.75
	Average.																			
	M.	103	13	5	5.7	40.21	4.98	.97	46.4	28.52	24.16	12.94	...	5.58	48.24	4.82	3.1	8.83	.67	oz.
	F.	86	14	5	1.5	37.13	4.68	.83	42.69	20.32	16.59	10.64	...	5.3	42.98	4.07	2.8	8.28	.64	1.53
	Number examined.																			
M.	123	125	119	119	119	127	114	114	126	...	125	127	126	122	123	102				
F.	142	148	136	134	134	149	136	136	149	...	144	154	150	145	148	121			140	

TABLE I.

Age.	Assigned causes of death.			No.		Average.		Maximum.		Minimum.						
	Causes.	Males.	Females.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.					
From 70 to 80 years.	Diseases of { Digestive organs..... Genito-urinary organs ... Respiratory organs..... Vascular system Nervous system Locomotive organs..... Fevers	8 2 58 13 20 1 2	8 9 69 26 37 3 1	Female. { Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	13	21	18.08	16.13	22	23.5	15	9				
					13	12	29.88	30.8	47	42.5	19.5	19				
					40	30	32.78	27.65	85	43.5	20	18.25				
					21	23	23.42	19.36	31.75	35	15.5	13				
					48	56	13.32	12.34	19	18	6.5	5.5				
					11	11	23.67	18.26	31	27	14	10.5				
					35	37	25.11	25.38	45	48.5	15	15				
					33	33	19.04	16.08	30	22.75	12.5	11				
									Male.				Female.			
									No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
					Hearts.				57	13	5.5	9.96	86	10	5.25	8.09
					Under general average				43	27.5	13.25	17.04	64	21	10.25	12.5
					Above general average											
					Livers.				56	46	27	37.29	79	38.25	19.5	32.49
					Under general average				48	92	46.5	57.81	69	70	38.5	44.97
					Above general average											
					Kidneys.				19	6.75	2	4.46	31	5.75	1.5	3.8
					Right.....				19	9	3.25	5.19	31	7	2.25	3.96
					Left											
					Upwards of 80 years.	Diseases of { Digestive organs..... Genito-urinary organs ... Respiratory organs..... Vascular system Nervous system Locomotive organs..... Fevers Inquest cases Unknown causes.....	0 1 19 1 2 1 0 0 0	2 0 37 12 18 3 2 1 4	Female. { Lungs. Healthy Phthisis Pneumonia Bronchitis Healthy Phthisis Pneumonia Bronchitis	No.		Average.		Maximum.		Minimum.
Right.	Left.	Right.	Left.	Right.						Left.	Right.	Left.				
1	4	...	16.37	18.5						...	19.5	13				
4	4	25.75	28.81	38.5						38	21	19				
13	10	34.13	26.85	61.5						32.5	29	22.5				
4	4	23.69	21.37	25						28	22	16.5				
26	34	13.31	12	19						17.5	7.75	6				
6	6	21.29	19.25	24.25						24	16.5	13.5				
19	11	24.53	25.59	50						38.5	17	17.5				
20	20	17.63	13.7	25.5						21.5	10.5	8.5				
				Male.						Female.						
				No.						Max.	Min.	Aver.	No.	Max.	Min.	Aver.
Hearts.				12						12	8	10.1	50	10.25	5.5	8.71
Under general average				12						16.75	12.5	14.1	26	26.5	10.5	13.27
Above general average																
Livers.				12						39.5	25.5	33.89	43	34.5	22	29.37
Under general average				12						57	42	48.14	31	57	35	41.96
Above general average																
Kidneys.				2						6	5.75	5.87	6	3.75	2.5	3.46
Right.....				2						6.25	6	6.12	6	4	2.5	3.58
Left																

(continued).

Age.	Sex.	Body.		Cerebral organs.				Thoracic organs.				Abdominal organs.									
		Weight.	Height.	Cerebrum.	Cerebellum.	Pons and medulla.	Encephalon.	Right lung.	Left lung.	Heart.	Thymus.	Stomach.	Liver.	Spleen.	Pancreas.	Kidneys.	Renal capsules.	Uterus.			
From 70 to 80 years.		Maximum.																			
		M.	lbs. 172	oz. 0	ft. 6	in. 1	oz. 48	oz. 6.25	oz. 1.75	oz. 55.25	oz. 85	oz. 43.5	oz. 27.5	...	oz. 11.75	oz. 92	oz. 17.5	oz. 6.25	oz. 21.75	oz. 1.25	oz.
		F.	232	0	5	7	43	5.75	1.75	49.5	45	48.5	21	...	9	70	15.5	5.5	13	1	4.3
		Minimum.																			
		M.	60	0	5	0	32	3.25	.5	37.75	15	9	5.5	...	2.5	27	1	1.5	4	.2	
		F.	51	0	4	0	24.5	2.5	.5	29.25	6.5	5.5	5.25	...	1.75	19.5	1.25	1.25	4	.25	.5
		Average.																			
		M.	106	13	5	5.7	39.6	4.97	.94	45.5	18.77	17.11	13.14	...	5.92	43.33	4.93	3.22	10.68	.63	
		F.	80	4	5	1	35.58	4.47	.88	41.27	16.76	14.59	10.10	...	5.98	38.37	3.57	2.62	7.63	.61	1.56
		Number examined.																			
M.	102		102		95	95	95	104	87	86	100	...	100	104	100	93	92	78			
F.	146		150		128	127	126	148	127	127	150	...	149	148	150	145	119	119	127		
Upwards of 80 years.		Maximum.																			
		M.	125	0	6	0	46.5	6	1.25	53.75	61.5	38	16.75	...	6.5	57	13	4.5	12	1	
		F.	114	0	5	7	42	6.25	1.5	48	50	38.5	26.5	...	7	57	11	4.25	10.25	1	3
		Minimum.																			
		M.	67	0	5	2	36	3.25	.5	41	19.5	13	8	...	3.5	25.5	1.5	1.5	6	.37	
		F.	53	0	4	6	28	3.25	.5	33.25	7.75	6	5.5	...	2.5	22	1	1	5	.19	.75
		Average.																			
		M.	99	0	5	6.7	39.62	4.79	.89	45.34	30.46	24.30	12.1	...	4.99	41.01	4.27	2.83	8.25	.67	
		F.	79	5	5	0	34.47	4.47	.82	39.77	18.22	15.23	10.27	...	4.49	34.64	3.46	2.37	6.85	.59	1.42
		Number examined.																			
M.	24		24		23	23	23	24	22	22	24	...	24	24	24	23	22	19			
F.	75		76		68	68	68	77	71	71	76	...	78	74	74	78	77	71	70		

Showing the maximum, minimum, and average height and weight of the human body, and female patients, examined in the Somerset County Lunatic Asylum. The assigned

FORMS OF INSANITY.	Under 30 years.		From 30 to 40 years.	
	Male.	Female.	Male.	Female.
Mania	13	11	16	21
Dementia	3	4	6	4
Melancholia	2	2	6	7
Monomania	1	1	3	...
Delirium tremens	1	...
Idiocy	4	1
Epilepsy with	Mania	6	3	9
	Dementia	1	1	1
	Melancholia	1	...	1
	Idiocy	11	3	2
General paralysis with	Mania	8	1
	Dementia	1	6	3
	Melancholia	1	...
Monomania	6	...
Total	46	30	61	49

Age.	Assigned causes of death.		Lungs.	No.		Average.		Maximum.		Minimum.					
	Causes.	Males.		Females.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.			
Diseases of	Digestive organs 5 Genito-urinary organs ... 0 Respiratory organs 27 Vascular system 1 Nervous system 11 Locomotive organs 1 Inquest cases 1 Total 46	3 0 17 0 10 0 0	Female.	Healthy	17	20	15.35	13.28	20.5	19	8	6			
				Phthisis	14	13	35.37	34.44	72	49.5	20.5	19			
				Pneumonia	15	12	27.59	23.84	54	42	19.75	18.25			
				Bronchitis			
				Healthy	13	16	14.03	13.74	20	16.5	10	8			
				Phthisis	9	9	25.52	23.54	36.5	31	22.25	20			
				Pneumonia	8	5	22.9	23.67	27.5	26	17.75	19.5			
				Bronchitis			
								Male.				Female.			
								No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
Hearts.				24	8.5	5	7.11	14	7.5	5	6				
Under general average				22	12.5	9	10.51	15	9.75	8	8.6				
Above general average															
Livers.				23	50	28	40.88	18	44	24.5	38.23				
Under general average				23	84	51	60.84	11	75	45.75	61.87				
Above general average															
From 30 to 40 years.	Digestive organs 2 Genito-urinary organs ... 0 Respiratory organs 32 Vascular system 0 Nervous system 26 Locomotive organs 0 Fevers 1 Total 61	10 0 25 3 11 0 0	Female.	Healthy	15	23	15.94	14.82	19.75	19.75	10	9.5			
				Phthisis	10	10	37.53	48.99	74	52	23.5	16.75			
				Pneumonia	34	26	31.02	28.52	45.5	47	20	20			
				Bronchitis			
				Healthy	23	26	13.59	12.05	17.5	19.5	7	6			
				Phthisis	11	12	24.23	24.48	40	33	13.25	18.25			
				Pneumonia	13	9	25.85	22.96	46.5	29	19.5	16.25			
				Bronchitis	1	1	23	14.75			
								Male.				Female.			
								No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
Hearts.				35	9.9	5.25	8.54	29	7.5	4.5	6.49				
Under general average				24	16.5	10.5	12.03	20	16	8.25	9.38				
Above general average															
Livers.				30	55.25	37	47.25	29	43.25	26.5	37.68				
Under general average				29	74.75	53.25	64.07	20	114	44.75	51.49				
Above general average															

TABLE II.

Age.	Assigned causes of death.		No.		Average.		Maximum.		Minimum.							
	Causes.	Males.	Females.	Right.	Left.	Right.	Left.	Right.	Left.	Right.	Left.					
From 40 to 50 years.	Diseases of Digestive organs..... Genito-urinary organs ... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Fevers..... Total	4 0 43 1 29 0 0 77	9 1 18 3 15 1 2 49	Female. Male. Healthy Phthisis Pneumonia Bronchitis	14	24	16.43	15.64	19.5	19.25	10.25	10.5				
					9	7	29.84	27.1	48.5	33	20	17.5				
					50	42	33.54	29.79	73.75	60	20	19				
					3	3	26.5	23.12	34	29	26	19.5				
					31	35	14.1	13.6	19.5	20	6.5	6				
					3	3	23.98	23	26	31.5	20	18.5				
					14	10	23.58	22.02	35	27	20	20				
					1	1	22	23				
									Male.				Female.			
									No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
				40	10.5	6.5	9.31	25	8.25	4.75	6.82					
				36	16.5	10.75	12.33	24	12.5	8.5	9.87					
				42	56.5	36	48.53	26	43.25	25	35.02					
				34	89	57.1	67.58	22	98.75	44	53					
From 50 to 60 years.	Diseases of Digestive organs..... Genito-urinary organs ... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Total	4 0 23 0 16 0 43	5 0 15 5 13 1 39	Female. Male. Healthy Phthisis Pneumonia Bronchitis	8	13	17.83	15.84	19.5	19	13	8				
					9	9	28.87	26.3	57	42	16.5	11				
					24	19	29.27	28.58	59	57	18	17.5				
					1	1	25.75	23.5				
					24	24	14.61	12.14	19	16.75	7	6.75				
					5	5	26.58	19.37	30.25	23.75	21.5	16				
					10	10	27.41	26.82	39	40	20	16				
								
									Male.				Female.			
									No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
				26	10.75	5	9.48	23	9	5.5	7.55					
				16	24	11.25	14.5	17	16.75	9.25	13.31					
				19	52.5	13	40.43	25	45.5	24.5	38.05					
				23	95	53.5	63.47	14	119.5	48	58.42					
From 60 to 70 years.	Diseases of Digestive organs..... Genito-urinary organs ... Respiratory organs..... Vascular system..... Nervous system..... Locomotive organs..... Fevers..... Inquest cases..... Total	2 1 13 4 16 0 1 2 39	9 0 14 4 13 1 0 0 41	Female. Male. Healthy Phthisis Pneumonia Bronchitis	10	16	15.7	14.85	18.5	18.5	8.5	7				
					3	3	42.87	35.87	48.75	42	37	29.75				
					23	17	37.33	32.89	74.5	47	23.5	20				
					3	3	19.5	16.5	21.75	19	16.5	16				
					26	30	13.59	12.21	18.75	18	9	7.5				
					7	7	21.54	24.87	30	26	12.5	15				
					7	3	22.36	30.16	28	50	19	19.5				
					1	1	20	19.5				
									Male.				Female.			
									No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
				22	12	6.5	9.53	26	9	6	7.62					
				17	27.5	12.5	15.58	15	15.5	9.5	11.77					
				25	50	36	45.13	21	41	27	33.63					
				14	73	51	61.6	20	58	41.5	49.7					

(continued).

Age.	Sex.	Body.		Measurement of head.			Cerebral organs.						Thoracic organs.			Abdominal organs.									
		Weight.	Height.	Circumference.	Antero-posterior.	Transverse.	Cerebrum.		Cerebellum.	Pons and medulla.	Encephalon.	Spinal cord.	Right lung.	Left lung.	Heart.	Stomach.	Liver.	Spleen.	Pancreas.	Right kidney.	Left kidney.	Renal capsules.	Uterus.		
							Right hemisphere.	Left hemisphere.																	
From 40 to 50 years.	Maximum.																								
	M.	lbs.	oz.	ft.	in.	in.	in.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.
	F.	257	0	6	0	24.5	16	15	25.5	25.5	6.5	1.5	57.75	1.5	73.75	60	16.5	10	89	14.25	7.5	7.5	9	2	3
	F.	132	0	5	7	23	14.5	15.5	23	21.5	6.5	1.5													
	Minimum.																								
	M.	61	0	5	0	20.5	10.5	10.25	15	15.25	4	.75	36.25	.75	10.25	10.5	6.5	3.75	36	1.75	2	3	2.5	.5	
	F.	47	0	4	9	19	10	10.5	11.75	11.75	3	.75	27.25	.75	6.5	6	4.75	3	25	1.5	1.25	1.75	2	.5	1
	Average.																								
	M.	109	15.5	5	7.7	22.46	13.27	13.29	19.49	19.67	5.42	1.08	45.68	1.13	29.42	24.95	10.75	6.01	57.02	5.12	3.77	5.11	5.54	.91	
	F.	76	14.2	5	1.6	21.45	12.91	12.84	18.05	18.24	4.83	1.03	42.23	.97	17.55	16.05	8.31	5.19	43.51	4.33	2.88	4.2	4.42	.76	1.83
Number examined.																									
M.	57		57		60	59	59	76	76	76	76	77	28	76	76	76	76	76	76	75	75	75	71		
F.	47		44		43	43	43	48	48	48	48	49	27	49	49	49	48	48	48	48	48	48	48	43	
From 50 to 60 years.	Maximum.																								
	M.	204	0	6	3	23.5	14.5	14.5	24	24.5	7	1.5	56	1.5	59	57	24	10	95	15	6.5	7	8.25	1.5	
	F.	128	0	5	7	22.5	14.5	14.25	22.5	23.25	6	1.25	51.75	1	39	40	16.75	7	119.5	14	5.5	7.75	5.5	1.5	2.75
	Minimum.																								
	M.	51	0	5	2	20	10.5	11	14.5	14.75	4.25	.75	34.5	.75	13	8	5	4	13	2	1.75	3.5	4	.5	
	F.	52	0	4	7	20.25	11	10	15.25	14.25	3.5	.5	34.25	.75	7	6.75	5.5	3	24.5	1.75	1.75	2.5	1.5	.5	.5
	Average.																								
	M.	110	4.25	7.8	22.15	12.9	13.31	20.44	20.73	5.35	1.06	47.68	1.06	26.45	23.82	11.22	6.19	52.8	5.06	3.64	4.89	5.41	.89		
	F.	79	14	5	2.5	21.48	12.95	12.73	18.66	18.75	4.74	1.03	43.18	.99	19.42	16.52	9.15	5.38	45.53	4.43	3.38	4.21	4.13	.75	1.77
	Number examined.																								
M.	38		37		37	37	37	42	42	42	43	43	16	42	42	42	42	42	42	41	42	41	36		
F.	37		33		34	34	34	39	39	39	39	39	19	39	39	39	39	39	39	39	37	39	38	37	
From 60 to 70 years.	Maximum.																								
	M.	188	0	6	0	23.5	14.5	15	25.5	26	6	1.96	58.75	1.25	74.5	47	27.5	10.5	73	10	5.75	6.75	6.75	1.5	
	F.	132	0	5	7	22.5	14	14	21.5	21.5	6.5	1.25	48.25	1.25	30	50	15.5	7.5	58	8.25	5	6.5	6.75	1	2.52
	Minimum.																								
	M.	67	0	5	3	21	10.5	11.5	15	14.75	4.25	.75	35.75	.75	8.5	7	6.5	4	36	2.25	2.5	3.5	3.5	.5	
	F.	46	0	5	0	20	11	10.5	14	14	4	.75	33.25	.91	9.5	7.5	6	2.75	27	1.5	1.75	2.5	2.5	.5	1
	Average.																								
	M.	106	15.25	5.8	22.34	13.28	13.4	20.66	20.86	5.22	1.08	47.82	1.03	29.02	22.91	12.42	5.87	50.77	4.72	3.7	4.53	5.09	.89		
	F.	79	9.35	2.5	21.19	12.73	12.81	18.37	18.53	4.85	.95	42.7	.96	16.42	15.05	9.12	4.89	41.31	3.59	2.87	3.84	3.98	.82	1.65	
	Number examined.																								
M.	35		36		29	29	29	39	39	39	39	39	15	39	39	39	39	39	39	39	39	39	33		
F.	39		38		34	34	34	41	41	41	41	41	15	41	41	41	39	41	41	41	41	41	41	35	

TABLE II.

Age.	Assigned causes of death.		No.		Average.		Maximum.		Minimum.							
	Causes.	Males.	Females.	Lungs.	Right.	Left.	Right.	Left.	Right.	Left.						
From 70 to 80 years.	Diseases of Digestive organs..... 1 Genito-urinary organs ... 1 Respiratory organs..... 5 Vascular system 4 Nervous system 10 Locomotive organs..... 0 Total 21	5	20	Female. Male. { Healthy 9 { Phthisis 2 { Pneumonia 5 { Bronchitis 5 { Healthy 8 { Phthisis 1 { Pneumonia 5 { Bronchitis 6	9	6	15.58	12.25	19.5	16	12.5	10.5				
					2	2	26.25	24.75	29.5	28.5	23	21				
					5	8	30.75	32.56	45	37	21	21				
					5	5	20.75	17.30	28	27.5	18	12				
					8	6	12.53	10.98	16	16	9	8				
					1	1	20.5	20				
					5	7	21.8	19.22	34	24.5	18.5	15.75				
					6	6	18.22	16.31	28	20.5	14	11				
									Male.				Female.			
									No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
Hearts.				9	11.46	6	11.37	14	9.2	6.5	8.03					
Under general average				12	15.5	11	14.56	6	15	10.5	12.57					
Above general average				Livers.												
Under general average				10	41	32	37.67	12	38	28.25	34.91					
Above general average				11	63	46	49.98	8	53	41	44.79					
Upwards of 80 years.	Diseases of Digestive organs..... 0 Genito-urinary organs ... 0 Respiratory organs..... 4 Vascular system 1 Nervous system 3 Locomotive organs..... 0 Total 8	0	5	Female. Male. { Lungs. { Healthy 1 { Phthisis { Pneumonia 4 { Bronchitis 3 { Healthy 2 { Phthisis { Pneumonia 2 { Bronchitis 1	1	3	...	11.67	...	13.5	10.5	8.5				
								
					4	2	22.75	31.5	26.5	36	20	27				
					3	3	21.75	15.66	29	16	11.25	15.5				
					2	2	10.75	9.75	13	10.5	8.5	9				
								
					2	2	18.5	17.75	23	19.5	14	16				
					1	1	9	12				
									Male.				Female.			
									No.	Max.	Min.	Aver.	No.	Max.	Min.	Aver.
Hearts.				4	13	12	12.25	4	9.25	9	9.06					
Under general average				3	16	14	14.83	1	11					
Above general average				Livers.												
Under general average				5	41	32	38.58	2	38	36	37					
Above general average				3	60	43	50	3	45	41	43.67					

(continued).

Age.	Sex.	Body.		Measurement of head.			Cerebral organs.						Spinal cord.	Thoracic organs.			Abdominal organs.							
		Weight.	Height.	Circumference.	Antero-posterior.	Transverse.	Cerebrum.		Cerebellum.	Pons and medulla.	Encephalon.	Right lung.		Left lung.	Heart.	Stomach.	Liver.	Spleen.	Pancreas.	Right kidney.	Left kidney.	Renal capsules.	Uterus.	
							Right hemi-sphere.	Left hemi-sphere.																
From 70 to 80 years.		Maximum.																						
	M.	lbs. oz.	ft. in.	in.	in.	in.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.	oz.
	F.	135 0	5 11	23.5	14	15	24.5	25	6	1.25	55	1.37	45	37	15.5	7.5	63	7	4	5	7.25	1	2.5	
		130 0	5 8	22	14	13.5	20	21	6	1.25	48	1.25	34	24.5	15	7	58	5	4.5	5	4.5	1.5	2.5	
		Minimum.																						
	M.	63 0	5 5	21	11	11.5	18	17.5	4	.75	40.5	.75	12.5	10.5	6	3.25	32	1.25	1.5	2	3	.5		
	F.	68 0	4 10	20	10.5	11.5	16	15.5	3.25	.75	36.75	.75	9	8	6.5	3.75	28.25	2	2	2.5	2.75	.5	1	
		Average.																						
	M.	103 10.7	5 7.2	22.3	13.34	13.1	20.25	20.47	5.06	1.02	46.85	1	21.53	20.71	11.52	5.44	43.87	3.37	3.03	3.94	4.44	.77		
	F.	95 3.4	5 1.5	21.18	12.38	12.76	17.97	18.09	4.76	1.05	41.87	1.02	17.17	15.87	9.36	5.37	38.33	3.38	3.12	3.7	3.37	.81	1.58	
	Number examined.																							
M.	18	18	19	19	19	20	20	21	21	21	13	21	21	21	21	21	21	20	21	21	20	20		
F.	15	18	15	15	15	20	20	20	20	20	9	20	20	20	20	20	20	20	20	20	20	20		
Upwards of 80 years.		Maximum.																						
	M.	124 0	5 10	23	14.25	14	21.5	22	6	1.5	49.75	1.5	29	36	16	6.5	60	3.75	4	6	7.5	1		
	F.	103 0	5 6	22.5	14.5	14	19.25	19.5	6	1	44.5	1	23	19.5	11	5.5	45	4	3.5	4	4	1.75	2	
		Minimum.																						
	M.	85 0	5 1	21.5	11	11.5	17	16	4.5	1	39.5	1	10.5	8.5	12	4	32	1.25	2	2.75	2.75	.75		
	F.	72 0	5 2	20	13	13	14.5	15.5	4.5	.75	15.25	.75	8.5	9	9	4	36	1.75	2.5	2	2.5	.75	1.25	
		Average.																						
	M.	112 2	5 5	22.25	13.28	13.31	18.97	18.62	5.13	1.15	43.87	1.14	20.84	18.12	13.35	5	42.87	2.39	2.87	3.84	4.5	.89		
	F.	90 3	5 3.2	21.6	13.4	13.5	17.20	17.39	5	.96	40.55	.87	13.5	13.39	9.46	4.69	40.39	2.6	2.87	3.14	3.3	1.06	1.69	
		Number examined.																						
M.	7	7	8	8	8	8	8	8	8	8	6	8	8	7	7	8	8	8	8	8	5	4		
F.	5	5	5	5	5	5	5	5	5	5	4	5	5	5	5	5	5	4	5	5	4	4		

TABLE NO. I.—*Assigned causes of death.*

In diseases of the digestive organs the disproportion between the sexes was great, 98 females to 45 males; there were 13 cases of infantile jaundice, 2 cases of imperforate anus, and 1 of malposition of the viscera in a new-born male. Diseases of the genito-urinary organs were more frequent amongst females than males, 33 to 15. Above half the mortality was owing to diseases of the respiratory organs; the per-centage amongst the male adults was 64·5, and amongst the females 47·6. In infants from 3 months to 4 years, pneumonia, frequently combined with eruptive fevers, prevailed; from 4 to 60 years pulmonary phthisis was most prevalent; and after 60 years pneumonia again prevailed. Of phthisis, there were 253 males and 140 females. Under diseases of the vascular system have been included those of the heart and blood-vessels, diseased state of the blood, purpura, hæmorrhage, dropsy, cachexy, scrofula, and cancer, which in the advanced periods of life, after 50 years, fell most heavily on females; the numbers were 85 males, and 120 females. Diseases of the nervous system were most fatal in infancy and old age, especially amongst male infants and aged females; the total numbers of all ages were males 167, females 187. Under the head "locomotive organs" are included accidents, diseases of bone, skin, and cellular tissue, of which there were 36 cases in both sexes. Of fevers, about 50 cases of the eruptive form occurred in infancy, and of ordinary fevers about 50 in adults. There were 43 "inquest cases," of which 23 were infants, mostly new-born, found exposed, and 20 were adults. There were 51 "causes unknown," viz. 47 still-born and new-born infants, and 4 females upwards of 80 years.

Results.

The general results obtained from a review of the foregoing cases among the poor of the parish of St. Marylebone, appear to be that, with few exceptions, the body and internal organs arrived at their full size in both sexes between 20 and 30 years. In children especially, the body was attenuated from disease: for example, one scrofulous female child, aged 3 years, weighed only $8\frac{1}{4}$ lbs., and the numbers about that age were insufficient to counterbalance the effect of such cases on the mean result, and form a standard of comparison for children of the same age under more favourable circumstances. The average weight of the males was greatest at from 70 to 80 years, which is to be accounted for by the large proportion cut off at earlier periods by pulmonary phthisis. The mean weight of the male brain was, at all periods, above that of the female, which was the probable cause of the large number of still-born male infants as compared with females, 51 to 32, and the necessity of resorting to craniotomy in five instances in the males only. The highest average weight of the brain in both sexes was from 14 to 20 years; the next highest was in the males from 30 to 40, and in the females from 20 to 30 years; but it will be observed that the number of cases were much fewer in these than in other later periods. The weight of the lungs was so much, and so frequently increased by disease, that healthy lungs were exceptions: it

therefore appeared advisable to introduce in the margin their weights in various states; also the weights of the heart and liver, which were subject to great variations. The "Thymus gland," an organ which disappears with infancy, was so large in the fœtus in fourteen cases, that it appeared to have formed a fatal impediment to respiration. The abdominal organs were generally heavier in the male than in the female; the spleen in both was subject to considerable variations in size, and the mean weight of the left kidney was generally found greater than that of the right.

TABLE NO. II.—*Assigned causes of death.*

Diseases of the digestive organs, principally peritonitis, enteritis, and dysentery, were found in 18 males and 41 females, and most frequently in females from 30 years of age and upwards. In 1 male and 2 females there was disease of the kidneys; diseases of the respiratory organs in 147, one-half of the males, and in 98 females; 44 were cases of pulmonary consumption in males and 37 in females; 91 were cases of pneumonia in males and 55 in females. Of diseases of the vascular system, 11 occurred in males and 17 in females; 5 were cases of pericarditis, 4 in males; 13 of dropsy, 8 in females; and 11 of cachexy, of which 7 were females. Diseases of the nervous system were found in 109 males and 66 females; viz. cerebral apoplexy in 9 males and 8 females; meningitis in 22 males and 11 females; disease of brain in 55 males and 36 females; myelitis in 23 males and 11 females; so that 37 per cent. of males and 28·3 per cent. of females had organic disease of the cerebral organs. In Table I. the proportion is only 12·3 per cent. in the males and 17·6 per cent. in the females. There were 3 deaths from lumbar abscess, 1 from cancer, 1 from erysipelas, 4 from fever, and 3 were inquest cases.

Results.

The average *height* of the adult male varied from 67·8 to 65 inches, of the female from 63·2 to 61·6 inches; while the mean weight of the former varied from 112·12 to 91·5 lbs., and of the latter from 95·2 to 76·9, showing a preponderance in the insane male of 6 lbs., and in the insane female of 8 lbs., as compared with the sane adults dying at the same period of life.

The average weight of the right cerebral hemisphere varied in the males from 20·89 oz. to 18·97 oz., and in the females from 19·21 oz. to 17·20 oz.; the left varied in the males from 21·05 oz. to 18·62 oz., and from 19·51 oz. to 17·39 oz. in the females. It is a singular fact, confirmed by the examination of nearly 200 cases at St. Marylebone, in which the hemispheres were weighed separately, that almost invariably the weight of the left exceeded that of the right by at least the eighth of an ounce. In the *Med. Chir. Trans.* vol. xxxix., several cases of inequalities of the cerebral hemispheres which came under my notice are given. The average weight of the cerebellum varied in the males from 5·42 oz. to 5·06 oz., and from 5 to 4·74 oz. in the females; that of the pons Varolii and medulla in the males from 1·15 oz. to 1·02 oz., and from 1·05 to ·95 oz.

in the females; and that of the encephalon in males from 48·17 oz. to 43·87 oz., and in females from 44·55 oz. to 40·55 oz.; in the sane, at the same period of life, the average varied in the male from 48·2 to 45·34, and in the female from 43·7 to 39·77.

The general average weight of the lungs is shown in the Table, and the exceptions in the margin. The average weight of the heart did not reach its maximum until an advanced period of life.

In the abdominal organs nothing was observed differing essentially from those in Table No. I.