

Erratum: Nanocrystallization kinetics and glass forming ability of the $\text{Fe}_{65}\text{Nb}_{10}\text{B}_{25}$ metallic alloy [Phys. Rev. B 76, 214111 (2007)]

J. Torrens-Serra,* J. Rodríguez-Viejo, and M. T. Clavaguera-Mora
(Received 8 January 2008; published 5 March 2008)

DOI: [10.1103/PhysRevB.77.109901](https://doi.org/10.1103/PhysRevB.77.109901)

PACS number(s): 81.05.Kf, 99.10.Cd

Errors exist in our paper in the values of the interfacial energy quoted both in Table III and in the conclusions section and the Gibbs free energy ΔG . The correct expressions are: $\sigma_S = \{577.0 - 54.56 \cdot 10^{-2} \cdot T\} \text{ mJ} \cdot \text{m}^{-2}$ and $\Delta G = \{12374.6 - 12.2631 \cdot T\}$. Also, in Table III, the correct value for the viscosity pre-exponential factor is $\eta_0 = 1 \cdot 10^{-18} \text{ Pa} \cdot \text{s}$. Then, the units of viscosity in Fig. 13 have to be replaced by $10^{-2} \text{ Pa} \cdot \text{s}$. The glass transition occurs when the viscosity is $10^{12} \text{ Pa} \cdot \text{s}$. However, Fig. 14 and the discussion and conclusions of the text are correct.

*Corresponding author. joan@vega.uab.es