Erratum: Renormalization-group picture of the Lifshitz critical behavior [Phys. Rev. B 67, 104415 (2003)]

Marcelo M. Leite*
(Received 3 July 2009; published 28 July 2009)

DOI: 10.1103/PhysRevB.80.029904

PACS number(s): 75.40.Cx, 64.60.Kw, 99.10.Cd

In Eq. (208) of our paper, there was an incorrect extra factor of 1/4 in the $O(\epsilon_L^2)$ contribution to the critical exponent ν_{L4} computed using the orthogonal approximation which appeared therein. The correct value of this critical exponent is given by the following expression:

$$\nu_{L4} = \frac{1}{4} + \frac{(N+2)}{16(N+8)} \epsilon_L + \frac{1}{64} \frac{(N+2)(N^2 + 23N + 60)}{(N+8)^3} \epsilon_L^2. \tag{1}$$

Furthermore, other isotropic exponents also were displayed with misprints therein. The incorrect expressions for those exponents corresponding to Eqs. (209), (210), and (211) in that paper should read:

$$\gamma_{L4} = 1 + \frac{(N+2)}{4(N+8)} \epsilon_L + \frac{1}{16} \frac{(N+2)(N^2 + 22N + 52)}{(N+8)^3} \epsilon_L^2, \tag{2}$$

$$\alpha_{L4} = \frac{(4-N)}{4(N+8)} \epsilon_L - \frac{1}{16} \frac{(N+2)(N^2+30N+56)}{(N+8)^3} \epsilon_L^2, \tag{3}$$

$$\beta_{L4} = \frac{1}{2} - \frac{3}{4(N+8)} \epsilon_L + \frac{1}{8} \frac{(N+2)(2N+1)}{(N+8)^3} \epsilon_L^2. \tag{4}$$

*mleite@df.ufpe.br