

PHYTOCHEMICAL REPORTS

INDEX

BRYOPHYTA

Hepaticae	<i>Mylia taylorii</i>	Myliol, <i>n</i> -alkanes, cerides, p. 211
Musci	<i>Sphagnum</i> sp.	<i>n</i> -alkanes, C ₂₀ -C ₃₂ , p. 213

ANGIOSPERMAE

DICOTYLEDONAE

Amarantaceae*	<i>Achyranthes aspera</i>	Maslinic acid, oleanolic acid, p. 214
Apocynaceae	<i>Parsonsia straminea</i>	α -Amyrin, ursolic acid, lupeol, p. 216
Asclepidaceae	<i>Hemidesmus indicus</i>	Lupeol octacosanate, p. 217
Berberidaceae	<i>Berberis buxifolia</i>	Petunidin, peonidin, malvidin and delphinidin glycosides, p. 218
Betulaceae*	<i>Betula utilis</i>	Betulic acid, lupenone, etc., p. 214
Bignoniaceae	<i>Jacaranda mimosaefolia</i>	Hydroquinone, p. 220
Compositae	<i>Centaurea americana</i>	Cynaropicrin, p. 221
	<i>Cirsium coloradense</i>	Acacetin-7-rutinoside, pectolinarin, p. 223
	<i>Eupatorium azureum</i>	<i>epi</i> -Friedelinol, taraxasterol, p. 224
	<i>E. stoechadosmum</i>	Lindelofine, supinine, p. 225
	<i>Mikania mongenansis</i>	Kaurenoic acid, dihydromikanolide, etc., p. 226
Dioscoreaceae	<i>Tamus communis</i>	Hydroxy-, methoxy-, phenanthrenes, p. 228
Ebenaceae	<i>Euclea crispa</i>	} 7-Methyljuglone, diospyrin and isodiospyrin, p. 230
	<i>E. undulata</i>	
	<i>Diospyros lycioides</i>	
Euphorbiaceae	<i>Euphorbia esula</i>	Cycloartenol, lupeol, p. 231
Fagaceae*	<i>Quercus infectoria</i>	Betulic acid, oleanolic acid, p. 214
Flacourtiaceae	<i>Hydnocarpus octandra</i>	Mangostin, p. 234
Lauraceae	<i>Lindera erythrocarpa</i>	Linderone, lucidone, etc., p. 233
Onagraceae	<i>Oenothera hookeri</i>	Quercetin and kaemperol glycosides, p. 234
Punicaceae*	<i>Punica granatum</i>	Maslinic acid, asiatic acid, etc., p. 214
Rutaceae	<i>Eriostemon obovalis</i>	Xanthoxyletin, bergapten, limettin, p. 235
	<i>Feronia elephantum</i>	Aurapten, bergapten, marmesin, etc., p. 236
Zingiberaceae	<i>Alpinia speciosa</i>	Cardamonin, alpinetin, p. 238

* Grouped together under Amarantaceae.