

## SUBJECT INDEX

- |   |  |
|---|--|
| <p><i>Acacia arabica</i>, polyphenols in . . . . . 151</p> <p>Acetylenic fatty acids, in <i>Santalum acuminatum</i> . . . . . 289</p> <p>Acids, long chain hydroxy, in apple and carnuba waxes . . . . . 253</p> <p>Adenosine-5-phosphate, as coenzyme for an algal <math>\alpha</math>-glucan phosphorylase . . . . . 413</p> <p>Agmatine in barley, and relation to potassium deficiency . . . . . 241</p> <p>Aldolase, changes during storage of apple and pear . . . . . 407</p> <p>Alkaloids,<br/>             clavine and lysergic acid, in varieties of Morning Glory . . . . . 65<br/>             ergot-type, in <i>Rivea corymbosa</i> . . . . . 99</p> <p>Allantoic acid, biosynthesis of . . . . . 231</p> <p>Allantoin, biosynthesis of . . . . . 231</p> <p>Anthocyanidins and their glycosides, preparation from flavonoids . . . . . 47</p> <p>Anthocyanin pigments, glycosidic pattern of . . . . . 85</p> <p><i>Antirrhinum majus</i>, flavone and aurone glycosides of . . . . . 327</p> <p>Apple,<br/>             changes in aldolase during storage of wax, hydroxyacids of . . . . . 407<br/>             . . . . . 253</p> <p>Arbutin, oxidation by isolated chloroplasts . . . . . 385</p> <p><i>Areca catechu</i>, polyphenols in . . . . . 321</p> <p>L-Arginine carboxy-lyase, relation to potassium nutrition in barley . . . . . 241</p> <p><i>Arthrobotrys oligospora</i>, carotenoid pigments of . . . . . 103</p> <p>Ascorbic acid formation in plants, tracer studies on . . . . . 109</p> <p>Aurone glycosides in <i>Antirrhinum</i> . . . . . 327</p> <p>Barley,<br/>             gibberellic acid in . . . . . 307<br/>             relation between potassium deficiency and L-arginine carboxy-lyase . . . . . 241</p> <p>Beet discs, cysteine biosynthesis in . . . . . 129</p> | <p>Betacyanins, distribution in the Centrospermae . . . . . 61</p> <p>Biosynthesis of,<br/>             allantoin and allantoic acid from glycine . . . . . 231<br/>             coumarins in lavender . . . . . 137<br/>             cysteine in red beetroot . . . . . 129<br/>             hydroxycinnamic acid derivatives in tobacco . . . . . 1<br/>             pinosylvin in <i>Pinus resinosa</i> . . . . . 297</p> <p>Capparidaceae, isothiocyanate-producing glucosides in species of . . . . . 29</p> <p>Carboxylic ester hydrolases, characterization of plant . . . . . 263</p> <p>Carnuba wax, hydroxyacids of . . . . . 253</p> <p>Carotenoids, in carrot roots, effect of gibberellic acid on . . . . . 183</p> <p>Carotenoids of green and orange strains of carrot root cambial tissue culture . . . . . 173</p> <p>Carotenoid pigments of,<br/>             <i>Arthrobotrys oligospora</i> . . . . . 103<br/>             <i>Protomyces inundatus</i> . . . . . 71</p> <p>Carrot root cambial tissue culture, carotenoids of . . . . . 173</p> <p>Carrot roots, changes in <math>\beta</math>-carotene and lutein in presence of gibberellic acid . . . . . 183</p> <p>Centrospermae, distribution of betacyanins in . . . . . 61</p> <p>Chloroplasts,<br/>             of arbutin-containing plants, oxidation of arbutin by . . . . . 385<br/>             oxidation-reduction of plastoquinone in . . . . . 397<br/>             relation of <math>\alpha</math>-tocopherol to chlorophyll in . . . . . 421</p> <p>Cinnamic acids, biosynthesis of sugar derivatives . . . . . 1</p> <p>Cinnamic acid derivatives, methods for the identification of . . . . . 225</p> <p>Clavine alkaloids in varieties of Morning Glory . . . . . 65</p> <p>Coniferyl alcohol, and glucoside in cambial sap of spruce . . . . . 189</p> |
|---|--|

Cotton seeds, metabolism of raffinose in . . . . .	33	$\alpha$ -1,4-Glucan: orthophosphate glucosyl transferase (phosphorylase) requiring AMP as coenzyme . . . . .	413
Coumarin, biosynthesis in lavender . . . . .	137	Glucosides, . . . . .	
<i>p</i> -Coumaryl alcohol 4- <i>O</i> -glucoside in cambial sap from spruce . . . . .	189	of cinnamyl alcohols in cambial sap of spruce . . . . .	189
Cruciferae, cysteine sulfoxide lyase in . . . . .	15	isothiocyanate-producing, in species of Capparidaceae . . . . .	29
<i>Cucumis sativus</i> , carboxylic ester hydrolase from . . . . .	263	Glycine, biosynthesis of allantoin and allantoinic acid from . . . . .	231
<i>Cucurbita moschata</i> , isolation of 4-hydroxybenzyl alcohol from . . . . .	215	<i>Glycine max</i> , carboxylic ester hydrolase from . . . . .	263
Cysteine biosynthesis in red beet discs . . . . .	129	Glycosides, anthocyanidin, preparation from related flavonoids . . . . .	47
Cysteine sulfoxide lyase, demonstration and characterization of in the Cruciferae . . . . .	15	Glycosidic pattern of anthocyanin pigments . . . . .	85
Cytochrome c, purification from wheat germ . . . . .	7	Gramineae, gibberellic acid in . . . . .	307
Cytochrome oxidase, interference of phenolase in the determination of in lettuce . . . . .	417	Grasses, gibberellic acid in . . . . .	307
<i>Dentaria pinnata</i> , sulphur-containing glycosides in roots and rhizomes of . . . . .	237	Hemoproteins, purification from wheat germ . . . . .	1
Deoxyribonucleic acid, extraction and identification of in plant . . . . .	221	Herniarin, biosynthesis in lavender . . . . .	137
Distribution of, . . . . .		Hormones, plant, identification of in immature seeds . . . . .	307
betacyanins in Centrospermae . . . . .	61	Hydroxyacids of apple and carnuba waxes . . . . .	253
hypericin in the species <i>Hypericum</i> . . . . .	157	4-Hydroxybenzyl alcohol, a naturally occurring cofactor of indoleacetic acid oxidase . . . . .	215
isothiocyanate-producing glucosides in Capparidaceae . . . . .	29	Hydroxycinnamic acids, biosynthesis of <i>O</i> -glucosides and <i>O</i> -glucose esters . . . . .	1
some diterpene hydrocarbons in Podocarpaceae . . . . .	205	Hydroxypyruvate, serine biosynthesis from . . . . .	23
DNA, . . . . .		Hypericin, distribution in <i>Hypericum</i> . . . . .	157
extraction and identification in plants . . . . .	221	<i>Hypericum</i> , distribution of hypericin in species of . . . . .	157
extraction and estimation in plants . . . . .	353	Indoleacetic acid oxidase, 4-hydroxybenzyl alcohol as a naturally occurring cofactor . . . . .	215
<i>Equisetum palustre</i> , kaempferol glycosides from . . . . .	281	Isothiocyanate-producing glucosides in species of Capparidaceae . . . . .	29
Ergot-type alkaloids in <i>Rivea corymbosa</i> . . . . .	99	Isothiocyanate-producing glycosides in <i>Dentaria pinnata</i> . . . . .	237
<i>Eucalyptus sieberiana</i> , formation of polyphenols from <sup>14</sup> C-glucose in kino of . . . . .	195	<i>Itea</i> species, occurrence of D-ribohexulose in . . . . .	315
<i>Evernia</i> species, lichen acids of . . . . .	335	Kaempferol glucosides, from <i>Equisetum palustre</i> . . . . .	281
Flavonoids, preparation of anthocyanidins and their glycosides from . . . . .	47	Keto-1-phosphate aldehyde-lyase (aldolase), changes during storage of apples and pears . . . . .	407
Flavone glycosides in <i>Antirrhinum</i> . . . . .	327	<i>Lavandula officinalis</i> , biosynthesis of coumarins in . . . . .	137
Flax rust uredospores, NADP oxidoreductase from germinating . . . . .	75	Lavender, biosynthesis of coumarin and herniarin in . . . . .	137
Fruits, changes in tannins in ripening . . . . .	371		
Gibberellic acid, . . . . .			
effect on growth and $\beta$ -carotene in carrot roots . . . . .	183		
identification in immature seeds . . . . .	307		

Lettuce, cytochrome oxidase activity in . . . . .	417	flavones and aurones in <i>Antirrhinum majus</i> . . . . .	327
Lichen acids of <i>Evernia</i> . . . . .	335	glycosidic pattern in anthocyanins . . . . .	85
Lithospermic acid, from roots of <i>Lithospermum ruderales</i> . . . . .	145	in trees, formation of . . . . .	195
<i>Lithospermum ruderales</i> : polyphenol from the roots of . . . . .	145	Polysaccharides in pollen of <i>Pinus mugo</i> . . . . .	341
Lysergic acid alkaloids in varieties of Morning Glory . . . . .	65	Potassium nutrition, relation of L-arginine carboxy-lyase in barley to . . . . .	241
L-Malate:NADP oxidoreductase (decarboxylating) from germinating flax rust uredospores . . . . .	75	<i>Protomyces inundatus</i> , carotenoid pigments of . . . . .	71
<i>Matthiola incana</i> , effect of virus on phenolic compounds in flowers of . . . . .	273	Purines, biosynthesis from glycine in plants . . . . .	231
NADP oxidoreductase (decarboxylating) from germinating flax rust uredospores . . . . .	75	<i>Pyrus</i> species, blackening of leaves of . . . . .	385
<i>Nicotiana tabacum</i> , biosynthesis in leaf discs of . . . . .	1	Raffinose in cotton seeds, metabolism of . . . . .	33
Nitrogen fixation, physical and chemical basis of . . . . .	429	D-ribohexulose, occurrence in <i>Itea</i> species . . . . .	315
Nucleotides and nucleic acids, extraction and estimation of plants . . . . .	353	<i>Rivea corymbosa</i> , ergot-type alkaloids in vegetative tissue of . . . . .	99
<i>Oscillatoria princeps</i> , an $\alpha$ -glucan phosphorylase requiring AMP as coenzyme from . . . . .	413	RNA, extraction and estimation in plants . . . . .	353
Pear, changes in aldolase during storage of . . . . .	407	<i>Santalum acuminatum</i> , acetylenic fatty acids in . . . . .	289
Phenolase, interference of, in the determination of cytochrome oxidase activity in lettuce . . . . .	417	Serine biosynthesis from hydroxypyruvate . . . . .	23
Phenolic compounds, effect of virus infection on, in flowers of <i>Matthiola incana</i> . . . . .	273	Spruce, glucosides of cambial sap of . . . . .	189
Phosphorylase, an algal $\alpha$ -glucan requiring AMP . . . . .	413	Syringin in cambial sap of spruce . . . . .	189
Pinosylvin, biosynthesis in <i>Pinus resinosa</i> . . . . .	297	Tannins, changes in ripening fruits . . . . .	371
<i>Pinus mugo</i> , polysaccharides in pollen of . . . . .	341	Tissue culture, carotenoids of carrot root . . . . .	173
Plants, extraction and identification of deoxyribonucleic acid in . . . . .	221	Tobacco polyphenols, biosynthesis of O-glucosides and O-glucose esters of hydroxycinnamic acids . . . . .	1
Plastoquinone, oxidation-reduction reactions in chloroplasts . . . . .	397	$\alpha$ -Tocopherol, and relation to chlorophyll in chloroplasts . . . . .	421
Podocarpaceae, distribution of diterpene hydrocarbons . . . . .	205	Triterpenoid constituents from <i>Ulex europaeus</i> . . . . .	179
Pollen, polysaccharides in . . . . .	341	<i>Triticum aestivum</i> , carboxylic ester hydrolase from . . . . .	263
Polyphenols, from <i>Acacia arabica</i> . . . . .	151	<i>Ulex europaeus</i> , triterpenoid constituents of . . . . .	179
cinnamic acid derivatives in tobacco . . . . .	1	Virus infection, effect on phenolic compounds in flowers of <i>Matthiola incana</i> . . . . .	273
		Waxes, hydroxyacids in apple and carnuba . . . . .	253
		Wheat germ, purification of cytochrome c and other hemoproteins from . . . . .	7
		<i>Zea mays</i> , carboxylic ester hydrolase from . . . . .	263