

CONTENTS OF VOLUME 40

Number 1

Review Article Number 106

Plant biotechnology: facts and public perception

1 D. BOULTER

Growth and Metabolism

Endogenous gibberellins from callus cultures of maize

11 A. TALO, C. R. SPRAY,
D. A. SOMERS, C. M. DONOVAN,
P. GASKIN, J. MACMILLAN
and B. O. PHINNEY

Limonoate dehydrogenase from *Arthrobacter globiformis*: the native enzyme and its N-terminal sequence

17 C. G. SUHAYDA, M. OMURA
and S. HASEGAWA

Molecular properties and thermal secretion of lupin seed acid phosphatase

21 Y. ZHENG and M. DURANTI

Epicuticular waxes of *Salix* species in relation to their overwintering survival and biomass productivity

23 T. HIETALA, S. LAAKSO
and H. ROSENQVIST

Taxol content in the seeds of *Taxus* spp.

29 S.-S. KWAK, M.-S. CHOI,
Y.-G. PARK, J.-S. YOO
and J.-R. LIU

Carotenoid composition of mycelium and apothecia in the discomycete *Scutellinia umbrarum*

33 J. P. SCHRANTZ and Y. LEMOINE

Distribution of alkaloids in *Chelidonium majus* and factors affecting their accumulation

37 F. TOMÈ and M. L. COLOMBO

Ecological Biochemistry

4-Nitrotryptophans associated with the *in vitro* production of thaxtomin A by *Streptomyces scabies*

41 R. R. KING and C. H. LAWRENCE

Fatty acid composition in water- and oxygen-stressed leaves of maize and wheat strains

45 G. M. PASTORI and V. S. TRIPPI

A further tuliposide from *Alstroemeria revoluta*

49 L. P. CHRISTENSEN

Purification of ptaquiloside, a carcinogen from *Pteridium aquilinum*

53 P. B. OELRICHS, J. C. NG
and J. BARTLEY

Antifungal biphenyl compounds are the phytoalexins of the sapwood of *Sorbus aucuparia*

57 T. KOKUBUN, J. B. HARBORNE,
J. EAGLES and P. G. WATERMAN

Biosynthesis

The *in vitro* biosynthesis of indole-3-butyric acid in maize

61 J. LUDWIG-MÜLLER,
W. HILGENBERG and E. EPSTEIN

Biotransformation of (+)-Cedrol by plant pathogenic fungus, *Glomerella cingulata*

69 M. MIYAZAWA, H. NANKAI
and H. KAMEOKA

Progesterone side-chain cleavage by *Paecilomyces lilacinus*

73 M. VITAS, D. ROZMAN, R. KOMEL
and S. L. KELLY

Cell Culture and Biotechnology

Stimulation of prenylated flavanone production by mannans and acidic polysaccharides in callus culture of *Sophora flavescens*

77 H. YAMAMOTO, M. ICHIMURA
and K. INOUE

Stimulation of accumulation of terpenoids by cell suspensions of *Lavandula angustifolia* following pre-treatment of parent callus

83 D. V. BANTHORPE, M. J. BATES
and M. J. IRELAND

Chemotaxonomy

Nitroaliphatic compounds in *Hippocrepis comosa* and other legumes in the European flora

89 M. A. SALEM, J. M. WILLIAMS,
S. J. WAINWRIGHT
and C. R. HIPKIN

Distribution of acetylenic acids and polar lipids in some aquatic bryophytes	93	V. M. DEMBITSKY and T. REZANKA
Biosynthetic interdependence of lignins and secondary metabolites in angiosperms	99	O. R. GOTTLIEB, M. R. DE M. B. BORIN and M. A. C. KAPLAN
Free flavonoid aglycones from <i>Thymus herba barona</i> and its monoterpenoid chemotypes	115	M. CORTICCHIATO, A. BERNARDINI, J. COSTA, C. BAYET, A. SAUNOIS and B. VOIRIN
The heartwood constituents of <i>Tetradium glabrifolium</i>	121	TIAN-SHUNG WU, JYH-HER YEH and PEI-LIN WU
Bioactive Plant Products		
Antimalarial sesquiterpenes from tubers of <i>Cyperus rotundus</i> : structure of 10,12-peroxy calamene, a sesquiterpene endoperoxide	125	C. THEBTARANONTH, Y. THEBTARANONTH, S. WANAUPTHAMKUL and Y. YUTHAVONG
Cytotoxic biflavonoids from <i>Selaginella willdenowii</i>	129	G. I. SILVA, H. CHAI, M. P. GUPTA, N. R. FARNSWORTH, G. A. CORDELL, J. M. PEZZUTO, C. W. W. BEECHER and A. D. KINGHORN
Plant Chemistry		
Five 10-phenyl-[11]-cytochalasans from a <i>Daldinia</i> fungal species	135	M. BUCHANAN, T. HASHIMOTO and Y. ASAKAWA
Acetylenes and terpenoids of <i>Bellis perennis</i>	141	P. AVATO and A. TAVA
Chavicol β -D-glucoside, a phenylpropanoid heteroside, benzyl- β -D-glucoside and glycosidically bound volatiles from subspecies of <i>Cedronella canariensis</i>	149	M. COEN, R. ENGEL and A. NAHRSTEDT
Cyclohexyl butenolide glucosides from epacridaceae	157	S. DAMTOFT and S. R. JENSEN
Ganomastenols A, B, C and D, cadinene sesquiterpenes, from <i>Ganoderma mastoporum</i>	161	M. HIROTANI, C. INO, A. HATANO, H. TAKAYANAGI and T. FURUYA
Isocapnell-9-en-8-one and 6 α -hydroxyisocapnell-9-en-8-one, sesquiterpenes from <i>Buddleia</i> species	167	A. ROMO DE VIVAR, D. A. NIETO, R. GAVIÑO and A.-L. PÉREZ C.
Trifarientols A-E, trifarane-type sesquiterpenoids from the Malaysian liverwort <i>Cheilolejeunea trifaria</i>	171	T. HASHIMOTO, H. KOYAMA, M. TORI, S. TAKAOKA and Y. ASAKAWA
Thujopsene- and cis-Muurolane-related sesquiterpenoids from <i>Cupressus bakeri</i>	177	L. G. COOL and K. JIANG
Eucalyptone from <i>Eucalyptus globulus</i>	183	K. OSAWA, H. YASUDA, H. MORITA, K. TAKEYA and H. ITOKAWA
A diterpene from <i>Garberia heterophylla</i>	185	H. TAK, F. R. FRONCZEK and N. H. FISCHER
Dolabranes from <i>Endospermum diadenum</i>	191	A. KIJOA, M. M. M. PINTO, C. ANANTACHOKE, T. E. GEDRIS and W. HERZ
Terpenoids from <i>Laurencia karlae</i>	195	JING-YU SU, YONG-LI ZHONG, LONG-MEI ZENG, HOU-MING WU and KAN MA
13-Epi-homoverrucosane derivatives and other diterpenes from <i>Plagiochila</i> (hepaticae)	199	S. VALCIC, V. HUCH, M. VEITH and H. BECKER
A diterpenoid from <i>Portulaca pilosa</i>	205	A. OHSAKI, Y. KASETANI, Y. ASAKA, K. SHIBATA, T. TOKOROYAMA and T. KUBOTA

Clerodane- and halimane-type diterpenoids from the liverwort <i>Jungermannia hyalina</i>	209	F. NAGASHIMA, H. TANAKA, Y. KAN, S. HUNECK and Y. ASAKAWA
A bidesmosidic hederagenin hexasaccharide from the roots of <i>Symphytum officinale</i>	213	F. V. MOHAMMAD, M. NOORWALA, V. U. AHMAD and B. SENER
A rearranged ursane triterpenoid from <i>Rhoiptelea chiliantha</i>	219	ZHI-HONG JIANG, RONG-HAN ZHOU, K. MASUDA and H. AGETA
Isolation of lanostane-type triterpene acids having an acetoxyl group from sclerotia of <i>Poria cocos</i>	225	T. TAI, T. SHINGU, T. KIKUCHI, Y. TEZUKA and A. AKAHORI
Picrasane quassinoids from <i>Picrasma javanica</i>	233	K. KOIKE, M. YOKOH, M. FURUKAWA, S. ISHII and T. OHMOTO
Limonoids from <i>Turraea floribunda</i>	239	B. TORTO, M. D. BENTLEY, B. J. W. COLE, A. HASSANALI, FU-YUNG HUANG, L. GELBAUM and D. G. VANDERVEER
Anthraquinones from <i>Galium sinaicum</i>	245	A. A. EL-GAMAL, K. TAKEYA, H. ITOKAWA, A. F. HALIM, M. M. AMER, H.-E. A. SAAD and S. A. AWAD
Phenylpropanoids and other secondary metabolites from fresh fruits of <i>Picrasma quassioides</i>	253	K. YOSHIKAWA, S. SUGAWARA and S. ARIHARA
Hydroxybenzoic acids from <i>Boreava orientalis</i>	257	A. SAKUSHIMA, M. COŞKUN and T. MAOKA
Revised structures for neolignans from <i>Arum italicum</i>	263	G. GELLERSTEDT, K. LUNDQUIST, A. F. A. WALLIS and L. ZHANG
Two prenylated anthrones in <i>Harungana madagascariensis</i>	267	M. INUMA, H. TOSA, T. ITO, T. TANAKA and M. AQIL
Chalcone and dihydrochalcone derivatives from the orchid <i>Lusia volucris</i>	271	P. L. MAJUMDER, S. LAHIRI and N. MUKHOTI
Acylated anthocyanins from flowers of <i>Begonia</i>	275	N. CHIROL and M. JAY
Two flavone 2'-glucosides from <i>Scutellaria baicalensis</i>	279	K. ISHIMARU, K. NISHIKAWA, T. OMOTO, I. ASAI, K. YOSHIHIRA and K. SHIMOMURA
Flavonol glycosides from leaves of <i>Eupatorium glandulosum</i>	283	A. G. R. NAIR, R. GUNASEGARAN, S. KRISHNAN, C. BAYET and B. VOIRIN
Revised structure for hortensin, a flavonoid from <i>Millingtonia hortensis</i>	287	T. HASE, K. OHTANI, R. KASAI, K. YAMASAKI and C. PICHEANSOONTHON
Ester alkaloids of <i>Heliotropium bracteatum</i>	291	A. J. LAKSHMANAN and S. SHANMUGASUNDARAM
Clausenol and clausenine—two carbazole alkaloids from <i>Clausena anisata</i>	295	A. CHAKRABORTY, B. K. CHOWDHURY and P. BHATTACHARYYA
Alkaloids from <i>Dactylicapnos torulosa</i>	299	GUO-LIN ZHANG, G. RÜCKER, E. BREITMAIER, M. NIEGER, R. MAYER and C. STEINBECK
Alkaloids from <i>Boophae flava</i>	307	F. VILADOMAT, J. BASTIDA, C. CODINA, W. E. CAMPBELL and S. MATHEE
Alkaloids from <i>Tabernaemontana divaricata</i>	313	TOH-SEOK KAM and S. ANURADHA

4-Quinolinone alkaloids from *Dictyoloma peruviana*

317 C. LAVAUD, G. MASSIOT,
C. VASQUEZ, C. MORETTI,
M. SAUVAIN and L. BALDERRAMA

Short Reports

α -Pyrones and their derivatives from two *Cryptocarya* species

321 S. E. DREWES, M. M. HORN
and R. S. SHAW

Cyclobakuchiol A and B from *Psoralea Glandulosa*

325 C. N. BACKHOUSE, C. L. DELPORTE,
R. E. NEGRETE, B. K. CASSELS,
C. SCHNEIDER, E. BREITMAIER
and A. S. FELICIANO

Seco-eremophilanolides from *Senecio macedonicus*

329 A. B. TREDAFILOVA,
E. T. TSANKOVA
and L. N. EVSTATIEVA

A spatane diterpene from the brown alga *Stoechospermum marginatum*

331 Y. VENKATESWARLU
and M. A. F. BIABANI

Vicogenin, a 28-nor-12-oleanenepentol from *Vicoa indica*

335 K. BALAKRISHNA, S. VASANTH,
A. B. KUNDU, R. B. RAO
and J. D. CONNOLLY

Two triterpenoid lactones from the resin of *Bursera delpechiana*

337 K. V. SYAMASUNDAR
and G. R. MALLAVARAPU

Lignan glycosides from inner bark of *Betula pendula*

341 E. ŠMITE, H. PAN
and L. N. LUNDGREN

Taxifolin 3-arabinoside from *Fragaria x ananassa*

345 K. ISHIMARU, T. OMOTO, I. ASAI,
K. EZAKI and K. SHIMOMURA

Flavonol glycosides from *Nitraria retusa*

349 A. F. HALIM, H.-E. A. SAAD
and N. E. HASHISH

Incarvine A, a monoterpene alkaloid from *Incarvillea sinensis*

353 YU-MING CHI, F. HASHIMOTO,
WEN-MEI YAN and T. NOHARA

Number 2

Review Article Number 107

Plant transglutaminases

355 D. SERAFINI-FRACASSINI,
S. D. EL DUCA and S. BENINATI

Growth and Metabolism

Copper-inhibited NADH-dependent peroxidase activity of purified soya bean plasma membranes

367 M. ZANCANI, G. NAGY,
A. VIANELLO and F. MACRI

pH-induced hysteresis of latent broad bean polyphenol oxidase

373 M. JIMÉNEZ
and F. GARCÍA-CARMONA

Properties of farnesol phosphokinase of *Botryococcus braunii*

377 H. INOUE, H. SAGAMI, T. KOYAMA
and K. OGURA

Gibberellin stimulates synthesis of a protein kinase in dwarf pea epicotyls

383 K. K. AGGARWAL
and R. C. SACHAR

Distribution of hydroxycinnamoyl-CoA: ω -hydroxypalmitic acid *O*-hydroxycinnamoyltransferase in higher plants

389 S. LOTFY, F. JAVELLE
and J. NEGREL

3-Aminopropionaldehyde dehydrogenase of millet shoots

393 H. M. A. AWAL, I. YOSHIDA,
M. DOE and E. HIRASAWA

Changes in lipid and fatty acid composition of *Pavlova lutheri*

397 H. TATSUZAWA and E. TAKIZAWA

Piperidine alkaloid content of *Picea pungens* (Colorado blue spruce)

401 F. G. TODD, F. R. STERMITZ
and A. V. BLOKHIN

Ecological Biochemistry

Effects of environment on the composition of epicuticular wax from kale and swede

407 T. SHEPHERD, G. W. ROBERTSON,
D. W. GRIFFITHS, A. N. E. BIRCH
and G. DUNCAN

Biochemically active sesquiterpene lactones from <i>Ratibida mexicana</i>	419	M. R. CALERA, F. SOTO, P. SANCHEZ, R. BYE, B. HERNANDEZ-BAUTISTA, A. L. ANAYA, B. LOTINA-HENNSSEN and R. MATA
Antifungal aryltetralin lignans from leaves of <i>Podophyllum hexandrum</i>	427	ATTA-UR-RAHMAN, M. ASHRAF, M. I. CHOUDHARY, HABIB-UR-REHMAN and M. H. KAZMI
Protocatechualdehyde and other phenols as cell wall components of grapevine leaves	433	B. WEBER, L. HOESCH and D. M. RAST
Biosynthesis		
The biotransformation of ent-15-oxokaur-16-en-19-oic acid and its methyl ester by <i>Cephalosporium aphidicola</i>	439	A. B. DE OLIVEIRA, J. R. HANSON and J. A. TAKAHASHI
Metabolic conversion of 24-epi-brassinolide into pentahydroxylated brassinosteroid glucosides in tomato cell cultures	443	T. HAI, B. SCHNEIDER and G. ADAM
Chemotaxonomy		
Purification and properties of four monocot lectins from the family Araceae	449	S. SHANGARY, J. SINGH, S. S. KAMBOJ, K. K. KAMBOJ and R. S. SANDHU
Cell wall composition and taxonomy of symbiotic <i>Chlorella</i> from <i>Paramecium</i> and <i>Acanthocystis</i>	457	H. TAKEDA
Di-coumaroylspermidines and tri-coumaroylspermidines in anthers of different species of the genus <i>Aphelandra</i>	461	C. WERNER, W. HU, A. LORENZI-RIATSCH and M. HESSE
Bioactive Plant Products		
New bioactive adjacent bis-THF annonaceous acetogenins from <i>Annona bullata</i>	467	Z.-M. GU, L. ZENG, J. T. SCHWEDLER, K. V. WOOD and J. L. McLAUGHLIN
Plant Chemistry		
Four cyclopropane amino acids from <i>Ephedra</i>	479	A. N. STARRATT and S. CAVENEY
Sinapinyl but-3-enylglucosinolate from <i>Boreava orientalis</i>	483	A. SAKUSHIMA, M. COŞKUN and T. MAOKA
Highly methylated agars with a high gel-melting point from the red seaweed, <i>Gracilaria eucheumoides</i>	487	R. TAKANO, K. HAYASHI and S. HARA
Iridoids in roots of <i>Pedicularis chinensis</i>	491	YANG LI, WANG CHANGZENG and JIA ZHONGJIAN
Meroditerpenes from the brown alga <i>Cystoseira crinita</i> off the French Mediterranean coast	495	A. PRAUD, R. VALLS, L. PIOVETTI, B. BANAIGS and J.-Y. BENAÏM
Terpenoids and flavonoids from the aerial parts of <i>Salvia candidissima</i>	501	G. TOPCU, N. TAN, A. ULUBELEN, D. SUN and W. H. WATSON
Neo-clerodane diterpenoids from <i>Teucrium racemosum</i>	505	M. BRUNO, C. FAZIO, F. PIOZZI, G. SAVONA, B. RODRÍGUEZ and M. C. DE LA TORRE
Acylated triterpene saponins from <i>Silene jensisseensis</i>	509	M. A. LACAILLE-DUBOIS, B. HANQUET, ZHEN-HUA CUI, ZHI-CEN LOU and H. WAGNER
Ten minor carotenoids from Prasinophyceae (Chlorophyta)	515	E. S. EGELAND and S. LIAAEN-JENSEN
Steroidal glycosides from <i>Allium macleeanii</i> and <i>A. senescens</i> , and their inhibitory activity on tumour promoter-induced phospholipid metabolism of HeLa cells	521	T. INOUE, Y. MIMAKI, Y. SASHIDA, A. NISHINO, Y. SATOMI and H. NISHINO
Brassinosteroids, sterols and lup-20(29)-en-2 α ,3 β ,28-triol from <i>Rheum rhabarbarum</i>	527	J. SCHMIDT, U. HIMMELREICH and G. ADAM

Effusides I-V: 9,10-dihydrophenanthrene glucosides from <i>Juncus effusus</i>	533	M. DELLA GRECA, A. FIORENTINO, P. MONACO, L. PREVITERA and A. ZARRELLI
Acetophenones from <i>Cynanchum taiwanianum</i>	537	PAO-LIN HUANG, CHAI-MING LU, MING-HONG YEN, RU-RONG WU and CHUN-NAN LIN
<i>n</i> -Alkenylpyrogallol dimethyl ethers, aliphatic diol monoesters and some minor ether lipids from <i>Botryococcus braunii</i> A race	543	P. METZGER and Y. POUET
Oenothins D, F and G, hydrolysable tannin dimers from <i>Oenothera laciniata</i>	555	T. YOSHIDA, T. CHOU, T. SHINGU and T. OKUDA
Flavonoids and lignans from leaves of <i>Cryptomeria japonica</i>	563	WEN-CHIUNG SU, JIM-MIN FANG and YU-SHIA CHENG
Five acylated pelargonidin glucosides in the red flowers of <i>Hyacinthus orientalis</i>	567	K. HOSOKAWA, Y. FUKUNAGA, E. FUKUSHI and J. KAWABATA
The first biaurone, a triflavone and biflavonoids from two <i>Aulacommium</i> species	573	H. HAHN, T. SEEGER, H. GEIGER, H. D. ZINSMEISTER, K. R. MARKHAM and H. WONG
Flavonol sinapoyl glycosides from leaves of <i>Thevetia peruviana</i>	577	F. ABE, Y. IWASE, T. YAMAUCHI, S. YAHARA and T. NOHARA
Hippocrateine III, a sesquiterpene alkaloid from <i>Hippocratea excelsa</i>	583	F. CALZADA and R. MATA
Alkaloids from leaves and stem bark of <i>Ervatamia peduncularis</i>	587	M. ZÈCHES-HANROT, J.-M. NUZILLARD, B. RICHARD, H. SCHALLER, H. A. HADI, T. SÉVENET and L. LE MEN-OLIVIER
Alkaloidal constituents of <i>Fumaria indica</i>	593	ATTA-UR RAHMAN, S. AHMAD, M. KHALID BHATTI and M. I. CHOUDHARY
Short Reports		
Multifidin—a cyanoglucoside in the latex of <i>Jatropha multifida</i>	597	A. J. J. VAN DEN BERG, S. F. A. J. HORSTEN, J. J. KETTENES-VAN DEN BOSCH, B. H. KROES and R. P. LABADIE
Esters of <i>Picea abies</i> needle cuticular wax	599	P. SÜMMCHEN, C. MARKSTÄDTER and O. WIENHAUS
A long-chain epoxide from stem wax of <i>Rubus thibetanus</i>	601	E. M. GAYDOU, I. BOMBARDA, R. FAURE and E. WOLLENWEBER
An iridoid glucoside from <i>Lonicera caerulea</i>	603	K. MACHIDA and M. KIKUCHI
Isolepidozene, a diastereomer of bicyclogermacrene, in some liverworts	605	I. H. HARDT, A. RIECK, W. A. KÖNIG and H. MUHLE
Frutoic acid, a dimeric kaurane diterpene from <i>Xylopiia frutescens</i>	607	J. A. TAKAHASHI, M. A. D. BOAVENTURA, J. DE CARVALHO BAYMA and A. B. OLIVEIRA
A 15 β -hydroxywithanolide from <i>Datura ferox</i>	611	A. CIRIGLIANO, A. S. VELEIRO, J. C. OBERTE and G. BURTON
Crystal structure and NMR analysis of the alkaloid protostemotinine	615	X. CONG, H. ZHAO, D. GUILLAUME, GUOJUN XU, YANG LU and QITAI ZHENG

Number 3

Growth and Metabolism

The chrysopine family of amadori-type crown gall opines

619	W. S. CHILTON, A. M. STOMP, V. BERINGUE, H. BOUZAR, V. VAUDEQUIN-DRANSART, A. PETIT and Y. DESSAUX
-----	--

- Isofunicone, a pollen growth inhibitor produced by the fungus, *Penicillium* sp. 629 Y. KIMURA, T. YOSHINARI, A. SHIMADA and T. HAMASAKI
- Synthesis and biological activity of 1'-deoxy-1'-fluoro- and 8'-fluoroabscisic acids 633 Y. TODOROKI, N. HIRAI and K. KOSHIMIZU
- Saracin: a lectin from *Saraca indica* seed integument recognizes complex carbohydrates 643 S. RAY and B. P. CHATTERJEE
- Purification of a *N*-acetyl-D-galactosamine specific lectin from the orchid *Laelia autumnalis* 651 R. ZENTENO, R. CHÁVEZ, D. PORTUGAL, A. PÁEZ, R. LASCURAIN and E. ZENTENO
- Regulation of acyl-CoA oxidases in maize seedlings 657 M. A. HOOKS, K. BODE and I. COUÉE
- Diaphorase activity of ferredoxin: NADP oxidoreductase in the presence of dibromothymoquinone 661 M. BOJKO and S. WIECKOWSKI
- Evidence for sulphite oxidase activity in spinach leaves 667 P. JOLIVET, E. BERGERON and J.-C. MEUNIER
- Systemic wound induction of potato (*Solanum tuberosum*) polyphenol oxidase 673 P. THIPYAPONG, M. D. HUNT and J. C. STEFFENS
- Comparison of structure and kinetic mechanism of phosphorylase forms isolated from water yam (*Dioscorea alata*) and white yam (*Dioscorea rotundata*) tubers 677 U. OLUOHA and E. N. UGOCHUKWU
- Phosphodiesterase isoenzymes in cell abstracts of cultured carrot 685 F. KUROSAKI and H. KABURAKI
- Formation of *N*-malonyl-L-tryptophan in water-stressed tomato leaves 691 YU LIU, A. L. SILVERSTONE, YOU M. WU and SHANG F. YANG
- Partial purification and characterization of tryptophan *N*-malonyl-transferase from tomato leaves 699 YOU M. WU, A. L. SILVERSTONE, YU LIU and SHANG F. YANG
- Effects of enzyme concentration on oligofructan synthesis from sucrose 705 A. J. CAIRNS
- Carbohydrate polymers from underground parts of *Cistanche deserticola* 709 R. NARAN, A. EBRINGEROVA, Z. HROMÁDKOVÁ and V. PATOPRSTÝ
- Seasonal variations in lipids of *Xanthoria parietina* growing at high elevations 717 R. PIERVITTORI, F. ALESSIO, L. USAI and M. MAFFEI
- Lipid composition of *Euglena gracilis* in relation to carbon-nitrogen balance 725 A. REGNAULT, D. CHERVIN, A. CHAMMAI, F. PITON, R. CALVAYRAC and P. MAZLIAK
- Ecological Biochemistry**
- Acaricidal and insecticidal activities of cadina-4,10(15)-dien-3-one 735 R. B. R. PORTER, P. B. REESE, L. A. D. WILLIAMS and D. J. WILLIAMS
- Quantification of glyceollins in non-elicited seedlings of *Glycine max* by gas chromatography-mass spectrometry 739 C. KRAUS, G. SPITELLER, A. MITHÖFER and J. EBEL
- Neovasipyrone and neovasifuranones: four new metabolites related to neovasinin, a phytotoxin of the fungus, *Neocosmospora vasinfecta* 745 T. FURUMOTO, K. FUKUYAMA, T. HAMASAKI and H. NAKAJIMA
- Buchaninose, a steroidal glycoside from *Elaeodendron buchananii* 753 Y. TSUJINO, J. I. J. OGOCHÉ, H. TAZAKI, T. FUJIMORI and K. MORI
- Biosynthesis**
- 3-Hydroxy-3-methylglutaryl-coenzyme, a synthase in *Hevea brasiliensis* 757 W. SUVACHITTANONT and R. WITITSUWANNAKUL
- Pyrimidine metabolism and secondary product formation; biogenesis of albiizzine, 4-hydroxyhomoarginine and 2,3-diaminopropanoic acid 763 E. G. BROWN and Y. TURAN

Biosynthesis of iridoids in <i>Syringa</i> and <i>Fraxinus</i> : secoiridoid precursors	773	S. DAMTOFT, H. FRANZYK and S. R. JENSEN
Biosynthesis of iridoids in <i>Syringa</i> and <i>Fraxinus</i> : carbocyclic iridoid precursors	785	S. DAMTOFT, H. FRANZYK and S. R. JENSEN
Biotransformation of sesquiterpenoids, (+)-aromadendrene and (–)-alloaromadendrene by <i>Glomerella cingulata</i>	793	M. MIYAZAWA, T. UEMURA and H. KAMEOKA
Biotransformation of <i>ent</i> -16 β , 19-dihydroxykaurane by <i>Cephalosporium aphidicola</i>	797	J. R. HANSON, P. B. HITCHCOCK and J. A. TAKAHASHI
Dynamics of the biosynthesis of methylursubin in plant cells employing <i>in vivo</i> ^{13}C NMR without labelling	801	R. LUTTERBACH and J. STÖCKIGT
Cell Culture and Biotechnology A mutant of <i>Nannochloropsis</i> deficient in eicosapentaenoic acid production	807	J. C. SCHNEIDER, A. LIVNE, A. SUKENIK and P. G. ROESSLER
The microbiological hydroxylation of some pinane monoterpenoids by <i>Cephalosporium aphidicola</i>	815	A. FAROOQ and J. R. HANSON
Essential oil variability of <i>Thymus zygis</i> growing wild in southeastern Spain	819	F. SÁEZ
Sesquiterpenes and geranylgeranylglycerol from the brown algae <i>Taonia lacheana</i> and <i>Taonia atomaria</i> F. <i>ciliata</i> : their chemotaxonomic significance	827	C. TRINGALI, M. PIATTELLI and C. SPATAFORA
Acidic dammarane arabinofuranosides from <i>Combretum rotundifolium</i>	833	C. B. ROGERS
Plant Chemistry Essential oil composition of <i>Chamelaucium uncinatum</i>	837	L. M. EGERTON-WARBURTON and E. L. GHISALBERTI
Four sesquiterpenes from the insecticidal plant <i>Celastrus angulatus</i>	841	J. LIU, H. BECKER, J. ZAPP and D. WU
An epoxy-trinoreudesmane sesquiterpene from the liverwort <i>Lophocolea bidentata</i>	847	A. RIECK, N. BÜLOW and W. A. KÖNIG
Boarioside, a eudesmane glucoside from <i>Maytenus boaria</i>	853	O. MUÑOZ, C. GALEFFI, E. FEDERICI, J. A. GARBARINO, M. PIOVANO and M. NICOLETTI
A secoamorphane tri-ether from <i>Cupressus macnabiana</i> foliage	857	L. G. COOL and K. JIANG
Abietane diterpenes from <i>Salvia napifolia</i>	861	A. ULUBELEN, G. TOPÇU, U. SÖNMEZ, M. I. CHOUDHARY and ATTA-UR-RAHMAN
Diterpenoids from <i>Tripterigium wilfordii</i>	865	T. MOROTA, WAN-ZHANG QIN, K. TAKAGI, LI-HONG XU, M. MARUNO and BING-HUI YANG
Uncommon diterpenes with the skeleton of six–five–six fused-rings from <i>Taiwania cryptomerioides</i>	871	WANG-HONG LIN, JIM-MIN FANG and YU-SHIA CHENG
Persianone, a dimeric diterpene from <i>Ballota aucheri</i>	875	A. RUSTAIYAN, M. H. MOSSLEMIN-KUPAIL, F. PAPASTERGIOU and J. JAKUPOVIC
Taxoids from the barks of <i>Taxus wallichiana</i>	881	JUN-ZENG ZHANG, QI-CHENG FANG, XIAO-TIAN LIANG, CUN-HENG HE, MAN KONG, WEN-YI HE and XIAO-LING JIN
Malabaricane triterpene glucosides from <i>Adesmia aconcaguensis</i>	885	F. FAINI, M. CASTILLO, R. TORRES, G. DELLE MONACHE and E. GACS-BAITZ

Hederagenin glycosides from <i>Pometia eximia</i>	891	L. JAYASINGHE, H. SHIMADA, N. HARA and Y. FUJIMOTO
¹ H and ¹³ C NMR spectra of pyrocincholic acid	899	M. L. JIMENO, A. RUMBERO and P. VÁZQUEZ
Entilin D, a heptanortriterpenoid from the bark of <i>Entandrophragma utile</i>	903	W. M. DANIEWSKI, M. GUMUŁKA, W. DANIŁEWICZ, J. SITKOWSKI, U. JACOBSSON and T. NORIN
6-Deoxo-28-norcastasterone and 6-deoxo-24-epicastasterone—two new brassinosteroids from <i>Ornithopus sativus</i>	907	B. SPENGLER, J. SCHMIDT, B. VOIGT and G. ADAM
The anthraquinones of <i>Heterodermia obscurata</i>	911	P. A. COHEN and G. H. NEIL TOWERS
Structure revision and internal acyl migration of gymnemarsgenin	917	SHENG-XIANG QIU, LONG-ZE LIN, YANG NAN, PING LIN, JI-JING CHEN, ZHUANG-XIN ZHANG, JUN ZHOU and G. A. CORDELL
Withajardin E, a withanolide from <i>Deprea orinocensis</i>	923	F. ECHEVERRI, W. QUIÑONES, F. TORRES, G. CARDONA, R. ARCHBOLD, J. G. LUIS and A. G. GONZÁLEZ
Pituranthoside from <i>Pituranthos triradiatus</i>	927	A. F. HALIM, H.-E. A. SAAD, M. F. LAHLOUB and A. F. AHMED
Gossypifan, a lignan from <i>Jatropha gossypifolia</i>	931	B. DAS and R. DAS (née CHAKRABARTI)
Tetrameric proanthocyanidins containing a double interflavanoid (A-type) linkage from <i>Pavetta owariensis</i>	933	A. BALDE, T. DE BRUYNE, L. PIETERS, H. KOŁODZIEJ, D. VANDEN BERGHE, M. CLAEYS and A. VLIETINCK
Pelargonidin 3-glucoside-5-acetylglucoside in <i>Verbena</i> flowers	939	K. TOKI, N. SAITO, N. TERAHARA and T. HONDA
Three acylated cyanidin glucosides in pink flowers of <i>Gentiana</i>	941	K. HOSOKAWA, E. FUKUSHI, J. KAWABATA, C. FUJII, T. ITO and S. YAMAMURA
Flavonoids and a prenylated xanthone from <i>Cudrania cochinchinensis</i> var. <i>gerontogea</i>	945	CHENG-HSIUNG CHANG, CHUN-CHING LIN, S. KADOTA, M. HATTORI and T. NAMBA
Furanoflavones from root bark of <i>Millettia sanagana</i>	949	J. T. MBAFOR, A. T. ATCHADE, A. E. NKENGFACK, Z. T. FOMUM and O. STERNER
Two bis-indole alkaloids from leaves of <i>Ervatamia polyneura</i>	953	P. CLIVIO, D. GUILLAUME, J. VERCAUTEREN, B. RICHARD, J.-M. NUZILLARD, M. ZÈCHES-HANROT and L. LE MEN-OLIVIER
Further alkaloids from <i>Brunsvigia josephinae</i>	961	F. VILADOMAT, C. CODINA, J. BASTIDA, S. MATHEE and W. E. CAMPBELL
Constituents of <i>Isolona maitlandii</i>	967	H. ACHENBACH and M. LÖWEL
Alkaloids from leaves of <i>Alangium bussyanum</i>	975	A. O. DIALLO, H. MEHRI, L. IOUZALEN and M. PLAT
Steroidal alkaloids of <i>Fritillaria maximowiczii</i>	979	ZHONG-ZHI QIAN and T. NOHARA
Alkaloids from <i>Hernandia sonora</i>	983	IH-SHENG CHEN, JIH-JUNG CHEN and IAN-LIH TSAI

16-Epi silicine, an alkaloid of the ervatamine-type from <i>Pandaca caducifolia</i>	987	P. CLIVIO, B. RICHARD, J.-M. NUZILLARD and M. ZÈCHES-HANROT
Alkaloids from <i>Aristolochia arcuata</i>	991	L. Y. WATANABE and L. M. X. LOPES
Short Reports		
Long-chain aldehydes from the red alga, <i>Corallina mediterranea</i>	995	S. DE ROSA, A. DE GIULIO, C. IODICE, M. J. ALCARAZ and M. PAYA
A naphthalene glycoside from <i>Cassia tora</i>	997	JAE SUE CHOI, JEE HYUNG JUNG, HEE JUNG LEE, JI HYUN LEE and SAM SIK KANG
Stilbenolignan from <i>Maackia amurensis</i>	1001	N. I. KULESH, V. A. DENISENKO and O. B. MAKSIMOV
An alkaloid from leaves of <i>Melodinus scandens</i>	1005	H. MEHRI, A. O. DIALLO and M. PLAT
Book Reviews	1007	

Number 4

The Pergamon Phytochemistry Prize for 1995	1009	
Review Article Number 108		
Chorismate mutase in microorganisms and plants	1015	R. M. ROMERO, M. F. ROBERTS and J. D. PHILLIPSON
Growth and Metabolism		
A versatile and efficient methodology for the preparation of choline ester auxin conjugates	1027	B. A. BOZSÓ, R. A. FLUCK, R. A. JAMETON, P. A. LEBER and J. G. VARNES
Chiral synthesis and stomatal closure activities of γ -pseudo- and dihydro-abscisic acids	1033	H. YAMAMOTO and T. ORITANI
2-Deoxybrassinolide—a naturally occurring brassinosteroid from <i>Apium graveolens</i>	1041	J. SCHMIDT, B. VOIGT and G. ADAM
Multiple isozymes of <i>endo</i> - β -D-mannanase in dry and imbibed seeds	1045	L. M. A. DIRK, A. M. GRIFFEN, B. DOWNIE and J. D. BEWLEY
Properties of potato starch: effects of genotype and growing conditions	1057	J. E. COTTRELL, C. M. DUFFUS, L. PATERSON and G. R. MACKAY
Lipids and fatty acids in guard-cell protoplasts from <i>Vicia faba</i> leaves	1065	T. SAKAKI, A. SATOH, K. TANAKA, K. OMASA and K. L. SHIMAZAKI
Steroidal saponins from <i>Allium chinense</i> and their inhibitory activities on cyclic AMP phosphodiesterase and Na ⁺ K ⁺ ATPase	1071	M. KURODA, Y. MIMAKI, A. KAMEYAMA, Y. SASHIDA and T. NIKAIDO
Ferulate cross-linking in cell walls isolated from maize cell suspensions	1077	J. H. GRABBER, R. D. HATFIELD, J. RALPH, J. ZOŇ and N. AMRHEIN
Ecological Biochemistry		
Effect of infestation by aphids on the water status of barley and insect development	1083	H. M. CABRERA, V. H. ARGANDOÑA, G. E. ZUÑIGA and L. J. CORCUERA
Hypaphorine accumulation in the Hyphae of the Ectomycorrhizal fungus, <i>Pisolithus tinctorius</i>	1089	T. BEGUIRISTAIN, R. COTE, P. RUBINI, JAY-ALLEMAND and F. LAPEYRIE
Volatile compounds emitted from flowers and leaves of <i>Brugmansia × candida</i> (Solanaceae)	1093	G. C. KITE and C. LEON

Termite antifeedant activity in <i>Aframomum melegueta</i>	1097	P. ESCOUBAS, L. LAJIDE and J. MIZUTANI
Termite antifeedant activity in <i>Detarium microcarpum</i>	1101	L. LAJIDE, P. ESCOUBAS and J. MIZUTANI
Termite antifeedant activity in <i>Xylopia aethiopica</i>	1105	L. LAJIDE, P. ESCOUBAS and J. MIZUTANI
Attack on tea by <i>Xyleborus fornicatus</i> : inhibition of the symbiote, <i>Monacroporium ambrosium</i> , by caffeine	1113	N. S. KUMAR, P. HEWAVITHARANAGE and N. K. B. ADIKARAM
Biosynthesis		
Inhibition of sterol biosynthesis during elicitor-induced accumulation of furanocoumarins in parsley cell suspension cultures	1117	C. HAUDENSCHILD and M.-A. HARTMANN
Biosynthesis of ecdysteroids in <i>Zea mays</i>	1125	T. P. DEVARENNE, B. SEN-MICHAEL and J. H. ADLER
Cell Culture and Biotechnology		
Biotransformations of acyclic terpenoids, ($\pm$)- <i>cis</i> -nerolidol and nerylacetone, by plant pathogenic fungus, <i>Glomerella cingulata</i>	1133	M. MIYAZAWA, H. NANKAI and H. KAMEOKA
Sesquiterpene lactones in <i>Agrobacterium rhizogenes</i> —transformed hairy root culture of <i>Lactuca virosa</i>	1139	W. KISIEL, A. STOJAKOWSKA, J. MALARZ and S. KOHLMÜNZER
Naphthoquinones and coumarins from <i>Impatiens balsamina</i> root cultures	1141	P. PANICHAYUPAKARANANT, H. NOGUCHI, W. DE-EKNAMKUL and U. SANKAWA
Naphthoquinones of <i>Drosera spatulata</i> from <i>in vitro</i> cultures	1145	J. BUDZIANOWSKI
Glucosylation of phenolics by hairy root cultures of <i>Lobelia sessilifolia</i>	1149	M. YAMANAKA, K. SHIMOMURA, K. SASAKI, K. YOSHIHARA and K. ISHIMARU
Tannin production in callus cultures of <i>Quercus acutissima</i>	1151	N. TANAKA, K. SHIMOMURA and K. ISHIMARU
Chemotaxonomy		
Chemotaxonomy of cyanobacteria	1155	Z. COHEN, M. C. MARGHERI and L. TOMASELLI
(-)-1,12-Oxaguai-10(15)-ene: a sesquiterpene from <i>Eriostemon fitzgeraldii</i>	1159	S. D. SARKER, J. A. ARMSTRONG and P. G. WATERMAN
Plant Chemistry		
<i>Isobutylamides</i> from <i>Piper ridleyi</i>	1163	F. AHMAD, S. JAMIL and R. W. READ
Cyanogenic and non-cyanogenic glycosides from <i>Manihot esculenta</i>	1167	H. PRAWAT, C. MAHIDOL, S. RUCHIRAWAT, U. PRAWAT, P. TUNTIWACHWUTTIKUL, U. TOOPTAKONG, W. C. TAYLOR, C. PAKAWATCHAI, B. W. SKELTON and A. H. WHITE
Linderanolides and <i>isolindearanolides</i> , ten butanolides from <i>Lindera glauca</i>	1175	K. SEKI, T. SASAKI, S. WANO, K. HAGA and R. KANEKO
Monoterpene diol, iridoid glucoside and dibenzo- α -pyrone from <i>Anthocleista djalensis</i>	1183	P. A. ONOCHA, D. A. OKORIE, J. D. CONNOLLY and D. S. ROYCROFT
Revision of the structure of a sesquiterpene from <i>Ligularia sagitta</i>	1191	ZIMIN LIU, HONGMING CHEN, ZHONGJIAN JIA, N. K. DALLEY, XIAOLAN KOU, DU LI, N. L. OWEN and D. M. GRANT
Two sesquiterpenoids, lucinone and glutinone, from <i>Jasonia glutinosa</i>	1193	L. VILLAESCUSA CASTILLO, A. M. DIAZ LANZA, R. FAURE, L. DEBRAUWER, R. ELIAS and G. BALANSARD

Guaiane sesquiterpene lactones from <i>Curcuma aeruginosa</i>	1197	I. TAKANO, I. YASUDA, K. TAKEYA and H. ITOKAWA
Diterpenoids from <i>Grindelia tarapacana</i>	1201	L. ZHOU, E. R. FUENTES, J. J. HOFFMANN and B. N. TIMMERMANN
Diterpenoids from <i>Calceolaria hypericina</i>	1209	M. C. CHAMY, M. PIOVANO, J. A. GARBARINO and A. CHAPARRO
Diterpenes from <i>Arnica angustifolia</i>	1213	T. J. SCHMIDT, C. M. PASSREITER, D. WENDISCH and G. WILLUHN
Pentacyclic diterpene esters from <i>Euphorbia aleppica</i>	1219	YAN-PING-SHI, XHONG-JIAN JIA, L. JAMIL and S. SADIQ
A lupane triterpene and two triterpene caffeates from <i>Rhoiptelea chiliantha</i>	1223	ZHI-HONG JIANG, T. TANAKA and I. KOUNO
Salacianone and salacianol, two triterpenes from <i>Salacia beddomei</i>	1227	A. HISHAM, G. JAYA KUMAR, Y. FUJIMOTO and N. HARA
Triterpenoid saponins from <i>Zygophyllum</i> species	1233	M. H. A. ELGAMAL, K. H. SHAKER, K. PÖLLMANN and K. SEIFERT
Oleanene glycosides from seeds of <i>Trifolium alexandrinum</i>	1237	K. M. MOHAMED, K. OHTANI, R. KASAI and K. YAMASAKI
Antifungal steroidal lactones from <i>Withania coagulance</i>	1243	M. I. CHOUDHARY, DUR-E-SHAHWAR, Z. PARVEEN, A. JABBAR, I. ALI and ATTA-UR RAHMAN
A quinol and steroids from the leaves and stems of <i>Rhinacanthus nasutus</i>	1247	TIAN-SHUNG WU, CHIEN-CHIN YANG, PEI-LIN WU and LING-KANG LIU
(+)-Osmundalactone, γ -lactones and spiromentins from the fungus <i>Paxillus atrotomentosus</i>	1251	M. S. BUCHANAN, T. HASHIMOTO, S. TAKAOKA and Y. ASAKAWA
Lignans from kernels of <i>Virola michelii</i> Heckel	1259	M. C. S. VIDIGAL, A. J. CAVALHEIRO, M. J. KATO and M. YOSHIDA
Diarylheptanoids, flavonoids, stilbenoids, sesquiterpenoids and a phenanthrene from <i>Alnus maximowiczii</i>	1263	M. TORI, A. HASHIMOTO, K. HIROSE and Y. ASAKAWA
Xanthones, secoiridoids and flavonoids from <i>Halenia corniculata</i>	1265	S. RODRIGUEZ, J.-L. WOLFENDER, G. ODONTUYA, O. PUREV and K. HOSTETTMANN
Prenylated flavanones from leaves of <i>Macaranga pleiostemona</i>	1273	B. A. SCHÜTZ, A. D. WRIGHT, T. RALI and O. STICHER
Prenylflavonoids of <i>Artocarpus heterophyllus</i>	1279	M.-I. CHUNG, C.-M. LU, P.-L. HUANG and C.-N. LIN
Acylated cyanidin glycosides in the violet-blue flowers of <i>Ipomoea purpurea</i>	1283	N. SAITO, F. TATSUZAWA, K. YODA, M. YOKOI, K. KASAHARA, S. IIDA, A. SHIGIHARA and T. HONDA
Alkaloids from <i>Crinum kirkii</i>	1291	J. BASTIDA, C. CODINA, P. PEETERS, M. RUBIRALTA, M. OROZCO, F. J. LUQUE and S. C. CHHABRA
Lycorine alkaloids from <i>Hymenocallis littoralis</i>	1295	LONG-ZE LIN, SHU-FANG HU, HEE-BYUNG CHAI, T. PENGSUPARP, J. M. PEZZUTO, G. A. CORDELL and N. RUANGRUNGSI
Two pyridine-2,6(1H,3H)-dione alkaloids from <i>Speranskia tuberculata</i>	1299	JIAN-GONG SHI, HAN-QING WANG, MIN WANG and YING ZHU

Acetylated alkaloids from <i>Narcissus pseudonarcissus</i>	1303	M. KREH, R. MATUSCH and L. WITTE
Short Reports		
<i>Neo-clerodane</i> diterpenoids from roots of <i>Linaria saxatilis</i> var. <i>saxatilis</i>	1307	M. GORDALIZA, J. M. MIGUEL DEL CORRAL, M. M. MAHIQUES, M. A. CASTRO and A. SAN FELICIANO
Ursene carboxylic acids of <i>Uncaria elliptica</i>	1311	T. K. K. DIYABALANAGE, G. P. WANNIGAMA, A. WEERASURIYA, L. JAYASINGHE and P. SIMMONDS
A 4-methyl-7-hydroxyphthalide glycoside and other constituents from <i>Quillaja saponaria molina</i>	1313	C. STEINBECK, C. SCHNEIDER, K. ROTSCHEIDT and E. BREITMAIER
A diels-alder-type adduct from <i>Artocarpus heterophyllus</i>	1317	K. SHINOMIYA, M. AIDA, Y. HANO and T. NOMURA
Luteolin 5-rutinoside from <i>Salvia lavandulifolia</i> ssp. <i>oxyodon</i>	1321	A. ZARZUELO, J. M. GÁMEZ, P. UTRILLA, J. JIMÉNEZ and I. JIMÉNEZ
(-)-6 α -Hydroxylupanine, a lupin alkaloid from <i>Lygos raetam</i> var. <i>sarcocarpa</i>	1323	O. B. ABDEL-HALIM
The principal alkaloid of <i>Senecio schweinfurthii</i>	1327	M. H. BENN, S. MATHENGE, R. M. MUNAVU and S. O. WERE

Number 5

Growth and Metabolism

Isolectins from seeds of <i>Artocarpus lakoocha</i>	1331	S. WONGKHAM, C. WONGKHAM, P. BOONSIRI, S. SIMASATHIANSOPHON, C. TRISONTHI and K. ATISOOK
Calmodulin-binding proteins from <i>Zea mays</i> germs	1335	MING GONG and ZHONG-GUAN LI
Peroxidase isozymes from wheat germ: purification and properties	1341	D. A. CONVERSO and M. E. FERNÁNDEZ
Gibberellins and related compounds in young fruits of pea and their relationship to fruit-set	1347	C. M. SANTES, P. HEDDEN, P. GASKIN and J. L. GARCIA-MARTINEZ
Enhancement of anthocyanin synthesis and dihydroflavonol reductase (DFR) activity in response to phosphate deprivation in grape cell suspensions	1357	F. DEDALDECHAMP, C. UHEL and J.-J. MACHEIX
Effect of halogen substitution of indole-3-acetic acid on biological activity in pea fruit	1361	D. M. REINECKE, J. A. OZGA and V. MAGNUS
Lipid composition of thylakoid membranes from leaves and regreened spathes of <i>Zantedeschia aethiopica</i>	1367	N. MELO, R. M. TAVARES, F. MORAIS, J. G. BARROSO and M. S. S. PAIS
NMR characterization of guanine DNA site alkylated by kapurimycin A3, an antitumour antibiotic from <i>Streptomyces</i> sp.	1373	K. L. CHAN, H. SUGIYAMA, I. SAITO and M. HARA
Ecological Biochemistry		
Physiological and molecular responses of <i>Prosopis chilensis</i> under field and simulation conditions	1375	C. A. ORTIZ, L. A. BRAVO, M. PINTO and L. CARDEMIL
Effects of drought-stress on lipids in rape leaves	1383	W. S. DAKHMA, M. ZARROUK and A. CHERIF
Volatile constituents of <i>Dactylanthus taylorii</i> flower nectar in relation to flower pollination and browsing by animals	1387	C. E. ECROYD, R. A. FRANICH, H. W. KROESE and D. STEWARD

Biosynthesis

- Conversion of 24-methylcholesterol to 6-oxo-24-methylcholestanol, a putative intermediate of the biosynthesis of brassinosteroids, in cultured cells of *Catharanthus roseus* 1391 H. SUZUKI, T. INOUE, S. FUJIOKA, T. SAITO, S. TAKATSUTO, T. YOKOTA, N. MUROFUSHI, T. YANAGISAWA and A. SAKURAI
- Choline resistance and phosphatidylcholine biosynthesis in tobacco cell suspensions or calli 1399 M. GAWER, N. GUERN, D. CHERVIN and P. MAZLIAK
- Enzymatic biosynthesis of raumacline 1407 P. OBITZ, S. ENDREß and J. STÖCKIGT

Cell Culture and Biotechnology

- Diastereo- and enantio-selective reduction of ethyl 2-methyl-3-oxobutanoate by plant cell cultures 1419 K. NAKAMURA, H. MIYOSHI, T. SUGIYAMA and H. HAMADA
- Essential oils from normal and hairy roots of *Valeriana officinalis* var. *sambucifolia* 1421 F. GRÄNICHNER, P. CHRISTEN and I. KAPETANIDIS
- Polyphenol production in hairy root cultures of *Fragaria* × *ananassa* 1425 Y. MOTOMORI, K. SHIMOMURA, K. MORI, H. KUNITAKE, T. NAKASHIMA, M. TANAKA, S. MIYAZAKI and K. ISHIMARU

Chemotaxonomy

- Anthracenones and anthraquinones from roots of five species of the genus *Karwinskia* 1429 L. F. YUSSIM, O. R. LARA, A. BENAVIDES, B. HERNÁNDEZ, R. FERNÁNDEZ, J. TAMARIZ and G. ZEPEDA

Bioactive Plant Products

- Anti-tumour-promoting glyceroglycolipids from the green alga, *Chlorella vulgaris* 1433 T. MORIMOTO, A. NAGATSU, N. MURAKAMI, J. SAKAKIBARA, H. TOKUDA, H. NISHINO and A. IWASHIMA
- Composition and antimalarial activity *in vitro* of volatile components of *Lippia multiflora* 1439 A. VALENTIN, Y. PÉLISSIER, F. BENOIT, C. MARION, D. KONE, M. MALLIE, J.-M. BASTIDE and J.-M. BESSIÈRE
- Twelve-membered lactones produced by *Cladosporium tenuissimum* and the plant growth retardant activity of cladospolide B 1443 Y. FUJII, A. FUKUDA, T. HAMASAKI, I. ICHIMOTO and H. NAKAJIMA
- Antibacterial phloroglucinols and flavonoids from *Hypericum brasiliense* 1447 L. ROCHA, A. MARSTON, O. POTTERAT, M. AUXILIADORA, C. KAPLAN, H. STOECKLI-EVANS and K. HOSTETTMANN

Plant Chemistry

- Cyclopeptides from *Stellaria yunnanensis* 1453 YU-RUI ZHAO, JUN ZHOU, XIAN-KAI WANG, XIAO-LIN HUANG, HOU-MING WU and CHEN ZOU
- β -Agarofurans from seeds of *Maytenus boaria* 1457 J. ALACRON, J. BECERRA, M. SILVA, T. MORGENSTERN and J. JAKUPOVIC
- Cytotoxic *ent*-kaurene diterpenoids from *Isodon gesneroides* 1461 HAN-DONG SUN, ZHONG WEN LIN, FANG-DI NIU, QI-TAI ZHEN, BIN WU, LONG-ZE LIN and G. A. CORDELL
- De-O-Ethylsalvonitin and salprionin, two further diterpenoids from *Salvia prionitis* 1469 LONG-ZE LIN, G. A. CORDELL and PIN LIN
- Diterpenoids from *Salvia heldrichiana* 1473 A. ULUBELEN, G. TOPCU and N. TAN
- Diterpenes from *Vernonanthuria amplexicaulis* 1477 S. BORKOSKY, A. BARDÓN, C. A. N. CATALÁN, J. G. DÍAZ and W. HERZ

Neo-Clerodane diterpenoids from <i>Teucrium corymbosum</i>	1481	M. BRUNO, C. FAZIO, F. PIOZZI, B. RODRÍGUEZ and M. C. DE LA TORRE
Tirucallane triterpenes from the stem bark of <i>Aglaia leucophylla</i>	1485	A. BENOSMAN, P. RICHOMME, T. SEVENET, G. PERROMAT, A. H. A. HADI and J. BRUNETON
Triterpenoid saponins from the aerial parts of <i>Aster bellidiasstrum</i>	1489	T. SCHÖPKE, C. AL-TAWAHA, V. WRAY, M. NIMTZ, A. MEYER and K. HILLER
Dammarane saponins from <i>Panax ginseng</i>	1493	DONG-SA KIM, YUN-JUNG CHANG, U. ZEDK, PING ZHAO, YU-QING LIU and CHONG-REN YANG
Linderniosides A and B, oleanane saponins from <i>Lindernia pyxidaria</i>	1499	T. MIYASE, T. ANDOH and A. UENO
Quantitative determination of tannin and protein in the precipitates by high-performance liquid chromatography	1503	H. KAWAMOTO, F. NAKATSUBO and K. MURAKAMI
Stereochemistry of two tetrastilbenes from <i>Carex</i> species	1507	J. KAWABATA, M. MISHIMA, H. KURIHARA and J. MIZUTANI
Lignans from <i>Apollonias barbujaana</i>	1511	C. PÉREZ, L. N. ALMONACID, J. M. TRUJILLO, A. G. GONZÁLEZ, S. J. ALONSO and E. NAVARRO
Absolute configuration of 8-O-4'-neolignans from <i>Myristica fragrans</i>	1515	H. KASAHARA, M. MIYAZAWA and H. KAMEOKA
A (4 β $\rightarrow$ 5)-linked proteracacinidin dimer from the heartwood of <i>Acacia caffra</i>	1519	E. MALAN
Acylated cyanidin glycosides in the purple-red flowers of <i>Bletilla striata</i>	1523	N. SAITO, M. KU, F. TATSUZAWA, T. S. LU, M. YOKOI, A. SHIGIHARA and T. HONDA
Isomeric triluteolins from <i>Bartramia stricta</i> and <i>Bartramia pomiformis</i>	1531	T. SEEGER, A. VOIGT, H. GEIGER, H. D. ZINSMEISTER, G. SCHILLING and J.-A. LÓPEZ-SÁEZ
Syringetin 3-O-(6"-acetyl)- β -glucopyranoside and other flavonols from needles of Norway spruce <i>Picea abies</i>	1537	R. SLIMESTAD, Ø. M. ANDERSEN, G. W. FRANCIS, A. MARSTON and K. HOSTETTMANN
Stachysetin, a diapigenin-7-glucoside- <i>p,p'</i> -dihydroxytruxinate from <i>Stachys aegyptiaca</i>	1543	M. A. EL-ANSARI, M. A. NAWWAR and N. A. M. SALEH
Alkaloids from <i>Narcissus cantabricus</i>	1549	J. BASTIDA, J. L. CONTRERAS, C. CODINA, C. W. WRIGHT and J. D. PHILLIPSON
Milonine, an 8,14-dihydromorphinandienone alkaloid from leaves of <i>Cissampelos sympodialis</i>	1553	M. R. DE FREITAS, J. L. DE ALENCAR, E. V. L. DA-CUNHA, J. M. BARBOSA-FILHO and A. I. GRAY
Guianensine, a zwitterionic alkaloid from <i>Strychnos guianensis</i>	1557	J. QUETIN-LECLERCQ, G. LLABRES, R. WARIN, M.-L. BELEM-PINHEIRO, H. MAVAR-MANGA and L. ANGENOT
Evomerrine from <i>Melicope semecarpifolia</i>	1561	IAN-LIH TSAI, SHWU-JEN WU, T. ISHIKAWA, H. SEKI, SHU-TING YAN and IH-SHENG CHEN
2,7-dihydroxy-3-formyl-1-(3'-methyl-2'-butenyl)carbazole from <i>Clausena lansium</i>	1563	V. KUMAR, K. VALLIPURAM, A. C. ADEBAJO and J. REISCH

Short Reports

Patrinioside, an esterified monocyclic iridoid glucoside from <i>Patrinia scabra</i>	1567	I. KOUNO, I. KOYAMA, ZHI-HONG JIANG, T. TANAKA and DING-MING YANG
An iridoid diglycoside isolated from <i>Scrophularia scorodonia</i>	1569	L. FERNANDEZ, A. M. DIAZ, E. OLLIVIER, R. FAURE and G. BALANSARD
An epi-13-manoyloxide diterpenoid from <i>Kyllinga erecta</i>	1573	R. DOLMAZON, A. FRUCHIER and K. KOLODZIEJCZYK
Polyodonine, a prefuranic labdane diterpene from <i>Marrubium polydon</i>	1575	N. A. R. HATAM, A. PORZEL and K. SEIFERT
Caffeic acid derivatives in fronds of the lady fern (<i>Athyrium filix-femina</i>)	1577	K.-P. ADAM
6, 3', 4'- trihydroxy - 4 - methoxy - 5 - methylaurone from <i>Cyperus capitatus</i>	1579	R. M. SEABRA, M. M. MOREIRA, M. A. C. COSTA and M. I. PAÚL
Errata and Corrigenda	1581	

Number 6

Preface	ix	
Review Article Number 109		
Changing strategies in natural products chemistry	1585	G. A. CORDELL
Growth and Metabolism		
Activity of starch synthase and the amylose content in rice endosperm	1613	T. UMEMOTO, Y. NAKAMURA and N. ISHIKURA
<i>R</i> (-) Pantoyllactone- β -D-glucopyranoside: characterization of a metabolite from rice seedlings	1617	F. MENEGUS, L. CATTARUZZA, E. RAGG and L. SCAGLIONI
Influence of phenolic compounds on <i>Agrobacterium vir</i> gene induction and onion gene transfer	1623	P. JOUBERT, R. S. SANGWAN, M. EL ARABI AOUD, D. BEAUPERE and B. S. SANGWAN-NORREEL
Ecological Biochemistry		
Aliphatic nitro-compounds in <i>Astragalus canadensis</i>	1629	M. BENN, Y. BAI and W. MAJAK
Diversity in cyclic sesquiterpene production by <i>Gossypium Hirsutum</i>	1633	H. J. WILLIAMS, I. SATTLER, G. MOYNA, A. I. SCOTT, A. A. BELL and S. B. VINSON
Putaminoxin, a phytotoxic nonenolide from <i>Phoma putaminum</i>	1637	A. EVIDENTE, R. LANZETTA, R. CAPASSO, A. ANDOLFI, A. BOTTALICO, M. VURRO and M. C. ZONNO
Neovasipyridones A, B and C: metabolites related to neovasinin, a phytotoxin of the fungus, <i>Neocosmospora vasinfecta</i>	1643	H. NAKAJIMA, K. SHIMOMURA, T. FURUMOTO and T. HAMASAKI
Phytoalexin induction in the sapwood of plants of the maloideae (Rosaceae): biphenyls or dibenzofurans	1649	T. KOKUBUN and J. B. HARBORNE
The effect of rishitin on potato tonoplast vesicle and vacuole proton transport	1655	J. L. GIANNINI, M. NELSON and G. O. SPESSARD
Biosynthesis		
Biosynthetic studies of lactucin derivatives in hairy root cultures of <i>Lactuca floridana</i>	1659	QI SONG, M.-L. GOMEZ-BARRIOS, E. L. HOPPER, M. A. HJORTSO and N. H. FISCHER
Cell Culture and Biotechnology		
The biotransformation of methyl <i>ent</i> -15-oxokaur-16-en-19-oate by <i>Rhizopus stolonifer</i> and <i>Mucor plumbeus</i>	1667	M. A. D. BOAVENTURA, A. B. DE OLIVEIRA, J. R. HANSON, P. B. HITCHCOCK and J. A. TAKAHASHI

Five lignan derivatives from <i>in vitro</i> cultures of the liverwort <i>Jamesoniella autumnalis</i>	1671	H. TAZAKI, K.-P. ADAM and H. BECKER
Chemotaxonomy		
Furanoeremophilanes from <i>Gynoxys</i> species	1677	J. JAKUPOVIC, C. ZDERO and R. M. KING
Bioactive Plant Product		
Biological activities of synthetic analogues of <i>Alternaria alternata</i> toxin (AAL-toxin) and fumonisin in plant and mammalian cell cultures	1681	H. K. ABBAS, T. TANAKA and W. T. SHIER
Antibacterial triterpenoids from <i>Dillenia papuana</i> and their structure-activity relationships	1691	A. NICK, A. D. WRIGHT, T. RALI and O. STICHER
Plant Chemistry		
Macrophominol, a diketopiperazine from cultures of <i>Macrophomina phaseolina</i>	1697	A. TRIGOS, S. REYNA and B. MATAMOROS
Regio- and stereospecific construction of vicinal quaternary carbons: total synthesis of ($\pm$)-albene	1699	A. SRIKRISHNA and S. NAGARAJU
(3 <i>S</i> ,4 <i>S</i> ,5 <i>R</i>)-3,4,5-Trihydroxy-1-cyclohexene-carboxylic acid from <i>Sequoiadendron giganteum</i>	1705	H. GEIGER, S. EL-DESSOUKI and T. SEEGER
Two polyoxygenated cyclohexenes from <i>Uvaria grandiflora</i>	1709	PAN XI-PING and YU DE-QUAN
Guaianolides from <i>Saussurea lappa</i>	1713	P. S. KALSİ, S. KUMAR, G. S. JAWANDA and B. R. CHHABRA
Structurally related guaianolides from <i>Inula thapsoides</i>	1717	G. TOPCU, S. ÖKSÜZ, W. HERZ and J. G. DÍAZ
Further farnesyl-homogentisic acid derivatives from <i>Otoba parvifolia</i>	1723	A. G. FERREIRA, J. B. FERNANDES, P. C. VIEIRA, O. R. GOTTLIEB and H. E. GOTTLIEB
Clerodane diterpene glucosides from <i>Tinospora rumphii</i>	1729	T. S. MARTIN, K. OHTANI, R. KASAI and K. YAMASAKI
<i>Neo</i> -clerodane diterpenoids from <i>Teucrium yemense</i>	1737	E. A. SATTAR, J. S. MOSSA, I. MUHAMMAD and F. S. EL-FERALY
Diterpenes from <i>Euphorbia seguieriana</i>	1743	F. JESKE, J. JAKUPOVIC and W. BERENDSOHN
Diterpenoids from <i>Calceolaria dentata</i>	1751	M. C. CHAMY, M. PIOVANO, J. A. GARBARINO and C. VARGAS
Cycloartane triterpene glycosides from <i>Astragalus trigonus</i>	1755	P. GARIBOLDI, F. PELIZZONI, M. TATO, L. VEROTTA, N. EL-SEBAKHY, A. M. ASAAD, R. M. ABDALLAH and S. M. TOAIMA
Pentacyclic triterpenes from <i>Myrianthus liberecus</i>	1761	A. L. TAPONDJOU, N. F. NGOUNOU, D. LONTSI, B. L. SONDENGAM, M.-T. MARTIN and B. BODO
Triterpenoidal saponins from <i>Dumasia truncata</i>	1765	J. KINJO, K. SUYAMA and T. NOHARA
Phytosterols from <i>Murraya exotica</i>	1769	E. K. DESOKY
Pregnane glycosides from fruits of <i>Balanites aegyptiaca</i>	1773	M. S. KAMEL and A. KOSKINEN
Further cordiachromes from <i>Auxemma onocalyx</i>	1777	O. D. L. PESSOA, T. L. G. DE LEMOS, M. G. DE CARVALHO and R. BRAZ-FILHO
Chromones from <i>Harrisonia perforata</i>	1787	T. TANAKA, K. KOIKE, K. MITSUNAGA, K. NARITA, S. TAKANO, A. KAMIOKA, E. SASE, Y. OUYANG and T. OHMOTO

Xanthones from <i>Schultesia lisianthoides</i>	1791	C. TERREAUX, M. MAILLARD, M. P. GUPTA and K. HOSTETTMANN
Dihydrochalcones, coumarins and alkaloids from <i>Metrodorea nigra</i>	1797	A. H. MÜLLER, P. C. VIEIRA, M. F. D. G. F. DA SILVA and J. B. FERNANDES
Flavonol glycosides from <i>Pteridium aquilinum</i>	1801	F. IMPERATO
Prenylated isoflavanone from <i>Erythrina eriotricha</i>	1803	A. E. NKENGFACK, J. C. VARDAMIDES, Z. T. FOMUM and M. MEYER
Anthocyanins with an unusual acylation pattern from stem of <i>Allium victorialis</i>	1809	Ø. M. ANDERSEN and T. FOSSEN
Alkaloids from <i>Hypecoum leptocarpum</i>	1813	GUO-LIN ZHANG, G. RÜCKER, E. BREITMAIER and R. MEYER
Two carbazole alkaloids from leaves of <i>Murraya euchrestifolia</i>	1817	TIAN-SHUNG WU, MEEI-LING WANG, PEI-LIN WU and TING-TING JONG
Structural studies of vinblastine alkaloids by exciton coupled circular dichroism	1821	JIAN-GUO DONG, W. BORNHANN, K. NAKANISHI and N. BEROVA
Taxanes from <i>Taxus × media</i>	1825	B. GABETTA, F. PETERLONGO, G. ZINI, L. BARBONI, G. RAFAIANI, P. RANZUGLIA, E. TORREGIANI, G. APPENDINO and G. CRAVOTTO