

SUBJECT INDEX

- A**
- Abscissic acid analogues,
 chiral synthesis and stomatal closure activities of 1033
 synthesis and biological activity of 633
- Acacia caffra*, proteracacinidin dimer from 1519
- Acanthaceae 461, 1247
- Acaricidal sesquiterpene, from *Hyptis* 735
- Acetogenins, bioactive, from *Annona* 467
- Acetophenones, from *Cynanchum* 537
- Acetylenes, from *Bellis* 141
- Acetylenic acids, distribution of in aquatic bryophytes 93
- Acyl-CoA oxidases, regulation of in maize seedlings 657
- Adesmia aconcaguensis*, malabaricane triterpene glucosides from 885
- Aframomum melegueta*, termite antifeedant activity in 1097
- Agars, highly methylated, from *Gracilaria* 487
- Aglaia leucophylla*, tirucallane triterpenes from 1485
- Agrobacterium tumefaciens*,
 influence of phenolics on *vir* gene induction in 1623
 opines from crown galls induced by 619
- Alangiaceae 975
- Alangium bussyanum*, alkaloids from 975
- (±)-Albene, regiospecific and stereoselective total synthesis of 1699
- Aldehydes, long-chain, from *Corallina* 995
- Algae 195, 331, 377, 397, 457, 487, 495, 515, 543, 807, 827, 995, 1433
- Alkaloids,
 acetylated, from *Narcissus* 1303
 carbazole,
 from *Clausena* 295, 1563
 from *Murraya* leaves 1817
 dihydromorphinandienone, from *Cissampelos* 1553
 ervatamine-type, from *Pandaca* 987
 ester, from *Heliotropium* 291
 from *alangium* 975
 from *Aristolochia* 991
 from *Boophane* 307
 from *Brunsvigia* 961
 from *Chelidonium*, distribution and accumulation of 37
 from *Crinum* 1291
 from *Dactylicapnos* 299
 from *Ervatamia* leaves and bark 587
 from *Fumaria* 593
 from *Hernandia* 983
 from *Hypecoum* 1813
 from *Melodinus* 1005
 from *Metrodorea* 1797
 from *Narcissus* 1549
 from *Stemona* 615
 from *Tabernaemontana* 313
 furoquinoline, from *Melicope* 1561
 hexalobine-type, from *Isolona* 967
 indole, from *Rauwolfia*, enzymatic biosynthesis of 1407
 bis-indole,
 from *Ervatamia* leaves 953
 zwitterionic, from *Strychnos* 1557
 lupin, from *Lygos* 1323
 lycorine, from *Hymenocallis* 1295
 monoterpenoid, from *Incarvillea* 353
 Piperidine, from *Picea* 401
 pyridine, from *Speranskia* 1299
 pyrrolizidine, from *Senecio* 1327
 4-quinolinone, from *Dictyoloma* bark 317
 sesquiterpene, from *Hippocratea* 583
 steroidal, from *Fritillaria* 979
 vinblastine, from *Catharanthus*, structural studies of 1821
- n*-Alkenylpyrogalloldimethyl ethers, very long chain, from *Botryococcus* 543
- Alliaceae 1071
- Allium chinense*, steroidal saponins from 1071
- A. maclearii*, steroidal glycosides with antitumour-promoter activity from 521
- A. victorialis*, anthocyanins with unusual acylation pattern from 1809
- Alnus maximowiczii*, diarylheptanoid and phenanthrene from 1263
- Alstroemeria revoluta*, tuliposide from 49
- Alstroemeriaceae 49
- Alternaria alternata*-toxin, biological activities of synthetic analogues of 1681
- Amaranthaceae 419
- Amaryllidaceae 307, 961, 1291, 1295, 1303, 1549
- Amino acids, cyclopropane, from *Ephedra* 479
- 3-Aminopropionaldehyde dehydrogenase, from millet shoots 393
- cAMP phosphodiesterase, inhibitory activities of saponins from *Allium* on 1071
- Amylose content, of rice endosperm, effect of temperature on 1613
- Annona bullata*, bioactive acetogenins from 467
- Annonaceae 467, 607, 967, 1105, 1709
- Anthocleista djalensis*, monoterpene diol, iridoid glucoside and dibenzo- α -pyrone from 1183
- Anthocyanin synthesis after phosphate deprivation, in grape cell suspensions 1357
- Anthocyanins, acylated,
 from *Begonia* flowers 275
 from *Bletilla* flowers 1523
 from *Gentiana* flowers 941
 from *Hyacinthus* flowers 567
 from *Ipomoea* flowers 1283
 from *Verbena* flowers 939
 with unusual acylation pattern, from *Allium* stems 1809
- Anthracenones, from *Karwinskia* roots 1429
- Anthraquinones,
 from *Galium* 245
 from *Heterodermia* 911
 from *Karwinskia* roots 1429
- Anthrones, prenylated, from *Harungana* 267
- Antibacterial
 phloroglucinols, from *Hypericum* 1447
 phloroglucinol-sesquiterpene, from *Eucalyptus* 183
 prenylated flavanones, from *Macaranga* 1273
 triterpenoids, from *Dillenia* 1691
- Antifeedant activity, against termites,
 of *Aframomum* 1097
 of *Detarium* 1101
 of *Xylopia* 1105

- Antifungal
 activity, of caffeine from tea 1113
 aryltetralin lignans, from *podophyllum* 427
 biphenyls, phytoalexins, from *Sorbus* 57
 sesquiterpene lactones, from *Ratibida* 419
 steroidal lactones, from *Withania* 1243
- Antimalarial
 sesquiterpenes, from *Cyperus* tubers 125
 volatiles, from *Lippia* 1439
- Antitumour-promoting glyceroglycolipids, from *Chlorella* 1433
- Aphelandra*, coumaroylspermidines from 461
 Aphid infestation, effects of on barley 1083
Apium graveolens, 2-deoxybrassinolide from 1041
 Apocynaceae 313, 577, 587, 801, 953, 987, 1005, 1391, 1407, 1821
Apollonias barbuiana, lignans from 1511
 Arabinofuranosides, dammarane, acidic, from *Combretum* 833
 Araceae 263, 449, 1367
 Araliaceae 1493
Arisaema, lectins from 449
Aristolochia arcuata, alkaloids from 991
 Aristolochiaceae 991
Arnica angustifolia, labdane diterpenes from 1213
Arthrobacter globiformis, limonoate dehydrogenase from 17
Artocarpus heterophyllus,
 Diels-Alder-type adduct from 1317
 prenylflavonoids from 1279
A. lakoocha, isolectins from 1331
Arum italicum, revised structures of neolignans from 263
 Aryldecanones, termite antifeedant, from *Aframomum* 1097
 Asclepiadaceae 537, 917
Aster bellidiastrum, triterpenoid saponins from 1489
Astragalus canadensis, aliphatic nitro-compounds in 1629
A. trigonus, cycloartane triterpene glycosides from 1755
Athyrium filix-femina, caffeic acid conjugates from 1577
Aulacomnium, oligomeric flavonoids from 573
 Aurone, from *Cyperus* 1579
Auxemma onocalyx, cordiachromes from 1777
- B**
 Bacteria 17, 619, 1155, 1623
 Balanitaceae 1773
Balanites aegyptiaca, pregnane glycosides from 1773
 Balanophoraceae 1387
Ballota aucheri, dimeric diterpene from 875
 Balsaminaceae 1141
Bartramia, isomeric trileulolins from 1531
Begonia, acylated anthocyanins from 275
 Begoniaceae 275
Bellis perennis, acetylenes and terpenoids from 141
 Benzyl alcohol glucoside, from *Cedronella* 149
Betula pendula, lignan glycosides from 341
 Betulaceae 341, 1263
 Biflavonoids, cytotoxic, from *Selaginella* 129
 Bignoniaceae 287, 353
 Biologically active
 abscisic acid analogues, synthesis of 633
 acetogenins, cytotoxic, from *Annona* 467
 alkaloid, antifungal, from tea 1113
 aryldecanones, termite antifeedant, from *Aframomum* 1097
 biflavonoids, cytotoxic, from *Selaginella* 129
 biphenyls,
 antifungal, from *Sorbus* 57
 phytoalexins, from Rosaceae 1649
 dibenzofurans, from Rosaceae 1649
 diterpenoids,
 clerodane, termite antifeedant, from *Detarium* 1101
 cytotoxic, from *Isodon* 1461
 ent-kaurane, termite antifeedant, from *Xylopia* 1105
 flavanones, antibacterial, from *Macaranga* 1273
 fuminosins, synthetic analogues of, phytotoxicity of 1681
 fungal metabolite, pollen growth inhibitory, from *Penicillium* 629
 glyceroglycolipids, antitumour-promoting, from *Chlorella* 1433
 lactones, plant growth retardant, produced by *Cladosporium* 1443
 lignans, antifungal, from *Podophyllum* 427
 nonenolide, phytotoxic, from *Phoma* 1637
 norsesquiterpene glycoside, carcinogenic, from bracken 53
 phloroglucinols, antibacterial, from *Hypericum* 1447
 phloroglucinol-sesquiterpene, antibacterial, from *Eucalyptus* 183
 sesquiterpene lactones, plant growth inhibitory, cytotoxic and antifungal, from *Ratibida* 419
 sesquiterpenoids,
 acaricidal, from *Hyptis* 735
 antimalarial, from *Cyperus* tubers 125
 insecticidal, from *Hyptis* 735
 steroidal glycosides,
 insect antifeedant, from *Elaeodendron* 753
 with antitumour-promoter activity, from *Allium* 521
 steroidal lactones, antifungal, from *Withania* 1243
 steroidal saponins, enzyme inhibitory, from *Allium* 1071
 triterpenoids, antibacterial, from *Dillenia*, structure-activity relationships of 1691
 volatiles, antimalarial, from *Lippia* 1439
- Biosynthesis,
 of brassinosteroids, in *Catharanthus* cells, intermediate of 1391
 of ecdysteroids, in *Zea* 1125
 of indole-3-butyric acid, in maize 61
 of iridoids, in *Syringa* and *Fraxinus* 773, 785
 of isoprenoids, in *Hevea* 757
 of methylursubin, in *Rauwolfia* 801
 of phosphatidylcholine, in tobacco, in relation to choline resistance 1399
 of pyrimidine secondary compounds, in Leguminosae 763
 of raumacine, in *Rauwolfia*, enzymes involved in 1407
 of sesquiterpene lactones, guaianolides, from *Lactuca* 1659
 of sterols in parsley cultures, inhibition of after elicitation 1117
- Biotechnology, facts and public perception of 1
- Biotransformation,
 of acyclic perpenoids, by *Glomerella* 1133
 of 24-*epi*-brassinolide, by tomato cell cultures 443
 of (+)-cedrol, by *Glomerella* 69
 of ent-16 β , 19-dihydroxykaurane, by *Cephalosporium* 797
 of methyl ent-15-oxokaur-16-en-19-oate, by *Rhizopus* and *Mucor* 1667
 of ent-15-oxokaur-16-en-19-oic acid, by *Cephalosporium* 439
 of phenolics, by *Lobelia* root cultures 1149
 of pinane monoterpenoids, by *Cephalosporium* 815
 of progesterone side-chain, by *Paecilomyces* 73
 of sesquiterpenoids, by *Glomerella* 793
- Biphenyls,
 antifungal, from *Sorbus* sapwood 57
 induced as phytoalexins in Rosaceae 1649
Bletilla striata, acylated cyanidin glycosides from 1523
Boophaea flava, alkaloids from 307
 Boraginaceae 213, 291, 1777
Boreava orientalis,
 glucosinolate from 483
 hydroxybenzoic acids from 257

- Botryococcus braunii*,
farnesol phosphokinase from 377
very long chain lipids from 543
- Brassica*, effects of environment on epicuticular wax composition of 407
- B. napus*, effects of drought-stress on lipids in 1383
- 24-*epi*-Brassinolide, metabolic conversion of in tomato cell cultures 443
- Brassinosteroids,
biosynthesis of, in *Catharanthus* cultured cells 1391
from *Apium* 1041
from *Ornithopus* 907
from *Rheum* 527
- Brugmansia* × *candida*, volatiles from 1093
- Brunsvigia josephinae*, alkaloids from 961
- Bryophytes, aquatic, distribution of acetylenic acids and polar lipids in 93
- Buddleia*, sesquiterpenes from 167
- Buddleiaceae 167
- Bursera delpechiana*, triterpenoid lactones from 337
- Burseraceae 337
- Butanolides, from *Lindera* 1175
- iso* Butylamides, from *Piper* 1163
- C
- Caffeic acid conjugates, from *Athyrium* 1577
- Caffeine, from tea, inhibition of *Xyleborus* symbiote by 1113
- Calceolaria dentata*, diterpenoids from 1751
- C. hypericina* diterpenoids from 1209
- Camellia sinensis*,
fungal growth-inhibitor against pollen from 629
inhibition of *Xyleborus* symbiote by caffeine from 1113
- Campanulaceae 1149
- Caprifoliaceae 603
- Carbohydrate polymers, from *Cistanche* 709
- Carcinogen, from *Pteridium* 53
- Carex*, stereochemistry of tetrastilbenes from 1507
- Carotenoid composition, of *Scutellinia* 33
- Carotenoids, from Prasinophyceae 515
- Caryophyllaceae 509, 1453
- Cassia tora*, naphthalene glycoside from 997
- Catharanthus roseus*,
biosynthesis of brassinosteroids in cultured cells of 1391
structural studies of vinblastine alkaloids from 1821
- Cecropiaceae 1761
- (+)-Cedrol, biotransformation of, by *Glomerella* 69
- Cedronella canariensis*, glycosidically bound volatiles from 149
- Celastraceae 753, 841, 853, 865, 1227, 1457
- Celastrus angulatus*, sesquiterpenes from 841
- Cell wall composition, in symbiotic *Chlorella* 457
- Cephalosporium aphidicola*,
biotransformation of *ent*-16 β , 19-dihydroxykaurane by 797
biotransformation of *ent*-15-oxokaur-16-en-19-oic acid by 439
hydroxylation of pinane monoterpenoids by 815
- Chalcones, from *Lusia* 271
- Chamaelaurium uncinatum*, essential oil composition of 837
- Chavicol glucoside, from *Cedronella* 149
- Cheilolejeunea trifaria*, sesquiterpenoids from 171
- Chelidonium majus*, alkaloid distribution and accumulation in 37
- Chemotaxonomic studies,
of acetylenic acids, in aquatic bryophytes 93
of alkaloids, benzo[C]phenanthridine, in *Tetradium* 121
of anthracenones and anthraquinones, in *Karwinskia* roots 1429
of aromadendrane sesquiterpenoids, in *Taonia* 827
of carotenoids, from Prasinophyceae 515
of cell wall composition, of symbiotic *Chlorella* from *Paramecium* and *Acanthocystis* 457
of coumaroylspermidines, in *Aphelandra* anthers 461
of cyanobacteria 1155
of essential oils,
in *Chamaelaurium uncinatum* 837
in *Thymus zygis* 819
of flavonoid aglycones, free, in *Thymus* chemotypes 115
of lectins, in Araceae 449
of lignin production, in angiosperms 99
of nitroaliphatics, in Leguminosae 89
of polar lipids, in aquatic bryophytes 93
of sesquiterpenoids,
furanoteremophilanes, in *Gynoxys* 1677
in *Eriostemon* 1159
of triterpenoid glycosides, in *Combretum* 833
- Chenopodiaceae 667
- Chlorella*, symbiotic, cell wall composition of 457
- C. vulgaris*, antitumour-promoting glyceroglycolipids from 1433
- Chlorophyta 377, 457, 515, 543, 725, 1433
- Choline ester auxin conjugates, methodology for preparation of 1027
- Choline resistance, and phosphatidylcholine biosynthesis, in tobacco 1399
- Chorismate mutase, in micro-organisms and plants 1015
- Chromones, from *Harrisonia* 1787
- Cissampelos sympodialis*, dihydromorphinandienone alkaloid from 1553
- Cistanche deserticola*, carbohydrate polymers from 709
- Cladosporium tenuissimum*, plant growth retardant lactone from 1443
- Clausena anisata*, carbazole alkaloids from 295
- C. lansium*, carbazole alkaloid from 1563
- Combretaceae 833
- Combretum rotundifolium*, acidic dammarane arabinofuranosides from 833
- Commelina communis*, stomatal closure activity by abscissic acid analogues in 1033
- Compositae 141, 185, 283, 329, 335, 419, 1139, 1191, 1193, 1201, 1213, 1327, 1477, 1489, 1637, 1659, 1677, 1713, 1717
- Convolvulaceae 1283
- Corallina mediterranea*, long-chain aldehydes from 995
- Cordiachrones, from *Auxemma* 1777
- Coumarins,
from *Impatiens* root cultures 1141
from *Metrodorea* 1797
monoterpenoid, from *Pituranthos* 927
- Coumaroylspermidines, from *Aphelandra* anthers 461
- Crinum kirkii*, alkaloids from 1291
- Crown gall tumours, Amadori-type opines from 619
- Cruciferae 257, 407, 483, 1383
- Cryptocarya*, α -pyrones from 321
- Cryptomeria japonica*, flavonoids and lignans from 563
- Cudrania cochinchinensis*, flavonoids and prenylated xanthone from 945
- Cupressaceae 177, 857
- Cupressus bakeri*, sesquiterpenoids from 177
- C. Macnabiana*, secoamorphane tri-ether from 857
- Curcuma aeruginosa*, guaiane sesquiterpene lactones from 1197
- Cyanobacteria, chemotaxonomy of 1155
- Cyanogenic glycosides, from *Manihot* 1167
- Cyanoglucoside, from *Jatropha* latex 597
- Cyclobakuchiols, from *Psoralea* 325
- Cyclohexenes, polyoxygenated, from *Uvaria* 1709
- Cyclohexyl butenolide glucosides, from Epacridaceae 157
- Cyclopeptides, from *Stellaria* 1453
- Nanchum taiwanianum*, acetophenones from 537
- Cyperaceae 125, 1507, 1573, 1579
- Cyperus capitatus*, aurone from 1579
- C. rotundus*, antimalarial sesquiterpenes from 125
- Cystoseira crinita*, meroditerpenes from 495

Cytotoxic

- acetogenins, from *Annona* 467
- biflavonoids, from *Selaginella* 129
- ent-kaurane diterpenoids, from *Isodon* 1461
- sesquiterpene lactones, from *Ratibida* 419

D

Dactylanthus taylorii, volatiles from flower nectars of 1387

Dactylicapnos torulosa, alkaloids from 299

Daldinia, 10-phenyl-[11]-cytochalasans from 135

Datura ferox, 15 β -hydroxywithanolide from 611

Daucus carota, phosphodiesterase isoenzymes in 685

Deprea orinocensis, withanolide from 923

Detarium microcarpum, termite antifeedant activity in 1101

Diaphorase activity, of ferredoxin:NADP oxidoreductase 661

Diarylheptanoids, from *Alnus* 1263

Dibenzofurans, induced as phytoalexins in Rosaceae 1649

Dibromothymoquinone, diaphorase activity of ferredoxin:NADP oxidoreductase in presence of 661

Dictyoloma peruviana, 4-quinolinone alkaloids from 317

Diels-Alder-type adduct, from *Artocarpus* 1317

Dihydrochalcones,
from *Lusia* 271

from *Metrodorea* 1797

Dihydroflavonol glycoside, from strawberry roots 345

Dihydroflavonol reductase activity, in grape, enhancement of 1357

9,10-Dihydrophenanthrene glucosides, from *Juncus* 533

Diketopiperazine, from *Macrophomina* cultures 1697

Dillenia papuana, antibacterial triterpenoids from 1691

Dilleniaceae 1691

Dioscorea, comparison of tuber phosphorylases from 677

Dioscoreaceae 677

Diterpene esters, pentacyclic, from *Euphorbia* 1219

Diterpenoid glucosides, clerodane, from *Tinospora* 1729

Diterpenoids,

abietane,

from *Salvia* 861

from *Tripterygium* 865

biotransformation of, by *Cephalosporium* 797

clerodane, termite antifeedant, from *Detarium* 1101

neo-clerodane,

from *Linaria* roots 1307

from *Teucrium* 505, 1481, 1737

dimeric, from *Ballota* 875

dolabrane, from *Endospermum* bark 191

13-epi-homoverrucosane, from *Plagiochila* 199

epi-13-manoyloxide, from *Kyllinga* 1573

from *Calceolaria* 1209, 1751

from *Euphorbia* 1743

from *Garberia* 185

from *Grindelia* 1201

from *Jungermannia* 209

from *Laurencia* 195

from *Portulaca* 205

from *Salvia* 1469, 1473

from *Taiwania* 871

from *Vernonanthuria* 1477

kaurane, dimeric, from *Xylopia* 607

ent-kaurane, termite antifeedant, from *Xylopia* 1105

ent-kaurane, cytotoxic, from *Isodon* 1461

ent-kauranoid, biotransformation of by *Rhizopus* and

Mucor 1667

labdane,

from *Arnica* 1213

prefurane, from *Marrubium* 1575

spatane, from *Stoechospermum* 331

taxane, from *Taxus* bark 881

Drosera spathulata, naphthoquinones from cultures of 1145

Droseraceae 1145

Dumasia truncata, triterpenoid saponins from 1765

E

Ecdysteroids, biosynthesis of, in maize 1125

Eicosapentaenoic acid, *Nannochloropsis* mutant deficient in production of 807

Elaeodendron buchananii, steroidal glycoside from 753

Endospermum diadenum, dolabranes from 191

Entandrophragma utile, heptanotriterpenoid from 903

Enzymes,

3-aminopropionaldehyde dehydrogenase, of millet shoots 393

farnesol phosphokinase, from *Botryococcus* 377

ferredoxin:NADP oxidoreductase, diaphorase activity of 661

hydroxycinnamoyl-CoA: ω -hydroxypalmitic acid *O*-hydroxycinnamoyltransferase, distribution of in higher plants 389

limonoate dehydrogenase, from *Arthrobacter* 17

endo- β -D-mannanase, multiple isozymes of, from dry and imbibed seeds 1045

peroxidase isozymes, from wheat germ 1341

peroxidase, NADH-dependent, from soybean plasma membranes 367

phosphatase, acid, from lupin seed, molecular properties of 21

phosphodiesterase isoenzymes, in carrot cell extracts 685

phosphorylases, from *Dioscorea* tubers 677

polyphenol oxidase,

from broad bean, pH-induced hysteresis of 373

of potato, systemic wound induction of 673

protein kinase, from dwarf pea, stimulation of synthesis of by gibberellin 383

sulphite oxidase, from spinach 667

synthase, from *Hevea* 757

tryptophan *N*-malonyltransferase, from tomato leaves 699

Epacridaceae 157

Epacris impressa, cyclohexyl butenolide glucosides from 157

Ephedra, cyclopropane amino acids from 479

Ephedraceae 479

Epoxide, long-chain, from *Rubus* stem wax 601

Eriostemon fitzgeraldii, sesquiterpene from 1159

Ervatamia peduncularis, alkaloids from 587

E. polyneura, bis-idole alkaloids from 953

Erythrina eriotricha, prenylated isoflavanone from 1803

Essential oil composition, of *Chamelaucium* 837

Essential oils,

from *Thymus*, variability of 819

from *Valeriana* normal and hairy roots 1421

Ethyl 2-methyl-3-oxobutanoate, diastereo-selective reduction by plant cell cultures 1419

Eucalyptus globulus, eucalyptone from 183

Euglena gracilis, lipid composition of 725

Eupatorium glandulosum, flavonol glycosides from 283

Euphorbia aleppica, pentacyclic diterpene esters from 1219

E. seguieriana, diterpenes from 1743

Euphorbiaceae 191, 597, 757, 931, 1167, 1219, 1273, 1299, 1743

Evomeliaefolin, from *Tetradium* 121

F

Fagaceae 1151

Farnesol phosphokinase, from *Botryococcus* 377

Farnesyl-homogentisic acid derivatives, from *Otoba* 1723

Fatty acid composition,

of *Pavlova*, changes in 397

of stressed maize and wheat leaves 45

Fatty acids, from *Vicia* guard-cell protoplasts 1065

- Ferredoxin:NADP oxidoreductase, diaphorase activity of 661
 Ferulate cross-linking, in maize cell walls 1077
 Flavanones, prenylated,
 antibacterial, from *Macaranga* 1273
 stimulation of production of in *Sophora* callus cultures 77
 Flavone
 2'-glucosides, from *Scutellaria* 279
 glycoside,
 acylated, from *Stachys* 1543
 from *Salvia* 1321
 Flavones, trimeric, from *Bartramia* 1531
 Flavonoid
 aglycones, free, from *Thymus* chemotypes 115
 dimer, teracacidin-type, from *Acacia* heartwood 1519
 glycoside, from *Halenia* 1265
 Flavonoids,
 dimeric and trimeric, from *Aulacomnium* 573
 from *Alnus* 1263
 from *Cryptomeria* leaves 563
 from *Cudrania* 945
 from *Cyperus* 1579
 from *Fragaria* roots 345
 from *Hypericum* 1447
 from *Millingtonia*, revised structure of 287
 from *Salvia* 501
 furanoid, from *Milletia* root bark 949
 prenyl-, from *Artocarpus* 1279
 Flavonol glycosides,
 from *Eupatorium* leaves 283
 from *Nitraria* 349
 from *Pteridium* 1801
 Flavonol sinapoyl glycosides, from *Thevetia* 577
 Flavonols, acylated, from *Picea* needles 1537
Fragaria × *ananassa*,
 dihydroflavonol glycoside and tannins from 345
 polyphenol production in hairy root cultures of 1425
Fraxinus excelsior, iridoid biosynthesis in 773, 785
Fritillaria maximowiczii, steroidal alkaloids from 979
Frullania tamarisci, sesquiterpene from 605
Fumaria indica, alkaloids from 593
 Fumariaceae 299, 593
 Fumonisin, biological activities of synthetic analogues of 1681
 Fungi 33, 41, 69, 73, 135, 161, 225, 439, 629, 745, 793, 797, 815, 1033, 1089, 1113, 1133, 1251, 1373, 1443, 1643, 1667, 1697
 Furanones, from *Neocosmospora* 745
G
Galium sinaicum, anthraquinones from 245
Ganoderma mastoporum, cadinene sesquiterpenes from 161
Garberia heterophylla, diterpene from 185
Gentiana, acylated cyanidin glucosides from 941
 Gentianaceae 941, 1265, 1791
 Geranylgeranylglycerol, from *Taonia* 827
 Gibberellins,
 endogenous, from maize callus cultures 11
 inducing fruit set in peas 1347
Glomerella cingulata,
 biotransformation of acyclic terpenoids by 1133
 biotransformation of (+)-cedrol by 69
 sesquiterpenoid biotransformation by 793
 Glucosinolate, from *Boreava* 483
 Glyceollins, in *Glycine*, quantification of by GC-MS 739
 Glyceroglycolipids, antitumour-promoting, from *Chlorella* 1433
Glycine max,
 copper-inhibited NADH-dependent peroxidase activity in 367
 GC-MS quantification of glyceollins in 739
 reduction of ethyl 2-methyl-3-oxobutanoate by 1419
Gonatanthus, lectins from 449
Gossypium hirsutum, diversity in cyclic sesquiterpene production by 1633
Gracilaria eucheumoides, highly methylated agars from 487
 Gramineae 11, 45, 61, 393, 419, 657, 1077, 1083, 1125, 1335, 1341, 1613, 1617
Grindelia tarapacana, diterpenoids from 1201
 Growth retardant lactone, from *Cladosporium* 1443
 Guttiferae 267, 1447
Gymnema yunnanense, structure revision of gymnemarsgenin from 917
Gynoxys, furanoteremophilanes from 1677
H
Halenia corniculata, xanthenes, secoiridoids and flavonoid glycosides from 1265
Harrisonia perforata, chromones from 1787
Harungana madagascariensis, prenylated anthrones from 267
Heliotropium bracteatum, ester alkaloids from 291
 Hepaticae 93, 171, 199, 209, 605, 847, 1419, 1671
Hernandia sonora, alkaloids from 983
 Hernandiaceae 983
Heterodermia obscurata, anthraquinones from 911
Hevea brasiliensis, hydroxymethylglutaryl-CoA from 757
Hippocratea excelsa, sesquiterpene alkaloid from 583
 Hippocrateaceae 583
Hippocrepis comosa, nitroaliphatics from 89
Hordeum vulgare, effects of aphid infestation on 1083
 Hortensin, from *Millingtonia*, revised structure of 287
Hyacinthus orientalis, acylated anthocyanins from 567
 Hydroxybenzoic acids, from *Boreava* 257
 Hydroxycinnamoyl-CoA:ω-hydroxypalmitic acid *O*-hydroxycinnamoyl transferase, distribution of in higher plants 389
 Hydroxymethylglutaryl-CoA synthase, from *Hevea* 757
Hymenocallis littoralis, lycorine alkaloids from 1295
 Hypaphorine accumulation, in *Pisolithus* hyphae 1089
 Hypocoaceae 1813
Hypocoum leptocarpum, alkaloids from 1813
Hypericum brasiliense, antibacterial phloroglucinols and flavonoids from 1447
Hyptis verticillata, acaricidal and insecticidal sesquiterpene from 735
I
Impatiens balsamina, naphthoquinones and coumarins from 1141
Incarvillea sinensis, monoterpenoid alkaloid from 353
 Indole-3-acetic acid, effect of halogen substitution of, on bioactivity 1361
 Indole-3-butyric acid biosynthesis, in maize 61
 Insect antifeedant steroidal glycoside, from *Elaeodendron* 753
 Insecticidal sesquiterpene, from *Hyptis* 735
Inula thapsoides, guaianolides from 1717
Ipomoea purpurea, acylated cyanidin glycosides from 1283
 Iridoid
 biosynthesis, in *Syringa* and *Fraxinus* 773, 785
 diglycoside, from *Scrophularia* 1569
 glucoside,
 esterified, from *Patrinia* 1567
 from *Anthocleista* 1183
 from *Lonicera* 603
 Iridoids, from *Pedicularis* roots 491
Iseria haenckeana, NMR spectra of pyrocincholic acid from 899
Isodon gesnerioides, cytotoxic ent-kaurene diterpenoids from 1461
 Isoflavanone, prenylated, from *Erythrina* 1803
 Isoflavonoids, from *Cudrania* 945
 Isofunicone, produced by *Penicillium* 629

- Isolectins, from *Artocarpus* seeds 1331
 Isolepidozene, from liverworts 605
Isolona maitlandii, hexalobine-type alkaloids from 967
- J**
Jamesoniella autumnalis, lignans from 1671
Jasonia glutinosa, sesquiterpenoids from 1193
Jatropha gossypifolia, lignan from 931
J. multifida, cyanoglucoside from 597
 Juncaceae 533
Juncus effusus, 9,10-dihydrophenanthrene glucosides from 533
Jungermannia hyalina, diterpenoids from 209
- K**
 Kapurimycin A3, NMR characterization of guanine DNA site alkylated by 1373
Karwinskia, anthracenones and anthraquinones from 1429
ent-Kaurenoids, biotransformation of by *Cephalosporium* 439
Kyllingia erecta, epi-13-manoyloxide diterpenoid from 1573
- L**
 Labiatae 83, 115, 149, 279, 501, 505, 735, 819, 861, 875, 1321, 1461, 1469, 1473, 1481, 1543, 1575, 1737
 Lactones,
 from *Paxillus* 1251
 plant growth retardant, from *Cladosporium* 1443
Lactuca floridana, biosynthetic studies of guaianolides from 1659
L. virosa, sesquiterpene lactones in hairy root culture of 1139
Laelia autumnalis, lectin from 651
 Lauraceae 321, 1175, 1511
Laurencia karlae, diterpene from 195
Lavandula angustifolia, stimulation of terpenoid accumulation in cultures of 83
 Lectins,
 N-acetyl-D-galactosamine specific, from *Laelia* 651
 from *Araceae* 449
 from *Saraca* seed integument 643
 Legumes, biogenesis of pyrimidine-derived secondary products in 763
 Leguminosae 21, 77, 89, 325, 367, 373, 383, 643, 739, 763, 885, 907, 949, 997, 1001, 1065, 1101, 1237, 1323, 1347, 1361, 1375, 1419, 1519, 1629, 1755, 1765, 1803
 Lichens 717, 911
 Lignan glycosides, from *Betula* inner bark 341
 Lignans,
 aryltetralin, antifungal, from *Podophyllum* 427
 from *Apollonias* 1511
 from *Cryptomeria* leaves 563
 from *Jamesoniella in vitro* cultures 1671
 from *Jatropha* 931
 from *Viola* kernels 1259
 Lignins, biosynthetic interdependence of secondary metabolites with 99
Ligularia sagitta, structure revision of sesquiterpene from 1191
 Liliaceae 521, 567, 979, 1071, 1809
 Limonate dehydrogenase, from *Arthrobacter* 17
 Limonoids, from *Turraea* 239
Linaria saxatilis, neo-clerodane diterpenoids from 1307
Lindera glauca, butanolides from 1175
Lindernia pyxidaria, oleanane saponins from 1499
 Lipid composition,
 of *Euglena*, in relation to carbon-nitrogen balance 725
 of *Pantova*, changes in 397
 of *Zantedeschia* thylakoid membranes 1367
 Lipids,
 from *Vicia* guard-cell protoplasts 1065
 in rape leaves, effects of drought-stress on 1383
 in *Xanthoria*, seasonal variation of 717
 polar, distribution of in aquatic bryophytes 93
 very long chain, from *Botryococcus* 543
Lippia multiflora, antimalarial volatiles from 1439
Lobelia sessilifolia, glucosylation of phenolics, by hairy root cultures of 1149
 Loganiaceae 167, 1183
Lonicera caerulea, iridoid glucoside from 603
Lophocolea bidentata, epoxy-trinoreudesmane sesquiterpene from 847
Lupinus albus, molecular properties of acid phosphatase from seeds of 21
Lusia volucris, chalcones and dihydrochalcones from 271
Lycopersicon esculentum,
 formation of *N*-malonyl-L-tryptophan in water-stressed leaves of 691
 metabolic conversion of 24-*epi*-brassinolide in cell cultures of 443
 tryptophan *N*-malonyltransferase from 699
Lygos raetam, lupin alkaloid from 1323
- M**
Maackia amurensis, stilbenolignan from 1001
Macaranga pleiostemona, antibacterial prenylated flavanones from 1273
Macrophomina phaseolina, diketopiperazine from 1697
 Maloideae, phytoalexin induction in sapwood of 1649
N-Malonyl-L-tryptophan, formation of in water-stressed tomato leaves 691
 Malvaceae 1633
Manihot esculenta, cyanogenic and non-cyanogenic glycosides from 1167
endo- β -D-Mannanase, multiple isozymes of, in seeds 1045
Marchantia polymorpha, reduction of ethyl 2-methyl-3-oxobutanoate by 1419
Marrubium polydon, prefuranic labdane diterpene from 1575
Marsdenia globifera, structure revision of gymnemarsgenin from 917
Maytenus boaria,
 β -agarofurans from 1457
 eudesmane glucoside from 853
 Meliaceae 239, 903, 1485
Melicope semecarpifolia, furoquinoline alkaloid from 1561
Melodinus scandens, alkaloid from 1005
 Menispermaceae 1553, 1729
 Meroditerpenes, from *Cystoseira* 495
 Meroterpenoids, from *Psoralea* 325
 4-Methyl-7-hydroxyphthalide glycoside, from *Quillaja* 1313
 Methyl-*ent*-15-oxokaur-16-en-19-oate, biotransformation of by *Rhizopus* and *Mucor* 1667
 Methylursubin biosynthesis, in *Rauwolfia*, dynamics of 801
Metrodorea nigra, dihydrochalcones and coumarins from 1797
Milletia sanagana, furanoflavonoids from 949
Millingtonia hortensis, revised structure of flavonoid from 287
Monacrosporium ambrosium, growth inhibition of, by caffeine from tea 1113
 Monoterpene diol from *Anthocleista* 1183
 Monoterpenoids, pinane, hydroxylation of by *Cephalosporium* 815
 Moraceae 945, 1279, 1317, 1331
Mucor plumbeus, biotransformation of *ent*-kaurenoid diterpenoid by 1667
Murraya euchrestifolia, carbazole alkaloids from 1817
M. exotica, phytosterols from 1769
 Musci 93, 573, 1531
Myrianthus liberecus, pentacyclic triterpenes from 1761
Myristica fragrans, absolute configuration of neolignans from 1515

Myristicaceae 1259, 1515, 1723

Myrtaceae 183, 837

N

Nannochloropsis mutant, deficient in eicosapentaenoic acid production 807

Naphthalene glycoside, from *Cassia* 997

Naphthoquinones,

from *Drosera* cultures 1145

from *Impatiens* root cultures 1141

Narcissus cantabricus, alkaloids from 1549

N. pseudonarcissus, acetylated alkaloids from 1303

Natural products chemistry, changing strategies in 1585

Neocosmospora vasinfecta,

neovasinin-related pyrones and furanones from 745

neovasipyrindones from 1643

Neolignans,

from *Arum*, revised structures of 263

from *Myristica* 1515

Neovasipyrindones, from *Neocosmospora* 1643

Nicotiana tabacum, phosphatidylcholine biosynthesis in 1399

Nitraria retusa, flavonol glycosides from 349

Nitrariaceae 349

Nitroaliphatics,

from *Astragalus* 1629

from *Hippocrepis* and other Leguminosae 89

4-Nitrotryptophans, from *Streptomyces* 41

¹³C NMR, to study dynamics of methylursubin biosynthesis 801

Nonenolide, phytotoxic, from *Phoma* 1637

O

Oenothera laciniata, hydrolyzable tannin dimers from 555

Oleaceae 773, 785

Oligofructan synthesis, effects of enzyme concentration on 705

Onagraceae 555

Opines, Amadori-type, from crown gall tumours 619

Orchidaceae 271, 651, 1523

Ornithopus sativus, brassinosteroids from 907

Orobanchaceae 709

Oryza sativa,

pantoyllactone glucoside from 1617

temperature effects on starch synthase activity and amylose content of 1613

Otoba parvifolia, farnesyl-homogentisic acid derivatives from 1723

P

Paecilomyces lilacinus, progesterone side-chain cleavage by 73

Panax ginseng, dammarane saponins from 1493

Pandaca caducifolia, ervatamine-type alkaloid from 987

Pantoyllactone glucoside, from rice seedlings 1617

Papaveraceae 37

Patrinia scabra, estrified monocyclic iridoid glucoside from 1567

Pavetta owariensis, tetrameric A-type proanthocyanidins from 933

Pavlova lutheri, changes in lipid and fatty acid composition of 397

Paxillus atrotomentosus, lactones and spiromentins from 1251

Pedicularis chinensis, iridoids from 491

Penicillium, production of pollen growth inhibitor by 629

Peroxidase

activity, of soybean plasma membranes, inhibition by copper of 367

isozymes, from wheat germ 1341

Persianone, from *Ballota* 875

Petroselinum crispum, inhibition of sterol biosynthesis in, after elicitation 1117

Phaeophyta 331, 495, 827

Phenanthrene, from *Alnus* 1263

Phenolics,

glucosylation of, by *Lobelia* hairy root cultures 1149

influence of, on *Agrobacterium vir* gene induction 1623

Phenols, from grapevine leaf cell walls 433

10-Phenyl-[11]-cytochalasans, from *Daldinia* 135

Phenylpropanoids, from *Picrasma* fruits 253

Phloroglucinols, antibacterial, from *Hypericum* 1447

Phloroglucinol-sesquiterpene, cariostatic, from *Eucalyptus* 183

Phoma putaminum, phytotoxic nonenolide from 1637

Phosphatase, acid, from lupin seed, molecular properties of 21

Phosphatidylcholine biosynthesis, in tobacco 1399

Phosphodiesterase isoenzymes, in carrot cell culture extracts 685

Phosphorylases, from *Dioscorea* tubers, comparison of 677

Phytoalexin induction, in sapwood of Maloideae 1649

Phytoalexins, biphenyl, for *Sorbus* sapwood 57

Phytosterols, from *Murraya* 1769

Phytotoxic nonenolide, from *Phoma* 1637

Picea abies,

acetylated flavonols from 1537

wax esters from needles of 599

P. pungens, piperidine alkaloid content of 401

Picrasma javanica, quassinoids from 233

P. quassioides, phenylpropanoids from 253

Pinaceae 401, 599, 1537

Piper ridleyi, isobutylamides from 1163

Piperaceae 1163

Pisolithus tinctorius, hypaphorine accumulation in 1089

Pisum sativum,

bioactivity of halogenated IAA analogues in 1361

gibberellin-stimulated synthesis of protein kinase in 383

relationship of gibberellins in to fruit-set 1347

Pituranthos triradiatus, monoterpenoid coumarins from 927

Plagiochila, 13-epi-homoverrucosane diterpenes from 199

Plant growth inhibitory sesquiterpene lactones, from *Ratibida* 419

Podophyllaceae 427

Podophyllum hexandrum, antifungal aryltetralin lignans from 427

Pollen growth inhibitor, produced by *Penicillium* 629

Polygonaceae 527

Polyphenol oxidase,

latent, from *Vicia*, pH-induced hysteresis of 373

systemic wound induction of in potato 673

Polyphenol production, in *Fragaria* hairy root cultures 1425

Pometia eximia, hederagenin glycosides from 891

Poria cocos, lanostane triterpene acids from 225

Portulaca pilosa, diterpenoid from 205

Portulacaceae 205

Prasinophyceae, carotenoids from 515

Pregnane glycosides, from *Balanites* fruits 1773

Preissia quadrata, sesquiterpene from 605

Proanthocyanidins, A-type, from *Pavetta* 933

Progesterone side-chain cleavage, by *Paecilomyces* 73

Prosopis chilensis, responses of to high temperatures 1375

Protein kinase, in dwarf pea epicotyls, gibberellin-stimulated synthesis of 383

Proteins,

calmodulin-binding, from *Zea* germ 1335

HPLC determination of, in tannin-protein coprecipitates 1503

Protocatechualdehyde, from grapevine leaf cell walls 433

Protostemotinine, from *Siemona*, crystal structure of 615

Psoralea glandulosa, cyclobakuchiolis from 325

Ptaquiloside, from *Pteridium*, purification of 53

- Pteridium aquilinum*,
 carcinogenic norsesquiterpene glycoside from 53
 flavonol glycosides from 1801
Pteridophyta 53, 1577, 1801
Putaminoxin, from *Phoma* 1637
Pyrimidine metabolism, in relation to secondary product
 formation in legumes 763
Pyrocincholic acid, from *Isertia*, NMR spectra of 899
Pyrones, from *Neocosmospora* 745
 α -*Pyrones*,
 dibenzo-, from *Anthocleista* 1183
 from *Cryptocarya* 321
- Q**
Quassinoids, from *Picrasma* 233
Quercus acutissima, tannin production in callus cultures of
 1151
Quillaja saponaria, 4-methyl-7-hydroxyphthalide glycoside
 from 1313
Quinol, from *Rhinacanthus* 1247
- R**
Ratibida mexicana, biochemically active sesquiterpene
 lactones from 419
Rauwolfia serpentina,
 dynamics of methylursubin biosynthesis in 801
 enzymatic biosynthesis of raumacline in 1407
Rhamnaceae 1429
Rheum rhabarbarum, brassinosteroids, sterols and triterpene
 from 527
Rhinacanthus nasutus, quinol and steroids from 1247
Rhizopus stolonifer, biotransformation of *ent*-kaurenoid
 diterpenoid by 1667
Rhodophyta 195, 487, 995
Rhoiptelea chiliantha,
 lupane triterpene and triterpene caffeates from 1223
 rearranged usane triterpenoid from 219
Rhoipteleaceae 219, 1223
 Rishitin, effect of, on potato tonoplast vesicle 1655
Rosaceae 57, 345, 601, 1313, 1425, 1649
Rubiaceae 245, 899, 933, 1311
Rubus thibetanus, long-chain epoxide from 601
Rutaceae 121, 295, 317, 1159, 1561, 1563, 1769, 1797, 1817
- S**
Salacia beddomei, triterpenes from 1227
Salicaceae 23
Salix, epicuticular waxes from, and overwintering survival
 of 23
Salvia candidissima, terpenoids and flavonoids from 501
S. heldrichiana, diterpenoids from 1473
S. lavandulifolia, luteolin 5-rutinoside from 1321
S. napifolia, abietane diterpenes from 861
S. prionitis, diterpenoids from 1469
Sapindaceae 891
Saponins,
 dammarane, from *Panax* 1493
 oleanane, from *Lindernia* 1499
 steroidal, enzyme inhibitory, from *Allium* 1071
 triterpenoid,
 acylated, from *Silene* 509
 from *Aster* 1489
 from *Dumasia* 1765
 from *Pometia* 891
 from *Symphytum* roots 213
 from *Trifolium* seeds 1237
 from *Zygophyllum* 1233
Saraca indica, lectin from 643
Sauromatum, lectins from 449
Saussurea lappa, guaianolides from 1713
Scapania aequiloba, sesquiterpene from 605
Schultesia lisianthoides, xanthenes from 1791
Scrophularia scorodonia, iridoid diglycoside from 1569
Scrophulariaceae 491, 1209, 1307, 1499, 1569, 1751
Scutellaria baicalensis, flavone 2'-glucosides from 279
Scutellinia umbrarum, carotenoid composition of 33
 Secoiridoid precursors, of iridoid biosynthesis in *Syringa*
 and *Fraxinus* 773
 Secoiridoids, from *Halenia* 1265
Selaginella willdenowii, cytotoxic biflavonoids from 129
Selaginellaceae 129
Senecio macedonicus, seco-eremophilanolides from 329
S. schweinfurthii, pyrrolizidine alkaloid from 1327
Sequoiadendron giganteum, shikimic acid epimer from
 1705
 Sesquiterpene glucoside, eudesmane, from *Maytenus* 853
 Sesquiterpene lactones,
 biochemically active, from *Ratibida* 419
 seco-eremophilanolides, from *Senecio* 329
 from *Lactuca* hairy root culture 1139
 guaiane, from *Curcuma* 1197
 guaianolides,
 from *Inula* 1717
 from *Saussurea* 1713
 in *Lactuca* hairy root cultures, biosynthetic studies of
 1659
 Sesquiterpenoid tri-ether, from *Cupressus* 857
 Sesquiterpenoids,
 acaricidal and insecticidal, from *Hyptis* 735
 β -agarofuran, from *Maytenus* seeds 1457
 antimalarial, from *Cyperus* tubers 125
 bicyclogermacrene diastereomer, from liverworts 605
 biotransformation of, by *Glomerella* 793
 cadinene, from *Ganoderma* 161
 cyclic, in *Gossypium*, diversity of 1633
 epoxy-trinoreudesmane, from *Lophocolea* 847
 from *Alnus* 1263
 from *Buddleia* 167
 from *Celastrus* 841
 from *Cupressus* 177
 from *Eriostemon* 1159
 from *Jasonia* 1193
 from *Ligularia*, structure revision of 1191
 from *Taonia* 827
 furanoeremophilanes, from *Gynoxys* 1677
 trifarane, from *Cheilolejeunea* 171
Setaria italica, 3-aminopropionaldehyde dehydrogenase
 from 393
 Shikimic acid epimer, from *Sequoiadendron* 1705
Silene jensisensis, acylated triterpene saponins from 509
Simaroubaceae 233, 253, 1787
Solanaceae 443, 611, 673, 691, 699, 923, 1057, 1093, 1243,
 1399, 1655
Solanum tuberosum,
 effect of rishitin on proteon transport in 1655
 effects of genotype and growing conditions on starch in
 1057
 systemic wound induction of polyphenol oxidase in 673
Sophora flavescens, stimulation of prenylated flavanone
 production in 77
Sorbus aucuparia, biphenyl phytoalexins from 57
Speranskia tuberculata, pyridine alkaloids from 1299
Spinacia oleracea, sulphite oxidase activity in 667
Spiromentins, from *Paxillus* 1251
Stachys aegyptiaca, acylated diflavone glucoside from
 1543
 Starch, in potato, effects of genotype and growing
 conditions on 1057
 Starch synthase, in rice endosperm, effect of temperature on
 1613
Stellaria yunnanensis, cyclopeptides from 1453
Stemona sessilifolia, alkaloid from 615
Stemonaceae 615
 Steroid, pregnane, from *Gymnema* and *Marsdenia*, structure
 revision of 917

- Steroidal glycosides,
insect antifeedant, from *Elaeodendron* 753
with antitumour-promoting activity, from *Allium* 521
Steroidal lactones, antifungal, from *Withania* 1243
Steroidal saponins, enzyme inhibitory, from *Allium* 1071
Steroids, from *Rhinacanthus* 1247
Sterol biosynthesis, in parsley cell cultures, inhibition of
after elicitation 1117
Sterols, from *Rheum* 527
Stilbenoids, from *Alnus* 1263
Stilbenolignan, from *Maackia* heartwood 1001
Stoechospermum marginatum, spatane diterpene from
331
Streptomyces, NMR characterization of guanine DNA site
alkylated by kapurimycin A3 from 1373
S. scabies, 4-nitrotryptophans from 41
Strychnaceae 1557
Strychnos guianensis, zwitterionic bis-indole alkaloid from
1557
Sulphite oxidase activity, in spinach leaves 667
Symphytum officinale, triterpenoid saponin from 213
Syringa, iridoid biosynthesis in 773, 785
- T**
Tabernaemontana divaricata, alkaloids from 313
Taiwania cryptomerioides, diterpenes from 871
Tannin,
dimers of, hydrolyzable, from *Oenothera* 555
production of, in *Quercus* callus cultures 1151
quantitative determination of by HPLC 1503
Taonia, sesquiterpenes and geranylgeranylglycerol from
827
Taxaceae 29, 881, 1825
Taxanes, from *Taxus* 1825
Taxodiaceae 563, 871, 1705
Taxol content, of *Taxus* seeds 29
Taxus, taxol content of seeds of 29
T. × media, taxanes from 1825
T. wallichiana, taxoids from 881
Temperature, physiological and molecular responses of
Prosopis to 1375
Terpenoid accumulation, stimulation of, in *Lavandula*
cultures 83
Terpenoids,
acyclic, biotransformation of by *Glomerella* 1133
from *Bellis* 141
from *Salvia* 501
Tetradium glabrifolium, heartwood constituents of 121
Tetrastilbenes, from *Carex*, stereochemistry of 1507
Teucrium corymbosum, neo-clerodane diterpenoids from
1481
T. racemosum, neo-clerodane diterpenoids from 505
T. yemense, neo-clerodane diterpenoids from 1737
Theaceae 1113
Thevetia peruviana, flavonol sinapoyl glycosides from 577
Thymus herba-barona, free flavonoid aglycones from 115
T. zygis, essential oil variability of in S.E. Spain 819
Tinospora rumphii, clerodane diterpene glucosides from
1729
Transglutaminases, from plants 355
Trifolium alexandrinum, oleanene glycosides from 1237
Tripterygium wilfordii, abietane diterpenoids from 865
Triterpene acids, lanostane from *Poria sclerotia* 225
Triterpene caffeates, from *Rhoiptelea* 1233
Triterpene glycosides,
cycloartene, from *Astragalus* 1755
from *Adesmia* 885
oleanene, from *Trifolium* seeds 1237
Triterpenoid acids, ursene, from *Uncaria* 1311
Triterpenoid arabinofuranosides, from *Combretum* 833
Triterpenoid lactones, from *Bursera* resin 337
Triterpenoids,
antibacterial, from *Dillenia* 1691
from *Salacia* 1227
from *Vicoa* 335
heptanor-, from *Entandrophragma* bark 903
lupane, from *Rhoiptelea* 1223
pentacyclic,
from *Myrianthus* 1761
from *Rheum* 527
tirucallane, from *Aglaia* bark 1485
ursane, rearranged, from *Rhoiptelea* 219
Triticum aestivum,
fatty acid composition in stressed leaves of 45
peroxidase isozymes from 1341
Trochocarpa laurina, cyclohexyl butenolide glucosides from
157
Tryptophan *N*-malonyltransferase, from tomato leaves
699
Tuliposide, from *Alstroemeria* 49
Turraea floribunda, limonoids from 239
- U**
Umbelliferae 685, 927, 1041, 1117
Uncaria elliptica, ursene triterpenoid acids from 1311
Uvaria grandiflora, polyoxygenated cyclohexenes from
1709
- V**
Valeriana officinalis, essential oils from normal and hairy
roots of 1421
Valerianaceae 1421, 1567
Verbena hybrida, acetylated anthocyanin from 939
Verbenaceae 939, 1439
Vernonanthura amplexicaulis, diterpenes from 1477
Vicia faba,
lipids and fatty acids from protoplasts of 1065
pH-induced hysteresis of latent polyphenol oxidase from
373
Vicoa indica, triterpenoid from 335
Viola michelii, lignans from 1259
Vitaceae 433, 1357
Vitis vinifera,
enhancement of anthocyanin synthesis and dihydro-
flavonol reductase activity in 1357
phenols in leaf cell walls of 433
Volatiles,
antimalarial, from *Lippia* 1439
from *Brugmansia* flowers and leaves 1093
from *Dactylanthus* flower nectar 1387
glycosidically bound, from *Cedronella* 149
- W**
Wax esters, from *Picea* needles 599
Waxes, epicuticular,
from *Brassica*, effects of environment on composition of
407
from *Salix*, in relation to overwintering survival 23
Withania coagulance, antifungal withanolides from 1243
Withanolides,
from *Datura* 611
from *Deprea* 923
from *Withania* 1243
- X**
Xanthone glycosides, from *Halenia* 1265
Xanthenes,
from *Schultesia* 1791
prenylated, from *Cudrania* 945
Xanthoria parietina, seasonal variation of lipids in 717
Xyleborus fornicatus, inhibition of symbiote from, by
caffeine 1113
Xylopiia aethiopica, termite antifeedant activity in 1105
X. frutescens, dimeric kaurane diterpene from 607

Z

- Zantedeschia aethiopica*, lipid composition of thylakoid membranes of 1367
- Zea mays*,
 biosynthesis of ecdysteroids in 1125
 calmodulin-binding proteins from 1335
 endogenous gibberellins from callus cultures of 11
- fatty acid composition in stressed leaves of 45
 ferulate cross-linking in cell walls of 1077
 indole-3-butyric acid biosynthesis in 61
 regulation of acyl-CoA oxidases in 657
- Zingiberaceae 1097, 1197
- Zygophyllaceae 1233
- Zygophyllum*, triterpenoid saponins from 1233