

## Index to Proceedings of ICMM 2002

- Abboud, K.A., see Brockman, J.T., 1765  
 Abboud, K.A., see Chakov, N.E., 1759  
 Abboud, K.A., see Sañudo, E.C., 2267  
 Abboud, K.A., see Soler, M., 1777  
 Abeyta, V.W., see Stevens, J.E., 2241  
 Aizawa, K., see Furukawa, Y., 2277  
 Alcock, N.W., see Korzeniak, T., 2183  
 Aliaga, N., see Evangelisti, M., 2169  
 Aliaga-Alcalde, N., see Edwards, R.S., 1911  
 Almeida, M., see Alves, H., 2481  
 Almeida, M., see Dias, J.C., 2447  
 Almeida, M., see Ribas, X., 2415  
 Altorfer, F., see Basler, R., 2471  
 Alves, H., see Dias, J.C., 2447  
 Alves, H., see Ribas, X., 2415  
 Alves, H., Simão, D., Novais, H., Santos, I.C., Giménez-Saiz, C., Gama, V., Waerenborgh, J.C., Henriques, R.T. and Almeida, M., (*n*-Bu<sub>4</sub>N)<sub>2</sub>[Fe(dcbdt)<sub>2</sub>]<sub>2</sub>. Synthesis, crystal structure and magnetic characterisation, 2481  
 Amabilino, D.B., see Domingo, N., 2355  
 Amabilino, D.B., see Minguet, M., 2349  
 Amorós, P., see Clemente-León, M., 2395  
 Aoki, H., see Arita, R., 1883  
 Aoki, T., see Kaneko, T., 1845  
 Aoki, T., see Morita, Y., 2199  
 Aoyama, K., see Yano, M., 2003  
 Arčon, D., see Jagličić, Z., 2293  
 Argyriou, D.N., see Bordallo, H.N., 2045  
 Arita, R., Suwa, Y., Kuroki, K. and Aoki, H., Possible flat-band ferromagnetism in an organic polymer, 1883  
 Aromí, G., see Evangelisti, M., 2169  
 Awaga, K., see Maruta, G., 1989  
 Awaga, K., see Okuno, T., 2311
- Bakharev, O.N., see Morello, A., 1745  
 Balanda, M., see Korzeniak, T., 2183  
 Baruah, T., see Kortus, J., 1871  
 Baskett, M., Lahti, P.M. and Palacio, F., Coordination complexes of a silicon-linked organic tetranitroxide, 2363  
 Basler, R., Chaboussant, G., Cañada-Vilalta, C., Christou, G., Mutka, H., Janssen, S., Altorfer, F. and Güdel, H.-U., Magnetic and inelastic neutron scattering studies of a frustrated tetrnuclear Mn<sup>3+</sup> butterfly-type cluster, 2471  
 Batchelor, R.J., see Leznoff, D.B., 1735  
 Batten, S.R., see Price, D.J., 2161  
 Bauer, E.M., Bellitto, C., Ibrahim, S.A., Mahmoud, M.R. and Righini, G., Ni(II)octadecylphosphonate: an inorganic/organic layered weak-ferromagnet, 2463  
 Baumgarten, M., see Zoppellaro, G., 2099  
 Beckett, B.R., see Hamlin, J.J., 2249  
 Belinsky, M.I., Antisymmetric double exchange and zero-field splittings in mixed-valence clusters, 2253  
 Bellitto, C., see Bauer, E.M., 2463
- Bendix, J., see Marshall, S.R., 2515  
 Benítez, I.O., see Culp, J.T., 2125  
 Bernstein, N., see Kortus, J., 1871  
 Bhaduri, S., see Edwards, R.S., 1911  
 Blundell, S.J., Pratt, F.L., Lancaster, T., Marshall, I.M., Steer, C.A., Heath, S.L., Létard, J.-F., Sugano, T., Mihailovic, D. and Omerzu, A.,  $\mu$ SR studies of organic and molecular magnets, 1973  
 Blundell, S.J., see Pratt, F.L., 2307  
 Blundell, S.J., see Sugano, T., 2343  
 Bolin, E., see Edwards, R.S., 1911  
 Bordallo, H.N., Chapon, L., Manson, J.L., Ling, C.D., Qualls, J.S., Hall, D. and Argyriou, D.N., Structural and magnetic behavior of a quasi-1D antiferromagnetic chain compound Cu(NCS)<sub>2</sub>(pyz), 2045  
 Borrás-Almenar, J.J., Coronado, E., Clemente-Juan, J.M., Palii, A.V. and Tsukerblat, B.S., Problem of the magnetic anisotropy in orbitally degenerate exchange and mixed-valence clusters, 2521  
 Borrás-Almenar, J.J., see Palii, A.V., 2537  
 Borsa, F., see Furukawa, Y., 2277  
 Boskovic, C., see Sañudo, E.C., 2267  
 Boukheddaden, K., see Linares, J., 2453  
 Bousseksou, A., see Conséjo, C., 2441  
 Bradley, J.M., see Carling, S.G., 2317  
 Brandl, A.L., see Pereira, C.L.M., 2387  
 Brechin, E.K., see Sañudo, E.C., 2267  
 Brechin, E.K., see Yang, E.-C., 1857  
 Brechin, E.K., Soler, M., Christou, G., Davidson, J., Hendrickson, D.N., Parsons, S. and Wernsdorfer, W., Magnetization tunneling in an enneanuclear manganese cage, 1771  
 Brockman, J.T., Abboud, K.A., Hendrickson, D.N. and Christou, G., A new family of Mn<sub>12</sub> single-molecule magnets: replacement of carboxylate ligands with diphenylphosphinates, 1765  
 Brom, H.B., see Morello, A., 1745  
 Brook, D.J.R., see Stevens, J.E., 2241  
 Burghardt, T., see Wolter, A.U.B., 2139
- Caballol, R., see Taratiel, D., 2409  
 Cabrero, J., see Taratiel, D., 2409  
 Campo, J., Luzón, J., Palacio, F., Millán, A. and McIntyre, G.J., Superexchange interaction enhanced through spin delocalisation in Rb<sub>2</sub>FeBr<sub>5</sub>·H<sub>2</sub>O as studied by polarised neutron diffraction, 2297  
 Campo, J., see Luzón, J., 2301  
 Cañada-Vilalta, C., see Basler, R., 2471  
 Carling, S.G., Bradley, J.M., Visser, D. and Day, P., Magnetic and structural characterisation of the layered materials AMnFe(C<sub>2</sub>S<sub>2</sub>O<sub>3</sub>)<sub>3</sub>, 2317  
 Chaboussant, G., see Basler, R., 2471  
 Chakov, N.E., Abboud, K.A., Zakharov, L.N., Rheingold, A.L., Hendrickson, D.N. and Christou, G., Reaction of [Mn<sub>12</sub>O<sub>12</sub>(O<sub>2</sub>CR)<sub>16</sub>(H<sub>2</sub>O)<sub>4</sub>] single-molecule magnets with non-carboxylate ligands, 1759  
 Chapman, K.W., see Kumagai, H., 1921  
 Chapon, L., see Bordallo, H.N., 2045  
 Christou, G., see Basler, R., 2471

- Christou, G., see Brechin, E.K., 1771  
 Christou, G., see Brockman, J.T., 1765  
 Christou, G., see Chakov, N.E., 1759  
 Christou, G., see Edwards, R.S., 1911  
 Christou, G., see Evangelisti, M., 2169  
 Christou, G., see Rumberger, E.M., 1865  
 Christou, G., see Sañudo, E.C., 2267  
 Christou, G., see Soler, M., 1783  
 Christou, G., see Soler, M., 1777  
 Christou, G., see Yang, E.-C., 1857  
 Christou, G., see Yang, E.-C., 1727  
 Clemente-Juan, J.M., see Borrás-Almenar, J.J., 2521  
 Clemente-Juan, J.M., see Palii, A.V., 2537  
 Clemente-Juan, J.M., see Suaud, N., 2331  
 Clemente-León, M., Coronado, E., Forment-Aliaga, A., Martínez-Agudo, J.M. and Amorós, P., Mn<sub>12</sub> single-molecule magnets incorporated into mesoporous MCM-41 silica, 2395  
 Codjovi, E., see Jeftić, J., 2155  
 Concolino, T.R., see Sañudo, E.C., 2267  
 Conséjo, C., Molnár, G., Goiran, M. and Bousseksou, A., Two-level Ising-like model for spin-crossover phenomenon including the magnetic field effect: the mean-field approximation and Monte Carlo resolutions, 2441  
 Coronado, E., Galán-Mascarós, J.R., Giménez-Saiz, C., Gómez-García, C.J., Martínez-Agudo, J.M. and Martínez-Ferrero, E., Magnetic properties of hybrid molecular materials based on oxalato complexes, 2381  
 Coronado, E., Giménez-López, M.C., Giménez-Saiz, C., Martínez-Agudo, J.M. and Romero, F.M., Synthesis, structure and magnetic properties of iron (II), cobalt (II) and nickel (II) complexes of 2,6-bis(pyrazol-3-yl)pyridine and paramagnetic counterions, 2375  
 Coronado, E., Giménez-Saiz, C., Martínez-Agudo, J.M., Nuez, A., Romero, F.M. and Stoeckli-Evans, H., Design of chiral magnets: cyanide-bridged bimetallic assemblies based on cyclohexane-1,2-diamine, 2435  
 Coronado, E., Klokishner, S., Reu, O. and Tsukerblat, B., A pseudo-Jahn-Teller model of the photochromic effect in sodium nitroprusside, 2527  
 Coronado, E., see Borrás-Almenar, J.J., 2521  
 Coronado, E., see Clemente-León, M., 2395  
 Coronado, E., see Jagličić, Z., 2293  
 Coronado, E., see Palii, A.V., 2537  
 Coronado, E., see Suaud, N., 2331  
 Costa, W.V., see Novak, M.A., 2391  
 Culp, J.T., Park, J.-H., Benitez, I.O., Meisel, M.W. and Talham, D.R., Two applications of metal cyanide square grid monolayers: studies of evolving magnetic properties in layered films and templating Prussian blue family thin films, 2125  
 Dalal, N.S., see Hill, S., 1889  
 Dalal, N.S., see Hill, S., 1897  
 Davidson, J., see Brechin, E.K., 1771  
 Day, P., see Carling, S.G., 2317  
 Day, P., see Sugano, T., 2343  
 de Graaf, C., see Taratiel, D., 2409  
 de Jongh, L.J., see Evangelisti, M., 2169  
 de Jongh, L.J., see Morello, A., 1745  
 Delcheva, A., see Landee, C.P., 2325  
 Delgado, F.S., see Pasán, J., 2143  
 Delgado, F.S., see Ruiz-Pérez, C., 2111  
 Demishev, S., see Spitsina, N., 2009  
 Deplano, P., Marchiò, L., Mercuri, M.L., Pilia, L., Serpe, A. and Trogu, E.F., New nickel dithiolene-diselenolene complexes obtained from 3,4-dichloro-1,2,5-thiadiazole: X-ray structure of (Bu<sub>4</sub>N)<sub>2</sub>[Ni(C<sub>2</sub>N<sub>2</sub>S<sub>2.2</sub>Se<sub>0.8</sub>)<sub>2</sub>], 2175  
 Deumal, M., Landee, C.P., Novoa, J.J., Robb, M.A. and Turnbull, M.M., Through space magnetic exchange in tetrabromocuprates: theoretical considerations, 2235  
 Deumal, M., Robb, M.A. and Novoa, J.J., The mechanism of the magnetic interaction in the β phase of the *p*-(nitro)phenyl nitronyl nitroxide (KAXHAS). A bottom-up study using only ab initio data, 1935  
 Dias, J.C., Morgado, J., Alves, H., Lopes, E.B., Santos, I.C., Duarte, M.T., Henriques, R.T., Almeida, M., Ribas, X., Rovira, C. and Veciana, J., Magnetic and electrical properties of (DT-TTF)<sub>4</sub>[Au(pds)<sub>2</sub>]<sub>3</sub>, 2447  
 Dias, J.C., see Ribas, X., 2415  
 Divakar, U., see Pratt, F.L., 2307  
 Doi, K., see Ichimura, T., 2557  
 Domingo, N., Gerbier, P., Gómez, J., Ruiz-Molina, D., Amabilino, D.B., Tejada, J. and Veciana, J., Synthesis and characterization of a new chiral nanomagnet, 2355  
 Dominko, R., see Jagličić, Z., 2293  
 Draper, N.D., see Leznoff, D.B., 1735  
 Drew, A., see Pratt, F.L., 2307  
 Duarte, M.T., see Dias, J.C., 2447  
 Dunbar, K.R., Schelter, E.J., Tsukerblat, B.S., Ostrovsky, S.M., Mirovitsky, V.Y. and Palii, A.V., Magnetic properties of complex d<sup>1</sup> and d<sup>5</sup> ions: crystal field model and Jahn-Teller effect, 2545  
 Edwards, R.S., Hill, S., Bhaduri, S., Aliaga-Alcalde, N., Bolin, E., Maccagnano, S., Christou, G. and Hendrickson, D.N., A comparative high frequency EPR study of monomeric and dimeric Mn<sub>4</sub> single-molecule magnets, 1911  
 Edwards, R.S., see Hill, S., 1889  
 Edwards, R.S., see Hill, S., 1897  
 Edwards, R.S., see Rumberger, E.M., 1865  
 Edwards, R.S., see Yang, E.-C., 1727  
 Eichler, A., see Wolter, A.U.B., 2139  
 Eltsov, I.V., see Tretyakov, E.V., 2499  
 Enachescu, C., see Linares, J., 2453  
 Enkelmann, V., see Zoppellaro, G., 2099  
 Enoki, T., see Miyazaki, A., 2227  
 Enoki, T., see Nishijo, J., 1755  
 Enomoto, K., see Miyazaki, A., 2227  
 Epstein, A.J., see Etzkorn, S.J., 1751  
 Etzkorn, S.J., Hibbs, W., Miller, J.S. and Epstein, A.J., Anomalous cluster glass behavior in a quasi-one-dimensional organic-based magnet, 1751  
 Evangelisti, M., Luis, F., Mettes, F.L., Aliaga, N., Aromí, G., Christou, G. and de Jongh, L.J., Through quantum tunneling to dipolar order: the effect of varying magnetic anisotropy in three structurally related Mn<sub>4</sub> molecular clusters, 2169  
 Falqui, A., see Gilbert, I., 2457  
 Feyerherm, R., see Wolter, A.U.B., 2273  
 Feyerherm, R., see Wolter, A.U.B., 2139  
 Fokin, S.V., see Tretyakov, E.V., 2499  
 Fokin, S.V., see Tretyakov, E.V., 1965  
 Forment-Aliaga, A., see Clemente-León, M., 2395  
 Freysz, E., see Ratera, I., 1851  
 Fujita, W., see Okuno, T., 2311  
 Fukui, K., see Morita, Y., 2199  
 Fukui, K., see Morita, Y., 2209  
 Fukui, K., see Morita, Y., 2205  
 Fukui, K., see Morita, Y., 2215  
 Fursova, E., Romanenko, G., Ikorskii, V. and Ovcharenko, V., Copper(II) complexes with imidazol-4-yl derivatives of 2-imidazoline nitroxides, 1957  
 Furukawa, Y., Kawakami, S., Aizawa, K., Kumagai, K. and Borsa, F., Isotope substitution effects on spin dynamics of the molecular nanomagnet Fe<sub>8</sub> cluster studied by NMR, 2277  
 Fuyuhiro, A., see Morita, Y., 2199

- Gaberšček, M., see Jagličić, Z., 2293  
 Gaita-Ariño, A., see Suaud, N., 2331  
 Galán-Mascarós, J.R., see Coronado, E., 2381  
 Galeriu, C., see Landee, C.P., 2325  
 Gama, V., see Alves, H., 2481  
 Geies, A., see Zoppellaro, G., 2099  
 Gerbier, P., Ruiz-Molina, D., Gómez, J., Wurst, K. and Veciana, J., Examining the thermolysis reactions of nanoscopic Mn<sub>12</sub> single molecule magnets, 1951  
 Gerbier, P., see Domingo, N., 2355  
 Gilbert, I., Millán, A., Palacio, F., Falqui, A., Snoeck, E. and Serin, V., Magnetic properties of maghemite nanoparticles in a polyvinylpyridine matrix, 2457  
 Gillon, B., see Jeftić, J., 2155  
 Giménez-López, M.C., see Coronado, E., 2375  
 Gimenez-Saiz, C., see Coronado, E., 2375  
 Giménez-Saiz, C., see Alves, H., 2481  
 Giménez-Saiz, C., see Coronado, E., 2435  
 Giménez-Saiz, C., see Coronado, E., 2381  
 Goeta, A.E., see Luzón, J., 2301  
 Goiran, M., see Conséjo, C., 2441  
 Golhen, S., see Miyazaki, A., 2227  
 Gómez, J., see Domingo, N., 2355  
 Gómez, J., see Gerbier, P., 1951  
 Gómez-García, C.J., see Coronado, E., 2381  
 Gómez-García, C.J., see Jagličić, Z., 2293  
 Gorski, A., see Minguet, M., 2349  
 Goujon, A., see Jeftić, J., 2155  
 Güdel, H.-U., see Basler, R., 2471  
 Gukasov, A., see Jeftić, J., 2155
- Hall, D., see Bordallo, H.N., 2045  
 Hamlin, J.J., Beckett, B.R., Tomita, T., Schilling, J.S., Tyree, W.S. and Yee, G.T., The effect of pressure on the magnetic properties of the molecule-based canted metamagnet decamethylferrocenium 2,3-dicyano-1,4-naphthoquinonide, FeCp\*<sub>2</sub>[DCNQ], 2249  
 Harden, N., see Yang, E.-C., 1857  
 Hayes, W., see Sugano, T., 2343  
 Heath, S.L., see Blundell, S.J., 1973  
 Hellberg, C.S., see Kortus, J., 1871  
 Hendrickson, D.N., see Brechin, E.K., 1771  
 Hendrickson, D.N., see Brockman, J.T., 1765  
 Hendrickson, D.N., see Chakov, N.E., 1759  
 Hendrickson, D.N., see Edwards, R.S., 1911  
 Hendrickson, D.N., see Rumberger, E.M., 1865  
 Hendrickson, D.N., see Sañudo, E.C., 2267  
 Hendrickson, D.N., see Soler, M., 1783  
 Hendrickson, D.N., see Soler, M., 1777  
 Hendrickson, D.N., see Yang, E.-C., 1857  
 Hendrickson, D.N., see Yang, E.-C., 1727  
 Henriques, R.T., see Alves, H., 2481  
 Henriques, R.T., see Dias, J.C., 2447  
 Hernández-Molina, M., see Pasán, J., 2143  
 Hernández-Molina, M., see Ruiz-Pérez, C., 2111  
 Hibbs, W., see Etzkorn, S.J., 1751  
 Hill, S., Edwards, R.S., North, J.M., Maccagnano, S. and Dalal, N.S., On the origin of anomalous EPR peaks observed in Mn<sub>12</sub>-Ac, 1897  
 Hill, S., Edwards, R.S., North, J.M., Park, K. and Dalal, N.S., Environmental factors influencing EPR in Mn<sub>12</sub>-Ac and Fe<sub>8</sub>Br, 1889  
 Hill, S., see Edwards, R.S., 1911  
 Hill, S., see Rumberger, E.M., 1865  
 Hill, S., see Yang, E.-C., 1727  
 Hoshino, N., see Nihei, M., 2359  
 Huffman, J.C., see Soler, M., 1783
- Ibrahim, S.A., see Bauer, E.M., 2463  
 Ichimura, T., Doi, K., Mitsuhashi, C., Ishida, T. and Nogami, T., *meta*-Phenylene-bridged bis(imino nitroxide) biradicals as potential high-spin ligands, 2557  
 Ikorskii, V.N., see Koreneva, O.V., 2487  
 Ikorskii, V., see Fursova, E., 1957  
 Inoue, H., see Nagashima, H., 1823  
 Inoue, H., see Yao, M., 2281  
 Inoue, K., see Kumagai, H., 1917  
 Inui, J., see Michinobu, T., 1945  
 Ishida, T., Omata, J. and Nogami, T., Host-guest chemistry of radical-copper wheels. A supramolecular control of magnetic exchange coupling, 2133  
 Ishida, T., see Ichimura, T., 2557  
 Ishida, Y., see Yano, M., 2003  
 Ishimoto, H., see Sañudo, E.C., 2267  
 Ishiyama, H., Maruta, G., Kobayashi, T. and Takeda, S., Hyperfine coupling of the cyanide ions and crystal water molecules of three dimensional magnetic polycyanides as studied by solid-state <sup>13</sup>C- and <sup>2</sup>H NMR, 1981  
 Ito, A., Urabe, M. and Tanaka, K., Molecular design toward spin-polarized nano-wire: oligomer model study, 1829  
 Ito, T., see Kajiwara, T., 1789  
 Ito, T., see Nihei, M., 2359  
 Ivanova, A., see Zoppellaro, G., 2099
- Jagličić, Z., Jeromen, A., Trontelj, Z., Mihailović, D., Arčon, D., Remškar, M., Mrzel, A., Dominko, R., Gaberšček, M., Martinez-Agudo, J.M., Gómez-García, C.J. and Coronado, E., Magnetic properties of MoS<sub>2</sub> nanotubes doped with lithium, 2293  
 Janssen, S., see Basler, R., 2471  
 Jeftić, J., Gillon, B., Goujon, A., Nau, Q., Gukasov, A., Codjovi, E. and Varret, F., First study of the photo-induced metastable (paramagnetic) high-spin state in a [Fe(ptz)<sub>6</sub>](BF<sub>4</sub>)<sub>2</sub> single crystal by polarised neutron diffraction, 2155  
 Jérôme, D., see Wolter, A.U.B., 2273  
 Jeromen, A., see Jagličić, Z., 2293  
 Julve, M., see Pasán, J., 2143  
 Julve, M., see Ruiz-Pérez, C., 2111
- Kajiwara, T., Kamiyama, A. and Ito, T., Ferromagnetic interactions through control of the bridging geometry, 1789  
 Kamishiro, M., see Yao, M., 2281  
 Kamiyama, A., see Kajiwara, T., 1789  
 Kaneda, C., Shiomi, D., Sato, K. and Takui, T., A stable organic triradical with truncated π-conjugation as a model for single-component organic molecule-based ferrimagnetics, 1809  
 Kaneko, T., Makino, T., Miyaji, H., Onuma, A., Teraguchi, M. and Aoki, T., A poly(9,10-anthryleneethynylene)-based polyyradical designed to be a ladder-like ferromagnetic spin coupling network, 1845  
 Kanzaki, Y., Shiomi, D., Sato, K. and Takui, T., Organic heterospin-composite systems based on supramolecular crystal engineering, 1817  
 Karasawa, S. and Koga, N., Magnetic behaviors after irradiation of assemblies consisting of bis(hexafluoroacetylacetone)copper(II) and tetrapyridyl-pentadiazole compound in frozen solution, 1877  
 Kawae, T., see Mukai, K., 2091  
 Kawai, J., see Morita, Y., 2219  
 Kawai, J., see Morita, Y., 2209  
 Kawai, J., see Morita, Y., 2205  
 Kawakami, S., see Furukawa, Y., 2277  
 Kawakami, T., see Kitagawa, Y., 2019  
 Kawakami, T., see Nakano, S., 2027  
 Kawakami, T., see Shoji, M., 2067  
 Kawakami, T., see Taniguchi, T., 2039  
 Kawakami, T., see Yamaguchi, K., 2077  
 Kawakami, T., Taniguchi, T., Nakano, S., Kitagawa, Y. and Yamaguchi, K., Theoretical studies on magnetic interactions in many types of organic donor salts: BEDT-TTF, BETS, TMTTF and

- TMTSF, 2051  
 Kawata, S., see Kumagai, H., 1917  
 Kepert, C.J., see Kumagai, H., 1921  
 Kinoshita, K., see Takeda, K., 2287  
 Kitagawa, Y., Nakano, S., Kawakami, T., Mashima, K. and Yamaguchi, K., Magnetic effective density functional studies on electronic states of  $\text{Cr}_2(\text{pyphos})_4$  and  $\text{Pt}_2\text{Cr}_2(\text{pyphos})_4(\text{CH}_3)_4$ , 2019  
 Kitagawa, Y., see Kawakami, T., 2051  
 Kitagawa, Y., see Nakano, S., 2027  
 Kitagawa, Y., see Yamaguchi, K., 2077  
 Klauss, H.-H., see Wolter, A.U.B., 2273  
 Klauss, H.-H., see Wolter, A.U.B., 2139  
 Klokishner, S.I. and Reu, O.S., Vibronic dynamic problem of valence tautomerism in cobalt compounds. Magnetic and optical properties, 2401  
 Klokishner, S., see Coronado, E., 2527  
 Knobel, M., see Pereira, C.L.M., 2387  
 Kobayashi, T., see Ishiyama, H., 1981  
 Koga, N., see Karasawa, S., 1877  
 Konaka, H., see Kuroda-Sowa, T., 1795  
 Koreneva, O.V., Romanenko, G.V., Shvedenkov, Y.G., Ikorskii, V.N. and Ovcharenko, V.I., Molecular magnets based on  $M(\text{hfac})_2$  and spin-labeled nitrile, 2487  
 Kortus, J., Pederson, M.R., Baruah, T., Bernstein, N. and Hellberg, C.S., Density functional studies of single molecule magnets, 1871  
 Korzeniak, T., Podgajny, R., Alcock, N.W., Lewiński, K., Balandz, M., Wasiutynski, T. and Sieklucka, B., A new family of magnetic 2D coordination polymers based on  $[M^V(\text{CN})_8]^{3-}$  ( $M = \text{Mo}, \text{W}$ ) and pre-programmed  $\text{Cu}^{2+}$  centres, 2183  
 Kozaki, M., see Tanaka, K., 1803  
 Kumagai, H., Chapman, K.W., Kepert, C.J. and Kurmoo, M., Binary metal(II)-pyromellitate coordination polymers,  $M_2(\text{pm})$  ( $M = \text{Co}, \text{Fe}, \text{Mn}$ ): synthesis, structures and magnetic properties, 1921  
 Kumagai, H., Oka, Y., Kawata, S., Ohba, M., Inoue, K., Kurmoo, M. and Ōkawa, H., Hydrothermal synthesis, crystal structure and characterization of a new hexanuclear cobalt(II) complex comprised of octahedral and tetrahedral cobalt ions, 1917  
 Kumagai, K., see Furukawa, Y., 2277  
 Kurmoo, M., see Kumagai, H., 1921  
 Kurmoo, M., see Kumagai, H., 1917  
 Kuroda-Sowa, T., Nogami, T., Konaka, H., Maekawa, M., Munakata, M., Miyasaka, H. and Yamashita, M., Synthesis, crystal structure and magnetic properties of novel  $\text{Mn}_{12}$  single-molecule magnets with thiophencarboxylate,  $[\text{Mn}_{12}\text{O}_{12}(\text{O}_2\text{CC}_4\text{H}_3\text{S})_{16}(\text{H}_2\text{O})_4]$ , and its tetraphenylphosphonium salt, 1795  
 Kuroki, K., see Arita, R., 1883  
 Kuwamoto, K., see Okuno, T., 2311  
 Lahti, P.M., see Baskett, M., 2363  
 Lancaster, T., see Blundell, S.J., 1973  
 Lancaster, T., see Pratt, F.L., 2307  
 Landee, C.P., Delcheva, A., Galeriu, C., Pena, G., Turnbull, M.M. and Willett, R.D., Molecular-based quantum magnets: the isotropic spin ladder  $\text{Cu}(\text{quinoxaline})\text{Br}_2$ , 2325  
 Landee, C.P., see Deumal, M., 2235  
 Lee, S.L., see Pratt, F.L., 2307  
 Létard, J.-F., see Blundell, S.J., 1973  
 Létard, J.-F., see Ratera, I., 1851  
 Lewiński, K., see Korzeniak, T., 2183  
 Leznoff, D.B., Draper, N.D. and Batchelor, R.J., Using  $\text{HgX}_2$  units ( $X = \text{Cl}, \text{CN}$ ) to increase structural and magnetic dimensionality in conjunction with (2,2'-bipyridyl)copper(II) building blocks, 1735  
 Lhotel, E., see Minguet, M., 2349  
 Linares, J., Enachescu, C., Boukheddaden, K. and Varret, F., Monte Carlo entropic sampling applied to spin crossover solids: the squareness of the thermal hysteresis loop, 2453  
 Ling, C.D., see Bordallo, H.N., 2045  
 Litterst, F.J., see Wolter, A.U.B., 2273  
 Litterst, F.J., see Wolter, A.U.B., 2139  
 Lloret, F., see Pasán, J., 2143  
 Lloret, F., see Ruiz-Pérez, C., 2111  
 Lopes, E.B., see Dias, J.C., 2447  
 Lopes, E.B., see Ribas, X., 2415  
 Luis, F., see Evangelisti, M., 2169  
 Luneau, D., see Minguet, M., 2349  
 Luzón, J., Campo, J., Palacio, F., McIntyre, G.J., Goeta, A.E., Pask, C.M. and Rawson, J.M., Spin-density distribution of the high  $T_c$   $p\text{-O}_2\text{N}\cdot\text{C}_6\text{F}_4\cdot\text{CNSSN}$  free radical studied by polarised neutron diffraction, 2301  
 Luzón, J., see Campo, J., 2297  
 Maccagnano, S., see Edwards, R.S., 1911  
 Maccagnano, S., see Hill, S., 1897  
 Maccagnano, S., see Yang, E.-C., 1727  
 Maekawa, M., see Kuroda-Sowa, T., 1795  
 Mahmoud, M.R., see Bauer, E.M., 2463  
 Makino, T., see Kaneko, T., 1845  
 Manson, J.L., see Bordallo, H.N., 2045  
 Marcen, S., see Ratera, I., 1851  
 Marchiò, L., see Deplano, P., 2175  
 Marshall, I.M., see Blundell, S.J., 1973  
 Marshall, I.M., see Pratt, F.L., 2307  
 Marshall, S.R., Bendix, J., Rodchanarowan, A. and Miller, J.S., Synthesis, characterization, and magnetic properties of tetracyano-nitridochromates, 2515  
 Martínez-Agudo, J.M., see Jagličić, Z., 2293  
 Martínez-Agudo, J.M., see Clemente-León, M., 2395  
 Martínez-Agudo, J.M., see Coronado, E., 2375  
 Martínez-Agudo, J.M., see Coronado, E., 2435  
 Martínez-Agudo, J.M., see Coronado, E., 2381  
 Martínez-Ferrero, E., see Coronado, E., 2381  
 Maruta, G., see Ishiyama, H., 1981  
 Maruta, G., see Morii, K., 1995  
 Maruta, G., Takeda, S., Yamaguchi, A., Okuno, T. and Awaga, K., Spin density distributions of  $p$ -*N*-alkylpyridinium nitronyl nitr oxides studied by solid-state high-resolution NMR, 1989  
 Marvaud, V., see Tiron, R., 2427  
 Mashima, K., see Kitagawa, Y., 2019  
 Maspoch, D., Ruiz-Molina, D., Wurst, K., Rovira, C. and Veciana, J., Synthesis, X-ray structure and magnetic properties of a unusual transition Co(II) complex with polychlorotriphenylmethyl radicals, 1929  
 Mas-Torrent, M., see Ribas, X., 2415  
 Matsui, H., see Pratt, F.L., 2307  
 McIntyre, G.J., see Campo, J., 2297  
 McIntyre, G.J., see Luzón, J., 2301  
 Meisel, M.W., see Culp, J.T., 2125  
 Mercuri, M.L., see Deplano, P., 2175  
 Mettes, F.L., see Evangelisti, M., 2169  
 Michinobu, T., Inui, J. and Nishide, H., Preparation of non-Kekulé- and nondisjoint-type aromatic polyamines by palladium-catalyzed polycondensation and their poly(cationic radical)s, 1945  
 Mihailovic, D., see Blundell, S.J., 1973  
 Mihailovic, D., see Jagličić, Z., 2293  
 Millán, A., see Campo, J., 2297  
 Millán, A., see Gilbert, I., 2457  
 Miller, J.S., see Etzkorn, S.J., 1751  
 Miller, J.S., see Marshall, S.R., 2515  
 Minguet, M., Luneau, D., Paulsen, C., Lhotel, E., Gorski, A., Waluk, J., Amabilino, D.B. and Veciana, J., From purely organic to metallo-organic chiral magnetic materials, 2349  
 Miralles, E.C., Preface to the Proceedings of ICMM 2002, 1725  
 Mirovitsky, V.Y., see Dunbar, K.R., 2545  
 Mito, M., see Mukai, K., 2091

- Mito, M., see Takeda, K., 2287  
 Mitsuhashi, C., see Ichimura, T., 2557  
 Miyaji, H., see Kaneko, T., 1845  
 Miyasaka, H., see Kuroda-Sowa, T., 1795  
 Miyazaki, A., Okabe, K., Enomoto, K., Nishijo, J., Enoki, T., Setifi, F., Golhen, S., Ouahab, L., Toita, T. and Yamada, J.,  $\pi$ -d Interaction-based molecular magnets, 2227  
 Miyazaki, A., see Nishijo, J., 1755  
 Miyazaki, E., see Morita, Y., 2219  
 Molnár, G., see Concéjo, C., 2441  
 Montant, S., see Ratera, I., 1851  
 Morello, A., Bakharev, O.N., Brom, H.B. and de Jongh, L.J., Quantum tunnelling of magnetization in Mn<sub>12</sub>-ac studied by <sup>55</sup>Mn NMR, 1745  
 Morgado, J., see Dias, J.C., 2447  
 Morii, K., Maruta, G. and Takeda, S., Ferro- and antiferromagnetic interactions of layer-structured basic copper compounds as studied by solid-state high-resolution deuterium NMR, 1995  
 Morita, Y., Fukui, K., Suzuki, S., Aoki, T., Nakazawa, S., Tamaki, K., Fuyuhiko, A., Yamamoto, K., Sato, K., Shiomi, D., Naito, A., Takui, T. and Nakasuiji, K., Electronic-spin and columnar crystal structures of stable 2,5,8-tri-*tert*-butyl-1,3-diazaphenalenyl radical, 2199  
 Morita, Y., Kawai, J., Nishida, S., Fukui, K., Nakazawa, S., Sato, K., Shiomi, D., Takui, T. and Nakasuiji, K., A novel organic neutral radical system: topological effects in oxophenalenoxyls, 2205  
 Morita, Y., Miyazaki, E., Kawai, J., Sato, K., Shiomi, D., Takui, T. and Nakasuiji, K., Syntheses and spin structures of 1,6-dithiapyrene derivatives having imino nitroxide or oxoverdazyl moiety, 2219  
 Morita, Y., Nishida, S., Kawai, J., Fukui, K., Nakazawa, S., Sato, K., Shiomi, D., Takui, T. and Nakasuiji, K., Redox-based spin diversity: a reversible topological spin switching in oxophenalenoxyl systems, 2209  
 Morita, Y., Suzuki, S., Fukui, K., Nakazawa, S., Sato, K., Shiomi, D., Takui, T. and Nakasuiji, K., A synthetic study of metal complexes of coordinated neutral radicals based on an azaphenalenyl system, 2215  
 Moubaraki, B., see Price, D.J., 2161  
 Mrzel, A., see Jagličić, Z., 2293  
 Mukai, K., Yanagimoto, M., Tanaka, S., Mito, M., Kawae, T. and Takeda, K., Heat capacity study of the doping effect of paramagnetic impurity in organic spin-Peierls system: *p*-CyDOV radical crystal, 2091  
 Munakata, M., see Kuroda-Sowa, T., 1795  
 Murray, K.S., see Price, D.J., 2161  
 Mutka, H., see Basler, R., 2471  
 Nagao, H., see Yamaguchi, K., 2077  
 Nagashima, H., Inoue, H. and Yoshioka, N., Synthesis, solution ESR spectra, and solid-state magnetic property of thieno[3,4-*d*]imidazol-2-yl nitronyl nitroxide, 1823  
 Naito, A., see Morita, Y., 2199  
 Nakanishi, W., see Okuno, T., 2311  
 Nakano, M., see Yang, E.-C., 1727  
 Nakano, S., Kitagawa, Y., Kawakami, T. and Yamaguchi, K., Hybrid DFT study of electronic structure on quasi-one-dimensional halogen-bridged binuclear metal complexes (MMX), 2027  
 Nakano, S., see Kawakami, T., 2051  
 Nakano, S., see Kitagawa, Y., 2019  
 Nakano, S., see Taniguchi, T., 2039  
 Nakano, S., see Yamaguchi, K., 2077  
 Nakasuiji, K., see Morita, Y., 2199  
 Nakasuiji, K., see Morita, Y., 2219  
 Nakasuiji, K., see Morita, Y., 2209  
 Nakasuiji, K., see Morita, Y., 2205  
 Nakasuiji, K., see Morita, Y., 2215  
 Nakazawa, S., see Morita, Y., 2199  
 Nakazawa, S., see Morita, Y., 2209  
 Nakazawa, S., see Morita, Y., 2205  
 Nakazawa, S., see Morita, Y., 2215  
 Nakazawa, S., see Morita, Y., 2219  
 Nau, Q., see Jeftić, J., 2155  
 Nihei, M., Hoshino, N., Ito, T. and Oshio, H., Structures and magnetic properties of metal cubes, 2359  
 Nishida, S., see Morita, Y., 2209  
 Nishida, S., see Morita, Y., 2205  
 Nishide, H., see Michinobu, T., 1945  
 Nishijo, J., Miyazaki, A. and Enoki, T., Weak-ferromagnetism in molecular magnets based on transition metal complexes of crown thioether, 1755  
 Nishijo, J., see Miyazaki, A., 2227  
 Nogami, T., see Ichimura, T., 2557  
 Nogami, T., see Ishida, T., 2133  
 Nogami, T., see Kuroda-Sowa, T., 1795  
 North, J.M., see Hill, S., 1889  
 North, J.M., see Hill, S., 1897  
 Novais, H., see Alves, H., 2481  
 Novak, M.A., see Pereira, C.L.M., 2387  
 Novak, M.A., see Takeda, K., 2287  
 Novak, M.A., Vaz, M.G.F., Speziali, N.L., Costa, W.V. and Stumpf, H.O., Magnetic properties of an interlocked molecular magnet, 2391  
 Novoa, J.J., see Deumal, M., 2235  
 Novoa, J.J., see Deumal, M., 1935  
 Nuez, A., see Coronado, E., 2435  
 Ohba, M., Ohtsubo, N., Shiga, T., Sakamoto, M. and Okawa, H., Synthesis, structure and magnetic properties of a linear Cu(II)Cu(II)Gd(III) complex, 1905  
 Ohba, M., see Kumagai, H., 1917  
 Ohsaku, T., see Yamaguchi, K., 2077  
 Ohta, H., see Spitsina, N., 2009  
 Ohtsubo, N., see Ohba, M., 1905  
 Oka, Y., see Kumagai, H., 1917  
 Okabe, K., see Miyazaki, A., 2227  
 Okada, K., see Tanaka, K., 1803  
 Okawa, H., see Ohba, M., 1905  
 Ōkawa, H., see Kumagai, H., 1917  
 Okubo, S., see Spitsina, N., 2009  
 Okuno, T., Kuwamoto, K., Fujita, W., Awaga, K. and Nakanishi, W., Crystal structures and magnetic properties of (*m*- or *p*-MPYNN)<sub>2</sub>Ni<sup>II</sup>(tdas)<sub>2</sub>, 2311  
 Okuno, T., see Maruta, G., 1989  
 Omata, J., see Ishida, T., 2133  
 Omerzu, A., see Blundell, S.J., 1973  
 Onishi, T., Yamaki, D. and Yamaguchi, K., Theoretical studies on the electronic states of electron-doped copper oxides, 2191  
 Onuma, A., see Kaneko, T., 1845  
 Oshima, Y., see Spitsina, N., 2009  
 Oshio, H., see Nihei, M., 2359  
 Ostrovsky, S.M., see Dunbar, K.R., 2545  
 Ouahab, L., see Miyazaki, A., 2227  
 Ovcharenko, V.I., see Koreneva, O.V., 2487  
 Ovcharenko, V.I., see Tretyakov, E.V., 2499  
 Ovcharenko, V.I., see Tretyakov, E.V., 1965  
 Ovcharenko, V., see Fursova, E., 1957  
 Palacio, F., see Baskett, M., 2363  
 Palacio, F., see Campo, J., 2297  
 Palacio, F., see Gilbert, I., 2457  
 Palacio, F., see Luzón, J., 2301  
 Palii, A.V., see Borrás-Almenar, J.J., 2521  
 Palii, A.V., see Dunbar, K.R., 2545  
 Palii, A.V., Tsukerblat, B.S., Coronado, E., Clemente-Juan, J.M. and Borrás-Almenar, J.J., Orbitally dependent kinetic exchange in cobalt(II) pairs: origin of the magnetic anisotropy, 2537  
 Park, J.-H., see Culp, J.T., 2125

- Park, K., see Hill, S., 1889  
 Parsons, S., see Brechin, E.K., 1771  
 Pasán, J., Delgado, F.S., Rodríguez-Martín, Y., Hernández-Molina, M., Ruiz-Pérez, C., Sanchiz, J., Lloret, F. and Julve, M., Malonate-based copper(II) coordination compounds: ferromagnetic coupling controlled by dicarboxylates, 2143  
 Pasán, J., see Ruiz-Pérez, C., 2111  
 Pask, C.M., see Luzón, J., 2301  
 Paulsen, C., see Minguet, M., 2349  
 Pederson, M.R., see Kortus, J., 1871  
 Pedroso, E.F., see Pereira, C.L.M., 2387  
 Pena, G., see Landee, C.P., 2325  
 Pereira, C.L.M., Pedroso, E.F., Novak, M.A., Brandl, A.L., Knobel, M. and Stumpf, H.O., Cluster glass-like behavior in a 2D bimetallic molecule-based magnet, 2387  
 Pilia, L., see Deplano, P., 2175  
 Podgajny, R., see Korzeniak, T., 2183  
 Pratt, F.L., Blundell, S.J., Marshall, I.M., Lancaster, T., Lee, S.L., Drew, A., Divakar, U., Matsui, H. and Toyota, N.,  $\mu$ SR studies of magnetic superconductors based on the BETS molecule, 2307  
 Pratt, F.L., see Blundell, S.J., 1973  
 Price, D.J., Batten, S.R., Moubaraki, B. and Murray, K.S., Synthesis, structure and magnetism of  $\{[\text{Mn}(\mu\text{-OH})(\mu\text{-OAc})_2]\cdot\text{HOAc}\cdot\text{H}_2\text{O}\}_n$  and the facilitation of long-range magnetic order through hydrogen bonding, 2161  
 Qualls, J.S., see Bordallo, H.N., 2045  
 Rassat, A., see Takeda, K., 2287  
 Ratera, I., Ruiz-Molina, D., Sporer, C., Marcen, S., Montant, S., Létard, J.-F., Freysz, E., Rovira, C. and Veciana, J., Nonlinear optical properties of open-shell polychlorotriphenylmethyl radicals, 1851  
 Rawson, J.M., see Luzón, J., 2301  
 Remškar, M., see Jagličić, Z., 2293  
 Reu, O., see Coronado, E., 2527  
 Reu, O.S., see Klokishner, S.I., 2401  
 Rheingold, A.L., see Chakov, N.E., 1759  
 Rheingold, A.L., see Rumberger, E.M., 1865  
 Rheingold, A.L., see Sañudo, E.C., 2267  
 Rheingold, A.L., see Yang, E.-C., 1857  
 Rheingold, A.L., see Yang, E.-C., 1727  
 Ribas, X., Mas-Torrent, M., Rovira, C., Veciana, J., Dias, J.C., Alves, H., Lopes, E.B., Almeida, M. and Wurst, K., Molecular compounds based on DT-TTF and Au(cdc)<sub>2</sub> complex. Structural, magnetic and electrical properties, 2415  
 Ribas, X., see Dias, J.C., 2447  
 Righini, G., see Bauer, E.M., 2463  
 Robb, M.A., see Deumal, M., 2235  
 Robb, M.A., see Deumal, M., 1935  
 Robertson, N. and Tiwary, S., A new dithiolene complex magnet:  $[\text{Ni}(\text{Cp}^*\text{Rubdt})_2][\text{CF}_3\text{SO}_3]$ , 2339  
 Rodchanarowan, A., see Marshall, S.R., 2515  
 Rodríguez-Martín, Y., see Pasán, J., 2143  
 Rodríguez-Martín, Y., see Ruiz-Pérez, C., 2111  
 Romanenko, G., see Fursova, E., 1957  
 Romanenko, G.V., see Koreneva, O.V., 2487  
 Romanenko, G.V., see Tretyakov, E.V., 2499  
 Romanenko, G.V., see Tretyakov, E.V., 1965  
 Romero, F.M., see Coronado, E., 2375  
 Romero, F.M., see Coronado, E., 2435  
 Rovira, C., see Dias, J.C., 2447  
 Rovira, C., see Maspoch, D., 1929  
 Rovira, C., see Ratera, I., 1851  
 Rovira, C., see Ribas, X., 2415  
 Ruiz, D., see Soler, M., 1783  
 Ruiz-Molina, D., see Domingo, N., 2355  
 Ruiz-Molina, D., see Gerbier, P., 1951  
 Ruiz-Molina, D., see Maspoch, D., 1929  
 Ruiz-Molina, D., see Ratera, I., 1851  
 Ruiz-Pérez, C., Rodríguez-Martín, Y., Hernández-Molina, M., Delgado, F.S., Pasán, J., Sanchiz, J., Lloret, F. and Julve, M., Malonic acid: a multi-modal bridging ligand for new architectures and properties on molecule-based magnets, 2111  
 Ruiz-Pérez, C., see Pasán, J., 2143  
 Rumberger, E.M., Hill, S., Edwards, R.S., Wernsdorfer, W., Zakharov, L.N., Rheingold, A.L., Christou, G. and Hendrickson, D.N., Search for new iron single-molecule magnets, 1865  
 Sakamoto, M., see Ohba, M., 1905  
 Sala Pala, J., see Thétiot, F., 1837  
 Sánchez-Marín, J., see Suaud, N., 2331  
 Sanchiz, J., see Pasán, J., 2143  
 Sanchiz, J., see Ruiz-Pérez, C., 2111  
 Santos, I.C., see Alves, H., 2481  
 Santos, I.C., see Dias, J.C., 2447  
 Sañudo, E.C., Brechin, E.K., Boskovic, C., Wernsdorfer, W., Yoo, J., Yamaguchi, A., Concolino, T.R., Abboud, K.A., Rheingold, A.L., Ishimoto, H., Hendrickson, D.N. and Christou, G.,  $[\text{Mn}_{18}]^{2+}$  and  $[\text{Mn}_{21}]^{4+}$  single-molecule magnets, 2267  
 Sato, K., see Kaneda, C., 1809  
 Sato, K., see Kanzaki, Y., 1817  
 Sato, K., see Morita, Y., 2199  
 Sato, K., see Morita, Y., 2219  
 Sato, K., see Morita, Y., 2209  
 Sato, K., see Morita, Y., 2205  
 Sato, K., see Morita, Y., 2215  
 Sato, K., see Tanaka, K., 1803  
 Sato, K., see Yano, M., 2003  
 Schelter, E.J., see Dunbar, K.R., 2545  
 Schilling, J.S., see Hamlin, J.J., 2249  
 Scuiller, A., see Tiron, R., 2427  
 Serin, V., see Gilbert, I., 2457  
 Serpe, A., see Deplano, P., 2175  
 Setifi, F., see Miyazaki, A., 2227  
 Shiga, T., see Ohba, M., 1905  
 Shiomi, D., see Kaneda, C., 1809  
 Shiomi, D., see Kanzaki, Y., 1817  
 Shiomi, D., see Morita, Y., 2199  
 Shiomi, D., see Morita, Y., 2219  
 Shiomi, D., see Morita, Y., 2209  
 Shiomi, D., see Morita, Y., 2205  
 Shiomi, D., see Morita, Y., 2215  
 Shiomi, D., see Tanaka, K., 1803  
 Shiomi, D., see Yano, M., 2003  
 Shoji, M., Taniguchi, T., Kawakami, T. and Yamaguchi, K., Hybrid density-functional theory studies on stable polycarbones, 2067  
 Shultz, D.A., The donor-acceptor contributions to ferromagnetic exchange coupling in heterospin biradicals, 2423  
 Shvedenkov, Y.G., see Koreneva, O.V., 2487  
 Shvedenkov, Y.G., see Tretyakov, E.V., 2499  
 Sieklucka, B., see Korzeniak, T., 2183  
 Simão, D., see Alves, H., 2481  
 Snoeck, E., see Gilbert, I., 2457  
 Soler, M., see Brechin, E.K., 1771  
 Soler, M., Wernsdorfer, W., Abboud, K.A., Hendrickson, D.N. and Christou, G., Single-molecule magnetism behavior of  $[\text{Mn}_{12}\text{O}_{12}(\text{O}_2\text{CR})_{16}(\text{H}_2\text{O})_4]^{2-}$  salts, 1777  
 Soler, M., Wernsdorfer, W., Sun, Z., Ruiz, D., Huffman, J.C., Hendrickson, D.N. and Christou, G., New example of Jahn-Teller isomerism in  $[\text{Mn}_{12}\text{O}_{12}(\text{O}_2\text{CR})_{16}(\text{H}_2\text{O})_4]$  complexes, 1783  
 Speziali, N.L., see Novak, M.A., 2391  
 Spitsina, N., Demishev, S., Ohta, H., Okubo, S., Oshima, Y. and Weckhuysen, L., Magnetic properties of the fullerene organic

- compounds in strong magnetic fields, 2009  
 Sporer, C., see Ratera, I., 1851  
 Steer, C.A., see Blundell, S.J., 1973  
 Stevens, J.E., Brook, D.J.R. and Abeyta, V.W., Free radical complexes of copper(I): geometry and ground state, 2241  
 Stoeckli-Evans, H., see Coronado, E., 2435  
 Stumpf, H.O., see Novak, M.A., 2391  
 Stumpf, H.O., see Pereira, C.L.M., 2387  
 Suau, N., Gaita-Ariño, A., Clemente-Juan, J.M., Sánchez-Marín, J. and Coronado, E., Ab initio calculations of the transfer parameters and coulombic repulsion and estimation of their effects on the electron delocalization and magnetic coupling in mixed-valence Keggin polyoxotungstates, 2331  
 Sugano, T., Blundell, S.J., Hayes, W. and Day, P., Magnetism in organic radical ion salts based on nitronyl nitroxide derivatives substituted with heterocyclic aromatic hydrocarbons, 2343  
 Sugano, T., see Blundell, S.J., 1973  
 Süllow, S., see Wolter, A.U.B., 2273  
 Süllow, S., see Wolter, A.U.B., 2139  
 Sun, Z., see Soler, M., 1783  
 Suwa, Y., see Arita, R., 1883  
 Suzuki, S., see Morita, Y., 2199  
 Suzuki, S., see Morita, Y., 2215
- Takeda, K., Mito, M., Kinoshita, K., Novak, M.A., Tholence, J.L. and Rassat, A., Pressure effects of a genuine organic crystalline ferromagnet dupeyredioxyl, 2287  
 Takeda, K., see Mukai, K., 2091  
 Takeda, R., see Yamaguchi, K., 2077  
 Takeda, R., see Yamanaka, S., 2013  
 Takeda, S., see Ishiyama, H., 1981  
 Takeda, S., see Maruta, G., 1989  
 Takeda, S., see Morii, K., 1995  
 Takui, T., see Kaneda, C., 1809  
 Takui, T., see Kanzaki, Y., 1817  
 Takui, T., see Morita, Y., 2199  
 Takui, T., see Morita, Y., 2219  
 Takui, T., see Morita, Y., 2209  
 Takui, T., see Morita, Y., 2205  
 Takui, T., see Morita, Y., 2215  
 Takui, T., see Tanaka, K., 1803  
 Takui, T., see Yano, M., 2003  
 Talham, D.R., see Culp, J.T., 2125  
 Tamaki, K., see Morita, Y., 2199  
 Tanaka, K., Kozaki, M., Shiomi, D., Sato, K., Takui, T. and Okada, K., Synthesis and magnetic properties of an iminonitroxide-substituted phenolate-Cu complex, 1803  
 Tanaka, K., see Ito, A., 1829  
 Tanaka, S., see Mukai, K., 2091  
 Taniguchi, T., Nakano, S., Kawakami, T. and Yamaguchi, K., Theoretical study on pure organomagnetic conductors with model clusters, 2039  
 Taniguchi, T., see Kawakami, T., 2051  
 Taniguchi, T., see Shoji, M., 2067  
 Taniguchi, T., see Yamaguchi, K., 2077  
 Taratiel, D., Cabrero, J., de Graaf, C. and Caballol, R., Magnetic coupling in oxalato-bridged hetero-bimetallic compounds: an ab initio study, 2409  
 Tatsumi, M., see Yano, M., 2003  
 Tejada, J., see Domingo, N., 2355  
 Teraguchi, M., see Kaneko, T., 1845  
 Thétiot, F., Triki, S. and Sala Pala, J., Polynitriles as ligands: new coordination polymers with the 1,1,3,3-tetracyano-2-ethoxypropene ( $\text{tcnp}^-$ ) bridging ligand, 1837  
 Tholence, J.L., see Takeda, K., 2287  
 Tiron, R., Wernsdorfer, W., Tuyeras, F., Scuiller, A., Marvaud, V. and Verdaguera, M., Hexacyanometalate molecular chemistry: trinuclear CrNi<sub>2</sub> complexes; micro-SQUID magnetisation studies of intermolecular interactions, 2427  
 Tiwary, S., see Robertson, N., 2339  
 Toita, T., see Miyazaki, A., 2227  
 Tomita, T., see Hamlin, J.J., 2249  
 Toyota, N., see Pratt, F.L., 2307  
 Tretyakov, E.V., Eltsov, I.V., Fokin, S.V., Shvedenkov, Y.G., Romanenko, G.V. and Ovcharenko, V.I., Synthesis of 2-iminonitroxide-substituted phenols and pyridine-3-oles. Copper(II) complexes with imino nitroxides containing 2-hydroxyphenyl substituents, 2499  
 Tretyakov, E.V., Fokin, S.V., Romanenko, G.V. and Ovcharenko, V.I., Nitronyl nitroxides containing tetrazole substituents and metal complexes with spin-labeled tetrazole, 1965  
 Triki, S., see Thétiot, F., 1837  
 Trogu, E.F., see Deplano, P., 2175  
 Trontelj, Z., see Jagličić, Z., 2293  
 Tsukerblat, B., see Coronado, E., 2527  
 Tsukerblat, B.S., see Borrás-Almenar, J.J., 2521  
 Tsukerblat, B.S., see Dunbar, K.R., 2545  
 Tsukerblat, B.S., see Palii, A.V., 2537  
 Turnbull, M.M., see Deumal, M., 2235  
 Turnbull, M.M., see Landee, C.P., 2325  
 Tuyeras, F., see Tiron, R., 2427  
 Tyree, W.S., see Hamlin, J.J., 2249
- Urabe, M., see Ito, A., 1829
- Varret, F., see Jeftić, J., 2155  
 Varret, F., see Linares, J., 2453  
 Vaz, M.G.F., see Novak, M.A., 2391  
 Veciana, J., see Dias, J.C., 2447  
 Veciana, J., see Domingo, N., 2355  
 Veciana, J., see Gerbier, P., 1951  
 Veciana, J., see Maspoch, D., 1929  
 Veciana, J., see Minguet, M., 2349  
 Veciana, J., see Ratera, I., 1851  
 Veciana, J., see Ribas, X., 2415  
 Verdaguera, M., see Tiron, R., 2427  
 Visser, D., see Carling, S.G., 2317
- Waerenborgh, J.C., see Alves, H., 2481  
 Waluk, J., see Minguet, M., 2349  
 Wasiutynski, T., see Korzeniak, T., 2183  
 Weckhuysen, L., see Spitsina, N., 2009  
 Wernsdorfer, W., see Brechin, E.K., 1771  
 Wernsdorfer, W., see Rumberger, E.M., 1865  
 Wernsdorfer, W., see Sañudo, E.C., 2267  
 Wernsdorfer, W., see Soler, M., 1783  
 Wernsdorfer, W., see Soler, M., 1777  
 Wernsdorfer, W., see Tiron, R., 2427  
 Wernsdorfer, W., see Yang, E.-C., 1857  
 Wernsdorfer, W., see Yang, E.-C., 1727  
 Willett, R.D., see Landee, C.P., 2325  
 Wolter, A.U.B., Klauss, H.-H., Litterst, F.J., Burghardt, T., Eichler, A., Feyerherm, R. and Süllow, S., A pressure study of the antiferromagnetic phase of  $\text{FePM}_2\text{Cl}_2$  ( $\text{PM}$  = pyrimidine), 2139  
 Wolter, A.U.B., Wzietek, P., Litterst, F.J., Süllow, S., Jérôme, D., Feyerherm, R. and Klauss, H.-H.,  $^{13}\text{C}$  NMR on the  $S = 1/2$  antiferromagnetically coupled spin chain compound  $[\text{PM} \cdot \text{Cu}(\text{NO}_3)_2 \cdot (\text{H}_2\text{O})_2]_n$  ( $\text{PM}$  = pyrimidine), 2273  
 Wurst, K., see Gerbier, P., 1951  
 Wurst, K., see Maspoch, D., 1929  
 Wurst, K., see Ribas, X., 2415  
 Wzietek, P., see Wolter, A.U.B., 2273
- Yamada, J., see Miyazaki, A., 2227  
 Yamaguchi, A., see Maruta, G., 1989

- Yamaguchi, A., see Sañudo, E.C., 2267  
Yamaguchi, K., Kawakami, T., Taniguchi, T., Nakano, S., Kitagawa, Y., Nagao, H., Ohsaku, T. and Takeda, R., Theoretical studies of molecule-based magnetic conductors, 2077  
Yamaguchi, K., see Kawakami, T., 2051  
Yamaguchi, K., see Kitagawa, Y., 2019  
Yamaguchi, K., see Nakano, S., 2027  
Yamaguchi, K., see Onishi, T., 2191  
Yamaguchi, K., see Shoji, M., 2067  
Yamaguchi, K., see Taniguchi, T., 2039  
Yamaguchi, K., see Yamanaka, S., 2013  
Yamaki, D., see Onishi, T., 2191  
Yamamoto, K., see Morita, Y., 2199  
Yamanaka, S., Takeda, R. and Yamaguchi, K., Density functional study of tetrahedral manganese clusters, 2013  
Yamashita, M., see Kuroda-Sowa, T., 1795  
Yanagimoto, M., see Mukai, K., 2091  
Yang, E.-C., Harden, N., Wernsdorfer, W., Zakharov, L., Brechin, E.K., Rheingold, A.L., Christou, G. and Hendrickson, D.N., Mn<sub>4</sub> single-molecule magnets with a planar diamond core and  $S = 9$ , 1857  
Yang, E.-C., Wernsdorfer, W., Hill, S., Edwards, R.S., Nakano, M., Maccagnano, S., Zakharov, L.N., Rheingold, A.L., Christou, G. and Hendrickson, D.N., Exchange bias in Ni<sub>4</sub> single-molecule magnets, 1727  
Yano, M., Aoyama, K., Ishida, Y., Tatsumi, M., Sato, K., Shiomi, D. and Takui, T., Organic high-spin and mixed-valence systems; synthesis, electrochemical and spectroscopic studies of asymmetric and symmetric tetraaryl-*m*-phenylenediamines, 2003  
Yao, M., Kamishiro, M., Inoue, H. and Yoshioka, N., Synthesis and physicochemical properties of some 5,15-diarylporphyrin derivatives, 2281  
Yee, G.T., see Hamlin, J.J., 2249  
Yoo, J., see Sañudo, E.C., 2267  
Yoshioka, N., see Nagashima, H., 1823  
Yoshioka, N., see Yao, M., 2281  
Zakharov, L.N., see Chakov, N.E., 1759  
Zakharov, L.N., see Rumberger, E.M., 1865  
Zakharov, L.N., see Yang, E.-C., 1727  
Zakharov, L., see Yang, E.-C., 1857  
Zoppellaro, G., Ivanova, A., Enkelmann, V., Geies, A. and Baumgarten, M., Synthesis, magnetic properties and theoretical calculations of novel nitronyl nitroxide and imino nitroxide diradicals grafted on terpyridine moiety, 2099