- Acoustic modes, longitudinal, of polytetratluoroethylene copolymers and oligomers, 1258
- Acoustic studies of heterophase systems: styrene-butadiene-styrene, 919 Acoustic vibrations, longitudinal, in poly-
- ethers and polythioethers, 573 Adhesive, anionically prepared flexible:
- 4. Acrylonitrile modified ad hesive, 514 Adhesive, epoxide, an aliphatic amine cure rubber modified: 1. Preparation and prelininary evaluation using a room temperature cure, 945, 2. Further
- evaluation, 951 Adhesive properties of ABA poly(styreneb-isoprene) block copolymers, 587
- Adsorption of polymers at the solid—liquid interface: a comparison of the e.p.r. and i.r. techniques, 500
- Alkali refining, cold, of cellulosic pulps derived from Egyptian cotton and bagasse, 315
- Amorphous polymers, enthalpy relaxation in, 413
- Anionic polymerization of ethylene oxide with cryptates as counterions, 1047
- Anionically prepared flexible adhesive: 4. Acrylonitrile modified adhesive, 514
- Anisotropy, optical, of a worm-like chain and its application to the determination of the persistence length in an aromatic polyamide, 262
- Annealing of solution-grown single crystals of ethylene-butadiene copolymers, 887
- Antitumour and toxicologic properties of related polyanions, a comparative study, 461
- Apparatus for the manipulation of polymer supported reagents, 1291
- Axial arrangement of α -chains in the collagen molecule: intramolecular polar and apolar interactions, 1091
- Benzoyloxy radical, effect of pressure upon the dissociation, 749
- Bioadhesion, a surface energy analysis, 475 Biodegradation of poly(3-methoxy-4-
- hydroxy styrene), 759 Block polymers from poly(ethylene oxide) and styrene, 286
- Butadiene-styrene copolymers, ¹³C n.m.r. studies. A revised assignment, 310
- Case II transport of methanol in thin sheets of PMMA, discontinuous shape changes associated, 1195
- Catalytic activity of metal compounds in the thermal decomposition of ethylene dibenzoate, 1295
- Cellulose, the solution and regeneration of using novel solvent systems, 203
- Cellulosic pulps, derived from Egyptian cotton and bagasse, cold alkali refining, 315
- Chain branching in high pressure polymerized polyethylene, 1005

- Chain extension, a possible mechanism of in nylon-6 during crystallization under pressure, 63
- Chain flexibility of poly(phenyl thiolmethacrylate), 639
- Chain length and branching, effect of on the interaction energies of polymer molecules, 201
- Characterization of helical sense by infrared measurement, 1288
- Chromium coordinated polyamides, structural memory in, 564
- Cinnamylideneacetic acid and its derivatives, a study on phenoxy-resin esters of, 81
- Circular dichroism of poly(β -benzyl-Laspartate) films in the α , β , and ω con-
- formations, 111 Composite membrane system, unusual
- thermal energy transduction by means of, 206
- Composites, carbon fibre, bonding of with an epoxide-isoprene copolymer, 76
- Concentration and temperature effect on the partial specific volume of a polystyrene sample in *trans*-decalin, 1289
- Conductivities of poly(N-vinyl carbazoles) containing cation-radicals, 781
- Collagen gels, modulus jump and degradation: dependence on concentration and pH, 467
- Collagen molecule, axial arrangement of α chains: intramolecular polar and apolar interactions, 1091
- Collagen, tensile forces induced in by means of electromechanochemical transductive coupling, 435
- Condensation polymerization, rate of for monomers having reactivities different from their polymers, 851
- Conjugates, soluble polymer-protein: 1. Reactive N-(sym-trinitroaryl) polyacrylamide/acrylhydrazide copolymers and derived carbonic anhydrase conjugates, 319
- Copolymer, ABC triblock, styrene/butadiene/2-vinylpyridine and its hydrochloride salt, some optical and mechanical properties, 859
- Copolymer (β-benzyl D- and L-aspartate), infra-red spectra obtained by the polymerization of the N-carboxylic anhydride, 95
- Copolymer, divinyl ether-maleic anhydride 1: 2, a quantitative evaluation of the structure and properties of the methyl ester, 452
- Copolymer, epoxide-isoprene, bonding of carbon fibre composites with, 76
- Copolymer, methyl methacrylate-acrylonitrile (MA1), dilute solution properties, 878
- Copolymer, polystyrene-polybutadiene block, of high polystyrene content, oriented macrolattice in, 960
- Copolymer styrene-methyl methacrylate, temperature influence on the excess interaction parameter, 32
- Copolymers, ABA poly(styrene-b-butadiene), effect of casting solvents on certain physical properties, 49
- Copolymers, ABA poly(styrene-b-isoprene) block, adhesive properties of, 587

- Copolymers, alternating styrene/acrylonitrile, 1157
- Copolymers, alternating of styrene and Nsubstituted maleimides, n.m.r. relaxation studies of molecular motion in, 786
- Copolymers, block, prepared by an anion to free radical transformation process: 1. Kinetics and efficiency of initiation of polyisoprene-lead trimethyl, 1292
- Copolymers, butadiene-isoprene, monomer units distribution, 1196
- Copolymers, isotactic propylene/butene-1, properties of solution grown crystals, 42
- Copolymer, cellulose tricarbanilatepolystyrene, produced by radiation grafting, examination, 521
- Copolymers cellulose tricarbanilate-polystyrene graft, an investigation of the thermal properties, 531
- Copolymers, ethylene-butadiene, annealing of solution-grown single crystals, 887
- Copolymers, isotactic propylene/butene-1, effect of thermal treatment on solutiongrown crystals, 891
- Copolymers, Monte Carlo simulation of copolymerization and compositional inhomogeneity: comparison to experimental data, 705
- Copolymers, new block, structural and mechanical properties of biomedical use, 387
- Copolymers, polystyrene-poly(ethylene oxide) graft, synthesis and characterization, 1253
- Copolymers, poly(tetramethyl-p-silphenylenesiloxane) and (tetramethyl-p-silphenylenesiloxane)-(dimethyl siloxane), crystallinity, 1152
- Copolymers, SAN, molecular weight: values of the constants for viscometric determination, 959
- Copolymers, styrene-butadiene block, ultrasonic studies of solutions, 577
- Copolymer systems, thermodynamics of melting of pseudoeutectic linear, 685
- Copolymerization of benzonitrile and propylene oxide initiated by n-butyllithium, 308
- Copolymerization, kinetics of: 1. Dilatometric investigation of the copolymerizations of benzyl methacrylate, styrene
- and methyl methacrylate, 963 Crack propagation, stability of in epoxy resins, 1075
- Craze shape and fracture, temperature dependence of in poly(methyl methacrylate), 87
- Critical chain length for the formation of the α -helix in the solid state: synthesis and conformation of sequential oligopeptides and polypeptide having Lleucyl-L-leucylglycine sequence, 755
- Crosslinking of polypeptides, in situ, 449 Crystalline structures, published, of poly (tetramethylene terephthalate), a comparison, 825
- Crystallinity and fusion of low molecular weight poly(ethylene oxide): effect of end-group, 852
- Crystallinity of poly(tetramethyl-p-silphenylenesiloxane) and (tetramethyl-psilphenylenesiloxane) –(dimethyl siloxane) copolymers, 1152

- Crystallization of α, ω -ethoxy-poly(ethylene oxide), 93
- Crystallization kinetics of poly(ethylene oxide) diluted with xylene, 1095
- Crystallization kinetics of poly(hexamethylene oxide), effect of molecular weight, 1100
- Crystallization kinetics of poly(vinylidene fluoride), 1240
- Crystallization, oriented overgrowth, on needle shaped polyoxymethylene single crystals from molten polymers, 265
- Crystallization phenomena in some polyester-urethanes, 155
- Crystallization in poly(dimethyl siloxane) networks formed by γ -irradiation, 97
- Crystallization of running filament in melt spinning of polypropylene, 913 Crystals, polymer, mosaic blocks in-the
- concept of paracrystallinity, 743 Crystals, solution grown of isotactic propy-
- lene/butene-1 copolymers, properties, 42 Cure temperature, effect of on urethane networks, 777
- Deformation of linear flexible chain fluid polymers, ultimate regimes, 1275
- Degradation, mechanical, of polymers: the limiting degree of polymerization, 741 Degradation methods, determination of
- epoxy groups in natural rubber, 607 Degradation of poly(methyl methacrylate)
- by flash irradiation, 1063 Degradation, thermal, of bridged polyaro-
- matic sulphides investigated by direct pryolysis in the mass spectrometer, 1149
- Dielectric and dynamic Kerr effect studies of poly(n-butyl isocyanate) and poly(noctyl isocyanate) in solution, 540
- Diffusion and nuclear magnetic relaxation in concentrated polystyrene solutions, 255
- Diffusion of polystyrene in tetrahydrofuran, 835
- Diffusion and relaxation in glassy polymer powders: 1. Fickian diffusion of vinyl chloride in poly(vinyl chloride), 697
- Discontinuous shape changes associated with Case II transport of methanol in thin sheets of PMMA, 1195
- Dissolution of polypropylene in organic solvents: 3. Effect of molecular weight of polymer, 547
- DRDF study of liquid crystalline poly (ethylene terephathalate) and phydroxybenzoic acid copolyester, 1085
- Dynamics of polymer molecules: a comparison of strongly coupled correlated (internal viscosity) and non-correlated (local mode) models for molecular weight independent conformational relaxation, 505
- Elastomers, thermoplastic polyurethane, based on aliphatic diisocyanates: thermal transitions, 197
- Electric birefringence of sodium poly(Lglutamate) in water/organic solvent mixtures, 969
- Electric conductivity, changes in during the process of methyl methacrylate polymerization, 409
- Electric field birefringence cell, simple, 554 Electrochemical initiation in methyl
- methacrylate-natural rubber latex systems, 100
- Electromechanochemical transductive coupling, tensile forces induced in collagen by means of, 435

- E.p.r. and i.r. techniques, a comparison adsorption of polymers at the solidliquid interface, 500
- E.s.r. studies of peroxy radicals in polyethylene: 1. Temperature dependence of spectra and molecular motion of radical sites, 567. 2. Peroxy radicals in urea-polyethylene complexes, 1143
- E.s.r. studies on oxidation processes in irradiated polyethylene: 1. Diffusion of oxygen into amorphous part at low temperatures, 151
- E.s.r. studies of spin-labelled synthetic polymers: 13. Lithiation of copolymers of chloro-and bromostyrenes, 930
- Electro-optic decays, relation between the initial slope and the moments of the distribution of size, 1235
- Emulsion polymerization, gel permeation chromatography of crosslinked particles prepared by, 526
- Enthalpy relaxation in amorphous polymers, 413
- Excluded volume theories: fifth-power type equations, 275

F.i.r. absorption frequencies of polyethylene, calculation of using a proved semiempirical potential function, 341

- Fibrillar structure of ultra-oriented polyethylene, 967
- Flash method, thermal diffusivity of polymers, 129
- Fluorescence and photooxidation of commercial polypropylene, 968
- Fourier transform infra-red study of polypropylene, 1169
- Fracture morphology in notched tension, influence of the molecular weight of poly(methyl methacrylate), 391

Free radicals trapped in polyethylene matrix: 1. Location of the alkyl radicals in irradiated polyethylene, 19. 2. Decay in single crystals and diffusion, 25

- Gel permeation chromatography of crosslinked particles prepared by emulsion polymerization, 526
- G.p.c., high performance, with crosslinked polystyrene gels: influence of particle size distribution, 1179

Gel permeation chromatography of polymers, estimation of thermodynamic quality of the solvent from the concentration effect, 897

Gel permeation chromatography, preferential solvation of solvent (1)/polymer (2)/polymer (3) ternary systems by, 1296

Gelation properties of partial benzoylated isotactic polystyrene and its implications to the gel structure of isotactic polystyrene, 883

- Glass fibre reinforced polypropylene, injection moulded discs. Structure and mechanical properties, 1269
- Glass transition and cold crystallization in 'even' and 'odd' ω-amino-acid polyamides, 551
- Glass transition temperatures of ionic polymers, role of electrostatic forces, 817
- Glass transition temperature of nylon-6, variation with changing water content, 742
- Glassy polymer powders, diffusion and relaxation in: 1. Fickian diffusion of vinyl chloride in poly(vinyl chloride), 697
- Glassy polystyrene microspheres, effect of prior sample history on n-hexane sorption in glassy polystyrene microspheres, 1105

- Haloaldehyde polyers: 11. Polybromal, 1051
- Helical sense, characterization of by infrared measurement, 1280
- Heterophase systems: styrene-butadienestyrene, acoustic studies, 919
- n-Hexane sorption in glassy polystyrene microspheres, effect of particle size on the mechanism controlling, 793

Infra-red analysis of poly(vinylidene fluoride) thermoelectrets, 278

- Infra-red and Raman spectra of poly(mmethylene terephthalate) polymers, 327
- Infra-red spectra of the copolymer (β -benzyl D- and L-aspartate) obtained by the polymerization of the N-carboxylic anhydride, 95
- Injection moulded discs of glass fibre reinforced polypropylene, structure and mechanical properties, 1269
- Injection moulding pressures, high, influence of on the engineering properties of linear polyethylene, 1068
- Inner salt polymers, preparation of from vinylimidazolium sulphobetaines, 1058
- Interaction energy parameter determination, comparative studies on the use of gas chromatographic and vapour pressure techniques, 810
- Intramolecular changes during polymorphic transformations of amy lose, 489
- Intrinsic viscosity and friction coefficient of polymers in solution, 636

Ionic polymers, role of electrostatic forces, in the glass transition temperatures, 817 Isomeric structures in polyisoprenes, distribution, 580

Kinetics of copolymerization: 1. Dilatometric investigation of the copolymerizations of benzyl methacrylate, styrene and methyl methacrylate, 963

Kinetics of the thermal oxidation of poly(4methyl-1-pentene) from volatile products using thermogravimetric analysis, 807

Laser-Raman spectrum of helical syndiotactic polypropylene, 681

- Macromolecular complexes, simulation and display, 431
- Melting behaviour and crystalline, intermediate and amorphous phase in poly (ethylene terephthalate) fibres, 856
- Melting behaviour of stress crystallized high density polyethylene, 204
- Membranes consisting of hydrophilic domains in a hydrophobic matrix, porosity, 831
- Membranes, shell, of the domesticated fowl (gallus/gallus (L)), a dynamic characterization via relaxation techniques, 1213
- Methyl- α -cyanoacrylate, polymerization: 3. Study of radical polymerization by differential scanning calorimetry, 73
- Methyl methacrylate-natural rubber latex systems, electrochemical initiation, 100
- Methyl methacrylate polymerization, changes in electric conductivity during the process, 409
- Microcalorimetry, flow, on dilute polymer solutions, 55
- Miscibility, partial, in the system poly(*para*chlorostyrene-co-*ortho*-chlorostyrene)/ poly(2,6-dimethyl-1,4-phenylene oxide), 1022

- Modulus jump and degradation of collagen gels: dependence on concentration and pH, 467
- Molecular clustering in mixtures of polyethylene and deuterated polyethylene, small-angle neutron scattering studies,1111
- Molecular motion in polymer melts: 1. Description by components and n.m.r. relaxation behaviour, 233. 2. Interpretation of relaxation data of poly(ethylene oxide), 239
- Molecular weight characterization of poly(vinyl chloride): reference materials and universal calibration, 408
- Molecular weight, distribution of polymers, correlations, 750
- Molecular weight of SAN copolymers: values of the constants for viscometric determination, 959
- Monomer units distribution in butadieneisoprene copolymers, 1196
- Monte Carlo simulation of copolymerization and compositional inhomogeneity of copolymers: comparison to experimental data, 705
- Monte Carlo simulation of terpolymerization, 925
- Morphology and stress-strain properties of the three block copolymers, correlation between: 2. The hardening effect of the second deformation, 191
- Morphology studies of one-way drawn poly(ethylene terephthalate) films by X-ray diffraction, 1219
- Mosaic blocks in polymer crystals-the concept of paracrystallinity, 743
- Mucopolysaccharides with chymotrypsin, interaction, 483
- Natural rubber, determination of epoxy groups by degradation methods, 607

Natural rubber vulcanizates, effect of vulcanization temperature and vulcanization systems on the structure and properties, 1243

- Network of γ -irradiated poly(vinyl alcohol) beads, 1227
- Network polymers, heterogeneous: 7. Cholesteric liquid crystal structure of poly(glutamic acid) fixed by crosslinking, 1041
- Network properties: 3. A pulsed n.m.r. study of molecular motions in some ABcrosslinked polymers, 244
- Networks, poly(dimethyl siloxane) formed by γ -irradiation, crystallization, 97
- Networks, semicrystalline polymeric, tear propagation resistance, 403
- Networks, urethane, effect of cure temperature on, 777
- N.m.r., broadline, a study of molecular motion in polycarbonate by, 557 N.m.r., ¹³C, determination of units formed
- N.m.r., ¹³C, determination of units formed by irregular addition in polyisoprene, 871
- 871 N.m.r., ¹³C-¹H, determination of the microstructure of poly(butene-1), 119
- microstructure of poly(butene-1), 1193 N.m.r., ¹³C, spectroscopy, characterization of urea-formaldehyde adducts and resins, 971
- N.m.r. spectroscopy, ¹³C, detection of end-groups and estimation of molecular weights of polyiminoalkenes, 345 N.m.r., ¹³C, studies of butadiene-styrene
- N.m.r., ¹U, studies of butadiene-styrene copolymers. A revised assignment, 310 N.m.r., ¹H, measurements on aqueous solu-
- N.m.r., ¹H, measurements on aqueous solutions of poly(methacrylic acid), 1185

N.m.r. relaxation studies of molecular motion in alternating copolymers of styrene and N-substituted maleimides, 786

Nucleic acids, vinyl polymer analogues, 425

- Nucleophilic substitution onto poly(methyl methacrylate): 3. Compositional homogeneity of the substituted polymethacrylates, 937
- Nylon-6, a possible mechanism of chain extension in during crystallization under pressure, 63
- Nylon-6, variation of the glass transition temperature of with changing water content, 742
- Oligomers, cyclic, from ethylene glycoladipic acid polycondensation, 305
- Oligomers, ethylene oxide and propylene oxide mixing: 1. Enthalpy and volume changes, 164. 2. Phase separation, 171
- Oligopeptide antibiotic distamycin A and its interactions with duplex DNA, 495 Orientation behaviour, molecular, of un-
- iaxially stretched poly(vinyl chloride) film: 1. Birefringence: effect of plasticizers and draw ratio above and below T_g , 137. 2. The fourth moment of molecular orientation measured by the polarized fluorescence method, 143. 3. Effect of molecular orientation on anisotropy of Young's modulus in uniaxially stretched poly(vinyl chloride) film, 801
- Orientation effects on a high *cis*-1,4-polybutadiene induced by shear rate in a capillary rheometer, 92
- Orientation, thermodynamically controlled crystal, in stressed polymers: 1. Effects of strain energy of crystals embedded in an uncrosslinked amorphous matrix and hydrodynamic potential, 1015
- Oriented macrolattice in a polystyrenepolybutadiene block copolymer of high polystyrene content, 960
- Oxidative polymerization of 1-naphthol using Cu^{I} -pyridine catalyst, effect of reaction variable, 1081

Partial chain coupling of anionically prepared polymers by air termination, 306

- Particle dimensions in polystyrene/polyethylene blends as a function of their melt viscosity and of the concentration of added graft copolymer, 69
- Pentaerythritol tetracinnamate, structure and solid state photopolymerization, 161 Peptide mixtures, *cis/trans*, the existence of
- in poly(N-methylglycine), 107 Phase separation of the poly(ethylene glycol)-water-salt systems, 1027
- Phenoxy-resin esters of cinnamylideneacetic acid and its derivatives, a study, 81
- Phosphonitrilic chloride: 36. Electrical conductivity of dichlorocyclophosphazene trimer and dichlorophosphazene polymer, 351. 37. Reaction of 1,1diamino-3,3,5,5-tetrakis (2,2,2-trifluoroethoxy) cyclotriphosphaze with organosilanes, 1045
- Photoactive polymers containing vanadium: 1. Preparation, characterization and photoreactions, 375. 2. Kinetics of photodecomposition, 381
- Photoconduction of aliphatic polyrhodanines, 601
- Photodegradation, effect of on the rate of spherulitic growth of poly(ethylene glycol adipate), 198

- Photolysis, flash, investigation on primary processes of the sensitized polymerization of vinyl monomers: 2. Experiments with benzoin derivatives, 1163
- Photon correlation spectroscopy, measurement of the intramolecular fluctuations of random coil polymers, 10
- Photo-oxidation of polypropylene, nature of the initiatuin process, 98
- Plastic fracture of polystyrene, 745
- Poly(acryloyl morpholine)/carbonic anhydrase conjugates, expanded, with catalytic activity in aqueous—organic media, synthesis and properties, 1203
- Poly(N-acryloy1-L-propyl morphine): a g.p.c. packing exhibiting novel temperature dependence in solute distribution coefficients, 1208
- Poly(S-alky1-L-cysteines) containing long aliphatic side chains, 854
- Poly(alkyl itaconates): 4. Glass and subglass transitions in the di-alkyl ester series, methyl to hexyl, 612
- Poly(alkyl methacrylates), ultrasonic studies, 324
- Polyamides aromatic, characterization and conformation of poly(1,4-phenylene terephthalamide) and poly(p-benzamide) in sulphuric acid, 591
- Polyamides chromium coordinated, structural memory in, 564
- Polyamides, crystallization of under elevated pressure: 3. The morphology and structure of pressure-crystallized nylon-6 (polycapramide), 647. 4. Annealing of nylon-6 (polycapramide) under pressure, 654. 5. Pressure-induced crystallization from the melt and annealing of folded-chain crystals of nylon-11, poly (aminoudecaneamide) under pressure, 660. 6. Pressure-induced crystallization from the melt and annealing of foldedchain crystals of nylon-12, polylaurolactam under pressure, 667
- Polyamides dissolved in mixed solvents (cosolvents), viscosity studies, 121
- Poly{2,2 bis[4(p-aminophenoxy) phenyl] propane-terephthalic acid}, synthesis, 411
- Polyanions, related, a comparative study of antitumour and toxicologic properties, 461
- Polyaromatic sulphides, bridged, thermal degradation investigated by direct pvrolysis in the mass spectrometer, 1149
- Poly(arylene ether sulphones) by polyetherification: 1. Synthesis of halogenophenols, 354. 2. Polycondensations, 359. 3. Molecular weight, molecular weight distribution and the possibility of chain branching, 365. 4. Physical properties in relation to molecular structure, 369
- Poly(β -benzyl-L-aspartate) films in the α , β and ω conformations, circular dichroism, 111
- Poly(benzyl methacrylate), dilute solution properties of, 114
- cis-1,4-Polybutadiene, high, orientation effects induced by shear rate in a capillary rheometer, 92
- capillary rheometer, 92 Poly(butene-1), ¹³C-¹H n.m.r. determination of the microstructure, 1193
- Poly(N-t-butyl acrylamide) and absorbed heavy water, H→D exchange between, 185
- Polycarbonate, a study of molecular motion in by broad line nuclear magnetic resonance, 557
- Poly(2-chlorophenyl methacrylate), solution properties and chain flexibility, 200

- Polychlorotrifluoroethylene, tensile deformation of in He, N₂, Ar, O₂ and CO₂ environments, 298
- Polycondensation of N-acetyl-D-glucosamine and structure of poly(N-acetyl-Dglucosamine), 291
- Poly(L-β-3,4-dihydroxyphenyl-L-alanine), synthesis and conformational study, 979
- Poly(dimethyl siloxane), chemically crosslinked, effect of γ -irradiation, 1191
- Poly(dimethyl siloxane), multiple hypersonic relaxations and the α -transition, 862
- Poly(dimethyl siloxanes), studies of cyclic and linear: 1. Limiting viscosity numbermolecular weight relationship, 1265
- Polyestereamide GNT6: polycondensation kinetics, d.s.c. and n.m.r. studies of thermally treated samples, 269
- Polyethers and polythioethers, longitudinal acoustic vibrations in, 573
- Polyethylene, calculation of the f.i.r. absorption frequencies of using a proved semiempirical potential function, 341
- Polyethylene, crystalline, swollen by oligomers of various molecular weights, Raman scattering from the longitudinal acoustic mode, 1190
- Polyethylene crystallized at high pressure, small-angle neutron scattering studies, 259
- Polyethylene, e.s.r. studies of peroxy radicals in: 1. Temperature dependence of spectra and molecular motion of radical sites, 567. 2. Peroxy radicals in ureapolyethylene complexes, 1143
- Polyethylene, high pressure polymerized, chain branching in, 1005
- Polyethylene, influence of high injection moulding pressures on the engineering properties, 1068
- Polyethylene, irradiated, e.s.r. studies on oxidation processes: 1. Diffusion of oxygen into amorphous part at low temperatures, 151
- Polyethylene, low density, nature of the side chain branches: volatile products from gamma radiolysis, 1032
- Polyethylene matrix free radicals trapped in: 1. Location of the alkyl radicals in irradiated polyethylene, 19. 2. Decay in single crystals and diffusion, 25
- Polyethylene, melting behaviour of stress crystallized high density, 204
- Polyethylene, structural transitions in, 414 Polyethylene, ultra-oriented, fibrillar structure, 967
- Poly(ethylene glycol adipate), effect of photodegradation on the rate of spherulitic growth, 198
- Poly(ethylene oxide) diluted with xylene, crystallization kinetics, 1095
- Poly(ethylene oxide), low molecular weight, crystallinity and fusion: effect of endgroups, 852
- Poly(ethylene oxide), sorption of solutes: 3. Partial molar entropy and enthalpy in poly(ethylene oxide) solution with benzene, 1009
- Poly(ethylene terephthalate) crystallized by annealing in the highly oriented state, structure and properties: 2. Melting behaviour and the mosaic block structure of the crystalline layers, 1121
- Poly(ethylene terephthalate) fibres, melting behaviour and crystalline, intermediate and amorphous phase, 856
- Poly(ethylene terephthalate) film, corona treated, surface modification: adsorption and wettability studies, 675

- Poly(ethylene terephthalate), one-way drawn films, morphology studies by X-ray diffraction, 1219
- Poly(ethylene terephthalate), studies on the formation: 9. Thermal decomposition of ethylene dibenzoate as a model compound of poly(ethylene terephthalate), 295
- Polyglutamates, L-helical, ¹³C spin-lattice relaxation study of molecular motions of side chains, 857
- Poly(L-glutamic acid) α -helix, effect of organic solvents on the stability, 1082
- Poly(hexamethylene oxide), effect of molecular weight on the crystallization kinetics, 1100
- Poly(2-hydroxyethyl methacrylate) gel, thermoelasticity, 712
- Polyiminoalkenes, detection of end-groups and estimation of molecular weights by ¹³C n.m.r. spectroscopy, 345 Polyisoprene, ¹³C n.m.r. determination of
- Polyisoprene, ¹³C n.m.r. determination of units formed by irregular addition in, 871
- Polyisoprenes, distribution of isomeric structures in, 580
- Polymer supported reagents, apparatus for the manipulation, 1291
- Polymers, amorphous, temperature dependence of the steady recoverable compliance, 15
- Polymers, glassy, visual evidence of clustering of water in, 958
- Polymers, individual bead contribution to intrinsic viscosity, 747
- Polymers in mixed solvents: application of the new representation of viscosity data as a function of molecular weight, 1250 Polymers, semicrystalline, thermal conduc-
- tivity a model, 769 Polymers in solution, intrinsic viscosity and
- friction coefficient of, 636
- Polymerization and copolymerization of vinylferrocene in the presence of lithium and n-butyllithium, 1286
- Polymerization of propylene by the Ziegler catalysts systems α-TiCl3/Al(C2H5)3 and supported TiCl4(Al(C3H5)3, 179
- Polymerization, reaction to effect the transformation of anionic into cationic: 1. Synthesis and reactivities of anionically generated bromine terminated polymers, 719. 2. Synthesis and reactivities of anionically generated xylylene bromide-terminated polymers, 726. 3. Analysis of block copolymer formation by gel permeation chromatography, 733
- Polymerizations, free radical vinyl, radiochemical studies: 7. Polymerization of methyl acrylate, 840
- Poly(methacrylic acid), ¹H n.m.r. measurements on aqueous solutions, 1185
- Poly(3-methoxy-4-hydroxy styrene), biodegradation, 759
- Poly(N-methylglycine), the existence of cis/trans peptide mixtures, 107
- Poly(methyl methacrylate), degradation by flash irradiation, 1063
- Poly(methyl methacrylate), influence of the molecular weight of on fracture morphology in notched tension, 391
- Poly(methyl methacrylate), nucleophilic substitution onto: 3. Compositional homogeneity of the substituted polymethacrylates, 937
- Foly(methyl methacrylate), temperature dependence of craze shape and fracture, 87
- Poly(methy) methacrylate), ultrasonic degradation, 822
- Poly(4-methyl-1-pentene), kinetics of the thermal oxidation of, from volatile

- products using thermogravimetric analysis, 807
- Poly(methyl vinyl ketone), structure and polymerization conditions, 1173
- Poly(*m*-methylene terephthalate) polymers, infra-red and Raman spectra, 327 Polymorphic transformations of amylose,
- intramolecular changes during 489 Polypeptides, collagen-like sequential, structural studies, 420
- Polypeptides, *in situ* crosslinking, 449 Poly(phenyl thiolmethacrylate), chain
- flexibility, 639 Polypropylene, commercial, fluorescence and photooxidation, 968
- Polypropylene, crystallization of running filament in melt spinning, 913
- Polypropylene, dissolution of in organic solvents: 3. Effect of molecular weight of polymer, 547
- Polypropylene, helical syndiotactic, laser-Raman spectrum, 681
- Polypropylene, nature of the initiation process in the photo-oxidation, 98
- Polyoxymethylene single crystals from molten polymers, needle shaped, oriented overgrowth crystallization, 265
- Polyrhodanines, aliphatic, photoconduction, 601
- Polysiloxanes, studies of the chemical degradation of by hydrofluoric acid: 2. Poly(tetramethyl-p-silphenylene siloxane-dimethyl siloxane) block copolymers, 845
- Polystyrene, blends of atactic and isotatic, residual solvent removal and n-hexane sorption, 1130
- Polystyrene, determination of the specific heat of by d.s.c., 281
- Polystyrene, diffusion of in tetrahydrofuran, 835
- Polystyrene gels, crosslinked, high performance g.p.c.: influence of particle size distribution, 1179
- Polystyrene melts, specific volumes of anionic effects of chain ends and molecular weight, 124
- Polystyrene microspheres, glassy, effect of particle size on the mechanism controlling n-hexane sorption, 793
- Polystyrene, plastic fracture, 745
- Polystyrene/polyethylene blends, particle dimensions in as a function of their melt viscosity and of the concentration of added graft copolymer, 69
- Polystyrene, refractive index of at 5461Å in the temperature range 30 to 260K, 308
- Polystyrene sample in *trans*-decalin, effect of concentration and tempeature on the partial specific volume, 1289
- Polystyrene sheets, characterization and effects of n-alkane swelling, 1137
- Polystyrene solutions, concentrated, diffusion and nuclear magnetic relaxation, 255
- Polystyrene, volumetric properties: influence of temperature, molecular weight and thermal treatment, 3
- Polystyrenes, Raman, infra-red and neutron studies of low frequency vibrations in some substituted, 905
- Polytetrafluoroethylene copolymers and oligomers, longitudinal acoustic modes, 1258
- Polytetrafluoroethylene, vibrational assignment problem: 1. The far infra-red spectrum, 37
- Poly(tetramethylene terephthalate), a comparison of published crystalline structures, 825

Classified Contents

- Poly(vinyl acetate) in solution, proton spin-lattice relaxation in, 637
- Poly(vinyl alcohol) beads, irradiated, network, 1227
- Poly(N-vinyl carbazoles) containing cationradicals, conductivities, 781
- Poly(vinyl chloride) film, uniaxially stretched, molecular orientation behaviour: 1. Birefringence: effect of plasticizers and draw ratio above and below Tg, 137. 2. The fourth moment of molecular orientation measured by the polarized fluorescence method, 143.
 3. Effect of molecular orientation on anisotropy of Young's modulus in uniaxially stretched poly(vinyl chloride) film, 801
- Poly(vinyl chloride), molecular weight characterization: reference materials and universal calibration. 408
- Poly(N-vinylsuccinimide), molecular motions, 175
- Poly(vinylidene chloride-ethyl acrylate), transport of hydrogen in, 599
- Poly(vinylidene fluoride), crystallization kinetics, 1240
- Poly(vinylidene fluoride)-poly(methyl methacrylate) blends, 1175
- Poly(vinylidene fluoride) thermoelectrets, infra-red analysis, 278
- Proteins, spectrin, actin and other mammalian, van der Waals parameters, refractive indices and dispersion equations, 867
- Proton spin-lattice relaxation in poly(vinyl acetate) in solution, 637
- Radiation grafting, examination of a cellulose tricarbanilate-polystyrene copolymer produced by, 521
- Radiochemical studies of free-radical vinyl polymerizations: 7. Polymerization of methyl acrylate, 840
- Raman, infra-red and neutron studies of low frequency vibrations in some substituted polystyrenes, 905
- Raman scattering from the longitudinal acoustic mode of crystalline polyethylene swollen by oligomers of various molecular weights,
- Raman scattering from mixtures of poly (ethylene oxide) 2000 with poly(ethylene oxide) 200, 336
- Random coil polymers, measurement of the intramolecular fluctuations by photon correlation spectroscopy, 10
- Reduction of the ferri-protoporphyrin IX dimethyl ester by the 1,2-dihydropyridine type redox resin, 955
- Refractive index increments, specific, of Guayule rubber in several solvents, 922
- Refractive index of polystyrene at 5461A in the temperature range 30 to 260K, 308
- Relaxation, proton spin-lattice in vinyl polymers, 225
- Relaxation techniques, a dynamic characterization of the shell membranes of the domesticated fowl (gallus(gallus(L)), 1213
- Relaxations, multiple, in small-molecule solids, 1231
- Resins, epoxy, stability of crack propagation, 1075
- Rubber, Guayule, specific refractive index increments in several solvents, 922
- Screw extrusion, steady, of polymers,
- developments in the analysis, 617 Semicrystalline polyethylene, small-angle neutron scattering by, 509

- Shear rate in a capillary rheometer, orientation effects on a high *cis*-1,4 polybutadiene induced by, 92
- Silk, physical properties and structure: 4. Spherulites grown from aqueous solutions of silk fibroin, 643
- Simulation and display of macromolecular complexes, 431
- Small-angle light scattering from rabbit cornea, effect of transcorneal pressure on, 444
- Small-angle neutron scattering by semicrystalline polyethylene, 509
- Small-angle neutron scattering studies of molecular clustering in mixtures of polyethylene and deuterated polyethyiene, 1111
- Small-angle neutron scattering studies of polyethylene crystallized at high pressure, 259
- Small-angle X-ray scattering study on polymer chain dimensions in concentrated solutions in a θ -solvent, 638
- Sodium poly(L-glutamate) in water/organic solvent mixtures, electric birefringence, 969
- Solution, preferential, of solvent (1)/polymer (2)/polymer (3) ternary systems by gel permeation chromatography, 1296
- Sorption of solutes by poly(ethylene oxide): 3. Partial molar entropy and enthalpy in poly(ethylene oxide) solution with benzene, 1009
- Stress relaxation, non-linear, a simple model, 251
- Structure and mechanical properties in injection moulded discs of glass fibre reinforced polypropylene, 1269
- Structural and mechanical properties of new block copolymers designed for biomedical use, 387
- Structural memory in chromium coordinated polyamides, 564
- Structural studies of collagen-like sequential polypeptides, 420
- Structural transitions in polyethylene, 414 Structure and solid state photopolymeriza-
- tion of pentaerythritol tetracinnamate, 161
- Surface energy analysis of bioadhesion, 475 Surface modification of corona treated
- poly(ethylene terephthalate) film: adsorption and wettability studies, 675
- Tear propagation resistance of semicrystalline polymeric networks, 403
- Temperature dependence of the steady state recoverable compliance of amorphous polymers, 15
- Temperature influence on the excess interaction parameter of styrene-methyl methacrylate copolymer, 32
- Tensile deformation of polychlorotrifluoroethylene in He, N₂, Ar, O₂ and CO₂ environments, 298
- Tensile forces induced in collagen by means of electromechanochemical transductive coupling, 435
- Terpolymerization, Monte Carlo simulation, 925
- Thermal conductivity of polymers, 984
- Thermal conductivity of semicrystalline polymers-a model, 769
- Thermal decomposition of ethylene dibenzoate, catalytic activity of metal compounds, 1295
- Thermal diffusivity of polymers by the flash method, 129

- Thermal properties of cellulose tricarbanilate-polystyrene graft copolymers, an investigation, 531
- Thermodynamically controlled crystal orientation in stressed polymers: 1. Effects of strain energy of crystals embedded in an uncrosslinked amorphous matrix and hydrodynamic potential, 1015
- Thermodynamics of the melting of pseudoeutectic linear copolymer systems, 685
- Thermoelasticity of poly(2-hydroxyethyl methacrylate) gel, 712
- Transcorneal pressure, effect of on small-angle light scattering from rabbit cornea, 444
- Transport of hydrogen in poly(vinylidene chloride-ethyl acrylate), 599
- Ultrasonic degradation of poly(methyl methacrylate), 822
- Ultrasonic studies of solid poly(alkyl methacrylates), 324
- Ultrasonic studies of solutions of styrenebutadiene block copolymers, 577
- Universal nature of the two relaxation processes occurring in simple glass forming materials in the region of the glass transition, a proposed explanation, 764
- Urea-formaldehyde adducts and resins, characterization of by ¹³C n.m.r. spectroscopy, 971
- Vanadium, photoactive polymers containing: 1. Preparation, characterization and photoreactions, 375. 2. Kinetics of photodecomposition, 381
- Van der Waals parameters, retractive indices and dispersion equations of spectrin, actin and other mammalian proteins, 867
- Vibrational assignment problem for polytetrafluoroethylene: 1. The far infra-red spectrum, 37
- Vinyl polymer analogues of nucleic acids, 425
- Vinyl polymers, proton spin-lattice relaxation, 225
- Viscosity data as a function of molecular weight, a new representation, 1161
- Viscosity studies of some polyamides dissolved in mixed solvents (cosolvents), 121
- Volumetric properties of polystyrene: influence of temperature, molecular weight and thermal treatment, 3
- Vulcanization temperature and vulcanization systems, effect of on the structure and properties of natural rubber vulcanizates, 1243
- Wool, grafting onto: 7. Determination of end groups of grafted polymer and homopolymer formed in methanolbenzoyl initiating system, 211. 8. Aminoacid compositions of various fractions of wool graft copolymers synthesised by methanol-benzoyl peroxide system, 220
- X-ray diffraction crystallinity measurements on mixtures of polyethylene and atactic polystyrene, 524
- X-ray diffraction, morphology studies of one-way drawn poly(ethylene terephthalate) films, 1219

Ziegler catalysts systems, α -TiCl₃/Al(C₂H₅)₃, polymerization of propylene, 179