

Author Index

- Abdul-Rasoul, Firas A. M.**; Ledwith, Anthony and Yagci, Yusuf: Photochemical and thermal cationic polymerizations promoted by free radical initiators, 1219
- Acierno, D.**: *see* La Mantia, F. P. and Acierno, D.
- Acierno, D.**: *see* de Cindo, B., Migliaresi, C. and Acierno, D.
- Acquaviva, L.**; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E. and Ciardelli, F.: ^{13}C n.m.r. study of optically active polymers: 2. Relaxation in poly[(S)-4-methyl-1-hexene], 1453
- Aharoni, Saul, M.**: Instantaneous shape and segmental density of flexible linear macromolecules: 1 Direct observation of tagged poly(*cis*-isoprene) molecules in untagged matrix, 401
- Aiche, S. and Jenner, G.**: Effect of high pressure in free radical terpolymerizations, 1236
- Akutsu, Fumihiko**: *see* Miura, Masatoshi; Hayashi, Toshihiko; Akutsu, Fumihiko; and Nagukubo, Kuniharu
- Alfonso, Giovanni Carlo**; Verdona, Maria Pia; and Waswiak, Andrzej: Crystallization kinetics of oriented poly(ethylene terephthalate) from the glassy state, 711
- Alfthan, Elisabeth**: *see* de Ruvo, Alf, and Alfthan, Elisabeth
- Ali, Sabz**: Temperature induced conformation transition of poly(L-lysine), 229
- Allen, G.**: *see* Richards, R. W., Maconnachie, A. and Allen, G.
- Allen, G.**: *see* Maconnachie, A., Vasudevan, P. and Allen, G.
- Allen, Geoffrey**; and Tanaka, Takeshi: A small-angle neutron scattering study on poly(ethylene oxide) crystals, 271
- Allsopp, M. W.**: *see* Robinson, M. E. R., Bower, D. I., Allsopp, M. W., Willis, H. A. and Zichy, V.
- Ambler, M. R.**, Stevenson, W. G. and Fetters, L. J.: Synthesis and characterization of near monodisperse oligomeric polystyrenes, 48
- Andrade, J. D.**: *see* Gregonis, D. E., Russell, G. A., Andrade, J. D. and de Visser, A. C.
- Araimo, L.**, de Candia, F. and Vittoria, V.: Thermomechanical study of the hysteretic behaviour of natural rubber networks, 731
- Arman, J.**: *see* Montford, J. P., Marin, G., Arman, J. and Monge, Ph.
- Arridge, R. G. C.** and Barham, P. J.: A fibre composite model of drawn crystalline polymers, 654
- Arridge, R. G. C.** and Barham, P. J.: Fine structure of the low temperature relaxation in linear polyethylene, 603
- Asano, T** and Fujiwara, Y.: Plastic deformation of oriented lamellae: 1. Cold rolling of β -phase isotactic polypropylene, 99
- Atkins, E. D. T.**: *see* Lelliott, C., Atkins, E. D. T., Juritz, J. W. F. and Stephen, A. M.
- Atkins, E. D. T.**: *see* Chanzy, H., Booy, F. P. and Atkins, E. D. T.
- Atkins, E. D. T.**: *see* Gardner, K. H., Magill, J. H. and Atkins, E. D. T.
- Atkins, E. D. T.**: *see* Meader, D., Atkins, E. D. T. and Happay, F.
- Ballard, D. G. H.**, Cheshire, P., Longman, G. W. and Schelten, J.: Small-angle neutron scattering studies of isotropic polypropylene, 379
- Baltá Calleja, F. J.**; Gonzalez Ortega, J. C.; and Martínez de Salazar, J.: Distribution of chain defects and microstructure of melt crystallized polyethylene, 1094
- Bamford, C. H.** and Basahel, S. N.: Moderated copolymerization: 3. Concentration changes in copolymerization with chain transfer: general equations, with special reference to moderated copolymerization, 943
- Bamford, C. H.**, Ledwith, A. and Yagci, Y.: Synthesis and reactions of polymers with photo-active terminal groups: 2. New azo-initiator for the synthesis of polymers with *N*-acyldibenz[*b,f*]azepine terminal units, 354
- Bamford, C. H.** and Mullik, S. U.: Synthesis and reactions of a polyfunctional macroinitiator based on manganese carbonyl: uses in graft copolymerization, 948
- Bandyopadhyay, S.** and Brown, H. R.: Environmental stress cracking and morphology of polyethylene, 589
- Barham, P. J.**: *see* Arridge, R. G. C. and Barham, P. J.
- Barham, P. J.**: *see* Arridge, R. G. C. and Barham, P. J.
- Barker, D. J.**, Brewis, D. M., Dahm, R. H. and Hoy, L. R. J.: Study of the intercalated carbon formed by electrochemical reduction of polytetrafluoroethylene, 856
- Basahel, S. N.**: *see* Bamford, C. H. and Basahel, S. N.
- Bassett, D. C.** and Hodge, A. M.: On lamellar organization in banded spherulites of polyethylene, 469
- Baszkin, A.** and Ter-Minassian-Saraga, L.: Effect of surface polarity on self-adhesion of polymers, 1083
- Batty, N. S.**, and Guthrie, J. T.: Degradation of polyacrylonitrile in solution by alkali, 1145
- Beavan, S. W.** and Schnabel, W.: Emission and absorption studies on poly(methyl vinyl ketone): evidence of ground state complex formation with alkyl amines, 854
- Beebe, David H.**: Structure of 3,4-(*cis*-1,4)-*trans*-1,4-polyisoprene by ^{13}C n.m.r., 231
- Benbow, A. W.**, Cullis, C. F. and Laver, H. S.: Effects of metal chelates on oxidation of polyolefins at high temperatures, 824
- Benedetti, E.**: *see* Acquaviva, L.; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E. and Ciardelli, F.
- Benoit, Henri**: *see* Dondos, Anastasios and Benoit, Henri
- Bercovich, I.**: *see* Narkis, M., Bercovich, I., Nicolais, L. and Migliaresi, C.
- Berens, A. R.** and Hopfenberg, H. B.: Diffusion and relaxation in glassy polymer powders: 2. Separation of diffusion and relaxation parameters, 489
- Berghmans, H.**: *see* Overbergh, N. and Berghmans, H.
- Bevington, J. C.**, Dyball, C. J., Hunt, B. J. and Leech, J.: Decomposition of benzoyl peroxide in the presence of poly(*N*-vinyl carbazole) poly(*p*-methoxystyrene) and some model compounds, 990
- Bhowmick, Anil K.**: *see* Mukhopadhyay, Rabindra; Bhowmick, Anil K. and De, Sadhan K.
- Bianchi, U.**: *see* Salaris, F., Turturro, A., Bianchi, U. and Martuscelli, E.
- Bilen, C. S.**: *see* Morantz, D. J., Bilen, C. S. and Harrison, N.
- Birley, A. W.**, Dawkins, J. V. and Kyriacos, D.: Infra-red detection in gel permeation chromatography, 350
- Birley, A. W.**, Dawkins, J. V. and Kyriacos, D.: Infra-red detection in gel permeation terephthalic acid: 2. Quantitative characterization of prepolymers by proton magnetic resonance spectroscopy, 1433
- Birley, A. W.**, Kyriacos, D. and Dawkins, J. V.: Unsaturated polyesters based on terephthalic acid: 1. Proton magnetic resonance spectrum of poly(propylene terephthalate) prepolymer, 1290
- Birley, A. W.**: *see* Papaspyrildes, C. and Birley, A. W.
- Biswas, Mukul**, and Kabir, G. M. Ahsanul: Benzoyl chloride as an initiator of cationic polymerization, 595
- Biswas, Mukul**; and Kabir, G. M. Ahsanul: Stereospecific poly(isobutyl vinyl ether): use of phosphoryl chloride, thionyl chloride and vanadium pentoxide as catalysts, 357
- Blackadder, D. A.** and Le Poidevin, G. J.: Dissolution of polypropylene in organic solvents: 4. Nature of the solvent, 483
- Blackwell, John**: *see* Kolpak, Francis J., Weih, Mark and Blackwell, John
- Blackwell, John**: *see* Kolpak, Francis J., and Blackwell, John
- Block, H.**, Bowker, Sheelagh M., and Walker, S. M.: Photoconductivities of poly(*N*-vinyl carbazoles) containing cation radicals, 531
- Blundell, D. J.**: Models for small-angle X-ray scattering from highly dispersed lamellae, 1258
- Blythe, A. R.**, Briggs, D., Kendall, C. R., Rance, D. G. and Zichy, V. J. I.: Surface modification of polyethylene by electrical discharge treatment and the mechanism of autoadhesion, 1273
- Bobst, Albert M.**, and Torrence, Paul F.: Incorporation of spin probes into polynucleotides by enzymatic polymerization, 115
- Bohm, L. L.**: Reaction model for Ziegler-Natta polymerization processes, 545
- Bohm, L. L.**: Ethylene polymerization process with a highly active Ziegler-Natta catalyst: 1. Kinetics, 553
- Bohm, L. L.**: Ethylene polymerization process with a highly active Ziegler-Natta catalyst: 2. Molecular weight regulation, 562
- Boileau, S.**: *see* Meyer, C. T., Cohen-Addad, J. P. and Boileau, S.
- Boileau, Sylvie**: *see* N'Guyen, Thanh Dung; Deffieux, Alain; and Boileau, Sylvie
- Bonora, G. M.**, Toniolo, C. and Mutter, M.: Linear oligopeptides: 53. Conformations of poly(ethylene glycol)-bound alanine and valine homo-L-oligopeptides in alcoholic solution, 1382
- Booth, C.**: *see* Friday, A. and Booth, C.
- Bonner, D. C.**: *see* Saeki, S. and Bonner, D. C.
- Booy, F. P.**: *see* Chanzy, H., Booy, F. P. and Atkins, E. D. T.
- Borisenkova, E. K.**, Sabsai, O. Yu., Kurbanaliev, M. K., Dreval, V. E. and Vinogradov, G. V.: Criterion of ultimate strength of fluid high polymers in

Author Index

- uniaxial extension, 1473
 Borsig, E: *see* Tino, J., Plaček, J., Sláma, P. and Borsig, E.
 Borsig, E. and Szöcs, F: Generation of free radicals with lauroyl peroxide, azobisisobutyronitrile and their mixture in polymer matrix at high pressure, 445
 Boshehri, R: *see* Tamami, B. and Boshehri, R.
 Bower, D. I: *see* Nobbs, J. H. and Bower, D. I.
 Bower, D. I: *see* Robinson, M. E. R., Bower, D. I., Allsopp, M. W., Willis, H. A. and Zichy, V.
 Bower, D. I: *see* Robinson, M. E. R., Bower, D. I. and Maddams, W. F.
 Bowker, Sheelagh, M: *see* Block, H.; Bowker, Sheelagh, M. and Walker, S. M.
 Brault, A: *see* Rietsch, F., Brault, A., and Froelich, D.
 Brault, A., Rietsch, F., and Froelich, D: Study of three-dimensional polystyrene networks containing linear chains: 2. Relaxation spectrum of linear chains, 1047
 Braun, D., Törmälä, P., and Weber, G: Molecular interpretation of correlation between polymer glass transition T_g and an e.s.r. parameter T_{50G} , 598
 Brereton, M. G., Davies, G. R., Jakeways, R., Smith, T. and Ward, I. M: Hysteresis of the stress-induced crystalline phase transition in poly(butylene terephthalate), 17
 Brewis, D. M: *see* Barker, D. J., Brewis, D. M., Dahm, R. H. and Hoy, L. R. J.
 Briggs, D: *see* Blythe, A. R., Briggs, D., Kendall, C. R., Rance, D. G. and Zichy, V. J. I.
 Brooks, B. W., Kropholler, H. W. and Purt, S. N.: Emulsion polymerization of styrene in a continuous stirred reactor, 193
 Brown, H. R: *see* Bandyopadhyay, S. and Brown, H. R.
 Brown, H. R.: A theory of the environmental stress cracking of polyethylene, 1186
 Brown, I. G., Wetton, R. E., Richardson, M. J. and Savill, N. G.: Glass transition and thermodynamic state of densified polymeric glasses, 659
 Brüller, O. S.: Crazing limit of polymers in creep and stress relaxation, 1195
 Bruzzone, M. and Sorta, E.: Elastomer structures and 'cold crystallization', 467
 Buchan, G. M. and Cameron, G. G.: Polymer modification and synthesis using sulphenyl chlorides to *cis*-1,4-polybutadiene, 1089
 Bullock, A. T., Cameron, G. G., Howard, C. B. and Reddy, N. K.: Electron spin resonance studies of spin-labelled polymers: 15. Spin probe measurements of plasticized poly(vinyl acetate), 352
 Burgess, F. J., Cunliffe, A. V., Richards, D. H. and Thompson, D.: Organic halides as cationic initiators, 334
 Cais, Rudolf E., and Stuk, Gregory J.: Copolymerization of acrylamide with sulphur dioxide. Determination of the effect of copolymerization temperature on the monomer sequence distribution by ^{13}C n.m.r., 179
 Calvert, P. D. and Ryan, T. G.: Redistribution of impurities in crystallizing polymers, 611
 de Candia, F: *see* Araimo, L., de Candia, F. and Vittoria, V.
 Cameron, G. G: *see* Bullock, A. T., Cameron, G. G., Howard, C. B. and Reddy, N. K.: Preparation of polydiene-g-polystyrene graft copolymers, 1106
 Carr, S. H: *see* Even, W. R. and Carr, S. H.
 Ceynowa, Jozef: Electron microscopy investigation of ion exchange membranes, 73
 Challa, G: *see* Lohmeyer, J. H. G. M.; Tan, Y. Y.; Lako, P. and Challa, G.
 Challa, G: *see* Roerdink, E., and Challa, G.
 Champion, J. V., and Dandridge, A: Conformation of liquid short chain polyethers from flow birefringence, 623
 Chanzy, H., Booy, F. P., and Atkins, E. D. T.: Electron diffraction study on the polysaccharide from *Watsonia pyramidata* corm sacs, 368
 Chatterjee, S. K., and Pachauri, L. S: Titrimetric studies of *p*-aminobenzoic acid-formaldehyde-*p*-bromophenol copolymers in non-aqueous media, 596
 Chen, F. C: *see* Choy, C. L., Luk, W. H., and Chen, F. C.
 Cheshire, P: *see* Ballard, D. G. H., Cheshire, P., Longman, G. W. and Schelten, J.
 Chiantore, Oscar: *see* Costa, Luigi; Chiantore, Oscar and Guaita, Marino
 Chiantore, Oscar: *see* Costa, Luigi; Chiantore, Oscar and Guaita, Marino.
 Chiellini, E: *see* Acquaviva, L.; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E. and Ciardelli, F.
 Chiellini, Emo: *see* Houben, Julien L.; Natucci, Barbara; Solaro, Roberto; Colelia, Orlando; Chiellini, Emo and Ledwith, Anthony
 Chiu, D. S.: *see* Mark, J. E., Chiu, D. S. and Su, T. K.
 Choquet, M., and Rietsch, F.: Characterization of radical polystyrene gels, 513
 Choy, C. L., Luk, W. H., and Chen, F. C.: Thermal conductivity of highly oriented polyethylene, 155
 Choy, C. L. and Young, K.: Kinetic nature of the glass transition, 1001
 Ciardelli, F: *see* Acquaviva, L.; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E. and Ciardelli, F.
 Cimmino, S., Greco, R., Martuscelli, E., Nicolais, L., and Silvestre, C.: Blends of poly(ethylene oxide) samples of different molecular weights: thermal and mechanical properties, 1079
 Cimmino, S., Martuscelli, E., Nicolais, L. and Silvestre, C.: Thermal and mechanical properties of isotactic random polypropylene-butene-1 copolymers, 1222
 de Cindo, B., Migliaresi, C. and Acierno, D.: Viscosity measurements on nylon-6/ethyl alcohol solutions in presence of inorganic salts, 526
 Clements, J., Jakeways, R., and Ward, I. M.: Lattice modulus and crystalline thickness measurements in ultra-high modulus polyethylene, 639
 Cohen-Addad, J. P.: *see* Meyer, C. T., Cohen-Addad, J. P. and Boileau, S.
 Colelia, Orlando: *see* Houben, Julien, L.; Natucci, Barbara; Solaro, Roberto; Colelia, Orlando; Chiellini, Emo and Ledwith, Anthony
 Coleman, M. M., Petcavich, R. J., and Painter, P. C: Application of infra-red digital subtraction techniques to the microstructure of polychloroprenes:
 1. Accentuation and assignment of bands due to structural irregularities, 1243; 2. Mechanism of oxidative degradation at 60°C, 1249; 3. Effect of structural irregularities on the crystalline infra-red bands of chloroprene copolymers, 1253
 Conti, F.: Acquaviva, L.; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E. and Ciardelli, F.
 Cooper, D. R., Leung, Y.-K., Heatley, F. and Booth, C.: Crystallinity and fusion of low molecular weight, α - ω -alkoxy-poly(ethylene oxide): methoxy to octadecoxy end-groups, 309
 Costa, Luigi; Chiantore, Oscar and Guaita, Marino, 197. Free radical polymerization of unconjugated dienes: 18. Cyclopolymerization of *o*-divinylbenzene at 70°C, 197
 Costa, Luigi; Chiantore, Oscar; and Guaita, Marino: Free radical polymerization of unconjugated dienes: 19. Temperature dependence of the cyclopolymerization of *o*-divinylbenzene, 202
 Costagliola, M., Greco, R. and Martuscelli, E.: Melt viscosity and thermal properties of poly(ethylene oxide) fractions and blends, 860
 Cowie, J. M. G. and Haq, Zia: Poly(alkyl itaconates): 6. Ionomers based on butyl and heptyl-itaconic acid esters, 1052
 Cross, A. and Haward, R. N.: Orientation hardening of PVC, 677
 Cullis, C. F.: *see* Benbow, A. W., Cullis, C. F., and Laver, H. S.
 Cunliffe, A. V., Paul, N. C., Richards, D. H., and Thompson, D.: Comparison of the reactions of organic bromides and *p*-toluene sulphonates with polymeric anions, 329
 Cunliffe, A. V.: *see* Burgess, F. J., Cunliffe, A. V., Richards, D. H. and Thompson, D.
 Cunningham, Robert, E.: Equilibrium monomer concentration for the anionic polymerization of α -methylstyrene in cyclohexane, 729
 Dahm, R. H: *see* Barker, D. J., Brewis, D. M., Dahm, R. H. and Hoy, L. R. J.
 Dandridge, A.: *see* Champion, J. V. and Dandridge, A.
 Danesi, Sergio and Porter, Roger S.: Blends of isotactic polypropylene and ethylene-propylene rubbers: rheology, morphology and mechanics, 448
 Darlington, Michael W: *see* Hunt, David G., and Darlington, Michael W.
 Datta, P. K. and Pethrick, R. A.: Scanning electron microscopy and ultrasonic studies of drawn polypropylenes, 145
 Davies, G. R: *see* Brereton, M. G., Davies, G. R., Jakeways, R., Smith, T. and Ward, I. M.
 Davies, G. R: *see* Gibson, A. G., Davies, G. R. and Ward, I. M.
 Dawbarn, M., Ebdon, J. R., Hewitt, S. J., Hunt, J. E. B., Williams, I. E. and Westwood, A. R.: Examination of some melamine-formaldehyde adducts by ^{13}C nuclear magnetic resonance, 1309
 Dawkins, J. V.: Steric exclusion and partial exclusion by polymer incompatibility in gel permeation chromatography, 705
 Dawkins, J. V.: *see* Birley, A. W., Kyriacos, D. and Dawkins, J. V.
 Dawkins, J. V.: *see* Birley, A. W., Dawkins, J. V. and Kyriacos, D.
 De, Sadhan K.: *see* Kumaran, M. G.;

- Mukhopadhyay, Rabindra and De, Sadhan K.
- De, Sadhan K.: *see* Mukhopadhyay, Rabindra; Bhowmick, Anil K., and De, Sadhan K.
- Deffieux, Alain: *see* N'Guyen, Thanh Dung; Deffieux, Alain and Boileau, Sylvie
- Delfini, M.: *see* Acquaviva, L.; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E.; and Ciardelli, F.
- DeMejo, L., MacKnight, W. J. and Vogl, O.: Poly(alkylene oxide) ionomers: 1. Copolymerization of trioxane by gas phase mixing of comonomers and initiator, 956
- Deo, S. R.: *see* Gupta, Santosh K., Kumar, Anil and Deo, S. R.
- Diaz Calleja, R.: Conversion of dielectric to viscoelastic data, 235
- Disselhoff, Gabriele: Dilatometric investigations of the terpolymerization of benzyl methacrylate, styrene and methyl methacrylate, 111
- Dobreva, D.: *see* Petkov, L., Kyrtcheva, R., Radenkov, Ph. and Dobreva, D.
- Dodgson, K., Sympson, D and Semlyn, J. A.: Studies of cyclic and linear poly(dimethyl siloxanes): 2. Preparative gel permeation chromatography, 1285
- Dondos, Anastasios: Polymers in mixed solvents: linear representation of viscosity data as a function of molecular weight, 1305
- Dondos, Anastasios and Benoit, Henri: Linear representation of viscosity data as a function of molecular weight, 523
- Dreval, V. E.: *see* Borisenkova, E. K.; Sabsai, O. Yu.; Kurbanaliev, M. K.; Dreval, V. E. and Vinogradov, G. V.
- Droscher, M. and Wegner, G.: Poly(ethylene terephthalate): a solid state condensation process, 43
- Duckett, R. A.: *see* Joseph, S. H. and Duckett, R. A.
- Duckett, R. A.: *see* Kahar, N., Duckett, R. A. and Ward, I. M.
- Duiser, J. A. and Keijzers, A. E. M.: Determination of the glass-rubber transition of poly(vinyl chloride) and poly(ethylene terephthalate) by small angle X-ray scattering, 889
- Dušek, K: *see* Luňák, S., Vladýka, J. and Dušek, K.
- Dušek, K., Pleštík, J., Lednický, F. and Luňák, S.: Are cured epoxy resins inhomogeneous?, 393
- Dyball, C. J: *see* Bevington, J. C., Dyball, C. J., Hunt, B. J. and Leech, J.
- Ebdon, J. R.: The microstructure of polychloroprene determined by ^{13}C nuclear magnetic resonance, 1232
- Ebdon, J. R.: *see* Dawbarn, M., Ebdon, J. R., Hewitt, S. J., Hunt, J. E. B., Williams, I. E. and Westwood, A. R.
- Eiko, Ito.: Yamamoto, Keiji; Kobayashi, Yasuji; and Hatakeyama, Tatsuko: Change of amorphous state of poly(ethylene terephthalate) by heat treatment below the glass transition temperature, 39
- Elkin, A. I.: *see* Vinogradov, G. V., Elkin, A. I. and Sosin, S. E.
- Enyiegbulam, M. and Hourston, D. J.: Formation of ABA poly(styrene-*b*-butadiene) copolymer micelles in methyl ethyl ketone and other solvents, 727
- Even, W. R. and Carr, S. H.: Micromechanical fracture analysis of amylose, 583
- Fasina, Ayoola B.: New experimental analytical technique for gelling system kinetics, 88
- Fatou, J. G.: *see* Riande, E. and Fatou, J. G.
- Fedoris, R. F. and Landel, R. F.: Determination of network density of composites containing inert fillers from stress-strain measurements in the swollen state, 1189
- Ferruti, P.: *see* Martuscelli, E., Nicolais, L., Riva, F., Ferruti, P. and Provenzale, L.
- Fetters, L. J. and McIntyre, D.: Evidence for a high molecular weight tail in the Dow S-102 polystyrene, 463
- Fetters, L. J.: *see* Ambler, M. R., Stevenson, W. G. and Fetters, L. J.
- Foweraker, A. R.: *see* Hawkins, E. Y., Foweraker, A. R. and Jennings, B. R.
- François, Jeanne: *see* Sarazin, Dominique and François, Jeanne
- Fraser, G. V.: Intensities of longitudinal acoustic modes and their structural implications, 857
- Fraser, R. A. W. and Ward, I. M.: Temperature dependence of craze shape and fracture in polycarbonates, 220
- Freire, J. Hydrodynamic interaction in quasi-elastic light scattering from flexible polymers in solution, 1441
- Friday, A. and Booth, C: Crystallization of block poly(ethylene oxide) 1035
- Froelich, D: *see* Rietsch, F., Brault, A. and Froelich, D.
- Fujiwara, Y: *see* Asano, T. and Fujiwara, Y.
- Fujimura, Takashi; Hayakawa, Naohira and Kuriyama, Isamu: Conversion of alkyl radicals in irradiated single crystal mats of polyethylene, 1031
- Gabbay, S. M. and Stivala, S. S.: Estimation of energies of activation for thermal oxidation of polyolefins, 850
- Galin, M. and Rupprecht, M. C.: Study by gas-liquid chromatography of the interactions between linear or branched polystyrenes and solvents within the temperature range 60°–200°C, 506
- Gardner, K. H., Magill, J. H. and Atkins, E. D. T.: Structural studies of polysiloxanes: crystal structure and fold conformation of poly(tetramethyl-*p*-silyphenylene siloxane), 370
- Garg, Sunil K. and Stivala, S. S.: Viscosity of heparin in formamide and glycerol, 243
- Gargallo, Ligia: *see* Radic, Deodato and Gargallo, Ligia
- George, M. H.: *see* Ghosh, A. and George, M. H.
- Ghosh, A. and George, M. H.: Comparative rates of radical autoxidation of acrylamide, methacrylamide and styrene, 1057
- Gibson, A. G., Davies, G. R. and Ward, I. M.: Dynamic mechanical behaviour and longitudinal crystal thickness measurements on ultra-high modulus linear polyethylene: a quantitative model for the elastic modulus, 683
- Gilbert, M., and Vyvoda, J. C.: X-ray diffraction of processed poly(vinyl chloride), 860
- Giuliani, G. P: *see* Zotteri, L. and Giuliani, G. P.
- Gledhill, R. A., Kinloch, A. J., Yamini, S. and Young, R. J.: Relationships between mechanical properties of and crack propagation in epoxy resin adhesives, 574
- Gloor, Walter E.: Generalized exponential distribution as an adequate description of the molecular weight 984
- Goel, Malti; Viswanathan, P. S., and Vasudevan, Padma: Thermal depolarization effect in phenolic resin, 905
- Goldstein, Michael; Seeley, Monica, E.; Willis, Harry, A. and Zichy, Veronica, J. I.: Far infra-red spectra (400–30 cm⁻¹) of isotactic polybut-1-ene in forms I and II, 1118
- Gonzalez, Ortega J. C.: *see* Baltá Calleja, F. J., Gonzales Ortega, J. C.; and Martinez de Salazar, J.
- Gotham, K. V. and Scrutton, I. N.: Effect of molecular orientation on the fracture toughness of thermoplastics, 341
- Greco, R.: *see* Costagliola, M., Greco, R. and Martuscelli, E.
- Greig, D. and Sahota, M: Thermal conductivity of extruded polyethylene, 503
- Greig, J. A. and Sherrington, D. C.: Molecular sieve behaviour in polymeric reagents, 163
- Gregonis, D. E., Russell, G. A., Andrade, J. D. and de Visser, A. C.: Preparation and properties of stereoregular poly(hydroxyethyl methacrylate) polymers and hydrogels, 1279
- Grubb, D. T: *see* Odell, J. A., Grubb, D. T., and Keller, A.
- Guaita, Marino: *see* Costa, Luigi; Chiantore, Oscar and Guaita, Marino
- Gunasena, W. A. S.: *see* Rajapakse, R. A., Gunasena, W. A. S., Wijekoon, K. B. and Korathota, S.
- Gupta, Santosh, K., Kumar, Anil, and Deo, S. R.: Effect of chain length and molecular architecture on the second virial coefficient of branched polymer molecules, 895
- Gupta, V. B. and Kumar, Satish: Third phase in poly(ethylene terephthalate) 953
- Guthrie, J. T.: *see* Batty, N. S. and Guthrie, J. T.
- Hadjis, N: *see* Vlachopoulos, J., Hadjis, N., and Hamielec, A. E.
- Halmos, A. L., Pearson, J. R. A. and Trottow, R.: Melting in single screw extruders, 1199
- Hamielec, A. E: *see* Vlachopoulos, J., Hadjis, N., and Hamielec, A. E.
- Happay, F.: *see* Meader, D., Atkins, E. D. T. and Happay, F.
- Haq, Zia: *see* Cowie, J. M. G., and Haq, Zia
- Harris, R. K. and Robins, M. L.: ^{29}Si nuclear magnetic resonance studies of oligomeric and polymeric siloxanes: 4. Chemical shift effects of end-groups, 1123
- Harrison, N.: *see* Morantz, D. J., Bilen, C. S. and Harrison, N.
- Hatakeyama, H: *see* Hatakeyama, T., Nakamura, K. and Hatakeyama, H.
- Hatakeyama, Tatsuko: *see* Ito, Eiko; Yamamoto, Keiji; Kobayashi, Yasuji and Hatakeyama, Tatsuko
- Hatakeyama, T., Nakamura, K., and Hatakeyama, H.: Differential thermal analysis of styrene derivatives related to lignin, 593
- Hayakawa, T: *see* Yamamoto, H., Inouye, K., and Hayakawa, T.
- Hayakawa, Tadao: *see* Yamamoto, Hiroyuki and Hayakawa, Tadao
- Hayashi, Toshihiko: *see* Miura, Masatoshi; Hayashi, Toshihiko; Akusto, Fumihiko; and Nagakubo, Kuniharu
- Haward, R. N.: *see* Owadh, A. A., Parsons, I. W., Hay, J. N. and Haward, R. N.
- Haward, Robert, N.: *see* Shah, Ashok C.; Holdaway, Ian; Parsons, Ian W. and

Author Index

- Haward, Robert N.
 Haward, R. N.: *see* Cross, A. and Haward, R. N.
 Hawkins, E. Y., Foweraker, A. R. and Jennings, B. R.: Analysis of multi-component electric birefringence transients: data for proteoglycan solutions, 1233
 Hay, James, N.: Determination of specific heat of polystyrene by d.s.c.: 2, 1224
 Hay, J. N.: *see* Owadh, A. A., Parsons, I. W., Hay, J. N. and Haward, R. N.
 Hayakawa, Naohira; *see* Fujimura, Takashi; Hayakawa, Naohira and Kuriyama, Isamu
 Hayakawa, Tadao: *see* Yamamoto, Hiroyuki and Hayakawa, Tadao
 Heatley, F. and Wood, B.: Proton magnetic relaxation study of the mechanism and solvent dependence of the molecular motion of polystyrene in dilute solution, 1405
 Hertzberg, R. W., Manson, J. A., and Skibo, M. D.: Correlation between fatigue fracture properties and viscoelastic damping response in engineering plastics, 358
 Hindle, A. M. and Johnson, D. J.: Crystallinity and crystallite size measurement in polyamide and polyester fibres, 27
 Hinman, D. F.: *see* Pochan, J. M., Pacansky, T. J. and Hinman, D. F.
 Hodge, A. M.: *see* Bassett, D. C. and Hodge, A. M.
 Holdaway, Ian: *see* Shah, Ashok C.; Holdaway, Ian; Parsons, Ian W. and Haward, Robert N.
 Holt, C., Mackie, W. and Sellen, D. B.: Gel permeation chromatography of high molecular weight cellulose trinitrate, 1421
 Hopfenberg, H. B.: *see* Berens, A. R. and Hopfenberg, H. B.
 Hori, Yasuō: *see* Shimada, Shigetaka; Hori, Yasuō and Kashiwabara, Hisatsugu
 Houben, Julien L., Natucci, Barbara; Solaro, Roberto; Colelia, Orlando; Chiellini, Emo and Ledwith, Anthony: Optically active vinyl polymers containing fluorescent groups: 5. Fluorescence properties of poly(9-vinyl carbazole) and optically active polymers containing carbazole units, 811
 Hourston, D. J.: *see* Enyiegbulam, M. and Hourston, D. J.
 Hourston, D. J. and Hughes, I. D.: Dynamic mechanical and sonic velocity behaviour of polystyrene-poly(vinyl methyl ether) blends, 1181
 Howard, C. B.: *see* Bullock, A. T., Cameron, G. G., Howard, C. B. and Reddy, N. K.
 Hoy, L. R. J.: *see* Barker, D. J., Brewis, D. M., Dahm, R. H. and Hoy, L. R. J.
 Huczkowski, P., Kapoko, J. and Olesiak, R.: Degradation of nylon-6 in ethylene glycol, 77
 Hughes, I. D.: *see* Hourston, D. J. and Hughes, I. D.
 Hung, Nguyen Anh; and Maréchal, Ernest: Influence of the polymerization temperature on the relative reactivities of acenaphthylene, α -methylstyrene and styrene, 1303
 Hunt, B. J.: *see* Bevington, J. C., Dyball, C. J., Hunt, B. J. and Leech, J.
 Hunt, David G. and Darlington, Michael W.: Accurate measurement of creep of nylon-6,6 at constant temperature and humidity, 977
 Inouye, H.: *see* Yamamoto, H., Inouye, K. and Hayakawa, T.
 Israel, S. C.: *see* Salamone, J. C., Volksen, W., Olsen, A. P. and Israel, S. C.
 Ivan, B., Turcsanyi, B., Nagy, T. T., Kelen, T., and Tüdös, F.: Photometric determination of gel point in PVC thermal degradation, 351
 Iwakura, Yoshio: *see* Sannan, Takanori; Kurita, Keisuke; Ogura, Katsuyuki and Iwakura, Yoshio
 Jachowicz, J. and Kryszewski, M.: Thermal degradation of poly(2,6-dimethyl-1,4-phenylene oxide): 2. Mass spectroscopic analysis of dimeric products from degradation of poly(2,6-dimethyl-1,4-phenylene oxide), 93
 Jachym, B.: *see* Kotowski, K., Jamroz, M., Stupowski, T. and Jachym, B.
 Jakeways, G. R.: *see* Brereton, M. G., Davies, G. R., Jakeways, R., Smith, T. and Ward, I. M.
 Jakeways, R.: *see* Clements, J., Jakeways, R. and Ward, I. M.
 Jamroz, M.: *see* Kotowski, K., Jamroz, M., Stupowski, T. and Jachym, B.
 Janeczek, H.: *see* Turska, E. and Janeczek, H.
 Janeczek, H., Turska, E., Szekely, T., Lengyel, M. and Till, F.: D.s.c. studies on phase separation of solutions of poly(2,6-dimethyl-1,4-phenylene ether) in decalin, 85
 Jenner, G.: *see* Aiche, S. and Jenner, G.
 Jennings, B. R.: *see* Hawkins, E. Y., Foweraker, A. R. and Jennings, B. R.
 Jennings, B. R.: *see* Ridler, P. J. and Jennings, B. R.
 Jeziorny, Andrzej: Parameters characterizing the kinetics of the non-isothermal crystallization of poly(ethylene terephthalate) determined by d.s.c., 1142
 Johnson, D. J.: *see* Hindle, A. M. and Johnson, D. J.
 Johnston, G. J.: Mechanism of formation of asymmetric membranes used in reserve osmosis, 228
 Johnston, G. J.: Thermodynamics of formation of high impact polystyrene, 227
 Jones, D. A.: *see* Pugh, D. and Jones, D. A.
 Jones, D. A. and Pugh, D.: On the possibility of crankshaft motion in polymers in dilute solution, 474
 Joseph, S. H. and Duckett, R. A.: Effects of pressure on the non-linear viscoelastic behaviour of polymers: 1. Polypropylene, 837; 2. Poly(vinyl acetate), 844
 Joshi, D. P. and Pritchard, J. G.: Partly alcoholized poly(vinyl acetate) polymers: kinetics of formation and reaction with iodine, 427
 Jossifov, Christo: *see* Schopov, Ivan and Jossifov, Christo, 1449
 Juritz, J. W. F.: *see* Lelliott, C., Atkins, E. D. T., Juritz, J. W. F. and Stephen, A. M.
 Kabir, G. M. Ahsanul: *see* Biswas, Mukul, and Kabir, G. M. Ahsanul
 Kaetsu, Isao: *see* Yoshida, Masaru; Kumakura, Minoru and Kaetsu, Isao
 Kahar, N., Duckett, R. A. and Ward, I. M.: Stress-optical studies of oriented poly(methyl methacrylate), 136
 Kapoko, J.: *see* Huczkowski, P., Kapoko, J. and Olesiak, R.
 Kashiwabara, Hisatsugu: *see* Shimada, Shigetaka; Hori, Yasuō and Kashiwabara, Hisatsugu
 Kato, Chuzo: *see* Kuroda, Kasuyuki and Kato, Chuzo
 Keijzers, A. E. M.: *see* Duizer, J. A. and Keijzers, A. E. M.
 Kelen, T.: *see* Ivan, B.; Turcsanyi, B., Nagy, T. T., Kelen, T. and Tüdös, F.
 Keller, A.: *see* Odell, J. A., Grubb, D. T. and Keller, A.
 Kendall, C. R.: *see* Blythe, A. R., Briggs, D., Kendall, C. R., Rance, D. G. and Zichy, V. J. I.
 Keskkula, H. and Turley, S. G.: Polyisoprene modified polystyrene, 797
 Keskkula, Henno; and Taylor, P. A.: A method for examining rubber particles from impact polystyrene, 465
 Khan, A. H.: *see* Kulshreshtha, A. K.; Khan, A. H. and Madan, G. L.
 Khoklov, A. R.: Concept of quasimonomers and its application to some problems of polymer statistics, 1387
 Kilian, H. G., and Pietralla, M.: Anisotropy of thermal diffusivity of uniaxial stretched polyethylenes, 664
 Kinloch, A. J.: *see* Gledhill, R. A., Kinloch, A. J., Yamin, S. and Young, R. J.
 Kingston, S. B.: *see* Richards, D. B., Kingston, S. B. and Souel, T.
 Kingston, S. B.: *see* Richards, D. H., Kingston, S. B. and Souel, T.
 Kobayashi, Yasuji: *see* Eiko, Ito; Yamamoto, Keiji; Kobayashi, Yasuji; and Hatakeyama, Tatsuko
 Kolpak, Francis J., Weih, Mark and Blackwell, John: Mercerization of cellulose: 1. Determination of the structure of Mercerized cotton, 123; 2. The morphology of Mercerized cotton cellulose, 132
 Korathota, S.: *see* Rajapakse, R. A., Gunasena, W. A. S., Wijekoon, K. B. and Korathota, S.
 Kotowski, K., Jamroz, M., Stupowski, T. and Jachym, B.: E.s.r. spectra of rubber-carbon black mixtures after mastication and extraction, 709
 Kovarskii, A. L., Pláček, J., and Szöcs, F.: Study of rotational mobility of stable nitroxide radicals in solid polymers, 1137
 Kropholler, H. W.: *see* Brooks, B. W., Kropholler, H. W. and Purt, S. N.
 Krüger, J., Peetz, L. and Pietralla, M.: Brillouin scattering of semicrystalline poly(4-methyl-1-pentene): study of surface effects of bulk and film material, 1397
 Kryszewski, M.: *see* Wróbel, A. M., Kryszewski, M., Rakowski, W., Okoniewski, M. and Kubacki, Z.
 Kryszewski, Marian: *see* Zielinski, Marek; Swiderski, Tomasz; and Kryszewski, Marian
 Kryszewski, M.: *see* Jachowicz, J. and Kryszewski, M.
 Kubacki, Z.: *see* Wróbel, A. M., Kryszewski, M., Rakowski, W., Okoniewski, M. and Kubacki, Z.
 Kulshreshtha, A. K.; Khan, A. H. and Madan, G. L.: X-ray diffraction study of solvent-induced crystallization in polyester filaments, 819
 Kumakura, Minoru: *see* Yoshida, Masaru; Kumakura, Minoru and Kaetsu, Isao
 Kumar, Anil: *see* Gupta, Santosh K., Kumar, Anil, and Deo, S. R.
 Kumar, Satish: *see* Gupta, V. B. and Kumar, Satish
 Kumar, M. G., Mukhopadhyay, Rabindra and De, Sadhan K.: Effect of accelerator system and addition of lignin on the network structure of natural rubber vulcanizate, 461

- Kurbanaliev, M. K.: *see* Borisenkova, E. K.;
 Sabsai, O. Yu.; Kurbanaliev, M. K.;
 Dreval, V. E. and Vinogradov G. V.
- Kurita, Keisuke: *see* Sannan, Takanori;
 Kurita, Keisuke; Ogura, Katsuyuki and
 Iwakura, Yoshio
- Kuriyama, Isamu: *see* Fujimura, Takashi;
 Hayakawa, Naohira and Kuriyama, Isamu
- Kuriyama, I.: *see* Mitomo, H., Nakazato, N.
 and Kuriyama, I.
- Kuroda, Kasuyuki and Kato, Chuzo;
 Synthesis of polyorganosiloxane retaining
 SiO_4 framework from inosilicate
 mineral by trimethylsilylation, 1300
- Kyriacos, D.: *see* Birley, A. W., Dawkins,
 J. V. and Kyriacos, D.
- Kyriacos, D.: *see* Birley, A. W., Kyriacos, D.
 and Dawkins, J. V.
- Kyrcheva, R: *see* Petkov, L., Kyrcheva, R.,
 Radenkov, Ph. and Dobrova, D.
- Kyrcheva, R: *see* Petkov, L., Radenkov,
 Ph. and Kyrcheva, R.
- Lako, P: *see* Lohmeyer, J. H. G. M.; Tan,
 Y. Y.; Lako, P. and Challa, G.
- La Mantia, F. P. and Acierno, D: Non-
 linear electric behaviour of polymeric
 materials interpreted by free volume
 changes, 851
- Landel, R. F: *see* Fedors, R. F. and Landel,
 R. F.
- Langevin, D. and Rondelez, F.: Sedimentation
 of large colloidal particles through
 semidilute polymer solutions, 875
- Laver, H. S: *see* Benbow, A. W., Cullis, C. F.
 and Laver, H. S.
- Lejdík, F.: *see* Dušek, K., Pleštil, J.,
 Lejdík, F., and Luňák, S.
- Ledwith, Anthony: *see*: Abdul-Rasoul, Firas
 A. M.; Ledwith, Anthony and Yagci,
 Yusuf
- Ledwith, Anthony: *see* Houben, Julien L.;
 Natucci, Barbara; Solaro, Roberto;
 Colelia, Orlando; Chiellini, Emo and
 Ledwith, Anthony
- Ledwith, A.: *see* Bamford, C. H., Ledwith,
 A., and Yagci, Y.
- Ledwith, A., Smith, K. C. and Walker, S. M.:
 Molecular relaxation processes in poly
 (*N*-acryloyl-10,11-dihydrodibenzo[*b,f*]
 azepine), 51
- Ledwith, Anthony: Possibilities for promoting
 cationic polymerization by common
 sources of free radicals, 1217
- Lee, C. C. and Wright, P. V.: Order-disorder
 transformations in ionic complexes of
 poly(ethylene oxide), 234
- Lelliott, C., Atkins, E. D. T., Juritz, J. W. F.
 and Stephen, A. M.: Conformation of
 the gummy polysaccharide from corm
 sacs of *Watsonia pyramidata*, 363
- Lengyel, M: *see* Janecek, H., Turska, E.,
 Szekely, T., Lengyel, M. and Till, F.
- Le Poidevin, G. J: *see* Blackadder, D. A. and
 Le Poidevin, G. J.
- Lewis, T. J.: Diffusion of isopropyl nitrate,
 acetone and water into nitrocellulose,
 285
- Li, H. M. and Magill, J. H.: Mechanical
 properties of polysiloxanes: 1. Poly(tetra-
 methyl-*p*-silphenylene siloxane) homo-
 polymer and tetramethyl-*p*-silphenylene
 siloxane/dimethyl siloxane block
 copolymers, 829
- Li, H. M: *see* Okui, N., Li, H. M. and
 Magill, J. H.
- Li, H.-M.: *see* Magill, J. H. and Li, H.-M.
- Linkens, A: *see* Nieuwstraat, J. and Linkens, A.
- Loeber, D. E: *see* Campbell, D. S., Loeber,
 D. E. and Tinker, A. J.
- Lohmeyer, J. H. G. M.; Tan, Y. Y.; Lako, P.
 and Challa, G.: Stereoselective association
 between isotactic poly(methyl metha-
 crylate) and syndiotactic poly(metha-
 acrylic acid), 1171
- Longman, P.: *see* Ballard, D. G. H., Cheshire,
 P., Longman, G. W. and Schelten, J.
- Luk, W. H.: *see* Choy, C. L., Luk, W. H. and
 Chen, F. C.
- Luňák, S., Vladýka, J. and Dušek, K: Effect
 of diffusion control in the glass transition
 region on critical conversion at the gel
 point during curing of epoxy resins, 931
- Luňák, S: *see* Dušek, K., Pleštil, S.
- Mackie, W.: *see* Holt, C., Mackie, W. and
 Sellen, D. B.
- Mackie, W., Sellen, D. B. and Sutcliffe, J.:
 Spectral broadening of light scattered
 from polysaccharide gels, 9
- MacKnight, W. J: *see* DeMejo, L., MacKnight,
 W. J. and Vogl, O.
- Macconnachie, A., Vasudevan, P. and Allen, G.:
 Molecular dynamics of poly(ethylene
 oxide) in concentrated solution, 33
- Macconnachie, A. and Richards, Randal W.:
 Neutron scattering and amorphous
 polymers, 739
- Macconnachie, A.: *see* Richards, R. W.,
 Macconnachie, A. and Allen, G.
- Madan, G. L: *see* Kulshreshtha, A. K.,
 Khan, A. H. and Madan, G. L.
- Maddams, W. F.: *see* Robinson, M. E. R.,
 Bower, D. I. and Maddams, W. F.
- Maekawa, Kazuhito: *see* Uragami, Tadeshi;
 Maekawa, Kazuhito and Sugihara,
 Mizuho
- Magill, J. H: *see* Li, H.-M. and Magill, J. H.
- Magill, J. H.: *see* Okui, N., Li, H. M. and
 Magill, J. H.
- Magill, J. H. and Li, H.-M.: Crystallization
 kinetics and morphology of polymer
 blends of poly(tetramethyl-*p*-
 silphenylene siloxane) fractions, 416
- Magill, J. H: *see* Gardner, K. H., Magill,
 J. H. and Atkins, E. D. T.
- Makaya, G: Dielectric γ losses in poly-
 sulphone and polyethersulphone, 601
- Malhotra, R. C: *see* Sharma, R. S., Seshadri,
 V. and Malhotra, R. C.
- Manson, J. A: *see* Hertzberg, R. W., Manson,
 J. A. and Skibo, M. D.
- Maréchal, Ernest: *see* Hung, Nguyen Anh;
 and Maréchal, Ernest
- Marin, G: *see* Montfort, J. P., Marin, G.,
 Arman, J. and Monge, Ph.
- Mark, J. E., Chiu, D. S., and Su, T. K.:
 Random coil dimensions of poly(diethyl
 siloxane), 407
- Martinez de Salazar, J: *see* Baltá Calleja, F. J.,
 Gonzalez Ortega, J. C.; and Martinez de
 Salazar, J.
- Martuscelli, E: *see* Salaris, F., Turturro, A.,
 Bianchi, U. and Martuscelli, E.
- Martuscelli, E: *see* Cimmino, S., Martuscelli,
 E., Nicolais, L. and Silvestre, C.
- Martuscelli, E: *see* Costagliola, N., Greco, R.
 and Martuscelli, E, 860
- Martuscelli, E., Nicolais, L., Riva, F.,
 Ferruti, P. and Provenzale, L.: Synthesis
 and characterization of a potentially
 non-thrombogenic polyethylene-
 poly(amido-amine) graft copolymer,
 1063
- Marumoto, Kazuaki; Suzuto, Tatsuo;
 Noguchi, Hiromichi and Uchida,
 Yasuko: Synthesis and properties of
 polymeric latex particles and their con-
 jugates with human immunoglobulin G,
 867
- Mascia, L.: Antiplasticization of poly(vinyl
 chloride) in relation to thermal aging
 and non-linear viscoelastic behaviour, 325
- McIntyre, D: *see* Fetter, L. J. and McIntyre,
 D.
- Meader, D., Atkins, E. D. T. and Happé, F.:
 Cellulose Trinitrate:molecular conforma-
 tion and packing consideration, 1371
- Melis, A., The Late: *see* Sorta, E., and
 Melis, A., The Late
- Meyer, C. T., Cohen-Addad, J. P., and
 Boileau, S.: Crossover from the dilute
 to the semidilute regime as determined
 from n.m.r. of poly(ethylene oxide)
 chains, 1107
- Meyer, G. C: *see* Widmaier, J. M. and Meyer,
 G. C.
- Migliaresi, C: *see* Narkis, M., Bercovich, I.,
 Nicolais, L., and Migliaresi, C.
- Miyazaki, Masao; Yoneyama, Michio; and
 Sugai, Shintaro: Anion-induced confor-
 mational transition of poly(L-arginine)
 and its two homologues, 995
- Migliaresi, C: *see* de Cindio, B., Milgairesi,
 C. and Acierno, D.
- Miller, A. A.: Mobilities of polymer liquids
 at constant temperature and at constant
 volume, 899
- Mitomo, H., Nakazato, N. and Kuriyama, I.:
 Lamellar thickening behaviour of
 nylon-6,6 crystal by annealing, 1427
- Miura, Masatoshi; Hayashi, Toshihiko;
 Akutsu, Fumihiro and Nagakubo,
 Kuniharu: Effect of polystyrene matrix
 on decoloration reaction of coloured
 spiropyran, 348
- Monge, Ph: *see* Montfort, J. P., Marin, G.,
 Arman, J., and Monge, Ph.
- Montfort, J. P., Marin, G., Arman, J. and
 Monge, Ph.: Blending law for binary
 blends of fractions of linear polystyrene,
 277
- Morantz, D. J., Bilen, C. S. and Harrison, N.:
 Intrinsic afterglow of crystalline mel-
 amine and a derivative resin and its role
 in a strong room temperature phos-
 phorescent system, 473
- Morrow, D. R: *see* Warty, S., Morrow, D. R.
 and Sauer, J. A.
- Moseley, Michael E., and Stilbs, Peter: ^{13}C
 nuclear spin-lattice relaxation study of
 anisotropic solvent rotational diffusion
 in polystyrene/trans-decalin system, 1133
- Mukhopadhyay, Rabindra. Bhowmick, Anil
 K., and De, Sadhan K.: Effect of
 vulcanization temperature and synergism
 of accelerators on the network structure
 and technical properties of efficiently
 vulcanized natural rubber mixes, 1176
- Mukhopadhyay, Rabindra: *see* Kumaran,
 M. G.; Mukhopadhyay, Rabindra and De,
 Sadhan K.
- Mullik, S. U.: *see* Bamford, C. H. and Mullik,
 S. U.
- Murakami, Kenkichi: *see* Tamura, Saburo
 and Murakami, Kenkichi
- Mutter, M.: *see* Bonora, G. M., Toniolo, C.
 and Mutter, M.
- Nagakubo, Kuniharu: *see* Miura, Masatoshi;
 Hayashi, Toshihiko; Akutsu, Fumihiro;
 and Nagakubo, Kuniharu
- Nagy, T. T: *see* Ivan, B., Turcsanyi, B.,
 Nagy, T. T., Kelen, T., and Tüdös, F.
- Nakafuku, Chitoshi: Unit cell variations
 of polyethylene crystal with tempera-
 ture and pressure, 149
- Nakamura, K: *see* Hatakeyama, T.,
 Nakamura, K. and Hatakeyama, H.
- Nakazato, N: *see* Mitomo, H., Nakazato, N.
 and Kuriyama, I.
- Narkis, M., Bercovich, I., Nicolais, L. and

Author Index

- Migliaresi, C.: Cell cracking in open cell rigid polymeric foams, 1104
- Nasrallah, Elias T.: Protonation of poly(2-vinyl pyridine 1-oxide) and some analogues in relation to their conformation, 1445
- Natucci, Barbara: *see* Houben, Julien L.; Natucci, Barbara; Solaro, Roberto; Colelia, Orlando; Chiellini, Emo and Ledwith, Anthony
- Neubauer, E. A., Thomas, D. A. and Sperling, L. H.: Effect of decrosslinking and annealing on interpenetrating polymer networks prepared from poly(ethylene acrylate) polystyrene combinations, 188
- N'Guyen, Thanh Dung; Deffieux, Alain and Boileau, Sylvie: Phase-transfer catalysis in the chemical modification of polymers: 1, 423
- Nicodemo, L., Nicolais, L., Romeo, G. and Scafara, E.: Determination of the glass transition temperature by means of electrical measurements, 230
- Nicolais, L: *see* Nicodemo, L., Romeo, G., Nicolais, L. and Scafara, E.
- Nicolais, L: *see* Cimmino, S., Martuscelli, E., Nicolais, L. and Silvestre, C.
- Nicolais, L: *see* Narkis, M., Bercovich, I., Nicolais, L. and Migliaresi, C.
- Nicolais, L: *see* Martuscelli, E., Nicolais, L., Riva, F., Ferruti, P. and Provenzale, L.
- Niezette, J. and Linkens, A.: Contribution to the ultrasonic degradation of polystyrene solutions, 939
- Nobbs, J. H. and Bower, D. I.: Orientation averages for drawn rubber networks, 1100
- Noguchi, Hiromichi: *see* Marumoto, Kazuaki; Suzutu, Tatsuo; Noguchi, Hiromichi and Uchida, Yasuzo
- North, Alastair M., Pethrick, Richard A., and Wilson, Alexander D.: Dielectric properties of phase separated polymer solids: 1. Styrene–butadiene–styrene triblock copolymers, 913; 2. Butanediol terephthalate–poly(tetramethylene oxide terephthalate) copolymers, 923
- Numa, Hideaki: *see* Ishikawa, Hiroshi; Numa, Hideaki and Nagura, Masanubo
- O'Driscoll, Kenneth, F: *see* Shchori, Ehud, and O'Driscoll, Kenneth F.
- Odell, J. A., Grubb, D. T. and Keller, A.: A new route to high modulus polyethylene by lamellar structures nucleated onto fibrous substrates with general implications for crystallization behaviour, 617
- Odijk, Theo: Electrostatic persistence length and its relation to a unified theory of polyelectrolyte in solution, 989
- Ogura, Katsuyuki: *see* Sannan, Takanori; Kurita, Keisuke; Ogura, Katsuyuki and Iwakura, Yoshio
- Okoniewski, M: *see* Wróbel, A. M., Kryszewski, M., Rakowski, W., Okoniewski, M. and Kubacki, Z.
- Okui, N., Li, H. M. and Magill, J. H.: Thermal properties of poly(tetramethyl-p-silphenylene siloxane) and (tetramethyl-p-silphenylene siloxane–dimethyl siloxane) copolymers, 411
- Olesiak, R: *see* Huczkowski, P., Kapoko, J. and Olesiak, R.
- Olsen, A. P: *see* Salamone, J. C., Volksen, W., Olson, A. P. and Israel, S. C.
- Overbergh, N., and Berghmans, H.: Comments on paper 'Residual solvent removal and n-hexane sorption in blends of atactic and isotactic polystyrene' (D. L. Faulkner, H. B. Hopfenberg and
- V. T. Stannett *Polymer* 1977, 18, 1130–1136), 602
- Owadhi, A. A., Parsons, I. W., Hay, J. N. and Haward, R. N.: Properties of nylon-1 polymers and copolymers in the solid state, 386
- Pacansky, T. J.; *see* Pochan, J. M., Pacansky, T. J. and Hinman, D. F.
- Paci, M.: *see* Acquaviva, L.; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E. and Ciardelli, F.
- Painter, P. C: *see* Coleman, M. M., Petcavich, R. J. and Painter, P. C.
- Papadopoulou, N: *see* Theocaris, P. S. and Papadopoulou, N.
- Papaspyrildes, C. and Birley, A. W.: Contribution of carboxyl end-groups to the hydrolytic instability of crosslinked polyesters, 1474
- Parsons, Ian W.: *see* Shah, Ashok C.; Holdaway, Ian; Parsons, Ian W. and Haward, Robert N.
- Parsons, I. W.: *see* Owadhi, A. A., Parsons, I. W., Hay, J. N. and Haward, R. N.
- Paul, N. C: *see* Cunliffe, A. V., Paul, N. C., Richards, D. H. and Thompson, D.
- Pearson, J. R. A: *see* Halmos, A. L., Pearson, J. R. A. and Trottnow, R.
- Pedemonte, Enrico: *see* Alfonso, Giovanni Carlo; Pedemonte, Enrico and Ponzetti, Lorenzo
- Peetz, L.: *see* Krüger, J., Peetz, L. and Pietralla, M.
- Penwell, R. C. and Prest Jr, W. M.: Orientation in poly(*N*-vinyl carbazole) by melt extrusion, 537
- Perry, E. Philip: *see* Watts, Davis C. and Perry, E. Philip
- Petcavich, R. J: *see* Coleman, M. M., Petcavich, R. J. and Painter, P. C.
- Pethrick, Richard A., *see*: North, Alastair M., Pethrick, Richard A. and Wilson, Alexander D.
- Pethrick, R. A. *see* Datta, P. K. and Pethrick, R. A.
- Petkov, L., Kyrtcheva, R., Radenkov, Ph. and Dobreva, D: Organometallics in ethylene polymerization with a catalyst system TiC₄/Al(C₂H₅)₂Cl/Mg(C₆H₅): 1: Suspension polymerization process, 567 2. Polymerization process in pseudosolution, 570
- Pietralla, M: *see* Kilian, H.-G. and Pietralla, M.
- Pietralla, M.: *see* Krüger, J., Peetz, L. and Pietralla, M.
- Plaček, J.: *see* Kovarskii, A. L., Plaček, J. and Szőcs, F.
- Plaček, J: *see* Tino, J., Plaček, J., Slama, P., and Borsig, E.
- Pleštil, L: *see* Dušek, K., Pleštil, J., Ledňický, F. and Luňák, S.
- Pochan, J. M., Pacansky, T. J. and Hinman, D. F.: Effects of solvent and thermal annealing on the dielectric properties and morphology of dimethyl siloxane- α -methylstyrene block copolymers, 431
- Ponzetti, Lorenzo: *see* Alfonso, Giovanni Carlo; Pedemonte, Enrico and Ponzetti, Lorenzo
- Porter, Roger S.: *see* Danesi, Sergio and Porter, Roger S.
- Prest Jr, W. M.: *see* Penwell, R. C. and Prest Jr, W. M.
- Pritchard, J. G: *see* Joshi, D P. and Pritchard, J. G.
- Privalko, Valery P.: Universal relation for polymer crystallization rates from the melt, 1019
- Provenzale, L: *see* Martuscelli, E., Nicolais, L., Riva, F., Ferruti, P., and Provenzale, L.
- Nicolais, L., Rivà, F., Ferruti, P. and Provenzale, L.
- Pugh, D. and Jones, D. A.: An internal viscosity–normal mode description of ultrasonic absorption in dilute polymer solutions, 1008
- Pugh, D: *see* Jones, D. A. and Pugh, D.
- Purt, S. N: *see* Brooks, B. W., Kropholler, H. W. and Purt, S. N.
- Pyzuk, Wieslaw: Side chain motions and electrical polarizability of helical polypeptides, 673
- Radenkov, Ph: *see* Petkov, L., Kyrtcheva, R., Radenkov, Ph. and Dobreva, D.
- Radenkov, Ph: *see* Petkov, L., Radenkov, Ph. and Kyrtcheva, R.
- Radic, Deodato and Gargallo, Ligia: Behaviour of diphenolic copolymers in solution: case of *p*-tert-butyl phenyl methacrylate vinyl pyrrolidone, 1015
- Rajapakse, R. A., Gunasena, W. A. S., Wijekoon, K. B. and Korathota, S.: Antioxidant activity of cashew-nut-shell-liquid in black loaded rubber vulcanizates 206
- Rakowski, W: *see* Wróbel, A. M. Kryszewski, M., Rakowski, W., Okoniewski, M. and Kubacki, Z.
- Rance, D. G: *see* Blythe, A. R., Briggs, D., Kendall, C. R., Rance, D. G. and Zichy, V. J. I.
- Razumovskaya, I. V: *see* Vorobyev, V. M., Razumovskaya, I. V. and Vettegren, V. I.
- Reddy, N. K: *see* Bullock, A. T., Cameron, G. G., Howard, C. B. and Reddy, N. K.
- Riande, E. and Fatou, J. G.: Crystallization kinetics of polyethylene–paraffin mixtures, 1295
- Richards, D. H., Kingston, S. B. and Souel, T.: Block copolymer synthesis by reaction of living polystyrene with living polytetrahydrofuran, 68
- Richards, D. H.: Mechanism of initiation of anionic polymerization by alkali metals, 109
- Richards, D. H: *see* Cunliffe, A. V., Paul, N. C., Richards D. H. and Thompson, D.
- Richards D H: *see* Burgess, F. J., Cunliffe, A. V., Richards, D H. and Thompson, D.
- Richards, D. H., Kingston, S. B., and Souel, T: Block copolymer synthesis: 2. Reaction of living poly(α -methylstyrene) with living polytetrahydrofuran, 806
- Richards, R. W., Macconnachie, A. and Allen, G: Temperature dependence of chain dimensions, 266
- Richards, Randal W: *see* Macconnachie, A. and Richards, Randal W.
- Richardson, M. J: *see* Brown, I. G., Wetton, R. E., Richardson, M. J. and Savill, N. G.
- Rider, J. G. and Watkinson, K. M.: Ultrasonic measurements of the elastic stiffness constants of oriented polyethylene, 645
- Ridler, P. J. and Jennings, B. R.: Fluorescence polarization changes in electrically oriented solutions of dye-tagged polymers, 627
- Rietsch, F., Brault, A. and Froelich, D.: Study of three-dimensional polystyrene networks containing linear chains: 1. Influence of free chains on the volume fraction of crosslinked chains, 1043
- Rigbi, Z: Prediction of swelling of polymers in 2 and 3 component solvent mixtures, 1229
- Rietsch, F: *see* Choquet, M., and Rietsch, F.
- Riva, F: *see* Martuscelli, E., Nicolais, L., Riva, F., Ferruti, P., and Provenzale, L.

- Rizk, Nadia A.: *see* Yassin, Ahmady A. and Rizk, Nadia A.
- Roberts, George A. F.: and Thomas Iwan M.: Determination of the solubility parameter of *o*-hydroxypropyl cellulose, 459
- Robins, M. L.: *see* Harris, R. K. and Robins, M. L.
- Robinson, M. E. R., Bower, D. I., Allsopp, M. W., Willis, H. A. and Zichy, V.: Raman spectroscopic study of poly(vinyl chloride) particles, 1225
- Robinson, M. E. R., Bower, D. I., and Maddams, W. F.: A study of the C-Cl stretching region of Raman spectrum of PVC, 773
- Roerdink, E. and Challa, G.: Influence of tacticity of poly(methyl methacrylate) on the compatibility with poly(vinylidene fluoride), 173
- Rogal, Eugeniusz: *see* Zuk, Aleksander; Wejchan-Judek, Maria and Rogal, Eugeniusz
- Romeo, G.: *see* Nicodemo, L., Romeo, G., Nicolais, L. and Scarora, E.
- Rondelez, F.: *see* Langevin, D. and Rondelez, F.
- Ross-Murphy, Simon B.: Unperturbed dimensions of branched chain, star and ring polymers, 497
- Rupprecht, M. C.: *see* Galin, M. and Rupprecht, M. C.
- Russell, G. A.: *see* Gregonis, D. E., Russell, G. A., Andrade, J. D. and deVisser, A. C.
- de Ruvo, Alf. and Alfthan, Elisabeth: Shifts in glass transition temperatures of synthetic polymers filled with microcrystalline cellulose, 872
- Ryan, T. G.: *see* Calvert, P. D. and Ryan, T. G.
- Sabsai, O. Yu.: *see* Borisenkova, E. K.; Sabsai, O. Yu.; Kurbanaliev, M. K.; Dreval, V. E. and Vinogradov, G. V.
- Saeki, S. and Bonner, D. C.: Sorption of benzene by poly(ethylene oxide), 319
- Sahota, M.: *see* Greig, D. and Sahota, M.
- Salamone, J. C., Volksen, W., Olson, A. P. and Israel, S. C.: Aqueous solution properties of a poly(vinylimidazolium sulphobetaine), 1157
- Salaris, F., Turturro, A., Bianchi, U. and Martuscelli, E.: Influence of low molecular weight polyoxyethylene on bulk crystallization and melting behaviour of poly(oxymethylene diacetate), 1163
- Sannan, Takanori; Kurita, Keisuke; Ogura, Katsuyuki and Iwakura, Yoshio: Studies of chitin: 7. I.r. spectroscopic determination of degree of deacetylation, 458
- Sarazin, Dominique, and François, Jeanne: Study of the apparent specific volume of polystyrene in binary solvent, 694
- Sarazin, Dominique and François, Jeanne: Thermal variation of the apparent specific volume of polystyrenes in solution, 699
- Sarko, Anatole: *see* Stipanovic, Arthur J. and Sarko, Anatole
- Sauer, J. A.: Static and dynamic properties of monodisperse polystyrenes: influence of molecular weight, 859
- Sauer, J. A.: *see* Warty, S., Morrow, D. R. and Sauer, J. A.
- Savill, N. G.: *see* Brown, I. G., Wetton, R. E., Richardson, M. J. and Savill, N. G.
- Scafara, E: *see* Nicodemo, L., Nicolais, L., Romeo, G. and Scafara, E.
- Schelten, J: *see* Ballard, D. G. H., Cheshire, P., Longman, G. W. and Schelten, J.
- Schnabel, W.: *see* Beavan, S. W. and Schnabel, W.
- Schneider, B: *see* Spěváček, J. and Schneider, B.
- Schopov, Ivan and Jossifov, Christo: Synthesis and properties of poly(9,10-anthracene diylidene), 1449
- Seanor, Donald A. and Swift, Joseph A.: Metal catalysed oxidative coupling of mercaptan containing poly(dimethyl siloxanes), 934
- Seeley, Monica, E.: *see* Goldstein, Michael; Seeley, Monica, E.; Willis, Harry A.; and Zichy, Veronica, J. I.
- Segre, A. L.: *see* Acquaviva, L.; Conti, F.; Paci, M.; Delfini, M.; Segre, A. L.; Benedetti, E.; Chiellini, E. and Ciardelli, F.
- Sellen, D. B.: *see* Holt, C., Mackie, W. and Sellen, D. B.
- Sellen, D. B.: *see* Mackie, W., Sellen, D. B. and Sutcliffe, J.
- Semlyen, J. A.: *see* Dodgson, K., Sympson, D. and Semlyen, J. A.
- Seshadri, V: *see* Sharma, R. S., Seshadri, V. and Malhotra, R. C.
- Shah, Ashok C.: Holdaway, Ian; Parsons, Ian W., and Haward, Robert N: Studies of dimethylacrylates as crosslinkers for styrene, 1067
- Sharma, R. S., Seshadri, V. and Malhotra, R. C.: Turbulent flow characteristics of dilute solutions of hydroxypropyl-methyl cellulose, 986
- Shchori, Ehud, and O'Driscoll, Kenneth F.: Semipermeable composite micro-capsules, 1074
- Sherrington, D. C.: *see* Greig, J. A. and Sherrington, D. C.
- Shimada Shigetaka; Hori, Yasurō; and Kashiwabara, Hisatsugu: Hindered oscillation and e.s.r. spectra of alkyl free radicals trapped in irradiated polyethylene crystals, 763
- Silvestre, C.: *see* Cimmino, S., Martuscelli, E., Nicolais, L. and Silvestre, C.
- Skibo, M. D.: *see* Hertzberg, R. W., Manson, J. A. and Skibo, M. D
- Slama, P: *see* Tino, J., Plaček, J., Slama, P. and Borsig, E.
- Smith, K. C: *see* Ledwith, A., Walker, S. M. and Smith, K. C.
- Smith, R: *see* Breerton, M. G., Davies, G. R., Jakeways, R., Smith, T. and Ward, I. M.
- Solaro, Roberto: *see* Houben, Julien L.; Natucci, Barbara; Solaro, Roberto; Coletta, Orlando; Chiellini, Emo and Ledwith, Anthony
- Sorta, E. and Melis A., The Late: Block length distribution in finite polycondensation copolymers, 1153
- Sosin, S. E.: *see* Vinogradov, G. V., Elkin, A. I. and Sosin, S. E.
- Souel, T: *see* Richards, D. H., Kingston, S. B. and Souel, T.
- Souel, T: *see* Richards, D. H., Kingston, S. B. and Souel T.
- Sorta, E.: *see* Bruzzone, M. and Sorta, E.
- Spěváček, J.: Short chain branching in high density polyethylene: ^{13}C n.m.r. study, 1149
- Spěváček, J. and Schneider, B.: Effect of stereoregularity and solvent upon molecular motion and structure of stereoregular poly(methyl methacrylates) in solution. ^{13}C and ^1H n.m.r. relaxation study, 63
- Stephen, A. M.: *see* Lelliott, C., Atkins, E. D. T., Juritz, J. W. F. and Stephen, A. M.
- Stevenson, W. G.: *see* Ambler, M. R., Stevenson, W. G. and Fetter, L. J.
- Stilbs, Peter: *see* Moseley, Michael E. and Stilbs, Peter
- Stipanovic, Arthur J. and Sarko, Anatole: Molecular and crystal structure of cellulose triacetate I: A parallel chain structure, 3
- Stivala, S. S: *see* Gabbay, S. M. and Stivala, S. S.
- Stivala, S. S: *see* Garg, Sunil K. and Stivala, S. S.
- Stuk, Gregory J: *see* Cais, Rudolf E. and Stuk, Gregory J.
- Stupowski, T: *see* Kotowski, K., Jamroz, M., Stupowski, T. and Jachym, B.
- Su, T. K: *see* Mark, J. E., Chiu, D. S. and Su, T. K.
- Sugai, Shintaro: *see* Miyazaki, Masao; Yoneyama, Michio and Sugai, Shintaro
- Sugihara, Mizuho: *see* Uragami, Tadashi; Maekawa, Kazuhito and Sugihara, Mizuho
- Suzutu, Tatsuo: *see* Marumoto, Kazuaki; Suzutu, Tatsuo; Noguchi, Hiromichi and Uchida, Yasuko
- Sutcliffe, J: *see* Mackie W., Sellen, D. B. and Sutcliffe, J.
- Swiderski, Tomasz: *see* Zieliński, Marek; Swiderski, Tomasz and Kryszewski, Marian
- Swift, Joseph A.: *see* Seanor, Donald A., and Swift, Joseph A.
- Sympson, D.: *see* Dodgson, K., Sympson, D., and Semlyen, J. A.
- Szekely, T: *see* Janeczek, H., Turska, E., Szekely, T., Lengyel, M., and Till, F.
- Szöcs: *see* Borsig, E., and Szöcs, F.
- Szöcs, F.: *see* Kovarskii, A. L., Plaček, J. and Szöcs, F.
- Talmon, Yeshayahu: *see* Thomas, Edwin L., and Talmon, Yeshayahu
- Tamami, B. and Boshehri, R.: Relationship between pH and viscosity of poly(4-vinylpyrimidine *N*-oxide) in aqueous solution, 542
- Tamura, Saburo and Murakami, Kenkichi: Chemorheology of irradiation-cured natural rubbers: 3 Stress relaxation mechanisms in nitrogen at elevated temperature, 801
- Tan, Y. Y: *see* Lohmeyer, J. H. G. M.; Tan, Y. Y.; Lako, P. and Challa, G.
- Tanaka, Nobuyuki: Conformational effects on glass transition temperature and relaxation phenomena of polymers, 770
- Tanaka, Takeshi: *see* Allen, Geoffrey; and Tanaka, Takeshi
- Ter-Minassian-Sarage, L: *see* Baszkin, A. and Ter-Minassian-Saraga, L.
- Theocaris, P. S., and Papadopoulou, N.: Propagation of stress waves in viscoelastic media, 215
- Thomas, D. A: *see* Neubauer, E. A., Thomas, D. A. and Sperling, L. H.
- Thomas, Edwin L., and Talmon, Yeshayahu: Selective electron beam etching of multicomponent polymer systems, 225
- Thomas, Iwan, M: *see* Roberts, George A. F. and Thomas, Iwan M.
- Thomas, Noreen and Windle, A. H.: Transport of methanol in poly(methyl methacrylate), 255
- Thompson, D: *see* Cunliffe, A. V., Paul, N. C., Richards, D. H. and Thompson, D.
- Thompson, D: *see* Burgess, F. J., Cunliffe, A. V., Richards, D. H. and Thompson, D.
- Till, F: *see* Janeczek, H., Turska, E.,

Author Index

- Szekely, T., Lengyel, M. and Till, F.
 Tinker, A. J.: see Campbell, D. S., Loeber, D. E. and Tinker, A. J.
 Tino, J., Plaček, J., Slama, P., and Borsig, E.: Structure and reactivity of free radicals trapped in mechanically degraded poly(vinylene carbonate), 212
 Toniolo, C.: see Bonora, G. M., Toniolo, C. and Mutter, M.
 Törmälä, P.: see Braun, D., Törmälä, P., and Weber, G.
 Törmälä, P., and Weber, G.: Generalization of correlation between polymer glass transition T_g and an e.s.r. parameter T_{50G} , 1026
 Torrence, Paul F.: see Bobst, Albert M. and Torrence, Paul F.
 Traylor, P. A.: see Keskkula, Henno and Traylor, P. A.
 Treloar, L. R. G.: Dilatation of rubber on extension, 1414
 Trottnow, R.: see Halmos, A. L., Pearson, J. R. A. and Trottnow, R.
 Tüdös, F.: see Ivan, B., Turcsanyi, B., Nagy, T. T., Kelen, T., and Tüdös, F.
 Turcsanyi, B.: see Ivan, B., Turcsanyi, B., Nagy, T. T., Kelen, T., and Tüdös, F.
 Turley, S. G.: see Keskkula, H. and Turley, S. G.
 Turner, D. T.: Glass transition elevation by polymer entanglements, 789
 Turska, E.: see Janecek, H.; Turska, E., Szekely, T., Lengyel, M. and Till, F.
 Turska, E., and Janecek, H.: Liquid-induced crystallization of poly(2,6-dimethyl-1,4-phenylene ether), 81
 Turturro, A.: see Salaris, F., Turturro, A., Bianchi, U. and Martuscelli, E.
 Uchida, Yasuko: see Marumoto, Kazaki; Suzutu, Tatsuo; Noguchi, Hirmoichi and Uchida, Yasuko
 Uragami, Tadashi; Maekawa, Kazuhito and Suhihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes. Permeation characteristics of nylon-12-cellulose acetate blend polymer membranes, 1437
 Vasudevan, P.: see Moconnachie, A., Vasudevan, P. and Allen, G.
 Vasudevan, Padma: see Goel, Malti; Viswanathan, P. S. and Vasudevan, Padma
 Verdone, Maria Pia: see Alfonso, Giovanni Carlo; Verdone, Maria Pia and Waswiak, Andrzej
 Vettegren, V. I.: see Vorobyev, V. M., Razumovskaya, I. V. and Vettegren, V. I.
 Vinogradov, G. V.: see Borisenkova, E. K.; Sabrai, O. Yu.; Kurbanaliev, M. K.; Dreval, V. E. and Vinogradov, G. V.
 Vinogradov, G. V., Elkin, A. I. and Sosin, S. E.: Fracture of uncured linear flexible chain polymers of narrow molecular mass distribution in triaxial stress (behaviour of elastomers as adhesives), 1458
 de Visser, A. C.: see Gregonis, D. E., Russell, G. A., Andrade, J. D. and de Visser, A. C.
 Viswanathan, P. S.: see Goel, Malti; Viswanathan, P. S. and Vasudevan, Padma
 Vittoria, V.: see Araimo, L., de Candia, F. and Vittoria, V.
 Vlachopoulos, J., Hadjis, N. and Hamielec, A. E.: Influence of molecular weight on the tensile properties of nearly mono-disperse polystyrenes, 115
 Vladýka, J.: see Luňák, S., Vladýka, J. and Dušek, K.
 Vogl, O.: see DeMejo, L., MacKnight, W. J. and Vogl, O.
 Volksen, W.: see Salamone, J. C., Volksen, W., Olson, A. P. and Israel, S. C.
 Vorobyev, V. M., Razumovskaya, I. V. and Vettegren, V. I.: Deformation of interatomic bonds in polymers, 1267
 Vyvoda, J. C.: see Gilbert, M. and Vyvoda, J. C.
 Wake, W. C.: Theories of adhesion and uses of adhesives: a review, 291
 Walker, S. M.: see Block, H.; Bowker, Sheelagh M. and Walker S. M.
 Walker, S. M.: see Ledwith, A., Smith, K. C. and Walker, S. M.
 Ward, I. M.: see Brereton, M. G., Davies, G. R., Jakeways, R., Smith, T. and Ward, I. M.
 Ward, I. M.: see Clements, J., Jakeways, R. and Ward, I. M.
 Ward, I. M.: see Fraser, R. A. W. and Ward, I. M.
 Ward, I. M.: see Gibson, A. G., Davies, G. R. and Ward, I. M.
 Ward, I. M.: see Kahar, N., Duckett, R. A. and Ward, I. M.
 Ward, I. M.: see Wilding, M. A. and Ward, I. M.
 Warty, S., Morrow, D. R. and Sauer, J. A.: Effects of environment and surface coatings on the fatigue properties of polystyrene, 1466
 Waswiak, Andrzej: see Alfonso, Giovanni Carlo; Verdone, Maria Pia and Waswiak, Andrzej
 Watkinson, K. M.: see Rider, J. G. and Watkinson, K. M.
 Watts, David C. and Perry, E. Philip: Dielectric relaxation behaviour and the ductile/brittle transition of polycarbonate, 248
 Weber, G.: see Törmälä, P., and Weber, G.
 Weber, G.: see Törmälä, P., Braun, D., and Weber, G.
 Wegner, G.: see Droscher, M. and Wegner, G.
 Weih, Mark: see Kolpak, Francis J., Weih, Mark and Blackwell, John
 Wejchan-Judek, Maria: see Zuk, Aleksander, Wejchan-Judek, Maria and Rogal, Eugeniusz
 Wetton, R. E.: see Brown, I. G., Wetton, R. E., Richardson, M. J. and Savill, N. G.
 Widmaier, J. M. and Meyer, G. C.: Microscopy and laser diffraction investigation of block copolymers used as adhesives, 398
 Wijekoon, K. B.: see Rajapakse, R. A., Gunasena, W. A. S., Wijekoon, K. B. and Korathota, S.
 Wilding, M. A. and Ward, I. M.: Tensile creep and recovery ultra-high modulus linear polyethylenes, 969
 Willis, H. A.: see Robinson, M. E. R., Bower, D. I., Allsopp, M. W., Willis, H. A. and Zichy, V.
 Willis, Harry A.: see Goldstein, Michael; Seeley, Monica E.; Willis, Harry A.; and Zichy, Veronica J. I.
 Zielinski, Marek; Swiderski, Tomasz and Kryszewski, Marina: Thermal sampling in polymers with distributed relaxations: PMMA, 883
 Zotteri, L. and Giuliani, G. P.: Effect of hydrogenation on the elastic properties of poly(styrene-*b*-diene-*b*-styrene) copolymers, 476
 Zuk, Aleksander; Wejchan-Judek, Maria, and Rogal, Eugeniusz: Homopolycondensation of thiophenyl, 438
 Zurakowska-Orszagh, J.: Solid state polymerization of *N*-substituted acrylamides: 1, 717; Solid state polymerization of *N*-substituted acrylamides: 2, 720

785

Wood, B.: see Heatley, F. and Wood, B.
 Wright, P. V.: see Lee, C. C. and Wright, P. V.

Wróbel, A. M., Kryszewski, M., Rakowski, W., Okoniewski, M. and Kubacki, Z.: Effect of plasma treatment on surface structure and properties of polyester fabric, 908

Yagci, Yusuf; see Abdul-Rasoul, Firas A. M.; Ledwith, Anthony and Yagci, Yusuf

Yagci, Y.: see Bamford, C. H., Ledwith, A. and Yagci, Y.

Yamamoto, Hiroyuki and Hayakawa, Tadao: Synthesis and conformational study of polymers and copolymers of *O,O'*-dimethyl-L- β -3,4-dihydroxyphenyl- α -alanine with γ -benzyl-L-glutamate, 963

Yamamoto, Keiji: see Eiko, Ito; Yamamoto, Keiji; Kobayashi, Yasuji and Hatakeyama, Tatsuko

Yamamoto, Hiroyuki and Hayakawa, Tadao: Improved synthetic method and conformational studies of polymers and copolymers of L- β -3,4-dihydroxyphenyl- α -alanine with L-glutamic acid, 1115

Yamamoto, H., Inouye, K. and Hayakawa, T.: Studies of polymers and copolymers of *O,O'*-dicarbobenoxy-L- β -3,4-dihydroxyphenyl-L-alanine with γ -benzyl-L- and D-glutamates, 441

Yamini, S.: see Gledhill, R. A., Kinloch, A. J., Yamini, S. and Young, R. J.

Yassin, Ahmad A. and Rizk, Nadia A.: Charge-transfer complexes as polymerization inhibitors: 2. Studies on the mechanism of inhibition of the radical polymerizations of acrylonitrile and vinyl acetate using amine-chloranil complexes, 57

Yoneyama, Michio: see Miyazaki, Masao; Yoneyama, Michio and Sugai, Shintaro

Yoshida, Masaru; Kumakura, Minoru and Kaetsu, Isao: Controlled release of biofunctional substances: 1. Controlled release of potassium chloride by polymerization of various vinyl monomers; 1375 2. Release of potassium chloride from porous poly(diethylene glycol dimethacrylate), 1378

Young, K.: see Choy, C. L. and Young, K.
 Young, R. J.: see Gledhill, R. A., Kinloch, A. J., Yamini, S., and Young, R. J.

Zichy, V.: see Robinson, M. E. R., Bower, D. I., Allsopp, M. W., Willis, H. A. and Zichy, V.

Zichy, V. J. I.: see Blythe, A. R., Briggs, D., Kendall, C. R., Rance, D. G. and Zichy, V. J. I.

Zichy, Veronica J. I.: see Goldstein, Michael; Seeley, Monica E.; Willis, Harry A. and Zichy, Veronica J. I.

Zielinski, Marek; Swiderski, Tomasz and Kryszewski, Marina: Thermal sampling in polymers with distributed relaxations: PMMA, 883

Zotteri, L. and Giuliani, G. P.: Effect of hydrogenation on the elastic properties of poly(styrene-*b*-diene-*b*-styrene) copolymers, 476

Zuk, Aleksander; Wejchan-Judek, Maria, and Rogal, Eugeniusz: Homopolycondensation of thiophenyl, 438

Zurakowska-Orszagh, J.: Solid state polymerization of *N*-substituted acrylamides: 1, 717; Solid state polymerization of *N*-substituted acrylamides: 2, 720