

Classified Contents

- ABA poly(styrene-*b*-butadiene) copolymer micelles in methyl ethyl ketone and other solvents, formation of, 727
- Accurate measurement of creep of nylon-6,6 at constant temperature and humidity, 977
- Acenaphthylene α -methylstyrene and styrene, influence of the polymerization temperature on the relative reactivities of, 1303
- Acrylamide, copolymerization of, with sulphur dioxide. Determination of the effect of copolymerization temperature on the monomer sequence distribution by ^{13}C n.m.r., 179
- Acrylamide, methacrylamide and styrene, comparative rates of radical autoxidation of, 1057
- Adhesion and uses of adhesives: theories of, a review, 291
- Alkyl free radicals trapped in irradiated polyethylene crystals, hindered oscillation and e.s.r. spectra of, 763
- p*-Aminobenzoic acid-formaldehyde-*p*-bromophenol copolymers in non-aqueous media, titrimetric studies of, 596
- Amylose, micromechanical fracture analysis of, 583
- Amorphous polymers, neutron scattering and, 739
- Anionic polymerization by alkali metals, mechanism of initiation of, 109
- Anionic polymerization of α -methylstyrene in cyclohexane, equilibrium monomer concentration for, 729
- Anion-induced conformational transition of, poly(L-arginine) and its two homologues, 995
- Anisotropy of thermal diffusivity of uniaxial stretched polyethylenes, 664
- Annealing and melting behaviour of poly(1-butene) modification I, 1358
- Antioxidant activity of cashew-nut-shell-liquid in black loaded rubber vulcanizates, 205
- Anti-plasticization of poly(vinyl chloride) in relation to thermal aging and non-linear viscoelastic behaviour, 325
- Apparent specific volume of polystyrene in binary solvent, 694
- Aqueous solution properties of a poly(vinyl imidazolium sulphobetaine), 1157
- Are cured epoxy resins inhomogeneous?, 393
- Asymmetric membranes used in reverse osmosis, mechanism of formation of, 228
- Benzoyl chloride as an initiator of cationic polymerization, 595
- Benzyl methacrylate, styrene and methyl methacrylate, dilatometric investigations of the terpolymerization of, 111
- Biofunctional substances, controlled release of, by radiation induced polymerization: 1. Controlled release of potassium chloride by polymerization of various vinyl monomers; 2. Release of potassium chloride from porous poly(diethylene glycol dimethacrylate), 1375, 1379
- Black loaded rubber vulcanizates, antioxidant activity of cashew-nut-shell-liquid in, 205
- Blends of isotactic polypropylene and ethylene-propylene rubbers: rheology, morphology and mechanics, 448
- Blending law for binary blends of fractions of linear polystyrene, 277
- Block copolymer synthesis: 2. Reaction of living poly(α -methylstyrene) with living polytetrahydrofuran, 806
- Block copolymers, dimethyl siloxane/ α -methylstyrene, effects of solvent and thermal annealing on the dielectric properties and morphology of, 431
- Block copolymers used as adhesives, microscopy and laser diffraction investigation of, 398
- Block length distribution in finite polycondensation copolymers, 1153
- Block poly(ethylene oxide), crystallization of, 1035
- Branched chain, star and ring polymers, unperturbed dimensions of, 497
- Branched polymer molecules, effect of chain length and molecular architecture on the second virial coefficient, 895
- Branching, short chain, in high density polyethylene: ^{13}C n.m.r. study, 1149
- Brillouin scattering of semicrystalline poly(4-methyl-1-pentene): study of surface effects of bulk and film material, 1397
- ^{13}C n.m.r. study of optically active polymers: 2. Relaxation in poly[(S)-4-methyl-1-hexene], 1453
- ^{13}C nuclear magnetic resonance, examination of melamine-formaldehyde adducts by, 1309
- ^{13}C nuclear magnetic resonance, microstructure of polychloroprene determined by, 1232
- ^{13}C nuclear spin-lattice relaxation study of anisotropic solvent rotational diffusion in polystyrene/*trans*-decalin system, 1133
- C-Cl stretching region of the Raman spectrum of PVC, a study, 773
- Carboxyl end-groups, contribution of, to the hydrolytic instability of crosslinked polyesters, 1474
- Cashew-nut-shell-liquid in black loaded rubber vulcanizates, antioxidant activity of, 205
- Catalyst system $\text{TiCl}_4/\text{Al}(\text{C}_2\text{H}_5)_2\text{Cl}/\text{Mg}(\text{C}_6\text{H}_5)_2$, organometallics in ethylene polymerization with: 1. Suspension polymerization process, 567
- Catalyst system $\text{TiCl}_4/\text{Al}(\text{C}_2\text{H}_5)_2\text{Cl}/\text{Mg}(\text{C}_6\text{H}_5)_2$, organometallics in ethylene polymerization with, 2. Polymerization process in pseudo-solution, 570
- Cationic polymerization by common sources of free radicals, possibilities for promoting, 1217
- Cationic polymerizations, photochemical and thermal, promoted by free radical initiators, 1219
- Cellulose, Mercerization of, 1. Determination of the structure of Mercerized cotton, 123
- Cellulose, Mercerization of, 2. The morphology of Mercerized cotton cellulose, 132
- Cellulose triacetate I, molecular and crystal structure of, a parallel chain structure, 3
- Cellulose trinitrate, high molecular weight, gel permeation chromatography of, 1421
- Cellulose trinitrate: molecular conformation and packing considerations, 1371
- Chain dimensions, temperature dependence of, 266
- Change of amorphous state of poly(ethylene terephthalate) by heat treatment below the glass transition temperature, 39
- Characterization of radical polystyrene gels, 513
- Charge-transfer complexes as polymerization inhibitors: 2. Studies on the mechanism of inhibition of the radical polymerizations of acrylonitrile and vinyl acetate using amine-chloranil complexes, 57
- Chemorheology of irradiation-cured natural rubbers: 3. Stress relaxation mechanisms in nitrogen at elevated temperature, 801
- Chitin, studies of: 7. I.r. spectroscopic determination of degree of deacetylation, 458
- 'Cold crystallization', elastomer structures and, 467
- Coloured spiropyran, effect of polystyrene matrix on decoloration reaction of, 348
- Comments on paper 'Residual solvent removal and n-hexane sorption in blends of atactic and isotactic polystyrene', 602
- Comparative study of stress relaxation of radical and anionic gels, 519
- Comparison of the reactions of organic bromides and *p*-toluene sulphonates with polymeric anions, 329
- Composites containing inert fillers from, determination of network density, from stress-strain measurements in the swollen state, 1189
- Compressive recovery behaviour of polycarbonate, 1335
- Conformation of liquid short chain polyethers from flow birefringence, 632
- Conformation of the gummy polysaccharide from corm sacs of *Watsonia pyramidata*, 363
- Conformational effects on glass transition temperature and relaxation phenomena of polymers, 770
- Controlled release of biofunctional substances by radiation induced polymerization: 1. Controlled release of potassium chloride by polymerization of various vinyl monomers, 2. Release of potassium chloride from porous poly(diethylene glycol dimethacrylate), 1375
- Conversion of dielectric to viscoelastic data, 235
- Copolymerization of acrylamide with sulphur dioxide. Determination of the effect of copolymerization temperature on the monomer sequence distribution by ^{13}C n.m.r., 179
- Correlation between polymer glass transition T_g and an e.s.r. parameter T_{50G} , generalization of, 1026
- Crankshaft motion in polymers in dilute solution, on the possibility of, 474
- Crazing limit of polymers in creep and stress relaxation, 1195
- Creep of nylon-6,6, accurate measurement of, at constant temperature and humidity, 977
- Crystalline melamine and a derivative resin, intrinsic afterglow, and its role in a strong room temperature phosphorescent system, 473
- Crystallinity and crystallite size measurement in polyamide and polyester fibres, 27
- Crystallinity and fusion of low molecular weight α , ω -alkoxy-poly(ethylene oxide): methoxy to octadecyloxy end-groups, 309
- Crystallization kinetics and morphology of polymer blends of poly(tetramethyl-*p*-silphenylene siloxane) fractions, 416
- Crystallization kinetics of oriented poly(ethylene terephthalate) from the glassy

Classified Contents

- state, 711
- Crystallization of block poly(ethylene oxide), 1035
- Crystallizing polymers, redistribution of impurities in, 611
- D.s.c. studies on phase separation of solutions of poly(2,6-dimethyl-1,4-phenylene ether) in decalin, 85
- Decomposition of benzoyl peroxide in the presence of poly(*N*-vinyl carbazole), poly(*p*-methoxystyrene) and some model compounds, 990
- Degradation of nylon-6 in ethylene glycol, 77
- Degradation of polyacrylonitrile in solution by alkali, 1145
- Densified polymeric glasses, glass transition and thermodynamic state of, 659
- Determination of the glass transition temperature by means of electrical measurements, 230
- Determination of the solubility parameter of *o*-hydroxypropyl cellulose, 459
- Dextran-methyl methacrylate graft copolymer, preparation and characteristics of, 1325
- O, O'*-Dicarbobenzoxy-*L*- β -3,4-dihydroxy-*L*-alanine with γ -benzyl-*L*- and *D*-glutamates, studies of polymers and copolymers of, 441
- Dielectric γ losses in polysulphone and polyethersulphone, 601
- Dielectric properties of phase separated polymer solids: 1. Styrene-butadiene-styrene triblock copolymers, 913
- Dielectric properties of phase separated polymer solids: 2. Butanediol terephthalate poly(tetramethylene oxide terephthalate) copolymers, 923
- Dielectric relaxation behaviour and the ductile/brittle transition of polycarbonate, 248
- Differential thermal analysis of styrene derivatives related to lignin, 593
- Diffusion and relaxation in glassy polymer powders: 2. Separation of diffusion and relaxation parameters, 489
- Diffusion control in the glass transition region on critical conversion at the gel point effect of, during curing of epoxy resin, 931
- L*- β -3,4-Dihydroxyphenyl- α -alanine with *L*-glutamic acid, improved synthetic method and conformational studies of polymers and copolymers of, 1115
- Dilatometric investigations of the terpolymerization of benzyl methacrylate, styrene and methyl methacrylate, 111
- Dimethyl siloxane/ α -methylstyrene block copolymers, effects of solvent and thermal annealing on the dielectric properties and morphology of, 431
- Dimethylacrylates as crosslinkers for styrene, studies of, 1067
- Diphilic copolymers in solution: behaviour of, case of *p*-tertbutyl phenyl methacrylate vinyl pyrrolidone, 1015
- Dissolution of polypropylene in organic solvents: 4. Nature of the solvent, 483
- Dow S-102 polystyrene, evidence for a high molecular weight tail in the, 463
- Drawn crystalline polymers, a fibre composite model of, 654
- Drawn polypropylenes, scanning electron microscopy and ultrasonic studies of, 145
- Drawn rubber networks, orientation averages for, 1100
- D.s.c.: 2. Determination of specific heat of polystyrene, 1224
- Dye-tagged polymers, fluorescence polarization changes in electrically oriented solutions of, 627
- Dynamic mechanical and sonic velocity behaviour of polystyrene-poly(vinyl methyl ether) blends, 1181
- Dynamic mechanical behaviour and longitudinal crystal thickness measurements on ultra-high modulus linear polyethylene: a quantitative model for the elastic modulus, 683
- E.s.r. spectra of rubber-carbon black mixtures after mastication and extraction, 709
- Effect of accelerator system and addition of lignin on the network structure of natural rubber vulcanizate, 461
- Effect of hydrogenation on the elastic properties of poly(styrene-*b*-diene-*b*-styrene) copolymers, 476
- Effect of molecular orientation on the fracture toughness of the thermoplastics, 341
- Effect of polystyrene matrix on decoloration reaction of coloured spiropyran, 348
- Effect of stereoregularity and solvent upon molecular motion and structure of stereoregular poly(methyl methacrylates) in solution. ^{13}C and ^1H n.m.r. relaxation study, 63
- Effects of solvent and thermal annealing on the dielectric properties and morphology of dimethyl siloxane/ α -methylstyrene block copolymers, 431
- Elastic properties of poly(styrene-*b*-diene-*b*-styrene) copolymers, effect of hydrogenation on the, 476
- Elastomer structures and 'cold crystallization', 467
- Electrical discharge treatment, surface modification of polyethylene by, and the mechanism of autoadhesion, 1273
- Electron diffraction study on the polysaccharide from *Watsonia pyramidata* corm sacs, 368
- Electron microscopy investigation of ion exchange membranes, 73
- Electron spin resonance studies of spin-labelled polymers: 15. Spin probe measurements of plasticized poly(vinyl acetate), 352
- Electrochemical reduction of polytetrafluoroethylene, study of the intercalated carbon formed by, 856
- Electrostatic persistence length and its relation to a unified theory of polyelectrolytes in solution, 989
- Emission and absorption studies on poly(methyl vinyl ketone): evidence of ground state complex formation with alkyl amines, 854
- Emulsion polymerization of styrene in a continuous stirred reactor, 193
- Energies of activation, estimation of, for thermal oxidation of polyolefins, 850
- Engineering plastics, correlation between fracture properties and viscoelastic damping response in, 358
- Environmental stress cracking and morphology of polyethylene, 589
- Environmental stress cracking of polyethylene, a theory, 1186
- Epoxy resin adhesives, relationship between mechanical properties of, and crack propagation in, 574
- Epoxy resins, critical conversion at the gel point during curing of, effect of diffusion control in the glass transition region on, 931
- Equilibrium monomer concentration for the anionic polymerization of α -methylstyrene in cyclohexane, 729
- Ethylene polymerization process with a highly active Ziegler-Natta catalyst: 1. Kinetics, 553
- Ethylene polymerization process with a highly active Ziegler-Natta catalyst: 2. Molecular weight regulation, 562
- Evidence for a high molecular weight tail in the Dow S-102 polystyrene, 463
- Extruded polyethylene, thermal conductivity of, 503
- Far infra-red spectra ($400-30\text{ cm}^{-1}$) of isotactic polybut-1-ene in forms I and II, 1118
- Fatigue fracture properties and viscoelastic damping response in engineering plastics, correlation between, 358
- Fibre composite model of drawn crystalline polymers, 654
- Fine structure of the low temperature relaxation in linear polyethylene, 603
- Flexible linear macromolecules: instantaneous shape and segmental density of 1. Direct observation of tagged poly(*cis*-isoprene) molecules in untagged matrix, 401
- Flow birefringence, conformation of liquid short chain polyethers from, 632
- Fluorescence polarization changes in electrically oriented solutions of dye-tagged polymers, 627
- Formation of ABA poly(styrene-*b*-butadiene) copolymer micelles in methyl ethyl ketone and other solvents, 727
- Fracture of uncured linear flexible chain polymers of narrow molecular mass distribution in triaxial stress (behaviour of elastomers as adhesives), 1458
- Fracture toughness of thermoplastics, effect of molecular orientation on the, 341
- Free radical initiators, photochemical and thermal cationic polymerizations promoted by, 1219
- Free radical polymerization of unconjugated dienes: 18. Cyclopolymerization of *o*-divinylbenzene at 70°C , 197
- Free radical polymerization of unconjugated dienes: 19. Temperature dependence of the cyclopolymerization of *o*-divinylbenzene, 202
- Free radical terpolymerizations, effect of high pressure in, 1236
- Free radicals, common source, possibilities for promoting cationic polymerization by common sources of free radicals, 1217
- Free radicals, generation of, with lauroyl peroxide, azobisisobutyronitrile and their mixture in polymer matrix at high pressure, 445
- Free radicals trapped in mechanically degraded poly(vinylene carbonate), 212
- Gel permeation chromatography, infra-red detection in, 350
- Gel permeation chromatography of high molecular weight cellulose trinitrate, 1421
- Gel permeation chromatography, steric exclusion and partial exclusion by polymer incompatibility in, 705
- Gelling system kinetics, new experimental analytical technique for, 88
- Generalized exponential distribution as an adequate description of the molecular weight distribution of many polymers, 984
- Generation of free radicals with lauroyl peroxide, azobisisobutyronitrile and their mixture in polymer matrix at high

- pressure, 445
- Glass-rubber transition of poly(vinyl chloride) and poly(ethylene terephthalate) by small-angle X-ray scattering, determination of, 889
- Glass transition elevation by polymer entanglements, 789
- Glass transition and thermodynamic state of densified polymeric glasses, 659
- Glass transition, kinetic nature of, 1001
- Glass transition temperature, determination of, by means of electrical measurements, 230
- Glass transition temperature and relaxation phenomena of polymers, conformational effects on, 770
- Glass transition temperature of poly(2-hydroxyethyl methacrylate), effect of water and tacticity on, 1362
- Glass transition temperatures of synthetic polymers filled with microcrystalline cellulose, shifts in, 872
- Glassy organic polymers, generalized theory of the total fracture surface energy for, 1345
- Glassy polymer powders, diffusion and relaxation in: 2. Separation of diffusion and relaxation parameters, 489
- Graft copolymers, polydiene-g-polystyrene, preparation of, 1106
- Gummy polysaccharide from corm sacs of *Watsonia pyramidata*, conformation of, 363
- Helical polypeptides, side chain motions and electrical polarizability of, 673
- Heparin, viscosity of, in formamide and glycerol, 243
- High impact polystyrene, thermodynamics of formation, 227
- 'High-mileage' catalysts, $[\eta] - M$ relationship for isotactic polypropylene obtained with, 1363
- High modulus polyethylene, new route to, by lamellar structures nucleated onto fibrous substrates with general implications for crystallization behaviour, 617
- Highly active Ziegler-Natta catalyst, ethylene polymerization process with: 1. Kinetics, 553
2. Ethylene polymerization process with, molecular weight regulation, 562
- Highly dispersed lamellae, models for small-angle X-ray scattering from, 1258
- Highly oriented polyethylene, thermal conductivity of, 155
- Hindered oscillation and e.s.r. spectra of alkyl free radicals trapped in irradiated polyethylene crystals, 763
- Homopolycondensation of thiophenol, 438
- Human immunoglobulin, synthesis and properties of polymeric latex particles and their conjugates with, 867
- Hydrolytic instability of crosslinked polyesters, contribution of carboxyl end-groups to, 1474
- o*-Hydroxypropyl cellulose, determination of the solubility parameter of, 459
- Hydroxypropylmethyl cellulose, turbulent flow characteristics of dilute solutions of, 986
- Hysteresis of the stress-induced crystalline phase transition in poly(butylene terephthalate), 17
- Impact polystyrene, a method for examining rubber particles from, 465
- Impurities in crystallizing polymers, redistribution of, 611
- Incorporation of spin probes into polynucleotides by enzymatic polymerization, 115
- Influence of tacticity of poly(methyl methacrylate) on the compatibility with poly(vinylidene fluoride), 173
- Infra-red detection in gel permeation chromatography, 350
- Infra-red digital subtraction techniques, application of, to the microstructure of polychloroprenes: 1. Accentuation and assignment of bands due to structural irregularities, 1243; 2. Mechanism of oxidative degradation at 60°C, 1249; 3. Effect of structural irregularities on the crystalline infra-red bands of chloroprene copolymers, 1253
- Interatomic bonds in polymers, deformation of, 1267
- Intercalated carbon formed by electrochemical reduction of polytetrafluoroethylene, study of, 856
- Interpenetrating polymer networks prepared from poly(ethylene acrylate)/polystyrene combinations, effect of decrosslinking and annealing on, 188
- Instantaneous shape and segmental density of flexible linear macromolecules: 1. Direct observation of tagged poly(*cis*-isoprene) molecules in untagged matrix, 401
- Intensities of longitudinal acoustic modes and their structural implications, 857
- Internal viscosity—normal mode description of, ultrasonic absorption in dilute polymer solutions, 1008
- Intrinsic afterglow of crystalline melamine and a derivative resin and its role in a strong room temperature phosphorescent system, 473
- Ion exchange membranes, electron microscopy investigation of, 73
- Ionomers: poly(alkylene oxide): 1. Copolymerization of trioxane by gas phase mixing of comonomers and initiator, 956
- γ -Irradiated poly(vinyl alcohol) films, nature of trapped free radicals in, 785
- Irradiation-cured natural rubbers, chemorheology of, stress relaxation mechanisms in nitrogen at elevated temperature, 801
- Irradiated single crystal mats of polyethylene, conversion of alkyl radicals to allyl radicals in, 1031
- Isotactic polypropylenes and ethylene-propylene rubbers: blends of, rheology, morphology and mechanics, 448
- Isotropic polypropylene, small-angle neutron scattering studies of, 379
- Kinetic nature of the, glass transition, 1001
- Kinetics of the non-isothermal crystallization of poly(ethylene terephthalate) determined by d.s.c. parameters characterizing, 1142
- Lamellar organization in banded spherulites of polyethylene, 469
- Lamellar thickening behaviour of nylon-6,6 crystal by annealing, 1427
- Lattice modulus and crystallite thickness measurements in ultra-high modulus linear polyethylene, 639
- Lauroyl peroxide, azobisisobutyronitrile and their mixture in polymer matrix at high pressure, generation of free radicals with, 445
- Linear oligopeptides: 53. Conformations of polyethylene-glycol-bound alanine and valine homo-L-oligopeptides in alcoholic solution, 1382
- Linear or branched polystyrenes and solvents within the temperature range 60°–200°C, study by gas liquid chromatography of the interactions between, 506
- Linear polyethylene, fine structure of the low temperature relaxation, 603
- Linear polystyrene, blending law for binary blends of fractions of, 277
- Linear representation of viscosity data as a function of molecular weight, 523
- Liquid-induced crystallization of poly(2,6-dimethyl-1,4-phenylene ether), 81
- Liquid short chain polyethers, conformation of, from flow birefringence, 632
- Longitudinal acoustic modes, in tensities of, and their structural implications, 857
- Low molecular weight α,ω -alkoxy-poly(ethylene oxide), crystallinity and fusion of, methoxy to octadecoxy end-groups, 309
- Low temperature relaxation in linear polyethylene, fine structure of, 603
- Mechanical properties of polysiloxanes: 1. Poly(tetramethyl-*p*-silphenylene siloxane) homopolymer and tetramethyl-*p*-silphenylene siloxane/dimethyl siloxane block copolymers, 829
- Mechanically degraded poly(vinylene carbonate) structure and reactivity of free radicals trapped in, 212
- Mechanism of formation of asymmetric membranes used in reverse osmosis, 228
- Mechanism of initiation of anionic polymerization by alkali metals, 109
- Melamine-formaldehyde adducts, examination of, by ¹³C nuclear magnetic resonance, 1309
- Melt crystallized polyethylene, distribution of chain defects and microstructure of, 1094
- Melt viscosity and thermal properties of poly(ethylene oxide) fractions and blends, 860
- Melting in single screw extruders, 1199
- Mercaptan-containing poly(dimethyl siloxanes), metal catalysed oxidative coupling of, 934
- Mercerization of cellulose: 1. Determination of the structure of Mercerized cotton, 123
2. The morphology of Mercerized cotton cellulose, 132
- Metal chelates, effects of, on the oxidation of polyolefins at high temperatures, 824
- Method for examining rubber particles from impact polystyrene, 465
- α -Methylstyrene in cyclohexane, equilibrium monomer concentration for the anionic polymerization of, 729
- Methyl catalysed oxidative coupling of mercaptan-containing poly(dimethyl siloxanes), 934
- Micromechanical fracture analysis of amylose, 583
- Microscopy and laser diffraction investigation of block copolymers used as adhesives, 398
- Mobilities of polymer liquids at constant temperature and at constant volume, 899
- Moderated copolymerization: 3. Concentration changes in copolymerization with chain transfer: general equations, with special reference to moderated copolymerization, 943
- Molecular and crystal structure of cellulose triacetate I: a parallel chain structure, 3
- Molecular conformation and packing considerations of cellulose trinitrate, 1371
- Molecular dynamics of poly(ethylene oxide) in concentrated solution, 33
- Molecular interpretation of correlation

- between polymer glass transition T_g and an e.s.r. parameter T_{50G} , 598
- Molecular motion of polystyrene in dilute solution, proton magnetic relaxation study of the mechanism and solvent dependence of, 1405
- Molecular relaxation processes in poly(*N*-acryloyl-10,11-dihydrodibenz[*b,f*]azepine), 51
- Molecular sieve behaviour in polymeric reagents, 163
- Molecular weight, influence of, on the tensile properties of nearly monodisperse polystyrenes, 115
- Molecular weight measurements on polymers, an improved graphical method for the evaluation of, 1360
- Monodisperse polystyrenes, static and dynamic properties of, influence of molecular weight, 859
- Multicomponent electric birefringence transients: analysis of data for proteoglycan solutions, 1233
- Multicomponent polymer systems, selective electron beam etching of, 225
- N.m.r. of poly(ethylene oxide) chains, crossover from the dilute to the semi-dilute regime as determined from, 1107
- N*-substituted acrylamides, solid state polymerization, of: 1, 717
- N*-substituted acrylamides, solid state polymerization of: 2, 720
- Natural rubber mixes, efficiently vulcanized, effect of vulcanization temperature and synergism of accelerators on the network structure and technical properties of, 1176
- Natural rubber networks, thermomechanical study of the hysteretic behaviour of, 731
- Natural rubber vulcanizate, effect of accelerator system and addition of lignin on the network structure of, 461
- Nearly monodisperse polystyrenes, influence of molecular weight on the tensile properties of, 115
- Network density of composites containing inert fillers from stress-strain measurements in the swollen state, determination of, 1189
- Neutron scattering and amorphous polymers, 739
- New experimental analytical technique for gelling system kinetics, 88
- Nitrocellulose, diffusion of isopropyl nitrate acetone and water into, 285
- Nitroxide radicals, stable in solid polymers, study of rotational mobility of, 1137
- Non-linear electric behaviour of polymeric materials interpreted by free volume changes, 851
- Non-linear viscoelastic behaviour of polymers, effects of pressure on: 1. Polypropylene, 837
- Non-linear viscoelastic behaviour of polymers, effects of pressure on: 2. Poly(vinyl acetate), 844
- Nylon-1 polymers and copolymers in the solid state, properties of, 386
- Nylon-6 in ethylene glycol, degradation of, 77
- Nylon-6/ethyl alcohol solutions in presence of inorganic salts, viscosity measurements of, 526
- Nylon-6,6 crystal, lamellar thickening behaviour of, by annealing, 1427
- Nylon-12-cellulose acetate blend polymer membranes, permeation characteristics of: Studies on syntheses and permeabilities of special polymer membranes, 1437
- Oligomeric and polymeric siloxanes: ^{29}Si nuclear magnetic resonance studies of, chemical shift effects of end-groups, 1123
- Oligomeric polystyrenes, near monodisperse synthesis and characterization, 48
- Oligopeptides, linear: 53. Conformations of polyethylene-glycol-bound alanine and valine homo-L-oligopeptides in alcoholic solution, 1382
- Open cell rigid polymeric foams, cell cracking in, 1104
- Optically active polymers, ^{13}C n.m.r. study of, relaxation in poly[(S)-4-methyl-1-hexene], 1405
- Optically active vinyl polymers containing fluorescent groups: 5. Fluorescence properties of poly(9-vinyl carbazole) and optically active polymers containing carbazole units, 811
- Order-disorder transformations in ionic complexes of poly(ethylene oxide), 234
- Organic halides as cationic initiators, 334
- Organometallics in ethylene polymerization with a catalyst system $\text{TiCl}_4/\text{Al}(\text{C}_2\text{H}_5)_2\text{Cl}/\text{Mg}(\text{C}_6\text{H}_5)_2$: 1. Suspension polymerization process, 567
- Organometallics in ethylene polymerization with a catalyst system $\text{TiCl}_4/\text{Al}(\text{C}_2\text{H}_5)_2\text{Cl}/\text{Mg}(\text{C}_6\text{H}_5)_2$: 2. Polymerization process in pseudo-solution, 570
- Orientation averages for drawn rubber networks, 1100
- Orientation hardening of PVC, 677
- Orientation in poly(*N*-vinyl carbazole) by melt extrusion, 537
- Oriented polyethylene, ultrasonic measurements of the elastic stiffness constants of, 645
- Oriented poly(ethylene terephthalate) from the glassy state, crystallization kinetics of, 711
- Oriented poly(methyl methacrylate), stress-optical studies of, 136
- Oxidation of polyolefins at high temperatures effects of metal chelates on, 824
- Partly alcoholized poly(vinyl acetate) polymers: kinetics of formation and reaction with iodine, 427
- Phase separated polymer solids: dielectric properties of: 1. Styrene-butadiene-styrene triblock copolymers, 913
- Phase separated polymer solids: dielectric properties of: 2. Butanediol terephthalate-poly(tetramethylene oxide terephthalate) copolymers, 923
- Phase-transfer catalysis in the chemical modification of polymers: 1, 423
- Phenolic resin, thermal depolarization effect in, 905
- Photoconductivities of poly(*N*-vinyl carbazoles) containing cation radicals, 531
- Photometric determination of gel point in PVC thermal degradation, 351
- Photo-oxidation of polystyrene film: 1. Photo-oxidation of polystyrene films with light absorbed by polymers, 1313
- Photo-oxidation of polystyrene film: 2. Photo-oxidation of polystyrene with light absorbed by the polystyrene-oxygen complex, 1317
- Plasma treatment, effect of, on surface structure and properties of polyester fabric, 908
- Plastic deformation of oriented lamellae: 1. Cold rolling of β -phase isotactic polypropylene, 99
- Polyacrylonitrile, degradation of, in solution by alkali, 1145
- Poly(alkyl itaconates): 6. Ionomers based on butyl- and heptyl-itaconic acid esters, 1052
- Poly(alkylene oxide) ionomers: 1. Copolymerization of trioxane by gas phase mixing of comonomers and initiator, 956
- Polyamide and polyester fibres, crystallinity and crystallite size measurement in, 27
- Poly(amido-amine) structure, protonation studies of multifunctional polymers with, 1329
- Poly(9, 10-anthracene diylidene), synthesis and properties of, 1449
- Poly(1-butene) modification, annealing and melting behaviour of, 1358
- Polybut-1-ene in forms I and II, isotactic, far infra-red spectra ($400-30\text{ cm}^{-1}$), 1118
- Poly(butylene terephthalate), hysteresis of the stress-induced crystalline phase transition in, 17
- Polycarbonate, compressive recovery behaviour of, 1335
- Polycarbonate, dielectric relaxation behaviour and the ductile/brittle transition of, 248
- Polycarbonate, temperature dependence of craze shape and fracture in, 220
- Polychloroprene, the microstructure of, determined by ^{13}C nuclear magnetic resonance, 1232
- Polychloroprenes: application of infra-red digital subtraction techniques to the micro-structure of: 1. Accentuation and assignment of bands due to structural irregularities, 1243
- Polycondensation copolymers, finite, block length distribution in, 1153
- Polydiene-g-polystyrene graft copolymers, preparation of, 1106
- Poly(diethyl siloxane), random coil dimensions of, 407
- Poly(dimethyl siloxanes), cyclic and linear, studies of: 2. Preparative gel permeation chromatography, 1285
- Poly(2,6-dimethyl-1,4-phenylene ether) in decaline, d.s.c. studies on phase separation of solutions of, 85
- Poly(2,6-dimethyl-1,4-phenylene ether), liquid-induced crystallization of, 81
- Poly(2,6-dimethyl-1,4-phenylene oxide): thermal degradation of, 2, mass spectroscopic analysis of dimeric products from degradation of poly(2,6-dimethyl-1,4-phenylene oxide), 93
- Polyelectrolytes in solution, electrostatic persistence length and its relation to a unified theory, 989
- Polyester fabric, effect of plasma treatment on surface structure and properties of, 908
- Polyester filaments, X-ray diffraction study of solvent-induced crystallization in, 819
- Polyesters, crosslinked, contribution of carboxyl end-groups to the hydrolytic instability of, 1474
- Poly(ethylene acrylate)/polystyrene combinations, effect of decrosslinking and annealing on interpenetrating polymer networks prepared from, 188
- Polyethylene, a theory of the environmental stress cracking of, 1186
- Polyethylene crystal, unit cell variations of, with temperature and pressure, 149
- Polyethylene, environmental stress cracking and morphology of, 589
- Polyethylene, high density: short chain branching in, ^{13}C n.m.r. study, 1149

- Polyethylene, irradiated single crystal mats of, conversion of alkyl radicals to allyl radicals in, 1031
- Polyethylene, melt crystallized, distribution of chain defects and microstructure, of 1094
- Polyethylene, on lamellar organization of banded spherulites in, 469
- Polyethylene-paraffin mixtures, crystallization kinetics of, 1295
- Polyethylene-poly(amido-amine) graft copolymer, potentially non-thrombogenic, synthesis and characterization of, 1063
- Polyethylene, surface modification of, by electrical discharge treatment and the mechanism of autoadhesion, 1273
- Poly(ethylene-glycol)-bound alanine and valine homo-L-oligopeptides in alcoholic solution, conformations of: linear oligopeptides: 53
- Poly(ethylene oxide) chains, n.m.r. cross-over from the dilute to the semidilute regime as determined from, 1107
- Poly(ethylene oxide) crystals, a small-angle neutron scattering study on, 271
- Poly(ethylene oxide) fractions and blends, melt viscosity and thermal properties of, 860
- Poly(ethylene oxide) in concentrated solution, molecular dynamics, 33
- Poly(ethylene oxide), order-disorder transformations in ionic complexes of, 234
- Poly(ethylene oxide) samples of different molecular weights: blends of, thermal and mechanical properties, 1079
- Poly(ethylene oxide), sorption of benzene, 319
- Poly(ethylene terephthalate), a solid state condensation process, 43
- Poly(ethylene terephthalate), change of amorphous state of, by heat treatment below the glass transition temperature, 39
- Poly(ethylene terephthalate), parameters characterizing the kinetics of the non-isothermal crystallization of, determined by d.s.c., 1142
- Poly(ethylene terephthalate), third phase in, 953
- Polyfunctional macroinitiator based on manganese carbonyl: synthesis and reactions of, uses in graft copolymerization, 948
- Poly(hydroxyethyl methacrylate) polymers and hydrogels, stereoregular, preparation and properties of, 1279
- Poly(2-hydroxyethyl methacrylate), effect of water and tacticity on the glass transition temperature of, 1362
- Poly(isobutyl vinyl ether): stereospecific, use of phosphoryl chloride, thionyl chloride and vanadium pentoxide as catalysts, 357
- Polyisoprene modified polystyrene, 797
- 3,4-(*cis*-1,4)-*trans*-1,4 polyisoprene, structure of, by ^{13}C n.m.r., 231
- Poly(L-arginine) and its two homologues, anion induced conformational transition of, 995
- Poly(L-lysine), temperature-induced conformation transition of, 229
- Polymer crystallization rates from the melt, universal relation for, 1019
- Polymer entanglements. elevation of glass transition, 789
- Polymer glass transition T_g and an e.s.r. parameter, molecular interpretation of correlation between, 598
- Polymer liquids at constant temperature and at constant volume, mobilities of, 899
- Polymer modification and synthesis using sulphenyl derivatives: 9. Addition of alkylsulphenyl chlorides to *cis*-1,4-polybutadiene, 1089
- Polymer monolayers, investigation of photo-responsive effects in, 0000
- Polymeric anions, comparison of the reactions of organic bromides and *p*-toluene sulphonates with, 329
- Polymeric latex particles, synthesis and properties of, conjugates with human immunoglobulin, 867
- Polymeric materials, non-linear electric behaviour of, interpreted by free volume changes, 851
- Polymeric reagents. molecular sieve behaviour in, 163
- Polymerization inhibitors, charge-transfer complexes as, 2. Studies on the mechanism of inhibition of the radical polymerizations of acrylonitrile and vinyl acetate using the amine-chloranil complexes, 57
- Polymerization temperature, influence of, on the relative reactivities of acenaphthylenes, 1303
- Polymers, an improved graphical method for the evaluation of molecular weight measurements on, 1360
- Polymers and copolymers of L- β -3,4-dihydroxyphenyl- α -alanine with L-glutamic acid, improved synthetic method and conformational studies, 1115
- Polymers and copolymers of *O,O'*-dicarboxy-L- β -3,4-dihydroxy-L-alanine with γ -benzyl-L- and D-glutamates, studies of, 441
- Polymers and copolymers of *O,O'*-dimethyl-L- β -3,4-dihydroxyphenyl- α -alanine with γ -benzyl-L-glutamate, synthesis and conformational studies of, 963
- Polymers, crazing limit, in creep and stress relaxation, 1195
- Polymers, deformation of interatomic bonds in 1267
- Polymers in dilute solution, possibility of crankshaft motion in, 474
- Polymers in mixed solvents: linear representation of viscosity data as a function of molecular weight, 1305
- Polymers, multifunctional, with a poly(amido-amine) structure, protonation studies of, 1329
- Polymers, self-adhesion of, effect of surface polarity on, 1083
- Polymers: star-branched, 2. Linking reaction involving 2- and 4-vinyl pyridine and dienyl- and styryllithium chain ends, 1320
- Polymers with distributed relaxations: thermal sampling in, PMMA, 883
- Polymers with photoactive terminal groups: Synthesis and reactions of: 2. New azoinitiator for the synthesis of polymers with *N*-acyldibenz[*b,f*]azepine terminal unit, 354
- Poly(methyl methacrylate), isotactic and syndiotactic poly(methacrylic acid), stereoselective association between, 1171
- Poly(methyl methacrylate), transport of methanol in, 255
- Poly(4-methyl-1-pentene), semicrystalline, Brillouin scattering of: study of surface effects of bulk and film material, 1397
- Poly(methyl vinyl ketone), emission and absorption studies on, evidence of ground state complex formation with alkyl amines, 854
- Poly(*N*-acryloyl-10,11-dihydrodibenz[*b,f*]azepine), molecular relaxation processes in, 51
- Poly(*N*-vinyl carbazole) by melt extrusion, orientation in, 537
- Poly(*N*-vinyl carbazole), poly(*p*-methoxystyrene) and some model compounds, decomposition by benzoyl peroxide in the presence of, 990
- Poly(*N*-vinyl carbazoles) containing cation radicals photo-conductivities of, 531
- Polynucleotides, incorporation of spin probes, by enzymatic polymerization, 115
- Polyorganosiloxane retaining SiO_4 framework, synthesis of, from inosilicate mineral by trimethylsilylation, 1300
- Polyoxyethylene, low molecular weight, influence of, on bulk crystallization and melting behaviour of poly(oxyethylene diacetate), 1163
- Poly(oxyethylene diacetate), influence of low molecular weight polyoxyethylene on bulk crystallization and melting behaviour, 1163
- Polypropylene, isotactic, obtained with 'high-mileage' catalysts, $[\eta]$ -*M* relationship for, 1363
- Polypropylene, dissolution of, inorganic solvents: 4. Nature of the solvent, 483
- Poly[(S)-4-methyl-1-hexene], relaxation in: ^{13}C n.m.r. study of optically active polymers: 2., 1453
- Polysaccharide from *Watsonia pyramidata* corm sacs, electron diffraction study on, 368
- Polysaccharide gels, spectral broadening of light scattered from, 9
- Polysiloxanes, mechanical properties of: 1. Poly(tetramethyl-*p*-silphenylene siloxane) homopolymer and tetramethyl-*p*-silphenylene siloxane/dimethyl siloxane block copolymers, 829
- Polysiloxanes: structural studies of, crystal structure and fold conformation of poly(tetramethyl-*p*-silphenylene siloxane). 370
- Polystyrene, Dow S-102, evidence for a high molecular weight tail in, 463
- Polystyrene film: photo-oxidation of, 1: Photooxidation of polystyrene films with light absorbed by polymer, 1313
- Polystyrene film, photo-oxidation of, 2: Photo-oxidation of polystyrene film with light absorbed by the polystyrene-oxygen complex, 1317
- Polystyrene in binary solvent, study of the apparent specific volume, 694
- Polystyrene in dilute solution, proton magnetic relaxation study of the mechanism and solvent dependence of the molecular motion of, 1405
- Polystyrene-poly(vinyl methyl ether) blends, dynamic mechanical and sonic velocity behaviour of, 1181
- Poly(styrene-*b*-diene-*b*-styrene) copolymers, effect of hydrogenation on the elastic properties, 476
- Polystyrene solutions, contribution to the ultrasonic degradation of, 939
- Polystyrene/trans-decalin system, ^{13}C nuclear spin-lattice relaxation study of anisotropic solvent rotational diffusion in, 1133
- Polystyrenes in solution, thermal variation of the apparent specific volume, 699
- Polysulphone and polyethersulphone, dielectric γ losses in, 601
- Poly(tetramethyl-*p*-silphenylene siloxane)

Classified Contents

- and (tetramethyl-*p*-silphenylene siloxane-dimethyl siloxane) copolymers, thermal properties of, 411
- Poly(tetramethyl-*p*-silphenylene siloxane) fractions, crystallization kinetics and morphology of polymer blends of, 416
- Poly(vinyl chloride) and poly(ethylene terephthalate), determination of the glass-rubber transition small-angle X-ray scattering, 889
- Poly(vinyl imidazolium sulphobetaine), aqueous solution properties of, 1157
- Poly(2-vinyl pyridine 1-oxide) and some analogues, protonation of, in relation to conformation, 1445
- Poly(vinyl acetate) polymers, partly alcoholized, kinetics of formation and reaction with iodine, 427
- Poly(vinyl chloride), antiplasticization of, in relation of thermal aging and non-linear viscoelastic behaviour, 325
- Poly(vinyl chloride) particles, Raman spectroscopic study of, 1225
- Poly(4-vinylpyrimidine *N*-oxide) in aqueous solution, relationship between pH and viscosity, 542
- Polyethylene-poly(amido-amine) graft copolymer, Potentially non-thrombogenic, synthesis and characterization of, 1063
- Preparation and characteristics of dextran-methyl methacrylate graft copolymer, 1325
- Preparation and properties of stereoregular poly(hydroxyethyl methacrylate) polymers and hydrogels, 1279
- Pressure, effects of, on the non-linear visco-elastic behaviour of polymers: 1. Polypropylene, 837
- Pressure, effects of, on the non-linear viscoelastic behaviour of polymers: 1. Poly(vinyl acetate), 844
- Processed poly(vinyl chloride), X-ray diffraction of, 862
- Production of ultra-high modulus polyoxymethylene by tensile drawing at high temperatures, study of, 1338
- Propagation of stress waves in viscoelastic media, 215
- Properties of nylon-1 polymers and copolymers in the solid state, 386
- Propylene-butene-1-copolymers, isotactic random, thermal and mechanical properties of, 1222
- Proton magnetic relaxation study of the mechanism and solvent dependence of the molecular motion of polystyrene in dilute solution, 1405
- Proton magnetic resonance spectroscopy, quantitative characterization of prepolymers by: 1. Unsaturated polyesters based on terephthalic acid: 2, 1433
- Protonation of poly(2-vinyl pyridine 1-oxide) and some analogues in relation to conformation, 1445
- PVC, orientation hardening of, 677
- PVC thermal degradation, photometric determination of gel point in, 351
- Radiation induced polymerization, controlled release of biofunctional substances by: 1. Controlled release of potassium chloride by polymerization of various vinyl monomers; 2. Release of potassium chloride from porous poly(diethylene glycol dimethacrylate), 1375
- Radical and anionic gels, comparative study of stress relaxation of, 519
- Radical autoxidation of acrylamide, methacrylamide and styrene, comparative rates of, 1057
- Radical polystyrene gels, characterization of, 513
- Raman spectroscopic study of poly(vinyl chloride) particles, 1225
- Raman spectrum of PVC, a study of the C-Cl stretching region of, 773
- Random coil dimensions of poly(diethyl siloxane), 407
- Reaction of living polystyrene with living polytetrahydrofuran, 68
- Reaction model for Ziegler-Natta polymerization processes, 545
- Redistribution of impurities in crystallizing polymers, 611
- Relationship between mechanical properties of and crack propagation in epoxy resin adhesives, 574
- Relationship between pH and viscosity of poly(4-vinylpyrimidine *N*-oxide) in aqueous solution, 542
- Reverse osmosis, mechanism of formation of asymmetric membranes used in, 227
- Rotational mobility of stable nitroxide radicals in solid polymers, 1137
- Rubber-carbon black mixtures after mastication and extraction, e.s.r. spectra of, 709
- Rubber particles from impact polystyrene, a method for examining, 465
- Rubber, the dilation of, on extension, 1414
- Scanning electron microscopy and ultrasonic studies of drawn polypropylenes, 145
- Second virial coefficient of branched polymer molecules, effect of chain length and molecular architecture on, 895
- Sedimentation of large colloidal particles through semidilute polymer solutions, 875
- Selective electron beam etching of multi-component polymer systems, 225
- Self-adhesion of polymers, effect of surface polarity on, 1083
- Semidilute polymer solutions, sedimentation of large colloidal particles through, 875
- Semipermeable composite microcapsules, 1074
- ²⁹Si nuclear magnetic resonance studies of oligomeric and polymeric siloxanes: 4. Chemical shift effects of end-groups, 1123
- Side chain motions and electrical polarizability of helical polypeptides, 673
- Single screw extruders, melting in, 1199
- Small-angle neutron scattering studies of isotropic polypropylene, 379
- Small-angle neutron scattering study on poly(ethylene oxide) crystals, 271
- Small-angle X-ray scattering, determination of the glass-rubber transition of poly(vinyl chloride) and poly(ethylene terephthalate), 889
- Small-angle X-ray scattering from highly dispersed lamellae, 1258
- Solid state polymerization of *N*-substituted acrylamides: 1, 717
- Solid state polymerization of *N*-substituted acrylamides: 2, 720
- Solubility parameter of *o*-hydroxypropyl cellulose, determination of, 459
- Solvent-induced crystallization in polyester filaments, X-ray diffraction study of, 819
- Solvent mixtures, 2 and 3 component, prediction of swelling of polymers in, 1229
- Sorption of benzene by poly(ethylene oxide), 319
- Specific heat of polystyrene by d.s.c. 2, determination of, 1224
- Spectral broadening of light scattered from polysaccharide gels, 9
- Solid state condensation process, poly(ethylene terephthalate), 43
- Special polymer membranes, studies on syntheses and permeabilities of: Permeation characteristics of nylon-12-cellulose acetate blend polymer membranes, 1437
- Spin-labelled polymers, electron spin resonance studies of: 15. Spin probe measurements of plasticized poly(vinyl acetate), 352
- Star-branched polymers: 2. Linking reaction involving 2- and 4-vinyl pyridine and dienyl- and styryllithium chain ends, 1320
- Static and dynamic properties of monodisperse polystyrenes: influence of molecular weight, 859
- Stereoregular poly(methyl methacrylates) in solution, effect of stereoregularity and solvent upon molecular motion and structure of, ¹³C and ¹H n.m.r. relaxation study, 63
- Stereoselective association between isotactic poly(methyl methacrylate) and syndiotactic poly(methacrylic acid), 1171
- Stereospecific poly(isobutyl vinyl ether): use of phosphoryl chloride, thionyl chloride, and vanadium pentoxide as catalysts, 357
- Steric exclusion and partial exclusion by polymer incompatibility in gel permeation chromatography, 705
- Stress-optical studies of oriented poly(methyl methacrylate), 136
- Stress relaxation of radical and anionic gels, comparative study of, 519
- Structure of 3,4-(*cis*-1,4)-*trans*-1,4 polyisoprene by ¹³C n.m.r., 231
- Structural studies of polysiloxanes: crystal structure and fold conformation of poly(tetra-methyl-*p*-silphenylene siloxane), 370
- Studies of chitin: 7. I.r. spectroscopic determination of degree of deacetylation, 458
- Study by gas-liquid chromatography on the interactions between linear or branched polystyrenes and solvents within the temperature range 60°C-200°C, 506
- Styrene derivatives related to lignin, differential thermal analysis of, 593
- Styrene, emulsion polymerization of, in a continuous stirred reactor, 193
- Styrene, studies of, dimethylacrylates as crosslinkers for, 1067
- Surface effects of bulk and film poly(4-methyl-1-pentene): Brillouin scattering study of, 1397
- Swelling of polymers in 2 and 3 component solvent mixtures, prediction of, 1229
- Syntheses and permeabilities of special polymer membranes, studies on permeation characteristics of nylon-12-cellulose acetate blend polymer membranes, 1437
- Synthesis and characterization of near monodisperse oligomeric polystyrenes, 48
- Synthesis and conformational studies of polymers and copolymers of *O'*-dimethyl-L-β-3,4-dihydroxyphenyl-α-alanine with γ-benzyl-L-glutamate, 963
- Synthesis and properties of poly(9,10-anthracene diylidene) 1449
- Synthesis and properties of polymeric latex particles and their conjugates with

- human immunoglobulin, 867
- Synthesis and reactions of a polyfunctional macro-initiator based on manganese carbonyl: uses in graft copolymerization, 948
- Synthesis and reactions of polymers with photoactive terminal groups: 2. New azo-initiator for the synthesis of polymers with *N*-acyldibenz[*b,f*]azepine terminal units, 354
- Synthetic polymers filled with microcrystalline cellulose, shifts in glass transition temperatures of, 872
- Tacticity, influence of, on the compatibility with poly(vinylidene fluoride) of poly(methyl methacrylate), 173
- Temperature dependence of chain dimensions, 266
- Temperature dependence of craze shape and fracture in polycarbonate, 220
- Temperature induced conformation transition of poly(L-lysine), 229
- Tensile creep and recovery ultra-high modulus linear polyethylenes, 969
- Terephthalic acid, unsaturated polyesters based on: 1. Proton magnetic resonance spectrum of poly(propylene terephthalate) prepolymer, 1290
- Terephthalic acid, unsaturated polyesters based on: 2. Quantitative characterization of prepolymers by proton magnetic resonance spectroscopy, 1433
- Terpolymerizations, effect of high pressure in free radicals, 1236
- The dilation of rubber on extension, 1414
- Theories of adhesion and uses of adhesives: a review, 291
- Thermal aging and non-linear viscoelastic behaviour, antiplasticization of poly(vinyl chloride) in relation to, 325
- Thermal and mechanical properties of isotactic random propylene-butene-1 copolymers, 1222
- Thermal conductivity of extruded polyethylene, 503
- Thermal conductivity of highly oriented polyethylene, 155
- Thermal degradation of poly(2,6-dimethyl-1,4-phenylene oxide): 2. Mass spectroscopic analysis of dimeric products from degradation of poly(2,6-dimethyl-1,4-phenylene oxide), 93
- Thermal depolarization effect in phenolic resin, 905
- Thermal oxidation of polyolefins, estimation of energies of activation for, 850
- Thermal properties of poly(tetramethyl-*p*-silphenylene siloxane) and (tetramethyl-*p*-silphenylene siloxane-dimethyl siloxane) copolymers, 411
- Thermal sampling in polymers with distributed relaxations: PMMA, 883
- Thermal variation of the apparent specific volume of polystyrenes in solution, 699
- Thermodynamics of formation of high impact polystyrene, 227
- Thermomechanical study of the hysteretic behaviour of natural rubber networks, 731
- Thiophenol, homopolycondensation of, 438
- Thermoplastics, effect of molecular orientation on the fracture toughness of, 341
- Third phase in poly(ethylene terephthalate), 953
- Three-dimensional polystyrene networks containing linear chains: study of, 1. Influence of free chains on the volume fraction of crosslinked chains, 1043
- Three-dimensional polystyrene networks containing linear chains: study of, 2. Relaxation spectrum of linear chains, 1047
- Titrimetric studies of *p*-aminobenzoic acid-formaldehyde-*p*-bromophenol copolymers in non-aqueous media, 596
- Total fracture surface energy for glassy organic polymers, generalized theory of, 1345
- Transport of methanol in poly(methyl methacrylate), 255
- Trapped free radicals in γ -irradiated poly(vinyl alcohol) films, nature of, 785
- Turbulent flow characteristics of dilute solutions of hydroxypropylmethyl cellulose, 986
- Ultra-high modulus linear polyethylene: dynamic mechanical behaviour and longitudinal crystal thickness measurements on, a quantitative model for the elastic modulus, 683
- Ultra-high modulus linear polyethylene, lattice modulus and crystallite thickness measurements, 639
- Ultra-high modulus linear polyethylenes, tensile creep and recovery, 969
- Ultra-high modulus polyoxymethylene, study of the production of, by tensile drawing at high temperatures, 1338
- Ultrasonic absorption in dilute polymer solutions, an internal viscosity-normal mode description of, 1008
- Ultrasonic degradation of polystyrene solutions contribution to, 939
- Ultrasonic measurements of the elastic stiffness constants of oriented polyethylene, 645
- Unconjugated dienes, free radical polymerization of: 18. Cyclopolymerization of *o*-divinylbenzene at 70°C, 197
- Unconjugated dienes, free radical polymerization of: 19. Temperature dependence of the cyclopolymerization of *o*-divinylbenzene, 202
- Uniaxial stretched polyethylenes, anisotropy of thermal diffusivity of, 664
- Unit cell variations of polyethylene crystal with temperature and pressure, 149
- Universal relation for polymer crystallization rates from the melt, 1019
- Unperturbed dimensions of branched chain, star and ring polymers, 497
- Unsaturated polyesters based on terephthalic acid: 2. Quantitative characterization of prepolymers by proton magnetic resonance spectroscopy, 1433
- Vinyl polymers, optically active, containing fluorescent groups: 5. Fluorescence properties of poly(9-vinyl carbazole) and optically active polymers containing carbazole units, 811
- Viscoelastic media, propagation of stress waves in, 215
- Viscosity data as a function of molecular weight, linear representation of, 523
- Viscosity measurements on nylon-6/ethyl alcohol solutions in presence of inorganic salts, 526
- Viscosity of heparin in formamide and glycerol, 243
- Vulcanization temperature and synergism of accelerators, effect of, on the network structure and technical properties of efficiently vulcanized natural rubber mixes, 1176
- X-ray diffraction of processed poly(vinyl chloride), 862
- X-ray diffraction study of solvent-induced crystallization in polyester filaments, 819
- Ziegler-Natta polymerization processes, reaction model for, 545