
Authors

- Abadie, M. J. M., Schuë, F., Souel, T., Hartley, D. B. and Richards, D. H.: Block copolymerization by a cation to anion transformation process: 1. Reaction of butyl lithium with polyTHF possessing terminal styryl groups, 445
- Abadie, M. J. M.: *see* Cohen, P., 1105
- Abadie, M. J. M.: *see* Cohen, P., 1350
- Abadie, M. J. M.: *see* Palpacuer, M., 1847
- Abate, Giancarlo: *see* Martuscelli, Ezio, 229
- Abdel-Azim, Abdel-Azim, A. and Huglin, Malcolm B.: Lattice coordination number in polystyrene solutions, 1859
- Abe, Masahiro: *see* Shinozaki, Kenji, 722
- Abeysinghe, H. P., Edwards, W., Pritchard, G. and Swampila, G. J.: Degradation of crosslinked resins in water and electrolyte solutions, 1785
- Abouzahr, S., Wilkes, G. L. and Ophir, Z.: Structure-property behaviour of segmented polyether-MDI-butanediol based urethanes: effect of composition ratio, 1077
- Abouzahr, S., Mohajer, Y., Wilkes, G. L. and McGrath, J. E.: Chemo-rheological studies of isoprene-butadiene networks, 1519
- Abu-Bakr, Abdul, Pethrick, Richard A. and Emery, Jacques: Ultrasonic studies of aqueous solutions of polyvinylalcohol, 1446
- Adachi, Keichiro, North, Alastair, Pethrick, Richard A., Harrison, Gilroy and Lamb, John: Ultrasonic studies of styrene-butadiene-styrene triblock copolymers, 1451
- Adshead, Alan and Lindsay, S. M.: Brillouin scattering from polyurethane gels, 1884
- Affrossman, Stanley: *see* Sharma, Varinder K., 1732
- Agrawal, K. K.: *see* Gupta, Santosh, K., 1367
- Agarwalla, N. L.: *see* Kumar, Anil, 222
- Akiyama, Isamu: *see* Kunugi, Toshio, 1193
- Akiyama, Isamu: *see* Kunugi, Toshio, 1199
- Akutsu, Fumihiko: *see* Nagakubo, Kuniharu, 342
- Alamo, R., Fatou, J. G. and Guzman, J.: Crystallization of polyformals: 1. Crystallization kinetics of poly(1,3-dioxolane), 374
- Alamo, R., Fatou, J. G. and Guzman, J.: Crystallization of polyformals: 2. Influence of molecular weight and temperature on the morphology and growth rate in poly(1,3-dioxolane), 379
- Aldissi, M., Linaya, C., Sledz, J., Schuë, F., Giral, L., Fabre, J. M. and Rolland, M.: New catalyst systems for the polymerization of acetylene, 243
- Aldissi, M., Schuë, F., Giral, L., and Rolland, M.: Polymerization of acetylene by soluble Ziegler-Natta catalyst. Kinetic studies, 246
- Aldissi, M.: *see* Rolland, M., 834
- Allen, G.: *see* Takeuchi, H., 499
- Al-Malaika, Sahar and Scott, Gerald: Mechanisms of antioxidant action: Intermediates involved in the formation of sulphur acids from nickel dialkyl dithiophosphates, 1711
- Altomare, Angelina, Carlini, Carlo and Solaro, Roberto: Optically active polymers containing side-chain *trans*-stilbene chromophores, 1355
- Amass, Allan J. and Zurimendi, Jon A.: Non-equilibrium molecular weight studies on the metathesis polymerization of cyclopentene initiated by $WCl_6/AlEt_3$: Effect of catalyst ageing time, 211
- Amis, Eric J. and Han, Charles C.: Cooperative and self-diffusion of polymers in semidilute solutions by dynamic light scattering, 1403
- Amu, Thomas C.: The unperturbed molecular dimensions of poly(ethylene oxide) in aqueous solutions from intrinsic viscosity measurements and the evaluation of the theta temperature, 1775
- Anderson, M. R., Harryman, M. B. M., Steinman, D. K., White, J. W. and Currant, R.: Photon dispersion curves and elastic properties of polyoxymethylene single crystals, 569
- Ando, Isao, Morita, Masao, Nishioka, Atsuo and Sato, Kazuo: 1H N.m.r. relaxation and molecular motion of polyethylene in solution as studied by the isotopic dilution technique, 598
- Andrianova, Z. S.: *see* Malkin, A. Ya., 1791
- Andruzzi, Fulvio: *see* Lupinacci, Domenico, 277
- Angiolini, L.: *see* Rusconi, L., 1233
- Angne, Ursula: *see* Bartulin, Juan, 931
- Antisari, M. Vittori: *see* Hosemann, R., 979
- Apple, Thomas M.: *see* Brandolini, Anita J., 39
- Aranguren, M. I.: *see* Borrajo, J., 263
- Aravindanath, S., Paralikar, K. M., Betrabet, S. M. and Chaudhuri, N. K.: Structural study of cellophane, 823
- Aref-Azar, Ahmad and Hay, James N.: Physical ageing in glassy polymers. An i.r. spectroscopic investigation of poly(ethylene terephthalate), 1129
- Armistead, David M.: *see* Greenwood, Thomas D., 621
- Arshady, Reza: Polymer supports based on maleic anhydride copolymers: Preparation of beaded copolymers of maleic anhydride on dimethylacrylamide prepolymers, 947
- Arshady, Reza: Synthesis of polymer supports based on dimethylacrylamide and 3-formamidopropyl acrylate, 1099
- Arshady, Reza: Polymer-supported polymerization: A general technique for the preparation of novel beaded polymer supports, 1870
- Asahi, T., Miyamoto, Y., Miyaji, H. and Asai, K.: Annealing of polyethylene crystals in the hexagonal phase, 773
- Asai, Kenjiro: Thermodynamic analysis of the phase transition of polyethylene under high pressure, 391
- Asai, K.: *see* Asahi, T., 773
- Asano, H.: *see* Kitagawa, M., 1830
- Ashbee, K. H. G.: *see* Sargent, J. P., 327
- Aspler, Joseph S. and Gray, Derek G.: Interaction of organic vapours with hydroxypropyl cellulose, 43
- Assink, R. A.: *see* Kunz, S. C., 1897
- Aubin, Madeleine: *see* Bélorgey, Georges, 1051
- Babu, G. N.: *see* Dhal, Pradeep K., 937
- Baddour, R. F.: *see* Corbin, G. A., 1546
- Baker, H. M.: *see* Bubeck, R. A., 1680
- Balakrishnan, Thayikkannu and Periyasamy, Mookkan: Alternating copolymerization of 2-methyl-2-oxazoline with α -chloro- and α -bromoacrylic acids: 3. Synthesis, characterization and kinetics, 1372
- Balakrishnan, T.: *see* Ponnusamy, E., 1391
- Balaraman, K. S.: Comments on the kinetic mechanism of free radical bulk copolymerization of styrene-methyl methacrylate, 1245
- Ballard, D. G. H., Cheshire, P., Janke, E., Nevin, A. and Schelten, J.: Conformation of the molecules in drawn polypropylene revealed by neutron scattering studies, 1875
- Bamford, C. H., Eastmond, G. C., Woo, J. and Richards, D. H.: Formation of polystyrene-poly(methylmethacrylate) block copolymers by anion to free radical transformation, 643
- Banerjee, P. K., Srivastava, B. C. and Kumar, Shraavan: Cohesive-energy density of shellac, 417
- Banerjee, P. K., Srivastava, B. C. and Kumar, Shraavan: Shellac-solvent interaction parameter, 1244
- Banks, L. and Ellis, Bryan: The glass transition temperatures of highly crosslinked networks: Cured epoxy resins, 1466
- Bantle, S.: *see* Edwards, C. J. C., 873
- Bantle, S., Hässlin, H. W., ter Meer, H.-U., Schmidt, M. and Burchard, W.: Small-angle neutron scattering from branched epoxide resins, 1889
- Barbucci, R., Casolaro, M., Ferruti, P. and Barone, V.: Macroinorganics: 8. Chelation of copper (II) ion with some new poly(amido-amines), 148
- Barbucci, R.: *see* Rusconi, L., 1233

- Barham, P. J.: Gelation and the production of stiff polyethylene fibres, 1112
- Barlow, J. W.: *see* Joseph, E. A., 112
- Barlow, J. W.: *see* Chiou, J. S., 148
- Barone, V.: *see* Barbucci, R., 148
- Barrick, John D.: *see* Greenwood, Thomas D., 621
- Barrie, J. A.: *see* Majid, M. A., 919
- Barrie, J. A.: *see* Egboh, H. S., 1167
- Bartulin, Juan: *see* Cardenas, Galo, 154
- Bartulin, Juan, Cardenas, Galo, Rivas, Bernabe L., Perich, Ivan and Angne, Ursula: Study by scanning electron microscope of phosphorylated polyethylene resins, 931
- Bassett, D. C.: *see* Olley, R. H., 1707
- Bates, F. S.: *see* Berney, C. V., 1222
- Baumgärtner, A.: Excluded volume effect on polymer films, 334
- Bauwens-Crowet, C. and Bauwens, J. C.: Annealing of polycarbonate below the glass transition: quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
- Bauwens, J. C.: *see* Bauwens-Crowet, C., 1599
- Beghishev, V. P.: *see* Malkin, A. Ya., 385
- Bell, William and Pethrick, Richard A.: Ultrasonic investigations of linear and star shaped polybutadiene polymers in solutions of cyclohexane, hexane and ethylbenzene, 369
- Bélorgey, Georges, Aubin, Madeleine and Prud'homme, Robert E.: Studies of polyester/chlorinated poly(vinyl chloride) blends, 1051
- Bernard, O.: *see* Palpacuer, M., 1847
- Berney, C. V., Cohen, R. E. and Bates, F. S.: Sphere sizes in diblock copolymers: discrepancy between electron microscopy and small-angle scattering results, 1222
- Bernier, P.: *see* Rachdi, F., 173
- Bernier, P.: *see* Froyer, G., 1103
- Betrabet, S. M.: *see* Aravindanath, S., 823
- Betteridge, D., Cridland, J. V., Lilley, T., Shoko, N. R., Cudby, M. E. A. and Wood, D. G. M.: Acoustic emission and e.s.r. studies of polymers under stress, 178
- Bevington, J. C., Ebdon, J. R., Huckerby, T. N. and Hutton, N. W. E.: Carbon-13 n.m.r. study of end-groups in polymers prepared using azobutyronitrile as radical initiator, 163
- Bhateja, S. K.: Changes in the crystalline content of irradiated linear polyethylenes upon ageing, 654
- Bhorskar, S. V.: *see* Jog, J. P., 1622
- Bikson, B., Jagur-Grodzinski, J. and Vofsi, D.: Heterogeneous reactions of polymers: 3. Conformational analysis of heterogeneously chlorinated polyethylenes, 1163
- Billaud, D.: *see* Haleem, M. A., 1409
- Birch, D. J. S.: *see* Kryszewski, M., 924
- Birshtein, T. M., Sariban, A. A. and Skvortsov, A. M.: Orientational effects and ordering of flexible-chain polymers in concentrated solutions and in bulk, 1481
- Biswas, Mukul and Das, Sukhendu K.: Recent progress in carbazole based polymers, 1713
- Blackwell, John and Gutierrez, Genaro: The structure of liquid crystalline copolyester fibres prepared from *p*-hydroxybenzoic acid, 2,6-dihydroxy naphthalene, and terephthalic acid, 671
- Blackwell, J., Nagarajan, M. R. and Hoitink, T. B.: Structure of polyurethane elastomers: effect of chain extender length on the structure of MDI/diol hard segments, 950
- Blascu, Vasile: *see* Simionescu, Cristofor I., 1862
- Blair, Hal S. and Pogue, H. Ivor: Photomechanical effects in polymers containing 6'-nitro-1,3,3-trimethyl-spiro-(2'H-1'-benzopyran-2,2'-indoline), 779
- Blair, Hal S. and Lai, Kam Moon: Graft copolymers of polysaccharides: 1. Graft copolymers of alginic acid, 1838
- Blanshard, John M. V.: *see* Muhr, Alan H., 1012
- Bliznyuk, V. N.: *see* Shilov, V. V., 484
- Blumstein, A., Sivaramakrishnan, K. N., Blumstein, R. B., and Clough, S. B.: Synthesis and properties of some copolymers with mesogenic groups and flexible spacers in the main chain, 47
- Blumstein, R. B.: *see* Blumstein, A., 47
- Blundell, D. J.: The nature of crystallites in solidified, rigid-chain, liquid crystal polymers, 359
- Boileau, Sylvie: *see* Meunier, Gilles, 849
- Boileau, Sylvie: *see* Meunier, Gilles, 855
- Boileau, Sylvie: *see* Meunier, Gilles, 861
- Boivin, Sylviane: *see* Meunier, Gilles, 861
- Bolgov, S. A.: *see* Malkin, A. Ya., 385
- Booth, C.: *see* Price, C., 650
- Borisenkova, E. K., Dreval, V. E., Vinogradov, G., Kurbanaliev, M. K., Moiseyev, V. V., and Shalganova, V. G.: Transition of polymers from the fluid to the forced high-elastic and leathery states at temperatures above the glass transition temperature, 91
- Borrajó, J., Aranguren, M. I. and Williams, R. J. J.: Statistical aspects for the production of novolacs, 263
- Bosnyak, C. P., Hay, J. N., Parsons, I. W. and Haward, R. N.: Synthesis and properties of some poly(bisphenol A iso/terephthalate) polycarbonates, 609
- Botto, P.: *see* Teighi, G., 928
- Boué, F., Nierlich, M., and Leibler, L.: A convenient neutron scattering method for studying monomer correlations in homopolymer melts, 29
- Bourguignon, J. J. and Galin, J. C.: Nucleophilic substitution onto poly(methylmethacrylate): 4. Dilute solution properties of substituted polymethacrylates, 1493
- Bower, D. I. and Ward, I. M.: Quantitative characterization of orientation in PET fibres by Raman spectroscopy, 645
- Bower, D. I.: Orientation distribution functions for biaxially oriented polymers, 1251
- Boyer, Raymond F.: *see* Varadarajan, K., 314
- Bozek, F.: *see* Kucera, M., 207
- Brandolini, Anita J., Apple, Thomas M., Dybowski, Cecil and Pembleton, Robert G.: Solid state ¹⁹F n.m.r. of deformed PTFE, 39
- Bretz, P. E.: *see* Hahn, M. T., 1675
- Briber, R. M.: *see* Chang, A. L., 1060
- Brisse, Francois: *see* Rémillard, Bruno, 1960
- Broadhurst, M. G., Davis, G. T., DeReggi, A. S., Roth, S. C. and Collins, R. E.: Pyroelectricity and charge transport in a copolymer of vinylidene fluoride and tetrafluoroethylene, 22
- Brooks, B. W. and Mankanjuola, B. O.: Seeded emulsion polymerization of vinyl acetate: order of reaction with respect to initiator, 77
- Brown, H. R., Musindi, G. M. and Stachurski, Z. H.: Effect of plasticizer concentration and annealing on the structure of PVC, 1508
- Brown, James R. and Hodgeman, Daryl K. C.: An e.s.r. study of the thermal degradation of Kevlar 49 aramid, 365
- Brown, Wyn and Stilbs, Peter: On the solution conformation of poly(ethylene oxide). An *F*7-pulsed field gradient n.m.r. self-diffusion study, 1780
- Bruneau, Claude-Marcel: *see* Durand, Dominique, 69
- Bubeck, R. A. and Baker, H. M.: The influence of branch length on the deformation and microstructure of polyethylene, 1680
- Bullock, Anthony T., Cameron, G. Gordon and Miles, Isabel S.: Segment size in synthetic polymers by the spin-probe method, 1536
- Bunn, A., Cudby, M. E. A., Harris, R. K., Packer, K. J. and Say, B. J.: High resolution ¹³C n.m.r. spectra of solid isotactic polypropylene, 694
- Burchard, W.: *see* Edwards, C. J. C., 873
- Burchard, W.: *see* Bantle, 2., 1889
- Burchell, D. J., Lasch, J. E., Farris, R. J. and Hsu, S. L.: Deformation studies of polymers by time resolved Fourier transform infra-red spectroscopy: 1. Development of the technique, 965
- Burfield, David R.: Reaction of 2,4-dinitrophenylhydrazine with methylvinylketone copolymers. Effect of steric environment, 1259
- Busfield, W. K., O'Donnell, J. H. and Smith, C. A.: Radiation degradation of poly(styrene-co-methylmethacrylate): 2. Protective effects of styrene on volatile products, chain scission and flexural strength, 431
- Busnel, J. P.: Data handling in g.p.c. for routine operations, 137
-
- Calahorra, E., Cortazar, M. and Guzmán, G. M.: Spherulitic crystallization in blends of poly(ethylene oxide) and poly(methylmethacrylate), 1322
- Calvert, P. D.: *see* Ryan, T. G., 877
- Cameron, G. Gordon: *see* Bullock, Anthony T., 1536
- Canetti, M.: *see* Martusecelli, Ezio, 331
- Cannon, C. G.: Orientation processes in the drawing of dry gel films of polyethylene and polypropylene, 1123
- Cardenas, Galo: *see* Bartulin, Juan, 931
- Cardenas, Galo, and Bartulin, Juan: Thermal degradation of a series of phosphorylated resins of polyethylene, 154
- Carlfors, Johan: *see* Rymden, Roger, 325
- Carlini, Carlo: *see* Altomare, Angelina, 1355
- Caroline, David: Data fitting in photon correlation spectroscopy studies of dilute polymer solutions, 492

Author index

- Casolaro, M.: *see* Barbucci, R., 148
 Casolaro, M.: *see* Rusconi, L., 1233
 Casolaro, Mario: *see* Sante Angeloni, Annino, 1693
 Cascaval, Constantin: *see* Simionescu, Cristofor I., 1862
 Caubere, P.: *see* Raynal, S., 283
 Cavrot, J. P.: *see* Engelaere, J. C., 766
 Ceynowa, Jozef: Hydrogen-ion transport numbers in cation exchange membrane determined by e.m.f. method, 203
 Clark, D. T. and Stephenson, P. J.: E.s.c.a. studies of the nitration and denitration of cellulosic materials, 1034
 Clark, D. T. and Stephenson, P. J.: A ^{13}C n.m.r. and X-ray study of the relationship between the distribution of nitrate ester groups and interchain $d(110)$ spacings in a series of cellulose nitrates, 1295
 Clements, J. *see* Ward, I. M.: Superheating effects on the melting of ultra-high modulus linear polyethylene, 935
 Clough, S. B.: *see* Blumstein, A., 47
 Cohen, P., Abadie, M. J. M., Schué, F. and Richards, D. H.: Block copolymerization by a cation to anion transformation process: 2. Polymerization of styrene by polyTHF possessing terminal secondary nitrations, 1105
 Cohen, P., Abadie, M. J. M., Schué, F. and Richards, D. H.: Reaction of living polyTHF with amines: 4. Primary amines, 1351
 Cohen, R. E.: *see* Berney, C. V., 1222
 Cohen, R. E.: *see* Corbin, G. A., 1546
 Collins, R. E.: *see* Broadhurst, M. G., 22
 Colson, J. P.: *see* Snyder, R. G., 1286
 Comyn, J. and Glasse, M. D.: The ageing of 1,1-diphenylethene dimer dianions, 487
 Conder, K.: *see* Przulski, J., 1872
 Corbin, G. A., Cohen, R. E. and Baddour, R. F.: Kinetics of polymer surface fluorination: Elemental and plasma-enhanced reactions, 1546
 Cortazar, M.: *see* Calahorra, E., 1322
 Cosgrove, J. D., Hurdley, T. G., and Lewis, T. J.: The sorption of iso-propyl nitrate and acetone into nitrocellulose/nitroglycerine films, 144
 Cowie, J. M. G., Ferguson, R. and McEwen, I. J.: Detection of sub-glass transition events in amorphous polymers using differential scanning calorimetry, 605
 Chai, C. K.: *see* McCrum, N. G., 473
 Chai, C. K. and McCrum, N. G.: Thermal stimulation: 1. Determination of activation enthalpy ΔH_i for volume relaxation in polypropylene, 589
 Challa, G.: *see* Eshuis, A., 735
 Chandra, R., Subhash, V. and Verma, A. K.: Changes in physical properties and molecular structure of butyl rubber during γ -irradiation, 1457
 Chang, A. L., Briber, R. M., Thomas, E. L., Zdrahala, R. J. and Critchfield, F. E.: Morphological study of the structure developed during the polymerization of a series of segmented polyurethanes, 1060
 Chatani, Yoza: *see* Kusuyama, Hideo, 1256
 Chatterjee, S. K., Pandith, R. L. and Pachauri, L. S.: Effect of substituents on the composition and dislocation behaviour of some four component phenolic copolymers, 1659
 Chaudhuri, N. K.: *see* Aravindanath, S., 823
 Chen, C. C.: *see* Smith, L. S. A., 1540
 Cheng, G. L.: *see* Walsh, D. J., 1965
 Chéradame, Hervé: *see* Meunier, Gilles, 849
 Cheshire, P.: *see* Ballard, D. G. H., 1875
 Chiang, Chwan-hwa: *see* Ishida, Hatsuo, 251
 Child, H. R.: *see* Wignall, G. D., 957
 Chiou, J. S., Paul, D. R. and Barlow, J. W.: Miscibility of SAN with polyacrylates and polymethacrylates, 1543
 Chu, B.: *see* Gulari, Erdogan, 649
 Crawford, R. J., Paul, D. W., and Sprevak, D.: Solid phase compaction of polymeric powders: effects of compaction conditions on pressure and density variations, 123
 Criado-Sancho, M.: *see* Horta, A., 1005
 Cridland, J. V.: *see* Betteridge, D., 178
 Crist, B., Graessley, W. W. and Wignall, G. D.: Chain dimensions of crystallizable polymers in the solid and melt states, 1561
 Critchfield, F. E.: *see* Chang, A. L., 1060
 Crofton, Derek J., Moncrieff, David and Pethrick, Richard A.: Dielectric studies of cellulose and its derivatives: 1. Acetylation of cellulose, 1605
 Crofton, Derek J. and Pethrick, Richard A.: Dielectric studies of cellulose and its derivatives: 2. Effects of pressure and temperature on relaxation behaviour, 1609
 Crofton, Derek J. and Pethrick, Richard A.: Dielectric studies of cellulose and its derivatives: 3. Glycerol in cellulose acetate, 1615
 Cuadrado, T. R.: *see* Frontini, P. M., 267
 Cudby, M. E. A.: *see* Betteridge, D., 178
 Cudby, M. E. A.: *see* Bunn, A., 694
 Currat, R.: *see* Anderson, M. R., 569
-
- Daly, John H. and Pethrick, Richard A.: Rubber-modified epoxy resins: 3. Influence of filler on the dielectric relaxation properties, 1619
 Daniewska, Irena, Klein-Szymanska, Barbara and Wasjak, Andrzej: Small-angle light scattering studies of poly(*N*-vinylcarbazole), 1842
 Das, Niranjan K. and Mandal, Broja M.: Methylene blue as a retarder of free radical polymerization: 1. Polymerization of acrylonitrile, methyl methacrylate and styrene, 1653
 Das, Sukhendu K.: *see* Biswas, Mukul, 1713
 Davies, G. R.: *see* Gibson, A. G., 349
 Davis, G. T.: *see* Broadhurst, M. G., 22
 Dayan, S., Maissa, P., Vellutini, M. J. and Sixou, S.: Intrinsic viscosity of cellulose derivatives and the persistent cylinder model of Yamakawa, 800
 Dayan, S.: *see* Fried, F., 1755
 De, S. K.: *see* Mathew, N. M., 632
 de Boer, J. and Pennings, A. J.: Crosslinking of ultra-high molecular weight polyethylene in the melt by means of 2,5-dimethyl-2,5-bis(tert-butylidioxy)-3-hexyne: 2. Crystallization behaviour and mechanical properties, 1944
 Deloupy, C.: *see* Palpacuer, M., 1847
 Deffieux, A., Hsieh, W. C., Squire, D. R. and Stannett, V.: Radiation-induced cationic polymerization of vinyl ethers in solution: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution, 65
 Deffieux, A.: *see* Hsieh, W. C., 427
 DeReggi, A. S.: *see* Broadhurst, M. G., 22
 Desai, N. M.: *see* Pandya, M. V., 783
 Deshpande, Anjali: *see* Dhal, Pradeep K., 937
 Deshpande, D. D.: *see* Pandya, M. V., 783
 Dettenmaier, M.: *see* Nguyen, T. Q., 1305
 DeVries, K. L.: *see* Fanconi, B. M., 1027
 Diaz, F. R.: *see* Tagle, L. H., 1057
 Dirlikov, S. D.: *see* Gillette, P. C., 1759
 Dhal, Pradeep K., Deshpande, Anjali and Babu, G. N.: Pressure sensitive adhesives of acrylic polymers containing functional monomers, 937
 Doi, Yoshiharu, Ueki, Satoshi, Tamura, Shigeru, Nagahara, Shigeru and Keii, Tominaga: A kinetic study of 'living' coordination polymerization of propene with the soluble $\text{V}(\text{acac})_3\text{-Al}(\text{i-C}_4\text{H}_9)_2\text{Cl}$ system, 258
 Donald, Athene M. and Kramer, Edward J.: Effect of strain history on craze microstructure, 457
 Donald, Athene M. and Kramer, Edward J.: Craze microstructure and molecular entanglements in polystyrene-poly(phenylene oxide) blends, 461
 Donald, Athene M. and Kramer, Edward J.: Deformation zones and entanglements in glassy polymers, 1183
 Doskocilová, D.: *see* Stokr, J., 714
 Doskocilová, D., Schneider, Pelzbauer, Z. and Zajlcek, J.: Anisotropy of motion in solutions of poly(ethylene oxide) in the presence of the crystalline phase, 1477
 Douy, André and Gallot, Bernard: Block copolymers with a polyvinyl and a polypeptide block: factors governing the folding of the polypeptide chains, 1039
 Dreval, V. E.: *see* Borisenkova, E. K., 91
 Dreval, V. E.: *see* Kurbanaliev, M. K., 100
 Drobnik, H.: *see* Pivcova, H., 1237
 Druy, M. A.: *see* Epstein, A. J., 1211
 Dunn, Alexander S. and Said, Ziad F. M.: The effects of electrolyte concentration in the emulsion polymerization of styrene, 1172
 Durand, Dominique and Bruneau, Claude-Marcel: Average functionalities of macromolecules in stepwise polyfunctional polymerization, 69
 Dybowski, Cecil: *see* Brandolini, Anita J., 39
-
- East, G. C. and Morshed, M.: High molecular weight polyesters from alkali metal dicarboxylates and α, ω -dibromo compounds, 168
 East, G. C. and Gishab, A. M.: Cyclic oligomers in poly(1,4-butylene terephthalate), 323
 East, G. C. and Morshed, M.: The preparation of poly(methylene esters), 1555
 Eastmond, G. C., and Mucciariello, G.: Polymer-filler interactions in composites with grafted filler particles, 164
 Eastmond, G. C.: *see* Bamford, C. H., 643

- Ebdon, J. R., *see* Bevington, J. C., 163
- Ebert, Gotthold and Kuroyanagi, Yoshimitsu: Salt effects on the conformation of a 'statistical' copolymer of L-leucine and L-lysine, 1147
- Ebert, Gotthold and Kuroyanagi, Yoshimitsu: Salt effect on the conformation of an alternating copolymer of L-leucine and L-lysine, 1154
- Edwards, C. J. C., Stepto, R. F. T. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 7. Diffusion behaviour in a poor solvent, 865
- Edwards, C. J. C., Stepto, R. F. T. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 8. Light scattering measurements in good and poor solvents, 869
- Edwards, C. J. C., Bantle, S., Burchard, W., Stepto, R. F. T. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 9. Quasi-elastic light scattering and concentration dependences of diffusion coefficients, 873
- Edwards, S. F.: *see* Muthukumar, M., 345
- Edwards, W.: *see* Abeyasinghe, H. P., 1785
- Egboh, H. S., Ghaffar, A., George, M. H., Barrie, J. A. and Walsh, D. J.: Synthesis and characterization of some polyurethane ionomers, 1167
- Egyed, O.: *see* Vansco, G., 14
- Eling, B., Gogolewski, S. and Pennings, A. J.: Biodegradable materials of poly(L-lactic acid): 1. Melt-spun and solution-spun fibres, 1587
- Ellis, Bryan: *see* Banks, L., 1466
- Elzorza, J. M.: *see* Fernández-Berridi, M. J., 1361
- Emery, Jacques: *see* Abu-Bakr, Abdul, 1446
- Engelaere, J. C., Cavrot, J. P. and Rietsch, F.: Tensile drawing behaviour of polyethylene terephthalate: Influence of molecular weight and pre-orientation, 766
- Enkelmann, Volker, Monkenbusch, Michael and Wegner, Gerhard: On the packing properties of poly(acetylene) chains, 1581
- Enyiegbulan, M. E. and Hoursten, D. J.: Concentrated solution rheology of an ABA poly(styrene-*b*-butadiene) copolymer in various solvents, 1994
- Epstein, A. J., Rommelmann, H., Fernquist, R., Gibson, H. W., Drury, M. A. and Woerner, T.: Morphology of polyacetylene and doped polyacetylene, 1211
- Epton, R., Marr, G. and Ridley, R. G.: Solid phase peptide synthesis on an acrylate copolymer attached to porous silica beads, 306
- Epton, R., Marr, G. and Shackley, A. T.: Acrylate monomers based on 2,6-piperazinedione, 771
- Epton, R., Hocart, S. J., Marr, G. and Small, P. W.: Catalytic transfer hydrogenation of poly(acryloylmorpholine)-based peptide resin assemblies and of derived peptide segments, 1685
- Escaig, B.: *see* Lefebvre, J. M., 1751
- Eshuis, A., Roerdink, E. and Challa, G.: Multiple melting in blends of poly(vinylidene fluoride) with isotactic poly(ethyl methacrylate), 735
- Fabre, J. M.: *see* Aldissi, M., 243
- Fanconi, B. M., DeVries, K. L. and Smith, R. H.: Free radicals and new end groups resulting from chain scission: 2. Mechanical degradation of polyethylene, 1027
- Farris, R. J.: *see* Burchell, D. J., 965
- Fatou, J. G.: *see* Alamo, R., 374, 379
- Faulques, E.: *see* Rachdi, F., 173
- Favier, J. C.: *see* Guyot, P., 73
- Favier, J. C., Moreau, M., Vairon, J. P. and Léonard, J.: Regularity and stereoregularity of poly-*p*-isopropyl- α -methylstyrene, 1501
- Fawcett, A. H.: A model for structural inhomogeneities in hexagonal polyoxymethylene (POM), 1865
- Ferguson, R.: *see* Cowie, J. M. G., 605
- Fernández-Berridi, M. J., Otero, T. F., Guzmán, G. M. and Elorza, J. M.: Determination of the solubility parameter of poly(ethylene oxide) at 25°C by gas-liquid chromatography, 1361
- Fernquist, R.: *see* Epstein, A. J., 1211
- Ferracini, E.: *see* Hosemann, R., 979
- Ferrero, A.: *see* Hosemann, R., 979
- Ferruti, P.: *see* Barbucci, R., 148
- Ferruti, P.: *see* Rusconi, L., 1233
- Ferruti, Paolo: *see* Rusconi, Luisa, 1689
- Ferruti, Paolo: *see* Sante Angeloni, Annino, 1693
- Fontaine, F., Ledent, J., Groeninckx, G., and Reynaers, H.: Morphology and melting behaviour of semi-crystalline poly(ethylene terephthalate): 3. Quantification of crystal perfection and crystallinity, 185
- Fontanille, M.: *see* Guyot, P., 73
- Flynn, Joseph H.: A collection of kinetic data for the diffusion of organic compounds in polyolefins, 1325
- Francois, J.: *see* Sarazin, D., 1317
- Franta, Emile: *see* Lutz, Pierre, 1953
- Fried, F., Searby, G. M., Seurin-Vellutini, M. J., Dayan, S. and Sixou, P.: Quasi-elastic light scattering from dilute solutions of a semi-rigid macromolecule: cellulose tricarbanilate, 1755
- Frolov, V. G.: *see* Malkin, A. Ya., 1791
- Frontini, P. M., Cuadrado, T. R. and Williams, R. J. J.: Batch and continuous reactors for the production of novolacs, 267
- Froyer, G., Maurice, F., Bernier, P. and McAndrew, P.: E.p.r. studies on poly(*paraphenylene*s) synthesized by two different routes, 1103
- Fuhrmann, Jürgen: *see* Hennecke, Manfred, 797
- Fujii, Susumu: *see* Kokufuta, Estuo, 452
- Gadd, K. F.: A new solvent for cellulose, 1867
- Gaiduk, R. L.: *see* Laptij, S. V., 1917
- Galín, J. C.: *see* Bourguignon, J. J., 1493
- Gallot, Bernard: *see* Douy, André, 1039
- Galvin, Mary E. and Wnek, Gary E.: Electrically conductive polymer composites: polymerization of acetylene in polyethylene, 795
- Gardner, K., Pike, E. R., Miles, M. J., Keller, A. and Tanaka, K.: Photon-correlation velocimetry of polystyrene solutions in extensional flow fields, 1435
- Garg, Sunil K. and Stivala, S. S.: Assessment of branching in polymers from small-angle X-ray scattering (SAXS): SAXS from model comb-branched polystyrenes, 514
- Gasperowicz, Aleksandra, Kolendowicz, Maryla and Skowroński, Tadeusz: Grafting of styrene onto poly(butyl acrylate) in emulsion, 839
- George, M. H.: *see* Majid, M. A., 57
- George, M. H.: *see* Majid, M. A., 919
- George, M. H.: *see* Egboh, H. S., 1167
- Ghaffar, A.: *see* Egboh, H. S., 1167
- Ghijssels, A., Groesbeek, N. and Yip, C. W.: Multiple crystallization behaviour of polypropylene/thermoplastic rubber blends and its use in assessing blend morphology, 1913
- Gibson, A. G., Jawad, S. A., Davies, G. R. and Ward, I. M.: Shear and tensile relaxation behaviour in oriented linear polyethylene, 349
- Gibson, H. W.: *see* Pochan, J. M., 435, 439
- Gibson, H. W.: *see* Epstein, A. J., 1211
- Gillette, P. C., Dirlikov, S. D., Koenig, J. L. and Lando, J. B.: An infra-red study of model compounds of poly(tetramethylene terephthalate), 1759
- Giral, L.: *see* Aldissi, M., 243
- Giral, L.: *see* Aldissi, M., 246
- Girshab, A. M.: *see* East, G. C., 323
- Giuliani, Giampaolo and Priola, Aldo: Dynamic thermomechanometry of networks from acrylated epoxy resins, 761
- Glasse, M. D.: *see* Comyn, J., 487
- Gogolewski, S.: *see* Eling, B., 1587
- Gorbunov, A. A., Zhulina, E. B. and Skvortsov, A. M.: Theory of adsorption of macromolecules in cylindrical pores and at surfaces of cylindrical shape, 1133
- Graham, N. B., Nwachuku, N. E. and Walsh, D. J.: Interaction of poly(ethylene oxide) with solvents: 1. Preparation and swelling of a crosslinked poly(ethylene oxide) hydrogel, 1345
- Graessley, W. W.: *see* Crist, B., 1561
- Gray, Derek G.: *see* Aspler, Joseph S., 43
- Greco, R.: *see* Ragosta, G., 466
- Greenberg, A. R.: *see* Kusy, R. P., 36
- Greenwood, Thomas D., Armistead, David M., Wolfe, James F., St Clair, Anne K., St Clair, Terry L. and Barrick, John D.: *N*-Propargylsubstituted aromatic polyamides: preparation and thermal crosslinking, 621
- Groeninckx, G.: *see* Fontaine, F., 185
- Groesbeek, N.: *see* Ghijssels, A., 1913
- Gulari, Erdogan, Gulari, Esin and Chu, B.: A second comment on the histogram method in photon correlation spectroscopy applied in dilute polymer solutions, 649
- Gulari, Esin: *see* Gulari, Erdogan, 649
- Gupta, Santosh K.: *see* Kumar, Anil, 215
- Gupta, Santosh K.: *see* Kumar, Anil, 222
- Gupta, Santosh K., Kumar, Anil and Agrawal, K. K.: Simulation of AA + B'B" type reversible polymerizations with mass transfer of condensation product, 1367
- Gupta, Santosh K.: *see* Kumar, Anil, 1929
- Guthrie, J. and Sada, I. I.: The acid catalysed condensation of phenol-4-sulphonic acid with formaldehyde, 1229

Author index

- Gutierrez, Genaro: *see* Blackwell, John, 671
Guyot, P., Favier, J. C., Fontanille, M. and Sigwalt, P.: New perfectly difunctional organolithium initiators for block copolymers synthesis 2. Difunctional polymers of dienes and of their triblocks copolymers with styrene, 73
Guzmán, G. M.: *see* Calahorra, E., 1322
Guzmán, G. M.: *see* Fernández-Berridi, M. J., 1361
Guzman, J.: *see* Alamo, R., 374, 379
-
- Hahn, M. T., Hertzberg, R. W., Manson, J. A., Lang, R. W. and Bretz, P. E.: Effect of test frequency and water content on localized crack-tip heating in nylon-6,6, 1675
Haleem, M. A., Billaud, D. and Pron, A.: A kinetic study of the interactions of *trans*-polyacetylene (CH)_x with oxygen, 1409
Hall, I. H. and Ibrahim, B. A.: The structure and properties of poly(hexamethylene terephthalate): 1. The preparation, morphology and unit cells of three allomorphs, 805
Han, Charles C.: *see* Amis, Eric J., 1403
Hara, Tetsuhiko: *see* Yamamoto, Takashi, 521
Harbour, J.: *see* Pochan, J. M., 435, 439
Harris, R. K.: *see* Bunn, A., 694
Harrison, Gilroy: *see* Adachi, Keiichiro, 1451
Harryman, M. B. M.: *see* Anderson, M. R., 569
Hartley, D. B.: *see* Abadie, M. J. M., 445
Hartmann, B.: *see* Warfield, R. W., 1835
Hashimoto, Minoru: *see* Kunugi, Toshio, 1983
Hashimoto, Minoru: *see* Kunugi, Toshio, 1193
Hashimoto, Minoru: *see* Kunugi, Toshio, 1199
Hässlin, H. W.: *see* Bantle, S., 1889
Hatakeyama, H.: *see* Hatakeyama, T., 475
Hatakeyama, H.: *see* Hatakeyama, T., 1801
Hatakeyama, T. and Hatakeyama, H.: Temperature dependence of X-ray diffractograms of amorphous lignins and polystyrenes, 475
Hatakeyama, T., Nakamura, K. and Hatakeyama, H.: Studies on heat capacity of cellulose and lignin by differential scanning calorimetry, 1801
Hatamoto, Toshic: *see* Ohsaku, Masaru, 776
Haward, R. N.: *see* Bosnyak, C. P., 609
Hay, J. N.: *see* Bosnyak, C. P., 609
Hay, James N.: *see* Aref-Azar, Ahmad, 1129
Hay, J. N. and Mills, P. J.: The use of differential scanning calorimetry to study polymer crystallization kinetics, 1380
Hémery, Patrick: *see* Meunier, Gilles, 849
Hémery, Patrick: *see* Meunier, Gilles, 855
Hémery, Patrick: *see* Meunier, Gilles, 861
Hendra, P. J., Morris, D. B., Sang, R. D. and Willis, H. A.: Raman spectroscopy of flowing poly(ethylene terephthalate) melts, 9
Hennecke, Manfred and Fuhrmann, Jürgen: Accuracy of fluorescence polarization measurements and discrimination of uniaxial deformation models, 797
- Hentschel, M.: *see* Hosemann, R., 979
Hertzberg, R. W.: *see* Hahn, M. T., 1675
Hertzberg, R. W.: *see* Rimnac, C. M., 1977
Herz, J. E.: *see* Sarazin, D., 1317
Hild, Gerard: *see* Macret, Michel, 81
Hild, Gérard: *see* Macret, Michel, 748
Hill, A.: *see* Takeuchi, H., 499
Hindeleh, A. M. and Hosemann, R.: Equilibrium size distribution of microparacrystals in polymers, 1101
Higashihata, Yoshihide: *see* Kusuyama, Hideo, 1256
Higashimura, Toshinobu: *see* Masuda, Toshio, 744
Higashimura, Toshinobu: *see* Masuda, Toshio, 1663
Higgins, J. S.: *see* Walsh, D. J., 336
Higgins, J. S.: *see* Takeuchi, H., 499
Higuma, Masahiko: *see* Naruchi, Kiyoshi, 152
Hirai, Yasumasa: *see* Kokufuta, Estuo, 652
Hjertberg, Thomas and Wendel, Anne: Reduction of poly(vinyl chloride) with tri-*n*-butyltin hydride, 1641
Hlousková, Z.: *see* Tino, J., 1443
Hocart, S. J.: *see* Epton, R., 1685
Hodge, A. M., Kiss, G., Lotz, B. and Wittmann, J. C.: Eutectic solidification and oriented growth in mixtures of polyethylene and 1,3,5-tribromobenzene, 985
Hodgeman, Daryl K. C.: *see* Brown, James R., 365
Hoffman, John D.: Role of reptation in the rate of crystallization of polyethylene fractions from the melt, 656
Hoitink, T. B.: *see* Blackwell, J., 950
Holland-Moritz, Kurt: *see* Zerbi, Guiseppé, 1921
Hope, P. S.: *see* Marshall, J. M., 142
Horta, A. and Criado-Sancho, M.: Preferential adsorption coefficient of polymers, 1005
Hosemann, R., Hentschel, M., Ferracini, E., Ferrero, A., Martelli, S., Riva, F. and Antisari, M. Vittori: Globules of microparacrystals in nascent isotactic polypropylene, 979
Hosemann, R.: *see* Hindeleh, A. M., 1101
Hoursten, D. J.: *see* Enyiegbulam, M. E., 1994
Hsu, S. L.: *see* Burchell, D. J., 965
Hsu, S. L.: *see* Shen, D. Y., 969
Hsieh, W. C.: *see* Deffieux, A., 65
Hsieh, W. C., Deffieux, A., Squire, D. R. and Stannett, V.: Radiation-induced cationic polymerization of vinyl ethers in solution: 3. The influence of monomer and solvent concentrations on the rate of polymerization of ethyl vinyl ether in ether solvent, 427
Huckerby, T. N.: *see* Bevington, J. C., 163
Hudd, A. L.: *see* Price, C., 170
Hudd, A. L.: *see* Price, C., 650
Huglin, Malcolm B., Yahya, Ishak B. and Zakaria, Mat B.: Purity of crosslinkers for polymeric hydrogel preparation, 340
Huglin, Malcolm B.: *see* Abdel-Azim, Abdel-Azim A., 1859
Hurdley, T. G.: *see* Cosgrove, J. D., 144
Hutchinson, J. M.: *see* McCrum, N. G., 473
Hutton, N. W. E.: *see* Bevington, J. C., 163
-
- Ikedai, Koji: *see* Nagase, Yu, 1646
Ikemura, Tadashi: *see* Kuroki, Takeshi, 1091
Ikeyama, Masaru: *see* Makino, Kenya, 287
Ikeyama, Masaru: *see* Makino, Kenya, 413
Ikuta, Tetsuji: *see* Kunugi, Toshio, 1983
Imamura, Akira: *see* Ohsaku, Masaru, 776
Imhof, R. E.: *see* Kryszewski, M., 924
Inoue, Yoshio, Yawamura, Yoshihiro and Konno, Tetsuo: Molecular motion of syndiotactic poly(α -methylstyrene) in solution studied by ¹³C n.m.r. relaxation measurements, 817
Inoue, Yoshio and Kawamura, Yoshihiro: Configuration dependence of ¹³C spin-lattice relaxation times of poly(α -methylstyrene), 1997
Ishida, Hatsuo, Chiang, Chwan-hwa and Koenig, Jack L.: The structure of aminofunctional silane coupling agents: 1. γ -Aminopropyltriethoxysilane and its analogues, 251
Ishikawa, Hiroshi: *see* Nagura, Masanobu, 1894
Isobe, S.: *see* Kitagawa, M., 1830
Isoda, Seiji: *see* Tsuji, Masaki, 1568
Ito, Katsukiyo: *see* Onishi, Yasushi, 630
Ito, Masayuki: On the separation of physical and chemical component of stress relaxation, 1515
Ito, Taisuke: Compressibility of the polymer crystal, 1412
Ivanova, A. N.: *see* Malkin, A. Ya., 1791
Ivanova, S. L.: *see* Malkin, A. Ya., 1791
-
- Jachowicz, J.: *see* Kryszewski, M., 271
Jagur-Grodzinski, J.: *see* Bikson, B., 1163
Janke, E.: *see* Ballard, D. G. H., 1875
Janossy, A.: *see* Vansco, G., 14
Janssens, A.: *see* Vanderschueren, J., 395
Jarry, J. P.: *see* Pinaud, F., 1575
Jasse, B.: *see* Lefebvre, D., 706
Jawad, S. A.: *see* Gibson, A. G., 349
Jenkins, D. K.: Ethylene polymerization with high activity catalysts prepared from titanium tetrachloride and magnesium diene adducts, 1971
Jenkins, Robert, and Porter, Roger S.: Measurement of the unperturbed dimensions of stereoregular poly(methylmethacrylate), 105
Jiang, Ming, Xie, Jing-vie and Yu, Tong-yin: Studies on phase separation in polyblends of block copolymers, 1557
Jog, J. P., Walzade, S. J. and Bhorskar, S. V.: Study of localized states in FEP by space charge limited current measurements, 1622
Joseph, E. A., Lorenz, M. D., Barlow, J. W. and Paul, D. R.: Mechanical properties of miscible polycarbonate-copolyester blends, 112
Jossifov, Christo: *see* Schopov, Ivan, 613
Jud, K.: *see* Nguyen, T. Q., 1305
-
- Kageyu, Akira: *see* Tanaka, Yasuyuki, 1087
Kajiwara, M. and Miwa, E.: Polymerization of hexachloroclotriphosphazene by sulphur and selenium, 495
Kalpagam, V.: *see* Mangalam, P. V., 991
Kaplan, M. L.: *see* Reents, W. D., 310

- Karger-Kocsis, J. and Kuleznev, V. N.: Dynamic mechanical and impact properties of polypropylene/EPDM blends, 699
- Kashiwabara, Hisatsugu: *see* Sakaguchi, Masato, 1594
- Katayama, Ken-ichi: *see* Tsuji, Masaki, 1568
- Kausch, H. H.: *see* Nguyen, T. Q., 1305
- Kawai, Michio: *see* Masuda, Toshio, 744
- Kawaguchi, Akiyoshi: *see* Tsuji, Masaki, 1568
- Kawaguchi, H., Sumida, Y., Muggee, H. and Vogl, O.: Head-to-head polymers: 19. Chlorination of *cis*-1,4-polybutadiene, 1805
- Kawamura, Yoshihiro: *see* Inoue, Yoshio, 817
- Kawamura, Yoshihiro: *see* Inoue, Yoshio, 1997
- Keii, Tominaga: *see* Doi, Yoshiharu, 258
- Keller, A.: *see* Gardner, K., 1435
- Kelly, J., McGowan, C., Sherrington, D. C. and Riess, G.: Poly(ethyleneoxide-*b*-styrene) copolymers as solid-liquid phase transfer catalysts, 1159
- Kercha, Yu. Yu.: *see* Laptij, S. V., 1917
- Kezler, B. and Simon, A.: Studies on highly active coordination catalysts for polymerization of α -olefins: 3. Polymerization of propylene with $MgCl_2/TiCl_4/AlEt_3$ or $MgCl_2/PhCOOC_2H_5/TiCl_4/AlEt_3$ systems, 916
- Khachaturian, K. A.: *see* Khokhlov, K. A., 1742
- Khokhlov, A. R. and Khachaturian, K. A.: On the theory of weakly charged polyelectrolytes, 1742
- Kido, Shigeru: *see* Uragami, Tadashi, 617
- Kiss, G.: *see* Hodge, A. M., 985
- Kitagawa, M., Isobe, S. and Asano, H.: Crack growth under static and fatigue loading in glassy polymers oriented by cold-rolling, 1830
- Klein-Szymanska, Barbara: *see* Daniewska, Irena, 1842
- Kodaira, Kazuo: *see* Ōnishi, Yasushi, 630
- Koenig, Jack L.: *see* Ishida, Hatsuo, 251
- Koenig, J. L.: *see* Gillette, P. C., 1759
- Kolendowicz, Maryla: *see* Gasperowicz, Aleksandra, 839
- Kolinski, Andrzej: *see* Romiszowski, Piotr, 1226
- Kollross, P. and Owen, A. J.: The influence of hydrogen bonding on mechanical anisotropy in oriented nylon-12, 829
- Kokufuta, Etsuo, Fujii, Susumu, Hirai, Yasumasa and Nakamura, Isei: Study on adsorption of nonionic and cationic polymers on silica gel by using total organic carbon analysis, 452
- Kokufuta, Etsuo, Watanabe, Hiroshi and Nakamura, Isei: Copolymers of haemin and vinyl monomers as cyanide ion exchangers: Modification of the ion exchange properties by introduction of acrylamide residues, 1815
- Komaki, Yoshihide and Seguchi, Tadao: Scanning electron microscopy of nuclear pore filters in poly(ethylene terephthalate) and ethylene tetrafluoroethylene copolymer, 1143
- Konno, Tetsuo: *see* Inoue, Yoshio, 817
- Kosenko, L. A.: *see* Laptij, S. V., 1917
- Kothandaraman, H.: *see* Ponnusamy, E., 1391
- Kovarskii, A. L. and Saprygin, V. N.: Study of rotational mobility of a polar molecule in polystyrene by the thermally stimulated depolarization method, 974
- Kowal, Joanna and Nowakowska, Maria: Photo-oxidation of polystyrene in dichloromethane solutions, 281
- Kramer, Edward J.: *see* Donald, Athene M., 457, 461
- Kramer, Edward J.: *see* Donald, Athene M., 1183
- Kramer, Edward J.: *see* Wang, Wen-chou V., 1667
- Kricheldorf, Hans R., Zang, Qui-Zhen and Schwarz, G.: New polymer syntheses: 6. Linear and branched poly(3-hydroxybenzoates), 1821
- Kruger, J. K. and Pietralla, M.: Brillouin spectroscopy of oriented PMMA, 3
- Kryszewski, M., Jachowicz, J., Malanga, M. and Vogl, O.: Blends of head-to-head polystyrene with poly(2,6-dimethyl-1,4-phenylene oxide), 271
- Kryszewski, M., Wandelt, B., Birch, D. J. S., Imhof, R. E., North, A. M. and Pethrick, R. A.: Photo-energy transfer in polystyrene-polyphenylene oxide blends, 924
- Kucera, M., Bozek, F., and Majerova, K.: Transformation of growing centres. Transformation of anionic ends of living polystyrene to cationic ones and tetrahydrofuran polymerization leading to block copolymer formation, 207
- Kucharski, Mieczyslaw, and Sanecka, Bozena: Reactivity ratios of styrene-*N*-iso-butylmaleimide and methyl methacrylate-*N*-iso butylmaleimide, 146
- Kucharski, Mieczyslaw and Mazurkiewicz, Witold: Synthesis and properties of 2,4-diallyloxy-6-phenoxy-1,3,5-triazine, 1688
- Kuleznev, V. N.: *see* Karger-Kocsis, J., 699
- Kulkarni, M. G. and Mashelkar, R. A.: External diffusion limitations in initiator decomposition in heterogeneous media, 740
- Kulshreshtha, Alok K.: *see* Kumar, Anil, 215
- Kumar, Anil; Phukan, Uzzal K., Kulshreshtha, Alok K. and Gupta, Santosh K.: Molecular weight distributions in novolac type phenolformaldehyde polymerizations, 215
- Kumar, Anil; Rajora, P., Agarwalla, N. L. and Gupta, Santosh K.: Reversible polycondensation characterized by unequal reactivities of functional groups, 222
- Kumar, Anil: *see* Gupta, Santosh K., 1367
- Kumar, Anil, Gupta, Santosh K. and Kumar, Birendra: Modelling of reversible novolac type phenol-formaldehyde polymerization, 1929
- Kumar, Birendra: *see* Kumar, Anil, 1929
- Kumar, Shraavan: *see* Banerjee, P. K., 417
- Kumar, Shraavan: *see* Banerjee, P. K., 1244
- Kunugi, Toshio: Preparation of high-modulus nylon-6 fibre by an improved zone-annealing method, 176
- Kunugi, Toshio, Akiyama, Isamu and Hashimoto, Minoru: Preparation of high-modulus and high-strength nylon-6 fibre by the zone-annealing method, 1193
- Kunugi, Toshio, Akiyama, Isamu and Hashimoto, Minoru: Mechanical properties and superstructure of high-modulus and high-strength nylon-6 fibre prepared by the zone-annealing method, 1199
- Kunugi, Toshio, Ikuta, Tetsuji, Hashimoto, Minoru and Matsuzaki, Kei: Preparation of ultra-high-strength nylon-6 fibre by a multi-step zone-annealing method, 1983
- Kunz, S. C., Sayre, J. A. and Assink, R. A.: Morphology and toughness characterization of epoxy resins modified with amine and carboxyl terminated rubbers, 1897
- Kurbanaliev, M. K.: *see* Borisenkova, E. K., 91
- Kurbanaliev, M. K., Vinogradov, G. V., Dreval, V. E., and Malkin, A. Ya.: Effect of liquid media on the ultimate strength characteristics of viscofluid polymers in uniaxial extension, 100
- Kuriyama, I.: *see* Mitomo, H., 1377
- Kuroki, Takeshi, Ikemura, Tadashi, Ogawa, Taichi and Sekiguchi, Yuki: Kinetic study on the first stage during thermal degradation of polystyrene, 1091
- Kuroyanagi, Yoshimitsu: *see* Ebert, Gotthold, 1147
- Kuroyanagi, Yoshimitsu: *see* Ebert, Gotthold, 1154
- Kusuyama, Hideo, Takase, Minoru, Higashihata, Yoshihide, Tseng, Hsiung-To, Chatani, Yoza and Tadokoro, Hiroyuki: Structural change of *st*-PMMA on drawing, adsorption and desorption of solvents, 1256
- Kusy, R. P., and Greenberg, A. R.: Statistical mechanical theories of the glass transition a new perspective, 36
- Kuzaev, A. I.: *see* Ragimov, A. V., 1388
- Ladang, M.: *see* Vanderschueren, J., 395
- Ladizesky, N. Hugo and Lamb, John: Solvent dependence of the viscous and viscoelastic properties of a high molecular weight polystyrene in moderately concentrated solution, 1765
- Lai, Kam Moon: *see* Blair, Hal S., 1838
- Lafuma, Françoise: *see* Ricard, Alain, 907
- Lamb, John: *see* Adachi, Keiichiro, 1451
- Lamb, John: *see* Ladizesky, N. Hugo, 1765
- Lando, J. B.: *see* Gillette, P. C., 1759
- Lang, R. W.: *see* Hahn, M. T., 1675
- Laptij, S. V., Lipatov, Yu. S., Kercha, Yu. Yu., Kosenko, L. A., Vatulev, V. N. and Gaiduk, R. L.: Inversion of infra-red dichroism in linear crystallizable polyurethanes, 1917
- Lasch, J. E.: *see* Burchell, D. J., 965
- Law, Kock-Yee: Spectroscopic studies of spin-coated dye-in polymer films. On the relationship between compatibility and aggregation of small molecules in polymer matrices, 1627
- Lecolier, S.: *see* Raynal, S., 283
- Ledent, J.: *see* Fontaine, F., 185
- Lee, C. C. and Wright, P. V.: Morphology and ionic conductivity of complexes of sodium iodide and sodium thiocyanate with poly(ethylene oxide), 681
- Lefebvre, D., Jasse, B. and Monnerie, L.: Evaluation of the birefringence of uniaxially oriented poly(2,6-dimethyl 1,4-phenylene oxide)-atactic polystyrene blends, 706
- Lefebvre, J. M., Escaig, B. and Picot, C.: Small-angle neutron scattering characterization of plastic deformation in amorphous polymers, 1751

Author index

- Lefrant, S.: *see* Rachdi, F., 173
 Leibler, L.: *see* Boué, F., 29
 Léonard, J.: *see* Favier, J. C., 1501
 Lewis, T. J.: *see* Cosgrove, J. D., 144
 Lewis, T. J.: Nitrocellulose: birefringence and molecular conformation, 710
 Lilley, T.: *see* Betteridge, D., 178
 Linaya, C.: *see* Aldissi, M., 243
 Lindsay, S. M.: *see* Adshad, Alan, 1884
 Liogonky, B. I.: *see* Ragimov, A. V., 1388
 Lipatov, Yu. S.: *see* Shilov, V. V., 484
 Lipatov, Yu. S.: *see* Laptij, S. V., 1917
 Lorenz, M. D.: *see* Joseph, E. A., 112
 Lotz, B.: *see* Hodge, A. M., 985
 Lovell, Richard: *see* Mitchell, Geoffrey R., 1273
 Lövy, J.: *see* Stokr, J., 714
 Lupinacci, Domenico, Andruzzi, Fulvio, Paci, Massimo and Magagnini, Pier Luigi: Studies on comb-like polymers: 5 A d.s.c. investigation of samples of poly(octadecylethylene) with different history, 277
 Lutz, Pierre, Franta, Emile and Rempp, Paul: An efficient bifunctional lithium-organic initiator to be used in apolar solvents, 1953
-
- MacCallum, J. R.: Polarization of excimer emission in solution, 175
 Maconnachie, A.: *see* Takeuchi, H., 499
 Macret, Michel and Hild, Gérard: Hydroxyalkyl methacrylates: kinetic investigations of radical polymerizations of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, 81
 Macret, Michel and Hild, Gérard: Hydroxyalkyl methacrylates: hydrogel formation based on the radical copolymerization of 2-hydroxyethyl-methacrylate and 2,3-dihydroxypropyl-methacrylate, 748
 Magagnini, Pier Luigi: *see* Lupinacci, Domenico, 277
 Mahmud, M. U.: *see* Salamone, J. C., 843
 Mahmud, N. A.: *see* Salamone, J. C., 843
 Maissa, P.: *see* Dayan, S., 800
 Majerova, K.: *see* Kucera, M., 207
 Majid, M. A., George, M. H. and Barrie, J. A.: Anionic synthesis of poly(epichlorohydrin-*g*-styrene) and chemical modification of polyepichlorohydrin, 57
 Majid, M. A., George, M. H. and Barrie, J. A.: Photochemical degradation of polyepichlorohydrin and its cleavage with *n*-butyl lithium, 919
 Makanjuola, B. O.: *see* Brooks, B. W., 77
 Makino, Kenya, Ikeyama, Masaru, Takeuchi, Yasumasa and Tanaka, Yasuyuki: Structural characterization of 1,2-polybutadiene by ¹³C n.m.r. spectroscopy: 1. Signal assignment in hydrogenated polybutadienes, 287
 Makino, Kenya, Ikeyama, Masaru, Takeuchi, Yasumasa and Tanaka, Yasuyuki: Structural characterization of 1,2-polybutadiene by ¹³C-n.m.r. spectroscopy: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
 Malanga, M.: *see* Kryszewski, M., 271
 Malkin, A. Ya.: *see* Kurbanaliev, M. K., 100
 Malkin, A. Ya., Beghishev, V. P. and Bolgov, S. A.: The exothermal effects of superimposed processes of activated anionic polymerization of ϵ -caprolactam and crystallization of the polymer formed, 385
 Malkin, A. Ya., Ivanova, S. L., Frolov, V. G., Ivanova, A. N. and Andrianova, Z. S.: Kinetics of anionic polymerization of lactams. (Solution of non-isothermal kinetic problems by the inverse method), 1791
 Mandal, Broja M.: *see* Das, Niranjana K., 1653
 Mangalam, P. V. and Kalpagam, V.: Behaviour of methyl methacrylate-acrylonitrile random copolymers in dilute solution, 991
 Manson, J. A.: *see* Hahn, M. T., 1675
 Manson, J. A.: *see* Rinnac, C. M., 1977
 Marr, G.: *see* Epton, R., 306
 Marr, G.: *see* Epton, R., 771
 Marr, G.: *see* Epton, R., 1685
 Marciano, Jorge H., Rojas, Alfredo J. and Williams, Roberto J. J.: Curing kinetics of a rigid polyurethane foam formulation, 1489
 Maret, G.: *see* Weill, G., 1990
 Marshall, J. M., Hope, P. S. and Ward, I. M.: Sorption and diffusion of solvents in highly oriented polyethylene, 142
 Martuscelli, Ezio; Silvestre, Clara; Abate, Giancarlo: Morphology, crystallization and melting behaviour of films of isotactic polypropylene blended with ethylene-propylene copolymers and polyisobutylene, 229
 Martuscelli, Ezio, Canetti, M., Vicini, L. and Seves, A.: First results of small and wide angle X-ray scattering of poly(ethylene oxide)/poly(methylmethacrylate) binary blends, 331
 Martuscelli, E.: *see* Ragosta, G., 466
 Mashelkar, R. A.: *see* Kulkarni, M. G., 740
 Masuda, Toshio, Kawai, Michio and Higashimura, Toshinobu: Polymerization of propionic acid and its derivatives catalysed by MoCl₅, 744
 Masuda, Toshio, Yamamoto, Kaoru and Higashimura, Toshinobu: Polymerization of phenylacetylene induced by u.v. irradiation of group 6 transition metal carbonyls, 1663
 Mathew, N. M. and De, S. K.: Scanning electron microscopy studies on tear fracture of natural rubber, 632
 Mathur, Ajit, B., and Mathur, G. N.: Thermo-oxidative degradation of isotactic polypropylene film: structural changes and its correlation with properties, 54
 Mathur, G. N.: *see* Srivastava, A. K., 20
 Mathur, G. N.: *see* Mathur, Ajit B., 54
 Matsuoka, S.: *see* Wang, T. T., 1407
 Matsuzaki, Kei: *see* Kunugi, Toshio, 1983
 Maurice, F.: *see* Froyer, G., 1103
 Mazur, J.: *see* Reneker, D. H., 401
 Mazurkiewicz, Witold: *see* Kucharski, Mieczyslaw, 1688
 McAndrew, P.: *see* Froyer, G., 1103
 McCrum, N. G., Pizzoli, M., Chai, C. K., Treurnicht, I. and Hutchinson, J. M.: The validity of the compensation rule, 473
 McCrum, N. G.: *see* Chai, C. K., 589
 McCrum, N. G.: On the physical significance of Bucci relaxation times obtained from thermal sampling, 1261
 McEwen, I. J.: *see* Cowie, J. M. G., 605
 McGowan, C.: *see* Kelly, J., 1159
 McGrath, J. E.: *see* Abouzahr, S., 1519
 McGrath, J. E.: *see* Mohajer, Y., 1523
 Meeten, G. H. and Navard, P.: Refractometry of cellulose triacetate solutions, 483
 Meeten, G. H. and Navard, P.: The cholesteric nature of cellulose triacetate solutions, 1727
 Mehendru, P. C.: *see* Radhakrishnan, S., 1697
 Messalem, R.: *see* Zevin, L., 601
 Meunier, Gilles, Hémery, Patrick, Boileau, Sylvie, Senet, Jean-Pierre and Chéradame, Hervé: Poly(vinyl chloroformate) and derivatives: 1. Polymerization of vinyl chloroformate, vinyl carbamates and vinyl carbonates, 849
 Meunier, Gilles, Hémery, Patrick and Boileau, Sylvie: Poly(vinyl chloroformate) and derivatives: 2. Copolymerization of vinyl chloroformate and of phenyl vinyl carbonate with vinyl monomers, 855
 Meunier, Gilles, Boivin, Sylviane, Hémery, Patrick, Boileau, Sylvie and Senet, Jean-Pierre: Poly(vinyl chloroformate) and derivatives: 3. Chemical modification of poly(vinyl chloroformate), 861
 Miles, Isabel, S.: *see* Bullock, Anthony T., 1536
 Miles, M. J.: *see* Gardner, K., 1435
 Mills, P. J.: *see* Hay, J. N., 1380
 Milner, R. and Young, R. N.: ¹H n.m.r. spectroscopy of the complexation of polybutadienyllithium by *N,N,N',N'*-tetramethylethylenediamine, 1636
 Milovskaya, E. B. and Zamoiskaya, L. V.: Synthesis of block copolymers by a low-temperature free radical mechanism using systems of the polystyryl-aluminium-peroxide type, 884
 Milovskaya, E. B. and Zamoiskaya, L. V.: Synthesis and characteristics of polystyryl aluminium derivatives and their reaction with benzoyl peroxide, 891
 Migliaresi, C., Piccarolo, S. and Nicolais, L.: Dynamic mechanical properties of poly(2-hydroxyethylmethacrylate) based composites, 1242
 Mitchell, Geoffrey R. and Windle, Alan H.: Structural analysis of an oriented liquid crystalline copolyester, 1269
 Mitchell, Geoffrey R., Lovell, Richard and Windle, Alan H.: The local structure of molten polyethylene, 1273
 Mitomo, H. and Kuriyama, I.: Thermo-mechanical properties of nylon-6,6 annealed in glycerol, 1377
 Miura, Masatoshi: *see* Nagakubo, Kuniharu, 342
 Miwa, E.: *see* Kajiwara, M., 495
 Miyaji, H.: *see* Asahi, T., 773
 Miyamoto, Y.: *see* Asahi, T., 773
 Mohajer, Y.: *see* Abouzahr, S., 1519
 Mohajer, Y., Wilkes, G. L., Wang, I. C. and McGrath, J. E.: Hydrogenated linear block copolymers of butadiene and isoprene: effects of variation of composition and sequence architecture on properties, 1523
 Moiseyev, V. V.: *see* Borisenkova, E. K., 91
 Moncrieff, David: *see* Croften, Derek J., 1605
 Mones, Eleno T.: *see* Morgan, Roger J., 295
 Monkenbusch, Michael: *see* Enkelmann, Volker, 1581

- Monnerie, L.: *see* Lefebvre, D., 706
 Monnerie, L.: *see* Pinaud, F., 1575
 Moreau, M.: *see* Favier, J. C., 1501
 Morgan, Roger J., Mones, Eleno T. and Steele, Wayne J.: Tensile deformation and failure processes of amine-cured epoxies, 295
 Morita, Masao: *see* Ando, Isao, 598
 Morris, D. B.: *see* Hendra, P. J., 9
 Morshed, M.: *see* East, G. C., 168
 Morshed, M.: *see* East, G. C., 1555
 Moscicki, J. K. and Williams, G.: The effect of a Gaussian distribution of chain-lengths on the phase-behaviour of a model system of rod-like macromolecules in solution, 558
 Mucciariello, G.: *see* Eastmond, G. C., 164
 Muggee, H.: *see* Kawaguchi, H., 1805
 Muhr, Alan H. and Blanshard, John M. V.: Diffusion in gels, 1012
 Murakami, Kenkichi: *see* Oikawa, Hidetoshi, 1737
 Muramoto, Akihiko: Dependence of interaction parameter on molecular weight and concentration for solutions of poly(dimethylsiloxane) in methylethylketone, 1311
 Murata, Hiromu: *see* Ohsaku, Masaru, 776
 Murayama, T.: *see* Narisawa, I., 291
 Musindi, G. M.: *see* Brown, H. R., 1508
 Muthukumar, M. and Edwards, S. F.: Screening concepts in polymer solution dynamics, 345
-
- Nagabhushanam, T.: *see* Salamone, J. C., 843
 Nagahara, Shigeru: *see* Doi, Yoshiharu, 258
 Nagakubo, Kuniharu, Akutsu, Fumihiko, Sato, Takashi Uchiyama Shigeru and Miura, Masatoshi: Synthesis and photodegradation of copolyamides containing α -diketone linkage in the main chain, 342
 Nagarajan, M. R.: *see* Blackwell, J., 950
 Nagase, Yu, Ikeda, Koji and Sekine, Yoshiro: Syntheses and properties of tetramethyl-*p*-silphenylene-siloxane/alkenylmethylsiloxane copolymers and their derivatives, 1646
 Nagiev, A. Yu.: *see* Ragimov, A. V., 1388
 Nagura, Masanobu and Ishikawa, Hiroshi: Molecular motion in poly(amino acid)s: 6. Molecular motion in a β -form crystal of poly(γ -methyl-D-glutamate), 1894
 Nakamura, Isei: *see* Kokufuta, Estuo, 452
 Nakamura, Isei: *see* Kokufuta, Estuo, 1815
 Nakamura, K.: *see* Hatakeyama, T., 1801
 Narisawa, I., Murayama, T. and Ogawa, H.: Internal fracture of notched epoxy resins, 291
 Naruchi, Kiyoshi; Tanaka, Seiji; Higuma, Masahiko; Yamamoto, Makoto and Yamada, Kazutoshi: Tetramer formation from methacrylic acid metal salts in solid state, 152
 Navard, P.: *see* Meeten, G. H., 483
 Navard, P.: *see* Meeten, G. H., 1727
 Ndebeka, G.: *see* Raynal, S., 283
 Negulescu, Ioan I.: *see* Simionescu, Cristofor I., 1862
- Nevin, A.: *see* Ballard, D. G. H., 1875
 Nguyen, T. Q., Kausch, H. H., Jud, K. and Dettenmaier, M.: Crack-healing in crosslinked styrene-coacrylonitrile, 1305
 Nicolais, L.: *see* Migliaresi, C., 1242
 Nierlich, M.: *see* Boué, F., 29
 Niezette, J.: *see* Vanderschueren, J., 395
 Nishioka, Atsuo: *see* Ando, Isao, 598
 Nitta, Katsutoshi: *see* Sugai, Shintaro, 238
 North, A. M.: *see* Kryszewski, M., 924
 North, Alastair M.: *see* Adachi, Keiichiro, 1451
 Nose, Takeuchi: *see* Shinozaki, Kenji, 722
 Nose, Takeuchi: *see* Shinozaki, Kenji, 1937
 Nowakowska, Maria: *see* Kowal, Joanna, 281
 Nwachuku, N. E.: *see* Graham, N. B., 1345
-
- O'Donnell, J. H.: *see* Busfield, W. K., 431
 Ogawa, H.: *see* Narisawa, I., 291
 Ogawa, Taichi: *see* Kuroki, Takeshi, 1091
 Ohara, Masayoshi: *see* Tsuji, Masaki, 1568
 Ohde, Yoshihito: *see* Okamoto, Hiroshi, 1204
 Ohno, Nobumich: *see* Sugai, Shintaro, 238
 Ohsaku, Masarau, Hatamoto, Toshie, Murata, Hiromu and Imamura, Akira: Stability of the crystal structures of poly(vinyl alcohol) (PVA) by CNDO/2 calculations, 776
 Ohsumi, Yoshiaki: *see* Urugami, Tacashi, 488
 Ohsumi, Yoshiaki: *see* Urugami, Tadashi, 999
 Oikawa, Hidetoshi and Murakami, Kenkichi: Behaviour of the spin-spin relaxation time for natural rubber vulcanizates under large deformation, 1737
 Okamoto, Hiroshi and Ohde, Yoshihito: Environmental stress cracking and crazing in polymers in terms of irreversible thermodynamics, 1204
 Olley, R. H. and Bassett, D. C.: An improved permanganic etchant for polyolefines, 1707
 Ōnishi, Yasushi, Kodaira, Kazuo and Ito, Katsukiyo: Some unsymmetrical azo compounds as initiators in radical polymerization, 630
 Ophir, Z.: *see* Abouzahr, S., 1077
 Otero, T. F.: *see* Fernández-Berridi, M. J., 1361
 Owen, A. J.: *see* Kollross, P., 829
 Oza, Chandra K.: *see* Vyas, Prakash C., 422
-
- Pachauri, L. S.: *see* Chatterjee, S. K., 1659
 Paci, Massimo: *see* Lupinacci, Domenico, 277
 Packer, K. J.: *see* Bunn, A., 694
- Pakula, T.: Molecular model of partial crystallization of branched polyethylene, 1300
 Palpacuer, M., Bernard, O., Deloupy, C., Rolland, M. and Abadie, M. J. M.: Infra-red transmission of highly iodine-doped polyacetylene films, 1847
 Pandith, R. L.: *see* Chatterjee, S. K., 1659
 Pandya, M. V., Deshpande, D. D. and Desai, N. M.: Effect of additives and solvents on polymerization of styrene using $\text{CuCl}_2 + \text{AlEt}_2\text{Cl}$ catalyst system, 783
 Paralikar, K. M.: *see* Aravindanath, S., 823
 Parsons, I. W.: *see* Bosnyak, C. P., 609
 Partridge, R. H.: Electron trapping model of u.v. induced thermoluminescence in polyethylene, 1461
 Passaglia, Elio: Relaxation of stresses in crazes at crack tips and rate of craze extension, 754
 Paul, D. R.: *see* Joseph, E. A., 112
 Paul, D. R.: *see* Chiou, J. S., 1543
 Paul, D. W.: *see* Crawford, R. J., 123
 Payne, D. R. and Wright, P. V.: Morphology and ionic conductivity of some lithium ion complexes with poly(ethylene oxide), 690
 Pekker, S.: *see* Vansco, G., 14
 Pelzbauer, Z.: *see* Doskocilová, D., 1477
 Pembleton, Robert G.: *see* Brandolini, Anita J., 39
 Pennings, A. J.: *see* Eling, B., 1587
 Pennings, A. J.: *see* de Boer, J., 1944
 Perich, Ivan: *see* Bartulin, Juan, 931
 Periyasamy, Mookkan: *see* Balakrishnan, Thayikkannu, 1372
 Pethrick, Richard A.: *see* Bell, William, 369
 Pethrick, R. A.: *see* Kryszewski, M., 924
 Pethrick, Richard A.: *see* Abu-Bakr, Abdul, 1446
 Pethrick, Richard A.: *see* Adachi, Keiichiro, 1451
 Pethrick, Richard A.: *see* Crofton, Derek J., 1605
 Pethrick, Richard A.: *see* Crofton, Derek J., 1609
 Pethrick, Richard A.: *see* Crofton, Derek J., 1615
 Pethrick, Richard A.: *see* Daly, John H., 1619
 Pethrick, Richard A.: *see* Sharma, Varinder K., 1732
 Petts, Raymond W. and Waugh, Kenneth C.: Allene adsorption isotherms and active site determination on various titanium trichloride catalysts, 897
 Phukan, Uzzal K.: *see* Kumar, Anil, 215
 Piazza, Roberto: *see* Zerbi, Giuseppe, 1921
 Piccarolo, S.: *see* Migliaresi, C., 1242
 Picot, C.: *see* Lefebvre, J. M., 1751
 Pietralla, M.: *see* Kruger, J. K., 3
 Pike, E. R.: *see* Gardner, K., 1435
 Pillai, P. K. C.: *see* Sharma, B. L., 17
 Pinaud, F., Jarry, J. P., Sergot, Ph. and Monnerie, L.: Orientation measurements during drawing of polypropylene by fluorescence polarization microscopy, 1575
 Pivcová, H., Saudek, V. and Drobnik, H.: ^{13}C n.m.r. study of the structure of poly(aspartic acid), 1237
 Pizzoli, M.: *see* McCrum, N. G., 473
 Pochan, J. M., Gibson, H. W. and Harbour, J.: The effect of a free radical quencher on the conductivity, oxidative stability and free radical population of poly(1,6-heptadiyne), 435

Author index

- Pochan, J. M., Gibson, H. W. and Harbour, J.: Effects of oxidation on I₂ doping of *trans*-polyacetylene as studied via e.s.r. and conductivity measurements, 439
- Pogue, H. Ivor: *see* Blair, Hal S., 779
- Ponnusamy, E., Vijayakumar, C. T., Balakrishnan, T. and Kothandaraman, H.: Preparation and characterization of poly(ethylene/tetramethylene terephthalate) copolyesters, 1391
- Porter, Roger S.: *see* Jenkins, Robert, 105
- Porter, Roger S.: *see* Sherman, Edward S., 1069
- Prentice, P.: Morphology of ethylene-propylene copolymers, 1189
- Price, C., Hudd, A. L. and Wright, B.: The concentration dependence of the angular dissymmetry of light scattered by micellar solutions, 170
- Price, C., Hudd, A. L., Booth, C. and Wright, B.: A study of micelles in a base lubricating oil by gel permeation chromatography, 650
- Priola, Aldo: *see* Giuliani, Giampaolo, 761
- Pritchard, G.: *see* Abeysinghe, H. P., 1785
- Proń, A.: *see* Haleem, M. A., 1409
- Proń, A.: *see* Przyluski, J., 1872
- Prud'homme, Robert E.: *see* Bêlorgey, Georges, 1051
- Przyluski, J., Zagórska, M., Conder, K. and Proń, A.: Electrochemical synthesis of polyacetylene tetrachloroferrate [CH(FeCl₄)_x] and tetrachloroaluminate [CH(AlCl₄)_x], 1872
-
- Qayyum, M. M. and White, J. R.: Time-dependent birefringence in glassy polymers during stress-relaxation and recovery, 129
- Quivoron, Claude: *see* Ricard, Alain, 907
- Rachdi, F., Bernier, P., Faulques, E., Lefrant, S., and Schué, F.: Lithium doping of *cis* polyacetylene (CH)_x, 173
- Radhakrishnan, S. and Mehendru, P. C.: Effect of crosslinking on the charge storage characteristics of poly(vinyl alcohol), 1697
- Ragimov, A. V., Nagiev, A. Yu., Kuzaev, A. I. and Liogonky, B. I.: Gel chromatographic investigation of *p*-benzoquinone and styrene products copolymerized in the presence of BF₃-OEt₂, 1388
- Ragosta, G., Greco, R., Martuscelli, E., Sadocco, P., Seves, A. and Vicini, L.: Thermomechanical analysis of binary polymer blends, 466
- Rajora, P.: *see* Kumar, Anil, 222
- Raynal, S., Lecolier, S., Ndebeka, G. and Caubere, P.: Complex bases: 13. Salt complex bases as new initiators in anionic polymerization of vinyl monomers, 382
- Reents Jr, W. D. and Kaplan, M. L.: Mass spectral analysis of poly(*p*-phenylene sulphide), 310
- Rémillard, Bruno and Brisse, Francois: On the crystal structure of poly(1,4-*trans*-cyclohexanediyldimethylene terephthalate), 1960
- Rempp, Paul: *see* Lutz, Pierre, 1953
- Reneker, D. H. and Mazur, J.: Stochastic defect diffusion model for relaxation effects in crystalline polyethylene, 401
- Reneker, D. H.: *see* Snyder, R. G., 1286
- Reynaers, H.: *see* Fontaine, F., 185
- Reynolds, P. A.: *see* Twisleton, J. F., 578
- Ricard, Alain, Lafuma, Françoise and Quivoron, Claude: ¹³C and ²³Na n.m.r. studies of the interactions between cations and kryptofix (2,2) bound to soluble or gel polyacrylamide, 907
- Richards, D. H.: *see* Abadie, M. J. M., 445
- Richards, D. H.: *see* Bamford, C. H., 643
- Richards, D. H.: *see* Cohen, P., 1105
- Richards, D. H.: *see* Cohen, P., 1350
- Richards, R. W. and Thomason, J. L.: A simplified apparatus for the preparation of block copolymers with low polydispersity ratios, 1988
- Ridley, R. G.: *see* Epton, R., 306
- Riess, G.: *see* Kelly, J., 1159
- Rietsch, F.: *see* Engelaere, J. C., 766
- Rimnac, C. M., Hertzberg, R. W. and Manson, J. A.: The fracture behaviour of a PXE/HIPS polyblend, 1977
- Riva, F.: *see* Hosemann, R., 979
- Rivas, Bernabe L.: *see* Bartulin, Juan, 931
- Rodriguez, Ferdinand: Correlation of adiabatic kinetic data, 1473
- Roerdink, E.: *see* Eshuis, A., 735
- Rojas, Alfredo J.: *see* Marciano, Jorge H., 1489
- Rolland, M.: *see* Aldissi, M., 243
- Rolland, M.: *see* Aldissi, M., 246
- Rolland, M., Aldissi, M. and Schué, F.: Physical properties of polyacetylene films doped with MoCl₅ and WCl₆, 834
- Rolland, M.: *see* Palpacuer, M., 1847
- Romiszowski, Piotr and Koinski, Andrzej: Monte Carlo simulation of radiation-induced solid state polymerization, 1226
- Rommelmann, H.: *see* Epstein, A. J., 1211
- Roth, S. C.: *see* Broadhurst, M. G., 22
- Rusconi, L., Tanzi, M. C., Ferruti, P., Angiolini, L., Barbucci, R. and Casolaro, M.: Synthesis of tertiary poly(amido-amine)s with amido- and amino-groups randomly arranged along the macromolecular chain, 1233
- Rusconi, Luisa, Tanzi, Maria Cristina, Zambelli, Claudio and Ferruti, Paolo: Activated derivatives of succinic and glutaric half-esters of polypropylene glycols, and their exchange half-esters of polypropylene glycols, and their exchange reactions with hydroxy- and amino-compounds, 1689
- Ryan, T. G. and Calvert, P. D.: Diffusion and annealing in crystallizing polymers, 877
- Rymden, Roger and Carlfors, Johan: Diffusion of glucose derivatives in aqueous solutions of hydroxypropyl cellulose, 325
- Sada, I. I.: *see* Guthrie, J., 1229
- Sadocco, P.: *see* Ragosta, G., 466
- Said, Ziad F. M.: *see* Dunn, Alexander S., 1172
- St. Clair, Anne K.: *see* Greenwood, Thomas D., 621
- St. Clair, Terry L.: *see* Greenwood, Thomas D., 621
- Saito, Yuichi: *see* Shinozaki, Kenji, 1937
- Sakaguchi, Masato and Kashiwabara, Hisatsugu: Melting and annealing effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, 1594
- Salamone, J. C., Mahmud, N. A., Mahmud, M. U., Nagabhushanam, T. and Watterson, A. C.: Acrylic ampholytic ionomers, 843
- Samuels, R. J.: *see* Wignall, G. D., 957
- Sang, R. D.: *see* Hendra, P. J., 9
- Sante, Angeloni, Annino, Ferruti, Paolo, Tramontini, Maurizio and Casolaro, Mario: The Mannich bases in polymer synthesis: 3. Reduction of poly(β-aminoketone)s to poly(γ-aminoalcohol)s and their *N*-alkylation to poly(γ-hydroxy quaternary ammonium salt)s, 1693
- Saprygin, V. N.: *see* Kovarskii, A. L., 974
- Sarasvathy, S. and Venkatarao, K.: Peroxo salts as initiators of vinyl polymerization: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
- Sarazin, D., Herz, J. E. and Francois, J.: Specific volume of polystyrene networks, 1317
- Sargent, J. P. and Ashbee, K. H. G.: The irreversibility of dimensional changes in epoxy adhesives undergoing uptake and expulsion of water, 327
- Sariban, A. A.: *see* Birshtein, T. M., 1481
- Sato, Hisaya: *see* Tanaka, Yasuyuki, 1087
- Sato, Kazuo: *see* Ando, Isao, 598
- Sato, Takashi Uchiyama Shigeru: *see* Nagakubo, Kuniharu, 342
- Saudek, V.: *see* Pivcova, H., 1237
- Sauer, J. A.: *see* Smith, L. S. A., 1540
- Say, B. J.: *see* Bunn, A., 694
- Sayre, J. A.: *see* Kunz, S. C., 1897
- Scaiano, J. C. and Stewart, L. C.: The triplet lifetime of poly(phenyl vinyl ketone). A laser flash photolysis study, 913
- Schelten, J.: *see* Ballard, D. G. H., 1875
- Scherer, J. R.: *see* Snyder, R. G., 1286
- Schmidt, M.: *see* Bantle, S., 1889
- Schneider, B.: *see* Stokr, J., 714
- Schneider, B.: *see* Doskocilová, D., 1477
- Schopov, Ivan and Jossifov, Christo: Synthesis and properties of 1,5- and 1,8-dichloro-substituted poly(9,10-dihydroanthracene-9,10-diylidene)s, 613
- Schué, F.: *see* Rachdi, F., 173
- Schué, F.: *see* Aldissi, M., 243
- Schué, F.: *see* Aldissi, M., 246
- Schué, F.: *see* Abadie, M. J. M., 445
- Schué, F.: *see* Rolland, M., 834
- Schué, F.: *see* Cohen, P., 1105
- Schué, F.: *see* Cohen, P., 1350
- Schulz, G. V.: The molecular weight distribution of oligomers, 497
- Schwarz, G.: *see* Kricheldorf, Hans R., 1821
- Scott, Gerald: *see* Al-Malaika, Sahar, 1711
- Searby, G. M.: *see* Fried, F., 1755
- Sedláček, P.: *see* Stokr, J., 714
- Seguchi, Tadao: *see* Komaki, Yoshihide, 1143
- Sekiguchi, Yuki: *see* Kuroki, Takeshi, 1091
- Sekine, Yoshiro: *see* Nagase, Yu, 1646
- Semlyen, J. A.: *see* Edwards, C. J. C., 865

- Semlyen, J. A.: *see* Edwards, C. J. C., 869
 Semlyen, J. A.: *see* Edwards, C. J. C., 873
 Senecka, Bozena: *see* Kucharski, Mieczyslaw, 146
 Senet, Jean-Pierre: *see* Meunier, Gilles, 849
 Senet, Jean-Pierre: *see* Meunier, Gilles, 861
 Sengupta, C. R.: Anomalous dielectric relaxation in poly(dimethylsiloxane) polymers, 1394
 Senich, George A.: A review of the migration of food-contact organotin stabilizers from poly(vinyl chloride), 1385
 Sergot, Ph.: *see* Pinaud, F., 1575
 Seurin-Vellutini, M. J.: *see* Fried, F., 1755
 Seves, A.: *see* Martuscelli, Ezio, 331
 Seves, A.: *see* Ragosta, G., 466
 Shackley, A. T.: *see* Epton, R., 771
 Shalganova, V. G.: *see* Borisenkova, E. K., 91
 Sharma, B. L., and Pillai, P. K. C.: Electrical conduction in Kapton polyimide film at high electrical fields, 17
 Sharma, Ravi S.: *see* Vyas, Prakash C., 422
 Sharma, Varinder K., Pethrick, Richard A. and Affrossman, Stanley: Poly(methylmethacrylate): influence of tacticity on its use as an electron resist, 1732
 Shen, D. Y. and Hsu, S. L.: Vibrational spectroscopic characterization of rigid rod polymers: 3. Microstructural changes in stressed polymers, 969
 Sherman, Edward S., Porter, Roger S. and Thomas, Edwin L.: Microstructure of high modulus solid state extruded polyethylene: 1. Electron microscopy studies of 12, 24 and 36 × EDR, 1069
 Sherrington, D. C.: *see* Kelly, J., 1159
 Shilov, V. V., Tsukruk, V. V., Bliznyuk, V. N. and Lipatov, Yu. S.: Microheterogeneous structure of liquid crystalline polymers, 484
 Shimomura, Masaki and Iguchi, Masatoshi: Infra-red study on the conformational regularity in needle-like and other polyoxymethylene crystals, 509
 Shinozaki, Kenji, Abe, Masahiro and Nose, Takuhei: Interfacial tension of demixed polymer solutions over a wide range of reduced temperature, 722
 Shinozaki, Kanji, Saito, Yuichi and Nose, Takuhei: Interfacial tension between demixed symmetrical polymer solutions: Polystyrene-poly(dimethylsiloxane)-propylbenzene system, 1937
 Shoko, N. R.: *see* Betteridge, D., 178
 Sigwalt, P.: *see* Guyot, P., 73
 Silvestre, Clara: *see* Martuscelli, Ezio, 229
 Simionescu, Cristofor I., Cascaval, Constantin, Blascu, Vasile and Negulescu, Ioan I.: Modification of (CH)_x chains during thermal *cis-trans* isomerization, 1862
 Simon, A.: *see* Keszler, B., 916
 Sivaramakrishnan, K. N.: *see* Blumstein, A., 47
 Sixou, P.: *see* Dayan, S., 800
 Sixou, P.: *see* Fried, F., 1755
 Skowroński, Tadeusz: *see* Gasperowicz, Aleksandra, 839
 Skvortsov, A. M.: *see* Gorbunov, A. A., 1133
 Skvortsov, A. M.: *see* Birshtein, T. M., 1481
 Sledz, J.: *see* Aldissi, M., 243
 Small, P. W.: *see* Epton, R., 1685
 Smith, C. A.: *see* Busfield, W. K., 431
 Smith, L. S. A., Chen, C. C. and Sauer, J. A.: The effect of water on the tensile yield of polystyrene, 1540
 Smith, R. H.: *see* Fanconi, B. M., 1027
 Snyder, R. G., Scherer, J. R., Reneker, D. H. and Colson, J. P.: Distribution of straight-chain lengths in unannealed and annealed solution-crystallized polyethylene by Raman spectroscopy, 1286
 Solaro, Roberto: *see* Altomare, Angelina, 1355
 Souel, T.: *see* Abadie, M. J. M., 445
 Sprevak, D.: *see* Crawford, R. J., 123
 Squire, D. R.: *see* Deffieux, A., 65
 Squire, D. R.: *see* Hsieh, W. C., 427
 Srinivasan, R.: Action of far-ultraviolet radiation (185 nm) on poly(ethylene terephthalate) films: a method for controlled dry-etching, 1863
 Srivasatava, A. K. and Mathur, G. N.: N.m.r. study of copolymer of styrene with methyl methacrylate prepared in presence of zinc chloride, 20
 Srivastava, B. C.: *see* Banerjee, P. K., 417
 Srivastava, B. C.: *see* Banerjee, P. K., 1244
 Stachurski, Z. H.: *see* Brown, H. R., 1508
 Stannett, V.: *see* Deffieux, A., 65
 Stannett, V.: *see* Hsieh, W. C., 427
 Steele, Wayne J.: *see* Morgan, Roger J., 295
 Steinman, D. K.: *see* Anderson, M. R., 569
 Stephenson, P. J.: *see* Clark, D. T., 1034
 Stephenson, P. J.: *see* Clark, D. T., 1295
 Stepto, R. F. T.: *see* Edwards, C. J. C., 865
 Stepto, R. F. T.: *see* Edwards, C. J. C., 869
 Stepto, R. F. T.: *see* Edwards, C. J. C., 873
 Stewart, L. C.: *see* Scaiano, J. C., 913
 Stilbs, Peter: *see* Brown, Wyn, 1780
 Stirling, G. C.: *see* Takeuchi, H., 499
 Stivala, S. S.: *see* Garg, Sunil K., 514
 Stokr, J., Schneider, B., Daskocilová, D., Lövy, J. and Sedláček, P.: Conformational structure of poly(ethylene terephthalate). Infra-red, Raman and n.m.r. spectra, 714
 Subhash, V.: *see* Chandra, R., 1457
 Sugihara, Mizhuo: *see* Uragami, Tadashi, 192
 Sugihara, Mizhuo: *see* Uragami, Tadashi, 488
 Sugihara, Mizhuo: *see* Uragami, Tadashi, 617
 Sugihara, Mizhuo: *see* Uragami, Tadashi, 999
 Sugitani, Yasuhiro: *see* Uragami, Tadashi, 192
 Sugai, Shintaro; Nitta, Katsutoshi and Ohno Nobumich: Studies on conformational transition of the maleic acid copolymer with styrene in aqueous salt solution by derivative spectroscopy, 238
 Sumida, Y.: *see* Kawaguchi, H., 1805
 Swampilai, G. J.: *see* Abeyasinghe, H. P., 1785
 Szöcs, F.: *see* Tino, J., 1443
-
- Tadokoro, Hiroyuki: *see* Kusuyama, Hideo, 1256
 Tagle, L. H. and Diaz, F. R.: Synthesis and characterization of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride, 1057
 Takase, Minoru: *see* Kusuyama, Hideo, 1256
 Takeuchi, H., Higgins, J. S., Hill, A., Maconnachie, A., Allen G. and Stirling, G. C.: Investigation of the methyl torsion in isotactic polypropylene—comparison between neutron inelastic scattering spectra and normal coordinate calculations, 499
 Takeuchi, Yasumasa: *see* Makino, Kenya, 287
 Takeuchi, Yasumasa: *see* Makino, Kenya, 413
 Tamura, Shigeru: *see* Doi, Yoshiharu, 258
 Tanaka, K.: *see* Gardner, K., 1435
 Tanaka, Seiji: *see* Naruchi, Kiyoshi, 152
 Tanaka, Yasuyuki: *see* Makino, Kenya, 287
 Tanaka, Yasuyuki: *see* Makino, Kenya, 413
 Tanaka, Yasuyuki, Sato, Hisaya and Kageyu, Akira: Structural characterization of polyprenols by ¹³C n.m.r. spectroscopy: Signal assignments of polyprenol homologues, 1087
 Tanzi, M. C.: *see* Rusconi, L., 1233
 Tanzi, Maria Cristina: *see* Rusconi, Luisa, 1689
 Teighi, G. and Botto, P.: Crystallizable cresolic resins by homosalignin polycondensation, 928
 ter Meer, H.-U.: *see* Bantle, S., 1889
 Terrell, David R.: Photopolymerization of *N*-vinylcarbazole in dichloromethane in the presence and absence of free radical photoinitiators, 1045
 Thomas, E. L.: *see* Chang, A. L., 1060
 Thomas, Edwin L.: *see* Sherman, Edward S., 1069
 Thomas, N. L. and Windle, A. H.: A theory of Case II diffusion, 529
 Thomason, J. L.: *see* Richards, R. W., 1988
 Tino, J., Szöcs, F. and Hlousková, Z.: Study of radical products of mechanically destructed poly(*N*-vinylene carbazole), 1443
 Tonelli, A. E.: Conformational characteristics of poly(*N*-vinyl pyrrolidone), 676
 Trainor, A.: The measurement of the thermal conductivity of poly(methylmethacrylate) by Forbes' method, using infra-red temperature measurement, 1108
 Tramontini, Maurilio: *see* Sante Angeloni, Annino, 1693
 Treurnicht, I.: *see* McCrum, N. G., 473
 Tseng, Hsiung-To: *see* Kusuyama, Hideo, 1256
 Tsuji, Masaki, Isoda, Seiji, Ohara, Masayoshi, Kawaguchi, Akiyoshi and Katayama, Ken-ichi: Direct imaging of molecular chains in a poly(*p*-xylene) single crystal, 1568
 Tsukruk, V. V.: *see* Shilov, V. V., 484
 Turner, D. T.: Poly(methylmethacrylate) plus water: sorption kinetics and volumetric changes, 197
 Turner, D. T.: Tensile strength elevation of brittle polymers by entanglements, 626
 Twisleton, J. F., White, J. W. and Reynolds, P. A.: Dynamical studies of fully oriented deuteropolyethylene by inelastic neutron scattering, 578
-
- Ueki, Satoshi: *see* Doi, Yoshiharu, 258
 Uragami, Tadashi; Sugitani, Yasuhiro and Sugihara, Mizhuo: Studies on synthesis and permeabilities of special polymer

Author index

- membranes: 33. Permeation behaviour of aqueous alcohol solution through cellulose membranes, 192
- Uragami, Tadashi, Ohsumi, Yoshiaki and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 41. Finger-like cavities in cellulose nitrate membranes from binary organic solvents, 488
- Uragami, Tadashi, Kido, Shigeru and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 37. Permeabilities of poly(γ -methyl L-glutamate) membranes, 617
- Uragami, Tadashi, Ohsumi, Yoshiaki and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 38. Formation mechanism of finger-like cavities in membranes from cellulose nitrate and single solvent, 999
-
- Vairon, J. P.: *see* Favier, J. C., 1501
- Vanderschueren, J., Janssens, A., Ladang, M. and Niezette, J.: Effect of tacticity on the transition behaviour of poly(methylmethacrylate)/poly(vinyl chloride) blends. Thermally stimulated depolarization study, 395
- Vansco, G., Egyed, O., Pekker, S., and Janossy, A.: *Cis-trans* isomerization of polyacetylene induced by mechanical rolling, 14
- Varadarajan, K. and Boyer, Raymond F.: Dielectric loss of an oligomeric poly(propylene oxide) in the liquid region above T_g , 314
- Vatulev, V. N.: *see* Laptij, S. V., 1917
- Vallutini, M. J.: *see* Dayan, S., 800
- Venkatarao, K.: *see* Sarasvathy, S., 1999
- Verma, A. K.: *see* Chandra, R., 1457
- Vicini, L.: *see* Martuscelli, Ezio, 331
- Vicini, L.: *see* Ragosta, G., 466
- Vijayakumar, C. T.: *see* Ponnusamy, E., 1391
- Vink, Hans: Investigation of local viscosity in polymer solutions by means of electrolytic conductivity, 6
- Vinogradov, G.: *see* Borisenkova, E. K., 91
- Vinogradov, G. V.: *see* Kurbanaliev, M. K., 100
- Vofsi, D.: *see* Bikson, B., 1163
- Vogl, O.: *see* Kryszewski, M., 271
- Vogl, O.: *see* Kawaguchi, H., 1805
- Vyas, Prakash C., Oza, Chandra K. and Sharma, Ravi S.: Synthesis of some organic poly(aminium phosphate)s: 4., 422
-
- Walsh, D. J., Higgins, J. S. and Zhikuan, Chai: The compatibility of poly(methylmethacrylate) and chlorinated polyethylene, 336
- Walsh, D. J.: *see* Egboh, H. S., 1167
- Walsh, D. J.: *see* Graham, N. B., 1345
- Walsh, D. J. and Cheng, G. L.: The *in situ* polymerization of vinyl chloride in poly(butyl acrylate), 1965
- Walzade, S. J.: *see* Jog, J. P., 1622
- Wandelt, B.: *see* Kryszewski, M., 924
- Wang, C. S. and Yeh, G. S. Y.: Effect of composition on molecular alignment in poly(ethylene terephthalate) copolymers, 505
- Wang, I. C.: *see* Mohajer, Y., 1523
- Wang, T. T., Zupko, H. M., Wyndon, L. A. and Matsuoka, S.: Dimensional and volumetric changes in cylindrical rods of polymers subjected to a twist moment, 1407
- Wang, Wen-chou V. and Kramer, Edward J.: The micromechanics and microstructure of CO₂ crazes in polystyrene, 1667
- Ward, I. M.: *see* Bower, D. I., 645
- Ward, I. M.: *see* Clements, J., 935
- Ward, I. M.: *see* Gibson, A. G., 349
- Ward, I. M.: *see* Marshall, J. M., 142
- Warfield, R. W. and Hartmann, B.: Pressure dependence of transitions, 1835
- Wasiak, Andrzej: *see* Daniewska, Irena, 1842
- Watanabe, Hiroshi: *see* Kokufuta, Etsuo, 1815
- Watterson, A. C.: *see* Salamone, J. C., 843
- Waugh, Kenneth C.: *see* Petts, Raymond W., 897
- Wegner, Gerhard: *see* Enkelmann, Volker, 1581
- Weill, G. and Maret, G.: Magnetic birefringence of polystyrene sulphonate: Molecular weight and concentration dependence, 1990
- Wendel, Anne: *see* Hjertberg, Thomas, 1641
- Wendorff, Joachim H.: The structure of amorphous polymers, 543
- White, J. R.: *see* Qayyum, M. M., 129
- White, J. W.: *see* Anderson, M. R., 569
- White, J. W.: *see* Twisleton, J. F., 578
- Wignall, G. D., Child, H. R. and Samuels, R. J.: Structural characterization of semicrystalline polymer blends by small-angle neutron scattering, 957
- Wignall, G. D.: *see* Crist, B., 1561
- Wilkes, G. L.: *see* Abouzahr, S., 1077
- Wilkes, G. L.: *see* Abouzahr, S., 1519
- Wilkes, G. L.: *see* Mohajer, Y., 1523
- Williams, G.: *see* Moscicki, J. K., 558
- Williams, R. J. J.: *see* Borrajo, J., 263
- Williams, R. J. J.: *see* Frontini, P. M., 267
- Williams, Roberto J. J.: *see* Marciano, Jorge H., 1489
- Willis, H. A.: *see* Hendra, P. J., 9
- Windle, A. H.: *see* Thomas, N. L., 529
- Windle, Alan H.: *see* Mitchell, Geoffrey R., 1269
- Windle, Alan H.: *see* Mitchell, Geoffrey R., 1273
- Wittmann, J. C.: *see* Hodge, A. M., 985
- Wnek, Gary E.: *see* Galvin, Mary E., 795
- Woerner, T.: *see* Epstein, A. J., 1211
- Wolfe, James F.: *see* Greenwood, Thomas D., 621
- Woo, J.: *see* Bamford, C. H., 643
- Wood, D. G. M.: *see* Betteridge, D., 178
- Wright, B.: *see* Price, C., 170
- Wright, B.: *see* Price, C., 650
- Wright, P. V.: *see* Lee, C. C., 681
- Wright, P. V.: *see* Payne, D. R., 690
- Wu, Wen-li: Small-angle X-ray study of particulate reinforced composites, 1907
- Wyndon, L. A.: *see* Wang, T. T., 1407
- Xie, Jing-vie: *see* Jiang, Ming, 1557
-
- Yahya, Ishak B.: *see* Huglin, Malcolm B., 340
- Yamada, Kazutoshi: *see* Naruchi, Kiyoshi, 152
- Yamagishi, Akihiko and Nitta, Katsutoshi: Electric dichroism studies of the bonding of Co(III) chelate with synthetic polyelectrolytes, 1177
- Yamamoto, Kaoru: *see* Masuda, Toshio, 1663
- Yamamoto, Makoto: *see* Naruchi, Kiyoshi, 152
- Yamamoto, Takashi and Hara, Tetsuhiko: X-ray diffraction study of crystal transformation and molecular disorder in poly(tetrafluoroethylene), 521
- Yeh, G. S. Y.: *see* Wang, C. S., 505
- Yip, C. W.: *see* Ghijssels, A., 1913
- Young, R. N.: *see* Milner, R., 1636
- Yu, Tong-yin: *see* Jiang, Ming, 1557
-
- Zagórska, M.: *see* Przulski, J., 1872
- Zajlcek, J.: *see* Daskocilová, D., 1477
- Zakaria, Mat B.: *see* Huglin, Malcolm B., 340
- Zambelli, Claudio: *see* Rusconi, Luisa, 1689
- Zamoiskaya, L. V.: *see* Milovskaya, E. B., 884
- Zamoiskaya, L. V.: *see* Milovskaya, E. B., 891
- Zang, Qui-Zhen: *see* Kricheldorf, Hans R., 1821
- Zdrachala, R. J.: *see* Chang, A. L., 1060
- Zerbi, Giuseppe, Piazza, Roberto and Holland-Moritz, Kurt: Transport of matter upon annealing in crystalline polymethylene systems: a calorimetric and spectroscopic study, 1921
- Zevin, L. and Messalem, R.: Crystallinity in polyethylene-based membranes and fibres, 601
- Zhikuan, Chai: *see* Walsh, D. J., 336
- Zhulina, E. B.: *see* Gorbunov, A. A., 1133
- Zupko, H. M.: *see* Wang, T. T., 1407
- Zurimendi, Jon A.: *see* Amass, Allan J., 211

Classified contents

- Absorption** and desorption of solvents, drawing, structural change of st-PMMA on, 1256
- Acetylation** of cellulose in the dielectric studies of cellulose and its derivatives, 1605
- Acetylene**, new catalyst systems for the polymerization of, 243
—, polymerization of, by soluble Ziegler-Natta catalyst. Kinetic studies, 246
- Acoustic** emission and e.s.r. studies of polymers under stress, 178
- Acrolein**, polymerization of, initiated by potassium peroxodiphosphate, 1999
- Acrylamide** residues, modification of the ion exchange properties of cyanide ion exchangers made from copolymers of haemin and vinyl monomers, 1815
- Acrylate** copolymer attached to porous silica beads, solid phase peptide synthesis on an, 306
— monomers based on 2,6-piperazinedione, 771
- Acrylic** ampholytic ionomers, 843
— polymers containing functional monomers, pressure sensitive adhesives of, 937
- Acrylonitrile**-methylmethacrylate random copolymers, behaviour of, in dilute solution, 991
- Activation enthalpy** ΔH_f for volume relaxation in polypropylene, determination of, during thermal stimulation, 589
- Active site** determination of various titanium trichloride catalysts, and allene adsorption isotherms of, 897
- Additives** and solvents, effect of, on polymerization of styrene using $\text{CuCl}_2 + \text{AlEt}_2\text{Cl}$ catalyst, 783
- Adhesives**, epoxy, undergoing uptake and expulsion of water, the irreversibility of dimensional changes in, 327
—, pressure sensitive, of acrylic polymers containing functional monomers, 937
- Adiabatic** kinetic data, correlation of, 1473
- Adsorption** of nonionic and cationic polymers on silica gel by using total organic carbon analysis, study on, 452
— isotherms, allene, and active site determination on various titanium trichloride catalysts, 897
— coefficient, preferential, of polymers, 1005
— of macromolecules in cylindrical pores and at surfaces of cylindrical shape, theory of, 1133
- Ageing** of 1,1-diphenylethene dimer dianions, 487
—, changes in the crystalline content of irradiated linear polyethylenes upon, 654
—, physical, in glassy polymers: An i.r. spectroscopic investigation of poly(ethylene terephthalate), 1129
- Aggregation** and compatibility of small molecules in polymer matrices, a spectroscopic study of the relationship between, 1627
- Alginic acid**, graft copolymers of, 1838
- Allene** adsorption isotherms and active site determination on various titanium trifluoride catalysts, 897
- Amines**, reaction of living polyTHF with, primary amines, 1350
- Aminopropyltriethoxysilane**, γ -, and its analogues as aminofunctional silane coupling agents, structure of, 251
- Amorphous polymers**, the structure of, 543
—, detection of sub-glass transition events in, using d.s.c., 605
—, SANS characterization of plastic deformation in, 1751
- Ampholytic** ionomers, acrylic, 843
- Analysis**, structural, of an oriented liquid crystalline copolyester, 1269
- Angular dissymmetry** of light scattered by micellar solutions, concentration dependence of the, 170
- Anisotropy**, mechanical, in oriented nylon-12, the influence of hydrogen bonding on, 829
— of motion in solutions of poly(ethylene oxide) in the presence of the crystalline phase, 1477
- Annealing** of polyethylene crystals in the hexagonal phase, 773
— and diffusion in crystallizing polymers, 877
— and plasticizer concentration, effect of, on the structure of PVC, 1508
— at melting effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, 1594
— of polycarbonate below the glass transition: Quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
— in crystalline polymethylene systems, transport of matter upon: a calorimetric and spectroscopic study, 1921
— multi-step, zone-, preparation of ultra-high-strength nylon-6 fibre by, 1983
- Antioxidant** action, mechanisms of, intermediates involved in the formation of sulphur acids from nickel dialkyl dithiophosphates, 1711
- Aqueous solutions** of poly(vinyl alcohol), ultrasonic studies of, 1446
- Azobutyronitrile** used as a radical initiator in preparing polymers, carbon-13 n.m.r. study of end-groups in, 163
- Azo compounds**, unsymmetrical, as initiators in radical polymerization, 629
- p-Benzoinone** and styrene products copolymerized in the presence of BF_3OEt_2 , gel chromatographic investigation of, 1388
- Bifunctional** lithium—organic initiator, an efficient, to be used in apolar solvents, 1953
- Biodegradable materials** of poly(L-lactic acid): 1. Melt-spun and solution-spun fibres, 1587
- Birefringence**, time-dependent, in glassy polymers during stress-relaxation and recovery, 129
— of uniaxially oriented poly(2,6-dimethyl 1,4-phenylene oxide)-atactic polystyrene blends, evaluation of the, 706
— and molecular conformation of nitrocellulose, 710
—, magnetic, of polystyrene sulphonate: Molecular weight and concentration dependence, 1990
- Blends** of head-to-head polystyrene with poly(2,6-dimethyl-1,4-phenylene oxide), 271
—, binary polymer, thermomechanical analysis of, 466
— of polyester/chlorinated poly(vinyl chloride), studies of, 1051
- Bonding** of Co(III) chelate with synthetic polyelectrolytes, electric dichroism studies of the, 1177
- Branching** in polymers, assessment of, from small angle X-ray scattering (SAXS): SAXS from model comb-branched polystyrenes, 514
- Brillouin** spectroscopy of oriented PMMA, 3
— scattering from polyurethane gels, 1884
- Bucci relaxation** times obtained from thermal sampling, on the physical significance of, 1261
- Butadiene**—isoprene networks, chemorheological studies of, 1519
— and isoprene hydrogenated linear block copolymers, effects of variation of composition and sequence architecture on properties, 1523
- Butyl rubber**, changes in physical properties and molecular structure during γ -irradiation, 1457
- Calorimetric** and spectroscopic study of the transport of matter upon annealing in crystalline polymethylene systems, 1921
- α -Caprolactam**, exothermal effects of superimposed processes of activated anionic polymerization of, and crystallization of the polymer formed, 385
- Carbazole** based polymers, recent progress in, 1713
- Carbon analysis**, total organic, study on adsorption of nonionic and cationic polymers on silica gel using, 452
- Carbon dioxide** crazes in polystyrene, the micromechanics and microstructure of, 1667

Classified contents

- Carbonyls**, group 6 transition metal, polymerization of phenylacetylene induced by u.v. irradiation of, 1663
- Case II** diffusion, a theory of, 529
- Catalyst** ageing time, effect of: Non-equilibrium molecular weight studies on the metathesis polymerization of cyclopentene initiated by WCl_6/Al_iBu_3 , 211
- systems, new, for the polymerization of acetylene, 243
- Catalysts**, various titanium trichloride, allene adsorption isotherms and active site determination on, 897
- , highly active coordination, for polymerization of α -olefins: 3. Polymerization of propylene with $MgCl_2/TiCl_4/AlEt_3$ or $MgCl_2/PhCOOC_2H_5/TiCl_4/AlEt_3$ systems, 916
- , solid-liquid phase transfer, poly(ethylene oxide-*b*-styrene) copolymers as, 1159
- , high activity, prepared from titanium tetrachloride and magnesium diene adducts, used in ethylene polymerization, 1971
- Catalytic transfer** hydrogenation of poly(acryloylmorpholine)-based peptide-resin assemblies and of derived peptide segments, 1685
- Cellophane**, a structural study of, 823
- Cellulose**, hydroxypropyl, interaction of organic vapours with, 43
- membranes, permeation behaviour of aqueous alcohol solution through, 192
- , hydroxypropyl, diffusion of glucose derivatives in aqueous solutions of, 325
- triacetate solutions, refractometry of, 483
- nitrate membranes from binary organic solvents, finger-like cavities in, 488
- derivatives, intrinsic viscosity of, and the persistent cylinder model of Yamakawa, 800
- nitrate and a single solvent, formation mechanism of finger-like cavities in membranes from, 999
- nitrates, a ^{13}C n.m.r. and X-ray study of the relationship between the distribution of nitrate ester groups and interchain $d(110)$ spacings in a series of, 1295
- and its derivatives, dielectric studies of: 1. Acetylation of cellulose, 1605; 2. Effects of pressure and temperature on relaxation behaviour, 1609; 3. Glycerol in cellulose acetate, 1615
- triacetate solution, the cholesteric nature of, 1727
- , quasi-elastic light scattering from dilute solutions of, 1755
- and lignin, studies on heat capacity of, by d.s.c., 1801
- , a new solvent for, 1867
- Cellulosic materials**, e.s.c.a. studies of the nitration and denitration of, 1034
- Chain** scission, free radicals and new end groups resulting from: 2. Mechanical degradation of polyethylene, 1027
- , macromolecular, synthesis of tertiary poly(amido-amine)s with amido- and amino-groups randomly arranged along the, 1233
- lengths, straight-, distribution of, in unannealed and annealed solution-crystallized polyethylene by Raman spectroscopy, 1286
- dimensions of crystallizable polymers in the solid and melt states, 1561
- Chains**, molecular, direct imaging of, in a poly(*p*-xylene) single crystal, 1568
- , poly(acetylene), on the packing properties of, 1581
- Characterization**, structural, of 1,2-polybutadiene by ^{13}C n.m.r. spectroscopy: 1. Signal assignment in hydrogenated polybutadienes, 287
- , structural, of 1,2-polybutadiene by ^{13}C n.m.r. spectroscopy: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
- , quantitative, or orientation in PET fibres by Raman spectroscopy, 645
- , structural, of semicrystalline polymer blends by SANS, 957
- , vibrational spectroscopic, of rigid rod polymers: 3. Microstructural changes in stress polymers, 969
- and synthesis of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride, 1057
- and synthesis of some polyurethane ionomers, 1167
- , synthesis and kinetics in the alternating copolymerization of 2-methyl-2-oxazoline with α -chloro- and α -bromoacrylic acids, 1372
- and preparation of poly(ethylene/tetramethylene terephthalate) copolyesters, 1391
- , SANS, of plastic deformation in amorphous polymers, 1751
- , toughness, and morphology of epoxy resins modified with amine and carboxyl terminated rubbers, 1897
- Charge** transport and pyroelectricity in a copolymer of vinylidene fluoride and tetrafluoroethylene, 22
- storage characteristics of poly(vinyl alcohol), effect of crosslinking on the, 1697
- Chelation** of copper(II) ion with some new poly(amido-amines), 148
- Chemical modification** of polyepichlorohydrin and anionic synthesis of poly(epichlorohydrin-*g*-styrene), 57
- of poly(vinyl chloroformate), 861
- Chemo-rheological** studies of isoprene-butadiene networks, 1519
- Chlorination** of *cis*-1,4-polybutadiene, a head-to-head polymer, 1805
- Cholesteric nature** of cellulose triacetate solutions, 1727
- Chromophores**, side-chain *trans*-stilbene, optically active polymers containing, 1355
- CNDO/2 calculations**, stability of the crystal structures of poly(vinyl alcohol) by, 776
- Cohesive-energy** density of shellac, 417
- Cold-rolling**, crack growth under static and fatigue loading in glassy polymers oriented by, 1830
- Comb-like polymers**, studies on: 5. A d.s.c. investigation of samples of poly(octadecylethylene) with different history, 277
- Comments** on the kinetic mechanism of free radical bulk copolymerization of styrene-methylmethacrylate, 1245
- Compaction**, solid phase, of polymeric powders: effects of compaction conditions on pressure and density variations, 123
- Compatibility** of poly(methylmethacrylate) and chlorinated polyethylene, 336
- and aggregation of small molecules in polymer matrices, a spectroscopic study of the relationship between, 1627
- Compensation rule**, the validity of the, 473
- Complexation** of polybutadienyllithium by *N,N,N',N'*-tetramethylethylenediamine, 1H n.m.r. spectroscopy of the, 1636
- Complex bases**: 13. Salt complex bases as new initiators in anionic polymerization of vinyl monomers, 283
- Complexes** of sodium iodide and sodium thiocyanate with poly(ethylene oxide), morphology and ionic conductivity of, 681
- , lithium ion, with poly(ethylene oxide), morphology and ionic conductivity of, 690
- Composites** with grafted filler particles, polymer-filler interactions in, 164
- , poly(2-hydroxyethylmethacrylate) based, dynamic mechanical properties of, 1242
- , particulate reinforced, small-angle X-ray study of, 1907
- Composition** ratio, effect of, on the structure-property behaviour of segmented polyether-MDI-butenediol based urethanes, 1077
- and dissociation behaviour of some four component phenolic copolymers, effect of substituents on the, 1659
- Compressibility** of the polymer crystal, 1412
- Concentration** dependence of the angular dissymmetry of light scattered by micellar solutions, 170
- dependence of diffusion coefficients and quasi-elastic light scattering of cyclic and linear poly(dimethylsiloxanes), 873
- Concentrations**, monomer and solvent, influence on the rate of radiation-induced cationic polymerization of ethyl vinyl ether in ether solvent, 427
- Condensation**, acid-catalysed, of phenol-4-sulphonic acid with formaldehyde, 1229
- Conduction**, electrical, in Kapton polyimide film at high electrical fields, 17
- Conductivity**, electrolytic, investigation of local viscosity in polymer solutions by means of, 6
- , oxidative stability and free radical population of poly(1,6-heptadiyne), effect of a free radical quencher on the, 435
- measurements and e.s.r., effects of oxidation on I_2 doping of *trans*-polyacetylene as studied *via*, 439
- Configuration** dependence of ^{13}C spin-lattice relaxation times of poly(α -methylstyrene), 1997
- Conformation** of a statistical copolymer of L-leucine and L-lysine, salt effects on the, 1147
- of an alternating copolymer of L-leucine and L-lysine, salt effect on the, 1154
- of the molecules in drawn polypropylene revealed by neutron scattering studies, 1875
- Conformational** transition of the maleic acid copolymer with styrene in aqueous salt solution by derivative spectroscopy, 238
- regularity in needle-like and other polyoxymethylene crystals, infra-red study on the, 509
- characteristics of poly(*N*-vinyl pyrrolidone), 676
- structure of poly(ethylene terephthalate). I.r., Raman and n.m.r. spectra, 714
- analysis of heterogeneously chlorinated polyethylenes, 1163
- Coordinate calculations**, normal, and neutron inelastic scattering spectra, comparison between, in an investigation of the methyl torsion in isotactic polypropylene, 499
- Coordination** polymerization, 'living', of propene with the soluble $V(acac)_3-Al(i-C_4H_9)_2Cl$ system, a kinetic study of, 258

- number, lattice, in polystyrene solutions, 1859
- Copolyamides** containing α -diketone linkage in the main chain, synthesis and photodegradation of, 342
- Copolyarbonates**, poly(bisphenol A iso-terephthalate), synthesis and properties of some, 609
- Copolyester**–polycarbonate blends, miscible, mechanical properties of, 112
 - fibres, liquid crystalline, prepared from *p*-hydroxybenzoic acid, 2,6-dihydroxynaphthalene and terephthalic acid, the structure of, 671
 - , oriented liquid crystalline, structural analysis of an, 1269
- Copolyesters**, poly(ethylene/tetramethylene terephthalate), preparation and characterization of, 1391
- Copolymer** of styrene with methylmethacrylate prepared in presence of zinc chloride, n.m.r. study of, 20
 - of vinylidene fluoride and tetrafluoroethylene, pyroelectricity and charge transport in, 22
 - , block, synthesis, new perfectly difunctional organolithium initiators for: 2. Difunctional polymers of dienes and of their triblock copolymers with styrene, 73
 - , block, formation, tetrahydrofuran polymerization leading to, and transformation of anionic ends of living polystyrene to cationic ones, 207
 - of maleic acid with styrene in aqueous salt solution, studies on conformational transition of, by derivative spectroscopy, 238
 - , acrylate, attached to porous silica beads, solid phase peptide synthesis on an, 306
 - , ethylene–tetrafluoroethylene and poly(ethylene terephthalate), scanning electron microscopy of nuclear pore filters in, 1143
 - , statistical, of L-leucine and L-lysine, salt effects on the conformation of a, 1147
 - , alternating, of L-leucine and L-lysine, salt effect on the conformation of an, 1154
 - , ABA poly(styrene-*b*-butadiene), concentrated solution rheology of an, in various solvents, 1944
- Copolymerization**, radical, of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate mixtures and radical polymerizations of, kinetic investigations of, 81
 - , block, by a cation to anion transformation process: 1. Reaction of butyl lithium with polyTHF possessing terminal styryl groups, 445
 - , radical, of 2-hydroxyethylmethacrylate and 2,3-dihydroxypropylmethacrylate, hydrogel formation based on the, 748
 - , of vinyl chloroformate and phenyl vinyl carbonate with vinyl monomers, 855
 - , block, by a cation to anion transformation process: 2. Polymerization of styrene by polyTHF possessing terminal secondary nitranions, 1105
 - , free radical bulk, of styrene–methylmethacrylate, comments on the kinetic mechanism of, 1245
 - , alternating, of 2-methyl-2-oxazoline with α -chloro- and α -bromoacrylic acids: 3. Synthesis, characterization and kinetics, 1372
 - of *p*-benzoquinone and styrene products in the presence of BF₃OEt₂, gel chromatographic investigation of, 1388
- Copolymers**, polyethylene terephthalate, effect of composition on molecular alignment in, 505
 - , polystyrene–poly(methylmethacrylate) block, formation of, by anion free radical transformation, 643
 - , block, synthesis of, by a low-temperature free radical mechanism using systems of the poly(styrylaluminium-peroxide) type, 844
 - , maleic anhydride, polymer supports based on, preparation of beaded copolymers of maleic anhydride on dimethylacrylamide pre-polymers, 947
 - , random methylmethacrylate–acrylonitrile, behaviour of, in dilute solution, 991
 - , block, with a polyvinyl and a polypeptide block: factors governing the folding of the polypeptide chains, 1039
 - , poly(ethylene oxide-*b*-styrene), as solid-liquid phase transfer catalysts, 1159
 - , ethylene–propylene, morphology of, 1189
 - , diblock, sphere in, discrepancy between electron microscopy and small-angle scattering results, 1222
 - , methylvinylketone, reaction of 2,4-dinitrophenylhydrazine with, effect of steric environment, 1259
 - , styrene–butadiene–styrene triblock, ultrasonic studies of, 1451
 - , hydrogenated linear block, of butadiene and isoprene: effects of variation of composition and sequence architecture on properties, 1523
 - , SAN, miscibility of, with polyacrylates and polymethacrylates, 1543
 - , block, studies on phase separation in polyblends of, 1557
 - of tetramethyl-*p*-silphenylene-siloxane/alkenylmethylsiloxane and their derivatives, syntheses and properties of, 1646
 - , four component phenolic, effect of substituents on the composition and dissociation behaviour of some, 1659
 - of haemin and vinyl monomers as cyanide ion exchangers: Modification of the ion exchange properties by introduction of acrylamide residues, 1815
 - graft, of polysaccharides: 1. Graft copolymers of alginate acid, 1838
 - , block, with low polydispersity ratios, a simplified apparatus for the preparation of, 1988
- Correlation** of adiabatic kinetic data, 1473
- Coupling agents**, aminofunctional silane, the structure of: 1. γ -Aminopropyltriethoxysilane and its analogues, 251
- Crack growth** under static and fatigue loading in glassy polymers oriented by cold-rolling, 1830
- Crack-healing** in crosslinked styrene–acrylonitrile, 1305
- Crack-tip heating**, localized, in nylon-6,6, effect of test frequency and water content on, 1675
- Craze** microstructure, effect of strain history on, 457
 - microstructure and molecular entanglements in polystyrene–poly(phenylene oxide) blends, 461
- Crazes** at crack tips, relaxation of stresses in and rate of craze extension, 754
 - , CO₂, the micromechanics and microstructure of, in polystyrene, 1667
- Crazing** and environmental stress cracking in polymers in terms of irreversible thermodynamics, 1204
- Critical temperature**, interfacial tension of demixed polymer solutions near the, polystyrene plus methylcyclohexane, 728
- Crosslinked** styrene-co-acrylonitrile, crack-healing in, 1305
- Crosslinkers** for polymeric hydrogel preparation, purity of, 340
- Crosslinking**, effect of, on the charge storage characteristics of poly(vinyl alcohol), 1697
 - of ultra-high molecular weight polyethylene in the melt by means of 2,5-dimethyl-2,5-bis(tert-butylidioxy)-3-hexyne: 2. Crystallization behaviour and mechanical properties, 1944
- Crystal** perfection and crystallinity in PET, quantification of, 185
 - transformation and molecular disorder in poly(tetrafluoroethylene), X-ray diffraction study of, 521
 - structures of poly(vinyl alcohol) by CNDO/2 calculations, stability of the, 776
 - , polymer, compressibility of the, 1412
 - , single, direct imaging of molecular chains in a poly(*p*-xylene), 1568
 - structure of poly(1,4-*trans*-cyclohexanediyl-dimethylene terephthalate), 1960
- Crystalline** content of irradiated linear polyethylene upon ageing, changes in the, 654
 - phase, anisotropy of motion in solutions of poly(ethylene oxide) in the presence of the, 1477
- Crystallinity** in polyethylene-based membranes and fibres, 601
- Crystallites** in solidified, rigid chain, liquid crystal polymers, the nature of, 359
- Crystallizable polymers**, chain dimensions of, in the solid and melt states, 1561
- Crystallization**, morphology and melting behaviour of films of isotactic polypropylene blended with ethylene–propylene copolymers and polyisobutylene, 229
 - of polyformals: 1. Crystallization kinetics of poly(1,3-dioxolane), 374
 - of polyformals: 2. Influence of molecular weight and temperature on the morphology and growth rate in poly(1,3-dioxolane), 379
 - of polyethylene fractions from the melt, role of reptation in the rate of, 656
 - , partial, of branches polyethylene, molecular model of, 1300
 - , spherulitic, in blends of poly(ethylene oxide) and poly(methylmethacrylate), 1322
 - kinetics, polymer, the use of d.s.c. to study, 1380
 - behaviour, multiple, of polypropylene/thermoplastic rubber blends and its use in assessing blend morphology, 1913
 - behaviour and mechanical properties of ultra-high molecular weight polyethylene crosslinked in the melt by means of 2,5-dimethyl-2,5-bis(tert-butylidioxy)-3-hexyne, 1944
- Crystallizing** polymers, diffusion and annealing in, 877
- Crystals**, polyoxymethylene, needle-like and other, infra-red study on the conformational regularity in, 509
 - , polyoxymethylene, single, phonon dispersion curves and elastic properties of, 569

Classified contents

- , polyethylene, in the hexagonal phase, annealing of, 773
 - Curing kinetics** of a rigid polyurethane foam formulation, 1489
 - Current measurements**, space charge limited, study of localized states in FEP by, 1622
 - Cyclic oligomers** in poly(1,4-butylene terephthalate), 323
 - Cyclopentene**, metathesis polymerization of, initiated by WCl_6/Al_iBu_3 , non-equilibrium molecular weight studies on the: Effect of catalyst ageing time, 211
 - Cylindrical rods** of polymers, dimensional and volumetric changes in, when subjected to a twist moment, 1407
-
- Data handling** in g.p.c. for routine operations, 137
 - fitting in photon correlation spectroscopy studies of dilute polymer solutions, 492
 - , adiabatic kinetic, correlation of, 1473
 - Deformation models**, uniaxial, accuracy of fluorescence polarization measurements and discrimination of, 797
 - studies of polymers by time resolved FTIR spectroscopy: 1. Development of the technique, 965
 - zones and entanglements in glassy polymers, 1183
 - and microstructure of polyethylene, the influence of branch length on the, 1680
 - , behaviour of the spin-spin relaxation time for natural rubber vulcanizates under large, 1737
 - , plastic, in amorphous polymers, SANS characterization of, 1751
 - Degradation**, thermo-oxidative, of isotactic polypropylene film: structural changes and its correlation with properties, 54
 - , thermal, of a series of phosphorylated resins of polyethylene, 154
 - , thermal, of Kelvar 49 aramid, e.s.r. study of the, 365
 - , radiation of, poly(styrene-co-methylmethacrylate): 2. Protective effects of styrene on volatile products, chain scission and flexural strength, 431
 - , photochemical, of polyepichlorohydrin and its cleavage with *n*-butyl lithium, 919
 - , mechanical, of polyethylene, 1027
 - , thermal, of polystyrene, kinetic study of the first stage during, 1091
 - of crosslinked resins in water and electrolyte solutions, 1785
 - Density and pressure variations** in polymeric powders, effects of solid phase compaction on, 123
 - , cohesive-energy, of shellac, 417
 - Depolarization** study, thermally stimulated, on the effect of tacticity on the transition behaviour of poly(methylmethacrylate)/poly(vinyl chloride) blends, 395
 - Desorption and adsorption** of solvents, drawing, structural change of st-PMMA on, 1256
 - Deuteropolyethylene**, fully oriented, dynamical studies of, by inelastic neutron scattering, 578
 - 2,4-Diallyloxy-6-phenoxy-1,3,5-triazine**, synthesis and properties of, 1688
 - Dibromo compounds**, α,ω -, and alkali metal dicarboxylates, high molecular weight polyesters from, 168
 - Dicarboxylates**, alkali metal, and α,ω -dibromo compounds, high molecular weight polyesters from, 168
 - Dichloromethane** solutions, photo-oxidation of polystyrene in, 281
 - Dichroism**, infra-red, inversion of, in linear crystallizable polyurethanes, 1917
 - Dielectric loss** of an oligomeric poly(propylene oxide) in the liquid region above T_g , 314
 - relaxation, anomalous, in poly(dimethylsiloxane) polymers, 1394
 - studies of cellulose and its derivatives:
 1. Acetylation of cellulose, 1605;
 2. Effects of pressure and temperature on relaxation behaviour, 1609;
 3. Glycerol in cellulose acetate, 1615
 - relaxation properties, influence of filler on the, in rubber-modified epoxy resins, 1619
 - Differential scanning calorimetry** investigation of samples of poly(octadecyl-ethylene) with different history, 277
 - , detection of sub-glass transition events in amorphous polymers using, 605
 - , the use of, to study polymer crystallization kinetics, 1380
 - measurements and yield stress, quantitative interpretation of the effect of, on the annealing of polycarbonate below the glass transition, 1599
 - , studies on heat capacity of cellulose and lignin by, 1801
 - Diffusion and sorption** of solvents in highly oriented polyethylene, 142
 - of glucose derivatives in aqueous solutions of hydroxypropyl cellulose, 325
 - model, stochastic defect, for relaxation effects in crystalline polyethylene, 401
 - , Case II, a theory of, 529
 - limitations, external, in initiator decomposition in heterogeneous media, 740
 - behaviour of cyclic and linear poly(dimethylsiloxanes) in a poor solvent, 865
 - coefficients, concentration dependence of, and quasi-elastic light scattering of cyclic and linear poly(dimethylsiloxanes), 873
 - and annealing in crystallizing polymers, 877
 - in gels, 1012
 - of organic compounds in polyolefins, a collection of kinetic data for the, 1325
 - , cooperative and self-, of polymers in semi dilute solutions by dynamic light scattering, 1403
 - Dilute solution properties** of substituted polymethacrylates, 1493
 - Dimensional changes**, the irreversibility of, in epoxy adhesives undergoing uptake and expulsion of water, 327
 - and volumetric changes in cylindrical rods of polymers subjected to a twist moment, 1407
 - Dimensions**, unperturbed, of stereoregular PMMA, measurement of, 105
 - Dimethylacrylamide** pre-polymers, preparation of beaded copolymers of maleic anhydride on, 947
 - 2,4-Dinitrophenylhydrazine**, reaction of, with methylvinylketone copolymers, effect of steric environment, 1259
 - 1,1-Diphenylethene** dimer dianions, the ageing of, 487
 - Direct imaging** of molecular chains in a poly(*p*-xylene) single crystal, 1568
 - Discrimination** of uniaxial deformation models and fluorescence polarization measurements, accuracy of, 797
 - Dissociation behaviour** and composition of some four component phenolic copolymers, effect of substituents on the, 1659
 - Distribution** of straight-chain lengths in unannealed and annealed solution-crystallized polyethylene by Raman spectroscopy, 1286
 - Dithiophosphates**, nickel dialkyl, intermediates involved in the formation of sulphur acids from, a mechanism of antioxidant action, 1711
 - Doping**, lithium, of *cis* polyacetylene $(CH)_x$, 173
 - Drawing** of dry gel films of polyethylene and polypropylene, orientation process in the, 1123
 - , absorption and desorption of solvents, structural change of st-PMMA on, 1256
 - of polypropylene, orientation measurements during, by fluorescence polarization microscopy, 1575
 - Dry-etching**, controlled, action of far-ultra violet radiation (185nm) on poly(ethylene terephthalate) films, a method for, 1863
 - Dynamic mechanical properties** and impact properties of polypropylene/EPDM blends, 699
 - thermomechanometry of networks from acrylated epoxy resins, 761
 - mechanical properties of poly(2-hydroxyethylmethacrylate) based composites, 1242
 - Dynamical studies** of fully oriented deuteropolyethylene by inelastic neutron scattering, 578
 - Dynamics**, polymer solution, screening concepts in, 345
-
- Elastic properties** and phonon dispersion curves of polyoxymethylene single crystals, 569
 - Elastomers**, polyurethane, structure of, effect of chain extender length on the structure of MDI/diol hard segments, 950
 - Electric dichroism** studies of the bonding of Co(III) chelate with synthetic polyelectrolytes, 1177
 - Electrically conductive** polymer composites: polymerization of acetylene in polyethylene, 795
 - Electrochemical synthesis** of polyacetylene tetrachloroferrate and tetrachloroaluminates, 1872
 - Electrolyte concentration**, the effects of, in the emulsion polymerization of styrene, 1172
 - solutions and water, degradation of crosslinked resins in, 1785
 - Electromotive force** method, hydrogen-ion transport numbers in cation exchange membrane determined by, 203
 - Electron microscopy** studies of 12, 24 and 36 \times EDR, microstructure of high modulus solid state extruded polyethylene, 1069
 - and small-angle scattering results, discrepancy between, for sphere in diblock copolymers, 1222
 - Electron paramagnetic resonance** studies on poly(paraphenylene)s synthesized by two different routes, 1103
 - Electron resist**, influence of tacticity on the use of PMMA as an, 1732

- Electron spin resonance** and acoustic emission studies of polymers under stress, 178
- study of the thermal degradation of Kevlar 49 aramid, 365
 - and conductivity measurements, effects on oxidation on I₂ doping of *trans*-polyacetylene as studied *via*, 439
- Electron trapping** model of u.v. induced thermoluminescence in polyethylene, 1461
- Elemental** and plasma-enhanced reactions in polymer surface fluorination, kinetics of, 1546
- Emission**, excimer, in solution, polarization of, 175
- , acoustic, and e.s.r. studies of polymers under stress, 178
- Emulsion** polymerization, seeded, of vinyl acetate: order of reaction with respect to initiator, 77
- , grafting of styrene onto poly(butyl acrylate) in, 839
 - polymerization of styrene, the effects of electrolyte concentration in the, 1172
- Entanglements**, molecular, and craze microstructure in polystyrene-poly(phenylene oxide) blends, 461
- , tensile strength elevation of brittle polymers by, 626
 - and deformation zones in glassy polymers, 1183
- Environmental stress cracking** and crazing in polymers in terms of irreversible thermodynamics, 1204
- Epoxide** resins, branched, SANS from, 1889
- Epoxides**, amine-cured, tensile deformation and failure processes of, 295
- Epoxy** adhesives undergoing uptake and expulsion of water, the irreversibility of dimensional changes in, 327
- Epoxy resins**, notched, internal fracture of, 291
- , acrylated, dynamic thermomechanometry of networks from, 761
 - , cured, the glass transition temperatures of, 1466
 - , rubber-modified: 3. Influence of filler on the dielectric relaxation properties, 1619
 - modified with amine and carboxyl terminated rubbers, morphology and toughness characterization of, 1897
- Equilibrium** size distribution of microparacrystals in polymers, 1101
- Ester groups**, nitrate, distribution of, and interchain *d*(110) spacings in a series of cellulose nitrates, a ¹³C n.m.r. and X-ray study of the relationship between, 1295
- Esters**, activated derivatives of succinic and glutaric half-, of polypropylene glycols, and their exchange half-esters of polypropylene glycols, and their exchange reactions with hydroxy- and amino- compounds, 1689
- Etchant**, an improved permanganic, for polyolefins, 1707
- Ethylene** propylene copolymers, morphology of, 1189
- polymerization with high activity catalysts prepared from titanium tetrachloride and magnesium diene adducts, 1971
- Ethyl vinyl ether** in methylene dichloride solution, radiation-induced cationic polymerization of, 65
- , the influence of monomer and solvent concentrations on the rate of the radiation-induced cationic polymerization of, 427
- Exchange reactions**, activated derivatives of succinic and glutaric half-esters of polypropylene glycols, and their exchange half-esters of polypropylene glycol, with hydroxy- and amino- compounds, 1689
- Excimer** emission in solution, polarization of, 175
- Excluded volume** effect on polymer films, 334
- Exothermal effects** of superimposed processes of activated anionic polymerization of ϵ -caprolactam and crystallization of the polymer formed, 385
- Extension**, craze, rate of, and relaxation of stresses in crazes at crack tips, 754
- Extensional flow fields**, photon-correlation velocimetry of polystyrene solutions in, 1435
- Failure** and tensile deformation processes of amine-cured epoxies, 295
-
- Fibres** and membranes, polyethylene-based, crystallinity in, 601
- , melt-spun and solution-spun of biodegradable materials of poly(L-lactic acid), 1587
- Films**, nitrocellulose/nitroglycerine, sorption of iso-propyl nitrate and acetone into, 144
- , polymer, excluded volume effect on, 334
 - , polyacetylene, doped with MoCl₅ and WCl₆, physical properties of, 834
 - , highly iodene-doped polyacetylene, infra-red transmission of, 1847
- Flexible-chain** polymers, orientational effects and ordering of, in concentrated solutions and in bulk, 1481
- Fluorescence polarization** measurements and discrimination of uniaxial deformation models, accuracy of, 797
- microscopy, orientation measurements during drawing of polypropylene by, 1575
- Fluoroethylene-propylene**, study of localized states in, by space charge limited current measurements, 1622
- Foam formulation**, rigid polyurethane, curing kinetics of a, 1489
- Folding** of polypeptide chains, factors governing the, in block copolymers with a polyvinyl and a polypeptide block, 1039
- Forbes' method**, the measurement of the thermal conductivity of poly(methylmethacrylate) by, using infra-red temperature measurement, 1108
- Formaldehyde**, the acid-catalysed condensation of phenol-4-sulphonic acid with, 1229
- Formation mechanism** of finger-like cavities in membranes from cellulose nitrate and a single solvent, 999
- Functional groups**, unequal reactivities of, reversible polycondensation characterized by, 222
- Functionalities**, average, of macromolecules in stepwise polyfunctional polymerization, 69
- Fracture**, internal, of notched epoxy resins, 291
- behaviour of a poly(xylenol ether)/high impact polystyrene polyblend, 1977
- Gas-liquid chromatography**, determination of the solubility parameter of poly(ethylene oxide) at 25°C by, 1361
- Gaussian distribution** of chain-lengths, the effect of α , on the phase-behaviour of a model system of rod-like macromolecules in solution, 558
- Gel chromatographic** investigation of *p*-benzoquinone and styrene products copolymerized in the presence of BF₃OEt₂, 1388
- Gel permeation chromatography**, data handling in, for routine operations, 137
- , a study of micelles in a base lubricating oil by, 650
- Gelation** and production of stiff polyethylene fibres, 1112
- Gels**, diffusion in, 1012
- , polyurethane, Brillouin scattering from, 1884
- Glass transition**, statistical mechanical theories of the, a new perspective, 36
- temperature, transition of polymers from the fluid to the forced high-elastic and leathery states at temperatures above the, 91
 - temperature, dielectric loss of an oligomeric poly(propylene oxide) in the liquid region above, 314
 - temperatures of highly crosslinked networks: Cured epoxy resins, 1466
 - , annealing of polycarbonate below the, quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
- Glassy polymers**, time-dependent birefringence in, during stress-relaxation and recovery, 129
- , physical ageing in, an i.r. spectroscopic investigation of poly(ethylene terephthalate), 1129
 - , deformation zones and entanglements in, 1183
- Glucose** derivatives, diffusion of, in aqueous solutions of hydroxypropyl cellulose, 325
- Glycerol**, thermomechanical properties of nylon-6,6 annealed in, 1377
- in cellulose acetate, in the dielectric studies of cellulose and its derivatives, 1615
- Grafting** of styrene onto poly(butyl acrylate) in emulsion, 839
- Growth**, oriented, and eutectic solidification in mixtures of polyethylene and 1,3,5-tribromobenzene, 985
-
- Heat capacity** of cellulose and lignin by d.s.c., studies on, 1801
- Heterogeneous** media, external diffusion limitations in initiator decomposition in, 740
- reactions of polymers: 3. Conformational analysis of heterogeneously chlorinated polyethylenes, 1163
- Hexachlorocyclotriphosphazene**, polymerization of, by sulphur and selenium, 495
- Hexagonal phase**, annealing of polyethylene crystals in the, 773
- Histogram method** in photon correlation spectroscopy applied in dilute polymer solutions, a second comment on the, 649
- Homosaligenin** polycondensation, crystallizable cresolic resins by, 928

Classified contents

- Hydrogel**, polymeric, preparation, purity of crosslinkers for, 340
- formation based on the radical copolymerization of 2-hydroxyethylmethacrylate and 2,3-dihydroxypropylmethacrylate, 748
 - , crosslinked poly(ethylene oxide), preparation and swelling of a, 1345
- Hydrogen bonding**, the influence of, on mechanical anisotropy in oriented nylon-12, 829
- Hydrogen-ion transport numbers** in cation exchange membrane determined by e.m.f. method, 203
- Hydroxyalkylmethacrylates**: Kinetic investigations of radical polymerizations of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, 81
- : hydrogel formation based on the radical copolymerization of 2-hydroxyethylmethacrylate and 2,3-dihydroxypropylmethacrylate, 748
- Impact properties** and dynamic mechanical properties of polypropylene/EPDM blends, 699
- Infra-red** study on the conformational regularity in needle-like and other polyoxymethylene crystals, 509
- , Raman and n.m.r. spectra of conformational structure of poly(ethylene terephthalate), 714
 - spectroscopy, time resolved Fourier transform, deformation studies of polymers by: 1. Development of the technique, 965
 - temperature measurement, the measurement of the thermal conductivity of poly(methylmethacrylate) by Forbes' method, using, 1108
 - spectroscopic investigation of the physical ageing of poly(ethylene terephthalate), a glassy polymer, 1129
 - study of model compounds of poly(tetramethylene terephthalate), 1759
 - transmission of highly iodene-doped polyacetylene films, 1847
 - dichroism, inversion of, in linear crystallizable polyurethanes, 1917
- Initiator**, order of reaction with respect to, in the seeded emulsion polymerization of vinyl acetate, 77
- , radical, carbon-13 n.m.r. study of end groups in polymers prepared using azobutyronitrile as, 163
 - decomposition in heterogeneous media, external diffusion limitations in, 740
 - an efficient bifunctional lithium-organic, to be used in apolar solvents, 1953
- Initiators**, new perfectly difunctional organolithium, for block copolymer synthesis: 2. Difunctional polymers of dienes and of their triblock copolymers with styrene, 73
- , new, salt complex bases as, in anionic polymerization of vinyl monomers, 283
 - , some unsymmetrical azo compounds as, in radical polymerization, 629
 - of vinyl polymerization, peroxy salts as: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
- Interaction** of organic vapours with hydroxypropyl cellulose, 43
- parameter, shellac-solvent, 1244
 - parameter, dependence of, on molecular weight and concentration for solutions of poly(dimethylsiloxane) in methylethylketone, 1311
 - of poly(ethylene oxide) with solvents: 1. Preparation and swelling of a crosslinked poly(ethylene oxide) hydrogel, 1345
- Interactions**, polymer-filler, in composites with grafted filler particles, 164
- between cations and kryptofix (2,2) bound to soluble or gel polyacrylamide, ^{13}C and ^{23}Na n.m.r. studies of the, 907
 - of *trans* polyacetylene $(\text{CH})_x$ with oxygen, a kinetic study of the, 1409
- Interfacial tension** of demixed polymer solutions over a wide range of reduced temperatures, 722
- of demixed polymer solutions near the critical temperature: polystyrene plus methylcyclohexane, 728
 - between demixed symmetrical polymer solutions: Polystyrene-poly(dimethylsiloxane)-propylbenzene system, 1937
- Internal fracture** of notched epoxy resins, 291
- Inversion** of infra-red dichroism in linear crystallizable polyurethanes, 1917
- Ion exchangers**, cyanide, copolymers of haemin and vinyl monomers as, modification of the ion exchange properties by introduction of acrylamide residues, 1815
- Ionic conductivity** and morphology of complexes of sodium iodide and sodium thiocyanate with poly(ethylene oxide), 681
- and morphology of some lithium ion complexes with poly(ethylene oxide), 690
- Ionomers**, acrylic ampholytic, 843
- , polyurethane, synthesis and characterization of some, 1167
- Irradiation**, γ -, changes in physical properties and molecular structure of butyl rubber during, 1457
- Isomerization**, *cis-trans*, of polyacetylene induced by mechanical rolling, 14
- thermal *cis-trans*, modification of polyacetylene chains, 1862
- Isoprene-butadiene networks**, chemorheological studies of, 1519
- and butadiene hydrogenated linear block copolymers, effects of variation of composition and sequence architecture on properties, 1523
- Isotopic dilution**, ^2H n.m.r. relaxation and molecular motion of polyethylene in solution as studied by, 598
- Kapton polyimide film**, electrical conduction in, at high electrical fields, 17
- Kevlar 49 aramid**, an e.s.r. study of the thermal degradation of, 365
- Kinetic investigations** of radical polymerizations of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, 81
- studies. Polymerization of acetylene by soluble Ziegler-Natta catalyst, 246
 - study of 'living' coordination polymerization of propene with the soluble $\text{V}(\text{acac})_3\text{-Al}(\text{i-C}_4\text{H}_9)_2\text{Cl}$ system, 258
 - study on the first stage during thermal degradation of polystyrene, 1091
 - mechanism of free radical bulk copolymerization of styrene-methylmethacrylate, comments on the, 1245
 - data, a collection of, for the diffusion of organic compounds in polyolefins, 1325
 - study of the interactions of *trans* polyacetylene $(\text{CH})_x$ with oxygen, 1409
 - data, adiabatic, correlation of, 1473
- Kinetics**, sorption, and volumetric changes: poly(methylmethacrylate) plus water, 197
- crystallization, of poly(1,3-dioxolane), 374
 - , synthesis and characterization in the alternating copolymerization of 2-methyl-2-oxazoline with α -chloro- and α -bromoacrylic acids, 1372
 - , polymer crystallization, the use of d.s.c. to study, 1380
 - , curing, of a rigid polyurethane foam formulation, 1489
 - of polymer surface fluorination: Elemental and plasma-enhanced reactions, 1546
 - of anionic polymerization of lactams. (Solution of non-isothermal kinetic problems by the inverse method), 1791
- Lactams**, kinetics of anionic polymerization of, (solution of non-isothermal kinetic problems by the inverse method), 1791
- Lattice coordination number** in polystyrene solutions, 1859
- Light scattering** measurements of cyclic and linear poly(dimethylsiloxanes) in good and poor solvents, 869
- , quasi-elastic, and concentration dependence of diffusion coefficients of cyclic and linear poly(dimethylsiloxanes), 873
 - , dynamic, cooperative and self-diffusion of polymers in semi dilute solutions by, 1403
 - , quasi-elastic, from dilute solutions of a semi-rigid macromolecule: cellulose tricarbonyl, 1755
 - studies, small-angle, of poly(*N*-vinylcarbazole), 1842
- Lignin** and cellulose, studies on heat capacity of, by d.s.c., 1801
- Lignins**, amorphous, and polystyrenes, temperature dependence of X-ray diffractograms of, 475
- Liquid crystal polymers**, solidified, rigid chain, the nature of crystallites in, 359
- Liquid crystalline polymers**, microheterogeneous structure of, 484
- Lithium** doping of *cis* polyacetylene $(\text{CH})_x$, 173
- organic initiator, an efficient bifunctional, to be used in apolar solvents, 1953
- Localized states** in FEP by space charge limited current measurements, 1622
- Lubricating oil**, base, a study of micelles in a, by g.p.c., 650
- Macroinorganics**: 8. Chelation of copper(II) ion with some new poly(amido-amines), 148

- Macromolecule**, semi-rigid, cellulose tricarbaniolate, quasi-elastic light scattering from dilute solutions of, 1755
- Macromolecules**, average functionalities of, in stepwise polyfunctional polymerization, 69
- , rod-like, in solution, phase-behaviour of a model system of, the effect of a Gaussian distribution of chain-lengths on the, 558
 - , theory of adsorption of, in cylindrical pores and at surfaces of cylindrical shape, 1133
- Magnetic birefringence** of polystyrene sulphonate: Molecular weight and concentration dependence, 1990
- Maleic acid** copolymer with styrene in aqueous salt solution, studies on conformational transition of the, by derivative spectroscopy, 238
- Maleic anhydride** copolymers, polymer supports based on, preparation of beaded copolymers of maleic anhydride on dimethylacrylamide pre-polymers, 947
- Mannich bases** in polymer synthesis: 3. Reduction of poly(β -aminoketone)s to poly(γ -aminoalcohols) and their *N*-alkylation to poly(γ -hydroxy quaternary ammonium salts), 1693
- Mass** spectral analysis of poly(*p*-phenylene sulphide), 310
- transfer of condensation product, simulation of AA'B'B' type reversible polymerizations with, 1367
- Measurement** of the unperturbed dimensions of stereoregular PMMA, 105
- Mechanical** rolling, *cis-trans* isomerization of polyacetylene induced by, 14
- theories, statistical, of the glass transition, a new perspective, 36
 - properties of miscible polycarbonate-copolyester blends, 112
 - degradation of polyethylene, 1027
 - properties and superstructure of high-modulus and high-strength nylon-6 fibre prepared by the zone-annealing method, 1199
 - properties and crystallization behaviour of ultra-high molecular weight polyethylene crosslinked in the melt by means of 2,5-dimethyl-2,5-bis(tert-butylidyoxy)-3-hexyne, 1944
- Melting** behaviour and morphology of semi-crystalline PET: 3. Quantification of crystal perfection and crystallinity, 185
- behaviour, morphology and crystallinity of films of isotactic polypropylene blended with ethylene-propylene copolymers and polyisobutylene, 229
 - multiple, in blends of poly(vinylidene fluoride) with isotactic poly(ethylmethacrylate), 735
 - of ultra-high modulus linear polyethylene, superheating effects on the, 935
 - and annealing effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, 1594
- Melts**, flowing PET, Raman spectroscopy of, 9
- , homopolymer, a convenient neutron scattering method for studying monomer correlations in, 29
- Membrane**, cation exchange, hydrogen-ion transport numbers in, determined by e.m.f. method, 203
- Membranes**, special polymer, studies on synthesis and permeabilities of: 33. Permeation behaviour of aqueous alcohol solution through cellulose membranes, 192
- , cellulose nitrate, from binary organic solvents, finger-like cavities in, 488
 - and fibres, polyethylene-based, crystallinity in, 601
 - , poly(γ -methyl L-glutamate), permeabilities of, 617
 - from cellulose nitrate and a single solvent, formation mechanism of finger-like cavities in, 999
- Methacrylic acid** metal salts in solid state, tetramer formation from, 152
- Methylene blue** as a retarder of free radical polymerization: 1. Polymerization of acrylonitrile, methylmethacrylate and styrene, 1653
- Methylethylketone**, dependence of interaction parameter on molecular weight and concentration for solutions of poly(dimethylsiloxane) in, 1311
- Methylmethacrylate-styrene** copolymer, Prepared in presence of zinc chloride, n.m.r. study of, 20
- *N*-iso-butylmaleimide and styrene-*N*-iso-butylmaleimide, reactivity ratios of, 146
 - acrylonitrile random copolymers, behaviour of, in dilute solution, 991
- 2-Methyl-2-oxazoline**, alternating copolymerization of, with α -chloro- and α -bromoacrylic acids: 3. Synthesis, characterization and kinetics, 1372
- Methyl torsion** in isotactic polypropylene, investigation of the, comparison between neutron inelastic scattering spectra and normal coordinate calculations, 499
- Methylvinylketone** copolymers, reaction of 2,4-dinitrophenylhydrazine with, effect of steric environment, 1259
- Micellar solutions**, the concentration dependence of the angular dissymmetry of light scattered by, 170
- Micelles** in a base lubricating oil by g.p.c., a study of, 650
- Microheterogeneous** structure of liquid crystalline polymers, 484
- Micromechanics** and microstructure of CO₂ crazes in polystyrene, 1667
- Microparacrystals**, globules of, in nascent isotactic polypropylene, 979
- in polymers, equilibrium size distribution of, 1101
- Microstructural changes** in stressed polymers characterized by vibrational spectroscopy, 969
- Microstructure**, craze, effect of strain history on, 457
- of high modulus solid state extruded polyethylene: 1. Electron microscopy studies of 12, 24 and 36 \times EDR, 1069
 - and micromechanics of CO₂ crazes in polystyrene, 1667
 - and deformation of polyethylene, the influence of branch length on the, 1680
- Migration** of food-contact organotin stabilizers from PVC, a review of the, 1385
- Miscibility** of SAN copolymers with polyacrylates and polymethacrylates, 1543
- Model** compounds of poly(tetramethylene terephthalate), an infra-red study of, 1759
- for structural inhomogeneities in hexagonal polyoxymethylene, 1865
- Modelling** of reversible novolac type phenol-formaldehyde polymerization, 1929
- Modification** of polyacetylene chains during thermal *cis-trans* isomerization, 1862
- Molecular** weight, non-equilibrium, studies on the metathesis polymerization of cyclopentene initiated by WCl₆/AliBu₃: Effect of catalyst ageing time, 211
- weight distributions in novolac type phenol-formaldehyde polymerizations, 215
 - weight distribution of oligomers, 497
 - alignment in polyethylene terephthalate copolymers, effect of composition on, 505
 - disorder and crystal transformation in poly(tetrafluoroethylene), X-ray diffraction study of, 521
 - motion and ¹H n.m.r. relaxation of polyethylene in solution as studied by isotopic dilution, 598
 - conformation and birefringence of nitrocellulose, 710
 - motion of syndiotactic poly(α -methylstyrene) in solution studied by ¹³C n.m.r. relaxation measurements, 817
 - model of partial crystallization of branched polyethylene, 1300
 - structure and physical properties of butyl rubber during γ -irradiation, changes in, 1457
 - motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, melting and annealing effects on, 1594
 - dimensions, unperturbed, of poly(ethylene oxide) in aqueous solutions from intrinsic viscosity measurements and the evaluation of the theta temperature, 1775
 - motion in poly(amino acids): 6. Molecular motion in a β -form crystal of poly(γ -methyl-D-glutamate), 1894
- Monomer** correlations in homopolymer melts, a convenient neutron scattering method for studying, 29
- Monomers**, acrylate, based on 2,6-piperazine-dione, 771
- copolymerization of vinyl chloroformate and phenyl vinyl carbonate with, 855
 - , functional, pressure sensitive adhesives of acrylic polymers containing, 937
- Monte Carlo simulation** of radiation-induced solid state polymerization, 1226
- Morphology** and melting behaviour of semi-crystalline PET: 3. Quantification of crystal perfection and crystallinity, 185
- , crystallinity and melting behaviour of films of isotactic polypropylene blended with ethylene-propylene copolymers and polyisobutylene, 229
 - and crystal growth rate in poly(1,3-dioxolane), influence of molecular weight and temperature on the, 379
 - and ionic conductivity of complexes of sodium iodide and sodium thiocyanate with poly(ethylene oxide), 681
 - and ionic conductivity of some lithium ion complexes with poly(ethylene oxide), 690
 - , preparation and unit cells of three poly(hexamethylene terephthalate) allomorphs, 805
 - of ethylene-propylene copolymers, 1189
 - of polyacetylene and doped polyacetylene, 1211
 - and toughness characterization of epoxy resins modified with amine and carboxyl terminated rubbers, 1897
 - , blend, multiple crystallization behaviour of polypropylene/thermoplastic rubber blends and its use in assessing, 1913
- Motion** in solutions of poly(ethylene oxide) in the presence of the crystalline phase, anisotropy of, 1477

Classified contents

- Networks** from acrylated epoxy resins, dynamic thermomechanometry of, 761
- , polystyrene, specific volume of, 1317
 - , highly crosslinked, glass transition temperatures of, cured epoxy resins, 1466
 - , isoprene-butadiene, chemo-rheological studies of, 1519
- Neutron scattering**, a convenient method for studying monomer correlations in homopolymer melts, 29
- , spectra, inelastic, and normal coordinate calculations, comparison between, in an investigation of the methyl torsion in isotactic polypropylene, 499
 - , inelastic, dynamical studies of fully oriented deuteropolyethylene by, 578
 - , small-angle, structural characterization of semi crystalline polymer blends by, 957
 - , small-angle, characterization of plastic deformation in amorphous polymers, 1751
 - , studies, conformation of the molecules in drawn polypropylene revealed by, 1875
 - , small-angle, from branched epoxide resins, 1889
- Nitration** and denitration of cellulosic materials, e.s.c.a. studies of the, 1034
- Nitrocellulose/nitroglycerine** films, sorption of iso-propyl nitrate and acetone into, 144
- : birefringence and molecular conformation, 710
- Nitroglycerine/nitrocellulose** films, sorption of iso-propyl nitrate and acetone into, 144
- 6'-Nitro-1,3,3-trimethyl-spiro-(2'H-1'-benzopyran-2,2'-indoline)**, photo-mechanical effects in polymers containing, 779
- Novolac** type phenol-formaldehyde polymerizations, molecular weight distributions in, 215
- type phenol-formaldehyde polymerization, reversible, modelling of, 1929
- Novolacs**, statistical aspects for the production of, 263
- , batch and continuous reactors for the production of, 267
- Nuclear magnetic resonance** study of copolymer of styrene with methylmethacrylate prepared in presence of zinc chloride, 20
- , ¹⁹F, solid state, of deformed PTFE, 39
 - , carbon-13, study of end-groups in polymers prepared using azobutyronitrile as radical initiator, 163
 - spectroscopy, ¹³C, structural characterization of 1,2-polybutadiene by: 1. Signal assignment in hydrogenated polybutadienes, 287
 - , ¹³C, spectroscopy, structural characterization of 1,2-polybutadiene by: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
 - , ¹H, relaxation and molecular motion of polyethylene in solution as studied by isotopic dilution, 598
 - spectra, high resolution ¹³C, of solid isotactic polypropylene, 694
 - spectroscopy, i.r. and Raman spectra of conformational structure of poly(ethylene terephthalate), 714
 - , ¹³C, relaxation measurements, molecular motion of syndiotactic poly(α -methylstyrene) in solution studied by, 817
 - , ¹³C and ²³Na, studies of the interactions between cations and kryptofix (2,2) bound to soluble or gel polyacrylamide, 907
- , ¹³C, spectroscopy, structural characterization of polyprenol by, signal assignments of polyprenol homologues, 1087
 - , ¹³C, study of the structure of poly(aspartic acid), 1237
 - , ¹³C, and X-ray study of the relationship between the distribution of nitrate ester groups and inter-chain $d(110)$ spacings in a series of cellulose nitrates, 1295
 - spectroscopy, ¹H, of the complexation of polybutadienyllithium by *N,N,N',N'*-tetramethylethylenediamine, 1636
 - , *FT*-pulsed field gradient, self-diffusion study of the solution conformation of poly(ethylene oxide), 1780
- Nuclear pore filters** in poly(ethylene terephthalate) and ethylene-tetrafluoroethylene copolymer, scanning electron microscopy of, 1143
- Nucleophilic** substitution onto poly(methylmethacrylate): 4. Dilute solution properties of substituted polymethacrylates, 1493
- Nylon-6** fibre, high-modulus, preparation of, by an improved zone-annealing method, 176
- fibre, high-modulus and high-strength, preparation of, by the zone-annealing method, 1193
 - fibre, high-modulus and high-strength, prepared by the zone-annealing method, mechanical properties and superstructure of, 1199
 - fibre, ultra-high-strength, preparation of, by a multi-step zone-annealing method, 1983
- Nylon-6,6** annealed in glycerol, thermo-mechanical properties of, 1377
- , effect of test frequency and water content on localized crack-tip heating in, 1675
- Nylon-12**, oriented, the influence of hydrogen bonding on mechanical anisotropy in, 829
- Oligomers**, the molecular weight distribution of, 497
- Optically active** polymers containing side-chain *trans*-stilbene chromophores, 1355
- Ordering** and orientational effects in flexible-chain polymers in concentrated solutions and in bulk, 1481
- Organic** vapours, interaction with hydroxylpropyl cellulose, 43
- lithium initiator, an efficient bifunctional, to be used in apolar solvents, 1953
- Orientation** process in the drawing of dry gel films of polyethylene and polypropylene, 1123
- distribution functions for biaxially oriented polymers, 1251
 - measurements during drawing of polypropylene by fluorescence polarization microscopy, 1575
- Orientational effects** and ordering of flexible-chain polymers in concentrated solutions and in bulk, 1481
- Oxidation**, effects of, on I₂ doping of *trans*-polyacetylene as studied *via* e.s.r. and conductivity measurements, 439
- Oxidative** stability, conductivity and free radical population of poly(1,6-heptadiyne), effect of a free radical quencher on the, 435
- Packing properties** of poly(acetylene) chains, 1581
- Peptide** synthesis, solid phase, on an acrylate copolymer attached to porous silica beads, 306
- resin assemblies, poly(acryloylmorpholine)-based, and derived peptide segments, catalytic transfer hydrogenation of, 1685
- Permanganic** etchant, an improved, for polyolefins, 1707
- Permeabilities** of poly(γ -methyl L-glutamate) membranes, 617
- Permeability** and synthesis of polymer membranes: 41. Finger-like cavities in cellulose nitrate membranes from binary organic solvents, 488
- Permeation** behaviour of aqueous alcohol solution through cellulose membranes, 192
- Peroxo salts** as initiators of vinyl polymerization: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
- Persistent cylinder model** of Yamakawa, intrinsic viscosity of cellulose derivatives and the, 800
- Phase** transition of polyethylene under high pressure, thermodynamic analysis of the, 391
- behaviour of a model system of rod-like macromolecules in solution, the effect of a Gaussian distribution of chain-lengths on the, 558
 - separation in polyblends of block copolymers, studies on, 1557
- Phenol-formaldehyde** polymerization, reversible novolac type, modelling of, 1929
- Phenolic** copolymers, four component, effect of substituents on the composition and dissociation behaviour of some, 1659
- Phenol-4-sulphonic acid**, the acid-catalysed condensation of, with formaldehyde, 1229
- Phenylacetylene**, polymerization of, induced by u.v. irradiation of group 6 transition metal carbonyls, 1663
- Phenyl vinyl carbonate** and vinyl chloroformate, copolymerization of, with vinyl monomers, 855
- Phonon** dispersion curves and elastic properties of polyoxymethylene single crystals, 569
- Photochemical** degradation of polyepichlorohydrin and its cleavage with *n*-butyl lithium, 919
- Photo-energy transfer** in polystyrene-polyphenylene oxide blends, 924
- Photodegradation** and synthesis of copolyamides containing α -diketone linkage in the main chain, 342
- Photoinitiators**, free radical, photopolymerization of *N*-vinylcarbazole in the presence and absence of, 1045
- Photolysis** study, laser flash, of the triplet lifetime of poly(phenyl vinyl ketone), 913
- Photomechanical effects** in polymers containing 6'-nitro-1,3,3-trimethyl-spiro-(2'H-1'-benzopyran-2,2'-indoline), 779
- Photon** correlation spectroscopy studies of dilute polymer solutions, data fitting in, 492
- correlation spectroscopy, the histogram method in, applied in dilute polymer solutions, a second comment on the, 649
 - correlation velocimetry of polystyrene solutions in extensional flow fields, 1435

- Photo-oxidation** of polystyrene in dichloromethane solutions, 281
- Photopolymerization** of *N*-vinyl carbazole in dichloromethane in the presence and absence of free radical photoinitiators, 1045
- Physical properties** of polyacetylene films doped with MoCl₅ and WCl₆, 834
— and molecular structure of butyl rubber during γ -irradiation, changes in, 1457
- 2,6-Piperazinedione**, acrylate monomers based on, 771
- Plasma-enhanced** and elemental reactions in polymer surface fluorination, kinetics of, 1546
- Plasticizer** concentration and annealing, effect of, on the structure of PMVC, 1508
- Polarization** of excimer emission in solution, 175
- Poly(acetylene)**, *cis-trans* isomerization of, induced by mechanical rolling, 14
— (CH)_x *cis*, lithium doping of, 173
—, *trans*-, effects of oxidation on I₂ doping of, as studied *via* e.s.r. and conductivity measurements, 439
— films doped with MoCl₅ and WCl₆, physical properties of, 834
— and doped polyacetylene, morphology of, 1211
—, *trans*, interactions with oxygen, a kinetic study of, 1409
— chains, on the packing properties of, 1581
— films, highly iodine-doped, infra-red transmission of, 1847
— chains, modification of, during thermal *cis-trans* isomerization, 1862
— tetrachloroferrate and tetrachloroaluminate, electrochemical synthesis of, 1872
- Polyacrylamide**, soluble or gel, ¹³C and ²³Na n.m.r. studies of the interactions between cations and kryptofix (2,2) bound to, 907
- Polyacrylates** and polymethacrylates, miscibility of SAN copolymers with, 1543
- Poly(acryloylmorpholine)**-based peptide-resin assemblies and derived peptide segments, catalytic transfer hydrogenation of, 1685
- Polyamide imides**, synthesis and characterization of, from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride, 1057
- Polyamides**, *N*-propargyl-substituted aromatic, preparation and thermal crosslinking, 621
- Poly(amido-amines)**, new, chelation of copper(II) ion with some, 148
—, tertiary, synthesis of, with amido- and amino- groups randomly arranged along the macromolecular chain, 1233
- Poly(aminium phosphate)s**, organic, synthesis of some, 422
- Poly(amino acid)s**, molecular motion in a β -form crystal of poly(γ -methyl-D-glutamate), 1894
- Poly(γ -aminoalcohols)**, reduction of poly(β -aminoketone)s, and their *N*-alkylation to poly(γ -hydroxy quaternary ammonium salt)s, with Mannich bases, 1693
- Poly(β -aminoketone)s**, reduction to poly(γ -aminoalcohols) and their *N*-alkylation to poly(γ -hydroxy quaternary ammonium salt)s, with Mannich bases, 1693
- Poly(aspartic acid)**, ¹³C n.m.r. study of the structure of, 1237
- Poly(bisphenol A iso-terephthalate)** copoly-carbonates, synthesis and properties of some, 609
- Polyblends** of block copolymers, studies on phase separation in, 1557
- Polybutadiene**, 1,2-, structural characterization of, by ¹³C n.m.r. spectroscopy: 1. Signal assignment in hydrogenated polybutadienes, 287
— polymers, linear and star shaped, in solutions of cyclohexane, hexane and ethylbenzene, ultrasonic investigations of, 369
—, 1,2-, structural characterization by ¹³C n.m.r. spectroscopy: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
—, *cis*-1,4-, chlorination of, 1805
- Polybutadienes**, hydrogenated, signal assignment in, structural characterization of 1,2-polybutadiene by ¹³C n.m.r. spectroscopy, 287
- Polybutadienyllithium**, ¹H n.m.r. spectroscopy of the complexation of, by *N,N,N',N'*-tetramethylethylenediamine, 1636
- Poly(butyl acrylate)**, grafting of styrene onto, in emulsion, 839
—, the *in situ* polymerization of vinyl chloride in, 1965
- Poly(1,4-butylene terephthalate)**, cyclic oligomers in, 323
- Polycarbonate**-copolyester blends, miscible, mechanical properties of, 112
—, annealing of, below the glass transition: quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
- Polycondensation**, reversible, characterized by unequal reactivities of functional groups, 222
—, homosaligenin, crystallizable cresolic resins by, 928
- Poly(1,4-trans-cyclohexanediyl-dimethylene terephthalate)**, crystal structure of, 1960
- Poly(9,10-dihydroanthracene-9,10-diylidene)**, 1,5- and 1,8-dichloro-substituted, synthesis and properties of, 613
- Poly(dimethylsiloxane)**, dependence of interaction parameter on molecular weight and concentration for solutions of, in methylethylketone, 1311
— polymers, anomalous dielectric relaxation in, 1394
— polystyrene-propylbenzene demixed symmetrical polymer solutions, interfacial tension between, 1937
- Poly(dimethylsiloxanes)**, cyclic and linear, studies of: 7. Diffusion behaviour in a poor solvent, 865
—, cyclic and linear, studies of: 8. Light scattering measurements in good and poor solvents, 869
—, cyclic and linear, studies of: 9. Quasi-elastic light scattering and concentration dependence of diffusion coefficients, 873
- Poly(2,6-dimethyl-1,4-phenylene oxide)** with head-to-head, blends of, 271
— atactic polystyrene blends, uniaxially oriented, evaluation of the birefringence of, 706
- Poly(1,3-dioxolane)**, crystallization kinetics of, 374
—, influence of molecular weight and temperature on the morphology and crystal growth rate, 379
- Polydispersity ratios**, low, block copolymers with, a simplified apparatus for the preparation of, 1988
- Polyelectrolytes**, on the theory of weakly charged, 1742
—, synthetic, electric dichroism studies of the bonding of Co(III) chelate with, 1177
- Polyepichlorohydrin**, chemical modification of, and anionic synthesis of poly(epichlorohydrin-*g*-styrene), 57
—, photochemical degradation of, and its cleavage with *n*-butyl lithium, 919
- Poly(epichlorohydrin-*g*-styrene)**, anionic synthesis of, and chemical modification of polyepichlorohydrin, 57
- Polyester**/chlorinated poly(vinyl chloride) blends, studies of, 1051
- Polyesters** with mesogenic groups and flexible spacers in the main chain, synthesis and properties of some, 47
—, high molecular weight, from alkali metal carboxylates and α,ω -dibromo compounds, 168
- Polyether**-MDI-butanediol based urethanes, structure-property behaviour of segmented, effect of composition ratio, 1077
- Polyethylene**, highly oriented, sorption and diffusion of solvents in, 142
—, phosphorylated resins of, thermal degradation of a series of, 154
—, chlorinated, and poly(methylmethacrylate), compatibility of, 336
—, oriented linear, shear and tensile relaxation behaviour in, 349
—, thermodynamic analysis of the phase transition of, under high pressure, 391
—, crystalline, stochastic defect diffusion model for relaxation effects in, 401
—, ¹H n.m.r. relaxation and molecular motion of, in solution as studied by isotopic dilution, 598
— based membranes and fibres, crystallinity in, 601
—, fractions, role of reptation in the rate of crystallization of, from the melt, 656
—, crystals in the hexagonal phase, annealing of, 773
—, polymerization of acetylene in, electrically conductive polymer composites, 795
—, resins, polyphosphorylated, SEM study of, 931
—, ultra-high modulus linear, superheating effects on the melting of, 935
— and 1,3,5-tribromobenzene, mixtures of, eutectic solidification and oriented growth in, 985
—, mechanical degradation of, 1027
—, high modulus solid state extruded, microstructure of: 1. Electron microscopy studies of 12, 24 and 36 \times EDR, 1069
—, fibres, stiff, gelation and production of, 1112
— and polypropylene dry gel films, orientation process in the drawing of, 1123
—, molten, the local structure of, 1273
—, unannealed and annealed solution-crystallized, distribution of straight-chain lengths in, by Raman spectroscopy, 1286
—, branched, molecular model of partial crystallization of, 1300
—, electron trapping model of u.v. induced thermoluminescence in, 1461
—, the influence of branch length on the deformation and microstructure of, 1680
—, crosslinking of ultra-high molecular weight, in the melt by means of 2,5-dimethyl-2,5-bis(tert-butylidenoxy)-3-hexyne: 2. Crystallization behaviour and mechanical properties, 1944
- Polyethylenes**, irradiated linear, changes in the crystalline content of, upon ageing, 654
—, heterogeneously chlorinated, conformational analysis of, 1163

Classified contents

- Poly(ethylene oxide)/poly(methylmethacrylate)** binary blends, first results of small- and wide-angle X-ray scattering of, 331
- , complexes of sodium iodide and sodium thiocyanate with, morphology and ionic conductivity of, 681
 - , morphology and ionic conductivity of some lithium ion complexes with, 690
 - and poly(methylmethacrylate), spherulitic crystallization in blends of, 1322
 - , interaction of, with solvents: 1. Preparation and swelling of a crosslinked poly(ethylene oxide) hydrogel, 1345
 - , determination of the solubility parameter of, at 25°C by g.l.c., 1361
 - , anisotropy of motion in solutions of, in the presence of the crystalline phase, 1477
 - , the unperturbed molecular dimensions of, in aqueous solutions from intrinsic viscosity measurements and the evaluation of the theta temperature, 1775
 - , the solution conformation of, an FT-pulsed field gradient n.m.r. self-diffusion study, 1780
- Poly(ethylene oxide-*b*-styrene)** copolymers as solid-liquid phase transfer catalysts, 1159
- Poly(ethylene terephthalate)** flowing melts, Raman spectroscopy of, 9
- , semi-crystalline, morphology and melting behaviour of: 3. Quantification of crystal perfection and crystallinity, 185
 - copolymers, effect of composition on molecular alignment in, 505
 - fibres, quantitative characterization of orientation in, by Raman spectroscopy, 645
 - , conformational structure of, from i.r., Raman and n.m.r. spectra, 714
 - , tensile drawing behaviour of, influence of molecular weight and pre-orientation, 766
 - , a glassy polymer, an i.r. spectroscopic investigation of the physical ageing in, 1129
 - and ethylene-tetrafluoroethylene copolymer, scanning electron microscopy of nuclear pore filters in, 1143
 - films, action of far-ultra violet radiation (185nm) on, a method for controlled dry-etching, 1863
- Poly(ethylene/tetramethylene terephthalate)** copolyesters, preparation and characterization of, 1391
- Poly(ethylmethacrylate)**, isotactic, -poly(vinylidene fluoride) blends, multiple melting in, 735
- Poly(1,6-heptadiyne)**, the effect of a free radical quencher on the conductivity, oxidative stability and free radical population of, 435
- Poly(hexamethylene terephthalate)**, the structure and properties of, the preparation, morphology and unit cells of three allomorphs, 805
- Poly(3-hydroxy-benzoates)**, linear and branched, new polymer syntheses, 1821
- Poly(2-hydroxyethylmethacrylate)** based composites, dynamic mechanical properties of, 1242
- Poly(γ -hydroxy quaternary ammonium salts)**, reduction of poly(β -aminoketone)s to poly(γ -aminoalcohols) and their *N*-alkylation to, with Mannich bases, 1693
- Polyimide**, Kapton, film, electrical conduction in, at high electrical fields, 17
- Poly-*p*-isopropyl- γ -methylstyrene**, regularity and stereoregularity of, 1501
- Poly(L-lactic acid)**, biodegradable materials of: 1. Melt-spun and solution-spun fibres, 1587
- Polymer**-filler interactions in composites with grafted filler particles, 164
- films, excluded volume effect on, 334
 - solution dynamics, screening concepts in, 345
 - blends, binary, thermomechanical analysis of, 466
 - solutions, dilute, data fitting in photon correlation spectroscopy studies of, 492
 - supports based on maleic anhydride copolymers: preparation of beaded copolymers of maleic anhydride on dimethylacrylamide pre-polymers, 947
 - crystal, compressibility of the, 1412
- Polymeric powders**, solid phase compaction of: effects of compaction conditions on pressure and density variations, 123
- Polymerization**, radiation-induced cationic, of vinyl ethers in solution: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution, 65
- , stepwise polyfunctional, average functionalities of macromolecules in, 69
 - , seeded emulsion, of vinyl acetate: order of reaction with respect to initiator, 77
 - , radical, of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, kinetic investigations of, 81
 - , tetrahydrofuran, leading to block copolymer formation and transformation of anionic ends of living polystyrene to cationic ones, 207
 - , metathesis, of cyclopentene initiated by $WCl_6/AlEt_3$, non-equilibrium molecular weight studies on the: Effect of catalyst ageing time, 211
 - of acetylene, new catalyst systems for the, 243
 - of acetylene by soluble Ziegler-Natta catalyst. Kinetic studies, 246
 - , 'living' coordination, of propene with the soluble $V(acac)_3-Al(i-C_4H_9)_2Cl$ system, a kinetic study of, 258
 - , anionic, of vinyl monomers, salt complex bases as new initiators in, 283
 - , activated ionic, of ϵ -caprolactam, exothermal effects of superimposed processes of, and crystallization of the polymer formed, 385
 - , radiation-induced cationic, of ethyl vinyl ether in ether solvent, influence of monomer and solvent concentrations on the rate of, 427
 - of hexachlorocyclotriphosphazene by sulphur and selenium, 495
 - , radical, some unsymmetrical azo compounds as initiators in, 629
 - of propionic acid and its derivatives catalysed by $McCl_5$, 744
 - of styrene using $CuCl_2 + AlEt_2Cl$ catalyst, effect of additives and solvents on, 783
 - of acetylene in polyethylene, electrically conductive polymer composites, 795
 - of vinyl chloroformate, vinyl carbamates and vinyl carbonates, 849
 - of propylene with $MgCl_2/TiCl_4/AlEt_3$ or $MgCl_2/PhCOOC_2H_5/TiCl_4/AlEt_3$ catalyst systems, 916
 - of a series of segmented polyurethanes, morphological study of the structure developed during the, 1060
 - of styrene by polyTHF possessing terminal secondary nitranions, a block copolymerization by a cation to anion transformation process, 1105
 - , emulsion, of styrene, the effects of electrolyte concentration in the, 1172
 - , radiation-induced solid state, Monte Carlo simulation of, 1226
 - , free radical, methylene blue as a retarder of, in the polymerization of acrylonitrile, methylmethacrylate and styrene, 1653
 - of phenylacetylene induced by u.v. irradiation of group 6 transition metal carbonyls, 1663
 - , anionic, of lactams, kinetics of, (solution of non-isothermal kinetic problems by the inverse method), 1791
 - , polymer-supported, a general technique for the preparation of novel beaded polymer supports, 1870
 - , reversible novolac type phenol-formaldehyde, modelling of, 1929
 - , *in situ*, of vinyl chloride in poly(butyl acrylate), 1965
 - , ethylene, with high activity catalysts prepared from titanium tetrachloride and magnesium diene adducts, 1971
 - , vinyl, peroxy salts as initiators of: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
- Polymerizations**, novolac type phenol-formaldehyde, molecular weight distributions in, 215
- , AA'B'B' type reversible, with mass transfer of condensation product, simulation of, 1367
- Polymers**, transition of, from the fluid to the forced high-elastic and leathery states at temperatures above the glass transition temperature, 91
- , viscofluid, effect of liquid media on the ultimate strength characteristics of, in uniaxial extension, 100
 - , liquid crystal, solidified, rigid chain, the nature of crystallites in, 359
 - , nonionic and cationic, study on adsorption of, on silica gel using total organic carbon analysis, 452
 - , amorphous, the structure of, 543
 - , brittle, tensile strength elevation of, by entanglements, 626
 - containing 6'-nitro-1,3,3-trimethyl-spiro-(2'H-1'-benzopyran-2,2'-indoline), photomechanical effects in, 779
 - , preferential adsorption coefficient of, 1005
 - , equilibrium size distribution of micro-paracrystals in, 1101
 - , biaxially oriented, orientation distribution functions for, 1251
 - , optically active, containing side-chain *trans*-stilbene chromophores, 1355
 - , cooperative and self-diffusion of, in semi dilute solutions by dynamic light scattering, 1403
 - , carbazole based, recent progress in, 1713
 - , head-to-head: 19. Chlorination of *cis*-1,4-polybutadiene, 1805
 - , glassy, oriented by cold-rolling, crack growth under static and fatigue loading in, 1830
- Polymer blends**, semi crystalline, structural characterization of, by SANS, 957
- Polymer composites**, electrically conductive, polymerization of acetylene in polyethylene, 795
- Polymer films**, spin-coated dye-in-, spectroscopic studies of, on the relationship between compatibility and aggregation of small molecules in polymer matrices, 1627

- Polymer matrices**, a spectroscopic study of the relationship between compatibility and aggregation of small molecules in, 1627
- Polymer solutions**, local viscosity in, investigation by means of electrolytic conductivity, 6
- , demixed, interfacial tension of, over a wide range of reduced temperatures, 722
 - , near the critical temperature, interfacial tension of: polystyrene plus methylcyclohexane, 728
 - , demixed symmetrical, interfacial tension between: Polystyrene-poly(dimethylsiloxane)-propylbenzene system, 1937
- Polymer supports** based on dimethylacrylamide and 3-formamidopropyl acrylate, synthesis of, 1099
- , novel beaded, a general technique for the preparation of, for polymer-supported polymerization, 1870
- Polymethacrylates**, substituted, dilute solution properties of, 1493
- , and polyacrylates, miscibility of, SAN copolymers with, 1543
- Polyethylene** systems, crystalline, transport of matter upon annealing in, a calorimetric and spectroscopic study, 1921
- Poly(methylene esters)**, the preparation of, 1555
- Poly(γ -methyl-L-glutamate)** membranes, permeabilities of, 617
- Poly(γ -methyl-D-glutamate)**, molecular motion in a β -form crystal of, 1894
- Poly(methylmethacrylate)**, oriented, Brillouin, spectroscopy of, 3
- , stereoregular, measurement of the unperturbed dimensions of, 105
 - , plus water: sorption kinetics and volumetric changes, 197
 - , poly(ethylene oxide) binary blends, first results of small- and wide-angle X-ray scattering of, 331
 - , and chlorinated polyethylene, compatibility of, 336
 - , poly(vinyl chloride) blends, effect of tacticity on the transition behaviour of, thermally stimulated depolarization study, 395
 - , polystyrene block copolymers, formation of, by anion free radical transformation, 643
 - , the measurement of the thermal conductivity of, by Forbes' method, using infra-red temperature measurement, 1108
 - , st-, structural change of, on drawing, absorption and desorption of solvents, 1256
 - , and poly(ethylene oxide), spherulitic crystallization in blends of, 1322
 - , nucleophilic substitution onto, dilute solution properties of substituted polymethacrylates, 1493
 - , influence of tacticity on its use as an electron resist, 1732
- Poly(α -methylstyrene)**, syndiotactic, in solution, molecular motion of, studied by ^{13}C n.m.r. relaxation measurements, 817
- , configuration dependence of ^{13}C spin-lattice relaxation times of, 1997
- Poly(octadecylethylene)**, samples of, with different history, a d.s.c. investigation of, 277
- Polyolefins**, an improved permanganic etchant for, 1707
- , a collection of kinetic data for the diffusion of organic compounds in, 1325
- Polyoxymethylene** crystals, needle-like and other, infra-red study on the conformational regularity in, 509
- , single crystals, phonon dispersion curves and elastic properties of, 569
 - , hexagonal, a model for structural inhomogeneities in, 1865
- Poly(paraphenylene)s** synthesized by two different routes, e.p.r. studies on, 1103
- Polypeptide chains**, factors governing the folding of, in block copolymers with a polyvinyl and a polypeptide block, 1039
- Polyphenylene oxide**-polystyrene blends, photo-energy transfer in, 924
- Poly(*p*-phenylene sulphide)**, mass spectral analysis of, 310
- Poly(phenyl vinyl ketone)**, triplet lifetime of, a laser flash photolysis study, 913
- Polyprenols**, structural characterization of, by ^{13}C n.m.r. spectroscopy: Signal assignments of polyprenol homologues, 1087
- Polypropylene** film, isotactic, thermo-oxidative degradation of, structural changes and its correlation with properties, 54
- , isotactic, blended with ethylene-propylene copolymers and polyisobutylene, morphology, crystallization and melting behaviour of films of, 229
 - , isotactic, investigation of the methyl torsion in, comparison between neutron inelastic scattering spectra and normal coordinate calculations, 499
 - , determination of activation enthalpy ΔH_p for volume relaxation in, during thermal stimulation, 589
 - , solid isotactic, high resolution ^{13}C n.m.r. spectra of, 695
 - , polymerization of, with $\text{MgCl}_2/\text{TiCl}_4/\text{AlEt}_3$ or $\text{MgCl}_2/\text{PhCOOC}_2\text{H}_5/\text{TiCl}_4/\text{AlEt}_3$ catalyst systems, 916
 - , EPDM blends, dynamic mechanical and impact properties of, 699
 - , nascent isotactic, globules of microparacrystals in, 979
 - , and polyethylene dry gel films, orientation process in the drawing of, 1123
 - , orientation measurements during drawing of, by fluorescence polarization microscopy, 1575
 - , surface, melting and annealing effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the, 1594
 - , drawn, conformation of the molecules in, revealed by neutron scattering studies, 1875
 - , thermoplastic rubber blends, multiple crystallization behaviour of, and its use in assessing blend morphology, 1913
- Polypropylene glycols**, activated derivatives of succinic and glutaric half-esters of, and their exchange half-esters of, and their exchange reactions with hydroxy- and amino- compounds, 1689
- Poly(propylene oxide)**, oligomeric, dielectric loss of an, in the liquid region above T_g , 314
- Polysaccharides**, graft copolymers of: 1. Alginic acid, 1838
- Polystyrene**, living, transformation of anionic ends of, to cationic, and tetrahydrofuran polymerization leading to block copolymer formation, 207
- , head-to-head, blends of, with poly(2,6-dimethyl-1,4-phenylene oxide), 271
 - , photo-oxidation of, in dichloromethane solutions, 281
 - , poly(phenylene oxide) blends, craze microstructure and molecular entanglements in, 461
 - , -poly(methylmethacrylate) block copolymers by anion free radical transformation, 643
 - , atactic, -poly(2,6-dimethyl 1,4-phenylene oxide) blends, uniaxially oriented, evaluation of the birefringence of, 706
 - , plus methylcyclohexane, a demixed polymer solution near the critical temperature, interfacial tension of, 728
 - , polyphenylene oxide blends, photo-energy transfer in, 924
 - , study of rotational mobility of a polar molecule in, by the thermally stimulated depolarization method, 974
 - , kinetic study of the first stage during thermal degradation of, 1091
 - , networks, specific volume of, 1317
 - , solutions, photon-correlation velocimetry of, in extensional flow fields, 1435
 - , the effect of water on the tensile yield of, 1540
 - , the micromechanics and microstructure of CO_2 crazes in, 1667
 - , high molecular weight, in moderately concentrated solution, solvent dependence of the viscous and viscoelastic properties of a, 1765
 - , solutions, lattice coordination number in, 1859
 - , -poly(dimethylsiloxane)-propylbenzene demixed symmetrical polymer solutions, interfacial tension between, 1937
 - , high impact, /poly(xylenol ether) polyblend, fracture behaviour of a, 1977
- Polystyrenes** and amorphous lignins, temperature dependence of X-ray diffractograms of, 475
- , model comb-branched, assessment of branching in from SAXS, 514
- Poly(styrene-*b*-butadiene)**, ABA, copolymer in various solvents, concentrated solution rheology of an, 1994
- Poly(styrene-co-methylmethacrylate)**, radiation degradation of: 2. Protective effects of styrene on volatile products, chain scission and flexural strength, 431
- Polystyrene sulphonate**, magnetic birefringence of: Molecular weight and concentration dependence, 1990
- Poly(styryl aluminium) derivatives**, synthesis and characteristics of, and their reaction with benzoyl peroxide, 891
- Poly(styryl aluminium-peroxide)**, synthesis of block copolymers by a low-temperature free radical mechanism using systems of the type, 884
- Polytetrahydrofuran** possessing terminal styryl groups, reaction of butyl lithium with, by a cation to anion transformation process, 445
- , living, reaction of, with amines: 4. Primary amines, 1350
- Poly(tetrafluoroethylene)**, deformed, solid state ^{19}F n.m.r. of, 39
- , X-ray diffraction study of crystal transformation and molecular disorder in, 521
- Poly(tetramethylene terephthalate)**, an infra-red study of model compounds of, 1759
- Polyurethane** elastomers, structure of, effect of chain extender length on the structure of MDI/diol hard segments, 950
- , ionomers, synthesis and characterization of some, 1167
 - , foam formulation, rigid, curing kinetics of a, 1489
 - , gels, Brillouin scattering from, 1884

Classified contents

- Polyurethanes**, segmented, morphological study of the structure developed during the polymerization of a series of, 1060
- , linear crystallizable, inversion of infra-red dichroism in, 1917
- Poly(vinyl alcohol)**, stability of the crystal structures of, by CNDO/2 calculations, 776
- , ultrasonic studies of aqueous solutions of, 1446
 - , effect of crosslinking on the charge storage characteristics of, 1697
- Poly(vinyl chloride)/poly(methylmethacrylate) blends**, effect of tacticity on the transition behaviour of, thermally stimulated depolarization study, 395
- , chlorinated/polyester blends, studies of, 1051
 - , a review of the migration of food-contact organotin stabilizers from, 1385
 - , effect of plasticizer concentration and annealing on the structure of, 1508
 - , reduction of, with tri-*n*-butyltin hydride, 1641
- Poly(vinyl chloroformate) and derivatives**:
1. Polymerization of vinyl chloroformate, vinyl carbamates and vinyl carbonates, 849
 - and derivatives: 2. Copolymerization of vinyl chloroformate and phenyl vinyl carbonate with vinyl monomers, 855
 - and derivatives: 3. Chemical modification of poly(vinyl chloroformate), 861
- Poly(*N*-vinyl pyrrolidone)**, conformational characteristics of, 676
- Poly(*N*-vinylcarbazole)**, SALS studies of, 1842
- Poly(*N*-vinylene carbazole)**, study of the radical products of mechanically destructed, 1443
- Poly(vinylidene fluoride)**—*isotactic* poly(ethylmethacrylate) blends, multiple melting in, 735
- Poly(*p*-xylene)** single crystal, direct imaging of molecular chains in a, 1568
- Poly(xylenol ether)/high impact polystyrene polyblend**, fracture behaviour of a, 1977
- Preferential** absorption coefficient of polymers, 1005
- Preparation** of high modulus nylon-6 fibre by an improved zone-annealing method, 176
- polymeric hydrogel, purity of crosslinkers for, 340
 - and thermal crosslinking of *N*-propargyl substituted aromatic polyamides, 621
 - , morphology and unit cells of three poly(hexamethylene terephthalate) allomorphs, 805
 - of high-modulus and high-strength nylon-6 fibre by the zone-annealing method, 1193
 - and characterization of poly(ethylene/tetramethylene terephthalate) copolyesters, 1391
 - of poly(methylene esters), 1555
 - of novel beaded polymer supports, a general technique for the, for polymer-supported polymerization, 1870
 - of ultra-high-strength nylon-6 fibre by a multi-step zone-annealing method, 1983
 - of block copolymers with low polydispersity ratios, a simplified apparatus for the, 1988
- Pressure** and density variations in polymeric powders, effects of solid phase compaction on, 123
- sensitive adhesives of acrylic polymers containing functional monomers, 937
 - dependence of transitions, 1835
- Production** of novolacs, statistical aspects for the, 263
- of novolacs, batch and continuous reactors for the, 267
 - and gelation of stiff polyethylene fibres, 1112
- Propene**, a kinetic study of 'living' coordination polymerization of, with the soluble V(acac)₃-Al(*i*-C₄H₉)₂Cl system, 258
- Properties** and synthesis of some polyesters with mesogenic groups and flexible spacers in the main chain, 47
- and synthesis of some poly(bisphenol A iso/terephthalate) copolycarbonates, 609
 - and synthesis of 1,5- and 1,8- dichloro-substituted poly(9,10-dihydroanthracene-9,10-diyldene)s, 613
 - and syntheses of tetramethyl-*p*-silphenylenesiloxane/alkenylmethylsiloxane copolymers and their derivatives, 1646
 - and synthesis of 2,4-diallyloxy-6-phenoxy-1,3,5-triazine, 1688
- Propionic acid** and its derivatives, polymerization of, catalysed by MoCl₅, 744
- Propylbenzene**—poly(dimethylsiloxane)—polystyrene demixed symmetrical polymer solutions, interfacial tension between, 1937
- Propylene**—ethylene copolymers, morphology of, 1189
- Protective effects** of styrene on volatile products, chain scission and flexural strength in the radiation degradation of poly(styrene-co-methylmethacrylate), 431
- Pyroelectricity** and charge transport in a copolymer of vinylidene fluoride and tetrafluoroethylene, 22
-
- Quencher**, free radical, effect of a, on the conductivity, oxidative stability and free radical population of poly(1,6-heptadiene), 435
-
- Radiation-induced** cationic polymerization of vinyl ethers in solution: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution, 65
- induced solid state polymerization, Monte Carlo simulation of, 1226
- Radical products** of mechanically destructed poly(*N*-vinylene carbazole), study of, 1443
- Raman**, i.r. and n.m.r. spectra of conformational structure of poly(ethylene terephthalate), 714
- Raman spectroscopy** of flowing PET melts, 9
- , quantitative characterization of orientation in PET fibres by, 645
 - , distribution of straight-chain lengths in unannealed and annealed solution-crystallized polyethylene by, 1286
- Reaction** of living polyTHF with amines: 4. Primary amines, 1350
- Reactivities**, unequal, of functional groups, reversible polycondensation characterized by, 222
- Reactivity ratios** of styrene-*N*-isobutylmaleimide and methylmethacrylate-*N*-isobutylmaleimide, 146
- Reactors**, batch and continuous, for the production of novolacs, 267
- Reduction** of PVC with tri-*n*-butyltin hydride, 1641
- of poly(β -aminoketone)s to poly(γ -aminoalcohols)s and their *N*-alkylation to poly(γ -hydroxy quaternary ammonium salts), with Mannich bases, 1693
- Refractometry** of cellulose triacetate solutions, 483
- Regularity** and stereoregularity of poly-*p*-isopropyl- γ -methylstyrene, 1501
- Relaxation** effects in crystalline polyethylene, stochastic defect diffusion model for, 401
- of stresses in crazes at crack tips and rate of craze extension, 754
 - times, Bucci, obtained from thermal sampling, on the physical significance of, 1261
 - , anomalous dielectric, in poly(dimethylsiloxane) polymers, 1394
 - , stress, on the separation of physical and chemical component of, 1515
 - behaviour, effects of pressure and temperature on, in the dielectric studies of cellulose and its derivatives, 1609
 - properties, dielectric, influence of filler on the, in rubber-modified epoxy resins, 1619
 - times, ¹³C spin-lattice, of poly(α -methylstyrene), configuration dependence of, 1997
 - time, spin-spin, behaviour of the, for natural rubber vulcanizates under large deformation, 1737
- Reptation**, role of, in the rate of crystallization of polyethylene fractions from the melt, 656
- Resins**, phosphorylated, of polyethylene, thermal degradation of a series of, 154
- , crystallizable cresolic, by homosalignin polycondensation, 928
 - , polyphosphorylated polyethylene, SEM study of, 931
 - , crosslinked, in water and electrolyte solutions, degradation of, 1785
 - , branched epoxide, SANS from, 1889
- Retarder**, methylene blue as a, of free radical polymerization: 1. Polymerization of acrylonitrile, methylmethacrylate and styrene, 1653
- Rheology**, concentrated solution, of an ABA poly(styrene-*b*-buradiene) copolymer in various solvents, 1994
- Rotational mobility** of a polar molecule in polystyrene by the thermally stimulated depolarization method, study of, 974
- Rubber**, natural, SEM studies on tear fracture of, 632
- vulcanizates, natural, under large deformation, behaviour of the spin-spin relaxation time for, 1737
 - blends, thermoplastic, /polypropylene, multiple crystallization behaviour of, and its use in assessing blend morphology, 1913
- Rubbers**, amine and carboxyl terminated, epoxy resins modified with, morphology and toughness characterization of, 1897
-
- Salt effect** on the conformation of an alternating copolymer of L-leucine and L-lycine, 1154
- Salt effects** on the conformation of a statistical copolymer of L-leucine and L-lycine, 1147
- Scanning electron microscope** study of polyphosphorylated polyethylene resins, 931

- Scanning electron microscopy** studies on tear fracture of natural rubber, 632
- of nuclear pore filters in poly(ethylene terephthalate) and ethylene-tetrafluoroethylene copolymer, 1143
- Screening concepts** in polymer solution dynamics, 345
- Segment size** in synthetic polymers by the spin-probe method, 1536
- Separation** of physical and chemical component of stress relaxation, 1515
- Sequence distribution** of 1,2-unit in hydrogenated polybutadienes by ^{13}C -n.m.r. spectroscopy, 413
- Shear** and tensile relaxation behaviour in oriented linear polyethylene, 349
- Shellac**, cohesive-energy density of, 417
- solvent interaction parameter, 1244
- Silica gel**, study on adsorption of nonionic and cationic polymers on, using total organic carbon analysis, 452
- Simulation** of AA + B'B" type reversible polymerizations with mass transfer of condensation product, 1367
- Small-angle scattering** and electron microscopy results, discrepancy between, for sphere in diblock copolymers, 1222
- Small-angle X-ray scattering**, assessment of branching in polymers from, SAXS from model comb-branched polystyrenes, 514
- Solidification**, eutectic, and oriented growth in mixtures of polyethylene and 1,3,5-tribromobenzene, 985
- Solid state** ^{19}F n.m.r. of deformed PTFE, 39
- Solubility parameter** of poly(ethylene oxide) at 25°C, determination of, by g.l.c., 1361
- Solution conformation** of poly(ethylene oxide), an FT-pulsed field gradient n.m.r. self-diffusion study, 1780
- Solutions** of cyclohexane, hexane and ethylbenzene, ultrasonic investigations of linear and star shaped polybutadiene polymers in, 369
- , cellulose triacetate, the cholesteric nature of, 1727
- Solvent-shellac** interaction parameter, 1244
- dependence of the viscous and viscoelastic properties of a high molecular weight polystyrene in moderately concentrated solution, 1765
 - , a new, for cellulose, 1867
- Solvents** and additives, effect of, on polymerization of styrene using $\text{CuCl}_2 + \text{AlEt}_2\text{Cl}$ catalyst, 783
- Sorption** and diffusion of solvents in highly oriented polyethylene, 142
- of iso-propyl nitrate and acetone into nitrocellulose/nitroglycerine films, 144
 - kinetics and volumetric changes: poly(methylmethacrylate) plus water, 197
- Specific volume** of polystyrene networks, 1317
- Spectroscopic** studies of spin-coated dye-in-polymer films, on the relationship between compatibility and aggregation of small molecules in polymer matrices, 1627
- and calorimetric study of the transport of matter upon annealing in crystalline polymethylene systems, 1921
- Spectroscopy**, Brillouin, of oriented PMMA, 3
- , Raman, of flowing PET melts, 9
 - , derivative, studies on conformational transition of the maleic acid copolymer with styrene in aqueous salt solution, 238
 - studies, photon correlation, of dilute polymer solutions, data fitting in, 492
 - , photon correlation, the histogram method in, applied in dilute polymer solutions, a second comment on, 649
 - , time resolved FTIR., deformation studies of polymers by: 1. Development of the technique, 965
 - , ^{13}C n.m.r., structural characterization of polyprenols by, signal assignments of polyprenol homologues, 1087
- Spin-probe** method, segment size in synthetic polymers by the, 1536
- Stabilizers**, food-contact organotin, a review of the migration of, from PVC, 1385
- Statistical** mechanical theories of the glass transition, a new perspective, 36
- aspects for the production of novolacs, 263
- Stereoregularity** and regularity of poly-*p*-isopropyl- γ -methylstyrene, 1501
- Steric** environment, effect of, in the reaction of 2,4-dinitrophenylhydrazine with methylvinylketone copolymers, 1259
- Stochastic** defect diffusion model for relaxation effects in crystalline polyethylene, 401
- Strain** history, effect of, on craze microstructure, 457
- Stress**, acoustic emission and e.s.r. studies of polymers under, 178
- Stress relaxation**, on the separation of physical and chemical component of, 1515
- and recovery, time-dependent birefringence in glass polymers during, 129
- Structural** changes in the thermo-oxidative degradation of isotactic polypropylene film and its correlation with properties, 54
- study of cellophane, 823
 - characterization of semi crystalline polymer blends by SANS, 957
 - characterization of polyprenols by ^{13}C n.m.r. spectroscopy: Signal assignments of polyprenol homologues, 1087
 - analysis of an oriented liquid crystalline copolyester, 1269
 - inhomogeneities, a model for, in hexagonal polyoxymethylene, 1865
- Structure** of aminofunctional silane coupling agents: 1. γ -Aminopropyltriethoxysilane and its analogues, 251
- , microheterogeneous, of liquid crystalline polymers, 484
 - of amorphous polymers, 543
 - of liquid crystalline copolyester fibres prepared from *p*-hydroxybenzoic acid, 2,6-dihydroxynaphthalene and terphthalic acid, 671
 - of polyurethane elastomers: effect of chain extender length on the structure of MDI/diol hard segments, 950
 - , morphological study of the, developed during the polymerization of a series of segmented polyurethanes, 1060
 - property behaviour of segmented polyether-MDI-butenediol based urethanes: effect of composition ratio, 1077
 - of poly(aspartic acid), ^{13}C n.m.r. study of the, 1237
 - , local, of molten polyethylene, 1273
 - of PVC, effect of plasticizer concentration and annealing on the, 1508
 - , crystal, of poly(1,4-*trans*-cyclohexanediyl-dimethylene terephthalate), 1960
- Styrene-methylmethacrylate** copolymer, prepared in presence of zinc chloride, n.m.r. study of, 20
- *N*-iso-butylmaleimide and methylmethacrylate-*N*-iso-butylmaleimide, reactivity ratios of, 146
 - , polymerization of, using $\text{CuCl}_2 + \text{AlEt}_2\text{Cl}$ catalyst, effect of additives and solvents on, 783
 - , grafting of, onto poly(butyl acrylate) in emulsion, 839
 - , emulsion polymerization of, the effects of electrolyte concentration in the, 1172
 - products and *p*-benzoquinone copolymerized in the presence of BF_3OEt_2 , gel chromatographic investigation of, 1388
 - butadiene-styrene triblock copolymers, ultrasonic studies of, 1451
 - acrylonitrile copolymers, miscibility of, with polyacrylates and polymethacrylates, 1543
- Styrene-co-acrylonitrile**, crosslinked, crack-healing in, 1305
- Sub-glass transition** events in amorphous polymers, detection of, using d.s.c., 605
- Sulphur acids**, intermediates involved in the formation of, from nickel dialkyl dithiophosphates, a mechanism of antioxidant action, 1711
- Superheating** effects on the melting of ultra-high modulus linear polyethylene, 935
- Superstructure** and mechanical properties of high-modulus and high-strength nylon-6 fibre prepared by the zone-annealing method, 1199
- Surface fluorination**, polymer, kinetics of, elemental and plasma-enhanced reactions, 1546
- Syntheses** and properties of tetramethyl-*p*-silphenylenesiloxane/alkenylmethylsiloxane copolymers and their derivatives, 1646
- Synthesis** and properties of some polyesters with mesogenic groups and flexible spacers in the main chain, 47
- , anionic, of poly(epichlorohydrin-*g*-styrene) and chemical modification of polyepichlorohydrin, 57
 - , block copolymer, new perfectly difunctional organolithium initiators for: 2. Difunctional polymers of dienes and of their triblock copolymers with styrene, 73
 - and photodegradation of copolyamides containing α -diketone linkage in the main chain, 342
 - of some organic poly(ammonium phosphate)s: 4., 422
 - and permeability of polymer membranes: 41. Finger-like cavities in cellulose nitrate membranes from binary organic solvents, 488
 - and properties of some poly(bisphenol A iso/terphthalate) copolycarbonates, 609
 - and properties of 1,5- and 1,8-dichloro-substituted poly(9,10-dihydroanthracene-9,10-diylidene)s, 613
 - of block copolymers by a low-temperature free radical mechanism using systems of the poly(tryrylaluminium-peroxide) type, 884
 - and characteristics of poly(styryl-aluminium) derivatives and their reaction with benzoyl peroxide, 891
 - and characterization of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride, 1057
 - of polymer supports based on dimethylacrylamide and 3-formamidopropyl acrylate, 1099
 - of poly(paraphenylene)s by two different routes, e.p.r. studies on, 1103

Classified contents

- and characterization of some polyurethane ionomers, 1167
 - of tertiary Ooly(amido-amine)s with amido-mand amino-groups randomly arranged along the macromolecular chain, 1233
 - , characterization and kinetics in the alternating copolymerization of 2-methyl-2-oxazoline with α -chloro- and α -bromoacrylic acids, 1372
 - and properties of 2,4-diallyloxy-6-phenoxy-1,3,5-triazine, 1688
 - , new polymer: Linear and branched poly(3-hydroxy-benzoates), 1821
 - , electrochemical, of polyacetylene tetrachloroferrate and tetrachloro-aluminate, 1872
 - Synthetic polymers**, segment size in, by the spin-probe method, 1536
-
- Tacticity**, influence of, on the use of PMMA as an electron resist, 1732
 - Tear fracture** of natural rubber, SEM studies on, 632
 - Temperature** dependence of X-ray diffractograms of amorphous lignins and polystyrenes, 475
 - Tensile** deformation and failure processes of amine-cured epoxies, 295
 - and shear relaxation behaviour in oriented linear polyethylene, 349
 - strength elevation of brittle polymers by entanglements, 626
 - drawing behaviour of poly(ethylene terephthalate), influence of molecular weight and pre-orientation, 766
 - yield of polystyrene, the effect of water on the, 1540
 - Test frequency** and water content, effect of, on localized crack-tip heating in nylon-6,6, 1675
 - Tetrahydrofuran** polymerization leading to block copolymer formation and transformation of anionic ends of living polystyrene to cationic ones, 207
 - Tetramer** formation from methacrylic acid metal salts in solid state, 152
 - N,N,N',N'*-Tetramethylethylenediamine**, ^1H n.m.r. spectroscopy of the complexation of polybutadienyllithium by, 1636
 - Theory**, a, of Case II diffusion, 529
 - of adsorption of macromolecules in cylindrical pores and at surfaces of cylindrical shape, 1133
 - of weakly charged polyelectrolytes, 1742
 - Thermal** degradation of a series of phosphorylated resins of polyethylene, 154
 - stimulation: 1. Determination of activation enthalpy ΔH_p for volume relaxation in polypropylene, 589
 - crosslinking and preparation of *N*-propargyl-substituted aromatic polyamides, 621
 - degradation of polystyrene, kinetic study of the first stage during, 1091
 - conductivity of poly(methylmethacrylate), measurement of the, by Forbes' method, using infra-red temperature measurement, 1108
 - sampling, on the physical significance of Bucci relaxation times obtained from, 1261
 - Thermally stimulated depolarization**, study of rotational mobility of a polar molecule in polystyrene by the, 974
 - Thermodynamic** analysis of the phase transition of polyethylene under high pressure, 391
 - Thermodynamics**, irreversible, environmental stress cracking and crazing in polymers in terms of, 1204
 - Thermoluminescence**, u.v. induced, in polyethylene, electron trapping model of, 1461
 - Thermomechanical** analysis of binary polymer blends, 466
 - properties of nylon-6,6 annealed in glycerol, 1377
 - Theta** temperature, evaluation of the, and intrinsic viscosity measurements, the unperturbed molecular dimensions of poly(ethylene oxide) in aqueous solutions from, 1775
 - Transformation** process, cation to anion, block copolymerization by a: 1. Reaction of butyl lithium with polyTHF possessing terminal styryl groups, 445
 - , anion free radical, formation of polystyrene-poly(methylmethacrylate) block copolymers by, 643
 - process, cation to anion, block copolymerization by a, polymerization of styrene by polyTHF possessing terminal secondary nitranions, 1105
 - Transition** of polymers from the fluid to the forced high elastic and leathery states at temperatures above the glass transition temperature, 91
 - behaviour of poly(methylmethacrylate)/poly(vinyl chloride) blends, effect of tacticity on the, thermally stimulated depolarization study, 395
 - Transitions**, pressure dependence of, 1835
 - Transport** numbers, hydrogen-ion, in cation exchange membrane determined by e.m.f. method, 203
 - of matter upon annealing in crystalline polymethylene systems: a calorimetric and spectroscopic study, 1921
 - 1,3,5-Tribromobenzene** and polyethylene, mixtures of, eutectic solidification and oriented growth in, 985
 - Tri-*n*-butyltin hydride**, reduction of PVC with, 1641
 - Triplet lifetime** of poly(phenyl vinyl ketone), a laser flash photolysis study, 913
 - Twist moment**, dimensional and volumetric changes in cylindrical rods of polymers subjected to a, 1407
-
- Ultrasonic** investigations of linear and star shaped polybutadiene polymers in solutions of cyclohexane, hexane and ethylbenzene, 369
 - studies of aqueous solutions of poly(vinyl alcohol), 1446
 - studies of styrene-butadiene-styrene triblock copolymers, 1451
 - Ultra violet** induced thermoluminescence in polyethylene, electron trapping model of, 1461
 - irradiation of group 6 transition metal carbonyls, polymerization of phenylacetylene induced by, 1663
 - , far-, radiation (185nm), action of, on poly(ethylene terephthalate) films: a method for controlled dry-etching, 1863
 - Uniaxial extension**, effect of liquid media on the ultimate strength characteristics of viscofluid polymers in, 100
 - Urethanes**, segmented polyether-MDI-butenediol based, structure-property behaviour of, effect of composition ratio, 1077
-
- Velocimetry**, photon-correlation, of polystyrene solutions in extensional flow fields, 1435
 - Vibrational** spectroscopic characterization of rigid rod polymers: 3. Microstructural changes in stressed polymers, 969
 - Vinyl** monomers, anionic polymerization of, salt complex bases as new initiators in, 283
 - Vinyl acetate**, seeded emulsion polymerization of: order of reaction with respect to initiator, 77
 - Vinyl carbamates**, vinyl carbonates and vinyl chloroformate, polymerization of, 849
 - Vinylcarbazole**, *N*-, photopolymerization of, in dichloromethane in the presence and absence of free radical photoinitiators, 1045
 - Vinyl carbonates**, vinyl carbamates and vinyl chloroformate, polymerization of, 849
 - Vinyl chloride**, the *in situ* polymerization of, in poly(butyl acrylate), 1965
 - Vinyl chloroformate**, vinyl carbamates and vinyl carbonates, polymerization of, 849
 - and phenyl vinyl carbonate, copolymerization of, with vinyl monomers, 855
 - Vinyl ethers** in solution, radiation-induced cationic polymerization of: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution, 65
 - Viscoelastic** and viscous properties of a high molecular weight polystyrene in moderately concentrated solution, solvent dependence of the, 1765
 - Viscofluid** polymers, effect of liquid media on the ultimate strength characteristics of, in uniaxial extension, 100
 - Viscosity**, local, in polymer solutions, investigation by means of electrolytic conductivity, 6
 - , intrinsic, of cellulose derivatives and the persistent cylinder model of Yamakawa, 800
 - measurements, intrinsic, and the evaluation of the theta temperature, the unperturbed molecular dimensions of poly(ethylene oxide) in aqueous solutions from, 1775
 - Viscous** and viscoelastic properties of a high molecular weight polystyrene in moderately concentrated solution, solvent dependence of the, 1765
 - Volume** relaxation in polypropylene, determination of activation enthalpy ΔH_v for, during thermal stimulation, 589
 - , specific, of polystyrene networks, 1317
 - Volumetric** and dimensional changes in cylindrical rods of polymers subjected to a twist moment, 1407
-
- Water content** and test frequency, effect of, on localized crack-tip heating in nylon-6,6, 1675

X-ray scattering, small- and wide-angle, first results of, of poly(ethylene oxide)/poly(methylmethacrylate) binary blends, 331

— diffractograms of amorphous lignins and polystyrenes, temperature dependence of, 475

— diffraction study of crystal transformation and molecular disorder in poly(tetrafluoroethylene), 521

— photoelectron spectroscopy studies of the nitration and denitration of cellulosic materials, 1034

— and ^{13}C n.m.r. study of the relationship between the distribution of nitrate ester groups and interchain $d(110)$ spacings in a series of cellulose nitrates, 1295

— study, small-angle, of particulate reinforced composites, 1907

Yamakawa persistent cylinder model and the intrinsic viscosity of cellulose derivatives, 800

Yield stress and differential scanning calorimetry measurements, quantitative interpretation of the effect of, on the annealing of polycarbonate below the glass transition, 1599

Ziegler-Natta catalyst, soluble, polymerization of acetylene by. Kinetic studies, 246

Zone-annealing method, improved, preparation of high-modulus nylon-6 fibre by an, 176

— method, preparation of high-modulus and high-strength nylon-6 fibre by the, 1193

— method, mechanical properties and superstructure of high-modulus and high-strength of nylon-6 fibre prepared by the, 1199

International Journal of **Biological** **Macromolecules**

Structure, function and interactions

INTERNATIONAL JOURNAL OF BIOLOGICAL MACROMOLECULES helps to focus the different approaches to the study of biological macromolecules at the molecular level.

Topics covered emanate from the following disciplines:

- Biophysics
- Biochemistry
- Physical Chemistry
- Bio-organic chemistry
- Molecular biology
- Biomedical science

The journal publishes studies on all biological macromolecules, e.g. proteins, nucleic acids, polysaccharides and their synthetic analogues. It covers studies on the association of biological macromolecules e.g. viruses, nucleosomes, membranes and glycoproteins. Studies on biomaterials, that is, natural materials comprising biological macromolecules, e.g. chromatin, muscle, skin and tendon, are also covered.

For further information and a sample copy please write to:-

Mrs Jenny Earwaker Butterworth Scientific Limited — Journals Division
PO Box 63 Westbury House Bury Street Guildford Surrey GU2 5BH UK

