

Authors

- Abdel-Azim, Abdel-Azim, A. and Huglin, Malcolm B.: Selective solvation of polystyrene in tetralin/cyclohexane mixtures, 1308
- Abdel-Azim, Abdel-Azim, A. and Huglin, Malcolm B.: Viscometric behaviour of polystyrene in tetralin/cyclohexane mixtures, 1429
- Affrossman, Stanley: *see* Sharma, Varinder K., 387
- Agarwal, P. K. and Prestidge, E. B.: Some electron microscopic observations of sulphonated EPDM polymers, 487
- Akar, A., Billingham, N. C. and Calvert, P. D.: The morphology of polyethylenes produced by alumina-supported zirconium tetrabenzyl, 889
- Akelah, A. and Sherrington, D. C.: Recent developments in the application of functionalized polymers in organic synthesis, 1369
- Aladesulu, I., Graham, N. B. and Richards, R. W.: Interstitial polymers based on a polyurethane network: 1. Melting points and fractional crystallinities, 279
- Aldissi, M.: *see* Rommelmann, H., 1575
- Alexis, Michele: *see* Farrall, M. Jean, 114
- Al-Hillo, Malik R. Y.: *see* Caunt, Anthony D., 121
- Altomare, Angelina, Carlini, Carlo, Ciardelli, Francesco, Solaro, Roberto, Houben, Julien, L., and Rosato, Nicola: Photochemistry and photophysics of copolymers of (—)-menthyl acrylate with 4-hydroxy-stilbene acrylate, 95
- Amass, A. J. and Lotfipour, M.: The monometallic initiation of the methathesis polymerization of cyclopentene, 1317
- Andreis, Mladen; Meic, Alatko and Vekslis, Zorica: ^{13}C and ^1H n.m.r. study of the polyesterification of maleic anhydride and 1,2-propylene glycol, 611
- Andrews, E. H.: *see* Bhateja, S. K., 160
- Aref-Azar, A., Biddlestone, F., Hay, J. N. and Haward, R. N.: The effect of physical ageing on properties of poly(ethylene terephthalate), 1245
- Asano, T.: *see* Yoshida, T., 925
- Bachus, R. and Kimmich, R.: Molecular weight and temperature dependence of self-diffusion coefficients in polyethylene and polystyrene melts investigated using a modified n.m.r. field-gradient technique, 964
- Bajaj, P.: *see* Khanna, D. N., 596
- Balard, H.: *see* Hommel, H., 959
- Bamford, C. H. and Schofield, E.: Non-classical free-radical polymerization: 3. Diffusion-control in degradative addition, 433
- Barron, Peter F., Busfield, W. Ken and Morley-Buchanan, Tracey: High resolution solid state ^{13}C n.m.r. of butadiene grafted polypropylene, 1252
- Bartnik, J.: *see* Zurakowska-Orszagh, J., 1484
- Bates, F. S., Berney, C. V., Cohen, R. E. and Wignall, G. D.: Single-chain scattering in heterogeneous block copolymers, 519
- Batty, N. S., Gradwell, A. J., Guthrie, J. T., Greig, D., Hardy, N. D., Jakeways, R. and Sahota, M.: Structural order in alkali-degraded PAN as seen in studies of low-temperature thermal conductivity, 258
- Bauwens, J.-C.: *see* Bauwens-Crowet, C., 921
- Bauwens-Crowet, C. and Bauwens, J.-C.: Effect of thermal history of the tensile yield stress of polycarbonate in the β transition range, 921
- Beevers, M. S., Mumby, S. J., Clarkson, S. J. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethyl siloxanes): 13. Static dielectric measurements and dipole moments, 1565
- Beghishhev, V. P.: *see* Malkin, A. Ya., 81
- Behnken, D. W.: Calculation of optimum multicomponent solvent compositions for polymers using a multiple regression program, 193
- Bekturov, E. A., Kudaibergenov, S. E. and Zhaimina, G. M.: Complexation of poly-2,5-dimethyl-4-vinylenilpyrrolid-4 hydrochloride with transition metal ions in solution, 607
- Belnikovitch, N. G., Mrkvickova, L. and Quadrat, O.: Stereo complexes in solutions of syndio- and isotactic poly(methyl methacrylate) mixture: 1. Aggregation time and character of aggregated particles in different solvents, 713
- Belnikovitch, N. G.: *see* Quadrat, O., 719
- Berney, C. V.: *see* Bates, F. S., 519
- Bernier, P.: *see* Rommelmann, H., 1575
- Betteridge, D., Connors, P. A., Lilley, T., Shoko, N. R., Cudby, M. E. A. and Wood, D. G. M.: Analysis of acoustic emissions from polymers, 1206
- Bhateja, S. K. and Andrews, E. H.: Effect of high-energy radiation on the uniaxial tensile creep behaviour of ultra-high molecular weight linear polyethylene, 160
- Bianchi, Liliana: *see* Martuscelli, Ezio, 1458
- Biddlestone, F.: *see* Aref-Azar, A., 1245
- Bikson, Benjamin; Jagur-Grodzinski, Joseph and Vofsi, David: Heterogeneous reactions of polymers: 4. Melting behaviour of heterogeneously chlorinated and sulphonated polyethylenes, 583
- Billingham, N. C.: *see* Akar, A., 889
- Birshtein, T. M., Skvorstov, A. M. and Sariban, A. A.: Structure of polymer solutions: scaling and modelling on an electron computer, 1145
- Blackwell, J.: *see* Gutierrez, G. A., 937
- Block, H., Gregson, E. M., Ritchie, A., and Walker, S. M.: Flow-modified permittivity of solutions of poly(n-butyl isocyanate) and poly(n-hexyl isocyanate), 859
- Blundell, D. J. and Osborn, B. N.: The morphology of poly(aryl-ether-ether ketone), 953
- Blythe, A. R.: *see* Briggs, D., 47
- Boileau, Sylvie: *see* Haggiage, Johnny, 578
- Bokobza, L.: *see* Pajot-Augy, E., 117
- Bott, D. C.: *see* White, D., 805
- Bouas-Laurent, H.: *see* Pajot-Augy, E., 117
- Božek, F.: *see* Kučera, M., 217
- Briber, R. M.: *see* Chen, C. H. Y., 1333
- Briggs, D., Kendall, C. R., Blythe, A. R. and Wootton, A. B.: Electrical discharge treatment of polypropylene film, 47
- Broadhurst, M. G.: *see* Lovinger, Andrew J., 1225
- Broadhurst, M. G.: *see* Lovinger, Andrew J., 1233
- Brostow, Witold: Drag reduction and mechanical degradation in polymer solutions in flow, 631
- Brown, Wyn and Stilbs, Peter: Self-diffusion of poly(ethylene oxide) in aqueous dextran solutions measured using FT-pulsed field gradient n.m.r., 188
- Browne, A. A. B. and McIntyre, J. E.: Polyesterification of solid dicarboxylic acids by oxiran, 1615
- Brunneau, Claude-Marcel: *see* Durand, Dominique, 587
- Brunneau, Claude-Marcel: *see* Durand, Dominique, 591
- Bucknall, Clive B. and Partridge, Ivana K.: Phase separation in epoxy resins containing polyethersulphone, 639
- Budrowski, C.: *see* Proń, A., 1294
- Bultel, C., Lefebvre, J. M. and Escaig, B.: On the workhardening rate of glassy polymers: 1. Application to the physical ageing of atactic PMMA, 476
- Burdygina, G. I.: *see* Kozlov, P. V., 651
- Burford, R. P. and Harrauer, E.: The diffusion of salt solutions into nylon-6, 1001
- Busfield, W. Ken: *see* Barron, Peter F., 1252
- Bussing, William R. and Peppas, Nikolaos A.: Friedel-Crafts crosslinking methods for polystyrene modification: 1. Preparation and kinetics, 209
- Bussing, William R.: *see* Peppas, Nikolaos A., 898
- Butler, I.: *see* Candau, S. J., 1601
- Bywater, Stanley: *see* Dumas, Sylviane, 1291
- Cabañas, P. Gutierrez: *see* Katime, I., 1015
- Cais, R. E. and Sloane, N. J. A.: A statistical theory of directional isomerism in polymer chains and its applications of polyvinylidene fluoride, 179
- Calvert, P. D.: *see* Akar, A., 889
- Candau, S., Butler, I. and King, T. A.: Cooperative diffusion of semi-dilute solutions, concentrated solutions and swollen networks for polystyrene in dibutylphthalate, 1601
- Carlini, Carlo: *see* Altomare, Angelina, 95
- Carlini, Carlo and Gurzoni, Francesco: Optically active polymers containing side-chain benzophenone chromophores, 101

Author index

- Carlini, Carlo; Ciardelli, Francesco; Donati, Daniele and Gurzoni, Francesco: Polymers containing side-chain benzophenone chromophores: a new class of highly efficient polymerization photoinitiators, 599
- Castellan, A.: *see* Pajot-Augy, E., 117
- Caunt, Anthony D.; Licchelli, John A., Parsons, Ian W., Haward, Robert N. and Al-Hillo, Malik R. Y.: Magnesium alkyl reduced titanium (IV) chloride based polymerization catalysts: materials in magnesium chloride, 121
- Chabot, Francois; Vert, Michel; Chapelle, Stella and Granger, Pierre: Configurational structures of lactic acid stereocopolymers as determined by ^{13}C - ^{1}H n.m.r., 53
- Chajewski, A.: *see* Żurakowska-Orszagh, J., 1484
- Chakraborty, Sunity and De, Sadhan K.: Effect of curing systems on polymer-filler interaction, technical properties and fracture mode of carboxylated nitrile rubber, 1055
- Chan, M. K. V. and Williams, J. G.: Slow stable crack growth in high density polyethylenes, 234
- Chandra, R.: Protection of styrene-butadiene copolymer film with bound synergistic stabilizers against ferric stearate - catalysed photo-oxidative degradation at elevated temperature, 229
- Change, Shu-sing, Pummer, Walter J. and Maurey, John R.: Fat simulating and accelerating solvents for polyolefins and MW of solvent extracts of polyethylenes, 1267
- Chapelle, Stella: *see* Chabot, Francois, 53
- Chatani, Yozo: *see* Tashiro, Kohji, 199
- Chen, C. C.: *see* Tong, S. N., 469
- Chen, C. H. Y.: *see* Xu, M., 1327
- Chen, C. H. Y., Briber, R. M., Thomas, E. L., Xu, M. and MacKnight, W. J.: Structure and morphology of segmented polyurethanes: 2. Influence of reactant incompatibility, 1333
- Chen, D. S.: *see* Tong, S. N., 469
- Cherry, B. W. and Hin, Twoh Swee: Energy criterion for modelling creep rupture of high density polyethylene, 1067
- Chivers, R. A.: *see* Gutierrez, G. A., 937
- Chuchma, F., Trška, P., Roda, J. and Kralíček, J.: Polymerization of Lactams: 57 G.l.c. and n.m.r. analysis of the anionic copolymers of 2-pyrrolidone with 6-caprolactam and 8-octanellactam, 1491
- Chung, L. Z.: *see* Tong, S. N., 469
- Ciardelli, Francesco: *see* Altomare, Angelina, 95
- Ciardelli, Francesco: *see* Carlini, Carlo, 599
- Clarson, S. J.: *see* Beevers, M. S., 1565
- Clements, J. and Ward, I. M.: Crystallite thickness measurements on ultra-high modulus linear polyethylene: effect of draw temperature, 27
- Cohen, Claude: *see* Hsu, Tsong-Pin, 1273
- Cohen, R. E.: *see* Bates, F. S., 519
- Cohen-Addad, J. P. and Dupeyre, R.: Strongly entangled polymer chains in a melt. Description of n.m.r. properties associated with a submolecule model, 400
- Cohen-Addad, J. P.: Entangled linear polymer chains in melts: n.m.r. and Rouse or reptation models; stress relaxation, 1128
- Cohn, Daniel and Marom, Gad: The effect of the morphology on the hygroelastic behaviour of polyester and epoxy resins, 223
- Coleman, M. M.: *see* Varnell, D. F., 37
- Coleman, M. M. and Moskala, E. J.: FT-i.r. studies of polymer blends containing the poly(hydroxy ether of bisphenol A) and poly(ϵ -caprolactone), 251
- Coleman, M. M., Moskala, E. J., Painter, P. C., Walsh, D. J. and Rostami, S.: A Fourier transform infra-red study of the phase behaviour of polymer blends. Ethylene-vinyl acetate copolymer blends with poly(vinyl chloride) and chlorinated polyethylene, 1410
- Comes, R.: *see* Robin, R., 1558
- Connors, P. A.: *see* Betteridge, D., 1206
- Cosgrove, T. and Sutherland, J. M.: Self and mutual diffusion measurements in dilute and semi-dilute polystyrene solutions, 534
- Courval, G. J. and Gray, D. G.: Gas chromatographic evaluation of thermodynamic interaction parameters for the water-poly(ethylene oxide) system: 323
- Cowie, J. M. G.: *see* Saeki, S., 60
- Cowie, J. M. G., Ferguson, R., Mathieson, K. and McEwen, I. J.: Detection of sub-glass transition events in amorphous polymers using differential scanning calorimetry: 3. Further observations on polymers containing pendant cycloalkyl rings, 1439
- Cowie, J. M. G. and McEwen, I. J.: Polymer-cosolvent systems: 5. Upper and lower critical solution temperatures of polystyrene in n-alkanes, 1445
- Cowie, J. M. G. and McEwen, I. J.: Polymer-cosolvent systems: 6. Phase behaviour of polystyrene in binary mixed solvents of acetone with n-alkanes-examples of 'classic cosolvency', 1449
- Cowie, J. M. G. and McEwen, I. J.: Polymer-cosolvent systems: 7. The application of free volume theory to the classical cosolvent systems formed from polystyrene in acetone and n-alkanes, 1453
- Crassous, G. and Schué, F.: Oligomerization of ethylene by several normal butyllithium-amine complexes: 8. Kinetic study, 1203
- Crispino, L.: *see* Martuscelli, E., 693
- Crissman, J. M. and Zapas, L. J.: Mechanical behaviour of isotactic polypropylene subjected to various strain histories in uniaxial extension, 351
- Crosby, P.: *see* Walsh, D. J., 423
- Cudby, M. E. A.: *see* Betteridge, D., 1206
- Cullis, C. F. and Hirschler, M. M.: The significance of thermoanalytical measurements in the assessment of polymer flammability, 834
-
- Dalal, E. N., Taylor, K. D. and Phillips, P. J.: The equilibrium melting temperature of *cis*-polyisoprene, 1623
- Dalton, R. F.: *see* Walsh, D. J., 423
- Damyandu, M.: *see* Djomo, H., 65
- Damyandu, M.: *see* Hermant, I., 1419
- Danhelka, Jarda: *see* Svirskaya, Polina, 319
- Das, C. K.: *see* Khastgir, D., 617
- Davidson, I. S., Manuel, A. J. and Ward, I. M.: The α and β structural forms of poly(tetramethylene terephthalate): a study by broad line nuclear magnetic resonance, 30
- Davies, C. K. L., Wolfe, S. V., Gelling, I. R. and Thomas, A. G.: Strain crystallization in random copolymers produced by epoxidation of *cis* 1,4-polyisoprene, 107
- Davis, G. T.: *see* Lovinger, Andrew J., 1225
- Davis, G. T.: *see* Lovinger, Andrew J., 1233
- De, S. K.: *see* Mathew, N. M., 1042
- De, Sadhan, K.: *see* Chakraborty, Sunity K., 1055
- Deffieux, A., Young, J. A., Hsieh, W. C., Squire, D. R. and Stannett, V.: Radiation-induced cationic polymerization of vinyl ethers in solution: 4. Polymerization of isopropyl vinyl ether in bulk and in various solvents, 513
- Deffieux, A., Stannett, V., Wang, A., Young, J. A. and Squire, D. R.: A study of the cationic copolymerization of ethyl and isopropyl vinyl ethers induced by radiation, 1469
- Deshmukh, Vilas G.: *see* Gupta, Mool C., 827
- DeVries, K. L.: *see* Igarashi, M., 767
- DeVries, K. L.: *see* Igarashi, M., 1035
- Djabourov, Madeleine and Papon, Pierre: Influence of thermal treatments on the structure and stability of gelatin gels, 537
- Djomo, H., Morin, A., Damyanidu, M. and Meyer, G. C.: Polyurethane-poly(methyl methacrylate) interpenetrating polymer networks: 1. Early steps and kinetics of network formation; intersystem grafting, 65
- Djomo, H., Widmaier, J. M. and Meyer, G. C.: Polyurethane-poly(methyl methacrylate) interpenetrating polymer networks: 2. Influence of compositional parameters on the synthesis: physical properties, 1415
- Dobbin, C. J. B.: *see* Tchir, M. F., 909
- Dodgson, K.: *see* Edwards, C. J. C., 391
- Dodgson, K.: *see* Higgins, J. S., 793
- Döll, W., Könczöl, L. and Schinker, M. G.: Size and mechanical properties of craze zones at propagating crack tips in poly(methyl methacrylate) during fatigue loading, 1213
- Donald, A. M., Viney, C. and Windle, A. H.: Banded structures in oriented thermotropic polymers, 155
- Donald, Athene M. and Kramer, Edward J.: Molecular weight distribution effects on craze micromechanics, 1063
- Donati, Daniele: *see* Carlini, Carlo, 599
- Dorset, Douglas L. and Moss, Barbara: Crystal structure analysis of polyethylene with electron diffraction intensity data: Deconvolution of multiple scattering effects, 291
- Drain, K. F., Murphy, W. R. and Otterburn, M. S.: Dissolution of polypropylene: differential solubility, 553
- Dumas, Sylviane; Sledz, Joseph; Schué, Francois; Raynal, Serge; Bywater, Stanley and Worsfold, Denis J.: Anionic polymerization of isoprene by the complexes oligoisoprenyllithium/tertiary polyamines in cyclohexane: 3. Structural study of the polymers by ^1H n.m.r. at 100 MHz, 1291
- Dupeyre, R.: *see* Cohen-Addad, J. P., 400
- Durand, Dominique and Bruneau, Claude-Marcel: Intrinsic unequal reactivity and average molecular weights in non-linear stepwise polymerization, 587
- Durand, Dominique and Bruneau, Claude-Marcel: Substitution effects and average molecular weights in non-linear stepwise polymerization, 591

- Dušek, K.: *see Ilavský, M.*, 981
 Dvornic, Peter R. and Lenz, Robert W.: Exactly alternating silarylene-siloxane polymers: 6. Thermal stability and degradation behaviour, 761
 Dybal, J., Štokr, J. and Schneider, B.: Vibrational spectra and structure of stereoregular poly(methyl methacrylates) and of the stereocomplex, 971
-
- Eastmond, G. C., Jiang, M. and Malinconico, M.: Morphologies and properties of polyblends: 1. Blends of poly(methyl methacrylate) and a chlorine-containing polycarbonate, 1162
 Eastmond, G. C. and Haraguchi, K.: Dynamic mechanical properties of a polycarbonate/polystyrene copolymer: Effects of casting solvent, 1171
 Ebdon, J. R., Huckerby, T. N. and Senogles, E.: The influence of polymerization conditions on the tacticity of poly(*N*-vinyl-2-pyrrolidone), 339
 Ebdon, J. R. and Gabbott, N. P.: The copolymerization of methyl methacrylate and isoprene in the presence of ethyl aluminium sesquichloride: role of monomer complexes, 565
 Eder, Marek and Włochowicz, Andrzej: Kinetics of non-isothermal crystallization of polyethylene and polypropylene, 1593
 Edwards, C. J. C., Rigby, D., Stepto, R. F. T., Dodgson, K. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethyl siloxanes): 10. Calculations of radii of gyration, 391
 Edwards, C. J. C., Rigby, D., Stepto, R. F. T. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethyl siloxanes): 11. Shapes of ring and chain molecules, 395
 Edzes, Hommo T.: ^{13}C n.m.r. chemical shielding tensor elements of solid poly(methyl methacrylate), 1425
 Eichler, Eva: *see Frechet, Jean M. J.*, 995
 Eklund, S.: *see Gedde, U. W.*, 1532
 Elorza, J. M.: *see Fernández-Berridi, M. J.*, 417
 Engelke, T.: *see Strobl, G. R.*, 1585
 Epstein, A. J.: *see Robin, R.*, 1558
 Epstein, A. J.: *see Rommelmann, H.*, 1575
 Escaig, B.: *see Bultel, C.*, 476
- Fajolle, R., Tassin, J. F., Sergot, P., Pambrun, C. and Monnerie, L.: Orientation of polystyrene chains stretched above T_g as studied by fluorescence polarization, 379
 Farrall, M. Jean and Alexis, Michele and Trecarten, Mark: Chemically modified polystyrene containing pendant vinyl groups: a photosensitive polymer exhibiting chemical amplification, 114
 Fawcett, Allan H., Fee, Sean and Waring, Lionel: The conformational origin of flexibility and stiffness in poly(olefin sulphones) demonstrated by means of dynamic ^{13}C n.m.r. measurements, 1571
 Fee, Sean: *see Fawcett, Allan H.*, 1571
 Feichtinger, Kurt A.: *see Lenz, Robert W.*, 327
 Feldman, D.: Modification of the properties of some polyblends and reinforced polymers, 359
 Ferguson, R.: *see Cowie, J. M. G.*, 1439
- Fernández-Berridi, M. J., Guzmán, G., Martín, Iruin, J. J. and Elorza, J. M.: Determination of the interaction parameter χ of poly(ethylene oxide) by gas-liquid chromatography below the melting temperature, 417
 Fernquist, R.: *see Rommelmann, H.*, 1575
 Fortuant, B.: *see Pilati, F.*, 1479
 Francis, D. Joseph: *see Raveendran Nair, B.*, 626
 Francois, J.: *see Sarazin, D.*, 547
 Frechet, Jean M. J.; Eichler, Eva; Ito, Hiroshi and Willson, C. Grant: Poly(*p*-tert-butoxycarbonyloxystyrene): a convenient precursor to *p*-hydroxystyrene resins, 995
 Fujita, Ken-ichi: *see Shiro, Kuniyasu*, 1113
 Fujiwara, Y.: *see Yoshida, T.*, 925
 Fukatsu, Tomohiko: *see Nagase, Yu*, 463
 Furukawa, T.: *see Lovinger, Andrew J.*, 1225
 Furukawa, T.: *see Lovinger, Andrew J.*, 1233
-
- Gabbot, N. P.: *see Ebdon, J. R.*, 565
 Galin, Monique: Gas-liquid chromatography study of poly(ethylene oxide)-solvent interactions: estimation of polymer solubility parameter, 865
 Galiotis, C. and Young, R. J.: The solid-state polymerization and physical properties of bis(ethyl urethane) of 2,4-hexadiyne-1,6-diol: 3. Mechanical properties, 1023
 Garay, M.: *see Katime, I.*, 1015
 Gargallo, Ligia and Radic, Deodato: Interaction of poly(vinylpyrrolidone) with small consolutes in aqueous and non aqueous media, 91
 Gaylord, Richard J.: *see Gottlieb, Moshe*, 1644
 Gedde, U. W. and Jansson, J.-F.: Molecular fractionation in melt-crystallized polyethylene: 1. Differential scanning calorimetry, 1521
 Gedde, U. W., Eklund, S. and Jansson, J. F.: Molecular fractionation in melt-crystallized polyethylene: 2. Effect of solvent extraction of the structure as studied by differential scanning calorimetry and gel permeation chromatography, 1532
 Gelling, I. R.: *see Davies, C. K. L.*, 107
 Ghoshal, P. K.: *see Khastigr, D.*, 617
 Gibson, H. W.: *see Robin, R.*, 1558
 Gogolweski, S.: *see Zwiers, R. J. M.*, 167
 Goldstein, M., Stephenson, D. and Maddams, W. F.: The far infra-red spectrum of poly(vinyl chloride), 823
 Gonzalez, Agustin E.: Viscosity of ionomer gels, 77
 Gopalan, A.: *see Paulrajan, S.*, 906
 Goring, D. A. I.: *see Revol, F.-F.*, 1547
 Gottlieb, Moshe and Gaylord, Richard J.: Experimental tests of entanglement models of rubber elasticity: 1. Uniaxial extension-compression, 1644
 Goyal, P. S., King, J. S. and Summerfield, G. C.: Multiple scattering in small-angle neutron scattering measurements on polymers, 131
 Gradwell, A. J.: *see Batty, N. S.*, 258
 Graham, N. B.: *see Aladesulu, I.*, 279
 Granger, Pierre: *see Chabot, Francois*, 53
 Gray, D. G.: *see Courval, G. J.*, 323
 Greenberg, A. R. and Kusy, R. P.: Influence of free volume fraction, inter/intramolecular energy ratio, and chain segment density on the Gibbs-DiMarzio theory of the glass transition, 513
- Gregson, E. M.: *see Block, H.*, 859
 Greig, D.: *see Batty, N. S.*, 258
 Griffiths, P. J. F. and Krikor, K. G. and Park, G. S.: Diffusion of additives and plasticizers in poly(vinyl chloride): 4. A programmed temperature technique for the determination of the diffusion parameters of three dialkyphthalates, 831
 Gruber, W.: *see Ramsteiner, F.*, 365
 Günther, Berthold and Zachmann, Hans Gerhard: Influence of molar mass and catalysts on the kinetics of crystallization and on the orientation of poly(ethylene terephthalate), 1008
 Gupta, A. K.: *see Khanna, D. N.*, 596
 Gupta, Mool C. and Deshmukh, Vilas G.: Radiation effects on poly(lactic acid), 827
 Gupta, Santosh K.: *see Kumar, Anil*, 443
 Gupta, Santosh K.: *see Kumar, Anil*, 449
 Gupta, Santosh K.: *see Kumar, Anil*, 1180
 Gurzoni, Francesco: *see Carlini, Carlo*, 101
 Gurzoni, Francesco: *see Carlini, Carlo*, 599
 Guthrie, J. T.: *see Batty, N. S.*, 258
 Gutierrez, G. A., Chivers, R. A., Blackwell, J., Stamatoff, J. B. and Yoon, H.: The structure of liquid crystalline aromatic copolymers prepared from 4-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid, 937
 Guzmán, G. Martin: *see Fernández-Berridi, M. J.*, 417
-
- Hadjioannou, G.: *see O'Reilly, J. M.*, 1255
 Haggiage, Johnny; Hémery, Patrick; Boileau, Sylvie and Lenz, Robert W.: Anionic polymerization of α,α -distributed β -propiolactones with cryptates as counterions, 578
 Haraguchi, K.: *see Eastmond, G. C.*, 1171
 Hardy, N. D.: *see Batty, N. S.*, 258
 Harrauer, E.: *see Burford, R. P.*, 1001
 Hasan, M. U.: *see Tsonis, C. P.*, 707
 Hatakeyama, H.: *see Nakamura, K.*, 871
 Hatakeyama, T.: *see Nakamura, K.*, 871
 Haward, Robert N.: *see Caunt, Anthony D.*, 121
 Haward, R. N.: *see Aref-Azar, A.*, 1245
 Haward, R. N.: *see Yenigul, M.*, 1313
 Hay, J. N.: *see Aref-Azar, A.*, 1245
 Hay, J. N.: *see Yenigul, M.*, 1313
 Hayter, J. B.: *see Higgins, J. S.*, 793
 Heckmann, W.: *see Ramsteiner, F.*, 365
 Hemery, Patrick: *see Haggiage, Johnny*, 578
 Hermant, I., Damyanidu, M. and Meyer, G. C.: Transition behaviour of polyurethane-poly(methyl methacrylate) interpenetrating polymer networks, 1419
 Higgins, J. S.: *see Zhikuan, Chai*, 263
 Higgins, J. S., Ma, K., Nicholson, L. K., Hayter, J. B., Dodgson, K. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethyl siloxanes): 12. Observation of diffusion behaviour by quasielastic neutron scattering, 793
 Hin, Twoh Swee: *see Cherry, B. W.*, 1067
 Hirschler, M. M.: *see Cullis, C. F.*, 834
 Hjertberg, Thomas and Sörvik, Erling M.: Formation of anomalous structures in PVC and their influence on the thermal stability: 2. Branch structures and tertiary chlorine, 673
 Hjertberg, Thomas and Sörvik, Erling M.: Formation of anomalous structures in PVC and their influence on the thermal stability: 3. Internal chloroallylic groups, 685

Author index

- Hoffman, John D.: Regime III crystallization in melt-crystallized polymers: The variable cluster model of chain folding, 3
- Hojo, Nobumasa: *see* Suzuki, Tsuneo, 335
- Hommel, H., Legrand, A. P., Balard, H. and Pepirer, E.: Influence of chain length on conformations of poly(ethylene glycol) chains grafted on silica, 959
- Horská, J.: *see* Mrkvíčková, L., 700
- Houben, Julien L.: *see* Altomare, Angelina, 95
- Hsieh, W. C.: *see* Deffieux, A., 513
- Hsu, Tsong-Pin; Ma, Dong Sung and Cohen, Claude: Effects of inhomogeneities in polyacrylamide gels on thermodynamic and transport properties, 1273
- Huang, Xiu-yun: *see* Jiang, Ming, 1259
- Huckerby, T. N.: *see* Ebdon, J. R., 339
- Huglin, Malcolm B.: *see* Abdel-Azim, Abdel-Azim A., 1308
- Huglin, Malcolm B.: *see* Abdel-Azim, Abdel-Azim A., 1429
- Huglin, Malcolm B. and Idris, Ibrahim Mohd: Miscibility of oligomeric poly(dimethyl siloxanes) with long-chain unbranched alkanes: 2. Unsymmetrical cloud point curves, 1434
- Hunston, D. L.: *see* Kinloch, A. J., 1341
- Hunston, D. L.: *see* Kinloch, A. J., 1355
- Ibidapo, T. A. and Johnson, D. J.: X-ray diffraction studies of some halotopolymers, 271
- Ide, Shoaki: *see* Kuroki, Takeshi, 428
- Idris, Ibrahim Mohd: *see* Huglin, Malcolm B., 1434
- Igarashi, M. and DeVries, K. L.: An e.s.r. investigation of environmental effects on polymeric materials: 1. Nylon, 767
- Igarashi, M. and DeVries, K. L.: An e.s.r. investigation of environmental effects on polymeric materials: 2. Polyethylene, 1035
- Iguchi, Masatoshi: Generation of orthorhombic polyoxymethylene in a cationic polymerization system of trioxane, 915
- Ikeda, Koji: *see* Nagase, Yu, 457
- Ikeda, Koji: *see* Nagase, Yu, 463
- Ikemura, Tadashi: *see* Kuroki, Takeshi, 428
- Ikladious, N. E. and Saaban, A. F.: Organotin polymers: 6. Copolymerization parameters for tri-n-butyltin maleate, acrylate and methacrylate with some vinyl monomers, 1635
- Ilavsky, M. and Dusek, K.: The structure and elasticity of polyurethane networks: 1. Model of poly(oxypropylene) triols and diisocyanate, 981
- Imamura, Akira and Ohsaku, Masaru: Theoretical study on the nature of the hydrogen bonds in an α -helical polymer and its model systems, 1639
- Inui, Tomoyuki: *see* Murakami, Yoshimasam, 1596
- Iruin, J. J.: *see* Fernández-Berridi, M. J., 417
- Ishikawa, Hiroshi: *see* Nagura, Masanobu, 820
- Isoda, Seiji; Tsuji, Masaki; Ohara, Masyoshi; Kawaguchi, Akiyoshi and Ken-ichi Katayama: Structural analysis of β -form poly(*p*-xylene) starting from a high-resolution image, 1155
- Issi, J.-P.: *see* Poulaert, B., 841
- Ito, E., Tajima, K., Kobayashi, Y.: Change of the amorphous state by heat treatment below the glass transition temperature, 877
- Ito, Hiroshi: *see* Frechet, Jean M. J., 995
- Jagur-Grodzinski, Joseph: *see* Bikson, Benjamin, 583
- Jakeways, R.: *see* Batty, N. S., 258
- Janeczek, H. and Turska, E.: Investigation of conformational transitions in polyamide-6 macromolecules in mixtures of *m*-cresol and methanol, 1590
- Jansson, J.-F.: *see* Gedde, U. W., 1521
- Jansson, J.-F.: *see* Geede, U. W., 1532
- Jasse, B.: *see* Lefebvre, D., 1240
- Jiang, M.: *see* Eastmond, G. C., 1162
- Jiang, Ming; Huang, Xiu-yun and Yu, Tong-yin: Phase separation in blends of homopolymer and graft copolymer based on styrene and butadiene, 1259
- Jin, Jung-II: *see* Lenz, Robert W., 327
- Johnson, D. J.: *see* Ibidapo, T. A., 271
- Jullien, Henri and Valot, Henri: Behaviour of film-forming polymers in a microwave electric field, 810
- Kahle, L.: *see* Kučera, M., 217
- Kanakalatha, P.; Vijayan, Kalyani; Sridhar, M. K. and Singh, A. K.: Some studies on polyblends of poly(*p*-phenylene-terephthalamide) and nylon-6, 621
- Kanig, G.: *see* Ramsteiner, F., 365
- Karasz, F. E.: *see* Vukovic, R., 529
- Kasparyan-Tardieu, N.; Valeur, B.; Monnerie, L.; Mita, I.: Comparison between end-bond and internal-bond relaxation of polystyrene in dilute solution: an investigation by time-dependent fluorescence polarization, 205
- Katayama, Ken-ichi: *see* Isoda, Seiji, 1155
- Katime, I.; Quintana, J. R. and Veguillas, J.: Stereocomplex formation of PMMA in cosolvent mixtures, 903
- Katime, I.; Gutierrez Cabanas, P.; Ochoa, J. R.; Garay, M. and Ramiro Vera, C.: Conformational transition in syndiotactic PMMA: 6. Mono- and dichlorobenzene, 1015
- Kato, Masayuki; Oki, Naoto; Ohno, Hiroyuki; Tsuchida, Eishun and Oyama, Noboru: Adsorption and desorption of complex metal ions in polyviologen or its polyion complexes with poly(sulphonate)s by the control of a given potential, 846
- Kawaguchi, Akiyoshi: *see* Isoda, Seiji, 1155
- Kawai, Hiromichi: *see* Shiro, Kuniyasu, 1113
- Keapin, I. A.: *see* Malkin, A. Ya, 81
- Keller, A.: *see* Miles, M. J., 1081
- Kendall, C. R.: *see* Briggs, D., 47
- Khan, A. H.; McIntyre, J. E. and Milburn, A. H.: Transitions in linear thermotropic polyesteramides, 1610
- Khanna, D. N.; Bajaj, P. and Gupta, A. K.: Aromatic-aliphatic copolymers structure and properties, 596
- Khastgir, D.; Ghoshal, P. K. and Das, C. K.: Dielectric behaviour and sulphur vulcanization of the crosslinked butyl(XL-50) rubber, 617
- Kilian, H.-G.: *see* Vilgis, Th., 949
- Kimmich, R.: *see* Bachus, R., 964
- King, J. S.: *see* Goyal, P. S., 131
- King, T. A.: *see* Candau, S. J., 1601
- Kinloch, A. J.; Shaw, S. J.; Tod, D. A. and Hunston, D. L.: Deformation and fracture behaviour of a rubber-toughened epoxy: 1. Microstructure and fracture studies, 1341
- Kinloch, A. J.; Shaw, S. J. and Hunston, D. L.: Deformation and fracture behaviour of a rubber-toughened epoxy: 2. Failure criteria, 1355
- Kléman, M.; Liébert, L. and Strzelecki, L.: Preliminary observations of defects in a polymeric nematic phase, 295
- Kobayashi, Masamichi: *see* Tashiro, Kohji, 199
- Kobayashi, Y.: *see* Ito, E., 877
- Kokufuta, Etsuo; Yokata, Akitoshi and Nakamura, Issei: Change in the molecular weight distribution of poly(ethylene oxide) caused by the complexation with poly(acrylic acid), 1031
- Könözöl, L.: *see* Döll, W., 1213
- Kondo, Shingo: *see* Naoki, Motosuke, 1139
- Korodt, T. and Marcu, N.: Polyurethane microcellular elastomers: 1. Effect of chemical composition of tensile strength and elongation at break of poly(ethylene-butylene adipate) based systems, 1321
- Kozlov, P. V. and Burdygina, G. I.: The structure and properties of solid gelatin and the principles of their modification, 651
- Kralíček, J.: *see* Chuchma, F., 1491
- Kramer, Edward J.: *see* Donald, Athene M., 1063
- Kranbuehl, David E. and Verdier, Peter H.: Interpretation of quasi-elastic light scattering data for flexible chains: model dependence, 383
- Krigbaum, W. R. and Watanabe, J.: Thermotropic homopolyesters: 5. Investigation of the smectic phase of polyesters based on *p,p'*-bibenzoic acid, 1299
- Krikor, K. G.: *see* Griffiths, P. J. F., 831
- Kučera, M.; Božek, F.; Majerová, K. and Kahle, L.: Combination of polymer ions. Formation of copolymer containing polytetrahydrofuran and poly(dimethyl siloxane) blocks, 217
- Kudaibergenov, S. E.: *see* Bekturov, E. A., 607
- Kumar, Anil; Gupta, Santosh K. and Kumar, Ashok: Effect of shear rate on the rate of polymerization of styrene, 443
- Kumar, Anil; Gupta, Santosh K.; Somu, W. and Sataranayana Rao, M. V.: Simulation of cyclics and degradation product formation in polyethylene terephthalate reactors, 449
- Kumar, Anil; Gupta, Santosh K.; Kumar, Birendra and Somu, N.: Molecular weight distributions in novolac-type phenoformaldehyde polymerization, 1180
- Kumar, Ashok: *see* Kumar, Anil, 443
- Kumar, Birendra: *see* Kumar, Anil, 1180
- Kuroki, Takeshi; Sawaguchi, Takashi; Zuzuki, Kazumasa; Ide, Shaoki and Ikemura, Tadashi: Distribution of double bonds in thermally degraded polyisobutylene, 428
- Kusy, R. P.: *see* Greenberg, A. R., 513

- Law, K. Y. and Loufty, R. O.: Fluorescence probe for microenvironments: On the fluorescence properties of *p*-*N,N*-dialkylaminobenzylidenemalononitrile in polymer matrices, 439
- Legrand, A. P.: *see* Hommel, H., 959
- Lefebvre, D., Jasse, B., Monnerie, L.: Orientation and relaxation in uniaxially stretched atactic polystyrene, 1240
- Lefebvre, J. M.: *see* Bultel, C., 476
- Lemstra, Piet J.: *see* Toppet, Suzanne, 507
- Lenz, Robert, W., Jin, Jung-II and Feichtinger, Kurt A.: Crystallization-induced reactions of copolymers: 6. Reorganization of polyesters in the liquid crystal state, 327
- Lenz, Robert, W.: *see* Haggiage, Johnny, 578
- Lenz, Robert W.: *see* Dvornic, Peter R., 761
- Lerner, N. R.: Conducting complexes of vacuum-cyclized polyacrylonitrile and iodine, 800
- Levitin, G. and Struik, L. C. E.: Physical ageing in rigid chain polymers, 1071
- Liccichelli, John A.: *see* Caunt, Anthony D., 121
- Liébert, L.: *see* Kléman, M., 295
- Lilley, T.: *see* Betteridge, D., 1206
- Lingnau, J. and Meyerhoff, G.: The spontaneous polymerization of methyl methacrylate: 6. Polymerization in solution: participation of transfer agents in the initiation reaction, 1473
- Lotfipour, M.: *see* Amass, A. J., 1317
- Loutfy, R. O.: *see* Law, K. Y., 439
- Lovinger, Andrew J., Furukawa, T., Davis, G. T. and Broadhurst, M. G.: Crystallographic changes characterizing the Curie transition in three ferroelectric copolymers of vinylidene fluoride and trifluoroethylene: 1. As-crystallized samples, 1225
- Lovinger, Andrew J., Furukawa, T., David, G. T. and Broadhurst, M. G.: Crystallographic changes characterizing the Curie transition in three ferroelectric copolymers of vinylidene fluoride and trifluoroethylene: 2. Oriented or poled samples, 1233
- Lundberg, R. D.: *see* Peiffer, D. G., 300
- Lustiger, A. and Markham, R. L.: Importance of the tie molecules in preventing polyethylene fracture under long-term loading conditions, 1647
- Luxton, Alan R.: *see* Milner, Richard, 543
-
- Ma, Dong Sung: *see* Hsu, Tsong-Pin, 1273
- Ma, K.: *see* Higgins, J. S., 793
- MacKnight, W. J.: *see* Vukovic, R., 529
- MacKnight, W. J.: *see* Chen, C. H. Y., 1333
- MacKnight, W. J.: *see* Xu, M., 1327
- Maddams, W. F.: *see* Maddams, W. F., 823
- Maderek, E.: *see* Strobl, G. R., 1585
- Majerová, K. *see* Kučera, M., 217
- Malinconico, M.: *see* Eastmond, G. C., 1162
- Malkin, A. Ya., Begishev, V. P. and Keapin, I. A.: Macrokinetics of polymer crystallization, 81
- Manaresi, P.: *see* Pilati, F., 1479
- Manuel, A. J.: *see* Davidson, I. S., 30
- Mar, A.: *see* Winnik, M. A., 473
- Marcu, N.: *see* Korodi, T., 1321
- Markham, R. L.: *see* Lustiger, A., 1647
- Marom, Gad: *see* Cohn, Daniel, 223
- Martuscelli, E., Pracella M. and Crispino, L.: Crystallization behaviour of fractions of isotactic polypropylene with different degrees of stereoregularity, 693
- Martuscelli, Ezio; Silvestre, Clara and Bianchi, Liliana: Properties of thin films of isotactic polypropylene blended with polyisobutylene and ethylene-propylene-diene terpolymer rubbers, 1458
- Mathew, N. M. and De, S. K.: Thermo-oxidative ageing and its effect on the network structure and fracture mode of natural rubber vulcanizates, 1042
- Mathieson, K.: *see* Cowie, J. M. G., 1439
- Maurey, John R.: *see* Chang, Shu-Sing, 1267
- Mazeron, P.: *see* Ravey, J. C., 991
- Mazur, J.: *see* Reneker, D. H., 1387
- McCrackin, Frank L.: *see* Wang, Francis W., 1541
- McEwen, I. J.: *see* Saeki, S., 60
- McEwen, I. J.: *see* Cowie, J. M. G., 1439
- McEwen, I. J.: *see* Cowie, J. M. G., 1445
- McEwen, I. J.: *see* Cowie, J. M. G., 1449
- McEwen, I. J.: *see* Cowie, J. M. G., 1453
- McIntyre, J. E.: *see* Khan A. H., 1610
- McIntyre, J. E.: *see* Browne, A. A. B., 1615
- McKenna, G. B. and Zapas, L. J.: Experiments on the small-strain behaviour of crosslinked natural rubber: 1. Torsion, 1495
- McKenna, G. B. and Zapas, L. J.: Experiments on the small-strain behaviour of crosslinked natural rubber: 2. Extension and compression, 1502
- Meeten, G. H. and Navard, P.: Gel formation and liquid crystalline order in cellulose triacetate solutions, 815
- Meič, Alatko: *see* Andreis, Malden, 611
- Meyer, G. C.: *see* Djomo, H., 65
- Meyer, G. C.: *see* Djomo, H., 1415
- Meyer, G. C.: *see* Hermant, I., 1419
- Meyerhoff, Günther: *see* Weisskopf, Klaus, 72
- Meyerhoff, G.: *see* Lingnau, J., 1473
- Milburn, A. H.: *see* Khan, A. H., 1610
- Miles, M. J., Tanaka, K., Keller, A.: The behaviour of polyelectrolyte solutions in elongational flow; the determination of conformational relaxation times (with an Appendix of an anomalous adsorption effect), 1081
- Millet, C.: *see* Pajot-Augy, E., 117
- Milner, Richard; Young, Ronald N. and Luxton, Alan R.: A viscometric study of the interaction of polybutadienyllithium with *N,N,N',N'*-tetramethylethylenediamine in benzene, 543
- Mirwoski, K.: *see* Žurakowska-Orszagh, J., 1484
- Misawa, Akira: *see* Nagase, Yu, 457
- Mita, I.: *see* Kasparyan-Tardiveau, N., 205
- Mitchell, G. R. and Windle, A. H.: The determination of molecular orientation in uniaxially compressed PMMA by X-ray scattering, 285
- Mitchell, G. R. and Windle, A. H.: Measurement of molecular orientation in thermotropic liquid crystalline polymers, 1513
- Mitra, G. B.: *see* Mukherjee, P. S., 525
- Miyaki, Tsuyoshi: *see* Nakafuku, Chitoshi, 141
- Mom, V.: Two-dimensional random coil chains on hexagonal lattices, 409
- Monari, P.: *see* Pilati, F., 1479
- Monnerie, L.: *see* Pajot-Augy, E., 117
- Monnerie, L.: *see* Kasparyan-Tardiveau, N., 205
- Monnerie, L.: *see* Fajolle, R., 379
- Monnerie, L.: *see* Lefebvre, D., 1240
- Morin, A.: *see* Djomo, H., 65
- Morley-Buchanan, Tracey: *see* Barron, Peter F., 1252
- Moscicki, J. K. and Williams, G.: Model calculations of the phase behaviour of rod-like particles in solution: Polydisperse systems having asymmetric distributions of rod-lengths, 85
- Moskala, E. J.: *see* Coleman, M. M., 251
- Moskala, E. J.: *see* Coleman, M. M., 1410
- Moss, Barbara: *see* Dorset, Douglas L., 291
- Mrkvíčková, L., Stějskal, J., Spěváček, J., Horská, J. and Quadrat, O.: Aggregation behaviour of stereoregular poly(methyl methacrylates) in dilute solution: light scattering and proton n.m.r. study, 700
- Mrkvíčková, L.: *see* Belnikovich, N. G., 713
- Mukherjee, P. S. and Mitra, G. B.: Anisotropy of X-ray structural parameters of the three phase model in cellulose I, 525
- Mumari, A.: *see* Pilati, F., 1479
- Mumby, S. J.: *see* Beavers, M. S., 1565
- Murakami, Yoshimasa; Inui, Tomoyuki and Takagami, Yoshinobu: Dispersion states of porous inorganic materials in polymer blends observed by inverse gas chromatography, 1596
- Murphy, W. R.: *see* Drain, K. F., 553
-
- Nadkarni, V. M.: *see* Shenoy, A. V., 722
- Nagase, Yu; Fukatsu, Tomohiko; Ikeda, Koji and Sekine, Yoshiro: Thermal and mechanical properties of tetramethyl-*p*-silphenylensiloxane/dimethylsiloxane block copolymer, 463
- Nagase, Yu; Nakamura, Takashi; Misawa, Akira; Ikeda, Koji and Sekine, Yoshiro: Synthesis of tetramethyl-*p*-silphenylensiloxane/dimethylsiloxane triblock copolymer by employing living anionic polymerization, 457
- Nagura, Masanobu and Isikawa, Hiroshi: Molecular motion in poly(aminocidic acids): 7. Molecular motion in the β -form crystal of silk fibre, 820
- Nakafuku, Chitoshi and Miyaki, Tsuyoshi: Effect of pressure on the melting and crystallization, 141
- Nakamura, Isei: *see* Kokufuta, Etsuo, 1031
- Nakamura, K., Hatakeyama, T. and Hatakeyama, H.: Relationship between hydrogen bonding and bound water in polyhydroxystyrene derivatives, 871
- Nakamura, Reiichi: *see* Uragami, Tadashi, 559
- Nakamura, Takashi: *see* Nagase, Yu, 457
- Nalwa, Hari Sing and Vasudevan, Padma: Thermally stimulated depolarization effect in thiourea-formaldehyde condensate, 1197
- Naoki, Motosuke and Kondo, Shingo: Dielectric relaxation in networks of end-linked dimethylsiloxane oligomers, 1139
- Narita, Y.: *see* Saeki, S., 1631
- Navard, P.: *see* Meeten, G. H., 815
- Nicholson, L. K.: *see* Higgins, J. S., 793
-
- Ochoa, J. R.: *see* Katime, I., 1015
- Ohara, Masyoshi: *see* Isoda, Seiji, 1155
- Ohde, Yoshihito and Okamoto, Hiroshi: Growth rate versus temperature relations characteristic of environmental stress cracks in low-density polyethylenes and the underlying thermodynamic mechanism, 781
- Ohno, Hiroyuki: *see* Kato, Masayuki, 846

Author index

Ohsaku, Masaru: *see* Imamura, Akira, 1639
Okamoto, Hiroshi: *see* Ohde, Yoshihito, 781
Oki, Naoto: *see* Kato, Masayuki, 846
O'Reilly, J. M., Stein, R. S., Hadzioannou, G., Wignall, G. D.: Effect of vitrification pressure on radius of gyration, specific heat and density of amorphous polymers, 1255
Osborn, B. N.: *see* Blundell, D. J., 953
Otsu, Takayuki: *see* Sato, Tsuneyuki, 1018
Otterburn, M. S.: *see* Drain, K. F., 553
Oyama, Noboru: *see* Kato, Masayuki, 846
Ozdemir, Eyup and Richards, Randal W.: Low-angle laser light scattering from polystyrene solutions: intensity measurements and photon correlation spectroscopy, 1097

Padibjo, S. R. and Ward, I. M.: A structural study of the tensile drawing behaviour of poly(ethylene terephthalate) 1103
Painter, P. C.: *see* Coleman, M. M., 1410
Pajot-Augy, E., Bokobza, L., Monnerie, L., Castellan, A., Bouas-Laurent, H. and Millet, C.: Excimer fluorescence as a probe of mobility in bulk poly(dimethyl siloxanes), 117
Pambrun, C.: *see* Fajolle, R., 379
Papon, Pierre: *see* Djabourov, Madeleine, 537
Park, G. S.: *see* Griffiths, P. J. F., 831
Parsons, Ian W.: *see* Caunt, Anthony D., 121
Parsons, I. W.: *see* Yenigul, M., 1313
Partridge, Ivana K.: *see* Bucknall, Clive B., 639
Partridge, R. H.: Electroluminescence from polyvinylcarbazole films: 1. Carbazole cations, 733
Partridge, R. H.: Electroluminescence from polyvinylcarbazole films: 2. Polyvinylcarbazole films containing antimony pentachloride, 737
Partridge, R. H.: Electroluminescence from polyvinylcarbazole films: 3. Electroluminescent devices, 746
Partridge, R. H.: Electroluminescence from polyvinylcarbazole films: 4. Electroluminescence using higher work function cathodes, 753
Paulrajan, S., Gopalan, A., Subbaratnam, N. R. and Venkatrao, K.: Polymerization of *N,N'*-methylenebisacrylamide initiated by Ce^{IV}-thiourea redox system, 906
Peiffer, D. G. and Lundberg, R. D.: Behaviour of sulphonated EPDM in multicomponent/multiphase systems, 300
Peng, S. T. J.: *see* Valanis, K. C., 1551
Pennings, A. J.: *see* Zwiers, R. J. M., 167
Pennings, A. J.: *see* Vasanthakumari, R., 175
Pepirer, E.: *see* Hommel, H., 959
Peppas, Nikolaos A.: *see* Bussing, William R., 209
Peppas, Nikolaos A. and Bussing, William R.: Friedel-Crafts crosslinking methods for polystyrene modification: T_g , T_h and T_u transitions of grafted polystyrene, 898
Petrich, Richard A.: *see* Sharma, Varinder K., 387
Petrak, Karel L. and Pitts, Eric: Compositional analysis by g.l.c. of monomer feed in copolymerization – errors due to adsorption of monomer to copolymers, 729
Phillips, P. J.: *see* Dalal, E. N., 1623

Pilati, F., Manaresi, P., Fortunato, B., Mumari, A. and Monari, P.: Models for the formation of poly(butylene terephthalate): kinetics of the titanium tetrabutylate-catalysed reactions, 2, 1479
Pitts, Eric: *see* Petrak, Karel L., 729
Pouget, J. P.: *see* Robin, R., 1558
Poulaert, B. and Issi, J.-P.: Low-temperature electrical resistivity of carbon-black-loaded polyethylene, 841
Poulin-Dandurand, S., Wertheimer, M. R. and Yelon, A.: Spin trapping of radicals produced by glow discharge on low-density polyethylene, 1581
Pracella, M.: *see* Martuscelli, E., 693
Prentice, P.: Influence of molecular weight on the fracture of poly(methyl methacrylate) PMMA, 344
Prestidge, E. B.: *see* Agarwal, P. K., 487
Pron, A., Budrowski, C. and Przyluski, J.: Highly conducting polymers based on polyacetylene hydrogen sulphate: Preparation and stability studies, 1294
Przyluski, J.: *see* Proń, A., 1294
Pummer, Walter J.: *see* Chang, Shu-Sing, 1267

Quadrat, O.: *see* Mrkvíčková, L., 700
Quadrat, O.: *see* Belnikovitch, N. G., 713
Quadrat, O. and Belnikovitch, N. G.: Stereo complexes in solutions of syndio- and isotactic poly(methyl methacrylate) mixtures: 2. Mutual interaction constant of stereo polymers, 719
Quintana, J. R.: *see* Katime, I., 903

Richards, Randal W. and Thomason, James L.: Small-angle neutron scattering measurement of block copolymer intrephe phase structure, 1089
Richards, Randal W.: *see* Ozdemir, Eyup, 1097
Richardson, M. J.: *see* Stevens, G. C., 851
Rigby, D.: *see* Edwards, C. J. C., 391
Rigby, D.: *see* Edwards, C. J. C., 395
Ritchie, A.: *see* Block, H., 859
Robin, R., Pouget, J. P., Comes, R., Gibson, H. W. and Epstein, A. J.: X-ray diffraction studies of iodine-doped polyacetylene, 1558
Roda, J.: *see* Chuchma, F., 1491
Rommelmann, H., Fernquist, R., Epstein, A. J., Aldissi, M., Woerner, T. and Bernier, P.: The evolution of polyacetylene morphology upon doping, 1575
Rosato, Nicola: *see* Altomare, Angelina, 95
Ross-Murphy, Simon B. and Todd, Susan: Ultimate tensile measurements of filled gelatin gels, 481
Rostami, S.: *see* Coleman, M. M., 1410
Rudin, A.: *see* Tchir, M. F., 909
Runt, J. P.: *see* Varnell, D. F., 37
Ruona, Sun: *see* Zhikuan, Chai, 263
Ruona, Sun: *see* Zhikuan, Chai, 1279

Sadler, David: Roughness of growth faces of polymer crystals: Evidence from morphology and implications for growth mechanisms and types of folding, 1401
Saeki, S., Cowie, J. M. G. and McEwen, I. J.: The effect of molecular weight and casting solvent on the miscibility of polystyrene–poly(α -methyl styrene) blends, 60
Saeki, S., Narita, Y., Tsubokawa, M. and Yamaguchi, T.: Phase separation temperature in the polystyrene–poly(α -methyl styrene)–methylcyclohexane system, 1631
Sahota, M.: *see* Batty, N. S., 258
Saini, D. R.: *see* Shenoy, A. V., 722
Sarazin, D. and Francois, J.: Apparent specific volumes of polymers in dilute solutions, 547
Sariban, A. A.: *see* Birshtein, R. M., 1145
Saruyama, Yasuo: Temperature dependence of distortion in poly(ethylene oxide) crystals, 135
Satanarayana Rao, M. V.: *see* Kumar, Anil, 449
Sato, Tsuneyuki; Yutani, Yuji and Otsu, Takayuki: Long-lived polymer radicals: 5. Synthesis of block copolymer by the reaction of living poly(*N*-phenylmethacrylamide) radical with vinyl monomers, 1018
Sawaguchi, Takashi: *see* Kuroki, Takeshi, 428
Schinker, M. G.: *see* Döll, W., 1213
Schneider, B.: *see* Dybal, J., 971
Schofield, E.: *see* Bamford, C. H., 433
Schué, F.: *see* Crassous, G., 1203
Schué, Francois: *see* Dumas, Sylviane, 1291
Sekine, Yoshiro: *see* Nagase, Yu, 457
Sekine, Yoshiro: *see* Nagase, Yu, 463
Semlyen, J. A.: *see* Edwards, C. J. C., 391
Semlyen, J. A.: *see* Edwards, C. J. C., 395
Semlyen, J. A.: *see* Higgins, J. S., 793
Semlyen, J. A.: *see* Beevers, M. S., 1565
Senogles, E.: *see* Ebdon, R. J., 339
Sergot, P.: *see* Fajolle, R., 379
Shaaban, A. F.: *see* Ikadious, N. E., 1635

- Sharma, B. K.: The relationship between the Gruneisen and other thermodynamic parameters and intermolecular forces in polymers, 314
- Sharma, Varinder K., Affrossman, Stanley and Pethrick, Richard A.: Copolymer electron resists: poly(styrene-methyl methacrylate) copolymers, 387
- Shaw, S. J.: *see* Kinloch, A. J., 1341
- Shaw, S. J.: *see* Kinloch, A. J., 1355
- Shenoy, A. V., Saini, D. R. and Nadkarni, V. M.: Estimation of the melt rheology of polymer waste from melt flow index, 722
- Sherrington, D. C.: *see* Akelah, A., 1369
- Shinohara, I.: *see* Watanabe, M., 491
- Shirai, Hirofusa: *see* Suzuki, Tsuneo, 335
- Shiro, Kuniyasu; Fujita, Ken-ichi; Suehiro, Shoji and Kawai, Hiromichi: Static and dynamic deformation mechanisms of a high-density polyethylene having row-nucleated crystalline texture of *a*-axis orientation as observed by orientation distribution function of crystallites, 1113
- Shoko, N. R.: *see* Betteridge, D., 1206
- Silvestre, Clara: *see* Martuscelli, Ezio, 1458
- Singh, A. K.: *see* Kanakalatha, P., 621
- Skortsov, A. M.: *see* Birshtein, T. M., 1145
- Skowronski, T. A., Rabek, J. F. and Ranby, B.: Effect of thermal stabilizers on the photo-oxidative degradation of solid poly(vinyl chloride), 1189
- Sledz, Joseph: *see* Dumas, Sylviane, 1291
- Sloane, N. J. A.: *see* Cais, R. E., 179
- Solaro, Roberto: *see* Altomare, Angelina, 95
- Somu, N.: *see* Kumar, Anil, 449
- Somu, W.: *see* Kumar, Anil, 449
- Sörvik, Erling M.: *see* Hjertberg, Thomas, 673
- Sörvik, Erling M.: *see* Hjertberg, Thomas, 685
- Sperling, L. H.: *see* Yeo, J. K., 307
- Spěváček, J.: *see* Mrkvíčková, L., 700
- Squire, D. R.: *see* Deffieux, A., 513
- Squire, D. R.: *see* Deffieux, A., 1469
- Sridhar, M. K.: *see* Kanakalatha, P., 621
- Stamatoff, J. B.: *see* Gutierrez, G. A., 937
- Stannett, V.: *see* Deffieux, A., 513
- Stannett, V.: *see* Deffieux, A., 1469
- Stein, R. S.: *see* O'Reilly, J. M., 1255
- Stějskal, J.: *see* Mrkvíčková, L., 700
- Stephenson, D.: *see* Goldstein, M., 823
- Stepto, R. F. T.: *see* Edwards, C. J. C., 391
- Stepto, R. F. T.: *see* Edwards, C. J. C., 395
- Stevens, G. C. and Richardson, M. J.: Factors influencing the glass transition of DGEBAnhydride epoxy resins, 851
- Stewart, M. J.: *see* Richards, D. H., 883
- Stilbs, Peter: *see* Brown, Wyn, 188
- Štokr, J.: *see* Dybal, J., 971
- Strobl, G. R., Engelke, T., Maderek, E. and Urban, G.: On the kinetics of isothermal crystallization of branched polyethylene, 1585
- Struik, L. C. E.: *see* Levita, G., 1071
- Strzelecki, L.: *see* Kléman, M., 295
- Subbaratnam, N. R.: *see* Paulraj, S., 906
- Suehiro, Shoji: *see* Shiro, Kuniyasu, 1113
- Sugihara, Mizuho: *see* Uragami, Tadashi, 559
- Summerfield, G. C.: *see* Goyal, P. S., 131
- Sutherland, J. M.: *see* Cosgrove, T., 534
- Suzuki, Kazumasa: *see* Kuroki, Takeshi, 428
- Suzuki, Tsuneo; Shirai, Hirofusa; Tokutake, Sonoko and Hojo, Nobumasa: Kinetics of ligand exchange reaction of Cu(II)-ammine complex with poly(vinyl alcohol) in aqueous solution, 335
- Svirskaya, Polina; Danhelka, Jarda; Redpath, A. E. C. and Winnik, Mitchell A.: Cyclization dynamics of polymers: 7.
- Applications of the pyrene excimer technique to the internal dynamics of poly(dimethyl siloxane) chains, 319
- Svirskaya, P.: *see* Winnik, M. A., 473
- Tadakoro, Hiroyuki: *see* Tashiro, Kohji, 199
- Tajima, K.: *see* Ito, E., 877
- Tanaka, K.: *see* Miles, M. J., 1081
- Takano, Kohji: *see* Tashiro, Kohji, 199
- Takegami, Yoshinobu: *see* Murakami, Yoshimasa, 1596
- Takizawa, Y.: *see* Watanabe, M., 491
- Tashiro, Kohji; Takano, Kohji; Kobayashi, Masamichi; Chatani, Yozo and Tadokoro, Hiroyuki: Phase transition at a temperature immediately below the melting point of poly(vinylidene fluoride) form I: A proposition for the ferroelectric Curie point, 199
- Tassin, J. F.: *see* Fajolle, R., 379
- Taylor, K. D.: *see* Dalal, E. N., 1623
- Tchir, M. F., Rudin, A. and Dobbin, C. J. B.: Poly(*ortho*-vinylbenzophenone), 909
- Tekeley, P. and Turska, E.: Molecular motion of polycarbonate in the vicinity of -60°C as revealed by broad-line n.m.r., magic angle spinning n.m.r. and conformational analysis, 667
- Thomas, A. G.: *see* Davies, C. K. L., 107
- Thomas, D. A.: *see* Yeo, J. K., 307
- Thomas, E. L.: *see* Chen, C. H. Y., 1333
- Thomas, E. L.: *see* Xu, M., 1327
- Thomason, James L.: *see* Richards, Randal W., 275
- Thomason, James L.: *see* Richards, Randal W., 1089
- Tod, D. A.: *see* Kinloch, A. J., 1341
- Todd, Susan: *see* Ross-Murphy, Simon B., 481
- Tokutake, Sonoko: *see* Suzuki, Tsuneo, 335
- Tong, S. N., Chen, D. S., Chen, C. C. and Chung, L. Z.: Unsaturated polyesters based on bis(2-hydroxyethyl) terephthalate, 469
- Toppet, Suzanne; Lemstra, Piet J. and Van der Velden, Geert: Nuclear magnetic resonance studies on sequence distributions in vinyl alcohol-vinyl acetate copolymers, 507
- Trecart, Mark: *see* Farrall, M. Jean, 114
- Trška, P.: *see* Chuchma, F., 1491
- Tsonis, C. P. and Hasan, M. U.: Polycondensation of benzyl chloride catalysed by ArCr(CO)₃, 707
- Tsubokawa, M.: *see* Sacki, S., 1631
- Tsuchida, Eishun: *see* Kato, Masayuki, 846
- Tsuji, Masaki: *see* Isoda, Seiji, 1155
- Turska, E.: *see* Tekeley, P., 667
- Turska, E.: *see* Janecek, H., 1590
- Uragami, Tadashi; Nakamura, Reiichi and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 50. Transport of metal ions against their concentration gradient through water-insoluble poly(styrene sulphonate acid) membrane, 559
- Urban, G.: *see* Strobl, G. R., 1585
- Valanis, K. C. and Peng, S. T. J.: Deformation kinetics of ageing materials, 1551
- Valeur, B.: *see* Kasparyan-Tardieu, N., 205
- Valot, Henri: *see* Jullien, Henri, 810
- Van der Velden, Geert: *see* Toppet, Suzanne, 507
- Varnell, D. F., Runt, J. P. and Coleman, M. M.: FT-i.r. and thermal analysis studies of blends of poly(*ε*-caprolactone) with homo- and copolymers of poly(vinylidene chloride), 37
- Vasanthakumari, R. and Penning, A. J.: Crystallization kinetics of poly(L-lactic acid), 175
- Vasudevan, Padma: *see* Nalwa, Hari Singh, 1197
- Veguillas, J.: *see* Katime, I., 903
- Veksl, Zorica: *see* Andreis, Mladen, 611
- Venkatarao, K.: *see* Paulraj, S., 906
- Vera, C. Ramiro: *see* Katime, I., 1015
- Verdier, Peter H.: *see* Kranbuehl, David E., 383
- Vert, Michel: *see* Chabot, Francois, 53
- Vijayan, Kalyani: *see* Kanakalatha, P., 621
- Vilgis, Th. and Kilian, H.-G.: Reduced van der Waals equation of state and critical properties of rubbers, 949
- Viney, C.: *see* Donald, A. M., 155
- Vofsi, David: *see* Bikson, Benjamin, 583
- Vukovic, R., Karasz, F. E. and MacKnight, W. J.: Compatibility of poly(*p*-fluorostyrene-co-*o*-fluorostyrene) with poly(2,6-dimethyl-1,4-phenylene oxide) and polystyrenes, 529
- Walker, S. M.: *see* Block, H., 859
- Walsh, D. J.: *see* Zhikuan, Chai, 263
- Walsh, D. J., Crosby, P. and Dalton, R. F.: Metal specific hydroxyxime ion-exchange resins, 423
- Walsh, D. J.: *see* Coleman, M. M., 1410
- Wang, A.: *see* Deffieux, A., 1469
- Wang, Francis W. and McCrackin, Frank L.: Analysis of ultracentrifugation interference patterns with image digitizer: Application to molecular weight determination of SRM 1478 polystyrene, 1541
- Ward, I. M.: *see* Clements, J., 27
- Ward, I. M.: *see* Davidson, I. S., 30
- Ward, I. M.: *see* Padibjo, S. R., 1103
- Waring, Lionel: *see* Fawcett, Allan H., 1571
- Watanabe, J.: *see* Krigbaum, W. R., 1299
- Watanabe, M., Takizawa, Y. and Shinohara, I.: Effect of poly(propylene oxide) segment size on structure-property relationships in elastomeric ionene, 491
- Weatherhead, R. H.: *see* White, D., 805
- Weisskopf, Klaus and Meyerhoff, Gunther: Molecular weight determinations of polyamides by *N*-trifluoroacetylation, 72
- Wertheimer, M. R.: *see* Poulin-Dandurand, S., 1581
- White, D., Bott, D. C. and Weatherhead, R. H.: Direct evidence for chain orientation in poly(acetylene), 805
- Widmaier, J. M.: *see* Djomo, H., 1415
- Wignall, G. D.: *see* Bates, F. S., 519
- Wignall, G. D.: *see* O'Reilly, J. M., 1255
- Williams, G.: *see* Moscicki, J. K., 85
- Williams, J. G.: *see* Chan, M. K. V., 234
- Willson, C. Grant: *see* Fechet, Jean M. J., 995
- Windle, A. H.: *see* Donald, A. M., 155
- Windle, A. H.: *see* Mitchell, G. R., 285
- Windle, A. H.: *see* Mitchell, G. R., 1513
- Winnik, Mitchell A.: *see* Svirskaya, Polina, 319

Author index

- Winnik, M. A., Redpath, A. E. C., Svirskaya, P. and Mar, A.: The influence of polymer concentration on the internal motion – intramolecular pyrene excimer formation – of a low molecular weight probe in solution, 473
- Winnik, Mitchell A.: *see* Redpath, A. E. C., 1286
- Wlochowicz, Andrzej: *see* Eder, Marek, 1593
- Woerner, T.: *see* Rommelmann, H., 1575
- Wolfe, S. V.: *see* Davies, C. K. L., 107
- Wood, D. G. M.: *see* Betteridge, D., 1206
- Wootton, A. B.: *see* Briggs, D., 47
- Worsfold, Denis J.: *see* Dumas, Sylviane, 1291
- Wu, W.: Small-angle neutron scattering of partially segregated polymer blends, 43
-
- Xu, M., MacKnight, W. J., Chen, C. H. Y. and Thomas, E. L.: Structure and morphology of segmented polyurethanes: 1. Influence of incompatibility on hard-segment sequence length, 1327
- Xu, M.: *see* Chen, C. H. Y., 1333
-
- Yamaguchi, T.: *see* Saeki, S., 1631
- Yamamoto, Takashi: An application of Monte Carlo method to simulate disorders in polymer crystals, 943
- Yelon, A.: *see* Poulin-Dandurand, S., 1581
- Yenigul, M., Parsons, I. W., Hay, J. N. and Haward, R. N.: The properties of equimolar copolycarbonates of bisphenol A with bisphenol S and 1,4-bis(hydroxymethyl)cyclohexane, 1313
- Yeo, J. K., Sperling, L. H. and Thomas, D. A.: Theoretical prediction of domain sizes in IPN's and related materials, 307
- Yokata, Akitoshi: *see* Kokufuta, Etsuo, 1031
- Yokoyama, Fumiyoji and Monobe, Kazuo: Molecular association complex of urea with polyethylene: 3. Structural studies of the complex, 149
- Yoon, H.: *see* Gutierrez, G. A., 937
- Yoshida, T., Faujiwara, Y. and Asano, T.: Plastic deformation of oriented lamellae: 3. Drawing behaviour of β -phase isotactic polypropylene, 925
- Young, J. A.: *see* Deffieux, A., 513
- Young, J. A.: *see* Deffieux, A., 1469
- Young, R. J.: *see* Galiotis, C., 1023
- Young, Ronald N.: *see* Milner, Richard, 543
- Yu, Tong-yin: *see* Jiang, Ming, 1259
- Yutani, Yuji: *see* Sato, Tsuneyuki, 1018
-
- Zachmann, Hans Gerhard: *see* Günther, Berthold, 1008
- Zapas, L. J.: *see* Crissman, J. M., 351
- Zapas, L. J.: *see* McKenna, G. B., 1495
- Zapas, L. J.: *see* McKenna, G. B., 1502
- Zhaimina, G. M.: *see* Bekturov, E. A., 607
- Zhikuan, Chai; Ruona, Sun; Walsh, D. J. and Higgins, J. S.: A thermodynamic interpretation of the compatibility of chlorinated polyethylene with poly(methyl methacrylate), 263
- Zhikuan, Chai and Ruona, Sun: Compatibility among chlorinated polyethylenes, 1279
- Żurakowska-Orszagh, J., Bartnik, J., Chajewski, A. and Mirowski, K.: Solid-state polymerization of *N*-substituted acrylamides: 3., 1484
- Zwiers, R. J. M., Gogolweski, S. and Pennings, A. J.: General crystallization behaviour of poly(L-lactic acid) PLLA: 2. Eutectic crystallization of PLLA, 167

Biomaterials

Editors:

Dr. G.W. Hastings
Stoke-on-Trent, UK

Professor R.S. Langer
Cambridge, Massachusetts, USA

Professor N.A. Peppas
West Lafayette, Indiana, USA

Biomaterials covers

- Fundamental research
- Materials engineering
- Blood/tissue interaction
- Implant design and evaluation
- Controlled release of drugs
- Metals, polymers, ceramics

For further information or a sample copy of BIOMATERIALS
please write to
Mrs Jenny Earwaker Butterworth Scientific Limited
— Journals Division PO Box 63 Westbury House Bury Street
Guildford Surrey GU2 5BH UK

