

POLYMER AUTHOR INDEX VOLUME 26 1985

- Adar, Fran and Noether, Herman: Raman microprobe spectra of spin-oriented and drawn filaments of poly(ethylene terephthalate), 1935
- Aglietto, M., Ranucci, E., Ruggeri, G. and Gianni, P.: Catalytic esterolysis of *p*-nitrophenyl esters by optically active polymeric oximes, 1191
- Aglietto, M.: *see* Delfini, M., 1459
- Ahmed, I.: *see* Salamone, J. C., 1234
- Akhavan, J., Hendra, P. J. and Willis, H. A.: Structure and properties of linear polyethylene crystallized by rapid cooling of melts: 3. The effect of shear, 865
- Al-Issa, Mahmoud A., Davis, Thomas P., Huglin, Malcolm B. and Yip, Daniel C. F.: Copolymerizations involving *N*-vinyl-2-pyrrolidone, 1869
- Al-Kadhumi, Ahmed, A. H., Hodge, Philip and Thorpe, F. Gordon.: Preparation of substituted poly(vinylthiophene)s via lithiation of poly(vinylthiophene), 1695
- Alberda van Ekenstein, G. O. R., Tan, Y. Y. and Challa, G.: Crystallization and melt behaviour of isotactic poly(2-vinylpyridine), 283
- Albertsson, Ann Christine.: *see* Vogl, Otto, 1288
- Aldissi, M. and Bishop, A. R.: Synthesis of highly conducting polystyrene-polyacetylene copolymers, 622
- Aldissi, M., Schue, F., Liebich, H. and Geckeler, K.: G.c./m.s. investigations on living oligo(ethylene) species functionalized by oxygen, 1096
- Algeria, A., Colmenero, J., de Val, J. J. and Barandiaran, J. M.: Dielectric properties of polyarylate (PAr) around the glass transition, 913
- Alimoglu, A. K.: *see* Gemmell, P. A., 615
- Allen, Sir Geoffrey.: Speciality polymers: Prospect-Retrospect, 1284
- Altena, F. W., Smid, J., Van den Berg, J. W. A., Wijmans, J. G. and Smolders, C. A.: Diffusion of solvent from a cast cellulose acetate solution during the formation of skinned membranes, 1531
- Ando, Isac; Sorita, Tetsushi; Yamane, Takeshi; Komoto, Tadashi; Sato, Hisaya; Deguchi, Kenzo and Imanari, Mamoru.: Chain conformation of polyethylene in the solid state as studied by ^{13}C cross-polarization/magic angle spinning nuclear magnetic resonance spectroscopy, 1864
- Andreis, M., Veksl, Z. and Meic, Z.: Polyesterification and isomerization of maleic anhydride and 1,6-hexane diol as studied by ^1H and ^{13}C n.m.r., 1099
- Andrew, E. R.: N.m.r. of solid biopolymers, 190
- Argon, A. S.: *see* Gebizlioglu, O. S., 519
- Argon, A. S.: *see* Gebizlioglu, O. S., 529
- Argon, A. S.: *see* Schwier, C. E., 1985
- Arichi, S., Sakamoto, N., Hhimuro, S., Miki, M. and Yoshida, M.: Unperturbed dimension of poly(4-acetoxy styrene) measured in good and theta solvents, 1175
- Asahi, T.: *see* Miyashita, S., 1791
- Asai, K.: *see* Miyashita, S., 1791
- Ash, C. and Lewis, T. J.: Temperature effects on the birefringence of nitrocellulose and nitrocellulose/nitroglycerine mixtures, 643
- Aubert, J. H. and Clough, R. L.: Low-density, microcellular polystyrene foams, 2047
- Audebert, R.: *see* Capillon, J., 575
- Avella, Maurizio.: *see* Martuscelli, Ezio, 259
- Axelson, D. E.: *see* English, A. D., 1523
- Babchinitser, T. M., Kararyan, L. G., Tartakovskaya, L. M., Vasilenko, N. G., Zhdanov, A. A. and Korshak, V. V.: Crystalline structure of poly(diaryl siloxanes), 1527
- Babu, Gaddam N.: *see* Dahl, Pradeep K., 747
- Bai, S. J.: Crosslink distribution of epoxy networks studied by small-angle neutron scattering, 1053
- Baird, D. G.: *see* Joseph, Eugene, 689
- Bajaj, P., Padmanaban, M. and Gandhi, R. P.: Configurational sequence lengths in polyacrylonitrile and poly(acrylonitrile-CO-haloalkyl acrylate-methacrylate)s determined by ^{13}C n.m.r., 391
- Baker, F. S., Jones, M., Privett, G., Crofton, D. J. and Pethrick, R. A.: Dielectric studies of the effect of water on the relaxation properties of nitroglycerine-nitrocellulose mixtures, 1227
- Bamford, C. H., Schofield, E. and Michael, D. J.: Non-classical free-radical polymerization: 5. The purification and polymerization of 1-vinyl-2-pyrrolidone, 945
- Banerjee, Madhusudan.: *see* Biswas, Mukul, 625
- Bao, Jingsheng.: *see* Ying, Qicong, 1401
- Barandiaran, J. M.: *see* Alegria, A., 913
- Barbucci, Rolande.: *see* Ferruti, Paolo, 1336
- Barbucci, R., Casini, G., Ferruti, P. and Tempesti, F.: Surface-grafted heparinizable materials, 1349
- Barbucci, R., Casolaro, M., Corezzi, S., Nocentini, M. and Ferruti, P.: New developments in macroinorganics — the thermodynamics of basic polymers, 1353
- Bargeman, Dick.: *see* Gebben, Bert, 1737
- Barlow, J. W.: *see* Woo, E. M., 763
- Barrie, J. A., Sagoo, P. S. and Johncock, P.: The sorption and diffusion of water in halogen-containing epoxy resins, 1167
- Bartczak, Z., Galeski, A., Martuscelli, E. and Janik, H.: Primary nucleation behaviour in isotactic polypropylene/ethylene-propylene random copolymer blends, 1843
- Bassett, D. C. and Vaughan, A. S.: On the lamellar morphology of melt-crystallized isotactic polystyrene, 717
- Bassett, D. C.: *see* Vaughan, A. S., 726
- Bauminger, E. R., Nowik, I., Ofer, S. and Heitner-Wirguin, C.: Dynamics of hydrated iron(II) cations in nafion polymer membranes, 1829
- Beever, M. S.: *see* Mumby, S. J., 2014
- Bell, J. P.: *see* Narkis, M., 50
- Bellenger, V.: *see* Morel, E., 1719
- Bengtson, B., Feger, C., MacKnight, W. J. and Schneider, N. S.: Thermal and mechanical properties of solution polymerized segmented polyurethanes with butadiene soft segments, 895
- Benoit, H.: *see* Koberstein, Jeffrey T., 673
- Berger, H.-R. and Straube, E.: Quasielastic scattering from dilute polymer solutions, 1212
- Berry, J. O.: *see* Mohsin, M. A., 1463
- Billingham, N. C.: *see* Knight, J. B., 1713
- Birley, A. W.: *see* Yeh, Po-Len, 1155
- Birshtein, T. M., Buldyrev, S. V. and Elyashevitch, A. M.: Monte-Carlo simulation of the collapse transition of a two-dimensional polymer, 1814
- Bishop, A. R.: Synthesis of highly conducting polystyrene-polyacetylene copolymers, 622
- Biswas, Mukul; Banerjee, Madhusudan and Maiti, Mrinal, M.: Polymerization of *N*-vinylcarbazole over cobalt(II) exchanged 13X molecular sieves, 625
- Biswas, Mukul.: *see* Chatterjee, Shakuntala, 1365
- Blackwell, John.: *see* Gutierrez, Genaro, A., 348
- Blackwell, J.: *see* Chivers, R. A., 997
- Bleha, T.: Macromolecular conformational volume and thermodynamics of crystal melting, 1638
- Blundell, D. J. and Buckingham, K. A.: The β -loss process in liquid crystal polyesters containing 2,6-naphthyl groups, 1623
- Boileau, Sylvie.: *see* Kassir, Fathi, 443
- Boiteaux-Stefan, Gisele, Letoffe, Jean-Marie, Sage, Daniel and Soulie, Jean-Pierre.: Multiple transitions in polyallylbenzene: 1. Thermophysical properties, 1443
- Boiteaux-Stefan, Gisele, Letoffe, Jean-Marie, Vallet, Georges, Chatain, Daniel and Lacabanne, Colette.: Multiple transitions in polyallylbenzene: 2. Dielectric relaxations: relationship between structure and properties, 1448
- Boivin, Sylviane.: *see* Kassir, Fathi, 443
- Bolognesi, Alberto, Catellani, Marinella, Destri, Silvia and Porzio, William.: The effect of compaction pressure on the conductivity and structure in undoped poly(1,4-phenylene) (PPP), 1628
- Bonart, R.: *see* Owen, A. J., 1034
- Bonora, V.: *see* Pilati, F., 1745
- Bootsma, J. P. C., Challa, G., Visser, A. J. W. G. and Muller, F.: Polymer-bound flavins: 5. Characterization by static and time-resolved fluorescence techniques, 951
- Bower, D. I.: *see* Unwin, A. P., 1605
- Bowmer, T. N. and Tonelli, A. E.: Thermal transitions of ethylene-vinyl copolymers, 1195
- Boyd, Richard H.: Relaxation processes in crystalline polymers: experimental behaviour — a review, 323
- Boyd, R. H.: Relaxation processes in crystalline polymers: molecular interpretation — a review, 1123
- Brereton, M. G. and Filbrandt, M.: The contribution to rubber elasticity of topological entanglements, 1134
- Briber, R. M. and Thomas, E. L.: Crystallization behaviour of random block copolymers of poly(butylene terephthalate) and poly(tetramethylene ether glycol), 8
- Briber, Robert M.: *see* Wade Adams, W., 17
- Brisse, F.: *see* Remillard, B., 1029
- Brody, H.: *see* Yazdanian, M., 1779
- Brown, D. J.: *see* Mitchell, G. R., 1755
- Brown, H. R.: The interpretation of electron

Author Index

- microscope images and scattering patterns from crazes, 483
- Brown, Wyn.: Diffusion of poly(ethylene oxide) in semidilute aqueous solution: Dynamic light scattering and gradient diffusion, 1647
- Buckingham, K. A.: *see* Blundell, D. J., 1623
- Bucknall, Clive B., Davies, Peter and Partridge, Ivana K.: Phase separation in styrenated polyester resin containing a poly(vinyl acetate) low-profile additive, 109
- Budd, Peter M.: Sedimentation behaviour in dilute solutions of a polyelectrolyte, 1519
- Buldyrev, S. V.: *see* Birshtein, T. M., 1814
- Bunn, A.: *see* Cudby, M. E. A., 169
- Bur, A. J.: Dielectric properties of polymers at microwave frequencies: a review, 963
- Butta, E.: *see* Levita, G., 1110
-
- Calvert, P. D.: *see* Knight, J. B., 1713
- Camargo, R. E., Macosko, C. W., Tirrell, M. and Wellinghoff, S. T.: Phase separation studies in RIM polyurethanes catalyst and hard segment crystallinity effects, 1145
- Cameron, G. Gordon and Chisholm, Michael, S.: Polymerization of poly(dimethylsiloxane) macromers: 1. Copolymerization with styrene, 437
- Campana, Francesco.: *see* Paci, Maurizio, 1885
- Capillon, J., Audebert, R. and Quivoron, C.: Can porosity properties of particles really be determined by inverse gel permeation chromatography?, 575
- Carlfers, J. and Rymden, R.: Self diffusion of small molecules in aqueous solution of poly(vinylpyrrolidone), 940
- Carlini, C.: *see* Delfini, M., 1459
- Casini, G.: *see* Barbucci, R., 1349
- Casolari, M.: *see* Barbucci, R., 1353
- Castiglioni, C.: *see* Ramana Rao, G., 811
- Castellani, Marinella.: *see* Bolognesi, Alberto, 1628
- Cavanagh, R. R.: *see* Wang, F. W., 1657
- Ceccorulli, G.: *see* Scandola, M., 1953
- Ceccorulli, G.: *see* Scandola, M., 1958
- Cefelin, P.: *see* Janout, V., 781
- Challa, G.: *see* Alberda van Ekenstein, G. O. R., 283
- Challa, G.: *see* Bootsma, J. P. C., 951
- Challa, G.: *see* Vorenkamp, E. J., 1725
- Chan, David D.: *see* Sefcik, Michael D., 2043
- Chang, V. S. C.: *see* Speckhard, T. A., 55
- Chang, V. S. C.: *see* Speckhard, T. A., 70
- Chatain, Daniel.: *see* Boiteux-Steffan, Gisele, 1448
- Chatterjee, Shakuntala and Biswas, Mukul.: Comparative evaluation of thermal stabilities of novel sulphonic acid resins from anhydride modified polystyrene with commercial polystyrene based resins, Indion-225 and Zeocarb-225, 1365
- Chau, K. W. and Geil, P. H.: Domain morphology in polyurethanes, 490
- Chee, K. K.: Comparison of molecular weight distribution models for polymers characterized by g.p.c., 581
- Chen, C. C., Shen, J. and Sauer, J. A.: Effects of sorbed water on properties of low and high molecular weight PMMA: 11. Fatigue performance, 89
- Chen, C. C.: *see* Shen, J., 511
- Chen, Guoquan and Lenz, Robert W.: Liquid crystal polymers: 21. Thermotropic properties and crystallization-induced reactions of aromatic copolymers, 1307
- Chen, Shian-Ing.: *see* Soga, Kazuo, 1888
- Chen, Shian-ing.: *see* Soga, Kazuo, 1891
- Cheradame, Herve.: *see* Kassir, Fathi, 443
- Chiantore, O. and Hamielec, A. E.: Thermal polymerization of *p*-methyl styrene at high conversions and temperatures, 608
- Chisholm, Michael S.: *see* Cameron, G. Gordon, 437
- Chivers, Robin A.: *see* Gutierrez, Genaro A., 348
- Chivers, R. A. and Blackwell, J.: Three-dimensional structure of copolymers of *p*-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid: A model for diffraction of a nematic structure, 997
- Choy, C. L., Leung, W. P. and Ong, E. L.: Thermal expansivity of oriented nylon-6 and nylon-6,6, 884
- Chu, Benjamin.: *see* Qing, Qicong, 1401
- Chu, Benjamin.; Ying, Qicong.; Wu, Chi.; Ford, James R. and Dhadal, Harbans S., Dhadal.: Characterization of poly(1,4-phenylene terephthalamide) in concentrated sulphuric acid. 2: Determination of molecular weight distributions, 1408
- Chu, C. C.: Degradation phenomena of two linear aliphatic polyester fibres used in medicine and surgery, 591
- Clark, A. H.: *see* McEvoy, H., 1483
- Clark, A. H.: *see* McEvoy, H., 1493
- Clarson, S. J.: *see* Granick, S., 925
- Clarson, S. J., Dodgson, K. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 19. Glass transition temperatures and crystallization behaviour, 930
- Clements, J., Davies, G. R. and Ward, I. M.: A broad line n.m.r. study of oriented poly(vinylidene fluoride), 208
- Clough, R. L.: *see* Aubert, J. H., 2047
- Cohen Addad, J. P.: N.m.r. and macromolecular migration in a melt or in concentrated solutions, 197
- Cohen-Addad, J. P., Roby, C. and Sauviat, M.: Characterization of chain binding to filler in silicone-silica systems, 1231
- Cohen, R. E.: *see* Gebizlioglu, O. S., 519
- Cohen, R. E.: *see* Gebizlioglu, O. S., 529
- Cohen, R. E.: *see* Schwier, C. E., 1985
- Coleman, M. M.: *see* Moskala, E. J., 228
- Coles, H. J.: *see* Hopwood, A. I., 1312
- Coles, H. J.: *see* Sefton, M. S., 1319
- Coles, H. J. and Simon, R.: High-resolution laser-addressed liquid crystal polymer storage displays, 1801
- Colmenero, J.: *see* Alegria, A., 913
- Comyn, J.: *see* Mallik, R. R., 551
- Cooper, S. L.: *see* Speckhard, T. A., 55
- Cooper, S. L.: *see* Speckhard, T. A., 70
- Cooper, S. L.: *see* Yaruso, D. J., 371
- Cooper, Stuart L.: *see* Miller, John A., 1915
- Cooper, W. J., Krasicky, P. D. and Rodriguez, F.: Effects of molecular weight and plasticization on dissolution rates of thin polymer films, 1069
- Corezzi, S.: *see* Barbucci, R., 1353
- Cotgreave, T.: Milled fibre reinforced epoxy resin — an engineering polymer composite, 1419
- Coulon, G.: *see* Lefebvre, J. M., 1807
- Cowie, J. M. G. and McEwen, I. J.: Predicted miscibility of polystyrene and poly(α -methyl styrene) and comparison with experiment, 1662
- Cowie, J. M. G. and Wadi, N. M. A.: Complexing of some transition metal ions with poly(heptyl itaconate) containing tetraethylene pentamine side chains, 1566
- Cowie, J. M. G. and Wadi, N. M. A.: Polymer-metal complexes, based on poly(itaconic acid ester) derivatives, as catalysts for the decomposition of hydrogen peroxide, 1571
- Crisci, L.: *see* Delfini, M., 1459
- Crofton, D. J.: *see* Baker, F. S., 1227
- Cudby, M. E. A., Harris, R. K., Metcalfe, K., Packer, K. J., Smith, P. W. R. and Bunn, A.: ^{13}C and ^1H n.m.r. studies of solid polyolefines, 169
- Cunliffe, A. V., Davis, A., Farey, M. and Wright, J.: The kinetics of the reaction of isophorone di-isocyanate with mono-alcohols, 301
-
- Dagan, A.: *see* Siegmann, A., 1325
- Dahl, Pradeep K. and Babu, Gaddam N.: Pyrolysis/gas chromatography/mass spectrometry of glycidyl methacrylate-alkyl acylate copolymers, 747
- Daoust, D.: *see* Devaux, J., 1994
- Davidson, N. S., Richards, R. W. and Geissler, E.: Scaling laws and polystyrene networks: a quasi-elastic light scattering study, 1643
- Davies, G. R.: *see* Clements, J., 208
- Davies, Peter.: *see* Bucknall, Clive B., 109
- Davis, A.: *see* Cunliffe, A. V., 301
- Davis, D. D.: *see* Lovinger, Andrew J., 1595
- Davis, Thomas P.: *see* Al-Issa, Mahmoud A., 1869
- Dayantis, J. and Sturm, J.: Monte-Carlo calculations on statistical chains enclosed inside a sphere, 1631
- De Rosa, Claudio, Napolitano, Roberto and Pirozzi, Beniamino.: Conformational and packing energy calculations on two crystalline modifications of poly(*trans*-1,4-butadiene), 2039
- De Saja, J. A.: *see* Merino, J. C., 383
- de Val, J. J.: *see* Alegria, A., 913
- Deb, P. C. and Meyerhoff, G.: Study on kinetics of copolymerization of styrene and maleic anhydride in methyl ethyl ketone, 629
- Deguchi, Kenzo.: *see* Ando, Isao, 1864
- Delfini, M., Di Cocco, M. E., Paci, M., Angilletto, M., Carlini, C., Crisci, L. and Ruggeri, G.: ^{13}C n.m.r. study of poly[(S)-5-methyl-1-heptene] and poly(1-heptene) prepared by Ziegler-Natta catalyst, 1459
- Delimoy, D.: *see* Devaux, J., 1994
- Destri, Silvia.: *see* Bolognesi, Alberto, 1628
- Devadoss, E. and Reghunadhan Nair, C. P.: A novel cyclomatrix polymer based on (hydroxyphenoxy) phosphazenes and 2-methyl aziridine: some aspects of synthesis and adhesive heat resistance, 1895
- Devaux, J., Delimoy, D., Daoust, D., Legras, R., Mercier, J. P., Strazielle, C. and Nield, E.: On the molecular weight determination of a poly(aryl-ether-ether-ketone) (PEEK), 1994
- Dhadal, Harbans S.: *see* Chu, Benjamin, 1408
- Di Cocco, M. E.: *see* Delfini, M., 1459
- Diaz-Calleja, Ricardo., Ribes-Greus, Amparo, 1849
- Dinger, Frank.: *see* Hauptmann, Peter, 1741
- Dodgson, K.: *see* Clarson, S. J., 930
- Doi, Yoshiharu.: *see* Soga, Kazuo, 1888
- Doi, Yoshiharu.: *see* Soga, Kazuo, 1891
- Donald, A. M.: *see* Evans, K. E., 101
- Donald, A. M.: *see* Viney, C., 870
- Dondos, Anastasios.: *see* Staikos, George, 293
- Dondos, Anastasios.; *see* Tsitsilianis, Constantinos, 1838
- Donovan, J. A.: *see* Prabhat, K., 1963
- Dorozhkin, V. P.: Investigation of nonuniformities of chemical and topological structure of space networks of synthetic

- rubbers using statistical analysis of tensile strength distribution curves, 918
- Doskocilova, D.: *see* Schneider, B., 253
- Draganova, M.: *see* Pavlova, M., 1901
- Drusco, Giovanni Di: *see* Martuscelli, Ezio, 259
- Durning, Christopher J. and Russel, William B.: A mathematical model for diffusion with induced crystallization: I., 119
- Durning, Christopher J. and Russel, William B.: A mathematical model for diffusion with induced crystallization: II., 131
- Duval, Michel, Francois, Jeanne and Sarazin, Dominique.: Dynamical studies on low molecular weight polyacrylamide aqueous solution, 397
- Duval, M.: *see* Kanda, A., 406
- Dybal, J.: *see* Schneider, B., 253
-
- Ebert, K. H.: *see* Mutschler, H., 935
- Eby, R. K.: *see* Farmer, B. L., 1944
- Edwards, S. F.: Dynamics of polymers in solution and melts, 163
- Elman, J. F.: *see* Gerenser, L. J., 1162
- Elyashevitch, A. M.: *see* Birshtein, T. M., 1814
- Engeln, I., Meissner, M., Pape, H. E.: Thermal expansion and Gruneisen parameter of polyethylene between 5 and 320 K, 364
- English, A. D., Smith, P. and Axelson, D. E.: Polyethylene/deutero-polyethylene phase behaviour, 1523
- Epperson, Ernest.: *see* Miller, John A., 1915
- Erickson, R. H.: Creep of aromatic polyamide fibres, 733
- Escaig, B.: *see* Lefebvre, 1807
- Evans, K. E. and Donald, A. M.: Concentration dependence of the primitive path step length, 101
-
- Fahner, E.: *see* Mutschler, H., 935
- Faivre, J. P., Jasse, B. and Monnerie, L.: Orientation and relaxation in uniaxially stretched poly(vinyl methyl ether)-atactic polystyrene blends, 879
- Fanconi, B., McCrackin, F., Sarazin, D.: Infra-red bandshapes of methylene-d₂ bending vibrations in n-hexatriacontane-n-hexatriacontane-d 74, 219
- Farey, M.: *see* Cunliffe, A. V., 301
- Farmer, B. L. and Eby, R. K.: Energy calculations for the crystal structure of the high temperature phases (I and IV) of poly(tetrafluoroethylene), 1994
- Fawcett, A. H.: *see* Wah Chau, C., 1268
- Fawcett, Allan H., Guthrie, John, Lo, Kwong-Wing and Pyszora, H.: A ¹³C n.m.r. study of the sulphonation of novalacs, 1369
- Feger, C.: *see* Fu, B., 889
- Feger, C.: *see* Bengtson, B., 895
- Ferruti, Paolo; Marchisio, Mario Antonietta and Barbucci, Rolande.: Synthesis, physico-chemical properties and biochemical applications of poly(amido-amine)s, 1336
- Ferruti, P.: *see* Barbucci, R., 1349
- Ferruti, P.: *see* Barbucci, R., 1353
- Festl, H. G.: *see* Schriever, R., 1423
- Filbrandt, M.: *see* Breerton, M. G., 1134
- Fleischer, G.: The effect of polydispersity on measuring polymer self-diffusion with the n.m.r. pulsed field gradient technique, 1677
- Fleischer, G. and Straube, E.: Pulsed field gradient n.m.r. measurements and theoretical interpretation of the self-diffusion of polystyrene in solution, 241
- Ford, James R.: *see* Chu, Benjamin, 1408
- Formoy, T. R.: *see* Granick, S., 925
- Fornes, R. E.: *see* Venkatesh, G. M., 45
- Fraga, Alicia N. and Willimas, Roberto J. J.: Thermal properties of gelatin films, 113
- Francois, Jeanne: *see* Duval, Michel, 397
- Francois, J.: *see* Kanda, A., 406
- Franke, H.: *see* Schriever, R., 1423
- Froelich, D.: *see* Muller, R., 1477
- Fu, B., Feger, C., MacKnight, W. J. and Schneider, N. S.: Synthesis and properties of monodisperse hydroxy-terminated oligomers or 1,4-butanediol and 2,4-toluene diisocyanate, 889
-
- Gabrys, Barbara, Higgins, Julia S. and Young, David A.: Rotation of methyl groups in molecular solids and polymers at low temperatures: recent developments, 355
- Galeski, A.: *see* Bartczak, Z., 1843
- Galli, Paolo: *see* Martuscelli, Ezio, 259
- Gandhi, K. S. and Mall, S.: Effects of unequal reactivity of functional groups on gelation phenomena in polyurethane systems, 595
- Gandhi, R. P.: *see* Bajaj, P., 391
- Ganster, Johannes and Geiss, Detlev.: Polarization and piezoelectric coefficients of poly(vinylidene fluoride) form-I-films: A model including crystalline orientation, 1825
- Garcia-Rubio, L. H., Lord, M. G., MacGregor, J. F. and Hamielec, A. E.: Bulk copolymerization of styrene and acrylonitrile: Experimental kinetics and mathematical modelling, 2001
- Gattiglia, E.: *see* Pedemonte, E., 1202
- Gebben, Bert, van den Berg, Hans W. A., Bargeman, Dick and Smolders, Cees A.: Intramolecular crosslinking of poly(vinyl alcohol), 1737
- Gebizlioglu, O. S., Argon, A. S. and Cohen, R. E.: Toughness of two pure block copolymer blends in high molecular weight polystyrene, 519
- Gebizlioglu, O. S., Argon, A. S. and Cohen, R. E.: Craze plasticity and toughness of particulate block copolymer blends, 529
- Geckeler, K.: *see* Aldissi, M., 1096
- Gedde, U. W. and Jansson, J.-F.: Molecular fractionation in melt-crystallized polyethylene. 4. Fracture, 1469
- Geil, P. H.: *see* Chau, K. W., 490
- Geiss, Detlev.: *see* Ganster, Johannes, 1825
- Geissler, E.: *see* Davidson, N. S., 1643
- Gemmell, P. A., Gray, G. W., Lacey, D., Alimoglu, A. K. and Ledwith, A.: Polymers with rigid anisotropic side groups: 2. Synthesis and properties of some side chain acrylate and methacrylate liquid crystal polymers containing the 4'-alkylbiphenyl-4-yl moiety, 615
- George, Anne, Radhakrishnan, Ganga and Joseph, K. Thomas: Grafting of butyl acrylate onto gelatin in a water-isopropanol medium, 2064
- Grenser, L. J., Elman, J. F., Mason, M. G. and Pochan, J. M.: E.s.c.a. studies of corona-discharge-treated polyethylene surfaces by use of gas-phase derivation, 1162
- Gevert, T. U. and Svanos, S. E.: An n.m.r. and d.s.c. investigation of the solubility conditions of diisopropenylphosphite in rigid poly(vinyl chloride), 307
- Gianni, P.: *see* Aglietto, M., 1191
- Gibson, P. E.: *see* Speckhard, T. A., 55
- Gilbert, R. D.: *see* Venkatesh, G. M., 45
- Gillette, P. C., Lando, J. B. and Koenig, J. L.: Infra-red spectroscopic characterization of the α - β phase transition in poly(tetramethylene terephthalate), 235
- Giorgio, S. and Kern, R.: Structure and crystal growth approach to poly(alkylacrylate) myelinic vesicles by electron microscopy, 837
- Gogolewski, S. and Peenings, A. J.: High-modulus fibres of nylon-6 prepared by a dry-spinning method, 1394
- Gomez-Ribelles, Jose L.: Ribes-Greus, Amparo, 1849
- Granick, S., Clarson, S. J., Formoy, T. R. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 18. Surface pressures of the monolayers in the plateau region, 925
- Gray, Derek G.: *see* Laivins, Gunar V., 1435
- Gray, G. W.: *see* Gemmell, P. A., 615
- Grebowicz, Janusz; Suzuki, Hidematsu and Wunderlich, Bernhard.: Heat capacities of polyethylene and linear aliphatic polyoxides, 561
- Grimm, H. J. and Thomas, E. L.: Chlorination of irradiated polyethylene single crystals: 1. Analysis of alkyl radical decay kinetics, 27
- Grimm, H. J. and Thomas, E. L.: Chlorination of irradiated polyethylene single crystals: 2. XES and e.s.c.a. analysis of irradiated-chlorinated PE, 38
- Gussoni, M.: *see* Ramana Rao, G., 811
- Guthrie, John.: *see* Fawcett, Allan H., 1369
- Gutierrez, Genaro A., Blackwell, John and Chivers, Robin A.: The structure of liquid crystalline copolymers prepared from 4-hydroxybenzoic acid, 2,6-dihydroxy naphthalene, and terephthalic acid: 2. Atomic models for the copolymer chains, 348
- Guzman, G. Martin; *see* Vilanova, P. Colomer, 423
-
- Hadjichristidis, N. and Roovers, J.: Linear viscoelastic properties of mixtures of 3- and 4-arm polybutadiene stars, 1087
- Hagiwara, Miyuki: *see* Sasuga, Tsuneo, 501
- Hagiwara, M.: *see* Sasuga, T., 1039
- Hahn, Bernd R. and Wendroff, Joachim H.: Piezo- and pyroelectricity in polymer blends of poly(vinylidene fluoride)/poly(methyl methacrylate), 1611
- Hahn, Bernd R. and Wendroff, Joachim H.: Compensation method for zero birefringence in oriented polymers, 1619
- Halary, J. L.: *see* Leonard, C., 1507
- Hamielec, A. E.: *see* Chiantore, O., 608
- Hamielec, A. E.: *see* Mutschler, H., 935
- Hamielec, A. E.: *see* Garcia-Rubio, L. H., 2001
- Happe, J. A., Morgan, R. J. and Walkup, C. M.: ¹H, ¹⁹F and ¹¹B nuclear magnetic resonance characterization of BF₃: amine catalysts used in the cure of C fibre-epoxy prepgs, 827
- Harburn, G., Lewis, J. W. and Warwicker, J. O.: An investigation into the structure of poly(ethylene terephthalate) fibres by the use of optical transforms, 469
- Harouz, Jaroslav: *see* Ilavsky, Michal, 1514
- Harris, R. K.: *see* Cudby, M. E. A., 169
- Harrison, Ian R.: Modelling 'melting' in macromolecules, 3
- Hastings, G. W.: Structural considerations and new polymers for biomedical applications, 1331
- Hauptmann, Peter, Dinger, Frank and Sauberlich, Ralph.: A sensitive method for

Author Index

- polymerization control based on ultra-sonic measurements, 1741
- Havlicek, Ivan; *see* Ilavsky, Michal, 1514
- Hay, J. N.: *see* Mills, P. J., 901
- Hay, J. N.: *see* Klemish, D. J., 905
- Hayakawa, N.: *see* Sasuga, T., 1039
- Heitner-Wirguin, C.: *see* Bauminger, E. R., 1829
- Henderson, Clayton P. and Williams, Michael C.: Asymmetric composition profiles in block copolymer interphases: 1. Experimental evidence, 2021
- Henderson, Clayton P. and Williams, Michael C.: Asymmetric composition profiles in block copolymer interphases: 2. Thermodynamic model predictions and implications, 2026
- Hendra, P. J., Taylor, M. A. and Willis, H. A.: Plastic deformation in linear polyethylene, 1501
- Hendra, P. J.: *see* Akhavan, J., 865
- Hemsley, D. A.: *see* Yeh, Po-Len, 1155
- Henne, A.: *see* Sumiyoshi, T., 141
- Himuro, S.: *see* Arichi, S., 1175
- Higashimura, Toshinobu; *see* Masuda, Toshio, 793
- Higgins, Julia S.: *see* Gabrys, Barbara, 355
- Higgins, J. S.: *see* Tomlins, P. E., 1554
- Higgins, J. S.: *see* Hill, R. G., 1708
- Higuchi, A. and Iijima, T.: D.s.c. investigation of the states of water in poly(vinyl alcohol) membranes, 1207
- Higuchi, Akon and Iijima, Toshiro; D.s.c. investigation of the states of water in poly(vinyl alcohol-co-itaconic acid) membranes, 1833
- Hill, R. G., Tomlins, P. E. and Higgins, J. S.: A preliminary study of the dynamics of phase separation in oligomeric polystyrene-polybutadiene blends, 1708
- Hodge, Philip; *see* Al-Kadhum, Ahmed A. H., 1695
- Hodge, P., Hunt, B. J. and Shakhshier, I. H.: Preparation of crosslinked polymers using acenaphthylene and the chemical modification of these polymers, 1701
- Hoffman, J. D.: The kinetic substrate length in nucleation-controlled crystallization in polyethylene fractions, 803
- Hoffman, J. D.: Theory of the substrate length in polymer crystallization: Surface roughening as an inhibitor for substrate completion, 1763
- Hopweed, A. I. and Coles, H. J.: Liquid crystalline polymers as additives to enhance the device properties of low molecular mass liquid crystals, 1312
- Horley, C. C.: *see* Mallik, R. R., 551
- Hout, R. v. d.: *see* Northolt, M. G., 310
- Howell, Barbara F., McCrackin, Frank L. and Wang, Francis W.: Fluorescence measurements of the diffusion coefficient for butylated hydroxyanisole in low density polyethylene, 433
- Howard, P. and Malook, S. U.: Kinetics of acid catalysed degradation of cellulose triacetate in chloroalkane solvents: 1. Dichloromethane, 297
- Hsu, T. J.: *see* Huang, Y.-J., 1247
- Huang, Xiuyun; *see* Jiang, Ming, 1689
- Huang, Y.-J., Hsu, T. J. and Lee, L. J.: Effect of compound composition on fast reactions of polyurethane and unsaturated polyester in the bulk state, 1247
- Hudec, P.: *see* Kucera, M., 1733
- Huglin, Malcolm B.: *see* Al-Issa, Mahmoud A., 1869
- Huhn, K.: *see* Wu, W., 655
- Hunt, B. J.: *see* Hodge, P., 1701
- Hwang, K. K. S.: *see* Speckhard, T. A., 70
- Iesako, Hiroshi; *see* Ochi, Mitsukazu, 457
- Iijima, T.: *see* Higuchi, A., 1207
- Iijima, Toshiro; *see* Higuchi, Akon, 1833
- Ilavsky, Michal, Hrouz, Jaroslav and Havlicek, Ivan; Phase transition in swollen gels: 7. Effect of charge concentration on temperature collapse of poly(*N,N*-diethylacrylamide) networks in water, 1514
- Imai, Kiyokazu; *see* Shiomi, Tomoo, 429
- Imanishi, Yukio; *see* Mori, Akihisa, 774
- Imanari, Mamoru; *see* Ando, Isao, 1864
- Ito, K.: Radical polymerization initiated by primary radicals with similar structure to the end radical on the polymer, 1253
-
- Jager, H.: *see* Vorenkamp, E. J., 1725
- Jagur-Grodzinski, Joseph; *see* Yie-Shun, Chiu, 786
- Janik, H.: *see* Bartczak, Z., 1843
- Jansson, J.-F.: *see* Gedde, U. W., 1469
- Janout, V. and Cefelin, P.: Debromination of di- and tetrabrominated compounds by crosslinked poly(1-[*p*-(mercapto-methyl)phenyl]ethylene), 781
- Janovic, Zvonimir; *see* Vogl, Otto, 1288
- Jasse, B.: *see* Faivre, J. P., 879
- Jenkins, D. K.: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 1., 147
- Jenkins, D. K.: Butadiene polymerization with a rare earth compound using a magnesium alkyl cocatalyst: 2., 152
- Jiang, C.-Y.: *see* Mark, J. E., 2069
- Jiang, Ming, Huang, Xiuyan and Yu, Tongyin; Phase separation in polymer blends comprising copolymers: 4. Polycarbonate/polystyrene ABCP system, 1689
- Jin, Jung-II.; *see* Park, Ho-Jin, 1301
- Johncock, P.: *see* Barrie, J. A., 1167
- Jones, D. P., Leach, D. C. and Moore, D. R.: Mechanical properties of poly(ether-ether-ketone) for engineering applications, 1385
- Joseph, Eugene; Wilkes, Garth L. and Baird, D. G.: Effect of thermal history on the morphology of thermotropic liquid crystalline copolymers based on PET and PHB, 689
- Jones, M.: *see* Baker, F. S., 1227
- Joseph, K. Thomas; *see* George, Anne, 2064
- Jullien, Henri and Valot, Henri; Polyurethane curing by a pulsed microwave field, 506
- Jurkiewicz, A., Tritt-Goc, J., Pislewski, N. and Kunert, K. A.: N.m.r. study of molecular dynamics in chemically cross-linked polyethylene, 557
-
- Kajiyama, T.: *see* Takahara, A., 978
- Kajiyama, T.: *see* Takahara, A., 987
- Kampouris, E. M. and Papaspyrides, C. D.: Solid-state polyamidation of nylon salts: possible mechanism for the transition solid-melt, 413
- Kanda, A., Duval, M., Sarazin, D. and Francois, J.: Theta point of polyacrylamide in aqueous solution and temperature dependence of the molecular dimensions, 406
- Kant, J.: *see* Wijmans, J. G., 1539
- Kararyan, L. G.: *see* Babchinitser, T. M., 1527
- Karasz, F. E.: *see* Schroeder, J. A., 1795
- Kasakawa, Mitsugu; Tusjita, Yoshiharu and Takizawa, Akira; Optical rotatory dispersion and circular dichroism studies of copolyspartates with long alkyl side chain, 848
- Kassir, Fathi; Boivin, Sylviane; Boileau, Sylvie; Cheradame, Herve; Wooden, Gary
- P. and Olofson, R. A.: Poly(vinyl chloroformate) and its derivatives: 5. New poly(vinyl carbamates) and poly(vinyl thiocarbonates), 443
- Katovic, Z.: *see* Topic, M., 1141
- Kawaguchi, H., Loefller, P. and Vogl, O.: Head-to-head polymers: 33. Bromination of *cis*-1,4-polybutadiene to head-to-head poly(vinyl bromide), 1257
- Keller, A.: *see* Norton, D. R., 704
- Keller, A.: *see* Vaughan, A. S., 726
- Keller, A.: *see* Odell, J. A., 1219
- Klemish, D. J. and Hay, J. N.: The effect of physical ageing on the properties of amorphous PEEK, 905
- Kenig, S.: *see* Siegmann, A., 1325
- Kennedy, J. P.: *see* Speckhard, T. A., 55
- Kennedy, J. P.: *see* Speckhard, T. A., 70
- Kern, R.: *see* Giorgio, S., 837
- King, T. A.: *see* Nash, P. J., 1003
- Kirschbaum, Rob; *see* Lemstra, Piet J., 1372
- Knight, J. B., Calvert, P. D. and Billingham, N. C.: Localization of oxidation in polypropylene, 1713
- Koberstein, Jeffrey T., Picot, Claude and Benoit, H.: Light and neutron scattering studies of excess low-angle scattering in moderately concentrated polystyrene solutions, 673
- Koenig, J. L.: *see* Gillette, P. C., 235
- Kojima, M. and Magill, J. H.: Spherulitic crystallization in poly(bis(trifluoro-ethoxy phosphazene), PBFP, 1971
- Kolarz, B. N.: *see* Sanetra, R., 1181
- Komoto, Tadashi; *see* Ando, Isao, 1864
- Konaka, T.: *see* Nakagawa, K., 84
- Konaka, T., Nakagawa, K. and Yamakawa, S.: Mechanical and physical properties of ultra-oriented polyoxymethylene produced by microwave heating drawing, 462
- Korshak, V. V.: *see* Babchinitser, T. M., 1527
- Krasicky, P. D.: *see* Cooper, W. J., 1069
- Kratz, E.: *see* Schriever, R., 1423
- Kryszewski, M.: *see* Trznadel, M., 1019
- Kucera, M., Salajka, Z. and Majerova, K.: Reactions of macroions leading to graft copolymers: crosslinking and grafting of PVC by carbanions, 1575
- Kucera, M., Salajka, Z., Hudec, P.: Reactions of macroions leading to block and/or graft copolymers: Macroion transformation: anion → cation and cation → anion, 1733
- Kunert, K. A.: *see* Jurkiewicz, A., 557
-
- Lacabanne, Colette; *see* Boiteux-Steffan, Gisele, 1448
- Lacey, D.: *see* Gemmell, P. A., 615
- Laivins, Gunar V. and Gray, Derek G.: Optical properties of (acetoxypropyl) cellulose mesophases: factors influencing the cholesteric pitch, 1435
- Lambert, F. and Rinaudo, M.: On the thermal stability of xanthan gum, 1549
- Lando, J. B.: *see* Gillette, P. C., 235
- Laupretre, F.: *see* Tekely, P., 1081
- Lawton, J. B.: *see* Sardharwalla, I., 751
- Lazare, Sylvain; *see* Srinivasan, R., 1297
- Leach, D. C.: *see* Jones, D. P., 1385
- Lechtken, P.: *see* Sumiyoshi, T., 141
- Ledwith, A.: *see* Gemmell, P. A., 615
- Lee, L. J.: *see* Huang, Y.-J., 1247
- Lefebvre, J. M., Escraig, B., Coulon, G. and Picot, C.: Molecular scale deformation in the yielding behaviour of glassy polymers, 1807
- Legrand, J. F., Schuele, P. J., Schmidt, V. H. and Minier, M.: N.m.r. study of the ferro-

- electric phase transition in a 70/30 mole% copolymer of vinylidene fluoride (VF_2) and trifluoroethylene (TrFE), 1683
 Legras, R.: *see Devaux, J.*, 1994
 Lemstra, Piet J. and Kirschbaum, Rob.: Speciality products based on commodity polymers, 1372
 Lenz, Robert W.: *see Park, Ho-Jin*, 1301
 Lenz, Robert, W.: *see Chen, Guoquan*, 1307
 Leonard, C., Halary, J. L. and Monnerie, L.: Hydrogen bonding in PMMA-fluorinated polymer blends: FTIR investigations using ester model molecules, 1507
 Letoffe, Jean-Marie: *see Boiteux-Steffan, Gisele*, 1443
 Leung, W. P.: *see Choy, C. L.*, 884
 Leva, M.: *see Pedemonte, E.*, 1202
 Levita, G., Marchetti, A. and Butta, E.: Influence of the temperature of cure on the mechanical properties of ATBN/epoxy blends, 1110
 Lewis, J. W.: *see Harburn, G.*, 469
 Lewis, T. J.: *see Ash, C.*, 643
 Liebich, H.: *see Aldissi, M.*, 1096
 Lin, K. C.: *see Salamone, J. C.*, 1234
 Liu, S.: *see Sun, S. F.*, 1172
 Lo, Kwong-Wing: *see Fawcett, Allan H.*, 1369
 Loeffler, P.: *see Kawaguchi, H.*, 1257
 Lord, M. G.: *see Garcia-Rubio, L. H.*, 2001
 Loufakis, Kyriakos and Wunderlich, Bernhard: Heat capacities of polyethylene and linear fluoropolymers, 1875
 Lovering, Andrew J., Davis, D. D. and Padden, Jr., F. J.: Kinetic analysis of the crystallization of poly(*p*-phenylene sulphide), 1595
 Lowry, R. E.: *see Wang, F. W.*, 1046
 Lowry, R. E.: *see Wang, Francis W.*, 1654
 Lowry, R. E.: *see Wang, F. W.*, 1657
 Lundberg, R. D.: *see Peiffer, D. G.*, 1058
 Luxton, A. R.: *see Milner, R.*, 1265
-
- MacCrackin, Franck L.: *see Howell, Barbara F.*, 433
 MacGregor, J. F.: *see Garcia-Rubio, L. H.*, 2001
 MacKnight, W. J.: *see Fu, B.*, 889
 MacKnight, W. J.: *see Bengtson, B.*, 895
 MacKnight, W. J.: *see Takahara, A.*, 978
 MacKnight, W. J.: *see Takahara, A.*, 987
 MacKnight, W. J.: *see Schroeder, J. A.*, 1795
 Macosko, C. W.: *see Camargo, R. E.*, 1145
 Maeda, Y. and Paul, D. R.: Selective gas transport in miscible PPO-PS blends, 2055
 Magill, J. H.: *see Kojima, M.*, 1971
 Maiti, Mrinal M.: *see Biswas, Mukul*, 625
 Majerova, K.: *see Kucera, M.*, 1575
 Mall, S.: *see Gandhi, K. S.*, 595
 Mallik, R. R., Pritchard, P. G., Horley, C. C. and Comyn, J.: An inelastic electron tunnelling spectroscopy (IETS) study of poly(vinylacetate), poly(methyl methacrylate) and poly(vinylalcohol) absorbed on aluminium oxide, 551
 Malook, S. U.: *see Howard, P.*, 297
 Manaresi, P.: *see Pilati, F.*, 1745
 Marchetti, A.: *see Levita, G.*, 1110
 Marchisio, Mario Antonietta: *see Ferruti, Paolo*, 1336
 Mark, J. E., Ning, Y.-P., Jiang, C.-Y., Tang, M.-Y. and Roth, W. C.: Electron microscopy of elastomers containing *in-situ* precipitated silica, 2069
 Marom, G.: *see Shiedlin, A.*, 447
 Martin, P. G.: *see Stupp, S. I.*, 682
 Martuscelli, Ezio; Avella, Mauzio; Segre, Anna Laura; Rossi, Enrico; Drusco, Giovanni Di, Galli, Paolo, Simonazzi, Tonino: Stereochemical composition-properties relationships in isotactic polypropylenes obtained with different catalyst systems, 259
 Martuscelli, E., Riva, F., Sellitti, C. and Silvestre, C.: Crystallization, morphology, structure and thermal behaviour of nylon-6/rubber blends, 270
 Martuscelli, E.: *see Ramana Rao, G.*, 811
 Martuscelli, E.: *see Bartczak, Z.*, 1843
 Mason, M. G.: *see Gerenser, L. J.*, 1162
 Masuda, Toshio; Okano, Yoshimichi; Tamura, Kazutaka and Higashimura: Polymerization of 1-butyne and isopropylacetylene by transition metal catalysts and geometric structure of polymers, 793
 Matheson, Robert R. and Smith, Paul: A simple thermodynamic analysis of solid-solution formation in binary systems of homologous extended-chain alkanes, 288
 Mazur, J.: *see Reneker, D. H.*, 821
 McConnell, James: Theory of nuclear magnetic relaxation, 193
 McCrackin, F.: *see Fanconi, B.*, 219
 McEvoy, H., Ross-Murphy, S. B. and Clark, A. H.: Large deformation and ultimate properties of biopolymer gels: 1. Single biopolymer component systems, 1483
 McEvoy, H., Ross-Murphy, S. B. and Clark, A. H.: Large deformation and ultimate properties of biopolymer gels: 2. Mixed gel systems, 1493
 McEwen, I. J.: *see Cowie, J. M. G.*, 1662
 McKenna, Gregory B. and Zapas, Louis J.: The time dependent strain potential function for a polymeric glass, 543
 McKenna, G. B., Ngai, K. L. and Plazek, D. J.: Differences in the molecular weight and the temperature dependences of self-diffusion and zero shear viscosity in linear polyethylene and hydrogenated polybutadiene, 1651
 Meic, Z.: *see Andreis, M.*, 1099
 Meijer, J. G.: *see Vorenkamp, E. J.*, 1725
 Meissner, M.: *see Engeln, I.*, 364
 Mercier, J. P.: *see Devaux, J.*, 1994
 Merino, J. C., Pastor, J. M. and De Saja, J. A.: Variable temperature and stretching cell for Raman spectroscopy studies of polymers, 383
 Metcalfe, K.: *see Cubdy, M. E. A.*, 169
 Meyerhoff, G.: *see Deb, P. C.*, 629
 Michael, D. J.: *see Bamford, C. H.*, 945
 Miki, M.: *see Arichi, S.*, 1175
 Miles, M. J.: *see Odell, J. A.*, 1219
 Miller, John A., Pruckmayr, Gerfried, Epperson, Ernest and Cooper, Stuart L.: The thermal response of the polyether soft segment chain conformation in a polyurethane block copolymer measured by small-angle neutron scattering, 1915
 Mills, P. J. and Hay, J. N.: Post-yield behaviour of low density polyethylenes: 2. Plastic fracture, 901
 Milner, R., Young, R. N. and Luxton, A. R.: Anionic telomerization of butadiene with toluene and diphenylmethane: microstructure and molecular weight, 1265
 Minier, M.: *see Legrand, J. F.*, 1683
 Mitchell, G. R., Brown, D. J. and Windle, A. H.: The interpretation of orientation-strain relationships in rubbers and thermoplastics, 1755
 Miyaji, H.: *see Miyashita, S.*, 1791
 Miyashita, S., Asahi, T., Miyaji, H. and Asai, K.: A single crystal of polyethylene crystallized under high pressure, 1791
 Mizuno, T., Nakamura, K., Murayama, N. and Okuda, K.: Doubly oriented β -form films of poly(vinylidene fluoride), 853
 Mohsin, M. A., Berry, J. P. and Treloar, L. R. G.: Dynamic-mechanical properties of polybutadiene rubbers, 1463
 Monnerie, L.: *see Faivre, J. P.*, 879
 Monnerie, L.: *see Tekely, P.*, 1081
 Monnerie, L.: *see Leonard, C.*, 1507
 Moore, D. R.: *see Jones, D. P.*, 1385
 Morel, E., Bellenger, V. and Verdu, J.: Structure-water absorption relationships for amine-cured epoxy resins, 1719
 Morgan, R. J.: *see Happe, J. A.*, 827
 Mori, Akihisa and Imanishi, Yukio: Selective permeation across a blend film of cellulose acetate and polymers or copolymers of c-(N^{ϵ} -AcrLys-Sar), 774
 Moskala, E. J., Varnell, D. F. and Coleman, M. M.: Concerning the miscibility of poly(vinyl phenol) blends — FTIR study, 228
 Msrin, J.: *see Olcak, D.*, 1455
 Mulder, M. H. V.: *see Wijmans, J. G.*, 1539
 Mulemwa, J. N.: *see Wah Chau, C.*, 1268
 Muller, F.: *see Bootsma, J. P. C.*, 951
 Muller, R. and Froelich, D.: New extensional rheometer for elongational viscosity and flow birefringence measurements: some results on polystyrene melts, 1477
 Mumby, S. J. and Beevers, M. S.: Dielectric and ^{13}C n.m.r. studies of various stereo-structural forms of poly(*N*-vinyl carbazole), 2014
 Munari, A.: *see Pilati, F.*, 1745
 Murakami, Kenkichi: *see Suzuki, Akihiro*, 97
 Murakami, Kenkichi: *see Suzuki, Akihiro*, 247
 Murayama, N.: *see Mizuno, T.*, 853
 Mutschler, H., Schroder, U., Fahner, E., Ebert, K. H. and Hamielec, A. E.: Free radical polymerization of *p*-methyl styrene, 935
-
- Nakagawa, K., Konaka, T. and Yamakawa, S.: Production of ultrahigh modulus polyoxymethylene by drawing under dielectric heating, 84
 Nakagawa, K.: *see Konaka, T.*, 462
 Nakamura, K.: *see Mizuno, T.*, 853
 Nakagawa, K.: *see Takeuchi, Y.*, 1929
 Napolitano, Roberto: *see De Rosa, Claudio*, 2039
 Narkis, M., Sibony-Chaouat, S., Siegmann, A., Shkolnik, S. and Bell, J. P.: Irradiation effects on polycaprolactone, 50
 Narkis, M., Talmon, Y. and Silverstein, M.: Properties and structure of elastomeric two-stage emulsion interpenetrating networks, 1359
 Nash, P. J. and King, T. A.: Evaluation of internal dynamics in linear macromolecules, 1003
 Ngai, K. L.: *see McKenna, G. B.*, 1651
 Nield, E.: *see Devaux, J.*, 1994
 Ning, Y.-P.: *see Mark, J. E.*, 2069
 Nishioka, Shinya: *see Shiomi, Tomoo*, 429
 Nishizima, Ryoji, Tsujita, Yoshiharu and Takizawa, Akira: Helix sense of copoly(ethyl-L-aspartate-benzyl-L-aspartate), 379
 Nocentini, M.: *see Barbucci, R.*, 1353
 Noether, Herman: *see Adar, Fran*, 1935
 Northolt, M. G. and Hout, R. v.d.: Elastic extension of an oriented crystalline fibre, 310
 Norton, D. R. and Keller, A.: The spherulitic and lamellar morphology of melt-crystallized isotactic polypropylene, 704

Author Index

- Novakov, P.: *see Pavlova, M.*, 1901
 Nowik, I.: *see Bauminger, E. R.*, 1829
-
- Ochi, Mitsuakazu; Lesako, Hiroshi and Shimbo, Masaki.: Mechanical relaxation mechanism of epoxide resins cured with diamines, 457
 Odell, J. A., Keller, A. and Miles, M. J.: Assessment of molecular connectedness in semi-dilute polymer solutions by elongational flow, 1219
 Ofer, S.: *see Bauminger, E. R.*, 1829
 Okawa, Hidetoshi; *see Suzuki, Akihiro*, 97
 Oikawa, Hidetoshi; *see Suzuki, Akihiro*, 247
 Okano, Yoshimichi; *see Masuda, Toshio*, 793
 Okuda, K.: *see Mizuno, T.*, 853
 Olcak, D., Msrin, J., Uhrin, J., Rakos, M. and Schenk, W.: N.m.r. studies of molecular motion in modified polypropylene, 1455
 Olfson, R. A.: *see Kassir, Fathi*, 443
 Ong, E. L.: *see Choy, C. L.*, 884
 Oprea, Cleopatra Vasiliu and Popa, Marcel.: Polymerization of methyl methacrylate with mechanochemically synthesized macroinitiators, 452
 Ottino, J. M.: *see Sax, J. E.*, 1073
 Ottino, J. M.: *see Shah, N.*, 1239
 Owen, A. J. and Bonart, R.: Cooperative relaxation processes in polymers, 1034
-
- Paci, M.: *see Delfini, M.*, 1459
 Paci, Maurizio and Campana, Francesco.: Unsaturated polyester-styrene resins: Effect of the catalyst concentration on the kinetic rate and activation energy of the radical crosslinking reactions, 1885
 Packer, K. J.: *see Cudby, M. E. A.*, 169
 Padden, Jr, F. J.: *see Lovinger, Andrew J.*, 1595
 Padmanaban, M.: *see Bajaj, P.*, 391
 Pakula, T. and Trznadel, M.: Thermally stimulated shrinkage forces in oriented polymers: 1. Temperature dependence, 1011
 Pakula, T.: *see Trznadel, M.*, 1019
 Papaspyrides, C. D.: *see Kampouris, E. M.*, 413
 Pape, H. E.: *see Engeln, I.*, 364
 Park, Ho-Jin; Lenz, Robert W. and Jin, Jung-II.: Liquid crystal polymers: 19. Cholesteric main chain polyesters with triad aromatic ester mesogenic units and chiral polyakylene spacers, 1301
 Partridge, Ivana K.: *see Bucknall, 109*
 Pastor, J. M.: *see Merino, J. C.*, 383
 Paul, D. R.: *see Woo, E. M.*, 763
 Paul, D. R.: *see Maeda, Y.*, 2055
 Pavlova, M., Dragonova, M. and Novakov, P.: Hydrolytic stability and protective properties of polyurethane oligomers based on polyester/ether/polyols, 1901
 Pedemonte, E., Leva, M., Gattiglia, E. and Turturro, A.: Melting and crystallization behaviour of elastoplastic semicrystalline copolymers: poly(ether ester), 1202
 Peemoeller, H. and Sharp, A. R.: N.m.r. study of cellulose-water systems: Water proton spin-lattice relaxation in the rotating reference frame, 859
 Peiffer, D. G. and Lundberg, R. D.: Synthesis and viscometric properties of low charge density ampholytic ionomers, 1058
 Pennings, A. J.: *see Gogolewski, S.*, 1394
 Peppas, Nikolaos A.: *see Smith, Michelle, J.*, 569
 Pethrick, R. A.: *see Baker, F. S.*, 1227
- Phillips, P. J. and Tseng, H. T.: The setting angle of extended chain linear polyethylene, 650
 Picot, C.: *see Koberstein, Jeffrey T.*, 673
 Picot, C.: *see Lefebvre, J. M.*, 1807
 Pilati, F., Munari, A., Manaresi, P. and Bonora, V.: Models for the formation of poly(butylene terephthalate): effect of water on the kinetics of the titanium tetrabutylate-catalysed reactions, 3., 1745
 Pirozzi, Beniamino; *see De Rosa, Claudio*, 2039
 Pislewski, N.: *see Jurkiewicz, A.*, 557
 Pivcova, H. and Saudek, V.: ^{13}C n.m.r. relaxation study of poly(aspartic acid), 667
 Plazek, D. J.: *see McKenna, G. B.*, 1651
 Pochan, J. M.: *see Gerensner, L. J.*, 1162
 Popa, Marcel; *see Oprea, Cleopatra Vasiliu*, 452
 Porter, Roger S.: *see Wade Adams, W.*, 17
 Porzio, William; *see Bolognesi, Alberto*, 1628
 Prabhakar, K. and Donovan, J. A.: Tearing instability in polypropylene, 1963
 Pritchard, P. G.: *see Mallik, R. R.*, 551
 Privett, G.: *see Baker, F. S.*, 1227
 Pruckmayr, Gerfried; *see Miller, John A.*, 1915
 Pyszora, H.: *see Fawcett, Allan H.*, 1369
-
- Qian, Renyuan; *see Ying, Qicong*, 1401
 Quach, L.: *see Salamone, J. C.*, 1234
 Quivoron, C.: *see Capillon, J.*, 575
-
- Radhakrishnan, Ganga; *see George, Anne*, 1064
 Rakos, M.: *see Olcak, D.*, 1455
 Ramana Rao, G., Castiglion, C., Gussoni, M., Zerbi, G. and Martuscelli, E.: Probing the structure of polymer blends by vibrational spectroscopy: the case of poly(ethylene oxide) and poly(methyl methacrylate) blends, 811
 Ranucci, E.: *see Aglietto, M.*, 1191
 Reghunadhan Nair, C. P.: *see Devadoss, E.*, 1895
 Remillard, B. and Brisse, F.: Poly(1,4-trans-cyclohexanediyldimethylene adipate): Polymorphism and the structure of form I, using X-ray diffraction, 1029
 Reneker, D. H. and Mazur, J.: Modelling of chain twist boundaries in poly(vinylidene fluoride) as a mechanism for ferroelectric polarization, 821
 Ribas, S. Montserrat; *see Vilanova, P.* Colomer, 423
 Ribes-Greus, Amparo; Gomez-Ribelles, Jose L. and Diaz-Calleja, Dielectric and mechanical-dynamical studies on poly(cyclohexylmethacrylate), 1849
 Ricco, T. and Smith, Thor L.: Rejuvenation and physical ageing of a polycarbonate film subjected to finite tensile strains, 1979
 Richards, R. W.: *see Davidson, N. S.*, 1643
 Rinaudo, M.: *see Lambert, F.*, 1549
 Riva, F.: *see Martuscelli, E.*, 270
 Roby, C.: *see Cohen-Addad, J. P.*, 1231
 Rodriguez, E. L.: *see Salamone, J. C.*, 1234
 Rodriguez, F.: *see Cooper, W. J.*, 1069
 Roerdink, E. and Warner, J. M.: Preparation and properties of high molar mass nylon-4,6: a new development in nylon polymers, 1582
 Rogovina, L. Z.: *see Vasiliev, V. C.*, 1667
 Roovers, J.: *see Hadjichristidis, N.*, 1087
 Roovers, J.: Properties of the plateau zone of star-branched polybutadienes and polystyrenes, 1091
- Rossi, Enrico.: Stereochemical composition-properties relationships in isotactic polypropylenes obtained with different catalyst systems, 259
 Rossler, E., Sillescu, H. and Spiess, H. W.: Deuteron n.m.r. in relation to the glass transition in polymers, 203
 Ross-Murphy, S. B.: *see McEvoy, H.*, 1483
 Ross-Murphy, S. B.: *see McEvoy, H.*, 1493
 Rostami, S.: *see Walsh, D. J.*, 418
 Roth, W. C.: *see Mark, J. E.*, 2069
 Ruggeri, G.: *see Aglietto, M.*, 1191
 Ruggeri, G.: *see Delfini, M.*, 1459
 Russel, William B.: *see Durning, Christopher J.*, 119
 Russel, William B.: *see Durning, Christopher J.*, 131
 Rynden, R.: *see Carlfors, J.*, 940
-
- Sage, Daniel; *see Boiteux-Steffan, Gisele*, 1443
 Sagoo, P. S.: *see Barrie, J. A.*, 1167
 Sakamoto, N.: *see Arichi, S.*, 1175
 Salajka, Z.: *see Kucera, M.*, 1575
 Salajka, Z.: *see Kucera, M.*, 1733
 Salamone, J. C., Rodriguez, E. L., Lin, K. C., Quach, L., Watterson, A. C. and Ahmed, I.: Aqueous salt absorption by amphotolytic polysaccharides, 1234
 Samulski, Edward T.: Investigations of polymer chains in oriented fluid phases with deuterium nuclear magnetic resonance, 177
 Sanetra, R., Kolarz, B. N. and Wlochowicz, A.: Determination of the glass transition temperature of poly(styrene-co-divinylbenzene) by inverse gas chromatography, 1181
 Sarazin, D.: *see Fanconi, B.*, 219
 Sarazin, D.: *see Duval, Michel*, 397
 Sarazin, D.: *see Kanda, A.*, 406
 Sardharwalla, I. and Lawton, J. B.: Calorimetric determination of the enthalpy change for the binding of methyl orange to poly(vinylpyrrolidone) in aqueous solution, 751
 Sasuga, Tsuneo and Hagiwara, Miyuki.: Molecular motions of non-crystalline poly(aryl ether-ether-ketone) PEEK and influence of electron beam irradiation, 501
 Sasuga, T., Hayakawa, N., Yoshida, K. and Hagiwara, M.: Degradation in tensile properties of aromatic polymers by electron beam irradiation, 1039
 Sato, Hisaya: *see Ando, Isao*, 1864
 Sauberlich, Ralph; *see Hauptmann, Peter*, 1741
 Saunder, V.: *see Pivcova, H.*, 667
 Sauer, J. A.: *see Chen, C. C.*, 89
 Sauer, J. A.: *see Shen, J.*, 511
 Sauviat, M.: *see Cohen-Addad, J. P.*, 1231
 Sax, J. E. and Ottino, J. M.: Influence of morphology on the transport properties of polystyrene/polybutadiene blends. 1. Experimental studies, 1073
 Sax, J. E.: *see Shah, N.*, 1239
 Scandola, M. and Ceccorulli, G.: Viscoelastic properties of cellulose derivatives: 1. Cellulose acetate, 1953
 Scandola, M. and Ceccorulli, G.: Viscoelastic properties of cellulose derivatives: 2. Effect of diethylphthalate on the dynamic mechanical relaxation of cellulose acetate, 1958
 Schenk, W.: *see Olcak, D.*, 1455
 Schmidt, V. H.: *see Legrand, J. F.*, 1683
 Schnabel, W.: *see Sumiyoshi, T.*, 141
 Schneider, B., Doskocilova, D. and Dybal, J.: Motional restrictions and chain conformation in various swollen

- crosslinked polystyrene gels from ^1H n.m.r. line-shape analysis, 253
 Schneider, N. S.: *see* Bengtson, B., 895
 Schneider, N. S.: *see* Fu, B., 889
 Schofield, E.: *see* Bamford, C. H., 945
 Schriever, R., Franke, H., Festl, H. G. and Kratzig, E.: Optical waveguiding in doped poly(methyl methacrylate), 1423
 Schroder, U.: *see* Mutschler, H., 935
 Schroeder, J. A., Karasz, F. E. and MacKnight, W. J.: Stereoregular poly(alkyl methacrylates): polymer-polymer and copolymer-polymer blends, 1795
 Schue, F.: *see* Aldissi, M., 1096
 Schuele, P. J.: *see* Legrand, J. F., 1683
 Schwartz, A.: *see* Turner, D. T., 757
 Schwier, C. E., Argon, A. S. and Cohen, R. E.: Crazing in polystyrene-polybutadiene diblock copolymers containing cylindrical polybutadiene domains, 1985
 Sefcik, Michael D., Yuen, Henry K. and Chan, David D.: Isosteric Heat of sorption of CO_2 in poly(ethylene terephthalate), 2043
 Sefton, M. S. and Coles, H. J.: A study of the static and dynamic properties of side-chain liquid crystalline polymers in low molar mass mesogens, 1319
 Segre, Anna Laura.: *see* Martuscelli, Ezio, 259
 Sellitti, C.: *see* Martuscelli, E., 270
 Semlyen, J. A.: *see* Granick, S., 925
 Semlyen, J. A.: *see* Clarson, S. J., 930
 Seytre, Gerard.: *see* Boiteux-Steffan, Gisele, 1448
 Shah, N., Sax, J. E. and Ottino, J. M.: Influence of morphology on the transport properties of polystyrene/polybutadiene blends: 2. Modelling results, 1239
 Shakhshier, I. H.: *see* Hodge, P., 1701
 Sharma, Shiromani.: *see* Varma, Indra K., 1561
 Sharp, A. R.: *see* Peemoeller, H., 859
 Shen, J.: *see* Chen, C. C., 89
 Shen, J., Chen, C. C. and Sauer, J. A.: Effects of sorbed water on properties of low and high molecular weight PMMA: 1. Deformation and fracture behaviour, 511
 Sherman, Edward S.: *see* Wade Adams, W., 17
 Shiedlin, A., Marom, G. and Zikha, A.: Catalytic initiation of polyacrylonitrile stabilization, 447
 Shimbo, Masaki.: *see* Ochi, Mitsukazu, 457
 Shiomoto, Tomoo; Nishioka, Shinya; Tezuka, Yasuyuki and Imai, Kiyokazu.: Surface free energy of poly(vinyl alcohol) modified with alkyl groups, 429
 Shiono, Takeshi.: *see* Soga, Kazuo, 1888
 Shiono, Takeshi.: *see* Soga, Kazuo, 1891
 Shkolnik, S.: *see* Narkis, M., 50
 Sibony-Chaouat, S.: *see* Narkis, M., 50
 Siegmann, A.: *see* Narkis, M., 50
 Siegmann, A., Dagan, A. and Kenig, S.: Polyblends containing a liquid crystalline polymer, 1325
 Sillescu, H.: *see* Rossler, E., 203
 Silverstein, M.: *see* Narkis, M., 1359
 Silvestre, C.: *see* Martuscelli, E., 270
 Simon, R.: *see* Coles, H. J., 1801
 Simonazzi, Tonino.: *see* Martuscelli, Ezio, 259
 Sinha, H. C.: *see* Talwar, I. M., 1025
 Slonimsky, G. L.: *see* Vasiliev, V. C., 1667
 Smid, J.: *see* Altena, F. W., 1531
 Smith, Michelle J. and Peppas, Nikolaos A.: Effect of the degree of crosslinking on penetrant transport in polystyrene, 569
 Smith, Paul.: *see* Matheson, Robert R., 288
 Smith, P.: *see* English, A. D., 1523
 Smith, P. W. R.: *see* Cudby, M. E. A., 169
 Smith, Thor L.: *see* Ricco, T., 1979
 Smolders, C. A.: *see* Altena, F. W., 1531
 Smolders, C. A.: *see* Wijmans, J. G., 1539
 Smolders, Cees A.: *see* Geffen, Bert, 1737
 Soga, Kazuo; Chen, Sian-Ing; Shiono, Takeshi; Doi, Yoshiharu.: Homo- and copolymerization of ethylene and propylene with a soluble chromium catalyst, 1888
 Soga, Kazuo; Chen, Sian-Ing; Shiono, Takeshi and Doi, Yoshiharu.: Preparation of highly active Cr-catalysts for ethylene polymerization, 1891
 Sorita, Tetsushi.: *see* Ando, Isao, 1864
 Soulie, Jean-Pierre.: *see* Boiteux-Steffan, Gisele, 1443
 Speckhard, T. A., Gibson, P. E., Cooper, S. L., Chang, V. S. C. and Kennedy, J. P.: Properties of polyisobutylene polyurethane block copolymers: 2. Macro-glycols produced by the 'inifer' technique, 55
 Speckhard, T. A., Hwang, K. K. S., Cooper, S. L., Chang, V. S. C. and Kennedy, J. P.: Properties of polyisobutylene polyurethane block copolymers: 3. Hard segments based on 4,4'dicyclohexylmethane diisocyanate (H_{12}MDI) and butane diol, 70
 Spells, Stephen J.: Polyethylene mixed crystal infra-red spectroscopy: The influence of matrix isotopic species on guest conformation, 1921
 Spiess, H. W.: *see* Rossler, E., 203
 Srinivasan, R. and Lazare, Sylvain.: Modification of polymer surfaces by far-ultra-violet radiation of low and high (laser) intensities, 1297
 Srivastava, A. P.: *see* Talwar, I. M., 1025
 Staikos, George and Dondos, Anastasios.: Study on polymer solutions in solvent mixtures in the vicinity of the critical point of the solvents: 4. Saturation phenomena, 293
 Straube, E.: The θ -behaviour of heterogeneous macromolecules, 105
 Straube, E.: *see* Fleischer, G., 241
 Straube, E.: *see* Berger, H.-R., 1212
 Strazielle, C.: *see* Devaux, J., 1994
 Stupp, S. I. and Martin, P. G.: Crystallization in electric fields of a semiflexible copolymer: *p*-hydroxybenzoate/ethylene terephthalate, 682
 Sturm, J.: *see* Dayantis, J., 1631
 Sumiyoshi, T., Schnable, W., Henne, A. and Lechtkien, P.: On the photolysis of acylphosphine oxides: 1. Laser flash Photolysis studies with 2,3,6-trimethylbenzoylidiphenylphosphine oxide, 141
 Sun, D. K.: *see* Sun, S. F., 1172
 Sun, S. F., Sun, D. K. and Liu, S.: Unperturbed dimensions and the g factor of a star-shaped polystyrene, 1172
 Suzuki, Akihiro, Oikawa, Hidetoshi and Murakami, Kenkichi.: Temperature dependence of birefringence for stained natural rubber vulcanizates, 97
 Suzuki, Akihiro; Oikawa, Hidetoshi; Murakami, Kenkichi.: Temperature dependence of birefringence for strained natural rubber vulcanizates at strained state, 247
 Suzuki, Hidematsu.: *see* Grebowicz, Janusz, 561
 Swanson, S. E.: *see* Gevert, T. U., 307
 Takahara, A., Tashita, J., Kajiyama, T., Takayanagi, M. and MacKnight, W. J.: Microphase separated structure and blood compatibility of segmented poly(urethaneureas) with different diamines in the hard segment, 978
 Takahara, A., Tashita, J., Kajiyama, T., Takayanagi, M. and MacKnight, W. J.: Microphase separated structure, surface composition and blood-compatibility of segmented poly(urethaneureas) with various soft segment components, 987
 Takayanagi, M.: *see* Takahara, A., 978
 Takayanagi, M.: *see* Takahara, A., 987
 Takeuchi, Y., Nakagawa, K. and Yamamoto, F.: Morphological changes of wide polyoxymethylene rod during a micro-wave heating drawing process, 1929
 Takizawa, Akira.: *see* Nishizima, Ryoji, 379
 Takizawa, Akira.: *see* Kusakawa, Mitsugu, 848
 Talmon, Y.: *see* Narkis, M., 1359
 Talwar, I. M., Srivastava, A. P. and Sinha, H. C.: Photo-electret studies of pure and doped polystyrene films, 1025
 Tamura, Kazutaka.: *see* Masuda, Toshio, 793
 Tan, Choo Eng.: *see* Wah Chau, C., 1268
 Tang, M.-Y.: *see* Mark, J. E., 2069
 Tan, Y. Y.: *see* Alberda van Ekenstein, G. O. R., 283
 Tartakovskaya, L. M.: *see* Babchinits, T. M., 1527
 Tashita, J.: *see* Takahara, A., 978
 Tashita, J.: *see* Takahara, A., 987
 Taylor, M. A.: *see* Hendra, P. J., 1501
 Tekely, P., Laupretre, F., Monnerie, L.: Local composition heterogeneities occurring during crystallization in PVF₂/PMMA blends as studied by high-resolution solid state ¹³C n.m.r., 1081
 Tempesti, F.: *see* Barbucci, R., 1349
 ten Brinke, G.: *see* Vorenkamp, E. J., 1725
 Tezuka, Yasuyuki.: *see* Shiomoto, Tomoo, 429
 Thomas, E. L.: *see* Briber, R. M., 8
 Thomas, Edwin L.: *see* Wade Adams, W., 17
 Thomas, E. L.: *see* Grimm, H. J., 27
 Thomas, E. L.: *see* Grimm, H. J., 38
 Thorpe, F. Gordon.: *see* Al-Kadhum, Ahmed A. H., 1695
 Tirrell, M.: *see* Camargo, R. E., 1145
 Tomlins, P. E. and Higgins, J. S.: Molecular conformation and interactions in oligomeric mixtures of polystyrene with polybutadiene: a small-angle neutron scattering study, 1554
 Tomlins, P. E.: *see* Hill, R. G., 1708
 Tonelli, A. E.: *see* Bowmer, T. N., 1195
 Topic, M. and Katovic, Z.: Depolarization current in phenol-formaldehyde resin below the glass transition, 1141
 Townend, D. J. and Warren, R. C.: Relaxations in double base propellants, 79
 Treloar, L. R. G.: *see* Mohsin, M. A., 1463
 Tritt-Goc, J.: *see* Jurkiewicz, A., 557
 Trzebicka, B. and Turska, E.: Study of the molecular mobility in swollen poly(epichlorohydrin): 1. Nonpolar swelling agent, 387
 Trznadel, M.: *see* Pakula, T., 1011
 Trznadel, M., Pakula, T. and Kryszewski, M.: Thermally stimulated shrinkage forces in oriented polymers: 2. Time dependence, 1019
 Tseng, H. T.: *see* Phillips, P. J., 650
 Tsitsilianis, Constantinos and Dondos, Anastasios.: Transition phenomena of polymers in mixed solvents in the vicinity of theta conditions: Effect of preferential adsorption, 1838
 Tsujita, Yoshiharu.: *see* Nishizima, Ryoji, 379

Author Index

- Tsujita, Yoshiharu; *see* Kusakawa, Mitsugu, 848
Turner, D. T. and Schwartz, A.: The glass transition temperature of poly(*N*-vinyl pyrrolidone) by differential scanning calorimetry, 757
Turska, E.; *see* Trzebicka, B., 387
Turturro, A.; *see* Pedemonte, E., 1202
-
- Uhrin, J.; *see* Olcak, D., 1455
Ungar, G.; *see* Vaughan, A. S., 726
Unwin, A. P., Bower, D. I. and Ward, I. M.: The determination of molecular orientation in oriented polypropylene by wide-angle X-ray diffraction, polarized fluorescence and refractive index measurements, 1605
-
- Valot, Henri; *see* Jullien, Henri, 506
Vallet, Georges; *see* Boiteux-Steffan, Gisele, 1448
van den Berg, Hans W. A.; *see* Gebben, Bert, 1737
Van den Berg, J. W. A.; *see* Altena, F. W., 1531
Varma, Indra K. and Sharma, Shiromani; Curing of bismaleimides. 3. Effect of structure on thermal behaviour of bis(amide-maleimide), 561
Varnell, D. F.; *see* Moskala, E. J., 228
Vasilenko, N. G.; *see* Babchinits, T. M., 1527
Vasiliev, V. C., Rogovina, L. Z. and Slonimsky, G. L.: Dependence of properties of swollen and dry polymer networks on the conditions of their formation in solution, 1667
Vaughan, A. S.; *see* Bassett, D. C., 717
Vaughan, A. S., Bassett, D. C., Ungar, G. and Keller, A.: On hexagonal phases of paraffins and polyethylenes, 726
Veksli, Z.; *see* Andreis, M., 1099
Venkatesh, G. M., Gilbert, R. D. and Forneris, R. E.: Fourier transform infra-red spectroscopy of nylon-6 blends: binary blends with poly(methyl methacrylate) and ethylene vinyl ester/alcohol copolymer, 45
Verdu, J.; *see* Morel, E., 1719
Vilanova, P., Colomer, Ribas, S., Montserrat and Guzman, G. Martin; Isothermal crystallization of poly(ethylene terephthalate) of low molecular weight by differential scanning calorimetry: 1. Crystallization kinetics, 423
Viney, C., Donald, A. M. and Windle, A. H.: Molecular correlations in sheared thermotropic copolymers showing banded textures, 870
Visser, A. J. W. G.; *see* Bootsma, J. P. C., 951
Vofsi, David; *see* Yie-Shun, Chiu, 786
Vogl, O.; *see* Kawaguchi, H., 1257
Vogl, O.; Albertsson, Ann Christine and Janovic, Zvonimir; New developments in speciality polymers: polymeric stabilizers, 1288
Vorenkamp, E. J., ten Brinke, G., Meijer, J. G., Jager, H. and Challa, G.: Influence of the tacticity of poly(methyl methacrylate) on the miscibility with poly(vinyl chloride), 1725
-
- Wade Adams, W., Briber, Robert M., Sherman, Edward S., Porter, Roger S. and Thomas, Edwin L.: Microstructure of high modulus solid state extruded polyethylene: 2. X-ray scattering studies of 12, 24 and 36 extrusion draw ratio, 17
Wadi, N. M. A.; *see* Cowie, J. M. G., 1566
Wadi, N. M. A.; *see* Cowie, J. M. G., 1571
Wah Chau, C., Fawcett, A. H., Mulenga, J. N. and Tan Choo Eng; Copolymers of acrylonitrile with some furans and their Diels-Alder adducts, 1268
Walkup, C. M.; *see* Happe, J. A., 827
Walsh, D. J. and Rostami, S.: Binodal and spinodal curves: a simulation for various high polymer mixtures, 418
Wang, F. W.; *see* Howell, Barbara F., 433
Wang, F. W. and Lowry, R. E.: Excimer fluorescence technique for study of polymer segment mobility: applications to pyrene labelled poly(methyl methacrylate) and poly(methyl acrylate) in solution, 1046
Wang, F. W., Lowry, Robert E. and Wu, En-Shinn; Self-diffusion in concentrated polystyrene solutions measured by fluorescence recovery after photobleaching, 1654
Wang, F. W., Lowry, R. E. and Cavanagh, R. R.: Picosecond excimer fluorescence spectroscopy: applications to local motions of polymers and polymerization monitoring, 1657
Ward, I. M.; *see* Clements, J., 208
Ward, I. M.; *see* Unwin, A. P., 1605
Ward, I. M.; *see* Yazdianian, M., 1779
Warnier, J. M. M.; *see* Roerdink, E., 1582
Warren, R. C.; *see* Townend, D. J., 79
Warwicker, J. O.; *see* Harburn, G., 469
Washer, Michel; Effect of physical ageing on enthalpy relaxation and isothermal contraction in bisphenol A polycarbonate, 1546
Watterson, A. C.; *see* Salamone, J. C., 1234
Weisskopf, K.: Determination of molecular weight averages and molecular weight distribution by g.p.c. and *N*-trifluoroacetylated polyamides, 1187
Wellinghoff, S. T.; *see* Camargo, R. E., 1145
Wendorff, Joachim H.; *see* Hahn, Bernd R., 1611
Wendorff, Joachim H.; *see* Hahn, Bernd R., 1619
Wignall, G. D.; *see* Wu, W., 661
Wijmans, J. G.; *see* Altena, F. W., 1531
Wijmans, J. G., Kant, J., Mulder, M. H. V. and Smolders, C. A.: Phase separation phenomena in solutions of polysulphone in mixtures of a solvent and a non-solvent: relationship with membrane formation, 1539
Wilkes, Garth L.; *see* Joseph, Eugene, 689
Williams, Michael C.; *see* Henderson, Clayton P., 2021
Williams, Michael C.; *see* Henderson, Clayton P., 2026
Williams, Roberto J. J.; *see* Fraga, Alicia N., 113
Willis, H. A.; *see* Akhavan, J., 865
Willis, H. A.; *see* Hendra, P. J., 1501
Windle, A. H.; *see* Viney, C., 870
Windle, A. H.; *see* Mitchell, G. R., 1755
Wineman, A.; *see* Zapas, L. J., 1105
Wiswe, D.; *see* Wu, W., 655
Wlochowicz, A.; *see* Senetra, R., 1181
Woo, E. M., Barlow, J. W. and Paul, D. R.: Thermodynamics of the phase behaviour of poly(vinyl chloride)/aliphatic polyester blends, 763
Wooden, Gary P.; *see* Kassir, Fathi, 443
Wright, J.; *see* Cunliffe, A. V., 301
Wu, Chi; *see* Chi, Benjamin, 1408
Wu, En-Shinn; *see* Wang, Francis W., 1654
Wu, Souheng; Phase structure and adhesion in polymer blends: A criterion for rubber toughening, 1855
Wu, W., Wiswe, D., Zachmann, H. G. and Huhn, K.: Small-angle neutron scattering of partially segregated amorphous poly(ethylene terephthalate), 655
Wu, W. and Wignall, G. D.: Small-angle neutron scattering of partially segregated blends of polyethylene and deuteropolyethylene, 661
Wunderlich, Bernhard; *see* Grebowicz, Janusz, 561
Wunderlich, Bernhard; *see* Loufakis, Kyriakos, 1875
-
- Xu, Choachou; *see* Ying, Qicong, 1401
-
- Yamakawa, S.; *see* Nakagawa, K., 84
Yamakawa, S.; *see* Konaka, T., 462
Yamamoto, F.; *see* Takeuchi, Y., 1929
Yamanobe, Takeshi; *see* Ando, Isao, 1864
Yarusso, D. J. and Cooper, S. L.: Analysis of SAXS data from ionomer systems, 371
Yazanian, M., Ward, I. M. and Brody, H.: An infra-red study of the structure of oriented poly(ethylene terephthalate) fibres, 1779
Yeh, Po-Len, Birley, A. W. and Hemsley, D. A.: The structure of propylene-ethylene sequential copolymers, 1155
Yie-Shun, Chiu; Jagur-Grodzinski, Joseph and Vofsi, David; Heterogeneous fluorination of chlorine containing polymers with 18-crown-6 as phase transfer agent, 786
Ying, Qicong; Chu, Benjamin; Qian, Renyuan; Bao, Jingsheng; Zhang, Jiyu and Xu, Choachou; Characterization of poly(1,4-phenyleneterephthalamide) in concentrated sulphuric acid: 1. Static and dynamic properties, 1401
Ying, Qicong; *see* Chu, Benjamin, 1408
Yip, Daniel C. F.; *see* Al-Issa, Mahmoud A., 1869
Yoshida, K.; *see* Sasuga, T., 1039
Yoshida, M.; *see* Arichi, S., 1175
Young, David A.: Rotation of methyl groups in molecular solids and polymers at low temperatures: recent developments, 355
Young, R. N.; *see* Milner, R., 1265
Yu, Tongyin; *see* Jiang, Ming, 1689
Yuen, Henry K.; *see* Sefcik, Michael D., 2043
-
- Zachmann, H. G.; *see* Wu, W., 655
Zapas, Louis J.; *see* McKenna, Gregory, B., 543
Zapas, L. J. and Wineman, A.: Superposition of small deformations on large uniaxial extensions for viscoelastic materials, 1105
Zerbi, G.; *see* Ramana Rao, G., 811
Zhang, Jiyu; *see* Ying, Qicong, 1401
Zhdanov, A. A.; *see* Babchinits, T. M., 1527
Zikha, A.; *see* Shiedlin, A., 447