

Author index

- Yamanaka, H. 2006–2014
Yamanaka, J. 2338–2345
Yamaoka, T. 1553–1558
Yamazaki, M. 469–472
Yan, D. 1950–1954
Yan, F. 736–742
Yang, M. 1425–1428
Yasuda, Y. 1553–1558
Yee, A. F. 2267–2277
Yeung, A. S. 1092–1099, 2089–2100, 2101–2111
Yin, J. 663–667
- Yohannan, R. M. 1130–1136
Yoshida, H. 693–698
Yoshida, M. 371–378, 2006–2014
Young, R. J. 231–236
Yuasa, H. 2006–2014
- Zachmann, H. G. 638–645
Zagorska, M. 1379–1383
Zaitsev, M. G. 1750–1756
Zakaria, S. 440–447
- Zerbi, G. 658–662, 1899–1903
Zetsche, A. 1883–1887
Zhang, A. 1763–1767
Zhao, Y. 1425–1428
Zhou, Q. 1894–1898
Zhu, S. 154–159, 1726–1737
Zhulina, E. B. 1312–1320, 2185–2196, 2197–2200
Zietz, R. 638–645
Zimmermann, H. 543–546
Zou, D. 1888–1893
Zulfikar, M. 909–916

Subject Index

- Absorption**
Fluorescence
Poly(ethylene terephthalate), 2023–2026
- Acoustic measurements**
Dynamic properties
Shear, 877–881
- Acrylamide**
Copolymerization
Maleic anhydride, 958–960
Graft copolymers
Initiation, 1739–1744
Polymerization
Small-angle X-ray scattering, 1978–1985
- Acrylic polymer**
Epoxy resins
Stress, 2066–2070
- Acrylonitrile**
Copolymerization
Reactivity ratios, 736–742
Styrene
Toughness, 869–876
- Additive**
Cellulose
Fibre, 400–405
- Adhesion**
Copolymers
Miscible blends, 2311–2319
- Adsorption**
Poly(dimethylsiloxane)
Crystallization, 743–748
Chelation
Separation, 102–105
- Ageing**
Annealing
Dynamic mechanical properties, 861–868
Epoxy network
Stress, 423–430
Gels
Raman spectroscopy, 857–860
Polycarbonate
Annealing, 646–650
Drawing, 1678–1684
- Amorphous polymers**
Copolymer
Caprolactone, 2006–2014
- Anisotropy**
Fibre
Stress, 1467–1472
Thermotropic polyesters
Viscometry, 651–657
- Annealing**
Ageing
- Dynamic mechanical properties, 861–868
- Copolyesters**
Crystal morphology, 1763–1767
- Drawing**
Poly(ethylene terephthalate), 431–434
- Polycarbonate**
Ageing, 646–650
Temperature dependence, 248–252
- Aromatic polymer**
Characterization
Synthesis, 2411–2419
Nematic structure
X-ray diffraction, 1991–1998
Solution properties
Light scattering, 684–692
- Atomistic calculations**
Polyethylene
Conformational analysis, 631–637
- Beta process**
Molecular dynamics
Bisphenol-A polymer, 1782–1786
- Binary mixtures**
Light scattering
Viscometry, 1871–1876
- Binding**
Complexes
Poly(vinyl alcohol), 758–764
Hydration
Solution, 501–505
Kinetics
Decomposition, 1968–1970
- Biomaterials**
Copolymer
Degradation, 2201–2206
- Biopolarons**
Polyacetylene
Interchain coupling, 621–622
- Birefringence**
Poly(styrene sulphonate)
Solution, 1823–1830
Optical waveguiding
Poly(p-phenylene vinylene), 627–630
- Bismaleimide**
Kinetics
Crosslinking, 1955–1959
Polyimide
Network, 78–83
- Bisphenol-A polymer**
Molecular dynamics
Beta process, 1782–1786
- Relaxation**
Polysulphone 1032–1037
- Blends**
Compatibility
Charge-transfer complex, 829–833
Copolymer, 663–667
Dielectric properties, 1883–1887
Complexes
Infra-red spectroscopy, 1269–1276
Copolymer
Poly(vinyl chloride), 1473–1480
Crystallization
Miscibility, 899–904, 1051–1057, 1283–1287
Small-angle scattering, 2027–2038
Diffusion
Bonding, 1663–1668
Reptation, 2320–2328
Emulsion polymerization
N.m.r. spectroscopy, 2397–2401
Infra-red spectroscopy
Morphology, 1899–1903
Liquid crystals
Molecular structure, 979–995
Miscibility
Critical temperatures, 1065–1069
Polyamides, 1058–1064
Solubility, 1187–1203
Molecular interaction
Glass transition temperature, 2294–2298
Neutron scattering
Interfaces, 2146–2151
Nuclear magnetic resonance
Domain, 329–335
Nylon
Miscibility, 1419–1424
Percolation
Brittle-tough transition, 971, 972–974
Phase behaviour
Equation of state, 315–322
Thermal properties, 2299–2306
Phase separation
Kinetics, 699–706
Reaction injection moulding, 707–712
Poly(vinyl chloride)
Copolymer, 115–120
Thermodynamics
Equation of state, 448–452
Miscibility, 1277–1282
Toughness
Craze, 1232–1238
- Block copolymers**
Cationic polymerization

- Free-radical polymerization, 1803–1806
 - Grafting
 - Polydispersity, 2185–2196
 - Micelle
 - Concentration dependence, 2089–2100
 - Fluorescence, 2101–2111
 - Polyether
 - Nylon, 524–529
 - Scaling
 - Solvent system, 1312–1320, 2197–2200
 - Sedimentation behaviour
 - Light scattering, 2118–2124
 - Small-angle X-ray scattering
 - Drawing, 638–645
 - Viscosity, 2112–2117
 - Solution
 - Structure, 2368–2376
 - Synthesis
 - Carbon black, 106–109
 - Characterization, 180–190, 358–361
 - Phosphorylation, 362–365
 - Branches**
 - Ethylene copolymers
 - Degradation, 1999–2005
 - Branching**
 - Rubber
 - Polydispersity, 609–615
 - Bromination**
 - Characterization
 - Poly(hydroxystyrene), 2420–2424
-
- Calorimetry**
 - Conformation
 - Thermodynamics, 834–839
 - Poly(acrylic acid)
 - Enthalpy, 1946–1949
- Caprolactone**
 - Copolymer
 - Amorphous polymers, 2006–2014
- Carbon black**
 - Block copolymers
 - Synthesis, 106–109
- Carboxymethylcellulose**
 - Polyelectrolytes
 - Solution properties, 348–352
- Catalysis**
 - Complexes
 - Flavin, 1559–1563
 - Polymerization
 - Complexes, 1368–1373
 - Imidazoles, 2171–2177
 - Kinetics, 1361–1367
- Catalyst**
 - Conductivity
 - Polymerization, 1568–1576
 - Propylene oxide
 - Polymerization, 1142–1148
- Cationic polymerization**
 - Block copolymers
 - Free-radical polymerization, 1803–1806
- Cellulose**
 - Additive
 - Fibre, 400–405
 - Hydrogel
 - Interpenetrating networks, 1526–1537
 - Swelling behaviour
 - Elasticity, 1854–1858
- Chain conformation**
 - Light scattering
 - Model, 1811–1815
 - Vibrational spectroscopy
 - Polyoxymethylene diacetate, 1406–1410
- Chain diffusion**
 - Chain structure
 - Nucleation, 458–468
- Chain dynamics**
 - Monte-Carlo simulation
 - Gel permeation chromatography
 - 1321–1327
- Chain flexibility**
 - Solution properties
 - Synthesis, 924–927
- Chain folding**
 - Neutron scattering
 - Polystyrene, 195–201
 - Polyethylene
 - Single crystals, 1222–1227
- Chain structure**
 - Chain diffusion
 - Nucleation, 458–468
 - Elastomer
 - Dynamic mechanical properties,
 - 818–823
 - Monte-Carlo simulation
 - Theta temperature, 506–512
 - Polypropylene
 - X-ray diffraction, 2253–2259
- Characterization**
 - Aromatic polymer
 - Synthesis, 2411–2419
 - Block copolymers
 - Synthesis, 180–190, 358–361
 - Intrinsic viscosity, 379–382
 - Bromination
 - Poly(hydroxystyrene), 2420–2424
 - Inverse gas chromatography
 - Poly(ethyl methacrylate), 1170–1176
 - Ionomers
 - Synthesis, 1374–1378
 - Light scattering
 - Methyl methacrylate, 1816–1822
 - Morphology
 - Microsphere, 547–555
 - N.m.r. spectroscopy
 - Resin, 1707–1710
 - Nuclear magnetic resonance
 - Epoxy resins, 2425–2430
 - Synthesis
 - Diffusion, 2402–2410
 - Networks, 556–563
 - Polymer-supported reactions,
 - 1164–1169
 - Stereoregularity, 1379–1383
- Charge transfer complex**
 - Blends
 - Compatibility, 829–833
 - Electron spin resonance
 - Spectroscopy, 1404–1405
 - Structure
 - Complexes, 202–207
- Chelation**
 - Adsorption
 - Separation, 102–105
- Chemical modification**
 - Degradation
 - Copolymer, 1797–1802
- Chlorination**
 - Phase-transfer catalysis
 - Kinetics, 1519–1525
- Colloid titration**
 - Complexation
 - Enzyme activity, 1177–1182
- Colloidal dispersion**
 - Encapsulation
 - Emulsion polymerization, 175–179
- Compatibility**
 - Blends
 - Charge-transfer complex, 829–833
 - Dielectric properties, 1883–1887
 - Copolymer
 - Blends, 663–667
 - Solubility
 - Thermodynamics, 1745–1749
- Complexation**
 - Colloid titration
 - Enzyme activity, 1177–1182
- Complexes**
 - Binding
 - Poly(vinyl alcohol), 758–764
 - Blends
- Infra-red spectroscopy, 1269–1276
- Catalysis
 - Flavin, 1559–1563
- Charge transfer complex
 - Structure, 202–207
- Crystal structure
 - X-ray diffraction, 2238–2244
- Polymerization
 - Catalysis, 1368–1373
- Composites**
 - Conducting polymers
 - Film, 20–23
- Composition**
 - Miscibility
 - Copolymer, 486–489
- Concentration dependence**
 - Block copolymers
 - Micelle, 2089–2100
 - Viscosity
 - Free volume theory, 1486–1490
- Conducting polymers**
 - Film
 - Composites, 20–23
 - Polypyrrole
 - Colloidal dispersions, 569–574
- Conductivity**
 - Catalyst
 - Polymerization, 1568–1576
 - Equation of state
 - Temperature dependence, 1919–1924
 - Film
 - Optical properties, 1137–1141
- Configuration**
 - Poly(acrylonitrile)
 - Conformation, 1159–1163
- Conformation**
 - Calorimetry
 - Thermodynamics, 834–839
 - Excimer formation
 - Dynamics, 453–457
 - Infra-red spectroscopy
 - X-ray diffraction, 344–347
 - Liquid crystalline polymer
 - Random coil conformation, 1658–1662
 - Monte-Carlo calculation
 - Semicrystalline polymer, 1750–1756
 - Piezoelectricity
 - Copolymer, 850–856
 - Poly(acrylonitrile)
 - Configuration, 1159–1163
 - Rigid rod polymer
 - Stiff chain polymer, 1637–1648
- Conformational analysis**
 - Copolymer
 - Nuclear magnetic resonance, 1594–1596
 - Polyethylene
 - Atomistic calculations, 631–637
 - Ziegler–Natta catalyst
 - Polymerization, 530–537
- Conjugation**
 - Monte-Carlo simulation
 - Polybutadiene, 939–943
- Copolyesters**
 - Annealing
 - Crystal morphology, 1763–1767
 - Deformation
 - Transition temperatures, 1228–1231
 - Glass transition temperature
 - Melt viscosity, 1589–1593
 - Mechanical behaviour
 - Liquid crystals, 579–585
 - Morphology
 - Liquid crystals, 616–620
 - Polycondensation
 - Hardness, 1464–1466
- Copolymer**
 - Adhesion
 - Miscible blends, 2311–2319
 - Biomaterials
 - Degradation, 2201–2206

Subject index

- Blends
Poly(vinyl chloride), 1473–1480
- Caprolactone
Amorphous polymers, 2006–2014
- Compatibility
Blends, 663–667
- Conformation,
Piezoelectricity, 850–856
- Conformational analysis
Nuclear magnetic resonance, 1594–1596
- Degradation
Chemical modification, 1797–1802
- Dielectric relaxation
Transition phenomena, 1888–1893
- Excimer formation
Fluorescence spectroscopy, 1611–1614
- Frictional coefficient
Microstructure, 1028–1031
- Ionomers
Dipole moment, 1328–1332
- Mechanical properties
Morphology, 2384–2392
- Miscibility
Composition, 486–489
Interaction parameter, 905–908
- Morphology
Electron microscopy, 2047–2052
- N.m.r. spectroscopy
Functional group, 728–735
Sulphonation, 126–129
- Nuclear magnetic resonance
FT infra-red spectroscopy, 1703–1706
- Optical activity
Initiation, 212–219
- Poly(vinyl chloride)
Blends, 115–120
- Redox system
Infra-red spectroscopy, 1577–1580
- Stereoregularity
N.m.r. spectroscopy, 1216–1221
- Surface studies
Molecular mobility, 1149–1153
- Synthesis
Thermodynamics, 2214–2219
- Copolymer blends**
Electron microscopy
Phase separation, 2135–2140
- Foam
Phase behaviour, 2162–2170
- Copolymerization**
Acrylamide
Maleic anhydride, 958–960
- Acrylonitrile
Reactivity ratios, 736–742
- Electroinitiation
Cyclic voltammetry, 1343–1346
- Free-radical polymerization
Radical, 154–159
- Gelation
Crosslinking, 2141–2145
- Glass transition
Thermal behaviour, 961–966
- Glycidyl methacrylate
Styrene, 366–370
- Kinetic model
Ziegler–Natta catalyst, 1294–1311
- Methyl methacrylate
End groups, 145–149
- Termination
Radical, 1726–1737
- Correlation function**
Phase transition
Smectic polymers, 1793–1796
- Crack propagation**
Fatigue
Creep, 435–439
- Crazing**
Blends
Toughness, 1232–1238
- Polyimide
Fracture toughness, 75–77
- Creep**
Fatigue
Crack propagation, 435–439
- Physical ageing
Semicrystalline polymer, 1204–1215
- Polyethylene
Stress, 64–69
- Polypropylene
Stress, 2260–2266
- Critical temperatures**
Blends
Miscibility, 1065–1069
- Crosslink density**
Epoxy network
Glass transition temperature, 1787–1792
- Hydrogel
Young's modulus, 513–519
- Rubber
Swelling, 1937–1945
- Crosslinking**
Gelation
Copolymerization, 2141–2145
- Gels
Degradation, 2393–2396
- Kinetics
Bismaleimide, 1955–1959
Polyacrylamide, 1546–1552
- Light scattering
Radiation effects, 1500–1506
- Network swelling
Dimethylacrylates, 135–139
- Networks
Glass transition, 95–101
- Poly(ethylene oxide)
Networks, 1154–1158
- Poly(methacrylic acid)
Irradiation, 538–542
- Poly(methyl methacrylate)
Solvent effects, 679–683
- Polycondensation
Sulphonation, 353–357
- Resists
Graft polymer, 1553–1558
- Crystal growth**
Nylon
Crystal structure, 1025–1027
- Poly(ethylene oxide)
Kinetics, 1018–1024
- Spherulite
Poly(ethylene oxide), 845–849
- Crystal morphology**
Copolyesters
Annealing, 1763–1767
- Crystal structure**
Complexes
Hydrogen bonding, 208–211
- Nylon
Crystal growth, 1025–1027
- Oligomer
X-ray diffraction, 1603–1610
- Poly(tetrafluoroethylene)
High pressure, 2227–2237
- Rigid rod polymer
Polyphenyls, 1623–1631
- X-ray diffraction
Complexes, 2238–2244
- Crystallinity**
Membrane
Permeability, 265–269
- X-ray diffraction
Poly(vinyl chloride), 1615–1622
Semicrystalline polymers, 996–1002
- Crystallization**
Blends
Miscibility, 899–904, 1051–1057,
1283–1287
- Kinetics
Modelling, 586–592
Polyethylene, 890–898
- Mechanical properties
Film, 1456–1463
- Molecular weight
Polyethylene, 1685–1693
- Nucleating agent
Ternary system, 469–472
- Poly(dimethylsiloxane)
Absorption, 743–748
- Poly(ethylene terephthalate)
Thermal diffusivity, 1925–1931
- Polyethylene
Spherulite, 1971–1977
- Rheology
Polypropylene, 476–480
- Small-angle scattering
Blends, 2027–2038
- Thermodynamics
Polyethylene, 1859–1865
- Curing**
Stress
Epoxy resins, 1932–1936
- Cyclic voltammetry**
Electroinitiation
Activation energy, 1564–1567
Copolymerization, 1343–1346
- Spectroscopy
Film, 1632–1636
-
- D.s.c.**
Liquid crystalline polymer
Nematic structure, 2019–2022
- Phase transition
Water, 693–698
- Decomposition**
Binding
Kinetics, 1968–1970
- Deformation**
Copolyesters
Transition temperatures, 1228–1231
- Polycarbonate
Necking, 2071–2076
- Degradation**
Copolymer
Biomaterials, 2201–2206
Chemical modification, 1797–1802
- Crosslinking
Gels, 2393–2396
- Ethylene copolymers
Branches, 1999–2005
- Density distribution**
Polystyrene
Glass transition temperature, 935–938
- Dichroism**
Polyenes
Poly(vinyl alcohol) 2053–2056
- Dielectric properties**
Blends
Compatibility, 1883–1887
- Polyimide
Doping, 623–626
- Polyurethane
Polymer networks, 339–343
- Dielectric relaxation**
Copolymers
Transition phenomena, 1888–1893
- Liquid crystalline polymer
Gel, 928–934
- Diffusion**
Blends
Bonding, 1663–1668
Reptation, 2320–2328
- Doping
Kinetics, 1108–1115
- Dynamic light scattering,
Aggregation, 253–257
- Gels
Temperature dependence, 2333–2337
- Intrinsic viscosity
Molecular weight, 1481–1485

- Microscopy
 Polypropylene, 258–264
 Permeation
 Sorption, 2346–2352
 Polymer networks
 Solubility, 1288–1293
 Polystyrene
 Dynamic light scattering, 778–780
 Solution properties, 1491–1499
 Sorption
 Elastomer, 1757–1762
 Permeability, 673–678
 Synthesis
 Characterization, 2402–2410
- Dilatometry**
 Styrene
 Kinetics, 150–153
- Dimethyl terephthalate**
 Oligomer
 Ethylene glycol, 1352–1360
- Dipole moment**
 Ionomers
 Copolymer, 1328–1332
 Radiation effects
 Intrinsic viscosity, 1715–1717
- Domain**
 Blends
 Nuclear magnetic resonance, 329–335
- Doping**
 Kinetics
 Diffusion, 1108–1115
 Polyimide
 Dielectric properties, 623–626
- Drawing**
 Ageing
 Polycarbonate, 1678–1684
 Annealing
 Poly(ethylene terephthalate), 431–434
 Fibril
 Polyethylene, 51–57
 Neutron scattering
 Fibre, 36–42, 43–45, 46–50
 Poly(vinyl alcohol)
 Molecular weight, 2039–2046
 Small-angle X-ray scattering
 Block copolymers, 638–645
- D.s.c.**
 Gelation
 Polycondensation, 1514–1518
- Dyes**
 Polyester
 Film, 336–338
- Dynamic light scattering**
 Polyelectrolytes
 Small-angle neutron scattering, 781–792
 Polystyrene
 Diffusion, 778–780
- Dynamic mechanical analysis**
 Mechanical relaxation
 Glass transition, 1441–1448
- Dynamic mechanical properties**
 Ageing
 Annealing, 861–868
 Elastomer
 Chain structure, 818–823
- Dynamic properties**
 Polyacrylamide
 Gels, 1960–1967
 Shear
 Acoustic measurements, 877–881
- Dynamics**
 Excimer formation
 Conformation, 453–457
 Gels
 Solution, 1038–1044
 Heat capacity
 Temperature dependence, 1254–1259
 Hydrostatic pressure effects
 Polyisoprene, 1045–1050
 Molecular structure
- Morphology, 1538–1545
 Poly(methyl methacrylate)
 Poly(vinyl acetate), 2329–2332
-
- Elastic modulus**
 Polyoxymethylene
 Temperature dependence, 1909–1918
- Elasticity**
 Modelling
 Polyurethane networks, 406–413
 414–422
 Swelling behaviour
 Cellulose, 1854–1858
- Elastomer**
 Dynamic mechanical properties
 Chain structure, 818–823
 Sorption
 Diffusion, 1757–1762
 X-ray diffraction
 Electron diffraction, 1003–1008
- Electrical conduction**
 Polypyrrole
 Synthesis, 395–399
- Electroinitiation**
 Cyclic voltammetry
 Activation energy, 1564–1567
 Copolymerization, 1343–1346
- Electron beam irradiation**
 Electron microscopy
 Thermal stability, 15–19
- Electron diffraction**
 Elastomer
 X-ray diffraction, 1003–1008
- Electron microscopy**
 Copolymer blends
 Phase separation, 2135–2140
 Liquid crystalline polymer
 Random copolymer, 1395–1400
 Morphology
 Copolymer, 2047–2052
- Electron spin resonance**
 Charge-transfer complex
 Spectroscopy, 1404–1405
 Phase separation
 Polyurethanes, 308–314
- Emulsion polymerization**
 Blends
 N.m.r. spectroscopy, 2397–2401
 Encapsulation
 Colloidal dispersion, 175–179
- Encapsulation**
 Emulsion polymerization
 Colloidal dispersion, 175–179
- End groups**
 Methyl methacrylate
 Copolymerization, 145–149
 Polycarbonate
 SSIMS, 1009–1017
- Energy transfer**
 Phase transition
 Fluorescence, 2125–2134
- Entanglements**
 Memory
 Polyethylene, 1435–1440
 Rubber elasticity
 Modelling, 70–74
- Enthalpy**
 Calorimetry
 Poly(acrylic acid), 1946–1949
 Entropy
 Polystyrene, 473–475
- Entropy**
 Enthalpy
 Polystyrene, 473–475
- Enzyme activity**
 Complexation
 Colloid titration, 1177–1182
- Epoxy network**
 Ageing
 Stress, 423–430
 Crosslink density
 Glass transition temperature, 1787–1792
 Wide-angle X-ray scattering
 Structure, 593–601
- Epoxy resins**
 Characterization
 Nuclear magnetic resonance, 2425–2430
 Fracture
 Crack propagation, 1669–1677
 Stress
 Acrylic polymer, 2066–2070
 Curing, 1932–1936
- Equation of state**
 Phase behaviour
 Blends, 315–322
 Temperature dependence
 Conductivity, 1919–1924
 Self-diffusion, 2338–2345
 Thermodynamics
 Blends, 448–452
- Ethylene copolymers**
 Degradation
 Branches, 1999–2005
 Fibre
 Mechanical properties, 1449–1455
- Excimer fluorescence**
 Polyphosphazene
 Solution, 1092–1099
- Excimer formation**
 Conformation
 Dynamics, 453–457
 Copolymers
 Fluorescence spectroscopy, 1611–1614
 Polyesters
 Fluorescence, 1877–1882
-
- FT infra-red spectroscopy**
 Copolymer
 Nuclear magnetic resonance, 1703–1706
- Fatigue**
 Creep
 Crack propagation, 435–439
- Fibre**
 Anisotropy
 Stress, 1467–1472
 Cellulose
 Additive, 400–405
 Ethylene copolymers
 Mechanical properties, 1449–1455
 Neutron scattering
 Drawing, 36–42, 43–45, 46–50
 Thermotropic polyesters
 Liquid crystals, 8–14
- Film**
 Conducting polymers
 Composites, 20–23
 Mechanical properties
 Crystallization, 1456–1463
 Optical properties
 Conductivity, 1137–1141
 Phase structure
 N.m.r. spectroscopy, 323–328
 Photopolymerization
 Fluorescence, 1130–1136
 Polyester
 Dyes, 336–338
 Polythiophene
 Temperature effects, 220–222
 Spectroscopy
 Cyclic voltammetry, 1632–1636
- Flavin**
 Complexes
 Catalysis, 1559–1563
- Flexibility**
 Light scattering
 Modelling, 24–32

Subject index

Fluorescence

- Absorption
 - Poly(ethylene terephthalate), 2023–2026
- Block copolymers
 - Micelle, 2101–2111
- Excimer formation
 - Polyesters, 1877–1882
- Gelation
 - Polyacrylamide, 1768–1771
- Mobility probe
 - Free volume theory, 110–114
- Phase transition
 - Energy transfer, 2125–2134
- Photopolymerization
 - Film, 1130–1136
- Polyimide
 - Laser etching, 840–844

Fluorescence spectroscopy

- Excimer formation
 - Copolymers, 1611–1614
- Free volume theory
 - Poly(vinyl acetate), 243–247

Foam

- Copolymer blends
 - Phase behaviour, 2162–2170

Fracture

- Epoxy resins
 - Crack propagation, 1669–1677

Fracture toughness

- Polyimide
 - Crazing, 75–77

Free volume theory

- Fluorescence
 - Mobility probe, 110–114
- Fluorescence spectroscopy
 - Poly(vinyl acetate), 243–247
- Viscosity
 - Concentration dependence, 1486–1490

Free-radical polymerization

- Block copolymers
 - Cationic polymerization, 1803–1806
- Copolymerization
 - Radical, 154–159
- Kinetics
 - Termination, 1720–1725
- Synthesis
 - Phenacetin, 160–164

Frictional coefficient

- Copolymer
 - Microstructure, 1028–1031

Functional group

- Copolymer
 - N.m.r. spectroscopy, 728–735
- Synthesis
 - Polymerization, 371–378

Gas transport

- Crosslinking
 - Permeation, 276–280

Gel permeation chromatography

- Monte-Carlo simulation
 - Chain dynamics, 1321–1327

Gelation

- Copolymerization
 - Crosslinking, 2141–2145
- Fluorescence
 - Polyacrylamide, 1768–1771
- Hysteresis
 - Supercooling, 281–285
- Phase behaviour
 - Rod-like polymer, 1070–1084
- Polycondensation,
 - D.s.c., 1514–1518

Gels

- Ageing
 - Raman spectroscopy, 857–860
- Crosslinking
 - Degradation, 2393–2396
- Diffusion
 - Temperature dependence, 2333–2337

Dynamics

- Solution, 1038–1044
- Liquid crystalline polymer
 - Dielectric relaxation, 928–934
- Polyacrylamide
 - Dynamic properties, 1960–1967

Glass transition

- Copolymerization
 - Thermal behaviour, 961–966
- Mechanical relaxation
 - Dynamic mechanical analysis, 1441–1448
- Networks
 - Mechanical properties, 1245–1253

Glass transition temperature

- Copolyester
 - Melt viscosity, 1589–1593
- Epoxy network
 - Crosslink density, 1787–1792
- Polyacrylates
 - Radiopacity, 2083–2088
- Polystyrene
 - Density distribution, 935–938

Glycidyl methacrylate

- Styrene
 - Copolymerization, 366–370

Graft copolymers

- Acrylamide
 - Initiation, 1739–1744
- Polyurethanes
 - Synthesis, 2207–2213

Graft polymer

- Kinetics
 - Silica, 2377–2383
- Resists
 - Crosslinking, 1553–1558

Grafting

- Block copolymers
 - Polydispersity, 2185–2196
- Photoinitiation
 - Stabilization, 1772–1781
- Polycarbonate
 - Membrane, 2157–2161

Heat capacity

- Dynamics
 - Temperature dependence, 1254–1259
- Nylon
 - Vibrational spectroscopy, 1260–1268

High modulus

- Swelling
 - Mechanical properties, 237–242
- High pressure
 - Crystal structure
 - Poly(tetrafluoroethylene), 2227–2237
 - Raman spectroscopy
 - Polyethylene, 1425–1428

Hydration

- Binding
 - Solution, 501–505

Hydrogel

- Crosslink density
 - Young's modulus, 513–519
- Interpenetrating networks
 - Cellulose, 1526–1537
- Permeability
 - Membrane, 270–275
 - Poly(ethylene oxide)
 - Water, 909–916

Hydrophobic

- Micelle
 - Viscosity, 2353–2360

Hydrostatic pressure effects

- Dynamics
 - Polyisoprene, 1045–1050

Hydroxypropyl cellulose

- Lignin
 - Morphology, 1333–1338

Imidazoles

- Catalysis
 - Polymerization, 2171–2177

Infra-red spectroscopy

- Blends
 - Complexes, 1269–1276
 - Morphology, 1899–1903
- Conformation
 - X-ray diffraction, 344–347
- Copolymer
 - Redox system, 1577–1580
- Surface studies
 - Melting behaviour, 658–662

Initiation

- Graft copolymers
 - Acrylamide, 1739–1744
- Optical activity
 - Copolymer, 212–219
- Vinyl monomers
 - Photolysis, 1986–1990

Interaction parameter

- Copolymer
 - Miscibility, 905–908
- Inverse gas chromatography
 - Solubility, 1711–1714

Interchain coupling

- Polyacetylene
 - Biopolarons, 621–622

Interfaces

- Neutron scattering
 - Blends, 2146–2151

Interpenetrating networks

- Hydrogel
 - Cellulose, 1526–1537

Interphase width

- Nuclear magnetic resonance
 - Motional heterogeneity, 1838–1853

Intrinsic viscosity

- Diffusion
 - Molecular weight, 1481–1485
- Radiation effects
 - Dipole moment, 1715–1717

Inverse gas chromatography

- Characterization
 - Poly(ethyl methacrylate), 1170–1176
- Interaction parameter
 - Solubility, 1711–1714

Ion beam

- Polyimide
 - Kinetics, 520–523

Ionomers

- Characterization
 - Synthesis, 1374–1378
- Copolymer
 - Dipole moment, 1328–1332
- Membrane
 - Spectroscopy, 387–394
- Solution properties
 - Temperature dependence, 286–294

Irradiation

- Crosslinking
 - Poly(methacrylic acid), 538–542

Isomerism

- Kinetics
 - Molecular weight distribution, 1950–1954

Kinetic model

- Copolymerization
 - Ziegler–Natta catalyst, 1294–1311

Kinetics

- Binding
 - Decomposition, 1968–1970
- Bismaleimide
 - Crosslinking, 1955–1959
- Blends
 - Phase separation, 699–706
- Crosslinking
 - Polyacrylamide, 1546–1552

- Crystallization
Modelling, 586–592
Polyethylene, 890–898
- Doping
Diffusion, 1108–1115
- Free-radical polymerization
Termination, 1720–1725
- Grafted polymer
Silica 2377–2383
- Isomerism
Molecular weight distribution, 1950–1954
- Liquid crystals
Spacer group, 1122–1129
- Phase separation
Poly(ether sulphone), 303–307
- Phase-transfer catalysis
Chlorination, 1519–1525
- Poly(ethylene oxide)
Crystal growth, 1018–1024
- Polydiacetylene
Raman spectroscopy, 1116–1121
- Polyimide
Ion beam, 520–523
- Polymerization
Catalysis, 1361–1367
- Styrene
Dilatometry, 150–153
-
- Laser etching**
Polyimide
Fluorescence, 840–844
- Light scattering**
Binary mixtures
Viscometry, 1871–1876
Block copolymers
Sedimentation behaviour, 2118–2124
Chain conformation
Model, 1811–1815
Characterization
Methyl methacrylate, 1816–1822
Crosslinking
Radiation effects, 1500–1506
Flexibility
Modelling, 24–32
Liquid crystals
Polypeptide, 84–91
Polystyrene
Poly(methyl methacrylate), 1871–1876
Theta temperature, 793–804
Solution properties
Aromatic polymer, 684–692
- Lignin**
Hydroxypropyl cellulose
Morphology, 1333–1338
- Liquid crystalline polymer**
Conformation
Random coil conformation, 1658–1662
Dielectric relaxation
Gel, 928–934
Electron microscopy
Random copolymer, 1395–1400
Nematic structure
D.s.c., 2019–2022
- Liquid crystals**
Kinetics
Spacer group, 1122–1129
Light scattering
Polypeptide, 84–91
Mechanical behaviour
Copolyesters, 579–585
Molecular structure
Blends, 979–995
Morphology
Copolyester, 616–620
N.m.r. spectroscopy
Temperature effects, 721–727
Thermotropic polyesters
Fibre, 8–14
- Liquid polymers**
Polymerization
Radiation effects, 954–957
- Lithiation**
Poly(vinyl thiophene)
Polymer-supported reaction, 140–144
-
- Maleic anhydride**
Copolymerization
Acrylamide, 958–960
- Mathematical modelling**
Polymerization
Reactivity ratios, 2178–2184
- Mechanical behaviour**
Liquid crystals
Copolyesters, 579–585
- Mechanical properties**
Copolymers
Morphology, 2384–2392
Ethylene copolymers
Fibre, 1449–1455
Film
Crystallization, 1456–1463
High modulus
Swelling, 237–242
Networks
Glass transition, 1245–1253
Poly(butylene terephthalate)
Processing, 1239–1244
Poly(ethylene terephthalate)
Drawing, 58–63
Polypropylene
Modelling, 882–889
Polysulphone
Poly(phenyl sulphide), 2307–2310
- Mechanical relaxation**
Glass transition
Dynamic mechanical analysis, 1441–1448
- Melamine**
Resin
N.m.r. spectroscopy, 130–134
- Melt viscosity**
Copolyester
Glass transition temperature, 1589–1593
- Melting**
Phase transition
Wide-angle X-ray scattering, 481–485
Structure
Polyethylenes, 2077–2082
- Melting behaviour**
Crystallization
Glass transition, 92–94
Surface studies
Infra-red spectroscopy, 658–662
- Membrane**
Ionomers
Spectroscopy, 387–394
Permeability
Crystallinity, 265–269
Hydrogel, 270–275
Permeation
Separation, 668–672
Polycarbonate
Grafting, 2157–2161
- Memory**
Entanglements
Polyethylene, 1435–1440
- Methyl methacrylate**
Copolymerization
End groups, 145–149
Light scattering
Characterization, 1816–1822
Redox system
Radical polymerization, 1735–1738
- Micelle**
Block copolymers
Concentration dependence, 2089–2100
Fluorescence, 2101–2111
Hydrophobic
Viscosity, 2353–2360
- Microscopy**
Diffusion
Polypropylene, 258–264
- Microsphere**
Morphology
Characterization, 547–555
- Microstructure**
Copolymer
Frictional coefficient, 1028–1031
Nuclear magnetic resonance
Vinylidene cyanide, 1581–1588
- Miscibility**
Blends
Critical temperatures, 1065–1069
Crystallization, 1051–1057, 1283–1287
Polyamides, 1058–1064
Solubility, 1187–1203
Thermodynamics, 1277–1282
Copolymer
Composition, 486–489
Interaction parameter, 905–908
Crystallization
Blend, 899–904
Nylon
Blends, 1419–1424
Phase behaviour
Polymer blends, 917–923
- Miscible blends**
Adhesion
Copolymers, 2311–2319
- Mobility probe**
Fluorescence
Free volume theory, 110–114
- Modelling**
Crystallization
Kinetics, 586–592
Light scattering
Flexibility, 24–32
Mechanical properties
Polypropylene, 882–889
Polycarbonate
Shear, 2057–2065
Polyurethane networks
Elasticity, 406–413, 414–422
Rubber elasticity
Entanglements, 70–74
- Molecular dynamics**
Beta process
Bisphenol-A polymer, 1782–1786
Polyisoprene
Spectroscopy, 1831–1837
- Molecular interaction**
Blends
Glass transition temperature, 2294–2298
- Molecular mobility**
Surface studies
Copolymer, 1149–1153
- Molecular orientation**
Structure
Langmuir–Blodgett films, 602–608
- Molecular structure**
Dynamics
Morphology, 1538–1545
Liquid crystals
Blends, 979–995
- Molecular weight**
Crystallization
Polyethylene, 1685–1693
Drawing
Poly(vinyl alcohol), 2039–2046
Intrinsic viscosity
Diffusion, 1481–1485
Thermotropic polyesters
Orientation, 1894–1898
- Molecular weight distribution**
Kinetics
Isomerism, 1950–1954
- Monte-Carlo calculation**
Conformation
Semicrystalline polymer, 1750–1756

Subject index

- Monte-Carlo simulation**
Chain dynamics
Gel permeation chromatography, 1321–1327
Polybutadiene
Conjugation, 939–943
Theta temperature
Chain structure, 506–512
- Morphology**
Blends
Infra-red spectroscopy, 1899–1903
Copolymer
Electron microscopy, 2047–2052
Copolymers
Mechanical properties, 2384–2392
Electron microscopy
Thin films, 3–7
Lignin
Hydroxypropyl cellulose, 1333–1338
Liquid crystals
Copolyester, 616–620
Microsphere
Characterization, 547–555
Molecular structure
Dynamics, 1538–1545
Vibrational spectroscopy
Poly(ethylene oxide), 1411–1414
- Motional heterogeneity**
Nuclear magnetic resonance
Interphase width, 1838–1853
-
- N.m.r. spectroscopy**
Characterization
Resin, 1707–1710
Copolymer
Functional group, 728–735
Sulphonation, 126–129
Emulsion polymerization
Blends, 2397–2401
Liquid crystals
Temperature effects, 721–727
Relaxation
Stereoregularity, 1415–1418
Resin
Melamine, 130–134
Rubber vulcanizate
Swelling, 713–720
Stereoregularity
Copolymer, 1216–1221
- Necking**
Polycarbonate
Deformation, 2071–2076
- Nematic structure**
Aromatic polymer
X-ray diffraction, 1991–1998
Liquid crystalline polymer
D.s.c., 2019–2022
- Network swelling**
Crosslinking
Dimethylacrylates, 135–139
- Networks**
Glass transition
Mechanical properties, 1245–1253
Poly(ethylene oxide)
Crosslinking, 1154–1158
Polyimide
Bismaleimide, 78–83
Stress
Rubber, 1649–1657
Synthesis
Characterization, 556–563
- Neutron scattering**
Blends
Interfaces, 2146–2151
Drawing
Fibre, 36–42, 43–45, 46–50
Polystyrene
Chain folding, 195–201
- Nuclear magnetic resonance**
Blends
Domain, 329–335
Characterization
Epoxy resins, 2425–2430
Conformational analysis
Copolymer, 1594–1596
Copolymer
FT infra-red spectroscopy, 1703–1706
Microstructure
Vinylidene cyanide, 1581–1588
Motional heterogeneity
Interphase width, 1838–1853
- Nucleating agent**
Crystallization
Ternary system, 469–472
- Nucleation**
Chain diffusion
Chain structure, 458–468
PEEK
PEK, 1429–1434
- Nylon**
Blends
Miscibility, 1419–1424
Block copolymers
Polyether, 524–529
Crystal structure
Crystal growth, 1025–1027
Heat capacity
Vibrational spectroscopy, 1260–1268
- Nylon salt**
Polyamidation
Water accumulation, 496–500
Polycondensation
Polyamidation, 490–495
-
- Oligomer**
Crystal structure
X-ray diffraction, 1603–1610
Dimethyl terephthalate
Ethylene glycol, 1347–1351, 1352–1360
- Optical activity**
Initiation
Copolymer, 212–219
- Optical properties**
Film
Conductivity, 1137–1141
- Optical waveguiding**
Poly(p-phenylene vinylene)
Birefringence, 627–630
- Orientation**
Structure
Polyurethane, 749–757
Thermotropic polyesters
Molecular weight, 1894–1898
-
- PEEK**
Nucleation
PEK, 1429–1434
- PEK**
Nucleation
PEEK, 1429–1434
- Particle size distribution**
Polymerization
Suspension, 1339–1342
- Percolation**
Blends
Brittle-tough transition, 971, 972–974
- Permeability**
Hydrogel
Membrane, 270–275
Membrane
Crystallinity, 265–269
Sorption
Diffusion, 673–678
- Permeation**
Diffusion
Sorption, 2346–2352
Separation
Membrane, 668–672
- Phase behaviour**
Blends
Equation of state, 315–322
Thermal properties, 2299–2306
- Foam**
Copolymer blends, 2162–2170
- Gelation**
Rod-like polymer, 1070–1084
- Miscibility**
Polymer blends, 917–923
Temperature effects
Heats of dilution, 1507–1513
- Xanthan**
Solution, 824–828
- Phase separation**
Blends
Kinetics, 699–706
Copolymer blends
Electron microscopy, 2135–2140
Kinetics
Poly(ether sulphone), 303–307
Polyurethanes
Electron spin resonance, 308–314
Reaction injection moulding
Blends, 707–712
- Phase structure**
Film
N.m.r. spectroscopy, 323–328
- Phase transition**
Correlation function
Smectic polymers, 1793–1796
Energy transfer
Fluorescence, 2125–2134
Melting
Wide-angle X-ray scattering, 481–485
Water
D.s.c., 693–698
- Phase-transfer catalysis**
Chlorination
Kinetics, 1519–1525
- Phosphorylation**
Synthesis
Block copolymers, 362–365
- Photoinitiation**
Grafting
Stabilization, 1772–1781
- Photolysis**
Initiation
Vinyl monomers, 1986–1990
- Photopolymerization**
Film
Fluorescence, 1130–1136
- Physical ageing**
Creep
Semicrystalline polymer, 1204–1215
Epoxy
Spectroscopy, 812–817
Polycarbonate
Temperature dependence, 1904–1908
- Piezoelectricity**
Conformation
Copolymer, 850–856
- Poly(acrylic acid)**
Calorimetry
Enthalpy, 1946–1949
- Poly(acrylonitrile)**
Conformation
Configuration, 1159–1163
- Poly(butylene terephthalate)**
Processing
Mechanical properties, 1239–1244
- Poly(dimethylsiloxane)**
Crystallization
Adsorption, 743–748
- Poly(ethyl methacrylate)**
Characterization
Inverse gas chromatography, 1170–1176
- Poly(ethylene oxide)**
Crosslinking
Networks, 1154–1158
Crystal growth
Kinetics, 1018–1024

- Spherulite, 845–849
- Hydrogel
 - Water, 909–916
- Vibrational spectroscopy
 - Morphology, 1411–1414
- Poly(ethylene terephthalate)**
 - Absorption
 - Fluorescence, 2023–2026
 - Crystallization
 - Thermal diffusivity, 1925–1931
 - Refractive index
 - Birefringence, 33–35
- Poly(methacrylic acid)**
 - Crosslinking
 - Irradiation, 538–542
- Poly(methyl methacrylate)**
 - Crosslinking
 - Solvent effects, 679–683
 - Dynamics
 - Poly(vinyl acetate), 2329–2332
 - Polystyrene
 - Light scattering, 1871–1876
 - Structural relaxation
 - Thermal history, 223–230
- Poly(p-phenylene vinylene)**
 - Optical waveguiding
 - Birefringence, 627–630
- Poly(propylene oxide)**
 - Vibrational spectroscopy
 - Conducting polymer, 2245–2252
- Poly(styrene sulphonate)**
 - Birefringence
 - Solution, 1823–1830
- Poly(tetrafluoroethylene)**
 - Crystal structure
 - High pressure, 2227–2237
- Poly(vinyl acetate)**
 - Dynamics
 - Poly(methyl methacrylate), 2329–2332
 - Free volume theory
 - Fluorescence spectroscopy, 243–247
- Poly(vinyl alcohol)**
 - Complexes
 - Binding, 758–764
 - Dichroism
 - Polyenes, 2053–2056
 - Drawing
 - Molecular weight, 2039–2046
- Poly(vinyl chloride)**
 - Blends
 - Copolymer, 115–120
 - Copolymer
 - Blends, 1473–1480
 - Film
 - Migration, 1085–1091
 - Matrix
 - Dehydrochlorination, 543–546
 - X-ray diffraction
 - Crystallinity, 1615–1622
- Poly(vinyl thiophene)**
 - Polymer-supported reaction
 - Lithiation, 140–144
- Polyacetylene**
 - Biopolarons
 - Interchain coupling, 621–622
- Polyacrylamide**
 - Crosslinking
 - Kinetics, 1546–1552
 - Dynamic properties
 - Gels, 1960–1967
 - Fluorescence
 - Gelation, 1768–1771
- Polyacrylates**
 - Radiopacity
 - Glass transition temperature, 2083–2088
- Polyamidation**
 - Nylon salt
 - Polycondensation, 490–495
 - Water accumulation, 496–500
- Polyamides**
 - Miscibility
 - Blends, 1058–1064
- Polybutadiene**
 - Monte-Carlo simulation
 - Conjugation, 939–943
- Polycarbonate**
 - Ageing
 - Drawing, 1678–1684
 - Annealing
 - Ageing, 646–650
 - Temperature dependence, 248–252
 - Deformation
 - Necking, 2071–2076
 - End groups
 - SSIMS, 1009–1017
 - Membrane
 - Grafting, 2157–2161
 - Physical ageing
 - Temperature dependence, 1904–1908
 - Shear
 - Modelling, 2057–2065
 - Toughness
 - Rubber, 2267–2277
- Polycondensation**
 - Crosslinking
 - Sulphonation, 353–357
 - Gelation
 - D.s.c., 1514–1518
 - Nylon salt
 - Polyamidation, 490–495
- Polydiacetylene**
 - Kinetics
 - Raman spectroscopy, 1116–1121
- Polydispersity**
 - Block copolymers
 - Grafting, 2185–2196
 - Branching
 - Rubber, 609–615
- Polyelectrolytes**
 - Carboxymethylcellulose
 - Solution properties, 348–352
 - Dynamic light scattering
 - Small-angle neutron scattering, 781–792
- Polyenes**
 - Dichroism
 - Poly(vinyl alcohol), 2053–2056
- Polyester**
 - Film
 - Dyes, 336–338
- Polyesters**
 - Excimer formation
 - Fluorescence, 1877–1882
 - Stability, 944–948
- Polyether**
 - Block copolymers
 - Nylon, 524–529
- Polyethylene**
 - Conformational analysis
 - Atomistic calculations, 631–637
 - Creep
 - Stress, 64–69
 - Crystallization
 - Kinetics, 890–898
 - Molecular weight, 1685–1693
 - Spherulite, 1971–1977
 - Entanglements
 - Memory, 1435–1440
 - Raman spectroscopy
 - High pressure, 1425–1428
 - Single crystals
 - Chain folding, 1222–1227
 - Tensile properties
 - Young's modulus, 231–236
 - Thermodynamics
 - Crystallization, 1859–1865
- Polyimide**
 - Bismaleimide
 - Network, 78–83
 - Doping
 - Dielectric properties, 623–626
- Fluorescence
 - Laser etching, 840–844
- Fracture toughness
 - Crazing, 75–77
- Kinetics
 - Ion beam, 520–523
- Polyisoprene**
 - Hydrostatic pressure effects
 - Dynamics, 1045–1050
 - Molecular dynamics
 - Spectroscopy, 1831–1837
- Polymer blends**
 - Miscibility
 - Phase behaviour, 917–923
- Polymer networks**
 - Diffusion
 - Solubility, 1288–1293
 - Polyurethane
 - Dielectric properties, 339–343
- Polymer-supported reaction**
 - Poly(vinyl thiophene)
 - Lithiation, 140–144
- Polymerization**
 - Acrylamide
 - Small-angle X-ray scattering, 1978–1985
 - Catalysis
 - Complexes, 1368–1373
 - Imidazoles, 2171–2177
 - Kinetics, 1361–1367
 - Conductivity
 - Catalyst, 1568–1576
 - Functional group
 - Synthesis, 371–378
 - Propylene oxide
 - Catalyst, 1142–1148
 - Radiation effects
 - Liquid polymers, 954–957
 - Suspension
 - Particle size distribution, 1339–1342
 - Ziegler–Natta catalyst
 - Conformational analysis, 530–537
- Polyolefin blends**
 - Small-angle neutron scattering
 - Thermodynamics, 2287–2293
- Polyoxymethylene**
 - Elastic modulus
 - Temperature dependence, 1909–1918
- Polyoxymethylene diacetate**
 - Vibrational spectroscopy
 - Chain conformation, 1406–1410
- Polypeptide**
 - Light scattering
 - Liquid crystals, 84–91
- Polyphenyls**
 - Crystal structure
 - Rigid rod polymer, 1623–1631
- Polyphosphazene**
 - Excimer fluorescence
 - Solution, 1092–1099
- Polypropylene**
 - Chain structure
 - X-ray diffraction, 2253–2259
 - Creep
 - Stress, 2260–2266
 - Crystallization
 - Rheology, 476–480
 - Diffusion
 - Microscopy, 258–264
 - Mechanical properties
 - Modelling, 882–889
- Polypyrrole**
 - Conducting polymers
 - Colloidal dispersions, 569–574
 - Electrical conduction
 - Synthesis, 395–399
- Polystyrene**
 - Diffusion
 - Dynamic light scattering, 778–780
 - Solution properties, 1491–1499
 - Enthalpy

Subject index

- Entropy, 473–475
Glass transition temperature
 Density distribution, 935–938
Light scattering
 Theta temperature, 793–804
Neutron scattering
 Chain folding, 195–201
Poly(methyl methacrylate)
 Light scattering, 1871–1876
- Polysulphone**
Poly(dimethylsiloxane)
 Graft copolymers, 121–125
Poly(phenyl sulphide)
 Mechanical behaviour, 2307–2310
Relaxation
 Bisphenol-A polymer, 1032–1037
- Polythiophene**
Film
 Temperature effects, 220–222
- Polyurethane**
Polymer networks
 Dielectric properties, 339–343
Structure
 Orientation, 749–757
- Polyurethane networks**
Modelling
 Elasticity, 406–413, 414–422
- Polyurethanes**
Graft copolymers
 Synthesis, 2207–2213
Phase separation
 Electron spin resonance, 308–314
- Processing**
Poly(butylene terephthalate)
 Mechanical properties, 1239–1244
- Propylene oxide**
Catalyst
 Polymerization, 1142–1148
-
- Radiation effects**
Crosslinking
 Light scattering, 1500–1506
Intrinsic viscosity
 Dipole moment, 1715–1717
Polymerization
 Liquid polymers, 954–957
- Radical**
Copolymerization
 Termination 1726–1737
Free-radical polymerization
 Copolymerization, 154–159
- Radical polymerization**
Redox system
 Methyl methacrylate, 1735–1738
- Radiopacity**
Polyacrylates
 Glass transition temperature, 2083–2088
- Raman spectroscopy**
Ageing
 Gels, 857–860
Polydiacetylene
 Kinetics, 1116–1121
Polyethylene
 High pressure, 1425–1428
- Random coil conformation**
Conformation
 Liquid crystalline polymer, 1658–1662
- Random copolymer**
Electron microscopy
 Liquid crystalline polymer, 1395–1400
- Reaction injection moulding**
Phase separation
 Blends, 707–712
- Reactivity ratios**
Copolymerization
 Acrylonitrile, 736–742
- Redox system**
Copolymer
 Infra-red spectroscopy, 1577–1580
- Methyl methacrylate
 Radical polymerization, 1735–1738
- Relaxation**
Bisphenol-A polymer
 Polysulphone, 1032–1037
N.m.r. spectroscopy
 Stereoregularity, 1415–1418
- Reptation**
Blends
 Diffusion, 2320–2328
Self-diffusion
 Solution properties, 772–777
- Resin**
N.m.r. spectroscopy
 Characterization, 1707–1710
 Melamine, 130–134
Synthesis
 Resists, 564–568
- Resists**
Graft polymer
 Crosslinking, 1553–1558
Synthesis
 Resin, 564–568
- Rheology**
Crystallization
 Polypropylene, 476–480
Rigid rod polymer
 Synthesis, 2152–2156
- Rigid rod polymer**
Conformation
 Stiff chain polymer, 1637–1648
Crystal structure
 Polyphenyls, 1623–1631
Rheology
 Synthesis, 2152–2156
- Rod-like polymer**
Phase behaviour
 Gelation, 1070–1084
- Rubber**
Branching
 Polydispersity, 609–615
Crosslink density
 Swelling, 1937–1945
Stress
 Network, 1649–1657
Toughness
 Polycarbonate, 2267–2277
- Rubber elasticity**
Modelling
 Entanglements, 70–74
Tensile properties
 Yielding, 2278–2286
- Rubber vulcanizate**
Swelling
 N.m.r. spectroscopy, 713–720
Swelling behaviour
 Tensile strain, 2361–2367
-
- SSIMS**
Polycarbonate
 End groups, 1009–1017
- Scaling**
Block copolymers
 Solvent system, 1312–1320, 2197–2200
- Sedimentation behaviour**
Block copolymers
 Light scattering, 2118–2124
- Self-diffusion**
Equation of state
 Temperature dependence, 2338–2345
Reptation
 Solution properties, 772–777
- Semicrystalline polymer**
Monte-Carlo calculation
 Conformation, 1750–1756
Physical ageing
 Creep, 1204–1215
- Separation**
Permeation
 Membrane, 668–672
- Adsorption
 Chelation, 102–105
- Shear**
Dynamic properties
 Acoustic measurements, 877–881
Polycarbonate
 Modelling, 2057–2065
- Silica**
Grafted polymer
 Kinetics, 2377–2383
- Single crystals**
Polyethylene
 Chain folding, 1222–1227
- Small-angle X-ray scattering**
Block copolymers
 Viscosity, 2112–2117
Drawing
 Block copolymers, 638–645
- Small-angle neutron scattering**
Dynamic light scattering
 Polyelectrolytes, 781–792
Polyolefin blends
 Thermodynamics, 2287–2293
- Small-angle scattering**
Crystallization
 Blends, 2027–2038
- Smectic polymers**
Correlation function
 Phase transition, 1793–1796
- Solubility**
Compatibility
 Thermodynamics, 1745–1749
Diffusion
 Polymer networks, 1288–1293
Inverse gas chromatography
 Interaction parameter, 1711–1714
Miscibility
 Blends, 1187–1203
- Solution**
Binding
 Hydration, 501–505
Dynamics
 Gels, 1038–1044
Excimer fluorescence
 Polyphosphazene, 1092–1099
Phase behaviour
 Xanthan, 824–828
Poly(styrene sulphonate)
 Birefringence, 1823–1830
Structure
 Block polymer, 2368–2376
- Solution properties**
Carboxymethylcellulose
 Polyelectrolytes, 348–352
Chain flexibility
 Synthesis, 924–927
Ionomers
 Temperature dependence, 286–294
Light scattering
 Aromatic polymer, 684–692
Polystyrene
 Diffusion, 1491–1499
Self-diffusion
 Reptation, 772–777
Thermodynamics
 Size exclusion chromatography, 1694–1702
 Viscosity
 Random polymer, 805–811
- Solvent effects**
Crosslinking
 Poly(methyl methacrylate), 679–683
- Solvent system**
Scaling
 Block copolymers, 1312–1320, 2197–2200
- Sorption**
Diffusion
 Elastomer, 1757–1762
 Permeation, 2346–2352

- Permeability
 Diffusion, 673–678
 Poly(ethylene terephthalate)
 Characterization, 295–302
- Spectroscopy**
 Charge-transfer complex
 Electron spin resonance, 1404–1405
 Film
 Cyclic voltammetry, 1632–1636
 Ionomers
 Membrane, 387–394
 Molecular dynamics
 Polyisoprene, 1831–1837
 Physical ageing
 Epoxies, 812–817
- Spherulite**
 Crystal growth
 Poly(ethylene oxide), 845–849
 Polyethylene
 Crystallization, 1971–1977
- Stability**
 Polyesters, 944–948
- Stabilization**
 Grafting
 Photoinitiation, 1772–1781
- Stereoregularity**
 Characterization
 Synthesis, 1379–1383
 N.m.r. spectroscopy
 Copolymer, 1216–1221
 Relaxation, 1415–1418
- Stress**
 Ageing
 Epoxy network, 423–430
 Creep
 Polypropylene, 2260–2266
 Epoxy resins
 Acrylic polymer, 2066–2070
 Curing, 1932–1936
 Fibre
 Anisotropy, 1467–1472
 Polyethylene
 Creep, 64–69
 Rubber
 Network, 1649–1657
- Structural relaxation**
 Poly(methyl methacrylate)
 Thermal history, 223–230
- Structure**
 Charge transfer complex
 Complexes, 202–207
 Melting
 Polyethylenes, 2077–2082
 Molecular orientation
 Langmuir–Blodgett films, 602–608
 Orientation
 Polyurethane, 749–757
 Solution
 Block polymer, 2368–2376
 Wide-angle X-ray scattering
 Epoxy network, 593–601
- Styrene**
 Acrylonitrile
 Toughness, 869–876
 Dilatometry
 Kinetics, 150–153
 Glycidyl methacrylate
 Copolymerization, 366–370
- Sulphonation**
 Crosslinking
 Polycondensation, 353–357
- Support**
 Ziegler–Natta catalyst
 Transitional metal, 949–953
- Surface studies**
 Melting behaviour
 Infra-red spectroscopy, 658–662
 Molecular mobility
 Copolymer, 1149–1153
- Suspension**
 Polymerization
 Particle size distribution, 1339–1342
- Suspension polymerization**
 Separation
 Poly(vinyl phenol), 165–174
- Swelling**
 Crosslink density
 Rubber, 1937–1945
 High modulus
 Mechanical property, 237–242
 Rubber vulcanizate
 N.m.r. spectroscopy, 713–720
- Swelling behaviour**
 Elasticity
 Cellulose, 1854–1858
 Rubber vulcanizate
 Tensile strain, 2361–2367
- Synthesis**
 Aromatic polymer
 Characterization, 2411–2419
 Block copolymers
 Carbon black, 106–109
 Characterization, 180–190, 358–361
 Phosphorylation, 362–365
 Characterization
 Diffusion, 2402–2410
 Ionomers, 1374–1378
 Networks, 556–563
 Polymer-supported reactions, 1164–1169
 Stereoregularity, 1379–1383
 Electrical conduction
 Polypyrrole, 395–399
 Free-radical polymerization
 Phenacetin, 160–164
 Functional group
 Polymerization, 371–378
 Graft copolymers
 Polyurethanes, 2207–2213
 Resin
 Resists, 564–568
 Rigid rod polymer
 Rheology, 2152–2156
 Solution properties
 Chain flexibility, 924–927
 Thermodynamics
 Copolymers, 2214–2219
 Viscometric behaviour
 Terpolymers, 1100–1107
 Initiation
 Characterization, 967–970
-
- Temperature dependence**
 Diffusion
 Gels, 2333–2337
 Dynamics
 Heat capacity, 1254–1259
 Elastic modulus
 Polyoxymethylene, 1909–1918
 Equation of state
 Conductivity, 1919–1924
 Self-diffusion, 2338–2345
 Ionomers
 Solution properties, 286–294
 Physical ageing
 Polycarbonate, 1904–1908
 Polycarbonate
 Annealing, 248–252
- Temperature effects**
 Liquid crystals
 N.m.r. spectroscopy, 721–727
 Phase behaviour
 Heats of dilution, 1507–1513
 Polythiophene
 Film, 220–222
- Tensile properties**
 Polyethylene
 Young's modulus, 231–236
 Yielding
 Rubber elasticity, 2278–2286
- Tensile strain**
 Swelling behaviour
 Rubber vulcanizate, 2361–2367
- Termination**
 Copolymerization
 Radical, 1726–1737
 Free-radical polymerization
 Kinetics, 1720–1725
- Terpolymers**
 Synthesis
 Viscometric behaviour, 1100–1107
- Thermal behaviour**
 Copolymerization
 Glass transition, 961–966
- Thermal diffusivity**
 Poly(ethylene terephthalate)
 Crystallization, 1925–1931
- Thermal history**
 Structural relaxation
 Poly(methyl methacrylate), 223–230
- Thermal properties**
 Blends
 Phase behaviour, 2299–2306
- Thermodynamics**
 Blends
 Miscibility, 1277–1282
 Calorimetry
 Conformation, 834–839
 Compatibility
 Solubility, 1745–1749
 Crystallization
 Polyethylene, 1859–1865
 Equation of state
 Blends, 448–452
 Polyolefin blends
 Small-angle neutron scattering, 2287–2293
 Solution properties
 Size exclusion chromatography, 1694–1702
 Synthesis
 Copolymers, 2214–2219
- Thermotropic polyesters**
 Fibre
 Liquid crystals, 8–14
 Orientation
 Molecular weight, 1894–1898
 Viscometry
 Anisotropy, 651–657
- Theta temperature**
 Monte-Carlo simulation
 Chain structure, 506–512
 Polystyrene
 Light scattering, 793–804
- Toughness**
 Blends
 Craze, 1232–1238
 Polycarbonate
 Rubber, 2267–2277
 Styrene
 Acrylonitrile, 869–876
- Transition phenomena**
 Dielectric relaxation
 Copolymers, 1888–1893
- Transition temperatures**
 Deformation
 Copolyesters, 1228–1231
- Transitional metal**
 Ziegler–Natta catalyst
 Support, 949–953
-
- Ultrasonics**
 Mechanical behaviour
 High pressure, 440–447
-
- Vibrational spectroscopy**
 Heat capacity
 Nylon, 1260–1268
 Poly(ethylene oxide)
 Morphology, 1411–1414

Subject index

Poly(propylene oxide)
 Conducting polymer, 2245–2252
Polyoxymethylene diacetate
 Chain conformation, 1406–1410

Vinyl monomers

Initiation
 Photolysis, 1986–1990

Vinylidene cyanide

Nuclear magnetic resonance
 Microstructure, 1581–1588

Viscometric behaviour

Synthesis
 Terpolymers, 1100–1107

Viscometry

Binary mixtures
 Light scattering, 1871–1876
Thermotropic polyesters
 Anisotropy, 651–657

Viscosity

Block copolymers
 Small-angle X-ray scattering, 2112–2117
Free volume theory
 Concentration dependence, 1486–1490
Hydrophobic
 Micelle, 2353–2360
Solution properties

Random polymer, 805–811

Water

Hydrogel
 Poly(ethylene oxide), 909–916
Phase transition
 D.s.c., 693–698

Water accumulation

Nylon salt
 Polyamidation, 496–500

Wide-angle X-ray scattering

Epoxy network
 Structure, 593–601
Phase transition
 Melting, 481–485

X-ray diffraction

Aromatic polymer
 Nematic structure, 1991–1998
Conformation
 Infra-red spectroscopy, 344–347
Crystal structure
 Complexes, 2238–2244
Crystallinity
 Semicrystalline polymers, 996–1002
Elastomer

Electron diffraction, 1003–1008

Oligomer

Crystal structure, 1603–1610
Poly(vinyl chloride)
 Crystallinity, 1615–1622
Polypropylene
 Chain structure, 2253–2259

Xanthan

Phase behaviour
 Solution, 824–828

Yielding

Tensile properties
 Rubber elasticity, 2278–2286

Young's modulus

Hydrogel
 Crosslink density, 513–519
Tensile properties
 Polyethylene, 231–236

Ziegler-Natta catalyst

Polymerization
 Conformational analysis, 530–537
Transitional metal
 Support, 949–953