

Author Index

- Aaron, J. J., 2461–2468
van Aartsen, J. J. 1482–1487
de Abajo, J. 2210–2214, 942–949
Abraham, R. J. 121–126
Acevedo, M. 2210–2214
Achife, E. C. 2911–2916
Adams, W. 1167–1172, 1782–1787
Addonizio, M. L. 109–120
Aeiych, S. 2461–2468
van Aerle, N. A. J. M. 34–38
Agnew, S. F. 2325–2330
Agrawal, A. 290–296
Ahmad, A. M. 564–568
Ainina, B. 1510–1515
Akhter, A. 160–165
Akiyama, S. 1673–1680, 1681–1687
Albinsson, I. 2712–2715
Alcala, T. 2300–2303
Aldissi, M. 2042–2048
Aleman, J. V. 2555–2560
Alex, R. 2345–2350, 2546–2554
Alig, I. 2146–2149, 2307–2311
Allegra, G. 170–180
Allen, P. E. M. 2577–2587
Allen, R. A. 202–208
Altomare, A. 3091–3096
Alyuruk, K. 564–568
Aminabhavi, T. M. 870–876
Ando, I. 241–248, 2741–2746
Andreis, M. 2519–2522
Andruzzi, F. 127–133, 2294–2299
Annis, B. K. 1160–1166
Anwer, 103–108
Aoshima, A. 1983–1987, 1988–1993,
1994–1999, 2992–2994
Aoshima, K. 19–28
Aoyagi, T. 2106–2111
Aras, L. 1323–1328
Argon, A. S. 1545–1554
Armes, S. P. 2043–2048, 2325–2330,
2456–2460
Arnold, F. E. 1376–1379
Asai, S. 2400–2405
Asano, M. 2064–2069
Asbach, G. I. 3006–3012
Aubert, J. H. 221–225
Audigier, D. 1119–1125
Avella, M. 1647–1653
Awasthi, S. K. 2648–2652
-
- Baas, J. M. A. 2141–2145
Baek, S. G. 1794–1797, 2000–2009
Bai, S. J. 1195–1199
Bailly, J. C. 181–190
Baker, J. 2731–2735
Belagangadharan, V. P. 628–635
Baldrian, J. 740–744, 1309–1312
Ballauff, M. 2096–2105
Balta-Calleja, F. J. 781–785, 2252–2257,
3097–3102
Banerjee, M. 3182–3189
Barbucci, R. 897–903
Barham, P. J. 393–395, 1384–1393
Bark, M. 3097–3102
Barlow, J. W. 1401–1413
Barson, C. A. 3415–3417
Barton, J. M. 260–264, 358–363, 2482–2490
Bashir, Z. 1826–1833
Bastiaansen, C. W. M. 34–38
Batchelder, D. N. 1761–1769
Bay, C. 2456–2460
Baysal, B. M. 3418–3421
Bazuin, C. G. 2811–2814
Beautemps, J. 3331–3339
Beckham, H. W. 1821–1825
- Beery, J. 2325–2330
Benedetti, E. 1555–1565
Benguigui, L. 2680–2685
Bennett, G. S. 1633–1641
Bennett, R. H. 484–488
Benoit, H. 579–585
Bergmann, H. 2335–2339
Berlin, A. 1841–1842
Berry, V. K. 2766–2770
Bevington, J. C. 3415–3417
Beyer, D. 3305–3312
Bhatia, Q. S. 1948–1956
Bhowmik, P. 1703–1712
Biddlestone, F. 3119–3125
Bigger, S. W. 2014–2019
Binyao, Li. 58–65
Biolley, N. 3256–3261
Biros, J. 1309–1312
Birshtein, T. M. 916–922, 923–929,
1299–1308, 3387–3407
Biswas, B. 1095–1097
Blazso, M. 590–596
Bloor, D. 728–732, 3045–3051
Blundell, D. J. 304–307, 308–313
Boileau, S. 2469–2481
Boiteux, G. 343–352
Bonfatti, A. M. 641–647
Bonnans-Plaisance, C. 1318–1322
Bootsma, J. P. C. 1140–1145
Borchi, D. 2049–2052
Borisov, O. V. 916–922, 923–929
Bosecke, P. 3097–3102
Botsis, J. 1605–1611
Bott, D. C. 1826–1833
Bottcher, A. 2289–2293
Boue, F. 1943–1947
Bourgaux-Leonard, C. 597–604
Boyd, R. H. 1219–1222
Bradner, F. B. 166–169
Braga, M. R. 3152–3161
Brahatheswaran, C. 1875–1884
Brambley, D. R. 484–488
Brana, M. T. C. 426–431
Brar, A. S. 1112–1118
Braud, C. 2659–2665
Brennan, A. B. 733–739
Brennan, W. J. 1527–1530
Brillhart, M. 1605–1611
Brock, T. 353–357
Broer, D. J. 690–695, 1627–1632
Brostow, W. 419–425
Brown, N. 2172–2178
Brown, W. 1077–1079
Brulet, A. 1943–1947
Brycki, B. 2921–2925
Buchtemann, A. 215–220
Bucknall, C. B. 636–640, 786–790
Bulavin, L. A. 3295–3298
Buldyrev, S. V. 3387–3407
Bunel, C. 2659–2665
Burrell, M. C. 1948–1956
Busnel, J.-P. 2680–2685
Butzbach, G. D. 1155–1159
Buzio, P. P. 3299–3304
-
- Cai, Y. M. 1752–1755
de Candia, F. 3371–3375
de la Campa, J. G. 942–949, 2210–2214
Canetti, M. 641–647
Cao, Y. 1210–1218
Cardoso, J. 2300–2303
Caron, A. 2659–2665
Carr, S. H. 1440–1446
Caruthers, J. M. 3340–3353
Casolaro, M. 897–903
- Cassidy, P. E. 870–876, 2387–2394
Catherine, K. B. 628–635
Cavaille, J. Y. 1044–1048
Cavallo, L. 1329–1335
Cerrai, P. 127–133
Cervinka, L. 12–18
Cesaro, A. 3013–3020
Cesteros, L. C. 2793–2798
Chajo, R. 2947–2952
Challa, G. 690–695
Chan, W.-C. 656–660
Chang, F.-C. 1394–1400
Chang, I. Y. 2799–2805
Charlier, P. 1089–1094
Chen, D. 1612–1621, 2252–2257
Chen, J.-H. 1230–1235, 3177–3181
Chen, M. 1369–1375
Chen, S.-A. 656–660
Chen, W. 984–989
Chen, Y. 2128–2134
Cheng, D. 648–655
Cheng, S. Z. D. 1284–1292, 1803–1810,
2053–2059
Chi, Z. 3075–3079
Chiantore, O. 1696–1702
Chiellini, E. 1555–1565
Chivers, R. A. 2190–2198
Choudhary, V. 2534–2540, 2541–2545
Chow, T. S. 29–33, 1798–1802
Chuah, H. H. 1376–1379
Chujo, R. 2779–2784, 2958–2962
Chung, T. C. 1336–1339
Church, S. 1826–1833
Ciardelli, F. 1131–1134
Cimmino, S. 1080–1083, 1461–1467,
3299–3304
Cinquina, P. 2049–2052
Clarson, S. J. 2823–2827
Clements, J. 2736–2740
Cline, J. 1843–1850
Cohen, R. E. 1545–1554
Cohen-Addad, J. P. 860–863
Cohen-Addad, S. 2319–2324
Coleman, M. M. 516–522, 1049–1058,
3103–3118
Connell, J. G. 2033–2042
Cooper, E. C. 2815–2822
Corradini, P. 396–401, 1329–1335
Cotts, P. M. 3052–3056
Cowie, J. M. G. 484–488, 2411–2417
Crist, B. 1440–1446
Cuve, L. 343–352
Cywinski, R. 1348–1353
-
- D'Mello, J. 304–307
Dai, L. 2120–2127
Dalton, L. R. 1369–1375
Danusso, F. 39–43
David, C. 510–515
Davies, G. R. 2736–2740, 2887–2891
Davis, D. D. 3086–3090
Davis, F. J. 1347–1353
Day, M. 1258–1266
Day, R. J. 1713–1725
De, P. P. 2345–2350, 2546–2554
De, S. K. 1223–1229, 2345–2350, 2546–2554
DeVries, K. L. 1794–1797, 2000–2009
Deffieux, A. 1084–1088
Dekkers, M. E. J. 2150–2154
Del Zoppo, M. 1581–1584
Delatycki, O. 2014–2019
Delzenne, P. 597–604
Deslandes, Y. 1258–1266, 1267–1273
Dettenmaier, M. 12–18
Devanand, K. 1928–1934

Author Index

- Devi, S. 493–500
Dhal, P. K. 721–727
Di Pace, E. 1080–1083
Diaz-Calleja, R. 2331–2334, 2755–2759, 2995–3000
Dicko, A. 728–732
Dimitrov, V. 3067–3070
Djabourov, M. 3201–3210, 3211–3217
Dobrowski, A. S. 2887–2891
Dodgson, K. 2823–2827
Dolby, P. A. 585–589
Donald, A. M. 409–418, 2418–2427, 2815–2822, 3322–3330
Dong, J. 3433–3436
Donth, E. 3305–3312
Douglas, J. F. 2128–2134
Doyle, T. R. 751–760, 2869–2875
Dryden, J. R. 2760–2765
Duran, R. S. 2377–2381
Durand, D. 2680–2685
Dusek, K. 3190–3194, 3195–3200
Dybal, J. 1862–1866
-
- Eashoo, M. 1803–1810
Eastmond, G. C. 2351–2362
Eby, R. K. 1782–1787
Edwards, H. G. M. 334–337, 338–342, 930–933
Eisenberg, A. 2205–2209
El Moustafid, T. 2461–2468
Elenga, R. 1975–1982
Endo, K. 2856–2861
Enoki, S. 1983–1987, 1988–1993, 1994–1999, 2992–2994
Erhan, S. 1146–1149
van Es, M. A. 523–530
Esnault, P. 2319–2324
Ezquerria, T. A. 781–785
-
- Fakirov, C. 1173–1180
Fakirov, S. 1173–1180
Fallini, A. 39–43
Fan, C.-g. 2674–2679
Farris, R. J. 1633–1641
Favis, B. D. 1474–1481
Feast, W. J. 558–563, 1200–1209, 1527–1530
Fedotov, V. D. 2335–2339
Fedtke, M. 1957–1960
Feiring, A. E. 1897–1908
Feng, T.-M. 1493–1503
Fengcai, L. 3075–3079
Ferruti, P. 2876–2879
Filippini, J. C. 2980–2983
Fink, H.-P. 284–289, 1566–1573
Fischer, E. W. 12–18, 1173–1180
Fitzgerald, J. J. 2244–2251
Fleissner, M. 419–425
Florjanczyk, Z. 2853–2855, 3422–3425
Floudas, G. 2307–2311
Flynn, K. M. 2128–2134
Fontelos, M. A. 170–180
Fourquier, D. 1593–1604
Francois, J. 703–712, 713–720
Frazier, C. C. 1756–1760
Frech, C. B. 2939–2946
Frech, R. F. 2939–2946
Friedrich, C. 2469–2481
Friend, R. H. 1200–1209
Fu, Y. 1181–1185
Fujiishi, H. 1673–1680
Fukui, T. 2367–2371
Fukutomi, T. 531–536, 2258–2262
Fung, B. M. 2939–2946
Furno, J. S. 88–94
Furukawa, A. 1703–1712
Furusawa, A. 851–855, 2167–2171
Fushimi, H. 241–248
Fytas, G. 2307–2311
-
- Galbiati, E. 1555–1565
Galembeck, F. 990–998
- Galin, J. C. 3080–3085
Galiotis, C. 1788–1793
Gall, T. P. 265–271
Galy, J. 79–83, 1885–1891
Ganazzoli, F. 170–180
Gangadhara, 1909–1913
Ganster, J. 284–289, 1566–1573
Gao, P. 3136–3139
Garay, R. O. 1703–1712
Garcia de la Torre, J. 3359–3363
Gargallo, L. 761–763, 2331–2334, 2755–2759
Garito, A. F. 1752–1755
Garzon, F. 2325–2330
Gedde, U. W. 426–431, 1219–1222
Geil, P. H. 374–380
Geiss, D. 215–220
Geissler, E. 835–839
Gerard, J.-F. 1885–1891
Gerrard, D. L. 3126–3129
Gerrits, N. S. J. A. 1770–1775
Gianotti, G. 2049–2052
Girard, O. 860–863
Gitsov, I. 3067–3070
Giunchi, G. 396–401
Gnanou, Y. 2278–2282
Gogos, C. G. 2449–2455
Gomez, M. A. 796–801, 1834–1840
Gomez Ribelles, J. L. 1642–1646
Gonzales Arche, A. 3097–3102
Gonzalez-Orozco, J. A. 1732–1736
Goodwin, A. A. 260–264
Goodwin, A. A. 3119–3125
Gorbunov, A. A. 3001–3005
Gorda, K. R. 2060–2063
Gosgrove, T. 1313–1317
Gotlib, Y. Y. 3408–3414
Gottesfeld, S. 2325–2330
Graf, J. 3103–3118
Graff, S. 2902–2910
Greco, P. 1647–1653
Gregoire, M. 3256–3261
Gregory, B. L. 1605–1611
Greiner, A. 1857–1861
Griesser, H. J. 1126–1130
Grillet, A.-C. 1885–1891
Grobelny, J. 2161–2166
Grubb, D. T. 1167–1172
Grubbs, R. H. 1851–1856
Gsell, T. C. 1663–1672
Guarrata, P. 3299–3304
Guchhait, S. 3182–3189
Guenet, J.-M. 1943–1947
Guerra, G. 1329–1335
Guha, S. 1756–1760
Guillot, J. 934–941
Guo, W. 1347–1353, 2115–2119
Gupta, S. K. 2842–2852, 3233–3243
Gupta, V. B. 1875–1884
Gustafsson, A. 426–431, 1219–1222
Gustafsson, G. 1574–1580
Guven, O. 2491–2495
Guyot, A. 1089–1904
-
- Habenschuss, A. 1923–1927
Hachisuka, H. 2382–2386
Hagege, R. 181–190
Haidar, B. 2594–2600
Hall, L. D. 2926–2938
Hama, Y. 2499–2504
Hamaide, T. 1089–1094
Hamerton, I. 358–363, 2482–2490
Hamielec, A. E. 537–557, 1098–1111, 1696–1702, 2087–2095, 2626–2640, 2641–2647, 3021–3025
Hammond, T. 1252–1257
Hara, M. 1380–1383, 1622–1626
Harogopad, S. B. 870–876
Harris, F. W. 1803–1810, 2053–1059
Harrison, D. B. 558–563
van Hartingsveldt, E. A. A. 1482–1487
Hasegawa, M. 3225–3232
- Hatam, M. 2666–2670
Haurand, P. 3026–3037
Havriliak Jr, S. 814–821
Haworth, I. S. 121–126, 1414–1419
Hay, J. N. 260–264, 3119–3125
Hayakawa, T. 808–813
Hayami, A. 1010–1016
He, T. 2601–2604
Heberer, D. P. 2053–2059
Hecht, A. 835–839
Hedrick, J. C. 2020–2032
Hedrick, J. L. 950–958, 2020–2032
Heeger, A. J. 464–470, 1210–1218
Heflin, J. R. 1752–1755
Heijboer, J. 2141–2145
Heinonen, O. 2155–2160
Heitz, W. 1857–1861
Hellmann, G. P. 1065–1076
Hellums, M. W. 2612–2617
Henderson, J. A. 3284–3294
Herbert, I. 1826–1833
Herning, H. A. 3211–3217
Higano, M. 3062–3066
Higgins, J. S. 2115–2119
Hikmet, R. A. M. 1627–1632
Hilger, C. 3244–3249
Hill, M. J. 1384–1393, 2716–2723
Hirade, T. 2499–2504
Hlavata, D. 3313–3316
Ho, C. Y. 3126–3129
Ho, T. 619–627
Hobbs, S. Y. 2150–2154
Hoff, M. 999–1009, 3317–3321
Hoffman, J. D. 963–978, 2828–2841
Hofmann, D. 284–289
Holzer, B. 1935–1942
Hong, P.-D. 3140–3146
Hongfang, Z. 58–65
Horak, D. 1135–1139
Hori, T. 2806–2810
Horie, K. 851–855, 2167–2171
Horiuchi, H. 1970–1974
Horkay, F. 835–839
Horsky, J. 1692–1695
Horta, A. 761–763
Horton, J. C. 2418–2427
Hou, C. 1361–1368
Hourston, D. J. 1140–1145, 2215–2220
Hoyt, A. E. 1420–1425
Hruska, P. 1589–1592, 2921–2925
Hsiao, B. S. 2799–2805
Hsieh, E. T. 648–655
Hsu, C. P. 2263–2271
Hsu, S. L. C. 1803–1810
Huang, Y. 2172–2178
Huckerby, T. N. 3415–3417
Huglin, M. B. 1293–1298, 3045–3051, 3354–3358, 3381–3386
Hult, A. 1219–1222
Hunkeler, D. 2626–2640
Hvilsted, S. 127–133, 2294–2299
Hwang, J. S. 231–234
Hwang, L.-P. 3177–3181
-
- Ibbett, R. 1826–1833
Igarashi, H. 2283–2288
Iijima, T. 241–248
Ilic, L. 235–240
Imai, K. 73–78
Immirzi, B. 364–373
Ingnas, O. 1574–1580
Inoue, T. 2367–2371
Inoue, Y. 2779–2784, 2947–2952, 2958–2962
Irie, S. 1970–1974
Isayev, A. I. 1961–1969
Ishida, H. 1585–1588, 1914–1919
Ishikawa, K. 1673–1680
Ishizu, K. 531–536, 2258–2262
Issi, J.-P. 3364–3370
Itoh, Y. 1017–1026
-

- Jackson, C. L. 221–225
 Jacobs, R. 510–515
 Jakes, J. 1077–1079
 Jamieson, A. M. 1928–1934
 Janimak, J. J. 648–655, 2053–2059
 Jar, P. 1380–1383, 1622–1626
 Jasse, B. 209–214
 Jerome, R. 1089–1094
 Jiang, B. 471–478
 Jiang, M. 984–989
 Jinyu, H. 58–65
 Jo, Y. S. 2958–2962
 Johari, G. P. 2747–2754
 Johncock, P. 323–333
 Johnson, A. F. 334–337, 338–342, 930–933
 Johnson, D. J. 2312–2318
 Johnson, P. 2815–2822
 Jonas, A. 2691–2706, 3364–3370
 Jones, C. A. 1200–1209
 Jonsson, H. 1219–1222
 Jovanovic, S. 235–240
 Jurek, M. 2020–2032
 Jurga, J. 1589–1592, 2921–2925
-
- Kalachandra, S. 2428–2434
 Kalfoglou, N. K. 66–72
 Kallitsis, J. K. 66–72
 Kammer, H. W. 1488–1492, 2505–2511
 Kammer, W. 501–504
 Kanamoto, T. 34–38
 Kang, E. T. 226–230, 1354–1360
 Kang, K. 1756–1760
 Kannan, P. 1909–1913
 Kano, Y. 1681–1687
 Kapitza, H. 2244–2251
 Kapur, G. S. 1112–1118
 Karacan, I. 2312–2318
 Karasz, F. R. 3–11, 605–608, 2340–2344, 2363–2366
 Kashiwa, N. 2671–2673
 Katime, I. 2793–2798
 Katovic, Z. 2892–2897
 Kawagoe, M. 3130–3135
 Kawaguchi, K. 2958–2962
 Kawahara, S. 1681–1687
 Kawaizumi, F. 2806–2810
 Kawanishi, S. 979–983
 Kawashima, T. 892–896
 Keller, A. 387–392, 1384–1393, 2512–2518
 Kelley, K. 1585–1588
 Kent, M. S. 314–322
 Keskkula, H. 272–278, 1274–1283, 1401–1413, 1447–1455, 2372–2376
 Khanna, Y. P. 2010–2013
 Kiklas, S. N. 66–72
 Kikuchi, Y. 2367–2371
 Kilian, H. G. 3006–3012
 Kim, H. 1447–1455, 2372–2376
 Kinoshita, T. 569–575, 2382–2386
 Kisakurek, D. 1323–1328
 Kishore, K. 1909–1913
 Kitayama, A. 2221–2229
 Kivayeva, L. S. 2335–2339
 Kiyotsukuri, T. 2605–2611
 Klein, J. W. 2278–2282
 Klein, M. 1943–1947
 Klein, P. G. 1732–1736
 Klushin, L. I. 3408–3414
 Kobayashi, M. 454–463, 1017–1026, 1516–1526
 Kochi, M. 3225–3232
 Koda, S. 2806–2810
 Koennecke, K. 3162–3169
 Koetsier, D. W. 1140–1145
 Koike, Y. 1737–1745
 Komatsu, T. 1983–1987, 1988–1993, 1994–1999, 2292–2294
 Komiyama, J. 892–896
 Konak, C. 1077–1079, 1688–1691, 1692–1695, 2435–2442
 Konar, R. S. 3182–3189
- Kondo, S. 2283–2288
 Koros, W. J. 840–850, 2612–2617, 2618–2625
 Kotowski, K. 1843–1850
 Kowalski, M. 1935–1942
 Kramer, E. J. 265–271, 609–618
 Kratochvil, P. 2435–2442, 3038–3044
 Kressler, J. 1488–1492
 Kricheldorf, H. R. 942–949
 Krongauz, V. V. 1654–1662
 Ku, C.-L. 3177–3181
 Kubis, J. 1589–1592
 Kucukyavuz, Z. 564–568, 3418–3421
 Kulczycki, A. 1862–1866
 Kumagai, M. 1914–1919
 Kumakura, M. 2064–2069
 Kumar, R. 2010–2013
 Kummerloewe, C. 1488–1492, 2505–2511
 Kunisada, H. 2283–2288
 Kunugi, T. 808–813
 Kuroki, K. 851–855, 2167–2171
 Kusy, R. P. 2428–2434
 Kwak, K. D. 864–869
 Kwei, T. K. 249–259, 1663–1672
-
- Laakso, J. 1574–1580
 Labadie, J. W. 950–958
 Labsky, J. 1688–1691
 Lacaze, P. C. 2461–2468
 Lake, G. J. 2963–2975
 Lamps, J.-P. 2278–2282
 Landry, C. J. T. 44–52
 Lane, S. 1140–1145, 2215–2220
 Lapersonne, P. 3331–3339
 Lapes, I. 1309–1312
 Larson, R. G. 1794–1797
 Laschewsky, A. 146–159, 2070–2080, 2081–2086
 Lawrence, R. A. 1200–1209
 Lebek, B. 2335–2339
 Leblond, J. 3201–3210, 3211–3217
 Lechner, M. D. 235–240
 Lee, C. 619–627, 1195–1199
 Lee, H.-S. 1531–1534
 Lee, L. J. 2263–2271
 Lee, M. 2862–2868
 Legrand, J. F. 597–604
 Legras, R. 2691–2706, 3364–3370
 Lehmann, A. 1935–1942
 Leising, G. 1851–1856
 Lembiz, F. 2898–2901
 Lemstra, P. J. 34–38, 1770–1775
 Lenz, R. W. 781–785, 1703–1712
 Leon, A. 761–763
 Levenfeld, B. 3250–3255
 Levesque, G. 1318–1322
 Levi, M. 39–43
 Li, J. C. M. 2766–2770
 Li, L. S. 374–380
 Liang, W. 2363–2366
 Lien, S. H.-S. 2053–2059
 Liesegang, J. 1126–1130
 Lieser, G. 2096–2105
 Lima, R. 3091–3096
 Lindgren, M. 1531–1534
 Liu, F. 1219–1222
 Liu, J. 1361–1368
 Liu, W. 1361–1368, 2601–2604
 Lloveras, Macia J. 1642–1646
 Lloyd, J. R. 260–264
 Lodge, T. P. 314–322
 Logdlund, M. 1200–1209
 Lopez-Cabarcos, E. 781–785, 3097–3102
 Lopez Cascales, J. J. 3359–3363
 Lotz, B. 2902–2910
 Lou, J. 2000–2009
 Louai, A. 703–712, 713–720
 Lovell, R. 2272–2277
 Lovinger, A. J. 3086–3090
 Lowenhaupt, B. 1065–1076
 Lu, X. 471–478, 2172–2178
 Lustig, S. R. 3340–3353
-
- Lutringer, G. 877–883, 884–891
- Ma, D.-Z. 791–795
 MacDiarmid, A. G. 1160–1166
 MacKenzie, P. D. 140–145
 MacKnight, W. J. 3–11, 1493–1503
 Machell, J. S. 44–52
 Mackley, M. R. 3136–3139
 Macturk, K. S. 1782–1787
 Maddams, W. F. 3126–3129
 Maestrini, C. 609–618
 Magda, J. J. 1794–1797, 2000–2009
 Magnani, A. 897–903
 Maissa, Ph. 1510–1515
 Majnusz, J. 1703–1712
 Malinconico, M. 364–373, 2505–2511
 Mancarella, C. 1186–1194
 Manero, O. 2300–2303
 Mangion, M. B. M. 2747–2754
 Manning, J. P. 2939–2946
 Manns, G. 1826–1833
 Mansfield, M. L. 2883–2886
 Marcandalli, B. 3376–3380
 Marchal, E. 297–303
 Marinovic, T. 2519–2522
 Martelock, H. 1857–1861
 Martens, J. 1200–1209
 Martin, A. C. S. 2411–2417
 Martinez Salazar, J. 2984–2988, 2989–2991
 Martinho, J. M. G. 84–87
 Martuscelli, E. 109–120, 364–373, 641–647, 1080–1083, 1186–1194, 1461–1467, 1647–1653, 2505–2511, 3299–3304, 3376–3380
 Maruyama, Y. 2958–2962
 Marzocca, A. J. 1456–1460
 Matejka, L. 3190–3194, 3195–3200
 Mathey, P. 934–941
 Mathias, L. J. 2523–2533
 Mathis, A. 3080–3085
 Matienzo, L. J. 3057–3061
 Matsui, K. 2106–2111
 Matsumoto, A. 2741–2746
 Matsumoto, T. 2221–2229, 2976–2979
 Matsuo, M. 822–834, 2561–2576, 2911–2916
 Mau, A. W.-H. 1126–1130
 Maurer, F. H. J. 523–530
 McGarry, F. J. 1811–1815, 1816–1820
 McGrail, P. T. 140–145
 McGrath, J. E. 2020–2032
 McHattie, J. S. 840–850, 2618–2625
 McIntyre, J. E. 2887–2891
 McIntyre, R. 586–589
 McKenna, G. B. 2128–2134, 2377–2381
 McNamara, J. 1914–1919
 Mehta, M. H. 493–500
 Mehta, R. 1195–1199
 Meijer, H. D. P. 438–444
 Mel'nichenko, Yu. B., 3295–3298
 Melior, J. P. 1488–1492
 Mellander, B.-E., 2712–2715
 Meurer, B. 884–891
 Michel, A. 2234–2237
 Mijovic, J. 619–627
 Miles, A. F. 484–488
 Miles, I. S. 2351–2362
 Miller, R. L. 963–978
 Miloshev, St. 3067–3070
 Mimaki, M. 2605–2611
 Mir-Hedayatulla, H. 2461–2468
 Mita, I. 851–855, 2167–2171, 3225–3232
 Mitchell, G. R. 1347–1353
 Miura, H. 1892–1896
 Miyasaka, K. 479–483, 2400–2405, 3140–3146
 Mizuno, A. 2952–2957
 Mizushima, A. 808–813
 Moalli, J. E. 1811–1815, 1816–1820
 Mogus-Milankovic, A. 2892–2897
 Mohadjer, D. 2666–2670
 Mohr, J. M. 1236–1243, 2387–2394

Author Index

- Mol, G. N. 690-695
Monnerie, L. 209-214, 3331-3339
Monobe, K. 2911-2916
Moonen, J. 3262-3263
Moore, D. R. 2190-2198
Mori, S. 2230-2233
Moriya, Y. 19-28
Moss, W. F. 1504-1509
Mouledous, G. A. C. 3119-3125
Moura-Ramos, J. J. 909-915
Mukhopadhyay, S. 1223-1229
Muller, W. F. 419-425
Munoz, E. 682-689
Munoz Guerra, S. 1642-1646
Munro, H. S. 1527-1530
Musto, P. 3-11
-
- Nagase, Y. 2106-2111
Nagode, J. B. 505-509
Nagura, M. 2205-2209
Naik, H. A. 140-145
Nakafuku, C. 696-702
Nakagawa, R. 696-702
Nakamura, Y. 2221-2229, 2976-2979
Nalwa, H. S. 745-750, 802-807
Narasimhaswamy, T. 3426-3432
Narh, K. A. 2512-2518
Narisawa, I. 2199-2204
Narten, A. H. 1923-1927
Nauman, E. B. 88-94
Naylor, D. M. 1084-1088
Neoh, K. G. 226-230, 1354-1360
Newton, A. B. 308-313
Ngoma, J. B. 1044-1048
Ni, B. Y. 2766-2770
Ni, S. 1361-1368
Nies, E. 2653-2658
Ninan, K. N. 628-635
Nishimoto, M. 272-278, 1274-1283
Nishimura, H. 2199-2204
Nishimura, S. 1017-1026
Nithianandam, V. S. 1146-1149
Noel, C. 2469-2481
Noll, A. 1857-1861
Nomura, H. 2806-2810
Nomura, S. 1010-1016
Noonan, J. M. 2244-2251
Nordmeier, E. 235-240
Nose, T. 864-869, 1970-1974, 3218-3224
Novakov, P. 3067-3070
Nunes, S. P. 990-998
Nunomoto, S. 3130-3135
Nystrom, B. 904-908
-
- O'Connor, K. M. 195-201
Ogita, T. 822-834
Ohmura, H. 19-28
Ohno, H. 3062-3066
Ohta, Y. 2958-2962
Ohtsubo, T. 2395-2399
Okabe, N. 2400-2405
Okada, M. 864-869, 3218-3224
Okubo, M. 2221-2229, 2976-2979
Okui, N. 2588-2593
Okumura, S. 851-855
Olafsen, F. 904-908
Onda, M. 2953-2957
Ong, Y. K. 1354-1360
Ono, H. 851-855
Orazio, L. D. 109-120, 1186-1194
Oshibe, Y. 19-28
Ostholm, H. 1574-1580
Otsu, T. 1892-1896, 2741-2746, 2856-2861
Ottani, S. 1776-1781
Ozaki, F. 822-834
-
- Pace, M. D. 1027-1030
Padden Jr, F. J. 3086-3090
Pagani, G. A. 1841-1842
Painter, P. C. 516-522, 1049-1058, 3103-3118
-
- Paletto, J. 1044-1048
Palmer, T. 950-958
Pang, Y. 605-608
Paquaiji, R. 2653-2658
Parker, D. 1200-1209
Parsons, I. W. 140-145
Partridge, I. K. 636-640, 786-790
Pascal, T. 1119-1125, 3256-3261
Pascual, J. P. 79-83, 343-352, 1885-1891
Patel, A. 1313-1317
Paul, D. R. 840-850, 1236-1243, 1274-1283, 1401-1413, 1447-1455, 2372-2376, 2387-2394, 2618-2625, 2771-2778
Paul, N. R. 272-278
Pavan, A. 3152-3161
Pearce, E. M. 249-259, 1663-1672
Peiffer, D. G. 134-139, 2060-2063
Peleteiro, M. C. 2793-2798
Pelzbauer, Z. 999-1009, 3317-3321
Pena, J. J. 682-689
Penfold, J. 3284-3294
Peppas, N. A. 3340-3353
Percec, S. 1252-1257
Percec, V. 661-672, 673-681, 1284-1292, 1897-1908, 2862-2868
Perez, J. 1044-1048
Perrin, P. 1468-1473
Petraccone, V. 396-401
Petrus, V. 1692-1695
Pezron, I. 3201-3210
Phillips, M. J. 636-640, 786-790
Piche, L. 3147-3151
Pickett, C. 2456-2460
Piens, M. 510-515
Pietrasanta, Y. 2234-2237
Pinnau, I. 2612-2617
Pirozzi, B. 396-401
Pislewski, N. 1589-1592, 2921-2925
Plans, J. 2984-2988, 2989-2991
Plestil, J. 3313-3316
Plummer, C. J. G. 409-418, 3322-3330
Pochan, D. F. 2238-2243
Pochan, J. M. 195-201, 2238-2243
Poggi, Y. 2980-2983
Pollet, G. 703-712, 713-720
Porter, P. L. 1756-1760
Porter, R. S. 1776-1781
Poshyachinda, S. 334-337, 338-342, 930-933
Pottick, L. A. 1867-1874, 2785-2792
Pouchly, J. 1309-1312
Pournoor, K. 445-453
Powell, D. G. 2523-2533
Pramanik, P. 160-165
Prasad, K. 1167-1172
Prasad, P. N. 605-608, 1195-1199, 1746-1751
Prochazka, O. 3038-3044
Prud'Homme, R. E. 791-795, 1468-1473
Pruvost, P. 835-839
-
- Qi, Y. 1059-1064
Qipeng, G. 58-65, 53-57
Quintana, J. R. 2793-2798
-
- Raas, M. C. 2917-2920
Radic, D. 761-763, 2331-2334, 2755-2759
Radwan, M. A. 1293-1298, 3381-3386
Raharimalala, V. 2980-2983
Ramakrishnan, S. 1336-1339
Ranucci, E. 2876-2879
Raval, H. 493-500
Ravi Kumar, V. 3233-3243
Reddy, B. S. R. 3426-3432
Rego, J. M. 3045-3051, 3354-3358
Rempp, P. 2278-2282
Renault, A. 597-604
Rennie, A. R. 2033-2042
Riande, E. 2995-3000
Ribes-Greus, A. 2331-2334, 2755-2759
Ribo, J. M. 728-732
-
- Rice, D. M. 2340-2344
Richards, R. W. 2033-2042, 3284-3294
Riedl, C. M. 1504-1509
Rietsch, F. 1975-1982
Rink, M. 3152-3161
Rober, S. 3097-3102
Rodenberger, D. C. 1752-1755
Roland, C. M. 505-509, 1027-1030
Romero Colomer, F. J. 1642-1646
Roncolini, C. 897-903
Roots, J. 904-908
Roovers, J. 1258-1266, 1267-1273
Rose, J. B. 358-363, 2482-2490
Rosney, C. A. A. 1384-1393
Rubner, M. F. 1821-1825
Ruckenstein, E. 1230-1235
Russell, T. P. 950-958
Russo, R. 3371-3375
Rutledge, G. C. 2179-2189
Ryan, A. J. 1426-1439
Ryder, C. 2456-2460
Rye, S. H. 2449-2455
-
- Sabir, F.-N. 1267-1273
Sadler, D. M. 387-392, 393-395
Saeki, S. 1244-1251, 3170-3176
Sagane, T. 2953-2957
Saito, R. 531-536, 2258-2262
Sakai, T. 2588-2593
Sakellariou, P. 2351-2362
Sakurai, M. 2958-2962
Sakurai, S. 1010-1016
Salcedo, R. 2300-2303
Saleem, M. M. 231-234
Samseth, J. 2724-2730
Samsuri, A. 2963-2975
San Roman, J. 2995-3000, 3250-3255
Sanchez Cuesta, M. 2984-2988, 2989-2991
Sannicola, F. 1841-1842
Santa Cruz, C. 2252-2257
Santamaria, A. 682-689
Santore, M. M. 2377-2381
Sapieha, S. 489-492
Sarazin, D. 703-712, 713-720
Sarkar, P. 2842-2852
Sasuga, T. 402-408, 1539-1544, 2499-2504
Sato, M. 982-896
Sauer, B. B. 2799-2805
Sauer, J. A. 1380-1383, 1622-1626
Saviano, M. 1461-1467
Savitsky, G. B. 1504-1509
Scheirs, J. 2014-2019
Schen, M. A. 1843-1850
Schiavon, G. 1841-1842
Schlosser, E. 2135-2140
Schlothauer, K. 1957-1960, 2335-2339
Schmelzer, E. R. 1654-1662
Schmidt, P. 1862-1866
Schmidt, R. 1126-1130
Schneider, B. 1135-1139
Schneider, H. 2335-2339
Schneider, N. S. 1493-1503
Scholtyssek, G. 1031-1043
Schonhals, A. 2135-2140
Schoolenberg, G. E. 432-437, 438-444
Schultz, J. M. 3268-3283
Schwarz, G. 942-949
Sedlak, M. 1688-1691
Seferis, J. C. 445-453
Seguchi, T. 2499-2504
Seguela, R. 1975-1982
Semlyen, J. A. 1313-1317, 2823-2827
Sen, A. 1867-1874, 2785-2792
Sen, M. 2491-2495
Sen, S. 1323-1328
Serman, C. J. 516-522, 1049-1058
Service, D. 1826-1833
Seves, A. 641-647, 3376-3380
Seytre, G. 343-352
Shackleton, C. 3284-3294
Shapiro, J. S. 166-169

- Shapiro, J. S. 3126–3129
 Shaw, M. T. 221–225
 Sherrington, D. C. 353–357
 Shibayama, M. 1010–1016
 Shimamura, K. 2911–2916
 Shimizu, Y. 979–983
 Shinozaki, D. M. 2760–2765
 Shiomi, T. 73–78
 Shiraishi, K. 1892–1896
 Shtanko, N. I. 2406–2410
 Siegfried, N. 1857–1861
 Sigwalt, P. 1084–1088
 Sikes, A. M. 2523–2533
 Sillion, B. 1119–1125, 3256–3261
 Silvestre, C. 1080–1083, 1461–1467, 3299–3304
 Simha, R. 1928–1934
 Simon, G. P. 2577–2587
 Simpson, J. H. 2340–2344
 Singh, Y. P. 493–500
 Siqueira, D. F. 990–998
 Sixou, P. 1510–1515
 Skvortsov, A. M. 3001–3005
 Slywchuk, M. 2760–2765
 Smith, B. J. E. 1761–1769
 Smith, P. 464–470, 1210–1218
 Smith, T. L. 2594–2600
 Sohma, J. 1031–1043
 Sokol, M. 2161–2166
 Solaro, R. 3091–3096
 Sondag, A. H. M. 2917–2920
 Sotiropoulou, D. D. 66–72
 Spacek, P. 3190–3194
 Specht, E. D. 1160–1166
 Spells, S. J. 387–392, 2716–2723
 Spencer, H. G. 1504–1509
 Spontak, R. J. 2724–2730
 Srivastava, A. K. 2648–2652
 Stadler, R. 3244–3249
 Stamm, M. 1173–1180
 Stancovic, R. J. 235–240
 Stanford, J. L. 1426–1439, 1713–1725
 Stannett, V. T. 1084–1088
 Starkweather Jr, H. W. 2443–2448
 Steeman, P. A. M. 523–530
 Steigel, A. 721–727
 Stein, R. S. 2319–2324
 Stejskal, J. 2435–2442
 Steller, R. 3313–3316
 Stelzer, F. 1851–1856
 Stenger-Smith, J. D. 781–785
 Stephen, Z. D. 648–655
 Stern, R. 2096–2105
 Stevens, J. R. 1181–1185, 2712–2715
 Stieber, F. 2146–2149
 Still, R. H. 1426–1439
 Stokr, J. 1135–1139
 Straka, J. 1135–1139
 Straupe, Ch. 2902–2910
 Stroeks, A. 2653–2658
 Stuhn, B. 1935–1942
 Subramanian, P. R. 1961–1969
 Such, K. 3422–3425
 Sugimoto, S. 979–983
 Sumathi, S. C. 3426–3432
 Sumita, M. 2400–2405
 Sun, Z. 1059–1064
 Suprunchuk, T. 1258–1266
 Suspene, L. 1593–1604
 Suter, U. W. 2179–2189
 Suzuki, N. 19–28, 822–834, 979–983
 Svec, F. 1135–1139
 Swei, H. 1440–1446
 Swiatkiewicz, J. 1195–1199
-
- Tabata, M. 1531–1534
 Tadlaoui, K. 2234–2237
 Takano, A. 3218–3224
 Takeda, Y. 2771–2778
 Takerkart, G. 3211–3217
 Takizawa, A. 569–575, 2382–2386
- Takizawa, H. 2382–2386
 Tamada, M. 2064–2069
 Tamami, B. 2666–2670
 Tan, B. T. G. 1354–1360
 Tan, K. L. 226–230, 1354–1360
 Tan, L.-S. 1376–1379
 Tanaka, H. 1834–1840
 Tanaka, T. 2588–2593
 Tang, H. G. 353–357
 Tanioka, A. 479–483
 Tanzer, W. 1957–1960
 Tashiro, K. 454–463, 1017–1026, 1516–1526
 Tassin, J.-F. 3331–3339
 Tatibouet, J. 3147–3151
 Taylor, P. L. 2155–2160
 Tennikova, T. B. 1135–1139
 Teo, S. C. 2963–2975
 Terashima, O. 2106–2111
 Testa, G. 3376–3380
 Teyssie, D. 2469–2481
 Thakur, M. 1834–1840
 Theophilou, N. 1160–1166
 Therrien, D. 1474–1481
 Thiagarajan, P. 195–201
 Thomas, R. K. 3284–3294
 Thompson, S. A. 1633–1641
 Tianlu, C. 58–65
 Tieghi, G. 39–43
 Tirrell, M. 314–322
 Tobita, H. 2641–2647
 Toda, A. 771–780
 Tokito, S. 464–470
 Tomazos, D. 1897–1908
 Tomka, J. G. 2312–2318
 Tonelli, A. E. 796–801, 1834–1840
 Topic, M. 2892–2897
 Toppare, L. 1323–1328
 Triacca, V. J. 1401–1413
 Tricoli, M. 127–133
 Trojan, M. 510–515
 Tsonis, C. P. 231–234
 Tsubakihara, S. 696–702
 Tsubokawa, M. 1244–1251, 3170–3176
 Tsuda, S. 2395–2399
 Tsuda, Y. 661–672, 673–681
 Tsuji, K. 2395–2399
 Tsujita, Y. 569–575, 2382–2386
 Tsutsui, T. 2671–2673
 Tsutsumi, N. 2605–2611
 Tudgey, G. F. 323–333
 Tullos, G. L. 2387–2394
 Tura, J. M. 728–732
 Turker, L. 1323–1328
 Turska, E. 2161–2166, 1862–1866
 Tuzar, Z. 3038–3044
-
- Udagawa, A. 402–408, 2779–2784, 2947–2952
 Uhlmann, D. R. 290–296
 Umemoto, S. 2588–2593
 Unger, R. 3305–3312
 Urbani, R. 3013–3020
-
- Vacatello, M. 1329–1335
 Vaja, J. 2963–2975
 Valic, S. 2519–2522
 Van de Graaf, B. 2141–2145
 VanLaeken, A. C. 1798–1802
 Varma, H. S. 2534–2540, 2541–2545
 Varma, I. K. 2534–2540, 2541–2545
 Veith, C. A. 1545–1554
 Vekslis, Z. 2519–2522
 Verdu, J. 79–83
 Verney, V. 2234–2237
 Vert, M. 2659–2665
 Villeneuve, S. 2811–2814
 Vink, P. 432–437
 Vittoria, V. 856–859, 3371–3375
 Vlattas, C. 1788–1793
 Vogl, O. 751–760, 2869–2875
-
- Wakker, A. 279–283
 Walker, S. A. 1527–1530
 Wandelt, B. 2707–2711
 Wang, L. F. 249–259
 Wang, L. H. 1776–1781
 Wang, N. Q. 1752–1755
 Wang, X.-q. 2674–2679
 Ward, A. L. 2172–2178
 Ward, I. M. 202–208, 1732–1736, 2736–2740, 2887–2891
 Ward, M. D. 146–159
 Warner, D. 358–363, 2482–2490
 Wartewig, S. 2146–2149
 Wasiucionek, M. 3422–3425
 Watanabe, T. 569–575
 Watkins, V. H. 2150–2154
 Webb, A. G. 2926–2938
 Wegner, G. 2096–2105
 Weigel, P. 284–289
 Weill, G. 877–883, 884–891
 Weiss, R. A. 1867–1874, 2785–2792
 Wendorff, J. H. 1155–1159
 White, J. W. 2120–2127
 Wilkerson, M. H. 1420–1425
 Wilkes, G. L. 733–739, 2020–2032
 Williams, D. R. G. 2577–2587
 Williams, G. 909–915
 Williams, J. M. 1420–1425
 Williams, K. P. J. 2731–2735
 Willis, C. L. 1867–1874, 2785–2792
 Windle, A. H. 103–108, 2272–2277
 Winnik, M. A. 84–87
 Wittmann, J. C. 2902–2910
 Wixwat, W. 1181–1185
 Woeczorek, W. 3422–3425
 Wolff, D. 1957–1960
 Won, Y. G. 79–83
 Wood, P. E. 537–557, 1098–1111, 1696–1702, 2087–2095
 Woods, D. R. 537–557, 1098–1111, 1696–1702, 2087–2095
 Wu, J. W. 1752–1755
 Wu, L. 3–11
 Wu, Z. 1803–1810
 Wung, C. J. 605–608
-
- Xanthos, M. 2449–2455
 Xenopoulos, A. 1923–1927
 Xiau, C.-F. 1010–1016
 Xie, H.-Q. 95–102
 Xie, T. Y. 537–557, 1098–1111, 1696–1702, 2087–2095
 Xie, X.-M. 479–483
 Xinsheng, P. 53–57
 Xu, H. 84–87
 Xu, J. 95–102
 Xu, Y. 516–522, 3103–3118
 Xue, G. 3433–3436
-
- Yamada, B. 1892–1986
 Yamaguchi, M. 2221–2229, 2976–2979
 Yamaguchi, T. 1244–1251, 3170–3176
 Yamamoto, R. 822–834
 Yamamoto, T. 19–28, 1010–1016
 Yamamoto, Y. 2779–2784, 2947–2952
 Yamanaka, J. 3170–3176
 Yamashita, Y. 2911–2916
 Yanagida, N. 2561–2576
 Yandrasits, M. A. 1284–1292
 Yang, H. 44–52
 Yang, M.-Y. 1394–1400
 Yang, W. 1531–1534
 Yang, Y. S. 1593–1604
 Yasuniwa, M. 696–702
 Yilgor, I. 2020–2032
 Yohannan, R. M. 1654–1662
 Yokota, K. 1531–1534
 Yokota, R. 3225–3232
 Yokoyama, F. 2911–2916
 Yokoyama, H. 3218–3224
 Yoshida, M. 2064–2069

Subject Index

- Yoshikawa, E. 1892–1896
Yoshioka, M. 2741–2746
Young, R. J. 1713–1725
Youxian, D. 1126–1130
Yu, F. 1059–1064
Yu, L. 1369–1375
Yu, T. 984–989, 1928–1934
Yuki, Y. 2283–2288
-
- Zachmann, H. G. 1031–1043, 1612–1621,
2252–2257, 3097–3102
Zaldua, A. 682–689
Zandona, N. 1131–1134
- Zang, Y. H. 489–492
Zarate, T. 1914–1919
Zenke, I. 1566–1573
Zental, R. 2244–2251
Zerbe, I. 2070–2080, 2081–2086
Zerbi, G. 1555–1565, 1581–1584
Zhang, A. 648–655
Zhang, H. X. 1140–1145, 2215–2220
Zhao, J.-s. 2674–2679
Zhao, Y. 209–214, 791–795
Zheng, Y.-L. 3080–3085
Zhiji, W. 53–57
Zhiliu, F. 58–65
Zhitariuk, N. I. 2406–2410
- Zhou, H. 1361–1368
Zhou, S. 95–102
Zhu, S. 3021–3025
Zhu, Y. 2588–2593
Zhugan, L. 2075–2079
Zhulina, E. B. 1299–1308
Ziaee, S. 1401–1413
Zielinski, J. M. 2724–2730
Zimmermann, H. J. 3162–3169
Zotti, G. 1841–1842
Zrinyi, M. 835–839
Zuchowska, D. 3313–3316
Zugenmaier, P. 2026–3037
Zygadlo, E. 2853–2855

Subject Index

Acrylate

- Dynamic mechanical properties
 - Networks, 1627–1632
 - Young's modulus
 - Rigid rod polymer, 454–463
- Acrylic polymer**
- Characterization
 - Liquid crystalline polymer, 2244–2251
 - Synthesis
 - Free radical polymerization, 3250–3255

Acrylonitrile

- Butadiene styrene
 - Fracture toughness, 2766–2770
- Methyl methacrylate
 - Configuration, 1112–1118
- Toughness
 - Copolymers, 1447–1455

Activation energy

- Conductivity
 - Doping, 160–165
- Relaxation
 - Molecular motion, 2443–2448

Additive

- Copolymer
 - Intrinsic viscosity, 713–720
- Polyester
 - Phase diagram, 1593–1604

Adhesion

- Morphology
 - Blends, 990–998
- Polyamide
 - Composites, 1482–1487

Adsorption

- Chain conformation
 - Partition coefficient, 916–922, 923–929
- Poly(dimethylsiloxanes)
 - FT infra-red spectroscopy, 1313–1317
- Silica
 - Siloxane, 860–863

Ageing

- PEEK
 - Surface studies, 1527–1530

Aggregation

- Surfactant
 - Surface activity, 2081–2086

Alkyl groups

- Characterization
 - Helix, 569–575

Alkylation

- Isomerization
 - Cationic polymerization, 2856–2861

Amines

- Polyaddition
 - Kinetic study, 2876–2879
- Amorphous polymers**
- Polydiacetylene
 - Liquid crystals, 1843–1850
 - Temperature dependence
 - Relaxation, 2146–2149

Anionic polymerization

- Complexes
 - Raman spectroscopy, 334–337
- Molecular weight
 - Polythiiranes, 1318–1322
- Spectroscopy
 - Complexation, 930–933

Anisotropy

- Kinetics
 - Photopolymerization, 1654–1662
- Liquid crystals
 - Fibre, 2190–2198

Annealing

- Blends
 - Structure, 641–647
 - Copolymers
 - X-ray diffraction, 597–604
 - Morphology
 - Polyethylene, 2716–2723
- Aromatic polymer**
- Crystallization
 - PEEK, 304–307, 308–313
 - Free-radical polymerization
 - Terpolymers, 2853–2855
 - Phase separation
 - Blends, 2505–2511

Binary mixtures

- Polyethylene
 - Morphology, 426–431

Binding

- Polyelectrolytes
 - Solution, 892–896

Birefringence

- Morphology
 - Gelation, 2911–2916

Bisphenol-A polymer

- Infra-red spectroscopy
 - Conformation, 1862–1866

Blend

- Networks
 - FT infra-red spectroscopy, 897–903

Blend ratio

- Rubber blends
 - Mechanical properties, 2546–2554
 - Miscibility, 2345–2350

Blends

- Adhesion
 - Morphology, 990–998
- Annealing
 - Structure, 641–647
- Block copolymers, Miscibility, 1965–1076
- Characterization
 - FT infra-red spectroscopy, 1010–1016
- Cloud point
 - Interaction parameter, 864–869
- Compatibility
 - Grafting, 493–500
 - Nylon 6, 1401–1413
 - Rubber, 66–72
- Complexes
 - Conductivity, 3422–3425
- Crystallization
 - Poly(ethylene oxide), 1647–1653
- Epoxy resin
 - Miscibility, 58–65
- Hydrogen bonding
 - Miscibility, 984–989
- Infra-red spectroscopy
 - Stretching, 3–11
- Interfaces
 - Concentration dependence, 2351–2362
- Ionomers
 - Mechanical behaviour, 95–102
- Melting
 - Crystallization, 2793–2798
- Miscibility
 - Composition, 1468–1473
 - D.s.c., 1673–1680
 - Dynamic mechanical properties, 1681–1687
 - Excimer fluorescence, 791–795
 - Fluorescence spectroscopy, 3225–3232
 - Hydrogen bonding, 1663–1672
 - Morphology, 53–57
 - Phase behaviour, 2653–2658
 - Phase diagram, 1461–1467
 - Phase separation, 2115–2119
 - Theoretical model, 3103–3118
- Molecular interaction
 - Miscibility, 1155–1159

- Molecular structure
Composition, 1186–1194
- Morphology
Deformation, 2150–2154
Poly(dimethylsiloxane), 1545–1554
Polyethylene, 510–515
- Permeation
Film, 3376–3380
- Phase behaviour
Copolymers, 1252–1257
FT infra-spectroscopy, 1049–1058
Shear, 1488–1492
- Phase separation
Aromatic polymer, 2505–2511
- Phase structure
Morphology, 1474–1481
- Poly(methyl methacrylate)
Orientation, 209–214
- Poly(vinyl phenol)
Polyether, 516–522
- Polyamide
Copolymer, 109–120
- Polyester
Poly(phenylene sulphide), 1961–1969
- Polypropylene
Elastomer, 3313–3316
- Rubber toughening
Synthesis, 1140–1145
- Structure
Stress, 619–627
- Tensile properties
Poly(vinyl chloride), 814–821
- Thermodynamics
Miscibility, 501–504
- Block copolymers**
Blends
Miscibility, 1065–1076
Graft copolymers
Polymerization, 19–28
Microstructure
Thermodynamics, 2724–2730
Phase behaviour
D.s.c., 3305–3312
Spectroscopy
Surface composition, 1948–1956
Synthesis
Characterization, 2278–2282
Mechanical properties, 1867–1874
Thermal properties
Morphology, 1059–1064
- Brillouin scattering**
Polybutadiene
Relaxation, 2307–2311
- Bulk properties**
Synthesis
Surfactant, 2070–2080
- Butadiene styrene**
Acrylonitrile
Fracture toughness, 2766–2770
-
- Catalysis**
Chemical modification
Surface studies, 2659–2665
Gelation
Poly(acrylonitrile), 3433–3436
Polymerization
Gel permeation chromatography, 558–563
- Catalyst**
Polymerization
Ethylene, 1131–1134
Propylene, 2671–2673
Structure-property
Mechanical properties, 733–739
- Cationic polymerization**
Epoxy resins
Dynamic mechanical properties, 2779–2784
Free-radical polymerization
Salt, 2289–2293
- Isomerization
Alkylation, 2856–2861
- Cellulose**
D.s.c.
Composites, 489–492
Elastic modulus
Hydrogen bonding, 1516–1526
Mesophase formation
Miscibility, 249–259
- Chain conformation**
Adsorption
Partition coefficient, 916–922, 923–929
Oligomer
Non-linear optics, 1369–1375
Polyacrylonitrile
Wide-angle X-ray scattering, 1566–1573
Star polymer
Theta-conditions, 170–180
- Chain dimensions**
Small-angle neutron scattering
Polystyrene blends, 195–201
Thermodynamics
Ethylene propylene copolymer, 2049–2052
- Chain flexibility**
Glass transition temperature
Thermodynamics, 471–478
- Chain folding**
Nylon
Single crystals, 387–392
- Chain orientation**
Molecular orientation
Drawing, 2363–2366
- Chain structure**
Polybutadiene
Functional group, 3244–3249
- Characterization**
Alkyl groups
Helix, 569–575
Blends
FT infra-red spectroscopy, 1010–1016
Block copolymers
Synthesis, 2278–2282
Conducting polymers
Composites, 2325–2330
Copolymers
Light scattering, 3052–3056
Fibre
Poly(ethylene terephthalate), 1027–1030
Hydrogels
Gelation, 2491–2496
Liquid crystalline polymer
Acrylic polymer, 2244–2251
Micelle
Rod-like polymer, 134–139
Poly(vinylidene fluoride)
Solution properties, 877–883
Polyaniline
Colloids, 2456–2460
Polyimide
Synthesis, 3256–3261
Transesterification, 942–949
Raman spectroscopy
Anionic polymerisation, 338–342
Spectroscopy
Conducting polymers, 2461–2468
Synthesis
Chemical structure, 1914–1919
Imidazoles, 353–357
Liquid crystalline polymer, 1897–1908
Polyesters, 127–133
Thermotropic polyesters, 1703–1712
Ultrasonics
Poly(ethylene terephthalate), 3147–3151
- Charge transfer complex**
Molecular weight
Stability, 2060–2063
- Chelation**
Ziegler-Natta catalyst
Polymerization, 1329–1335
- Chemical modification**
Catalysis
Surface studies, 2659–2665
Epoxy network
Toughening mechanisms, 2020–2032
Glass transition temperature
Curing, 140–145
- Chemical structure**
Synthesis
Characterization, 1914–1919
- Chromatography**
Copolymers
Separation, 2230–2233
- Cloud point**
Blends
Interaction parameter, 864–869
- Colloids**
Polyaniline
Characterization, 2456–2460
- Comb-like polymer**
Polyesters
Synthesis, 2294–2299
Synthesis
Solution properties, 761–763
- Compatibility**
Blends
Grafting, 493–500
Nylon 6, 1401–1413
Rubber, 66–72
- Complexation**
Anionic polymerization
Spectroscopy, 930–933
- Complexes**
Anionic polymerization
Raman spectroscopy, 334–337
Conductivity
Blends, 3422–3425
Kinetics
Ligands, 3177–3181
Poly(propylene oxide)
Conducting polymers, 2939–2946
Polypyrrole
Photoelectron spectra, 1354–1360
- Composites**
Conducting polymers
Characterization, 2325–2330
Crystallization
Kinetics, 2799–2805
D.s.c.
Cellulose, 489–492
Dielectric constant
Polyethylene, 523–530
Non-linear optics
Extrusion, 1195–1199
Optical waveguiding, 605–608
Poly(aryl ether ketone)
Diffusion, 260–264
Polyamide
Adhesion, 1482–1487
Stress
Strain, 29–33
- Composition**
Blends
Molecular structure, 1186–1194
Dielectric relaxation
Glass transition, 2238–2243
Liquid crystals
Molecular structure, 2252–2257
Miscibility
Blends, 1468–1473
Scattering
Compressibility, 579–585
- Compressibility**
Fibre
Elasticity, 1782–1787
Scattering
Composition, 579–585
- Computer simulation**
Monte-Carlo calculations
Semicrystalline polymer, 2883–2886

Subject Index

Concentration dependence

- Crosslinking
 - Poly(methyl methacrylate), 531–536
- Interfaces
 - Blends, 2351–2362

Conducting polymers

- Composites
 - Characterization, 2325–2330
- Optical properties
 - Spectroscopy, 802–807
- Poly(propylene oxide)
 - Complexes, 2939–2946
- Polyisoprene
 - Conjugation, 2120–2127
- Small-angle X-ray scattering
 - Polyaniline, 1160–1166
- Spectroscopy
 - Characterization, 2461–2468
- Structure
 - Electrical properties, 3075–3079
- Synthesis
 - Spectroscopy, 745–750
- X-ray diffraction
 - Poly(p-phenylene vinylene), 781–785

Conductivity

- Complexes
 - Blends, 3422–3425
- Doping
 - Activation energy, 160–165
- Polypyrrole
 - Mechanical properties, 1230–1235
- Redox system
 - Monomers, 1841–1942

Configuration

- Acrylonitrile
 - Methyl methacrylate, 1112–1118

Conformation

- Dynamics
 - Kinetics, 3408–3414
- Excimer fluorescence
 - Polystyrene, 2707–2711
- Gelatin
 - Light scattering, 3201–3210
- Gelation
 - Quasi-elastic light scattering, 3211–3217
- Infra-red spectroscopy
 - Bisphenol-A polymer, 1862–1866
 - Polymethylene, 1581–1584
- Modelling
 - Helical polymer, 2155–2160
- Molecular mechanics
 - Poly(aryl ether ketone), 121–126
- Polyamides
 - N.m.r. spectroscopy, 2523–2533
- Polycarbonate
 - Crystallinity, 12–18
- Polydiacetylene
 - N.m.r. spectroscopy, 1834–1840
- Solvent effects
 - Polysaccharide, 3013–3020

Conformational analysis

- Molecular mechanics
 - Epoxy resin, 2272–2277

Conjugated polymer

- Non-linear optics
 - Photonics, 1746–1751
- Synthesis
 - Thermogravimetry, 1857–1861

Conjugation

- Conducting polymers
 - Polyisoprene, 2120–2127

Copolyester

- Nuclear magnetic resonance
 - Liquid crystals, 202–208

Copolymer

- Additive
 - Intrinsic viscosity, 713–720
- Microstructure
 - N.m.r. spectroscopy, 721–727
- Poly(ethylene oxide)
 - Poly(propylene oxide), 703–712

Polyamide

- Blends, 109–120
- Resists
 - Crosslinking, 484–488
- X-ray diffraction
 - Crystallization, 3097–3102

Copolymer blends

- Polyamide
 - Polymerization, 364–373
- Copolymerization
 - Fracture toughness
 - Polyester, 2400–2405
 - Kinetics
 - Free-radical polymerization, 2641–2647
 - Nuclear magnetic resonance
 - Monte-Carlo simulation, 3045–3051
 - Structure
 - Morphology, 2263–2271

Copolymers

- Acrylonitrile
 - Toughness, 1447–1455
- Annealing
 - X-ray diffraction, 597–604
- Characterization
 - Light scattering, 3052–3056
- Chromatography
 - Separation, 2230–2233
- Free-radical polymerization
 - Spectroscopy, 3426–3432
- Ionomers
 - Viscosity, 1692–1695
- Micellization
 - Energy changes, 3038–3044
- Microphase
 - D.s.c., 3080–3085
 - Separation, 1935–1942
- Morphology
 - Mechanical properties, 950–958
- N.m.r. spectroscopy
 - Conformation, 2958–2962
- Phase behaviour
 - Blends, 1252–1257
- Phase separation
 - Kinetics, 2033–2042
- Synthesis
 - Phase separation, 1851–1856
 - Poly(vinyl alcohol), 1336–1339
 - Solubility, 1531–1534
 - Transition temperatures
 - Spectroscopy, 1044–1048
 - Vibrational spectroscopy
 - Phase transition, 1017–1026

Counterion binding

- Polyelectrolytes
 - Modelling, 1504–1509

Crack growth

- Fracture
 - Elastomer, 2963–2975
- Polyethylene
 - Stress, 2172–2178

Crack propagation

- Fracture toughness
 - Polyethylene, 1440–1446
- Polyethylene
 - Modelling, 419–425

Craze

- Fatigue
 - Diffusion, 3130–3135
- Glassy polymer
 - Entanglements, 409–418

Crazing

- Polystyrene
 - Stability, 609–618

Creep

- Poly(ethylene oxide)
 - Viscoelasticity, 2555–2560
- Viscoelasticity
 - Orientation, 1798–1802

Critical point

- Phase diagram
 - Scaling, 3218–3224

Crosslinking

- Dimethylacrylates
 - Fracture, 2577–2587
- Epoxy network
 - Molecular packing, 1875–1884
- Mechanical properties
 - Polyamide, 1821–1825
- Morphology
 - Irradiation, 3086–3090
 - Oriented polymer, 1732–1736
- Networks
 - Thermal properties, 2210–2214
- Poly(methyl methacrylate)
 - Concentration dependence, 531–536
- Resists
 - Copolymer, 484–488

Crystal growth

- Polyethylene
 - Nucleation, 963–978

Crystal structure

- Nuclear magnetic resonance
 - Poly(phenylene sulphide), 796–801
- Polypropylene
 - Morphology, 2902–2910
- X-ray diffraction
 - Molecular structure, 396–401

Crystallinity

- D.s.c.
 - Poly(aryl ether ether ketone), 3364–3370
- Isotacticity
 - Polypropylene, 649–655
- Poly(vinylidene fluoride)
 - Nuclear magnetic resonance, 2736–2740
- Polycarbonate
 - Conformation, 12–18

Crystallization

- Blends
 - Poly(ethylene oxide), 1647–1653
- Composites
 - Kinetics, 2799–2805
- Melting
 - Blends, 2793–2798
 - Polyethylene, 696–702
- Microstructure
 - Thermodynamics, 3268–3283
- Miscibility
 - Solution, 3006–3012
- PEEK
 - Aromatic polymer, 304–307, 308–313
- Phase behaviour
 - Polyether, 1284–1292
- Phase separation
 - Gelation, 2418–2427
- Phase transition
 - Dielectric relaxation, 1642–1646
- Poly(aryl ether ketone)
 - Structure, 3162–3169
- Poly(ether-ether-ketone)
 - D.s.c., 1258–1266
- Polypropylene
 - Solvent effects, 856–859
- Sorption
 - Diffusion, 3371–3375
- Synthesis
 - Polymerization, 2283–2288
- Thermal behaviour
 - Polystyrene, 1080–1083
- Thermal properties
 - Poly(aryl ether ether ketone), 2691–2706
- X-ray diffraction
 - Copolymer, 3097–3102

Cure monitoring

- Temperature effects
 - Kinetics, 1456–1460

Curing

- Chemical modification
 - Glass transition temperature, 140–145
- Glass transition
 - Epoxy resin, 2892–2897

- Cyclic polymers**
 Polysiloxane
 Glass transition, 2823–2827
- Cyclic voltammetry**
 Oxidation
 Doping, 166–169
- Cyclization**
 Epoxy resins
 Mass spectrometry, 3190–3194
 Polystyrene
 Polarization, 84–87
 Proton abstraction
 Polyacrylonitrile, 1826–1833
 Structure
 Network, 323–333
-
- D.s.c.**
 Cellulose
 Composites, 489–492
 Copolymers
 Microphase, 3080–3085
 Crystallinity
 Poly(aryl ether ether ketone), 3364–3370
 Crystallization
 Poly(ether ether ketone), 1258–1266
 Miscibility
 Blends, 1673–1680
 Phase behaviour
 Block copolymers, 3305–3312
 Polymerization
 Purification, 358–363
 Polystyrene
 Gelation, 479–483
- Deformation**
 Epoxies
 Dilatometry, 2377–2381
 Film
 Poly(ethylene terephthalate), 3331–3339
 Stress, 3322–3330
 Liquid crystals
 Elastomer, 1347–1353
 Morphology
 Blends, 2150–2154
 Tensile properties
 Polybutadiene, 34–38
 Thermoplastic
 Small angle X-ray scattering, 1173–1180
- Degradation**
 Poly(vinyl chloride)
 Film, 3126–3129
 Polyimide
 Film, 1585–1588
 Polypropylene
 Mechanical properties, 432–437,
 438–444
- Dextran**
 Dynamic light scattering
 Temperature effects, 235–240
- Dichloroethane**
 Diffusion
 Phase separation, 1493–1503
- Dichromates**
 Poly(vinyl pyridine)
 Oxidation, 2666–2670
- Dielectric constant**
 Composites
 Polyethylene, 523–530
- Dielectric properties**
 Mechanical properties
 Polyacrylic acid, 2995–3000
 Relaxation
 Thermoset, 2747–2754
- Dielectric relaxation**
 Glass transition
 Composition, 2238–2243
 Liquid crystalline polymer
 Pressure effects, 909–915
 Liquid crystals
 Polyether, 1219–1222
 Molecular dynamics
 Temperature effects, 2331–2334
- Phase transition
 Crystallization, 1642–1646
 Physical ageing
 Poly(vinyl acetate), 2135–2140
 Poly(itaconic acid)
 Film, 2755–2759
- Diffraction pattern**
 Semicrystalline polymer
 Structure, 1923–1927
- Diffusion**
 Craze
 Fatigue, 3130–3135
 Crystallization
 Sorption, 3371–3175
 Dichloroethane
 Phase separation, 1493–1503
 Elastomer
 Transport, 870–876
 Nuclear magnetic resonance
 Solvent ingress, 2926–2938
 Poly(aryl ether ketone)
 Composites, 260–264
 Poly(ethylene oxide)
 Solution, 2815–2822
 Polystyrene
 Deuterated toluene, 265–271
 Polyurethane
 Glass transition temperature, 656–660
- Dilatometry**
 Epoxies
 Deformation, 2377–2381
- Dimethyl siloxanes**
 Polymerization
 Kinetics, 1084–1088
- Dimethylacrylates**
 Crosslinking
 Fracture, 2577–2587
- Diol**
 Epoxy resins
 Pyrolysis, 590–596
- Dipole moment**
 Poly(propylene oxide)
 Dielectric constant, 564–568
 Sequence distribution
 Microstructure, 3418–3421
- Doping**
 Conductivity
 Activation energy, 160–165
 N.m.r. spectroscopy
 Poly(phenylene sulphide), 2921–2925
 Poly(p-phenylene vinylene)
 Spectroscopy, 2340–2344
 Polydiacetylene
 Raman spectroscopy, 2731–2735
 Synthesis
 Polyaniline, 2043–2048
- Drawing**
 Fibre
 Electrical conduction, 464–470
 Gel film
 Poly(vinyl alcohol), 3140–3146
 Molecular orientation
 Chain orientation, 2363–2366
 Morphology
 Polyethylene, 999–1009
 PEEK
 High modulus, 808–813
 Poly(oxymethylene)
 Pressure effects, 2992–2994
 Polyethylene
 Film, 1770–1775
 Molecular weight, 1776–1781
 Polyoxymethylene
 Pressure effects, 1994–1999
 Pressure effects
 Polyoxymethylene, 1988–1993
 Processing
 Pressure effects, 1983–1987
- Drug transport**
 Poly(vinyl pyridine)
 Synthesis, 2106–2111
- Dynamic light scattering**
 Dextran
 Temperature effects, 235–240
 Glass transition
 Viscoelastic relaxation, 1928–1934
 Solution
 Gels, 1077–1079
- Dynamic mechanical analysis**
 Liquid crystals
 Glass transition temperature, 1612–1621
 Polyethylene
 Elasticity, 445–453
 Polystyrene
 Ionic clusters, 1380–1383
- Dynamic mechanical properties**
 Epoxy resins
 Cationic polymerization, 2779–2784
 Hydrogels
 Plasticization, 3340–3353
 Miscibility
 Blends, 1681–1687
 Morphology
 Polyurethanes, 1361–1368
 Networks
 Acrylate, 1627–1632
 Polystyrene
 Ionomers, 1622–1626
- Dynamics**
 Kinetics
 Conformation, 3408–3414
 Nuclear magnetic resonance
 Molecular mobility, 2335–2339
 Poly(methacrylic acid)
 Solution, 1688–1691
-
- E.p.r.**
 Glass transition temperature
 Poly(phenylacetylene), 231–234
- Elastic modulus**
 Hydrogen bonding
 Cellulose, 1516–1526
 Networks
 Poly(dimethylsiloxane), 835–839
- Elasticity**
 Dynamic mechanical analysis
 Polyethylene, 445–453
 Fibre
 Compressibility, 1782–1787
 Foam
 Microstructure, 221–225
 Rubber
 Networks, 2128–2134
- Elastomer**
 Blends
 Polypropylene, 3313–3316
 Diffusion
 Transport, 870–876
 Fracture
 Crack growth, 2963–2975
 Liquid crystals
 Deformation, 1347–1353
- Electric field**
 Poly(vinylidene fluoride)
 Infra-red spectroscopy, 215–220
- Electrical conduction**
 Fibre
 Drawing, 464–470
- Electrical properties**
 Conducting polymers
 Structure, 3075–3079
 Mechanical properties
 Polyacetylene, 1210–1218
 Redox system
 Group transfer polymerization, 146–159
- Electroinitiation**
 Polymerization
 Structure, 1323–1328
- Electron beam irradiation**
 Molecular mobility
 Epoxy resin, 402–408

Subject Index

- Viscoelasticity
Polyimides, 1539–1544
- Electron spin resonance**
Rubber
Polyisoprene, 2519–2522
- Encapsulation**
Polyurethane
Mechanical properties, 2395–2399
- End groups**
Polypyrrole
Structure, 728–732
Radical polymerization
Poly(methyl methacrylate), 3415–3417
- Entanglements**
Craze
Glassy polymer, 409–418
Swelling
Gel spinning, 3136–3139
- Enthalpy**
Semicrystalline polymer
Polyimide, 2053–2059
- Enzyme activity**
Gelatin
Helical structure, 2680–2685
- Epoxides**
Network
Packing density, 79–83
- Epoxies**
Deformation
Dilatometry, 2377–2381
Miscibility
Rubber blends, 1223–1229
Modelling
Polycondensation, 290–296
- Epoxy network**
Chemical modification
Toughening mechanisms, 2020–2032
Mechanical properties
Viscoelasticity, 1885–1891
Molecular packing
Crosslinking, 1875–1884
- Epoxy resin**
Blends
Miscibility, 58–65
Electron beam irradiation
Molecular mobility, 402–408
Fracture toughness
Silica, 2221–2229
Glass transition
Curing, 2892–2897
Impact properties
Silica, 2976–2979
Molecular mechanics
Conformational analysis, 2272–2277
- Epoxy resins**
Cyclization
Mass spectrometry, 3190–3194
Diol
Pyrolysis, 590–596
Dynamic mechanical properties
Cationic polymerization, 2779–2784
N.m.r. spectroscopy
Molecular motion, 2947–2952
Network formation
Functional group, 3195–3200
- Equation of state**
Miscibility
Random copolymer, 73–78
Temperature dependence
Heat capacity, 1244–1251
Thermal expansion
Isothermal properties, 3170–3176
- Ethylene**
Polymerization
Catalyst, 1131–1134
- Ethylene dimethacrylate**
Glycidyl methacrylate
Infra-red spectroscopy, 1135–1139
- Excimer fluorescence**
Blends
Miscibility, 791–795
- Polystyrene
Conformation, 2707–2711
- Extrusion**
Non-linear optics
Composites, 1195–1199
-
- FT infra-red spectroscopy**
Blend
Networks, 897–903
Characterization
Blends, 1010–1016
Phase behaviour
Blends, 1049–1058
Poly(dimethylsiloxanes)
Adsorption, 1313–1317
Surface studies
Poly(methyl methacrylate), 2917–2920
Thermal properties
Photoacoustic spectroscopy, 586–589
- Fatigue**
Craze
Diffusion, 3130–3135
Fracture
Poly(ether ether ketone), 1605–1611
- Fibre**
Anisotropy
Liquid crystals, 2190–2198
Characterization
Poly(ethylene terephthalate), 1027–1030
Compressibility
Elasticity, 1782–1787
Electrical conduction
Drawing, 464–470
Mechanical properties,
Laser Raman spectroscopy, 1788–1793
Nylon
Swelling, 740–744
Optical properties
Light scattering, 1737–1745
Polyimide
Structure, 1803–1810
- Filler**
Resin
Poly(vinyl acetate), 636–640
- Film**
Deformation
Stress, 3322–3330
Degradation
Poly(vinyl chloride), 3126–3129
Dielectric relaxation
Poly(itaconic acid), 2755–2759
Drawing
Polyethylene, 1770–1775
Morphology
Mechanical properties, 822–834,
2561–2576
Thermal behaviour, 3299–3304
Permeability
Polyamide, 2605–2611
Permeation
Blends, 3376–3380
Poly(ethylene terephthalate)
Deformation, 3331–3339
Polydiacetylene
Raman spectroscopy, 1761–1769
Polyimide
Degradation, 1585–1588
- Fluorescence spectroscopy**
Miscibility
Blends, 3225–3232
- Fluoropolymer**
Polyimide
Heat resistance, 88–94
- Foam**
Elasticity
Microstructure, 221–225
Phase separation
Molecular orientation, 1420–1425
- Fracture**
Dimethylacrylates
Crosslinking, 2577–2587
- Elastomer
Crack growth, 2963–2975
- Fatigue
Poly(ether ether ketone), 1605–1611
- Polyethylene
Thermal treatment, 3152–3161
- Reptation
Rubber, 2601–2604
- Thermoplastic
Impact toughness, 2215–2220
- Fracture toughness**
Acrylonitrile
Butadiene styrene, 2766–2770
Epoxy resin
Silica, 2221–2229
Poly(methyl methacrylate)
Rubber toughening, 2372–2376
Polyester
Copolymerization, 2400–2405
Polyethylene
Crack propagation, 1440–1446
- Free-radical polymerization**
Aromatic polymer
Terpolymers, 2853–2855
Cationic polymerization
Salt, 2289–2293
Copolymers
Spectroscopy, 3426–3432
Kinetics
Copolymerization, 2641–2647
Liquid crystalline polymer
Stereoregularity, 2469–2481
Methyl methacrylate
Heat effects, 3021–3025
- Functional group**
Epoxy resins
Network formation, 3195–3200
Polybutadiene
Chain structure, 3244–3249
Mechanical properties, 628–635
-
- Gas permeability**
Poly(ether ketone)
Gas transport, 2387–2394
- Gas transport**
Membrane
Packing density, 2612–2617
Poly(ether ketone)
Gas permeability, 2387–2394
Polycarbonate
Sorption, 2382–2386
Polysulphone
Membrane, 840–850
Sorption, 2618–2625
- Gel effect**
Polymerization
Methyl methacrylate, 3233–3243
- Gel film**
Drawing
Poly(vinyl alcohol), 3140–3146
- Gel permeation chromatography**
Polymerization
Catalysis, 558–563
Protein
Separation, 3001–3005
- Gelatin**
Conformation
Light scattering, 3201–3210
Enzyme activity
Helical structure, 2680–2685
Self-diffusion
Gels, 3295–3298
- Gelation**
Catalysis
Poly(acrylonitrile), 3433–3436
Characterization
Hydrogels, 2491–2495
Conformation
Quasi-elastic light scattering, 3211–3217
Morphology
Birefringence, 2911–2916

- Phase separation
Crystallization, 2418–2427
Polystyrene
D.s.c., 479–483
- Gels**
Dynamic light scattering
Solution, 1077–1079
Ionic conductivity
Salt, 2887–2891
Self-diffusion
Gelatin, 3295–3298
Temperature effects
Neutron scattering, 1943–1947
- Glass transition**
Dielectric relaxation
Composition, 2238–2243
Dynamic light scattering
Viscoelastic relaxation, 1928–1934
Epoxy resin
Curing, 2892–2987
Molecular motion
Relaxation, 2010–2013
Polypropylene
Yielding, 2588–2593
Polysiloxane
Cyclic polymers, 2823–2827
Telechelics
Solution properties, 1089–1094
- Glass transition temperature**
Chain flexibility
Thermodynamics, 471–478
Chemical modification
Curing, 140–145
Diffusion
Polyurethane, 656–660
E.p.r.
Poly(phenylacetylene), 231–234
Liquid crystals
Dynamic mechanical analysis,
1612–1621
Molecular weight
Methyl methacrylate, 2234–2237
- Glassy polymer**
Craze
Entanglements, 409–418
- Glycidyl methacrylate**
Ethylene dimethacrylate
Infra-red spectroscopy, 1135–1139
- Graft copolymers**
Block copolymers
Polymerization, 19–28
- Grafting**
Blends
Compatibility, 493–500
Polymerization
Temperature effects, 2406–2410
- Group transfer polymerization**
Redox system
Electrical properties, 146–159
-
- Haloaldehyde polymers**
Synthesis
Polymerization, 751–760, 2869–2875
- Heat flow**
Microstructure
Solute, 3268–3283
- Heat resistance**
Fluoropolymer
Polyimide, 88–94
- Helical structure**
Gelatin
Enzyme activity, 2680–2685
- Helix**
Characterization
Alkyl groups, 569–575
- High modulus**
PEEK
Drawing, 808–813
Polyethylene fibres
Structure, 3262–3263
- Hydration**
Methyl cellulose
Solubility, 2806–2810
- Hydrodynamic interaction**
Shear
Viscosity, 3359–3363
- Hydrodynamic properties**
Poly(ethylene oxide)
Solution, 904–908
- Hydrogels**
Characterization
Gelation, 2491–2495
Dynamic mechanical properties
Plasticization, 3340–3353
Structure
Molecular interaction, 2205–2209
Thermal behaviour
Intrinsic viscosity, 3381–3386
- Hydrogen bonding**
Blends
Miscibility, 984–989
Elastic modulus
Cellulose, 1516–1526
Miscibility
Blends, 1663–1672
-
- Imidazoles**
Synthesis
Characterization, 353–357
- Impact properties**
Epoxy resin
Silica, 2976–2979
- Impact toughness**
Polyethylene
Joint, 2199–2204
Thermoplastic
Fracture, 2215–2220
- Infra-red spectroscopy**
Blends
Stretching, 3–11
Conformation
Bisphenol-A polymer, 1862–1866
Polymethylene, 1581–1584
Glycidyl methacrylate
Ethylene dimethacrylate, 1135–1139
Poly(vinylidene fluoride)
Electric field, 215–220
X-ray diffraction
Oriented polymer, 1574–1580
- Interaction parameter**
Blends
Cloud point, 864–869
Light scattering
Ternary systems, 314–322
- Interfaces**
Blends
Concentration dependence, 2351–2362
Poly(methyl methacrylate)
Reflectometry, 3284–3294
- Interpenetrating networks**
Resin
Poly(vinyl acetate), 786–790
- Intrinsic viscosity**
Additive
Copolymer, 713–720
Hydrogels
Thermal behaviour, 3381–3386
Solvent system
Poly(hydroxybutyrate), 1293–1298
- Ionic conductivity**
Gels
Salt, 2887–2891
Poly(ethylene oxide)
Polymer electrolytes, 2712–2715
Poly(itaconic acid)
Side chain length, 2411–2417
- Ionomers**
Blends
Mechanical behaviour, 95–102
Copolymers
Viscosity, 1692–1695
- Dynamic mechanical properties
Polystyrene, 1622–1626
Viscoelasticity
Mechanical properties, 2785–2792
- Irradiation**
Morphology
Crosslinking, 3086–3090
PEEK
Surface reaction, 3057–3061
Polypropylene
Films, 979–983
- Isomerism**
Liquid crystalline polymer
Polyether, 661–672
- Isomerization**
Cationic polymerization
Alkylation, 2856–2861
- Isotacticity**
Crystallinity
Polypropylene, 648–655
- Isothermal properties**
Equation of state
Thermal expansion, 3170–3176
-
- Joint**
Impact toughness
Polyethylene, 2199–2204
-
- Kevlar**
Small-angle X-ray scattering
Diffraction, 1167–1172
- Kinetic study**
Polyaddition
Amines, 2876–2879
- Kinetics**
Copolymerization
Free-radical polymerization, 2641–2647
Cure monitoring
Temperature effects, 1456–1460
Dynamics
Conformation, 3408–3414
Ligands
Complexes, 3177–3181
Phase separation
Copolymers, 2033–2042
Photopolymerization
Anisotropy, 1654–1662
Polymerization
Dimethyl siloxanes, 1084–1088
Methacrylonitrile, 3182–3189
Modelling, 537–557, 2626–2640
Viscometry, 2648–2652
Theta temperature
Monte-Carlo calculations, 3387–3407
-
- Latex**
Swelling
Polybutadiene, 934–941
- Ligands**
Kinetics
Complexes, 3177–3181
- Light scattering**
Characterization
Copolymers, 3052–3056
Conformation
Gelatin, 3201–3210
Optical properties
Fibre, 1737–1745
Ternary systems
Interaction parameter, 314–322
- Liquid crystal polymers**
Rheology
Pressure effects, 1794–1797
- Liquid crystalline polymer**
Characterization
Acrylic polymer, 2244–2251
Dielectric relaxation
Pressure effects, 909–915
Free-radical polymerization
Stereoregularity, 2469–2481

Subject Index

- Isomerism
 - Polyether, 661–672
 - Mixture
 - Phase separation, 2319–2324
 - Orientation
 - Magnetic field, 2898–2901
 - Synthesis
 - Characterization, 1897–1908
 - Mesomorphism, 2862–2868
 - Thermotropic polyesters
 - Magnetic field, 103–108
 - Liquid crystals**
 - Anisotropy
 - Fibre, 2190–2198
 - Composition
 - Molecular structure, 2252–2257
 - Dielectric relaxation
 - Polyether, 1219–1222
 - Elastomer
 - Deformation, 1347–1353
 - Glass transition temperature
 - Dynamic mechanical analysis, 1612–1621
 - Nuclear magnetic resonance
 - Copolyester, 202–208
 - Phase behaviour
 - Structure, 3026–3037
 - Phase diagram
 - Semi-rigid polymers, 1510–1515
 - Polydiacetylene
 - Amorphous polymers, 1843–1850
 - Low-temperature properties**
 - Molecular mechanics
 - Poly(alkyl methacrylates), 2141–2145
 - Poly(ethylene terephthalate)
 - Spectroscopy, 851–855
-
- Magnetic field**
 - Liquid crystalline polymer
 - Orientation, 2898–2901
 - Thermotropic polyesters, 103–108
 - Mass spectrometry**
 - Cyclization
 - Epoxy resins, 3190–3194
 - Mechanical behaviour**
 - Blends
 - Ionomers, 95–102
 - Rigid rod polymer
 - Compressibility, 1816–1820
 - Tensile properties, 1811–1815
 - Thermal properties
 - Poly(ethylene terephthalate), 1975–1982
 - Mechanical properties**
 - Block copolymers
 - Synthesis, 1867–1874
 - Copolymers
 - Morphology, 950–958
 - Degradation
 - Polypropylene, 432–437, 438–444
 - Dielectric properties
 - Polyacrylic acid, 2995–3000
 - Electrical properties
 - Polyacetylene, 1210–1218
 - Encapsulation
 - Polyurethane, 2395–2399
 - Epoxy network
 - Viscoelasticity, 1885–1891
 - Fibre
 - Laser Raman spectroscopy, 1788–1793
 - Functional group
 - Polybutadiene, 628–635
 - Miscibility
 - Ternary blends, 44–52
 - Modelling
 - Poly(phenyleneterephthalamide), 2179–2189
 - Morphology
 - Film, 822–834, 2561–2576
 - Polyamide
 - Crosslinking, 1821–1825
 - Polyolefin blends
 - Morphology, 2534–2540, 2541–2545
 - Polypyrrole
 - Conductivity, 1230–1235
 - Rubber blends
 - Blend ratio, 2546–2554
 - Structure-property
 - Catalyst, 733–739
 - Temperature effects
 - Swelling, 3354–3358
 - Thermal properties
 - Poly(urethane urea), 1426–1439
 - Melt**
 - Paraffins
 - Nucleation, 2828–2841
 - Polydispersity
 - Structure, 1299–1308
 - Melting**
 - Crystallization
 - Blends, 2793–2798
 - Polyethylene, 696–702
 - Phase separation
 - Polyethylene, 2984–2988
 - Melting behaviour**
 - Neutron scattering
 - Single crystals, 393–395
 - Rheology
 - Polypropylene, 2449–2455
 - Membrane**
 - Gas transport
 - Packing density, 2612–2617
 - Polysulphone, 840–850
 - Poly(vinyl alcohol)
 - Water, 241–248
 - Memory**
 - Phase transition
 - Extrusion, 2512–2518
 - Mesophase formation**
 - Cellulose
 - Miscibility, 248–259
 - Metallophthalocyanines**
 - Optical properties
 - Non-linear optics, 1752–1755
 - Methacrylonitrile**
 - Polymerization
 - Kinetics, 3182–3189
 - Methyl cellulose**
 - Hydration
 - Solubility, 2806–2810
 - Methyl methacrylate**
 - Acrylonitrile
 - Configuration, 1112–1118
 - Molecular weight
 - Glass transition temperature, 2234–2237
 - Polymerization
 - Gel effect, 3233–3243
 - Structure
 - Polymerization, 2435–2442
 - Micelle**
 - Characterization
 - Rod-like polymer, 134–139
 - Microgel
 - Temperature effects, 2258–2262
 - Micellization**
 - Copolymers
 - Energy changes, 3038–3044
 - Microgel**
 - Micelle
 - Temperature effects, 2258–2262
 - Poly(vinylidene fluoride)
 - Solution properties, 884–891
 - Microphase**
 - Copolymers
 - D.s.c., 3080–3085
 - Separation, 1935–1942
 - Polyurethanes
 - Morphology, 343–352
 - Microscopy**
 - Ziegler-Natta catalyst
 - Polyolefin, 181–190
 - Microstructure**
 - Block copolymers
 - Thermodynamics, 2724–2730
 - Copolymer
 - N.m.r. spectroscopy, 721–727
 - Crystallization
 - Thermodynamics, 3268–3283
 - Dipole moment
 - Sequence distribution, 3418–3421
 - Foam
 - Elasticity, 221–225
 - Heat flow
 - Solute, 3268–3283
 - N.m.r. spectroscopy
 - Polynorbbornadiene, 2953–2957
 - Miscibility**
 - Blends
 - Composition, 1468–1473
 - D.s.c., 1673–1680
 - Dynamic mechanical properties, 1681–1687
 - Excimer fluorescence, 791–795
 - Fluorescence spectroscopy, 3225–3232
 - Hydrogen bonding, 984–989
 - Molecular interaction, 1155–1159
 - Phase behaviour, 2653–2658
 - Phase diagram, 1461–1467
 - Theoretical model, 3103–3118
 - Thermodynamics, 501–504
 - Crystallization
 - Solution, 3006–3012
 - Epoxy resin
 - Blends, 58–65
 - Hydrogen bonding
 - Blends, 1663–1672
 - Mechanical properties
 - Ternary blends, 44–52
 - Mesophase formation
 - Cellulose, 249–259
 - Morphology
 - Blends, 53–57
 - Phase separation
 - Blends, 2115–2119
 - Polycarbonate
 - Copolymers, 1274–1283
 - Random copolymer
 - Equation of state, 73–78
 - Rubber blends
 - Blend ratio, 2345–2350
 - Epoxies, 1223–1229
 - Miscible blends**
 - Polychloroprene
 - Polyisoprene, 505–509
 - Mixing**
 - Solution
 - Osmotic pressure, 1095–1097
 - Mixture**
 - Liquid crystalline polymer
 - Phase separation, 2319–2324
 - Modelling**
 - Conformation
 - Helical polymer, 2155–2160
 - Crack propagation
 - Polyethylene, 419–425
 - Epoxies
 - Polycondensation, 290–296
 - Kinetics
 - Polymerization, 2626–2640
 - Mechanical properties
 - Poly(phenyleneterephthalamide), 2179–2189
 - Phase separation
 - Polyethylene, 2989–2991
 - Polyelectrolytes
 - Counterion binding, 1504–1509
 - Polymerization
 - Kinetics, 537–557
 - Propylene
 - Polymerization, 2842–2852
 - Vinyl chloride
 - Polymerization, 2087–2095

- Molecular composites**
Rigid rod polymer
Morphology, 1376–1379
- Molecular dynamics**
Dielectric relaxation
Temperature effects, 2331–2334
- Molecular interaction**
Blends
Miscibility, 1155–1159
Hydrogels
Structure, 2205–2209
- Molecular mechanics**
Conformational analysis
Epoxy resin, 2272–2277
Poly(alkyl methacrylates)
Low-temperature properties, 2141–2145
Poly(aryl ether ketone)
Conformation, 121–126
- Molecular mobility**
Dynamics
Nuclear magnetic resonance, 2335–2339
Electron beam irradiation
Epoxy resin, 402–408
- Molecular motion**
Epoxy resins
N.m.r. spectroscopy, 2947–2952
Glass transition
Relaxation, 2010–2013
N.m.r. spectroscopy
Polyethylene, 1031–1043
Relaxation
Activation energy, 2443–2448
- Molecular orientation**
Drawing
Chain orientation, 2363–2366
Phase separation
Foam, 1420–1425
- Molecular packing**
Epoxy network
Crosslinking, 1875–1884
- Molecular structure**
Blends
Composition, 1186–1194
Crystal structure
X-ray diffraction, 396–401
- Molecular weight**
Anionic polymerization
Polythiiranes, 1318–1322
Charge transfer complex
Stability, 2060–2063
Methyl methacrylate
Glass transition temperature, 2234–2237
Poly(aryl ether ether ketone)
Spherulite, 1267–1273
Poly(dimethylsiloxane)
Polydispersity, 1970–1974
Polyethylene
Drawing, 1776–1781
- Molecular weight distribution**
Vinyl chloride
Polymerization, 1098–1111
- Monomers**
Conductivity
Redox system, 1841–1842
- Monte-Carlo calculations**
Semicrystalline polymer
Computer simulation, 2883–2886
Theta temperature
Kinetics, 3387–3407
- Morphology**
Adhesion
Blends, 990–998
Annealing
Polyethylene, 2716–2723
Block copolymers
Thermal properties, 1059–1064
Copolymers
Mechanical properties, 950–958
Crosslinking
Oriented polymer, 1732–1736
- Crystal structure
Polypropylene, 2902–2910
- Deformation
Blends, 2150–2154
- Drawing
Polyethylene, 999–1009
- Dynamic mechanical properties
Polyurethanes, 1361–1368
- Film
Thermal behaviour, 3299–3304
- Gelation
Birefringence, 2911–2916
- Irradiation
Crosslinking, 3086–3090
- Mechanical properties
Film, 822–834, 2561–2576
- Miscibility
Blends, 53–57
- Phase structure
Blends, 1474–1481
- Poly(dimethylsiloxane)
Blends, 1545–1554
- Polyethylene
Binary mixtures, 426–431
Blends, 510–515
Phase segregation, 1384–1393
- Polyolefin blends
Mechanical properties, 2534–2540, 2541–2545
- Polyurethanes
Microphase, 343–352
- Rigid rod polymer
Molecular composites, 1376–1379
- Structure
Copolymerization, 2263–2271
Spherulite, 374–380
- Thermal shrinkage
Polyethylene, 3317–3321
-
- N.m.r. spectroscopy**
Conformation
Polydiacetylene, 1834–1840
Copolymers
Conformation, 2958–2962
Epoxy resins
Molecular motion, 2947–2952
Microstructure
Polynorbornadiene, 2953–2957
- PEEK
Sulphonation, 1414–1419
Poly(phenylene sulphide)
Doping, 2921–2925
- Polyamides
Conformation, 2523–2553
- Polyethylene
Molecular motion, 1031–1043
Swelling behaviour
Wide-angle X-ray scattering, 2161–2166
- Tacticity
Relaxation, 3091–3096
- Network**
Epoxides
Packing density, 79–83
Structure
Cyclization, 323–333
- Network formation**
Epoxy resins
Functional group, 3195–3200
- Networks**
Blend
FT infra-red spectroscopy, 897–903
Crosslinking
Thermal properties, 2210–2214
Dynamic mechanical properties
Acrylate, 1627–1632
Elastic modulus
Poly(dimethylsiloxane), 835–839
Rubber
Elasticity, 2128–2134
Structure
Spectroscopy, 1957–1960
- Neutron scattering**
Single crystals
Melting behaviour, 393–395
Temperature effects
Gels, 1943–1947
- Non-linear optics**
Composites
Extrusion, 1195–1199
Optical waveguiding, 605–608
Conjugated polymer
Photonics, 1746–1751
Oligomer
Chain conformation, 1369–1375
Optical properties
Metallophthalocyanines, 1752–1755
Transition metal complexes
Hyperpolarizability, 1756–1760
- Nuclear magnetic resonance**
Copolymerization
Monte-Carlo simulation, 3045–3051
Crystallinity
Poly(vinylidene fluoride), 2736–2740
Diffusion
Solvent ingress, 2926–2938
Dynamics
Molecular mobility, 2335–2339
Liquid crystals
Copolyester, 202–208
Poly(phenylene sulphide)
Crystal structure, 796–801
Relaxation, 1589–1592
Stereoregularity
Radical polymerization, 2741–2746
- Nucleation**
Crystal growth
Polyethylene, 963–978
Paraffins
Melt, 2828–2841
- Nylon**
Fibre
Swelling, 740–744
Phase homogenization
Poly(m-xylene adipamide), 2771–2778
Single crystals
Chain folding, 387–392
Toughening mechanisms
Rubber, 2367–2371
-
- Oligomer**
Non-linear optics
Chain conformation, 1369–1375
- Resin**
Polyimide, 1119–1125
Synthesis
Resin, 3067–3070
- Optical properties**
Fibre
Light scattering, 1737–1745
Non-linear optics
Metallophthalocyanines, 1752–1755
Spectroscopy
Conducting polymers, 802–807
- Optical waveguiding**
Composites
Non-linear optics, 605–608
- Orientation**
Liquid crystalline polymer
Magnetic field, 2898–2901
Poly(methyl methacrylate)
Blends, 209–214
Thermotropic behaviour
Polyesters, 2312–2318
Viscoelasticity
Creep, 1798–1802
- Oriented polymer**
Morphology
Crosslinking, 1732–1736
X-ray diffraction
Infra-red spectroscopy, 1574–1580

Subject Index

Osmotic pressure

- Solution
- Mixing, 1095–1097

Oxidation

- Poly(vinyl pyridine)
- Dichromates, 2666–2670
- Synthesis
- Quinone-amine polymers, 1146–1149

PEEK

- Ageing
- Surface studies, 1527–1530
- Crystallization
- Aromatic polymer, 304–307, 308–313
- High modulus
- Drawing, 808–813
- N.m.r. spectroscopy
- Sulphonation, 1414–1419
- Surface reaction
- Irradiation, 3057–3061

Packing density

- Epoxides
- Network, 79–83
- Gas transport
- Membrane, 2612–2617

Paraffins

- Melt
- Nucleation, 2828–2841

Partition coefficient

- Adsorption
- Chain conformation, 916–922, 923–929

Permeability

- Film
- Polyamide, 2605–2611
- Solvent effects
- X-ray diffraction, 1236–1243

Permeation

- Film
- Blends, 3376–3380

Phase behaviour

- Blends
- Copolymers, 1252–1257
- FT infra-red spectroscopy, 1049–1058
- Shear, 1488–1492
- Block copolymers
- D.s.c., 3305–3312
- Miscibility
- Blends, 2653–2658
- Polyether
- Crystallization, 1284–1292
- Structure
- Liquid crystals, 3026–3037

Phase diagram

- Additive
- Polyester, 1593–1604
- Blends
- Miscibility, 1461–1467
- Critical point
- Scaling, 3218–3224
- Liquid crystals
- Semi-rigid polymers, 1510–1515
- Phenol
- Poly(oxyethylene), 1309–1312

Phase homogenization

- Nylon
- Poly(m-xylene adipamide), 2771–2778

Phase separation

- Blends
- Aromatic polymer, 2505–2511
- Diffusion
- Dichloroethane, 1493–1503
- Foam
- Molecular orientation, 1420–1425
- Gelation
- Crystallization, 2418–2427
- Kinetics
- Copolymers, 2033–2042
- Liquid crystalline polymer
- Mixture, 2319–2324
- Miscibility
- Blends, 2115–2119

- Poly(ethylene oxide)
- Starch, 3062–3066
- Polycarbonate
- Poly(methyl methacrylate), 272–278
- Polyethylene
- Melting, 2984–2988
- Modelling, 2989–2991

Resin

- Toughness, 1633–1641
- Synthesis
- Copolymers, 1851–1856
- Thermodynamics
- Polyketone, 279–283

Phase structure

- Blends
- Morphology, 1474–1481

Phase transition

- Dielectric relaxation
- Crystallization, 1642–1646
- Memory
- Extrusion, 2512–2518
- Polyether
- Liquid crystalline polymers, 673–681
- Structure
- Spectroscopy, 1555–1565

Phenol

- Phase diagram
- Poly(oxyethylene), 1309–1312

Phenylene groups

- Polymerization
- Thermal stability, 2482–2490

Photodegradation

- Polyacetylene
- Solution, 226–230

Photoelectron spectra

- Polypyrrole
- Complexes, 1354–1360

Photoinitiation

- Polymerization
- Temperature dependence, 690–695

Photonics

- Non-linear optics
- Conjugated polymer, 1746–1751

Photopolymerization

- Kinetics
- Anisotropy, 1654–1662

Physical ageing

- Dielectric relaxation
- Poly(vinyl acetate), 2135–2140
- Polycarbonate
- Yielding, 2594–2600
- Relaxation
- Polyetherimide, 3119–3125

Plasticity

- Polypropylene
- Spherulite, 2760–2765

Plasticization

- Dynamic mechanical properties
- Hydrogels, 3340–3353

Polarization

- Cyclization
- Polystyrene, 84–87

Poly(acrylonitrile)

- Gelation
- Catalysis, 3433–3436

Poly(alkyl methacrylates)

- Molecular mechanics
- Low-temperature properties, 2141–2145

Poly(aryl ether ether ketone)

- Crystallization
- Thermal properties, 2691–2706
- D.s.c.
- Crystallinity, 3364–3370
- Molecular weight
- Spherulite, 1267–1273

Poly(aryl ether ketone)

- Crystallization
- Structure, 3162–3169
- Diffusion
- Composites, 260–264

- Molecular mechanics
- Conformation, 121–126

Poly(dimethylsiloxane)

- Molecular weight
- Polydispersity, 1970–1974
- Morphology
- Blends, 1545–1554

Poly(dimethylsiloxanes)

- Adsorption
- FT infra-red spectroscopy, 1313–1317

Poly(ether ketone)

- Gas transport
- Gas permeability, 2387–2394

Poly(ether-ether-ketone)

- Crystallization
- D.s.c., 1258–1266

Fatigue

- Fracture, 1605–1611

Poly(ethylene oxide)

- Copolymer
- Poly(propylene oxide), 703–712
- Creep
- Viscoelasticity, 2555–2560

Crystallization

- Blends, 1647–1653

Diffusion

- Solution, 2815–2822

Hydrodynamic properties

- Solution, 904–908

Ionic conductivity

- Polymer electrolytes, 2712–2715

Phase separation

- Starch, 3062–3066

Poly(methyl methacrylate)

- Conductivity, 3422–3425

Spherulite

- Thermal oxidation, 2014–2019

Poly(ethylene terephthalate)

Film

- Deformation, 3331–3339
- Low-temperature properties
- Spectroscopy, 851–855
- Ultrasonics

- Characterization, 3147–3151

Poly(hydroxybutyrate)

- Intrinsic viscosity
- Solvent system, 1293–1298

Poly(itaconic acid)

- Dielectric relaxation
- Film, 2755–2759
- Ionic conductivity
- Side chain length, 2411–2417

Poly(methacrylic acid)

- Dynamics
- Solution, 1688–1691

Poly(methyl methacrylate)

Blends

- Orientation, 209–214

Crosslinking

- Concentration dependence, 531–536

FT infra-red spectroscopy

- Surface studies, 2917–2920

Interfaces

- Reflectometry, 3284–3294

Phase separation

- Polycarbonate, 272–278

Poly(ethylene oxide)

- Conductivity, 3422–3425

Radical polymerization

- End groups, 3415–3417

Rubber toughening

- Fracture toughness, 2372–2376

Poly(oxymethylene)

Drawing

- Pressure effects, 2992–2994

Poly(p-phenylene vinylene)

Conducting polymers

- X-ray diffraction, 781–785

Doping

- Spectroscopy, 2340–2344

- Poly(phenylacetylene)**
E.p.r.
Glass transition temperature, 231–234
- Poly(phenylene sulphide)**
Blends
Polyester, 1961–1969
N.m.r. spectroscopy
Doping, 2921–2925
Nuclear magnetic resonance
Crystal structure, 796–801
Relaxation
Nuclear magnetic resonance, 1589–1592
- Poly(propylene glycol)**
Salt complex
Refraction index, 1181–1185
- Poly(propylene oxide)**
Conducting polymers
Complexes, 2939–2946
Copolymer
Poly(ethylene oxide), 703–712
Dipole moment
Dielectric constant, 564–568
- Poly(tetrafluoroethylene)**
Surface studies
Plasma treatment, 1126–1130
- Poly(urethane urea)**
Thermal properties
Mechanical properties, 1426–1439
- Poly(vinyl acetate)**
Dielectric relaxation
Physical ageing, 2135–2140
Resin
Filter, 636–640
Interpenetrating networks, 786–790
- Poly(vinyl alcohol)**
Drawing
Gel film, 3140–3146
Synthesis
Copolymers, 1336–1339
Water
Membrane, 241–248
- Poly(vinyl chloride)**
Degradation
Film, 3126–2139
Suspension
Polymerization, 2674–2679
Tensile properties
Blends, 814–821
- Poly(vinyl phenol)**
Polyether
Blends, 516–522
- Poly(vinyl pyridine)**
Drug transport
Synthesis, 2106–2111
Oxidation
Dichromates, 2666–2670
- Poly(vinylidene fluoride)**
Characterization
Solution properties, 877–883
Crystallinity
Nuclear magnetic resonance, 2736–2740
Infra-red spectroscopy
Electric field, 215–220
Microgel
Solution properties, 884–891
- Polyacetylene, Durham precursor route**
Electronic properties, 1200–1209
Mechanical properties
Electric properties, 1210–1218
Photodegradation
Solution, 226–230
- Polyacrylic acid**
Dielectric properties
Mechanical properties, 2995–3000
- Polyacrylonitrile**
Chain conformation
Wide-angle X-ray scattering, 1566–1573
Cyclization
Proton abstraction, 1826–1833
- Polyaddition**
Kinetic study
- Amines, 2876–2879
- Polyamide**
Composites
Adhesion, 1482–1487
Copolymer
Blends, 109–120
Copolymer blends
Polymerization, 364–373
Mechanical properties
Crosslinking, 1821–1825
Permeability
Film, 2605–2611
- Polyamides**
N.m.r. spectroscopy
Conformation, 2523–2533
- Polyaniline**
Colloids
Characterization, 2456–2460
Small-angle X-ray scattering
Conducting polymers, 1160–1166
Synthesis
Doping, 2043–2048
- Polyblend**
Polycarbonate
Polyoxymethylene, 1394–1400
- Polybutadiene**
Brillouin scattering
Relaxation, 2307–2311
Chain structure
Functional group, 3244–3249
Deformation
Tensile properties, 34–38
Functional group
Mechanical properties, 628–635
Swelling
Latex, 934–941
- Polycarbonate**
Conformation
Crystallinity, 12–18
Gas transport
Sorption, 2382–2386
Miscibility
Copolymers, 1274–1283
Phase separation
Poly(methyl methacrylate), 272–278
Physical ageing
Yielding, 2594–2600
Polyblend
Polyoxymethylene, 1394–1400
- Polychloroprene**
Polyisoprene
Miscible blends, 505–509
- Polycondensation**
Modelling
Epoxies, 290–296
- Polydiacetylene**
Block copolymers
Raman spectroscopy, 1713–1725
Conformation
N.m.r. spectroscopy, 1834–1840
Doping
Raman spectroscopy, 2731–2735
Film
Raman spectroscopy, 1761–1769
Liquid crystals
Amorphous polymers, 1843–1850
- Polydispersity**
Melt
Structure, 1299–1308
Molecular weight
Poly(dimethylsiloxane), 1970–1974
- Polyelectrolytes**
Modelling
Counterion binding, 1504–1509
Solution
Binding, 892–896
- Polyester**
Additive
Phase diagram, 1593–1604
Blends
Poly(phenylene sulphide), 1961–1969
- Fracture toughness
Copolymerization, 2400–2405
- Polyesters**
Comb-like polymer
Synthesis, 2294–2299
Synthesis
Characterization, 127–133
Thermotropic behaviour
Orientation, 2312–2318
- Polyether**
Dielectric relaxation
Liquid crystals, 1219–1222
Liquid crystalline polymer
Isomerism, 661–672
Phase behaviour
Crystallization, 1284–1292
Phase transition
Liquid crystalline polymers, 673–681
Poly(vinyl phenol)
Blends, 516–522
- Polyethylene**
Binary mixtures
Morphology, 426–431
Crack growth
Stress, 2172–2178
Crack propagation
Modelling, 419–425
Crystal growth
Nucleation, 963–978
Crystallization
Kinetics, 771–780
Dielectric constant
Composites, 523–530
Drawing
Film, 1770–1775
Molecular weight, 1776–1781
Dynamic mechanical analysis
Elasticity, 445–453
Fracture
Thermal treatment, 3152–3161
Fracture toughness
Crack propagation, 1440–1446
Impact toughness
Joint, 2199–2204
Melting
Crystallization, 696–702
Morphology
Blends, 510–515
Drawing, 999–1009
Phase segregation, 1384–1393
N.m.r. spectroscopy
Molecular motion, 1031–1043
Phase separation
Melting, 2984–2988
Modelling, 2989–2991
Thermal shrinkage
Morphology, 3317–3321
- Polyethylene fibres**
High modulus
Structure, 3262–3263
- Polyimide**
Degradation
Film, 1585–1588
Fluoropolymer
Heat resistance, 88–94
Radiation effects
Tensile properties, 2499–2504
Resin
Oligomer, 1119–1125
Semicrystalline polymer
Enthalpy, 2053–2059
Spectroscopy
Thermal stability, 2167–2171
Structure
Fibre, 1803–1810
Synthesis
Characterization, 3256–3261
Transesterification
Characterization, 942–949

Subject Index

- Polyisobutylene**
Stress
Rheology, 2000–2009
- Polyisoprene**
Conducting polymers
Conjugation, 2120–2127
Polychloroprene
Miscible blends, 505–509
Rubber
Electron spin resonance, 2519–2522
- Polymer electrolytes**
Ionic conductivity
Poly(ethylene oxide), 2712–2715
- Polymerization**
Block copolymers
Graft copolymers, 19–28
Catalysis
Gel permeation chromatography, 558–563
Catalyst
Propylene, 2671–2673
Electroinitiation
Structure, 1323–1328
Ethylene
Catalyst, 1131–1134
Grafting
Temperature effects, 2406–2410
Haloaldehyde polymers
Synthesis, 751–760
Kinetics
Dimethyl siloxanes, 1084–1088
Methacrylonitrile, 3182–3189
Modelling, 2626–2640
Viscometry, 2648–2652
Methyl methacrylate
Gel effect, 3233–3243
Modelling
Kinetics, 537–557
Propylene, 2842–2852
Phenylene groups
Thermal stability, 2482–2490
Photoinitiation
Temperature dependence, 690–695
Poly(vinyl chloride)
Suspension, 2674–2679
Purification
D.s.c., 358–363
Structure
Methyl methacrylate, 2435–2442
Synthesis
Crystallization, 2283–2288
Haloaldehyde polymers, 2869–2875
Sulphobetaines, 2300–2303
Vinyl chloride
Modelling, 2087–2095
Molecular weight distribution, 1098–1111
Thermal stability, 1696–1702
Ziegler-Natta catalyst
Chelation, 1329–1335
- Polymethylene**
Conformation
Infra-red spectroscopy, 1581–1584
- Polynorbornadiene**
N.m.r. spectroscopy
Microstructure, 2953–2957
- Polyolefin**
Ziegler-Natta catalyst
Microscopy, 181–190
- Polyolefin blends**
Morphology
Mechanical properties, 2534–2540, 2541–2545
- Polyoxymethylene**
Drawing
Pressure effects, 1994–1999
Polyblend
Polycarbonate, 1394–1400
Pressure effects
Drawing, 1988–1993
- Polypropylene**
Blends
Elastomer, 3313–3316
Crystal structure
Morphology, 2902–2910
Crystallinity
Isotacticity, 648–655
Crystallization
Solvent effects, 856–859
Degradation
Mechanical properties, 432–437, 438–444
Glass transition
Yielding, 2588–2593
Irradiation
Films, 979–983
Melting behaviour
Rheology, 2449–2455
Plasticity
Spherulite, 2769–2765
- Polypyrrole**
Conductivity
Mechanical properties, 1230–1235
Photoelectron spectra
Complexes, 1354–1360
Structure
End groups, 728–732
- Poly saccharide**
Solvent effects
Conformation, 3013–3020
- Polysiloxane**
Cyclic polymers
Glass transition, 2823–2827
- Polystyrene**
Crazing
Stability, 609–618
Crystallization
Thermal behaviour, 1080–1083
Cyclization
Polarization, 84–87
D.s.c.
Gelation, 479–483
Diffusion
Deuterated toluene, 265–271
Dynamic mechanical analysis
Ionic clusters, 1380–1383
Dynamic mechanical properties
Ionomers, 1622–1626
Excimer fluorescence
Conformation, 2707–2711
- Polystyrene blends**
Small-angle neutron scattering
Chain dimensions, 195–201
- Poly sulphone**
Gas transport
Membrane, 840–850
Sorption, 2618–2625
- Polythiiranes**
Anionic polymerization
Molecular weight, 1318–1322
- Polyurethane**
Diffusion
Glass transition temperature, 656–660
Encapsulation
Mechanical properties, 2395–2399
- Polyurethanes**
Microphase
Morphology, 343–352
- Pressure effects**
Dielectric relaxation
Liquid crystalline polymer, 909–915
Drawing
Polyoxymethylene, 1988–1993, 1194–1999
Processing, 1983–1987
Poly(oxymethylene)
Drawing, 2992–2994
Rheology
Liquid crystal polymers, 1794–1797
- Processing**
Drawing
Pressure effects, 1983–1987
- Propagation**
Radical polymerization
Rate constant, 1892–1896
- Propylene**
Modelling
Polymerization, 2842–2852
Polymerization
Catalyst, 2671–2673
- Protein**
Gel permeation chromatography
Separation, 3001–3005
- Proton abstraction**
Cyclization
Polyacrylonitrile, 1826–1833
- Purification**
Polymerization
D.s.c., 358–363
- Pyrolysis**
Epoxy resins
Diol, 590–596
-
- Quasi-elastic light scattering**
Conformation
Gelation, 3211–3217
- Quinone-amine polymers**
Synthesis
Oxidation, 1146–1149
-
- Radiation effects**
Polyimide
Tensile properties, 2499–2504
- Radical polymerization**
End groups
Poly(methyl methacrylate), 3415–3417
Propagation
Rate constant, 1892–1896
Thin films
Vapour deposition, 2064–2069
- Raman spectroscopy**
Anionic polymerization
Complexes, 334–337
Characterization
Anionic polymerization, 338–342
Polydiacetylene
Film, 1761–1769
- Random copolymer**
Miscibility
Equation of state, 73–78
- Rate constant**
Radical polymerization
Propagation, 1892–1896
- Redox system**
Conductivity
Monomers, 1841–1842
Electrical properties
Group transfer polymerization, 146–159
- Reflectometry**
Interfaces
Poly(methyl methacrylate), 3284–3294
- Relaxation**
Activation energy
Molecular motion, 2443–2448
Amorphous polymers
Temperature dependence, 2146–2149
Dielectric properties
Thermoset, 2747–2754
Glass transition
Molecular motion, 2010–2013
Physical ageing
Polyetherimide, 3119–3125
Poly(phenylene sulphide)
Nuclear magnetic resonance, 1589–1592
Polybutadiene
Brillouin scattering, 2307–2311
Resin
Viscoelasticity, 39–43
Thermally stimulated current
Polyzwitterion, 297–303

- Reptation**
Fracture
Rubber, 2601–2604
- Resin**
Poly(vinyl acetate)
Filler, 636–640
Interpenetrating networks, 786–790
Polyimide
Oligomer, 1119–1125
Synthesis
Oligomer, 3067–3070
Toughness
Phase separation, 1633–1641
Viscoelasticity
Relaxation, 39–43
- Resists**
Crosslinking
Copolymer, 484–488
- Rheology**
Liquid crystal polymers
Pressure effects, 1794–1797
Melting behaviour
Polypropylene, 2449–2455
Stress
Polyisobutylene, 2000–2009
Thermotropic behaviour
Shrinkage, 682–689
- Rigid rod polymer**
Mechanical behaviour
Compressibility, 1816–1820
Tensile properties, 1811–1815
Molecular composites
Morphology, 1376–1379
Synthesis
Phase behaviour, 2096–2105
Young's modulus
Acrylate, 454–463
- Rod-like polymer**
Characterization
Micelle, 134–139
- Rubber**
Blends
Composibility, 66–72
Networks
Elasticity, 2128–2134
Polyisoprene
Electron spin resonance, 2519–2522
Reptation
Fracture, 2601–2604
Toughening mechanisms
Nylon, 2367–2371
- Rubber blends**
Mechanical properties
Blend ratio, 2546–2554
Miscibility
Blend ratio, 2345–2350
Epoxies, 1223–1229
- Rubber toughening**
Blends
Synthesis, 1140–1145
Poly(methyl methacrylate)
Fracture toughness, 2372–2376
-
- Salt**
Free-radical polymerization
Cationic polymerization, 2289–2293
Ionic conductivity
Gels, 2887–2891
- Salt complex**
Poly(propylene glycol)
Refraction index, 1181–1185
- Scaling**
Phase diagram
Critical point, 3218–3224
- Scattering**
Compressibility
Composition, 579–585
- Self-diffusion**
Gelatin
Gels, 3295–3298
- Semi-rigid polymers**
Phase diagram
Liquid crystals, 1510–1515
- Semicrystalline polymer**
Monte-Carlo calculations
Computer simulation, 2883–2886
Polyimide
Enthalpy, 2053–2059
Structure
Diffraction pattern, 1923–1927
Water tree propagation
Amorphous polymers, 2980–2983
- Separation**
Chromatography
Copolymers, 2230–2233
Copolymers
Microphase, 1935–1942
Protein
Gel permeation chromatography, 3001–3005
- Sequence distribution**
Dipole moment
Microstructure, 3418–3421
- Shear**
Blends
Phase behaviour, 1488–1492
Viscosity
Hydrodynamic interaction, 3359–3363
- Shrinkage**
Thermotropic behaviour
Rheology, 682–689
- Side chain length**
Ionic conductivity
Poly(itaconic acid), 2411–2417
- Silica**
Epoxy resin
Impact properties, 2976–2979
Fracture toughness
Epoxy resin, 2221–2229
Siloxane
Adsorption, 860–863
- Siloxane**
Silica
Adsorption, 860–863
- Single crystals**
Neutron scattering
Melting behaviour, 393–395
Nylon
Chain folding, 387–392
- Small-angle X-ray scattering**
Kevlar
Diffraction, 1167–1172
Polyaniline
Conducting polymers, 1160–1166
- Small-angle neutron scattering**
Polystyrene blends
Chain dimensions, 195–201
- Solubility**
Hydration
Methyl cellulose, 2806–2810
Styrene
Polystyrene, 2811–2814
Synthesis
Copolymers, 1531–1534
- Solute**
Heat flow
Microstructure, 3268–3283
- Solution**
Crystallization
Miscibility, 3006–3012
Dynamic light scattering
Gels, 1077–1079
Mixing
Osmotic pressure, 1095–1097
Photodegradation
Polyacetylene, 226–230
Poly(ethylene oxide)
Diffusion, 2815–2822
Hydrodynamic properties, 904–908
Poly(methacrylic acid)
Dynamics, 1688–1691
- Polyelectrolytes**
Binding, 892–896
Wide-angle X-ray scattering
Perturbation, 284–289
- Solution properties**
Poly(vinylidene fluoride)
Characterization, 877–883
Microgel, 884–891
Synthesis
Comb-like polymer, 761–763
Telechelics
Glass transition, 1089–1094
- Solvent effects**
Conformation
Polysaccharide, 3013–3020
Crystallization
Polypropylene, 856–859
Permeability
X-ray diffraction, 1236–1243
- Solvent ingress**
Nuclear magnetic resonance
Diffusion, 2926–2938
- Solvent system**
Intrinsic viscosity
Poly(hydroxybutyrate), 1293–1298
- Sorption**
Crystalization
Diffusion, 3371–3375
Gas transport
Polycarbonate, 2382–2386
Polysulphone, 2618–2625
- Spectroscopy**
Anionic polymerization
Complexation, 930–933
Block copolymers
Surface composition, 1948–1956
Conducting polymers
Characterization, 2461–2468
Synthesis, 745–750
Doping
Poly(p-phenylene vinylene), 2340–2344
Free-radical polymerization
Copolymers, 3426–3432
Networks
Structure, 1957–1960
Optical properties
Conducting polymers, 802–807
Poly(ethylene terephthalate)
Low-temperature properties, 851–855
Polyimide
Thermal stability, 2167–2171
Structure
Phase transition, 1555–1565
Synthesis
Thermal behaviour, 1909–1913
Transition temperatures
Copolymers, 1044–1048
- Spherulite**
Molecular weight
Poly(aryl ether ether ketone), 1267–1273
Morphology
Structure, 374–380
Plasticity
Polypropylene, 2760–2765
Poly(ethylene oxide)
Thermal oxidation, 2014–2019
- Stability**
Crazing
Polystyrene, 609–618
Molecular weight
Charge transfer complex, 2060–2063
- Star polymer**
Theta-conditions
Chain conformation, 170–180
- Starch**
Phase separation
Poly(ethylene oxide), 3062–3066
- Stereoregularity**
Free-radical polymerization
Liquid crystalline polymer, 2469–2481

Subject Index

- Nuclear magnetic resonance
 - Radical polymerization, 2741–2746
- Strain**
 - Stress
 - Composites, 29–33
- Stress**
 - Crack growth
 - Polyethylene, 2172–2178
 - Film
 - Deformation, 3322–3330
 - Rheology
 - Polyisobutylene, 2000–2009
 - Strain
 - Composites, 29–33
 - Structure
 - Blends, 619–627
- Stretching**
 - Infra-red spectroscopy
 - Blends, 3–11
- Structure**
 - Blends
 - Annealing, 641–647
 - Conducting polymers
 - Electrical properties, 3075–3079
 - Copolymerization
 - Morphology, 2263–2271
 - Hydrogels
 - Molecular interaction, 2205–2209
 - Morphology
 - Spherulite, 374–380
 - Network
 - Cyclization, 323–333
 - Networks
 - Spectroscopy, 1957–1960
 - Phase behaviour
 - Liquid crystals, 3026–3037
 - Phase transition
 - Spectroscopy, 1555–1565
 - Poly(aryl ether ketone)
 - Crystallization, 3162–3169
 - Polydispersity
 - Melt, 1299–1308
 - Polyethylene fibres
 - High modulus, 3262–3263
 - Polyimide
 - Fibre, 1803–1810
 - Polymerization
 - Electroinitiation, 1323–1328
 - Methyl methacrylate, 2435–2442
 - Polypyrrole
 - End groups, 728–732
 - Semicrystalline polymer
 - Diffraction pattern, 1923–1927
 - Stress
 - Blends, 619–627
- Structure-property**
 - Catalyst
 - Mechanical properties, 733–739
- Styrene**
 - Solubility
 - Polystyrene, 2811–2814
- Sulphonation**
 - N.m.r. spectroscopy
 - PEEK, 1414–1419
- Surface activity**
 - Surfactant
 - Aggregation, 2081–2086
- Surface composition**
 - Spectroscopy
 - Block copolymers, 1948–1956
- Surface reaction**
 - PEEK
 - Irradiation, 3057–3061
- Surface studies**
 - Ageing
 - PEEK, 1527–1530
 - Catalysis
 - Chemical modification, 2659–2665
 - FT infra-red spectroscopy
 - Poly(methyl methacrylate), 2917–2920
 - Poly(tetrafluoroethylene)
 - Plasma treatment, 1126–1130
- Surfactant**
 - Surface activity
 - Aggregation, 2081–2086
 - Synthesis
 - Bulk properties, 2070–2080
- Suspension**
 - Poly(vinyl chloride)
 - Polymerization, 2674–2679
- Swelling**
 - Entanglements
 - Gel spinning, 3136–3139
 - Nylon
 - Fibre, 740–744
 - Polybutadiene
 - Latex, 934–941
 - Temperature effects
 - Mechanical properties, 3354–3358
- Swelling behaviour**
 - N.m.r. spectroscopy
 - Wide-angle X-ray scattering, 2161–2166
- Synthesis**
 - Acrylic polymer
 - Free radical polymerization, 3250–3255
 - Block copolymers
 - Characterization, 2278–2282
 - Mechanical properties, 1867–1874
 - Characterization
 - Chemical structure, 1914–1919
 - Imidazoles, 353–357
 - Liquid crystalline polymer, 1897–1908
 - Polyesters, 127–133
 - Thermotropic polyesters, 1703–1712
 - Conducting polymers
 - Spectroscopy, 745–750
 - Conjugated polymer
 - Thermogravimetry, 1857–1861
 - Copolymers
 - Phase separation, 1851–1856
 - Poly(vinyl alcohol), 1336–1339
 - Solubility, 1531–1534
 - Haloaldehyde polymers
 - Polymerization, 751–760
 - Liquid crystalline polymer
 - Mesomorphism, 2862–2868
 - Poly(vinyl pyridine)
 - Drug transport, 2106–2111
 - Polyaniline
 - Doping, 2043–2048
 - Polyesters
 - Comb-like polymer, 2294–2299
 - Polyimide
 - Characterization, 3256–3261
 - Polymerization
 - Crystallization, 2283–2288
 - Haloaldehyde polymers, 2869–2875
 - Sulphobetaines, 2300–2303
 - Quinone-amine polymers
 - Oxidation, 1146–1149
 - Resin
 - Oligomer, 3067–3070
 - Rigid rod polymer
 - Phase behaviour, 2096–2105
 - Rubber toughening
 - Blends, 1140–1145
 - Solution properties
 - Comb-like polymer, 761–763
 - Spectroscopy
 - Thermal behaviour, 1909–1913
 - Surfactant
 - Bulk properties, 2070–2080
- Tacticity**
 - N.m.r. spectroscopy
 - Relaxation, 3091–3096
- Telechelics**
 - Glass transition
 - Solution properties, 1089–1904
- Temperature dependence**
 - Amorphous polymers
 - Relaxation, 2146–2149
- Equation of state
 - Heat capacity, 1244–1251
- Photoinitiation
 - Polymerization, 690–695
- Temperature effects**
 - Cure monitoring
 - Kinetics, 1456–1460
 - Dextran
 - Dynamic light scattering, 235–240
 - Dielectric relaxation
 - Molecular dynamics, 2331–2334
 - Gels
 - Neutron scattering, 1943–1947
 - Polymerization
 - Grafting, 2406–2410
 - Swelling
 - Mechanical properties, 3354–3358
- Tensile properties**
 - Deformation
 - Polybutadiene, 34–38
 - Poly(vinyl chloride)
 - Blends, 814–821
 - Radiation effects
 - Polyimide, 2499–2504
 - Rigid rod polymer
 - Mechanical behaviour, 1811–1815
- Ternary blends**
 - Miscibility
 - Mechanical properties, 44–52
- Ternary systems**
 - Light scattering
 - Interaction parameter, 314–322
- Terpolymers**
 - Aromatic polymer
 - Free-radical polymerization, 2853–2855
- Theoretical model**
 - Miscibility
 - Blends, 3103–3118
- Thermal behaviour**
 - Crystallization
 - Polystyrene, 1080–1083
 - Film
 - Morphology, 3299–3304
 - Hydrogels
 - Intrinsic viscosity, 3381–3386
 - Synthesis
 - Spectroscopy, 1909–1913
- Thermal expansion**
 - Equation of state
 - Isothermal properties, 3170–3176
- Thermal properties**
 - Block copolymers
 - Morphology, 1059–1064
 - Crystallization
 - Poly(aryl ether ether ketone), 2691–2706
 - FT infra-red spectroscopy
 - Photoacoustic spectroscopy, 586–589
 - Mechanical behaviour
 - Poly(ethylene terephthalate), 1975–1982
 - Mechanical properties
 - Poly(urethane urea), 1426–1439
 - Networks
 - Crosslinking, 2210–2214
- Thermal shrinkage**
 - Morphology
 - Polyethylene, 3317–3321
- Thermal stability**
 - Polyimide
 - Spectroscopy, 2167–2171
 - Polymerization
 - Phenylene groups, 2482–2490
 - Vinyl chloride
 - Polymerization, 1696–1702
- Thermal treatment**
 - Fracture
 - Polyethylene, 3152–3161
- Thermally stimulated current**
 - Relaxation
 - Polyzwitterion, 297–303

- Thermodynamics**
 Blends
 Miscibility, 501–504
 Block copolymers
 Microstructure, 2724–2730
 Chain dimensions
 Ethylene propylene copolymer,
 2049–2052
 Glass transition temperature
 Chain flexibility, 471–478
 Microstructure
 Crystallization, 3268–3283
 Phase separation
 Polyketone, 279–283
- Thermoplastic**
 Deformation
 Small angle X-ray scattering, 1173–1180
 Impact toughness
 Fracture, 2215–2220
- Thermotropic behaviour**
 Polyesters
 Orientation, 2312–2318
 Rheology
 Shrinkage, 682–689
- Thermotropic polyesters**
 Liquid crystalline polymer
 Magnetic field, 103–108
 Synthesis
 Characterization, 1703–1712
- Theta temperature**
 Kinetics
 Monte-Carlo calculations, 3387–3407
- Theta-conditions**
 Star polymer
 Chain conformation, 170–180
- Thin films**
 Vapour deposition
 Radical polymerization, 2064–2069
- Toughening mechanisms**
 Chemical modification
 Epoxy network, 2020–2032
 Nylon
 Rubber, 2367–2371
- Toughness**
 Acrylonitrile
 Copolymers, 1447–1455
- Resin
 Phase separation, 1633–1641
- Transesterification**
 Polyimide
 Characterization, 942–949
- Transition metal complexes**
 Non-linear optics
 Hyperpolarizability, 1756–1760
- Transition temperatures**
 Copolymers
 Spectroscopy, 1044–1048
- Transport**
 Diffusion
 Elastomer, 870–876
-
- Ultrasonics**
 Characterization
 Poly(ethylene terephthalate),
 3147–3151
-
- Vapour deposition**
 Thin films
 Radical polymerization, 2064–2069
- Vibrational spectroscopy**
 Copolymers
 Phase transition, 1017–1026
- Vinyl chloride**
 Polymerization
 Modelling, 2087–2095
 Molecular weight distribution,
 1098–1111
 Thermal stability, 1696–1702
- Viscoelasticity**
 Electron beam irradiation
 Polyimides, 1539–1544
 Ionomers
 Mechanical properties, 2785–2792
 Orientation
 Creep, 1798–1802
 Poly(ethylene oxide)
 Creep, 2555–2560
 Resin
 Relaxation, 39–43
- Viscometry**
 Kinetics
 Polymerization, 2648–2652
-
- Viscosity**
 Ionomers
 Copolymers, 1692–1695
 Shear
 Hydrodynamic interaction, 3359–3363
-
- Water**
 Poly(vinyl alcohol)
 Membrane, 241–248
- Water sorption**
 Methacrylates
 Dimethacrylates, 2428–2434
- Water tree propagation**
 Semicrystalline polymer
 Amorphous polymers, 2980–2983
- Wide-angle X-ray scattering**
 Solution
 Perturbation, 284–289
-
- X-ray diffraction**
 Annealing
 Copolymers, 597–604
 Conducting polymers
 Poly(p-phenylene vinylene), 781–785
 Copolymer
 Crystallization, 3097–3102
 Crystal structure
 Molecular structure, 396–401
 Infra-red spectroscopy
 Oriented polymer, 1574–1580
 Permeability
 Solvent effects, 1236–1243
-
- Yielding**
 Polycarbonate
 Physical ageing, 2504–2600
 Polypropylene
 Glass transition, 2588–2593
- Young's modulus**
 Rigid rod polymer
 Acrylate, 454–463
-
- Ziegler-Natta catalyst**
 Microscopy
 Polyolefin, 181–190
 Polymerization
 Chelation, 1329–1335