

Author Index

- Wang, S. 1826–1830
Wang, Y. 958–962
Wang, Z. Y. 1778–1779
Wanio, A. 190–193
Ward, I. M. 227–232, 1266–1276, 1277–1283, 1321–1322, 1623–1629, 2651–2658, 4207–4209, 4219–4229, 4479–4485, 4527–4532, 4901–4907, 5191–5196
Warner, D. 3664–3669
Wasserman, A. M. 5208–5214
Watanabe, O. 572–576
Watanabe, T. 2057–2060
Waton, H. 3155–3161, 5056–5065
Watts, J. F. 1112–1115
Webb, J. A. 1321–1322
Weber, W. P. 1748–1755, 4299–4303
Wei, Y. 314–322, 3525–3526, 4872–4874
Weikel, W. J. 3278–3285
Weill, G. 4920–4928
Weir, K. 2287–2291
Weiss, R. A. 2522–2529
Wesson, J. A. 1496–1506
White, S. 1110–1111, 2704–2708
Whiting, G. S. 2162–2167
Whitmore, M. D. 1006–1013
Whittaker, A. K. 62–67
Widmaier, J. M. 866–871
Wierschke, S. G. 3357–3368
Wiesemann, A. 5315–5320
Wignall, G. D. 4137–4140
Wilde, C. J. 1976–1981
Wilen, C.-E. 5049–5055
Wilfong, D. L. 3884–3888
Wilford, A. 1860–1871
Wiles, G. L. 526–535, 1347–1358, 2277–2286
Wilkinson, S. A. 1836–1842, 3037–3043
Williams, J. M. 4630–4634
Williams, P. A. 1284–1288
Williams, R. J. J. 44–51, 2376–2381
Wilson, D. 3723–3728
Windle, A. H. 3–10, 434–435, 2825–2833
Winokur, M. J. 3116–3122
Winter, H. H. 4533–4537
Winzor, C. L. 137–140, 3797–3810, 4269–4279
Wissenburg, P. 5328–5330
Wittman, J. C. 647–649
Wnek, G. E. 4191–4196
Wolf, B. A. 1926–1931
Wolf, P. 3507–3511
Wolksen, W. 3382–3387
Woo, T. L. 2857–2859
Wood, B. A. 2483–2495
Wu, C. H. 1987–1992
Wu, E. S. 1014–1020
Wu, G. 951–957
Wu, S. 509–515
Wu, W. 4137–4140, 5081–5084
Wu, W.-L. 2182–2188
Wu, X. 958–962, 4659–4662
Wu, X. S. 3639–3642
Wu, X. Y. 436–438
Wudi, F. 1102–1104
Wunderlich, B. 5272–5281
Wung, C. J. 4145–4151
-
- Xiao, F. 3239–3244
Xie, X.-M. 1996–1998
Xiong, X. 4432–4434
Xu, J. 3893–3898, 4432–4434
Xu, P. 1843–1848
Xu, S. 536–545, 2143–2151
Xu, Y. 1096–1098
Xue, G. 643–646
-
- Yabuuchi, Y. 2203–2207
Yager, P. 4659–4662
Yagyu, E. 5143–5149
Yajima, H. 914–919
Yamada, B. 3245–3251
Yamada, Y. 1816–1821
Yamaguchi, M. 3415–3426
Yamaguchi, T. 2382–2387, 577–584
Yamamoto, T. 1816–1821
Yamamoto, Y. 264–267
Yamamuru, H. 3751–3752
Yamanaka, J. 577–584, 2382–2387
Yamane, H. 5294–5299
Yamaoka, K. 429–431
Yamuchi, J. 5066–5072
Yamura, K. 2299–2306, 2581–2586
Yan, R. 889–892
Yan, Z. 328–331
Yanagida, N. 996–1005, 1640–1648
Yang, A. C.-M. 5094–5097
Yang, C.-Y. 4191–4196
Yang, D. 1096–1098, 2189–2193
Yang, J. C. 3621–3626
Yang, K. S. 170–174
Yang, M.-L. 2757–2761
Yang, Y. S. 3226–3233
Yano, S. 1809–1812
Yao, N. 1802–1808
Yee, A. F. 1788–1791, 4868–4871
Yen, H.-R. H. 1763–1767
Yilmaz, F. 4563–4568
Ylitalo, C. 2949–2960
Yoon, W. J. 4582–4591
York, G. A. 2277–2286
Yoshida, M. 3169–3172
Yoshie, N. 4763–4767
Yoshikawa, E. 3245–3251
Yoshikawa, M. 4656–4658, 4805–4813
Yoshimura, M. 5143–5149
Yoshioka, N. 2273–2276
Yoshitake, J.-I. 259–263
Yoshizawa, T. 662–664
Yosomiya, R. 2057–2060
Young, R. J. 975–982
Young, S. G. 3215–3225, 4538–4549
-
- Youqing, J. 5076–5080
Yu, G. 1959–1962
Yu, L. 3239–3244
Yu, M. 893–895
Yuan, C. W. 3525–3526
Yue, J. 4410–4418
Yuki, Y. 3512–3519
Yukimasa, S. 1982–1986
Yukinari, T. 488–492
Yukioka, S. 1171–1176
Yung, W. S. 3670–3674
Yurtsever, E. 2725–2728
Yuying, X. 1335–1338
-
- Zabisky, R. C. M. 2243–2262
Zachmann, H. G. 2061–2075, 3811–3817
Zahalka, H. A. 4859–4861
Zahouily, K. 3539–3573
Zaitsev, M. G. 4717–4724
Zaldivar, D. 4625–4629
Zaldua, A. 2007–2011
Zanardi, G. 3865–3872
Zarate, T. 3942–3950
Zawada, J. 2949–2960
Zemel, I. S. 3427–3432, 4522–4526
Zeng, H. 3893–3898, 4432–4434
Zentel, R. 4040–4046, 5315–5320
Zerbi, G. 4219–4229, 4667–4676
Zerroukhi, A. 3756–3758
Zgonnik, V. N. 2542–2547, 2553–2556
Zhang, A. 728–735, 1140–1149
Zhang, D. 2740–2743
Zhang, H. 828–833, 2208–2213, 2651–2658
Zhang, X. 712–717, 718–724
Zhang, Y. 5341–5342
Zhang, Z. 4432–4434
Zhen, Z. 812–816
Zhiping, Z. 1335–1338
Zhong, X. 5341–5342
Zhong, Y. 3893–3898
Zhou, H. C. 4019–4023
Zhou, S. 2189–2193
Zhu, G. R. 4968–4976
Zhu, S. 384–390
Zhu, X. X. 4968–4976
Zhuang, W. 5259–5263
Zhuang, Y. 4728–4731
Zhulina, E. B. 332–342, 343–351, 2750–2756
Zilliox, J. G. 2796–2801
Zimina, T. M. 4129–4135
Zimmermann, H. 627–642
Zinger, B. 467–474
Zocchi, M. 944–950
Zoia, G. 1384–1390
Zoppi, R. A. 4611–4616
Zschack, P. R. 1140–1149
Zuber, M. 4838–4844
Zumbulyadis, N. 1496–1506
Zuniga, I. 2031–2035
Zwerver, B. H. 89–95

Subject Index

Acid catalyst

- Onium salt
- Deep u.v. resist, 1583–1588

Acoustic measurements

- Poly(phenylene sulphide)
- Transition temperatures, 2227–2228

Acrylamide

- Copolymers
- Free radicals, 4617–4624
- Grafting
- Polypropylene, 96–99

Acrylate

- Curing
- Film, 1836–1842
- Photosensitivity, 657–659
- Photopolymerization
- Methacrylate, 3031–3036
- Polymerization
- Liquid crystalline polymer, 89–95
- Surface studies
- Curing, 3037–3043

Acrylic polymer

- Side chain length
- Orientation, 938–943
- Acrylonitrile
- Copolymers
- Thermal decomposition, 5282–5293
- Activation energy
- E.p.r.
- Chain dynamics, 1589–1593
- Photoconductivity
- Electrons, 2189–2193

- Polyester resin
Crosslinking, 883–885
- Activation volume**
Poly(methyl methacrylate)
Plastic deformation, 4968–4976
- Adhesion**
Miscibility
Polyimide, 3382–3387
Structure
Film, 1162–1170
- Adhesives**
Polymerization
Chain entanglement, 4314–4321
- Adsorption**
Poly(ethylene oxide)
Dynamics, 181–189
Silica
Siloxane, 379–387
Percolation, 2762–2767
- Ageing**
Fracture
Polycarbonate, 2981–2988
- Aggregation**
Association mechanism
Polyethylene oxide urethanes, 1021–1025
Light scattering
Poly(benzyl glutamate), 5382–5330
Novolac
Film, 141–151
- Albite ore**
Poly(methyl methacrylate)
Stereoregularity, 4880–4882
- Alcohol**
D.s.c.
Poly(dimethylsiloxane) 4656–4658
- Alkanes**
X-ray diffraction
Morphology, 951–957
- Amines**
Liquid crystalline polymer
Supramolecular organization,
4047–4051
Polyaniline
Sulphonation, 4410–4418
- Aminobutyric acid**
Polymerization
Synthesis, 2456–2458
- Aminolysis**
Copolymerization,
Nitration/reduction, 3951–3956
- Amorphous polymers**
E.p.r.
Spectroscopy, 5208–5214
Equation of state
Glass transition, 328–331
Molecular mobility
Free-radical decay, 3908–3910
Thermally stimulated current
Depolarization, 5128–5142
- Amylopectin**
Copolymers
Methacrylates, 3274–3277
Graft copolymers
Starch, 2860–2862
- Analysis**
FT infra-red spectroscopy
Poly(dimethylsiloxane), 5085–5089
Solvation
Polymers, 2162–2167
- Anionic polymerization**
Diblock copolymers
Polystyrene, 2447–2449
Methacrylate
Molecular weight distribution, 828–833
Mixture
Block copolymers, 4821–4831
Polystyrene
Block copolymers, 4394–4400
Solubility
Monomers, 5073–5075
Synthesis
Diblock macromonomers, 1982–1986
- Anisotropy**
Conformation
Excimer, 4908–4912
Copolymers
Lamellar morphology, 1816–1821
Poly(hydroxyethyl methacrylate)
Sorption, 554–561
- Annealing**
Compatibility
Crystallinity, 3369–3374
Crystallization
Aromatic polymer, 306–313
Drawing, 2567–2574
Polystyrene, 660–661
Liquid crystals
Copolyester, 4533–4537
Nylon
Mechanical properties, 1664–1668
Photoconductivity
Composites, 2057–2060
- Aramid**
Creep
Young's modulus, 1391–1398
Deformation
Failure, 1849–1854
Fibre
Birefringence, 1553–1555
Miscibility
Crystallization, 3873–3877
Polymer blends
Crystallization, 3210–3214
- Aromatic polyester**
Diol
Polyamide films, 4990–4996
Solubility
Thermal stability, 4356–5347
- Aromatic polyimides**
Ternary blends
PEEK, 4866–4867
- Aromatic polymer**
Computer simulation
Molecular dynamics, 398–404
Crystallization
Annealing, 306–313
Fibre
Small-angle X-ray scattering, 2136–2142
Gamma irradiation
Thermal properties, 2911–2914
Gas chromatography
Gamma irradiation, 2897–2903
Gas evolution, 2904–2910
Poly(arylene ether benzoxazole)
Chemistry, 1742–1747
Polymerization
Isomerism, 5300–5302
Thermotropic polyesters
Liquid crystals, 983–989
- Association mechanism**
Aggregation,
Polyethylene oxide urethanes,
1021–1025
- Atomic force microscopy**
Cellulose
Microfibrils, 4639–4642
- Avrami parameters**
Crystallization
Non-isothermal, 3520–3521
- Azo-reductase**
Intestinal flora
Drug release, 5294–5299
- Bacterial polyesters**
Crystallization
Kinetics, 3292–3294
Physical ageing
Electron spin resonance, 3295–3297
- Base**
Gelation
Crosslinking, 373–378
- Bending behaviour**
Membrane
Elasticity, 2003–2006
- Benzyl alcohol**
Poly(phenylenemethylene)
Polymerization, 3974–3975
- Binary mixtures**
Block copolymers
Domain, 343–351
Polyethylene
Temperature dependence, 3123–3136
Thermal behaviour
Miscibility, 1210–1217
- Biomaterials**
Polyether
Mechanical properties, 2084–2088
Polyurethane
Platelet adhesion, 2848–2851
- Biomolecular termination**
Polymerization
Metathesis, 872–873
- Bipolymer**
Gels
Electro-mechanical coupling, 2636–2642
- Birefringence**
Aramid
Fibre, 1553–1555
Orientation
Zone-drawn polyethylene, 4158–4163
PEEK
Crystallinity, 4207–4209
Polarization
Counterion, 429–431
Raman spectroscopy
Polymeric liquids, 3574–3581
- Bismaleimide**
Thermal properties
Polyaspartimides, 1083–1089
- Bisphenol-A polymer**
Epoxy resins
Molecular weight, 4556–4562
- Bisthiophenols**
Poly(arylene sulphide)s
Synthesis, 1778–1779
- Blend**
Block copolymers
Morphology, 3582–3592
Liquid crystalline polymer
Strand, 4756–4762
Poly(aryl-ether-ether-ketone)
Crystallization kinetics, 3892–3898
Poly(vinyl alcohol)
Miscibility, 4763–4767
- Blends**
Block copolymers
Scattering, 1006–1013
Compatibility
Copolymers, 4260–4268
Copolycarbonates
LSCT, 4929–4940
Copolymer
Miscibility, 439–442
Copolymers
Polyamides, 3899–3907
Crosslinking
Rubber, 744–754
Crystallization
Poly(vinylethylene), 3427–3432
Polyethylene 461–466
Elastomers
Spectroscopically, 2940–2948
Entropy
Free volume theory, 3453–3461
Equation of state
Phase behaviour, 3433–3444, 3445–3452
Fluorescence
Polystyrene, 5245–5248
Hydrogen bonding
Poly(vinyl methyl ether), 4814–4820
Interfaces
Phase diagram, 4493–4504
Miscibility

Subject Index

- Polyimide, 3388–3393
- Nylon
 - Block copolymers, 268–283, 284–293
- Phase behaviour
 - Poly(acetonyl methacrylate), 1289–1292
 - Miscibility, 127–131, 132–136
 - Particle size distribution, 1996–1998
 - Polyethylene, 2530–2541
- Poly(hydroxybutyrate)
 - Tacticity, 4647–4649
- Polyamides
 - Copolymers, 3394–3407
 - Morphology, 3173–3181
- Polycarbonate
 - Copolymer, 4941–4950
 - Styrenic copolymers, 1606–1619
- Polyimide
 - Diffusion, 1218–1222
- Polypropylene
 - Compatibility, 1411–1417
- Polystyrene
 - Copolymers, 2744–2749
 - Light scattering, 5249–5253
 - Tetramethyl polycarbonate, 1630–1639
 - Polyethylene, 2513–2521
- Rheology
 - Phase behaviour, 546–553
- Slow crack growth
 - HDPE, 2989–2997
- Thermoplastic
 - Weld strength, 1237–1243
- Viscosity
 - Rheology, 5264–5271
- Blob theory**
 - Polymer solutions
 - Solvent quality, 4375–4378
- Block copolymers**
 - Binary mixtures
 - Domain, 343–351
 - Blends
 - Scattering, 1006–1013
 - Chain structure
 - Thermodynamics, 332–342
 - Chromatography
 - Polystyrene, 4129–4135
 - Mixture
 - Anionic polymerization, 4821–4831
 - Morphology
 - Blend, 3582–3592
 - Electron microscopy, 475–487
 - Micelle, 3777–3782
 - Neutron diffraction
 - Superstructure, 2542–2547
 - Nylon
 - Blends, 268–283, 284–293
 - Polyisobutylene
 - Poly(butylene terephthalate), 3522–3524
 - Polystyrene
 - Anionic polymerization, 4394–4400
 - Rheology
 - Molecular weight, 294–305
 - Stereocomplex
 - Poly(methyl methacrylate), 1953–1958
 - Structure
 - Miscibility, 75–82
 - Styrene
 - Methyl methacrylate, 3976–3977
 - Synthesis
 - Characterization, 3531–3535
 - Siloxane polymers 4425–4427
 - Chain conformation
 - Dilute solution, 2412–2415
- Block polymer**
 - Latex
 - D.s.c., 2043–2050
- Borate complex**
 - Viscosity
 - Glucomannan, 1108–1109
- Butyl acrylate**
 - Copolymerization
 - Styrene, 3706–3710
- Butylene**
 - Copolymers
 - Ethylene, 4878–4879
- Calcium ion sensor**
 - Poly(L-glutamic acid)
 - Ion channel mechanism, 3997–4000
- Carbon-13 n.m.r.**
 - End groups
 - Pyrolysis products, 3024–3030
 - Kinetics
 - Carbofuran, 3611–3615
 - Methyl cellulose
 - Cellulose ethers, 4087–4094
 - Microstructure
 - Hydrophobic, 3151–3154
 - Phase heterogeneity
 - Poly(phenylene sulphide), 4913–4919
 - 2D-INADEQUATE
 - Poly(1-butene), 650–654
 - X-ray diffraction
 - Thermogravimetry, 2834–2839
- Carboxymethyl cellulose**
 - Fibre
 - Cellulose, 4024–4028
- Catalysis**
 - Metallo-porphyrins
 - Polynes, 1771–1772
- Catalyst**
 - Poly(ether sulphone)
 - Chlorination, 166–169
 - Polydienes
 - Rare earth, 5197–5201
 - Polyethylene
 - Silica, 3482–3486
 - Polymer-supported reaction
 - Copolymers, 161–165
 - Polymerization
 - Butyl lithium, 156–16
 - Monoalkenes, 1768–1770
 - Polypropylene, 1105–1107
 - Stereo selective reaction, 2817–2824
 - Polypropylene
 - Structure, 254–258
- Cationic polymerization**
 - Dielectric properties
 - Glassy polymers, 3564–3568
 - Liquid crystal polymers
 - Mesomorphism, 703–711
 - N.m.r. spectroscopy
 - Isomerization, 57–61
- Cellulose**
 - Atomic force microscopy
 - Microfibrils, 4639–4642
 - Characterization
 - Fibre, 170–174
 - Chiral nematic polymers
 - Chiroptical properties, 1299–1303
 - Composites
 - IPN, 1519–1524
 - Fibre
 - Carboxymethyl cellulose, 4024–4028
 - Graft copolymers
 - Styrene, 3729–3733
 - Grafted polymer
 - Complexes, 1304–1315
 - Liquid crystals
 - Elastomer, 68–74
- Chain conformation**
 - Polysaccharide
 - Rheological properties, 4001–4008
- Chain dynamics**
 - E.p.r.
 - Activation energy, 1589–1593
- Chain entanglement**
 - Adhesives
 - Polymerization, 4314–4321
 - Copolymers
 - Terpolymers, 509–515
- Chain folding**
 - Microscopy
 - Lamellar morphology, 432–433
- PEK**
 - Crystal morphology, 27–33
- Chain structure**
 - Block copolymers
 - Thermodynamics, 332–342
- Characterization**
 - Cellulose
 - Fibre, 179–174
 - Complexes
 - Synthesis, 2421–2423
 - Diblock copolymers
 - Anionic polymerization, 1959–1962
 - Formaldehyde
 - Functionalization, 847–851
 - Mechanical properties, 842–846
 - Thermal properties, 838–841
 - Graft copolymers
 - Poly(dimethylsiloxane), 852–858
 - Polyelectrolytes
 - Synthesis, 834–837
 - Structure
 - Polyaniline, 3607–3610
 - Synthesis
 - Block copolymers, 3531–3535
 - Composites, 4611–4616
 - Conductivity, 1525–1529
 - Ladder polymers, 3942–3950
- Charge transfer complex**
 - Fluorescence lifetime
 - Benesi-Hildebrand plot, 1796–1801
- Chemical amplification**
 - Novolac
 - Resists, 4653–4655
- Chemical modification**
 - Membrane
 - Polysulphone, 4805–4813
- Chirality**
 - Optical activity
 - Synthesis, 1756–1762
- Chlorination**
 - Copolymer
 - Miscibility, 4592–4596
 - Poly(ether sulphone)
 - Catalyst, 166–169
 - Poly(methyl styrene)
 - Phase-transfer catalysis, 1069–1072
 - Polyacetylene
 - Stereoregularity, 4058–4065
- Chromatography**
 - Block copolymers
 - Polystyrene, 4129–4135
- Cloud point**
 - Phase diagram
 - Quasi-binary systems, 5105–5108
 - Theta temperature, 1339–1342
- Collagen**
 - Gelatin
 - Rheology, 2622–2627
- Colloidal metal**
 - Polystyrene
 - Block copolymers, 1099–1101
- Colloids**
 - Polymer chains
 - Phase transition, 2177–2181
 - SSIMS
 - X.p.s., 1112–1115
- Comb-branched polymers**
 - Smectic polymers
 - Mesomorphism, 1316–1320
- Comonomer**
 - Copolymers
 - Crystallization, 4920–4928
 - LLDPE
 - D.s.c. analysis, 4337–4342
 - Spin-lattice relaxation
 - Copolymer 4288–4291
- Compatability**
 - Transesterification
 - Polymer blends, 2019–2030
- Compatibility**

- Annealing
Crystallinity, 3369–3374
- Blends
Copolymers, 4260–4268
- Phase separation
Mixture, 619–622
- Polymer blends
Morphology, 877–880
- Polypropylene
Blends, 1411–1417
- Compatibilization**
Diblock copolymers
Interfacial tension, 4419–4422
- Complexes**
Copolymers
Transition metal ions, 2868–2871
- Grafted polymer
Cellulose, 1304–1315
- Hydrogen bonding
N.m.r. spectroscopy, 198–201
- Synthesis
Characterization, 2421–2423
- Composite oscillator**
Glass transition temperature
Composites, 2709–2714
- Composite particles**
Latex
Interfacial tension, 4269–4279
- Composites**
Cellulose
IPN, 1519–1524
- Emulsion
Synthesis, 405–417
- Glass transition temperature
Composite oscillator, 2709–2714
- Interactions
Polymerization, 1496–1506
- Interfaces
Raman spectroscopy, 643–646
- Mechanical behaviour
Epoxy compounds, 3639–3642
- Photoconductivity
Annealing, 2057–2060
- Sol–gel transition
Non-linear optics, 4145–4151
- Synthesis
Characterization, 4611–4616
- Erosion/corrosion
Iron oxide, 1855–1859
- Compressive properties**
Tensile properties
High performance fibres, 100–105
- Computer simulation**
Aromatic polymer
Molecular dynamics, 398–404
- Conducting polymers**
Conformation
Polyaniline, 4292–4298
- Fibre
Processing, 1102–1104
- Ionomers
Mechanical properties, 467–474
- Molecular weight
Electrical properties, 914–919
- Gel permeation chromatography,
4872–4874
- Poly(*p*-phenylene vinylene)
Synthesis, 1780–1782
- Polyaniline
Mossbauer studies, 2424–2426
- Synthesis
Properties, 214–216
- X-ray diffraction
Structural properties, 3116–3122
- Conduction**
Polymerization
Monomers, 4019–4023
- Conductivity**
Polyethylene
Molecular weight, 4075–4080
- Polyethynylfluoreneol
X.p.s., 4401–4409
- Synthesis
Characterization, 1525–1529
- Conformation**
Anisotropy
Excimer, 4908–4912
- Conducting polymers
Polyaniline, 4292–4298
- Copolymers
Fluorescence spectroscopy, 243–247
- Crystal structure
Low-temperature properties, 4443–4450
- Dielectric constant
Dipole moment, 194–197
- Dynamics
Copolymers, 4009–4013
- Excimer
Fluorescence, 2031–2035, 4180–4183
- Polyimide
Crystal structure, 5334–5337
- Radical
Copolymerization, 384–390
- Viscosity
Phase separation, 436–438
- Contact angle**
Surface tension
Corresponding states theory, 3753–3755
- Copolycarbonates**
Blends
LSTC, 4929–4940
- Copolyester**
Liquid crystals
Annealing, 4533–4537
- Molecular mechanics,
Poly(3-hydroxybutyrate), 817–822
- N.m.r. spectroscopy
Synthesis, 4862–4865
- Polycondensation
Crystal structure, 5321–5327
- Sequence randomization
Random copolyester, 1374–1378
- Thermotropic behaviour
Crystallinity, 2431–2436
- Liquid crystalline polymer, 3968–3970
- Copolyesters**
Liquid crystalline polymer
Morphology, 3–10
- Nuclear magnetic resonance
Liquid crystalline polymers 5191–5196
- Polyesterification
N.m.r. spectroscopy, 5056–5065
- Copolymer**
Blends
Miscibility, 439–442
- Polycarbonate, 4941–4950
- Cosolvent
High pressures, 1922–1925
- Depolarization
Poly(ethylene terephthalate), 4687–4692
- E.p.r.
Suspension polymerization, 2051–2056
- Fibre
Electrocoating, 1669–1675
- Infra-red study
Tensile drawing, 4479–4485
- LLDPE
Lamellar morphology, 5186–5190
- Miscibility
Chlorination, 4592–4596
- Modelling
Crystal structure, 22–26
- Molecular structure
Crystal structure, 2750–2756
- N.m.r. spectroscopy
Ethene, 3145–3150
- X-ray diffraction, 259–263
- Nuclear magnetic resonance
Crystallinity, 1623–1629
- Permeability
Synthesis 209–211, 212–213
- Solution properties
Phase separation, 1449–1458
- Spacer group
Micelle, 4029–4039
- Spin-lattice relaxation
Comonomer, 4288–4291
- Thermoresponse
Nuclear track, 3169–3172
- Vinylidene fluoride
Structure, 1571–1578
- Copolymer blends**
Dielectric spectroscopy,
Poly(butylene terephthalate), 2666–2671
- Copolymerization**
Butyl acrylate
Styrene, 3706–3710
- Conformation
Radical, 384–390
- Copolymers
Molecular weight distribution,
1512–1518
- Crosslinking
Gels, 3647–3657
- Ethylene
Organoaluminium, 2416–2420
- High pressure polyethylene
Tubular reactor, 2243–2262
- Kinetics
E.s.r., 3911–3915
- Methyl acrylate
Composition drift, 1914–1921
- Microstructure
Markov chain, 2792–2795
- N.m.r. spectroscopy
Reactivity ratios, 859–865
- Reactivity ratios
Group transfer polymerization, 655–656
- Surface-active monomer
Methyl methacrylate, 3060–3065
- Synthesis
Polymerization, 1090–1095
- Ziegler-Natta catalyst
Stabilizer, 5049–5055
- Copolymers**
Acrylonitrile
Thermal decomposition, 5282–5293
- Amylopectin
Methacrylates, 3274–3277
- Anisotropy
Lamellar morphology, 1816–1821
- Blends
Polyamides, 3394–3407, 3899–3907
- Catalyst
Polymer-supported reaction, 161–165
- Chain entanglement
Terpolymers, 509–515
- Compatibility
Blends, 4260–4268
- Complexes
Transition metal ions, 2868–2871
- Conformation
Dynamics, 4009–4013
- Copolymerization
Molecular weight distribution,
1512–1518
- Crystallinity
Wide angle X-ray scattering,
1802–1808
- Crystallization
Comonomer, 4920–4928
- Demixing
Binodal, 2548–2552
- Dichloroketene
Addition, 1748–1755
- Electroactive moieties
Coupling linkages, 3239–3244
- Entropy
Melting, 778–782
- Ethylene
Butylene, 4878–4879
- Fluorescence spectroscopy
Conformation, 243–247

Subject Index

- Free radicals
 - Acrylamide, 4617–4624
 - Reactivity ratios, 4625–4629
- Gel degradation
 - Resist materials, 1932–1936
- Gels
 - Dimethylacrylates, 3470–3476
- Liquid crystals
 - Mechanical properties, 4901–4907
- Maleic anhydride
 - Rubbers, 3848–3857
- Microstructure
 - Difluorocarbene, 4299–4303
- Morphology
 - Benzothiazoles, 1399–1405
 - Mechanical properties, 3375–3381
- Neutron scattering
 - Deuteration, 4677–4681
- Ozonolysed products
 - Mass spectrometric analysis, 4597–4604
- Polycarbonate
 - Binary blends, 2089–2102
- Polyester
 - Liquid crystalline polymer, 5309–5314
- Polymerization
 - Ethylene oxide, 1941–1948
- Polystyrene
 - Blends, 2744–2749
 - Structure, 4250–4259
- Polyurethane
 - Poly(methyl methacrylate), 3723–3728
- Porous structure
 - Rearrangement, 1731–1738
- Stability constant
 - Thermodynamics, 3762–3766
- Terpolymers
 - Free-radical polymerization, 4384–4387
 - Polymerization, 4184–4190
- Infrared spectra
 - Raman spectra, 2929–2933
- Corresponding states theory**
 - Poly(vinyl methyl ether)
 - Interaction parameter, 5102–5104
 - Surface tension
 - Contact angle, 3753–3755
- Counterion**
 - Membrane
 - Crosslinking, 3262–3265
 - Polarization
 - Birefringence, 429–431
- Crack growth**
 - Hydrostatic pressure effects
 - Elastomer, 4069–4074
- Crack propagation**
 - Fatigue
 - Crazing, 3076–3079
 - Polyethylene
 - Morphology, 1261–1265
- Crazing**
 - Crack propagation
 - Fatigue, 3076–3079
 - Polystyrene
 - TEM, 1556–1558
- Creep**
 - Aramid
 - Young's modulus, 1391–1398
 - Epoxy network
 - Thermosets, 323–327
 - Physical ageing
 - PVC, 2689–2698
 - Polyacrylates
 - Polymerization, 767–772
- Cross-polarization**
 - Nuclear magnetic resonance
 - Poly(methyl methacrylate), 423–425
- Crosslink density**
 - Kinetic model
 - Gel formation, 352–360
 - Polyester resin
 - Dynamic mechanical properties, 3748–3750
- Crosslinking**
 - Activation energy
 - Polyester resin, 883–885
 - Blends
 - Rubber, 744–754
 - Gelation
 - Base, 373–378
 - Radiation effects, 5341–5342
 - Gels
 - Copolymerization, 3647–3657
 - Hydration
 - Microscopy, 2768–2777
 - Interpenetrating networks
 - Entanglements, 2740–2743
 - Kinetics
 - Hydrogels, 593–599
 - Membrane
 - Counterion, 3262–3265
 - Methacrylates
 - Dimethacrylates, 1683–1689
 - Microsphere
 - Diblock copolymer, 1073–1077
 - N.m.r. spectroscopy
 - Ethylene-propylene copolymer, 62–67
 - Network
 - Cure monitoring, 4768–4778
 - Orientation
 - Liquid crystalline, 4014–4018
 - Polyacrylic acid
 - Poly chloroprene, 3627–3634
 - Polystyrene
 - Urethane, 4575–4581
 - Polyurethanes
 - Synthesis, 1384–1390
 - Suspension polymerization
 - Hydrophilic polymer beads, 3257–3261
- Crystal melting**
 - Crystallization
 - Fold length, 1140–1149
- Crystal modulus**
 - Poly(ether-ether-ketone)
 - Poly(ether ketone), 736–743
 - Tacticity
 - Poly(vinyl alcohol), 2581–2586
 - X-ray diffraction
 - Mechanical properties, 4898–4900
- Crystal morphology**
 - Aromatic polyketone
 - Crystallization, 2475–2482
 - Modelling
 - Nucleation, 2263–2272
 - PEK
 - Chain folding, 27–33
- Crystal structure**
 - Copolyester
 - Polycondensation, 5321–5327
 - Crystallization
 - Polystyrene, 1423–1428
 - Elastic modulus
 - Mechanical properties, 1328–1329
 - Energy calculations
 - Poly(di-methyl silane), 5121–5127
 - Low-temperature properties
 - Conformation, 4443–4450
 - Modelling
 - Copolymer, 22–26
 - Molecular structure
 - Copolymer, 2750–2756
 - PEEK
 - X-ray diffraction, 3773–3776
 - Polyimide
 - Conformation, 5334–5337
- Crystalline phase**
 - Poly(vinylidene fluoride)
 - Micro-Raman mapping, 4199–4201
- Crystalline polymer**
 - Emulsion polymerization
 - X-ray diffraction, 3101–3107
 - Polystyrene
 - Modelling, 725–727
- Crystallinity**
- Annealing
 - Compatibility, 3369–3374
- Copolymers,
 - Wide angle X-ray scattering 1802–1808
- Dielectric relaxation
 - Polyesters, 4463–4469
- Nuclear magnetic resonance
 - Copolymer, 1623–1629
- PEEK
 - Birefringence, 4207–4209
 - D.s.c., 3527–3530
- Polyethylene
 - FT infra-red spectroscopy, 5173–5178
 - Thermotropic behaviour
 - Copolyester, 2431–2436
- Crystallite formation**
 - Gelation rate
 - Poly(vinyl alcohol), 5044–5048
- Crystallization**
 - Annealing
 - Polystyrene, 660–661
 - Aromatic polymer
 - Annealing, 306–313
 - Bacterial polyesters
 - Kinetics, 3292–3294
 - Blends
 - Poly(vinylethylene), 3427–3432
 - Polyethylene, 461–466
 - Copolymers
 - Comonomer, 4920–4928
 - Crystal melting
 - Fold length, 1140–1149
 - Crystal structure
 - Polystyrene, 1423–1428
 - Drawing
 - Annealing, 2567–2574
 - Heat of fusion
 - Polypropylene, 3985–3989
 - Hydrogen bonding
 - Polyurethane urea, 1335–1338
 - Kinetics
 - Polyhydroxyalkanoates, 117–126
 - Melting behaviour
 - Polyethylene, 3878–3883
 - Miscibility
 - Aramid, 3873–3877
 - Morphology
 - Polyethylene, 2469–2474
 - Non-isothermal
 - Avrami parameters, 3520–3521
 - Nucleation
 - Polypropylene, 5215–5224
 - Paraffin
 - Nucleation, 1783–1784
 - Poly(ethylene terephthalate)
 - Kinetics, 3189–3192
 - Polyester
 - Melting behaviour, 3865–3872
 - Polyethylene
 - Gelation, 4152–4157
 - Kinetics, 3670–3674
 - Polymer blends
 - Aramid, 3210–3214
 - Polymerization
 - Caprolactam, 3884–3888
 - Polymorphism
 - Modification, 2364–2369
 - Small-angle X-ray scattering
 - Poly(ethylene terephthalate), 4451–4456, 4457–4462
 - Stress
 - Poly(ethylene terephthalate), 3182–3188
 - X-ray diffraction
 - Melting, 1563–1567
- Cure monitoring**
 - Crosslinking
 - Network, 4768–4778
- Curing**
 - Acrylate
 - Photosensitivity, 657–659
 - Decomposition

- Vinyl ester resins, 4210–4214
 Dielectric properties
 Kinetics, 4747–4755
 Epoxy resins
 Fracture, 572–576
 Kinetics, 3925–3931
 Film
 Acrylate, 1836–1842
 Kinetics
 Interpenetrating networks, 361–364
 Oligomer
 Isocyanate, 3858–3864
 Plasticization
 Epoxy resins, 264–267
 Surface studies
 Acrylate, 3037–3043
-
- D.s.c.**
 Latex
 Block polymer, 2043–2050
 Miscibility studies
 Molecular composites, 3621–3626
 Poly(dimethylsiloxane)
 Alcohol, 4656–4658
- Decay**
 Physical ageing
 Polycarbonate, 3536–3539
- Decomposition**
 Curing
 Vinyl ester resins, 4210–4214
- Deformation**
 Aramid
 Failure, 1849–1854
 Diffusion
 Poly(vinylidene fluoride), 3343–3350
 Ionomers
 Polyurethane, 4705–4710
 Necking
 Polycarbonate, 4732–4736
 Nylon
 Orientation, 1640–1648
 Orientation
 Poly(ethylene terephthalate), 1277–1283
 Polyethylene
 Orientation, 233–238
 Recrystallization, 4137–4140
 Tensile properties, 1244–1254
 Polyurethane
 Ionomers, 4280–4287
 Rubber vulcanization
 Mooney-Rivlin equation, 502–508
 Thermoplastic
 Elastomer, 3818–3827
- Degradation**
 Kinetics
 Chain extension, 2611–2621
 Polymers
 Elongational flows, 2598–2604
 Polypyrrole
 Kinetic study, 1902–1908
 Thermal oxidation
 Polyacetylene, 4711–4716
- Degree of neutralization**
 Sodium binding
 Polygalacturonic acid, 4725–4727
- Density gradient column**
 Physical ageing
 Polystyrene, 4875–4877
- Density profiling**
 Interfaces
 Neutron reflection, 5081–5084
- Depolarization**
 Copolymer
 Poly(ethylene terephthalate), 4687–4692
- Deprotection**
 Thermal stability
 Resist materials, 4851–4856
- Diblock copolymers**
 Anionic polymerization
 Polystyrene, 2447–2449
 Characterization
- Anionic polymerization, 1959–1962
 Compatibilization
 Interfacial tension, 4419–4422
 Dynamic light scattering
 Small-angle X-ray scattering, 3675–3685
- Dicyclopentadiene**
 Metathesis
 Polymerization, 3302–3304
- Dielectric constant**
 Conformation
 Dipole moment, 194–197
- Dielectric properties**
 Glassy polymers
 Cationic polymerization, 3564–3568
 Kinetics
 Curing, 4747–4755
 Polyamide-4,6
 Temperature, 4236–4241
 Synthesis
 Polysiloxane, 4191–4196
 Thermosets
 Kinetics, 4951–4960
- Dielectric relaxation**
 Networks
 Urethane, 4693–4698
 Polyesters
 Crystallinity, 4463–4469
- Differential thermal analysis**
 Polystyrene
 Glass transition temperature, 1333–1334
- Diffusion**
 Adhesion development
 Polymer interface, 1171–1176
 Blends
 Polyimide, 1218–1222
 Grafting
 Infra-red spectroscopy, 1150–1155
 Osmotic pressure
 Polymer solutions, 1548–1552
 Oxidation
 Kinetics, 4358–4365
 Poly(vinylidene fluoride)
 Deformation, 3343–3350
 Polyester
 Water, 3691–3697
 Polyethylene
 Electron microscopy, 4891–4897
 Polyolefin
 Transport, 3323–3342
 Polystyrene
 Fluorescence, 3916–3924
 Sorption
 Responsive gel, 990–995
 Stress
 Poly(methyl methacrylate), 3759–376
- Diffusion coefficient**
 Dynamics
 Networks, 3083–3085
- Dilatometry**
 Methacrylonitrile
 Reactivity ratios, 1999–2002
- Dimer acids**
 Polyamides
 Synthesis, 3495–3499
- Dimethylacrylates**
 Copolymers
 Gels, 3470–3476
- Diol**
 Aromatic polyester
 Polyamide films, 4990–4996
- Dioxane lignin**
 Structure
 Specific heat, 2222–2223
- Dipole moment**
 Conformation
 Dielectric constant, 194–197
 Stark effect
 Polymer matrix, 5143–5149
- Dispersion**
 Polyaniline
 Light scattering, 4857–4858
- Domain**
 Block copolymers
 Binary mixtures, 343–351
- Drawing**
 Crystallization
 Annealing, 2567–2574
- Drug release**
 Azo reductase
 Intestinal flora, 5294–5299
- Dynamic light scattering**
 Diblock copolymers
 Small-angle X-ray scattering, 3675–3685
 Poly(dimethylsiloxane)
 Networks, 1116–1119
- Dynamic mechanical analysis**
 Polyimide
 Relaxation, 4728–4731
- Dynamic mechanical properties**
 Glass transition temperature,
 Rubber vulcanizate, 3635–3638
 Mechanical relaxation
 Poly(monocyclohexyl itaconate),
 1406–1410
 Polyester resin
 Crosslink density, 3748–3750
- Dynamic properties**
 Latex films
 Emulsion polymerization, 562–571
 Poly(methacrylic acid)
 Gels, 2238–2239
- Dynamics**
 Conformation
 Copolymers, 4009–4013
 Networks
 Diffusion coefficient, 3038–3085
 Phase separation
 Light scattering, 1293–1298
 Poly(ethylene oxide)
 Adsorption, 181–189
-
- E.p.r.**
 Activation energy
 Chain dynamics, 1589–1593
 Copolymer
 Suspension polymerization, 2051–2056
 High pressure
 Liquid crystal polymers, 881–882
 Spectroscopy
 Amorphous polymers, 5208–5214
- EXAFS**
 Ethylene
 Temperature dependence, 1809–1812
 Polyurethane
 Ionomer, 920–929
- Elastic modulus**
 Crystal structure
 Mechanical properties, 1328–1329
 Ultrasonics
 Liquid crystal polymers, 1788–1791
- Elasticity**
 Membrane
 Bending behaviour, 2003–2006
- Elastomer**
 Graft copolymers
 Electroactivity, 2427–2430
 Hydrostatic pressure effects
 Crack growth, 4069–4074
 Liquid crystals
 Cellulose, 68–74
 Modelling
 Swelling, 5032–5039
 Non-linear optics
 Piezoelectricity, 4040–4046
 Poly(tetramethylene oxide)
 Structure–property, 526–535
 Polysiloxane
 Stability, 3841–3847
 Polysiloxanes
 Elongation, 1843–1848
 Terpolymers
 Thermoplastic, 1717–1723

Subject Index

- Deformation, 3818–3827
- Elastomeric behaviour**
Poly(aryl ether ketone)
Thermal stability, 5094–5097
- Electric field**
Poly(vinylidene fluoride)
Poly(methyl methacrylate),
3305–3307
- Electrical conduction**
Poly(diacetylene)
Gel, 1363–1369
Poly(3-alkylthiophene)
Regiospecificity, 2340–2347
- Electric properties**
Molecular weight
Conducting polymers, 914–919
Optical properties
Liquid crystal polymers, 11–21
Thiophene copolymers
Optical properties, 391–397
- Electroactivity**
Graft copolymers
Elastomer, 2427–2430
- Electron diffraction**
Single crystals
Morphology, 1620–1622
- Electron microscopy**
Fibrillar shear
Salting, 4081–4086
Polyethylene
Lamellar thickness, 874–876
- Electron spin resonance**
Bacterial polyesters
Physical ageing, 3295–3297
Polypropylene
Radical polymerization, 2307–2311
Spin trap
Milling, 4859–4861
- Electrons**
Photoconductivity
Activation energy, 2189–2193
Polyethylene
Structure, 3351–3356
- Emulsion**
Composites
Synthesis, 405–417
Terpolymers
Latex, 4832–4837
- Emulsion polymerization**
Crystalline polymer
X-ray diffraction, 3101–3107
Graft polymer
Polybutadiene, 2802–2806
Growth morphology
Styrene, 1437–1444
Latex films
Dynamic properties, 562–571
- Endgroups**
Carbon-13 n.m.r.
Pyrolysis products, 3024–3030
Polymerization
Styrene, 1323–1325
- Endotherms**
PEEK
TEM, 3971–3973
- Energy calculations**
Crystal structure
Poly(di-methyl silane), 5121–5127
- Entanglements**
Interpenetrating networks
Crosslinking, 2740–2743
Melt viscosity
Polystyrene, 1255–1260
- Enthalpy**
Physical ageing
Epoxy resin, 3080–3082
Solubility
Glassy polymer, 1696–1700
Thermal transition, 623–626
- Entropy**
Blends
- Free volume theory, 3453–3461
- Copolymers
Melting, 778–782
- Free energy
Helix, 1326–1327
- Epitaxy**
Polyethylene
Morphology, 1096–1098
- Epoxidation**
Gas transport
Rubber, 2450–2451
Novolac
Kinetic study, 2376–2381
- Epoxies**
Kinetics
Fibre, 1187–1199
Resin
Kinetics, 1177–1186
Rubber toughening
Morphology, 34–43
- Epoxy**
Networks
Compression, 3103–2113
- Epoxy compounds**
Composites
Mechanical behaviour, 3639–3642
- Epoxy network**
Creep
Thermosets, 323–327
- Epoxy polymers**
Poisson's ratio
Toughening mechanisms, 5338–5340
Toughness
Microvoids, 1330–1332
- Epoxy resin**
CTBN
Dielectric monitoring, 4470–4478
Fracture toughness
Fractography, 3415–3426
Infra-red spectroscopy
Kinetics, 2679–2688
Mechanical properties
Toughness, 4550–4555
Physical ageing
Enthalpy, 3080–3082
Pyrolysis
Spectroscopy, 4486–4492
Tensile strength
Surface topography, 2143–2151
X-ray diffraction
Mechanical properties, 5167–5172
Stress transmission, 2720–2724
- Epoxy resins**
Bisphenol-A polymer
Molecular weight, 4556–4562
Fracture
Curing, 572–576
Fracture toughness
Interfaces, 1656–1663
Polymer blends, 1379–1383
Kinetics
Curing, 3925–3931
Modification
Structural properties, 1860–1871
Plasticization
Curing, 264–267
Solid-state n.m.r.
Infra-red spectroscopy, 1370–1373
- Epoxy-amine reaction**
Polymers
Steric hindrance, 2114–2122
- Equation of state**
Amorphous polymers
Glass transition, 328–331
Interaction parameter
Phase separation, 1036–1046
Phase behaviour
Blends, 3433–3444, 3445–3452
Thermodynamics
Lattice fluid, 2855–2856
- Ethylene**
Copolymerization
Organoaluminium, 2416–2420
Copolymers
Butylene, 4878–4879
EXAFS
Temperature dependence, 1809–1812
- Ethylene-propylene copolymer**
N.m.r. spectroscopy
Crosslinking, 62–67
- Excimer**
Anisotropy
Conformation, 4908–4912
Conformation
Fluorescence, 2031–2035, 4180–4183
Polyesters
Fluorescence, 239–242
- Excimer fluorescence**
Lifetime
Two phase iPS gel, 3552–3557
Phase separation
Polystyrene, 3558–3563
- Excluded volume**
Brownian dynamics
Hydrodynamic interactions, 3477–3481
Molecular interaction
Interaction parameter, 4569–4574
-
- FT infra-red spectroscopy**
Molecular orientation
Liquid crystalline polymer, 2672–2678
Polyethylene
Crystallinity, 5173–5178
Poly(dimethylsiloxane)
Analysis, 5085–5089
- Failure**
Aramid
Deformation, 1849–1854
- Fatigue**
Crack propagation
Crazing, 3076–3079
Fracture
PEEK, 5225–5232
- Fibre**
Aramid
Birefringence, 1553–1555
Aromatic polymer,
Small-angle X-ray scattering, 2136–2142
Cellulose
Carboxymethyl cellulose, 4024–4028
Characterization
Cellulose, 170–174
Conducting polymers
Processing, 1102–1104
Copolymer
Electrocoating, 1669–1675
Epoxies
Kinetics, 1187–1199
Lyotropic solutions
Modulus, 2998–3006
Poly(ethylene terephthalate)
Film, 3193–3202
Polyamide
Block copolymer, 3616–3620
Processing
Structure, 2128–2135
Raman spectroscopy
Mechanical properties, 975–982
Tensile strength
Fibre diameter, 1649–1652
Propylene, 1653–1655
- Filler**
Poly(vinyl chloride)
Grafting, 83–88
- Film**
Aggregation
Novolac, 141–151
Curing
Acrylate, 1836–1842
Kinetics
Photopolymer, 1893–1901
Orientation

- Poly(ethylene terephthalate), 1266–1276
 Poly(benzyl glutamate)
 Helix, 2459–2462
 Poly(ethylene terephthalate)
 Fibre, 3193–3202
 Structure
 Adhesion, 1162–1170
- Flame retardant polymers**
 Spectroscopy
 Polycondensation, 418–422
- Flory–Huggins parameter**
 Pressure effects
 Polymer solutions, 219–221
- Fluorescence**
 Conformation
 Excimer, 2031–2035, 4180–4183
 Excimer
 Polyesters, 239–242
 Polyelectrolyte complex
 Polyanion, 3016–3023
 Polystyrene
 Blends, 5245–5248
 Diffusion, 3916–3924
- Fluorescence spectroscopy**
 Copolymers
 Conformation, 243–247
- Fluorination**
 Grafting
 Vinyl pyrrolidone, 4230–4235
- Fluoroalkylthio end group**
 Poly(vinyl alcohol)
 X.p.s. 5066–5072
- Formaldehyde**
 Characterization
 Functionalization, 847–851
 Mechanical properties, 842–846
 Thermal properties, 838–841
- Fracture**
 Epoxy resins
 Curing, 572–576
 Fatigue
 PEEK, 5225–5232
 Morphology
 Polyethylene, 4527–4532
 Plastic deformation
 R curve, 2408–2414
 Polycarbonate
 Ageing, 2981–2988
 Polyethylene
 Plastic, 4997–5004
 Toughness, 4108–4112
- Fracture toughness**
 Epoxy resin
 Fractography, 3415–3426
 Interfaces, 1656–1663
 Polymer blends, 1379–1383
 Polymer films
 Gelatin, 2970–2974
- Free energy**
 Helix
 Entropy, 1326–1327
 Nucleation
 Polymer melt, 2634–2644
- Free radicals**
 Copolymers
 Acrylamide, 4617–4624
 Reactivity ratios, 4625–4629
- Free volume**
 Polystyrene
 Melt viscosity, 4983–4989
- Free volume theory**
 Blends
 Entropy, 3453–3461
- Free-radical polymerization**
 Copolymers
 Terpolymers, 4384–4387
- Functionalization**
 Formaldehyde
 Characterization, 847–851
-
- Gamma irradiation**
 Aromatic polymer
 Gas chromatography, 2897–2903
 Thermal properties, 2911–2914
- Gas chromatography**
 Aromatic polymer
 Gamma irradiation, 2897–2903
 Gas evolution, 2904–2910
- Gas permeability**
 Graft polymer
 Macromonomer, 1530–1536
- Gas separation properties**
 Kinetic free volume
 Glassy polymer, 2452–2453
- Gas transport**
 Rubber
 Epoxidation, 2450–2451
- Gel**
 Poly(vinyl alcohol)
 Phase separation, 3686–3690
 Sol–gel transition, 2883–2890
 Structure, 2334–2339
 Polydiacetylene
 Electric conductivity, 1813–1815
 Surfactant
 Static light scattering, 2875–2882
 Resist materials
 Electron beam lithography, 1937–1940
- Gel permeation**
 Solvation
 Poly(dimethylsiloxane), 3978–3980
- Gel permeation chromatography**
 Conducting polymers
 Molecular weight, 4872–4874
- Gelatin**
 Collagen
 Rheology, 2622–2627
 Kinetics
 Spinodal decomposition, 2961–2969
 Polymer films
 Fracture toughness, 2970–2974
- Gelation**
 Crosslinking
 Base, 373–378
 Radiation effects, 5341–5342
 Micellization
 Diblock copolymers, 1963–1967
 PVC morphology
 Supermolecular flow, 4977–4982
 Polyethylene
 Crystallization, 4152–4157
 Polymerization
 Prepolymer, 44–51
- Gelation rate**
 Poly(vinyl alcohol)
 Crystallite formation, 5044–5048
- Gels**
 Biopolymer,
 Electro-mechanical coupling, 2636–2642
 Copolymers
 Dimethylacrylates, 3470–3476
 Crosslinking
 Copolymerization, 3647–3657
 Dynamic properties
 Poly(methacrylic acid), 2238–2239
- Glass**
 Thermodynamics
 Glass transition temperature, 451–460
- Glass transition**
 Entropy of mixing
 Specific heat, 4786–4792
 Equation of state
 Amorphous polymers, 328–331
 Mechanical relaxation
 Thermoset polymers, 2234–2237
 Melting behaviours
 Polymers, 577–574
 Poly(arylene ethers)
 Properties, 3507–3511
 Polymer-diluent systems
 Entropy of mixing, 4779–4785
 Polysulphone
- Heat capacity, 5272–5281
 Rigid rod polymer
 Polyimide films, 5179–5185
 Copolyamides
 Crystallinity, 4095–4098
 Isopropenyltriazines
 Ceiling temperature, 3512–3519
- Glass transition temperature**
 Composites
 Composite oscillator, 2709–2714
 Dynamic mechanical properties
 Rubber vulcanizate, 3635–3638
 Polystyrene
 Differential thermal analysis, 1333–1334
 Thermodynamics
 Glass, 451–460
- Glassy polymer**
 Gas separation properties
 Kinetic free volume, 2452–2453
 Solubility
 Enthalpy, 1696–1700
- Glassy polymers**
 Dielectric properties
 Cationic polymerization, 3564–3568
- Glucosaminan**
 Viscosity
 Borate complex, 1108–1109
- Graft copolymers**
 Cellulose
 Styrene, 3729–3733
 Electroactivity
 Elastomer, 2427–2430
 Poly(dimethylsiloxane)
 Characterization, 852–858
 Polymethacrylates
 Tacticity, 3089–3094
 Starch
 Amylopectin, 2860–2862
- Graft polymer**
 Emulsion polymerization
 Polybutadiene, 2802–2806
 Gas permeability
 Macromonomer, 1530–1536
- Grafted polymer**
 Cellulose
 Complexes, 1304–1315
- Grafting**
 Acrylamide
 Polypropylene, 96–99
 Diffusion
 Infra-red spectroscopy, 1150–1155
 Fluorination
 Vinyl pyrrolidone, 4230–4235
 Maleic anhydride
 EPDM, 3086–3088
 Poly(vinyl chloride)
 Filler, 83–88
 Polyethylene
 Homopolymerization, 3266–3273
- Group transfer polymerization**
 Copolymerization
 Reactivity ratios, 655–656
- Growth morphology**
 Emulsion polymerization
 Styrene, 1437–1444
-
- Heat capacity**
 Polysulphone
 Glass transition, 5272–5281
- Heat of fusion**
 Crystallization
 Polypropylene, 3985–3989
- Helical polymers**
 Optical activity
 Polypeptide, 2287–2291
- Helix**
 Free energy
 Entropy, 1326–1327
 Poly(benzyl glutamate)
 Film, 2459–2462
- Heterocycle**

Subject Index

- Synthesis
Initiation, 5109–5111
- High modulus**
Raman spectroscopy
Polyethylene fibres, 2587–2597
- High performance fibres**
Tensile properties
Compressive properties, 100–105
- High pressure**
E.p.r.
Liquid crystal polymers, 881–882
Polyethylene
Solubility, 5259–5263
- Homopolymerization**
Polyethylene
Grafting, 3266–3273
- Hydration**
Crosslinking
Microscopy, 2768–2777
Hydroxypropyl cellulose
Hydrophobic, 3234–3238
- Hydrodynamic properties**
Photochemical degradation
Molecular parameters, 4174–4179
- Hydrogel**
Poly(vinyl alcohol)
Crystallization, 3932–3936
- Hydrogels**
Basement membrane
Pore theory, 3717–3722
Protein
Polysaccharide, 2388–2391
- Hydrogen bonding**
Blends
Poly(vinyl methyl ether), 4814–4820
Complexes
N.m.r. spectroscopy, 198–201
Crystallization
Polyurethane urea, 1335–1338
Miscibility
Polymer blends, 3593–3597
N.m.r. spectroscopy
Interactions, 958–962
- Hydrogenous polymers**
Neutron scattering
Polystyrene, 3744–3747
- Hydrophobic**
Hydroxypropyl cellulose
Hydration, 3234–3238
Microstructure
Carbon-13 n.m.r., 3151–3154
Polystyrene
Plasma chemistry, 3007–3015
- Hydrostatic pressure effects**
Elastomer
Crack growth, 4069–4074
- Hydroxypropyl cellulose**
Hydrophobic
Hydration, 3234–3238
Liquid-crystalline polymers
Nuclear magnetic, 5343–5345
Morphology
Mechanical properties, 996–1005
Phase separation
Poly(vinylidene fluoride), 795–800
Wide-angle X-ray scattering
Local structure, 3298–3301
-
- Imidazoles**
Synthesis
Aromatic polyamides, 4197–4198
- Infra-red spectroscopy**
Diffusion
Grafting, 1150–1155
Epoxy resin
Kinetics, 2679–2688
N.m.r. spectroscopy,
Poly(*p*-phenylene sulphide), 248–253
Raman spectroscopy
Poly(propylene oxide), 3487–3494
- Initiation**
- Heterocycle
Synthesis, 5109–5111
- Styrene
Polymerization, 4582–4591
- Synthesis
Living polymerization, 443–446
- Injection moulding**
Polycarbonate blends
Morphology, 675–684, 685–697
- Interaction parameter**
Corresponding states theory
Poly(vinyl methyl ether), 5102–5104
Equation of state
Phase separation, 1036–1046, 1047–1057
Excluded volume
Molecular interaction, 4569–4574
Light scattering
Phase separation, 899–908
Miscibility
Cloud point curve, 3226–3233
Phase separation
Equation of state, 1026–1035
Poly(vinyl phenol)
Miscibility, 755–759
- Interactions**
Hydrogen bonding
N.m.r. spectroscopy, 958–962
Polyelectrolytes
Surfactant, 812–816
Polymerization
Composites, 1496–1506
- Interfaces**
Blends
Phase diagram, 4493–4504
Composites
Raman spectroscopy, 643–646
Density profiling
Neutron reflection, 5081–5084
Epoxy resins
Fracture toughness, 1656–1663
- Interfacial adhesion**
Polycarbonate
Toughening mechanisms, 4868–4871
- Interfacial tension**
Compatibilization
Diblock copolymers, 4419–4422
Latex
Composite particles, 4269–4279
Polymerization, 3797–3810
- Interpenetrating networks**
Entanglements
Crosslinking, 2740–2743
Kinetics
Curing, 361–364
- Intestinal flora**
Azo reductase
Drug release, 5294–5299
- Intrinsic viscosity**
Melt viscosity
Molecular weight, 111–112
Poly(phosphazenes)
Viscometric behaviour, 3312–3315
- Inverse gas chromatography**
Poly(*p*-chlorostyrene),
Polymer–solvent interactions,
4563–4568
Polymer blends
Contact interaction parameter,
5005–5018
- Iodine**
Nylon 6
Lattice constants, 3981–3984
- Ion association**
Volume-phase transition
Polyelectrolytes 5040–5043
- Ion channel mechanism**
Poly(L-glutamic acid)
Calcium ion sensor, 3997–4000
- Ionic Kevlar**
Molecular composites
Poly(vinyl pyridine), 4650–4652
- Ionomers**
Conducting polymers
Mechanical properties, 467–474
Deformation
Polyurethane, 4280–4287, 4705–4710
Methacrylic based
Ionizable functionalities, 2277–2286
Polyurethane
Viscosity, 5254–5258
Rheology
LC-polymers, 5315–5320
Solution
Polyelectrolyte behaviour, 3643–3646
- Irradiation**
Polyaniline
Spectroscopic analysis, 2292–2298
- Isomerism**
Polyimide
Fluorinated polymer, 2934–2939
Polymerization
Aromatic polymer, 5300–5302
- Isomerization**
N.m.r. spectroscopy
Cationic polymerization, 57–61
- Isotactic polystyrene**
Scanning force microscopy
Morphology, 5331–5333
- Isotacticity**
Melt
Polystyrene crystals, 2496–2501
Polypropylene
Melting behaviour, 728–735
-
- Kinetic free volume**
Gas separation properties
Glassy polymer, 2452–2453
- Kinetic model**
Crosslink density
Gel formation, 352–360
- Kinetic study**
Polypyrrole
Degradation, 1902–1908
- Kinetics**
Carbon-13 n.m.r.
Carbofuran, 3611–3615
Bacterial polyesters
Crystallization, 3292–3294
Copolymerization
E.s.r., 3911–3915
Crosslinking
Hydrogels, 593–599
Crystallization
Poly(ethylene terephthalate), 3189–3192
Polyhydroxyalkanoates, 117–126
Degradation
Chain extension, 2611–2621
Dielectric properties
Curing, 4747–4755
Epoxy resins
Fibre, 1187–1199
Resin, 1177–1186
Epoxy resins
Curing, 3925–3931
Film
Photopolymer, 1893–1901
Free radical polymerization
Temperature effects, 2152–2161
Gelatin
Spinodal decomposition, 2961–2969
Infra-red spectroscopy
Epoxy resin, 2679–2688
Interpenetrating networks
Curing 361–364
Molecular weight distribution
Step-growth polymerization, 801–811
Oxidation
Diffusion, 4358–4365
Photopolymerization
Dimethacrylates, 600–609
Polyethylene
Crystallization, 3670–3674

- Polymerization
 Methyl methacrylate, 137–140
 Nematic state, 1909–1913
 Photoinitiation, 2863–2867
 Thermal decomposition
 Thermogravimetric analysis, 4366–4374
 Thermal polymerization
 Structure, 3664–3669
 Thermodynamics
 Gelation, 365–372
 Thermosets
 Dielectric properties, 4951–4960
 Viscoelastic properties
 Interpenetrating networks, 610–618
-
- LCST**
 Blends
 Copolycarbonates, 4929–4940
 Poly(*N*-isopropylacrylamide)
 Phospholipid, 4659–4662
- LLDPE**
 Comonomer
 D.s.c. analysis, 4337–4342
 Lamellar morphology
 Copolymer, 5187–5190
- Ladder polymers**
 Polyphenylene
 Synthesis, 2443–2446
 Synthesis
 Characterization, 3942–3950
- Lamellar morphology**
 Anisotropy
 Copolymers, 1816–1821
 LLDPE
 Copolymer 5187–5190
 Microscopy
 Chain folding, 432–433
- Lamellar thickness**
 Electron microscopy
 Polyethylene, 874–876
- Langmuir–Blodgett films**
 Polydiacetylene
 Polymerization, 3525–3526
 Scanning tunnelling microscopy, 3751–3752
- Latex**
 Block polymer
 D.s.c., 2043–2050
 Interfacial tension
 Composite particles, 4269–4279
 Polymerization
 Interfacial tension, 3797–3810
 Terpolymers
 Emulsion, 4832–4837
- Latex films**
 Dynamic properties
 Emulsion polymerization, 562–571
 Micromechanical properties
 Particle/particle interfaces, 4164–4173
- Lattice constants**
 Iodine
 Nylon 6, 3981–3984
- Lattice fluid**
 Thermodynamics
 Equation of state, 2855–2856
- Light scattering**
 Aggregation
 Poly(benzyl glutamate), 5328–5330
 Blends
 Polystyrene, 5249–5253
 Dynamics
 Phase separation, 1293–1298
 Interaction parameter
 Phase separation, 899–908
 Liquid crystalline polymer
 Memory, 1822–1825
 Morphology
 Liquid crystalline polymer, 2891–2896
 Viscosity, 152–155
 Polyaniline
 Dispersion, 4857–4858
 Polymer blends
 Phase separation, 4635–4638
 Spherulite
 Mixture, 889–892
- Lipopeptides**
 Liposaccharides
 Liquid crystals, 4052–4057
- Liposaccharides**
 Lipopeptides
 Liquid crystals, 4052–4057
- Liquid crystal polymers**
 Cationic polymerization
 Mesomorphism, 703–711
 E.p.r.
 High pressure, 881–882
 Electrical properties
 Optical properties, 11–21
 Polymer blends
 Rheology, 4322–4330
 Polymerization
 Stabilization, 3066–3072
- Liquid crystalline**
 Orientation
 Crosslinking, 4014–4018
- Liquid crystalline polymer**
 Blend
 Strand, 4756–4762
 Copolyesters
 Morphology, 3–10
 Copolymers
 Polyester, 5309–5314
 FT infra-red spectroscopy
 Molecular orientation, 2672–2678
 Light scattering
 Memory, 1822–1825
 Morphology, 2891–2896
 Polyesters
 Structure of polymers, 2605–2610
 Polymerization
 Acrylate, 89–95
 Shear
 X-ray diffraction, 434–435
 Structure
 Smectic polymers, 202–205
 Supramolecular organization
 Amines, 4047–4051
 Ternary blends
 Miscibility, 5233–5244
 Thermotropic behaviour
 Copolyester, 3968–3970
 Thermotropic polymer
 Structure, 3108–3115
 Viscoelasticity
 Rheology, 2007–2011
- Liquid crystals**
 Aromatic polymer
 Thermotropic polyesters, 983–989
 Copolyester
 Annealing, 4533–4537
 Copolymers
 Mechanical properties, 4901–4907
 Elastomer
 Cellulose, 68–74
 Lipopeptides
 Liposaccharides, 4052–4057
 Phase transitions
 Rigid rod polymer, 3811–3817
- Liquid-crystalline polymers**
 Hydroxypropyl cellulose
 Nuclear magnetic, 5343–5345
- Living polymerization**
 Synthesis
 Initiation, 443–446
- Local structure**
 Wide-angle X-ray scattering
 Hydroxypropyl cellulose, 3298–3301
- Long period**
 Small-angle X-ray scattering
 Poly(4-methyl-1-pentene), 2229–2230
- Low-temperature properties**
 Crystal structure
 Conformation, 4443–4450
- Structure
 Phase transition, 5115–5120
- Luminescence study**
 Polymer complex
 Ultrasonic irradiance, 2273–2276
-
- Macromer**
 Synthesis
 Gel permeation chromatography, 5076–5080
- Macromonomer**
 Gas permeability
 Graft polymer, 1530–1536
 Polymerization
 Polyether, 1507–1511
- Maleic anhydride**
 Copolymers
 Rubbers, 3848–3847
 Grafting
 EPDM, 3086–3088
- Mathematical modelling**
 Molecular analysis
 Free-radical polymerization, 5019–5031
 Polypropylene
 Polyethylene, 4605–4610
- Mechanical behaviour**
 Composites
 Epoxy compounds, 3639–3642
- Mechanical properties**
 Annealing
 Nylon, 1664–1668
 Conducting polymers
 Ionomers, 467–474
 Copolymers
 Morphology, 3375–3381
 Elastic modulus
 Crystal structure, 1328–1329
 Epoxy resin
 Toughness, 4550–4555
 Fibre
 Raman spectroscopy, 975–982
 Formaldehyde
 Characterization, 842–846
 Liquid crystals
 Copolymers, 4901–4907
 Molecular structure
 Strain, 3357–3368
 Morphology
 Hydroxypropyl cellulose, 996–1005
 Polyethylene, 698–702
 Polypropylene, 1200–1209
 Phase structure
 Polypropylene, 4961–4967
 Polyether
 Biomaterials, 2084–2088
 Polyethylene
 Polystyrene, 106–110
 Thermal properties
 Cured epoxide resins, 2975–2980
 X-ray diffraction
 Crystal modulus, 4898–4900
 Epoxy resin, 5167–5172
- Mechanical relaxation**
 Dynamic mechanical properties
 Poly(monocyclohexyl itaconate), 1406–1410
 Glass transition
 Thermoset polymers, 2234–2237
 Polycarbonate
 Bisphenol-A polymer, 1223–1227
- Melt**
 Isotacticity
 Polystyrene crystals, 2496–2501
 Rheology
 Polydispersity, 2852–2854
 Rubber
 Ethylene propylene, 1987–1992
- Melt viscosity**
 Entanglements
 Polystyrene, 1255–1260
 Intrinsic viscosity

Subject Index

- Molecular weight, 111–112
- Polystyrene
 - Free volume, 4983–4989
- Melting**
 - Copolymers
 - Entropy, 778–782
 - X-ray diffraction
 - Crystallization, 1563–1567
- Melting behaviour**
 - Crystallization
 - Polyethylene, 3878–3883
 - Poly(phenylene sulphide)
 - Melt crystallization, 2312–2324
 - Polypropylene
 - Isotacticity, 728–735
- Membrane**
 - Bending behaviour
 - Elasticity, 2003–2006
 - Crosslinking
 - Counterion, 3262–3265
 - Phase diagram
 - Polyetherimide, 2784–2791
 - Polymer blends
 - Polystyrene, 662–664
 - Polysulphone
 - Chemical modification, 4805–4813
 - Solvation
 - Molecular features, 4388–4393
 - Pullulan
 - Separation, 1459–1463
- Memory**
 - Liquid crystalline polymer
 - Light scattering, 1822–1825
- Mesomorphism**
 - Liquid crystal polymers
 - Cationic polymerization, 703–711
- Metallo-porphyrins**
 - Catalysis
 - Polyenes, 1771–1772
- Metathesis**
 - Polymerization
 - Biomolecular termination, 872–873
 - Dicyclopentadiene, 3302–3304
- Methacrylate**
 - Anionic polymerization
 - Molecular weight distribution, 828–833
 - Photopolymerization
 - Acrylate, 3031–3036
- Methacrylonitrile**
 - Dilatometry
 - Reactivity ratios, 1999–2002
- Methyl acrylate**
 - Copolymerization
 - Composition drift, 1914–1921
- Methyl cellulose**
 - Carbon-13 n.m.r.
 - Cellulose ethers, 4087–4094
- Methyl methacrylate**
 - Block copolymers
 - Styrene, 3976–3977
 - Kinetics
 - Polymerization, 137–140
 - Plasma
 - Initiation activity, 2757–2761
- Micelle**
 - Block copolymers
 - Morphology, 3777–3782
 - Copolymer
 - Spacer group, 4029–4039
 - Polymerization
 - Monomers, 5303–5308
- Micellization**
 - Gelation
 - Diblock copolymers, 1963–1967
- Micro-Raman mapping**
 - Poly(vinylidene fluoride)
 - Crystalline phase, 4199–4201
- Microfibrils**
 - Atomic force microscopy
 - Cellulose, 4639–4642
- Microgel**
 - Reaction rate
 - Polymer micelle, 1712–1716
- Micromechanical properties**
 - Latex films
 - Particle/particle interfaces, 4164–4173
- Microphase**
 - Polyurethanes
 - Morphology, 3957–3967
- Microporous**
 - Polyethylene
 - Compaction, 4435–4438
- Microscopy**
 - Hydration
 - Crosslinking, 2768–2777
 - Lamellar morphology
 - Chain folding, 432–433
- Microsphere**
 - Crosslinking
 - Diblock copolymer, 1073–1077
- Microstructure**
 - Carbon-13 n.m.r.
 - Hydrophobic, 3151–3154
 - Copolymerization
 - Markov chain, 2792–2795
 - Copolymers
 - Difluorocarbene, 4299–4303
 - Polyesterification
 - Polyethene, 3155–3161
- Microvoids**
 - Toughness
 - Epoxy polymers, 1330–1332
- Milling**
 - Spin trap
 - Electron spin resonance, 4859–4861
- Miscibility**
 - Adhesion
 - Polyimide, 3382–3387
 - Aliphatic polyamide blends
 - Enthalpy recovery, 1469–1476
 - Aromatic polyesters
 - Biphenyl units, 3598–3606
 - Binary mixtures
 - Thermal behaviour, 1210–1217
 - Blends
 - Copolymer, 439–442
 - Phase behaviour, 127–131, 132–136
 - Polyimide, 3388–3393
 - Block copolymers
 - Structure, 75–82
 - Copolymer
 - Chlorination, 4592–4596
 - Crystallization
 - Aramid, 3873–3877
 - Hydrogen bonding
 - Polymer blends, 3593–3597
 - Interaction parameter
 - Cloud point curve, 3226–3233
 - Molecular weight
 - Blends, 1993–1995
 - Poly(vinyl alcohol)
 - Blend, 4763–4767
 - Poly(vinyl phenol)
 - Interaction parameter, 755–759
 - Polymer blends
 - Poly(vinyl acetate), 2012–2014
 - Poly(vinyl pyrrolidone), 893–895
 - Polyesters, 3203–3209
 - Polyurethanes, 4515–4521
 - Polystyrene
 - Polymer blend, 773–777
 - Shear flow
 - Polymer blends, 2522–2529
 - Solubility
 - Polymer blends, 4505–4514
 - Ternary blends
 - Liquid crystalline polymer, 5233–5244
- Miscibility studies**
 - Molecular composites
 - D.s.c., 3621–3626
- Miscible blends**
 - Chlorosulphonated polyethylene
 - Epoxidized natural rubber, 4737–4740
- Mixture**
 - Block copolymers
 - Anionic polymerization, 4821–4831
 - Compatibility
 - Phase separation, 619–622
 - Spherulite
 - Light scattering, 889–892
- Mobility**
 - Polymer blends
 - Molecular weight, 2729–2739
- Modelling**
 - Crystal morphology
 - Nucleation, 2263–2272
 - Crystal structure
 - Copolymer, 22–26
 - Polystyrene
 - Crystalline polymer, 725–727
 - Swelling
 - Elastomer, 5032–5039
- Modification**
 - Crystallization
 - Polymorphism, 2364–2369
 - Epoxy resins
 - Structural properties, 1860–1871
- Molar mass**
 - Oligomer
 - SFC, 3889–3892
- Molecular analysis**
 - Mathematical modelling
 - Free radical polymerization, 5019–5031
- Molecular composites**
 - Miscibility studies
 - D.s.c., 3621–3626
 - Poly(vinyl pyridine)
 - Ionic Kevlar, 4650–4652
- Molecular dynamics**
 - Aromatic polymer
 - Computer simulation, 398–404
- Molecular features**
 - Solvation
 - Membrane, 4388–4393
- Molecular interaction**
 - Excluded volume
 - Interaction parameter, 4569–4574
- Molecular mechanics**
 - Copolyester
 - Poly(3-hydroxybutyrate), 817–822
 - Relaxation
 - Poly(propyl methacrylate), 1359–1362
- Molecular mobility**
 - Amorphous polymers
 - Free-radical delay, 3908–3910
- Molecular motion**
 - Networks
 - Polymer electrolytes, 4699–4704
 - Polycarbonate
 - N.m.r. spectroscopy, 2231–2233
- Molecular orientation**
 - FT infra-red spectroscopy
 - Liquid crystalline polymer, 2672–2678
 - N.m.r. spectroscopy
 - Wide angle X-ray scattering, 2061–2075
- Molecular structure**
 - Copolymer
 - Crystal structure, 2750–2756
 - Mechanical properties
 - Strain, 3357–3368
- Molecular weight**
 - Conduction polymers
 - Gel permeation chromatography, 4872–4874
 - Electrical properties
 - Conducting polymers, 914–919
 - Epoxy resins
 - Bisphenol-A polymer, 4556–4562
 - Intrinsic viscosity
 - Melt viscosity, 111–112
 - Miscibility
 - Blends, 1993–1995
 - Polyethylene

- Conductivity, 4075–4080
Thermal properties, 3462–3469
- Molecular weight distribution**
Anionic polymerization
Methacrylate, 828–833
Copolymerization
Copolymers, 1512–1518
Step-growth polymerization
Kinetics, 801–811
- Monoalkenes**
Polymerization
Catalyst, 1768–1770
- Monomers**
Anionic polymerization
Solubility, 5073–5075
Polymerization
Cation, 4630–4634
Conduction, 4019–4023
Micelle, 5303–5308
- Monte-Carlo simulation**
Lattice polymer
Lennard-Jones, 2725–2728
- Morphology**
Blends
Polyamides, 3173–3181
Block copolymers
Blend, 3582–3592
Electron microscopy, 475–487
Micelle, 3777–3782
Copolymers
Benzothiazoles, 1399–1405
Mechanical properties, 3375–3381
Crystallization
Polyethylene, 2469–2474
Extended chain crystal
Nucleation theory, 1429–1436
Fracture
Polyethylene, 4527–4532
Isotactic polystyrene
Scanning force microscopy, 5331–5333
Light scattering
Liquid crystalline polymer, 2891–2896
Liquid crystalline polymer
Copolyesters, 3–10
Mechanical properties
Hydroxypropyl cellulose, 996–1005
Polyethylene, 698–702
Polypropylene, 1200–1209
Native
Granules, 823–827
Poly(phenylene sulphide)
Single crystals, 1594–1605
Poly(vinyl phenol)
Thermomechanical analysis, 760–766
Polycarbonate blends
Injection moulding, 675–684, 685–697
Polyester
Thermal properties, 1418–1422
Polyethylene
Crack propagation, 1261–1265
Dimethylformamide, 2575–2580
Epitaxy, 1096–1098
Nuclear magnetic resonance, 426–428
Polyethylene blends
Phase diagrams, 4099–4107
Polyimide
Crystalline, 3782–3789
Polymer blends
Compatibility, 877–880
Polymerization
Dynamic mechanical properties, 1486–1495
Polymorphism
Thermotropic transition, 4538–4539
Polypyrrole
Thermal stability, 2348–2352
Polyurethane
Ionomer, 930–937
Polyurethanes
Microphase, 3957–3967
Rubber toughening
- Epoxies, 34–43
Single crystals
Electron diffraction, 1620–1622
Structure
PEKK, 2483–2495
X-ray diffraction
Alkanes, 951–957
-
- N.m.r. spectroscopy**
Cationic polymerization
Isomerization, 57–61
Copolyester
Synthesis, 4862–4865
Copolymer
Ethene, 3145–3150
Copolymerization
Reactivity ratios, 859–865
Ether cyclization
Polymer tacticity, 2392–2401
Ethylene-propylene copolymer
Crosslinking, 62–67
Hydrogen bonding
Complexes, 198–201
Interactions, 958–962
Infra-red spectroscopy
Poly(*p*-phenylene sulphide), 248–253
Molecular orientation
Wide angle X-ray scattering, 2061–2075
Phase structure
Polyethylene, 493–497
Poly(ethylene oxide)
Poly(methyl methacrylate), 2076–2083
Polycarbonate
Molecular motion, 2231–2233
Transesterification
Polymer blends, 4643–4646
X-ray diffraction
Copolymer, 259–263
- Necking**
Deformation
Polycarbonate, 4732–4736
- Network**
Crosslinking
Cure monitoring, 4768–4778
Rubber elasticity
Swelling, 5090–5093
- Networks**
Dielectric relaxation
Urethane, 4693–4698
Dynamic light scattering
Poly(dimethylsiloxane), 1116–1119
Dynamics
Diffusion coefficient, 3083–3085
Epoxy
Compression, 2103–2113
Oligomer
Polymer melts, 2949–2960
Polymer electrolytes
Molecular motion, 4699–4704
Polystyrene
Hydroxyethyl, 2796–2801
- Neutron reflection**
Density profiling
Interfaces, 5081–5084
- Neutron scattering**
Block copolymer
Superstructure, 2553–2556
Copolymers
Deuteration, 4677–4681
Polystyrene
Hydrogenous polymers, 3744–3747
- Non-isothermal**
Crystallization
Avrami parameters, 3520–3521
- Non-linear optics**
Composites
Sol-gel transition, 4145–4151
Elastomer
Piezoelectricity, 4040–4046
Refractive index
Synthesis, 3756–3758
- Novolac**
Aggregation
Film, 141–151
Chemical amplification
Resists, 4653–4655
Epoxidation
Kinetic study, 2376–2381
- Nuclear magnetic resonance**
Copolyesters
Liquid crystalline polymers, 5191–5196
Copolymer
Crystallinity, 1623–1629
Cross-polarization
Poly(methyl methacrylate), 423–425
Polyethylene
Morphology, 426–428
- Nuclear spin relaxation**
Poly(*p*-phenylene sulphide)
Temperature dependence, 498–501
- Nucleation**
Crystal morphology
Modelling, 2263–2272
Crystallization
Polypropylene, 5215–5224
Free energy
Polymer melt, 2643–2644
Paraffin
Crystallization, 1783–1784
Thermosets
Disk cracks, 2353–2363
- Nylon**
Annealing
Mechanical properties, 1644–1668
Blends
Block copolymers, 268–283, 284–293
Deformation
Orientation, 1640–1648
- Nylon 6**
Iodine
Lattice constants, 3981–3984
Oligomer
Aspecific
Isospecific, 2408–2411
Curing
Isocyanate, 3858–3864
Glass transition temperature
Mechanical properties, 4331–4336
Molar mass
SFC, 3889–3892
Networks
Polymer melts, 2949–2960
PEEK
Aromatic polymers, 3286–3291
Reaction rate
Polycondensation, 1543–1547
-
- Optical activity**
Polymerization
Radical, 1559–1562
Polypeptide
Helical polymers, 2287–2291
Synthesis
Chirality, 1756–1762
- Optical properties**
Electrical properties
Liquid crystal polymers, 11–21
Structure
Polyesters, 52–56
Thiophene copolymers
Electrical properties, 391–397
- Organic plasticizer**
Poly(vinyl chloride)
Smoke production, 1110–1111
- Orientation**
Acrylic polymer
Side chain length, 938–943
Birefringence
Zone-drawn polyethylene, 4158–4163
Deformation
Nylon, 1640–1648
Poly(ethylene terephthalate), 1277–1283

Subject Index

- Liquid crystalline
 - Crosslinking, 4014–4018
- Poly(ethylene terephthalate)
 - Film, 1266–1276
- Polyethylene
 - Deformation, 233–238
- Polyimide
 - Stress, 967–974
- Polyisoprene
 - Poly(vinyl ethylene), 4522–4526
- Oriented polymer**
 - Poly(tetrafluoroethylene)
 - Structure, 647–649
- Osmotic pressure**
 - Diffusion
 - Polymer solutions, 1548–1552
- Oxidation**
 - Diffusion
 - Kinetics, 4358–4365
 - Polyethylene fibres
 - Physical properties, 536–545

- PEEK**
 - Birefringence
 - Crystallinity, 4207–4209
 - Crystal structure
 - X-ray diffraction, 3773–3776
 - Crystallinity
 - D.s.c., 3527–3530
 - Fatigue
 - Fracture, 5225–5232
 - Oligomer
 - Aromatic polymers, 3286–3291
 - Solvent
 - Solution properties, 4432–4434
 - TEM
 - Endotherms, 3971–3973
 - Ternary blends
 - Aromatic polyimides, 4866–4867
- PEK**
 - Crystal morphology
 - Chain folding, 27–33
- Paraffin**
 - Crystallization
 - Nucleation, 1783–1784
- Particle size distribution**
 - Blends
 - Phase behaviour, 1996–1998
 - Plasticity
 - Percolation, 4741–4746
- Percolation**
 - Plasticity
 - Particle size distribution, 4741–4746
- Permeability**
 - Copolymer
 - Synthesis, 209–211, 212–213
 - Poly(vinyl chloride)
 - Anomalous permeation, 3698–3705
 - Polyimide
 - Fluorine, 585–592
- Phase behaviour**
 - Blends
 - Miscibility, 127–131, 132–136
 - Particle size distribution, 1996–1998
 - Equation of state
 - Blends, 3433–3444, 3445–3452
 - Poly(vinyl alcohol)
 - Sol–gel transition, 2182–2188
 - Polyethylene
 - Blends, 2530–3541
 - Rheology
 - Blends, 546–553
 - Ternary systems
 - Phase diagram, 789–794
- Phase diagram**
 - Cloud point
 - Theta temperature, 1339–1342
 - Membrane
 - Polyetherimide, 2784–2791
 - Phase behaviour
 - Ternary systems, 789–794
- Quasi-binary systems
 - Cloud point, 5105–5108
- Phase heterogeneity**
 - Carbon-13 n.m.r.
 - Poly(phenylene sulphide), 4913–4919
- Phase separation**
 - Compatibility
 - Mixture, 619–622
 - Copolymer
 - Solution properties, 1449–1458
 - Dynamics
 - Light scattering, 1293–1298
 - Excimer fluorescence
 - Polystyrene, 3558–3563
 - Light scattering
 - Interaction parameter, 899–908
 - Poly(methyl methacrylate)
 - Scaling, 1445–1448
 - Poly(vinyl alcohol)
 - Gel, 3686–3690
 - Poly(vinylidene fluoride)
 - Hydroxypropyl cellulose, 795–800
 - Polymer blends
 - Light scattering, 4635–4638
 - Thermal degradation
 - Poly(vinyl alcohol), 718–724
 - Viscosity
 - Conformation, 436–438
- Phase structure**
 - Mechanical properties
 - Polypropylene, 4961–4967
 - N.m.r. spectroscopy
 - Polyethylene, 493–497
- Phase transition**
 - Light scattering
 - Viscosity, 152–155
 - Low-temperature properties
 - Structure, 5115–5120
 - Polymer blends
 - Poly(ethylene oxide), 3833–3840
 - Polymer chains
 - Colloids, 2177–2181
- Phase transitions**
 - Rigid rod polymer
 - Liquid crystals, 3811–3817
 - Smectic polymers
 - Molecular mass dependence, 4352–4357
- Phase-transfer catalysis**
 - Poly(methyl styrene)
 - Chlorination, 1069–1072
 - Polymerization
 - Vinyl monomers, 217–218
- Phospholipid**
 - Poly(*N*-isopropylacrylamide)
 - LCST, 4659–4662
- Photochromism**
 - Photochemical isomerization
 - Cross linkage, 2402–2407
- Photoconductivity**
 - Activation energy
 - Electrons, 2189–2193
 - Annealing
 - Composites, 2057–2060
- Photodegradation**
 - Polyimides
 - Photooxidation process, 3162–3168
 - Cis–trans* isomerization,
 - Electrical conductivity, 2437–2442
- Photoinitiation**
 - Kinetics
 - Polymerization, 2863–2867
 - S*-phenyl thiobenzoates
 - Radical polymerization, 4202–4206
- Photopolymerization**
 - Acrylate
 - Methacrylate, 3031–3036
 - Kinetics
 - Dimethacrylates, 600–609
 - Laser spectroscopy
 - Photocrosslinking, 3569–3573
 - Shrinkage
 - Refractive index, 1123–1126
- Photosensitivity**
 - Acrylate
 - Curing, 657–659
- Physical ageing**
 - Bacterial polyesters
 - Electron spin resonance, 3295–3297
 - Creep
 - PVC, 2689–2698
 - Decay
 - Polycarbonate, 3536–3539
 - Density gradient column
 - Polystyrene, 4875–4877
 - Epoxy resin
 - Enthalpy, 3080–3082
 - Thermal properties
 - Poly(lactic acid), 2699–2703
- Physical properties**
 - Polyethylene fibres
 - Oxidation, 536–545
 - Polyurethane
 - Ionomer, 3790–3796
- Piezoelectricity**
 - 2D n.m.r.,
 - 3D n.m.r., 1156–1161
 - Elastomer
 - Non-linear optics, 4040–4046
- Plastic**
 - Fracture
 - Polyethylene, 4997–5004
- Plastic deformation**
 - Poly(methyl methacrylate)
 - Activation volume, 4968–4976
- Plasticity**
 - Particle size distribution
 - Percolation, 4741–4746
- Plasticization**
 - Epoxy resins
 - Curing, 264–267
- Poisson's ratio**
 - Epoxy polymers
 - Toughening mechanisms, 5338–5340
- Polarization**
 - Birefringence
 - Counterion, 429–431
 - Thermally stimulated current
 - Polycarbonate, 4682–4686
- Poly(1-butene)**
 - Carbon-13 n.m.r.
 - 2D-INADEQUATE, 650–654
- Poly(4-methyl-1-pentene)**
 - Small-angle X-ray scattering
 - Long period, 2229–2230
- Poly(L-glutamic acid)**
 - Calcium ion sensor
 - Ion channel mechanism, 3997–4000
- Poly(N-isopropylacrylamide)**
 - LCST
 - Phospholipid, 4659–4662
- Poly(aryl ether ketone)**
 - Thermal stability
 - Elastomeric behaviour, 5094–5097
- Poly(aryl-ether-ether-ketone)**
 - Blend
 - Crystallization kinetics, 3893–3898
- Poly(arylene ether)s**
 - Properties
 - Glass transition, 3507–3511
 - Quinoxaline units
 - Semi-crystalline polymers, 3739–374
- Poly(arylene sulphide)s**
 - Synthesis
 - Bisthiophenols, 1778–1779
- Poly(benzyl glutamate)**
 - Helix
 - Film, 2459–2462
 - Light scattering
 - Aggregation, 5328–5330
- Poly(butylene terephthalate)**
 - Stability

- Wide-angle X-ray scattering, 227–232
- Poly(di-methyl silane)**
Energy calculations
Crystal structure, 5121–5127
- Poly(dimethylsiloxane)**
D.s.c.
Alcohol, 4656–4658
Dynamic light scattering
Networks, 1116–1119
FT infra-red spectroscopy
Analysis, 5085–5089
Graft copolymers
Characterization, 852–858
Polymer networks
Poly(methyl methacrylate), 866–871
Solvation
Gel permeation, 3978–3980
Three-component
Poly(styrene), 2208–2213
Transdermal penetration
Indomethacin, 2203–2207
- Poly(epichlorohydrin)**
Polymer blends,
Poly(methyl methacrylate), 3137–3144
- Poly(ether ketone)**
Crystal modulus
Poly(ether-ether-ketone), 736–743
- Poly(ether sulphone)**
Chlorination
Catalyst, 166–169
- Poly(ether-ether-ketone)**
Crystal modulus
Poly(ether ketone), 736–743
- Poly(ethylene oxide)**
Dynamics
Adsorption, 181–189
Electrical noise
Capillary flow, 1464–1468
N.m.r. spectroscopy
Poly(methyl methacrylate), 2076–2083
Poly(methyl methacrylate)
Binary mixture, 2370–2375
Polymer blends
Phase transition, 3833–3840
Self-diffusion
Electrolytes 1014–1020
Siloxane
Polyelectrolytes, 665–666
Urethane
Solution properties, 627–636
- Poly(ethylene terephthalate)**
Copolymer
Depolarization, 4687–4692
Crystallization
Kinetics, 3189–3192
Small-angle X-ray scattering,
4451–4456, 4457–4464
Stress, 3182–3188
Film
Fibre, 3193–3202
Orientation
Deformation, 1277–1283
Scattering
Temperature effects, 1887–1892
Supermolecular structure
Chain slippage, 1881–1886
Viscoelasticity
Stress, 516–525
- Poly(hydroxybutyrate)**
Blends
Tacticity, 4647–4649
- Poly(hydroxyethyl methacrylate)**
Anisotropy
Sorption, 554–561
- Poly(lactic acid)**
Thermal properties
Physical ageing, 2699–2703
- Poly(methacrylic acid)**
Dynamic properties
Gels, 2238–2239
- Poly(methyl acrylate)**
Thermal expansion
Specific volume, 4428–4431
- Poly(methyl methacrylate)**
Diffusion
Stress, 3759–3761
Electric field
Pol(vinylidene fluoride), 3305–3307
N.m.r. spectroscopy
Poly(ethylene oxide), 2076–2083
Phase separation
Scaling, 1445–1448
Poly(ethylene oxide)
Binary mixture, 2370–2375
Quasielastic neutron scattering
Ester methyl group rotation, 4121–4128
Stereocomplex
Block copolymers, 1953–1958
Stereoregularity
Albite ore, 4880–4882
- Poly(methyl styrene)**
Chlorination
Phase-transfer catalysis, 1069–1072
- Poly(p-phenylene sulphide)**
Nuclear spin relaxation
Temperature dependence, 498–501
- Poly(p-phenylene vinylene)**
Synthesis
Conducting polymers, 1780–1782
- Poly(phenylene sulphide)**
Carbon-13 n.m.r.
Phase heterogeneity, 4913–4919
Acoustic measurements
Transition temperatures, 2227–2228
Melting behaviour
Melt crystallization, 2312–2324
Morphology
Single crystals, 1594–1605
Multiple stage
Melt crystallization, 2325–2333
- Poly(phenylene chalcogenide)s**
Synthesis
Properties, 2454–2455
- Poly(phenylenemethylene)**
Benzyl alcohol
Polymerization, 3974–3975
- Poly(phosphazene)s**
Intrinsic viscosity
Viscometric behaviour, 3312–3315
- Poly(propylene oxide)**
Infra-red spectroscopy
Raman spectroscopy, 3487–3494
Polymer electrolyte
Raman spectroscopy, 2778–2783
- Poly(styrene sulphonate)**
Viscosity
Polyelectrolytes, 113–116
- Poly(tetrafluoroethylene)**
Oriented polymer
Structure, 647–649
- Poly(tetramethylene oxide)**
Elastomer
Structure–property, 526–535
- Poly(vinyl acetate)**
Polymer blends
Miscibility, 2012–2014
Resonance
Spin probes, 963–966
- Poly(vinyl alcohol)**
Blend
Miscibility, 4763–4767
Crystal modulus
Tacticity, 2581–2586
Fluoroalkylthio end group
X.p.s., 5066–5072
Gel
Sol–gel transition, 2883–2890
Structure, 2334–2339
Gelation rate
Crystallite formation, 5044–5048
Hydrogel
Crystallization, 3932–3936
- Phase behaviour
Sol–gel transition, 2182–2188
Phase separation
Gel, 3686–3690
Thermal degradation, 718–724
Solid structure
Hydrogen bonding, 2299–2306
- Poly(vinyl chloride)**
Char formation
Iron compounds, 2704–2708
Filler
Grafting, 83–88
Organic plasticizer
Smoke production, 1110–1111
Permeability
Anomalous permeation, 3698–3705
Polyenes
Dehydrochlorination, 637–642
- Poly(vinyl methyl ether)**
Corresponding states theory
Interaction parameter, 5102–5104
Hydrogen bonding
Blends, 4814–4820
- Poly(vinyl phenol)**
Miscibility
Interaction parameter, 755–759
Thermomechanical analysis
Morphology, 760–766
- Poly(vinyl pyridine)**
Molecular composites
Ionic Kevlar, 4650–4652
- Poly(vinyl pyrrolidone)**
Polymer blends
Miscibility, 893–895
Solid-state n.m.r.
Poly(vinyl alcohol), 712–717
- Poly(vinylidene fluoride)**
Diffusion
Deformation, 3343–3350
Electric field
Poly(methyl methacrylate), 3305–3307
Micro-Raman mapping
Crystalline phase, 4199–4201
Phase separation
Hydroxypropyl cellulose, 795–800
- Polyacetylene**
Chlorination
Stereoregularity, 4058–4065
Synthesis
Transition metal complexes, 3073–3075
Thermal oxidation
Degradation, 4711–4716
- Polyacrylamide**
Paramagnetic probes
Correlation time, 2036–2042
- Polyacrylates**
Creep
Polymerization, 767–772
- Polyacrylic acid**
Crosslinking
Polychloroprene 3627–3634
- Polyacrylonitrile**
X-ray diffraction
Propylene carbonate, 4304–4313
- Polyamide**
Fibre
Block copolymer, 3616–3620
Synthesis
Polyoxadiazole, 206–208
Nonlinear optics
Electron delocalization, 3937–3941
- Polyamides**
Blends
Copolymers, 3394–3407, 3899–3907
Morphology, 3173–3181
Reactive polyamides
Epoxy-curing, 3252–3256
Synthesis
Dimer acids, 3495–3499
- Polyaniline**
Characterization

Subject Index

- Structure, 3607–3610
- Conducting polymers
 - Conformation, 4292–4298
 - Mossbauer studies, 2424–2426
- Dispersion
 - Light scattering, 4857–4858
- Spectroscopic analysis
 - Irradiation, 2292–2298
- Sulphonation
 - Amines, 4410–4418
- Thermal transition
 - Mechanical properties, 314–322
- X.p.s.
 - Protonation, 2857–2859
- Polybenzimidazole**
 - Polycondensation
 - Surfactant, 1773–1777
- Polybutadiene**
 - Carbon-13 n.m.r. spectroscopy
 - Rare earth catalysts, 5202–5207
 - Graft polymer
 - Emulsion polymerization, 2802–2806
- Poly(butylene terephthalate)**
 - Polyisobutylene
 - Block copolymers, 3522–3524
- Polycarbonate**
 - Blends
 - Copolymer, 4941–4950
 - Styrenic copolymers, 1606–1619
 - Copolymers
 - Binary blends, 2089–2102
 - Deformation
 - Necking, 4732–4736
 - Fracture
 - Ageing, 2981–2988
 - Interfacial adhesion
 - Toughening mechanisms, 4868–4871
 - Mechanical relaxation
 - Bisphenol-A polymer, 1223–1227
 - Molecular motion
 - N.m.r. spectroscopy, 2231–2233
 - Physical ageing
 - Decay, 3536–3539
 - Thermally stimulated current
 - Polarization, 4682–4686
- Polycarbonate blends**
 - Morphology
 - Injection moulding, 675–684, 685–697
- Polycondensation**
 - Copolyester
 - Crystal structure, 5321–5327
 - Molecular weight distribution
 - Adipic acid, 2194–2202
 - Polybenzimidazole
 - Surfactant, 1773–1777
 - Reaction rate
 - Oligomer, 1543–1547
 - Thermotropic liquid
 - Crystalline properties, 2217–2221
- Polydiacetylene**
 - Gel
 - Electric conductivity, 1813–1815
 - Langmuir–Blodgett films
 - Polymerization, 3525–3526
 - Thermal analysis
 - X-ray diffraction, 5098–5101
- Polydispersity**
 - Rheology
 - Melt, 2852–2854
- Polyelectrolytes**
 - Potentiometric study
 - Osmotic activity, 1284–1288
- Siloxane
 - Poly(ethylene oxide), 665–666
- Surfactant
 - Interactions, 812–816
- Synthesis
 - Characterization, 834–837
- Viscosity
 - Poly(styrene sulphate), 113–116
- Volume-phase transition
 - Ion association, 5040–5043
- Polyenes**
 - Catalysis
 - Metallo-porphyrins, 1771–1772
 - Poly(vinyl chloride)
 - Dehydrochlorination, 637–642
- Polyester**
 - Copolymers
 - Liquid crystalline polymer, 5309–5314
 - Crystallization
 - Melting behaviour, 3865–3872
 - Diffusion
 - Water, 3691–3697
 - Morphology
 - Thermal properties, 1418–1422
 - Ordered sequence copolyesters
 - Triad monomer, 1537–1542
- Polyester resin**
 - Activation energy
 - Crosslinking, 883–885
 - Dynamic mechanical properties
 - Crosslink density, 3748–3750
- Polyesterification**
 - Copolyesters
 - N.m.r. spectroscopy, 5056–5065
 - Microstructure
 - Polyethylene, 3155–3161
- Polyesters**
 - Dielectric relaxation
 - Crystallinity, 4463–4469
 - Excimer
 - Fluorescence, 239–242
 - Liquid crystalline polymer
 - Structure of polymers, 2605–2610
 - Miscibility
 - Polymer blends, 3203–3209
 - Structure
 - Optical properties, 52–56
- Polyether**
 - Chemical structures
 - Chain extender, 4347–4351
 - Mechanical properties
 - Biomaterials, 2084–2088
 - Polymerization
 - Macromonomer, 1507–1511
- Polyethylene**
 - Binary mixtures
 - Temperature dependence, 3123–3136
 - Crack propagation
 - Morphology, 1261–1265
 - Crystallization
 - Blends, 461–466
 - Gelation, 4152–4157
 - Kinetics, 3670–3674
 - Deformation
 - Orientation, 233–238
 - Recrystallization, 4137–4140
 - Tensile properties, 1244–1254
 - Diffusion
 - Electron microscopy, 4891–4897
 - Electron microscopy
 - Lamellar thickness, 874–876
 - FT* infra-red spectroscopy
 - Crystallinity, 5173–5178
 - Fracture
 - Plastic, 4997–5004
 - Grafting
 - Homopolymerization, 3266–3273
 - High pressure
 - Solubility, 5259–5263
 - Mechanical properties
 - Polystyrene, 106–110
 - Melting behaviour
 - Crystallization, 3878–3883
 - Microporous
 - Compaction, 4435–4438
 - Molecular weight
 - Conductivity, 4075–4080
 - Thermal properties, 3462–3469
 - Morphology
 - Dimethylformamide, 2575–2580
 - Epitaxy, 1096–1098
 - Fracture, 4527–4532
 - Mechanical properties, 698–702
 - Nuclear magnetic resonance, 426–428
 - N.m.r. spectroscopy
 - Phase structure, 493–497
 - Orientated
 - Infra red spectroscopy, 1321–1322
 - Phase behaviour
 - Blends, 2530–2541
 - Polystyrene
 - Spherulite, 909–913
 - Silica
 - Catalyst, 3482–3486
 - Strain hardening
 - Crack, 2715–2719
 - Structure
 - Electrons, 3351–3356
 - Toughness
 - Fracture, 4108–4112
 - Vibrational spectroscopy
 - Films, 4219–4229
 - Yield
 - Chain branching, 1872–1880
- Polyethylene fibres**
 - Oxidation
 - Physical properties, 536–545
- Polyethyleneimine**
 - Solvation
 - Inter polymer complexes, 3308–3311
- Polygalacturonic acid**
 - Sodium binding
 - Degree of neutralization, 4725–4727
- Polyimide**
 - Adhesion
 - Miscibility, 3382–3387
 - Blends
 - Diffusion, 1218–1222
 - Crystal structure
 - Conformation, 5334–5337
 - Dynamic mechanical analysis
 - Relaxation, 4728–4731
 - Fluorinated diamines
 - Dielectric constant, 1078–1082
 - Isomerism
 - Fluorinated polymer, 2934–2939
 - Langmuir–Blodgett films
 - Scanning tunnelling microscopy, 3751–3752
 - Morphology
 - Crystalline, 3783–3789
 - Nadimides
 - Char yield, 4845–4850
 - Orientation
 - Stress, 967–974
 - Permeability
 - Fluorine, 585–592
 - Stress
 - Isomer, 1228–1236
 - Structure
 - Reaction conditions, 190–193
 - Tensile strength
 - Polyoxadiazole, 3278–3285
- Polyimide films**
 - Glass transition
 - Rigid rod polymer, 5179–5185
- Polyisobutylene**
 - Poly(butylene terephthalate)
 - Block copolymers, 3522–3524
- Polyisoprene**
 - Orientation
 - Poly(vinyl ethylene), 4522–4526
 - Polymers
 - 2,4-Dinitrophenyl hydrazine, 1739–1741
 - Structure
 - Carboxylato-telechelic, 1347–1358
- Polymer solutions**
 - Blob theory
 - Solvent quality, 4375–4378
 - Simple liquid mixture
 - Excess volume, 2382–2387

- Polymer blends**
 Biodegradable
 PHB/HV copolymers, 2508–2512
 Compatability
 Transesterification, 2019–2030
 Compatibility
 Morphology, 877–880
 Crystallization
 Aramid, 3210–3214
 Epoxy resins
 Fracture toughness, 1379–1383
 Inverse gas chromatography
 Contact interaction parameter, 5005–5018
 Light scattering
 Phase separation, 4635–4638
 Liquid crystal polymers
 Rheology, 4322–4330
 Membrane
 Polystyrene, 662–664
 Miscibility
 Hydrogen bonding, 3593–3597
 Poly(vinyl acetate), 2012–2014
 Poly(vinyl pyrrolidone), 893–895
 Polyesters, 3203–3209
 Polyurethanes, 4515–4521
 Solubility, 4505–4514
 Mobility
 Molecular weight, 2729–2739
 Poly(epichlorohydrin)
 Poly(methyl methacrylate), 3137–3144
 Poly(ethylene oxide)
 Phase transition, 3833–3840
 SEM
 Polypropylene, 886–888
 Small-angle neutron scattering
 Polystyrene, 1785–1787
 Structure
 Thermodynamics, 5150–5166
 Transesterification
 N.m.r. spectroscopy, 4643–4646
- Polymer chains**
 Colloids
 Phase transition, 2177–2181
 Viscosity
 Polyetherimide, 4379–4383
- Polymer electrolytes**
 Ion conductivity
 Li salt, 3044–3048
 Networks
 Molecular motion, 4699–4704
- Polymer films**
 Gelatin
 Fracture toughness, 2970–2974
- Polymer matrix**
 Stark effect
 Dipole moment, 5143–5149
- Polymer melt**
 Nucleation
 Free energy, 2643–2644
- Polymer networks**
 Poly(dimethylsiloxane),
 Poly(methyl methacrylate), 866–871
- Polymer solutions**
 Interfacial tensions
 Polystyrene, 1926–1931
 Osmotic pressure
 Diffusion, 1548–1552
 Pressure effects
 Flory–Huggins parameter, 219–221
- Polymer-supported reaction**
 Catalyst
 Copolymers, 161–165
- Polymeric liquids**
 Raman spectroscopy
 Birefringence, 3574–3581
- Polymerization**
 Adhesives
 Chain entanglement, 4314–4321
 Amino acid anhydrides
 Crystal structures, 2557–2566
- Aminobutyric acid
 Synthesis, 2456–2458
- Aromatic polymer
 Isomerism, 5300–5302
- Benzyl alcohol
 Poly(phenylenemethylene), 3974–3975
- Catalyst
 Butyl lithium, 156–160
 Monoalkenes, 1768–1770
 Stereo selective reaction, 2817–2824
- Catalytic
 Oxidative, 3049–3054
- Cholesterol
 Vesicle formation, 175–180
- Conduction
 Monomers, 4019–4023
- Copolymers
 Ethylene oxide, 1941–1948
 Terpolymers, 4184–4190
- Crystallization
 Caprolactam, 3884–3888
- Cyclopolymerization
 Allyl group, 3500–3506
- End groups
 Styrene, 1323–1325
- Gelation
 Prepolymer, 44–51
- Interactions
 Composites, 1496–1506
- Kinetics
 Methyl methacrylate, 137–140
 Nematic state, 1909–1913
 Photoinitiation, 2863–2867
- Langmuir–Blodgett films
 Polydiacetylene, 3525–3526
- Latex
 Interfacial tension, 3797–3810
- Liquid crystal polymers
 Stabilization, 3066–3072
- Liquid crystalline polymer
 Acrylate, 89–95
- Metathesis
 Biomolecular termination, 872–873
 Dicyclopentadiene, 3302–3304
- Micelle
 Monomers, 5303–5308
- Monomers
 Cation, 4630–4634
- Morphology
 Dynamic mechanics properties, 1486–1495
- Onium salts
 Catalysts, 1968–1975
- Phase-transfer catalysis
 Vinyl monomers, 217–218
- Polyacrylates
 Creep, 767–772
- Polyether
 Macromonomer, 1507–1511
- Polypropylene
 Catalyst, 1105–1107
- Polysiloxane
 Synthesis, 667–670
- Polyurethane networks
 Ethylene carbonate, 2807–2816
- Propylene
 Catalyst, 1477–1485
- Pyrrrole
 Photoinitiators, 4834–4844
- Radical
 Optical activity, 1559–1562
- Spherical polymer particles
 Dispersion particle dimensions, 3658–3663
- Stereochemistry,
 Pharmacological activity, 2840–2847
- Styrene
 Initiation, 4582–4591
 Initiation mechanism, 3055–3059
- Synthesis
 Copolymerization, 1090–1095
- Poly(methyl methacrylate)**
 Tacticity
 Graft copolymers, 3089–3094
- Poly(methyl methacrylate)**
 Plastic deformation
 Activation volume, 4968–4976
- Polymethylene**
 Twistons
 Phase transitions, 4667–4676
- Polymorphism**
 Crystallization
 Modification, 2364–2369
 Morphology
 Thermotropic transition, 4538–4549
 Structure
 Polystyrene, 488–492
- Polyolefin**
 Diffusion
 Transport, 3323–3342
 Low angle light scattering,
 Viscometer detectors, 1949–1952
- Polyoxadiazole**
 Polyimide
 Tensile strength, 3278–3285
- Polyoxymethylene**
 Void factors
 Superdrawn fibres, 2123–2127
- Polypeptide**
 Optical activity
 Helical polymers, 2287–2291
- Polyphenylene**
 Aromatization
 Precursor polymer, 4141–4144
 Ladder polymers
 Synthesis, 2443–2446
- Polyphosphazene**
 Thermotropic
 Phase transitions, 3215–3225
- Polypropylene**
 Blends
 Compatibility, 1411–1417
 Catalyst
 Structure, 254–258
 Crystallization
 Heat of fusion, 3985–3989
 Electron spin resonance
 Radical polymerization, 2307–2311
 Grafting
 Acrylamide, 96–99
 Isotacticity
 Melting behaviour, 728–735
 Mathematical modelling
 Polyethelene, 4605–4610
 Mechanical properties
 Phase structure, 4961–4967
 Morphology
 Mechanical properties, 1200–1209
 Nucleation
 Crystallization, 5215–5224
 Polymerization
 Catalyst, 1105–1107
 SEM
 Polymer blends, 886–888
- Polypyrrole**
 Degradation
 Kinetic study, 1902–1908
 Thermal stability
 Morphology, 2348–2352
 Molecular anisotropy
 Electrical conductivity, 4113–4120
- Polysaccharide**
 Chain conformation
 Rheological properties, 4001–4008
 Hydrogels
 Protein, 2388–2391
- Polysiloxane**
 Stability
 Elastomer, 3841–3847
 Synthesis
 Dielectric properties, 4191–4196

Subject Index

- Polymerization, 667–670
- Polystyrene**
 - Annealing
 - Crystallization, 660–661
 - Blends
 - Copolymers, 2744–2749
 - Light scattering, 5249–5253
 - Tetramethyl polycarbonate, 1630–1639
 - Polyethylene, 2513–2521
- Block copolymers
 - Anionic polymerization, 4394–4400
 - Chromatography, 4129–4135
- Colloidal metal
 - Block copolymers, 1099–1101
- Copolymers
 - Structure, 4250–4259
- Crazing
 - TEM, 1556–1558
- Crosslinking
 - Urethane, 4575–4581
- Crystallization
 - Crystal structure, 1423–1428
- Cyclohexane
 - Intrinsic viscosity, 4798–4804
- Diblock copolymers
 - Anionic polymerization, 2447–2449
- Differential thermal analysis
 - Glass transition temperature, 1333–1334
- Diffusion
 - Fluorescence, 3916–3924
- Entanglements
 - Melt viscosity, 1255–1260
- Excimer fluorescence
 - Phase separation, 3558–3563
- Fluorescence
 - Blends, 5245–5248
- Hydrodynamic radius
 - Radius of gyration, 783–788
- Hydrophobic
 - Plasma chemistry, 3007–3015
- Intrinsic viscometry
 - Interaction parameters, 2224–2226
- Mechanical properties
 - Polyethylene, 106–110
- Melt viscosity
 - Free volume, 4983–4989
- Membrane
 - Polymer blends, 662–664
- Miscibility
 - Polymer blend, 773–777
- Modelling
 - Crystalline polymer, 725–727
- Networks
 - Hydroxyethyl, 2796–2801
- Neutron scattering
 - Hydrogenous polymers, 3744–3747
- Physical ageing
 - Density gradient column, 4875–4877
- Polyethylene
 - Spherulite, 909–913
 - Polymer swelling, 2168–2176
- Small-angle neutron scattering
 - Polymer blends, 1785–1787
- Structure
 - Polymorphism, 488–492
- Suspension polymerization
 - Blending, 3734–3758
- Polysulphone**
 - Heat capacity
 - Glass transition, 5272–5281
 - Membrane
 - Chemical modification, 4805–4813
 - Transport properties
 - Sorption, 1701–1711
- Polyurethane**
 - Biomaterials
 - Platelet adhesion, 2848–2851
 - Copolymers
 - Poly(methyl methacrylate), 3723–3728
 - Deformation
 - Ionomers, 4280–4287, 4705–4710
- EXAFS**
 - Ionomer, 920–929
- Ionomers
 - Viscosity, 5254–5258
- Morphology
 - Ionomer, 930–937
- Physical properties
 - Ionomer, 3790–3796
- Polyurethane networks**
 - Polymerization
 - Ethylene carbonate, 2807–2816
- Polyurethanes**
 - Crosslinking
 - Synthesis, 1384–1390
 - Microphase
 - Morphology, 3957–3967
 - Miscibility
 - Polymer blends, 4515–4521
- Porous structure**
 - Copolymers
 - Rearrangement, 1731–1738
- Potentiometric study**
 - Polyelectrolytes
 - Osmotic activity, 1284–1288
- Prepolymer**
 - Polymerization
 - Gelation, 44–51
- Pressure effects**
 - Flory–Huggins parameter
 - Polymer solutions, 219–221
 - Properties
 - Polymethacrylate, 4793–4797
 - X-ray
 - P-T phase diagram, 2502–2507
- Processing**
 - Conducting polymers
 - Fibre, 1102–1104
 - Fibre
 - Structure, 2128–2135
- Properties**
 - Poly(arylene ether)s
 - Glass transition, 3507–3511
 - Poly(phenylene chalcogenide)s
 - Synthesis, 2454–2455
 - Pressure effects
 - Polymethacrylate, 4793–4797
 - Synthesis
 - Conducting polymers, 214–216
- Propylene**
 - Polymerization
 - Catalyst, 1477–1485
 - Tensile strength
 - Fibre, 1653–1655
- Propylene carbonate**
 - Polyacrylonitrile
 - X-ray diffraction, 4304–4313
- Protein**
 - Hydrogels
 - Polysaccharide, 2388–2391
- Protonation**
 - Polyaniline
 - X.p.s., 2857–2859
- Pyrolysis**
 - Epoxy resin
 - Spectroscopy, 4486–4492
- Quasi-binary systems**
 - Phase diagram
 - Cloud point, 5105–5108
- Radiation effects**
 - Crosslinking
 - Gelation, 5341–5342
- Radical**
 - Conformation
 - Copolymerization, 384–390
 - Polymerization
 - Optical activity, 1559–1562
- Radical polymerization**
 - Dialkyl fumarate
 - Steric effect, 3245–3251
 - Electron spin resonance
 - Polypropylene, 2307–2311
- S-Phenyl thiobenzoates
 - Photoinitiation, 4202–4206
- Radiopacity**
 - Organobismuth polymers
 - Triphenylbismuth monomers, 1724–173
- Raman spectroscopy**
 - Fibre
 - Mechanical properties, 975–982
 - High modulus
 - Polyethylene fibres, 2587–2597
 - Infra-red spectroscopy
 - Poly(propylene oxide), 3487–3494
 - Polymeric liquids
 - Birefringence, 3574–3581
- Random phase approximation**
 - Dynamic scattering
 - First cumulant, 1127–1139
- Reaction conditions**
 - Polyimide
 - Structure, 190–193
- Reaction rate**
 - Microgel
 - Polymer micelle, 1712–1716
 - Oligomer
 - Polycondensation, 1543–1547
- Reactivity ratios**
 - Copolymerization
 - Group transfer polymerization, 655–656
 - N.m.r. spectroscopy, 859–865
 - Copolymers
 - Free radicals, 4625–4629
 - Methacrylonitrile
 - Dilatometry, 1999–2002
- Rearrangement**
 - Porous structure
 - Copolymers, 1731–1738
- Recrystallization**
 - Deformation
 - Polyethylene, 4137–4140
- Refractive index**
 - Non-linear optics
 - Synthesis, 3756–3758
 - Photopolymerization
 - Shrinkage, 1123–1126
- Relaxation**
 - Molecular mechanics
 - Poly(propyl methacrylate), 1359–1362
 - N.m.r.
 - Dynamic models, 1831–1835
- Resin**
 - Epoxies
 - Kinetics, 1177–1186
- Resist materials**
 - Deprotection
 - Thermal stability, 4851–4856
- Resists**
 - Novolac
 - Chemical amplification, 4653–4655
- Rheological properties**
 - Polysaccharide
 - Chain conformation, 4001–4008
- Rheology**
 - Block copolymers
 - Molecular weight, 294–305
 - Gelatin
 - Collagen, 2622–2627
 - Ionomers
 - LC-polymers, 5315–5320
 - Liquid crystal polymers
 - Polymer blends, 4322–4330
 - Liquid crystalline polymer
 - Viscoelasticity, 2007–2011
 - Melt
 - Polydispersity, 2852–2864
 - Phase behaviour
 - Blends, 546–553
 - Polyelectrolyte solutions
 - Polystyrene sulphonates, 3711–3716
 - Viscosity
 - Blends, 5264–5271

- Rigid rod polymer**
 Glass transition
 Polyimide films, 5179–5185
 Phase transitions
 Liquid crystals, 3811–3817
- Rubber**
 Crosslinking
 Blends, 744–754
 Gas transport
 Epoxidation, 2450–2451
 Melt
 Ethylene propylene, 1987–1992
- Rubber elasticity**
 Slider model
 Mullins effect, 1058–1068
 Swelling
 Network, 5090–5093
- Rubber toughening**
 Epoxies
 Morphology, 34–43
-
- S-Phenyl thiobenzoates**
 Radical polymerization
 Photoinitiation, 4202–4206
- SEM**
 Polymer blends
 Polypropylene, 886–888
- SSIMS**
 Colloids
 X.p.s., 1112–1115
- Scaling**
 Poly(methyl methacrylate)
 Phase separation, 1445–1448
- Scanning tunnelling microscopy**
 Isotactic polystyrene
 Morphology, 5331–5333
- Scanning tunnelling microscopy**
 Polyimide
 Langmuir–Blodgett films, 3751–3752
- Scattering**
 Block copolymers
 Blends, 1006–1013
 Poly(ethylene terephthalate)
 Temperature effects, 1887–1892
- Semicrystalline polymer**
 Tie chains
 Loops, 4717–4724
- Shear**
 Liquid crystalline polymer
 X-ray diffraction, 434–435
- Shrinkage**
 Photopolymerization
 Refractive index, 1123–1126
- Side chain length**
 Acrylic polymer
 Orientation, 938–943
- Silica**
 Adsorption
 Percolation, 2762–2767
 Photocleavage,
 Poly(ethylene oxide) spacer,
 1763–1767
 Polyethylene
 Catalyst, 3482–3486
 Siloxane
 Adsorption, 379–383
 Aerogels, 1826–1830
- Siloxane**
 Polyelectrolytes
 Poly(ethylene oxide), 665–666
 Silica
 Adsorption, 379–383
 Aerogels, 1826–1830
- Siloxane polymers**
 Synthesis
 Block copolymers, 4425–4427
- Single crystals**
 Morphology
 Electron diffraction, 1620–1622
- Small-angle X-ray scattering**
 Crystallization
 Poly(ethylene terephthalate), 4451–4456,
 4457–4462
 Diblock copolymers
 Dynamic light scattering, 3675–3685
 Ionomer membranes
 Electrolysis, 1579–1582
 Lamellar structures
 Gelatinization, 2628–2635
 Poly(4-methyl-1-pentene)
 Long period, 2229–2230
Small-angle neutron scattering
 Polymer blends
 Polystyrene, 1785–1787
Smectic polymers
 Comb-branched polymers
 Mesomorphism, 1316–1320
 Phase transitions
 Molecular mass dependence, 4352–4357
 Structure
 Liquid crystalline polymer, 202–205
Smoke production
 Poly(vinyl chloride)
 Organic plasticizer, 1110–1111
Sodium binding
 Polygalacturonic acid
 Degree of neutralization, 4725–4727
Sol-gel transition
 Composites
 Non-linear optics, 4145–4151
Solid state n.m.r.
 Epoxy resins
 Infra-red spectroscopy, 1370–1373
 Poly(vinyl pyrrolidone)
 Poly(vinyl alcohol), 712–717
Solubility
 Anionic polymerization
 Monomers, 5073–5075
 Aromatic polyester
 Thermal stability, 5346–5347
 Glassy polymer
 Enthalpy, 1696–1700
 Miscibility
 Polymer blends, 4505–4514
 Polyethylene
 High pressure, 5259–5263
 Thermal transition
 Enthalpy, 623–626
Solution
 Ionomers
 Polyelectrolyte behaviour, 3643–3646
Solution properties
 Copolymer
 Phase separation, 1449–1458
 PEEK
 Solvent, 4432–4434
 Poly(ethylene oxide)
 Urethane, 627–636
Solvation
 Analysis
 Polymers, 2162–2167
 Gel permeation
 Poly(dimethylsiloxane), 3978–3980
 Membrane
 Molecular features, 4388–4393
 Polyethyleneimine
 Inter polymer complexes, 3308–3311
Solvent
 PEEK
 Solution properties, 4432–4434
Sorption
 Diffusion
 Responsive gel, 990–995
 Poly(hydroxyethyl methacrylate)
 Anisotropy, 554–561
 Polysulphone
 Transport properties, 1701–1711
Spacer group
 Copolymer
 Micelle, 4029–4039
Specific volume
 Thermal expansion
 Poly(methyl acrylate), 4428–4431
Spectroscopic analysis
 Polyaniline
 Irradiation, 2292–2298
Spectroscopy
 Dielectric behaviour
 Polydienes, 4242–4249
 E.p.r.
 Amorphous polymers, 5208–5214
 Epoxy resin
 Pyrolysis, 4486–4492
 Flame retardant polymers
 Polycondensation, 418–422
Spherulite
 Mixture
 Light scattering, 889–892
 Polyethylene
 Polystyrene, 909–913
Spin trap
 Milling
 Electron spin resonance, 4859–4861
Spin-lattice relaxation
 Copolymer
 Comonomer, 4288–4291
Stability
 Poly(butylene terephthalate)
 Wide-angle X-ray scattering, 227–232
 Polysiloxane
 Elastomer, 3841–3847
Stability constant
 Thermodynamics
 Copolymers, 3762–3766
Stabilization
 Polymerization
 Liquid crystal polymers, 3066–3072
Stabilizer
 Ziegler-Natta catalyst
 Copolymerization, 5049–5055
Starch
 Graft copolymers
 Amylopectin, 2860–2862
Stark effect
 Polymer matrix
 Dipole moment, 5143–5149
Step-growth polymerization
 Molecular weight distribution
 Kinetics, 801–811
Stereocomplex
 Poly(methyl methacrylate)
 Block copolymers, 1953–1958
Stereoregularity
 Poly(methyl methacrylate)
 Albite ore, 4880–4882
 Polyacetylene
 Chlorination, 4058–4065
Strain
 Mechanical properties
 Molecular structure, 3357–3368
Stress
 Crystallization
 Poly(ethylene terephthalate), 3182–3188
 Diffusion
 Poly(methyl methacrylate), 3759–3761
 Polyimide
 Isomer, 1228–1236
 Orientation, 967–974
Structure
 Adhesion
 Film, 1162–1170
 Block copolymers
 Miscibility, 75–82
 Characterization
 Polyaniline, 3607–3610
 Copolymers
 Polystyrene, 4250–4259
 Dioxane lignin
 Specific heat, 2222–2223
 Fibre
 Processing, 2128–2135
 Kinetics
 Thermal polymerization, 3664–3669

Subject Index

- Liquid crystalline polymer
 - Smectic polymers, 202–205
 - Thermotropic polymer, 3108–3115
- Low-temperature properties
 - Phase transition, 5115–5120
- Morphology
 - PEKK 2483–2495
- Optical properties
 - Polyesters, 52–56
- Poly(tetrafluoroethylene)
 - Oriented polymer, 647–649
- Poly(vinyl alcohol)
 - Gel, 2334–2339
- Polyethylene
 - Electrons, 3351–3356
- Polyimide
 - Reaction conditions, 190–193
- Polyisoprene
 - Carboxylato-telechelic, 1347–1358
- Polypropylene
 - Catalyst, 254–258
- Polystyrene
 - Polymorphism, 488–492
- Thermodynamics
 - Polymer blends, 5150–5166
- Vinylidene fluoride
 - Copolymer, 1571–1578
- X-ray diffraction
 - Multifunctional, 944–950
- Structure–property**
 - Elastomer
 - Poly(tetramethylene oxide), 526–535
- Syrene**
 - Block copolymers
 - Methyl methacrylate, 3976–3977
 - Cellulose
 - Graft copolymers, 3729–3733
 - Copolymerization
 - Butyl acrylate, 3706–3710
 - Emulsion polymerization
 - Growth morphology, 1437–1444
 - Polymerization
 - End groups, 1323–1325
 - Initiation, 4582–4591
 - Initiation mechanism, 3055–3059
 - Ziegler-Natta polymerization
 - Ultrasound, 4423–4424
- Sulphonation**
 - Polyaniline
 - Amines, 4410–4418
- Supercooling**
 - Growth rate
 - Morphology, 2659–2665
- Supramolecular organization**
 - Liquid crystalline polymer
 - Amines, 4047–4051
- Surface studies**
 - Curing
 - Acrylate, 3037–3043
 - Zisman plot
 - Surface segregation, 1690–1695
- Surface tension**
 - Corresponding states theory
 - Contact angle, 3753–3755
- Surfactant**
 - Gel
 - Static light scattering, 2875–2882
 - Polybenzimidazole
 - Polycondensation, 1773–1777
 - Polyelectrolytes
 - Interactions, 812–816
- Suspension polymerization**
 - Crosslinking
 - Hydrophilic polymer beads, 3257–3261
 - E.p.r.
 - Copolymer, 2051–2056
- Swelling**
 - Modelling
 - Elastomer, 5032–5039
 - Rubber elasticity
 - Network, 5090–5093
- Synthesis**
 - Aminobutyric acid
 - Polymerization, 2456–2458
 - Anionic polymerization
 - Diblock macromonomers, 1982–1986
 - Characterization
 - Block copolymers, 3531–3535
 - Composites, 4611–4616
 - Conductivity, 1525–1529
 - Ladder polymers, 3942–3950
 - Complexes
 - Characterization, 2421–2423
 - Conducting polymers
 - Properties, 214–216
 - Copolyester
 - N.m.r. spectroscopy, 4862–4865
 - Copolymer
 - Permeability, 209–211, 212–213
 - Crosslinking
 - Polyurethanes, 1384–1390
 - Emulsion
 - Composites, 405–417
 - Heterocycle
 - Initiation, 5109–5111
 - Imidazoles
 - Aromatic polyamides, 4197–4198
 - Initiation
 - Living polymerization, 443–446
 - Ladder polymers
 - Polyphenylene, 2443–2446
 - Macromer
 - Gel permeation chromatography, 5076–5080
 - Non-linear optics
 - Refractive index, 3756–3758
 - Optical activity
 - Chirality, 1756–1762
 - Poly(arylene sulphide)s
 - Bisthiophenols, 1778–1779
 - Poly(*p*-phenylene vinylene)
 - Conducting polymers, 1780–1782
 - Poly(phenylene chalcogenide)s
 - Properties, 2454–2455
 - Polyacetylene
 - Transition metal complexes, 3073–3075
 - Polyamide
 - Polyoxadiazole, 206–208
 - Polyamides
 - Dimer acids, 3495–3499
 - Polyelectrolytes
 - Characterization, 834–837
 - Polymerization
 - Copolymerization, 1090–1095
 - Polysiloxane
 - Dielectric properties, 4191–4196
 - Polymerization, 667–670
 - Siloxane polymers
 - Block copolymers, 4425–4427
 - Thermal properties
 - Polyarylene ether, 1976–1981
 - Viscosity
 - Polyurethane urea, 2214–2216
- TEM**
 - PEEK
 - Endotherms, 3971–3973
 - Polystyrene
 - Crazing, 1556–1558
- Tacticity**
 - Crystal moduls
 - Poly(vinyl alcohol), 2581–2586
 - Poly(hydroxybutyrate)
 - Blends, 4647–4649
 - Polymethacrylates
 - Graft copolymers, 3089–3094
- Temperature dependence**
 - Binary mixtures
 - Polyethylene, 3123–3136
 - Ethylene
 - EXAFS, 1809–1812
 - Nuclear spin relaxation
 - Poly(*p*-phenylene sulphide), 498–501
- Temperature effects**
 - Poly(ethylene terephthalate)
 - Scattering, 1887–1892
- Tensile properties**
 - Coulombic interactions
 - Rubber-polyethylene blends, 1676–1682
 - High performance fibres
 - Compressive properties, 100–105
 - Polyethylene
 - Deformation, 1244–1254
- Tensile strength**
 - Epoxy resin
 - Surface topography, 2143–2151
 - Fibre
 - Fibre diameter, 1649–1652
 - Propylene, 1653–1655
 - Polyimide
 - Polyoxadiazole, 3278–3285
- Ternary blends**
 - Liquid crystalline polymer
 - Miscibility, 5233–5244
- PEEK
 - Aromatic polyimides, 4866–4867
- Ternary systems**
 - Phase behaviour
 - Phase diagram, 789–794
- Terpolymers**
 - Chain entanglement
 - Copolymers, 509–515
 - Copolymers
 - Free-radical polymerization, 4384–4387
 - Polymerization, 4184–4190
 - Emulsion
 - Latex, 4832–4837
 - Thermoplastic
 - Elastomer, 1717–1723
- Thermal analysis**
 - X-ray diffraction
 - Polydiacetylene, 5098–5101
- Thermal behaviour**
 - Binary mixtures
 - Miscibility, 1210–1217
- Thermal decomposition**
 - Acrylonitrile
 - Copolymers, 5282–5293
 - Thermogravimetric analysis, 4366–4374
- Thermal degradation**
 - Phase separation
 - Poly(vinyl alcohol), 718–724
- Thermal expansion**
 - Specific volume
 - Poly(methyl acrylate), 4428–4431
- Thermal oxidation**
 - Degradation
 - Polyacetylene, 4711–4716
- Thermal polymerization**
 - Kinetics
 - Structure, 3664–3669
- Thermal properties**
 - Aromatic polymer
 - Gamma irradiation, 2911–2914
 - Bismaleimide
 - Polyaspartimides, 1083–1089
 - Formaldehyde
 - Characterization, 838–841
 - Mechanical properties
 - Cured epoxide resins, 2975–2980
 - Molecular weight
 - Polyethylene, 3462–3469
 - Morphology
 - Polyester, 1418–1422
 - Physical ageing
 - Poly(lactic acid), 2699–2703
 - Synthesis
 - Polyarylene ethers, 1976–1981
- Thermal stability**
 - Aromatic polyester
 - Solubility, 5346–5347
 - Deprotection
 - Resist materials, 4851–4856

- Poly(aryl ether ketone)
Elastomeric behaviour, 5094–5097
- Polypyrrole
Morphology, 2348–2352
- Thermal transition**
Polyaniline
Mechanical properties, 314–322
- Solubility
Enthalpy, 623–626
- Thermally stimulated current**
Amorphous polymers
Depolarization, 5128–5142
- Polycarbonate
Polarization, 4682–4686
- Thermodynamics**
Chain structure
Block copolymers, 332–342
- Glass
Glass transition temperature, 451–460
- Kinetics
Gelation, 365–372
- Lattice fluid
Equation of state, 2855–2856
- Nylon 6
- Solvent
Gas chromatography, 4343–4346
- Stability constant
Copolymers, 3762–3766
- Structure
Polymer blends, 5150–5166
- Thermogravimetric analysis**
Kinetics
Thermal decomposition 4366–4374
- Thermogravimetry**
X-ray diffraction
Carbon-13 n.m.r., 2834–2839
- Thermomechanical analysis**
Poly(vinyl phenol)
Morphology, 760–766
- Thermoplastic**
Blends
Weld strength, 1237–1243
- Elastomer
Deformation, 3818–3827
- Terpolymers
Elastomer, 1717–1723
- Thermoset polymers**
Mechanical relaxation
Glass transition, 2234–2237
- Thermosets**
Creep
Epoxy network, 323–327
- Kinetics
Dielectric properties, 4951–4960
- Nucleation
Disk cracks, 2353–2363
- Thermotropic**
Polyphosphazene
Phase transitions, 3215–3225
- Thermotropic behaviour**
Copolyester
Crystallinity, 2431–2436
Liquid crystalline polymer, 3968–3970
- Thermotropic polyesters**
Aromatic polymer
Liquid crystals, 983–989
- Liquid crystalline polymers
Mechanical behaviour, 2651–2658
- Thermotropic polymer**
Liquid crystalline polymer
Structure, 3108–3115
- Theta temperature**
Cloud point
Phase diagram, 1339–1342
- Thiophene copolymers**
Optical properties
Electrical properties, 391–397
- Toughening mechanisms**
Epoxy polymers
Poisson's ratio, 5338–5340
- Polycarbonate
Interfacial adhesion, 4868–4871
- Toughness**
Epoxy polymers
Microvoids, 1330–1332
- Epoxy resin
Mechanical properties, 4550–4555
- Polyethylene
Fracture, 4108–4112
- Transesterification**
Compatibility
Polymer blends, 2019–2030
- Polymer blends
N.m.r. spectroscopy, 4643–4646
- Transition metal complexes**
Polyacetylene
Synthesis, 3073–3075
- Transition metal ions**
Copolymers
Complexes, 2868–2871
- Transition temperatures**
Poly(phenylene sulphide)
Acoustic measurements, 2227–2228
- Transport**
Polyolefin
Diffusion, 3323–3342
- Transport properties**
Polysulphone
Sorption, 1701–1711
-
- Ultrasonics**
Elastic modulus,
Liquid crystal polymers, 1788–1791
- Ultrasound**
Ziegler-Natta polymerization
Styrene, 4423–4424
- Urethane**
Crosslinking
Polystyrene, 4575–4581
- Networks
Dielectric relaxation, 4693–4698
- Poly(ethylene oxide)
Solution properties, 627–636
-
- Vibrational spectroscopy**
Polyethylene
Films, 4219–4229
- Vinyl ester resins**
Curing
Decomposition, 4210–4214
- Vinyl monomers**
Phase-transfer catalysis
Polymerization, 217–218
- Vinyl pyrrolidone**
Grafting
Fluorination, 4230–4235
- Vinylidene fluoride**
Copolymer
Structure, 1571–1578
- Viscoelasticity**
Liquid crystalline polymer
Rheology, 2007–2011
- Poly(ethylene terephthalate)
Stress, 516–525
- Viscometric behaviour**
Poly(phosphazene)s
Intrinsic viscosity, 3312–3315
- Viscosity**
Blends
Rheology, 5264–5271
- Conformation
Phase separation, 436–438
-
- Glucomanan
Borate complex, 1108–1109
- Phase transition
Light scattering, 152–155
- Polyelectrolytes
Poly(styrene sulphonate), 113–116
- Polymer chains
Polyetherimide, 4379–4383
- Polyurethane
Ionomers, 5254–5258
- Synthesis
Polyurethane-urea, 2214–2216
- Volume-phase transition**
Polyelectrolytes
Ion association, 5040–5043
-
- Water**
Diffusion
Polyester 3691–3697
- Wide-angle X-ray scattering**
Hydroxypropyl cellulose
Local structure, 3298–3301
-
- X-ray diffraction**
Conducting polymers
Structural properties, 3116–3122
- Crystal modulus
Mechanical properties, 4898–4900
- Crystallization
Melting, 1563–1567
- Emulsion polymerization
Crystalline polymer, 3101–3107
- Epoxy resin
Mechanical properties, 5167–5172
- Stress transmission, 2720–2724
- Liquid crystalline polymer
Shear, 434–435
- Morphology
Alkanes, 951–957
- N.m.r. spectroscopy
Copolymer, 259–263
- PEEK
Crystal structure, 3773–3776
- Polyacrylonitrile
Propylene carbonate, 4304–4313
- Raman spectra
Monomer composition, 2915–2928
- Smectic liquid crystal
Rotator phase, 2835–2833
- Structure
Multifunctional, 944–950
- Thermal analysis
Polydiacetylene, 5098–5101
- Thermogravimetry
Carbon-13 n.m.r., 2834–2839
- Amorphous scattering
Extension, 3828–3832
- Conformational analysis
Fourier transforms, 3547–3551
- X.p.s.**
Poly(vinyl alcohol)
Fluoroalkylthio end group, 5066–5072
- Polyaniline
Protonation, 2857–2859
-
- Young's modulus**
Aramid
Creep, 1391–1398
-
- Ziegler-Natta catalyst**
Copolymerization
Stabilizer, 5049–5055
- Ziegler-Natta polymerization**
Styrene
Ultrasound, 4423–4424