

Polymer 42 (2001) 8319



www.elsevier.nl/locate/polymer

## Erratum

## Erratum to "Effects of sample preparation method on mixing and phase separation in binary polymer blends" [Polymer 42 (2001) 3475–3487]<sup>☆</sup>

P. Rojanapitayakorn<sup>a</sup>, S. Thongyai<sup>a</sup>, J.S. Higgins<sup>b,\*</sup>, N. Clarke<sup>c</sup>

<sup>a</sup>Department of Chemical Engineering, Chulalongkorn University, Phayathai Road, Bangkok 10330, Thailand <sup>b</sup>Department of Chemical Engineering and Chemical Technology, Imperial College of Science, Technology and Medicine, Prince Consort Road, London SW7 2BY, UK

<sup>c</sup>Department of Chemistry, University Science Laboratories, University of Durham, South Road, Durham DH1 3LE, UK

The publisher regrets that there were errors present in the published version of the above article. We apologise for any inconvenience or embarrassment caused.

Fig. 9 should appear as below:




Fig. 9. A typical plot of intensity against time and q for melt mixed SMA/PMMAe (40/60) blends, obtained from a temperature jump experiment at 210°C.

0032-3861/01/\$ - see front matter © 2001 Elsevier Science Ltd. All rights reserved. PII: S0032-3861(01)00280-4

<sup>&</sup>lt;sup>☆</sup> PII of original article: S0032-3861(00)00783-7

<sup>\*</sup> Corresponding author. Tel.: +44-207-594-5565; fax: +44-207-594-5638. *E-mail address:* j.higgins@ic.ac.uk (J.S. Higgins).