

Corrigendum

Corrigendum to “Electrochemical polymerization of pyrrole in supercritical carbon dioxide-in-water emulsion”
[Polymer 47 (2006) 1547–1554]

Mitsutoshi Jikei ^{a,*}, Suguru Saitoh ^a, Hajimu Yasuda ^a, Hideaki Itoh ^a, Masato Sone ^b,
Masa-aki Kakimoto ^c, Hideo Yoshida ^d

^a Department of Material-Process Engineering and Applied Chemistry for Environments, Akita University, Tegata Gakuen-machi, Akita-shi, Akita 010-8502, Japan

^b Department of Organic and Polymeric Materials Chemistry, Tokyo University of Agriculture and Technology, Koganei-shi, Tokyo 184-8588, Japan

^c Department of Organic and Polymeric Materials, Tokyo Institute of Technology Meguro-ku, Tokyo 152-8550, Japan

^d YP System Co., Ltd, 5-33-4, Kumegawa-cho, Higashimurayama-shi, Tokyo 189-0003, Japan


Available online 6 March 2007

The authors regret that the unit of μm appeared incorrectly as mm in the following places: page 6, Fig. 6, left y-axis and in the text on page 6, second column, lines 8 and 9.

The corrected figure is shown below:

The corrected text is as follows:

The surface roughness (R_a) of the polypyrrole prepared in the C/W emulsion was $2.20 \mu\text{m}$ which was higher than the R_a ($1.76 \mu\text{m}$) of the polypyrrole prepared in water.



DOI of original article: [10.1016/j.polymer.2006.01.016](https://doi.org/10.1016/j.polymer.2006.01.016).

* Corresponding author.

E-mail address: mjikei@gipc.akita-u.ac.jp (M. Jikei).