



Contents lists available at ScienceDirect

Polymer

journal homepage: www.elsevier.com/locate/polymer



Corrigendum

Corrigendum to “Electric field enhanced sample preparation for synthetic polymer MALDI-TOF mass spectrometry via induction based fluidics (IBF)” [Polymer 50 (2009), 1015–1024]

Brent Hilker^a, Kevin J. Clifford^a, Andrew D. Sauter, Jr.^b, Andrew D. Sauter, III^b, Ted Gauthier^a, Julie P. Harmon^{a,*}

^aDepartment of Chemistry, University of South Florida, 4202 East Fowler Avenue, CHE 205, Tampa, FL 33620, USA

^bNanoliter LLC, 217 Garfield Drive, Henderson, NV 89074, USA

ARTICLE INFO

Article history:

Available online 6 April 2009

The publisher has been notified by the authors that an error has occurred in the published version of the above paper. On page 1022 the word “dithranol” should have been replaced with “DHB” on the label for Table 11.

The authors and publishers would like to apologise for any inconvenience caused.

DOI of original article: [10.1016/j.polymer.2008.12.041](https://doi.org/10.1016/j.polymer.2008.12.041).

* Corresponding author. Tel.: +1 813 974 3397.

E-mail address: harmon@cas.usf.edu (J.P. Harmon).