

Practical

Wireless

DECEMBER 1989 £1.30

ISSN 0141-0857

The Radio Magazine



BATTERIES NOT INCLUDED

ALINCO DJ-100E 144MHz PORTABLE TRANSCEIVER REVIEWED

VISUAL REPEATER ANTI-TIME-OUT PROJECT

A high-performance HF rig . . . with a great receiver and full-power transmitter. Light in weight and low in price.

This is Yaesu's FT-747GX.

Whether you're a beginner or a veteran, it's a great way to start. And a great way to go.

DX ready. The 747 packs a full 100-watt RF punch on 160 to 10 meters, with continuous receive from 100 kHz to 30MHz.

And its control panel is refreshingly simple. So you can hop around the band fast to nail those DX stations. While other guys are warming up their amplifiers, you can be working the DX!

Multimode versatility. The FT-747GX is ready to go on LSB, USB, CW, and AM. With provision for the FM-747 FM unit.

You get 20 memories to store frequency and mode. Dual VFOs with split frequency operation for DX-pedition work. And manual band scan

plus auto-resume memory scan via the microphone up/down buttons.

Great receiver. Utilizing a directly-driven mixer, the FT-747GX receiver features superb overload protection. You also get factory-installed narrow CW and AM filters. A one-touch noise blanker. All-mode squelch. RIT. And a 20-dB attenuator for local QSOs.

Lightweight construction. Housed in a metallized high-impact plastic case, the FT-747GX weighs in at about 7½ pounds! With the loud-speaker mounted on the front panel for maximum audio transfer. And internal heatsinking for the transmitter, rated at full power for FM, packet, RTTY, SSTV, and AMTOR when used with a heavy-duty power supply.

Available options. FC-1000 or FC-757AT Automatic Antenna Tuners. FL-7000 500-watt Automatic, Solid-State Linear Amplifier. TCXO-747

Temperature-Compensated Crystal Oscillator. FAS 1 4R Remote Antenna Selector. FRB-757 Amplifier Relay Box. FP-700 Standard Power Supply. FP-757HD Heavy-Duty Power Supply. MMB-38 Mobile Mounting Bracket. MH-1B8 & MD-1B8 Microphones.

Discover the price/performance leader. Check out Yaesu's low-cost FT-747GX at your Yaesu dealer today. Because now, Yaesu puts priceless DX into your price range.

South Midlands Communications Ltd

S.M. House, School Close,
Chandlers Ford Industrial Estate,
Eastleigh, Hants SO5 3BY

Tel: (0703) 255111

UK Sole Distributor

YAESU

Fill your logbook.
Without emptying your pocket.



NEXT MONTH

**Into the 1990s
with
Practical Wireless!**

DECEMBER 1989
(ON SALE NOVEMBER 9)
VOL. 65
NO. 12
ISSUE 993

PRACTICAL
WIRELESS
PW

PracticalWireless...

known to all of its friends as *PW* launches into the future with a strong new editorial team. New logo, new features, new projects, new ideas but not leaving behind many old favourites.

★ Interested in Ten Metres?

What goes on up there?...Find out in our new special feature for everything on Ten.

★ Home brewing your style?

PW kicks off into the new decade with new ideas and lots of interesting constructional projects. Amateur radio ideas, transmitting projects, short-wave receiving, test gear and ancillary equipment.

We show you how to build them in *PW*! Regular "state of the art" features. Read about the latest technology.

★ Favourites such as...

"Antenna Clinic", "Understanding Circuit Diagrams", "Swaps Page".

Famous faces, famous calls...see them all along with the new features, in *PW*.

★ Prize puzzle competitions every month.

Have a go and win a prize before the rest of the family do! Crosswords, wordsearch... providing a lot of fun and great prizes!

More pages, better, brighter paper along with a new crisp presentation style provide, at £1.60, the best value-for-money radio communications magazine for the radio enthusiast of the present and the future.

★ **TUNE TO THE FUTURE WITH PW - INTO THE 90s!**

- 16 Batteries Not Included**
Peter Rouse GU1DKD
- 17 ★ Special Offer ★**
End of Year Book Clearance
- 18 Repeater Time Out Alarm**
Gus Montgomery GM0ATI
- 23 PW Review**
Alinco DJ-100E 144MHz Hand-held
Mike Richards G4WNC
- 30 Understanding Circuit Diagrams - 20**
R.F. Fautley G3ASG
- 32 Errors & Updates**
- 33 Packet Radio Update Part 7**
Roger J. Cooke G3LDI
- 36 Enhancement of HF Signals by Polarisation Control Part 2**
B. Sykes G2HCG
- 38 ★ Special Offer ★**
Gamma LH735 Headphones
- 40 A Future Lunar Radio Beacon and Transponder**
Pat Gowen G3IOR
- 44 Antenna Clinic Session 10**
F.C. Judd G2BCX

Regular Features

71	Advert Index	20	Snippets
26	Book Service	13	Subscriptions
11	News Desk	20, 35	Swap Spot
47	On the Air	10	Write On
69	PCB Service		

NEW STYLE PW on sale 14 Dec

Editorial and Advertisement

Offices:

Practical Wireless
Enefco House
The Quay
Poole
Dorset BH15 1PP
☎ Poole (0202) 678558
(Out-of-hours service by
answering machine)
FAX Poole (0202) 666244
Prestel 202671191

Assistant Editor

Dick Ganderton C.Eng MIEE G8VFN

Art Editor

Steve Hunt

Technical Features Editor

Elaine Richards G4LFM

Technical Projects Sub-Editor

Richard Ayley G6AKG

Technical Artist

Rob Mackie

Editorial Assistant

Sharon George

Administration Manager

Kathy Moore

Accounts

Alan Burgess

Clerical Assistant

Rachel Parkes

Advertisement Manager

Roger Hall G4TNT
PO Box 948
London SW6 2DS
☎ 01-731 6222
Cellphone 0860 511382
FAX 01-384 1031

Advert Copy and Make-up

(Poole Office)
Marcia Brogan
☎ Poole (0202) 678558 or 676033
FAX Poole (0202) 666244

REALISTIC®

PORTABLE PROGRAMMABLE SCANNERS

10-CHANNEL PROGRAMMABLE SCANNER

- ▼ Covers: 68-88 MHz VHF-Lo, 136-174 MHz VHF-Hi And 406-512 MHz UHF
- ▼ Frequency Synthesized - No Crystals To Buy
- ▼ LCD Channel Display
- ▼ Direct Entry Keyboard
- ▼ Manual And Scan Modes
- ▼ 1/8" Jack For Earphone

20-9139



£249.95



200-CHANNEL PROGRAMMABLE SCANNER

- ▲ Covers: 68-88, 108-136 MHz (AM), 136.005-174, 380-512 And 806-960 MHz
- ▲ Frequency Synthesized - No Crystals To Buy
- ▲ Lockout Key Temporarily Bypasses Unwanted Channels
- ▲ Two Speed Scan And Search
- ▲ LCD Display And Switchable Backlight
- ▲ 1/8" Earphone Jack And BNC Jack For External Aerial

Tandy®

Tune into Tandy TODAY

Over 400 Stores And Dealers Nationwide Prices may vary at Dealers. Offers subject to availability.

Tandy, Tandy Centre, Leamore Lane, Walsall, West Midlands, WS2 7PS

ARE

COMMUNICATIONS

THE SHOP WITH THE SMILE — OUR PRICES ARE CHEAPER!

Full range of Yaesu, Icom and Kenwood products, both new and used, in stock.



"The New Standard was the talk of the Leicester Show, Bernie."



Yes, I'm renaming it the "Norman Conquest".

THE NEW STANDARD C520/C528 DUAL BAND HANDHELD TRANSCEIVERS



A.R.E. COMMUNICATIONS who were FIRST in importing the STANDARD C500, are yet again first to have stock of the new STANDARD C520 and C528. Here are 25 good reasons why you should consider the new STANDARD C520

- ★ Dual band receive
- ★ Full duplex transmit (between 2 & 70)
- ★ Receive coverage 130-175MHz, 330-470MHz & 820-960MHz
- ★ Handheld auto repeater facility
- ★ Select 5-tone pager facility
- ★ DTMF keyboard
- ★ Selectable RF power output
- ★ CTCSS option (programmable against frequency)
- ★ 5, 10, 12.5, 20, 25, 50KHz programmable step sizes
- ★ Programmable offsets between 0 and 39.995MHz
- ★ 20 memories on VHF and UHF
- ★ Manual toneburst 1750Hz fitted
- ★ Reverse repeater facility
- ★ Power save
- ★ Squelch defeat
- ★ Dial illumination
- ★ Priority function
- ★ Multiple scanning modes
- ★ Dual display
- ★ Separate volume and squelch control for each band
- ★ Full range of accessories available
- ★ Measures only 2.5ins x 7ins x 1.5ins
- ★ Full 5W output when powered by 13.8 volts dc
- ★ One year parts and labour warranty
- ★ Supplied complete with empty battery case, duplex antenna, belt clip and carrying strap

★ THIS RIG WAS THE TALK OF THE LEICESTER SHOW
VISIT US FOR A FULL WORKING DEMONSTRATION
OF THE NEW STANDARD C520 and C528

AND NOW "AN AFTER THE SHOW SALE"

DISCONTINUED LINES — EX DEMO RIGS — SECOND HAND — ETC

ANTENNAS

TONO — MET
J. BEAM AND TET
MIXED BATCH

ALL NEW AND
20% OFF LIST ALSO
YAESU CW FILTERS
YAESU FN83 NICADS
TONO 9100
TERMINAL UNIT
MUTEK PRE-AMPS
ALL AT SILLY PRICES

RF AMPLIFIERS

ALINCO 3 IN 30 OUT UHF
B.N.O.S. VHF. 1-3 IN 50 OUT
1-3 IN 100 OUT

ALSO DEMO MODELS
AVAILABLE

MICROWAVE MODULES
L432 100W, LINEARS
2 METRE TRANSVERTER
DAVETREND SLOW SCAN
TERMINAL UNIT

HF TRANSCEIVERS

TOKYO HI POWER SINGLE BANDERS
IDEAL FOR MOBILE USE —
JUST A FEW LEFT AT

£225

ALSO MANY SECOND HAND BARGAINS —
PHONE FOR CURRENT LIST

FT1012	and	ZD
FT ONE		TS 430
FT 726		TS 680
TS 930		IC 701
NRD 125		IC 720
NRD 135		IC 740
FT 707		TS 830
FT 77		TS 530

VHF TRANSCEIVERS

IC271 C5200E. IC 251
TR720 DUAL BAND
TR721 DUAL BAND

ALSO EX DEMO MODELS

**WE ARE EXPECTING SOME
EX-GOVERNMENT KENWOOD
RECEIVERS IN NOVEMBER
PLEASE TELEPHONE — THEY
WILL BE A BARGAIN**

Opening Hours Monday-Friday 9.30 to 5.30
NOW OPEN SATURDAY MORNINGS 10.00-1pm


ARE Communications Limited, 6 Royal Parade,
Hanger Lane, Ealing, London W5A 1ET, England
Tel: 01-997 4476 Fax: 01-991 2565



ICOM

YOU HAVE I

HF TRANSCEIVERS



IC-781 £4,500
HF. SSB. CW. RTTY. AM. FM. 150W.



IC-765 £2,499
HF. SSB. CW. RTTY. AM. FM. 100W.



IC-726 £989
HF/50MHz. SSB. CW. AM. FM. 100W.



IC-725 £759
HF. SSB. CW (AM.FM). 100W.

COMMUNICATIONS RECEIVERS



IC-R9000 £3,995
30KHz – 1999.99999MHz.




IC-R7000 £989
25-1000MHz. 1025-2000MHz.



IC-R71E £855
100KHz – 30MHz.

LINEAR AMPLIFIER



IC-4KL
£5,475
HF 1KW

VHF-UHF TRANSCEIVERS



IC-505 £529
50MHz. SSB. CW (FM) 3W/10W.



IC-575 10W £1,042
IC-575H 100W £1,199
28/50MHz. SSB. CW. AM. FM.



IC-275E 25W £1,069
IC-275H 100W £1,039
144MHz SSB. CW. FM.



IC-475E 25W £1,185
IC-475H 75W £1,250
430MHz SSB. CW. FM.

THE ICOM RANGE SATISFIES

ICOM (UK) Ltd.

Dept PW, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour.

Count on us!

NO EXCUSE!

MOBILE TRANSCEIVERS



IC-2400E FM 144/430MHz **£635**



IC-2500E
FM 430/1200MHz **£675**



IC-3210E FM 144/430MHz **£499**



IC-901 MULTIBAND
FM (SSB) 144/430MHz
VARIOUS OPTIONAL FREQUENCY
UX UNITS INCLUDE ▶ **£799**



IC-228E 25W **£365**
IC-228H 45W **£385**
FM 144MHz

IC-448E 25W **£429**
FM 430MHz



IC-290D 25W **£559**
144MHz SSB. CW. FM.

IC-490E 10W **£625**
430MHz SSB. CW. FM.




IC-1201 FM 1200MHz **£520**

PRICES AVAILABLE UPON REQUEST

IC-UX19	28MHz	FM
IC-UX59	50MHz	FM
IC-UX129	1200MHz	FM
IC-UXS92	144MHz	SSB. CW
IC-UXR91	RX Unit	FM. AM

HANDHELD TRANSCEIVERS



IC-24SET	FM 144/430MHz	£415
IC-2SET	FM 144MHz	£295
IC-4SET	FM 430MHz	£310
IC-2GE	FM 144MHz	£265
IC-4GE	FM 430MHz	£299
IC-32E	FM 144/430MHz	£399
IC-2SE	FM 144MHz	£275
IC-4SE	FM 430MHz	£310
IC-12GE	FM 1200MHz	£365

EVERY OPERATIONAL NEED

Helpline: Telephone (is free-of-charge on 0800 521145, Mon-Fri 0900-13.00 and 14.00-17.30. This service is strictly for obtaining information about or ordering Icom equipment. We regret this cannot be used by dealers or for repair enquiries and parts orders, thank you.

Datapost: Despatch on same day whenever possible.

Visa & Mastercards: Telephone orders taken by our mail order dept. instant credit & interest-free H.P.



SMC**South Midlands Co**

SCHOOL CLOSE, CHANDLERS FORD IND. EST., EASTLEIGH, HA

FREE FINANCE — BUY NOW SAVE MONEY

DYNAMIC DX



WITH THE NEW **FT1000**

Designed with no spared effort or expense for optimum performance and operability, the FT-1000 is the fruit of over 25,000 man-hours of intensive research and development by Yaesu's top design engineers. Instead of merely offering incremental improvements on existing designs or adding bells and whistles to an old model, the FT-1000 project involves a wholly new approach to the application of the latest digital and RF technologies to today's most demanding needs on the hf bands. Extensive surface-mount component technology allowed six microprocessors and five Direct Digital Synthesizers to be harmoniously integrated with a simple operator interface into a highly reliable full-featured transceiver optimized for serious hf applications.

ADDITIONAL FEATURES

Other features include adjustable IF width, IF shift, IF notch and APF controls. AGC presentable for fast, medium and slow + defeat, on/off selectable, preamp + adjustable attenuator -6db, -12db, -18db. Adjustable — mic gain, RF power o/p, processor and drive controls. Built in electronic keyer with adjustable speed control. Twin independent frequency displays with mode indication + much more.

OPTIONS

SP5 external L/S with audio filter
 DVS-2 Digital Voice message storage system
 BPF-1 Sub VFO filter unit
 YH-77ST Headphone for stereo or mono dual receive
 TCXO-1 High Stability oscillator unit

BRIEF SPECIFICATIONS

- ★ General Coverage Receiver 100KHz-30Mhz
- ★ Ham bands TX 160-10m
- ★ Modes CW, USB, LSB, AM, FM, RTTY and PACKET
- ★ VFO steps 10Hz CW, SSB, RTTY, 100Hz AM, FM, PKT
- ★ Auto antenna impedance range 16.7 to 150 ohms
- ★ Selectable receiver band widths 2.4KHz, 2KHz, 500Hz, 250Hz
- ★ Dual band receiver tuning and monitoring with balance control
- ★ Power output up to 200 watts P.E.P. 50w AM
- ★ Sensitivity preamp on SSB/CW 0.25 micro volts 10db S/N
- ★ D.D.S. Direct Digital Synthesiser
- ★ Dual selectable noise blankers with adjustable threshold
- ★ Frequency stability $\pm 20\text{ppm}$ (0 to $+50^\circ\text{C}$) $\pm 200\text{Hz}$ F3 $\pm 0.5\text{ppm}$ (0 to $+60^\circ\text{C}$), $\pm 150\text{Hz}$, F3 with TXCO-1 fitted
- ★ 99 memories

LEEDS
SMC (Northern)
 Nowell Lane
 Industrial Estate
 Leeds LS3 6JE
 Leeds (0532) 350606
 9-5.30 Mon-Sat
 Closed Sat afternoon

CHESTERFIELD
SMC (Midlands)
 102 High Street
 New Whittington
 Chesterfield
 Chest. (0246) 453340
 9.30-5.30 Tues-Sat

JERSEY
SMC (Jersey)
 1 Belmont Gardens
 St. Helier, Jersey
 Jersey (0534) 77067
 9-5 pm Mon-Sat
 Closed Wed

BIRMINGHAM
SMC (Birmingham)
 504 Alum Rock Road
 Alum Rock
 Birmingham B8 3HX
 (021-327) 1497/6313
 9.00-5.00 Tues-Fri
 9.00-4.00 Sat

AXMINSTER
Reg Ward & Co Ltd
 1 Western Parade
 West Street
 Axminster
 Devon EX13 5NY
 Axminster (0297) 34918
 9-5.20 Tues-Sat



SOUTHAMPTON SHOWROOM open 9.00-5.00 Monday to Friday, 9.00-1.00 Saturday. Service Dept open Mon-Fri 9.00-5.00.
 SOUTH WALES AGENT: John Doyle, Transworld Comms, Neath (0639) 632374 Day (0639) 642942 Eve. Closed Thursday.

— 0% INTEREST SUBJECT TO STATUS

FT736R THE KING OF VHF/UHF BASE STATIONS



- ★ UP TO FOUR BAND CAPABILITY
- ★ LSB/USB, CW & FM
- ★ FULL DUPLEX CROSSBAND OPERATION
- ★ MEMORY STORAGE OF UP TO 230 FREQUENCIES
- ★ KEYPAD FREQUENCY ENTRY
- ★ FOURTEEN VFO's
- ★ GLOBAL CALL CHANNEL
- ★ PROGRAMMABLE CHANNEL STEPS
- ★ ELECTRONIC KEYSER OPTION
- ★ REMOTE PREAMPLIFIER SWITCHING
- ★ TXCO HIGH STABILITY REFERENCE OSCILLATOR

OPTIONAL ACCESSORIES

FEX 736/50	50MHz module	£239.00	XF455MC	600Hz CW Filter	£60.00
FEX 736/1.2	1.2GHz module	£425.00	SP767	External Spkr c/w Audio Filters	£69.95
FMP-1	AQS Message Processor c/w display	£189.00	MD-1B8	Desktop Microphone	£79.00
FTS-8	CTCSS Tone Squelch Unit	£60.38	MH-1B8	Hand Scanning Microphone	£21.00
FVS-1	Voice Synthesiser Unit	£33.00	FIF232Cvan	CAT/TNC Interface for Packet & CAT	£125.00
D3000535	Keyer Unit B	£15.95	FIF232C	CAT Interface for RS232 O/P	£75.00
D3000534	Fast Scan TV (ATV) Unit	£159.00	FIF65A	CAT Interface for Apple II series	£60.00

FT736R RRP £1359 c/w 2m & 70cms and full duplex

PERFECT PORTABLES

What could Yaesu engineers do to improve on the hugely popular FTx90R series? The answer was easy, they designed and built the FTx90R2 series.

The FTx90R2 series of transceivers provide high performance and a 2.5w output, when used with 'C' cells or nicads, ideal for serious portable operators, or when combined with matching linears, an easy to use compact multimode mobile or base station.

What more could you ask from a transceiver?



FT290R2	£429.00
FT690R2	£429.00
FT790R2	£499.00

ALL THE ABOVE ARE SUPPLIED WITH
FBA8, MH10E8 AND STRAP AS
STANDARD.

OPTIONS INCLUDE

FL2025 2m 25w LINEAR	£115.00
FL6020 6m 10w LINEAR	£109.00
FL7025 70cm 25w LINEAR	£139.00
FBA8 EMPTY CELL CASE	£27.00
MMB31 MOBILE BRACKET	£17.50
CSC19 VINYL CASE	£8.50
NC26C NICAD CHARGER	£11.50
FTS7 CTCSS UNIT	£40.00

SMC NORTHERN (LEEDS) CLOSED SATURDAY AFTERNOONS

*FREE FINANCE ON SELECTED ITEMS

On many regular priced items SMC offers Free Finance (on invoice balances over £120) 20% down and the balance over 6 months or 50% down and the balance over a year

You pay no more than the cash price!

Details of eligible items available on request

*Subject to status.

Free interlink delivery on major equipment

Small items, Plugs, Sockets, etc by post £1.75. Antennas, cables, Wires & larger items. Lynx up to £5. Interlink delivery available, upon request for items other than radios from £7.30 depending on weight. Same day despatch whenever possible.

YAESU DISTRIBUTOR WARRANTY

Importer warranty on Yaesu Musen products. Ably staffed and equipped Service Department. Daily contact with the Yaesu, Musen-factory. Tens of thousands of spares and test equipment.

PRICES & AVAILABILITY SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

QRP KITS AT QRP PRICES!

AN 80m CW QRP TX/RX KIT FOR £76.25!

- ★ Ready Built — £126.50
- ★ Complete in EVERY detail!
- ★ VFO, AF Filter, Sidetone etc!
- ★ Fully Detailed Manual!

Other Super Kits include:

3 BAND RECEIVER, ATU's, AUDIO FILTER etc etc... all 'well styled' and complete!

For full details of the DTR3 and the rest of our range, send a SAE to:

LAKE ELECTRONICS, 7 MIDDLETON CLOSE, NUTHALL, NOTTINGHAM NG16 1BX.

Or ring Alan G4DVW on (0602) 382509 (callers by appointment only).



SMC

SOUTH MIDLANDS COMMUNICATIONS

GET SET FOR THE LONG WINTER NIGHTS WITH

SMC AUTUMN MADNESS

LIMITED STOCKS OF HY-GAIN

			New Price	Carr.
TH2MK3	2 ele 10-20M	Save £60	£199.00	£ 7.50
TH3JNR	3 ele 10-20M	Save £40	£259.00	£ 7.50
TH5MK2	5 ele 10-20M	Save £150	£499.00	£10.00
TH7DXX	7 ele 10-20M	Save £150	£599.00	£10.00
204BA	4 ele 20M	Save £100	£320.00	£ 7.50
205BA	5 ele 20M	Save £100	£424.00	£ 7.50
EX14	5 ele 10-20M	Save £100	£399.00	£10.00
18AVT	Vertical 10-80M	Save £40	£132.00	£ 5.00
18V	Vertical 10-80M tapped	Save £9	£ 39.50	£ 5.00

AND TO ROTATE THEM

HAMIV	Medium/H. Duty Rotator	Save £60	£299.00	FREE
T2X	Heavy Duty Rotator	Save £70	£379.00	FREE

ALSO AVAILABLE

AR200XL	Light Duty Rotator	£38.50	FREE
AR200AB	Thrust Bearing for AR200XL	£17.50	FREE
HF3VNB	3 Band Vertical 10/18/24MHz	£79.00	£ 5.00

SMC LTD, SM HOUSE, SCHOOL CLOSE, CHANDLERS FORD INDUSTRIAL ESTATE, EASTLEIGH, HANTS SO5 3BY.

Tel: (0703) 255111. Telex: 477351 SMCMM G.

Fax: (0703) 263507



Manufacturer of
MET
ANTENNAS

FULL RANGE OF 432, 144, 50, 70MHz ANTENNAS AVAILABLE FROM YOUR LOCAL STOCKIST

For a full Glossy Brochure & Current Price List send SAE to:

ALAN KELLY COMMUNICATIONS LTD
3 STOKE ROAD, ASTON FIELDS, BROMSGROVE, WORCS B60 3EQ
Tel: 0527 71165 Fax: 0527 32042

LOUDENBOOMER!!!

400W O/P, Mains Powered, 9 Band HF Linear

Introductory Offer: Only £499, direct from the designers:-

S.R.W. Communications Ltd, ASTRID HOUSE, The Green, Swinton, MALTON, N. Yorks. YO17 0SY. Tel (0653) 697513. Please write or 'phone Steve Webb G3TPW, for more details and leaflets.

C.M. HOWES COMMUNICATIONS



Mail order to: **EYDON, DAVENTRY NORTHANTS NN11 6PT**
Tel: 0327 60178

NEW! DIGITAL READOUT!

The new HOWES DFD5 kit helps give that "professional" look to your home-brew receiver, transmitter or transceiver project. However, the most important feature of a digital frequency display, is that it enables more accurate netting to standard working frequencies, the QRP calling frequency for example. If you are tuned "spot on" then your CQ call is more likely to be heard by those monitoring the frequency. Listeners will also find the DFD5 with its 100Hz resolution, a boon for finding the fixed frequency stations with precision, and repeatability. If you know the frequency you are listening to accurately, you can always retune to the same spot.

- ★ Five digit, 43" high LED display.
- ★ Covers 1 to 30MHz without prescaling.
- ★ Connects directly to all HOWES VFOs, and with the CBA2 buffer amplifier, can be connected to all HOWES receivers except TRF3.
- ★ Assembly is straightforward, but neat soldering is required!

HOWES kits have always offered a way of building excellent equipment at a reasonable cost, now with the DFD5 digital frequency display you can add the main visual feature of factory built gear, to your home-brew station. It will look the "bee's knees" with a DFD5!

DFD5 kit: £39.90

Assembled PCBs: £59.90

HOWES CBA2 Buffer Amplifier.

A counter circuit can not be connected directly to the oscillator stage of a receiver without chronic frequency pulling. The CBA2 buffer amplifier provides the isolation you need to avoid these problems, and so enables a digital readout to be used with all the direct conversion receivers in our range.

CBA2 kit: £5.80

Assembled PCB: £8.90

DXR10 10, 12 & 15M AMATEUR BAND RECEIVER.

This receiver kit is designed to enable you to enjoy long distance reception. SSB and CW stations can be heard from all corners of the globe on these bands, now that the sunspot level is high. You will hear almost as much with the DXR10 as with the most expensive sets. The performance for a simple receiver is amazing! Requires one 50pF tuning capacitor.

DXR10 kit: £24.90

Assembled PCB: £36.90

DcRx20 20M AMATEUR BAND RECEIVER.

A straightforward single band receiver kit, the DcRx20 has been the introduction to amateur radio for many beginners. It offers world-wide reception on the most popular long distance band. We have a companion transmitter (MXT20) for the licensed amateur, and this simple set can be expanded into a full transceiver if you wish. Two 50pF tuning capacitors (£1.50 each) are required. Receives SSB and CW stations. Versions of the DcRx are also available for 160, 80 and 40M amateur bands and also for the 5.45MHz HF airband.

DcRx kit: £15.60

Assembled PCB: £21.50

TRF3 SHORTWAVE BROADCAST RECEIVER.

The TRF3 will pick up stations from all over the world. It tunes from around 5.7 to 12.8MHz in three bands, covering most of the regular shortwave broadcasters. Plenty of audio output is available for loudspeaker or headphones, and it can operate with large or small antennas. This kit has been designed with the beginner in mind, and it makes an excellent introduction to shortwave listening. Requires one 50pF tuning capacitor.

TRF3 kit: £14.80

Assembled PCB: £20.20

AA2 ACTIVE ANTENNA AMPLIFIER.

Build your own miniature active antenna for long, medium and shortwave reception with our very popular AA2 kit. 6 or 8 feet of wire and the AA2 amplifier will give similar signal strengths to much larger conventional antennas. You can also make your miniature antenna rotatable to reduce interference - you can't do that with a long wire! If you are limited for antenna space, need a rotatable medium wave antenna, or simply need a compact portable antenna for holiday use, the AA2 can help.

AA2 kit: £7.50

Assembled PCB: £11.50

ASL5 DUAL BANDWIDTH FILTER.

Add extra selectivity to your receiver with the HOWES ASL5 filter. Sharper roll-off for SSB and a 300Hz bandwidth CW filter give a very useful improvement with all the popular Japanese receivers/transceivers. Easy to build. Simply connects in line with your external 'speaker' or 'phones, no mods to the radio are needed. Very worthwhile station accessory.

ASL5 kit: £14.90 Assembled PCB: £22.50

All HOWES KITS include a good quality Printed Circuit Board, with the parts locations screen printed on it for easy, accurate assembly. All board mounted components are supplied, as are full, clear instructions. Sales and technical advice are available by 'phone during office hours. For specific product information sheets, or a copy of our free catalogue, please send an SAE.

Please add £1.00 P&P to your total order value.

73 de Dave G4KQH, Technical Manager.



MERLIN

MERLIN WAY, BOWERHILL,
MELKSHAM, WILTSHIRE SN12 6TJ.
Tel: 0225 706886. Fax: 0225 708594

SYSTEMS

WIZARDS PACKS

THIS MONTH'S WIZARDRY The WIZARD PRECISION FILTER

240 volts AC, 13 amps input, 4 off IEC 6 amp sockets output, On/Off switch, Precision Potter block RFI filter, VDR, Mains lead and Plug, Merlin made case and built and tested.

This filter helps to remove your RF from the house wiring.

Price £27.48 VAT Paid P&P £3.00

The WIZARD'S best 13.8 volt PSU kit so project

In the kit: Pre built PCB, Super Mains Transformer, 3 inch Cube Heatsink, 60000uf Electrolytic, 25amp Bridge Rectifier, 12V DC Fan, Mains Filter, Overvoltage Relay, LED Indicators, Amp Meter, Fuse Holders, Terminals and On/Off Switch.

This PSU has an output of 8amps and 8 to 18amps intermittent. With a full set of data sheets.

Price £33.80 + £4.50 P&P

LINEAR AMPLIFIER BUILDERS

8 off 220uf 400v Electrolytics with mounting clips

Price £15.00 post paid

Printed Circuit Permanent Magnet Motor/Generator with toothed belt reduction drive. Input/Output 2VDC to 30VDC at upto 10Amps. Price £14.00 + £3.50 P&P

New in Controller Card for the above and others input power + and - upto 50VDC. This will give a single 5k ohm pot variable speed forward and reverse. Price £7.50 + £2.50 P&P

COMPRESSORS—Gast rotary air/vacuum pump 20Psi/29invac, 1/12th HP 240vac motor. Good for Desoldering. Airbrush work. Just £17.00 + £3.00 P&P

IN THE WIZARDS DEN!—We have from time to time the following new and S/H stock. Printers, Monitors mono colour. Valve amps and PSUs. Lots of odds and ends.

MORE DATA—Ring the wizard on 0225 706886 (Day time) 0225 763027 (Home). For more information or for a visit to the works.

PAYMENT—Access, Cheque, PO and Cash Post and Packing on components £1.50, over £20.00 £1.00. Please add VAT to total.

Thank you John and Adrian the Sorcerers Apprentice!

We would like to thank all our new customers of 1989 for their support. By the way if you have a project you would like to be manufactured, we are always on the lookout for new Wizardry.

Sorry for the delay over the list, but we have put all our stock on computers and this has taken time. This is the Wizards worst enemy!

WELL A HAPPY CHRISTMAS AND ALL THE BEST IN 1990 FROM JOHN THE WIZARD

By the way if you would like to see our Kits and Packs in 1990. We cover just about all the UK at Rallies and Exhibitions, if you would like a list of these, just give me a ring!

Storm Mobile Radio Telephone

Type 634

68-88 MHz

12.5 KHz Channel Spacing

±2.5 KHz Deviation

Max Bandwidth 1000 KHz

RF Output Power 10 watts

Mod FM

Sensitivity 0.7UV

12 Volt or 24V Input DC with Control Gear and Data

OK for 4 m

Price £25.00 + £5.00 P&P

THE WIZARD POWER CUBE

Specification

- 20 Amp Hour Drylit Battery
- Inbuilt Mains Charger
- RF Filtered
- Solar Cell Input (Cells optional)
- Compact Size/Portable
- Merlin Made


Price £76.00 + P&P £8.00

DEWSBURY



ELECTRONICS

The SW-reception system of the future on professional level for the serious DX-er!
POCOM® PFC-100
Intelligent Frequency-Controller
for ICOM R-70/JRC NRD-515



PFC-100 FEATURES:

Nonvolatile memory for 100 complete operation settings – all functions can be programmed from the keyboard – versatile timer functions (on/off); 6 outputs can be switched separately – automatic memory channel and frequency scan modes with freely definable parameters – frequency offset mode for converter usage – alpha-numeric liquid crystal display – intelligent selftest functions – 6kByte user ram, 16kByte operating program – low power consumption 8 Bit CMOS CPU – easy software adaptation for future modifications – developed and manufactured in Switzerland by Poly-Electronic.

The efficient monitoring of the complete SW-range calls for the use of modern receivers which should offer a large amount of operating comfort. Recently good receivers such as the popular ICOM R-70 and the JRC NRD-515 have become available on the market, but they lack the optimal microprocessor-supported operating possibilities. These requirements are fulfilled by the intelligent programmable frequency controller POCOM PFC-100 from Poly-Electronic.

The use of up-to-date circuit technology contributes to the class of this innovation which meets the highest demands of all active SW listeners. Together with one of the two receivers (ICOM/JRC) the PFC-100 permits an unsurpassed degree of operational ease due to the consequent use of a microprocessor and comfortable software.

Large S.A.E. for details.

Price to be announced.

Dewsbury Electronics offer a full range of Kenwood Equipment always in stock.

We are stockists of POCOM – JRC – TAR – DIAWA – MICROWAVE MODULES – BNOS – LOWE – STAR MASTER KEY

Access/Barclaycard Accepted

Licensed Credit Broker

Dewsbury Electronics

176 Lower High Street, Stourbridge,
West Midlands DY8 1TG

Telephone: Stourbridge (0384) 390063/371228

Instant H.P. subject to status, Access,
Barclaycard and real money.
Open Monday thru Saturday



RST

RST MAIL ORDER CO.
LANGREX SUPPLIES LTD.
1 MAYO ROAD,
CROYDON,
SURREY CR0 2QP.
**SPECIAL EXPRESS
MAIL ORDER SERVICE**

AZ31	4.00	EM81	2.50	PL519	6.00	6AK5	5.99	6KD6	12.00
CL33	6.50	EM87	2.50	PL802	6.00	GAL5	1.50	6L6C	7.50
DY86/7	1.50	EN91	6.50	PY33	2.50	GAM6	6.02	6L6GE 5YL	9.00
DY802	1.50	EY51	2.75	PY81	1.50	GAN5	4.75	6L6GC Siemens	4.50
ER8CC	10.33	EY86	1.75	PY82	1.50	GAN8A	4.50	6L6GC GE	9.00
E180F	12.05	EY88	1.75	PY83	1.25	GAQ5	3.25	6L7	2.50
EB10F	35.48	EY500A	3.00	PY88	2.00	GARS	25.00	6L6E	8.50
EAB8C80	1.25	EZ80	1.50	PY500A	4.00	GAS6	8.66	6J7	3.75
EB91	1.50	EZ81	1.50	PY800	1.50	GAS7G	8.75	12AX7A	4.50
EBF80	1.50	GY501	3.00	PY801	1.50	GAT6	1.25	6RH8B/6K8N	10.00
EBF89	1.50	GZ32	4.00	QOV02-6	19.50	6AU5GT	5.00	6SA7	3.00
EC91	8.00	GZ33	4.75	QOV03-10	5.00	6AU6	2.50	6SC7	2.75
EC33	4.50	GZ34 MullGE	7.50	QOV03-10 Mull	15.00	6AW8A	3.75	6SG7M	2.50
EC33S	4.50			QOV03-20A	27.50	6B7	3.25	6SJ7	3.25
EC81	1.75	GZ37	4.75		25.00	6B8	3.25	6SK7	3.50
EC82	1.75	KT61	7.50	QOV06-40A	27.50	6BA6	1.50	6SL7GT	3.00
EC83 Siemens	2.25	KT66	15.00	QOV06-40A Mull	39.50	6BA7	5.00	6SN7GT	3.00
EC85	3.50	KT77 Gold Lion	12.00	QV03-12	6.80	6BE6	1.50	6SS7	2.75
EC88	3.50			R18	3.00	6BH6	2.50	6U8A	2.25
EC91	8.93	KT88	15.00	R19	9.24	6BJ6	2.25	6V6GT	4.25
EC980	1.50	N78	15.00	SP41	6.00	6BN6	2.00	6X4	3.00
EC935	3.00	OA2	3.25	SP41	6.00	6BQ7A	3.50	6X5GT	1.75
EC942	3.50	OB2	4.35	SP61	4.00	6BR7	6.00	12AX7A	4.50
EC981	3.00	OC3	2.50	U19	13.75	6BR8A	3.50	12AX7	1.75
ECL80	1.50	OD3	2.50	U25	2.50	6BS7	6.00	12BA6	2.50
ECL82	1.50	PC86	2.50	U26	2.50	6BW6	6.00	12B6E	2.50
ECL83	3.00	PC88	2.50	U37	9.00	6BW7	1.50	12BY7A	3.00
ECL86	1.75	PC92	1.75	U4C1250B	61.00	6BZ5	2.75	12E1	17.00
EF37A	5.00	PC97	1.75	U4CH42	4.00	6C4	1.25	12HG7	4.50
EF39	2.75	PC900	1.75	U4CH81	2.50	6C6	3.50	30FL1/2	1.38
EF41	3.50	PCF80	2.00	U4L82	1.75	6CB6A	5.00	30P4	2.50
EF42	4.50	PCF82	1.50	U4L83	2.75	6CD6GA	2.50	30P19	2.50
EF50	2.50	PCF86	2.50	U4F89	2.00	6CH6	13.00	30PL13	1.80
EF54	5.00	PCF801	2.50	U4Y41	10.00	6CWA	8.00	30PL14	1.80
EF55	3.50	PCF802	2.50	U4Y85	2.25	6D6	3.50	572B	65.00
EF80	1.75	PCF805	1.70	U4Y85/30	2.50	6D05	8.50	805	45.00
EF86	5.00	PCF808	1.70	VR150/30	25.00	6D06B	4.75	807	3.75
EF91	2.95	PCF200	3.00	2759	25.00	6E48	3.00	811A	18.33
EF92	6.37	PCL82	2.00	2803U	25.00	6EHS	1.85	812A	52.50
EF183	2.00	PCL83	3.00	2D21	3.25	6F6	3.00	813	65.00
EF184	2.00	PCL84	2.00	3B28	50.00	6GK6	3.50	866A	35.00
EF90	1.75	PCL85	2.50	3C250B	61.00	6H6	3.00	872A	20.00
EL32	2.50	PCL86	2.50	5R4GY	5.50	6HS6	3.77	931A	18.50
EL33	7.50	PCL805	2.50	5U4G	4.50	6J5	4.50	2050	7.50
EL34 Mullard	10.00	PD500	6.00	5V4GT	2.50	6J6	2.00	5814A	4.00
EL34 Siemens	4.50	PFL200	2.50	5Z3	4.00	6J7	4.75	5842	10.00
EL36	2.50	PL36	2.50	5Z4GT	2.50	6J8A	10.00	6080	8.00
EL80	25.00	PL81	1.75	630L2	1.75	6J6C	8.50	6550A	12.50
EL81	5.25	PL82	1.50	6A87	3.00	6J50C	9.00	6883B	9.50
EL84	2.25	PL83	2.50	6AH6	5.00	6K6GT	2.75	6973	8.75
EL86	2.75	PL84	2.00			6K7	3.00	7025	4.50
EL91	7.39	PL504	2.50			6K8	3.00	7027A	11.00
EL95	2.00	PL508	5.50					7586	15.00
EL360	18.50	PL509	6.00					7887	23.00
								7888	8.50

Tel. 01-684 1166 Open daily to callers: Mon-Fri 9 a.m.-4 p.m. Fax: 01-684 3056

Valves, Tubes and Transistors – Closed Saturday Terms C.W.O. only, allow 7 days for delivery.

Quotations for any types not listed S.A.E.

Prices excluding Post and packing £1.00 per order + VAT

VAT add 15% VISA CARDS ACCEPTABLE OVER TELEPHONE

Telex
946708

Prices correct when
going to press

The QSL Carry On

Sir:

I am writing in reply to the letter "All about QSLing" in the October 1989 *Practical Wireless*.

I am a short wave listener of many years now. I wonder how many readers who are amateurs or listeners have experienced the thrill of receiving their first QSL card from some far off land or amateur. I also wonder how many have had that "sinking dejected" feeling after spending many hours tuning, many months waiting and many pounds invested for what? Nothing.

Amateur radio and short wave listening are not cheap hobbies these days. So come on amateurs and broadcast stations, let's have some replies. After all, you never know who is listening and when their services may be of use, as mentioned in "Brickbats" and the recent hurricane in the Caribbean proved.

D.J. Lawery
Poole

Sir:

By what divine right does D.J. Burton think that, by virtue of contributing to a couple of the smaller publications, he is qualified to vilify his fellow amateurs as he does in his rather paranoid letter? Any list of the sort suggested would accomplish nothing except give these people additional ego-trips.

In any case, no publisher would, for obvious reasons, print same. Those of us with possibly longer memories than Mr Burton will recall some years ago a similar self-appointed "policeman" had the same idea. I do not recall all the details, but the case certainly went to court, and the bruises, both financial and physical, were felt for some time.

Apart from the theft of IRCs, which is reprehensible, our mutual friend must bear in mind that nobody is under any obligation to reply to unsolicited

STAR LETTER

£10 TOKEN WINNER

Valve Memories

Sir:

Your correspondence reference "Bright Emitters" stirs memories and perhaps you may be amused by the following.

Just after the War, I visited a Post Office receiving station just outside Cupar in Fife. This was the eastern end of a transatlantic channel that was then kept as stand-by in case the cable took a dive.

The receiver room had dimensions akin to those of a BBC medium wave transmitter hall and, right down its exact centre, was a long line of unlit racks many of which apparently held a single enormous valve. Fresh from the Royal Navy, I fancied myself back in the alarming presence of six transmitters.

At the far end of the room one of the most beautiful creations I have met; bored shift engineers had constructed a transatlantic loop antenna that I could easily walk through - and did so several times!

The PO engineer muttered something about bright-emitters and filaments only, walked to wall and threw a jumbo-sized knife switch. As the valves came slowly to life the stygian gloom was transformed to the likeness of a modern colour TV studio and the temperature noticeably began to rise.

I have often wondered if, out there somewhere, a retired Post Office Engineer has his sideboard framed in a beautifully-constructed loop antenna?

K.H. Green
Tintagel

communications in which he has no interest. In addition, those friends of mine who receive QSLs say that a large proportion are frankly so much waste paper. Especially those from some s.w.l.s who usually fail to give detailed information such as comparative signal reports compared with other stations. The attitude so often is "I have heard you once at S9, now you are a rotter as you do not send

me a card".

Possibly, now that what was once amateur radio is becoming just another TV gain, those who must have something in print will be able to get this direct from their computers and the rest of us will be able to enjoy ourselves without the continual hassle over contests, cards, squares, countries, prefixes, islands, honour rolls, etc.

A.J. Hind
West Barnes

LETTERS TO THE EDITOR

Send your letters to the Editorial Offices in Poole, the address is on our contents page. Writer of the Star Letter each month will receive a voucher worth £10 to spend on items from our PCB or Book Services, or on *PW* back numbers, binders, reprints or computer program cassettes. And there's a £5 voucher for every other letter published.

Letters must be original, and not duplicated to any other magazines. We reserve the right to edit or shorten any letter. Brief letters may be filed via our Prestel Mailbox number 202671191. The views expressed in letters are not necessarily those of *Practical Wireless*.

Sir:

Reference the article in *Practical Wireless*, October '89 "Go Anywhere Slim Jim Antenna for 430MHz" written by Tony Martin G4XBY.

May I respectfully point out that as the designer of the Slim Jim antenna (originally for the 144MHz band) and published in an earlier edition of *Practical Wireless*, that the antenna has virtually NO directivity gain.

Mr Martin is, I'm afraid, wrongfully claiming that his version of this antenna for 430MHz has a gain of 3dBd (d indicating gain over a dipole). Being in effect an "end-fed" folded dipole, the Slim Jim has a purely theoretical directivity gain in either omnidirectional (vertical) or cosine (horizontal) mode, of only, 0.08dBd. This is so small as to be not worth considering, even if obtained in practice.

Therefore in any performance specifications I have given for the original and "mechanically" different versions of the Slim Jim for 144MHz operation, and my 430MHz version as published in *Practical Wireless* March 1983 (repeated in *Wires and Waves*), the directivity gain has always been quoted as unity (0dBd).

I should also mention that if a 430MHz version of this antenna is mounted at the centre of a metal car roof, then maximum vertical angle radiation will be high, probably in the region of 30 degrees, as the car roof will behave as a quite efficient "ground-plane". The near "free-space" performance of the antenna, which would otherwise allow maximum vertical radiation to occur at nearly zero degrees, will be completely spoiled.

Maximum vertical radiation as high as 30 degrees represents a considerable loss of radiated r.f. power at angles nearly parallel to ground. A better, although not perfect performance, as found during field strength measurements and road trials of a 430MHz Slim Jim, would be obtained with the antenna "gutter mounted".
F.C.Judd G2BCX Norfolk


Terminal Blocks

A new range of UL/CSA approved p.c.b.-mounted terminal blocks is now available from Watts International Components Ltd., of Chichester.

These heavy duty PBS terminal blocks are rated at 15A and up to 250V and have an insulation resistance of 2kV. With M3 and M4 terminal sizes, they are available from 2- to 12-way, in either straight or right-angle terminals.

Applications include power supplies, alarm systems controls; indeed anywhere there is a high power termination requirement. Snap-fit clear plastic covers are also available as an option.

**Watts International Ltd.,
No.4
Phillips Business Centre,
Terminus Road,
Chichester,
West Sussex PO 19 2UL.
Tel: (0243) 533479.**



Vintage Wireless Swapmeet

The 8th Aerial Christmas Vintage Wireless Stall Sale and Swapmeet is to be held at Clarence House near Bristol on Sunday December 3.

A special feature will be a working display of vintage television sets and, of course, the usual Christmas Fare and refreshments!

Entrance is strictly by advance ticket - booking forms are available by sending an s.a.e. to:

Mrs D. Roe, 7 Ashdown Road, Portishead, Bristol BS20 8DP.

Can You Help?

Mr Rowe has been reading with great interest, the letters in your letters column about the old ST Radios. With his brother, he has been trying for quite some time to get information on the last radio made, **the ST Super**.

If you can help, contact him at: Mr E. Rowe, 11 Thorstone Drive, Irby, Wirral, Merseyside L61 4XR.

Could any reader please help with information on **how to receive SSTV** to an s.w.l. now turning after 20 years to this mode on the h.f. band. Derek Lawrence is using a Sony ICF-6700W and a Spectrum 128 with a RMS-3 program. He can find the signal, but cannot resolve it into a picture. Derek Lawrence, 145 Tudor Way, Dines Green, Worcester.

What is the **equation for converting metres into MHz and vice versa**. Kevin Langthorne used to have this equation in a computer program, but has sold the computer and the program has been lost. Can anyone help? Kevin Langthorne, 127 Blackfell Road, Blackfell, Washington, Tyne & Wear NE37 1JU.

Has anyone got a manual or circuit diagram of a **Pye Table Radio model PE340**? Photocopies would do, and all expenses will be met. Chris Buckhurst, 66 Corringham Road, Stanford-le-Hope, Essex SS17 0AE.

Mr Porritt is curious about **BERNE (sometimes pronounced BERNA) Radio**. He listens to Berne Maritime on

a number of frequencies - 4.379, 8.784 - all messages seeming to involve ships in the Mediterranean. Its location is Berne Switzerland - 200 miles inland, why there? Is the transmitter up in the Alps? H. Porritt, 7 Birney Edge, Danas Hall, Ponteland NE20 9JJ.

Mr Levers is looking for a service manual/information on the **GEC HF Communications Receiver type RC410/R or RC411/R**. All costs will be paid. M. Levers "Waverley", Independent Hill, Alfreton, Derbys DE5 7DG.

In May 1983, Brookes Electronics Ltd advertised their **FDU7** - a frequency display unit to replace the dial on an FRG-7. Mr Whayman fitted this and until now

Radiophile

The Radiophile is now back under the sole editorship of its founder, Chas E Miller. A host of interesting features covering servicing, restoration, nostalgia and constructional projects will be appearing in the magazine. Existing subscribers will have their subscriptions honoured in full, but new UK subscriptions will cost £10. Full details from **The Radiophile, "Larkhill", Newport Road, Woodseaves, Stafford ST20 0NP.**

Low-cost Iambic Keyer

The PEK-1 electronic keyer is assembled on a high quality CAD designed p.c.b. measuring only 74 x 61mm. This means it can be built into existing equipment or, with the addition of case and connectors, can form a stand-alone unit.

The keyer can be used with either single or twin paddles, and features dot and dash memories, a built-in speed control, sidetone output and low power consumption. Both solid state v.m.o.s. and relay output enable a wide range of transmitter keying options.

Priced at £22, the PEK-1 is available mail order from: **Proelectron, 35 Cromwell Road, Cheltenham GL52 5DN.**

it has been satisfactory. Now only the hundreds digit is indicating, erratically "0" or "9" with or without a signal input. He can't find Brookes Electronics any longer, can anyone help with either their address or how it works? J. Whayman, 95 Elizabeth Avenue, Little Chalfont, Amersham, Bucks HP6 6RS.

Peter Wessels would like to construct his own **spark transmitter and coherer detector**. Does anyone has construction details about these subjects, or does anyone know the titles of suitable books? He is also looking for a circuit diagram of a Novak valved receiver, probably from the 1950s. Peter Wessels PA3FLG, Middelstraat 20, Nieuw Beijerland, 3264-ZH Holland.



Knobs, Washers & Spacers

Moss Plastic Parts produce a range of over 60 different knobs as well as a range of white polypropylene dished washers and spacers.

There are round knobs with diameters as small as 3/8in and up to 1.25in. Like the other shapes supplied they have either a part drilled hole or a through hole. Hole sizes can be specified from 2mm up to 19mm. All the knobs manufactured in polythene, are available in a wide selection of colours.

The dished washers and spacers are available in a variety of sizes for between 5/8 and 1.25in diameter tubes.

Moss Plastic Parts Ltd., Langford Lane, Kidlington, Oxford OX5 1HX. Tel: (0865) 841100.



Catalogues

A new 8-page full-colour brochure has been produced by STC Electronic Services on its extensive range of multi-layer ceramic, surface mount chip and moulded as well as dipped radial leaded capacitors from Syfer Technology.

The publication highlights the multi-layer ceramic chip capacitor range with nickel barrier solderable terminations, which prevents the dissolution of silver electrodes and base termination materials into the solder during the bonding operation.

In addition, it provides detailed technical specifications and diagrams to assist the designer. Other information includes availability of the product either loose or taped and reeled and its conformity to BS and CECC specifications.

Copies are available free of charge by telephoning **The Capacitor Group, STC Electronic Services on (0279) 626777.**

Doped Diodes

The Microwave Division of Marconi Electronic Devices Ltd., have announced the general availability of a new range of GaAs planar doped barrier diodes.

These advanced 3-5 material technology diodes offer the advantages of high pulse burn-out resistance, low local oscillator drive requirements and high tangential sensitivity. These advances, together with improved l.f. sideband noise performance, give extremely good detection sensitivity and enhanced temperature stability.

The diodes are available for either mixer or detector use in three outlines. Microstrip l.i.d. for use to 20GHz, low parasitic micro-l.i.d. for higher frequencies to 40GHz and metal.ceramic/metal for coaxial or waveguide assemblies. Alternatively, the devices are available as MESA naked chips.

**Marconi Electronic Devices Ltd., Microwave Division
Doddington Road, Lincoln LN6 3LF. Tel: (0522) 500500**

The 1989-1990 Tandy catalogue is now available, this contains all the details on their receivers and scanners as well as their other products that may interest the radio enthusiast. These are available from your nearest high street Tandy store.

The Kanga Catalogue for September 1989 arrived in the offices recently. It contains the details of all

their kits. A few examples of the kind of items you can purchase from them are, the LCK superhet TR/X, the Morse practice oscillator, a dual-band receiver and transmitter, a dummy load and lots more. For a copy of the catalogue, send an s.a.e. to:

**Kanga Products,
3 Limes Road, Folkestone,
Kent CT19 4AU.
Tel: (0303) 276171.**

Reallocation of Callsigns

We have recently received a letter from the DTI about the reallocation of deceased amateur callsigns.

"I have received a letter from one of your readers asking if he could be allocated the callsign of a friend who had recently died. In support of this request he sent a cutting from October's PW which asks for readers to notify a Mr Dunn if they know of the whereabouts of an unused callsign. The article mentions that the authorities at Waterloo Bridge House are prepared to consider his application for the callsign if he can get it released from the original holder or their next of kin. I am writing to let you know that this is not, in fact, the case.

I think Mr Dunn must have spoken to a junior member of my staff who either misunderstood the question or in trying to be helpful exceeded their authority in verbally agreeing to his request. The situation is this:

Because there have been, in the past, instances of recently bereaved families being bothered by requests from radio amateurs for their late relative's callsign, DTI decided that the only way to protect them was to have a strict policy regarding such transfers to which there would be no exceptions. An additional consideration was the extra administrative work caused by these requests for transfers. Thus, we will only consider transferring a callsign to an immediate member of the family, (spouse, parent or offspring) or to a person named in the will of the deceased. I think misunderstanding arises because people think that if the 'request' comes from an immediate member of the family we will consider passing the callsign on to a third party, when we, in fact, limit the transfer to family members for their own use.

I hope that this will help to put the record straight particularly to avoid a rush of approaches to the bereaved.

We operate this policy with the best intentions and I believe it to be the right one." From a longer letter from the DTI.

PRACTICAL
WIRELESS

PW

LOOK-OUT FOR OUR
NEW LOGO WITH THE
JANUARY 1990 ISSUE

Into the 1990s with PW!

Practical Wireless...known to all of its friends as *PW* launches into the future with a strong new editorial team. New features, new projects, new ideas but not leaving behind many old favourites.

★ Interested in Ten Metres ?

What goes on up there?...Find out in our new special feature for everything on Ten.

★ Home brewing your style?

PW kicks off into the new decade with new ideas and lots of interesting constructional projects. Amateur radio ideas, transmitting projects, short-wave receiving, test gear and ancillary equipment. We show you how to build them in *PW*!
Regular "state of the art" features. Read about the latest technology.

★ Favourites such as...

"Antenna Clinic", "Understanding Circuit Diagrams", "Swaps Page".
Famous faces, famous calls...see them all along with the new features, in *PW*.

★ Prize puzzle competitions every month.

Have a go and win a prize before the rest of the family do! Crosswords, wordsearch...
providing a lot of fun and great prizes!

More pages, better, brighter paper along with a new crisp presentation style provide, at £1.60, the best value-for-money radio communications magazine for the radio enthusiast of the present and the future.

★ TUNE TO THE FUTURE WITH PW - INTO THE 90s!

NEW STYLE PW

SAVE UP TO £3.50 - SUBSCRIPTION RATES HELD UNTIL 31.1.90

Fill in the Order form below and post it to: PW Publishing Ltd., FREEPOST, Subscriptions Dept., Enefco House, The Quay, Poole, Dorset BH15 1PP (no stamp required). Credit Card Orders taken on (0202) 665524.

Overseas subscriptions outside Europe are now despatched by Accelerated Surface Post for faster delivery.

If you already have a subscription you can still take advantage of our offer, but you must quote your subscription number.

Please indicate the type of subscription required:

PRACTICAL WIRELESS 1 YEAR

- ☐ £15.50 (UK) (NEW RATE WILL BE £19.00 AFTER 31.1.90)
☐ £18.00 (Europe) (NEW RATE WILL BE £21.00 AFTER 31.1.90)
☐ £19.00 (Rest of World) (NEW RATE WILL BE £22.00 AFTER 31.1.90)

SHORT WAVE MAGAZINE 1 YEAR

- ☐ £19.00 (UK)
☐ £21.00 (Europe)
☐ £22.00 (Rest of World)

SPECIAL JOINT SUBSCRIPTION 1 YEAR ONLY

- ☐ £30.00 (UK) (NEW RATE WILL BE £32.00 AFTER 31.1.90)
☐ £33.00 (Europe) (NEW RATE WILL BE £35.00 AFTER 31.1.90)
☐ £35.00 (Rest of World) (NEW RATE WILL BE £37.00 AFTER 31.1.90)

Prices current at October 1989

To commence with issue dated.....

Practical Wireless, December 1989

To: PW Publishing Ltd., FREEPOST, Subscriptions Dept., Enefco House, The Quay, Poole, Dorset BH15 1PP

Name.....

Address.....

.....

.....

☐ I enclose cheque/PO (Payable to PW Publishing Ltd) £.....

☐ Charge to my Access/Visa Card the amount of £.....

Card No.

Valid from to

Signature.....

Rallies

November 12: The Donegal Amateur Radio Club's Annual Rally and Junk Sale will be held in Jackson's Hotel, Ballybofey, Co. Donegal. The proceedings starts at 1pm.

***November 19:** The Bridgend & District ARC will be holding their 1989 rally at the Bridgend Recreation Centre, Angel Street, Bridgend, Mid-Glamorgan. Doors open at 11am.

November 19: The West Manchester Radio Club's Red Rose Winter Rally will be held in Astley & Tyldesley Miners Welfare, Meanley Road, Gin Pit Village, Astley, Tyldesley, Manchester.

More details from: **D.R. Camac. Tel: (0204) 24104.**

November 19: The MARS Birmingham Radio Rally will be held in the Stockland Green Leisure Centre, Slade Road, Erdington. Doors are open from 10am to 5pm. There is free parking and the entrance fee is 50p. More details from: **Pete Haylor G6DRN. Tel: 021-326 7515.**

December 10: The Leeds and District ARS are holding their annual rally at the Civic Centre, Dawsons Corner, Pudsey Leeds. This is on the main Leeds Ring Road between Leeds and Bradford. Admission is 50p and the doors open at

10.30am. There will be the usual traders stalls and a bring and buy stall. There is a licensed bar and refreshments. **Geof Stubbs on (0532) 585801.**

1990

February 24: The Rainham Radio Rally will be held in the Parkwood Community Centre, Deanwood Drive, Rainham, Gillingham, Kent. Doors are open from 10.15am to 4pm (10am for disabled visitors). The usual traders, Bring & Buy and refreshments will be there. Talk-in by GB4RRR on S22 and SU22. **Bob GOLKE. Tel: (0634) 362154.**

***March 9-10:** There will be an amateur radio show a

Picketts Lock Centre, Picketts Lock Lane, Edmonton, London N9. Details from: **London Amateur Radio Show, 126 Mount Pleasant Lane, Brickett Wood, Herts AL2 3XD.**

***March 18:** The Norbreck Amateur Radio, Electronics & Computing Exhibition will be at the Norbreck Castle Exhibition Centre, Blackpool. Details from: **Peter Denton G6CGF. Tel: 051-630 5790.**

***April 21-22:** The RSGB are holding their Convention and Exhibition at the NEC, Birmingham.


May 13: The VHF Convention

Available Retail

The Oryx Portasol cordless soldering iron is now to be marketed through retail outlets using specially-designed point-of-sale display units.

The Portasol proved so economic, simple and versatile in use that a rapidly increasing number of electrical enthusiasts have been enquiring about outlets. So, typical outlets will include superstores, electrical shops and hardware stores.

The Portasol does everything that a normal soldering iron of 10-60 watts will do except that it clips easily into a pocket and is actually powered by butane gas. A single refill from a standard gas lighter fuel container will enable up to 120 minutes of continuous operation. Ignition of the heating source is by means of flint mechanism in the Portasol's cap, whilst the catalytic heating action employed, both safeguards sensitive components and eliminates flame with its attendant fire risk.




Tool Clips

Emlux Holdings Ltd have introduced a range of spring steel tool clips, with capacities from 6mm diameter up to 50mm diameter.

The range with some 10 sizes available, are competitively priced, and are ideally suited for use where the need to hold hand tools and equipment securely is of prime importance. The "tool clips" incorporate a hole in order to secure the clip using a standard screw or bolt.

The use of spring steel, ensures that the tool clip retains the required degree of "springiness" to carry even the heaviest of hand tools.

"Tool Clips" are another example of the comprehensive range of spring steel



fastenings, that are manufactured by Carterton based Emlux Holdings Ltd, and are available through most wholesale outlets nationwide.

Emlux Holdings Ltd., Industrial Estate, Black Bourton Road, Carterton, Oxford OX8 3EZ. Tel: (0993) 841574.

Young Radio Amateur of the Year

Ted Walker, a sixteen-year-old Warwick school-boy, was named as the UK's top young radio amateur of the year of 1989. Rachel Oakley from Gateshead and Paul Moss from Evesham were runners up.

Ted is a keen user of radio and has also restored radio equipment and built his own antennas. He is also very active in radio clubs and in RAYNET.

The Young Amateur of the Year Award is organised by the RSGB as part of its "Project Year" which aims to introduce more young people to the hobby.

Change of Venue

After 40 years at its previous venue, Stoke-on-Trent Amateur Radio Society (SoTARS) have moved to the Rose and Crown public house, Etruria, Stoke-on-Trent.

Meetings have also been changed to Friday nights at 7.30pm. The club is, at present, preparing a list of future activities, both inside and outside normal club meetings.

Further details from: **Dave Wroe G1MLU. Tel: (0782) 639476.**

will take place at Sandown Park Racecourse, Esher, Surrey.

May 13: The Yeovil ARC 6th QRP Convention will be held at the Preston Centre, Monks Dale, Yeovil at 9am. The first lecture is at 10.30am. Lectures during the day will be conducted by GM3OXX, G3RHI, G3PCJ and G3MYM. All the usual traders will be there. Refreshments are also available. **D.J. Bailey G1MNM, QTHR.**

***June 24:** The Annual Longleat Mobile Rally will be, as usual, held at Longleat, near Warminster, Wilts.

July 1: The York Radio Rally

will be in the Tattersall Building, York Race Course, The Knavesmire, York. Doors open at 11am with an entrance fee of 50p (children admitted free). There is ample free parking. On show will be amateur radio, electronics and computing, arts and crafts, there's a grand Bring & Buy, Morse tests, lectures on various aspects of amateur radio, a raffle and talk-in on S22. There is a licensed bar and cafe available for refreshments. The Knavesmire is well signposted and there will be additional RAC signs round the main approaches to York. **Frank Webb G3ZKS. Tel: (0904) 625798.**

September 16: The South Bristol Amateur Radio Club are holding the 1990 Bristol Rally in the Great Train Shed,

Temple Meads Railway Station, Bristol. **David Farr G4WUB. Tel: (0272) 839855.**

* *Practical Wireless & Short Wave Magazine* in attendance.

If you are organising a rally and would like it mentioned in *Practical Wireless*, then drop us a line, preferably as soon as you have fixed the date but no later than six weeks in advance (marking your envelope Rally Calendar) and we'll do the rest. Please make sure that you include all the essential details such as the venue, starting time, special features and a contact for further information.

The Mizuho QRP HF Transceiver Competition Results


The winner of the competition was **Simon A Baird G6FHS** and he should be using his 7MHz version sent to him by Waters & Stanton.

As the standard of the reasons for wanting a Mizuho were so high, we have decided to give nine runner-up prizes of either a subscription to *Practical Wireless* (starting with the January 1990 issue) or a £5 voucher to spend on any of the PW Services.

The Subscription Runners-up: **Eldar Soreq G3UOK**, University of Keele. **Dr J.D. Midgley**, Oldham.

£5 voucher Runners-up: **A. Sammons**, Essex. **Gerald Smith**, Irthlingborough. **A. Gardner GW7DHG**, Gwent. **Ian Capon G0KRL**, Suffolk. **John Quash**, Grimsby. **Michael John Cooke G4DYC**, Norfolk. **S. Hartley G6FUW**, Ayrshire.

Many thanks to all those who entered the competition. Look out for more in the future issues of *Practical Wireless*. Thanks also to **Waters & Stanton, 18-20 Main Road, Hockley, Essex SS5 4QS** for kindly donating the prize.



ZC4 Award

This award is open to both amateurs and short wave listeners for contacts with ZC4 stations after 1980. You need to send a list of QSOs with your application together with a signed declaration showing that the credits necessary for this award and the licensing conditions of your country have been adhered to.

Don't forward your QSL cards, they aren't needed to confirm this award. The award comes in three classes with various band and mode endorsements.

Europe/Asia: Class 1 = 15 points, Class 2 = 10 points, Class 3 = 5 points

Americas/Oceania/Africa: Class 1 = 10 points, Class 2 = 5 points, Class 3 = 3 points.

Each contact with a ZC4 station counts one point, the same station may be worked on different bands for additional points.

Contacts with the two club stations ZC4ESB or ZC4EPI count double points, as do any special event callsign (ZC4JAM or similar having three letters after the prefix).

Contacts on 50MHz or on 7MHz and below count two points. So, a contact with ZC4ESB on 3.5MHz would count 4 points.

The cost of the award will be 10IRCs or \$3 (US).

Additional information can be obtained by contacting the Awards Manager. This is the first ZC4 award and should issue a fair challenge to amateurs and s.w.l.s alike. At present there are 16 ZC4 stations active.

The Awards Manager.

Stephen B. Bowden ZC4BS, ZC4 Bureau, JSB, BFPO 53.

Batteries not included

Occasional barefaced lies about products and developments by Peter Rouse (GUIDKD)

I am delighted to be able to start this occasional series with news of a small technological miracle of electronics which I have in fact invented myself. It's called the "Squadger" and it started life as a project for *Practical Wireless* but ran into difficulties on two counts. First I felt the financial rewards were not really justified for such a marvelous piece of equipment and secondly there was great difficulty in finding a name for it as all the obscure names of west country places and rivers that I liked had already been used by the editor for previous projects.

I am now delighted though to tell you dear reader, that the manufacturing rights for the Squadger have been bought-up by a major manufacturer. But what, I hear you say is a Squadger?

Put simply it is the logical development of the familiar metal detector or "treasure tracer"...you know the kind of thing, it looks like a dinner plate on the end of half a broomstick which is attached to a human who appears to be using a primitive form of Sony Walkman. But whilst the metal detector has both limited range and scope (in terms of what it can find), the squadger can be programmed to find almost anything.

No matter how many DIN plugs, PL-259s, ballpoint pens and paper clips you buy, you can never find one when you want one. I can tell you now that they are all piled up in a massive hole in the ground in the West Riding of Yorkshire and the prototype Squadger found them in no time at all. Soon you will be able to buy a squadger. At this very moment the first ones are coming off a production line on a small trading estate near Cambridge. It consists of a slim black box made of matt black plastic and has a full QWERTY keyboard with pushbuttons made from squidgy rubber that feels like cuttlefish skin. The price will be £99.95 (not including batteries) and delivery will no doubt be much longer than 30 days.

Fancybox Law

All amateur constructors, experimenters and even professional equipment designers have suffered the effects of this law even though they probably haven't realised it. Now researchers have found definite evidence of this phenomena and have even defined a precise mathematical formula to gauge it's effect.

The law comes into play when developing or designing a new item of equipment and in some instances has even been observed whilst assembling a perfectly harmless and well tried kit. Picture the scene: The item of equipment is working to perfection and all the bugs and quirks have been ironed out.

Admittedly, it consists of a circuit board which is barely visible under a mass of jump leads, substitute resistors and capacitors (full length lead wires of course) and some dubious solder connections. All is sheer perfection and clearly this item of equipment deserves a proper case with nice front and back panels, sockets, switches and knobs.

You know and I know that the moment we package this conglomeration of electronics into such an environment complete with neat solder joints and loomed cables that the project is doomed. Somehow though we plunge ahead....this time, maybe this time, it really will turn out right. It's like a vice. Like some compulsive gambler betting his last pound we turn on the mains switch with trembling hand. Smoke curls gracefully from the power supply and we know that once again we have been suckered by the likes of Vero, West-Hyde, Bonos and others who profit from our foolishness and misery.

The only consolation lies in knowing that we are not alone, out there in the world are others who suffer just like us. Now there is some small consolation in knowing that we can at least predict the outcome. The formula goes like this:

T = the TIME in minutes spent in tweaking, changing component values, replacing components when you accidentally applied reverse polarity on the 678th try, etc.

V = The value (in pence sterling) of the brand new case, switches, matching control knobs, etc.

M = The time in minutes you spent carefully applying rub-down lettering to the front panel.

CsO = The chances of successful operation.

Fancybox Law: $CsO = 1.29556$ divided by $T \times V \times M$ (answer in percent of chances of successful operation from then on).

Sprocket Communications

A group at Poole University say they have now fully developed a new system of digital communications that will revolutionise the way messages are sent. The team have announced the development of "Sprocket" and say that like many great inventions it happened by accident. It was only when auditors started querying the department's annual quarter million pound grant that the breakthrough came.

The group say Sprocket takes the familiar Packet Radio system to its ultimate conclusion. With Packet,

amateurs were able to send streams of data back and forth and even pass messages on in relays via several stations. However, as the group points out the big drawback with Packet was having to devise messages. They say details of weather conditions and equipment used on the station rather limits the scope of message content and this became obvious when unmanned packet stations were merely announcing their existence to other stations which in turn merely announced that they were ready to receive even though the first station had nothing to send.

As the Poole group point out this is waste of spectrum use and by building a limited artificial intelligence into the system the stations could actually hold a simple conversation. Admittedly the conversations have limited scope and consist of simple messages such as:

Station 1: 'can you receive me' ?

Station 2: 'Yes'.

Station 1: 'Good'

Station 2: 'I am pleased its good that I can receive you'

Station 1: 'It's good to be received'

Station 2: 'Yes'

This is a typical example of how two stations can keep up communications round the clock but the group say it is when other stations join in that the Sprocket really comes into its own. As more stations join in they automatically transmit in sequence (hence the name Sprocket). Once 50 stations are "talking to each other" smaller groups can split-off and automatically shift up or down in frequency to form a new Sprocket Network (correctly called a Cell). Ultimately with enough sprocket stations on air it should be possible to fill an entire band with transmissions so dispelling fears that under-utilisation of the spectrum could lead to amateurs losing allocations.

Because the station operator does not need to devise a single message equipment is simple and requires no keyboard. All that is needed is the ECB (expensive complicated box) and Mike Beergut, the Poole team leader, says this in itself has been a major breakthrough as they have managed to go through the £1000 barrier which many equipment designers said was impossible. He's also poured scorn on an alternative method of sending and receiving the messages produced by Global Software Systems. Global's directors Ian Swot and Roland Acne (both aged 14) have produced a simple decoder/encoder (Verobox and just one switch labelled on/off with Dymo tape) which connects to a Spectrum computer. Speaking from their factory (Ian's bedroom in a semi in Woking) the pair *Practical Wireless*, December 1989

said that whatever Mr Beergut might say their system was just as good but admitted that a lot of software had been returned to them. It appears there had been corruption when programme cassettes had been duplicated from his Ghetto-Blaster to his father's music centre but they had now bought one of Mr Amstrad's naughty double cassette decks and even though 200 tapes went out recently with a Michael Jackson LP on instead, no one had spotted the difference.

In future

Next time round, I will be reviewing the new all-mode, all-band transceiver from Yascom that can work cross-band and cross-mode and display all sorts of gibberish on a built in screen whilst automatically tuning the antenna for any band between 180m and 23cm. It comes complete with a small man who knows what all the buttons and dials do and costs more than the annual military budget of some of the smaller Third World countries. I will be comparing it with a slightly less sophisticated unit that employs two transistors and a single crystal. This is a new British design by the Very Reverend Q. Arpee and is available in kit form.

PW

End of Year Book Clearance Sale Mail Order Only

Please include £1 post and packing, irrespective of the number of books ordered and send your order to: PW Publishing Ltd, Book Clearance, FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP. NO CALLERS TO THE OFFICE PLEASE.

Last orders accepted on December 22. Books despatched by return whilst stocks last.

All About Vertical Antennas by W.I. Orr W6SAI & S.D. Cowan W2LX. Theory, design, construction, operation, the secrets of making vertical antennas work. 191 pages.

Usually £7.50. Special offer £5.95

The Radio Amateur Antenna Handbook by William I. Orr W6SAI & Stuart D. Cowan W2LX. Yagi, quad, quagi, l-p, vertical, horizontal and "sloper" antennas are all covered. Also towers, grounds and rotators. 190 pages.

Usually £6.75. Special offer £5.25.

Interference Handbook (USA) by William R. Nelson WA6FQG. How to locate and cure r.f.i. for radio amateurs, CBers and TV and stereo owners. 253 pages.

Usually £6.75. Special offer £5.25

Guide to Facsimile Stations 9th Edition by Joerg Klingenfuss. This manual is the basic reference book for everyone interested in FAX. Frequency, callsign, name of the station, ITU country/geographical symbol, technical parameters of the emission are all listed. All frequencies have been measured to the nearest 100Hz. 318 pages.

Usually £12.00. Special Offer £10.00.

Radio Frequency Interference (USA). What causes r.f.i.? Are all r.f.i. problems difficult, expensive and time-consuming to cure? These questions and many more are answered in this book. 84 pages.

Usually £4.30. Special Offer £3.00.

Passport to World Band Radio 1989. This book gives you the information to explore and enjoy the world of broadcast band listening. It includes features on different international radio stations, *Practical Wireless*, December 1989

receiver reviews and advice as well as the hours and languages of broadcast stations by frequency. 398 pages. Originally priced at £12.95. **Special Offer £7.00.**

Better Radio/TV Reception by A. Nallawalla, A.T. Cushen & B.D. Clark. An Australian book giving guidance and advice to listeners seeking reliable reception of distant radio stations and to DX listening hobbyists. 134 pages.

Usually £9.95. Special Offer £5.00

Guide to Utility Stations 7th Edition by Joerg Klingenfuss. This book covers the complete short wave range from 3 to 30MHz plus the adjacent frequency bands from 0 to 150kHz and from 1.6 to 3MHz. It includes details on all types of utility stations including FAX and RTTY. There are 15802 entries in the frequency list, and 3123 in the alphabetical callsign list, plus press services and meteorological stations. 494 pages.

Usually £19.00. Special Offer £13.00.

Guide to Utility Stations Supplement by Joerg Klingenfuss.

Special Offer £2.50.

Amateur Radio Satellites - The First 25 Years by Arthur C. Gee G2UK. This souvenir publication is mainly a pictorial account of the pattern of developments which have occurred over the last 25 years. 34 pages.

Usually £2.25. Special Offer £1.75.

High Power Wireless Equipment. Articles from *Practical Electricity* 1910-11 edited by Henry Walter Young. A reprint of interesting articles from the early days of radio. 99 pages.

Usually £6.85. Special Offer. £5.50.

To make room for new stocks of books arriving in the New Year, we are clearing the warehouse of some books. These will be available until December 22, whilst stocks last. So, stock up on Christmas presents for those "difficult to buy for" people.

Wires & Waves. Collected antenna articles from PW 1980-1984. Antenna and propagation theory, including NBS Yagi design data. Practical designs for antennas from medium waves to microwaves, plus accessories such as a.t.u.s, s.w.r. and power meters and a noise bridge. 160 pages.

Usually £3.00. Special Offer £1.50.

Practical Ideas for the Radio Amateur by Ian Poole G3YWX. This book offers a wealth of hints, tips and general practical advice for all transmitting amateurs and short wave listeners.

Usually £5.95. Special Offer £3.00.

Are the Voltages Correct? Reprinted from PW 1982-1983. How to use a multimeter to fault-find on electronic and radio equipment, from simple resistive dividers through circuits using diodes, transistors, i.c.s and valves. 44 pages.

Usually £1.50. Special Offer 75p.

Scanners (updated) by Peter Rouse GU1DKD. A guide for users of scanning receivers, covering hardware, antennas, accessories, frequency allocations and operating procedures. 177 pages.

Usually £7.95. Special Offer £4.50.

Repeater Time Out Alarm

This useful gadget, designed by Gus Montgomery GM0ATI should make it more unlikely to timeout through your local repeater, and provide both visual and audio indication of the duration of an 'over'.

Who has not found when listening to the local repeater that there are some users who have an ability to 'time out' regularly. Also to be fair, we have all on occasion found that 'timing out' is easy when talking to people who we know well, but haven't talked to for a while.

For those readers not familiar with repeaters, they are essentially relay stations that provide wide ranging cover for mobile stations. Normally mounted on hilltops the repeater will allow mobile stations to enjoy improved communications over a much enlarged area. Because of this large area cover they are often in great demand with many stations wishing to use them. To prevent any station monopolising the repeater, a timeout is normally built in to it. If a transmission goes on after a predetermined time the repeater will go into 'timeout'. Normally signalled by the received audio being blocked and replaced by the callsign of the repeater given in morse code, until the original transmission ceases. By this means those who 'timeout' are given an incentive to shorten their transmission times.

This article describes a unit which will give an indication of the approaching timeout condition, both visually and audibly, and cut off the transmission after the period has expired. Unlike simpler units this should enable the operator to bring his over to an end before the unit ends his over.

The original unit was built with 10 bright Light Emitting Diodes (l.e.d.), 5 green 3 yellow and 2 red ones. Green

signifying normal time, yellow nearing timeout, then on the illumination of the first red l.e.d. emits a loud beep meaning 'about to end over'. Should the second red l.e.d. come on then the rig is switched back to receive thus not timing out. When connected to the rig this virtually guarantees no timeout however over enthusiastic you are to communicate.

The design also has provision to set much longer periods other than the normal 1-2 minutes before timeout. On the prototype up to 25 minutes could be set, although this length of transmission is not good practice. Perhaps you may wish to label the l.e.d.s 'good', 'boring', 'VERY boring', 'Inhumane', and 'Lethal'.

Circuit Description

The circuit diagram of the project is shown in Fig. 1. Gates a and b of IC2 in conjunction with C2 and C3 combined with a selection of resistance values chosen using S1 form an oscillator. If one of R14 to R17 is in circuit then the time period may be varied over a range of about 6:1 in each case. With S1 in the position shown the unit is switched off. In the next 4 counter-clockwise positions variable time periods are obtainable. Finally when both 3.3M Ω resistors are switched into circuit a fixed long period before timeout is available. The output is buffered and inverted via IC2c and fed into the Clock input of IC1, gate d of IC2 is a used to drive TR1 to activate relay RL1 for the period of transmission.

The rig returns to receive immediately



the microphone transmit switch is released or after IC1 has counted and decoded clock inputs until the final l.e.d. is illuminated. At which point gate IC2d changes state switching off TR1 allowing RL1 to drop out and the rig returns to receive.


The display, which consists of l.e.d.s D3 to D14 is driven by the output lines of IC1 a decade divider-decoder, is arranged in a line against a printed time scale.

Construction

Construction is relatively straight forward, and should cause no problems if the printed circuit board is used.

Using the component overlay of Fig. 2 solder the sockets for IC1 and 2 in first, followed by the resistors and capacitors. Care should be taken with orientation of diodes D1, D2 and D3 when inserting them into the board. Finally insert and solder in TR1.

It is advisable to use sockets for the I.C.s, as Murphy's law states that if an I.C. is suspect and soldered in, then the manipulative skills of an octopus are required to unsolder it from its resting place on the board.



Caution should be exercised when handling the c.m.o.s. devices as they are easily damaged by high levels of static built up in a body wearing Nylon clothing, or walking on carpets made of synthetic material. This static build up may be discharged before handling these devices, by touching an earthed object such as a radiator or water tap.





Finally when all the above steps are carried out, remove all traces of flux from the track side of the board with a solvent such as turpentine, white spirit or methylated spirits and insert IC1 and IC2. Removing the flux will minimise timing errors caused when very high ohmic resistance values are shunted by the moisture that flux can attract.

After cleaning and drying the board, make a final check of placing and orientation of all components. Then connect the ground pin to the negative of the power supply, and using a multimeter set on a current range connect the positive of the p.s.u. to the 12v pin. The circuit loading should be no more than 1 or 2ma at this point.

Construction may be completed by wiring all other connections to their corresponding positions on the board.

Finally

Consideration was given to maximum flexibility in building, so the components should be freely available from most suppliers. Relay RL1 may be almost any low power 6 or 12V type which is available. In the prototype a National NF2-6 was used, but most types should be suitable. If a 12V relay is used then replace R12 with a wire link. Similarly the Piezo Buzzer PB1, may also be one of the



Shopping list

Resistors

0.25W 1% carbon film

1k	1	R13
2.2k	2	R8,10
3.3k	1	R9
10k	3	R6,7,11
120k	2	R1,2
1M	1	R3
3.3M	2	R4,5

0.5w 1% carbon film

100R	1	R12 (see text for changes)
------	---	----------------------------

Potentiometer Lin.	Min. skeleton vertical mounting
1M	4 R14-17

Capacitors

Disk ceramic

0.1µF	2	C1,6
Tantalum 25v working		
10µF	2	C2,3,4

Radial lead electrolytic 25v working		
100µF	1	C5

Semiconductors

1N4002	2	D1,2
1N4148	1	D3
4001	1	IC2
4017	1	IC1
BC108	1	TR1

Light Emitting Diodes

'Ultra bright' types preferred
11 D4-13 (see text)

Miscellaneous

S1 2 pole 6 way wafer switch; p.c.b.; switch knob to suit; RL1 6v min. s.p.s.t. (see text); PB1 Piezo ceramic buzzer (see text); a suitable box for the project, and a microphone plug and socket to suit the rig in use; a length of microphone cable; interconnecting wire as necessary for power.

HOW MUCH ?

£ 20.00

HOW DIFFICULT


Intermediate

many available. Cirkit supplied the original, but many other types should work.

R14 to R17 have been chosen to give a suitable range of timings, but may be modified to suit the timeout period required.

However a little more attention needs to be paid to sourcing the l.e.d.s (D4-D13). Each output of IC1 can only supply a low current and so these diodes should be of the 'ultra bright' type for best results. The originals were Maplin type UF72. These l.e.d.s provides more than 20 times the normal light output whilst drawing no more current. They may normally be identified by the clear plastic lens in place of the usually coloured one. In the initial model normal l.e.d.s were used with a 1k5 ohm limiting resistor (R9). This was adequate without the 4017 complaining, but changing to the 'Ultra bright' type the display, even in the brightly lit surroundings of a car in daylight, became impressive.

PW



SWAP SPOT

Have 29MHz f.m. rig SMC Oscar 10 with repeater shift mic and manual. Would exchange for anything radio. John G4YWB. Tel:Liskeard 83934. G946

Have Cossor 1035 oscilloscope, complete but not working; TV screen enlarger; Marconi TV sweep generator TF923; Cossor 1320 TV alignment pattern generator. Would exchange for Eddystone signal strength meter or w.h.y. A.J. Humphriss. Tel: (0926) 400876. G952

Have Newbrain Burns and Porter Computer full QWERTY keyboard with ROM and peripheral ports, housed in metal case with dedicated Grundy p.s.u., plus green screen monitor and expansion module. Works but needs attention. Would exchange for w.h.y? Tel: (0443) 757569. G973

Have Hoover rotary transformer No.1 sender, 11.5V input, 490V output. Also WWII Stromberg Carlson SC1265A communications receiver, 6 Bands 240V a.c. Would exchange for software/hardware for the Acorn Electron. Tel: (0858) 63383. G990

Have Commodore A500 computer second disc drive, printer and loads of software, including word processor, database and spreadsheet. Would exchange for 144MHz multimode base station transceiver, e.g. TS711, FT726 or w.h.y? Kris G0LOH. Tel: Haywards Heath 457202. Evenings. G982

Got a camera, want a receiver? Got a v.h.f. rig, want some h.f. gear to go with your new G-zero? In fact, have you got anything to trade radio-wise?

If so, why not advertise it FREE here. Send details, including what equipment you're looking for, to 'SWAP SPOT', Practical Wireless, Enefco House, The Quay, Poole, Dorset BH15 1PP, for inclusion in the first available issue of the magazine.

A FEW SIMPLE RULES: Your ad. should follow the format of those appearing below, it must be typed or written in block letters; it must be not more than 40 words long including name and address/telephone number. Swaps only-no items for sale-and one of the items MUST be radio related. Adverts for ILLEGAL CB equipment will not be accepted.

The appropriate licence must be held by anyone installing or operating a radio transmitter.

Have Trio TR2500 hand-held transceiver along with SMC 25 speaker mic plus DC25 d.c.-d.c. converter, SC8 leather case, NiCad charger. All in mint condition with original packing. Would exchange for 144MHz mobile transceiver with mounting bracket and mic. Don't fancy swap £180 waiting to buy. A. W. Sharp, 27 Neville Drive, Irlam, Manchester M30 6JD. H039

Have Kenwood TH215E boxed with manual and circuit diagram in perfect working order. Would exchange for 430MHz linear amplifier 10 watts in 100 watts out. John. Tel: 061-202 2715. H058

Have Olympus OM10 camera with 50mm lens and motor wind. All in excellent condition with boxes if required. Would exchange for best 144MHz hand-held transceiver offered. Peter Briggs, 35 Pinehurst Cottages, Pinehurst Avenue Farnborough, Hampshire GU14 7LJ. H090

SNIPPETS

Here's a quick and easy audio oscillator with enough output to drive a speaker. The circuit shown in Fig. 1. can be used as a Morse practice oscillator and even a continuity tester. The circuit is based on a Hartley oscillator, and all of the components can be culled from an old transistor radio. Transformers like T1 are used in the audio output stage, likewise the loudspeaker and transistor. Transistor TR1 can be almost any general purpose n.p.n. silicon device. The 1k Ω resistor and the capacitor set the frequency of oscillation although the type of transformer has some bearing on this parameter. The whole circuit will run quite happily on any d.c. voltage from 3-9 volts.

E.F.W.

G733




Fig. 1

YOU GET MORE AT RAYCOM!

BEARCAT 200XL



Save money when you buy this top-of-the range scanner. 200 memories, coverage from 66-956 MHz, priority channel monitor, channel lock-out delay and auto AM/FM switching go to make a great package and we add further value still.

Choose either a **free** broadband mag-mount or a **free** mast-mount SkyScan scanner antenna worth £14.95 and a **free** cigar adapter kit when you order your Bearcat (and £30 off RRP!)

£229.99 .. save £49.45

COBRA SR-925



With coverage from 29-512MHz (with gaps), 16 memory channels, 2-speed search, high sensitivity (0.3 mV) and 1 watt of audio this scanner is ideal for beginner and enthusiast alike! Raycom adds £30 worth of free antenna, cable, plugs and sockets and drops the price to bring a blistering scanner package to our customers. Call now for an information leaflet!

£159.99 .. save £30.00


ICOM IC-R7000



An unbeatable offer from Raycom - £30 off the retail price and a **free** Bearcat handy scanner covering 29-512MHz (with gaps) worth £99.95 - a total saving of an incredible £129.95! Can't believe it? Send SAE for an information leaflet and offer details. Raycom Credit Card is available - just £96 deposit and £36 per month!

£959.00 .. save £130.00

ICOM IC-3210



ICOM's popular dual bander, 25 watts on both bands, great looking and readable display, full duplex capability, 40 memories and input monitor for instant repeater check. All you need add is an antenna and we have taken care of that.


Regular retail prices:

IC-3210	£499.00
Broadband mag-mount antenna	£14.95
Total regular price	£513.95
Raycom package price	£479.00

SAVE £35!

Raycom Credit Card is available on this pack, just £48 deposit and monthly payments of just £18! Why wait, send for written details now!

ICOM IC-725



ICOM's latest addition to the family, the 725 gives a full 100 watts of multi-mode power and is the second rig to use the DDS (Direct Digital Synthesizer) system. 10 Hz steps for smooth tuning, all mode squelch, 26 memories, and many other features make the 725 the starter rig for those who want more than a starter rig - it's unbeatable value - just look!

Regular retail prices:

IC-725	£759.00
FM TX/RX (AM RX) board	£40.00
20 Amp PSU	£129.99
G5RV 1/2-sized antenna	£14.95
Fist mic	£21.00
Total regular price	£964.94
Raycom package price	£849.00

SAVE £116!

Raycom Credit Card is available on this pack, just £85 deposit and monthly payments of just £32! Why wait, send for written details now!

**FREE CAR TELEPHONES
ON ALL PURCHASES**
SUBJECT TO RACAL AIRTIME LICENCE APPROVAL
FITTING EXTRA £39.00 + VAT ON MOST CARS



HF all mode 100W transceiver, 0.1-30MHz, with the exclusive **Raycom** mod improving receiver dynamic range by 15-20 dB. Turns a good receiver into a **great** receiver. Ideal as a base and particularly suited for mobile/marine use with its light weight and click-stop dial. Save money with the **RAYCOM STARTER PACK** - it's unbeatable value - just look!

Regular retail prices:

FT-747GX	£659.00
Raycom RX mod	£59.00
20 Amp PSU	£129.99
G5RV 1/2-sized antenna	£14.95
Fist mic	£21.00
Total regular price	£883.94
Raycom package price	£749.00

SAVE £135!

Raycom Credit Card is available on this pack, just £77 deposit and monthly payments of just £28! Why wait, send for written details now!

YAESU FT-470



Yaesu's new dual bander is ex-stock at last and packed with features - dual display, dual band monitor, 4 VFO's and 42 memories, power saver, auto power off, CTCSS, DTMF autodial and a wide range of options - SAE for information sheet.

Regular retail prices:

FT-470	£389.00
FNB-10 nicad 7.2v, 600mAh	£34.50
Wall charger	£17.71
Soft carry case	£10.58
Broadband mag-mount antenna	£14.95
Total regular price	£466.74
Raycom package price	£425.00

SAVE £42!

Raycom Credit Card is available on this pack, just £45 deposit and monthly payments of just £16! Why wait, send for written details now!

RAYCOM COMMUNICATIONS SYSTEMS LIMITED, INTERNATIONAL HOUSE, 963 WOLVERHAMPTON RD, OLDBURY, WEST MIDLANDS B69 4RJ. TEL 021-544-6767, Fax 021-544-7124, Telex 335483 IDENTI G.

RAYCOM

COMMUNICATIONS SYSTEMS LIMITED



RAYCOM gives you more BUYING POWER

ALL MAJOR CREDIT CARDS ACCEPTED. BC, ACCESS, DINERS. INSTANT CREDIT UP TO £1000 (SUBJECT TO STATUS) WITH RAYCOM CREDIT CARD (APR 32.9%). FREE CREDIT ON CERTAIN ITEMS AT MRP. CALL NOW FOR MORE DETAILS.

ORDERING INFORMATION

WE STOCK ICOM, YAESU, BEARCAT, MFJ, BUTTERNUT, CUSHCRAFT, AEA, TONNA, NAVICO, TEN-TEC AND WELZ AMONG MANY OTHERS. CALL FOR FULL LIST.

TEL: 021-544-6767

PHONE BEFORE 4PM FOR NEXT DAY DELIVERY BY COURIER (£15.00) - OR 2PM FOR DELIVERY BY POST (£10.00 P&P). PLEASE ALLOW TIME FOR CHEQUES TO CLEAR. MANY OTHER ITEMS IN STOCK. PLEASE CALL FOR MORE INFO AND FOR EXTRA SPECIAL DEALS!

INFOLINE 0836-771500 5-9pm (weekdays)

OPENING HOURS 9-5.30 MON TO SAT, LATE NIGHT FRIDAY 'TIL 7 PM. 73 DE RAY GAKZH, JIM G8ZMP AND JULIAN.

WSE — HAM RADIO STORES

ALINCO DJ500E Dual Bander

*2M & 70CMS

*Full Duplex

*Extended receive coverage

*No Extras to Buy

£375

+ £3 carriage

The new ALINCO DJ500E has at last arrived! Covering both 2m and 70cms, it is the ideal handheld for those who demand the ultimate. Full duplex operation means telephone style crossband contacts. Receive coverage can be extended to cover 130-170MHz, 340-380MHz, 420-470MHz, and 870-900MHz. No extras to buy; price includes nicad pack, AC charger, wideband helical, carry strap and belt clip and built-in DC/DC converter for 13.8V supply. Quite a specification, and a lovely rig. Size, with standard pack and DC/DC converter, measure: 7.5" x 2.5" x 1.25" approx. Available now from stock, send for colour brochure.



AZDEN PCS-6000 2M FM + AIRBAND!

This rig is unique. It provides 25 watts of FM on 144-146MHz plus full receive coverage from 108-180MHz AM/FM. 20 memories any duplex split in any memory, auto tone-burst, listen on input etc. etc. The airband section has been purpose designed for the job. Send today for colour brochure.



£329

+ £3 carriage

ALINCO DR110E (2M)

The new FM mobile transceiver from ALINCO is now in stock. 45 Watts output, completely redesigned front panel and display with extended receiver option of 130-170MHz. Main tuning dial can be used for frequency/memory change and usual memory scanning is included. Price includes all hardware, mounting bracket and up/down mic. Also tone squelch option available.



£299

+ £3 carriage

ALINCO ALD-24E Dual Bander

If you thought that dual band rigs were expensive, then look again at this one. It gives true duplex operation with a single antenna output. Basically 2 rigs in one box, it has a superb specification covering 2m & 70cms FM. Extended receive coverage is possible upon request. Probably the most cost effective rig on the market. Send for full details today.



£399

+ £3 carriage

MAIL
ORDER
FAST!

24 HOUR
SERVICE!

Our mail order service has now been updated and is even faster. Open 6 days per week plus answerphone our computer will have your goods winging their way to you all carefully packed and fully insured. Goods over £200 go 24 Hour service, others by parcel mail. £400,000 worth of stock on hand and all the famous names:

ADONIS, AKD,
ALINCO, AOR,
AZDEN, BEARCAT,
BNOS, CREATE,
DATONG, DEE-
COMM, DIAMOND,
DRAE, G-WHIP,
ICOM, JAYBEAM,
JUPITER, KENWOOD,
MICROWAVE,
OSCAR, PANASONIC,
REVEX, SAGANT,
SEM, SONY, TAL,
TONNA, TOYO, WIN,
WSE, YAESU

Jupiter II

IT COVERS
EVERY-
THING!

25 - 550MHz
800 - 1300MHz

£299 + £3 carriage

The World's
first "wide range"
handy scanner!

We believe that no other handy scanner within these pages can match the features, performance and price. Now being used for a wide variety of surveillance applications. Need we say more?

- ★ AM/FM
- ★ Direct up/down tuning
- ★ 5, 10, 12.5, 25, 30 KHz steps
- ★ 100 memories
- ★ 10 programmable bands
- ★ Step change frequency correction
- ★ High speed scan 20 per sec.
- ★ Carrier or audio scan
- ★ Battery Saver
- ★ Telescopic antenna (BNC)
- ★ Fast memo load feature
- ★ Individual memory unload
- ★ Uses 4 x AA cells
- ★ Size 7" x 2.5" x 1.5"
- ★ 700MHz first IF
- ★ Proper English Manual
- ★ Superb sensitivity




Jupiter Base "6000"

The Smallest Base/Mobile Scanner

£379 + £3 carriage

The same basic features as the Handy version, it measures only 6.5" x 7" x 1.5" and is ideal for vehicle use or home base. Includes a matching mains power unit, illuminated keypad and attenuator switch. The basic "front end" has been redesigned with base station use in mind and has a sensitivity that we believe is unbeatable. (It hears things other scanners can't!)



SHORT WAVE CONFIDENTIAL FREQUENCY LIST

Completely updated as of April 1989 with many new entries, this is now the foremost guide for short wave listeners who need a realistically priced frequency guide prepared for listeners within Europe. Smartly bound and laid out, this manual will take you quickly to the right frequency. Covers Marine, Military, Naval, Aeronautical, Press, Broadcast, Fixed etc., and includes SSB, CW, FAX, RTTY, SITOR. Entries are numerical with station details, modes, callsigns, and time schedules.



£7.95 + £1 p&p

Other titles:

CGTVHF	Complete Guide to VHF/UHF Frequencies	£5.95
VHF/UHF	VHF/UHF Airband Frequency Guide 1989	£5.95
OCEANIC	HF Oceanic Airband Communications	£3.50
MARINE	Marine Radio Frequency Guide (HF & VHF)	£4.95

Post on above items: £1.00 (2 or more £2.00 total)

NEW PRICE LIST + CATALOGUE NOW AVAILABLE — SEND LARGE SAE
ASK ABOUT THE NEW WATERS & STANTON CHARGE CARD — IT'S SO EASY!

We are able to offer a special package on HF transceivers plus mains power supplies that shows a significant saving on the normal retail price. We can also offer packages for matching VSWR meters, aerials etc. All items carry the full 12 months warranty and come from the official UK sources!

**WATERS
& STANTON**

RETAIL & MAIL ORDER:- 18-20, Main Road, Hockley, Essex SS5 4QS.

Tel: (0702) 206835, 204965

RETAIL ONLY:- 12, North Street, Hornchurch, Essex RM11 1QX.


Tel: (04024) 44765

Visa and Access by telephone. 24hr. Answerphone. Open six full days.

PW REVIEW

Alinco DJ-100E 144MHz Hand-held Transceiver

The DJ-100E is the latest 144MHz portable from the Alinco stable which, in addition to being very compact, features extended transmit and receive frequency ranges and a maximum output of 6.5 watts. It seems there is a never ending demand for hand-held 144MHz transceivers and it is probably fair to say that the majority, of amateurs own one at some time so lets see how the DJ-100E measures up says G4WNC.



Connecting-up

As with most hand-helds, connecting-up was straight forward. The supplied 100mm moulded rubber antenna fits to the top panel via a standard 50Ω BNC socket. This is a good choice as it makes it very easy to connect an external antenna without having to resort to special plugs.

Next point to look at was the power connections and the DJ-100E was quite versatile in this respect. The supplied EBP-9NA power unit slides on to the base of the receiver and locks in place, which seems to be the standard technique on most modern rigs. The standard battery pack had one or two very useful features which are worth mentioning. The first was the provision of a charger socket and l.e.d. indicator. This socket is used to connect the supplied trickle charger to the battery pack. The second and very useful point, was the external power socket which included a d.c. to d.c. converter so the DJ-100E could be powered from either the standard shack 13 volt supply or alternatively the raw car supply.

One important fact which is often not appreciated by the newcomer is that the maximum r.f. output of the rig is determined by the battery pack voltage. The standard pack produces 7.2 volts which gives a maximum output of 3 watts. If you want a higher power you will have to buy the 9.6 volt EBP-6NAZ for 4 watts or the 12 volt EBP-8NAZ which gives an impressive 6.5 watts of r.f. output.

If you want to run the DJ-100E from dry cells a pack is available which takes 4 x AA cells, but this only gives an output of 1 watt. Finally, if you need to operate for long periods the EBP-18 could be very useful as this belt mounted pack can hold six C cells giving extended operation with 3.5 watts of r.f. output.

The only other external connection available to the user is the speaker/mic

Practical Wireless, December 1989

socket on the top panel. As its name implies this 2.5mm stereo jack socket is primarily for the connection of a speaker-microphone, but it can also be used for an external earpiece and p.t.t. or just an external earpiece. One other thoughtful extra is that a very neat rubber cap is provided to prevent moisture entering this socket and the cap is secured to the rig so that it doesn't get lost when the socket is in use.

I think you can see from the foregoing, the few external connections on the DJ-100E have been well thought out to give maximum versatility.

Operation

At first sight the DJ-100E looks to be very simple rig to operate as you are not presented with a vast array of multi-function buttons which is so often the case with modern rigs. There is only one rotary control and that is the combined volume and on-off which is mounted on the top panel. The squelch on the DJ-100E is unusual in that it is pre-set, though it can be held open by operating a latching push button on the top panel.

The p.t.t. button is the now standard large push-button on the left hand side of the DJ-100E. Immediately below this is a smaller button which is used to send a 1750Hz tone burst for repeater access.

The front panel has only two controls, the first being a small push-button marked SHIFT which if pressed whilst using a repeater shift reverses the transmit and

receive frequencies. This is particularly useful for checking the input frequency to see if you could work the other party simplex. Though again the button is very small. The SHIFT button can also be used to select a repeater shift provided the FUNCTION button is held down. The other front panel control has a very useful feature which when operated, locks the operating frequency to prevent inadvertent frequency changes. This is particularly useful when operating portable under difficult conditions. One other feature of the front panel is a small hole marked RESET just below the speaker grille. Hidden in here is the reset button which when depressed erases all the memories and returns the rig to its original power-up condition. It may seem a bit of an obscure facility but it can be useful if the memory contents have become a mess and you want to start again!

Turning to the back panel, there is a single recessed slide switch which is used to switch between high and low r.f. power output. As mentioned earlier the maximum output is dependent on which battery pack is in use, and unusually the low power setting also varies, but with the standard pack it is 450mW.

There have been many ingenious systems used for frequency selection on portable rigs and the Alinco DJ-100E uses & and + buttons which shift the operating frequency up or down in 12.5kHz steps. These buttons are mounted on the back edge of the top panel and are approximately 4mm square, which may



well prove to be rather fiddly especially with a gloved hand. Obviously it is not very convenient to have to tune the whole band in 12.5kHz steps, so there are options included to increase this tuning step. The first is to press the blue FUNCTION button, which then increases the frequency steps to 100kHz, but only while the FUNCTION button is pressed. If you want a coarser frequency step, the FUNCTION and MEMO buttons can be used by holding the FUNCTION button depressed and pressing the MEMO button to give 1MHz frequency steps. This latter feature is essential if you want to make use of the optional extended receive frequency range of 140MHz to 170MHz.

The frequency display used was of the familiar liquid crystal type, but it was angled at about 20 degrees which made it easier to read. The display shows an abbreviated operating frequency with the one hundred MHz digit missing and conventional digits for tens and units of MHz and hundreds and tens of kHz. For the final digits three blocks were used to show that either 2.5kHz, 5kHz or 7.5kHz needs to be added to the displayed frequency. I'm sure this description is more confusing than the display, as I actually found it to be quite clear!

Signal strength and transmitter power output were indicated by a curved bargraph display which ran from the bottom left of the display to the top right.

The remaining segments of the display were used to indicate the memory channel, function key and f-lock operation.

Memories

No self respecting portable would be complete these days without a selection of memories and the DJ-100E is no exception. The DJ-100E is equipped with ten very versatile memories which can be recalled very quickly and easily. One of the notable features of the memories is that they work rather like ten v.f.o.s in that once a memory has been selected you can use the & and + buttons to change the frequency. The only problem with this system is that if you change the frequency the new frequency is stored in the memory so you can get yourself in a mess if you're not careful. Having said that, Alinco have a solution to the problem as each of the memories can be locked if required and this is indicated by a small M next to the memory number on the display. In addition to being able to store the operating frequency, the memories will also store 600kHz repeater shifts which is a very handy feature.

Storing a frequency in a memory is very simple. All you do is press the MEMO button until the required memory number is displayed, then set the frequency with the & and + buttons. If you want to lock the memory you just press FUNCTION and CALL buttons. Recalling a memory is equally simple as you only have to select the required memory number using the MEMO button.

The last memory feature is the CALL memory which is actually memory 0. This is particularly useful as it can be instantly recalled just by pressing the CALL button while a second press of the CALL button returns you to the previous operating frequency. This is ideal for storing a common local frequency, i.e. the local repeater.

On The Air

My first thoughts when I picked-up the DJ-100E was how well it fitted into the palm of my left hand, with the p.t.t. in just the right place for my thumb. The angled frequency readout was also very pleasant and definitely easier to read than some I have seen. Like a lot of amateurs, I'm always far too impatient to read the manual when I first get my hands on a rig,

and usually spend the first few minutes working out what all the controls do! The very simple layout of the DJ-100E meant that this was very easy and I soon had the basics sorted out.

Because the review model was a very early version (Ser No 512) the supplied manual was only a photo-copy, but nevertheless it proved to be quite adequate. The format for the manual was A5 and there were 10 pages starting with a specification and followed by a list of, and brief description of all the controls. The final section gave a description of how best to use some of the features.

Although the manual doesn't give details, it is apparently very easy to extend the transmit coverage to 140MHz - 146MHz and more usefully the receive coverage can be extended for 140MHz - 170MHz. One point to note here, is that for best results an external antenna will be required.

I found the audio level and quality from the DJ-100E to be very good, with it being just bright enough for clarity without being too harsh. On the transmit side, I received equally good reports from a number of stations. The receiver sensitivity was also good for a rig of this type.

Specifications

Frequency Coverage	144MHz-145.995MHz
Tuning Steps	12.5kHz
Signal Type	F3 (f.m.)
Antenna Impedance	50Ω (BNC)
Operating Voltage	5.5 to 12 volts
Operating Current	
Battery Save	15mA

Max. audio	Squelched 42mA
Transmit Hi	98mA
Transmit Lo	750mA
Dimensions	350mA
Weight	168 x 60 x 30mm
	250gm

RECEIVER

Type	Dual Conversion
1st i.f.	21.6MHz
2nd i.f.	455kHz
Sensitivity	< .25μV (12dB SINAD)
I.f Rejection	> 60dB
Selectivity	7.5kHz at -6dB
	15kHz at -60dB
Audio Output	> 200mW at 10% t.h.d.

TRANSMITTER

Output Power	2.5watts Hi
	450mW Lo With EBP-9A Battery
Modulation Variable	
reactance f.m.	
Max. Deviation	5kHz
Spurious output	> -60dB

Looking on the positive side, the DJ-100E incorporated a very useful battery saving circuit which powered down most of the receiver circuit for about 700ms in every second. If a signal is received the battery-save circuit is disabled until the signal disappears. Just to show you how effective it was on my tests, the normal quiescent current under no signal conditions was 42mA which reduced to 15mA with the battery-save circuit running. This is obviously a great advantage when operating portable, particularly on RAYNET exercises and the like, where you are listening for most of the time. **PW**



The DJ-100E cost £219.00 and is available from **Waters and Stanton Electronics** who were kind enough to loan the review model.

For The Radio Listener

PW BOOK SERVICE

VISA
0202 665524

The books listed have been selected as being of special interest to our readers. They are supplied from our editorial address direct to your door. Some titles are overseas in origin.

HOW TO ORDER

POST AND PACKING; add 75p for one book, £1 for two or more books, orders over £25 post and packing free, (overseas readers add £1.50 for one book, £2.50 for two or more for surface mail postage) and send a postal order, cheque or international money with your order (quoting book titles and quantities) to **PW Publishing Limited, FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP.** Payment by Access, Mastercard, Eurocard or Visa also accepted on telephone orders to Poole (0202) 665524. Books are normally despatched by return of post but please allow 28 days for delivery. Prices correct at time of going to press.

* A recent addition to our Book Service. O/P = Out of print, O/S = Out of stock.

RADIO

AIR & METEO CODE MANUAL

10th Edition

Joerg Klingenfuss

Detailed descriptions of the World Meteorological Organisation Global Telecommunication System operating FAX and RTTY meteo stations, and its message format with decoding examples. Also detailed description of the Aeronautical Fixed Telecommunication Network amongst others. 289 pages. £14.00

BETTER RADIO/TV RECEPTION

A. Nallawalla, A. T. Cushen and B. D. Clark

An Australian book giving guidance and advice to listeners seeking reliable reception of distant radio stations, and to DX listening hobbyists. 134 pages. £9.95

BETTER SHORTWAVE RECEPTION (USA)

W. S. Orr W6SAI and S. D. Cowan W2LX

Receivers, antennas, propagation, DX listening techniques for the short waves and v.h.f. 158 pages. £5.50

PASSPORT TO WORLD BAND RADIO 1989

This book gives you the information to explore and enjoy the world of broadcast band listening. It includes features on different international radio stations, receiver reviews and advice as well as the hours and languages of broadcast stations by frequency. 398 pages. £10.95

SCANNERS (updated)

Peter Rouse GU1DKD

A guide for users of scanning receivers, covering hardware, antennas, accessories, frequency allocations and operating procedures. 177 pages. £7.95

SCANNERS 2

Peter Rouse GU1DKD

The companion to Scanners, this provides even more information on the use of the v.h.f. and u.h.f. communications band and gives constructional details for accessories to improve the performance of scanning equipment. 216 pages. £9.95

SHORT WAVE RADIO LISTENERS' HANDBOOK

Arthur Miller

In easy-to-read and non-technical language, the author guides the reader through the mysteries of amateur, broadcast and CB transmissions. 207 pages. O/P

RADIOTELETYPE CODE MANUAL

10th Edition

Joerg Klingenfuss

This book gives detailed descriptions of the characteristics of telegraph transmission on short waves, with all commercial modulation types including voice frequency telegraphy and comprehensive information on all RTTY systems and c.w. alphabets. 96 pages. £8.00

THE SATELLITE EXPERIMENTER'S HANDBOOK (USA)

A guide to understanding and using amateur radio, weather and TV broadcast satellites. 207 pages. £9.25

1934 OFFICIAL SHORT WAVE RADIO MANUAL

Edited by Hugo Gernsback

A fascinating reprint from a bygone age with a directory of all 1934 s.w. receivers, servicing information, constructional projects, circuits and ideas on building vintage sets with modern parts. 260 pages. £9.75

HIGH POWER WIRELESS EQUIPMENT

Articles from *Practical Electricity* 1910-11

Edited by Henry Walter Young

A reprint of interesting practical articles from the early days of radio. 99 pages. £6.85

BEGINNERS

AN INTRODUCTION TO RADIO DXING (BP91)

R. A. Penfold

How to find a particular station, country or type of broadcast

and to receive it as clearly as possible. 112 pages. £1.95

BEGINNER'S GUIDE TO RADIO

9th Edition

Gordon J. King

Radio signals, transmitters, receivers, antennas, components, valves and semiconductors, CB and amateur radio are all dealt with here. 266 pages. £6.95

ELECTRONICS SIMPLIFIED - CRYSTAL SET CONSTRUCTION (BP92)

F. A. Wilson

Especially written for those who wish to take part in basic radio building. All the sets in the book are old designs updated with modern components. 72 pages. £1.75

QUESTIONS & ANSWERS RADIO

Eugene Trundle

Basics of electrical theory, radio and semiconductors, receivers, amateur and CB radio, and test equipment. 110 pages. O/P

THE SIMPLE ELECTRONICS CIRCUIT AND COMPONENTS Book One (BP62)

The aim of this book is to provide an in-expensive but comprehensive introduction to modern electronics. 209 pages. £3.50

TELEVISION

AN INTRODUCTION TO SATELLITE TELEVISION (BP195)

F. A. Wilson

Answers all kinds of questions about satellite television. For the beginner thinking about hiring or purchasing a satellite TV system there are details to help you along. For the engineer there are technical details including calculations, formulae and tables. 104 pages. £5.95

A TV-DXERS HANDBOOK (BP176)

R. Bunney

Information on transmission standards, propagation, receivers including multi-standard, colour, satellites, antennas, photography, station identification, interference etc. Revised and updated 1986. 87 pages. £5.95

GUIDE TO WORLD-WIDE TELEVISION TEST CARDS Edition 3

Keith Hamer & Garry Smith

Completely revised and expanded, this is a handy reference book for the DXTV enthusiast. Over 200 photographs of Test Cards, logos, etc., world wide. 60 pages. £4.95

SATELLITE TELEVISION INSTALLATION GUIDE

2nd Edition

John Breeds

A practical guide to satellite television. Detailed guidelines on installing and aligning dishes based on practical experience. 56 pages. £11.95

THEORY

COMMUNICATION (BP89)

Elements of Electronics Book 5

F. A. Wilson

Fundamentals of line, microwave, submarine, satellite, digital multiplex, radio and telegraphy systems are covered, without the more complicated theory or mathematics. 256 pages. £2.95

FILTER HANDBOOK A practical design guide

by Stefan Niewiadomski

A practical book, describing the design process as applied to filters of all types. Includes practical examples and BASIC programs. 195 pages. £25.00

FROM ATOMS TO AMPERES

F. A. Wilson

Explains in simple terms the absolute fundamentals behind electricity and electronics. 244 pages. £3.50

LEVEL II RADIO & ELECTRONICS THEORY

Ian Ridpath ZL1BCG

A sequel to Amateur Radio & Electronics Study Course, covers advanced theory to a level for most technician courses. The handwritten format aims to make the student feel these are his own notes. 169 pages. £6.70

PRACTICAL ELECTRONICS CALCULATIONS AND FORMULAE (BP53)

F. A. Wilson

This has been written as a workshop manual for the electronics enthusiast. There is a strong practical bias and higher mathematics have been avoided where possible. 249 pages. £3.95

SOLID STATE DESIGN FOR THE RADIO AMATEUR

Wes Hayward W7ZOI and Doug DeMaw W1FB

Back in print by popular demand! A revised and corrected edition of this useful reference book covering all aspects of solid-state design. 256 pages. £10.95

The ARRL ELECTRONICS DATA BOOK

Doug DeMaw W1FB

Back by popular demand, completely revised and expanded, this is a handy reference book for the r.f. designer, technician, amateur and experimenter. 260 pages. £8.95

LISTENING GUIDES

AIR BAND RADIO HANDBOOK

David J. Smith

Listen to conversations between aircraft and ground control. The author, an air traffic controller, explains more about this listening hobby. 174 pages. O/P

AIR TRAFFIC CONTROL

David Adair

A guide to air traffic control with maps, drawings and photographs explaining how aircraft are guided through crowded airspace. 176 pages. £6.99

DIAL SEARCH

5th Edition 1988/89

George Wilcox

The listener's check list and guide to European broadcasting. Covers m.w., l.w., v.h.f. and s.w., including two special maps. 46 pages. £3.25

FLIGHT ROUTINGS 1989

T.T. Williams

Identifies the flights of airlines, schedule, charter, cargo and mail, to and from the UK and Eire and overflights between Europe and America. 104 pages. £4.00

GUIDE TO BROADCASTING STATIONS

20th Edition 1989/90

Phillip Darrington

Frequency and station data, receivers, antennas, Latin American DXing, reporting, computers in radio, etc. 240 pages. £9.95

GUIDE TO FACSIMILE STATIONS 9th Edition

Joerg Klingenfuss

This manual is the basic reference book for everyone interested in FAX. Frequency, call sign, name of the station, ITU country/geographical symbol, technical parameters of the emission are all listed. All frequencies have been measured to the nearest 100Hz. 318 pages. £12.00

GUIDE TO FORMER UTILITY TRANSMISSIONS

3rd Edition

Joerg Klingenfuss

Built on continuous monitoring of the radio spectrum from the sixties until the recent past. A useful summary of former activities of utility stations providing information in the classification and identification of radio signals. 126 pages. £8.00

GUIDE TO UTILITY STATIONS

7th Edition

Joerg Klingenfuss

This book covers the complete short wave range from 3 to 30MHz plus the adjacent frequency bands from 0 to 150kHz and from 1.6 to 3MHz. It includes details on all types of utility stations including FAX and RTTY. There are 15802 entries in the frequency list and 3123 in the alphabetical call sign list plus press services and meteorological stations. 494 pages. £19.00

HF OCEANIC AIRBAND COMMUNICATIONS

3rd Edition

Bill Laver

Aircraft channels by frequency and band, main ground radio stations, European R/T networks, North Atlantic control frequencies. 29 pages. £3.50

INTERNATIONAL RADIO STATIONS GUIDE (BP255)

Revised and updated in 1988, this book shows the site, country, frequency/wavelength and power of stations in Europe, the Near East and N. Africa, North and Latin America and the Caribbean, plus short wave stations worldwide. 128 pages. £4.95

MARINE UK RADIO FREQUENCY GUIDE

Bill Laver

A complete guide to the UK s.w. and v.h.f. marine radio networks. Useful information, frequency listings and the World Marine Coastal Phone Stations. 62 pages. £4.95

NEWNES SHORT WAVE LISTENING HAND BOOK

Joe Pritchard G1UQW

A technical guide for all short wave listeners. Covers construction and use of sets for the s.w.l. who wants to explore the bands up to 30MHz. 288 pages. £12.95

THE COMPLETE VHF/UHF FREQUENCY GUIDE

Updated 1988

This book gives details of frequencies from 26-2250MHz with no gaps and who uses what. Recently updated, there are chapters on equipment requirements as well as antennas, etc. 88 pages. £5.95

THE INTERNATIONAL VHF FM GUIDE

7th Edition

Julian Baldwin G3UHK and Kris Partridge G8AUU

The latest edition of this useful book gives concise details of repeaters and beacons worldwide plus coverage maps and further information on UK repeaters. 70 pages. £2.85

THE POCKET GUIDE TO RTTY AND FAX STATIONS

Bill Laver

A handy reference book listing RTTY and FAX stations, together with modes and other essential information. The listing is in ascending frequency order, from 1.6 to 27.1MHz. 46 pages. £2.95

SHORT WAVE LISTENERS CONFIDENTIAL

FREQUENCY LIST

Bill Laver

Covering the services and transmission modes that can be heard on the bands between 1.635 and 29.7MHz. £7.95

VHF/UHF AIRBAND FREQUENCY GUIDE (Updated)

A complete guide to the airband frequencies including how to receive the signals, the frequencies and services, VOLMET and much more about the interesting subject of airband radio. 74 pages. £5.95

WORLD RADIO TV HANDBOOK 1989

Country-by-country listings of long, medium and short wave broadcast and TV stations. Receiver test reports. English language broadcasts. The s.w.l.'s "bible". 576 pages. £17.95

INTERFERENCE

INTERFERENCE HANDBOOK (USA)

William R. Nelson WA6FGQ

How to locate and cure r.f.i. for radio amateurs, CBers and TV and stereo owners. 253 pages. £6.75

RADIO FREQUENCY INTERFERENCE (USA)

What causes r.f.i.? Are all r.f.i. problems difficult, expensive and time-consuming to cure? These questions and many more are answered in this book. 84 pages. £4.30

TELEVISION INTERFERENCE MANUAL (RSGB)

B. Priestly

TV channels and systems, spurious-radiation TVI, strong-signal TVI, audio breakthrough, transmitter design. 78 pages. £2.94

AMATEUR RADIO

AMATEUR RADIO CALL BOOK (RSGB)

Winter 88/89 Edition

Now incorporates a 48-page section of useful information for amateur radio enthusiasts. 310 pages. £7.00

AMATEUR RADIO LOGBOOK

Standard logbook for the transmitting amateur in horizontal A4 format. 25 lines per page. 96 pages. £2.30

AMATEUR RADIO OPERATING MANUAL (RSGB)

A mine of information on just about every aspect of amateur operating. International call sign series holders, prefix lists, DXCC countries list, etc. 204 pages. £6.16

AMATEUR RADIO SATELLITES the first 25 years

Arthur C. Gee G2UK

This souvenir publication mainly a pictorial account of the pattern of developments which have occurred over the last 25 years. 34 pages. £2.25

AN INTRODUCTION TO AMATEUR RADIO (BP257)

I.D. POOLE

This book gives the newcomer a comprehensive and easy to understand guide through amateur radio. Topics include operating procedures, jargon, propagation and setting up a station. 150 pages. £3.50

CARE AND FEEDING OF POWER GRID

TUBES (USA)

This handbook analyses the operation of EIMAC power grid valves and provides design and application information to assist the user of these valves. 156 pages. O/P

HINTS AND KINKS FOR THE RADIO AMATEUR

Edited by Charles L. Hutchinson and David Newkirk

A collection of practical ideas gleaned from the pages of QST magazine. 152 pages. £4.95

HOW TO PASS THE RADIO AMATEURS'

EXAMINATION (RSGB)

Clive Smith G4FZH and George Benbow G3HB

The background to multiple choice exams and how to study for them with sample RAE papers for practice plus maths revision. 88 pages. £5.65

PASSPORT TO AMATEUR RADIO

Reprinted from PW 1981-1982

The famous series by GW3JGA, used by thousands of successful RAE candidates in their studies. Plus other useful articles for RAE students. 96 pages. £1.50

PRACTICAL IDEAS FOR RADIO AMATEURS

Ian Poole G3YWX

Offers a wealth of hints, tips and general practical advice for all transmitting amateurs and short wave listeners. 128 pages. £5.95

QUESTIONS & ANSWERS AMATEUR RADIO

F. C. Judd G2BCX

What is amateur radio? The Radio Amateurs' Exam and Licence. Technology, equipment, antennas, operating procedures and codes. 122 pages. £3.95

RADIO AMATEUR'S GUIDE TO RADIO WAVE

PROPAGATION

(HF Bands)

F. C. Judd G2BCX

The how and why of the mechanism and variations of propagation in the h.f. bands. 144 pages. £8.95

THE 1989 ARRL HANDBOOK FOR THE RADIO

AMATEUR

This is the 66th edition of this very useful hardback reference book. Updated throughout it has several new sections covering oscilloscopes, spectrum analysers, digital frequency synthesis, phase-noise measurement and new constructional projects. 1200 pages. O/S

*THE ARRL OPERATING MANUAL

Another very useful book from the ARRL. Although written for the American radio amateur, this book will also be of use and interest to the UK amateur. 684 pages. £12.95

THE COMPLETE DX'ER

Bob Locher W9KNI

Now back in print, this book covers equipment and operating techniques for the DX chaser, from beginner to advanced. 187 pages. £7.95

THE RAE MANUAL (RSGB)

G.L. Benbow G3HB

The latest edition of the standard aid to studying for the Radio Amateurs' Examination. Updated to cover the latest revisions to the syllabus. 132 pages. £5.65

THE RADIO AMATEUR'S DX GUIDE (USA)

15th Edition

The guide contains information not easily obtained elsewhere and is intended as an aid and quick reference for all radio amateurs interested in DX. 38 pages. £2.95

THE RADIO AMATEUR'S QUESTIONS & ANSWER

REFERENCE MANUAL

3rd Edition

R. E. G. Petri G8CCJ

This book has been compiled especially for students of the City and Guilds of London Institute RAE. It is structured with carefully selected multiple choice questions, to progress with any recognised course of instruction, although it is not intended as a text book. 258 pages. O/P

VHF HANDBOOK FOR RADIO AMATEURS (USA)

H. S. Brier W9EGQ & W. I. Orr W6SAI

VHF/UHF propagation, including moonbounce and satellites, equipment and antennas. 335 pages. £7.95.

VHF/UHF MANUAL (RSGB)

G. R. Jessop G6JP

Theory and practice of amateur radio reception and transmission, between 30MHz and 24GHz. 520 pages. £8.94

MAPS

IARU LOCATOR MAP OF EUROPE

DARC

This multi-coloured, plastics laminated, map of Europe shows the AIRU ("Maidenhead") Locator System. Indispensable for the v.h.f. and u.h.f. DX'er. 692 x 872mm. £5.25

RADIO AMATEUR'S MAP OF NORTH AMERICA (USA)

Shows radio amateur prefix boundaries, continental boundaries and zone boundaries. 760 x 636mm. £2.50

RADIO AMATEUR'S PREFIX MAP OF THE WORLD

(USA)

Showing prefixes and countries, plus listings by order of country and of prefix. 1014 x 711mm. £2.95

RADIO AMATEUR'S WORLD ATLAS (USA)

Seventeen pages of maps, including the world-polar projection. Also includes the table of allocation of international call sign series. £3.50

DATA REFERENCE

DIGITAL IC EQUIVALENTS AND PIN CONNECTIONS

(BP140)

A. Michaels

Equivalents and pin connections of a popular selection of European, American and Japanese digital i.c.s. 256 pages. £5.95.

INTERNATIONAL DIODE EQUIVALENTS GUIDE

(BP108)

A. Michaels

Possible substitutes for a large selection of many different types of semiconductor diodes. 144 pages. £2.25.

INTERNATIONAL TRANSISTOR EQUIVALENTS

GUIDE (BP85)

A. Michaels

Possible substitutes for a popular selection of European, American and Japanese transistors. 320 pages. £3.50

LINEAR IC EQUIVALENTS AND PIN

CONNECTIONS (BP141)

A. Michaels

Equivalents and pin connections of a popular selection of European, American and Japanese linear i.c.s. 320 pages. O/P

NEWNES AUDIO & HI-FI ENGINEER'S POCKET BOOK

Vivian Capel

This is a concise collection of practical and relevant data for anyone working on sound systems. The topics covered include microphones, gramophones, CDs to name a few. 190 pages. Hardback £9.95

NEWNES COMPUTER ENGINEER'S POCKET BOOK

This is an invaluable compendium of facts, figures, circuits and data and is indispensable to the designer, student, service engineer and all those interested in computer and microprocessor systems. 203 pages. Hardback £8.95

NEWNES ELECTRONICS POCKET BOOK

5th Edition

Presenting all aspects of electronics in a readable and largely non-mathematical form for both the enthusiast and the professional engineer. 315 pages. Hardback £8.95

NEWNES RADIO AMATEUR AND LISTENER'S

POCKET BOOK

Steve Money G3FZX

This book is a collection of useful and intriguing data for the traditional and modern radio amateur as well as the short wave listener. Topics such as AMTOR, packet radio, SSTV, computer communications, airband and maritime communications are all covered. 160 pages. Hardback £8.95

NEWNES RADIO AND ELECTRONICS ENGINEER'S

POCKET BOOK

17th Edition

Keith Brindley

Useful data covering math, abbreviations, codes, symbols, frequency bands/allocation, UK broadcasting stations, semi-conductors, components, etc. 201 pages. Hardback £6.95

NEWNES TELEVISION AND VIDEO ENGINEER'S

POCKET BOOK

Eugene Trundle

This is a valuable reference source for practitioners in "entertainment" electronic equipment. It covers TV reception from v.h.f. to s.h.f. display tubes, colour camera technology, video recorder and video disc equipment, video text and hi-fi sound. 323 pages. Hardback £9.95

POWER SELECTOR GUIDE (BP235)

J. C. J. Van de Ven

This guide has the information on all kinds of power devices in useful categories (other than the usual alpha numeric sort) such as voltage and power properties making selection of replacements easier. 160 pages. £4.95

RSGB RADIO DATA REFERENCE BOOK **G. R. Jessop G6JP**

The 5th Edition of an essential book for the radio amateur's or experimenter's workbench. 244 pages. Hardback £8.56

SEMICONDUCTOR DATA BOOK **A.M.Ball**

Characteristics of some 10000 transistors, f.e.t.s, u.j.t.s, diodes, rectifiers, triacs and s.c.r.s. 175 pages. £9.95

TRANSISTOR SELECTOR GUIDE (BP234) **J. C. J. Van de Ven**

This guide has the information on all kinds of transistors in useful categories (other than the usual alpha numeric sort) such as voltage and power properties making selection of replacements easier. 192 pages. £4.95

FAULT FINDING

ARE THE VOLTAGES CORRECT? **Reprinted from PW 1982-1983**

How to use a multimeter to fault-find on electronic and radio equipment, from simple resistive dividers through circuits using diodes, transistors, i.c.s and valves. 44 pages. £1.50

GETTING THE MOST FROM YOUR MULTIMETER **(BP239)**

R. A. Penfold
This book is primarily aimed at beginners. It covers both analogue and digital multimeters and their respective limitations. All kinds of testing is explained too. No previous knowledge is required or assumed. 102 pages. £2.95

OSCILLOSCOPES, HOW TO USE THEM, HOW THEY WORK **Ian Hickman**

This book describes oscilloscopes ranging from basic to advanced models and the accessories to go with them. 133 pages. £7.95

PRACTICAL HANDBOOK OF VALVE RADIO REPAIR

Chas E. Miller
The definite work on repairing and restoring valved broadcast receivers dating from the 1930s to the 60s. Appendices giving intermediate frequencies, valve characteristic data and base connections. 230 pages. Hardback £20.00

SERVICING RADIO, HI-FI AND TV EQUIPMENT **Gordon J. King**

A very practical book looking at semiconductor characteristics, d.c. and signal tests, fault-finding techniques for audio, video, r.f. and oscillator stages and their application to transistor radios and hi-fi. 205 pages. £10.95

TRANSISTOR RADIO FAULT FINDING CHART (BP70) **C. E. Miller**

Used properly, should enable most common faults to be traced reasonably quickly. Selecting the appropriate fault description at the head of the chart, the reader is led through a sequence of suggested checks until the fault is cleared. 635 x 455mm (approx) £0.95

CONSTRUCTION

HOW TO DESIGN AND MAKE YOUR OWN P.C.B.s **(BP121)**

R. A. Penfold
Designing or copying printed circuit board designs from magazines, including photographic methods. 80 pages. £2.50

INTRODUCING ORP

Collected articles from PW 1983-1985
An introduction to low-power transmission, including constructional details of designs by Rev. George Dobbs G3RJY for transmitters and transceivers from Top Band to 14MHz, and test equipment by Tony Smith G4FAI. 64 pages. £1.50

MORE ADVANCED POWER SUPPLY PROJECTS **(BP192)**

R. A. Penfold
The practical and theoretical aspects of the circuits are covered in some detail. Topics include switched mode power supplies, precision regulators, dual tracking regulators and computer controlled power supplies, etc. 92 pages. £2.95

POWER SUPPLY PROJECTS (BP76) **R. A. Penfold**

This book gives a number of power supply designs including simple unregulated types, fixed voltage regulated types and variable voltage stabilised designs. 91 pages. £2.50

PRACTICAL POWER SUPPLIES

Collected articles from PW 1978-1985
Characteristics of batteries, transformers, rectifiers, fuses

and heatsinks, plus designs for a variety of mainsdriven power supplies, including the PW "Marchwood" giving a fully stabilised and protected 12V 30A d.c. 48 pages. £1.25

ORP NOTEBOOK **Doug DeMaw W1FB**

This book deals with the building and operating of a successful ORP station. Lots of advice is given by the author who has spent years as an ardent ORPer. All the text is easy-to-read and the drawings large and clear. 77 pages. £4.95

TEST EQUIPMENT CONSTRUCTION **R.A.Penfold**

Describes, in detail, how to construct some simple and inexpensive, but extremely useful, pieces of test equipment. 104 pages. £2.95

50 (FET) FIELD EFFECT TRANSISTOR PROJECTS **F.G.Rayer**

50 circuits for the s.w.l., radio amateur, experimenter or audio enthusiast using f.e.t.s. 104 pages. £2.95

AUDIO FREQUENCIES

AUDIO (BP111) **Elements of Electronics Book 6**

F. A. Wilson
This book studies sound and hearing, and the operation of microphones, loudspeakers, amplifiers, oscillators and both disc and magnetic recording. 320 pages. £3.50

ANTENNAS (AERIALS)

AERIAL PROJECTS (BP105)
Practical designs including active, loop and ferrite antennas plus accessory units. 96 pages. £2.50

ALL ABOUT CUBICAL QUAD ANTENNAS (USA)
W. I. Orr W6SAI & S. D. Cowan W2LX
Theory, design, construction, adjustment and operation of quads. Quads vs. Yagis. Gain figures. 109 pages. £5.50

ALL ABOUT VERTICAL ANTENNAS (USA)
W. I. Orr W6SAI & S. D. Cowan W2LX
Theory, design, construction, operation, the secrets of making vertical work. 191 pages. £7.50

AN INTRODUCTION TO ANTENNA THEORY (BP198)
H. C. Wright
This book deals with the basic concepts relevant to receiving and transmitting antennas. Lots of diagrams reduce the amount of mathematics involved. 86 pages. £2.95

BEAM ANTENNA HANDBOOK (USA)
W. I. Orr W6SAI & S. D. Cowan W2LX
Design, construction, adjustment and installation of h.f. beam antennas. 198 pages. O/S

HF ANTENNAS FOR ALL LOCATIONS (RSGB)
L. A. Moxon G6XN
Taking a new look at how h.f. antennas work, and putting theory into practice. 260 pages. £5.19

***NOVICE ANTENNA NOTEBOOK**
Doug DeMaw W1FB
Another book from the pen of W1FB, this time offering "new ideas for beginning hams". All the drawings are large and clear and each chapter ends with a glossary of terms. 130 pages. £5.95

OUT OF THIN AIR
Collected Antenna Articles from PW 1977-1980
Including such favourites as the ZL Special and '2BCX 16-element beams for 2m, and the famous "Slim Jim", designed by Fred Judd G2BCX. Also features systems for Top Band, medium wave/long wave loop designs and a v.h.f. direction finding loop. Plus items on propagation, accessories and antenna design. 80 pages. £1.80

SIMPLE, LOW-COST WIRE ANTENNAS FOR RADIO AMATEURS (USA)
W. I. Orr W6SAI & S. D. Cowan W2LX
Efficient antennas for Top Band to 2m, including "invisible" antennas for difficult station locations. 191 pages. £6.75

THE ARRL ANTENNA BOOK (USA) 15th Edition
A station is only as effective as its antenna system. This book covers propagation, practical constructional details of almost every type of antenna, test equipment and formulas and programs for beam heading calculations. £12.95

SEE PAGES 17& 45 FOR
EXTRA BOOK BARGAINS

THE ARRL ANTENNA COMPENDIUM (USA)
Volume One
Fascinating and hitherto unpublished material. Among the topics discussed are quads and loops, log periodic arrays, beam and multi-band antennas, verticals and reduced size antennas. 175 pages. £9.25

WIRES & WAVES
Collected Antenna Articles from PW 1980-1984
Antenna and propagation theory, including NBS Yagi design data. Practical designs for antennas from medium waves to microwaves, plus accessories such as a.t.u.s, s.w.r. and power meters and a noise bridge. Dealing with TVI. 160 pages. £3.00

W1FB'S ANTENNA NOTEBOOK
Doug DeMaw W1FB
This book provides lots of designs, in simple and easy to read terms, for simple wire and tubing antennas. All drawings are large and clear making construction much easier. 124 pages. £5.95

25 SIMPLE AMATEUR BAND AERIALS (BP125)
E. M. Noll
How to build 25 simple and inexpensive aerials, from a simple dipole through beam and triangle designs to a mini-rhombic. Dimensions for specific spot frequencies including the WARC bands. 80 pages. £1.95

25 SIMPLE INDOOR AND WINDOW AERIALS (BP136)
E. M. Noll
Designs for people who live in flats or have no gardens, etc., giving surprisingly good results considering their limited dimensions. 64 pages. £1.75

25 SIMPLE SHORT WAVE BROADCAST BAND AERIALS (BP132)
E. M. Noll
Designs for 25 different aerials, from a simple dipole through helical designs to a multi-band umbrella. 80 pages. £1.95

25 SIMPLE TROPICAL AND MW BAND AERIALS (BP145)
E. M. Noll
Simple and inexpensive aerials for the broadcast bands from medium wave to 49m. 64 pages. £1.75

THE RADIO AMATEUR ANTENNA HANDBOOK
William I. Orr W6SAI & Stuart D. Cowan W2LX
Yagi, quad, quagi, I-p, vertical, horizontal and "sloper" antennas are all covered. Also towers, grounds and rotators. 190 pages. £6.75

COMPUTING

AN INTRODUCTION TO COMPUTER COMMUNICATIONS (BP177)
R. A. Penfold
Details of various types of modem and their applications, plus how to interconnect computers, modems and the telephone system. Also networking systems and RTTY. 96 pages. £2.95

AN INTRODUCTION TO COMPUTER PERIPHERALS (BP170)
J. W. Penfold
Covers a wide range of computer peripherals such as monitors, printers, disk drives, cassette recorders, modems, etc., explaining what they are, how to use them and the various types of standards. 80 pages. £2.50

MICROPROCESSING SYSTEMS AND CIRCUITS (BP77)
Elements of Electronics Book 4
F. A. Wilson
A comprehensive guide to the elements of microprocessing systems, which are becoming ever more involved in radio systems and equipment. 256 pages. £2.95

MORSE


INTRODUCING MORSE
Collected Articles from PW 1982-1985
Ways of learning the Morse Code, followed by constructional details of a variety of keys including Iambic, Triambic, and an Electronic Bug with a 528-bit memory. 48 pages. £1.25

THE MORSE CODE FOR RADIO AMATEURS (RSGB)
Margaret Mills G3ACC
A guide to learning to send and receive Morse code signals up to the 12 w.p.m. required for the radio amateur aspiring to a Class A licence having passed the RAE. 19 pages. £2.88

THE SECRET OF LEARNING MORSE CODE
Mark Francis
Designed to make you proficient in Morse code in the shortest possible time, this book points out many of the pitfalls that beset the student. 87 pages. £4.95


NEVADA

.....TALK TO THE WORLD



TALK KENWOOD

We are now officially appointed Kenwood dealers for the South Coast - and carry the complete range in stock. Heres a selection:-



TS950SD New Digit HF Transceiver	£3199
TM 231E 2 Mtr mob.	£289
TM 431E 70cm mob.	£318
TM 701E 2/70cm mob.	£469
TR 751E 2/70 mobile	£599
TH 75E 2/70cm H/held	CALL
TS 711E 2 Mtr Multi Mod (s/soiled)	£799
TS 440S HF	£1138
TS 940S HF	£1995


TALK ATU'S

TM 1000 1 KW ALL BAND ATU

Using our high power roller coaster this ATU gives effortless matching of all long wire, G5RV vertical and coax fed antennas

Standard Model TM1000	£168
Balun Model TM1000B	£199
Standard TM1000 Kit Form	£138

(Add £5.75 carriage for all models)



BUILD YOUR OWN AMPLIFIER OR ATU WITH OUR RANGE OF HIGH POWER COMPONENTS



Roller Coaster 30 µH	£28.00
Var. cap 250 pF (8kv)	£19.95
Var. cap 250 + 250 pF (8kv)	£28.00
Var. cap 750 pF (4kv)	£28.00
Turns Counter (For Roller)	£14.95
Empty ATU Case	£26.00
2kw Balun Assembly	£28.00



TALK ICOM

We have just been appointed ICOM dealers for the South Coast.....Call Paul Martin our ICOM specialist for info and prices.

32E



IC - 2SE	Call
IC - 4SE 70cm H/held	Call
IC - 32E 2/70 H/held	Call
IC - 3210E 2/70 Mobile	Call
IC - R7000 Receiver	Call
IC - R71E Receiver	Call
IC - 725 HF TCVR	Call
IC - 735 HF TCVR	Call
IC - 751A HF TCVR	Call
IC - 761 HF TCVR	Call
IC - 228H 2m/45w	Call
IC - 448E 70/25w	Call

TALK SCANNERS

We probably carry the largest stocks of scanners in the U.K. Our New Bumper Catalogue features all the latest models.

Here is a selection:-

New Jupiter 11 H/held	£299
New Jupiter 11 Mobile	£379

BEARCAT

200 XLT H/held	£229
100 XLT H/held	£199
100 XL H/held	£179
55 XL H/held	£99
590 XLT Mobile	£199
760 XLT Mobile	£249
145 XL Base	£115
175 XL Base	£169
210 XL Base	£169

Black Jaguar BJ200 111	£199
Sony Air 7	£229
Sony Pro 80	£299

SCANNER ANTENNAS

Nevada Discone (50 - 700 Mhz)	£24.00
WB1300 Discone (25-1300 Mhz)	£59.95
PA15 Colinear (100 - 960 Mhz)	£49.95

ABIS SCANNER PRE-AMP

- * 25-2100 Mhz
- * Low noise GAAS Fet
- * Variable Gain
- * Switchable Band - Pass Filters

NOW IN STOCK

£79.95



AOR SCANNERS

AR 3000 NEW	£765
AR 2002	£487
AR 900	£235
AR 950 NEW!	£249
Sony ICF 7600 S/H	£99.00
Standard AX700 Base	£575

Large selection of S/H bargains call John Gordon for details

TALK ACCESSORIES

REMOTE MAST HEAD SWITCHES

NEVADA HF2 £39.95

Freq:- 1.8 - 185 Mhz

Connections:- S0239

Power:- 1,000 W Pep

NEVADA CAS - A2 £49.95

Freq:- DC - 1.3 Ghz

Connectors:- 'N' Type

Power:- 150/300 Watts

SADELTA XL30 Mic

A new electret base mic, that will give your Kenwood, Yaesu, Icom, or other leading brand of Transceiver extra 'punch' and 'clarity'. The mic may be powered from the Transceiver direct or with an internal PP3 battery.

Introductory Offer £39.95

SADELTA CM 40 Mic

As the XL 30 above, but with Vol/Tone controls

Introductory Offer £49.95

NEVADA DUMMY LOAD


A professionally built 50

Ohm dummy load that


is good to 3 Ghz!

using 'N' type connector

Introductory Offer £29.95




TALK AMPLIFIERS



B300P

MOBILE AMPS

B150 180w (26 - 30 MHz)	£54.95
B300P 300w (6 - 30 MHz + preamp)	£147.52
B550P 500w (6 - 30 MHz)	£237.00
B303 200w (6 - 30 MHz)	£114.67
TC50 15w (50 - 52 MHz)	£29.95
BRL35 45w (26 - 30 MHz)	£29.95
BRL40 70w (26 - 30 MHz)	£34.50
BRL31 28w (26 - 30 MHz)	£19.95



TC50DX 50Mhz amplifier

B250 250w (6 - 30 MHz) 24 volt	£115
737 80w (26 - 30 MHz)	£35.41
735 35w (26 - 30 MHz)	£18.54
B110 110w (142 - 170 MHz)	£145
BASE AMPLIFIERS	
B132 240w (3 - 30 MHz)	£129
BV131 250w (26 - 30 MHz)	£115
B507 300w (3 - 30 MHz)	£278



SEND IN NOW JUST £2 FOR OUR NEW BUMPER CATALOGUE (INCLUDES £2 VOUCHER)



NEVADA COMMUNICATIONS.....WE TALK YOUR LANGUAGE

189 LONDON ROAD, NORTH END, PORTSMOUTH, PO2 9AE ORDER HOTLINE (0705) 662145

Theory

Reading & Understanding Circuit Diagrams

(with a bit of theory thrown in)

In part 20 of this series, R.F. Fautley G3ASG starts to look at the various methods of impedance matching.

Impedance Matching

First of all, what do we mean by "matching". In the section about filters, we discussed matching a source to a load (Fig. 19.2) and stated that if the load impedance (which may be completely resistive like R_L) is made the same value as the source impedance (or resistance like R_S) then the source and load are said to be "matched". This condition provides maximum power to be sent from the source to the load. It can be proved mathematically that this is so by use of differential calculus, but it can also be shown graphically as below.




Fig. 20.1

Taking the circuit of Fig. 20.1 as a simple example of a d.c. source (battery or power supply) having an internal (or source) resistance of R_S and a resistive load R_L , we can evaluate the power in the load for different values of R_L .

By Ohm's Law:

$$I = \frac{V_S}{R_S + R_L}$$

and the power in R_L , call it P_L , will be

$$P_L = (I)^2 \times R_L$$

Suppose the source has a voltage of 12V d.c. and a resistance of 6Ω. Although this value of source resistance is very much higher than would usually be met with in practice, it is suitable for demonstrating the principle.

If $R_S = 6\Omega$ and $V_S = 12V$

$$I = \frac{12}{6 + R_L} \text{ and } P_L = (I)^2 \times R_L$$

Putting in values for R_L from 0Ω to say 20Ω, the power for each value can be evaluated.

If $R_L = 0\Omega$ then:

$$I = \frac{12}{6 + 0} = \frac{12}{6} = 2A$$

and

$$P_L = 2^2 \times 0 = 4 \times 0 = 0W$$

which is fairly obvious if there is no load resistance!

Taking $R_L = 0.5\Omega$ then:

$$I = \frac{12}{6 + 0.5} = \frac{12}{6.5} = 1.846A$$

and

$$P_L = (1.846)^2 \times 0.5 = 3.408 \times 0.5 = 1.704W$$

Let $R_L = 1\Omega$

$$I = \frac{12}{6 + 1} = \frac{12}{7} = 1.714A$$

and

$$P_L = (1.714)^2 \times 1 = 2.938 \times 1 = 2.938W$$

Continuing with different values for R_L we get the table below.

Plotting the values of R_L against P_L gives the graph shown on Fig. 20.2 which clearly indicates that the peak power is obtained when R_L is 6Ω. This is, of course, the same value as R_S , the internal resistance of the d.c. source. QED!

Although the same principle applies to a.c. sources and loads it all becomes more complicated when reactance also appears with resistance within either the generator (source), the load, or both. The problem is then about matching impedances rather than simple resistances, which is really what this section is all about!

The whole of this part comprises design, but the subject of impedance matching is a design problem. The matching circuits on their own would provide very little information.

In general, impedance matching means providing some sort of device or network which will enable the maximum power to be transferred from a source to a load. It has already been demonstrated for a d.c. supply that this maximum power transfer occurs when the resistance of the load is equal to the resistance of the source. This is also true for a.c. sources, but if the resistance of the available load is not the same as the source resistance, some form of matching device will be necessary or the maximum amount of power will not be transferred. This matching could take the form of a transformer, or alternatively a network comprising reactive components, and it's the latter method that will be discussed.

All sources and loads have resistive components and it's these resistive parts that need to be matched to provide the maximum power transfer. Unfortunately, sources and loads are not always purely




Fig. 20.2

$R_L (\Omega)$	$6 + R_L (\Omega)$	$I = 12 / (6 + R_L) (A)$	$P_L = (I)^2 \times R_L (W)$
0	6	2.0	0
0.5	6.5	1.846	1.704
1	7	1.714	2.938
1.5	7.5	2.560	3.840
2	8	1.500	4.500
3	9	1.333	5.330
4	10	1.200	5.760
5	11	1.090	5.940
6	12	1.000	6.000
7	13	0.923	5.964
8	14	0.857	5.876
9	15	0.800	5.760
10	16	0.750	5.625
11	17	0.706	5.483
12	18	0.667	5.339
15	21	0.571	4.891
20	26	0.462	4.269

resistive, with one or the other or both being complex, i.e. having both resistive and reactive components.

One of the shortcomings of using reactive networks is that they are correct at only one frequency. Usually though, they are near enough to be used over a small band of frequencies such as one amateur band, especially if one of the components is variable.

Matching problems fall into one of three categories:

- (i) Both impedances purely resistive but of different values
- (ii) One impedance resistive and one complex
- (iii) Both impedances complex

These three, however, have to be subdivided yet again into nine types to provide working systems to cover all the different combinations that may be met.

Type 1: Both impedances purely resistive

Type 2: One impedance purely resistive, the other comprising resistance and reactance in series. The pure resistance being a higher value than the resistive part of the complex impedance.

Type 3: One impedance purely resistive, the other comprising resistance and reactance in series. The resistive part of the complex impedance being a higher value than the pure resistance.

Type 4: One impedance purely resistive, the other comprising resistance and reactance in parallel. The pure resistance being a higher value than the resistive part of the complex impedance

Type 5: One impedance purely resistive, the other comprising resistance and reactance in parallel. The resistive part of the complex impedance being a higher value than the pure resistance.

Type 6: Both impedances comprising resistance and reactance in series

Type 7: One impedance comprising resistance and reactance in series, the other comprising resistance and reactance in parallel. The resistive part of the series complex impedance being a higher value than the resistive part of the parallel complex impedance.

Type 8: One impedance comprising resistance and reactance in series, the other comprising resistance and reactance in parallel. The resistive part of the parallel complex impedance being a higher value than the resistive part of the series complex impedance.

Type 9: Both impedances complex comprising resistance and reactance in parallel.

Bet you didn't think it could be so complicated? Once the type of matching required has been established, though, it's only necessary to follow the appropriate procedure to solve the problem (I hope!).

There's just one thing to cover before starting on to the nine types, that is the equivalence of series and parallel impedances at one frequency.

(i) First, we'll look at the series impedance and translate it to its parallel equivalent, shown in Fig. 20.3.

$$R_p = \frac{r_s^2 + x_s^2}{r_s}$$

$$X_p = \frac{r_s^2 + x_s^2}{x_s}$$

(ii) Now the other way round. The parallel impedance translated to its series equivalent, as shown in Fig. 20.4.




Fig. 20.4

$$r_s = \frac{R_p \times X_p^2}{R_p^2 + X_p^2}$$

$$x_s = \frac{X_p \times R_p^2}{R_p^2 + X_p^2}$$

Yes, it is a bit complicated, but when you've practiced by working out a few series to parallel equivalents and vice versa, it becomes just a bit of added arithmetic!

To minimise the maths, the equations for providing the matched conditions will be stated without giving proofs. Worked examples with arithmetical check will be given for each type.




Fig. 20.5

Type 1

Both impedances purely resistive

The circuit of the matching network is shown in Fig. 20.5.

(i) let the higher of the resistance values be designated R_A and the lower value R_B regardless of which is source or load

(ii) Let

$$p = \frac{R_A}{R_B}$$

(iii) Let

$$q = \sqrt{(p - 1)}$$

(iv) Determine

$$X_1 = +(R_B \times q)$$

(v) Determine

$$X_2 = -\left(\frac{R_A}{q}\right)$$

So X_1 is positive, i.e. an inductor, and X_2 is negative or a capacitor. Actual component values will depend on the frequency in use.

It's interesting to note that a match will still be achieved if the polarity of the two reactances are both changed so that X_1 becomes a capacitor and X_2 an inductor. Of course, the component values will be different although the numerical value of the reactances will be unchanged. This applied in general to all the types to be described. But, do watch the plus and minus or the arithmetic will be wrong!

Here's an example. A source of 75Ω is to be matched to a load of 300Ω at 14MHz.

$$R_A = 300\Omega \text{ and } R_B = 75\Omega$$

$$p = \frac{R_A}{R_B} = \frac{300}{75} = 4$$

$$q = \sqrt{(p - 1)} = \sqrt{(4 - 1)} = \sqrt{3} = 1.732$$

$$X_1 = +(R_B \times q) = +75 \times 1.732 = +129.9\Omega$$

$$X_2 = -\left(\frac{R_A}{q}\right) = -\left(\frac{300}{1.732}\right) = -173.2\Omega$$

Putting the appropriate reactance values in the circuit gives Fig. 20.6. The next move is to convert the reactance values into component values.




Fig. 20.6

(i) What value of inductance would have a reactance of +129.9Ω at 14MHz?

$$L = \frac{X_L}{2\pi \times f}$$

$$= \frac{129.9 \times 10^6}{2\pi \times 14 \times 10^6} \mu\text{H}$$

$$= \frac{129.9}{28\pi} = 1.48\mu\text{H}$$

(ii) Also, what value of capacitor would have a reactance of -173.2Ω at 14MHz?

$$C = \frac{1}{2\pi \times f \times X_C}$$

$$= \frac{10^6}{2\pi \times 14 \times 10^6 \times 173.2} \text{pF}$$

$$= \frac{10^6}{2\pi \times 14 \times 173.2} \text{pF}$$

$$= \frac{10^6}{15235.5} \text{pF}$$

$$= 65.6\text{pF}$$

The final network with component values is shown in Fig. 20.7.




Fig. 20.7

We'll check that the arithmetic is correct by working out what impedance Z_{in} is "seen" by the 300Ω looking towards the network as shown by the arrow in Fig. 20.7. If our values are correct it should be 300Ω!

(i) Find the parallel equivalent of the series connected 1.48μH inductor and 75Ω resistor at 14MHz

We know that the reactance of the 1.48μH inductor at 14MHz is +129.9Ω, so the parallel equivalent R' and X' will be:

$$R' = \frac{R^2 + X^2}{R} = \frac{75^2 + 129.9^2}{75}$$

$$= \frac{5625 + 16874}{75} = 300$$

$$X' = \frac{R^2 + X^2}{X} = \frac{75^2 + 129.9^2}{+129.9}$$

$$= \frac{5625 + 16874}{+129.9} = +173.2$$




Fig. 20.8

Putting these parallel values in parallel with X_1 as in Fig. 20.8, we can see that the two reactances become a parallel tuned circuit. So, a very high value of resistance appears across the 300Ω leaving the 300Ω practically unchanged. It really works!

Type 2

One impedance purely resistive, the other comprising resistance and reactances in series. The pure resistance being a higher value than the resistive part of the complex impedance.

The circuit of the matching network is shown in Fig. 20.9.




Fig. 20.9

(i) Let the higher value of the pure resistance be designated R_A and the lower value of the resistive part of the complex impedance R_B , regardless of which is source or load.

(ii) Let

$$p = \frac{R_A}{R_B}$$

(iii) Let

$$q = \sqrt{(p - 1)}$$

(iv) Determine

$$X_1 = +(R_B \times q)$$

(v) Determine

$$X_2 = -\left(\frac{R_A}{q}\right)$$

(vi) Determine

$$X_3 = X_1 + (-X_B)$$

As an example let's match a resistance of 300Ω to a series combination of 25Ω and a reactance of +15Ω. All we have to

do is to work out the values of the matching reactances.

$$(i) \quad R_A = 300 \text{ and } R_B = 25$$

$$(ii) \quad p = \frac{300}{25} = 12$$

$$(iii) \quad q = \sqrt{(12 - 1)} = \sqrt{11} = 3.317$$

$$(iv) \quad X_1 = +(25 \times 3.317) = +82.925$$

$$X_2 = -\left(\frac{300}{3.317}\right) = -90.44$$

$$(vi) \quad X_3 = +82.925 + (-15) = +67.925$$

The final network is shown in Fig. 20.10.




Fig. 20.10

As an exercise, the values will be checked as before in the Type 1 example. The impedance Z_{in} (see Fig. 20.10) should work out to be 300Ω

(i) Add X_3 to X_B

$$+67.925 + 15 = +82.925$$

(ii) Change R_B and ($X_3 + X_B$) to parallel equivalents R' and X'

$$R' = \frac{25^2 + 82.925^2}{25} = 300$$

$$X' = \frac{25^2 + 82.925^2}{82.925} = +90.46 \text{ (near enough to } +90.44\text{)}$$

X' in parallel with X_2 will be a parallel tuned circuit, i.e. a very high resistance. This very high resistance is itself in parallel with R' (300Ω) which leaves the 300Ω virtually unchanged. Again, QED!

In part 21, we will take a look at some more of the different methods of impedance matching.

ERRORS AND UPDATES

Phase Locked Loop for the Measurement of Adjacent Channel Noise - October 1989

The third paragraph which states "The loop should be able to lock v.c.o.s of gain 105 to 107HzV-1" should have read "The loop should be able to lock v.c.o.s of gain 10⁵ to 10⁷HzV-1".

Also the mixer block labelled "TPM-2" in Fig. 2 should have carried the label "TFM-2"

PW Review Azden PCS-6000 144MHz Transceiver - November 1989

By now, you will have noticed there was an inconsistency in the text regarding the tone-burst on the PCS-6000. In fact, page eight of the manual devotes half its contents to setting the transmit tone code and even includes a table of the different tones available, including 1750Hz. The specifications page refers to the European version having a 1750Hz tone.

The transmit sub-audible tones are ready built-in the transceiver, you have to buy the receive decoder separately. Apologies to both Waters & Stanton, the importers of the Azden, and any potential buyers who were confused by these errors.

The Enhancement of HF Signals by Polarisation Control, Part 1- November 1989

Under the heading "Two Hop" The sentence should read "Again circular gave the best average signals and leaving the control set at horizontal as with a normal installation was a distinct disadvantage," not advantage as was printed.

The last sentence above the heading "Computer Control" should have read, "The ability to choose optimum signal to noise ratio instead of maximum signal strength may be the more effective choice, particularly when interference levels are high."

We do hope that this didn't spoil the article for readers and that they will enjoy the concluding part in this issue.

Packet Radio Update

Continuing his tour around the world, in Part 7, Roger J. Cooke G3LDI looks at packet radio in India and h.f. forwarding in the UK.

In order to assist the end-user I have tried to collate some information on h.f. forwarding as it presently exists from this country. When I first became active on packet in mid-1985, it was a relatively easy task to hold a QSO simply because of a lack of activity. Indeed, locally here in Norwich we used to telephone each other when an h.f. packet signal was heard. Little did we know what would ensue over the next few years. I first started forwarding with Jack Colsen W3TMZ, using my old Xerox system which worked fine, together with a real-time gateway, but the scene has changed somewhat since those halcyon days! I counted the number of BBS stations trying to forward to one another on one popular h.f. frequency early one morning. I stopped at 17, but guess if I had stayed there I would have counted a few more. It really is pandemonium, little wonder there are delays, retries and failures (this was on 14MHz). I also used to try some 3.5MHz work with approximately the same result. However, I have compiled this list of stations, after requesting the information @GBR, who are still actively engaged in h.f. forwarding, of several different types. Users of the system and sysops too, might like to make notes of who does what and with a bit of pruning of the forward files, might find a better path. If I have left out any h.f. BBS, I apologise, but I am including all who answered my request and a couple that did not, but who were found from the G4FQO listings.

Chris GU4YMV operates GB7GUR and forwards with the following:

OZ5BBS All EU mail and bulletins
F6ABJ All mail to France
IK4BLV All EU mail plus Stateside mail and bulletins
LA6CU Scandinavia and Germany
LA6HX Scandinavia and Germany
EA4DYX All EA
SV1IW SV and 4X

Chris forwards on both 14MHz and 3.5MHz

Peter G0BSX, operates GB7PLY and has no h.f. port open at present. However, he may run when he receives the official go-ahead.

Peter now acts as a link between GB7BNM in Bournemouth and GB7KVD in Taunton. GB7GUR forwards to Peter on v.h.f./u.h.f. Apparently, GB7BNM is now doing exactly what Peter was doing before he closed the h.f. port. One reason for the close-down was the practice of the BBS stations to all sit on the same frequency, using parameters for single pair links. This would support the urgent need for better band-planning and spreading the

Practical Wireless, December 1989

World Wide Recap by Countries As of 06-20-1989 by K4NGC

The following is a computed recap of the World Wide WWPACKET.DBF file I maintain. It reflects the number and type of activities by country. If your area information is incorrect its only because a detail listing of Digipeaters and PBBSs have not been provided to me (to include frequencies). If you have any changes, additions, or deletions to this file please address them to K4NGC @ K4NGC. Please include call sign, city, country, frequency, and type of activity.

State	DIGI	PBBS	TOTAL	PERCENT
Argentina	0	8	8	0.17%
Australia	38	65	103	2.24%
Austria	5	5	10	0.22%
Belgium	0	9	9	0.20%
Canada	33	116	149	3.24%
Colombia	15	13	28	0.61%
Costa Rica	6	3	9	0.20%
Denmark	0	19	19	0.41%
Ecuador	0	1	1	0.02%
Egypt	0	1	1	0.02%
Finland	20	21	41	0.89%
France	9	41	50	1.09%
Germany, Federal Rep	63	26	89	1.94%
Greece	2	3	5	0.11%
Hong Kong	0	8	8	0.17%
Hungary	4	4	8	0.17%
Iceland	0	2	2	0.04%
India	1	1	2	0.04%
Indonesia	2	52	54	1.18%
Ireland	4	6	10	0.22%
Israel	0	5	5	0.11%
Italy	49	96	145	3.16%
Japan	6	165	171	3.72%
Korea, South	6	4	10	0.22%
Luxembourg	0	1	1	0.02%
Malaysia	0	2	2	0.04%
Mexico	16	22	38	0.83%
New Zealand	8	28	36	0.78%
Norway	52	25	77	1.68%
Peru	0	2	2	0.04%
Phillipines	3	29	32	0.70%
Portugal	0	2	2	0.04%
South Africa	13	14	27	0.59%
Spain	0	17	17	0.37%
Sweden	1	47	48	1.04%
Switzerland	0	6	6	0.13%
United Kingdom	2	168	170	3.70%
United States	1555	1579	3134	68.22%
USSR	0	1	1	0.02%
Venezuela	7	2	9	0.20%
Yugoslavia	18	7	25	0.54%
Total	2655	1938	4594	100.00%

The WWPACKET.DBF files are available on my LandLine Bulletin Board to all who want it. My LandLine BBS telephone number is 703-680-5970. These files are in Text, ARC and Dbase formats.

Don Bennett (K4NGC)
15016 Carlsbad Road
Woodbridge, Va 22193
(Home) 703-670-4773
(LLBBS) 703-680-5970
(Packet) K4NGC @ K4NGC

Fig. 1

load somewhat, something that will have to happen on the other h.f. bands too, if any order is to be obtained for the chaos. There are two schools of thought on parameters. One says that we must be polite to other forwarding pairs and allow them to use the channel simultaneously.

The other says - set the timing parameters really tight and get the session over quickly, thus allowing another pair to do the same.

Roger G3LDI operates GB7LDI and forwards as follows:

N4QQ-I: All USA/Canadian mail

plus South America, plus Bulletins to NA. I receive all UK mail plus AMSAT and ARRL bulletins.

W9ZRX: All USA/Canadian mail - UK mail in return

W3IWI: All USA/Canadian mail - UK mail in return

4X1RU: Middle East, Italy, Russia and Europe

SV1IW: Eu, Far East, Indonesia, Philippines

EK3AZO Russia

Paul G0DXX is in Evesham and operates GB7ERA. He forwards on 3.5MHz handling EU mail.

Dave G4WPT is in Bournemouth and operates GB7BNM. Dave also operates on 3.5MHz and handles traffic between himself and GB7ERA and also GB7GUR. Dave remarks that his equipment is available for any other h.f. use, should there be a need. He is open to suggestions.

Other stations that have h.f. capability are as follows:

GB7SEK, sysop Dave G4IDX in Ashford

GB7BNI, sysop Steve G14XFN in Belfast

GB7KEV, sysop Malcolm G3KEV in Scarborough

GB7MAC, sysop Ian GM4AUP in Airdrie

I have no details of the schedules of these stations.

World-Wide Packet

Don Bennett K4NGC recently put out a very interesting piece of information giving the number of BBS and type of activities from various countries. This is shown in Fig. 7.1. From this, it can be seen that the UK came third in the league, being beaten by Japan with 171 to our 170, but the USA came in first place with an enormous 3134 PBBS stations. Don has been touting for information for some time now, so if you haven't sent him yours yet, just register as per the form in Fig. 2. This will enable him to bring the figures up to date and provide a clear picture of the increase in activity. I intend sending him the listings from Del G4FQO, who has gone to an extreme amount of trouble collating and providing us all with excellent lists of UK BBS, Nodes, Net-roms and if you haven't sent your details to Del, please do so. SP G4FQO @ GB7WOK will find him.

Sysop Seven Minutes

At the recent meeting of Sysop 7, held in Shrewsbury, the following decisions were made and, by now, have been implemented. Just to remind you should you not have seen any information:

Standardisation of the @field (in the UK)

Cease using SP SYSOP @ SYSOPS and implement SP SYSOP @ GBR

@ GBR for all inter UK traffic

World Wide Packet Radio Listing Digipeater and Packet Bulletin Board Registration Form

The following information is needed in order for Digipeaters and Packet Bulletins can be registered and listed in the World Wide Packet Radio Listing.

CALL SIGN _____ SSID _____ ALIASES _____

Type [] Digipeater [] PBBS

Activity Code _____ (Up to four are allowed) See listing below.

City _____ State/Province _____

Country _____ Map Grid _____ Postal Code _____

Frequency _____ Mhz

- Act Code - A - DIGI - TNC-1 or Clone (Dumb Digipeater)
 B - DIGI - TNC-2 or Clone (Dumb Digipeater)
 C - DIGI - Layer 3/4 Node (Network Node)
 D - DIGI - VC Switch
 E - DIGI - TEXNET
 F - DIGI - TCP Switch
 G - DIGI - TCP Gateway
 H - DIGI - KANODE (Without Gateway)
 I - DIGI - KANODE (With Gateway)
 J - DIGI - 9600 Baud TNC (Backbone Frequency)
 K - DIGI - 56 KB TNC (Backbone Frequency)
 L - DIGI - Packet Radio Repeater
 M - DIGI - 2400 Baud TNC
 N - DIGI - 1200/2400 Baud TNC
 O - DIGI - Converse Mode
 P - DIGI - GBBPO Network BIOS
 Q - DIGI - This is a Backbone Frequency and users are requested not to use it.
 1 - PBBS - BBS, Local User access with Mail Forwarding
 2 - PBBS - BBS, Forwarding ONLY (No Users)
 3 - PBBS - BBS, Local User access with NO Mail Forwarding
 4 - PBBS - BBS, DX Cluster
 5 - MBOX - Personal Mail Box (Not PBBS)

Please let me know of any changes, deletions, additions or verifications to the World Wide Packet Radio Listing. If you send in data please insure that a separate entry is sent in for each SSID/Frequency. Send them to me - K4NGC @ K4NGC via one of the Packet Radio PBBS mailboxes or upload it to my Land Line BBS at 703-680-5970. Any call signs listed on this list will be purged if the update date exceeds 2 years, therefore verification is necessary. When sending update data please make sure that you include Call Sign, Type Activities, City, State/Province, Country, and Frequency. Anyone wishing a copy of the World Wide Packet Radio Listings please send me a 5 or 3 inch IBM formatted disk, disk mailer, and postage. Persons residing outside the United States please send \$5.00 American currency to cover \$3.00 postage, disk and mailer. Those sending American currency please indicate if you want 3 inch or 5 inch disk DS/DD or DS/HD. All disks must be in IBM Format (MS-DOS).

73's Don Bennett -- K4NGC
 15016 Carlsbad Road
 Woodbridge, Va 22193 USA
 (Home) 703-670-4773
 (DPUS BBS) 703-680-5970 (Node 1-109/211)
 (PACKET RADIO) K4NGC @ K4NGC

Fig. 2

@ EU for all European traffic
 @ WWW for Whole Wide World traffic

@ ZONEA for all bulletins destined for Zone A

@ ZONEB for all bulletins destined for Zone B and so on through Zone H

The @ WWW is very generalised and if you want to target a bulletin to any particular area outside the UK, I would suggest the following in addition:

@ NA for traffic to North America
 @ SA for traffic to South America
 @ ASIA for traffic to Asia
 @ ZS for traffic to South Africa
 @ AMEA for traffic to Africa, Middle East and Asia

It was agreed to minimise the message headers to reduce the amount of data sent

when forwarding. I always have thought that they contained too much superfluous information. I reduced mine to just the locator information a long time ago.

It was also agreed to delete the SSID for BBS stations. Your local BBS will now be just a GB7??? with no -2.

That's about all that should affect the user except that the usual subject of advertising was discussed. Users were reminded that blatant advertising is NOT allowed, the sysop of the BBS is responsible for their very presence and as such puts himself in a very delicate situation. PLEASE do not send any adverts via packet, it's not what the system was intended for. Radcom is the place for that type of communication and it's the type that by dictionary definition is placed *Practical Wireless, December 1989*



Fig. 3

"to offer for sale by public notice". The word "sale" being the offending word. I feel sure that most people would not like to see a BBS sysop lose his licence because of something like this.

Whilst I am on my "soap-box", please ask yourself if your bulletin to ALL @ GBR of whatever, is really necessary or informative. There are lots that are not, and only serve to clog an already over-worked network.

Packet In India

Packet activity is increasing in India and at the moment there are about five

amateurs with packet capability with more coming along. One of the most enthusiastic must be Dr. M. E. Oommen, a consultant paediatrician at the St. Mary's Children's Hospital in Kerala. Dr. Oommen runs an MBL BBS on 14MHz and had lots of problems getting it going as he was working on his own with help from outside the country. Fig. 3. shows his




Fig. 4

station and Fig. 4 shows Dr. Oommen operating his packet station. He suffers badly from constant power failures and this makes operating the BBS very difficult. I must admit, that although we set up a forwarding link between us, it has been very unreliable over the last few months. However, Dr. Oommen hopes to overcome his problems soon.

Next Time

That's about it once again. Next time I hope to bring news about packet from "down-under" in VK, with some news on Texnet, AMTOR linking and packet-cluster. 73 de Roger G3LDI @ GB7LDI. Happy Packeting!

SWAP SPOT

Have 12 valves QQV03-10 ex-equipment, would exchange for Denco coils B9A, or Octal, Blue or green all ranges. George (0529) 303247

Have Yaesu FT212RH 2m f.m. mobile, 45/5 watts out, latest model, will exchange for dual band H/H or solid state h.f. rig. Additional cash available, can collect. A. Mikol Mansfield (0623) 34863

Wanted-service information for Pioneer synthesized stereo receiver Sx-600L. Bernie Vaughan (0432) 267204

Have Yoko TVC-8M Multi-system 5" TV. u.h.f./v.h.f. TV Channels plus a.m./v.h.f. radio. 5months old Many continental stations logged, would exchange for s.w. radio/scanner/Microreader or w.h.y. Tel. (0253) 811648 (Blackpool area)

Wanted reel-to-reel tape recorder in super order. Have digital multimeter plus other instruments. G.W.Neil, St. Clair Cottage, Holm, Orkney KW17 2RZ.

Swap Trio TR310 valved radio receiver 3-29.5MHz a.m. & s.s.b., works well and in clean condition. Want frequency counter or oscilloscope. T. Jenkins, 47B Warneford St., Hackney E9 7NG.

Have 10GHz professional wavemeter, micrometer tuned, in WG16. Would exchange for 2m handheld. Mann, Cambridge (0223) 860150.

Have Wraase SC-1 s.s.t.v. transceiver in good condition, also receives fax. Never been used to transmit. Would swap for Kenwood/Trio R2000 with v.h.f. or similar. J. Ferguson, Chatham (0634) 828952.

Have various items radio & electronics, mainly 2 and 4V valves, h.f. chokes, Variable capacitors etc. Would exchange for mains signal generator 100kHz to 30MHz. Mr. G. Coleman, 35 Ashfield Crescent, Lowestoft, Suffolk NR33 9BE. H191

Practical Wireless, December 1989

Got a camera, want a receiver? Got a v.h.f. rig, want some h.f. gear to go with your new G-zero? In fact, have you got anything to trade radio-wise?

If so, why not advertise it FREE here. Send details, including what equipment you're looking for, to "SWAP SPOT", Practical Wireless, Enefc House, The Quay, Poole, Dorset BH15 1PP, for inclusion in the first available issue of the magazine.

A FEW SIMPLE RULES: Your ad. should follow the format of those appearing below, it must be typed or written in block letters; it must be not more than 40 words long including name and address/telephone number. Swaps only-no items for sale-and one of the items MUST be radio related. Adverts for ILLEGAL CB equipment will not be accepted.

The appropriate licence must be held by anyone installing or operating a radio transmitter.

Have QQVO 640A new, (2). Also QQVO 320A new, (4). Would exchange for valves T160L, 572B. G3WRD, QTHR, Bob Tel: 0787 280259.

Have Spectrum programs FAX + speed generator RX4 + interface. Would exchange for 144-167Mhz converter or good p.s.u. 13V 1amp w.h.y. G. McKendry, 31 Battery Place, Rothesday, PA20 9DU. Tel (0700) 5349.

Have another Ex-RAF R1155 receiver, rough and needs attention but working. Would exchange for a 12ft tank whip antenna with matching base. Interested also in 3.5MHz mobile antenna w.h.y? Callers only, letter first as shift worker. Heslop. 75 Alder Park, Brandon, Durham DH7 8TJ.

Have 144MHz hand-held, Icom IC2E with charger in good condition. Would exchange for 934MHz transceiver, Dressler ARA30 active antenna or w.h.y? Swapper collects. John. Tel: Camborne 716411.

Have two Bolex H16 16mm cine cameras in fitted cases, both with triple lens turrets plus Reflex zoom lens. Would exchange for Yaesu FT-101ZD and matching a.t.u. Must be mint. Swapper to collect. GW6LCR. Tel: 0792 894282.

Have Roland E-10 synthesiser, midi compatible, stereo, 61 full-size keys, rhythms, etc. As new, worth £500. Would exchange for PRO-2005, AR2002, 144/430MHz, dual band portable or w.h.y? Nick Stamp. Tel: Hull 505064 after 5pm.

Enhancement of HF Signals by Polarisation Control

Part 2

In Part 1, B. Sykes G2HCG mentioned the question of computer control of the phasing of a crossed Yagi on 28MHz in order to continuously make use of the increase in signal strength available when the optimum polarisation is used. Now, he looks at another way which provides a fascinating and extremely useful visual display of the characteristics of the incoming signal.

During extended periods of listening to changes in signal strength resulting from polarisation change of the reflected signal from the ionosphere, continual turning of the Polarphaser control resulted in somewhat tired fingers. Much thought was given to achieving a method of displaying the polarisation of the incoming signal. This would not only allow considerably more research into the varying properties of the ionosphere, but would enable use to be made of those properties in the form of much enhanced signal strengths.

In order to compare signals from different sources in the same part of the world, two receivers were already in use with inputs in parallel from the Polarphaser connected to the two Y inputs of a double beam oscilloscope. This provided a means of seeing the variations in amplitude of signal resulting from changes in polarisation, but the actual polarisation could only be read from the dial of the Polarphaser.

Variations in polarisation input to a crossed Yagi result in variations of phase and amplitude between the two feeders, and it should be possible to display these variations on an oscilloscope. One receiver was connected to the 45 degree half of the crossed Yagi and the other to the 135 degree Yagi, the outputs of the receivers being connected to the X and Y inputs of the oscilloscope. Ideally the r.f. signal before demodulation would be used but the normal s.s.b. receiver beats the r.f. signals with a b.f.o. and if this oscillator is stable the resulting audio signal will contain the same phase shifts as the r.f. signal and will be much easier to display on an oscilloscope. First tests were unsuccessful as it was totally impossible to keep the two b.f.o.s in the two receivers in phase. One oscillator only, replacing the two b.f.o.s in the two receivers was obviously necessary. Not wishing, at this stage, to delve too far

into the insides of the modern black box, the answer was to tune the receivers to a.m. and insert one 28MHz signal from a stable oscillator into the input of each receiver thus producing an in-phase b.f.o. on each.

Initially, a signal generator was used and the system worked first time. The first oscillators of each receiver were still in use, but the p.l.l. circuits held frequency and phase exactly constant at all times.

The optimum way to mount a crossed Yagi is with the elements at 45 and 135 degrees to the horizontal, this balances the antenna in relation to the support mast and feeders and avoids mismatch problems caused by proximity to the mast of the vertical elements. Although none of the elements are vertical or horizontal, polarisation in these directions can be generated electrically by altering the phase length of the feeders.

At first, the Yagis were mounted in this way, but oscilloscope X and Y plates are mounted at 0 and 90 degrees which has the effect of rotating the display by 45 degrees. Unfortunately, this cannot be corrected by altering the feeder lengths and therefore the phase to each receiver. There are only two ways of correcting the display, - obviously, to rotate the tube of the oscilloscope, which is preferable but not always possible, or to rotate the antenna by 45 degrees making the elements vertical and horizontal. This was done, the resulting unbalance between the two halves of the crossed Yagi being minimised by

placing the support mast midway between the wide spaced reflector and dipole. Feeder lengths from each Yagi must be equal.

The system is illustrated in Fig. 2.1. The outputs of the receivers are connected to the X and Y plates of the oscilloscope, phase and amplitude are displayed directly on the screen giving an exact picture of the phase and amplitude of signal on each feeder and therefore showing the polarisation of the incoming signal. Signals being at audio frequencies, an expensive wide-band oscilloscope is not required. Unfortunately, even oscilloscopes boasting 20MHz bandwidth on the Y amplifiers often only have 1MHz on the X amplifiers. This method of displaying polarisation requires two identical receivers with the audio taken from the output provided prior to the audio amplifiers and loudspeaker. Different receivers have differing audio characteristics resulting in audio phase shifts varying with frequency. This will not affect results on a constant carrier such as a beacon, but will prevent the polarisation of s.s.b. audio signals being shown.

The way in which the waveforms are generated on the oscilloscope is as follows:

Horizontal Polarisation is received only by the horizontal elements of the antenna and they are connected via receiver A, to the X plates of the oscilloscope. The display is therefore a horizontal line.

Vertical Polarisation is received only by the vertical elements and receiver B and

Practical Wireless, December 1989




Fig. 2.2

ence between using horizontal and vertical polarisation on this particular beacon was some 4 S-points in favour of the vertical, far outweighing the usual increase of noise level prevalent with vertical polarisation. Short term QSB, although showing on the S-meters of the individual receivers which were of course on fixed polarisation, was nonexistent on the combined signals as displayed on the oscilloscope, perfectly illustrating that the majority of QSB is caused by polarisation change. Long term QSB brought the overall signal down on both receivers and was accompanied by a flurry of polarisation changes. The photographs of the oscilloscope screen, taken while receiving the Cyprus beacon at 1600 on 19 April 1988, can be seen in Fig. 2.2.

The polarisation of a Yagi antenna is only correct in the main beam and this is shown on the screen when receiving a local signal of fixed polarisation. Rotation of the beam results in rotation of the polarisation to the extent that a horizontal Yagi may show vertical polarisation off the back and circular at the sides.

The next thought is how, in practice, could use be made of this display. The requirement is not only to be able to see the optimum polarisation for the particular signal but to be able to use it for transmission and reception. Since the use of two receivers in addition to the one in use would be rather expensive, another means of obtaining the same result is necessary. The main cost of receivers these days is the sophistication of control provided by the microprocessor and the

mechanical design of the case and control knobs, none of which are needed for the polarisation display receiver. Consumer i.c.s, at very reasonable prices, provide a complete receiver on one chip and use could be made of these. A possible system which might well be the subject of a constructional article at a later date is shown in Fig. 2.3. Perusal of the circuit diagrams of a number of modern transceivers shown that the provision of a take-off point for the common local oscillator feed is quite feasible. The system of separate boards for oscillator signal generation with coaxial feeders supplying the signal to the various parts of the set provides a simple connection point without damage or modification in any way.

Many hours spent watching the quite fascinating changes in polarisation of signals reflected from the ionosphere show that although the polarisation is often changing too rapidly for manual compensation to be feasible, there are many occasions when the ability to pick the optimum is very advantageous. Knowing the polarisation of an incoming signal is an entirely new facet of amateur radio and might even form part of the signal report. One thing is manifest, namely that a horizontal beam is not the optimum, circular polarisation from a crossed Yagi would be far better.

My sincere thanks are due to Bill Wheeler G3BFC, my near neighbour, for his extreme patience in providing low power local signals for calibration and for his assistance in the erection of the test antennas.

PW

the Y plates giving the vertical display.

45 degree polarisation is received equally by each antenna and is in phase. The display is therefore a 45 degree line.

135 degree polarisation is also received equally by each antenna, but is 180 degrees out of phase giving a 135 degree line.

Circular Polarisation is received equally by each antenna, but is 90 degrees out of phase resulting in a circular trace.

Discrimination between clockwise and anticlockwise is not possible, the spot forming the circular trace, although rotating in opposite directions in each case, is moving far too fast for the difference to be visible.

Using the equipment was quite fascinating and highly instructive. Stations in different parts of the world could be tuned to, and not only was the polarisation of the incoming signal immediately visible, but the rate of change of polarisation could be immediately seen and therefore the usefulness of polarisation control could be assessed. The various beacons in different parts of the world were particularly useful together with the constant carriers available from the American repeaters.

It was immediately apparent that the number of hops to the ionosphere and back was totally irrelevant. The polarisation of signals must therefore be controlled by the last hop, a conclusion drawn before when turning the Polarphaser knob, but very graphically illustrated now. The rate of change varied with the time of day and the degree of opening of the band. Generally the better the opening the slower the rate of change, but the initial opening of the band was always characterised by a very slow rate of change. The polarisation on the Cyprus beacon in the morning staying constant for periods up to a minute. The Brazil beacon on 28.270MHz which must be at least four hops was a particularly constant signal with a definite preponderance of vertical polarisation staying constant for minutes at a time. The differ-




Fig. 2.1

Fig. 2.3

Special Offer

Gamma LH735 Professional Monitor 2-way Double Drive Headphones

These headphones offer:

- ★ A 2-way double drive system, they employ Samarium Cobalt magnets, Titanium plated PEN diaphragm, CCAW 30mm and 50mm element, creates powerful low bass reproduction and superb extension of high treble reverberation from 3-30kHz.
- ★ Detachable double ear pad system: New double earpad to cover the whole ear for noise isolation. Inner earpad of EVA foamed acoustic cushion ensures good ventilation for high tones. Outer earpad boosts low frequency from 100-250Hz, creates dynamic loudness.
- ★ Earpads can be detached and washable for hygienic purposes.
- ★ LC-OFC cable; reduces signal distortion and the high pass of treble. Gold plated 2-ways plugs ensures the optimum of the signal conductivity.
- ★ Headphone stand: A nicely designed headphone stand for neatly storing the headphones.
- ★ Use these headphones for both your hobbies, amateur radio and hi-fi listening.



★ Specification:

Acoustic System: Close type 2-way double drive
Speaker Elements: 30mm titanium plated PEN diaphragm
samarium cobalt speaker with CCAW voice coil, 2pcs. 50mm PEN
diaphragm woofer, 2pcs.
Impedance: 42Ω (1kHz)

Sensitivity: 101dB/mW
Max Input Power: 300mW
Frequency Response: 3-30000Hz
Cable: 2.1m LC-OFC ribbon cable
Plug: 2-way gold plated
Net Weight: 270g (less cable)

Normal retail price £49.95
Offered to Maplin customers at a
reduced price, and now, the
lowest price ever for Practical
Wireless readers of
£38.95
plus £1.00 for insured p&p.

HOW TO ORDER

Complete both coupons in ink, giving your name and address clearly in block capitals. Coupon (2) will be used as the address label to despatch your headphones to you.

Send the coupons with your cheque to: *Practical Wireless*, Headphones Offer (December), FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP. If you wish to pay by credit card (Access, Mastercard, Eurocard or Visa only), please fill in your card details and sign the coupon where indicated.

Available to readers of *PW* in England, Scotland, Wales, N. Ireland, the Channel Islands and the Isle of Man. Orders are normally despatched within 28 days, but please allow time for carriage.

The closing date for this offer is 13 December 1989

(2)

Name.....

Address.....

Post Code.....

If you do not wish to cut your copy of *PW* you must send the corner flash with full details and remittance.
PW Publishing Ltd., Poole, Dorset (Reg. No. 1980539, England)

**PW DECEMBER 1989
HEADPHONE OFFER**

(1)

To: PRACTICAL WIRELESS, Headphone Offer (December),
FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP

Please send me.....Headphones @ £38.95 each. (Add £1.00 p&p)

Name.....

Address.....

Post code.....

☐ I enclose cheque/PO (Payable to PW Publishing Ltd) £.....

☐ Charge to my Access/Visa Card the amount of £.....

Card No.

Valid from to

Signature.....Tel:.....

LOSING DX?

ANTENNA TUNER, wide range to **BOOST RECEPTION** and reduce interference 100KHz-30MHz, for outside or **INDOOR ANTENNAS**, end-fed LONG WIRES or dipoles, IDEAL for R1000 etc or 10W tx, BANDPASS design (not just usual "T" high pass), **only £31.30, HEAR more WEAK DX.**

ANTENNA FAULT? Check FAST with an **ANTENNA NOISE BRIDGE**, measure RESONANCE 1-160MHz and RADIATION RESISTANCE 2-1000 ohms — without transmitting, find where it is 50 ohms, **only £27.90, get ANSWERS and MORE DX.**

V.L.F.? EXPLORE 10-150KHz, Receiver £28.20.

MSF CLOCK is EXACT — never gains or loses, **SELF SETTING** at switch-on, 8 digits show Date, Hours, Minutes and Seconds, EXPANDABLE to Years, Months, Weekday and Milliseconds or use as a STOP-CLOCK to show event time, ALSO parallel BCD (including Weekday) output for **COMPUTER** or alarm and audio to record and show time on playback, 5x8x15cm, receives Rugby 60KHz atomic time signals, built-in antenna, 1000Km range, **only £97.90, RIGHT TIME.**

LINEAR OKAY? Check with a **TWO TONE OSCILLATOR**, **only £21.90.**

100-600KHz DX? CONVERTER to 3.5-4MHz, built-in ATU, **£27.20**, receive WX FAX etc.

Each fun-to-build kit (ready-made to order) includes ALL parts, case, pre-wound coils, pcbs are fibre-glass, instructions, and by-return postage etc.

CAMBRIDGE KITS

45 (PZ) Old School Lane, Milton, Cambridge.

S.E.M.

UNIT P, UNION MILLS, ISLE OF MAN

Telephone: (0624) 851277

S.E.M. Q.R.M. ELIMINATOR. Do you suffer from local interference? This unit will solve your problem, whether it's your computer, TV or a factory several miles away. Connects in your aerial lead (you can transmit through it) and phases out interference before it reaches your receiver. Join 1,000s of satisfied users world wide. £79.50. Ex stock.

S.E.M. TRANZMATCH MKIII. The only Aerial Matcher with UNBALANCED and TRUE BALANCED OUTPUTS. 1 kW 1.8-30 MHz, £145. Built-in EZITUNE (see below), £44.50. Built-in Dummy Load, £9.90. Ex stock.

EZITUNE. Allows you to TUNE UP on receive instead of transmit. FANTASTIC CONVENIENCE. Stops QRM. Boxed unit, £49.50. P.C.B. and fitting instructions to fit in any ATU, £44.50.

FREQUENCY CONVERTERS. V.H.F. to H.F. gives you 118 to 146 MHz on your H.F. receiver, Tune Rx. 2-30MHz, £65.00 ex stock.

H.F. to V.H.F. gives you 100 kHz to 60 MHz on your V.H.F. scanner, £55.00 ex stock. Plug in aerial lead of any receiver. Tune from 100MHz up.

2 or 6-METRE TRANZMATCH. 1kW, will match anything, G2DYM or G5RV? on VHF, £39.50 ex stock.

DUMMY LOAD. 100 W. THROUGH/LOAD switch, £24.00 ex stock.

VERY WIDE BAND PRE-AMPLIFIERS. 3-500 MHz. Excellent performance. 1.5 dB Noise figure. Bomb proof overload figures. £37.00 or straight through when OFF, £42.00 ex stock.

R.F. NOISE BRIDGE. 1-170 MHz. Very useful for aerial work measures resonant freq. and impedance. £49.50 ex stock.

IAMBIC MORSE KEYS. 8-50 w.p.m. auto squeeze keyer. Ex stock. Ours is the easiest to use. £45.00. First class twin paddle key, £27.00.

TWO-METRE LINEAR/PRE-AMP. Sentinel 40: 14x power gain, e.g. 3 W — 40 W (ideal FT290 and Handhelds), £95.00. Sentinel 60: 6x power, e.g. 10 W in, 60 W out, £105.00. Sentinel 100: 10 W in, 100 W out, £135.00. All ex stock.

H.F. ABSORPTION WAVEMETER. 1.5-30 MHz, £39.50 ex stock.

MULTIFILTER. The most versatile audio filter. BANDPASS Hi Pass, Lo Pass and two notches. Frequency and Bandwidth adjustable 2.5 kHz-20 Hz, £75.00 ex stock.

HIGH PASS FILTER/BRAID BREAKER. Cures T.V.I., £7.50 ex stock.


CO-AX SWITCH. Three-way + earth position. D.C.-150 MHz, 1kW, £29.50 ex stock.

12 MONTHS COMPLETE GUARANTEE INCLUDING TRANSISTORS

Prices include VAT and delivery. C.W.O. or phone your CREDITCARD NO. Ring or write for further data or catalogue. Orders or information requests can be put on our Ansaphone at cheap rate times. Remember we are as near as your phone or post box.

SEE YOU AT LEICESTER

ENTERPRISE ERA RADIO APPLICATIONS LTD.



THE MKII MICROREADER

A COMPLETE MORSE/RTTY DECODER WITH TUTOR
PRICE £139.95 includes VAT & Postage.

TO ORDER OR FOR
MORE INFORMATION ON
THIS OR ANY OF OUR
OTHER PRODUCTS:—

ERA LTD
26 CLARENDON COURT
WINWICK QUAY
WARRINGTON WA2 8QP
Tel: (0925) 573118

ALSO AVAILABLE FROM

CRT: ST HELIER JERSEY
ELECTROMART: NEATH
HOWES KITS: DAVENTRY.
RAS: NOTTINGHAM.
STAR: TYNE & WEAR
WATERS & STANTON
ESSEX.

WHAT IS A MICROREADER?

The Microreader is a small compact unit that allows anyone, equipped with a suitable SW receiver, to read Morse and radio teletype signals simply and without fuss. No computers, interfaces or program tapes are needed. Just connect the Microreader into the ear or speaker socket and switch on. It really is that easy. The decoded words appear on the built in 16 character LCD display.

The Microreader has all the necessary filtering and noise blanking included to allow reception even under bad conditions. This makes it suitable for use with lower cost or home made sets. Receivers such as the Lowe HF125/225 with their smooth tuning are ideal. Even the SONY 2001D with its 100Hz step size will still give very good results. A three colour bargraph tuning indicator makes precise station tuning simple, while shift indicators take the guess work out of RTTY.

The main processor in the Microreader is an Intel 8032 running at 12MHz. This makes it fast enough to not only decode and display the text but also to measure and display the frequency a few thousand times each second. Its even fast enough to use its own dictionary to check and correct the text even down to punctuation. The RS232 port in the Microreader can if you wish be used to send decoded messages directly to the screen of a terminal unit or suitable computer. If a permanent record (hard copy) is needed, then just connect it directly to a compatible serial printer.

The Morse tutor can send and receive Morse. No more guessing what was sent at which speed. You see exactly what is being sent as it's sent and you may repeat it as many times as you like. The random characters are sent as ten groups of five characters with precise digital control over speed, spacing and type. Plug in a Morse key and see what your sending is really like. Even experienced CW operators find this feature extremely useful for showing up embarrassing keying faults (especially own name and call sign).

ERA Ltd. is a manufacturing facility and as such has no showroom. We do however accept personal callers who may like to find out more about the Microreader or try one on their own equipment without obligation. Due to limited parking during the week we must restrict this to Saturdays only, but please do ring us first.

A Future Lunar Radio Beacon and Transponder

Pat Gowen G3IOR puts forward an interesting idea for future communications

It has recently been announced that it is the intention of the USSR COSMOS space organisation to launch a Lunar Orbiter in 1992, and that part of the intended plan is to land a vehicle so as to obtain some samples of moonrock for research purposes. The USA is also displaying interest in a further similar mission, possibly as a joint venture. A NASA official recently stated that as part of the new "Golden Age of Space Research" NASA would "...schedule some 35 missions over the next 5 years, including probes to Jupiter and missions to Mars, Venus, Saturn and the moon, and that some of these would be co-operative ventures with the USSR...". In the light of this knowledge it has been proposed to the Soviet COSMOS, the USA National Space Agency and the University of Surrey UoSAT AMSAT group an inexpensive yet valuable experiment that could form a part of such a mission, which could involve non-commercial international co-operation to yield valuable data and communications possibilities.

Already the proposal has received enthusiastic as well as interested acknowledgement from both the USA and the USSR, and was welcomed with great interest when presented as a paper at the DATASPACE '89 conference at the University of Surrey, when financial backing for the project was generously offered by Junior de Castro PY2BJO, head of AMSAT Brazil.

Preamble and History

Radio amateurs around the world involved in scientific research have been experimenting in using the moon as a passive reflector of terrestrial v.h.f. and u.h.f. sources enabling world-wide 'e.m.e.' communications for the past twenty-five years. Up to now, the distance, the poverty of the reflectance and the dual path loss of over 250dB at u.h.f. has meant input powers of around one kilowatt to stacked monolobe antennas of at least 26dB gain, e.g. an e.r.p. approaching 0.5MW at 432MHz, and 10dB more at 129MHz. The advent of low-cost GaAs-f.e.t. pre-amplifiers and mixers has enlarged the possibilities for such communications to an extent that active experimenters no longer need to have such high powers and large dish antennas to permit and enable such communications. Simple antenna systems and low cost transmit-receive capability has now resulted in increasing the number of e.m.e. (earth-moon-earth) or Moonbounce stations to several hundred participants world-wide. The majority of these are

using the 144MHz band, where, although the masking sky noise is greater, the path loss is some 10dB less. These stations are mainly in the first world, as suitable equipment is not readily available or affordable outside the USA and Western Europe. Even so, the poverty of signals returned by the moon are rarely sufficient to indicate strength levels, and unless an upgraded station is available, most contacts made are barely discernible through the noise level and extreme filtration, and are at levels so low that few path level variables can be properly investigated.

Lunar Variables

The propagation of the e.m.e. path is complex, and subject to critical irregularities, only some of which are calculable. One of these is the path distance involved, and therefore the path loss. Fig. 1 is a printout from the GM4IHJ Moontable Spectrum computer program. It shows the times of transit, maximum elevation, moonrise and set, and the angular diameter of the moon as seen from the UK from 14 to 31 October 1989. On October 14, the angular diameter is maximum at 16.7, but by October 28, due to the moon having changed its elliptical orbit from perigee to apogee the angular diameter has decreased to 14.7. When the moon is closest to earth at Lunar Perigee, as it will be seen by Fig. 2 from

GM4IHJ's moontalk program, the returned signal should theoretically give an earth-moon-earth total path loss of -250.31dB at 432MHz when the moon slant range is at 353 447km. Two weeks later on October 28, as seen by Fig. 3, the moon will be at Apogee, a slant range of 403 698km, and the 432MHz path loss will then be 252.62dB, a further loss of some 2.5 decibels. In the first case, we are propagating through the magneto-tail, and in the second we are likely to see high noise levels from solar radiation. These variables make the difference between just getting readable echoes over the noise, or no echoes at all on basic systems.

Not only does the inverse square law huge dual path loss give such attenuation, but so does the poor reflecting surface of the moon, which absorbs more than 90% of the signal. That of the signal leaving earth which is captured by the small angular lunar diameter, averaging only some 0.5 degrees of arc, means the vast majority of the r.f. energy in any nominal beamwidth is lost to outer space, and that small amount which is reflected by the moon is not reflected directly back to earth, but widely scattered over more than 180 degrees. These path loss calculations do not always reflect the true practical case, as frequently echoes can be weaker at Lunar apogee than at perigee.

The frequent cause of total loss of the calculated expected signal can be considered to be due to a number of

LUNAR TRACKING DATA 14/10/1989									
UTC	AZ	EL	EtoM km	Ang Diam	Incidence	Spe prob	F Layer	FAI prob	Path Loss
00100	127.7	39.9	357448	0.55710	40	LOW			
00115	131.7	40.9	357448	0.55710	40	LOW			
00130	135.9	42.6	357448	0.55710	40	LOW			
00145	140.3	44.1	357448	0.55710	40	LOW			
00200	144.8	45.5	357448	0.55710	40	LOW			
00215	149.6	46.7	357448	0.55710	40	LOW			
00230	154.6	47.8	357448	0.55710	40	LOW			
00245	159.7	48.7	357448	0.55710	40	LOW			
00300	164.9	49.5	357448	0.55710	40	LOW			
00315	170.3	50.3	357448	0.55710	40	LOW			
00330	175.8	50.9	357448	0.55710	40	LOW			
00345	181.3	50.5	357448	0.55710	40	LOW			
00400	186.9	50.4	357448	0.55710	40	LOW			
00415	192.3	50.1	357448	0.55710	40	LOW			
00430	197.7	49.6	357448	0.55710	40	LOW			
00445	203.3	48.9	357448	0.55710	40	LOW			
00500	208.1	48.0	357448	0.55710	40	LOW			
00515	213.1	46.9	357448	0.55710	40	LOW			
00530	217.9	45.7	357448	0.55710	40	LOW			

Fig. 1




Fig. 2





Fig. 3

REVCO

WHEN QUALITY COUNTS

REVCON



The UK's favourite discone composed of traditional British quality engineering. The REVCON works well without exaggerated advertising claims. It is designed to cover 50 to 500MHz, and thousands of satisfied users will testify to its efficiency. Unlike some manufacturers we do not claim a wider frequency coverage, and we do not quote inflated figures for gain. A gain figure is meaningless unless the reference point is stated. Optional vertical whip feature: It is possible to fit a vertical whip section to a discone. We do not want to give you the "hard sell" where this vertical element is concerned, but there is some evidence that it may improve the performance of the antenna around the resonant frequency of the whip. That's why we make it an optional feature. Another option is the N-type connector instead of the popular SO239. N-types give a better UHF performance, but they cost a bit more. The choice is yours. Because the REVCON is British-made by a Company which has been in business for 30 years, you buy with confidence, knowing that there is back-up should anything go wrong.

RADAC




This Wide-band antenna offers an interesting alternative to the discone. It is simply an array of dipoles, but the clever bit involves arranging the dipoles to maximise bandwidth and minimise interaction. The RADAC can be set up for a range of frequencies from 27MHz to 500 MHz, and because very good impedance matches can be obtained the user can specify any six frequency bands in this range for optimised performance, either for receiving, or more usefully, for transmitting. For example, all the Amateur Bands from 10M to 70CM can be covered in one antenna. If you are in the PMR business, the RADAC can be customised for your needs. Aircraft listening enthusiasts can specify VHF & UHF Airband coverage. What a versatile antenna! Design and engineering excellence from REVCO!

WIDE-BAND PRE-AMPLIFIERS

The problem with omni-directional wide-band antennas is their lack of gain. The REVCO PA3 range of wide-band pre-amplifiers complement the antennas and compensate for their shortcomings.

The basic specification of the products is similar: coverage 20MHz-1GHz, at 1GHz; minimum gain 13dB, noise factor 5.5dB. Choose from a mast-head version (PA31) or a standard die-cast box style (PA31). Best results are normally obtained from the masthead model which gives a boost to weak signals which would otherwise have been lost in the feeder cable. Also feeder cable noise is not amplified which is the case if the amplifier is mounted at the base of the feeder. On the other hand, the die-cast box version requires no special installation and is readily taken out of circuit.



The masthead model is supplied with a special power unit which feeds the DC supply into the antenna feeder. No PSU is provided for the PA31, as any 9-15V DC source is suitable (current requirement about 25mA).

The PA31 finds application in instrument work, e.g. input to spectrum analysers, boosting the output from signal generators to give a low-power Tx.

The standard version of the PA31 has BNC sockets and is designated "PA31/B", available to special order N-type sockets (PA31/N) or SO239 ("PA31/S"). A special feature of the PA3 series is a high-pass filter to attenuate frequencies below 20MHz; high-power HF & MF broadcast stations can be very troublesome!

ON-GLASS ANTENNAS

This type of antenna mount has been around for a long time, but they are very difficult to produce successfully at VHF. The Cellular Radio Industry has popularised the glass-mount, but there are fewer design problems at 900MHz, because the coupling assemblies are small. REVCO's extensive experience in making the UK's best Cellular On-glass has led to the production of superior quality VHF and UHF models. Here are a few facts which you should know:

Coupling efficiency: apart from the question of effective power transfer to the outside world, you don't want too much RF floating around inside the car, do you? Not healthy for vehicle electronic systems, and possibly not good for humans either. REVCO glass mounts feature very efficient power transfer.

Sticking power: no good if they fall off half way home. A properly installed REVCO stays on. Should you change your car, a refit kit is available.

Simplicity: Some of the competition has a multitude of loose components: the REVCO has 2 pre-assembled parts: inside and outside. What could be simpler?

Weather-resistance: REVCO antennas are made from corrosion resistant materials so you can leave them out in the rain with confidence. It is not necessary to plaster the product with silicone rubber to keep the water out.

The REVCO glass mounts do cost a bit more, which reflects these superior features.

REVCO also make a full range of mobile antennas for frequencies from 27MHz to 950MHz, and new products are constantly under development.

Contact your local Dealer or in case of difficulty write, phone or fax. Trade enquiries welcome.

Revco Electronics Ltd, Old Station Yard, South Brent, S Devon TQ10 9AL Tel: 0364 73394 Fax: 0364 72007

VALVES

*High Quality		Prices correct at time of going to press, but may fluctuate. VAT included.	
**Very High Quality			
A1065	2.80	EF91	1.60
A2353	7.00	EF92	2.15
A2900	12.75	EF95	1.40
AR8	1.40	EF96	0.65
ARP3	1.65	EF183	0.75
ARP35	1.50	EF184	0.75
ATP4	0.90	EF185	0.75
B12H	6.90	EF186	0.75
CY31	2.40	EF187	0.75
DAF70	1.75	EF188	0.75
DAF96	1.75	EF189	0.75
DET22	32.80	EF190	0.75
DF92	0.90	EF191	0.75
DF96	1.15	EF192	0.75
DH76	1.15	EF193	0.75
DL92	1.70	EF194	0.75
DY96/87	0.70	EF195	0.75
DY96/87	0.95	EF196	0.75
DY96/87	0.70	EF197	0.75
EL92	0.95	EF198	0.75
EL92	0.95	EF199	0.75
EL92	0.95	EF200	0.75
EL92	0.95	EF201	0.75
EL92	0.95	EF202	0.75
EL92	0.95	EF203	0.75
EL92	0.95	EF204	0.75
EL92	0.95	EF205	0.75
EL92	0.95	EF206	0.75
EL92	0.95	EF207	0.75
EL92	0.95	EF208	0.75
EL92	0.95	EF209	0.75
EL92	0.95	EF210	0.75
EL92	0.95	EF211	0.75
EL92	0.95	EF212	0.75
EL92	0.95	EF213	0.75
EL92	0.95	EF214	0.75
EL92	0.95	EF215	0.75
EL92	0.95	EF216	0.75
EL92	0.95	EF217	0.75
EL92	0.95	EF218	0.75
EL92	0.95	EF219	0.75
EL92	0.95	EF220	0.75
EL92	0.95	EF221	0.75
EL92	0.95	EF222	0.75
EL92	0.95	EF223	0.75
EL92	0.95	EF224	0.75
EL92	0.95	EF225	0.75
EL92	0.95	EF226	0.75
EL92	0.95	EF227	0.75
EL92	0.95	EF228	0.75
EL92	0.95	EF229	0.75
EL92	0.95	EF230	0.75
EL92	0.95	EF231	0.75
EL92	0.95	EF232	0.75
EL92	0.95	EF233	0.75
EL92	0.95	EF234	0.75
EL92	0.95	EF235	0.75
EL92	0.95	EF236	0.75
EL92	0.95	EF237	0.75
EL92	0.95	EF238	0.75
EL92	0.95	EF239	0.75
EL92	0.95	EF240	0.75
EL92	0.95	EF241	0.75
EL92	0.95	EF242	0.75
EL92	0.95	EF243	0.75
EL92	0.95	EF244	0.75
EL92	0.95	EF245	0.75
EL92	0.95	EF246	0.75
EL92	0.95	EF247	0.75
EL92	0.95	EF248	0.75
EL92	0.95	EF249	0.75
EL92	0.95	EF250	0.75
EL92	0.95	EF251	0.75
EL92	0.95	EF252	0.75
EL92	0.95	EF253	0.75
EL92	0.95	EF254	0.75
EL92	0.95	EF255	0.75
EL92	0.95	EF256	0.75
EL92	0.95	EF257	0.75
EL92	0.95	EF258	0.75
EL92	0.95	EF259	0.75
EL92	0.95	EF260	0.75
EL92	0.95	EF261	0.75
EL92	0.95	EF262	0.75
EL92	0.95	EF263	0.75
EL92	0.95	EF264	0.75
EL92	0.95	EF265	0.75
EL92	0.95	EF266	0.75
EL92	0.95	EF267	0.75
EL92	0.95	EF268	0.75
EL92	0.95	EF269	0.75
EL92	0.95	EF270	0.75
EL92	0.95	EF271	0.75
EL92	0.95	EF272	0.75
EL92	0.95	EF273	0.75
EL92	0.95	EF274	0.75
EL92	0.95	EF275	0.75
EL92	0.95	EF276	0.75
EL92	0.95	EF277	0.75
EL92	0.95	EF278	0.75
EL92	0.95	EF279	0.75
EL92	0.95	EF280	0.75
EL92	0.95	EF281	0.75
EL92	0.95	EF282	0.75
EL92	0.95	EF283	0.75
EL92	0.95	EF284	0.75
EL92	0.95	EF285	0.75
EL92	0.95	EF286	0.75
EL92	0.95	EF287	0.75
EL92	0.95	EF288	0.75
EL92	0.95	EF289	0.75
EL92	0.95	EF290	0.75
EL92	0.95	EF291	0.75
EL92	0.95	EF292	0.75
EL92	0.95	EF293	0.75
EL92	0.95	EF294	0.75
EL92	0.95	EF295	0.75
EL92	0.95	EF296	0.75
EL92	0.95	EF297	0.75
EL92	0.95	EF298	0.75
EL92	0.95	EF299	0.75
EL92	0.95	EF300	0.75

VALVES AND TRANSISTORS Telephone enquiries for valves, transistors, etc. Retail, trade and export 743 0899. POSTAGE: £1.43 65p. £3.45 85p. £5.41 £1. £10.41 £1.20. £15.41 £1.75. Over £20 £2.30. Over 2kg at cost. Delivery by return.

COLOMOR (ELECTRONICS) LTD 170 Goldhawk Rd, London W12 8HJ

Tel: 01-743 0899 Fax 01-749 3934. Open Monday to Friday 9 a.m.-5.30 p.m.

POWER UNIT. Part of Army C.50 equip SUR 50 provides DC plate supplies at 1450v at 550 Ma, Trans Pra 200-250v Sec 1720v at 550 Ma into F.W. Sil bridge Rect. DC O/P into swinging choke. reqs ext smoothing cap 4.8 uf contained in Mill pattern transit case. size 20x15x10.585 or Trans only £55. **MONITOR CRT.** Part of Army D.11 Tx modulation monitor as tune I/P over range 2/22 Meps in 5 bands, as 2 1/2 CRT int T.B. & Y amp etc also contains 2x A.F. Osc at 1015 & 1605 c/s to enable two tone tests to be made on SSB driver & O/P stages reqs ext power, with circ & P.U. details £34.50 suitable trans £7.50. **MARCONI SSB ADAPTOR** part of R234 Rx 100Kc/P as 3 crystal filters U & L at 2.65Kc & carr recovery. provides low level AF O/P uses some 22 min valves, on 19" panel with function swts & mon meter, these req ext power & 100K from crystal osc with circs & valves. £33. **VARIACs** general purpose 220/260v O/P 0 to 240v at 8 amps tested for int mounting by Philips. £28.50. **SIG GENs.** Marconi type TF995A2 AM-FM 1.5 to 220 Meps in 5 bands 1Kc mod & Var Deviation, fine & coarse Atten. Carr Mod meter crystal chke size 17x12x9" for 240v tested with book. £115. **ARC-44 AIRBORNE T/Rx** compact unit intended for use in Helicopters covers freq range 24.51-9 Mc/s in 280 100Kc chan F.M. approx 8 watt O/P comprises T/Rx unit, Dynamotor unit 28v DC I/P (provides HT & 400c/s for tuning servos). Control Bx chan selection, AF Amp unit, u/min & sub/min valves, these are of American origin no info to date. £35 also available with 8ft one piece fibre glass whip, Ae coupler. Keyer unit (part of homing system swts between two Dipoles) £58 we are looking into source of info on these units.

RECORD TAPE AUDIO 1/4" on 7" spools 1800ft at present recorded with morse training lessons 4 tapes £11.50. **OPTICAL ACCS** misc selection of items inc eyepiece, lens cells, lenses, mirrors, prism etc mostly new 10-12 items. £23. **ROLLER COASTER COLIS.** mon freq 2/20 Mc/s 36trs on 2" dia ceramic former approx overhaul size 6 1/2x3x3" silver plated wire new. £28 limited stock. X Ray source portable testing two part unit 40 140kv 0.5 Ma 230/250v one only £350 plus Vat. **LASER DETECTOR HEADS** with 3x cells size 3 1/2x3 1/2". Price £14.50.

Above prices include car/postage & VAT. Goods ex equipment unless stated new.

SAE with enquiry or 2x 19p stamps for List 43.2

A.H. SUPPLIES

Unit 12, Bankside Works, Darnall Rd, Sheffield S9 5HA. Phone. 444278 (0742)



QUARTZ CRYSTALS

QuartzLab MARKETING LTD

P.O. Box 19 Erith Kent DA8 1LH

Telephone: 0322 330830 (24hr Ansafone)

Fax: 0322 334904

Telex: 8813271 GECOMS-G

(Attention QUARTSLAB)

An SAE with all enquiries please

PRICES NOW INCLUDE VAT

STOCK CRYSTALS

FUNDAMENTALS
CRYSTALS FOR 2 METRES
HC25 £2.70 FOR ONE CRYSTAL £2.50 EACH FOR 2 OR MORE
TX CRYSTALS
12MHz 30 & 40pF
RX CRYSTALS
44MHz Series Res
R0-R7, S8-S23, & S32
Scanner Crystals
SR9 crystals £3.45
HC6 £2.80 FOR ONE CRYSTAL £2.60 EACH FOR 2 OR MORE
TX CRYSTALS
4MHz 30pF
RX CRYSTALS
44MHz Series Res
R0-R7, S11, S20-23
4 METRE CRYSTALS FOR 70.26 IN HC6/U AT £2.80 each
TX 8.78250 RX 29.7800
70CM CRYSTALS £6.50/pr or £3.25 each
For P/F P1 P2 & P70 series Wood & Douglas and FDK MULTI U11
SUB (433.2) SU22 R80 R81 R82 R83 R84 R85 R86 R87 R88 R89 R90 R91 R92 R93 R94 R95
Also for MULTI U11 ONLY SU16 SU18
CONVERTER CRYSTALS IN HC18/U AT £3.30 each.
22,000, 38,666, 42,000, 96,000, 101,000, 101,500, 105,666, 116,000
FREQUENCY STANDARDS £3.20 each.
HC25-U 1000kHz 10.000MHz
HC18-U 1000kHz 7.000MHz 10.000MHz 10.700MHz 48.000MHz 100.000MHz
TONEBURST, I.F. & MPU CRYSTALS IN HC18 £2.60 each.
7.168MHz (For 1750 Hz Tone), 10.245 (for 10.7 I.F.)
3.2768 4.000 5.0688 10.245MHz 14.3180 15.0000
YAESU CRYSTALS FOR FT101's FT901 & etc £4.60 each.
Many available ex stock (A list is available on request please send SAE.)
Full list available on request, please send SAE
PRICES NOW INCLUDE VAT

MADE TO ORDER CRYSTALS

FUNDAMENTALS
FREQUENCY RANGE
1 TO 1.5MHz
1.5 TO 2.0MHz
2.0 TO 6.0MHz
6 TO 21MHz
21 TO 25MHz
PRICE
£12.40
£5.90
£3.50
£3.25
£7.50
OVERTONES
FREQUENCY RANGE
3rd OVT 21.00 TO 65.00MHz
5th OVT 60.00 TO 110.00MHz
5th OVT 110.00 TO 125.00MHz
7th OVT 125.00 TO 175.00MHz
PRICE
£5.25
£5.90
£8.60
£11.60
DELIVERY
2.0 TO 175.0MHz 2 weeks approx. 1 TO 1.499MHz 3 to 4 weeks
Unless otherwise requested fundamentals will be supplied for 30 pf load capacities and overtones for series resonate operation.
HOLDERS - PLEASE SPECIFY WHEN ORDERING - else HC25/U supplied for XTLS above 3MHz.
HC6/U & HC33/U 175MHz
HC18/U & HC25/U 2-175MHz
HC17 Add £0.50 HC45 Add £3.75
DISCOUNTS: Price on application for 10+ units to same frequency/spec. or bulk purchases of mixed frequencies.
COMMERCIAL CRYSTALS: available on fast delivery and at competitive prices.
EMERGENCY SERVICE: FOR XTALS 1 to 175MHz. Add the surcharge for each XTAL. Days refer to working days. 4 days + £12, 6 days + £7, 8 days + £5, 13 days + £3.
CRYSTAL SOCKETS HC25 £0.25 ea. HC6 £0.30 ea. MINIMUM ORDER CHARGE £1.50 unless ordered with crystals.
TERMS: Cash with order post inc. to UK & Ireland. Cheques & PO's to QSL LTD.

PRICES NOW INCLUDE VAT

factors. One is Faraday rotation, causing cross polarisation signal loss on linear antenna systems because of the circulation of the signal polarisation along the two way path due to the junction effect of the Solar Wind and the earth's magnetic field. The continuity of signals suggested by utilizing circular polarisation cannot be justified, as the signal-to-noise ratio required is invariably destroyed by the loss of the 3dB gain achieved by plane polarisation, and only extremely strong signals would come above this.

Cosmic noise, as stellar radio signal sources from radio-stars in the antenna lobe capture field give high background noise radiation that can mask and prevent reception of the weak lunar reflected signal flutter fading, brought about by in and out phasing of the signal by its reflection from the irregular lunar surface, differential absorption and reflection, refraction, and a number of other variables not yet fully investigated can result in considerable changes to the returned signal level on heard on earth.

Latest Findings

Recent work by radio amateurs have indicated that other more severe effects upon the reliability of otherwise dependable communications are exerted by both E layer and Sporadic-E absorption of the signal in earth's outer atmosphere, the slant range ion density seen when propagating at low elevation angles through the E and F ionospheric layers, and probable attenuation due to paths through and angular to the magneto-tail between earth and moon exist. This is believed to be evidenced by the fact that the radio path pointing accuracy of the narrow beam of radio antenna arrays to the moon for optimised signal is not always that of the visual pointing accuracy in terms of azimuth and elevation angles, particularly when the signal path to the moon passes through the auroral zone. Summing up, e.m.e. is a hit and miss affair, usually missing, and even when operative, giving signals often too weak for accurate assessment and measurement, they are usually deeply buried within the noise.

Justification

For the above reasons, it becomes evident that a radio beacon on the surface of the moon would be invaluable, as it would provide a known power (measured and telemetered by the beacon itself) from a standard earth pointing antenna of fixed polarisation that could be employed to evaluate the one-way moon to Earth path. It would further provide a means of accurate radio path lunar tracking, and a source of sufficient magnitude (as distinct from the weak reflected signal from earth located transmitters) to permit the accurate measurement of the variables of path attenuation, which could then be

correlated to solar and atmospheric phenomena. This could be used to provide valuable data in space physics terms of the effect of the solar wind, sunspot variables, plasma density, aurorae, etc., and additionally could evaluate the suitability of the moon both as a reliable permanent passive reflector and a re-broadcasting transponder for intercontinental wide band radio and television links at minimal cost when compared to those of multiple launched short lifetime geostationary satellites, etc.

Upgrading

A further viable step would be to provide the lunar module with a radio transponder that would not only be used to indicate the contrasting two-way path effects, e.g. the differences between the one way moon-to-Earth and the dual Earth-to-moon and moon-to-Earth paths, but also to provide adequate communications via low power links from earth stations for all of earth over elongated periods, and so produce the first antipodal transponder satellite contacts, e.g. between G and ZL.

The circuitry of the transponder need not differ greatly from that of existing amateur satellites, with a narrow

bandwidth a.l.c. controlled transmitter on one band fed via a mixer/i.f. from a low noise receiver mixer/l.f. receiving upon an adjacent band. In view of the limited power from the lunar transmitter, and the path loss being lower by some 10dB on the lower band one third of the frequency, Mode B, 435MHz up to 145MHz down, or 1269MHz up to give 435MHz down would appear to optimize the capability of the system.

The Experimental Package

The electronics of the beacon itself would consist of a simple low frequency phase lock loop oscillator followed by a frequency multiplier chain, with outputs at harmonically related phase coherent outputs at frequencies of 144.001, 432.003 and 1296.009MHz, amplified to give some 2 - 5 watts minimum (ideally 12 watts) of radio frequency power output at the antenna, which could be common fed at all frequencies. This would produce an adequate signal for nominal earth receivers to hear well above the noise level, so providing a maximum number of earth-based observers without the need for highly specialised equipment and antennas. The antenna should be linearly polarised so as to permit the measurement of Faraday rotation at each harmonically related output, and mounted above the solar-panel power source, which would act as an additional linear reflector, so eliminating any out of phase reflection variables from the irregular lunar surface.

Power System

The power would be provided from solar-cells via a power regulator, without even the need for a storage battery. NiCad batteries have a negative voltage temperature co-efficient, and are vulnerable to the large variations in temperature that would occur between the lunar night and day. They tend to short-circuit on failure, thus reducing the useful lifetime of the experiment. Furthermore, although special thermal insulation could be provided as possibly viable within the limitations of volume and the confines of the experiment, the risk of battery loss through freezing in the long lunar night is still very real. The absence of a battery would mean that a signal source was only supplied when the package was in full sunlight, although a minimal power source might be attainable even in earthlight by employing a sufficiency of the new higher efficiency GaAs solar cells. The switching on and off of the beacon would thus be determined by shadow, and so provide a very useful facility to earth astronomers, who could then investigate the irregular oscillations of the moon at lunar sunrise and sunset at the package placement point. Some insulation would definitely be needed, as circuit boards and components could also be materially adversely affected by the extremes of temperature envisaged.

Practical Wireless, December 1989



Fig. 4

Authors' original

Parameters

A further enhancement would be to provide the signal (between long periods of plain carrier to enable the accurate measurement of amplitude, phase, Doppler shift, polarisation changes, scintillation and libration fading) with telemetry modulation to indicate internal and external temperatures, solar panel voltages (so determining solar lighting variables and earth lighting additives), impact sensing piezo-electric points for micro-meteorite detection, solar radiation variables from conventional Geiger-Muller tubes and/or ionisation detectors, and even moving coil detectors for "moonquakes". A host of other possible parameters could be observed, many of these probably highly valuable to schools, colleges and universities, students and scientists, astronomers, siesmologists, physicists, and other faculties.

Building Testing & Funding

The entire package could be financed, built and tested under the auspices of the international AMSAT organisation. Facilities for this already exist within the USSR, in Germany, Hungary, France, the USA and here at the University of Surrey in England, where numerous highly successful orbiting satellites have been

successfully constructed. The parts, electrical, electronic and mechanical, could be made available and integrated to a functional unit following suitable structure, thermal, electronic and electrical design by the joint activities of these centres of expertise, and could be funded by donations from radio amateurs from the world international community. It would provide an international non-profit making basis of joint expertise, and the results obtained from such an experiment would provide a host of valuable data to scientists engaged in many fields of activity, who would undoubtedly assist in the funding, particularly if an experiment of specific

interest could be included as one or more parameters on the telemetry.

Whilst the both the local and the international AMSAT community have the means of design, construction and testing of the experiment described to a functional model, and assistive availability of launches of satellites into orbit, they do not have the resources to enable the soft landing or manual placement of such an experiment onto the lunar surface. Whether this becomes feasible is up to the respective launch agencies, the level enthusiasm we can stimulate, and the degree and level of scientific uses to which the package could be put. **PW**

Proposal

It is proposed that as a part of the Soviet 1992 lunar expedition or any similar venture emanating from the USA, ESA or as a part of any joint venture, we ask that further consideration be given to the possibility of placing this pre-constructed tested experiment onto the surface of the moon. If practical interest is demonstrated it would then be possible to commence immediately on the planning as to the feasibility, and if this is positive, to then assess details as to the weight and dimensions of the package. Note that this proposal is a concept only, and not as yet an ongoing or defined future project. The viability and fruition will be to be determined by both the possibility of world-wide funding, the determined interest of supporters, and the probability of having the final functioning unit, be it transponder or beacon, delivered to the Lunar surface by any assured future mission.

QSOs covering half a million miles path range giving total earth coverage may become possible in the future for all of earth's radio amateurs if the plan can be brought to a practical level.

Tidy up your shack

PW BINDERS

Only £3.50 each

(plus £1 p&p for one binder, £2 p&p for two or more, UK or overseas)

Are you tired of sifting through cardboard boxes and carrier bags to find that useful item in PW?

Our smart binders, covered in blue plastics, are a must for your library, keeping your radio magazines in good condition and easily accessible.

Plus!

Tidy up those other mags too. Plain binders to take any A4 size magazines - no names, no pack drill !!!

HOW TO ORDER

Send a postal order, cheque or international money order with your order stating number and type required to **PW Publishing Limited, FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP.**

Payment by Access, Mastercard, Eurocard or Visa also accepted on telephone orders to Poole (0202) 678558. Normally despatched by return of post but please allow 28 days for delivery.

Prices include VAT where appropriate.



0202 678558 (24 hour Answer Service)

Antenna Clinic

Session 10

Q "A station I work frequently and about 16km away is normally received at S9+ but on some days the received signals may be down to S2 or 3 and even into the receiver noise level. My signals to this station are always constant. What causes this to happen?"

A Since the "propagation" distance is virtually line-of-sight, it is doubtful whether occasional reduction or loss of received signal one way only is caused by other than some fault at either end. There might be some high ground, perhaps heavily wooded, between the two stations. Wet trees can absorb v.h.f./u.h.f. signals to a considerable degree but when the trees become dry the absorption is reduced to a level that otherwise has no serious effect. But this would almost certainly affect reception by both stations.

The line-of-sight distance to the horizon from an antenna at a given height can be found from:
distance to horizon (D) in km = $4.124\sqrt{H(\text{metres})}$
where H = the height of the antenna

The maximum line-of-sight distance between two elevated antennas is equal to the sum of their distances to the point of the horizon as in Fig. 1.




Fig. 1




Fig. 2

Quite a few queries have been received about seemingly unaccountable reasons for variations in transmission and reception, mostly at 145MHz, during what might be called "normal" conditions, i.e. atmospheric or line-of-sight propagation. One or two were concerned with the effect of so called "lift" conditions (tropospheric propagation) usually announced on TV "as being due to weather conditions". True perhaps, but only sufficient to satisfy the viewers! The subject of propagation at v.h.f. and u.h.f., including anomalies is one of some complexity, and would require several articles to deal with it completely. However, the following selected queries provide an opportunity of including a little extra about v.h.f./u.h.f. propagation over what is loosely termed "line-of-sight" distances.

Q "I frequently work a station about 35km away. The received signals, in either direction, average S8/9 but will often slowly fade to virtually nil and just as slowly return to average. One might expect this during 'lift' conditions with hot weather and a high pressure region over the area, but why does it occur when such conditions do not exist?"

A With an average height antenna, say 10m or so, propagation over 30 to 50km is "atmospheric" (sometimes called space-wave propagation). Signals that are otherwise fairly consistent in strength can be affected by changes in natural atmospheric refraction. At v.h.f./u.h.f. the "radio distance" is increased beyond the line-of-sight distance by normal atmospheric refraction as illustrated in Fig. 2. Average working distances from a transmitting antenna 10m high to a receiving antenna of given heights are shown in Table 1. Tables of this nature can be compiled from the formula given earlier.

Not all v.h.f./u.h.f. users appreciate "lift conditions".

UHF/UHF RADIO 'ATMOSPHERIC' DISTANCE			
TRANSMITTING AERIAL HEIGHT- 10 Metres			
RX Aerial Height Metres	Radio Distance Km	RX Aerial Height Metres	Radio Distance Km
1	17	13	28
2	19	14	29
3	20	15	30
4	21	16	31
5	22	17	32
6	23	18	33
7	24	19	34
8	25	20	35
9	26	21	36
10	27	22	37
11		23	38
12		24	39

Allows for Refractive Effect of the Atmosphere

Fig. 3

Q "Other stations in my area receive our local repeater station, distance about 48km, constantly and at good strength. To me, the repeater was barely readable and could not be accessed despite the fact that my vertical antenna is reasonably high. I say 'was' because with a horizontal antenna, the repeater station is S9+ and no problem to access. What is the reason because the repeater station has a vertical antenna?"

A This anomaly was confirmed by a series of measurements made at one time by the author which showed that complete, or partial changes, in the polarisation of a transmitted v.h.f. wave can take place. This can be due to ground reflection at some point between stations which causes the polarisation to become elliptical. For example, the original transmission is **vertically polarised**. If the reflected, and now, elliptical wave is predominantly horizontal then the received signal will be strongest when the antenna (receiving) is horizontal (or vice versa).

It has been found that changing the position of either the transmitting or receiving antenna can restore polarisation to whatever it should be. Generally, the polarisation of a "space wave" (propagation partly direct and partly ground reflected) remains constant and one reason why we orientate antennas accordingly in the first instance.

Finally. A problem arising from tropospheric "lift" conditions, favoured by radio amateurs but not appreciated by certain other v.h.f. users and which resulted in a frantic telephone call to the author from a certain large East Coast town main Police Station.

Q "We cannot receive signals from the low power 'personal' transceivers used by policemen around the town because of very strong blanketing signals from the continent. We understand the reason is due to the hot weather but what can be done to overcome the problem?"

A Three questions. Is the station antenna used for both transmitting and receiving, if so what kind of antenna is it and where is it located? (The answers were, yes to the first and the antenna is a multi-element colinear located on the station roof about 100m from the sea front were the other two replies).

There are two ways to solve the problem. Change the weather (not possible), so change the antenna. To what? Ball in your court readers, but no prizes!

Recommended reading: *VHF/UHF Manual* by Jessop. Chapter 2. Published by the RSGB.

BOOK BARGAINS

VIDEO FILM MAKING

by Keith Brooks

First published in 1985, this 176-page book describes how video film making is done and what you can do yourself. Practical step-by-step instructions are given for making your own films. Originally £9.95 our bargain price is just **£2.95 including P&P.**

SATELLITE TV - A LAYMANS GUIDE

by Peter Pearson

This book, first published in 1987, explains all about setting up your own satellite TV terminal at home. Originally sold at £4.95 it can be yours for just **£1.50 including P&P.**

Send your orders to:

**PW Publishing Ltd. FREEPOST, Enefco
House, The Quay, Poole, Dorset
BH151PP**



0202 665524



0202 665524

SITUATION VACANT



SOUTH WALES POLICE AUTHORITY

WIRELESS TECHNICIAN

Scale 5/6 £10,290 - £12,462 p.a.
plus appropriate standby allowances

This key post is part of a team of wireless technicians working in the Communications Division of the Force based at Police Headquarters, Bridgend.

The successful applicant along with the other members of the team will be responsible to the Superintendent, Communications, for the maintenance of radio equipment used by the Force.

Applications are invited from people who hold an ONC/TEC in Electronics/Telecommunications or Forces equivalent, and at least three years experience in radio communications. A clean driving licence is required.

Applications can be obtained from the Civilian Establishment Officer, Police Headquarters, Cowbridge Road, Bridgend, Mid Glamorgan CF31 3SU
Telephone (0656) 646936


Applications must be returned by mid-day on December the 15th 1989.

**THE SOUTH WALES POLICE AUTHORITY IS
AN EQUAL OPPORTUNITY EMPLOYER**


NEW CAT OUT NOW!

Over 3,000 product lines feature in the Summer 1989 edition of the Cirkit Constructors' Catalogue, available from most larger newsagents or direct from the company priced at £1.50. The latest books, an RF frequency meter, two new PSU designs and a 3.5MHz converter are among the innovative new kits this issue, while our construction project - a 2 Watt stereo amplifier - is bound to prove an absorbing activity for dedicated constructors. In the test equipment section there's a whole new range of multimeters, a bench DVM and a triple output PSU.

For eagle-eyed readers who enjoy a challenge of a different sort, there is the opportunity of winning an audio signal generator worth more than £180.00 in the latest fiendish competition. All prices now include VAT for quicker, easier ordering; and Cirkit's same-day despatch of all orders, combined with value-for-money discount vouchers, makes the line-up even more attractive.



D-MM GOOD VALUE!



Cirkit's six new digital multimeters are packed with sophisticated extra facilities: capacitance measurement, frequency measurement up to 20MHz, temperature reading, transistor test and logic test in addition to the usual volts, current (DC and AC) and resistance measurement - and all unbeatable value with prices ranging from £20.00 to £55.00!

Cirkit

Cirkit Distribution Ltd

Park Lane Broxbourne Herts EN10 7NQ
Telephone (0992) 444111 Fax (0992) 669021

Also at

53 Burrfields Road Portsmouth Hants PO3 5EB
Telephone (0705) 669021 Fax (0705) 695485

Tel: 0376 45058

R. W. GRAPHICS

- Specialist Diaries
- Wedding Stationery
- Company Stationery
- Typesetting/Artwork

355 Cressing Road
Braintree
Essex
CM7 6PE

*** 1990 ***

AMATEUR RADIO DIARIES

A5 Desk Diary
with 32 extra pages
containing
amateur radio information

ONLY £3.50
plus 75p P&P

Both available with maroon or navy cover

Pocket Diary
with 16 extra pages
containing
amateur radio information

ONLY £2.20
plus 45p P&P

*** QSL CARDS ***

Your own design or photograph made into a QSL card.
Price list available.

D.I.Y. QSL CARDS Three designs and four colours
only £2.50 plus 70p P&P per 100.

MAKE YOUR INTERESTS PAY!

More than 8 million students throughout the world have found it worth their while! An ICS home-study course can help you get a better job, make more money and have more fun out of life! ICS has over 90 years experience in home-study courses and is the largest correspondence school in the world. You learn at your own pace. When and where you want, under the guidance of expert 'personal' tutors. Find out how we can help YOU. Post or phone today for your **FREE INFORMATION PACK** on the course of your choice.

GCSE / GCE / SCE ELECTRONICS BASIC ELECTRONIC ENGINEERING (City & Guilds) ELECTRICAL ENGINEERING ELECTRICAL CONTRACTING / INSTALLATION	CAR MECHANICS COMPUTER PROGRAMMING TV, VIDEO & HI-FI SERVICING RADIO AMATEUR LICENCE EXAM (City & Guilds)
Course of Interest: _____	
Name: _____ P.Code _____	
Address: _____ International Correspondence Schools, Dept. EECS9 312/314 High Street, Sutton, Surrey SM1 1PR. Tel: 01-643 9568 or 041-221 2926 (24 hrs.)	

J. BIRKETT

RADIO COMPONENT SUPPLIERS

EX-MILITARY COMMUNICATION RECEIVER TYPE R210 covering 2 to 16MHz in 7 Switched Bands with BFO, CW FILTER, NOISE LIMITER, converted to 240 Volt AC with LOUDSPEAKER, HEADPHONES @ £79.80 (carr. £8).

R210 RECEIVER in an unmodified condition @ £50 (carr. £5).

BUMPER MOUNT CALIBRATED WHIP AERIALS 1/4 Wave on 35 to 60MHz, 3/4 Wave on 90 to 170MHz. OK for 6M and 2M. Complete with information. Base and 20M of 50 ohm Coax. @ £9.50 (P&P £3).

COMPUTER TYPE PRESS TO TEST SWITCHES @ 25 for £1.15.

TRANSCEIVER NICAD BATTERIES in used unknown condition. Motorola Type NLN 5860B 7.5Volt @ 75p each, 10 for £6.50, post £2. Type NLN 4J63B 15Volt @ 75p each, 10 for £6.50, post £2.

MOTOROLA HAND HELDS 2 Channel UHF with 2 Nicads, less Antenna. All items sold untested @ £23.60 (Post £1.50).

EX-EQUIPMENT VALVES VU111 @ £1, CV73 @ £1.95, EF 91 @ 50p, 6 for £2, EB91 @ 40p, 68N7 @ 50p, VR150-30 @ £1, GZ37 @ £1, 12E1 @ £5.

AIR SPACED VARIABLE CAPACITORS 10+10+20p @ £1.50, 15+15p @ £2.50, 125+125p @ £1.95, 200+200p @ £2.50, 200+350p @ £2.50, 430+530p @ £2.50, Double Bearing, 75+75p @ £2.50, C804 Types 5p @ £1.95, 10p @ £1.95, 25p @ £2.50, 50p @ £2.50, 150pg @ £2.95.

DUAL GATE MOS FET LIKE 40673 3N201 @ 80p each.

CRYSTAL SIDEBAND FILTERS 1.4MHz BW 2.4KHz Upper and Lower @ £11.95 pair.

SE1 CRYSTAL FILTER OC1246 MIB 10.7MHz BW 7.5KHz @ £3.95.

SE1 CRYSTAL FILTER OC1121A 10.7MHz 25KHz Spacing @ £2.95.

ACCESS AND BARCLAY CARDS ACCEPTED. P.P. 60p under £5.00. Over Free Unless Otherwise Stated.
C.M.HOWES AND WOOD AND DOUGLAS KITS AVAILABLE BY POST AND FOR CALLERS.

**25 The Strait
Lincoln, Tel. 20767
(LN2 1JF)**
Partners J.H.Birkett.
J.L.Birkett.

On The Air

On The HF Bands

Reports to Paul Essery GW3KFE
287 Heol-y-Coleg, Vaynor, Newtown, Powys SY16 1RA

ON4UVW will be active as in previous years on the anniversary of Armistice Day, WWI, November 11. If you work them, bureau QSLs go by way of ON6PJ; the direct QSL route is to Danny Commeyne ON4ACB, Rozenlaan 38, B-8658 Dadizele.

Bouvet

The LA expedition to Bouvet (Club Bouvet) is still collecting funding at the time of writing, and hoping to operate in December. Their latest newsletter to hand, dated August 14, says that they have been in touch with two other groups, but that no-one has the necessary approvals for a 1990 visit to Bouvet, so they doubt if anyone else will manage it. However, there is now a press release from a second group, led by W9SU who intend to arrive around 2 February 1990. This group would appear to be fully funded, partly by the *Saturday Evening Post Society* and the *Saturday Evening Post Magazine* of Indianapolis, plus member funding, to the tune of \$120000. Equipment is by courtesy of Yaesu, and their Chip Margelli K7JA is a part of the 16-strong landing team. The same call 3Y0B may be simultaneously on several bands. The LA team were invited to join in but for various reasons have declined. The QSL address is: Joseph T Pinella WA9VGY, 6316 Greenleaves Road, Indianapolis, Indiana 46220 USA. The card will be a double fold-out full colour job with many black-and-white photographs of the island, the operators and so forth. There will also be an Award, available for any station or s.w.l. making contact on three or more bands. Either enclose QSLs or a list and covering note, to the address given above, along with a five-dollar bill. The award will be mailed pre-paid and flat with card protectors. The documents make it clear they aren't interested in partial calls, but they will use all bands including WARC. However, I note that, embedded within the 28-page press release put out by the US group, is a statement that the existing landing permit and operating licence covering the originally proposed 1989 date will be renewed during the month of October 1989. I deduce from all this that the LA group don't think that will happen, and the US group think it is a mere formality..... do I scent the beginnings of a busted flush, with neither group actually appearing?

Hurricane Hugo

This was the most destructive for a decade, and many people suffered. The *DX Bulletin* mentions that KP4A lost his giant three-element beam for 3.5MHz, while John Ackley KP2A lost five of the six towers and suffered much water damage when the hurricane broke most of the windows in his home. As for Montserrat, Hugo was the first hurricane to actually strike the island for 62 years, but it made up for lost time. Virtually all the native islanders lost their homes, the electricity station shut down, the airport was covered in tons of rock and mud. The editor of *TBDX*, Chod Harris VP2ML, lost his home, *Practical Wireless*, December 1989

the Last Resort, made famous by various expeditions; it was totally destroyed.

More DX

OE2CHN is in the planning stage of a world trip starting September 29 and going through to February 1990; the planned itinerary includes VS6, XX9, BY1, BY4, JA, KH6, W6, XE, HK, HC, OA, CP, CE, CE0 (Easter Is), LU, CX, ZP, PY, YV, 9Y (Tobago), 8P, J6, FM, FG, V4, V4, KP2, KP4, HI, HH, 6Y, C6 and W4; there may be slight changes particularly in the Caribbean. I assume Chris will be active from as many of these spots as possible.

ZM7VS will be on from Chatham Is, January 16-30; mainly c.w., five kHz up from the band edge, with QSLs to home call ZL2VS, direct or via the bureau system.

By now the first A61AD activity, by WB2DND will be over; he designed and used the same computer logging program as N4NW used in Africa, so beware if you tried for insurance contacts!

Interested in sunspots? PA6SUN will be aired to celebrate the peak of the cycle, from Simon Stevin Laboratory in Hoeven; 0800-2100Z on November 11, 0800-1500Z on 12th. Look around 3675, 3775, 7075, 14.275, 21.275, 28.575MHz, and on 50.110 and 50.210MHz. There may also be some c.w. and RTTY operation on the h.f. bands, with a special QSL card; via the bureau.

Obituary

For many years the name of Eric Trebilcock BERS 195 (later BCRS 195) stood at the top of the s.w.l. ranks; to receive a report from Eric was often a surprise, since he seemed to pick on the weaker stations for his reports from Australia. To read of his recent death in *DX News Sheet* was indeed a shock, albeit a moment's reflection would show that Eric had been a well-known s.w.l. since at least the early thirties. Eric Trebilcock will be missed by many friends worldwide.

Congratulations!

To Fred Hall G3NSY. Fred is the only white stick operator I know of who has made it onto the DXCC Honour Roll, with 315/329 countries. Fred is also the active chairman of the Shrewsbury Radio Club. G3NSY's success he attributes to many things other than his own persistence but I know better. Congratulations G3NSY, and may you soon have your last few countries booked in.

WAB

I have mentioned this activity so many times thanks to John Fitzgerald's letters; but I should also mention the various Awards available, members' QSL cards, Record Books, all with the aim of helping disabled amateurs and s.w.l.s. WAB net/activity frequencies are: 1.93-1.95, 3.76, 7.060, 14.28, 21.32, 28.46, 28.66, 50.15MHz and above. Details from Brian Morris G4KSQ, Membership Secretary, 22 Burdell Avenue, Sandhills Estate, Headington, Oxford OX3 8ED.

Reports - Top Band.

Just one report covering the band this month, from G2HKU (Minster) who

mentions ON7BW on sideband, and ON4CW worked on the key. However, I could add G3BDQ (Hastings) who simply commented that on every occasion he had a sniff round the static was S9 or worse.

The 3.5MHz Band

On this band, let ON7PQ (Kortrijk) lead the way; Pat is a c.w.-only operator, who mentions OH6YF/OH0. UF6FBI. VE3BCH, UA9WOB, EK3LT, U0AG, KP4A, PZ1DV, KO0U, FY5EW, HK1AMW and JX7DFA.

SWL Mike Davis of Thornton Heath was recently laid low by an attack of chickenpox, so with nothing to pass the time an 80m direct conversion receiver was knocked up, and a study made of propagation texts, leading to some attempts at prediction using the details from the RSGB News bulletins. All this learning paid off when the little receiver produced s.s.b. signals from W3JOR and VE1RCMP; the latter took a while to find beneath the pile-up and then to positively identify, but by and large the operating standards were pretty fair.

Nice to hear that Angie G0HGA (Stevenage) has a bigger signal once again, thanks to having the rig back in the shack. However, a new a.t.u. has to be knocked-up to improve the matching level. On the QRP c.w., at 2 watts, she worked G3GFG, G4CWN, G3BRV, GW0FJT and DF3XN, while the higher power of about 20-30 watts added G3AGF, G3PDH, G4UZN, G2ACG, ON5NO, SP1JZR, DL1ECA, PA0GE/MM, DJ1FE, F6GCT, SP2HGG, OZ1EQC, FD1ONJ and DK7VW.

The 7MHz Band

For the twenty-odd years during which I have regularly written a DX column, 7MHz has been a band where the dab hands work their DX and keep quiet, while the less knowing ones have a quick listen, say "What a hopeless mess" and turn to another band. Even the 5BDXCC didn't really dent this image, and it holds to this day. However if one presses the button labeled "RF Attenuator" one finds the band a mite different!

G0LJB (Whitehaven) runs a KW Vespa, a 20m end-fed wire, and his c.w. managed FE5UH, DL5JF, F8MA, LA2CFA, PA3AAC, GJ4WRR, ON4AHQ, PA3ATA, DL1SCO, plus G contacts such G3ZQS, G4IXL, G0BYG, G0HGA on the club call G0LPX/P, G0ENV, G4ZGK and G4JIZ, all of these being fellows FISTS club members.

G4ZMI (Headless Cross) is a worried man.... on 7 MHz c.w. he raised UL7AM / UT9UQ in an almighty pile-up but he doesn't know why! At least that's what the letter says, but I think Neil actually meant that he didn't know what the Russian call was all about. Seriously, the number of these internal DXpeditions, and of Russians operating away from home seems to indicate a significant liberalisation of their licensing, which just can't be bad.

GM4XQJ (Falkirk) notes a disturbing new trend on 7MHz, where a s.s.b. net has started up on 7.035 under G3KCL, even when there is already a c.w. contact going on upon the frequency. All I can say is that

the call isn't in the current Call Book or recent issues, so perhaps the operator doesn't know about the Band Plan - will someone please tell him? GM3XQJ himself runs strictly QRP c.w. at two watts, with which he made it to DK6XM, EI6GU, F9J/LP, G3LP, G3PH, G3BGR, G4DMC, G4PNH, G4TKQ, G4VPM, G4PCY, GM/DF2XR/M, GW3IVK, OY3QN and Y39RE/P.

Now to Pat of ON7PQ, who made his number on c.w. with JA5RH, VS6UO, VK2APK, KE9A/DU3, CE0GZ (JF Is), JE1JKL/9M6, SV0CR, JX7DFA, PZ1DV, UG6GAW, UB5MAL/UA10 (Franz Josef Land), VE8VFC (Victoria Island), VE7FPT, SV2/DK6AS/P, LU5HJD, VE7CC, VP2EXX, CO2VG, 4Z4DX, RV0YF for CQ Zone 23, HZ1AB, WL7E, JX7DFA and HC8/WA7EGA.

On 7MHz, G0HGA has been knocking them over like ninepins in her joy at getting the rig back on the bands; there are enormous numbers of Gs, far too many to list, but one notes such as G4EZF, and notably for me, G3RKJ, who used to be a dab hand on Top Band, plus Gms, GWs, G4BBE, GJ5NO, GD0IDU and EI9BT. In addition, almost as many European stations, including Fs, DLs, Y24SD, ONs, PAs, an assortment of Is, UP2BOQ, UA4NAK, UC2LAW, UA3SDN, HA1RJ, LZ1RN, a couple of YUs, two OZs, two LAs and OY2H. Outside Europe there were K2SB, N2MM, N1FNN, WB4AJL, W3LT and N2UU.

Special Event

And special pleading too! On a weekend in April 1990 we will have a "sponsored" station operating for 24 hours from Brynderwen Lock on the Montgomery Canal. Funds raised by sponsorship (and donations, hint, hint!) will be devoted equally to the canal restoration funds, and to Powys REMAP panel, in aid of the disabled. The site will be very clearly visible on the east side of A483 (T) just north of Abermule, where road, canal and river are all side-by-side.

WARC Bands

G0HCZ (Newport IoW.) usually finds his spare time for operating at 2100Z or later, when the bands aren't always exactly popping. However, on 18MHz, Derek managed to hook JA8BWW, JA9BFN, JA9FCB, LU9DJD, OA4BUX, W5SAL, KA7MCX, K6LL7, VE2AJ, VE3NYT and VP8BXL (Rothera Base, British Antarctic Territory).

Next is G2HKU who used his c.w. on 10 MHz to hook VK3AUC, VK5FE, ZL4HB, FY/F3OA, HB0/DL1GK; on 18MHz there were s.s.b. contacts to HZ1AB and ZS8MI

(Marion Island), plus c.w. to KB4T, I6BQI, JA4AO, HB0/HB9NL, WA4SNI; as for 24MHz, the only contact was with s.s.b. to ZS8MI.

The c.w. signal from G4ZMI was loaded up on 18MHz to collect up LU6XPA, VK3MR, ZD8VJ, VE5DCKP4BJ, D44BS, LU3HAN, TA2AU, JR4GPA, JG6MQI, JA6HW, JA4AO, LZ2DX, OH6GL, JA1IFP, EA5FNL, K2LV, LU9HGW, N3GZV, JA4CSH, JA2FJP and JQ1QKK.

The 28MHz Band

This band has been like the curate's egg. Sometimes bustin' out all over, other times a frying noise as of a tired band composing itself for slumber. However, G0HCZ, despite a shortage of time, managed to raise K4XS and VK6CI on s.s.b.

G2HKU took a peep at the c.w. end, and came away with UZ9SWW, RL9PYL, RA9JX, 5B4ES, UA9YNC, HL5BDS, W6TZD and HK3RQ.

Over to G4ZMI: Neil's keying was to attract the attention of LU2EPN and PU2LOK.

G3NOF (Yeovil) has been all but inactive thanks to an elusive and intermittent fault on his TS-940S since August 30 and still not cured. However on 28MHz s.s.b. contacts were made with BY8AC, P43WLP, TL8RM, XX9SW and ZS1IS (Walvis Bay).

G3BDQ says he was only on the band for a short while, but he did hook up with XX9SW, HL5BLT, JA5OVU and UM8MK.

GM4XQJ and his QRP rig made their number with DL3DRN, F6ESG/OD5, JA1PTR, JA6BIF, JH1AEP, KA1DXP, NB6G, RA4PM, UA8AWZ, UJ8JCM, UV9CC, UW3AA, VK6OE, W6PM, YC0MCA and YO4CPQ.

As for the c.w. of ON7PQ, Pat notes his contacts with TJ/IK1JLL, 9Q5UN, JAS assorted, VS6BG, ZS1IS, FP5DX, 3DA0BK, HL5BDS, KX6OI, TT8CW and 3B8CF.

The 21MHz Band

Probably the best compromise for anyone restricted to a single band, at least for the moment.

G2HKU stuck to key mode here, and managed HK3RQ, UZ9AWZ, UL7BX, KE8CF, UJ8JA, JA4YJA, N3RD, LU1EWL, UA9FXJ, PP2WV, LU1HNL, OH6NTO/CE3 and W2BAI.

Now to G3NOF who offers CI3XN, CI7RG, HL5FEE, KB0NL (N Dakota), UA0BDU/UA10, UW0LAP, VK8NUE and 3D2RJ (Rotuma).

G3BDQ had himself a ball here. John attracted the attention of A22RA, CI1AT, CI1YX (both Canadian specials), CL7YC, D44BS, EL2WK, EL8BS, HL1AIW, JY5IN, SV8/I5DCE (Mykeros Is), T5MF (Somalia),

VU2WAP, VU2WS, VE7FJE, YC2BMW, YC2GW, SM0OIG/YN for a rare 'un, Z21HD, ZD7DP, ZD7KM, ZS1IS, ZS3DM, 4S7PB, 5H3GB, 9Q5XX and a Gotaway in the form of 3X1SG. John wanted this one badly and waited 40 minutes while he finished a three-way contact.... the guy finished and immediately went QRT!

The QRP c.w. from GM3XQJ included JJ3JLL, JH7AKT, UA9KL, UZ9WWG, W2TC and YZ3BCA.

Now to ON7PQ, who found SU1EE, HC5AI, J52U, TZ0MAR, ZS1IS, JE1JKL/9M6, 5H3TW, 9Q5DX, KH0AM/KH2, UZ9OWA/UA0X, FK/JA1CMS and TT8CW.

SWL Ron Pearce (Bungay) has been playing with simple receivers, and he listened with his latest one-valver recently and heard VO1SA, JR1RCQ and 5B4TI.

Finally 14MHz

Where it is all represented, whether good bad or indifferent! G0HCZ made it on s.s.b. to 9N1MM (QSL via IK0GRS).

G4ZMI made a couple on the band, in the shape of JA0DWY and PY2PAR, and then seems to have hopped off to 18MHz.

It is indeed unusual to get such a short 14MHz list from G3NOF, but before he "broke the elastic" in the rig, he did make his s.s.b. presence felt with J37ZY, P40MA, VU2SMN, ZS1IS and 9K2YA.

Looking through the long list from G0LJB I have to note W1HRO who has been around since 1931, PP5AVE, K2QIL, K4YR, EA7BWW, N2DAN/4, W2AG (both RSARS members as is Paul), AD3N, W3TUX, VO1JX, WF9J, CE6NOT, EA7AQL, WT5K, KA3QOO (a YL), VE3KLM, HB0/HB9NL, W2E2S, N4ONR, HK6BTC, N4KER, AK1C, UB7VA, WA3PGQ, CO7PG, RW6AH, WT5K and shoals of smaller fry.

The GM4XQJ QRP made it on 14MHz to OH9VL/3, R4PWY, YU5ET and a mystery YH6SG.

Over to Pat at ON7PQ; on 14MHz he tangled with ZF2NZ, FO0MGZ, F6DYY/6Y5, K6RR/6Y5, J73A, ZS3AT, YB0DPO, 5W11V, 9M6SDX, ZS1IS, UA1ANP, UZ9OWM/UA0X, VE8VFC, FK0AW, V31BB, FO5JR and ZL7TZ.

Ron Pearce's one-valver, just to show the way, was used to listen to 4X4DK, KD6USN, VK2PK, K1MAN, and W5ESI/MM which seems to be somewhere near world-wide coverage - so who needs to go commercial, he chuckles.

Finally, Bill G4KKI, who says he is still running the QRP and still enjoying it as much as ever. The HW7's two watts applied to 14MHz and a much bent centrefred 33m connected him nicely to PY7HQ, VK3NM, VK2RAS, 3B8SN, NU3M, RV9FM, UD7KWA, 9H3KL, plus loads of other Russians.

VHF Up

Aurora

The first reported aurora during the month occurred on September 15. Jim Smith G1DWQ (DOR) detected auroral signals, at 2015UTC, on the Irish TV carrier, centred on 53.757MHz. Signals from Swedish TV carriers were copied at 55A but no amateur signals could be heard.

This event must have been in progress for some hours, as Paul Feldhahn G7CFK (MCH) mentions that he first noticed the aurora, on 50MHz, at 1755UTC, but despite putting out a few calls, no contacts resulted.

A late night event, catching many

operators out, occurred on September 18. Eric Gedvilas G8XVJ (CHS) first detected activity at 2230UTC, when checking the beacons DL0PR (144.910MHz) and GB3LER (144.965MHz). Both were fully auroral at this time. Despite using s.s.b. Eric made a number of good contacts. First up, at 2251UTC, was DG3HS (JO53) peaking 59A. From 2300UTC, contacts were made with SP2NJI (JO92), SP9EWO (JO90), both at 59A, and with a number of German operators in locator squares JO30, 31 and 52. At 2315UTC, OZ6TY (JO55), was worked. From 2320UTC, further Polish stations, SP5ATS

(KO02) and SP8AOV (KO11) were contacted, Eric getting a report of 59A+ from the latter station. Other contacts included Y2SWA and miscellaneous GM stations. The aurora disappeared at 0010UTC but returned around 0530UTC the next morning. Activity was quite low but even so Eric managed to work, between 0625 to 0645UTC, G8ESB, GM4CXM and PA3ECI. At 0700UTC the aurora had almost disappeared but even at this time DL0PR could still be heard aurorally.

David Shaw G8MDG (YSW) first detected the aurora at 2240UTC when

David Butler G4ASR
Yew Tree Cottage, Lower Maescoed,
Herefordshire HR2 0HP

GW8ELR was heard at 57A on a beam-heading of 45 degrees. Moving the antenna to 70 degrees, s.s.b. contacts were then made, from 2250 to 2331UTC, with DC6SN, DG3HS, DG6BAK, DD9EN, DH9KAE, DK9OY, GW8OFX and SP9EWO (JO90). Gotaways included SP2NJI, SP4CJ and another Polish station working SM5NVF. The early morning aurora allowed David to work G7ENG at 0655UTC and G4YRY (DOR) at 0704UTC. Just like the report from G8XVJ, David noted that DL0PR was still 54A at 0700UTC but no other activity could be heard.

Jim G1DWQ was unable to participate in the event, being plagued by computer interference which wiped out the 50MHz band. He had more success the next morning when he heard GM3WYL 59A, on s.s.b. at 0615UTC. Contacts, on c.w. were then made with G3CCH at 0650UTC and G0JHC at 0658UTC.

Ela Martyr G6HKM (ESX) missed the start of the aurora, making her first contact at 2323UTC. Contacts were made, on 144MHz, with G, GI and GM stations.

Another aurora occurred on September 26. Unlike the previous event, this one was at a far more sociable hour. It started around 1600UTC, continuing for over 2 hours. A second phase, commencing from 2000UTC, bumbled away, very weakly, for many hours.

Eric G8XVJ, concentrating on 432MHz s.s.b. worked G1GEY (TWR) at 1802UTC. Use had to be made of the second v.f.o. as the doppler shift was approximately 7KHz.

North of the border, **Mike Robertson GM0BQM (CTR)** went out and operated portable, on 144MHz, from a local hilltop. Using 60 watts and a 17-element Yagi, he worked stations in DL, F, HB, LA, OK, OZ, SM and SP.

I first noticed the event at 1630UTC, the beacon GB3RMK on 50.060MHz, being 59A at this time. Moving up to 144MHz, the only activity heard was GM3NHQ (TYS), this station being worked at 1643UTC. Moving back down to 50MHz, a 15 minute c.w. session, between 1650 to 1705UTC, produced contacts with OH2FQ (KP20), SM6CKU (JO67), PA0HIP (JO21) and GM3NHQ. Beamheading for all qso's on 50MHz was 20 degrees. Moving again, back to 144MHz, showed that the band had woken up to the fact that an aurora was taking place. Activity was much better and c.w. contacts, between 1715 and 1820UTC, were made with EI5FK, F6DBI (IN88), DJ2QV, DK2BJ, DK3UZ, DL5BAC, DJ6QL, DL6NA, DL7UK, DF9CY, DJ9YE, DL9LBH, OZ3ZW, PA2GER, PA2TAB, PA3DFG, PA3FJY and SP2HHX (JO94). The beam-heading for these contacts was between 50 and 60 degrees. At 1825UTC, as 144MHz signals were fading, a move down to 50MHz was instigated but signals on this band were also rapidly diminishing. A quick contact with GD3AHV (IOM) was completed before the first auroral phase disappeared. Staying on 50MHz, it was interesting to note that between 1845 to 1855UTC, auroral signals from GB3NHQ, GB3RMK and GB3SIX could be heard on a beam-heading of 310 degrees, but no one else had the initiative to try for qso's on this heading. A weaker second phase, detected at 2105UTC, produced 144MHz contacts with stations in DL and PA. The event finally fading out at my location, in Herefordshire, at 2125UTC.

Dave Lewis GW4HBK (GWT) stayed on 70MHz and worked, between 1730 to 1810UTC, GD6ICR, GM3WYL, G1SWH, G3UKV and G4JHA. The contact with

Annual v.h.f. table January to December 1989

Station	50MHz		70MHz		144MHz		430MHz		1296MHz		Total points
	Countries	Countries	Countries	Countries	Countries	Countries	Countries	Countries	Countries	Countries	
G1SWH	61	26	64	6	87	19	57	6	—	—	326
G8LHT	53	16	34	5	78	31	51	14	7	4	295
G6HKM	57	30	—	—	79	27	40	15	23	7	278
G0IMG	86	24	40	5	55	12	27	5	—	—	234
G1DOX	30	6	48	6	64	16	27	3	13	2	215
G6NB	57	30	—	—	56	15	23	3	—	—	184
GW6VZW	58	23	—	—	75	20	—	—	—	—	176
G4KEN	21	9	13	2	63	21	33	9	—	—	171
G8PYP	32	22	—	—	54	25	24	10	—	—	167
G4ZTR	10	12	47	7	56	24	21	7	—	—	162
G4LDR	43	10	—	—	44	14	37	9	—	—	157
GM4CXP	28	11	4	1	61	19	4	2	—	—	130
GM1SZF	33	11	—	—	57	16	5	6	—	—	128
G0EHV	—	—	44	5	62	16	—	—	—	—	127
G8XTJ	40	14	—	—	54	13	—	—	—	—	121
G04XTT	34	8	—	—	49	10	11	4	—	—	116
G3EKP	25	15	27	6	25	7	5	4	—	—	114
G0EVT	23	19	—	—	33	26	6	6	—	—	113
G1VJP	15	4	—	—	74	12	—	—	—	—	105
G0FYD	—	—	—	—	82	22	—	—	—	—	104
GW1MVL	—	—	—	—	62	20	3	4	—	—	89
GW4HBK	—	—	58	6	—	—	19	3	—	—	86
G1TCH	17	14	—	—	34	12	—	—	—	—	77
G7CLY	—	—	—	—	57	14	4	1	—	—	76
G3FPK	—	—	—	—	51	19	—	—	—	—	70
G4VOZ	41	25	41	6	—	—	17	4	—	—	68
G7CFK	5	3	—	—	46	10	1	1	—	—	67
G1CEI	—	—	—	—	—	—	—	—	—	—	66
G1GEY	4	2	—	—	—	—	34	8	2	2	52
G0HGA	—	—	—	—	32	12	—	—	—	—	44
GM1ZVJ	4	3	—	—	22	14	—	—	—	—	43
G4AGQ	—	—	12	2	7	7	6	3	—	—	36
G6MXL	2	1	4	1	7	4	8	5	—	—	33
G0H0Z	—	—	—	—	25	4	—	—	—	—	29

GM3WYL in IO75 was particularly pleasing as he was only running 15 watts to an indoor HB9CV antenna.

Paul Baker GW6VZW (GWT) runs a 50MHz station consisting of an FT690, a 15 watt Nevada amplifier and a 3-element MET Yagi. He put this to good use during the aurora by working GM1XOG (SCD), G1RST (NLD) and a number of other stations in IO83/93. Stations in EI, GI, GM and SM were heard. Paul had to beam due north to work all stations.

A late report, regarding auroral activity in August, was sent in by **John Hilton, GM1ZVJ (LTH)**. Contacts, via Ar, were made with GI4KIS (ATM) on August 17, GM6RGN (SLD) on the 21st. An event on August 23, gave John his first German contact, via this mode, when DL3LAB (JO44) was worked. A new locator square, IO81, was also worked, by contacting G0DKM (AVN) at 1730UTC.

As auroral activity will be prevalent for the next few months, some tips will not be amiss. Firstly, you must consider whether you want to use s.s.b. or c.w. Obviously, for some operators, there is no such choice and use must therefore be made of an inferior mode. Working weak signal auroral dx is infinitely easier on c.w. In fact any weak signal work, be it on tropo, meteor scatter or e.m.e. for example, justifies the use of c.w. Having chosen your mode you must then adopt a few techniques which help in enhancing the intelligibility of the received signal. Signals reflected from the auroral curtain exhibit some form of doppler shifting. Two problems are then encountered. The received signal is not on the same frequency as originally transmitted, and, especially on s.s.b., the signals can be pretty incomprehensible. To counteract the effect of doppler is a simple matter of ensuring that the receiver r.i.t. control is offset commensurate with the amount of doppler being observed. In some cases, 432MHz for example, the shift may be more than 10KHz and the use of a second v.f.o. is invaluable. Learning to copy c.w. as white noise is a fairly simple technique that requires little practise but a bit more care is required for s.s.b. The ball is really in the court of the transmitting station. If you adopt standard procedures then the contact is made that much easier. Above all speak slowly and use recognised phonetics. Restrict the contact to callsigns; report, using the format "Five Seven

Aurora"; and locator. By using these techniques you should be able to make some form of auroral contact. This is fine until it dawns on you, that in every event, you are working the same old Scottish stations, time and time again. But why do you keep working the locals whilst other operators are always working the real dx? The answer is really quite simple. You are beaming in the wrong direction. Many operators will beam north, hear some GM's and keep the beam on that heading. The real dx will never be in the same direction. What you must do is to rotate the antenna approximately 40 degrees to the east of where the GM stations peak up. As a generalisation, stations in central England, will need to beam somewhere between 60 to 80 degrees. Once you discover this technique you will realise that in fact many auroral windows exist and by "looking" into each one, you will work stations situated in different areas of Europe. The situation during any particular aurora is very dynamic and you should therefore be prepared to move the antenna around throughout the event. Be imaginative and you will find the key to working DX consistently.

Co-incidentally, I recently received details from Cambridge Kits of their latest issue of *Kit News*. This newsheet includes some notes about forecasting auroras, by using their v.l.f. receiver, to monitor the strength of U.S.A. signals on 17.8 or 21.4KHz. It is claimed that you can get 30 hours of advance warning of impending auroras by using this method. The latest issue of "Kit News" also includes information about their 50MHz and 70MHz converters. If you want a free copy, send a 9" x 4" s.a.e. to Cambridge Kits, 45 Old School Lane, Milton, Cambridge, CB4 4BS, mentioning the Vhf-Up column.

The 50MHz Band

Conditions during September were pretty uninspiring although some lucky stations, most situated in southern England, were able to enjoy one or two openings to Africa, that were inaudible to the rest of the UK. There was, however, a good opening to Southern Africa on September 30. More details on this event next month. To keep the band ticking over, a number of minor scale auroras took place, allowing many European countries to be worked.

Jim G1DWQ sums up the lull in activity

KENWOOD

1995.00	(—)
244.88	(3.00)
87.55	(3.00)
862.00	(—)
985.00	(—)
1138.81	(—)
144.82	(3.00)
222.49	(3.00)
200.00	(3.00)
66.49	(3.00)
173.78	(2.50)
40.81	(3.00)
343.00	(2.50)
77.00	(2.50)
1495.00	(2.50)
238.00	(3.00)
268.00	(3.00)
P.O.A.	(—)
215.26	(3.00)
252.13	(3.00)
598.00	(—)
1495.00	(—)
599.00	(—)
161.94	(2.50)
875.00	(—)
679.00	(5.00)
665.00	(5.00)
28.31	(3.00)
318.00	(5.00)
28.31	(2.00)
43.08	(3.00)
96.00	(3.00)
22.22	(2.00)
21.20	(2.00)
32.26	(2.50)
24.36	(2.50)
37.20	(2.50)
465.00	(8.00)

SWR/PWR Meters

HANSEN		
W720S	130-440MHz 20/200W	52.75 (2.50)
JD110	1.5-150MHz	12.50 (2.00)
YMIX	3.5-150MHz	31.50 (3.00)
Yaesu Y560	1.6-60MHz	93.15 (3.00)
Yaesu YS500	140-525MHz	81.65 (3.00)
Hanson FS500H	1.5-30MHz	53.40 (3.00)

— *Miscellaneous*

SMCS 2U	2 Way SO238 Switch	18.95	(2.50)
SMCS 2U	2 Way S&S Switch	23.50	(2.50)
Kempco KP21N	2 Way Switch 'n' Socket Deluxe	27.00	(2.50)
130	300W Dummy Load	10.29	(2.50)
1100	100W Dummy Load	6.00	(3.00)
7200	250W Dummy Load	65.00	(3.00)
WAJ	Wavemeter 120-450MHz	24.95	(2.50)
PK232	Packet/RTTY Terminal	29.95	(3.00)
Datong D70	Motor Torque	14.40	(3.00)
Datong FL3	Audio Filter	100.91	(3.00)
Datong FL3	Audio Filter Autotune	145.54	(3.00)
Datong ASP	Processor 4pin	93.15	(3.00)
Datong ASP	Processor 8pin	93.15	(3.00)
Datong AD370	Active Antenna	17.62	(3.00)
Datong AC	Power Line Converter	14.95	(3.00)

- *Antennas*

VLF	50-500MHz RX Discone	22.50	(3.00)
D130	26-1300MHz Discone	75.00	(3.00)
Jaybeam	TB3 MkIII 3e HF Tribander	348.45	(8.00)
Hygain	THJ1NR 3e HF Tribander	299.00	(8.00)
Creative	CD31B JR 4e HF Tribander	299.00	(8.00)
Creative	CD31B JR 4e HF Tribander	349.00	(8.00)
CA2X4C	270cm Mobile	39.95	(3.00)
WX1	2m70cm Base Fibre Glass	54.95	(4.00)
CA2X4Max	2m70cm Base Fibre Glass	99.95	(4.00)

— Rotators

G250	Light Duty
AR200XL	Light Duty
G400	Medium Duty
G400RC	Medium Duty (Round Face)
G600RC	Medium/Heavy Duty
G200RC	Heavy Duty
G500	Elevating Rotator
GR5400	Azimuth/Elevating

Instant credit available.
Mail/Telephone order by cheque or
credit card. Cheques cleared before
goods despatched. (E&OE)

OPEN TUES.-SAT. 9.00-5.30
(CLOSED MONDAYS)

STOCK ITEMS USUALLY
DESPATCHED WITHIN 48 HRS

DELIVERY/INSURANCE PRICES
IN BRACKETS

11, KENT ROAD, PARKSTONE, POOLE, DORSET BH12 2EH
Tel: 0202 738232

While the Publishers will give whatever assistance they can to readers having complaints, under no circumstances will the magazine accept liability for non-receipt of goods ordered, or for late delivery, or for faults in manufacture. Legal remedies are available in respect of some of these circumstances, and readers who have complaints should address them to the advertiser or should consult a local Tradings Standards Office, or a Citizen's Advice Bureau, or their own solicitor.

Transverters for 6m or 4m with 2m on 11.5 ft. watts out on 6 or 4m	\$46.00 inc P/P	All kits use full spec components
See you at Dayton Man-Made — Lists Free with 1st order	\$44 inc P/P	if required, others P/W
Linear .05 to .5 watts in for 10 above also see 2m mobile	KIT \$20.00 inc P/P	kits available. Orders to:
P.W. Zenner Diode tester kit	\$12.50	F.J.P. KITS,
P.W. Badger inc all components & box. A 2mtr 100 Watt Oct 58	\$139.00 Post C/T	63 Princess Street, Chudsmore,
P.W. 150-450 kHz IF with 1000 ohm i-b-w circ	\$116.25	Cannock, Staffs WS11 2JT.
P.W. Woodstock Shuntwave converter	\$29.50	P.O. — Chequer Crest 1408, 7-14
P.W. Simple 500 mV Converter to work on base band. Full kit Sept 86	\$22.00 inc P/P	days delivered on Cheques. 48 hrs
Frequency counter Prescaler for 600 MHz plus inc ICSP96 series	discast	plastic.
P.W. Diode Oct 85 inc decast box	\$20.00 inc P/P	TEL: 05435-6487 for P.W. KITS
	\$14.50	

Ask for Jim GM0AAJ
Unit 17, Six Harmony Row,
Govan, Glasgow G51 3BA
Tel: 041 445 3060
8.30-5.30 Mon-Fri. Late night Thurs 7pm

ALL MAJOR BRANDS AT DISCOUNT PRICES
AVAILABLE NATIONWIDE — CALL ANY NUMBER FOR FAST EFFICIENT SERVICE
(Arrow are AUTHORISED dealers for Kenwood, Icom, Yaesu and all we sell)

John Lewis,
Tel: Anglesey 0248
714657

Dave Foster
Tel: 0533 608189

Jim Cook
Tel: 0942 713405
09.00-17.00

LATEST CALLS 8.30pm PLEASE

NEW RIGS! BEST PRICES! BEST SERVICE!
SPECIAL SHOW DISCOUNTS & OFFERS



by reporting that September was the first month since November 1988 that he had failed to work anything outside of Europe. On September 2, the Gibraltar beacon, ZB2VHF, was heard briefly at 1910UTC. TV signals from Channel R1 were heard spreading onto 50MHz, between 2030 to 2115UTC, on September 7, but no crossband activity on 28MHz was heard. On September 10 there was crossband activity in the shape of OK3CM, at 1130UTC, but 50MHz propagation was not suiting Jim's location. The only African station to be heard in the month, G3GJQ/5N0, was copied from 1430 to 1510UTC, on September 17. Roy was quite weak to start with but as he built up in strength to 57, so a pile-up developed and with Jim's poor take-off to the south, that was the end of trying on that occasion.

Paul G7CFK has been listening tentatively every day and despite high flux numbers, peaking 305, on September 9, no DX was heard at his QTH. At this point, I must dispel the idea that high flux numbers automatically mean that the 50MHz band will be open. This is not necessarily true. It would be more correct to say that the band is most likely to be open after a period of many successive days of high flux numbers. Paul used the word "peaking", and it is this parameter that is important. An analogy is to try and imagine the F2 layer as being a battery which needs charging up. A continued period of trickle charging, from the sun, is much better than intermittent high voltage boosts. Another point to bear in mind is that the position of the sun relative to the earth at particular times of the year is very important. Certain times of the year will be unfavourable, for instance, mid-summer, whereas other periods, October through to March, will be much more productive. So, although the solar flux may be high, other ingredients are required in the propagation melting pot. Although this is a simplistic approach, it hopefully serves to illustrate the situation.

One of the few operators to work outside of Europe, during September, was **Dave Gregory G8JDX** (CNL). Earlier in the month, G3GJQ/5N0 and TR8CA were heard at good strength, but no contacts were made. In a classic, pre-auroral enhancement to the band, on September 18, Dave worked EL2FO in Monrovia. The Liberian station was first heard at 1526UTC on 28.885MHz, saying that he was hearing the GB3CTC beacon. Dave went straight on to 50MHz and made the first G to EL contact on the band at 1533UTC, receiving a report of 54. Alan, EL2FO (IJ46) is an American operator, expected to be active for some months. QSL's go via KN4F. After working G8JDX, EL2FO went on to work G3ZYY, G6ION, GD3AHV and PA3EUI. Later the same evening, G8JDX heard ZD8MB (II22) from 2007 to 2209UTC.

Another operator to hear and work some of the African stations was **Geoff Brown GJ4ICD**. On September 17, G3GJQ/5N0 was heard for 40 minutes, from 1440UTC, peaking 59+. TR8CA in Gabon was also heard but this station was much weaker. The next day, Geoff heard EL2FO at 1600UTC but no contact was made. However a QSO was made with ZS3KC at 1615UTC. Just after this contact both ZS3AT and ZS3E were heard.

Peter Scutt G3IBI (HPH) reports on a few notable events during previous months. August 19 was an interesting day. LU5EZT/MM located near the Canary Islands was worked on s.s.b. at 1724UTC. This was followed, at 1840UTC, by hearing

QTH Locator Squares Table

Station	1296	432	144	Total
G3IMV	48	124	429	601
G4KUX	—	120	372	492
G3UVR	82	135	246	463
G4RGK	50	124	284	458
GJ4ICD	59	119	263	441
G0DAZ	27	128	177	432
G3XDY	89	147	196	432
G3JXN	87	134	179	400
G1EZF	—	93	263	356
G4XEN	—	111	274	385
G6DER	78	110	183	371
G6HKM	45	107	215	367
G4RRR	—	80	255	335
G3COJ	44	103	186	333
G4DEF	48	37	248	333
G4SSD	—	93	229	322
G4FRE	72	146	102	320
G1KDF	37	102	180	319
G4TIF	—	110	200	310
G1LSB	—	139	170	309
G4DHF	—	—	307	307
G1EGC	23	80	198	302
G8HHI	38	110	148	296
G6MGL	59	89	141	289
G8PNN	63	98	128	289
G4NBS	63	105	119	287
DL8FBD	—	—	280	280
G8ATK	45	91	143	279
G4MUT	31	93	153	277
G8LHT	10	88	177	275
G4PCS	—	3	258	261
G1GEY	11	77	168	256
G3NAQ	—	80	175	255
G0EVT	—	57	197	254
G6DZH	—	87	154	241
G4IGO	—	—	238	238
ON1CAK	—	33	204	237
G3FPK	—	—	236	236
G0EHV	—	75	160	235
GM4CXP	—	31	198	229
E15FK	—	56	172	228
G6STI	24	69	130	223
ON1CDQ	—	32	182	214
G4MEJ	—	—	213	213
G8LFB	—	—	209	209
GW4FRX	—	—	204	204
G8MKD	—	49	150	199
GJ6TMM	—	48	151	199
G4YCD	—	—	197	197
G4DOL	—	—	186	186
G1SWH	—	53	128	181
G1JUS	—	—	181	181
G4ZTR	30	45	91	176
G7ANV	—	—	153	153
G8MXL	16	45	91	152
GW6VZW	—	6	143	149
G4AGQ	1	42	104	147
G1WPF	—	29	97	126
G0FEH	—	24	101	125
G0FYD	—	—	121	121
G8PYT	—	21	98	119
G8XTJ	—	—	116	116
G1MM	—	17	98	115
GW1MVL	—	20	95	115
GM0HBK	—	—	107	107
G4OWA	—	—	103	103
GM0GDL	—	22	81	103
G1TCH	—	6	88	94
G1SMD	—	—	93	93
G6MEN	4	26	63	93
G1DOX	5	12	67	84
G4WHZ	7	—	76	83
G0HEE	—	—	73	73
G1CEI	—	1	72	73
GU4HUY	—	—	73	73
G0HDZ	—	—	64	64
G0ISW	—	12	52	64
G1NVB	—	—	58	58
GM0JOL	—	—	47	47
G2DHY	2	7	33	42
GM1ZVJ	—	—	40	40
G7CLY	—	—	38	38
G7AHQ	—	—	34	34

No satellite or repeater QSO's Starting date January 1 1975

LU1DMA, on 50.110MHz. To round off the evening, a contact with CX1DDO was accomplished, for a new country and continent. On September 8, the Icelandic keyer, TF6MM, was heard on 50.057MHz, from 1429 to 1445UTC. Peter tried to raise him on 28.885MHz but without success. He mentions that the keyer sends the callsign and locator, IP24KC. G3GJQ/5N0 was heard at 1440UTC on September 17, but there were too many Frenchmen getting in on the action. This was slightly annoying as G3GJQ/5N0 was operating on 50.110MHz, some 90KHz below the band allowed for French operators. On this note, I ask you to avoid as much as possible, contacting French stations below 50.200MHz. If you hear one in the low end of the band and would like a contact, first ask him to move to a frequency above 50.200MHz before completing the qso. Continued operation below 50.200MHz could cause French stations to lose all 50MHz operating privileges.

If you are on the grapevine, or subscribe to the RSGB *Six Metre and Up DXer*, you

would have known that TA4/G3SDI received a permit to operate on 50MHz from Antalya, Turkey. He was scheduled to commence operations from 2200UTC on September 30, but it was pleasing to hear via 28.885MHz, that on September 29, he was already active and working many stations in Southern Africa. Incidentally, it is worth while keeping an ear on either 3.718MHz, around 0700UTC weekdays or on 28.885MHz, at almost any time, if you want to hear the latest 50MHz gossip.

It was a pleasure to receive a letter from **Albert Ginaccarini VK3TU**, and interesting to note that *Practical Wireless* really has a world-wide readership. Albert passes on the information that the Australian Department of Communications has ruled in favour of amateur operators to have operating privileges in the lower portion of the 50MHz band. The previous situation was that some States were allowed to operate on 50MHz and some were not. All States, however, were allowed to operate from 52 to 54MHz. The new operating conditions are 50.000 to 50.200MHz with power levels of between 25 and 400 watts p.e.p. depending on the proximity to Channel 0 television transmitting sites. For the most part, this will allow a large majority of VK operators to use the full legal limit. Albert reports that in most cases Australian amateurs run at least 100 watts p.e.p. to antennas of between 4 and 8 elements.

If you managed to hear or work 9V0SEA recently, you may be interested to know that this special event callsign was the only legitimate Singapore station to be given 50MHz operating privileges. The station operated between November 17 to 19, from the South East Asia Hamvention. There is no likelihood that Singapore amateurs will be given 50MHz permits in the foreseeable future as Malaysian TV stations are still operating in Band I.

Peter Hall SM0FSK, the VHF Manager of SSA, the Swedish Amateur Radio Society, passes on the news that from September 19, the 25 holders of experimental licences for use on 50.0 - 51.0MHz, are now permitted to use the band on a 24 hour basis, ending on December 31 1989. In 1990 there will be a new period of experimentation with modified permit conditions. Further details on this will be released later.

With the solar flux heading through the roof, I urge you all to get on 50MHz c.w. or s.s.b. and catch as much dx as possible while the band is open. Remember to keep 50.110MHz "CLEAR" so that we can all listen for DX stations. Please refrain from ragchewing or working locals between 50.100 to 50.130MHz. Remember that 50.130MHz and up should be used for s.s.b. contacts within Europe and that 50.200MHz should be used as the "dead-band" s.s.b. calling frequency. I don't want to hear any of you, incidentally, using 50.200MHz as a calling frequency when using c.w. The centre of activity for this mode is 50.090MHz. Great Britain is the vanguard of 50MHz operation in Europe. Please let us set a good example to the other countries within IARU Region 1.

The 70MHz Band

Although not blessed with the best of propagation conditions, the RSGB Trophy contest on September 17, certainly livened up the band somewhat. By the end of the 7 hour contest, a number of operators had

worked well over 100 stations, an indicator perhaps of the increased activity now taking place on the band.

Ian Harwood G8LHT (YSS) worked GM8XVJ/P and G4ADV/P (CNL) for two new squares and counties, bringing his score, at the end of September, to 5 countries and 38 counties.

The contest enabled **Jim Whittle G3EKP** (LNH) to work 2 new countries and 10 new counties. Among the stations contacted were GD6ICR (IOM), G14ONL (LDR), GJ3TCU/P, GM1GEY/P and GM8XVJ/P.

At my QTH, contacts were made during the contest with GJ3TCU/P, GJ7AOG/P, GJ7DGJ/P, GM1GEY/P (DGL), GM4FRE/P (SCD), GM8XVJ/P (TYS) and G8PNN (NLD).

Dave GW4HBK mentions that the band has been very quiet since the flurry of activity during the Perseids. During that event he worked GM0FRT/P on the Shetland Islands. By the end of September, Dave had worked 6 countries and 58 counties on the band.

The 144MHz Band

Conditions during September can best be described as dull. Tropospheric openings were virtually non-existent and even the increased European activity during the RSGB Trophy contest on September 2/3 seemed to have been missed by most operators. Although the auroras on September 18 & 26 were interesting, they will hardly go down in the annals as being earth shattering. It's at times like these that a v.h.f. columnist starts panicking!

Paul GW6VZW is located in Cwmbran at 50m a.s.l. and lives under the shadow of Mynydd Maen. To the uninitiated, this Welsh mountain, although attractive to portable operators, stretches to 510m a.s.l. To compound his problems, Paul is restricted to using a 4-element Quad at 8m a.g.l. He was therefore very pleased to work a new country, Luxembourg, in the shape of LX/ON7RB/P, during the Trophy contest. Contacts were also made with the expedition group on Alderney and with a station in Lincoln.

Ian Wright GW1MVL, writes to say that 144MHz has been very quiet of late. The only tropo contacts worthy of note were F6CTT/P (IN88) and GU4APA/P (IN89), both contest stations being worked on September 2. ON1ABO (JO11) was worked on September 15, but very little else was heard during the month.

For some, who have only been on the band a relatively short time, September still managed to produce something worthwhile. John GM1ZVJ, made his first contact with Wales, by working GW4GFX/P, on September 2. Over the same period, G3CKR/P (IO93) and G4ARI (IO92) produced 2 new squares. On September 13, GM1SMI/P, located on the Orkney Islands was worked.

Ela G6HKM participated in the Trophy contest but found it very hard going with activity and conditions both being poor.

Angie Sitton G0HGA (HFD), reports that her Totsuko 144MHz transceiver has finally packed up and is now beyond economical repair. When a suitable c.w. rig is obtained she will come back on the band with a more competitive signal. Using about 10 watts into a 4-element Yagi, Angie managed to work 12 countries, 32 counties and 132 different c.w. operators this year.

Annual c.w. ladder

Band (MHz)	50	70	144	432	POINTS
STATION	82	7	265	1	355
G4ASR	—	—	192	—	192
G0HGA	—	19	155	—	174
G4OUT	7	—	144	9	160
G4XEN	29	1	114	1	145
GM4CXP	—	—	67	—	67
G0FYD	—	—	32	—	32
G3FPK	—	—	31	—	31
G0FYD	—	27	—	4	31
G4VOZ	—	10	11	—	21
G4AGQ	1	—	14	—	15
GD0ELY	—	15	—	—	15
GW4HBK	—	—	9	—	9
GW4VXX	—	—	—	—	9

Number of different stations worked since January 1

The 430MHz Band

Apart from the adventurous, who use their initiative, trying for contacts via aurora, the activity on this band is virtually dictated by the prevailing tropo conditions. As there has been a distinct lack of the latter, reports are very scarce this month.

Ela G6HKM managed to work a new country, Cumbria, by contacting G4MTR. This brings Ela's score, so far this year, to 15 countries and 40 counties. On the next band up, 1296MHz, Ela reports very little activity, apart from a recent contact, across the water, with Walt ON5NY.

Watch out for Jim G3EKP on the band. He now has a 48-element Yagi up on the mast and is raring to make up for his recent inactivity.

Ian GW1MVL, reports that he is hoping for many more contacts now, as he is going to install a 19-element Yagi very soon. The antenna is part of an Oscar 9/19 beam, with the 144MHz elements removed. It is certainly true to say, even more so on 430MHz, that the most vital component in your station is the antenna. There are far more dB's in antennas than there are in power amplifiers, even if the latter runs kilowatts.

VHF News

Jon Acton G1DOX (AVN), sends in the good news that his appeal for planning permission, against the local council, has with the help of the RSGB been won. He is delighted to report that he has been given permission for the use of a tower and that he hopes to have this supporting antennas for 50, 70 144 and 432MHz very soon.

Neil Underwood G4LDR (WLT), has appeared regularly in the annual v.h.f./u.h.f. table. Located near Salisbury, he is active on many bands. On 50MHz, he uses a Spectrum transverter, driven at 144MHz, a 20 watt amplifier and an HB9CV antenna at 15m. The 144MHz system consists of an IC275 transceiver running 25 watts, a mast-head pre-amplifier and a 14-element Yagi at 16m. For 430MHz, an FT780R transceiver running 10 watts, drives a 17-element Yagi at 17m. Apart from dx'ing, Neil is also interested in amateur television on 435MHz. He uses a home-brew 10 watt transmitter, built to the VK3ATY design, and a Microwave Modules upconverter for use on receive.

Dave Hilton-Jones G4YTL, requests QSL information for an operator, using the visitors call, EI3VQA/P. Dave worked this 144MHz station, operating from IO41, in August 1984.

Owen ZS2HZ, recently left Port Elizabeth to emigrate to the UK. Owen was an enthusiastic 50MHz and 144MHz operator whilst in South Africa and I have no doubt that once he establishes himself in this country, he will soon be heard airing a G callsign on the v.h.f. bands.

RTTY operators in various parts of the country are experiencing interference from telephony contacts taking place on

145.300MHz. This frequency is allocated, in the IARU Region One bandplan, to AFSK teletype. Phone operators are therefore requested to avoid the use of channel S12.

Meteor Scatter

There are a number of usable meteor showers during the Autumn/Winter period. The **LEONIDS** shower will culminate on November 16, the shower actually being encountered between November 13 to 19. The **GEMINIDS**, another major shower, will peak on December 12, although it can be quite productive anytime during the period December 6 to 14. Although not a major shower, the **URSIDS**, which have maximum activity on December 21, should not be overlooked. Looking ahead to 1990, the short lasting, but intense shower, the **QUADRANTIDS**, will peak on January 2. This shower always gives good results. Don't miss it.

Joachim Kraft DL8HCZ is making a study of long distance meteor scatter contacts. He is looking for any available information about QSOs or reflections ever made or heard over distances greater than 2000 kilometres. Details should be provided of Date, Time, Signal strength, Equipment, etc. Participants in the study will receive a free copy of the study results. Please send your information to Joachim at Grutzmulenweg 23, D-2000 Hamburg 63, FRG.

Beacon & Repeater News

After being off the air for some considerable time, the Cornish u.h.f. beacon, GB3CTC, on 432.970MHz, is now re-activated and providing invaluable service for those wanting to check propagation in a south-westerly direction.

Some of you may have listened to the GB3SUT beacon on 432.890MHz and been surprised to hear periods of very high signal strength, coupled with rapid drifting to a lower frequency. It is believed that this is not the beacon but an unidentified satellite. The spacecraft is transmitting a plain carrier on 432.880MHz and at times is very strong.

The Lakeland Fells 430MHz repeater, GB3LF, has now returned to service from its new site at Lancaster. Using channel RB14, reports would be welcomed by its keeper G8UHO.

Another u.h.f. repeater, returning to service from a new site, is the Salisbury unit, GB3SW, on channel RB9. Further information is available from G3YWT.

The 430MHz port of the Midlands AX25 Group's digital repeater, GB7AP, is now operational. The unit is located in Lichfield, Staffordshire. More details can be obtained from Bob Evans G8KHV.

The Kingston-upon-Thames packet mailbox, GB3KP, has recently inaugurated a new port on 432.675MHz, using the callsign GB7UT.

Down on the Channel Islands, the u.h.f. packet mailbox port, GB7GUR, on Guernsey, has now returned to service following an overhaul.

QRZ Contest!

This period of contest activity will be your last chance to catch up the leading operators in the various annual v.h.f./u.h.f. tables. On December 3, the RSGB 144MHz Fixed station and Affiliated Societies (AFS) Contest, run from 0900 to 1700UTC, will bring a tremendous amount of activity to the band. On the following

weekend, the 50MHz and 70MHz c.w. contests will be held. The 50MHz event will take place on December 9, with the 70MHz event scheduled for the following day. For the u.h.f. or microwave operator

the following cumulative contests have been arranged. 430MHz events will take place on November 14 and 30. Combined 1296/2320MHz sessions will take place on November 22 and December 8.

Look out for Back Scatter next month, the NEW On The Air

RTTY

Reports to Mike Richards G4WNC
200 Christchurch Road, Ringwood, Hants BH24 3AS

Having spent some time over the past couple of months describing the hardware and software necessary for operating the data modes, I thought it would be interesting to run through some applications.

I shall not attempt to cover packet operation here as there are many good guides available and in fact most good dealers supply a free guide when you buy a TNC. Instead I shall concentrate on some of the other, perhaps less well-known, areas of data reception.

FAX

This mode is perhaps one of the most interesting - once you move outside the amateur bands. Most amateurs have an interest in propagation and will be aware that, particularly at v.h.f., the weather plays a significant role. An ideal way to study this aspect of propagation is by studying weather charts - the problem, of course, is getting hold of the charts for the right area. One of the most popular guides for FAX enthusiasts is the Guide To Facsimile Stations by Joerg Klingenfuss. This book is available from the PW book service if you're interested in getting hold of a copy. By using the FAX station schedules in this book, you can work out what stations are sending the information you want and the transmission time. This obviously saves a lot of time and effort.

I ought to add one word of warning before I proceed any further, regarding the legal situation when monitoring any non amateur or broadcast station. In simple terms you are only allowed to monitor transmissions that you have been authorised so to do. That rule effectively means that you can only monitor amateur and broadcast stations unless you have specific authorisation to receive other stations. Fortunately the situation is not quite as black as it might at first seem as the DTI have recently relaxed the requirements as far as the reception of weather transmissions is concerned. Provided the information is for amateur use and will not be passed on to a third party for profit, you are now allowed to monitor these transmissions. The reason for relaxing the rules is quite simply that they were un-enforceable and so ineffective.

I'm sure many of you have seen some of the very impressive satellite pictures that are available, clearly showing major weather systems. A lot of people think that these can only be received with expensive satellite reception systems - this is not true. One very good source of these pictures is Offenbach Meteo (DCF54) on I.f. 134.2kHz. This station transmits processed images from the geostationary Meteosat. The advantage with processed images is that not only is the image improved but the land mass boundaries are inserted making the pictures much easier to interpret especially when there is a lot of cloud cover. The transmission times for Meteosat images from Offenbach are as follows:

- 0103 Europe (infrared)
- 0144 Full disk (infrared)

- 0315 Europe (infrared)
- 0643 Europe (infrared)
- 0851 Europe (visual)
- 1225 Europe (visual)
- 1244 Europe (infrared)
- 1300 Europe (visual)
- 1539 Europe (infrared)
- 1843 Europe (infrared)

You will note of course that if you want to catch the full disk transmission, you will have to stay up rather late! The times given here are just the basic schedule and may change slightly from day to day.

This type of FAX transmission can be received by any FAX system capable of working with a drum speed of 120rpm and an IOC of 576. This should not be a problem as this is the most common mode and most amateur stations feature this mode. The amount of detail that you can resolve is rather dependant on the type of decoding system you have. If you use a conventional analogue FAX machine you should be able to produce very high resolution pictures as you have in effect an infinite grey scale. If, however, you are using a computer based decoding system the resolution will depend on the number of grey scales available. Some decoding systems do not provide grey scales at all, everything being interpreted as either black or white. Despite this seemingly serious limitation, you can still achieve very good results. My own FAX set-up comprises an ICS Electronics FAX-1 which was designed for weather chart reception and so treats everything as either black or white. I have received many excellent images from Meteosat using this set-up.

Although satellite pictures are very impressive, they are not necessarily the most effective source of weather information. By far the most useful, from a propagation point of view, are the pressure charts. This type of chart is probably the most common and as such is transmitted by virtually all weather FAX stations.

One common problem that often affects the quality of h.f. FAX charts is multi-path propagation. This manifests itself as very smeared or blurred lines and is virtually impossible to eliminate, unless you have multiple or steerable antennas! One of the most effective and practical ways to overcome this problem is to choose another frequency. Most FAX stations use a range of frequencies through the h.f. spectrum so that the user can select the optimum frequency for clear reception.

One station that transmits some particularly good charts which are ideal for the amateur is Rome Meteo. The frequencies used are:

- 4.7775MHz (IMB51)
- 8.1466MHz (IMB55)
- 13.597MHz (IMB56)

For monitoring in the UK, IMB56 usually provides the best signal.

Another very useful FAX station for more distant weather data is the Canadian Halifax Meteo (CFH).

- The frequencies used are:
- 122.5kHz CFH
- 4.271MHz CFH

- 6.330MHz CFH
- 10.536MHz CFH
- 13.510MHz CFH

Best results in the UK are normally obtained on 10.536MHz or 13.51MHz.

In addition to all this weather information there are a few stations that still transmit press photographs using I.f. FAX though most of these have now migrated to satellite transmissions.

One of the easiest to receive of these I.f. FAX stations is DPA Frankfurt (DCF39) on 139kHz. The transmission mode is 120 rpm with an IOC of 288 and the transmissions run from 0300UTC through till 2300UTC, though you will probably find there are many long breaks with no picture information being transmitted.

RTTY

This mode is by far the most common and despite being rather "low-tech" by modern standards, continues to be used by many commercial organisations. This particularly applies to the Third World countries who are often using second-hand equipment that has been obtained from the main economic powers.

The same legal restrictions apply here as with FAX, though you are still authorised to receive weather transmissions without a licence.

Unfortunately for the casual listener, there are virtually no plain text weather transmissions on h.f. The standard system uses a five digit code to convey the data from the weather monitoring stations. It is possible to obtain information from these transmissions by manually decoding them using the tables supplied in the Air and Meteo Code Manual by Klingenfuss and various other publications. The process, although quite simple, is very long winded and not really very practical. The best way to process this information is by computer, but there are very few programs around to perform this function.

Probably the most popular commercial RTTY transmissions on h.f. are the Press stations, such as those in the Middle East and Russia. Most of these stations seem to use a common transmission standard of 425Hz shift and 50 baud which is quite convenient as most amateur stations can receive this mode.

The Russian TASS and APN stations seem to be particularly prolific and a few samples of frequencies and transmission times are shown here:

- 6.87MHz RTV55 0430UTC, 0500UTC, 1800UTC, 1900UTC, 2000UTC.
- 9.154MHz RDZ76 1400UTC, 1500UTC, 1600UTC, 2000UTC
- 12.085MHz RCB55 0430UTC, 0500UTC, 0700UTC, 0900UTC, 1300UTC
- 14.49MHz RNK36 0430UTC, 0500UTC, 0600UTC, 0800UTC, 1000UTC, 1100UTC, 1200UTC, 1300UTC, 1400UTC, 1500UTC

Moving to the other extreme, politically that is, the Voice of America transmissions can be heard according to the following schedule:

- 10.233MHz & 10.2343MHz 0100UTC, 0200UTC, 0300UTC, 2200UTC, 2300UTC

11.15MHz 1600UTC, 1700UTC,
1800UTC, 2100UTC
18.215MHz 1600UTC, 1700UTC,
2200UTC.

Of the Middle East stations IRNA Tehran on is probably the most easily received in the UK and transmits news in English and French according to the following schedule:

7.8MHz EPX9 1500UTC-1730UTC
7.96MHz 1500UTC-1730UTC,
1900UTC-2030UTC
8.05MHz 1900UTC-2030UTC
18.56MHz EPJ 1000UTC-1100UTC

ARQ/FEC

These error correcting modes are, as you would expect, very popular with commercial services, with the main use being for ship to shore Telex communications throughout the h.f. band. One rather interesting FEC transmission is the British Telecom NAVTEX service which operates on 518kHz using standard FEC at 100 baud with a shift of 170Hz. This service is designed to give shipping urgent weather and navigational information for the area in which they are sailing. The system works by using a number of radio stations all using 518kHz but with a dedicated time slot for their information. The messages are also headed by a station identifier and a message type code. The idea of this information is that the ships radio operator can set his automatic reception equipment so that it only receives particular message types for a defined area. From the amateur point of view, if you tune into these transmissions you will be able to receive all messages from all stations, providing of course they are in range.

A selection of stations that should be receivable in the UK are shown here along with the station identifier and transmission times:

Cullercoats G 0048UTC, 0448UTC,
0848UTC, 1248UTC, 1648UTC, 2048UTC
Land's End S 0018UTC, 0418UTC,
0818UTC, 1218UTC, 1618UTC, 2018UTC
Portpatrick O 0130UTC, 0530UTC,
0930UTC, 1330UTC, 1730UTC, 2130UTC
Brest Le Conquet F 0118UTC, 0518UTC,
0918, 1318UTC, 1718UTC, 2118UTC

So that completes a very basic run down of the alternative uses of your data decoding equipment, if you would like more information please drop me a line and I will do my best to oblige.

Contests

With the new year rapidly approaching it's time to think about the SARTG New Year RTTY contest. This contest comprises separate h.f. and v.h.f. sections with the operating rules shown here:

H.F. Contest.



0800UTC - 1100UTC January 1, 1990

Bands: 3.5MHz and 7MHz
Classes: Single operator, multi operator and short wave listener.

Message: RST, QSO number, Name and Happy New Year in your own language!

Points: 1 point for each QSO on each band.

Multipliers: One for each DXCC country and each LA, OH, OZ, SM and TF prefix number contacted on each band.

Final Score: sum of QSO points x sum of multipliers.

Logs: All logs to comprise separate sheets for each band with a summary sheet showing the scoring, class, your call, name and address. The logs should be sent to Bo Ohlsson (1) to arrive by January 31, 1990.

VHF Contest

1300UTC - 1500UTC January 1, 1990

Band: 144MHz only

Message: RST, QSO number, Name, QTH locator and Happy New Year in your language.

Scoring: 1 point for contact distances of 0 - 50km then 2 extra points for each subsequent 50 km.

Logs: same as for h.f.

The BARTG spring v.h.f. contest seems to have been rather poorly supported this year with apparently only eleven entries across all the classes and bands. This sort of response must surely put the future of this contest in question. As a general rule there is very little RTTY activity on v.h.f. these days, most operators preferring to use Packet. In view of this, perhaps the contest should be expanded to include a section for packet operators. It would be a shame to see the contest die, so if you have any suggestions for encouraging more entrants please write to BARTG or myself.

Moving on to a brighter note the BARTG Spring h.f. contest results show a very healthy number of entries, particularly in the single operator section. The winner of this section was TG9VT with an incredible 1,326,650 points. The highest placed UK station was G0ATX in seventeenth place with 501,594 points. Moving on to the multi-operator section the winner was

HG1W with 1,282,320 points. There were no UK stations listed in this section, which is a shame.

Finally the SWL section was won by ONL383 with 898,950 points. Second place was secured by G6LAU with 303,016 points.

PK-232 Update

ICS Electronics(2) have just announced the latest firmware update for this popular multi-mode data controller. The firmware is combined with a daughter board which as well as adding to the current facilities will be used for later enhancements.

The new facilities are listed here:

Pakmail: A personal mailbox based on the W0RLI/WA7MBL commands which can store up to 15 messages. Third party mailbox facilities are provided which can be disabled by the operator.

Priority Acknowledge: This system designed by N7CL improves the throughput of both h.f. and v.h.f. packet. The system gives priority to packet acknowledgements for data that has already been received by a distant station.

Custom and Whynot commands added.

Seven character or Nine digit ARQ/SELFEC selcall structure.

TDM: The PK-232 can now receive commercial Time Division Multiplex transmissions which should appeal to short wave listeners. The SIAM mode will now identify the presence of a TDM signal and identify the baud rate and correct channel number.

The upgrade kit costs £69.95 including v.a.t. plus £2.50 post and packing. If you require a fitting service this is available for an additional £20.00 inclusive of v.a.t. and return postage.

PK-88 users will be pleased to know the upgraded packet features can be installed by fitting a new ROM which is available from ICS price £10.00 plus £2.50 post and packing.

(1) SARTG Contest Manager, Bo Ohlsson SM4CMG, Skulsta 1258, S-710 41 FELLINGSBRO, Sweden.

(2) ICS Electronics, Unit V, Rutherford Industrial Estate, Ford, Arundel, West Sussex BN18 0BD

Amateur Satellites

Reports to Pat Gowen G3IOR
17 Heath Crescent, Hellesdon, Norwich, Norfolk NR6 6XD

This month, in order to give space to more topical news, we will miss out on RS-10/11, OSCAR-10, OSCAR-11 and OSCAR-13 operations, as all is "normal" with little or no important information to report since last month's column.

OSCAR-9 is on and active again, but is falling fast and warming slowly at the time of writing this column in late September. By the time that you read it, UoSAT-OSCAR-9 will undoubtedly be no more than falling space dust, having burnt up on entering earth's expanded

atmosphere in early October.

Since last months news on the forthcoming JARL/JAMSAT satellite, progress and conformity testing with the coming JAS-1-b is excellent.

UFO-432

As briefly mentioned in last month's column, yet another non-amateur satellite has appeared on the 70cm band, this time in the beacon section of the band. Christened UFO-432 by it's discoverer, Dave Rowan G4CUO, it was first found in

early September as a massive carrier commencing it's doppler shift curve adjacent and across the GB3SUT Sutton Coldfield beacon on 432.890MHz. A typical overhead pass takes it from 432.893MHz, past it's nominal 432.882MHz TCA frequency, right down to 432.871MHz at LOS.

It is almost a continuous plain carrier, which sounds slightly rough with a few pulses and some noise when listened to carefully, but sans all forms of recognizable modulation detectable by

Practical Wireless, December 1989

DRESSLER ACTIVE ANTENNAS

ARA 900 ACTIVE ANTENNA

50MHz to 1300MHz

Gain 17dB Typical

TECHNICAL SPECIFICATIONS

Noise Figure 1dB at 50-180MHz
1.5dB below 300MHz
2.0dB below 350MHz
2.7dB below 400MHz
3.0dB below 500MHz
3.8dB below 650MHz
4.6dB below 1300MHz

£139.00 (PL259 Connectors)

£149.00 (N-Type Connectors)

Intercept Point 3rd Order: +18dBm at input
Post: £3.00 or Secunor £7.00 extra

ARA 30 ACTIVE ANTENNA 50 kHz ... 40 MHz WITH LIMITED PERFORMANCE UP TO 100MHz

Professional electronic circuitry with very wide dynamic range. Meets professional demands both in electronics and mechanical ruggedness. 1.2m long glass fibre rod. Circuit is built into waterproof 2.5mm thick aluminium tube. Ideal for commercial and swi-receiving systems. £129. See Review in August 1985 Issue p.35. Both antennas come complete with 7 metres of cable, interface, power supply and brackets. Dressler preamps available.

£129

ICOM

ICOM R71 General Coverage Receiver £855



FIRST CLASS SHORT WAVE RECEIVER. BUY THIS FOR £855 AND RECEIVE AN ARA 30 FREE. WORTH £129. Also R7000 complete with ARA900 £999. (ASK ABOUT THE NEW TV CONVERTER) PHONE FOR BEST PRICE

ICOM IC32G ICOM IC3210
ICOM IC2GE ICOM IC761
ICOM IC228 ICOM IC781
IC 4S ICOM IC735
IC 2S IC 9000
IC 32 DUAL BAND IN STOCK

dressler COMMUNICATIONS LTD.

191 FRANCIS ROAD
LEYTON · E10 6NQ · LONDON
TELEX 8953609 LEXTON G
PHONE 01-558 0854 01-556 1415
FAX 01-558 1298

KENWOOD

Kenwood R5000 + ARA 30	£899
Kenwood R5000	£799
VC20 Converter	£160
TS680 HF + 6 Mtr inc. Microphone	£895
TS440 inc Auto ATU inc. Microphone	£1,150
TS940 inc Auto ATU	£2,000
TS790 2/70 + SAT	P.O.A.
TM701 Dual Band	£479
TM231 2nTR	P.O.A.
NEW TM 731 New Mobile Dual Band	
TH 75 New 2/70 Dual band	P.O.A.

SCANNERS

FRG 9600M	£500
AOR 2002	£475
AR 900	£235
BC 200XLT	£239
RZI KENWOOD	£440
SX 400 S/H	£475
R7000 + ARA900	£999

STANDARD NEW AX700
WITH BAND SCOPE
£575

SONY

SONY ICF 2001D

76-108 MHz
116-136 AIRBAND
153kHz-29.995MHz
FM - AM - SSB 32 MEMORIES
INC PSU, CARRY STRAP
& EARPHONE

£299

Sony ICF 7600DS FM/AM/SSB
Sony SW1 150-30M C/S + FM Stereo-249
Sony Pro 80-150KC-108MHz, 115MHz-224MHz,
AM-FM-SSB
Sony Air 7
Sony AN1 Active Antenna
Sony Accessories Available

£159

AM/FM

£299

£229

£55

SONY ICF 7600DS

76-108MHz

76-108MHz

153kHz-29.995MHz

Complete with case,
mains power supply,
earphone and
frequency list.

£159

NEW

YAESU

FRG9600	£475	FT747GX	£599
FRG9600M	£500	FT757 MkII	£875
FRG8800	£585	FT23, 411, 4700, 767	
FRV8800	£100	+ All Yaesu available	

WE ARE STANDARD AUTHORISED DEALER

C500 DUAL BAND	£375
C150 2 MTR	£230
AX700	£489

OPEN MON - SAT 9AM - 5.30PM
INTEREST FREE HP FACILITIES AVAILABLE
ON MANY ITEMS PROMPT MAIL ORDER



Prices correct at time of going to press. Please phone for latest quote.

AKD

Unit 5
Parsons Green Estate
Boulton Road
Stevenage
Herts SG1 4QG

THE FILTER SPECIALISTS



MAIL ORDER DEPT.
Stock Items Normally
Despatched within 48 hours,
21 days latest.
TEL. 0438 351710

FOR THE DISCERNING HF OPERATOR

AKD HAVE INTRODUCED TWO COMPLETELY
NEW WAVEMETERS

BOTH MODELS COVER THE RANGE
1.5 MHz TO 110 MHz AND ALLOW
TRANSMISSION FREQUENCIES UP TO THE
3rd HARMONIC TO BE MONITORED AND
ASSESSED, THUS ENSURING COMPLIANCE
WITH LICENSING REGULATIONS.




£79.95

WA3-S FEATURES:—

- ★ ALL PUSH BUTTON OPERATION
- ★ AUTO OR MANUAL FREQUENCY SCAN
- ★ 10 SECTION L.E.D. SCALE INDICATION
- ★ 5 L.E.D. BAND INDICATORS
- ★ PUSH BUTTON BAND SELECTION
- ★ BATTERY LOW INDICATOR
- ★ INTEGRAL BATTERY COMPARTMENT
- ★ EXTERNAL AERIAL

BOTH MODELS REQUIRE PP3 TYPE BATTERY (NOT SUPPLIED) AND COME COMPLETE WITH FULL
OPERATING INSTRUCTIONS. APPROX SIZE 150 x 50 x 65mm (NOT INC AERIAL)



£54.95

WA3 FEATURES:—

- ★ 5 BAND SCALES
- ★ ROTARY BAND SELECTION
- ★ ROTARY TUNING
- ★ METERED SIGNAL STRENGTH DISPLAY
- ★ L.E.D. SCALE INDICATION
- ★ INTEGRAL BATTERY COMPARTMENT
- ★ EXTERNAL AERIAL

WA1 WAVEMETER

£25.95




Our Waveabsorption meter for 2 Mtr transmitters meets licensing requirements range 120MHz to 450MHz, very sensitive, can also be used as field strength meter within its range. Requires PP3 type battery (not supplied).

HFC1

CONVERTER

£49.00



Tune from 100, 1MHz to 160MHz, gives tuning range of 100KHz to 60KHz, uses double balanced mixer, with low pass filter on input.
★ Can be supplied with BNC termination for other scanners ★

For the FRG 9600/965 our new HF Converter, connects to the aerial socket, and powered direct from the 8 Volt a/p of the FRG 9600.

WA2

WAVEMETER

£25.95



Our Wave absorption meter for the 50 & 70 MHz Bands. Meets licensing requirements. Can also be used as field strength meter within its range. Requires PP3 battery (not supplied).

ALL PRODUCTS ARE AVAILABLE FROM US DIRECT
MAIL ORDER OR WHY NOT MAKE USE OF OUR ACCESS
& VISA FACILITIES TO ENSURE MINIMUM DELAY

ALL AKD PRODUCTS CARRY THE USUAL AKD 2 YEAR
GUARANTEE. PRICES QUOTED ARE CORRECT AT TIME
OF GOING TO PRESS AND INCLUDE VAT,
POSTAGE & PACKING

Props: RT & VEL Wagstaffe. Technical Adviser: John Armstrong

TRADE ENQUIRIES WELCOME
TRADE ORDERS CAN NOW BE PLACED BY
FAX ON 0438 357591



Fig. 1

normal receivers. It is VERY strong, some 20dB over S.9 on a ground plane antenna.

The satellite's origin and purpose, as yet, remains a complete mystery, but Nico Janssen PA0DLO has succeeded in spotting a very close match to a military Shuttle-launched boosted satellite known as 1980-52-c that does not "officially exist". He has had contacts with its would be controllers, who claim that the 70 cm transmission is the remains of the telemetry transmission, which cannot now be commanded off, as they had "lost control" of the system. Its data transmission was said to be "much higher in frequency", and may be on 1399.842MHz.

John Branegan casts grave doubts as to the claimed shuttle origin, and writes "No shuttle has ever orbited at an inclination above 57 degrees, and to put a vehicle into a shuttle even at this inclination with an intention of it becoming 96.61 degrees is simply not on!". John quotes "Murphy's First Law of Orbital Mechanics" as stating "If you wish to shift inclination more than a few degrees then it is cheaper in fuel to bring the satellite back to earth and re-launch it" (!).

It also would be quite remarkable that if it had been on since 1980, this powerful signal source would not have been spotted before, as there are many like me who often leave their receivers on GB3SUT for elongated periods.

Working from AOS, TCA, LOS times and doppler curves made by G3's CAG, ENY IOR, G4CUO and PA0DLO, a mutually agreed Keplerian element set has been evolved, which tracks the newcomer well. The latest 'MIR' set is added.

Satellite:	MIR	UFO-432
Epoch Year:	89	89
Epoch Day:	261.6779056	248.64965278
Inclination:	51.6202	96.61
Right Ascension:	254.6977	74.5
Eccentricity:	0.0014227	0.0035
Arg. of Perigee:	54.751	42.2
Mean Anomaly:	305.3935	321.7
Mean Motion:	15.60983135	12.8293
Decay:	0.00033854	3E-8
Epoch Rev./Orbit:	20574	Unknown

will have no trouble in hearing it passing by if you leave your receiver on 432.885MHz - in fact, you can't miss it! It was heard one evening by me at only S3 - the reason for the drop in signal strength became apparent when it was found that no antenna was connected, other than the 1mm protrusion of the BNC connector socket! We now await terrestrial user reports that GB3SUT is drifting, and that by some incredible effect of escalating solar flux is being heard in W, VK, ZL, etc! The advantages of the presence of UFO-432 are greater than the singular disadvantage of intrusion into the beacon band, as the strong source will be an excellent indicator of polar front passage and current variable ionospheric effects, and a further means of looking for inverted



Fig. 2

doppler for the dedicated followers of anomalous UHF propagation.

UoSAT D and E

Progress at the University of Surrey has been rapid, and the microsats engineering model was quickly completed and tested, with integration complete, and full thermal vacuum system testing underway at the time of writing. Whilst I was at the University of Surrey I was shown round the UoSAT centre by Engineer Victor Vanderzel G7DKN, and some photographs were taken of the construction and testing operations. The constructing of the control boards by Ralph Lorenz is shown in Figs. 1 and 2, and the attach ring fitting and the spring that ejects the spacecraft from the launch vehicle final stage is depicted in Fig. 3. That which at first appears to be a spaghetti dinner for the construction crew shown by Fig. 4 is in fact the complex wiring harness in preparation. The clean room with the model under test is depicted by Fig. 5. Each spacecraft, measuring 345 x 345 x 600mm and weighing some 40kg will consist of a stack of eleven module boxes internally, with the 18% efficient gallium arsenide cell solar panels mounted on all four sides. At the top, a gravity gradient boom extending to 6 metres in length when deployed is stowed, and at the base the v.h.f. and u.h.f. antennas will be mounted.

On UoSAT-D two transmitters will be flown, giving one continuously operating with a power switchable between 1 and 2 watts, the other between 5 and 10 watts, to be used for short burst transmissions. The transmitters were designed by Dr. Martin Sweeting G3YJO, and Mark Allergy G7DSY, who also built them.

Satellite	UoSAT-D
International Designation	Yet to be given.
Object Number	Yet to be designated.
Element Set Number	Provisional.
Epoch Year	1989
Epoch Day	313.08025463
Inclination	98.73 degrees
Right Ascension of Ascending Node	24.3439
Eccentricity	0.001362
Argument of Perigee	167.3130
Mean Anomaly	240.6300
Mean Motion	14.23617560
Decay rate or Drag Factor	1.00000E-006
Epoch Orbit Number	1
Semi-Major Axis	7187.6900km.
Apogee Height	826.4796km.
Perigee Height	806.9004km.
Beacon Frequency	435.070MHz.

A provisional set of Keplerian elements for UoSAT-D has been provided for us by Craig Underwood G1WTW, for the point of injection into orbit. On the proviso that the launch had taken place at the time and point planned, e.g. 0155:34 UTC on 9 November 1989 (the very day that your



Fig. 3




Fig. 4

Practical Wireless comes out) and that the expected parameters were followed, these could have been used to track the satellite until a later refined Laser RADAR measured set were available.

The new exact launch date is unknown, but is expected to be in early December at the earliest. This has been caused by computer detection of a staging problem on the ARIANE V-34 launch planned for October 5, but now delayed. Our multi-launch is the V-35 mission, delayed in turn. The set may not now give a good fit, but will serve to show similarity for tracking from similar injection, as the main SPOT launch is critical to emplacement.

The uplink primary frequency is 145.975MHz, and the secondary 145.900MHz. The downlink for both is set at 435.250MHz, and tests have shown that this is likely to be fairly precise, the oscillator possessing excellent thermal and mechanical stability under test.

Packsats

John Branegan GM4IHJ writes from Saline to ask if we have considered the terrific mix-up of frequencies, band widths, speeds and modes of the Packsat multitude. He writes "There are enormous pitfalls for the unwary purchasers of equipment, and, as to use 9600 or 4800 bps, one needs to go directly to and from transceivers discriminators in order to avoid bandwidth clipping, the need to make major internal modifications is apparent".

Whilst John recognises the necessity to go to higher keying speeds now, he suspects that not many will be prepared to delve into their equipment to obtain the advantages. Hence, the numbers of users will be few until such time that commercially built "black boxes" are available. These would need to feature simple multi-channel packsat mode capabilities of a.f.s.k., f.s.k. and b.p.s.k., plus auto frequency control, plus wide band reception and transmission facilities, all available at a reasonable price that the average amateur can afford. He points out that the current range of multi-mode Japanese manufactured transceivers are totally inappropriate, and thus we have a "chicken and egg situation" e.g. present

Practical Wireless, December 1989

available rigs are either of no use or are too expensive to get into packsats, so few people get onto packsats. If few people are shown to be on packsats, then the manufacturers are most unlikely to provide design, testing and large scale production of the needed equipment that reduces the price, thus, few people get onto packsats!

The five new packsats and the coming new RUDAK have the following tracking, frequency and mode requirements:-

AMSAT-NA Packsat, Polar Orbit: Uplink frequencies 145.9, .92, .94, .96MHz, 1200baud f.s.k. initially; may change later to 4800baud as and when suitable modems become available. Downlinks 437.05, .025MHz, 1200b.p.s.k..

LU-SAT, Polar Orbit: 145.9, .88, .86, .84MHz uplinks, 1200b.p.s.k initially, then as AMSAT-NA Packsat; Downlinks 437.15, .125MHz, 1200b.p.s.k.

WEBER-SAT, Polar Orbit: 145.9MHz uplink 1200b.p.s.k., with other channels on 144.3 to 144.5 MHz. Downlinks on 437.1 and .075MHz, 1200b.p.s.k.

UoSAT-D, Polar Orbit: Uplink as already given in UoSAT D and E column above, 9600 f.s.k.. Downlinks as also given, 9600 f.s.k..

UoSAT-E, Polar Orbit: Similar to above, e.g. like UoSAT-D.

JAS-1-B, Mid-Latitude Orbit: Uplinks 145.85, .87, .89, .91, 1200MHz f.s.k.. Downlink, 435.91MHz 1200 b.p.s.k.

RUDAK-2, Polar Orbit: Uplinks 435.1MHz, 1200 f.s.k. and 435.15MHz 4800 f.s.k.: Downlink 145.99MHz 1200 b.p.s.k.

John advises on the simplest minimum packet station that will be needed to access the coming cluster as consisting the following:-

Antennas for both 145 and 435MHz, probably equipped with cavity filters to avoid self blocking from own uplink.

A 145MHz f.m. TX with some 25 watts of r.f. output.

A 435MHz s.s.b. RX system capable of tuning 437MHz with an up/down button frequency control to use the modem a.f.c..

A 1200 f.s.k. up and 1200 b.p.s.k. down Fuji-Oscar type modem. (A p.c.b. for constructing G3RUH's excellent system is available from AMSAT-UK, whilst Electromail, P.O. Box 33, Birchington Road, Corby, NN17 9EK, UK can supply the RS range of components for the above G3RUH modem).

A terminal node controller. (Most of these work well with the G3RUH modem, but do please check first).

A micro-computer, plus suitable packet radio software.

As these satellites are imminent, and most will be overflying with regularity very soon now, with less than an hour between passes, station planners will need to start considering the above issues.

Satellite	OSCAR 9	OSCAR 10	OSCAR 11	OSCAR 12	OSCAR 13	RS10/11
International Designation	81-100B	83-058B	84-021B	86-061B	88-051B	87-054A
Object Number	12888	14129	14781	16909	19216	18129
Element Set	698	424	495	167	46	859
Epoch Year	1989	1989	1989	1989	1989	1989
Epoch Day	238.07702662	236.59138263	236.19637961	226.01332023	236.21624695	240.08329316
Inclination	97.5435	25.9512	97.9950	50.0170	57.1440	82.9279
RAAN	296.9933	247.9351	293.0130	120.5753	193.9712	185.0491
Eccentricity	0.0002805	0.6046765	0.0014068	0.0011692	0.6782436	0.0010883
Argument of Perigee	199.2864	70.4682	103.4570	131.9903	210.0914	185.0491
Mean Anomaly	160.7756	343.0354	256.8205	228.1928	82.4649	153.2884
Mean Motion	15.77118266	2.05881119	14.63900495	12.44401109	2.09696448	13.71993559
Decay Rate	0.00174952	-0.00000029	0.00002291	-0.00000025	0.00000444	0.00000007
Orbit Number	43994	4662	29249	13660	914	10925
Nodal Period	91.366962	699.2	98.426358	115.652535	686.6	105.615389
Period Drag	6.431e-04	-	1.053e-05	1.866e-07	-	3.907e-08
Increment	22.834960	175.3	24.607467	29.239370	172.2	26.379710
Increment Drag	1.619e-04	-	2.649e-06	4.625e-08	-	9.768e-09
Beacon Frequencies	14.002/21.002/ 29.510/145.825	145.810/145.987	145.826/435.025/ 2401.5	435.797/435.913	145.812/435.651	29.357/ 403/145.857 903/29.407/ 453 145.907/ 953
Reference Equator Crossing	31 August 1989	31 August 1989	31 August 1989	31 August 1989	30 August 1989	31 August 1989
Orbit	44072	4676	29349	13872	927	10965
HHMM.MM	0033.61UTC	0922.35UTC	0045.31UTC	0057.51UTC	0956.45UTC	0000.56UTC
Degrees West	45.18	233.40	50.86	285.33	294.58	156.39

Satellite	NOAA9	NOAA10	NOAA11	SALYUT 7	MIR
International Designation	84-123A	86-073A	88-089A	82-033A	86-017A
Object Number	15427	16969	19531	13138	16609
Element Set	417	267	120	723	18
Epoch Year	1989	1989	1989	1989	1989
Epoch Day	236.29838342	234.59593425	237.33737890	241.10277788	240.98557231
Inclination	99.1492	98.8363	98.9429	51.6099	51.6223
RAAN	224.5978	263.8220	181.0413	319.6677	358.7945
Eccentricity	0.0016122	0.0014679	0.0013299	0.0001137	0.0010563
Argument of Perigee	119.9415	60.2100	40.9173	358.5661	330.7147
Mean Anomaly	240.3360	300.0538	319.2992	1.5274	29.2816
Mean Motion	14.12132883	14.23136353	14.11117542	15.44467151	15.59445059
Decay Rate	0.00000773	0.00000765	0.00000704	0.00008233	0.00043161
Orbit Number	24206	15338	4722	41945	20251
Nodal Period	102.029780	101.242369	102.103501	93.174395	92.278768
Period Drag	3.958e-06	3.826e-06	3.612e-06	3.214e-05	1.637e-04
Increment	25.504833	25.310758	25.525001	23.675842	23.455356
Increment Drag	9.958e-07	9.627e-07	9.088e-07	7.910e-06	4.027e-05
Beacon Frequencies	137.620	137.500	137.620	19.953	143.625-Voice/166.125-Data
Reference Equator Crossing	31 August 1989	31 August 1989	31 August 1989	03 Sept 1989	01 Sept 1989
Orbit	24301	15458	4802	42021	20299
HHMM.MM	0042.46UTC	0047.15UTC	0014.07UTC	0029.07UTC	0128.25UTC
Degrees West	118.33	78.87	155.98	53.91	18.93

Satellite	METEOR 2/15	METEOR 2/16	METEOR 2/17	METEOR 2/18	METEOR 3/02
International Designation	87-001A	87-068A	88-005A	89-018A	88-064A
Object Number	17290	18312	18820	19851	19336
Element Set	285	308	146	69	248
Epoch Year	1989	1989	1989	1989	1989
Epoch Day	239.52441403	239.72110695	239.59256195	239.63232780	239.61293416
Inclination	82.4671	82.5589	82.5404	82.5278	82.5462
RAAN	96.5777	162.8683	223.7984	102.3494	125.1506
Eccentricity	0.0014259	0.0013190	0.0018590	0.0015648	0.0017277
Argument of Perigee	62.9437	3.1523	69.2235	105.8332	331.7733
Mean Anomaly	297.7156	356.9717	291.0919	254.4562	28.2389
Mean Motion	13.8356435	13.83506405	13.84191644	13.83835160	13.16860688
Decay Rate	0.00000230	0.00000219	0.00000097	0.00000117	0.00000391
Orbit Number	13348	10240	7956	2496	5231
Nodal Period	104.123146	104.142082	104.090539	104.117315	109.408715
Period Drag	1.251e-06	1.192e-06	5.273e-07	6.365e-07	2.468e-06
Increment	26.160194	26.164223	26.151482	26.158271	27.480917
Increment Drag	3.128e-07	2.980e-07	1.318e-07	1.591e-07	6.171e-07
Beacon Frequencies	137.850	137.400	137.400	137.300	137.850
Reference Equator Crossing	31 August 1989	31 August 1989	30 August 1989	31 August 1989	31 August 1989
Orbit	13397	10286	7990	2543	5276
HHMM.MM	0137.18UTC	0108.92UTC	0112.36UTC	0044.06UTC	0046.00UTC
Degrees West	269.77	196.19	134.46	250.55	227.95

SATGEN Weekly Updates

For those active on the packet radio network, a source of latest space information in weekly updated bulletins called SATGEN is now being put out from Scotland by John Branegan GM4IJJ every Wednesday. It will contain the latest news, data, frequencies, modes hints, tips and general points of interest on all space and satellite related matters. Whilst John is unable to answer feedback and enquiries by mail, he is happy to do so by the packet radio system itself. Soon now a new book by John on Amateur Radio in Space will be published, which will provide a much

needed "bible" for enthusiasts, be they space fans, scientists and experimenters, transmitting activists or Short-Wave Listeners, or, indeed, any combination. Having seen sections, I can thoroughly recommend it to readers.


Keplerian Elements

Birger Lindholm again provides the latest set of NASA originated via AMSAT elements for all the main satellites. He points out that the nodal period and the increment given are for the day of the epoch, and that if a negative decay is indicated, the P- (drag on the period) and the I-Drag (drag on the increment) are calculated using a positive figure.

This prepared set of Keplerian elements should work well into the new year, but if your program does not have automatic annual sidereal time correction "built in" it will be necessary for you to put the new figures into your listing when the next set is published in two months time.

Change the year to 90 (or 1990) and the sidereal time to .27610467, and all will work again. The following years sidereal time corrections, i.e. from 1991 on read .27544157, .27477847, .27685328, .27619018, .27552708, .27486399, .27693880, .27627570, finishing up with that for the year 1999, .27561260.

Fig. 5



Radio enthusiasts have known for a long time that the rapidly decaying trail of ionised gas left by a meteor particle in the earth's atmosphere provides a temporary reflector to radio signals which cross its path.

Therefore, it follows that if these reflections were counted over a long period, by a receiver and a recording instrument, then a comparison could be made from this sample between the number of random meteors entering the atmosphere each day and the increase as the earth passes through a meteor shower.

Back in 1970, I realised that counting meteors by radio was an interesting proposition and could be carried out with a reasonable amount of equipment. However, to be meaningful the observation would have to be consistent over a few years.

The Receiver

The first requirement was to find a distant signal that could not be heard in Sussex under normal atmospheric conditions and would be on air for long periods. For this purpose, I used the broadcast transmitter at Gdansk which operates daily on 70.31MHz with a likely range of about 100km.

Fortunately, this frequency is normally clear with me which made it ideal for detecting tiny fragments ("pings") of the Gdansk signals each time they were deflected in my direction by meteor trails. I installed a 3 element beam facing the north east and built a crystal controlled converter with an i.f. output of 2.3MHz. This was fed to the antenna socket of an Eddystone communications receiver and the frequency of 70.31MHz was selected by tuning the Eddystone's dial to 2.31MHz.

By using this system the "pings" were heard through the loud-speaker and by amplifying the d.c. voltage at the receiver's detector with a 709 chip, a corresponding spike was drawn on the chart of a pen recorder. I ran the chart at 12mm per minute and the spikes were counted by hand at the end of each observational period. Even then chart was expensive, but running costs have to be accepted with any experimental project and offset against possible earnings.

Early Tests

Throughout a 32 day test in 1971, July 15 to August 15 inc., the equipment ran for five hours each evening from 1800 to 2300UTC, Fig. 1. Although this adds up to a total observational time of 160 hours, 10 of these were lost to interference (seven to Sporadic-E (E) and three to thunder static (S)).

The former meant that Gdansk was being heard continuously and the pen was against the upper stop and the latter was putting a multitude of spikes on the chart and making a true count impossible. However, the total number of "pings" recorded in the remaining 150 hours was 32,953 giving an hourly average of 219.

The observation shown in Fig. 1, required nearly 7 rolls of recording chart (about 140m) and the results were very time consuming to count. After this I decided to build an electronic counter, but more about that next time.

Hourly rate of meteor "pings" recorded by Ron Ham, on 70.31MHz, see text.

UTC July	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
18/1900	196	134	115	225	E	214	192	134	256	177	223	183	218	104	201	219	180
19/2000	155	115	127	280	214	133	343	192	194	164	257	142	204	120	188	202	184
20/2100	164	102	212	218	282	95	326	223	222	170	312	128	248	141	183	199	239
21/2200	183	156	169	216	201	124	354	250	230	191	376	130	270	126	253	370	243
22/2300	207	167	220	220	376	149	430	177	251	203	393	181	348	225	307	S	315
Total	904	674	752	1269	1073	715	1645	976	1153	905	1561	784	1288	716	1132	990	1161
Hourly Average	180	134	150	249	267	143	329	195	230	180	312	156	257	143	226	198	232

UTC August	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15
18/1900	138	152	182	229	220	181	E	193	216	218	297	312	181	169	93
19/2000	158	S	140	277	186	125	E	213	199	242	242	215	184	175	86
20/2100	191	283	175	226	220	145	E	244	223	334	324	257	223	188	70
21/2200	257	326	227	243	274	191	E	220	387	383	257	228	183	121	
22/2300	298	S	256	247	320	222	E	267	198	448	322	244	196	203	123
Total	1042	761	1188	1262	1220	864	-	917	1056	1629	1568	1335	1012	918	493
Hourly Average	208	253	198	252	244	173	-	183	211	325	313	266	202	184	98

Fig. 1

Solar

"The monthly mean sunspot number for August was 167 with a daily high of 337 on the 5th," wrote Neil Clarke GOCAS from Ferrybridge. Neil also provided the computer print-out, Fig. 2, showing the solar flux variations throughout the month with a mean of 218 units.

In Edinburgh, Ron Livesey, using a 2.5in refracting telescope for projecting the sun's image, identified 6 active areas on the 1st, 7 on the 22nd, 8 on the 4th, 15th and 31st, 9 on the 5th, 11th and 12th and 11 on the 7th. Ted Waring (Bristol) counted 6 sunspots on August 28 and 90 and 34 on September 7 and 9 respectively.

Despite the hindrance of cloud, Cmdr Henry Hatfield (Sevenoaks), used his spectrohelioscope to observe the sunspot groups, filaments and quiescent prominences listed in Fig. 6. In addition he recorded individual bursts of solar radio noise on August 24, 28, 29, September 1, 2, 3, 5, 7, 11, 13, 14, 19 and 25 on 136MHz and August 24, 28, 29, 30, September 1, 2, 3, 5, 7, 11, 14 and 19 on 1297MHz, plus a continuous noise storm on September 3 and 4 at the lower frequency.

However, between 1600 and 1620 on the 31st, Henry, with his spectrohelioscope, located two sub-flares and one small flare and entered in his radio log, "1606-1609 small burst on 1297. 1606-1616 few small bursts on 136. 1617-1625 another small burst on 1297. 1648-1649 small burst on 136." My thanks are due to Henry for the photographs he took during that observation of the sunspots, Fig. 7 and the activity around them, Fig. 8.

Ern Warwick (Plymouth) heard variations in the background noise on 14MHz on August 28 and September 4 and on 28MHz on the 28th, 29th, 30th and 31st and September 1 and 8. Fred Pallant G3RNM (Storrington) reports hearing solar noise on 28MHz at midday on September 10 and possibly around 1630 on the 19th while the band was completely dead.

The progress of the very large sunspot group was observed and plotted by Patrick Moore at his observatory in Selsey during the first few days in September, Figs 2, 3 and 4.

Readers wishing to explore the v.l.f. region when the sun is active can obtain details of a converter kit, covering 10-150kHz, by sending a 9in x 4in s.a.e. (overseas add two IRC) to Cambridge Kits, 45 Old School Lane, Milton, Cambridge CB4 4BS, for their catalogue.

Auroral

Ron Livesey, the auroral co-ordinator for the British Astronomical Association,

received reports of auroral "glow" from the weather ship *Cumulus* for the overnight periods on August 4, 5, 8, 11 and 12 and of "ray bundles" on the 10th and 14th. "Homogeneous arcs" were reported from north-Scotland on the 16th, "ray bundles" from northern England on the 14th and 15th and Denmark, Nova Scotia and north-Scotland on the 28th, "active storm, movement of forms, flaming and flickering" from north-Dakota on the 14th, Kirkwall on the 13th, northern England and Scotland on the 9th, 23rd and 27th and "half sky or coronal forms" from Scotland on the 14th.


In Wishaw, Doug Smillie noted fading on the 7MHz band on August 6, 16 and 22 and weak auroral reflected signals on 144MHz on the 21st and 23rd. Ern Warwick reports "echoy" signals, sometimes accompanied by sharp fading, on 28MHz at 1030 on August 26, 1832 on the 27th, 1359 on September 2 and 1200, 1243 and 1640 on the 6th. Simon Hamer received a very distorted picture, most likely auroral, on Ch. R2 (59.25MHz) on the 24th.

Magnetic

In addition to providing the Ap index graph for August, Fig. 5, Neil Clarke reports that the month was mostly unsettled with 3 minor storm periods, the first on the 10th and 11th, the second from the 14th to the 23rd with the 15th being the stormiest day and the last on the 29th. The Hall effect magnetometer used by Doug Smillie, the Fluxgate instruments operated by Karl Lewis (Saltash) and David Pettitt (Carlisle) and Ron Livesey's "Jam-Jar" magnetometer, between them recorded activity on days 1, 4, 5, 6, 8, 9, 10, 14, 15, 18, 20, 21, 23, 24, 27, 28 and 29. Ron also received reports of magnetic storms recorded by NOAA on August 10/11, 14/15, 15-17, 21-23 and 27/28.

Sporadic-E and Meteors

I counted 12 East European f.m. broadcast stations between 66 and 73MHz, plus weak television synchronising pulses on Ch. R3 (77.25MHz) during a mild Sporadic-E opening at 1900 on August 31 and, on August 16 and 17, Simon Hamer





SITUATED AT SOUTHERN END OF M23 — EASY ACCESS TO M25 AND SOUTH LONDON

RECEIVERS

HF225	£395
ICR71	£855
R2000	£595
VC10 V.H.F. Converter	£161
FRG8800	£649
FRV8800 V.H.F. Converter	£100
R5000	£875

HF TRANSCEIVERS

TS940s	£1995
TS440s	£1138
TS140s	£862
TS680s	£985
FT767GX	£1599
FT757GX2	£969
FT747GX	£659
IC765	£2499
IC751A	£1500
IC735	£979
IC725	£759
IC726	£989
Ten Tel OMNI V	£1839

2M TRANSCEIVERS

TH25E	£238
TH205E	£199
TH215E	£228
TS711E	£898
TR751E	£599
TM231	£289
FT23R + FNB10	£243
FT411 + FNB10	£259
FT290R II	£429
FT211RH	£309
FT212RH	£349
IC2GE	£265
IC228H	£385
IC275E Inc PSU	£1069
IC2SE	£275
IC2SET	£295

70CMS TRANSCEIVERS

TS811E	£908
TR851E	£899
TH405E	£245
TH415E	£268
FT73R + FNB10	£263
FT790Rii	£499
FT711RH	£349
FT712RH	£375
IC4GE	£299
IC4SE	£310
IC448E	£429

DUAL BAND TRANSCEIVERS

TM721E	£699
TS790E	£1495
FT470R + FNB10	£423
FT736R	£1359
FT4700RH	£675
IC32E	£399
IC3210E	£499
IC2400E	£635
IC2500E	£675

SCANNING RECEIVERS

ICR7000	£989
FRG9600M	£509
RZ1	£465
AR2002	£487
R535 Airband	£249
STANDARD AX700E	£575

ANTENNA TUNER UNITS

FRT7700	£59
FC757AT	£349
AT230	£208
AT250	£366
ICAT100	£379
MFJ941D	£105
MFJ949C	£158

DATONG

AD370 Active Antenna	£77.62	3.00
FL3 Multimode Filter	£145.54	2.00
D70 Morse Tutor	£63.40	2.00
ASP Speech Processor	£93.15	2.00

COAXIAL SWITCHES

SA450 2way SO239	£19.49	1.50
SA450N 2way N	£26.99	1.50
Drae 3way SO239	£18.69	1.50
Drae 3way N	£24.15	1.50
C54 4way BNC	£30.39	1.50
MFJ-1701 6way SO239	£30.72	1.50

POWER SUPPLIES

BNOS 12/5E	£74.75	5.00
BNOS12/20E	£178.25	5.00
DRAE 6amp	£78.72	3.00
DRAE 12amp	£104.71	5.00
DRAE 24amp	£151.34	5.00

HAND HELD RECEIVERS

R537S Airband	£69.00	2.00
Sony Air 7	£249.00	2.00
Win 108 Airband	£175.00	2.00
AOR AR900	£235.00	2.00

PALOMAR ANTENNA PRODUCTS

Antenna Noise Bridge — Up to 100MHz	£59.95
Tuner Tuner — Tune your ATU without transmitting	£99.95
LED S.W.R. Meter — Auto SWR up to 2KW P.E.P.	£124.95
9:1 Balun. For the T2FD Antenna.	£23.95

GOODS NORMALLY DESPATCHED WITHIN 24 HRS. — PRICES CORRECT AT TIME OF GOING TO PRESS — &EOE

MAIL ORDER & RETAIL

BREDHURST ELECTRONICS LTD HIGH ST, HANDCROSS, W. SUSSEX. RH17 6BW (0444) 400786

Open Mon-Fri 9am-5pm except Wed 9am-12.30pm. Sat 10am-4pm

ANTENNA RANGE

J Beam 'Minimax' Tribander	£361.00
J Beam TB3 MK3 Tribander	£348.00
Butternut HF6VX	£159.00
Butternut HF2v	£142.00
Cushcraft A3 Tribander	£263.00
Cushcraft 2M 215WB	£86.25
Tonna 20505 5ele 50mhz	£50.72
Tonna 20809 9ele 144mhz	£33.12
G Whip tribander 10-15-20	£41.00

MORSE KEYS

Kent Morse key kits	£31.00	2.50
Kent Twin-paddle Kits	£39.50	2.50
Hi Mound MK704	£20.00	2.00
Hi Mound MK706	£22.00	2.00
Vibroplex original std	£70.54	2.50
Vibroplex iambic std	£66.33	2.50
Bencher BY2 Chrome Base	£76.97	2.50

FILTERS

AKD HPF1	£6.75	1.00
AKD Braid Breaker	£6.75	1.00
AKD Notch Filter	£7.75	1.00
BNOS Low pass filter 6m	£29.95	1.50
LF30A Low pass filter	£32.25	2.00

ANTENNA BITS

Hi-Q Balun 1:1 5kW PEP.	£13.95	1.00
Bricomm Balun 4:1 1kW	£13.80	1.00
Bricomm 7:1MHz Epoxy Traps (pair)	£10.95	1.50
Self Amalgamating Tape 10m x 25mm	£4.25	0.75
T piece polyprop Dipole centre	£1.60	0.25
Small ceramic egg insulators	£0.65	0.20
Large ceramic egg insulators	£0.85	0.20

CABLES ETC.

URM67 low loss coax 50 ohm per metre	£0.95	0.25
UR76 50 ohm coax dia. 5mm per metre	£0.35	0.10
UR70 70 ohm coax per metre	£0.35	0.10
UR95 50 ohm coax dia. 2.3mm per metre	£0.40	0.10

G6XBH GIRAS G8UUS

Visit your Local Emporium
Large selection of New/Used Equipment on Show

AGENTS FOR:
F.D.K. • AZDEN • ICOM • YAESU • ALINCO

ACCESSORIES:

Welz Range, Microwave Modules, Adonis Mics, Mutek Pre-Amps, Barenco Mast Supports, DRAE Products, BNOS Linears & P.S.U.'s
★ ERA Microreader & BPS4 Filter, SEM Products ★

AERIALS, Tonna, New Diamond Range of Mobile Whips, Jaybeam
BRING YOUR S/H EQUIPMENT IN FOR SALE

JUST GIVE US A RING

Radio Amateur Supplies

3 Farndon Green, Wollaton Park, Nottingham NG8 1DU
Off Ring Rd., between A52 (Derby Road) & A609 (Ilkeston Road)
Monday: CLOSED Tuesday-Saturday: 10.00 a.m. to 5.00 p.m.

Tel: 0602 280267

R.A.S. (Nottingham)

COMMUNICATION CENTRE OF THE NORTH

The largest range of communications equipment available in the North.
Full range of receivers, transceivers, antennas, power supplies, meters.
Ali tubing — wall brackets — rotators — insulators.

FULL KENWOOD RANGE IN STOCK.

BUTTERNUT		
HF2V 40-80m vertical	£142.00	
20 MKK 20m add on kit	£33.49	
HF6VX 6 band vertical	£159.00	
TBR160S 160m Add on kit	£53.99	
HF4B Triband Mini Beam	£235.00	
NEW RS 5 Band Vertical	£259.00	
CUSHCRAFT		
A3 3 element Tribander	£329.00	
A4 4 element Tribander	£353.00	
10-3CD 3 element 10m	£115.00	
15-3CD 3 element 15m	£139.75	
20-3CD 3 element 20m	£238.00	
AP8 8 band 25ft vertical	£164.00	
AV5 5 band 25ft vertical	£123.00	
18 element 2m Boomer	£106.00	
15 element 2m Boomer	£85.00	
ANTENNA TUNERS		
Kenwood AT230	£208.00	
MFJ 962B 1.5k Tuner	£241.00	
MFJ 949C 300W Versatuner	£157.00	
MFJ 941D watt Basic	£105.00	
MFJ 1601 Random Wire Tuner	£42.02	
Kenwood AT250 Automatic	£366.00	
WELZ		
DCP5 5 band vertical with radial kit	£195.00	
DCP4 40-20-15-10 vertical with radial kit	£147.00	
JAYBEAM		
VR3 3 band vertical	£81.65	
TB1 Rotary Dipole	£117.30	
TB2 2 element Tribander	£234.60	
TB3 3 element Tribander	£348.45	
SWR/POWER METERS		
MFJ 815 HF 2kw SWR/PWR	£57.32	
Ym IE Twin Meter 3.5-150MHz	£32.00	
OIAWA CN410M 35-150MHz	£61.72	
OIAWA CN460M 140-450MHz	£65.40	
NS660P 1.8-150MHz + PEP	£115.00	
KOYO-100 1.8-60MHz	£75.00	
KOYO-200 1.8-200MHz	£60.00	
KOYO-400 140-525MHz	£62.00	
DUMMY LOADS		
DL60 60 watt	£10.96	
DL600 600 watt	£62.75	
MFJ2600 300 watt	£30.00	
NEW MODEL		
HF225 GENERAL COVERAGE RECEIVER	£395.00	

A FULL RANGE OF RECEIVERS FOR AIR-BAND — MARINE — SHORT WAVE — AVAILABLE

GSRV full size £165.00, half size £145.00 Full range of Antenna — Accessories plus full range of VHF — UHF — HF mobile Antennas. Alpha HF Linears now available.

Full range of RSGB and ARRL publications in stock.
Part Exchanges welcome. Second hand lists daily.
Send S.A.E. for details of any equipment.
HP terms. Access/Barclaycard facilities.
Open 6 days a week. 24 Hour Mail Order Service.
Goods normally despatched by return of post.

FULL TEN TECH RANGE

NOW AVAILABLE

"Paragon", "Corsair",
"Argosy", "Century", "Omni V"
plus all accessories

Phone 0942-676790.

STEPHENS JAMES LTD.
47 WARRINGTON ROAD,
LEIGH, LANCs. WN7 3EA.

Books for radio amateurs

AERIAL ACCESSORIES AND MASTS

ELLIOTT ELECTRONICS
for the Radio Enthusiast

JAYBEAM AMATEUR ANTENNAS


MICROWAVE MODULES

INSTANT HP AVAILABLE

OSY OLD MAN TO

RIGS, ANTENNAS, SWR BRIDGES, POWER SUPPLIES, TEST GEAR, COMPONENTS, MORSE KEYS, COAXIAL CABLES, ROTATORS, MICS, PLUGS AND SOCKETS, SWITCHES

Call us on (0533) 553293
OR COME AND LOOK AROUND AT
26/28 Braunstone Gate, Leicester



D A T O N G
ELECTRONICS LIMITED

Clayton Wood Close
West Park
Leeds LS16 6QE
Tel: 0532 744822

For products you can rely upon to give amazing results


For information on **Active Antennas, RF Amplifiers, Converters, Audio Filters, the Morse Tutor and Speech Processors** send or telephone for a free catalogue and selective data sheets as required.

All our products are designed and made in Britain.

Orders can be despatched within 48 hours subject to availability.



VISA AND ACCESS WELCOME



ANTENNAS TONNA (F9FT)

50MHz 5 element	£50.71(a)	144/435MHz 9 & 19 element Oscar	£61.07(a)
144MHz 4 element	£29.39(a)	1250MHz 23 element	£61.07(b)
4 element crossed	£37.26(a)	4 x 23ele - stacking frame - power	£175.00(a)
9 element fixed	£33.12(a)	splitter	£175.00(a)
9 element portable	£35.19(a)	1296MHz 23 element	£32.29(b)
9 element crossed	£62.10(a)	4 x 23 ele - stacking frame - power	£175.00(a)
13 element	£49.06(a)	splitter	£175.00(a)
17 element	£66.24(a)	435MHz 55 element	£49.27(a)
		4 x 55 ele - stacking frame - power	£250.00(a)
		splitter	£250.00(a)
		19 element crossed	£42.44(a)
		21 element 432MHz	£47.61(a)
		21 element ATV	£47.61(a)

THE VHF/UHF ANTENNA SPECIALIST

POWER SPLITTERS	
2 way 144MHz	£48.36(b)
4 way 144MHz	£57.53(b)
2 way 435MHz	£45.69(c)
4 way 435MHz	£55.76(c)
2 way 1250MHz	£43.35(c)
4 way 1250MHz	£43.35(c)
2 way 1296MHz	£43.35(c)
4 way 1296MHz	£43.35(c)
2 way 2300MHz	£43.35(c)
4 way 2300MHz	£43.35(c)
ANDREW HELIAX	
LD4-50A	£4.70/m
N Connectors	£16.80(c)
TELESCOPIC MASTS - STACKING	
FRAMES - COAXIAL CABLE - ROTATORS ETC.	

All prices include VAT. Please add carriage (a) £5.00 (b) £2.20 (c) £1.20. U.K. MAINLAND ONLY. ACCESS or VISA cardholders telephone your order for immediate dispatch. Callers welcome, but by telephone appointment only, please. Send 50p for our catalogue which contains the full specifications.

RANDAM ELECTRONICS (P)

FREEPOST, ABINDON, OXON, OX14 1BR.
Tel: (0235) 23680 (24hrs)



PRACTICAL WIRELESS PROJECT KITS

BADGER 144MHz Receiver	78.70	BC107	0.16	555	0.28	7805	0.44	KANK3333	0.75
OTTER 50MHz Receiver	52.90	BC108	0.16	556	0.58	7812	0.44	KANK3334	0.75
RTTY TUNING INDICATOR	29.60	BC109	0.16	741	0.28	7815	0.44	KANK3335	0.75
DOWNTON F to V Converter	22.70	BC148	0.17	CA32A	4.61	7824	0.50		
AXE Signal Tracer	62.00	BC214L	0.13	CA3130E	1.00	7905	0.53		
ITCHEN LCR Bridge	37.80	BC237	0.12	CA3140E	0.60	78109	0.57		
WOODSTOCK Shortwave Converter	31.90	BC337	0.13	CA3240E	1.10	LM317K	2.55		
WESTBURY Wobulator	19.90	BC549	0.12	HA1197	1.75	LM317T	0.80		
SIMPLE 50MHz CONVERTER	23.30	BC559	0.12	LF351	0.55	LM723	0.55		
MEON 2 50MHz Transverter (144MHz IF)	48.30	BF199	0.26	LM380	1.30	C1060	0.43		
RTTY-MORSE MODEM (Excluding Case)	36.50	BF224	0.50	MC1350	2.75	W005	0.30		
TWO TONE OSCILLATOR	31.00	BF241	0.30	MC1458	0.40				
MEON 50MHz Transverter (28MHz IF)	49.90	BF961	0.69	MC1496	1.36				
CAPACITANCE METER	26.50	BF981	0.88	SO42P	2.55				
FET DIP OSCILLATOR	25.20	J304	0.57	SL1621	9.00				
ADD ON BFO	16.50	J309	0.58	SL1640	8.30				
BATTERY CHARGER CONTROLLER	12.40	J310	0.58	SL6270	2.80				
MORSE TRAINING TRAINER	17.20	TP41	0.37	SL6440	5.00				
		VN10M	0.80	TL071	0.45				
		2N2369A	0.45	TL072	0.50				
		2N3055	0.56	TL084	0.75				
		2N3819	0.56	XR2206	4.50				
		2N3866	1.50	XR2211	4.05				
MEON TRANSVERTER PA KIT									
Available for 2, 4 or 6 Metres. 20 Watts out for 0.5									
Watt in. Can be housed within the Meon enclosure									
or a separate diecast box supplied with the									
kit.	44.90								
MORSE KEY High Speed Key Metal Base	6.50								
SOLDERING IRON 15 Watt	4.20								
DESOLDERING TOOL	4.90								
SOLDER 22 swg 100g Resin	2.20								
PCB DRILL 12V dc	8.35								
PROTOTYPING BOARD 400 Tie Points	3.95								
MINIATURE SIDE CUTTERS	2.70								
MINIATURE SNIP NOSED PLIERS	2.70								

SEMICONDUCTORS

INDUCTORS

TOROIDS

"MEON" COMPONENTS

SWITCHES



TEL:
0532
509581



AIR SUPPLY

83b HIGH STREET

YEADON, LEEDS LS19 7TA

SHOP JUST TWO MINUTES FROM LEEDS BRADFORD AIRPORT

AIR BAND RADIO SPECIALISTS

For the very best in hand-held, car and base receivers, Scanners etc. Signal R537/S: R535-With full VHF & UHF MIL: WIN 108: HF225: SONY AIR 7: PRO80: AOR 800E: 900: 2002: & Soon 3000: COBRA SR925: UNIDEN 100XL: 100XLT: 200XLT: 175XLT: 590XLT: 950XLT: BLACK JAGUAR MKIII: MVT-5000: MVT-6000: (100ch SCANNERS WITH VHF & FULL UHF MIL). Plus a full range of books, arials and accessories, charts, models, pilots products etc, etc.

IF YOU WOULD LIKE OUR INFORMATION PACK PLEASE SEND A SAE WITH STAMPS TO VALUE OF 50p.

AIRTOUR & ASE AGENCY FOR PILOT PRODUCTS

(SHOP HOURS VARY DUE TO FLY-INS ETC. CLOSED WEDNESDAY & SUNDAY)



FAX:
0532
508772

Hours:
10.00-13.00
14.00-17.30




Fig. 2




Fig. 3




Fig. 4




Fig. 5

(New Radnor) received "pings" of pictures, via meteor scatter, from television transmitters in Finland, Poland, Scandinavia and the USSR on Band III.

The 28MHz Band

"Total communications blackout on all AR bands above 14.350MHz until around 2100UTC", reported **Greg Lovelock G3III** (Shipston-on-Stour) on September 19. Our beacon chart, Fig. 9, adds weight to that Greg.

Among the DX heard on 28MHz by *Practical Wireless*, December 1989

Date	Groups	Filaments	Quiescent Prominences	Notes
22.08.89	2	22	5	
23.08.89	2	26	7	two small flares
24.08.89	2			filaments & quiescent prominences not counted
26.08.89	2	27	12	cloud hampered observation
27.08.89	2	30	9	
30.08.89	1	28	13	
31.08.89	1	25	10	two sub-flares, one small flare
01.09.89	1	25	10	group still very angry
02.09.89	2	28	cloud	cloud, medium flare and eruptive arch filament. Group 22 degrees long.
03.09.89	cloud	cloud	cloud	four small flares
05.09.89	4	27	10	small flares and medium ribbon flare
07.09.89	4	34	10	
13.09.89	3	cloud	cloud	
18.09.89	3	30	7	
19.09.89	3	30	7	sub-flare and ribbon flare declining
20.09.89	3	23	7	
21.09.89	2	20	10	
23.09.89	1	15	3	cloud hampered observation
25.09.89	1	20	8	short life sub-flare

Fig. 6



Fig. 7



Fig. 8

Fig. 8

	August										September																			
Beacon	26	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
QF0AAB									X	X				X	X								X	X				X	X	X
QF0THQ						X																								
QL0IGI	X			X	X	X		X	X					X	X	X			X	X	X	X	X					X	X	X
EA2HR					X				X	X																				
EA6RCM	X	X	X	X	X	X		X	X		X	X	X	X	X				X			X	X	X						
IY4M	X	X		X	X		X	X		X	X	X	X	X	X	X			X	X	X	X	X		X		X	X	X	
KB2UPI																					X									
KC4OPC									X							X	X		X									X	X	X
KD4EC													X	X				X	X	X			X					X	X	X
KE2OI								X							X	X												X	X	X
KF4MS															X	X	X	X	X	X	X		X					X	X	X
KJ4X															X				X		X							X	X	X
KW7Y/B																													X	X
LASTEN									X	X			X	X			X													
LU1UG	X	X						X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X
NX20/B									X				X	X	X	X	X	X	X	X	X	X	X					X	X	X
OK0EG						X		X	X			X		X	X	X														
OH2TEN								X	X		X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X	X	
PI7AAC									X	X			X	X														X		
PY2AMI	X	X						X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SK5TEN													X				X	X						X		X				
S4R											X	X	X																	
VE2HOT											X					X	X		X	X	X	X		X						X
VE3TEN																X	X	X	X	X	X	X	X	X	X			X	X	X
VE6YF																														X
VK2RSY	X	X						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
VK5WI	X	X						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
VK6RWA	X	X						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
VS6TEN													X											X		X	X	X	X	
WA4QJS									X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
WB9FVR													X			X			X	X	X	X								
VC8E																X			X			X							X	X
V3SV													X			X			X											
V3VD											X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
V9UXO											X					X						X		X	X				X	X
Z08HF	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ZL2MHF																					X	X	X					X	X	X
ZS1LA												X																		
ZS5VHF	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ZS6PW	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ZZ1ANB	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
4N3ZHK	X																													
5B4CY	X	X						X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Fig. 9

GAREX ELECTRONICS

WEATHER SATELLITE SYSTEMS

SPECTACULAR NEW ATARI ANIMATED SYSTEM

Garex are proud to announce that they are the first appointed dealer for this incredible new Timestep product. Following on from Timestep's phenomenal success in the education market a special low cost Atari ST version of their animation system is now available. Simply plug in your existing receiver to view amazing pictures. For the ultimate, add a Meteosat receiver for unbelievably smooth 14 frame animation that is completely automatic once set up. Just watch the clouds roll by! New pictures are added twice an hour if required, the oldest being discarded automatically. This sophisticated package will run on any Atari ST1040 and compatible colour monitor, comes complete with all software and colour-keyed Atari interface unit.

Optional 16 grey scale adaptor for colour monitor

£299.00

£24.95

For those who would like a one-stop-shop, we offer the complete package of a ready-to-run system

Meteosat Dish and receiver, Atari interface unit, Grey scale adaptor, 14in Colour Monitor, Atari ST1040 computer, software (including demo-disc) AND, OF COURSE, ALL PLUGS AND CABLES

On your doorstep £1,695.00

NEW COMMODORE "AMIGA" INTERFACE AND SOFTWARE

Superb high resolution pictures 600 pixels x 400 lines. Compatible with "PIXmate" THE fully featured image processing program.

£299.00

COMPACT FRAME STORE SYSTEM

The basic MICROWAVE METEOSAT system, no complications, a complete plug in and go package requires no computer, no software, and can be up and running, including dish alignment within 10 minutes. Nothing more to buy! Dish, Microwave Receiver, Frame Store, 12in b/w Monitor AND ALL PLUGS AND CABLES. Designed by Timestep, supplied by Garex

£995.95

SATELLITE ACCESSORIES

Meteosat Receiver, Dish input and 2 watt audio output

£270.25

Meteosat Preamp, 15dB gain 0.6dB noise figure GaAs FET

£92.00

NOAA 10 channel VHF Receiver

£155.25

NOAA BASIC Turnstile antenna

£34.95

NOAA BASIC Preamp, 3 pole filter, boxed, 14dB gain

£24.95

SAE for full details and prices of other 'separates'

★ ★ ★ ★

GAREX VHF RECEIVERS

★ A simple but versatile design capable of covering spot frequencies in the range 25-200MHz.

★ Excellent sensitivity (typically 0.4uV for 12dB SINAD)

★ Double superhet (10.7MHz and 455kHz IFs)

★ Choice of IF bandwidths from "W-SAT" to "12.5kHz" PMR standards

★ The basic receiver is single channel crystal controlled

★ Multichannel option

★ 2 watt audio output stage having a low quiescent current

★ Size: 153 x 33 x 13mm

★ Requires 10-14v DC supply

PRICES Stock Versions: (fully assembled, aligned and tested boards) 6m, 4m, 2m

and weather sat

£49.95

Crystals extra, prices on request

★ Mains power supply module

£15.50

Other frequencies, special options, cased versions

POA

GAREX VHF PREAMPLIFIERS

★ MINIATURE — GENERAL PURPOSE ★

★ Compact size: 34 x 9 x 15mm

★ Up to 26dB gain

★ Can be made for any frequency in the range 40-200MHz

★ Low noise

★ 3dB bandwidth +3MHz (at 145MHz)

★ Input and output impedance 50 ohms

★ 1dB compression +10dBm

★ Saturated output +15dBm

★ Supply voltage 8-17v DC at 5-10mA

Stock Versions (fully assembled, aligned and tested boards) 6m, 4m, 2m and

Weather Sat

£11.45

Airband 118-136MHz (reduced gain)

£11.45

Other frequencies in the range 40-200MHz

£13.75

★ HIGH PERFORMANCE

★ 2 metre PRE-AMPLIFIER

★ 3 band-pass stages for improved selectivity

★ 16dB gain with 1dB NF

★ Switches 35 watts

★ RF switched (fail-safe action) gas-filled relays

Assembled, tested pcb

£42.50

Boxed version

£49.95

Gas-filled Relays as used in pre-amp

£4.95

MAIN DISTRIBUTORS FOR REVCO ELECTRONICS LTD

Prices include UK P&P and 15% VAT
Ask for details of our interest Free Credit

GAREX ELECTRONICS

HARROW HOUSE, AKEMAN STREET, TRING HP23 6AA

TEL: TRING (044282) 8580

and CHEDDINGTON (0296) 668684

Callers by appointment only



NEW

GX-2 FAX SSTV TRANSCEIVE FOR THE BBC COMPUTER

Superb performance, ease of use and a wealth of useful features in the two graphics modes.

FAX 7-level greyscale for superb pictures. All rpm and IOC's. Optional direct printing with auto-phasing for top quality charts and pictures.

SSTV Mono, line sequential colour and Robot colour. Fully compatible with SC-1 and Robot equipment. All timing standards.

Send screens from graphics package, digitiser or GX-2's own sophisticated type-ahead system. 12 text sizes, individual colours for each character, specially designed character set for greater readability and lots of other facilities to produce good graphics screens as well as just text.

Live type-ahead at all times and full facilities for using disc and printer.

EPROM, interface, comprehensive instructions and all connecting leads for only £99.00 or £119.00 with FAX direct printing option.

Send for full information on this amazing system.

RX-8

FOR THE BBC COMPUTER

FAX, HF and VHF PACKET, Colour SSTV, RTTY, CW, AMTOR, UOSAT, ASCII.

Receive them all with every possible feature. Printer and disc support. The best receive system ever.

Complete system of EPROM, interface, instructions, all leads and demo cassette £259.

Send for our brochure on this astounding product.

And don't forget all our other goodies

TX-3 RTTY/CW/ASCII TRANSCEIVE £20

RX-4 RTTY/CW/SSTV/AMTOR RECEIVE £25

TIF1 INTERFACE for TX-3 and RX-4 £20 kit, £40 boxed.

Morse Tutor, Logbook, Locator & RAE Maths programs for BBC, CBM64, Spectrum, VIC20

More information available on everything. Please ask.

Prices include VAT and p&p by return.



technical software (P.W.)

Fron, Upper Llandwrog, Caernarfon LL54 7RF

Tel: 0286 881886



John Levesley G0HJL (Bransgore) was signals from stations in Japan on August 28, Australia and South America on September 17, South America on days 20, 21 and 24, Australia and Japan on the 23rd and Japan on the 24th.

Propagation Beacons

As usual, my thanks to Mark Appleby G4XII (Scarborough), Chris van den Berg (The Hague), Vaclav Dosoudil OK2PXJ (Kvasice), Henry Hatfield, John Levesley, Greg Lovelock, Ted Owen (Maldon), Fred Pallant, Ted Waring and Ern Warwick, for their detailed 28MHz beacon logs from which I compiled our master chart for the period, Fig. 9.

Ern Warwick heard S48 on 28.272MHz at 1248 on September 4 and Greg Lovelock said, "it appears to emanate from South East Asia." Greg also reported that KF4MS is now on 28.301MHz, Henry Hatfield said that ZS6PW was "very loud and clear" on September 22 and Mark Appleby copied "KW7Y/B KW7Y/B MARYVILLE WASH 5 WATTS" on 28.223MHz at 1850 on the 23rd.



Fig. 10




Fig. 11

I had the pleasure of meeting Ted Owen, Fig. 10, when he visited the Chalk Pits Museum (Amberley, Sussex) in August. Ted is an ex-Marconi man with a wide experience of engineering and operation in the world of wireless communications.

Ern Warwick logged signals on most days from IK6BAK and PY2AMI on 24.915 and 24.931MHz respectively, OH2B, LU4AA, ZS6DN/B, 4U1UN/B and 4X6TU/B on 14.100MHz and DK0WCY on 10.144MHz. In addition he sometimes heard PY2AMI on 18.100MHz and CT3B and KH60/B on 14.100MHz.

Tropospheric

The slightly rounded atmospheric pressure readings, Fig. 11, were taken at noon and midnight from the Short and Mason Barograph installed at my home in Sussex.

While conditions were good, Simon Hamer received BBC Radios Devon and Cornwall, Radio Ulster, ILR Downtown Radio (Belfast) and Ireland's RTE FM 1, 2

and 3 on August 20 and the Benelux countries, France, West Germany and Scandinavia on the 21st.

A variety of continental f.m. broadcast stations added interest to Band II early on the 30th and, at 1045, while the weather was changing from the west, I logged a test card from Ireland's RTE in Band III. This opening carried on for most of the day because I found negative pictures from France in Band III and several strong French stations in Band II, using my Plustron TVR5D with its own rod antenna, while parked at a couple of spots in Sussex at 1320 and 1601. Tropo-conditions were good again on September 6 when, around 1030, I logged negative pictures from France in Band III and several French broadcasters in Band II and although parked under trees during the afternoon, these French stations could still be seen and heard.

At the u.h.f. end on 934MHz, John Levesley UK-627 received signals from GY-186 in Guernsey at approximately 160km on August 27 and 29 and September 17 and 20.

Broadcast Round-up

Peter Shore

With the evenings drawing in, it is now the time to sit down at the receiver and tune around the world. The first round of frequency changes has ended, with a smaller set due in November, but otherwise it has to be said that the world of international broadcasting continues to be rather quiet, with no startling developments, other than the usual complaints from broadcasters of lack of funds.

Radio Canada International, which I have reported in previous editions is in dire financial straits, managed to offer a brief reprieve to its German language service which was face with imminent closure when a "new and novel initiative" from outside the station was announced. It is not known how successful this will be, and whether other language sections within RCI will be able to benefit. But anything that keeps such a station on the air has to be good for listeners everywhere.

The Voice of America meanwhile has failed to renew its relay agreement with Radio Costa Rica. VoA has broadcast five and a half hours of its programmes over Radio Costa Rica since 1985.

The Caribbean island of Montserrat was in the news when Hurricane Hugo caused massive devastations. The island has also suffered with the closure of the Deutsche Welle relay there at the end of June and the planned withdrawal of all DW's financial and technical support at the end of this year for Radio Antilles. This may also affect the relay facilities of the BBC, VoA and Radio Canada International.

Practical Wireless, December 1989

A North American religious broadcaster, the High Adventure Ministries, which runs stations in California, KVOH, and in Lebanon will soon be reaching out to the Pacific. Based in Guam, the new station will start operating in late October or early November, if all goes according to plan, using a 100kW sender with the callsign KHBN.

With continued tension between Turkey and Bulgaria, TRT broadcasts are being jammed. Reports from the Turkish capital suggest that in excess of 30 jamming stations have been established during the summer, based on Soviet equipment, bring the estimated total number of jamming facilities to around 250. Turkish sources suggest that the jammers may also be used against West European broadcasters' Bulgarian services.

Reception of the BBC World Service in West Africa and South America improved at the start of October with the introduction of two new transmitters together with a comprehensive new antenna system. A new morning service to Africa will provide extra choice for listeners between mainstream WS in English and regional alternatives. Then, when Africa sleeps, the new transmitters will serve South America during the prime evening hours. There is also a new morning service to South America for the first time.

European Stations

All times UTC (=GMT)

English language broadcasts from BRT Brussels are now:

0800 on 6.035 (Monday-Friday to Europe), 21.815 & 11.695MHz (Monday-Friday to Asia/Australia)

1000 on 26.05 & 21.81MHz (Monday to Friday to Africa)

1330 on 21.81 (Monday-Saturday to N. America) & 21.815MHz (Monday-Friday to Asia)

1630 on 17.58 & 21.81MHz (Monday-Saturday to Africa)

1830 on 11.695, 5.915 & 1.512 (daily to Europe)

2200 on 5.91, 1.512 (daily to Europe) & 9.925MHz (daily to N. America)

0030 on 9.925MHz (daily to N. America) Belgium's French language service, RTBF, has a French DX programme on Sunday at 1130. The frequencies used are 9.925 to Europe and 25.545MHz to Africa.

The Voice of Greece has moved from 9.905 to new 9.395MHz, in parallel with 11.645MHz for English news at 1920.

The new schedule for Iceland's Ríkisutvarpid to Europe is:

1215-1245 on 13.745, 13.79, 15.676 & 15.78MHz

1855-1930 on 9.268, 13.83, 13.855, 15.767 & 15.78MHz

and to North America

1410-1440 on 13.79, 13.855 & 15.767MHz

1935-2010 on 15.767, 15.78 & 17.44MHz 2300-2335 on 13.855, 15.767 & 15.78MHz

Italy's commercial IRRS station which is heard on Sundays had moved to

9.86MHz. A station called World News and Information Radio, WNIR, based in the American state of Maryland, is heard at 0900. Programmes from the United Nations are carried by IRRS.

Radio Sweden's moose mascot has donned a warm scarf for the winter schedule and has told us that the broadcasts in English through until March are:

Europe

1530 on 21.655MHz
1800 on 7.265, 6.065 & 1.179MHz
2100 on 11.705, 9.655 & 1.179MHz
0000 on 1.179MHz

Asia

1230 on 21.57, 17.74 & 15.19MHz
1400 on 17.74 & 11.905MHz
0100 on 9.64, 7.225MHz

North America

1530 on 21.61 & 17.88MHz
0230 on 11.705 & 9.695MHz

Latvian broadcasts continue from Radio Sweden at 1745 on 6.065 and 1.179MHz daily.

Swiss Radio International's European English language transmissions are now at 0730, 1300, 1830 and 2230. Frequencies used from SRI's European transmissions are 3.985MHz between 0600 and 1100, 1330 and 2045; 6.165 and 9.535MHz between 0600 and 2045; 12.030MHz between 1100 and 1330.

Intercontinental English transmissions are:

0200 on 17.73, 12.035, 9.885, 9.725, 6.135 & 6.095MHz
0400 on 12.035, 9.885, 9.725 & 6.135MHz
0630 on 21.520(s.s.b.), 17.57, 15.43 & 12.

0830 on 21.695, 17.67, 13.685 & 9.56MHz

1100 on 21.77, 17.83, 15.57 & 13.635MHz

1330 on 21.695, 17.83, 15.57, 13.635, 11.695 & 9.62MHz

1530 on 21.63, 17.83, 15.43 & 13.685MHz

1830 on 11.955 & 9.885MHz
2100 on 21.705 (s.s.b.), 15.525, 13.635 & 9.885MHz

It is interesting to note that s.s.b. transmissions continue to be made by Swiss Radio - it is probably the only broadcaster which still does use s.s.b. for mainstream broadcasting (as opposed to feeders to relays).

Vatican Radio still transmits in Nordic

languages at 1915 on 11.715, 9.755, 6.185 & 1.611MHz with Norwegian or Danish on Monday, Swedish on Tuesday, Wednesday, Thursdays and Saturday and Finnish on Friday and Saturday.

African & Middle Eastern Stations

Radio France International has been heard on 3.305MHz presumed to be from Gabon, between 1900 and 2100.

Radio Jordan's English service for Europe, and carried simultaneously in the Kingdom, is heard 0500-1420 on 13.655 and from 1420 until 2200 closedown on 9.56MHz.

The Arabic Service may be heard:

0330-0630 on 11.955, 11.94 & 11.81MHz
0630-1600 on 11.81MHz

1600-2330 on 15.435, 11.81 & 9.835MHz

Radio RSA's current schedule for English is:

0200-0300 on 11.935, 9.615 & 9.58MHz
1100-1200 on 25.79, 11.90 & 11.805MHz

1200-1300 on 21.59, 11.805 & 9.585MHz
1300-1400 on 21.59, 17.73 & 11.805MHz

1400-1600 on 25.79, 21.59, 21.535 & 11.925MHz

1800-1900 on 21.535MHz

1900-2000 on 21.535, 17.765 & 7.295MHz

The *DX Corner* programme can be heard on Sundays at 1440, 1835 and 1935, and on Mondays at 0230.

The Voice of Turkey is heard with English for Europe three times each day at 0400, 2000 and 2200, all on 9.795MHz.

At 2200 additional frequencies of 9.445 (for North America), 7.76 (for South East Asia) and 9.665MHz (for the Middle East) are also used.

The General Arabic service from Damascus is on the air:

0500-1100 on 12.085MHz
1100-1630 on 15.095 & 12.085MHz
1630-1730 on 12.085MHz

Asian & Pacific Stations

All India Radio's General Overseas Service in English transmits:

0000-0115 on 17.725, 15.11, 11.745, 11.715, 9.91 & 9.535MHz

1000-1100 on 17.74, 17.387, 15.335, 15.155 & 11.86MHz

1330-1500 on 15.335, 11.81 & 9.565MHz
1800-1845 on 15.36 & 11.935MHz

1845-1945 on 15.36, 11.935, 11.62 & 7.412MHz

1945-2000 on 15.36, 11.935, 11.86 & 9.755MHz

2000-2045 on 11.86 & 9.755MHz

2045-2230 on 11.715, 11.62, 9.91, 9.55, 7.412 & 7.265MHz

2245-2400 on 15.11, 11.745, 11.715, 9.91, 9.535 & 7.215MHz

Hindi to Europe from AIR is broadcast at 1945 on 11.62, 9.91 and 7.412MHz

Radio New Zealand's transmission between 0300 and 0730 now uses 17.705 and 15.485MHz, whilst from 0900 until 1205, the channels to check are 11.78 and 9.85MHz. The evening broadcast at 1830 to 2105 is on 15.485 and 11.78MHz.

English from Radio Pakistan uses:

0230-0245 on 21.49, 17.725, 17.66, 15.115 & 9.545MHz

0715-1120 in 21.575 & 17.565MHz (includes Urdu)

1600-1630 on 21.74, 21.48, 17.895, 17.565, 15.605 & 13.665MHz

1718-1800 on 15.20, 11.57 & 4.79MHz

FEBC in the Philippines now uses 15.45MHz at 0000-0200 instead of 15.465MHz.

Radio Veritas Asia, also in the Philippines, broadcasts at 0130 on 15.22 and 15.36MHz and at 1500 on 9.525 and 15.445MHz.

The Voice of Free China in Taiwan has introduced a West German postal address. It is Postfach 200553, 5300 Bonn 2, West Germany.

Voice of Vietnam English transmission are at:

1100-1130 on 9.732 & 7.425MHz

1330-1400 on 15.01 & 9.84MHz

1545-1600 on 12.037 & 10.01MHz

1600-1630 on 15.01 & 9.84MHz

1615-1630 on 12.037 & 10.01MHz

1800-1830 on 15.01 & 9.84MHz (also at 1900, 2030 & 2230)

Central, Southern & North American Stations

Radio Havana Cuba with Spanish to Europe is noted at 1800 until 2000 on 21.67, 17.71, 15.295 & 15.23MHz.

Radio Nacional del Ecuador uses the facilities of HCJB in Quito for Spanish on 15.27MHz at 1730 for thirty minutes daily.

Radio Educacion in Mexico City can be heard on 6.185MHz if propagation is good after 0610 once Vatican Radio clears the frequency. The Mexican station is on the air from 1200 until 0700 daily. The address is Angle Urraza 622, 03100 Mexico.

ATV

Ireland is different! The Republic is of course a component part of the British Isles and has much in common with the rest of Britain. And then again a lot that is not.

The differences are subtle but refreshing. If you haven't been there yet, don't wait: I really recommend a visit. You'll love the hospitable welcome, the Guinness, the green letter boxes, the road signs that look familiar but not quite the same ...

Amateur radio in Eire is different too. For a start there's less of it, simply because there are fewer people in Ireland. Also, there's no amateur licence - honestly! Instead people who pass their test get an experimenter's licence, which is subtly different.

Experimenters do not have an automatic right to all amateur bands and

modes: on the other hand they are not entirely bound by amateur regulations. If they could put up a good case for operating on a non-amateur frequency (perhaps even a Band IV/V frequency for a TV repeater output) this might well be permitted. Some people are of the opinion that a move to true amateur status would be beneficial.

There are around 1200 experimenter licences in Eire: the original ones had single letter call signs (!) and some of these are still active. It is estimated that some 250 amateurs are regularly on the air.

There is plenty of interest in amateur radio, with field days and a few rallies. Amateur radio equipment, where it is sold, is about twice the UK price (crippling VAT, import duties and so on). As a result many people build their own - or have it

sent from England.

There are two amateur radio societies in Ireland, the premier being the IRTS or Irish Radio Transmitters Society. It was founded in 1932 but has its roots in the Dublin Wireless Club, which was founded in 1913.

The IRTS is the member society for Ireland of the IARU and represents the amateur fraternity to the Department of Communications (which issues and controls licences). There is another, breakaway group called the Amateur Radio Society of Ireland or ARSI. I was unable to find anyone who could tell me much about this.

So much for the background. You want to read about ATV and that's what the rest of this article is about. ATV, it appears, used to be a permitted mode in Eire until some twenty years ago. Then, as now,

Practical Wireless, December 1989



CRICKLEWOOD ELECTRONICS

1989 100 PAGE COMPONENT CATALOGUE


SEND OFF FOR YOUR COPY TODAY...

- WE STOCK AN UNRIVALLED RANGE
- ALL OUR COMPONENTS ARE FIRST CLASS BRANDED ITEMS
- WE OFFER A SAME DAY SERVICE ON ALL STOCK ITEMS
- NO MINIMUM ORDER—IF YOU NEED ONE COMPONENT WE CAN SUPPLY ONE COMPONENT
- WE HAVE ADOPTED A NEW LOWER PRICING POLICY + QUANTITY DISCOUNTS

JUST FILL IN THE COUPON OPPOSITE AND POST IT TO THE ADDRESS BELOW.

**OR PHONE US ON 01-452 0161
FOR YOUR FREE COPY**

CRICKLEWOOD ELECTRONICS LTD 40 CRICKLEWOOD BROADWAY LONDON
NW2 3ET TEL: 01-450 0995/452 0161 FAX: 01-208 1441 TELEX: 914977



SEND OFF FOR YOUR CATALOGUE TODAY

I WOULD LIKE TO RECEIVE.....
COPY(COPIES) OF THE 1989
CRICKLEWOOD ELECTRONICS
COMPONENT CATALOGUE.

NAME.....

ADDRESS.....

.....
.....

ICOM

Kent Showroom



Why not come along and visit the ICOM Showroom in Herne Bay, where Andy Rudd G6MRI will be happy to answer any queries that you may have.

In addition to the full range of new and secondhand ICOM products are many other well known brands such as Tono, MET, Diamond, Tonna, Jaybeam and many more.

Also available is a wide range of base, mobile and handheld scanners including AOR, Black Jaguar and the full Uniden range.



Icom (UK) Ltd

Unit 8/9 Sea Street Industrial Estate, Herne Bay, Kent CT6 8LD. Telephone: (0227) 369464.

Open: 9-5.30, Lunch 1-2pm. Mondays to Saturdays.



certain enterprising individuals were relaying

British broadcast television signals, and apparently when questioned, some of these people said they were entitled to do this under the terms of their amateur, sorry experimenter's licence.

The authorities took a different view, naturally, and withdrew the right to transmit ATV. This ban did not extend to slow-scan, however, and the video fraternity built up a net of SSTV stations. All the same this was not real ATV, and gradually pressure built up to be allowed to transmit fast-scan amateur television.

The political situation in Ireland is somewhat different to Great Britain's and is far too complex to explain here. Suffice to say, direct approaches to politicians are possible and in this case a bit of pressure in the right place brought about the legalisation of ATV once more.

This happy event came to pass in November 1988 and ATV is now allowed to Irish experimenters, though only to class A licensees. The permit is provisional and on an annual basis. Portable operation is not allowed, and effectively operation can be on 70cm only. Most ATVs are on 436 or 437MHz and there is a net every Tuesday at 20.00, with contact on 144.500. The SSTVs meet daily at 1330.

With this renewed interest the British Amateur Television Club (BATC) thought it would be a good idea to attend one of Ireland's major rallies and give the ATV community a bit of support. At the same time the club could display its wares and perhaps recruit a few more members. Thus it came about that three of the BATC's top team (and Paul's wife Jill!) made a visit to Dublin at the end of September.

The rally is held in the Grand Hotel at Malahide, a seaside spot close to Dublin. Grand is the word for the large ballroom used for the rally: lots of room around the tables and no crowding at all. They were expecting around 400 visitors, so this was not on the same scale as your average UK rally; all the same, any shortage of visitors was made up by enthusiasm. Most people stayed to the end of the show, when much

of the unsold items were auctioned to the highest bidder. The Fingal Radio Club EI2FRC is the organiser of the rally, by the way, Fingal being the name given to a district north of Dublin.

The BATC occupied two tables and showed a large selection of books as well as our smart new pictorial display boards. Business was good: we recruited eight new members, signed up three renewals and did a brisk trade in books. In addition we were able to make new friends, renew old acquaintances and learn all about ATV in Ireland.

Here then is a list of ATVs in Eire:

EI2EM	Charlie, Swords, Co. Dublin.
EI3CZ	Rod, Dublin.
EI3DM	Bill, Dublin.
EI3FW	Craig, Greystones, Co. Wicklow.
EI4BB	Brendan, Dublin.
EI4N	James, Dublin.
EI5GG/GI0CJ	Michael, Dundalk.
EI6AS	Albert, Clondalkin, Co. Dublin.
EI6EV	Donal, Portmarnock, Co. Dublin.
EI6GU	Edward, Dublin.
EI7CL	Mike, Dublin.
EI7CZ	Tom, Dublin.
EI7DF	Rod, Swords, Co. Dublin.
EI7GM	Paul, Dublin.
EI8GB	Ben, Dublin.
EI9GL	Paul, Dublin.
EI9P	Phil, Trim, Co. Meath.

In addition EI7GT and EI9CJ expect to be on the air in Dundalk by the time you read this, and EI9ED is receive-only in Kells, Co. Meath. All ATV activity is therefore concentrated around Dublin and the surrounding counties, but there is a possibility of an ATV repeater in Waterford. This, if it went ahead, would have its input on 70cm and output hopefully on a spare channel in Band IV or V.

The day following the rally our team had to wend its way home, but not before we had visited the TV transmitter on Mount Kippure high up in the Wicklow Mountains

and the studios at Donnybrook (thanks to Radio Telefis Eireann and the kind people who showed us around). Kippure is a really isolated spot, with a snowcat for emergency escape. If this fails there is a set of skis and finally a week's food rations. Not the place to get stuck in winter, though our visit was on the most glorious of days. A most pleasant memory and indeed a most agreeable and successful trip. We look forward to seeing some of our Irish friends at the next BATC convention and it won't be long before we visit Ireland again.

As a footnote, it is interesting to note the lengths to which people in Eire go to receive British television. Virtually every house in Dublin has a monster antenna on a tall pole: some people use 96 X-element German Yagis, others use a box of four multi-beams and some use 2.1m parabolic dishes with a gain of up to 20dB. Not surprisingly there is no planning authority necessary to erect this kind of array. Dublin now has a cable TV system which relays BBC, ITV and satellite channels but other parts of the country will be without these until the 2.5GHz MMDS (multi-point microwave distribution service) is installed. In the interim unlicensed re-broadcast systems are allowed to proliferate, on the understanding they will be closed down once MMDS comes along. One of these re-broadcast systems at Dunmore East, near Waterford, uses a 10m parabolic to pick up signals from across the Irish Sea. Frequency changers and a.g.c. circuits then feed these signals to Band IV/V transmitters, using 40 watts per channel! There are several of these systems, mostly with powers of between 10 and 40 watts per channel; some also relay satellite television. Simpler systems pick up Preseli, pass it through a distribution amplifier and relay it on the same channels but with vertical polarisation. The operators recoup their costs by supplying subscribers with a Colour King antenna and a pre-amp: the charge is £50 a year and some systems have subscriber bases of several thousand. Amazing!

Next month, On The Air takes on a whole new look and becomes "Back Scatter".

With the January issue, Practical Wireless is looking towards the 1990s and "Back Scatter" is part of the new style.

Make sure of your copy and read all about what has been happening on the bands, whether you are a licenced amateur or short wave listener, "Back Scatter" will have all the news.

KEEP SENDING IN YOUR REPORTS TO THE ADDRESSES AT THE TOP OF EACH COLUMN

Constructional

A Small Yagi for 50MHz	Ken Willis G8VR	22	July 1989
A Transmit Control For Mobile Operation	James M. Bryant G4CLF	24	July 1989
Acoustically Tuned CW Loudspeaker	Richard Q. Marris G2BZQ	51	Mar 1989
Adaption of Plug Top PSU	Michael Stott G8BGU	44	Oct 1989
An Active Band-pass/Rejection Filter	R.E. Barber G3NEF	18	Aug 1989
An Experimental AM Transmitter for 1.8MHz	J. Cronk GW3MED	48	Nov 1989
Backyard Antennas	Peter Labron G0DWO	47	June 1989
Chicken-wire Discone	Tony Gilbey G4YTG	26	Feb 1989
Crystal Locked DC to AC Power Converter	M.J. York G1BKI	34	Jan 1989
Experimental HF Loopstick Antenna	Richard Q. Marris G2BZQ	47	May 1989
"Fe-ONE" Experimental Compact Transmitting Antenna	Richard Q. Marris G2BZQ	46	Jan 1989
Front Panel Memory Bank Switching for the TS-940S	Stuart A. Fox G3VVS	26	June 1989
Go Anywhere Slim Jim Antenna for 430MHz	Tony Martin G4XBY	34	Oct 1989
Kitchen Konstruktion No. 9	Richard Q. Marris G2BZQ	33	Jan 1989
Kitchen Konstruktion No. 10	Richard Q. Marris G2BZQ	51	Feb 1989
Kitchen Konstruktion No. 11	Richard Q. Marris G2BZQ	38	Apr 1989
Low Battery Alarm	Basil Spencer G4NYM	31	Sept 1989
Modifying the Realistic DX100 Communications Receiver	Alan Mills G1CAQ	20	Apr 1989
NiCad Battery Protector	Ian Hickman	34	Mar 1989
Re-creating John Scott-Taggart's ST-300 of 1932	Robert A. Wilson	36	July 1989
Repeater Time Out Alarm	Gus Montgomery G0MATI	18	Dec 1989
RF Operated Relay	Paul Benton G8SVE	52	Feb 1989
Sturdy 50MHz Dipole	Steve Nicholls G0JFM	34	Sept 1989
Surface Mount Devices and the Amateur Part 3	W. Mooney G3VZU	46	Oct 1989
Two-tone Oscillator Part 1	Roger Alban GW3SPA	24	Apr 1989
Two-tone Oscillator Part 2	Roger Alban GW3SPA	24	May 1989

Feature

A Future Lunar Radio Beacon and Transponder	Pat Gowen G3IOR	40	Dec 1989
All About Lamps	J.D. Harris	42	Mar 1989
All About Lamps Part 2	J.D. Harris	36	Apr 1989
Amateur Radio in Spain	Greg Baker	48	Feb 1989
Antenna Clinic Special	F.C. Judd G2BCX	30	June 1989
Batteries not included	Peter Rouse GU1DKD	16	Dec 1989
British ATV Crowd Invade Dayton	Andy Emmerson G8PTH & Trevor Brown G8CJS	36	Feb 1989
Crops and Coils Part 5	George Pickworth	48	Jan 1989
Crops and Coils Part 6	George Pickworth	23	Feb 1989
Development of Radar in the Netherlands before World War II	D.W. Rollema PA0SE	34	June 1989
Devious Deeds in the Wireless Business	Stan Crabtree	44	Jan 1989
Dyfed-Powys Police Asking for Your Help		20	Sept 1989
Ever Thought of Trying a VHF Contest?	Neill Taylor G4HLX	22	June 1989
Expedition to OV00	Steve Bryan G1SGB	20	Jan 1989
G2BCX Antenna Clinic Session 1	F.C. Judd G2BCX	36	Jan 1989
G2BCX Antenna Clinic Session 2	F.C. Judd G2BCX	54	Feb 1989
G2BCX Antenna Clinic Session 3	F.C. Judd G2BCX	32	Mar 1989
G2BCX Antenna Clinic Session 4	F.C. Judd G2BCX	24	Apr 1989
G2BCX Antenna Clinic Session 5	F.C. Judd G2BCX	28	May 1989
G2BCX Antenna Clinic Session 7	F.C. Judd G2BCX	31	July 1989
G2BCX Antenna Clinic Session 8	F.C. Judd G2BCX	36	Sept 1989
G2BCX Antenna Clinic Session 9	F.C. Judd G2BCX	37	Oct 1989
G2BCX Antenna Clinic Session 10	F.C. Judd G2BCX	44	Dec 1989
Grounding for the Shack	John Brown G4UBB	22	Mar 1989
Hilarious Ham Radio	D.V. Pritchard	42	Nov 1989
Indirect Conversion	Chris Charles	18	Oct 21 1989
Packet Radio Update Part 1	Roger J. Cooke G3LDI	25	Mar 1989
Packet Radio Update Part 2	Roger J. Cooke G3LDI	26	Apr 1989
Packet Radio Update Part 3	Roger J. Cooke G3LDI	52	May 1989
Packet Radio Update Part 4	Roger J. Cooke G3LDI	28	June 1989
Packet Radio Update Part 5	Roger J. Cooke G3LDI	29	Sept 1989
Packet Radio Update Part 6	Roger J. Cooke G3LDI	21	Oct 1989
Packet Radio Update Part 7	Roger J. Cooke G3LDI	33	Dec 1989
Practically Yours	Glen Ross G8MWR	27	Feb 1989
Practically Yours	Glen Ross G8MWR	48	Apr 1989
Practically Yours	Glen Ross G8MWR	20	Jun 1989
Practically Yours	Glen Ross G8MWR	41	Sept 1989
Practically Yours	Glen Ross G8MWR	36	Oct 1989
PW 144MHz QRP Contest Results 1989	Neill Taylor G4HLX	31	Oct 1989
PW 144MHz QRP Contest Rules	Neill Taylor G4HLX	22	June 1989
Q-Code Musings	Stan Crabtree G3OXC	40	Sept 1989
Rallies	G4LFM	74	Nov 1989
Talking Point - What is Happening to Our Society	Geoff Arnold G3GSR	20	May 1989
The Balloon Goes Up! Ground to Air Wireless in 1899	Chas E. Miller	23	Sept 1989
The Making of the PW/SWM Radio Information Cassette	LiveWire	41	Nov 1989
The Simple Contact	Michael John York G1BKI	21	Mar 1989
The Worlds Largest Amateur Convention, Dayton USA	David Jardine G0FDV	31	Aug 1989
They Said We Couldn't Do It... But We Did!	GB2EC	34	July 1989
Two Years of the Friedrichshafen Amateur Radio Show	Roger Hall G4TNT	30	Nov 1989
Valved Communications Receivers - The DST100 (Part 2)	Chas E. Miller	23	Jan 1989
Valved Communications Receivers -			

The Collins 75A-2	Chas. E. Miller	37	May 1989
Wireless Goes To War - The First Time	Tim Wander	34	May 1989
Wireless in 1928 Part 1	John D. Heys G3BDQ	48	Mar 1989
Wireless in 1928 Part 2	John D. Heys G3BDQ	46	Apr 1989

Theory

All About Variable Capacitors	Sean Lineham E17CV	39	Aug 1989
Designing Passive Attenuator Networks	S. Niewiadomski	52	Nov 1989
Enhancement of HF Signals by Polarisation Control Part 1	B. Sykes G2HCG	26	Nov 1989
Enhancement of HF Signals by Polarisation Control Part 2	B. Sykes G2HCG	36	Dec 1989
Introduction to Digital Communications	J. Huggins G0DZX	44	Feb 1989
Motorola's One Chip Radio	Brian Dance	22	Nov 1989
On the Line to CAIRO Part 1	Dr Peter Best G8CQH	28	Jul 1989
On the Line to CAIRO Part 2	Dr Peter Best G8CQH	34	Aug 1989
Phase Locked Loop for the Measurement of Adjacent Channel Noise	Martin Popple	41	Oct 1989
Reading & Understanding Circuit Diagrams Part 10	R.F. Fautley G3ASG	28	Jan 1989
Reading & Understanding Circuit Diagrams Part 11	R.F. Fautley G3ASG	28	Feb 1989
Reading & Understanding Circuit Diagrams Part 12	R.F. Fautley G3ASG	46	Mar 1989
Reading & Understanding Circuit Diagrams Part 13	R.F. Fautley G3ASG	30	Apr 1989
Reading & Understanding Circuit Diagrams Part 14	R.F. Fautley G3ASG	42	June 1989
Reading & Understanding Circuit Diagrams Part 15	R.F. Fautley G3ASG	43	July 1989
Reading & Understanding Circuit Diagrams Part 16	R.F. Fautley G3ASG	40	Aug 1989
Reading & Understanding Circuit Diagrams Part 17	R.F. Fautley G3ASG	26	Sept 1989
Reading & Understanding Circuit Diagrams Part 18	R.F. Fautley G3ASG	24	Oct 1989
Reading & Understanding Circuit Diagrams Part 19	R.F. Fautley G3ASG	46	Nov 1989
Reading & Understanding Circuit Diagrams Part 20	R.F. Fautley G3ASG	30	Dec 1989
Simplified Filter Design Routine	Ben Sullivan	28	Apr 1989
Some Directional Antennas for the HF Bands	Malcolm Kirk	18	June 1989
Surface Mount Devices and the Amateur Part 1	W. Mooney G3VZU	22	Aug 1989
Surface Mount Devices and the Amateur Part 2	W. Mooney G3VZU	42	Sept 1989
Two-tone Oscillator Part 1	Roger Alban GW3SPA	22	Apr 1989

PW Reviews

Almco DJ-100E 144MHz hand-held Transceiver	Mike Richards G4WNC	23	Dec 1989
Azden PCS-6000 144MHz FM Tcvr & Airband RX	Mike Richards G4WNC	37	Nov 1989
Cushcraft 40-2CD 2-element Yagi for 7MHz	Ron Stone GW3YDX	40	June 1989
ERA BP34 Communications Filter	Rev G.C. Dobbs G3RJV	46	Sept 1989
Icom IC-3210 Dual-band Receiver	Chris Lorek G4HCL	28	Mar 1989
Kanga "Cherton" 80/20m Receiver Kit	Colin Turner G3VTT	39	Oct 1989
Kenwood TS-790E Tri-bander	Ken Michaelson G3RDG	50	May 1989
Lake Electronics DTR3 3.5MHz CW Trcv Kit	Mike Richards G4WNC	18	Sept 1989
Navico AMR1000S 144MHz FM Mobile TX	Mike Richards G4WNC	26	Aug 1989
Standard C5200ED VHF/UHF Transceiver	Mike Richards G4WNC	32	Feb 1989
Team TRX-404 CB Transceiver	Richard Ayley G6AKG	31	May 1989
The Amp Supply Co LK500-ZC HF Linear	Ken Michaelson G3RDG	33	Apr 1989
The Ten-Tec Paragon 585 HF Transceiver	Ken Michaelson G3RDG	18	July 1989

Free Gifts

World Amateur Radio Callsign Prefix List & Map	centre	Apr 1989
--	--------	----------

New Books

Bookshelf - Novice Antenna Notebook	Doug DeMaw W1FB	17	July 1989
Bookshelf - The Radar War	David Pritchard	17	July 1989

On The Air

Amateur Satellites	Pat Gowen G3IOR	60	Sept 1989
Amateur Satellites	Pat Gowen G3IOR	56	Aug 1989
Amateur Satellites	Pat Gowen G3IOR	61	Oct 1989
Amateur Satellites	Pat Gowen G3IOR	66	Nov 1989
Amateur Satellites	Pat Gowen G3IOR	59	Apr 1989
Amateur Satellites	Pat Gowen G3IOR	59	July 1989
Amateur Satellites	Pat Gowen G3IOR	60	Mar 1989
Amateur Satellites	Pat Gowen G3IOR	63	Jan 1989
Amateur Satellites	Pat Gowen G3IOR	66	Feb 1989
Amateur Satellites	Pat Gowen G3IOR	57	June 1989
Amateur Satellites	Pat Gowen G3IOR	64	May 1989
Amateur Satellites	Pat Gowen G3IOR	54	Dec 1989
ATV	Andy Emmerson G8PTH	67	July 1989
ATV	Andy Emmerson G8PTH	64	Aug 1989
ATV	Andy Emmerson G8PTH	68	Oct 1989
ATV	Andy Emmerson G8PTH	73	Nov 1989
ATV	Andy Emmerson G8PTH	66	June 1989
ATV	Andy Emmerson G8PTH	68	Sept 1989
ATV	Andy Emmerson G8PTH	65	Dec 1989
Broadcast Round-Up	Peter Shore	67	Apr 1989
Broadcast Round-Up	Peter Shore	71	May 1989
Broadcast Round-Up	Peter Shore	63	Aug 1989
Broadcast Round-Up	Peter Shore	67	Oct 1989
Broadcast Round-Up	Peter Shore	67	Sept 1989
Broadcast Round-Up	Peter Shore	73	Nov 1989
Broadcast Round-Up	Peter Shore	65	June 1989
Broadcast Round-Up	Peter Shore	66	July 1989
Broadcast Round-Up	Peter Shore	68	Mar 1989
Broadcast Round-Up	Peter Shore	70	Jan 1989
Broadcast Round-Up	Peter Shore	72	Feb 1989
Broadcast Round-Up	Peter Shore	63	Dec 1989
On The HF Bands	Paul Essery GW3KFE	53	Sept 1989
On The HF Bands	Paul Essery GW3KFE	57	Nov 1989
On The HF Bands	Paul Essery GW3KFE	49	Apr 1989
On The HF Bands	Paul Essery GW3KFE	53	Mar 1989
On The HF Bands	Paul Essery GW3KFE	49	June 1989
On The HF Bands	Paul Essery GW3KFE	47	Aug 1989
On The HF Bands	Paul Essery GW3KFE	52	July 1989

On The HF Bands	Paul Essery GW3KFE	54	May 1989
On The HF Bands	Paul Essery GW3KFE	53	Jan 1989
On The HF Bands	Paul Essery GW3KFE	57	Feb 1989
On The HF Bands	Paul Essery GW3KFE	53	Oct 1989
On The HF Bands	Paul Essery GW3KFE	47	Dec 1989
Propagation	Ron Ham	64	Sept 1989
Propagation	Ron Ham	60	Aug 1989
Propagation	Ron Ham	63	Oct 1989
Propagation	Ron Ham	69	Nov 1989
Propagation	Ron Ham	61	July 1989
Propagation	Ron Ham	61	June 1989
Propagation	Ron Ham	63	Apr 1989
Propagation	Ron Ham	65	Mar 1989
Propagation	Ron Ham	67	Jan 1989
Propagation	Ron Ham	68	May 1989
Propagation	Ron Ham	69	Feb 1989
Propagation	Ron Ham	58	Dec 1989
RTTY	Mike Richards G4WNC	55	Aug 1989
RTTY	Mike Richards G4WNC	59	Sept 1989
RTTY	Mike Richards G4WNC	60	Oct 1989
RTTY	Mike Richards G4WNC	56	June 1989
RTTY	Mike Richards G4WNC	58	Apr 1989
RTTY	Mike Richards G4WNC	58	July 1989
RTTY	Mike Richards G4WNC	59	Mar 1989
RTTY	Mike Richards G4WNC	62	Jan 1989
RTTY	Mike Richards G4WNC	63	May 1989
RTTY	Mike Richards G4WNC	64	Feb 1989
RTTY	Mike Richards G4WNC	64	Nov 1989
RTTY	Mike Richards G4WNC	53	Dec 1989
VHF Up	David Butler G4ASR	48	Aug 1989
VHF Up	David Butler G4ASR	54	Oct 1989
VHF Up	David Butler G4ASR	54	Sept 1989
VHF Up	David Butler G4ASR	58	Nov 1989
VHF Up	David Butler G4ASR	48	Dec 1989
VHF Up	David Butler G4ASR	53	July 1989
VHF Up	Norman Fitch G3FPK	53	Apr 1989
VHF Up	Norman Fitch G3FPK	54	Mar 1989
VHF Up	Norman Fitch G3FPK	57	Jan 1989
VHF Up	Norman Fitch G3FPK	58	May 1989
VHF Up	Norman Fitch G3FPK	59	Feb 1989
VHF-Up	Norman Fitch G3FPK	50	June 1989

New Products

G4ZPY Paddle Keys - 89 Shopping Days to Xmas	12	Oct 1989
AES Pyrotechnics - Fireworks at Your Rally	14	July 1989
Alpha Electronics Ltd - Multifunctional DMM	15	July 1989
Alpha Electronics Ltd - Star Generator	14	Sept 1989
Anglia Microwaves Ltd - 24GHz DPDT Switch	16	Feb 1989
Anglia Microwaves Ltd - Phase Shifter	18	Nov 1989
Anglia Microwaves Ltd - Power Divider	12	Oct 1989
Bib Audio/Video - Soldering Gun Kit	20	Nov 1989
Bopla Ltd - Instrument Cases	16	Sept 1989
Briticent International Ltd - Filtered Four-Way	16	Sept 1989
Carston Electronics Ltd - Portable Spectrum Analyser	19	Nov 1989
Cobonic Ltd - Spirlflame	15	Aug 1989
CommTel Consumer - Limited Calls	16	Aug 1989
CommTel Consumer Electronics plc - Cordless Phones	16	Oct 1989
Duracell Technical Division - Industrial Batteries	17	Jan 1989
Electronic & Computer Workshop - Digital Pocket Multimeter	15	Mar 1989
Electronic & Computer Workshop - Printer Silencers	18	Jan 1989
Electronic & Computer Workshop Ltd - DC Supplies	19	Nov 1989
Fieldtech Heathrow Ltd - Digital Storage Scope	19	Jan 1989
Fieldtech Heathrow Ltd - Biconical Antennas	19	Jan 1989
Freetrade (TEP) Ltd - Ratchet Screwdriver	15	July 1989
Global Specialties - 100MHz Pulse Generator	17	June 1989
Global Specialties - Capacitance Measurements	16	Aug 1989
Global Specialties - Counter/Timer	19	Feb 1989
Global Specialties - Frequency Counter	18	Jan 1989
Global Specialties - Function Generator	18	Jan 1989
Holding Amateur Electronics - FT-101 Mods	16	Sept 1989
HRS Electronics plc - The Omni V	14	Oct 1989
Icom (UK) Ltd - Hot News Radio from Icom	15	Oct 1989
Icom (UK) Ltd - The IC-725	16	Jan 1989
ICS Electronics - The Ultimate Morse Keyer?	14	Sept 1989
ICS Electronics Ltd - Amiga SSTV	18	Feb 1989
Instrument Rentals (UK) - Available for Rental	16	Mar 1989
IR Group - Regulated DC PSU	15	Aug 1989
ITW Switches - Lifetime Guarantee	16	Mar 1989
ITW Switchpanels - Edge Moulding	18	Jan 1989
Klippon - Insulated Ferrules	18	Jan 1989
LMW Electronics Ltd - 3.4GHz Transverter System	19	Feb 1989
Maplin Electronics - Resistance & Capacitance Boxes	14	Oct 1989
Moss Plastic Parts - Injection Moulded Components	19	Nov 1989
Multi-Contact (UK) Ltd - HT Connectors	15	July 1989
MuTek Ltd - Calling IC-202 Owners	20	Nov 1989
Nevada - Docking Boosters	19	Nov 1989
Nevada Communications - Mobile Microphone	16	July 1989
Number One Systems Ltd - Smith Charts	14	Oct 1989
Protek - Analyser Software	17	July 1989
Rendar Ltd - Mains Protection	16	Jan 1989
Solex International - Bar Graph DMM	14	Aug 1989
STC Instrument Services - Portable Logic Analyser	17	Jan 1989
Tandem Technology Ltd - Bench Power Supplies	14	June 1989
Tandem Technology Ltd - Oscilloscopes	18	Jan 1989
Technical Software - PEP Modules	17	Jan 1989

Ted Melinosky K1BV - The K1BV Directory	16	June 1989
Tony Smith G4FAI - Morsum Magnificent	20	Nov 1989
Waters & Stanton - Gutterless Cars	17	Jan 1989
Waters & Stanton Electronics - End-fed LF Antennas	15	Mar 1989
Waters & Stanton Electronics - QRP HF Transceivers	14	Mar 1989
Waters & Stanton Electronics - The Alinco Range	20	Nov 1989

Errors & Updates

PW Badger Oct 1988	26	Mar 1989
An RF Operated Relay Feb 1988	26	Mar 1989
Front Panel Memory Bank Switching June 1989	47	July 1989
TX Control for Mobile Operation July 1989	24	Aug 1989
Phase Lock Loop for Measurement of Noise October 1989	32	Dec 1989
PW Review Azden PCS-6000 November 1989	32	Dec 1989
Enhancement of HF Signals Part 1 November 1989	32	Dec 1989
Write On ST300 Letter from Sir Douglas Hall Sept 89	40	Oct 1989
Practically Yours Dec 1988	42	Jan 1989
A Small Yagi For 50MHz July 1989	40	Oct 1989

Regulars

Newsdesk	G4LFM & G8VHF	16	Apr 1989
Newsdesk	G4LFM & G8VHF	16	May 1989
Newsagent Box	G4LFM	35	June 1989
Newsdesk	G4LFM & G8VHF	16	Jan 1989
Newsdesk	G4LFM and G8VHF	16	Feb 1989
Newsdesk	G4LFM	12	Oct 1989
Newsdesk	G4LFM	14	Aug 1989
Newsdesk	G4LFM	14	July 1989
Newsdesk	G4LFM	14	Mar 1989
Newsdesk	G4LFM	14	Sept 1989
Newsdesk	G4LFM	18	Nov 1989
Newsdesk	G4LFM	11	Dec 1989
PW Comment - Licence News	Geoff Arnold	14	Feb 1989
PW Comment - A New Venture		16	Nov 1989
PW Comment - Impractical Wireless?	Geoff Arnold	12	May 1989
PW Comment - International Concern	Geoff Arnold	12	Apr 1989
PW Comment - Radio Rallies	Geoff Arnold	14	Jan 1989
PW Comment - Representing Amateurs		11	Sept 1989
PW Comment - The Future	Geoff Arnold	12	Mar 1989
PW Comment - QTHRP	Geoff Arnold	12	July 1989
PW Comment - New Rules	Geoff Arnold	12	June 1989
Snippets		17	Oct 1989
Snippets		30	Sept 1989
Snippets		33	Oct 1989
Snippets		40	Apr 1989
Snippets		41	Mar 1989
Snippets		43	Sept 1989
Snippets		48	May 1989
Snippets		54	Nov 1989
Snippets		20	Dec 1989
Swap Spot		23	Oct 1989
Swap Spot		26	Jan 1989
Swap Spot		28	Sept 1989
Swap Spot		32	Apr 1989
Swap Spot		33	Aug 1989
Swap Spot		39	Nov 1989
Swap Spot		40	Mar 1989
Swap Spot		42	Jan 1989
Swap Spot		43	Oct 1989
Swap Spot		44	May 1989
Swap Spot		44	Oct 1989
Swap Spot		45	Jan 1989
Swap Spot		47	July 1989
Swap Spot		47	June 1989
Swap Spot		48	May 1989
Swap Spot		53	Feb 1989
Swap Spot		20	Dec 1989
Write On		14	Jan 1989
Write On		10	Oct 1989
Write On		12	Apr 1989
Write On		12	Aug 1989
Write On		12	July 1989
Write On		12	June 1989
Write On		12	Mar 1989
Write On		12	May 1989
Write On		12	Sept 1989
Write On		14	Feb 1989
Write On		16	Nov 1989
Write On		10	Dec 1989

Special Offers

Filter Handbook - A practical design guide	44	Sept 1989
Gamma LH735 Double Drive Headphones	38	Dec 1989
Guide to Broadcasting Stations 20th Ed.	21	May 1989
Hamdisk 1 & 2	29	Oct 1989
Leicester Show Voucher Number One	43	Oct 1989
Leicester Show Voucher Number Two	29	Nov 1989
Miniature Dual-band Antennas and Mounts	37	Sept 1989
Newnes Short Wave Listening Handbook	15	Apr 1989
Radio Information Cassette - 1	40	Nov 1989

Competitions

Mizuho MX transceiver	48	June 1989
Wordsearch		November 1989
Wordsearch		December 1989

PRACTICAL WIRELESS

PCB SERVICE



0202 665524

Printed circuit boards for *Practical Wireless* constructional projects are available from the PW PCB SERVICE. The boards are made in 1.5mm glass-fibre, and are fully tinned and drilled. All prices include postage, packing and VAT for UK orders.

Orders and remittances should be sent to: **PW Publishing Limited, FREEPOST, Enefco House, The Quay, Poole, Dorset BH15 1PP**, marking your envelope **PCB SERVICE**. Cheques should be crossed and made payable to PW Publishing Ltd.

When ordering, please state the Article Title and Issue Date as well as the Board Number. Please print your name and address clearly in block letters, and do not send any other correspondence with your order. You may telephone your order using Access or Visa. A telephone answering machine will accept your order outside office hours.

Please allow 28 days for delivery. Always check the latest issue of PW for the current details of price and availability. Please enquire for p.c.b.s not listed here.

Board	Title of Article	Issue	Price £
WR261	AM TX FOR 1.8MHz	NOV 89	TBA
WR260	10MHz RECEIVER	OCT 89	5.00
WR259	10MHz RECEIVER	OCT 89	5.00
WR258	10MHz RECEIVER	OCT 89	5.00
WR257	LOW BATTERY WARNING	SEPT 89	5.88
WR256	ACTIVE FILTER	AUG 89	6.96
WR254	TX CONTROL FOR MOBILE USE	JULY 89	5.08
WR253	TS940S MODIFICATION	JUNE 89	5.54
WR252	TWO TONE OSCILLATOR	MAY 89	6.52
WR251	RF OPERATED RELAY	FEB 89	3.80
WR250	DC/AC POWER CONVERTER	JAN 89	3.22
WR249	"MARLBOROUGH" MF CONVERTER	DEC 88	4.60
WR248	"BADGER" 144MHz RECEIVER	OCT 88	9.10
WR247	ZENER DIODE TESTER	AUG 88	3.56
WR246	"PORTLAND" RF VOLTMETER	JULY 88	3.59
WR244	PRACTICE MORSE KEY	JULY 88	2.96
WR245	STOPBAND FILTER FOR PW BLENHIEM	JUNE 88	2.90
WR243	VHF MONITOR RECEIVER (AUDIO)	APRIL 88	2.30
WR242	"ORWELL" VARICAP TUNE OPTION	MAR 88	2.90
WR241	"ORWELL" MED. WAVE RECEIVER SET	MAR 88	9.10
WR240	".."	".."	9.10
WR239	".."	".."	7.10
WR238	"OTTER" 50MHz RECEIVER	JAN 88	7.10
WR237	RTTY TUNING INDICATOR	NOV 87	5.20
KANGA	HIGH STABILITY VFO (see issue)	OCT 87	-
WR236	"BLENHIEM" VHF CONVERTER	SEPT 87	4.50
WR235	MAINS ON/OFF FOR BATT RADIOS	SEPT 87	3.00
WR234	SIDE-TONE OSCILLATOR	JUNE 87	2.70
WR233	"DOWNTON" F-V CONVERTER	JUNE 87	3.90
WR232	"AXE" SIGNAL TRACER	MAY 87	9.20
WR231	".."	".."	9.20
WR230	".."	".."	9.70
WR228	"BLANDFORD" RECEIVE CONVERTER	APRIL 87	9.70
WR227	".."	".."	9.70
WR226	".."	".."	9.70
WR298	"ITCHEN" LCR BRIDGE	APRIL 87	3.40
WR225	"WOODSTOCK" SW CONVERTER	MAR 87	4.10

Board	Title of Article	Issue	Price £
WR219	MASTHEAD PRE-AMP PSU	FEB 87	2.50
WR218	MASTHEAD PRE-AMP FOR 144MHz	FEB 87	4.20
WR224	"WESTBURY" BASIC WOBBULATOR	JAN 87	3.50
WR214	MOD SRX-300 (AUDIO)	DEC 86	3.00
WR223	HIGH-IMP MOSFET VOLTMETER	DEC 86	2.90
WR222	"TAW" VLF CONVERTER	NOV 86	2.80
WR216	LF BANDS ACTIVE ANTENNA	NOV 86	2.40
WR220	GET STARTED LOW-COST CONVERTER	OCT 86	2.40
WR217	AUTOMATIC NICAD CHARGER	OCT 86	2.40
WR215	SIMPLE 50MHz CONVERTER	SEP 86	3.60
WR213	MOD FRG-7 (CARRIER Osc)	JUN 86	2.70
WR210	"ARUN" PARAMETRIC FILTER	MAY 86	8.10
WR211	"MEON" FILTER (SMALL)	APR 86	3.10
WR209	SIMPLE AUDIO OSCILATOR	MAR 86	4.30
WR208	RF SPEECH PROCESSOR	MAR 86	4.10
WR207	CRYSTAL CALIBRATOR	JAN 86	2.10
WR206	RTTY/MORSE MODEM (Plug-in)	JAN 86	2.80
WR205	RTTY/MORSE MODEM	JAN 86	5.40
WR204	WQ MEDIUM WAVE LOOP	NOV 85	3.00
WR203	SIMPLE CAPACITANCE METER	OCT 85	2.80
WR199	"MEON" 50MHz TRANSVERTER	OCT 85	6.70
WR202	ECONOMY UHF PRE-SCALER	SEP 85	3.70
WR201	ADD-ON BFO	AUG 85	2.50
WR200	LOW-COST CRYSTAL TESTER	JUL 85	2.50
WAD302	BATTERY CHARGER CONTROLLER	JUN 85	3.00
WR197	"COLNE" (Osc/Converter)	JUN 85	3.90
WR198	"COLNE" (Product Det/Audio)	MAY 85	3.90
A005	"COLNE" (VFO)	APR 85	3.10
A004	"COLNE" 3.5/114MHz RX (RF Amp)	APR 85	3.10
WAD249	MOD FRG-7 (BFO)	FEB 85	3.00
WAD280**	TRIAMBIC KEYS	FEB 85	7.10
WA002	"TEME" (RECEIVER)	JAN 85	4.30
WA001	"TEME" (VFO/DOUBLER)	DEC 84	2.80
WAD246	"DART" FOLLOW-UP	DEC 84	4.00
WR196	"TEME" 7/14MHz WRP (TX)	NOV 84	3.70
WR195	STABLE TONEBURST	NOV 84	2.60
WR194	MOD FRG-7 (FM/SQUELCH)	NOV 84	4.50
WR189/92 Pair	BUG KEY WITH 528-BIT MEMORY	OCT 84	8.50
WR190	MOD FRG-7 (SWITCHING)	OCT 84	4.50
WR187	MORSE SENDING TRAINER	JUL 84	4.50
WR185	AUTO-NOTCH FILTER	JUN 84	6.50
WR184	SIMPLE TOP-BAND RECEIVER	JUNE 84	6.50
WR183	TOP-BAND DF RECEIVER	APR 84	6.50
WR179	TRANSCIEVER VOX UNIT	MAR 84	6.50
WR161	"MARCHWOOD" 12V 30A PSU	JUL 83	2.40
WR165 ect set	"SEVERN" 7MHz QRP TX/RX	-	14.90
WR169	"SEVERN" (TRANSMITTER)	JUL 83	6.50
WR168	"SEVERN" (CH.OVER/SIDETONE)	JUL 83	6.50
WR166	"SEVERN" (RECEIVER/AUDIO)	JUN 83	6.50
WR165	"SEVERN" (VFO)	JUN 83	5.20
WR167	RTTY TERMINAL UNIT FOR ZX81	JUN 83	7.80
WR160	LMS REGENERATIVE RECEIVER	FEB 83	5.20
WR156	REPEATER TIME-OUT ALARM	NOV 82	5.20
WR143	ATV CONVERTER	APR 82	7.10
WR144	IAMBIC KEYS	MAR 82	6.50
WR126	"EXE" 10GHz TRANSCIEVER	AUG 81	7.70
WR095	TRANSCIEVER POWER SUPPLY	SEP 80	3.85
WR068	AF SPEECH PROCESSOR	JAN 80	5.20

HAVING DIFFICULTY GETTING YOUR COPY OF PRACTICAL WIRELESS ?


Then place a regular order with your newsagent

NOW !

Dear Newsagent, Distributed by Seymour
please reserve / deliver my monthly
copy of PRACTICAL WIRELESS

NAME
ADDRESS

Signed



SMALL ADS

The prepaid rate for classified advertisements is 42 pence per word (minimum 12 words), box number 60p extra. Semi-display setting £13.90 per single column centimetre (minimum 2.5 cms). Please add 15% VAT to total. All cheques, postal orders etc., to be made payable to Practical Wireless. Treasury notes should always be sent registered post. Advertisements, together with remittance should be sent to the Classified Advertisement Dept., Practical Wireless, Enefco House, The Quay, Poole, Dorset BH15 1PP. Telephone (0202) 676033.

Whilst prices of goods shown in advertisements are correct at the time of closing for press, readers are advised to check with the advertiser both prices and availability of goods before ordering from non-current issues of the magazine.

Receivers

SAVE £40.00!! New realistic Pro 2005 Scanner 25MHz-520MHz & 760MHz-1300MHz, 400 channels. Price now £299.95 (was £339.95). P&P Free!! LINK ELECTRONICS, 228 Lincoln Road, Peterborough, PE1 2NE. Mail order hot line Tel: 0733 45731 (Visa, Access or American Express accepted).

B.F.O. KITS, resolves single-side band on almost any radio, £11.95. Also Steepleton FM/AIR/MW £9.95. CORRIGAN RADIOWATCH, 7 York Street, Ayr KA8 8AR.

RECEIVER R209 Ex MoD 1-20MHz with manual lead £80.00 & £5 P&P. COLLECTORS PARADISE LTD, Wolverhampton B015S.

RACAL RA 17L £220 VGC, RACAL Accessories, JRC NRD-525 General Coverage Receiver £935 inc. VAT, JST-135D 100W Transceiver £1325 inc. VAT. All Optional Accessories. Scope-Gould Advance OSI 100A Dual Trace 30MHz as new £150. Please contact E-Navids Ltd. Tel: 01-391 0545. Fax: 01-391 5258.

SCANNERS & CBs in Cumbria. Realistic, Bearcat, Midland, Ace Electronics, 73 Highgate, Kendal, Cumbria. Tel: 0539 725728.

150Mhz SPECTRUM ANALYSERS

Connect this unit to convert almost any oscilloscope into RF Spectrum Analyser, 400Khz to 150Mhz. 70dB range. **£120**. SAE for details.

WATERBEACH ELECTRONICS
34 Providence Way, Waterbeach,
Cambridge. CB5 9QJ

RADIO STAND, Owners of Sony 2001D + Sangean and Derivatives. Turn that Portable into a Table Model for Armchair Listening. Send £13.00 (P.P. included) to M.S. Rooke, 5 River Close, Formby L37 6DJ. IDEAL CHRISTMAS PRESENT.

Components

QUARTZ CRYSTALS and FILTERS

Large numbers of standard frequencies in stock for amateur, CB, professional and industrial applications. Stock crystals **£5.50** each (inc. VAT and UK post). Any frequency or type made-to-order from **£5.50**. Phone or SAE for lists.

GOLLEDGE ELECTRONICS
Merriott, Somerset, TA16 5NS.
Tel: (0460) 73718.

Service Sheets

ACCESS MASTERCARD

TECHNICAL INFORMATION SERVICES (PW)

VISA EUROCARD

76 Church St., Larkhall, Lanarkshire ML9 1HE
Immediate quotes — Phone 0698 884585 Mon-Fri 9-5, 0698 883334 any other time
IMMEDIATE DESPATCH OF ALL Phone Orders by ACCESS, VISA etc. or to Listed Customers
WORLD'S LARGEST COLLECTION OF SERVICE MANUALS from £3.50 to £50 Most unobtainable elsewhere
Every issued FULL SIZE SERVICE SHEET in stock. CTV's or Combinations £3.50/Singles £2.50. Plus LSAA
LSAA for any duration, plus huge FREE Catalogue, STREE Review, Pricelists, etc.
For £3 Comprehensive Service Manuals & Sheets Catalogues PLUS 1989 Chassis Guide & £4 Vouchers
Spectrum Repair & Service Guide £5.00 Video Recorders Service Guide 3rd Ed £20.00
Giant Collection of 10 Huge Binders covering all main CTV's to end 1989, (FREE Updating) £265
Binders packed full of Circuits for CTV's or Videos only £29.50 each Integrated TV & Video Repair Systems Send sae for full details and/or free catalogue

TECHNICAL MANUALS, AR88, CR100, R210, HR0, £4 each. Circuits only 150 pence, plus LSAA, lists thousands. BENTLEY, 27 De Vere Gardens, Ilford, Essex IG1 3EB. Phone 01-554 6631.

Educational

COURSE FOR CITY & GUILDS, Radio Amateurs Examination. Pass this important examination and obtain your licence, with an RRC Home Study Course. For details of this and other courses (GCSE, Career and professional examinations, etc.) write or phone: THE RAPID RESULTS COLLEGE, Dept. JX31, Tuition House, London SW19 4DS. Tel: 01-947 7272 (9am-5pm) or use our 24hr Recordcall Service: 01-946 1102 quoting Dept. JX31.

R.A.E. Pay as you learn correspondence. £2 lesson inc. tuition. Mr Green G1NAK 0840 212262.

Computer Software/Hardware

EEC LTD. — 230 VAC POWER SUPPLIES

12 HIGH ST. WATLINGTON, OXON OX9 5PS
TEL. 049 161 3294
SINCLAIR £9.95
48K 9VDC 1.4AMP — 128K 2.1AMP
BROTHER PRINTERS ETC. £12.95
TYPE 'C' 6VDC 2AMP. TYPE 'D' 8.5VDC 1AMP
OBERON £14.95
REGULATED 12VDC 1AMP
PRICES INC. VAT. PLEASE ADD £2 P&P

MS-DOS MORSE TUTOR, 3 1/2" 720K Diskette £6. 5 1/4" 360K Diskette £5. MIKE GATHERGOOD, G4KFK, 24 New Road, Datchet, Berkshire SL3 9JB.

AMSTRAD PCW/CPC Radio software. Also discount software for Atari, Spectrum, Commodore, BBC, IBM, Sae, MTS, 14 Lanes End, Totland, IOW, PO39 0AL. State machine.

COMMODORE COMPUTERS (+4, C16, 64, 128). "MICROCOM" cw/rtty tx/rx with superb morse tutor. "TURBO LOG" ultimate high speed station log. "MICROCOM IN" TERFACE" ready built. S.A.E. to: Moray Micro Computing, Enzie Slackhead, Buckie, Moray, AB5 2BR. Tel. 0542 7384.

WORKSHOP SERVICE MANUALS

Video Recorders — **£12.50**
Most Colour TV, Audio, Test, Vintage, Amateur etc. — **£6.00**
Please state Make/Model/Type with order.
FREE Catalogue Unique Repair and Data Guides with all orders or LSAA for your copy.
MAURITRON ELECTRONICS LTD (PW),
8 Cherry Tree Road, Chinnor, Oxon, OX9 4QY.
Telephone: (0844) 51694.

Computer Hardware cont.

COMPUTERS AND RADIO

Improve computer decoding of RTTY, CW & SSTV signals with out audio filter
RTTY only or C.W. only (unboxed but fully built & tested) **£7.00** RTTY Super or SSTV Super. This unit has an adjustable constant level output. No need for constant adjustment of volume control. **£19.50**
RTTY-CW (ditto and with tuning) **£13.50** RTTY-CW Super. As above but switchable between RTTY & CW **£23.00**
CONSTANT LEVEL AMPLIFIER **£8.00**
RMS-3 THE FILTER RTTY-CW-SSTV with AGC in one superb unit. **£35.00**
When ordering above units, please state software supplier. This will enable us to supply correct filters.
TERMINAL UNITS RECEIVE ONLY (RTTY-CW) **£45.00**
The above units provide Audio TTL and DCL outputs on RX. The output level is constant and full output is achieved with inputs between 10mV and 5v of audio.
SPECTRUM 128 + 2
The above units provide Audio TTL and DCL outputs on RX. The output level is constant and full output is achieved with inputs between 10mV and 5v of audio.
CASSETTE PORT ADD ON. Enables owners of the Spectrum 128 + 2 to run existing programmes which require the audio signal being fed into the cassette port. There is no need to open the computer, simply connect to the expansion port. **£19.50**
For further details of these and our other products, send a sae or see earlier advertisements.

J.B.P. ELECTRONICS LTD.

Unit 45, Meadowmill Est, Dixon Street, Kidderminster DY10 1HH. Tel: (0562) 753893

Veteran and Vintage

FOR VALVES, Service Data, Amplifiers and Radios, try the Vintage Wireless Co., first. Send for free information package. 1989 Catalogue available April £4.00. Cossham Street, Mangotsfield, Bristol BS17 3EN. Tel. 0272 565472.

ORDER FORM PLEASE WRITE IN BLOCK CAPITALS

Please insert the advertisement below in the next available issue of Practical Wireless for
insertions. I enclose Cheque/P.O. for £ CAT. heading
(Cheques and Postal Orders should be made payable to Practical Wireless)

NAME

ADDRESS

PRACTICAL WIRELESS
Classified Advertisement Department,
Enefco House, The Quay, Poole,
Dorset BH15 1PP. Telephone (0202) 676033
Rate 42p per word, minimum 12 words.
Box No. 60p extra.
PLEASE ADD 15% VAT TO TOTAL

Company registered in England. Registered No. 1980539. Registered Office: Towngate House, 2 Parkstone Road, Poole, Dorset, BH15 2PJ.

12/89

Antennas

TRAPS FOR D.I.Y. Tribander Beams & Anti-T.V.I. Trap-Dipoles. Aerial D.I.Y. Bits, Baluns, Data: 28p SAE. Aerial guide £1. G2DYM, Upplowman, Devon, EX16 7PH (03986) 215.

**Call Marcia on
0202 676033
for your
Classified Advertising
enquiries**

Kits

KANGA PRODUCTS KITS FOR THE AMATEUR BUDDING AMATEUR OR THE LISTENER NEW - NEW - NEW - NEW PROJECT ONE

A direct conversion receiver designed for the first-time builder.

Ideal for children of 10 years plus

SOLD COMPLETE @ £19.95 (+ £1 p&p)

Send large SAE (20p stamp) for full catalogue

**KANGA PRODUCTS, 3, LIMES ROAD,
FOLKESTONE CT19 4AU**

KITS AND PLANS. Microtransmitters, telephone/bleeper transmitters, recording switches, voice scrambler, 6KV ROM 9V, Radio Alarm etc. SAE list. ACE (PW), 99 Greenheath, Hedgesford, Staffs.

PRO2004 SCANNER MOD. KIT increases channels to 400, easily fitted, £5. 1 Darlington Lane, Norton, Cleveland TS20 1EW

R.F. KITS including transmitters. Send S.A.E. for catalogue: T.M. ELECTRONICS, 39 Mayeswood Road, Grove Park, London SE12.

Wanted

SURPLUS ELECTRONIC COMPONENTS. Test gear, computers, amateur. Bought for cash, 0425 274274.

INFORMATION SERVICE MANUAL for Nippon Alpha W63 2m FM rig. MARTIN, 0324 35081.

For Sale

QSL CARDS. Individual and personal designs. In 1/2/3 colours. A new service from K Cards. Send SAE for details to 289 Church Street, Blackpool FY5 3HU.

100 EXTRA CHANNEL EXPANDER and auto cassette recording unit for Pro2004 scanner. Phone 0273 503869.

BARGAIN BASEMENT SALE

VIDEO FILM MAKING BY KEITH BROOKES

First published in 1985. This 176 page book describes how video film making is done and what you can do yourself. Practical step-by-step instruction is given for making your own films. Originally priced at £9.95. The bargain price is £2.95 including p+p.

Send to: PW PUBLISHING LTD., FREEPOST, ENEFCO HOUSE, THE QUAY, POOLE, DORSET BH15 1PP

SATELLITE TV - A LAYMAN'S GUIDE BY PETER PEARSON

First published in 1987, this 72 page book explains all about setting up your own satellite T.V. terminal at home. Originally priced at £4.95. The special offer price is £1.50 including p+p.

TR10 R5000 Rx. Narrow Band SSB filter, Improved AM filter. Unused 1699 ono. 'Baby' Eddystone vgc. £90 ono. SS 570 Dual Beam 20mhz IWATSU Scope £250 ono. DAWE 14050 Sound Level Meter £175 ono. Thurlby LA160 Logic Analyser. Variable. Voltage probes etc. etc. £350 ono. Thurlby 1905a Precision Digital MM £190 ono. Global 5000 Portable Timer/Counter £250 ono. 600mhz Prescaler £50 ono. HP41CV Alphanumeric Scientific Calculator £95 ono. Philips System 500 Dictating Transcriber plus 2 pocket units £200 ono. All this above as new (except Eddystone). Lyndhurst, Hants. Tel. 042-128 2366 for details.

RCS VARIABLE VOLTAGE D.C. BENCH POWER SUPPLY

1 to 24 volts up to 1/2 amp. 1 to 20 volts up to 1 amp. 1 to 16 volts up to 1 1/2 amps. D.C. Fully stabilised. Twin panel meters for instant voltage and current readings. Overload protection.

Fully variable:
Operates from
240V A.C.
Compact Unit:
size 9x5 1/2 x 3ins.



£39

Incl. VAT

+ Post £2

RADIO COMPONENT SPECIALISTS

ACCESS 337 WHITEHORSE ROAD, CROYDON SURREY, U.K. Tel: 01-684 1665 VISA
List, Large S.A.E. Delivery 7 days Callers Welcome Closed Wednesday

CALLSIGN BASEBALL CAPS - Blue, Red or Black £3.90. **RAYNET BASEBALL CAPS** - Yellow with black logo £3.90. Raynet Cap with callsign £4.40. Prices include p&p. M. J. HILTON, 3 Highfields, Wirral, L60 7TF.

70MHz FULL SPEC CRYSTALS. Pye Westminster 70.26 AM/FM; 70.450, 70.425 and 70.475MHz FM. Ex stock at £10.50 per pair. C.A.R.E. (North West) Ltd., 12 Leedsie Close, Liverpool L32 9QT, Tel. 051-426-2546.

USED SCOPES, Sig. Gens., Power Meters, P.S.U.'s, DVM's etc. Barclaycard & Access for payment. COOKE INTERNATIONAL, 0243 545111.

Miscellaneous

G2V LOOP ANTENNAS COMPLETE WITH ATU FOR H.F. HAM BAND TRANS- MISSION (SWR One to One 40, 15 and 10 and One Point Five to One 80 and 20) AND SWL's AND LONG AND MEDIUM WAVE BANDS FOR BCL's. Loops 21 inches square or triangle. No special skills required. Circuits, Parts Lists with sources of supply assembly data. **HIGH FREQUENCY LOOP** (80 to 10 Metres) £3. **LONG AND MEDIUM WAVE LOOP** FOR BCL's £3. **LONG WAVE MEDIUM WAVE AND SHORT WAVE LOOP** 1500 to 10 Metres FOR THE BCL AND SWL £3. **SHORT WAVE ATU FOR LOOP OR LONG WAVE ANTENNA** £4. **SHORT WAVE ATU BUILT IN PRE AMP FOR LOOP OR LONG WAVE** £7. Pre-amp LW, MW and SWave £2. **MW LOOP** with pre amp ATU £3. **PRE AMP FOR G2V HF Loop** or ATU £4. SAE details. All projects DIY. Metal Detector £2. Photo Copy HRO manual £4. **F. G. Rylands, 39 Parkside Avenue, Millbrook, Southampton SO1 9AF Tel. (0703) 775064**

WEATHKIT U.K. Spares and Service Centre. CEDAR ELECTRONICS, Unit 12, Station Drive, Bredon, Tewkesbury, Glos. Tel. (0684) 73127.

NEW ICOM IC-22N 144MHz VHF/FM Hand Held Trans- ceiver. Battery charger, spare battery case, instruction manual. £250 cash ono. 0963 32977 evenings 6-10.

THE SCIENTIFIC WIRE COMPANY 811 Forest Road, London E17. Telephone 01-531 1568

ENAMELLED COPPER WIRE				
SWG	1 lb	8 oz	4 oz	2 oz
8 to 34	3.63	2.09	1.10	0.88
35 to 39	3.82	2.31	1.27	0.93
40 to 43	6.00	3.20	2.25	1.61
44 to 47	8.67	5.80	3.49	2.75
48	15.96	9.58	6.38	3.69
SILVER PLATED COPPER WIRE				
14 to 30	10.10	5.20	2.93	1.97
TINNED COPPER WIRE				
14 to 30	3.97	2.41	1.39	0.94
Fluxcore				
Solder	5.90	3.25	1.82	0.94

Post free, please add VAT @ 15%. Orders under £3.00 add 50p SAE for list of copper and resistance wire. Dealer enquiries welcome.

INDEX TO ADVERTISERS

A.H. Supplies	43	Lake Electronics	8
A.K.D.	55	Langrex Supplies	9
A.R.E. Communications	3	Maplin Electronics	Cover iv
Aerial Techniques	50	Merlin Systems	9
Air Supply	60	Nevada Communications	29
Alan Kelly Communications	8	Quartzlab	43
Arrow Electronics	50	R.S.T. Valves	9
Birkett, J	46	R.W. Graphics	46
Bredhurst Electronics	59	Radio Shack	72
C.P.L.	60	Randam Electronics	60
Cambridge Kits	39	RAS Nottingham	59
Cirket	46	Raycom	21
Colomor	43	Revco Electronics	43
Cricklewood Electronics	65	S.E.M.	39
Datong	60	S.R.W. Communications	8
Dewsbury	9	South Midlands Communications	Cover ii, 6, 7, 8
Dressler Communications	55	South Wales Police Authority	45
E.R.A.	39	Stephens James	59
Elliott Electronics	59	Tandy	2
FJP Kits	50	Technical Software	62
Garex	62	Ward Reg & Co Ltd.	50
Howes, CM Communications	8	Waters & Stanton	22
I.C.S. Intertext	46		
Icom (UK)	Cover iii, 4, 5, 65		

Published on the second Thursday of each month by PW Publishing Limited, Enefco House, The Quay, Poole, Dorset BH15 1PP. Printed in England by Blackmore Press, Shaftesbury, Dorset. Distributed by Seymour, Windsor House, 1270 London Road, Norbury, London SW16 4DH, telephone 01-679 1899, FAX 01-679 8907, Telex 8812945. Sole Agents for Australia and New Zealand - Gordon and Gotch (Asia) Ltd.; South Africa - Central News Agency Ltd. Subscriptions INLAND £15.50, EUROPE £18, OVERSEAS (by ASP) £19, payable to PRACTICAL WIRELESS, Subscription Department, PW Publishing Ltd., Enefco House, The Quay, Poole, Dorset BH15 1PP. PRACTICAL WIRELESS is sold subject to the following conditions, namely that it shall not, without the written consent of the Publishers first having been given, be lent, resold, hired out or otherwise disposed of by way of Trade at more than the recommended selling price shown on the cover, and that it shall not be lent, resold, hired out or otherwise disposed of in a mutilated condition or in any unauthorised cover by way of Trade, or affixed to or as part of any publication or advertising, literary or pictorial matter whatsoever.

YOUR LOCAL DEALERS

SOUTH WALES

ELECTRO MART

Equipment, Components, Howes Kits, Eldy Kits, AR Gear and much more.

TAILLYWD ROAD
(off Main Road)
Neath Abbey, Neath
Tel: 0639 644111

ASHTON-U-LYNE

PROCOM Electronics

ELECTRONIC DISTRIBUTORS
Specializing in Electronic Components and Surplus

13 Clarence Arcade,
Stamford Street,
Ashton-U-Lyne
Lancashire
OL6 7PT

Open
Mon to Sat

Tel: 061 343 2782

LONDON

Henry's

27MHz/934MHz Rigs & accessories in stock.
Lists - S.A.E. (A4) - 26p
Full catalogue (TG/P) - large S.A.E. £1.00
404 Edgware Road,
London W2 1ED
Tel: 01-724 0323
(Open 6 days a week)

ESSEX

Selectronic

The UK's leading suppliers of 934MHz personal radio equipment

203 High Street, Canvey Island, Essex
Tel: 0268 691481
(Open Mon-Sat 9-5.30)

Amateur radio equipment also in stock

HERNE BAY

ICOM (UK) LIMITED

The Official Icom Importer
Unit 8, Sea Street
Herne Bay, Kent CT6 8LD
Tel: 0227 369464

Fax: 0227 360 155
Open Mon-Sat 9-5.30,
(Lunch 1-2.00 pm)

SOUTHAMPTON

South Midlands Communications

Official Yaesu Importer

S.M. House, School Close,
Chandlers Ford Industrial Estate,
Eastleigh Hants SO5 3BY.
Tel: 0703 255111

PORTSMOUTH

Nevada Communications

Importers of the Nevada range of 934MHz equipment

189, London Road,
North End, Portsmouth,
Hants, PO2 9AE
Tel: 0705 662145

DEVON

Reg. Ward & Co. Ltd.

The South-West's largest amateur radio stockist. Approved dealer for Kenwood, Yaesu and Icom

1 Western Parade,
West Street, Axminster,
Devon, EX13 5NY
Tel: 0297 34918
(Closed 1:00-2:00 and all day Monday)

BUCKINGHAMSHIRE

Photo-Acoustics Ltd.

Approved Kenwood, Yaesu and Icom dealer (part exchange always welcome)

58 High Street, Newport Pagnell,
Buckinghamshire MK16 8AQ
Tel: 0908 610625

(Tues-Fri 9.30-5.30, Sat 9.30-4.30)
Closed Mondays

**TO FILL THIS
SPACE
CALL:
0202 676033**

YORKSHIRE

YAESU
ICOM

Alan Hooker Electronics

42, Nethernall Road, Doncaster.

Tel: 0302 25690
Open Mon-Sat 10-5pm
Closed Thursdays

MERSEYSIDE

MGR COMMUNICATIONS

ICOM — YAESU — Navico — Aerials —
M.M. & Kits — Scanners —
PMR — MARINE & BAND III

Part-ex welcome

48 Shrewsbury Rd., Unit 5, Milton St.,
Oxton, Waterlool Ind.
Birkenhead L43 2HZ
051 653 3437 Est.,
Widnes, Cheshire
051 420 2559

SOUTH WALES

MAIL ORDER
RETAIL

A.C.S. SYSTEMS

PACKET RADIO: ST-PC-AMIGA COMPUTERS
AMATEUR SOFTWARE FOR MOST
COMPUTERS
SATELLITE TELEVISION SYSTEMS

ICS DEALER FOR DATA COMMUNICATIONS

19, CILHAUL TERRACE, MOUNTAIN ASH, MID GLAMORGAN
SOUTH WALES, CF45 3ND. TEL 0443 476040
CALLERS BY APPOINTMENT 9am-5pm Mon-Sat

**PLEASE
MENTION
PRACTICAL
WIRELESS
WHEN REPLYING TO
ADVERTISEMENTS**

WEST SUSSEX

MAIL ORDER
RETAIL

BREDHURST ELECTRONICS LTD.

High St., Handcross, West Sussex
Tel: (0444) 400786

Situated at the Southern end of
M23. Easy access to M25 and
South London
Open Mon-Fri 9am-5pm
except Wed 9am-12.30pm
Sat 10am-4pm.

YAESU
ICOM

GREAT NAMES FROM RADIO SHACK

The latest one is YUPITERU! - for the MVT-5000 Jupiter II hand held scanner. By Yiminy Crickets this little unit covers 25-550 MHz AM/NFM and 800-1,300 MHz NFM with 100 memories and 10 search ranges for only £299. This one from a manufacturer who is not as well known as THE BIG THREE. Amazing isn't it!

Economise with the 16 channel Bearcat BC-200FB scanner that includes search facility for £99.95 and the 200 channel BC-200XLT handheld at £249. From AOR the AR-800 at £199, AR-900 at £235 and the AR-2002 for £487. Hand held 200 channel PRO-34 for £249.95 with Ni-cads and charger and the 400 channel PRO-2005 for £329.95 we should also have the latest in this series the PRO-2024 at £179.95 by the time you read this. Do not forget we sell the IC-R7000 in original, unutilated, factory spec., for only £??? and the IC-R9000 for only £????.

Transmit on 2 with the new IC-2SET £295 and the latest goodies from ICOM. Kenwood's mysty package will be unveiled shortly and we will be happy to send you the details. Yaesu as well, we will quote for whatever you fancy. We have brand new Rockwell-Collins KWM-380 HF transceivers cheap. Used Drake equipment in stock. Drake owners get on to our list for useful items etc., that turn up.

We are clearing out ancient and modern treasures, from WW2 manuals to present day computers, including antennas, my God, the antennas, come and save a few bob on Jaybeam, Hustler, Hygain and the Avanti 10m Dual Diversity 2 edlement Quad for £89.95 to name but a few! Do you want to save more? (or spend less, depending on how you look at it!). If you are serious we can do you a money saving deal on Computers, Dot Matrix or Laser Printers, the list never ends but goes on and on... Give us a call or look us up when in London, export not a problem but a speciality.

73s - Terry G3STS

COME AND GET A BARGAIN!



RADIO SHACK LTD

(Just around the corner from West Hampstead Station on the Jubilee Line)

Giro Account No. 588 7151 Fax: 01-328 5066 Telephone: 01-624 7174

188 BROADHURST GARDENS,
LONDON NW6 3AY





ICOM

Count on us!

IC-735 Compact HF.



As predicted the Icom IC-735 has rapidly gained the reputation it deserves. This compact transceiver is ideal for mobile, portable or base station operation. It has a general coverage receiver from 0.1Mhz to 30Mhz with superb sensitivity in all modes, SSB, CW, AM and FM. Spectacular specifications are also achieved on RF Intercept, Dynamic Range, Reciprocal Mixing and I.F. Blocking. As HF conditions improve over the next few years it is equipment like the IC-735 that will provide clear reception even under the worst pile-ups.

The IC-735 has a built-in receiver attenuator, preamp, noise blanker and RIT passband tuning and a sharp IF notch filter ensures clear reception. The twin VFO's and 12 memories can store mode and frequency.

Scanning functions include program scan, memory scan and frequency scan. The HM12 scanning microphone is supplied.

RF output is approximately 100 watts and can be continuously adjusted down to 10 watts. The IC-735 is one of the first HF transceivers to use a liquid crystal display, which is easily visible under difficult conditions. Controls that require rare adjustment are situated behind the front cover but are immediately accessible.

Options include the PS-55 AC Power Supply, AT150 Automatic Antenna Tuner, AH2a Automatic Antenna Tuner, SM6 and SM8 Desk Mics, SP7 External Loudspeaker. Why not find out more about the IC-735 contact your local ICOM dealer or contact ICOM (UK) LIMITED.

Icom (UK) Ltd.

Dept PW, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour.

Helpline: Telephone us free-of-charge on 0800 521145, Mon-Fri 09.00-13.00 and 14.00-17.30. This service is strictly for obtaining information about or ordering Icom equipment. We regret this cannot be used by dealers or for repair enquiries and parts orders, thank you.

Datapost: Despatch on same day whenever possible.

Access & Barclaycard: Telephone orders taken by our mail order dept, instant credit & interest-free H.P.



**ORDER
YOUR COPY
OF THE NEW
MAPLIN CATALOGUE
ON SALE NOW**

Pick up a copy from any W.H. Smith for just £2.25 or post this coupon now to receive your copy for just £2.25 + 50p p & p. If you live outside the UK send £4 or 17 International Reply Coupons. I enclose £2.75

Name _____
Address _____

Send to Maplin Electronics, P.O. Box 3, Rayleigh, Essex S56 8LR.

Post Code _____

AVAILABLE FROM 10th NOVEMBER 1989 IN ALL W.H. SMITH STORES PW 90



**OVER 580 PAGES WITH HUNDREDS OF NEW PRODUCTS AT SUPER LOW PRICES
THE NEW MAPLIN CATALOGUE – WORLDS APART!
1990 BUYER'S GUIDE TO ELECTRONIC COMPONENTS SEND FOR YOUR COPY TODAY**