

Practical Wireless

PW

amateur radio & more!

UP
ALOFT
WITH
G3LDO



**BREAKING
THE ICE
WITH UA9MCM**



**PW PANTHER
PROJECT Pt.2**

August 1999 £2.50



FIRST In Amateur Radio

Fax 01702 205843
Enquiries 01702 206835
01702 204965

Orders only
FreePhone 0500 73 73 88

Waters & Stanton PLC

22, Main Road, Hockley, Essex. SS5 4QS

For the very latest Bargains & Secondhand Listings,
Visit: Our large Web Site www.waters-and-stanton.co.uk

Secure e-mail order: sales@wsplc.demon.co.uk
General e-mail: Info@wsplc.demon.co.uk

Retail Mon. - Sat.
9.00am - 5.30pm

For The Very Latest Deals

www.waters-and-stanton.co.uk

Check our end of lines, special offers, secondhand list etc. Our Web Customers SAVE MONEY!!

YAESU FT-1000MP 160 - 10m All Mode



Super Discount Phone!

The radio that has stood the test of time and used by the worlds top DXers and DXpeditions. Its excellent receiver combined with its superior transmitted signal makes this a natural choice for the HF enthusiasts. AC and DC versions in stock.

ICOM IC-746 160 - 2m All Mode



£1695

This base station transceiver offers wide band capability and includes an automatic ATU. Its 100 Watts output on all bands makes this a very attractive purchase and offers full CTCSS, electronic memory keyer, alphanumeric memories, DSP, Band Scope, VSWR meter etc. Leaflet available.

YAESU FT-100 160 - 70cm All Mode



£1259 Phone

Now available from stock, this rig is now the smallest all-band-rider available. We have used it extensively and it is absolutely great. Read Radcom's in-depth review and then come to us for the best deal around.

ICOM IC-706IIG 160 - 70cm All Mode

Plus FREE Triband Handheld Offer ends 31/7/99



£1199 Phone

The IC-706IIG is the latest model of this classic transceiver. Great for mobile, portable or base use. Its got a great pedigree and offers 100 Watts on all bands up to 50MHz with 50 Watts on 2m and 20 Watts on 70cm. CTCSS encode and a lovely display with removeable front panel. It's the tops! Ask for leaflet.

YAESU FT-847 160 - 70cm All Mode



£1500 Phone

The FT-847 has firmly established itself as a true all-band, all-mode transceiver. Loved by the VHF & UHF operators, and superb for satellite operation, it also offers great HF performance. We have sold more than any other dealer, which says a lot about our reputation and our price. Phone for free leaflet today.

KENWOOD TS-570DG 160 - 10m All Mode



£849

Probably one of the most underrated rigs. We love its superb receiver and amazing selectivity, particularly for CW. Then look at the price and remember you get a 100 Watts of pure delight. Why not phone for leaflet?

KENWOOD TS-870 160 - 10m All Mode



£1495

Now offered at a greatly reduced price, this digitally designed transceiver offers amazing receiver flexibility. Benefitting from the latest DSP technology, you will experience excellent receive performance and crisp clear transmitted audio. Phone!

YAESU FT-840 160 - 10m All Mode



£659

The FT-840 offers 100 Watts of well engineered RF together with a receiver that can more than hold its own. The large LCD readout makes for easy reading and the low price makes this the perfect first-HF rig buy. We have used this extensively and nobody will know you are running a sub £1,000 radio except your wallet!

Linear Amp UK "Ranger" HF Linear

160 - 10m 800W Output.

We are now stocking the full range of Linear Amp UK models. Illustrated is the popular 811H 800Watt model covering 160-10m. Using low cost 811A tubes, it is economical to maintain. Up to 9dB of gain is available to you! (Subject to UK 400W licence limit). This desktop model is a great investment and can immediately be switched in and out of circuit as required.



£895

We will **BEAT** Competitor's Prices

By up to £100

ICOM IC-R75 Receiver

£629

NEW

The IC-R75 has received rave reviews in the Amateur Radio Press. It's a very serious short wave receiver with coverage right up to 6m. What is more, the price is quite amazing compared to the competition. We have never sold so many SW receivers in quite a while!

ADI AT-600

£199

- * 2m & 70cm Handheld
- * 5W Output on 13.8V DC
- * Full CTCSS & 12.5/25kHz Steps
- * 110 Alphanumeric Memories
- * 29 Programmable Functions
- * DTMF Keypad & AM Airband
- * Ni-cads & AC charger

ADI AT-201

£129

- * 2m Handheld
- * 5W Output on 13.8V DC
- * CTCSS Tones Included
- * 25 / 12.5kHz Steps
- * 40 Memory Channels
- * Wideband Receive
- * Uses 6 x AA cells (not inc.)

Hora C-150

£99.95

- * 2m Handheld
- * 5W Output on 13.8V DC
- * 1750Hz Tone Included
- * 25 / 12.5kHz Steps
- * 20 Memory Channels
- * Wideband Receive
- * Uses 6 x AA cells (not inc.)

Hora C-408

£89.95

- * 70cm Handheld
- * 230mW Output
- * CTCSS Tones Included
- * 1.6MHz Repeater Shift
- * 20 Memory Channels
- * Wideband Receive
- * Uses 2 x AA cells (not inc.)

YAESU VX-1R

£169

- * 2m / 70cm Handheld
- * 500mW Output
- * CTCSS Encode / Decode
- * 25 / 12.5kHz Steps
- * 290 Memory Channels
- * AM Airband Receive
- * Lithium Cell & Charger

YAESU VX-5R

£399

- * 6m / 2m / 70cm Handheld
- * 5W Output on 13.8V DC
- * CTCSS Encode / Decode
- * 25 / 12.5kHz Steps
- * Auto Repeater Shift
- * AM Airband Receive
- * Lithium Cells & Charger

YAESU FT-50R

£220

- * 2m / 70cm Handheld
- * 5W Output on 13.8V DC
- * CTCSS Encode / 1750Hz tone
- * 25 / 12.5kHz Steps
- * 30 Memory Channels
- * AM Airband Receive
- * Ni-cad Cells & Charger

KENWOOD THG-71E

£279

- * 2m & 70cm Handheld
- * 6W Output on 13.8V DC
- * Full CTCSS & 12.5/25kHz Steps
- * 220 Multifunction Memories
- * Programmable Features
- * Rugged Construction
- * Ni-cads & AC charger

KENWOOD TH-D7E

£299

- * 2m & 70cm Handheld
- * 6W Output on 13.8V DC
- * CTCSS & 1750Hz Tone
- * Built-in Packet Modem
- * 200 Alphanumeric Memories
- * DTMF Keypad & AM Airband
- * Ni-cads & AC charger

ICOM IC-T8E

£349

- * 6m / 2m / 70cm Handheld
- * 5W Output on 13.8V DC
- * 25 / 12.5kHz Switchable
- * 123 Multifunction Memories
- * CTCSS & 1750Hz Tone
- * Programmable Features
- * Ni-cads & AC charger

ICOM IC-Q7E

£159

- * 2m & 70cm Handheld
- * 300mW Output
- * CTCSS Encoder
- * Rx. 30kHz - 1309MHz FM / AM
- * 200 Multifunction Memories
- * LCD Backlight & Timer
- * Runs from 2 x AA Cells

ICOM IC-T81E

£399

- * 6m / 2m / 70cm / 23cm Handy
- * 5W Output on 13.8V DC (1w23cm)
- * CTCSS & 1750Hz Tone
- * 12.5 / 25kHz Switched
- * 124 Alphanumeric Memories
- * Wideband Rx. FM WFM & AM
- * Ni-MH Cells & AC charger

ADI AR-147

£199

- * 2m 50 Watt Mobile Airband Receive
- * Full CTCSS Encode / Decode
- * 81 Memories 25 / 12.5kHz Steps
- * Keypad microphone & Mounting Kit

KENWOOD TM-V7E

£499

- * 2m / 70cm Mobile
- * 50W 2m, 35W 70cm
- * Clear LCD Readout
- * CTCSS & DTMF
- * 8 Frequency Steps & 280 Memories
- * Includes Microphone & Mounting Bracket

ICOM IC-2100H

£299



- * 2m Mobile 55 Watts Output
- * 50 Alphanumeric Memories
- * Switched 12.5kHz and 25kHz Filters
- * CTCSS and 1750Hz Tone

ICOM IC-2800H

£549



- * 2m & 70cm Mobile
- * Colour TV Screen
- * Full CTCSS and 1750Hz Tone
- * 50W 2m 35W 70cm & Remote Head Unit

ICOM IC-207H

£309



- * 2m / 70cm
- * 50W / 35W
- * 180 Memories and 7 Tuning Steps
- * Detachable Head Unit / Clear Display
- * Microphone, Mounting Bracket etc.

KENWOOD TM-742E

£699



- * 23cms Option
- * 2m and 70cm
- * 50W and 35W
- * Optional 28MHz, 50MHz or 1296MHz Modules
- * CTCSS, 1750Hz Tone and DTMF
- * 101 Memories and Detachable Head

KENWOOD TM-G707E

£349



- * 2m and 70cm
- * 50W and 35W
- * Full CTCSS
- * 180 Alphanumeric Memories
- * Detachable Head with Amber Display

YAESU FT-8100R

£399



- * 2m and 70cm
- * 50W and 35W
- * Wideband Rx AM & FM 208 Memories
- * 7 Tuning Steps DTMF Remote Front panel
- * Very compact, supplied with all hardware.

KENWOOD VC-H1

£299

Full SSTV System

- * Sends & Receives Video
- * Built-in Colour camera
- * Built-in colour Screen
- * Connect to VHF or HF rigs
- * Runs all the popular modes



RF Metering

Avair AV-600 1.8 - 525MHz 400W

£69.95



VSWR and power meter.
Reads RMS and PEP. The
ideal all-band VSWR meter.
Reads up to 400W (3 ranges)

Avair AV-20 / AV-40 Cross Needle

Cross needle meters at a very attractive price.
The AV-20 covers 1.8 - 150MHz and the AV-40 covers 140 - 525MHz. Both units have switched power levels of 0-15 / 0-150W. Available during June.



£49.95

Watson VSWR / Power Meters.

£89.95



Measure VSWR and RMS or PEP power. Large easy to read meter. 3 ranges: 5W, 20W and 200W.

W-220	1.8 - 200MHz	£49.95
W-420	118 - 530MHz	£49.95
W-620	1.8 - 525MHz	£89.95

Watson Off-Air Frequency Counters

£89.95

High quality units supplied with antennas, ni-cad packs and AC chargers. They are very sensitive and may be used for near-field checking.

Hunter - 10MHz - 3GHz	£59.95
FC-130 - 1MHz - 3GHz, switched gates, 16 segments	£79.95
Super Hunter - 10Hz to 3GHz and with signal strength meter.	£149.95

W50-RM Dual Band SWR & ATU

What a great idea! A combined VSWR meter and dual band atu matcher for 2m / 70cms. Can be left in circuit. The atu is adjusted with the trimmer tool supplied (controls for each band). Dual power levels of 0-15W or 0-60W can be selected.



£59.95

Antenna Rotators

AR-300XL Lightweight

£49.95



Ideal for VHF and UHF systems of small to medium size. Includes control box, motor and Brackets. Support masts sizes can be up to 50mm.

YS-130 Medium Weight VHF

£79.95

Made in Japan, this rotator will support medium sized VHF arrays. The diecast motor housing will fit masts up to 40mm diameter. Includes motor, control box and brackets.



New Create RC5-1 Rotator

We are pleased to be able to offer one of the most popular rotators from Japan. The RC5-1 will handle 3-4 element HF beams. It has a torque of 6kg (rotation) and 80kg braking. Uses 7-core cable.



£219.95

Yaesu Rotators for HF Systems

G-450C	Smaller Tri-band Yagis etc.	£379.00
G-650C	Larger Tri-banders etc.	£499.00
G-1000C	4 element HF Yagis (cw with 25m cable)	£559.00
G-2800SDX	Really large HF Yagis	£1229.00
G-550	Elevation Rotator	£499.00
G-5500	Az/El Rotator	£309.00

We have extensive stocks of tower mounts, bearings and rotator cables. Phone if you need advice. Leaflets available.

Audio Products

W-184 HF DX Headset

Selected by us as a great value headset for HF base operation. Comprises 8 Ohm dual head unit with dynamic microphone. You just need to terminate the mic cable to a suitable connector. If you don't want to use MOX we can supply PTT box model complete for £42.95



£32.95

WEP-501 Earpiece with adjustable boom

Now extensively used in the professional market, the boom is fully adjustable with rotation hinge that permits left or right fitting. Fits neatly over the ear. Fittings available for popular handhelds. Models available for Yaesu, Kenwood, Motorola.



HF Mobile Antenna

Texas Bugcatcher

80m - 10m 1.5kW

6dB of Gain!

From USA



£129

NEW

We measured over 6dB of gain on 80m and 40m compared to a standard helical whip. The secret is in the 3" diameter high "Q" air spaced loading coil. Measuring a little over 2m tall, it covers all 8 HF bands using coil tap positions. Standard 3/8" base fits all popular 3/8" mounts. Optional base matcher guarantees 1:1 VSWR whilst optional kit adds 6m coverage. Probably the most popular antenna in the USA "I was so impressed I installed one myself as illustrated - G3QJV/M"

VHF/UHF Antennas

Base Station Fibre Glass

WVA-100	2m/70cm 2/4.5dB 1.09m	£29.95
W-30	2m/70cm 3/6dB 1.15m	£39.95
W-50	2m/70cm 4.5/7.2dB 1.8m	£49.95
W-300	2m/70cm 6.5/9dB 3.1m	£59.95
W-2000	6m/2m/70cm 2.5m	£69.95

Mobile Antennas PL-259 bases

W-285	2m 5/8th foldover base	£14.95
W-77LS	2m/70cm 0.39m low profile	£18.95
W-770HB	2m/70cm 1.1m 3/5.5dB	£24.95
W-7900	2m/70cm 5/7.6dB 1.5m	£32.95
W-627	6m/2m/70cm 1.62m	£34.95

Mounts

W-3HM	Hatch / Boot Mount	£14.95
W-3CK	5m low loss cable kit	£18.95
W-ECH	5m RG-58 standard cable	£12.95
WMM&	Magnetic mount	£10.95
WAM-2	BNC window mount	£12.95

Duplex / Triplexers

WD-25	HF-2m / 70cms designed for masthead mounting. SO-239	£24.95
WD-24	As above but for indoor use and fitted with common SO-239 and dual PL-259	£22.95
WD-24N	As above but one "N"	£24.95
MX-62	1.8 - 54/140-470MHz 239/259	£49.95
MX-72	1.8-150/400-450MHz 239/259	£32.95
MX-72N	As above but with one "N" plug	£35.95
MX-2000	6m / 2m/ 70cm Triplex	£52.95
MX-3000	2m/70cm/23cm Triplex	£54.95

MQ-2 Mini Beam



£379

SEE REVIEW

If you have a small garden, this antenna could well be the answer. A 2-element beam that covers all bands from 6m to 20m and handles 1.2kW. Maximum element length is 3.35m and the boom measures just 1.37m. At last you can get on the bands and work the DX! MQ-1 covering 6,10,15 & 20m also available £299

Back in Stock

DIAMOND GSV-3000 PSU

30 Amps 1 - 15 Volts

£149



This fan cooled twin meter power supply is a high quality design that we normally sell to professional users. But at this special price, now ham operators can afford one!

Motorola Talkabout 200

Licence FREE PMR-446

446MHz 500mW Handy
8 Channels
38 CTCSS Tones
3 Kilometres Range
3 x AA Cells Req'd.

Now you can use a 446MHz handheld without a licence. Ideal for a wide range of uses. The package provides everything you need for personal communications. Just add 3 x AA cells and you are on the air!



£99.95

NEW

Watson Super Searcher

10Hz - 3GHz

The Super Searcher is a frequency counter covering 10Hz - 3GHz with the ability to auto tune most AOR and loom handheld receivers. Supplied with internal ni-cad pack and AC charger.



£99.95

WSC2 & WSC-3 Hip Handheld Cases

Keep your handheld safe but ready for use with these smart cases. They clip onto your belt and with the elasticated side panels, are able to fit any model. The WSC-2 is for the larger handhelds, the WSC-3 for the new generation of minis like VX-5 etc. Phone if in doubt.



£12.95

AUGUST 1999
(ON SALE JULY 8)
VOL. 75 NO 8 ISSUE 1109
NEXT ISSUE (SEPTEMBER 1999)
ON SALE AUGUST 12 1999

EDITORIAL OFFICES

Practical Wireless
Arrowsmith Court, Station Approach
Broadstone, Dorset BH18 8PW

☎ (01202) 659910

(Out-of-hours service by answering machine)

FAX: (01202) 659950

Editor

Rob Mannion G3XFD
Technical Projects Sub-Editor
NG ("Tex") Swann G1TEX
News & Production Editor
Joanna Williams

ADVERTISEMENT DEPARTMENT

ADVERT SALES & PRODUCTION

(General Enquiries to Broadstone Office)

Chris Steadman MBIM (Sales)

Steve Hunt (Art Director)

John Kitching (Art Editor)

Peter Eldrett (Typesetting/Production)

☎ (01202) 659920

(9.30am - 5.30pm)

FAX: (01202) 659950

ADVERTISING MANAGER

Roger Hall G4TNT

PO Box 948, London SW6 2DS

☎ 0171-731 6222

FAX: 0171-384 1031

Mobile: (0585) 851385

BOOKS & SUBSCRIPTIONS

Michael Hurst

CREDIT CARD ORDERS

☎ (01202) 659930

(Out-of-hours service by answering machine)

FAX: (01202) 659950

E-MAIL

PW's Internet address is:

pwpublishing.ltd.uk

You can send mail to anyone at PW, just insert their name at the beginning of the address,

e.g. **rob@pwpublishing.ltd.uk**

AUGUST 1999 CONTENTS

14 HIGHLANDER ANTENNA COMPETITION

Don't miss your chance to win a **Highlander Multi-Frequency HF Mobile Antenna** - worth £175!



16 PW PANTHER PROJECT - PART II

The waiting is over, we can finally bring you the second part of the **PW Panther 144MHz FM Transceiver Project**.



22 WHAT IS A ...?

This month, **Ian Poole G3WYX** continues with the f.e.t. theme by describing: 'What Is A ... m.o.s.f.e.t.'?



26 THE MQ-2 MINI-BEAM ANTENNA

Peter Dodd G3LDO, well known to **PW** readers for his work on antennas, reports on his experiences with an interesting 'mini beam' imported from Canada.



28 INDOOR ANTENNAS - ARE THEY REALLY FEASIBLE?

Gordon King G4FV takes you through his experimentation with various indoor antennas and proves that they can be feasible.



32 SIBERIA TO ST. PETERSBURG

Vadim Banandin UA9MCM was nominated to be the radio operator on *Siberia* during its expedition from 'Siberia to St. Petersburg via the Arctic Seas' and in this article he describes the dramatic journey.

34 A WRIST-RESTING RECIPE

Have you ever suffered from a severely aching wrist after sending Morse? Well, **John Worthington GW3COI** did, but he solved his problem ... take a look at his article to find out how.

36 ROB'S IRISH HOLIDAY

Rob Mannion G3XFD writes about his time spent in Ireland earlier on this year and describes just how the spirit of Amateur Radio reaches out across land and sea.

40 FAIR-WEATHER HILL-TOPPING

Colin Redwood G6MXL looks into v.h.f. operating on his local hill-tops and discovers that there are a lot of advantages. If you've ever fancied trying it then read this article to find out how.



44 INSTALLING

A Wrist Resting Recipe For Morse... Page 34



SOLAR POWER

John Brown G4UBB says that recent articles on solar power panels on a spacecraft prompted him to try a system for himself. His experience wasn't gained in orbit though - but in sunny Pinner, Middlesex, in Greater London!



46 CARRYING ON THE PRACTICAL WAY

This month the **Rev. George Dobbs G3RJV** is taking a 'quick look' at light emitting diodes (l.e.d.s) and zener diodes after, of course, the usual quotation ...

48 RADIO BASICS

This month **Rob G3XFD**, now that he's recovered from his 'holiday', continues with his description of the techniques needed to set up the 7MHz 'tuneable' front end project.

50 COUNTING UP FROM THE MILLENNIUM

The continuation of **Rob Mannion G3XFD**'s new series on counting up from the Millennium! Don't forget that the news items on these pages are thought provoking but totally imaginary!

52 VALVE & VINTAGE

It's **Ben Nock G4BXD** 'on duty' in the 'wireless shop' and his Second World War uniform reminds us that we've got a mainly 'Military' theme this month - and a mystery has also been solved.



60 ELECTRONICS- IN ACTION

REGULARS **G1TEX** tells readers how you can set

7 KEYLINES

8 LETTERS

10 NEWS

49 COMING NEXT MONTH IN SWM

51 COMING NEXT MONTH IN PW

56 BOOK PROFILES

63 RADIO DIARY

64 RADIO SCENE

74 BARGAIN BASEMENT

80 BOOK STORE

83 SUBSCRIBE TO PW!

Fair Weather Hill-Topping... Page 40



RadioScene

Seven Pages of band reports from all your favourite authors



Copyright © PW PUBLISHING LTD. 1999. Copyright in all drawings, photographs and articles published in *Practical Wireless* is fully protected and reproduction in whole or part is expressly forbidden. All reasonable precautions are taken by *Practical Wireless* to ensure that the advice and data given to our readers are reliable. We cannot however guarantee it and we cannot accept legal responsibility for it. Prices are those current as we go to press.
 Published on the second Thursday of each month by PW Publishing Ltd., Arrowsmith Court, Station Approach, Broadstone, Dorset BH18 8PW. Tel: (01202) 659910. Printed in England by Seymour, 86 Newman Street, London, W1P 3LD. Tel: 0171-396 8000. Fax: 0171-396 8002. Web: <http://www.seymour.co.uk>. Sole Agents for Australia and New Zealand - Gordon and Gotch (Asia) Ltd., South Africa - Central News Agency. Subscriptions INLAND £25. EUROPE £30. REST OF WORLD £32 (Airmail). payable to PRACTICAL WIRELESS, Subscription Department, PW Publishing Ltd., Arrowsmith Court, Station Approach, Broadstone, Dorset BH18 8PW. Tel: (01202) 659930. PRACTICAL WIRELESS is sold subject to the following conditions, namely that it shall not, without written consent of the publishers first having been given, be lent, re-sold, hired out or otherwise disposed of by way of trade at more than the recommended selling price shown on the cover, and that it shall not be lent, re-sold, hired out or otherwise disposed of in a mutilated condition or in any unauthorised cover by way of Trade, or affixed to or as part of any publication or advertising, literary or pictorial matter whatsoever. *Practical Wireless* is published monthly for £50 per year by PW Publishing Ltd., Arrowsmith Court, Station Approach, Broadstone, Dorset BH18 8PW. Royal Mail International, c/o Yellowstone International, 87 Burlewes Court, Hackensack, NJ 07601. UK Second Class Postage paid at South Hackensack. Send USA address changes to Royal Mail International, c/o Yellowstone International, 275 Pratt Boulevard, Elk Grove Village, IL 60007-5857. The USPS (United States Postal Service) number for *Practical Wireless* is: 007075.



RADIOWORLD

(WEST MIDLANDS)

42 BROOK LANE
GREAT WYRLEY, WALSALL
WEST MIDLANDS WS6 6BQ
WE ARE 5 MINS AWAY FROM J11 M6

TEL SALES & SERVICE: 01922 414796
FAX: 01922 417829
MOBILE TEL: 0850 099244

Main dealers for Alinco, Icom, Yaesu & Kenwood
Manufacturers warranty on all new equipment

TELEPHONE
SALES ON:

**01
922**

**41
47
96**

Ask for Dave
(G1LBE)

**Open Mon-Fri
9.30 - 6.00pm.
Sat 9.30 - 4.00pm**

WEB SITE

<http://freespace.virgin.net/radio.world>

E-mail

radio.world@virgin.net



There is NO CHARGE for
using credit cards

**WANTED
USED
EQUIPMENT
PX WELCOME
BEST PRICES
PAID!**

ICOM

Most of the Icom range will carry
unbelievable discounts. Ring for details



IC-706G
HF 6m, 2m, 70cm
£1099

WHEN
BUYING A
IC-706G,
CLAIM A
FREE T-BE
HAND-HELD



IC-746
HF, 6m, 2m 100W, 100W,
100W with tuner built in.
£1395



PCR 1000
Computer driven
receiver.



IC-T8E
Triple bander. 5W
output.
Military spec.
£299



IC-T22E
2m handie 5W.
£185

YAESU



FT-920AF
HF & 6m built-in tuner
with FM & FREE AM/FM
Filter. **£1199**



FT-1000MP AC
Dual Receiver. Digital
100W Competition radio.
£2199



FT-VX 1R
VHF/UHF
Handie.
Micro small.
£199



FT-847
The new mobile-
base. DSP HF 2m-
70cm 50MHz.
£1499



FT-100
HF 6m/2m/70cm extra
small mobile.
Information to follow.

KENWOOD



TS-870
Still the only true DSP
radio with TX, EQ N/R.
£1699



TS-570DG
Dedicated HF mobile-
base DSP with built-in
tuner. **£899**



TH-G71E
Full 5 Watts
power. Wide
band receive.
£239



TM-G707
The new mobile package
with features: High
visibility display, 5-in-1
programme memory,
memory name function,
multiscan facility & built-
in CTCSS. **£299**

ALINCO



DX-70TH
HF +6M **£599**



DR-M06
6M MOBILE 20W
£215



DR-140
2M mobile 50W
£220



DR-430
Mobile 70cm
£220



DJ-G5
2M/70CM handie
£237

PRICE MATCH

Up to 5% extra discount may be available on
selected items.

WE STOCK ALL ACCESSORIES FOR THE MAIN BRANDS DISCOUNTED BY 10%

Microphones - Icom

SM6 ohm, 8 pin, desk mic.....**£59**
SM8 1.3/600 ohm selectable, 8 pin
desk mic.....**£100**
SM20 600ohm, 8 pin, deluxe
desk mic.....**£108**

Speakers - Icom

SP20 base station loudspeaker with audio
filter.....**£125**
SP21 base station loudspeaker.....**£65**

Microphones - Kenwood

C-60A dual impedance desk mic internal pre-

amp.....**£106**
MC-80 electret desk mic with pre-amp.....**£65**
MC-85 electret desk mic with pre-amp
& compressor.....**£125**
MC-90 desk mic for DSP transceivers.....**£169**

Speakers - Kenwood

SP-23 station loudspeaker for
TS-450/690S/570D.....**£62**
SP-31 station loudspeaker for
TS-850/870S.....**£74.50**
SP-950 station loudspeaker for
TS-950SDX.....**£96**

Yaesu FT-847 options

ATAS-100 active tuning ant system.....**£224**
FC-20 automatic ant tuner.....**£197**
MD-100 ABX desk top mic.....**£99**
YF-115C 455kHz/500Hz Collins Mechanical
filter.....**£89**
YF-115H 02 2.7kHz SSB filter Collins
Mechanical.....**£89**

**We also stock all makes of
antennas:- Cushcraft,
Diamond, Sirio, Watson,
Pro-Am, etc.**

RADIOWORLD

NEW NOW SHOP OPEN!

42 BROOK LANE
GREAT WYRLEY, WALSALL
WEST MIDLANDS WS6 6BQ

SALES & SERVICE
TEL: 01922 414796
FAX: 01922 417829

WE ARE 5 MINS AWAY FROM J11 M6



FINANCE NOW AVAILABLE. PHONE DAVE FOR DETAILS!

USED EQUIPMENT PRICE LIST

MAKE	MODEL	PRICE	MAKE	MODEL	PRICE
AEA	PIC 232 MBX TERMINAL	£169.00	KENWOOD	TS-450 SAT 0-30	£650.00
ALINCO	DJ-G5	£200.00	KENWOOD	TS-570DG TRANSCEIVER "SPECIAL"	£750.00
ALINCO	DR-140 2M FM	£159.00	KENWOOD	TS-670 TRANSCEIVER HF/+ 50MHz	£400.00
ALINCO	DR-M06 6M	£180.00	KENWOOD	TS-690SAT TRANSCEIVER HF +50MHz	£725.00
ALINCO	DR-M06 SX 6M FM	£159.00	KENWOOD	TS-811E TRANSCEIVER 70cm BASE / AC	£395.00
ALINCO	DX-70T 6M HF	£499.00	KENWOOD	TS-850 TRANSCEIVER 0-30MHz	£695.00
AOR	8200 SCANNER AS NEW	£295.00	KENWOOD	TS-850SAT TRANSCEIVER 0-30MHz	£895.00
ICOM	AT-150 AUTO ATU FOR THE IC-735	£175.00	KENWOOD	TS-870 SAT 0-30 DSP	£1,200.00
ICOM	AT-500 ATU	£295.00	KENWOOD	TS-950SD TRANSCEIVER	£1,450.00
ICOM	IC 706 Mk1	£599.00	KENWOOD	TS-950SDX TRANSCEIVER "ALL FILTERS"	£1,995.00
ICOM	IC-821 DUAL BAND BASE	£750.00	MFJ	784 TUNABLE DSP FILTER	£150.00
ICOM	IC W32E Dual Band Handie	£200.00	MFJ	784B DSP FILTER	£140.00
ICOM	IC-2710 TOP DUAL BANDER	£295.00	UNIVERSAL	M-8000 TERMINAL	£500.00
ICOM	IC-271E MULTI-MODE 2M BASE	£395.00	WELZ	SD 400 SWR METER	£49.95
ICOM	IC-275E 25W MULTI-MODE	£550.00	YAESU	FC-20 ATU FOR FT-847	£175.00
ICOM	IC-275E AC 2M MULTI MODE	£495.00	YAESU	FC-757 AUTO ATU	£175.00
ICOM	IC-275H 100W 2M MULTI MODE	£650.00	YAESU	FP-707 POWER SUPPLY	£100.00
ICOM	IC-2KL AMP + PSU 0-30MHz SOLID STATE	£895.00	YAESU	FRG-100 MINT CONDITION WITH PSU	£350.00
ICOM	IC-706MK 1 TRANSCEIVER	£550.00	YAESU	FRG-100 FM KEY PAD	£350.00
ICOM	IC-706MK 11 DSP TRANSCEIVER	£650.00	YAESU	FT 290R 2m Multi Mode	£195.00
ICOM	IC-7100 RECEIVER	£595.00	YAESU	FT 290R MK11 INC AMPLIFIER 25WATTS	£325.00
ICOM	IC-725 TRANSCEIVER PLUS FM	£450.00	YAESU	FT 840	£500.00
ICOM	IC735 General Coverage	£425.00	YAESU	FT 8500 Dual Band	£325.00
ICOM	IC-735 TRANSCEIVER	£450.00	YAESU	FT 890 HF Gen "as new"	£600.00
ICOM	IC-737 BASE TRANS, INC TUNER 0-30MHz	£600.00	YAESU	FT-11 2M HANDIE	£125.00
ICOM	IC-970H P/S WIDE RECEIVE 900MHZ	£1,495.00	YAESU	FT-1000 MP DC AS NEW	£1,400.00
ICOM	IC-T8E 2 m 70m & 6m HANDIE	£230.00	YAESU	FT-1000D 200W BFI STABILIZING UNIT	£1,795.00
ICOM	PCR-1000 PLUS DSP	£285.00	YAESU	FT-1012D MK111 HF- TRANSCEIVER	£295.00
ICOM	PS-15 PSU 20 amp	£120.00	YAESU	FT-11 2M HANDIE	£140.00
KENWOOD	AT-230 ANTENNA TUNER 0-30Mhz	£140.00	YAESU	FT-2700RH DUAL BAND TRANSCEIVER	£175.00
KENWOOD	MC-60A DESK MIC	£70.00	YAESU	FT-290R MK11 TRANSCEIVER INC AMP	£350.00
KENWOOD	MC-80 DESK MIC	£50.00	YAESU	FT-736 2/70 AC TRANSCEIVER	£695.00
KENWOOD	R-2000 RECIEVER INCLUDING CONVERTER	£275.00	YAESU	FT-747 TRANSCEIVER	£350.00
KENWOOD	R-5000 PLUS CONVERTER	£600.00	YAESU	FT-757GXMK11 TRANSCEIVER	£450.00
KENWOOD	TH-78E DUAL BANDER	£195.00	YAESU	FT-790R 70CM TRANSCEIVER	£200.00
KENWOOD	TH-G71 LATEST DUAL BAND HANDIE	£200.00	YAESU	FT-790R MK11 70cm	£325.00
KENWOOD	TL-922 HF AMP	£850.00	YAESU	FT-8100 USED	£275.00
KENWOOD	TM-241E 2M FM 50 Watts	£160.00	YAESU	FT-840 0-30MHz TRANSCEIVER	£495.00
KENWOOD	TM-255E 2M MULTI MODE	£500.00	YAESU	FT-890AT TRANSCEIVER INC TUNER	£650.00
KENWOOD	TM-V7E 2 AND 70 DUAL BAND TRANS	£395.00	YAESU	FT-920 AF TRANSCEIVER	£999.00
KENWOOD	TR-751 2M MULTI MODE	£350.00	YAESU	FT-990AC	£895.00
KENWOOD	TS 570D DSP General Coverage	£695.00	YAESU	VX-1R HANDIE 2/70	£140.00
KENWOOD	TS 670 7-21-28-50MHz Base	£375.00	YAESU	FT-747 GX INCLUDES FM	£350.00
KENWOOD	TS-140S HF/0-30MHz TRANSCEIVER	£400.00	YAESU	FT-757GXMK1 TRANSCEIVER	£400.00
KENWOOD	TS-440 SAT TRANSCEIVER	£525.00			

Please find above our used equipment price list for the August Edition
With regards Dave Hayward RADIOWORLD (West Midlands)

SRP TRADING

1686 Bristol Road South, Rednal, Birmingham B45 9TZ



**BEARCAT
UBC-220XLT**
£149.95
+ P&P



**BEARCAT
UBC-3000XLT**
£189.95
+ P&P



ICOM IC-R2
£139.00 + P&P

**YUPITERU
MVT-9000**
£319.95 + P&P



FREE
Wideband Preamp
worth £49.99
with most
hand-held
scanners



**AOR
AR-8200**
£349.95
+ P&P



**AOR
AR-8000**
£269.95 + P&P



**COMMTEL
COM-214**
£129.95
+ P&P



**YUPITERU
MVT-7100**
£199.95 + P&P



We don't just price match. We give you a better deal! Phone us last.

BASE STATION SPECTACULAR



**DX-394 Shortwave
Communications
Receiver**

150kHz to 30MHz AM, USB, LSB,
CW digital receiver with 160
memories

~~£199.95~~ **£99.95** + P&P.



MAYCOM AR-108

- Full civil airband • Covers 108-136.975MHz (AM) & 136-180MHz (FM) • 99 memory channels • 5kHz, 10kHz, 12.5kHz, 15kHz, 25kHz & 1MHz steps • Dual channel watch • LCD display with signal meter

SPECIAL OFFER

PRICE **£69.95** + £5 P&P.

ALSO AVAILABLE

- PSU charger **£8.95** • Professional earpiece **£8.95** • Airbander micromag **£19.95** • In-car adaptor **£8.95** • BNC to SMA antenna adaptor **£5.00** • 2 AA nicads **£3.00**

AR-108 + all above accessories
for £109.95 + £10 P&P



**PRO-2042
Base Scanner**

1000 channel AM/FM/WFM
(switchable) scanner. Covers 25
to 520MHz and 760 to 1300MHz

~~£299.95~~ **£149.95** + P&P.

Opening times: Mon-Sat 9.30am to 5.15pm. We are Kenwood, Yaesu, Icom, & Alinco dealers.

Call Richard (G6ORA) or Mary (MOBMH) on

TEL: 0121-460 1581, 0121-457 7788 FAX: 0121-457 9009



By now, most readers will have read the important 'Stop Press' news item entitled 'New Licence For The Millennium', on page 19 of the July issue of *PW*, or have heard the news from other sources. And although the RSGB stated very firmly to me that it was always intended that *PW* had the news before we went to press, in fact it was literally 'a stop press' item as the main body of the magazine was ready to 'go to press' the day we received it.

Incidentally, before I comment on the actual news item I must share with you the feeling of annoyance and much frustration that accompanied the publishing of the news item in question. And in fact, I consider that the Government Department involved - the Radiocommunications Agency (the body which regulates our hobby) - was shirking its responsibility by not directly handling the issuing of the news release which was done jointly via the Radio Society of Great Britain ... **despite the fact that the RA is the Agency responsible for 'regulating' our hobby.**

I object because, although the RSGB (I am a member myself) - represents its members and is there to work on behalf of its members and the hobby - **unless legislation has changed and the Society has become a Government Dept.** - I see no justifiable reason for it to issue 'joint' press statements in conjunction with a Government Department. In my opinion nothing, **but nothing** could 'raise more hackles' than for the RSGB to be seen to be acting in this way.

Although I fully understand that there was a great deal of negotiation done on behalf of Amateur Radio - including the original invitation for members and non-members to contribute ideas, suggestions and comments issued some while ago, I was taken unawares by the apparent 'secret agreement' by the RA and RSGB regarding the issuing of the subsequent press release. What was so secret anyway? What's been negotiated is a start - **even if there are very many points to be 'ironed out'** (more on this

later!).

Telephone & E-Mails

Although, of course, we were expecting the negotiations between the RSGB and the RA to become 'public' eventually, the news of the pending release of the statement came when readers started to telephone the office and also send E-mails - asking what we knew about an impending news release from the RA on the future plans for our hobby.

My annoyance arises from the fact that when - doing what a professional journalist should do - I contacted the RA to find out what I could. However, on doing so, I was told to contact the RSGB as they were handling the matter!

Despite the fact I am a member of the RSGB I was most unimpressed at being told by the RA to speak to the Society on the matter and I refused to do so. Eventually though, things happened very quickly and the issue of the press releases was 'brought forward'.

I wrote to the RA, directly to the (relatively new) official involved, to state my objections. In reply I've received what I consider to be a **totally unsatisfactory reply** to my general objections. The official involved also, albeit politely, dismissed my suggestion that to satisfy non-RSGB members (to remove any suggestions of 'secrecy' whether they are justified or not) regarding the negotiations on our behalf, that 'independent' (Radio Amateurs not connected with the RSGB) people could be chosen by the RA to join the panel involved in the on-going discussions.

Before I venture on to the ideas contained in the press release, I beg that the officials in the Department of Trade & Industry's RA **please in future do the following:** By all means - if you so wish - issue press releases jointly with the RSGB, after all as the Government Department responsible it must be **YOUR** choice. But having said that, I ask at the very least **that the RA should be seen to retain control.** Joint 'Logos' yes - but devolving your responsibility? I say no!

Finally, I ask the RA to

remember that, with *PW* in particular, you are dealing with a magazine staffed by ethical journalists who believe in the Amateur Radio hobby and don't just 'write about' it. We're not from the 'tabloid' press. Issue us with a time and date 'embargoed' news item and we'll honour the embargo. At the same time we could then assure readers it's not possible 'secrecy' we're dealing with - but an effort to ensure everyone gets the correct, unambiguous, information at the same time.

So, how about it RA? What about working with **everyone** in the hobby in a truly 'open' fashion? You can trust us - that I can be sure of!

The Heart Of The Matter!

Now to the heart of the matter - the release itself! And to be honest, I think it contains some interesting ideas. However, it also contains some problems - especially when you bear in mind (and being 'politically' correct I speak as an Englishman!) that English society is still one that's dominated by 'class' issues.

The use of Morse as a requirement for access to h.f. **will go** because the administrations around the world want it so. They want - in the ever competitive world of EMC - Radio Amateurs who will cause them the least bother! However, this will not mean we can't use c.w. on the bands - as I intend to do!

The suggested 'incentive'-based licensing system really does concern me though! Over the years the "I'm, an 'A' and you're only a 'B' licensee" debate has caused much resentment. To replace it with a (possibly) multi-layered 'graded' licence as they have in the USA (for example) would not work in our 'class status based culture'.

The 'incentive' based Amateur Radio licence might work in the USA where they supposedly don't have a cultural 'class' structure (there it seems to be based on money rather than 'class' divisions) but I think such a system would have to be very carefully planned if it to be used in the UK. It's taken centuries to develop our present 'class' structure - and at a time when many of us are trying to lessen its effect - I'll be concerned if it enters our hobby ... even in a technical grading sense.

However, to end

on a truly up-beat note I'm delighted to read that the h.f. and v.h.f. Novice operators are to be allowed more bands and frequencies. I hope this will mean many more! And in closing on this topic for now anyway - I think we can look forward more hopefully to the future although there's an awful lot of work and problems to be sorted out yet!

Missing Paragraph

I have to apologise for somehow allowing a paragraph to 'drop off the page' in the FT-100 review published in the July issue. It occurred after (Having drawn reader's attention to the 'Active Antenna System' under the heading 'Menu Control') I managed to lose the paragraph (due to appear just above the heading 'In Rob's Shack') which basically stated I had "difficulty in understanding" the menu control instructions for the ATAS-100.

Well in fact, **I have to admit it wasn't a fair comment in any case!** On reflection - having read the instructions again, it was purely confusion on my part. Sorry if I caused confusion in you too!

Club Visits

My final *PW* 'Club Visit' schedule for the second half of the year is now as follows:
Coventry ARS July 30, Barry (Wales) ARS August 10, Norfolk ARS September 8, Taunton & DARS October 1, East Yorkshire (formerly North Ferriby) Club October 21 and the (final trip of the year) Rochdale QRP Convention on Saturday October 23.

If you can't make it to any of the above clubs - I'll be pleased to meet and have a chat with you at the **'Leicester' Show at Castle Donington** on either 24 or 25th of September. I hope to see you there! Cheerio for now.

Rob G3XFD



ROB HAS PLENTY TO SAY ABOUT THE NEW LICENCE!



COMPILED BY ROB MANNION




Kind Offer From Belgium

Dear Sir

I built the replica of the Whaddon 'Paraset' (mentioned in 'Valve & Vintage' and shown in the photograph) for the 3.5MHz band and I had 132 QSOs with 21 European countries. Information and circuit schematic are available for all *Practical Wireless* readers. It is free!

Joe Lesuisse ON5LJ
3 Rue de la Passerelle
4031 Liege
Belgium

Editor: Thank you Joe - an offer in the best tradition of the hobby. (I ask that anyone taking up Joe's offer please send a donation towards postage).



The Star Letter will receive a voucher worth £10 to spend on items from our Book or other services offered by *Practical Wireless*. All other letters will receive a £5 voucher.

Nuts & Bolts

Dear Sir

In the May 1999 issue of *PW*, you refer to how to obtain various items and the fact that nuts are often missing and the older thread types are needed.

The problem is that the normal suppliers no longer stock threads other than metric even quite large nut and bolt suppliers now do not stock older threads.

Readers may not be aware that engineering supplies can be bought from Auto Jumbles which are similar to a radio rally. These Auto Jumbles have dealers who cater for those restoring old and historic motor vehicles.

In addition to motor spares, supplies of a wide range of plastics and metals and nuts and bolts of every known thread can be obtained together with taps and dies.

Radio frequency grade stainless steel screws are also available in all threads and the prices are low. I have just bought UNF and UNC stainless nuts for my radio rally 'bargain' high power diodes from my local Auto jumble.

Mirror-finish polished bolts are also available for custom vehicles. The metals available include copper, brass and aluminium in sizes suitable for radio constructors.

These are held at various venues around the country. Here in Yorkshire, I visit the Rufford Motorcycle Auto jumble which can be found on the B1224 York Wetherby Road.

Roy Oxley G0FYM
Yorkshire

Editor's comment: Thanks for the tip Roy. Keen constructors can now add 'Auto Jumbles' to their rally dates!

Keeping Logbooks

Dear Sir

In over 50 years of operating Amateur Radio I have, as required, kept a log of stations contacted, both as a fixed station and a portable or mobile station. Is it not time that compulsory log-keeping be abandoned?

When you consider the vast amount of radio signals emitted in the UK alone, how many users (except Radio amateurs) are legally required to keep a log? For instance, it seems anomalous that licensed amateurs must log everything, but our cousins on the Citizens Band (CB) are not so bound! All sorts of radio transmissions fill the ether these days without the need to be constantly logging. So, I say we should abandon compulsory logging for Radio Amateurs!

Mind you, if logging were not compulsory I would still keep a log for my own private purposes, but probably not with the detail now specified. It is the (to me) unnecessary compulsion to log that I am grumbling about.

Walter Farrar G3ESP
Ackworth

Editor's comment: As most operators I talk to only seem to keep a

computer for log-keeping I wonder if they'd bother to keep it if they didn't need it for logging?

Love Or Loath It

Dear Sir

Technology is a wonderful thing, you either love it or loathe it, depending upon your view. Whatever your opinion, it's a fact that more & more people are using computers at home & (It follows) in our shacks. We Radio Amateurs are as divided on this subject as we are with the c.w./s.s.b. debate.

I've read so much about the benefits of Morse code, yet myself and apparently lots of other amateurs prefer to use s.s.b. (Don't worry ... this is not a "for or against" letter on this topic, instead it's a novel suggestion to make use of both modes.

In this day and age, surely there must be someone out there capable of designing the right software (and matching interface) which will allow me to communicate with the outside world, using c.w. via my PC and keyboard. Maybe someone already has, I don't know. Regardless, here's where the fun creeps in. Why not take this one step further.

Using relatively inexpensive voice recognition software, I can talk to my PC and it will type my words for me. Combine this with the interface just mentioned (standard c.w. abbreviations would make things even easier) and you've cracked it! Rather ironic really, a hybrid mode of communication utilising all of the advantages of c.w. with the simplicity of microphone operation.

I wonder if this type (excuse the pun) of communication is realistic, I for one can see no reason why not. Amateurs who have never picked up a Morse key, can take advantage of c.w. without fear of making fools of themselves whilst reducing s.s.b. QRM at the same time. The best of both worlds? Worth thinking about, isn't it.

Keep up the good work & congratulations on an excellent magazine.
Paul Morrison G0VHT
Northumberland

Editor's comment: Readers wishing to put part of Paul's approach into practice may like to see the review published in the June 1994 (Morse Special) issue of *PW* (back issues at the special price of £1 including postage from the Editorial offices). In the review John Goodall G0SKR tried the MFJ-451 dedicated c.w. keyboard (another model, the slightly more sophisticated 452 is now also available).

The Not So Good Old Days?

Dear Sir

I read with interest John Worthington GW3COF's article - 'The Not So Good Old Days' (July 1999) and must say that I find my own recollections of the "good old days" far different from John's experiences.

I was licensed in 1956 and spent the first few years happily working on 1.8MHz 'Top Band' using a variety of transmitters constructed from Second World War surplus equipment, which was readily available in

those days, living in Liverpool at the time in a house with no garden, my antenna farm was a 66ft long wire in about three 'doglegs'! This worked a.m. phone around the Lancashire / North Wales area with no real problems, the Loran navigation beacon on 1.9MHz was only a problem in the evenings and we never had very much mutual QRM as I recollect.

My first commercial rig was a Panda Cub transmitter which ran 25W a.m. and 50W c.w., with this rig I worked stations on a.m. 'phone' in the USA, Alaska, South America, Africa, Far East and Australia with nothing more complicated than a dipole antenna and of course my trusty 66ft long wire.

I remember that the bands were much quieter in those days of course there were not as many stations operating as there are these days although when 28MHz was open to the states it was something to be heard! I also used to operate 7MHz a.m. fairly regularly in those days too (the early 1960s) again without too much QRM.

I now use 100W s.s.b. and a full size G5RV but find it just as difficult to work DX as I did in those days: my point being that a.m. was not too bad! I enjoy PW every month and have just taken out a joint subscription with SWM as I also enjoy the listening. Keep up the good work PW team and Rob, I hope to work you on 3.5MHz one of these days! Regards.

Ted Davies G3LIZ
Birmingham

Editor's comment: Thanks for your memories Ted - 'Forty' was my favourite band in a.m. days. I'm on 3.5 (c.w.) and 7MHz (c.w. and s.s.b.) most evenings and look forward to working you too! Any more comments on the 'Not So Good Old Days' readers?

No Business Without The Internet?

Dear Sir

I see that **Roger Cooke G3LDI** in 'Data Scape' (PW June) thinks that in a few years there will be no business without Internet. As it happens I don't agree with him, but **if he is right** then I think that some of your advertisers might be rather short of business!

I need a new aerial to cover 50, 144MHz and 70cm. Normally I make my own aerials, but such an arrangement would need an awful lot of cut-and-try. So, with some shame, I decided to look at ready-to-go offerings. The obvious place to look was at the Web sites of Practical Wireless advertisers. The result is that I will wait until the next rally in my area - probably next year!

One company must be complimented on its site though: Waters and Stanton at <http://waters-and-stanton.co.uk> Navigation around the site is very easy. There's information on almost any product that you might want, and with current prices. Though, as it happens, they don't 'do' what I want.

The rest fall very far below. In several cases the site is no more than a cheap 'presence' to show that the company exists. Though in some cases there is a token attempt to provide skeleton product information for those determined enough to get to it.

One that I connected to faced me with a banner to say that they were shut for two weeks. I immediately moved on. But thinking about it since I have mixed feelings about this

one. Perhaps it was better to let me know - and thus avoid frustration when I tried to order. But I am not sure that the 'front page' was the best place to do it. They immediately lost me anyway.

One site might actually be very good. I never found out. That was because I hurriedly hit the 'back' button to kill the silly music that burst out of my speakers. Another site that immediately lost me greeted me with a repetitive 'CQ' in Morse code - here I operated the back 'button' again!

Most of your advertisers do not have a Web presence at all. Will that harm them? Based on the difficulty of getting anything useful from the ones that are there (W & S excepted) I doubt it. In fact, when I do buy my new aerial it will definitely not be from any of the companies that I tried to get information from.

Tony Jaques G3PTD
Manchester

Alinco DX-70 Special Offer - Thank You PW

Dear Sir

During 1998 I sent away for a couple of non-radio items and in both cases it was "Please allow 28 days for delivery" and in both cases, after about 40 days (and 40 nights) I had to ring up and ask what had happened to my order.

Noting that the Alinco DX-70TH special offer in the May PW could prove extremely popular, I posted off my application fairly promptly, at 11.30am on Sunday 11 April and then hoped for delivery within a fortnight or so.

To my complete astonishment, the rig arrived, beautifully packed, just 72 hours later on Wednesday 14 April!

Thank you PW Publishing for your amazingly prompt response. My thanks are also due to our Postal Service, the transport services and everyone involved!

My DX-70TH has not been heard on the air yet - it awaits construction of portable antennas with which I hope to experiment when on holiday. I am sure that the rig will give a good account of itself then!

Yours sincerely

John GORVQ
Suffolk

Editor's comment: Thank you too, John - the popularity of the offer meant that some readers had to wait longer than you but (to quote their comments) they said "it was an offer worth waiting for".

A Real Radio Shack

Dear Sir

How nice it was to see a real radio shack, that of **John Easterbrook's**, in the June issue (under the heading of 'Lisle Street Memories' on the 'Letters' section on page 9). I fondly recollect the days when radio magazines, including PW, often showed pictures of people's radio dens, illustrate the individual and sometimes novel ways in which commercial, modified surplus, but especially home brew gear was set-up.

In those days, individualism was the thing and gear had a character of its own, often shown surrounded by wires and accessories illustrating experimental interest of the owner

rather than show piece tidiness. There must be other real radio shacks remaining where the mysteries and convenience of modern appliances are kept at bay. Let's see more of them please!

On the subject of R-107 receivers, like John Easterbrook I too purchased an R107 in the government surplus paradise of the 50s and 60s and, after some 35 years languishing in the garden shed (or outdoor shack of youthful days) it too now has pride of place in my more comfortable indoor shack alongside a No. 19 Set, a TSC12, a Labgear LD300 and an Eddystone 888 receiver, plus other bits of kit, all making the floor boards groan under the weight!

I wonder how much modern gear could withstand the rigours of such protracted exposure to damp and temperature extremes of an unheated wooden garden shed and how much of it will still be functioning in anyway in 40 years time?

Yours sincerely
Howard Aspinall G3RXH
North Yorkshire

Editor's comment: Our sister publication *Short Wave Magazine* specialised in 'the other man's station' with shack photographs 30 or so years ago. We'd be pleased to continue the tradition.

Articles For Sale

Dear Sir

When people use your excellent magazine for advertising in articles for sale why don't they put their town and the appropriate code so as to help readers interested in the article advertised to know whether it's easy to go and check the receiver or whatever is advertised?

Only recently I noticed a receiver which cost a lot of money which I could be interested in. But after telephoning the number given and not knowing where it was, I gave up when I was informed that he was well up the north of the country and I most certainly couldn't travel up there from Surrey. So you see, it was another wasted telephone call.

I hope this doesn't offend people but can, I feel, only help - not only the prospective buyers - but also the seller. Take care and keep up the good magazine.

Jack GORWX
Dorking

Editor's comment: A good idea Jack. Adverts intended for 'Bargain Basement' can cause us problems too! We're forced to put double (??) marks when we cannot decipher the adverts or cannot understand what's written. Another problem arises when the potential advertiser 'invents' an unusual abbreviation! Please help us to help you - it can prevent a lot of frustration for everyone involved!



COMPILED BY JOANNA WILLIAMS

Headline News

Eddystone Saved At Last Minute...

Practical Wireless received news this month concerning the acquisition of **Eddystone Radio Ltd.** by **Megahertz Communications Ltd.** In a letter, which we received from the **Eddystone User Group**, we were told that the Megahertz group bought Eddystone Radio Ltd on the 14 May 1999, rescuing them from the threat of imminent closure at the last minute!

The press release from Megahertz Communications Ltd states that although Eddystone Radio Ltd will continue to be operated as a separate entity "... the addition to the Megahertz group of companies will enhance our position in the Broadcast market enabling us to offer a complete solution from acquisition to transmission", **Ashley Coles** (Megahertz Communications Group MD) says.

For further information on **Megahertz Communications Ltd** you can E-mail them at sales@megahertz.co.uk Also,

if you would like to know more about the **Eddystone User Group**, then you can contact **Graeme Wormald G3GGL**, 15 Sabrina Drive, Bewdley, Worcestershire DY12 2RJ.

West Wight's Weekend

You might remember a report in last week's *PW* on the 'Marconi fever' that seems to be sweeping the nation this year. Well, this is just a little reminder for you about a Special Event which will be taking place on **Saturday 10 and Sunday 11 July**. The **West Wight Radio Society** (with the help of many volunteers) will be re-enacting the world's first radio signals received by an Admiralty ship from "The world's first permanent wireless station" - the **Marconi Needles Wireless Telegraphy Station** (Est. 1897) at **Alum Bay, Isle of Wight, UK**.

Ben Clegg G7RER of the West Wight Radio Society told *PW* that their Guest of Honour on the day will be the Commander in Chief of the Fleet of the Royal Navy and that there will also be many other special guests on this

very special weekend for them, including people representing the Radiocommunications Agency (RA); Marconi Communications Ltd. and the RSGB.

Ben also goes on to tell *PW* that the West Wight Radio Society has applied to the RA via the RSGB for a unique special licence which includes the following aspects: The use of the Crown reserved callsign **GB100RN** to be allocated to them for mid-July; that p.e.p. allowances be increased where applicable from 26dBW to 33dBW; that they be allowed again the "Variation of Licence" to permit the transmission and reception on the Amateur Band radio spectrum allocations, all mode communications from Alum Bay to ships and shore stations of the Navies of countries other than Great Britain, which would include France, Holland, Germany, Italy and Sweden and finally, that 40 Cadets from all three armed forces be permitted to pass traffic whilst under supervision - all Cadets passing traffic hold Cadet Radio Users certificates and Classified Signallers certificates.

So, please go along to Alum Bay on the Isle of Wight and support the West Wight Radio Society. For further details on this Special Event, please contact **R B Clegg G7RER**, **Operations Director of the West Wight Radio Society**, **Monks Lane, Freshwater, Isle of Wight PO40 9ST**. Or you can E-mail him on: castle@dial.pipex.com To receive the automatic E-mail updates please request at station E-mail: gb2gmm@dial.pipex.com

Bugcatching at W&S?

Peter Waters G3OJV of Waters & Stanton PLC (W&S) has been in contact with *Practical Wireless* to tell us all about the **WBP-1** - a ground mount system which "can turn any h.f. whip into a base station vertical".

Peter says that the **WBP-1** comprises of a standard 3/8in threaded socket mounted on a thick alloy plate with 152mm spokes which can be pressed down into soft ground. The tops of the spikes are fitted with nuts and washers to provide a means of attaching optional wire radials. A 5m length of coaxial cable is included which can be



extended as required.

Waters & Stanton state that either single-band or multi-band whips can be used and that tests have proved this to be a very easy and cost-effective way of radiating a signal from a small garden or when out portable (/P).

Waters & Stanton also tell *PW* that they have been appointed distributors for the **American Texas Bugcatcher mobile antenna** - watch out for the review coming up in *PW* soon -

which, they tell us, covers eight bands from 3.5-28MHz and can handle up to 1.5kW input. The antenna has a 3 inch diameter open coil with adjustable taps for each band. The antenna has a total of length of 229cm and features a "quick disconnect top whip with



Reader's Request

The *PW* news desk received a request from a reader who needs a circuit diagram and manual for the **Meccano crystal set RS1 or RS2** and/or any help with old red/green parts to make one. All replies answered! **31 Eastwick Park Avenue, Bookham, Surrey KT23 3LZ. Tel: (01372) 454381, anytime.**

Scarborough's Special Day

The **Scarborough Special Events Group** will be on the air as **GB6SW** on **Saturday 17 July 1999** to commemorate the 60th Anniversary of **RAF Staxton Wold Radar Base** which is located on the east coast of Yorkshire not far from Scarborough itself.

Roy Clayton G4SSH, Chairman of the group, tells *PW* that **RAF Staxton** was one of the first sites to be fitted with radar at the beginning of the Second World War in 1939 and is the world's oldest operational radar station. It's the only remaining station of the 'Chain Home' radar sites still in use today, **RAF Staxton** will be the site of a fly-past by the **Battle of Britain Memorial Flight** during a families day and a **QSL** card will be issued for the occasion.

The main s.s.b. station will be operational around 3.725 or 7.055MHz as well as 144MHz and c.w.



an adjustable twin-vane capacity hat", W&S say. The antenna costs £129.95 and the order code for it is BG-1500. For further information on these or other W&S products please contact them on (01702) 206835/204965. FAX: (01702) 205843. Spa House, 22 Main Rd, Hockley, Essex SS5 4QS. E-mail: info@wspc.demon.co.uk Alternatively, you can visit their Web site: <http://www.waters-and-stanton.co.uk>



Peter Waters also wrote to tell us about their successful Open Day which took place on 30 May 1999. He tells PW that a queue had formed well before opening time at 10am (see top of column) and the total recorded attendance topped 400. Icom, Yaesu and Kenwood had their own stands and all donated products for the free raffle, Mark Francis conducted his notorious auction and everyone agreed that it was an enjoyable event!

RAE Report

The News desk here at *Practical Wireless* received an E-mail from the Chief Examiner at the City & Guilds, David Pratt G4DMP, who tells us that the Examiner's Report for the May 1999 City & Guilds Radio Amateurs Examination is now available for

candidates, tutors and others interested on the Internet at: <http://www.kippax.demon.co.uk/c-and-g/index.htm>

David tells us that the report gives the overall performance of candidates in each section of the

examination syllabus and details of the number of candidates who entered and were successful. So, if you would like to see the report then why not take a look at the Web site?

Additional Catalogues

If you missed out on your copy of the MFJ Catalogue which came free with the June issue of *Practical Wireless*, then you can get hold of a copy (with vouchers valid until the 31 August 1999), free of charge, if you telephone Waters & Stanton on (01702) 206835.

Everything Must Go!

Terry Edwards G3STS of Megasys Ltd (formerly known as Radio Shack Ltd until 1995) contacted the *Practical Wireless* news desk to tell us that he was retiring after 35 years of importing radio equipment and that, as the shop has already been sold and must be vacated, he will be holding a big 'Closing Down Sale'.

All of his stock will be sold at clearance prices and items on sale will include PRO-2042

scanners @ £110, PRO-2032 @ £80, DX-394 @ £75, Drake RP-700 receiver protectors @ £35 (was £89.95), C and 7 line manuals, parts, crystals and accessories, Icom radios, Hi-gain antennas, Hustler antennas, masts, resonators, J-beam antennas and much, much more - Terry tells PW that it would be wise to bring a roof-rack!

The sale starts on **Saturday 17 July at Megasys Ltd, 188 Broadhurst Gardens, West Hampstead, London NW6 3AY. Tel: 0171-624 7174.**

The sale will last for as long as the goods last, callers only for large items or antennas, cash or credit cards (minimum £50, if we must) only - no cheques! You will find Megasys Ltd just around the corner to the left from West Hampstead tube on the Jubilee Line.

Palstar's Star Products

Mike Devereux at Nevada has been in touch with PW to tell us all about two new products from their Palstar range. The Palstar AT300LCN antenna tuner is the latest addition to their antenna tuner range and Nevada tells PW that it uses a toroidal inductor with a silver plated tapping switch which, they say, "... provides fast and accurate matching for all popular antennas".

The AT300LCN has a dual needle meter which gives simultaneous s.w.r. and

Average, or Peak, power readings. It also has a built-in 4:1 balun and dummy load and will sell for £139.95, Nevada say.

Also new from Palstar are their voltage droppers. Nevada tells PW that Palstar have released three new 24V to 12V voltage droppers in the Palstar power supply range. These units have a wide variety of applications in vehicles and maritime vessels,



Nevada say, providing a 24V power source. Fully regulated and protected, these new voltage droppers are suitable for powering all types of communications and navigation equipment requiring 12V d.c.

The voltage dropper units are priced as follows: PDC10 10A is £19.95; the PDC25 25A is £42 and the PDC45 45A costs £59.95. Both the voltage droppers and the AT300LCN antenna tuner are available from Nevada, 189 London Rd, North End, Portsmouth PO2 9AE. Tel: (01705) 662145. FAX: (01705) 690626.



Young & Talented?

Are you a young and talented Radio Amateur? Do you want to win cash and Industry prizes? Well, you need look no further ... the race is on to find the **Young Amateur of the Year**. Jointly sponsored by the Radiocommunications Agency and the RSGB, Young Amateur of the Year is an annual event giving the younger members of Amateur Radio the chance to win exciting prizes for both the winner and the runner up.

Both the winner and the runner up will be invited to visit the Agency's Monitoring station in Baldock, Herts and will also receive other prizes from the RA, RSGB and from industry.

So, if you're under the age of 18, keen on Amateur Radio and are helping to get other people interested in the hobby, then please, please, please send for an application form **NOW** from Marcia Brimson 2E1DAY, RSGB, Lambda House, Cranborne Rd, Potters Bar, Herts EN6 3JE. Or you can Tel: (01707) 659015 and E-mail: sales@rs.gb.org.uk

You must hurry though, as the closing date for applications is the end of July! (*Applicants must be: under the age of 18 on 31 July 1999; resident in the UK, Channel Islands or the Isle of Man; must be nominated by an adult sponsor; must have shown talent in any of the following areas - DIY radio construction, operation of radio, community service [eg. helping in emergency comms or helping disabled people], encouraging other radio amateurs into the hobby [eg. through the Novice licence scheme], school or club projects.*)



COMPILED BY JOANNA WILLIAMS

Mobile ML&S

Martin Lynch & Sons (ML&S) have announced that, after almost ten years of selling Amateur Radio equipment in the UK, they will be "venturing" into an additional market - scooters!

Some of you might already be aware of Martin Lynch's interest in motorcycles and "ML&S BikeSmart" will be a new company selling scooters from the London showroom and Martin says he has space for fifty scooters and has dealerships from Suzuki, Aprilia and Peugeot. "Initially", Martin says, "both Amateur Radio and Scooters will be sold from the same location until the new showroom (literally across the road) is ready ... I warmly welcome my 'Ham' customers to join in the opening celebrations of ML&S BikeSmart on the weekend of 3 and 4 July".

ML&S BikeSmart can be contacted on 0208-566 0000. Amateur Radio sales on 0208-566 1120.

Landmark Invention

Sinclair Research sent *PW* a press release telling us all about another landmark invention - **Sir Clive Sinclair** has launched the world's smallest a.m. radio - the **Sinclair Z1 Micro AM Radio**.

Constructed in a robust ABS plastic, this new a.m. radio is the size of an acorn and fits discreetly in the ear while delivering full performance across the medium wave band station (530-1600kHz) and it only costs **£9.95 including P&P and VAT**.

Sinclair Research tell us that the Sinclair Z1 Micro a.m. radio is the result of two year's

research and development and incorporates a unique Sinclair Research circuit which is ultra light-weight at just 14g (half an ounce).

The receiver comes supplied with a choice of antenna - integrated, rod or wire - and is powered by a tiny SR44 silver zinc button cell which are widely available on the high street and lasts approximately 40 hours. The Sinclair Z1 comes complete with a special key ring carry-case.

Sir Clive Sinclair says "Developed primarily with news and sports listeners in mind, its radical design means that you can walk, run, watch sport - even dance - without fear of it getting in the way".

The Sinclair Z1 micro a.m. radio is available direct by mail order only from Sinclair Research. Tel: (01933) 279300.

Lighthouse Weekend

Mike Dalrymple GM4SUC has E-mailed *PW* telling us all about the **International Lighthouse/Lightship Weekend** which will be taking place from **0001UTC on Saturday 21 August until 2359UTC on Sunday 23 August 1999**.

Mike says that, so far, 126 stations in 41 countries have confirmed their participation in this year's event and that Radio Amateurs of the world are invited to join in the fun by establishing a station at a lighthouse, lightship or



Wireless Works Web

Rob Rusbridge from The Wireless Works - a well-known vintage radio shop in the middle of Cornwall - has been in contact with *PW* to tell us that they have just set-up their very own Web site. It's an on-line catalogue and information source, Rob tells us, and is growing all the time.

If you're interested in taking a look then you can find their Web site at:

<http://www.wirelessworks.freemove.co.uk> and is available now. The photo was taken from their Web site and shows how the old place looked in the 1930s when it was a Co-Op store.

The Wireless Works



maritime light.

An updated list of participating stations and countries can be found at **<http://www.waterw.com/~weidner/ld.htm>** If you're going to join in the fun of the weekend and are not on the list could you please advise Mike of the callsign you will use, QTH and QSL information.

If you would like more information on the weekend or would like to register your station in the event then you can contact **Mike Dalrymple GM4SUC** at **11 Shawfield Ave, Ayr KA7 4RE**, or you can E-mail him at: **GM4SUC@compuserve.com** Don't forget though, you can always visit the Web site for more information at: **<http://www.waterw.com/~weidner/ld.htm>**

The **Scarborough Special Events Group** will be taking part in the International Lighthouse/Lightship Weekend and will be active as **GB0SCA** from Scarborough Lighthouse on both s.s.b. and

c.w. and a full colour QSL card will be sent to all who make contact. The photo shows the operating position inside the lighthouse last year, with **Peter G3JBR** at the microphone.

Tipperary Tribute

Rob Mannion G3XFD/EI5IW, Editor of *PW*, was - uncharacteristically - temporarily lost for words when the **Tipperary Amateur Radio Group (TARG)** paid tribute to his efforts to continue the excellent relations existing Radio Amateurs in our group of Islands.

Pictured standing alongside his great friend **Hugh O'Donnell EI2HI**, Chairman of



TARG (who had travelled from Bandon in Cork to attend the meeting), Rob was overcome with emotion when he accepted a mounted 'Certificate Of Appreciation' from Hugh at the first meeting Rob's been able to attend since being made an Honorary Member in November 1998. The certificate was countersigned by another special friend - **Liam O'Brien EI7FE** and was given to Rob in the presence of TARG members, friends and visitors from other clubs.

The presentation took place during Rob's holiday in EI/GI during late April and he says that: "I was totally overcome and felt truly honoured at the occasion and thoroughly enjoyed it". Continuing, Rob said with great feeling, "The wonderful friendship between Radio Amateurs in our Islands continues and grows ... and I hope and pray that the links between our separate nations will also grow into the friendship that we have already shown exists naturally. I'm very proud to have the honour to serve our hobby through PW and its wonderful 'family' of readers here and around the World".

Emergency Communications -AREN In Action

The Irish Amateur Radio community's emergency communications service - the Amateur Radio Emergency Network (AREN) stepped into action to provide communications cover on Sunday 11th of April for the annual Galtee Mountain Walking Festival in County Tipperary.

Liam O'Brien EI7FE writes: "The Tipperary AREN provided communication for the event, 125 walkers took part. A v.h.f. base station was set up - using a 'Slim Jim' antenna and with 10W fully reliable communication was maintained with all 'units' which included a mobile station.

"Fortunately there were no accidents but many messages were passed and in some cases brought relief from worry and physical stress when unanticipated circumstances arose during the event. Grateful appreciation was expressed by both walkers and the event organisers for the efficient way the communications were provided by and carried out by AREN".

Liam also reports that the mountain walking event provides an "ideal platform" to promote Amateur Radio and several walkers expressed an interest in finding out more about our hobby. Other Radio Amateurs working with EI7FE in the exercise included: **Hazel EI9ELB, Paul; EI3ENB, Seamus EI8EPB, John EI6FRB, Dave EI6FQB, Joe EI5GE, Ron EI6GO, Hugh EI2HI and Tommy EI2IT.**

Anyone interested in the AREN service in general, and particularly in County Tipperary, can contact **Liam EI7FE (QTHR)** or (Irish dialling code) on **052-22493**.



On duty for AREN: (Left to right, kneeling), John Burke EI6FRB, Dave Cody EI6FQB, Tommy Hallinan EI2IT. Standing (left to right) Hazel EI9ELB, Seamus EI8EPB, Ron EI6GO, (Rear centre) Hugh EI2HI, (centre) Liam EI7FE and Joe EI5GE.

and Drums and all the old favourites will be there including the RAF Dog Display Team and the last ever run of the Royal Navy's Field Gun Competition. For tickets please contact the **Box Office on 0171-244 0244**.

Malcolm Wood wrote mainly to tell PW of the Air Cadets part in this year's Tournament, who will have a radio station again this year and will be on air using the well known Amateur Radio Special Event call signs **GB4ATC and G8RT**. They will be mainly operating on h.f. and **Icom** have kindly agreed to loan them some equipment and Air Cadet Instructors, who are licensed amateurs will be operating assisted, at times, by Cadet Novice Licence holders.

Cadets will also be operating a station on Air Cadet frequencies and will be in contact with Air Cadet Units in the UK and Cyprus and there are also plans to make contact with Military aircraft using Air Cadet frequencies - using h.f. for the long range contacts and v.h.f. low band for local work. A PC will be used with software

which will plot Aircraft movements to give any visitors a feel for Aircraft communications. For further information about the Cadet's involvement in the Royal Tournament, please contact Malcolm Wood G7VRT on **0171-438 6053**.

Cambridge Goes Electronic

Maplin Electronics wrote to tell PW all about the opening of their new store in Cambridge which took place on Saturday 22 May. The store in St. Andrews Street is their 50th store in the UK

and has all the latest facilities and services available from Maplin.

The Essex based company tell PW that customers are invited to take advantage of the "state of the art computer centre" and that their enthusiastic and highly trained staff look forward to providing a quality service to the shoppers of Cambridge.

So, if you live in the vicinity of **46-48 St. Andrews Street, Cambridge CB2 3BH** then why not pop along and take a look at what Maplins Electronics have on offer. The store's telephone number is **(01223) 369758**.



This certificate is awarded to

Dr. R. B. Mannion, G3XFD & EI5IW
Editor of Practical Wireless Magazine

In recognition of his contribution to the continuance of the excellent relations which exist between Radio Amateurs in these islands.

Tipperary Amateur Radio Group.

Signature: *Hugh O'Donnell EI2HI* Date: 29th April 1999
Signature: *Seamus O'Brien EI7FE* Date: 29th April 1999

"The Last Run"

Flt Lt Malcolm R O Wood G7VRT, Air Cadet Radio v.h.f. Advisor, E-mailed PW to tell us all about the **1999 Royal Tournament**. This year will be a "Finale" celebrating 120 years of our Armed Forces and their Charities at Earls Court.

This year will see the largest massed bands for many years, the Commonwealth will combine with the Army to create a huge display of Massed Pipes

SPECIAL PRIZE COMPETITION! WIN!

A HIGHLANDER MULTI-FREQUENCY
HF MOBILE ANTENNA **WORTH
£175**



In the May 1999 issue of *Practical Wireless* we featured a review of the Highlander multi-frequency h.f. mobile antenna. The reviewer, Richard Newton G0RSN had some very positive things to say about the Highlander and he said that he was very impressed with its aesthetics, design and performance! Since that review, Paul Beevers G1GCV/VK6UTE Hill Farm Granary, Lower Somersham, Ipswich, Suffolk, Tel: (01473) 658999, FAX: (01743) 658090 (who loaned us the Highlander for review) has very kindly donated that very antenna as a prize to one lucky reader!

All you have to do to win this Highlander multi-frequency h.f. mobile antenna is to dig out that May copy of *PW* (back copies of the May 1999 issue are available from the *PW* Post Sales Dept. for a special price of £2 per copy, to order call (01202) 659930) turn to pages 32 and 33 and re-read Richard's review and answer the questions on this page.

"Simple" you might think ...
well then, what are you waiting for?

Questions

1. Paul Beevers G1GCV/VK6UTE kindly gave us the Highlander antenna used in the review and offered it as a competition prize, but what's the name of his company?
2. The Highlander Antenna covers which bands?
3. What is the Highlander's 'Wander Lead' used for?
4. One man builds the antennas by hand - what is his name?
5. A magnetic mount is the best way to mount the Highlander Antenna - True or False?
6. The Highlander Antenna is made in Suffolk - True or False?

Answers:

Q1:.....

Q2:.....

Q3:.....

Q4:.....

Q5:.....

Q6:.....

Name.....

Callsign.....

Address.....

.....

.....

Postcode.....

Send your completed entry to Highlander Antenna Competition, *Practical Wireless*, PW Publishing Ltd, Arrowsmith Court, Broadstone, Dorset BH18 8PW. The Editor's decision on the winner is final and no correspondence will be entered into. Please do not include other correspondence in with your entry (photocopies of this form are acceptable). Entries to reach us by **Friday 27 August 1999**.



ANTENNA RANGE from MOONRAKER

HB9CV 2 Element Beam 3.5 dBd

70cms (Boom 12").....£15.95
 2 metre (Boom 20").....£19.95
 4 metre (Boom 23").....£27.95
 6 metre (Boom 33").....£34.95
 10 metre (Boom 52").....£64.95

Halo Loops

2 metre (size 12" approx) £12.95
 4 metre (size 20" approx) £18.95
 6 metre (size 30" approx) £24.95

1/2 Wave Vertical Fibre Glass (GRP) Base Antenna 3.5 dBd (without ground planes)

70 cms (Length 26").....£19.95
 2 metre (Length 52").....£22.95
 4 metre (Length 92").....£34.95
 6 metre (Length 126").....£44.95

G5RV Wire Antenna (10-40/80 metre)

All fittings Stainless Steel

	FULL	HALF
Standard	£22.95	£19.95
Hard Drawn	£24.95	£21.95
Flex Weave	£32.95	£27.95
PVC Coated Flex Weave	£37.95	£32.95

BEST QUALITY Antenna Wire

The Following Supplied in 50 metre lengths

Enamelled 16 gauge copper wire.....£9.95
 Hard Drawn 16 gauge copper wire.....£12.95
 Multi Stranded Equipment wire.....£9.95
 Flex Weave.....£27.95
 Clear PVC Coated Flex Weave.....£37.95

Mounting Hardware ALL GALVANISED

6" Stand Off Bracket (complete with U Bolts).....£6.00
 12" T & K Bracket (complete with U Bolts).....£10.95
 18" T & K Bracket (complete with U Bolts).....£14.95
 24" T & K Bracket (complete with U Bolts).....£16.95
 1 1/4" x 5' Heavy Duty Aluminium Swaged Poles (set of 4).....£19.95
 1 1/2" x 5' Heavy Duty Aluminium Swaged Poles (set of 4).....£29.95

Vertical Fibre Glass (GRP) Base Antennas

SQ & BM Range VX 6 Co-linear: Specially Designed Tubular Vertical Coils individually tuned to within 0.05pf (maximum power 100watts)

BM100 Dual-Bander.....£29.95
 (2 mts 3dBd) (70cms 6dBd) (Length 39")
 SQBM100* Dual-Bander.....£39.95
 (2 mts 3dBd) (70cms 6dBd) (Length 39")
 SM200 Dual-Bander.....£29.95
 (2 mts 3.5dBd) (70cms 6.2dBd) (Length 62")
 BM200 Dual-Bander.....£39.95
 (2 mts 4.5dBd) (70cms 7.5dBd) (Length 62")
 SQBM200* Dual-Bander.....£49.95
 (2 mts 4.5dBd) (70cms 7.5dBd) (Length 62")
 BM500 Dual - Bander Super Gainer.....£49.95
 (2 mts 6.8dBd) (70cms 9.2dBd) (Length 100")
 SQBM500 Dual - Bander Super Gainer.....£59.95
 (2 mts 6.8dBd) (70cms 9.2dBd) (Length 100")
 SM1000 Tri-Bander.....£49.95
 (2 mts 5.2dBd) (6 mts 2.6dBd) (70cms 7dBd) (Length 62")
 BM1000 Tri-Bander.....£59.95
 (2 mts 6.2dBd) (6 mts 3.0dBd) (70cms 8.4dBd) (Length 100")
 SQBM1000* Tri-Bander.....£69.95
 (2 mts 6.2dBd) (6 mts 3.0dBd) (70cms 8.4dBd) (Length 100")

*SQBM1000/200/100/500 are Stainless Steel, Chromed and Poly Coated Full 2 year Warranty on these Antennas.

Yagi Beams All Fittings Stainless Steel

2 metre 4 Element (Boom 48") (Gain 7dBd).....£19.95
 2 metre 5 Element (Boom 63") (Gain 10dBd).....£34.95
 2 metre 8 Element (Boom 125") (Gain 12dBd).....£44.95
 2 metre 11 Element (Boom 156") (Gain 13dBd).....£65.95
 4 metre 3 Element (Boom 45") (Gain 8dBd).....£39.95
 4 metre 5 Element (Boom 128") (Gain 10dBd).....£54.95
 6 metre 3 Element (Boom 72") (Gain 7.5dBd).....£49.95
 6 metre 5 Element (Boom 142") (Gain 9.5dBd).....£69.95
 70 cms 13 Element (Boom 76") (Gain 12.5dBd).....£54.95

Crossed Yagi Beams All Fittings Stainless Steel

2 metre 5 Element (Boom 64") (Gain 7.5dBd).....£64.95
 2 metre 8 Element (Boom 126") (Gain 11.5dBd).....£84.95
 70 cms 13 Element (Boom 83") (Gain 1.5dBd).....£54.95

ZL Special Yagi Beams All Fittings Stainless Steel

2 metre 5 Element (Boom 38") (Gain 9.5dBd).....£31.95
 2 metre 7 Element (Boom 60") (Gain 12dBd).....£39.95
 2 metre 12 Element (Boom 126") (Gain 14dBd).....£65.95
 70 cms 7 Element (Boom 28") (Gain 11.5dBd).....£24.95
 70 cms 12 Element (Boom 48") (Gain 14dBd).....£39.95

Mobile HF Whips (with 3/8 base fitting)

AMPRO 160 mt.....£49.95 (Length 7' approx)
 AMPRO 80 mt.....£18.95 (Length 7' approx)
 AMPRO 10/12/15/17/20/30/40 mt.....£15.95 (Length 7' approx)
 AMPRO 6 mt.....£15.95 (Length 4.6' approx)



MAG MOUNTS

TURBO MAG MOUNT (7") 3/8 or S0239.....£14.95
 TRI-MAG MOUNT (3x5") 3/8 or S0239.....£39.95

COAX

RG58 BEST QUALITY STANDARD per mt.....35p
 RG58 BEST QUALITY MILITARY SPEC per mt.....60p
 BEST QUALITY MILITARY SPEC MINI 8 per mt.....85p
 RG213 BEST QUALITY MILITARY SPEC per mt.....£1.10

All Prices Plus £6.00 P&P. per order.

MOONRAKER (UK) LTD. UNIT 12, CRANFIELD ROAD UNITS, CRANFIELD ROAD, WOBURN SANDS, BUCKS MK17 8UR. TEL: (01908) 281705. FAX: (01908) 281706.

C.M.HOWES COMMUNICATIONS

www.howes-comms.demon.co.uk

Mail Order to: Eydon, Daventry, Northants. NN11 3PT
 ☎ 01327 260178

Build Your Station in Easy Stages!

DC2000 SSB & CW Receiver Kit

Great for the beginner as well as the experienced QRP. Plug-in band system. DC2000 Kit: £22.90 (one band module included). Extra band module kits: £7.90 each, from 160 to 10M. HA22R hardware (pictured top left): £18.90.

TX2000 QRP Transmitter Kit

5W CW RF output (adjustable) on 160 to 20M bands, about 1W on 10M. Plug-in band filter. Very clean signal. Use with Rx and linking module for transceive. TX2000 Kit: £24.90 (with one band filter). Extra band filter kits: £6.90 each. HA23R hardware pack (pictured lower left): £16.90.

LM2000 Linking Module

Fits in receiver to link to transmitter. Side-tone, muting, IRT, CW filter. Kit: £16.30

Total to build this QRP Station: £99.90 (plus postage)



Multiband SSB Receiver

DXR20. Covers SSB and CW on 20, 40 & 80M bands as standard. Optional extra plug-in band modules available. Can link to TX2000 or AT160 for transceive (by adding LM2000 linking module). Versatile and popular, with great performance! DXR20 Kit: £39.90. DCS2 "S meter" Kit: £10.90. HA20R hardware pack: £28.90



An easy-to-build low power (QRP) station

Enjoy the fun of home built equipment with HOWES KITS!



Audio Filter - £29.80!

Clean up your reception!

- Reduce noise and interference! • Sharp SSB / Speech filter with faster roll-off than IF crystal filters! • 300Hz bandwidth CW filter • Printed and punched front panel • All aluminium case • Simply connects between radio and external loudspeaker or headphones • Suits receivers & transceivers • ASL5 Kit plus HASOR hardware: £29.80

ACCESSORY KITS

AA2	Active Antenna. 150kHz to 30MHz	£8.90	DFD5	Digital Frequency Counter/Readout	£54.90
AA4	25 to 1300MHz Active Antenna	£19.90	MA4	Microphone preamp (suits AT160)	£6.20
AB118	118 to 137MHz Active Antenna	£18.80	SPA4	Scanner Preamp. 4 to 1300MHz	£15.90
AT160	80 & 160M AM/DSB/CW Transmitter	£39.90	ST2	Morse Side-tone/Practice Oscillator	£9.80
CSL4	Internal SSB & CW Filter for our RXs	£10.50	SWB30	SWR/Power Indicator, 30W 1-200MHz	£13.90
DCS2	"S Meter" for direct conversion RXs	£10.90	XM1	Crystal Calibrator, 8 intervals + ident	£16.90
CBA2	Counter Buffer (fit to Rx to feed DFD5)	£5.90			

(optional hardware packs are available to suit many of the above kits, please enquire)



Top Value Receiving ATUs

CTU8: covers 500kHz to 30MHz. Efficient, flexible "T match" circuit. S0239 sockets. Improve your antenna performance!

Factory Built: £49.90. Kit (including case and all hardware): £29.90.

CTU9: as CTU8 plus balun, bypass switch and terminal posts. The fully featured Rx ATU! Factory Built: £69.90. CTU9 Kit (including case and all hardware): £39.90.

Please add £4.00 P&P, or £1.50 P&P for electronics kits without hardware.

HOWES KITS contain good quality printed circuit boards with screen printed parts locations, full, clear instructions and all board mounted components. Sales, constructional and technical advice are available by phone during office hours. Please send an SAE for our free catalogue and specific product data sheets, or you can browse this information on our Internet Website (URL at top). UK delivery is normally within seven days.

73 from Dave G4KQH, Technical Manager.

Part 2 Of Our Latest VHF Project

The PW Panther 144MHz FM Transceiver

Mike Rowe
G8JVE
continues the
description of
his versatile
144MHz
transceiver
design which
you can adapt to
your own
requirements,
ranging from a
'mobile' rig to a
hand-held
portable
transceiver.

Firstly, I'm sorry to say that, due to the printing process, there was an unfortunate 'blob' of ink that obscured part of the circuit shown in Fig. 1.1, in the first part of the PW Panther. A correction is produced here in Fig. 2.1, please amend the original circuit drawing to show the placing and value of capacitor C43.

Now it's time to continue. Other parts of the PW Panther are shown in the schematics of Fig. 2.2 (the receiver section), Fig. 2.3 (the microphone preamplifier and modulator), Fig. 2.4 (the toneburst circuit) and Fig. 2.5 (the transmit buffer amplifier and r.f. power amplifier stage).

Note: Copies of Mike Rowe's original drawings are available to allow you to make your own p.c.b. (see end of text for more detail). There's also a note providing important information on the synthesiser i.c. Editor.

Starting Point

I would recommend the constructional starting point begin with fitting the regulators and building the voltage controlled oscillator (v.c.o.), buffer amplifier and components around IC3.

When completed, make up a temporary header with 2x10k Ω resistors connected between pins 6 & 7 and 6 & 4 of IC7.

Check for any short circuits and apply 12V to the input pin and to the TX supply pin near L6. Connect a frequency counter to the output of L6b and adjust for approximately 145MHz,

but don't worry if the frequency drifts at the moment.

Next, connect a diode probe to the junction of R47/C65 and peak L6 for maximum output. Then remove the TX connection and refit to the RX input, reconnect the counter to L7b, adjust C56 for approximately 134MHz and peak L7.

(As the two operations are slightly interactive repeat this a few times until you are satisfied with the v.c.o. coverage). Switch off the power and remove all

connections including the temporary header in place of IC7.


Synthesiser Components

Now fit all the synthesiser components taking great care over the orientation of all the i.c.s and polarised capacitors. Mistakes at this point could prove very costly!

At this point there's no need to connect the channel switch because the synthesiser is programmed to 145MHz for transmit and 145.6MHz for receive.

Check the frequency of the reference oscillator on pin 29 of IC4. This must be 6.4MHz, adjust with C41. (If necessary alter the value of C40 to achieve this).

The synthesiser should now lock up. The v.c.o. 'steering voltage' measured on pin 6 should be about 4V.




An overview of the main synthesised phase lock loop and 'pre-PA' driver p.c.b. from the component side. This is the 'main' board and other photographs show more detail of component placing.

What To Build Next?

It's now a matter of choice what to build next, if you select the modulator, you will be able to monitor the output on another receiver, setting the microphone gain with R49 and the deviation with R54.

The transmit driver is straightforward, when fitting Tr10, push the device down onto the p.c.b. and solder the can to the groundplane. (This not only

Fig. 2.1: Details of the area (part of Fig. 1.1) which suffered a printing problem in many copies of Part 1 of the PW Panther.







Fig 2.2: The circuit for the receive side of the PW Panther is simple, yet effective. The first i.o. signal is fed into Tr2 via C10.



The Receiver p.c.b. (from the component side) showing the main component positions.


provides some heatsinking but also gives a low impedance earth path).

Next, connect a power meter across the output terminal and peak L8 and L10/C89/90 for maximum output. This should be about 1.5W. The output from this stage may be taken from across C91 if only low power is needed. (The capacitors C92/93 form the input matching for the p.a. stage).

If all is well with the synthesiser board this can now be put to one side. And you're ready to progress onwards!

Receive Board

I would now suggest that you proceed with building the receive board. And if you're following my lay-out (see end of text advice) first of all you should fit



The underside of the receiver p.c.b. with the main locations outlined. Only Tr1 is mounted on this side of the board

the links where shown on the layout, followed by the rest of the components.

The integrated circuit, IC2, has many of its pins soldered to the ground plane, as have many of the components. These connections provide ground connections to tracks on the underside of the board.

When all the parts have been fitted, connect a miniature coaxial link between L7b output terminal on the synthesiser board to the input pin on the receiver board. At this point you should also make temporary connections for the volume, squelch and loudspeaker.

Next, you should make a temporary connection to the antenna pin of the changeover relay and feed in a signal of 145MHz. This may have to be a fairly high level to start with, but tuning coils L1, L2, L3 and T1 should result in a performance of about 0.2µV for 12dB SINAD. Tune T2 for minimum distortion.

Continued on page 20...

We don't *just* sell new equipment

Southampton

01703 246222

Geoff or Derick

HF Transceivers used but not abused

FT1000	Yaesu Transceiver (in Service)	Good	£ 1,750.00
FT990	Transceiver	Good	£ 999.00
FT990	Yaesu Transceiver	As New	£ 999.00
FT767GX	Yaesu Transceiver	As New	£ 499.00
FT767GX	Yaesu Transceiver/144/50	Good	£ 550.00
HT115	Tokyo Transceiver 15 mtrs Mobile	Good	£ 255.00
HT180	Tokyo Transceiver 80 mtrs Mobile	Good	£ 199.00
HT180	Tokyo Transceiver 80 mtrs Mobile	Good	£ 199.00
HT180	Tokyo Transceiver 80 mtrs Mobile	Good	£ 199.00
HT180	Tokyo Transceiver 80 mtrs Mobile	Good	£ 199.00
HT180	Tokyo Transceiver 80 mtrs Mobile	New	£ 249.00
IC707	Icom HF Transceiver	Good	£ 349.00
IC725	Icom HF Mobile Transceiver	Good	£ 440.00
IC725	Icom HF Mobile Transceiver	Good	£ 440.00
IC735	Icom HF Mobile Transceiver	Good	£ 399.00
IC740	Icom Transceiver	Good	£ 395.00
IC745	Icom HF Transceiver	Good	£ 395.00
IC765	Icom HF Transceiver	Good	£ 999.00
TS140S	Kenwood HF Transceiver	Good	£ 225.00
TS430S	Kenwood HF Transceiver	Good	£ 399.00
TS450S	Kenwood HF Transceiver	Good	£ 499.00
TS450S	Kenwood HF Transceiver	Good	£ 499.00
TS450S	Kenwood HF Transceiver	Good	£ 499.00
TS520	Kenwood HF Transceiver	Good	£ 250.00
TS820	Kenwood HF Transceiver	Good	£ 250.00
IC737A	Icom HF Transceiver	Good	£ 650.00
TS830S	Kenwood Transceiver	Good	£ 399.00
TS930S	Kenwood HF Transceiver	Good	£ 699.00
TS940S	Kenwood HF Transceiver	Good	£ 899.00

**3 Months
Warranty
on all
our used
Equipment**



Miscellaneous

256X256x6	Digital Storage Module	£ 20.00
MFJ948	MFJ Tuner ATU	£ 80.00
PRO-43	Scanner Receiver	£ 59.00
APM-IV	SWR Power Meter	£ 25.00
AR303	Mast rotor	£ 20.00
FAX 1	ICS FAX 1 Weather Fax System	£ 50.00
FC-965DX	Frequency Converter	£ 25.00
Freq Counter	Optoelectronics 1M hz - 2.4 Ghz	£ 25.00
FC420	Antenna Tuner	£ 150.00
FC420	Yaesu ATU	£ 99.00
FTV901	Yaesu Tvtr	£ 65.00
FTV107R	Yaesu Transverter 2m	£ 99.00
HP100S	Tokyo DC Power Supply	£ 40.00
ICF7600	Sony Receiver	£ 75.00
LP50	Amplifier 10.50	£ 50.00
MM2001	M Module Ritty to TV Convert	£ 40.00
MM4001	Microwave Module	£ 40.00
NC 15	Yaesu Charger	£ 15.00
NC 15	Yaesu Charger	£ 15.00
NC 15	Yaesu Charger	£ 15.00
NC42	Yaesu Quick Charger	£ 15.00
PA1	Yaesu Power Supply	£ 10.00
PC1	Datong	£ 35.00
PC1	Datong	£ 35.00
PH2s	Polarphaser Antenna Control	£ 35.00
PK 232	TNC (EMPTY BOX)	£ 25.00
PK900	TNC upgrade	£ 10.00
PS33	Kenwood Power Supply	£ 99.00
PS52	Kenwood Power Supply	£ 99.00
SDF600F	DC Converter 24v to 12 v	£ 50.00
PS55	Power Supply	£ 99.00
RPM -1	SWR Power Meter	£ 25.00
SM220	Kenwood Monitor Scope	£ 195.00
VT125	Yupiteru Airband Receiver	£ 75.00
PRO-43	Realistic Scanner	£ 75.00
28/144	28meters SSB Transverter	£ 30.00
SEM ORM	Eliminator	£ 69.00
YR901	ASFSK UNIT	£ 5.00

VHF/UHF Transceivers

C528	Dual Band handheld 2 / 70	Average	£ 75.00
DJ180	Handheld 2mtr	Good	£ 149.00
DJ-S11E	Alinco Handheld with Spk/mic	Good	£ 60.00
DJ-S41	Alinco UHF Handheld	Good	£ 55.00
FT209R	VHF Handheld	Average	£ 150.00
FT209RH	VHF Handheld	Average	£ 150.00
FT2700RH	Yaesu VHF/UHF Mobile	Good	£ 249.00
FT280R	Yaesu 2m Multimode TX/RX Mobile	Average	£ 150.00
FT736R	Yaesu 144/432 Base Station/004	Good	£ 499.00
FT736R	Yaesu 144/432 Base Station/053	As New!	£ 599.00
FT470	Yaesu Dual Bander	Good	£ 150.00
FT411R	VHF Handy	Average	£ 60.00
FT480R	Yaesu 2m Multimode TX/RX Mobile	Average	£ 150.00
FT8100	Yaesu 145/433 Dual Bander	New!	£ 325.00
FT727R	Yaesu Dual band handheld	Average	£ 149.00
IC2350H	Icom Dual Bander	As New	£ 299.00
IC471E	Icom Base Station 70cms	Average	£ 349.00
IC481H	Icom UHF Mobile	Average	£ 275.00
IC451E	Icom Base Station 70cms	Average	£ 275.00
KT22	Kenpro 2M Handy	Good	£ 50.00
TH21E	Trio 2m Handy	Good	£ 99.00
TH21E	Trio 2m Handy	Good	£ 99.00
TH22E	2mtr handheld	Poor	£ 75.00
TR7800	Trio Mobile 2m	Average	£ 145.00
C188	Standard Handy	Good	£ 99.00

Receivers

AR1500	Scanner Receiver	Good	£ 125.00
AR8000	AOR Receiver	Good	£ 225.00
ICR72	Icom HF Receiver	Good	£ 625.00
ICR72	Icom HF Receiver	Good	£ 750.00
R5000	HF Receiver	Good	£ 565.00

Axminster

01297 34918

Rodney or Andy



Reg Ward Opening: Tuesday - Saturday 9am - 5:30pm

Reg Ward & Co. 1 Westminster House . West Street . Axminster . Devon . EX13 5NX

HQ Opening: Monday - Friday 9am - 5pm and 9am - 1pm Saturday

HQ. SM House . School Close . Chandlers Ford Ind Est . Eastleigh . Hants . SO53 4BY

South Midlands Communications Ltd

We don't just **Sell** new equipment

Where a **GOOD DEAL** comes with **PROFESSIONAL ADVICE** and **GOOD OLD FASHIONED SERVICE**

Mobile Madness

FREE Mobile Aerial with VHF Radios

IC-2800E
~~£549~~ PHONE



You'll think you're hearing things
when you hear our price

FT-8100
~~£399~~ PHONE



Phone us and confirm our ridiculous price

TMG-707E
~~£289~~ SPECIAL PRICE
SUPER VALUE



FT-100
~~£1249~~ - PHONE

We can sell you
this radio at the
cheapest price
in the UK



You wouldn't believe our price if we printed it

IC706MK11G
~~£985~~ inc
FREE
ICT-8E



FREE ICT-8E Handheld
with purchase of IC706MK11G

Whilst stocks last

HQ Stock Clearance

MODEL	WAS	CASH PRICE	
TM251E's	£399.00	£199.00	145MHz Mobiles (2 left)
TM702E's	£591.00	£325.00	145/433MHz Mobiles
TM451E's	£424.00	£199.00	433MHz Mobiles
THG71E	£329.00	£210.00	145MHz Handy.
TH28E's	£249.00	£149.00	145MHz Handy
TH42E's	£279.00	£199.00	433MHz Handy
FP25's	£269.00	£125.00	FT990 DC AC Unit
FT41R	£299.00	£149.00	70cm Handies
FT416	£249.00	£125.00	2Mtr Handies
FT736R's	from	£499.00	Base V/UHF
FT8100R's	£439.00	£325.00	Dual Band Mobiles
FT8500's	£749.00	£375.00	Dual Band Mobiles
KH6	£159.00	£79.00	50MHz FM Handy (2 only)
IC-T7E	£299.00	£149.00	145/433MHz Handy (2 left)
IC-T22E's	£249.00	£149.00	145MHz Handy
IC-2SRE's	£425.00	£75.00	145MHz + Rx Handy (faulty)
IC-281H	£425.00	£199.00	145MHz Mobile
IC-W21E's	£419.00	£199.00	Dual Band Handy
IC-R10's	£299.00	£199.00	Handy RX (all sold)
IC-W32E	£399.00	£199.00	Dual Band Handy
IC-R72E	£799.00	£499.00	HF RX
IC2350H	£479.00	£279.00	Dual Band Mobile
IC-728	£999.00	£599.00	HF TX/RX All Sold

MODEL	WAS	CASH PRICE	
Alinco DR605E's	£399.00	£259.00	Dual Band mobile
Alinco DJ-180's	£229.00	£75.00	144MHz Handy
Alinco DJS11E	£99.00	£50.00	144MHz Handy
Alinco EDX-1	£159.00	£75.00	DX70 ATU
Alinco EDX-2	£279.00	£149.00	Auto ATU
Alinco DJ-F4E's	£299.00	£149.00	433MHz Handy
Rexon R102	£189.00	£50.00	145MHz Handy

..... and there's more to clear!

NEW!	SMC UHF and VHF PMR sets	
Silly Price	£349.00	£25.00!! (70MHz)
Silly Price	£349.00	£25.00!! (470MHz)

AIR BAND TRANSCEIVER		
JHP200	£349.00	£279.00 Airband TX/RX

ANTENNAS		
R7000	£349.00	£299.00 Vertical
A506S	£250.00	£169.00 50MHz 6el
DX77 (6 only)	£399.00	£249.00 40 to 10m Vertical
AFA75	£1285.00	£750.00 Create 80mtr Beam!!
CY103	£199.00	£125.00 Create 3el 28MHz
CD318C	£899.00	£549.00 6el 14/21/28
CL10	£299.00	£199.00 5el 28MHz
AFA40	£665.00	£499.00 2el 40mts!
SMC88F 145MHz	£23.00	£5.00!! 5/8+3/8 mobile


FINANCE? of course we can help - ring or call for a quote
ask for our **INTEREST FREE - NO DEPOSIT - 6 MTH DEAL**



Another satisfied customer with his bargain

GODWD collecting his IC-706MK2G with
FREE IC-T8E Tribander.

Mr Hawes travelled from LONDON to buy his radio.
He knew that he couldn't get a better deal, complete with
proper good old fashioned service, anywhere
else in the UK - except at - SMC.



Close-up of the oscillator and modulator area of the 'main' board.

(Make sure you have the wires in the correct order or else you will get some very strange channels!).



Synthesiser chip: Unfortunately, the synthesiser integrated circuit, the MC145152P, for this project has now been made obsolete by the manufacturers (Motorola). However, as many surplus p.m.r. boards contain the chip and it's still available as surplus, both the author G8JVE and the Editorial team consider the project is still viable. But please be aware that unless they still have 'remainders' in hand, most Motorola stockists will not be able to provide new i.c.s for customers.

Editor.

Fig. 2.4: This is a toneburst generator that could be fitted to any f.m. transmitter that doesn't have one fitted as standard. The duration of the tone signal is controlled by the time constant of R71/C107.

Power Amplifier Stage

For a higher output recommended for mobile use, the p.a. stage should now be built. Fit all the components with the exception of the power transistor Tr11 on



Close-up of the main oscillator and pre-PA r.f. stage area of the 'main' board.

the print side of the p.c.b. (Surface mount fashion) together with the screens around the l.p.f.



If not already done, drill a hole in the p.c.b. for the p.a. transistor so

Circuits and p.c.b. layouts available

Copies of the author, Mike Rowe's, original circuits and p.c.b. overlays are available from the editorial offices. Send an s.a.e. A4 sized envelope marked 'PW Panther Drawings' to:

**Practical Wireless
(Panther Drawings)
Arrowsmith Court
Station Approach
Broadstone
Dorset BH18 8PW.**

Fig. 2.5: The transmit pre-amplifier and power amplifier stages are fitted on the synthesiser board. See text for more detail.



that the device will sit flush with the p.c.b.

Do not solder it in at this time!

Offer the p.c.b. into the case so that it is fitted at the left hand end of the back panel (viewed from the front) and mark and drill a hole for the p.a. device. This should clear the shoulder of the transistor.

Similarly, drill the heatsink, but this time drill a hole only large enough for the mounting stud.

I would also recommend that at this time you drill four mounting holes in all three layers (p.c.b., case and heatsink) positioned so that they miss the heatsink fins and p.c.b. components.

This will prevent the heatsink rotating and provide additional grounding.

Screw the p.c.b. into the case and fit the p.a. device tightening the fixing nut, making sure that the collector tab is to the right.

Now solder all four leads to the p.c.b.

Fitting in this order should ensure that there is no undue pressure on the body or tabs of the p.a. transistor. Connect up the positive supply and input/output connections.


Apply r.f. then tune capacitors C92/93 and C98/99 for maximum out consistent with minimum current.

Tune L16 and L17 by altering the turns spacing for maximum output, checking with a wavemeter that this is consistent with minimum 2nd and 3rd harmonic output.

Performs Very Well

You will now have a small reasonable powered mobile rig which performs very well. More to the point, if it does go wrong you know how it was made and it shouldn't present any problems! **PW**

Looking at the p.a. stage mounted on the rear wall of the unit. This stage may not be needed if an r.f. output of around 1.5W is adequate for your needs.



The low-pass filter area of the p.a. stages. This stage will be needed to minimise the spurs, even if you decide not to use the p.a. stage.



MOSFET?

This month, Ian Poole G3WYX continues with the f.e.t. theme by answering the question: 'What Is A ... m.o.s.f.e.t.'?

Field effect transistors (f.e.t.s) of all types are widely used today and last time I looked at the junction f.e.t. This month I'm going to investigate m.o.s.f.e.t.s to see what advantages they offer and how they work. The term m.o.s.f.e.t. stands for **metal oxide semiconductor field effect transistor**, m.o.s.f.e.t. for short! The name gives a clue to its construction, as we shall see later. The devices had been known about for several years, but only became important in the mid and late 1960s.

Initially, semiconductor research had focused on developing the bipolar transistor and problems had been experienced in fabricating m.o.s.f.e.t.s because of process problems - particularly with the insulating oxide layers.

The technology is now one of the most widely used semiconductor techniques, having become one of the principle elements in integrated circuit technology today. Their performance has enabled power consumptions in integrated circuits (i.c.s) to be reduced.

Reduced power, in turn, has reduced the amount of heat being dissipated and enabled the large i.c.s, which we take for granted today, to become a reality. As a result of this, the m.o.s.f.e.t. is the most widely used form of transistor in existence today.

Two Categories

Like the junction f.e.t., there are two categories of m.o.s.f.e.t.,

namely *p*-channel and *n*-channel types. The principle of operation is similar as well, but there are some significant differences.

Whilst the channel area of a junction f.e.t. (and hence its conductivity) is controlled by the depletion layer of a reverse biased diode, for the m.o.s.f.e.t., the gate is placed on an insulating oxide layer. Voltages applied to the gate control the conductivity of the channel as a result of the electric field induced 'capacitively' across the insulating dielectric layer.

There are also two further categories of m.o.s.f.e.t. These are the enhancement and depletion types. As the name suggests, the depletion mode m.o.s.f.e.t. acts by




Fig. 1: Structure of typical *n*-channel enhancement mode m.o.s.f.e.t.




Fig. 2: Operation of an *n*-channel enhancement mode m.o.s.f.e.t.

depleting or removing the current carriers from the channel, whereas the enhancement type increases the number of carriers according to the gate voltage.

Enhancement Mode FETs

In view of all the combinations of the m.o.s.f.e.t., it's easiest to look at the enhancement and depletion mode f.e.t.s in turn. However, I'll leave the depletion mode version




Fig. 3: The effect of a potential applied between the drain and source on the channel.

until next time and spend this month taking a look at the enhancement mode f.e.t.

The basic construction of an *n*-channel enhancement mode f.e.t. is shown in Fig. 1. The same basic principles apply for a *p*-channel m.o.s.f.e.t., except that electrons are exchanged for holes and the polarities are reversed. From the diagram, it can be seen that the device is fabricated using a section of lightly *p*-type semiconductor as the substrate. Silicon is the most common, but other semiconductor types can be used.

Two *n*-type regions are created at either end of the channel for the drain and source connections. An oxide layer is set down which overlaps the source and drain areas slightly. The oxide is very thin and may only be 0.1 microns thick. The gate contact is then laid down on top of this layer.

Materials for the gate contact vary. Metal would appear to be an obvious choice, but polysilicon, some specialised metal compounds and even silicides are often used. The source and drain connections are also made to provide connection to the channel.

When no voltage is applied to the gate, the device and the two *n*-type regions associated with the drain and source mean that the device effectively forms an *n-p-p* construction. When a potential is applied across the channel, one of the *p-n* junctions will be reverse biased and no current will flow.

If a positive voltage is applied to the gate then electrons from the *n*-type regions are attracted into the area immediately under the gate, creating a temporary

potential induced *n*-type area. As the current no longer has to pass through a reverse biased *p-n* junction, it means that current can flow between the source and the drain through this new *n* type area.

The greater the voltage applied to the gate, the larger the number of available current carriers. This means that the higher the gate voltage, the greater the current flowing through the channel.

When a voltage is applied between the drain and the source, the shape of the channel is modified in the same way that occurred for the junction f.e.t. This happens because a voltage gradient appears along the channel, altering the degree by which the gate potential can pull carriers in from the drain and source areas.

In other words, the potential difference between the gate and the end of the channel nearest the source is much greater than the potential difference between the gate and the channel nearest the drain. This results in more carriers being pulled into the channel region near the source than the channel region near the drain.

In Operation

In operation, the m.o.s.f.e.t. presents an exceedingly high input




Fig. 4: Circuit symbols.

impedance. The fact that the gate is placed onto an insulating oxide layer means that it's virtually an open circuit, making the m.o.s.f.e.t. a truly voltage-controlled device. In reality, the input impedance is many hundreds of megohms and is often limited more by the leakage impedance of the circuit board, etc.

Although the enhancement type f.e.t. is not as widely used as the depletion mode f.e.t., it's still very important and widely used in many applications, making it an essential component in the electronics and radio designer's catalogue.

Next month I will take a look at the depletion mode m.o.s.f.e.t. For anyone wanting to take a look at some of the terms used in semiconductor fabrication there's more information on the Web at http://website.lineone.net/~ian_poole

PPW

HAYDON COMMUNICATIONS

★ ★ MAIL ORDER: 0181-951 5781/2 ★ ★



NEXT DAY DELIVERY TO MOST AREAS, £10.00.



NEW 2000 SQ FT SHOWROOM COMING SOON

IS YOUR RIG WORTH 99.00?



NISSEI PS-300

Superb 30 amp/12V power supply built to combat most needs. Features: ★ Over voltage protection ★ Short circuit current limited ★ Twin illuminated meters ★ Variable voltage (3-15V) latches 13.8V ★ Additional "push clip" DC power sockets at rear ★ Multiple front outlets ★ Detachable IDC lead (supplied) for mains connection ★ Ultra quiet fan ★ Professional build (black finish). Dims: L308 x W268 x H135mm. Wt: 9kg. SSP £149.00.

INTRO PRICE **£99.95** Delivery £10



KENWOOD TS-870

Still seen by most to be the best "IF-DSP" DX transceiver available!

SALE PRICE **£1399.95** IT'S A BARGAIN



KENWOOD TS-570DG MkII

New upgraded version to replace the popular TS-570D.

SALE PRICE **£799.95**



ALINCO DX-70TH

HF + 6m transceiver with CTCSS + CW filter. (100W all bands) ONLY **£599.00**



ICOM IC-746

Looking for one rig to satisfy all your base station needs? Look no further.

PHONE

ICOM IC-706 MkII G PHONE FOR UK'S LOWEST PRICE

INCLUDES FREE T-SE FROM ICOM



RANGER 811

Easy to tune HF linear amplifier. (Up to 800 watts).

ONLY **£895.00**



SGC-230

Superb ATU will work with any HF transceiver. £349.00.

SALE PRICE **£289.00**

SGC-231 HF + 6m Smarttuner.....£299.00

SGC-2020 QRP rig.....£549.00

Ranger 811 HF linear.....£895.00

(INTEREST FREE CREDIT AVAILABLE ON RANGER LINEAR)

MAIL ORDER & LONDON SHOWROOM

132 High St., Edgware, Middx HA8 7EL.

Tel: 0181-951 5781/2.

Fax: 0181-951 5782

Open Mon-Fri 9.30-5.30pm. Sat 9.30-2pm

Practical Wireless, August 1999

STAR BUY



ALINCO DJ-V5

Amazing new dual band hand-held transceiver with up to 5W output and optional wideband receive. 76-108WFM, 108-136AM, 136-174FM, 180-960MHz FM

ONLY **£199.00**



ALINCO DJ-G5E

Our best selling true dual-band hand-held transceiver with optional wide-band receive.

ONLY **£225.00**



KENWOOD TH-D7E

Dual band hand-held with built-in TNC.

OUR PRICE

£299.95



KENWOOD TH-G71E

Dual-band transceiver with optional wide-band receive. (110-950MHz with gaps).

SPECIAL OFFER **£199.95**



TH-887 headset

A high quality headset that will fit most Kenwood hand-held's. **£24.95** P&P £3.50



QS-200

Air vent holder for all hand-helds with belt clip. £9.99.

TO CLEAR **£4.99** P&P £1

KENWOOD V7E SALE PRICE £399.95



KENWOOD TM-G707E

Our best selling dual-band mobile with detachable head.

(Optional extra RX available) OUR PRICE **£295.00**

5m mic extension lead for TM-G707/V7... £19.95 P&P £1



YAESU FT-8100R

True dual-band mobile with detachable head + wide-band Rx.

£399.00

Buy this one and we'll give you a detachable head-kit worth £51



ALINCO DM-M06

6m FM mobile transceiver (20W).

£199.95

SALE PRICE 70cm FM mobile transceiver (35W)..... £209.95

DR-430 2m FM mobile (50W).....To clear £229.95



AR-5000

The AR-5000 advances the frontiers of performance providing excellent strong signal handling, high sensitivity and wide band coverage. Covers 10kHz-2600MHz.

OUR PRICE **£1199.00**

WITH SPECTRUM MASTER SOFTWARE WORTH £130.00

Icom IC-8500while current stocks last £1149.00



PCR-1000

Computer receiver. 100kHz-1300MHz (all mode). **£349.00.**

£249.00

WHILST STOCKS LAST

UT-106 DSP unit for IC-706 & PCR-1000£79.95



AR3000A

Wide-band receiver covers 100kHz-2GHz (all mode)

SALE PRICE **£599.95**

UBC-9000XLT Desktop scanner£249.00

Software for AR3000A£59.95



AR7030 plus

ANNIVERSARY SPECIAL With free notch filter & noise blanker & telescopic antenna.

ONLY **£879.00**



YAESU FRG-100

Award winning SW receiver. OUR PRICE

£419.00 + free PSU worth £45

ICOM IC-R2

Miniature wideband hand-held scanner covers 0.5-1300MHz (AM, FM/WFM).

ONLY **£139.00**

Soft case for IC-R2£14.95

AR8200

The latest all mode innovation in handies. There's too many features to list.

OUR PRICE **£349.00**

AR8000 Our price.....£269.00

Soft case for 8200/8000 (specify)£19.95



MVT-7100

Wide-band hand-held scanner 0.5-1650MHz (all mode).

ONLY

£199.00

MVT-9000 OUR PRICE£319.95

Soft case for MVT-9000/7100 (specify)£19.99

W. MIDLANDS SHOWROOM

Unit 1, Canal View Ind. Est., Brettell Lane, Brierley Hill, W. Mids. DY5 3LQ

Open Mon-Fri 9.30-5pm. Sat 9.30-2pm

NO MAIL ORDER TO MIDLANDS BRANCH

COMING SEPTEMBER '99

State-of-the-art 2000 sq ft showroom dedicated to amateur radio equipment.

★ ★ WATCH THIS SPACE! ★ ★

HAYDON COMMUNICATIONS



★ ★ MAIL ORDER: 0181-951 5781/2 ★ ★



NEW 2000 SQ FT SHOWROOM COMMING SOON

STAR BUY COMET GP-15N

- ★ Tri-band base antenna
★ 50, 144, 430MHz
★ 3.6, 2.8, 6dBi gain
★ Length 2.42m ★ 300W ★ N-type

£59.95 P&P £10

STAR BUY Q-TEK RA-1500B

- ★ Dual-band mobile antenna
★ 2m, 70cm ★ 3, 5.5dBi gain ★ Length 1m
★ Ground plane free ★ PL-259 fitting.

£16.95 P&P £4

ACCESSORIES

- P&P £2.50 on the following
TSA-6001N Duplexer (+Coax) 2/70 (N/N259).....£24.95
TSA-6003 Duplexer (Coax) 2/70 (PL/259's).....£19.95
CFX-514 Triplexer (6/2/70) (Coax).....£56.95
MT-3302 H/Duty Hatch/Trunk Mnt....Top Quality £24.95
New mega magmount (rubber based) available with
SO-239 on 1/2" fitting. (Specify).....£24.95
Q-Tek 6m band pass filter.....£42.95

SEND SAE FOR Q-TEK REVIEW

Q-TEK ZL SPECIALS Delivery £9.00

- 2m 5ele (boom 45"/9dBd).....£39.95
2m 7ele (boom 60"/11dBd).....£49.95
2m 12ele (boom 126"/13.8dBd).....£69.95
70cm 7ele (boom 28"/11dBd).....£29.95
70cm 12ele (boom 48"/13.8dBd).....£49.95

Q-TEK YAGIS FOR 2/4/6m + 70cm Del £9.00

- 2m 5ele (boom 63"/9dBd).....£39.95
2m 8ele (boom 125"/11dBd).....£49.95
2m 11ele (boom 156"/12.7dBd).....£69.95
2m 5ele crossed (boom 64"/9dBd).....£69.95
2m 8ele crossed (boom 126"/11dBd).....£89.95
4m 3ele (boom 45"/7dBd).....£44.95
4m 5ele (boom 128"/9dBd).....£59.95
6m 3ele (boom 72"/7dBd).....£54.95
6m 5ele (boom 142"/9dBd).....£69.95
70cm 13ele (boom 76"/12dBd).....£39.95
70cm 13ele crossed (boom 83"/12dBd).....£59.95

Phasing harness for 2 x 2m yagis 'N' types

£25.00 P&P £4.50

2 & 4-way power splitters now in stock (2m) £49.00/69.00 ea

Q-TEK HB9-CV Delivery £9.00

- 70cm HB9CV (boom 12").....£17.95
2mtr HB9CV (boom 20").....£21.95
4mtr HB9CV (boom 22.5").....£29.95
6mtr HB9CV (boom 32.5").....£39.95
10mtr HB9CV (boom 52").....£69.95

NEW HF MOBILE WHIPS (PL-259)

- Easy to mount HF mobile whips ready to go with PL-259 fitting.
PL-80 80m whip (approx 1.5m long).....£21.95 Del £8.00
PL-40 40m whip (approx 1.5m long).....£19.95 Del £8.00
PL-20 20m whip (approx 1.5m long).....£19.95 Del £8.00
PL-62 6m/2m whip (approx 1.3m long).....£18.95 Del £8.00

END FED HALF WAVES

- Ground plane free
4m Length 92" (SO239) vertical.....£39.95 Del £6.50
6m Length 126" (SO239) vertical.....£49.95 Del £6.50

MAIL ORDER & LONDON SHOWROOM

132 High St., Edgware, Middx HA8 7EL.

Tel: 0181-951 5781/2.

Fax: 0181-951 5782

Open Mon-Fri 9.30-5.30pm. Sat 9.30-2pm

24

Q-TEK PENETRATOR

"WE'VE SOLD 100S ALL OVER EUROPE"

- ★ 1.8 - 60MHz HF vertical ★ 15 foot high
★ No ATU or ground radials required
★ (200W PEP). ONLY **£150.00** delivery £10

Wire version now available 35ft long end fed.
(1.8-60MHz) spec/price as above.

BULK PURCHASE

- ★ 100m roll of RG-213 coax
★ ONLY **£69.95** P&P £10
★ 100m roll of RG-58 coax
★ ONLY **£35** P&P £8.50

DELUXE G5RV

- Multi-stranded plastic coated heavy duty antenna wire. All parts reusable. Stainless steel and galvanised fittings. Full size - 102ft.
Only **£39.95**
Half size 51ft. Only **£34.95**
Carriage £6.00.

STANDARD G5RV

- Full size 102ft.....£24.00 P&P £6
Half size 51ft.....£21.00 P&P £6

NEW Q-TEK INDUCTORS

- 80mtr inductors. Add them to your 1/2 size G5RV and convert it to a full size. **£22.95** P&P £2.
Supplied as a pair with additional wire.

COPPER ANTENNA WIRE

- (All 50mtr rolls)
Enamelled.....£12.95 P&P £5
Hard drawn.....£13.95 P&P £5
Multi-Stranded (Grey PVC).....£9.95 P&P £5
Extra H/duty (Clear coated).....£30.00 P&P £5
Flexweave (H/duty).....£30.00 P&P £5
Flexweave H/duty (20 mtrs).....£15.95 P&P £5
Flexweave (PVC coated 20 mtrs).....£18.95 P&P £5
Flexweave (PVC coated 50 mtrs).....£40.00 P&P £5
Earth wire (6mm) 30m roll.....£10.00 P&P £5
Copper earth rod (4ft).....£13.00 P&P £6
Copper earth rod (3ft) + 10m wire attached.....£14.99 P&P £6

Q-TEK BALUNS & TRAPS

Baluns are wound on ferrite rod and encapsulated into a dipole centre with an SO239 socket. Brass terminals form the balun output and stainless steel screw eyes offer an anchor point for antenna ends. Maximum power rating is 1kW.

- 1.1 Balun.....£24.95 P&P £2
4.1 Balun.....£24.95 P&P £2
6.1 Balun.....£24.95 P&P £2
40 mtrs Traps.....(a pair) £25.00 P&P £4
80 mtrs Traps.....(a pair) £25.00 P&P £4
10 mtrs Traps.....(a pair) £25.00 P&P £4
15 mtrs Traps.....(a pair) £25.00 P&P £4
20 mtrs Traps.....(a pair) £25.00 P&P £4

NB:- Traps are waterproof with copper hooks for

FIBRE GLASS MASTS

- 1 1/2" Dia.....£8.50 per metre (Max length 5m) Delivery £10
1" Dia.....£10.50 per metre Delivery £10
2" Dia.....£12.50 per metre Delivery £10

Q-TEK INTREPID

PRE-MATCHED END-FED HALF WAVES.
SUPERB SINGLE BAND WIRE HORIZONTAL ANTENNAS. NO A.T.U. REQUIRED.

- WIRE
IPT-80 80m version (40.7m).....£69.95
IPT-40 40m version (20.3m).....£59.95
IPT-20 20m version (10.1m).....£49.95

D-308B BLACK DELUXE

DESK MIC (with up/down).

Super quality. (Supplied with 8 pin pre-wired Yaesu lead) **£49.95** P&P £5.00
OPTIONAL LEADS (P&P £1.50)

- A-08 8 pin "Alinco" round.....£9.95
K-08 8 pin "Kenwood" round.....£9.95
I-08 8 pin "Icom" round.....£9.95
AM-08 Modular phone "Alinco".....£9.95
YM-08 Modular phone "Yaesu".....£9.95
IM-08 Modular phone "Icom".....£9.95

TH-887 headset

A high quality headset that will fit most hand portable and most HF & VHF/UHF txvrs via optional interface.

£24.95 P&P £3.50

Supplied with two pin molded plug-will fit Alinco/Yaesu/Standard/ADI/Icom hand holds).

Optional leads (P&P £1.50).

- F-303S 8 pin "Standard" round.....£18.95
F-303Y 8 pin "Yaesu" round.....£18.95
F-303K 8 pin "Kenwood" round.....£18.95
F-303I 8 pin "Icom" round.....£18.95
F-303YP Modular "Yaesu" phone.....£18.95
F-303KP Modular "Kenwood" phone.....£18.95
F-303IP Modular "Icom" phone.....£18.95

TELESCOPIC MASTS

5 section telescopic masts. Starting at 2 1/2" in diameter and finishing with a top section of 1 1/2" diameter we offer a 8 metre and a 12 metre version. Each mast is supplied with guy rings and stainless steel pins for locking the sections when erected. The closed height of the 8 metre mast is just 5 feet and the 12 metre version at 10 feet. All sections are extruded aluminium tube with a 16 gauge wall thickness.

8 mtrs **£79.95** 12 mtrs **£109.95** Carriage £10.00.
FREE STANDING TRIPOD **£84.95** Carriage **£10.00**.

GUY WIRE KITS etc.

- Standard kits (complete with wire).....£23.95 P&P £6
Heavy duty kits (complete with wire).....£26.95 P&P £6
Ground fixing spikes (3 set).....£15.00 P&P £6
30m pack nylon guy rope.....£10.00 P&P £2
30m pack (3mm dia) winch wire.....£16.00 P&P £4

MAST HEAD PULLEY Easy to fit pulley with mast clamp (up to 2").....£8.95 P&P £1.50



YAESU G-450C

Heavy duty rotator for HF beams etc. Supplied with circular display control box and 25m of rotator cable.

ONLY **£319.95**

- GC-038 Lower mast clamps.....£25.00
GC-065 2" thrust bearing.....£48.00

WALL BRACKETS + MAST BASE PLATES

- 2" Mast base plate.....£12.95 P&P £5
6" Stand off.....£6.95 P&P £5
9" Stand off.....£8.95 P&P £5
12" T&K Brackets.....£12.00 P&P £8
18" T&K Brackets.....£18.00 P&P £8
24" T&K Brackets.....£20.00 P&P £8
U bolts (1 1/2" or 2").....£1.10 each
8 nut universal clamp (2" - 2 1/2").....£5.95
3-way guy ring.....£3.95
4-way guy ring.....£4.95
2" mast sleeve.....£9.95
1 1/2" mast sleeve.....£8.95

W. MIDLANDS SHOWROOM

Unit 1, Canal View Ind. Est., Brettel

Lane, Brierley Hill, W. Mids. DY5 3LQ

Open Mon-Fri 9.30-5pm. Sat 9.30-2pm

ALL PHONED ENQUIRIES TO LONDON BRANCH

Practical Wireless, August 1999

REALISTIC PRO-2042

- ★ Wideband scanning receiver
- ★ 25-520 & 760-1300MHz
- ★ 1000 channels
- ★ Selectable tuning steps
- ★ Switchable mode (AM/FM/WFM)
- ★ VFO tuning plus keypad entry



BULK PURCHASE
£149.95

Delivery £10 (SEND S.A.E. FOR REVIEW)

STAR BUYS



REALISTIC DX-394

- ★ Superb performance SW receiver
- ★ True SSB
- ★ 0.2 - 30MHz (AM/SSB)
- ★ 240 or 12V ★ Attenuator
- ★ S-meter ★ Timer

S.S.P. £249.95
SPECIAL OFFER: £99.95
Delivery £10 (SEND S.A.E. FOR REVIEW)



SONY SW-100E

Award winning miniature portable SW receiver. Its performance is brilliant for its size. The best short wave receiver for under £250. RRP £220.00.

SALE PRICE £149.95

Sony SW-55E	Deluxe short wave portable.....	£235.00
ATS-818	Short wave portable.....	£99.00
R-861	Short wave portable with RDS.....	£169.00
ATS-909	Short wave portable with RDS.....	£129.95

SANGEAN ANT-60

Portable SW reel antenna. Connects to a 3.5mm jack or clips onto your telescopic antenna. £14.95.

ONLY £8.99 P&P £1



OPTOELECTRONICS PRODUCTS

Tectoyz micro counter	our price.....	£89.95
TNC-100 Optional antenna	our price.....	£6.99
Opto Cub	our price.....	£99.95
Opto Scout	our price.....	£349.95
R-11 Interceptor	our price.....	£299.95
Opto Xplorer	our price.....	£799.95
Opto Lynx computer interface	our price.....	£129.95
Micro DTMF decoder	our price.....	£89.95
New Mini Scout	our price.....	£169.00
Opto Tracker	our price.....	£249.00



MFJ-259 MkII

HF digital SWR analyser + 1.8-170MHz counter/resistance meter.

ONLY £169.95 P&P £5

MFJ-949	300W ATU + dummy load.....	£115.95
MFJ-969	HF + 6m ATU.....	£139.95
MFJ-962D	1.5kW versa tuna.....	£239.95
MFJ-784B	DSP filter.....	£176.95
MFJ-418	CW tutor.....	£58.95

CUSHCRAFT SALE

R-6000	6-20 meters.....	£259.00
R-7000	10-40 meters.....	£319.00
X-7	10, 15, 20 meters 7 ele yagi.....	£449.00
X-9	10, 15, 20 meters 9 ele yagi.....	£649.00
A-35	10, 15, 20 meters 3 ele yagi.....	£329.00



SP-350V

Be protected this summer! In-line lightning surge protector. (Gas discharge type). Replaceable fuse.

INTRO PRICE £19.99 P&P £1

COAX SWITCHES (P&P £3.00)

CX-401	4 way (SO-239).....	£49.95
CX-401 'N'	4 way (N TYPE).....	£54.95
CX-201	2 way (SO-239).....	£18.95
CX-201 'N'	2 way (N-type).....	£24.95



GARMIN GPS-III

Latest UK version complete with moving map of UK & Europe. £149.00.

£279.95

GPS-12	Navigator.....	£129.95
Cigar power lead	£20.00
Active magmount antenna	£39.95

***** **STAR BUY** *****
4 x 5' 4" lengths of 2" extruded (16 gauge) heavy duty aluminium, swaged at one end to give a very heavy duty mast set
SSP £60.00
LIMITED STOCK
£30.00
DEL £10

★ BARGAIN MAST SET ★

SALE NOW ON



RS-502	1.8-525MHz (200W) £99.95...NOW £79.95 p&p £5
RS-102	1.8-150MHz (200W) £59.95.....£49.95 p&p £5
RS-402	125-525MHz (200W) £59.95.....£49.95 p&p £5
RS-101	1.8-60MHz (3kW) £79.95.....£69.95 p&p £5
RS-40	144/430MHz Pocket PWR/SWR Meter (200W) (SO239).....£34.95 p&p £1
RS-40N	As above with N-type.....£39.95 p&p £1

DL-60 ★ Dummy load ★ DC-500MHz ★ 60W max
★ PL-259 fitting **£16.99** P&P £1 **THE IDEAL SHACK ACCESSORY**

RECHARGEABLE ALKALINE CELLS

Starter kit includes charger & 4 x AA cells. **£13.99** + £2.50 P&P.
Please note that only the special cells can be recharged with this charger.

Extra cells available @
8 x AA pack **£10.99**
4 x AA pack **£5.99**
4 x AAA **£6.25**
Rechargeable Alkaline. No memory effects. 1.5V cells. 3 x capacity of nicads.
NO QUIBBLE WARRANTY

INTERFERENCE - STOP IT!

Rectangular snap-fixing ferrite cores suitable for :- Radio coax/TV/mains/telephone/PC & data cables. Plastic teeth prevent it from sliding on cable. Simply snap close onto cable and job is done! (Will fit large coax).

BULK PURCHASE hence 2 for £5
(P&P £2.50). HURRY - LIMITED STOCK.

New - Slide over ferrite sleeves to fit 6mm coax.
Pack of 6 £5. P&P £2.50.

QUALITY USED EQUIPMENT

YAESU FT-736R
2m + 70cm base transceiver (all mode).
VGC £699.95

TS-940	Immaculate condition.....	£699.95
TS-570DG	Immaculate condition.....	£699.95
FT-840	VGC.....	£449.95
FC-902	VGC.....	£129.95
D-308	Desk microphone.....	£39.95
TR-751E	2m mobile (all mode).....	£329.95
HF-150	Communications receiver.....	£199.95
IC-8500	Communications receiver.....	£849.00
IC-R7100	As new.....	£499.95
AR-3030	Immaculate condition.....	£329.95
MVT-7100	Hand-held scanner.....	£149.95
AR-1500EX	Wideband scanner.....	£99.95



Nissei EP-320

Hanging type earphone with boom mic & PTT. Fits Kenwood, Alinco, Yaesu or Icom.

£24.95 P&P1



Nissei EP-300T

Over the ear earpiece with lapel mic & PTT. Fits Kenwood, Alinco, Yaesu or Icom.

OUR PRICE £24.95 P&P £1

(Please specify brand of radio when ordering) This Ear/Mic comes with an "over the ear" earpiece as EP-300



SCANMASTER SP-55

Boost reception of your scanner with this pre-amp. 25-1500MHz, variable gain, band pass filters.

£59.95 P&P £3.50



MS-109

Fist microphone to fit Kenwood, Yaesu, Icom & Alinco.

£16.95

+ £1 P&P

(PLEASE SPECIFY MAKE OF RADIO WHEN ORDERING)



NB-30W

2M FM handheld amplifier 2-5W input. 30W output (for 5W ip). Turn your handheld into a mobile for under £50

ONLY £49.95 P&P £4.00

REDUCED TO CLEAR

T-2601 ★ 2m/70cm ★ Hand-held antenna ★ Wideband receive ★ 11" long ★ BNC connector. RRP £19.99 OUR PRICE £12.99 P&P £1	RH-7B ★ Miniature 70cm antenna ★ 3" long ★ BNC fitting. RRP £19.95 LIMITED STOCK £7.99 P&P £1
--	---



POLICE STYLE HOLSTER HHC-2

Matches all hand helds. Can be worn on the belt or attached to the quick release body holster.

£22.95 + P&P £1

Waterproof case for handheld.....£10.00 P&P £1



MA-339

Mobile holder for handhelds

ONLY £9.99 + P&P £2



QS-200..... Air vent holder.....£9.99 P&P £2



QS-300

A fully adjustable desk top stand for use with all handhelds. Fitted coaxial fly (FAI) with BNC & SO239 connectors

ONLY £14.99 P&P £3



EP-300

Deluxe over the ear earpiece.

£9.99 + P&P £1

An Adaptable Canadian Import...

The MQ-2 Mini-Beam Antenna

Peter Dodd
G3LDO, well
known to *PW*
readers for his
work on
antennas,
reports on his
experiences with
an interesting
'mini beam'
imported from
Canada.

The MQ-2 is a compact two-element beam for the 14, 18, 21, 24, 28 and 50MHz bands. It uses end loading, comprising an inductance and capacity 'spokes' at the ends of each element. A separate set of inductors and spokes are used for each of the h.f. bands.

One of the spokes in each set is constructed so that its length can be varied. This is achieved using an adjuster, comprising a sleeve with small clamping screws and the arrangement allows the resonant frequency to be set at a specific part of the band.

The antenna element lengths are 3.6m (11ft 9in) and the boom length 1.37m (4ft 6in) so it's a very small antenna. Some idea of the size can be gauged from the heading photograph, where it can be compared with a standard u.h.f. broadcast TV antenna. (A diagram of the antenna is shown in Fig. 1).



The antenna is mounted on a short mast on a KR-600RC rotator, which is fixed to the chimney using a double clamp. Some idea of the small size of the MQ-2 gain can be seen by comparison with the u.h.f. broadcast TV antenna.

The Antenna Kit

The kit appears to be made from materials of good quality. Additionally, the loading coil assemblies are coated in a thick layer of opaque silicone rubber material to ensure that they are weather proof.

The instructions for assembling and adjusting the antenna are clear and unambiguous. The front page gives a specification and a rather 'Over The Top' sales blurb that needs quoting to do it justice!

"Performance is almost beyond description - low s.w.r., low radiation angle, broad band, excellent gain and a front-to-back ratio far better than most two-element beams on the market today". (It's a shame that the manufacturer feels the need to include this sort of rubbish - it spoils what is otherwise a good manual and it makes me sceptical of the product).

The specification gives the forward gain as 6dBd on 28MHz, 5.8dBd on 24MHz, 5.5dBd on 21MHz, 5dBd on 18MHz and 4.4dBd on 14MHz. The front-to back ratio is quoted as between 12 to 17dB.

Easy Assembly

Assembly of all the metal work parts was easy and accomplished in about an hour. The clamps that fit on the end of the horizontal sleeve were missing but a warning that these should not be tightened (because the quad reflector will distort with large variations in temperature due to the differing expansion coefficients of the insulating and metal sections) implies that they may have been omitted deliberately.

However, I installed the antenna without these clamps and the structure seemed quite stable, even in high winds. Most of the antenna assembly time and effort went

into fitting the capacitive spokes and the resonance adjusters.

The complete antenna weighs 7.7kg (17lbs) and was fixed on rotator on the chimney of the house without difficulty. And I managed it without any additional help.

A note in the documentation says "for tower mounting this antenna, we recommend installing the boom and driven element on the tower first, then take the reflector assembly up the tower and push the cross arm bracket into the end of the boom"

The reason for the suggestion became obvious when I tried to get up the roof with the complete antenna! All the spokes on the ends of the elements seemed to catch with anything within reach. **It was far easier to install in two sections as described in the manual.** (Fig. 2, shows the reflector assembly being fixed to the end of the boom).

From previous antenna tests, I knew that where I'd erected the antenna was not an ideal location, due to nearby telephone wires and the close proximity of electrical wiring and plumbing inside the house. On the other hand, in practice I thought it would probably be the sort of location a compromise antenna like this would be used.

Antenna Adjustments

Now let's take a look at the antenna adjustments: The s.w.r. graphs in the documentation showed typical resonate frequencies (frequencies at which the s.w.r. is the lowest) and these are shown in the two left hand columns of Table 1.

The measured s.w.r.s (my measurements were done using an MFJ-249 s.w.r. Analyser) and frequencies are shown in the two right-hand columns.

From my measurements, shown in Table 1, it appeared

Fig 1: Electrical diagram of the MQ-2 Antenna. The dotted lines represent the boom support structure.




Table 1

Quoted SWR & Freqs.		Measured SWR & Freqs.	
Freq (MHz)	SWR	Freq (MHz)	SWR
14.2	1.2:1	14.12	1.6:1
18.1	1.2:1	17.9	1.1:1
21.28	1.3:1	21.05	1.8:1
24.95	1.5:1	24.63	1.25:1
28.4	1.2:1	28.8	1.6:1



Fig. 2: The reflector assembly being fixed to the end of the boom.

on one spoke from each coil for the band you wish to change). However, the position of the adjuster spoke on its respective ring is unimportant.

It's also important that some arrangement is made so that the resonance adjusters are accessible. A tilt-over mast would be the best option.

As I've already mentioned, the review antenna was mounted on the roof and the resonators were made

accessible by slackening the mast/boom U-bolts and the mast clamp bolts on the upper section of the rotator. The antenna can then be rotated and tilted so that the resonance can be adjusted, as shown in Fig. 3.

The small spoke adjuster clamp screws can easily be unscrewed out too far and lost forever, as happened once in my case. Fortunately I

Fig. 3: The resonator adjusters on the end of the elements, showing construction of the resonators with their spokes and adjusters.

found a replacement in one of my junk boxes. The construction of the resonators can be seen in Fig. 4.

I decided to move the 14MHz resonance down to the c.w. end of the band by moving the adjusters out to their maximum length. When this was done the antenna was resonant on 14.04MHz.

The reason for moving the antenna resonance into the c.w. band is that the impedance bandwidth at an s.w.r. of 2:1 is only 50kHz on 14MHz (from experience I have found that

c.w. is more effective with a modest performance station).

The other adjusters were reset and after many different settings the results are shown in Table 2.

The instructions say that if the s.w.r. is above 1.5:1 on resonance it can sometimes be

improved by shortening or lengthening the tuning spokes on the reflector coil. Although this was done, the s.w.r. results in Table 2 were the best I could achieve.

I removed the reflector assembly from the antenna and checked all the connections. I used my antenna element resonance measuring device (a grid dip oscillator with modified coil assembly and frequency counter (see *The Antenna Experimenter's Guide**) to check the resonators; all gave good dips about 500 to 700kHz below the band frequency but the dip on the 18MHz resonators was poor. If I increased the 18MHz resonator spoke lengths the dip was as deep as the other bands but the frequency was far too low and the s.w.r. was not improved whatever I did.

**The Antenna Experimenter's Guide*, written by G3LDO, is available from the PW Book Service. Editor.

Performance & Testing

Now it's time to look at performance and testing of the antenna and the strategy moving the 14MHz resonance to

the low end of the band was rewarded on the first QSO with the antenna. I received a 589 report from VK7VR on 14.025MHz, although on this band I was unable to measure any front to back directivity.

On 28MHz the front-to-back ratio was around one to one and a half S-points, which tallies with the value given in the specification. The front-to-side (F/S) was very good on all bands from 14 to 28MHz; measuring on the S-meter better than 20dB.

As regards gain measurement I compared it with my skeleton slot antenna, which is an elongated loop 3m (10ft) wide and 9.1m (30ft) long, with the bottom element 4.6m (15 ft) from the ground. This antenna has a calculated gain of 11dBi on 28MHz. On 28MHz the MQ-2 was down about one to one and a half S points on the skeleton slot.

Just after the antenna was installed the weather became very wet. I noticed that resonant point on all bands moved down about 100kHz on all bands during heavy rain but reverted to the original frequency when the rain ceased.

My Conclusions?

My conclusions about the MQ-2 Antenna? Well, considering how small this antenna is, it works quite well. During the test period the DX worked included CX, LU, W, PU, CE, 9J2 on 28MHz, PP5, P49, S79, JL on 24MHz, VU2, 9V1, 9K2F, W on 21MHz, CO8, W4 and PY on 18MHz and VK7 and YV5 on 14MHz. Since the review I've been even more successful.

The antenna was not tested on 50MHz as I don't have any equipment for the band. However, because of its small size the antenna would meet the needs of many amateurs who have very small gardens - or even no garden at all. I was impressed enough with the MQ-2 to buy the review unit!

My thanks go to Waters & Stanton PLC of 22 Main Road, Hockley, Essex SS5 4QS, Tel: (01702) 206835, FAX: (01702) 205843 for supplying the reviewed antenna.

Normal price for the MQ-2 is £379 plus £7 P&P, but W&S state that PW readers can buy it for £350 plus £7 P&P by mentioning this review. PW

Waters & Stanton Replies

Jeff Stanton of Waters & Stanton had the following to say about some of Peter Dodd's comments in his review:

"I agree with Peter Dodd that the 'sales blurb' for the mini-beam is a little 'over the top' and I know that Tom McKay at the manufacturers is planning to tone it down in the future. As Peter says, it's not necessary on what is a quality product.

"I understand that the two clamps which were missing should have been in the box and are sending me spares. I'm pleased that this did not affect the tests.

"Of course, another important consideration is that a low cost lightweight rotator will turn this antenna avoiding several hundred pounds further expense on beefy rotators".

Tom McKay Replies

Tom McKay from the Manufacturers of the MQ-2 Antenna had this to say about some of Peter Dodd's comments:

"The clamps that fit on the horizontal sleeve are included. I wonder if they were lost in the paper wrap? It also sounds like he tested an older version with the black nylon vertical and horizontal insulators. The latest version produced this year have clear lexan insulators and do not suffer from moisture and temperature expansion.

"I read where he lost one of the small adjuster screws. I figured that this may happen now and then, so there is a small packet of extra screws and nuts as well as 12 extra long spokes in the parts package for such problems".



Fig. 4: Peter G3LDO says: "Note the crawling ladders used for mounting the antenna ... don't even think about going on to a roof without these!"

Indoor Antennas

Are They Really Feasible?

Gordon King
G4VFFV takes
you through his
experimentation
with various
indoor antennas
and proves that
they can be
feasible.

Fig. 1: The 5-element XY ZL Special, located at the gable end of the roof space and pointing north-east. It's fed by two lengths of low-loss coaxial cable with polarisation switching in the shack. A part of the trapped dipole h.f. antenna can be seen in the apex of the roof.

An indoor antenna can never be a substitute for an efficient outdoor antenna, but when there's no alternative, an indoor configuration is certainly worth trying. You may be pleasantly surprised! However, it's impossible to forecast how well (or how badly) any type of indoor antenna will behave - there are so many incalculable varieties.

Much is governed by the complex environment within the building, such as the 'space' available to site the antenna, the height of the building above ground and sea level, the nature and absorption factor of the building materials and the local field strength of the TV and radio transmitters serving the area.

Indoor transmitting antennas significantly increase the risk of TV and radio interference and the smaller the signal fields from these transmitters the greater the risk of interference. Then of course, there are the questions of safety and health hazards that must be considered.

Nevertheless, it is feasible (given reasonable conditions) to operate a satisfactory and satisfying amateur transmitting station merely with indoor antennas, as I have been doing now for more than a decade. Most of the h.f. bands can be accommodated, as can v.h.f. and, if you have the space, a v.h.f. beam is not out of the question - but excessive signal loss due to increased absorption through the building is likely at u.h.f. and above.

Signal Absorption

With indoor antennas, of course, the radio wave needs to get out of the building into free space and for this to happen, the wave needs to pass through the walls and roof and, unless the wavelength is

extremely short, at least, a proportion of the energy of the wave will pass through and propagate through space in the normal way.

It is inevitable, however, that some of the energy is going to be lost owing to it being absorbed by the building materials. The outgoing wave will thus be attenuated and the energy not being propagated will be dissipated or converted to heat.

In general, as the wavelength is decreased (frequency raised) so the absorption attenuation increases, but in the h.f. bands, especially the lower frequency bands, normal building absorption attenuation can be remarkably small, unless of course, the building is made of metal or metal framed. The main impairment to radiation efficiency is generally the need for antenna compression and compromise, unless you are blessed with a cathedral-sized attic space!

During my somewhat protracted spell with indoor antennas I have calculated that the 144MHz absorption attenuation relative to my ZL Special seven-element beam (which is sited at one end of the roof space and looking 'out' through the gable-end wall of my house) is not all that much more than 2dB under dry conditions. The antenna itself has a gain of around 9dB (relative to a dipole) so, in effect, being in the roof-space from this aspect alone means that I'm running with a beam of about 7dB gain instead of one of 9dB gain!

My gable wall is constructed out of quarried stone on the outside and thermal insulation blocks on the inside and the internal dimensions of the roof space are around ten metres in length and 9.5m width. The roof is designed in Swiss-cottage style, steeply sloping and tiled and lined with 500 gauge plasticised pvc underlay. Roof headroom approximates 2.5m, but reduces rapidly from the centre to either side.

Roof Space Hardware

I've got all the usual roof space hardware including the water storage tank, the central heating header tank, water overflow and plumbing pipes and several lighting and power electricity circuits. Also located in my roof space is a 10-element TV antenna.

Happily, the strength of the signals from the local f.m. radio and TV transmitter are sufficiently strong as to produce an average signal of around 10mV p.d. at the antenna sockets of the receivers. This, as already intimated, goes a long way towards taming some of the problems of transmitting with indoor antennas.

Topography Factor

Topography is another factor which favours the use of indoor antennas at my



QTH. As some readers will already know, my house is located on sloping ground about 100m a.s.l. and is 1.6km from the sea. The ground rises to some 150m in a southerly direction, which gives me an open aspect across Lyme Bay in a north-easterly direction, with the rising ground behind.

My location is really super for a north-easterly take-off and is the direction my 144MHz beam (looking through the gable end of the house) is mostly pointing. The house is a little above 10m in elevation, so the antenna itself is about 9m from the ground.

I have experimented with a wide range of indoor antennas over the years for both the v.h.f. and h.f. bands. With all of them I've had varying degrees of success - and none have been an utter disaster on any band.

A significant advantage of indoor antennas, of course, is that you can experiment with them at any time of the day or night and under any weather and signal conditions without the need for tall ladders! Moreover, they are not affected by strong wind, which is a bonus at my QTH during the winter gales. Neither are they affected by the hostile outdoor environment.

I've constructed a variety of 144MHz antennas for roof space siting, including vertical dipoles, five and seven-eighth verticals, end-fed J antennas, loops, phased verticals, helicals, slots and beams.

Apart from the usual 144MHz F3E mode, my favourite mode on this band is A1A. On this mode I use horizontal polarisation - also F3E with horizontal polarisation. (I wonder what happened to the experimental horizontal f.m. group, which undoubtedly proved over the years that, even under 'flat' conditions, horizontal polarisation had a two to three decibel advantage over vertical). This meant a 144MHz antenna was required to provide both vertical and horizontal polarisation.

Experimenting With Helical

After experimenting with a 144MHz helical to yield circular polarisation (and thus serve both my requirements) I found that, for adequate gain, a lot of my roof space was being used up (such an antenna for 430MHz wouldn't have been so bulky). I thus decided on a crossed or XY beam and, after several attempts based on long-boom designs, I eventually settled on a short-boom XY ZL Special. This antenna is based on two driven elements and takes a bit of playing with to optimise. (See Fig. 1).

The antenna is fed through two lengths of ultra low-loss coaxial cable, one length for the horizontal section and the other for the vertical section. A coaxial switch in the radio room allows selection of the required polarisation.

My radio room is on the first floor of the house and each cable is about 10m long. Signal loss isn't all that high (it's desirable to keep losses as low as possible with indoor antennas). There's direct access from the roof space to the radio room via a shaft which runs behind the wall and emerges from a small door within a built-in cupboard, which is handy and the feeders from all my roof space antennas follow this route.

Circular Polarisation

Before I opted for separate X and Y feeders I experimented with circular polarisation. This, of course, would have catered for both vertically and horizontally polarised signals on the one cable without the need for switching. (Except, perhaps, for a change between left and right-hand circular). But because of the extra 3dB (half-power) loss, which results when communication is with a station of 'linear' polarisation, I considered it more

desirable to reduce this loss by running two feeders and a changeover switch, since the higher the signal (both transmit and receive) that can be achieved with indoor antennas the better.

Anyway, having now used this 144MHz antenna set up for several years I'm very happy with the results. For 'local' working, the TX power is 1W or less, though I do tend to become more power mad (!) for DXing and utilise the full 10W of my Yaesu FT-480R, especially under tropo lift conditions.

No Interference!

Even running at the full 10W of the TX, I've never had trouble with television or radio interference, despite the fact that the 144MHz antenna is barely one metre distance from the television antenna in the same roof space!

Most broadcast radios in my house use their own ferrite rod antennas, while the hi-fi f.m. tuner operates from an indoor antenna running along the skirting board. This, of course, is one of the advantages of being blessed with high signal fields from the local broadcast stations!

My radio room is situated below the roof space and is about six metres clear from the rear of the beam at an angle of around 30°. At the operating position the measured signal field at 10W is little more than 1V per metre. This corresponds to a power flux density of around 2.6mW per square metre, which is some 34dB below the **National Radiological Protection Board's** (NRPB's) investigation levels at two metres, so I have no qualms concerning health hazards in operating my station under these conditions. There's a further 10dB margin at 1W, of course.

Communication Distance

Operating under 'flat' conditions, the communication distance covers around 100km (somewhat more over a sea path). This distance, of course, is a function of the overall heights of the two stations (just over 100m a.s.l. at the antenna in my case). However, when there's tropo enhancement (especially when the pressure just starts to fall after an anticyclonic spell) things really begin to buck up because the distance is far less influenced by height or power.

From my I080 locator square, under normal tropospheric conditions, I can achieve reasonable communication up to square I082 (about 100km), while with a trace of lift the path increases to squares I083 and I093. When the lift is more dramatic, I've worked into square I085 (GM-land) and into Europe, both achieved with F3E mode.

However, for more esoteric 144MHz DXing I'm particularly keen on A1A mode, especially for the advantage provided by the smaller noise power bandwidth.

Morse, of course, is particularly useful for making DX contacts where voice would have little chance of succeeding (a pity Morse seems to be losing favour in the amateur world!). I've also had my fair share of Sporadic-E (Sp-e) contacts with the indoor

Fig. 2: An L-type dipole located at the opposite gable end cut for the 29MHz band. This has a very low v.s.w.r. and is useful for 28MHz f.m. activities, especially during Es propagation.





Fig. 3: Photo showing the centre feeder connection of the h.f. antenna. The conductor is supported to the timbers by a cord, while the helices are wound on roof timbers insulated by a plastic membrane (but large diameter plastic piping could be used as an alternative).

A Tricky Problem

A tricky problem with indoor h.f. antennas can be a direct coupling of the signal into adjacent electric wiring and plumbing, which not only reduces the effective e.r.p., but also conducts the r.f. to other electrical appliances in the house and sometimes neighbouring houses as well. This increases the possibility of radio and television interference. The wiring and pipe work can also re-radiate the signal, making life even more difficult.

I've compared so-called magnetic loops with various types of dipoles and open loops and, although a well designed magnetic loop is capable of a performance which belies its diminutive dimensions, it suffers from the inherent disadvantage of compressed bandwidth. (This is a result of its necessarily high Q -value, which calls for continuous operational tuning). Electronic synchronisation of the loop tuning with the transceiver tuning has been attempted, but so far without adequate accuracy.

Various designs have been published, including 'flexible' arrangements (made from good quality coaxial cable) which can be squashed through the smallest of roof space apertures. I've found that when correctly tuned, a high Q -magnetic loop can perform almost equally to a correctly dimensioned open dipole on most of the h.f. bands, especially in a roof space environment.

There are fewer problems with r.f. couplings too, but on balance - in my particular roof space - I've come out in favour of the open dipole. Despite that, compression is necessary to get it to fit into the available space on the lower frequency bands.

The two main problems in fact, appear to be the need for compression and the elimination of r.f. coupling to pipes and wires. Most recently built houses have essentially plastic piping, but there's still the electric and other wiring to avoid coupling into. (In this respect it's absolutely essential to avoid running the antenna along a line parallel to any other conductors in the roof space).

The maximum distance possible must also be

beam and no more than 10W of TX r.f.

There's little doubt that an indoor antenna is perfectly feasible on the 144MHz band given fair conditions, but can the same be said for the h.f. bands? Well, let's see.

maintained between the antenna and other conductors. Endeavour to run the antenna along the inner apex of the roof space, as high up as possible and keep the feed point (of a dipole) midway along the apex.

Twin Feeder

It's a good idea to use a twin feeder rather than coaxial cable to couple the antenna to the transceiver - this will help to avoid feeder radiation. Also try to get a direct route for the feeder. If it's necessary to cross other cables with the antenna, try to arrange for a distant right-angle crossing.

The amount of coupled r.f. can be judged by using an r.f. detecting device, with its pickup antenna or sensor held close to hidden wiring runs or pipe work in the house. I've tried various arrangements of series-tunes traps connected or coupled to the wiring or plumbing in an endeavour to 'notch out' the offending r.f. when the pick up has been excessive.

Although I've had some success with these, they often need to be tuned each time the transmit frequency tuning is changed and this is not always practical! The best plan is to site the antennas so as to eliminate, or at least minimise, any such coupling.

What Antenna?

I must admit to having the most encouraging results with the simplest of antennas. The basic dipole cut for the particular band of operation is fine. I have also had good results with an L-shaped dipole (see Fig. 2), especially for the higher h.f. bands.

My current arrangement for 3.5, 7, and 14MHz is a simple trapped dipole, where the untrapped middle part is cut for 7MHz, and 7MHz traps inserted in each leg with conductor extension to embrace the 3.5MHz band. Dedicated dipoles are used for the higher bands.

It will not be possible, in a normal roof space, to erect the dipole kind of antenna in a straight line, as its overall length is about 33m. The half-wave 7MHz section works out to around 19.5m, while an extra 6.7m of conductor is required after each trap. Clearly, then, the antenna needs to be 'bent' and compressed for roof space accommodation.

The diagram, Fig. 3, shows the arrangement in my case (also see Fig. 4 for diagram). Two large diameter helices reduce the physical length. They are formed on suitable parts of the roof timber (but large diameter plastic pipe could be used). The number of turns are tailored to provide maximum spread with the least bending (both important points).

I found it best to trim the length of the 7MHz section first for the lowest v.s.w.r. at the centre of the 40m band and then follow suit on the 80m band by trimming the conductors on the far side of the traps equally (tuning is fairly flat on both bands). For optimum impedance matching on the higher frequency bands I use a Yaesu FT-102 so-called Antenna Tuner.


Final Word

I rarely use more than 5W r.f. input with indoor antennas and yet have worked stations world-wide on A1A mode. The measured electric field (that's the near field on most h.f. bands) is little more than 2V/m maximum in the radio room - some 30 to 38dB below the NRPB investigation levels over 3.5 to 29MHz so, again, no qualms in this respect.

Certainly in my case, I've had lots of fun and success with indoor antennas, so I can vouch for their feasibility. My final comment would be that it's best to start with low power, while bearing in mind the inevitable engineering shortcomings. Good luck with your 'Indoor DXing too!'

PWW

Fig. 4: Diagram of the h.f. antenna configuration as described in the text.



Closing down sale

EVERYTHING MUST GO!

STARTS ON SATURDAY JULY 17th

FOR AS LONG AS IT LASTS!

G3STS - Terry is retiring after 35 years of importing radio equipment, (the company was formerly known as Radio Shack Limited until 1995), the property has now been sold and must be vacated.

PRO-2042 scanners @ £110, PRO-2032 @ £80, DX-394 @ £75, 100m reels T-3234 low loss heavy braided semi-air spaced coax @ £50 (was £111.63), Drake RP-700 receiver protectors £35.00 (was £89.95), Drake 4, C & 7 line manuals, parts, crystals & accessories, Icom including Business Radios, HY-Gain antennas, 10m 3el 103BA, 4el 20m 204BA, V2 2m colinear £30 (was £79.95), Hustler antennas, masts, resonators, £2, JBeam antennas, 5XY/2M, D5/2M, 10XY/2M, PBM2M, 10Y2M, Q4/2M, 12XY70CM.

All at clearance prices. Bring a roof rack!

Avanti antennas, mikes, headphones, meters, Drake, Collins Logbooks, wierd & wonderful things. Collection of handbooks & service notes from WWII - 1995, God only knows what we have, freebees, ancient brochures, posters, nostalgia.

MEGASYS LIMITED

188 BROADHURST GARDENS, WEST HAMPSTEAD
LONDON NW6 3AY. TELEPHONE 0171-624 7174

JUST AROUND THE CORNER TO THE LEFT FROM WEST HAMPSTEAD TUBE ON THE JUBILEE LINE

Callers only for large items
or antennas, cash or credit
cards (minimum £50, if we
must) only - no cheques

CQ, CQ, New A/B Licence...M5???

The Radio Society of Great Britain has yet again led the way forward with the introduction of a new class of amateur radio licence...

Exciting news for Class B licensees


- NEW Class A/B licence to provide access to all HF bands
- 100 watts PEP level


Plus! Exciting News for Novices

- Novice licensees on 2m
- Wider allocations on existing bands
- Higher output power

A full range of free membership services is readily available including a monthly 100 page colour magazine Rad Com, delivered to your door for only £38.50 annually or £9.62 quarterly Direct Debit (£29.50 over 65; £24.50 students; £14.50 under 18)

Act now and enjoy your hobby to its full potential

 **01707 659015** to join or for a free copy of RadCom

 **Radio Society of Great Britain**, Lambda House, Cranborne Road, Potters Bar, Herts EN6 3JE.
Cheque / Postal Order payable to Radio Society of Great Britain

Please enrol me as a member of the RSGB



Name (MR, MRS, DR) _____ Exp Date _____ Switch Issue No _____

Address _____

Town _____ Postcode _____

Signature _____ Date _____



Please send me a
Direct Debit form ☐

...The Voice of Amateur Radio for over 85 Years

SWN 7/99

Over The Arctic Seas From Siberia to St. Petersburg

Vadim Banandin
UA9MCM was
nominated to be
the radio operator
on *Siberia* during
its expedition from
'Siberia to St.
Petersburg via the
Arctic Seas' and in
this article
(submitted by
Stan Gould
G0VJJ on behalf
of Vadim), he
describes the
ensuing journey.

Vadim Banandin
UA9MCM operating the
radio on board the yacht
Siberia and a map of the
journey which the yacht,
Siberia, took.



The yacht we used on the expedition, *Siberia* was built by a group of enthusiasts, over a nine-year period, under the leadership of the captain, **Serge Sherbakov**. It was a centre-boarder - ten metres long by 3.3m at its widest point, with a 14m mast and its crew consisted of seven men. I was lucky enough to be nominated by the Omsk Regional Radio Club to be the expedition's radio operator and I was to do all the cooking and also keep a video record of the expedition. The radio we used on the expedition was an **Alinco DX-70** with automatic antenna tuner (a.a.t.u.), loaned to us by **Gennady RU9MC**. Electric power was from a 25 horse power diesel engine and generator, charging two 180 a/h batteries.

The antenna system we used was a sloper consisting of three insulated, ten metre length steel guy ropes connected at the mast top to the inner conductor of a coaxial feeder - the braid being earthed to the mast. A home-made electronic keyer was found to cause strong r.f. feedback when used on board, so a straight key had to be used for all c.w. contacts.

In addition, we used a **Magellan GPS system**, which enabled us to transmit our exact co-ordinates. **Folke Anderson SM2AYE** plotted our course almost daily, using the **Microsoft World Atlas**. We were allocated the special callsign **R9MCM/MM** - the first letter of the suffix designates Omsk.

As The Crow Flies

Omsk is some 1400km from the sea, as the crow flies, but much further by river. So, in fact, the yacht was transported by freighter along the River Ob to Salekhard near the Gulf of Ob. Therefore, the actual expedition started on the 10th August and heading for the Gulf of Ob.

Close to Salekhard are the Senokosnye Islands, designated IOTA AS-109, and leaving the yacht, we carried one of its batteries and the Alinco to one of the islands and I managed to make 245 QSOs using inverted 'V' antennas on 7 and 14MHz! (See Fig. 1).

During the next day, we moved into the Ob Gulf which was really more like a vast sea and as we progressed northwards, the nights became much lighter and I found that propagation to North America improved noticeably. At this point, for a period of several hours during the day, stations acquired a curious



Fig. 1: Yacht *Siberia* berthed at Senokosnye Islands, AS-109.

vibrating sound - an effect which is a peculiarity of the polar regions (possibly an auroral effect. Ed).

By now, we had passed the Khalavengo Islands, sailed through the Malugin Strait by Belyj Island and on into the Kara sea. (See Fig. 2). We tried to contact Radio Amateurs back in Omsk twice daily, but we were not always successful.

However, we did get some help from the **Russian Amateur Radio Emergency Service**. This service has members throughout the former Soviet Union and they relayed traffic between ourselves and Omsk on some occasions.

On the 18th August, near cape Kharasovey, we met a dense ice field. By Channel 16 v.h.f. marine radio, we contacted Kharasovey and were informed that the icebreaker *Captain Kosolapov* would soon depart for Arkhangelsk. (See Fig. 3).

Their Captain kindly offered to guide us around the ice on our way to Vaygach Island - but not before entertaining us all on board in the traditional Russian manner!

On the 22nd August, we came to Vaygach Island. Yugorsky Shar Strait is narrow and we could see land on both sides and it was here that we parted with the captain and the crew of the icebreaker. I wonder what we would have done without their help.

While some repairs were carried out to the yacht, I was



Fig. 2: 'Vadim on board the yacht *Siberia* in the Kara Sea at sunset.





Fig. 3: The icebreaker *Captain Kosolapov* guides *Siberia* through a dense ice field.

landed on Matveev Island. The lighthouse there is now automatic, but the wooden tower of the old lighthouse still stands. I used it to hook up a long-wire antenna and one of my first QSOs from the lighthouse was with an old friend, **Heinz DF4BV**, whom we were later to meet in Hamburg. Altogether, I managed 147 QSOs, including 5H1, KL7 and KC6 before being picked up by our yacht again. (See Fig. 4 and Fig. 5).

High Winds

In the Barents sea we encountered high winds and five metre waves and, although we were getting used to storms by now, they didn't exactly make us feel joyous. The transceiver got damp and wouldn't work so I had to put it into the dryer, along with our clothing!

There was a storm on the night of the 25th August and the rope on the steering wheel broke - and not for the first time either! Half an hour later the rudder broke and while we were repairing the rudder, the yacht was running almost out of control!

The next morning we stopped near the village of Bugrino on Kolguev Island for a well earned rest and to complete our repairs. It would have been nice to set up the radio on the island, but I didn't feel that I could leave the rest of the crew toiling while I operated the radio.

The Last Leg

The last leg of our journey round the Russian Arctic coast took us past Kildin Island and on into Kolskiy bay. In Murmansk we had to deal with an unbelievable amount of bureaucracy but we were finally allowed to leave for Norwegian waters. For every one of us, it was the first experience of being abroad.

In Norwegian waters we were impressed by the small, clean cities of Honingsvåg, Northcape and Hammerfest. We were surprised, after our Murmansk experience, that no one tried to stop us. Neither the army nor the Customs took the slightest interest in us and nobody wanted to check if we had such things as safety-belts and other emergency equipment.

The climate of the Arctic in Norway is much warmer than in Russia, especially the Asian part of Russia. We were surprised to see apple trees and roses in blossom in a Norwegian town situated just south of the Arctic Circle.

All along the coast we saw islands and mountains with glaciers and waterfalls. Here, conditions on the 14MHz band were very unpredictable, however, conditions on the 3.5MHz band were good, but only at night and then only with Europe. Fortunately Folke SM2AYE, and **Stan G0VJJ** helped us maintain contact with Omsk.

Outside Russian Waters

Outside Russian waters, about 1000 QSOs were

recorded, mostly on the 7 and 3.5MHz bands. These included 9X0A, EP2MMK, ZS2BBG and stations from USA, PY, VE, CO, VK, DU, FH, etc. There were many QSOs with British stations, with G3LCS, G3HQB, G4JIO and GW4XAU showing special interest.

On the 20th September, we parted from Norway and began to sail in the direction of Denmark in the Skagerrak strait. That night, in a storm, we were almost run down by a ship coming from the Baltic sea, but luckily we escaped serious damage, even though we did lose our stern rail.

When we reached the Dutch coast we were surprised to see so many yachts and sailing ships. The ancient towns of the West Frisian

islands seemed very beautiful to us. We anchored at Amsterdam but it seemed that the Dutch Amateur Radio community was unaware of our visit. It was a great pity we were unable to visit the UK, but time and the lack of visas precluded such a visit.

Hamburg was the only foreign city where people were waiting for our arrival. We met Peter Lefler a well-known marathon runner who sponsors annual events back in Omsk. Peter had made the formal arrangements with authorities for our crew to visit Germany. We also met Werner DK5BA, who helped me to get the license DL/UA9MCM and of course Heinz DF4BV, who communicated with the yacht all the time.

We are most grateful to them. It was the first time that we stayed in a foreign city for more than 24 hours. So we had the opportunity to receive visitors on our boat and I was able to visit the homes of DK5BA and DF4BV.

From Germany to the Baltic Sea we went via the Kiel Canal. We made a brief stop in Kaliningrad to pick up Eugene Federov, who had flown in from Omsk to join us for the last leg of our journey.

The weather in the Baltic was stormy, but on the evening of the 14th October we finally arrived at St. Petersburg. (See Fig. 6). In just over two months station R9MCM/MM had logged more than 2000 QSOs and met the conditions of the WAC award. Shortly after the yacht's arrival in St Petersburg the entire crew flew back to Omsk. By the way, you may be wondering what happened to the yacht - well, it was to be transported back to Siberia by road!

Fig. 4: Vadim Banandin UA9MCM was landed on Matveev island while repairs were carried out to the yacht.



Fig. 5: Vadim UA9MCM made 147 QSOs from Matveev Island.



Fig. 6: *Siberia* and its crew finally arrive in St. Petersburg.



For All Suffering Morse Operators... A Wrist-Resting Recipe

Have you ever suffered from a severely aching wrist after sending Morse? Well, John Worthington GW3COI did but he solved his problem ... read on to find out how!

A 'Wrist-Resting Recipe?

How many c.w. users have a machine that sends CQ for them? As far as I can tell in many QSOs over my 50+ years as a Radio Amateur, very few. It seems that it isn't a chore to many and some people enjoy it. I, on the other hand find it increasingly tiring. In one of the places I "stayed" in whilst in the RAF, they had a beacon keyed by a revolving wheel which had the callsign and a long dash cut into its perimeter operating a simple keying switch. I thought that this was a good idea and it lurked in my mind until the second year of activity as a Radio Amateur when I built by own replica to take the backache out of my CQing.

Unfortunately, mine didn't work very well and it sent lousy Morse so replies were sparse. After all, who wants to work someone who, apparently, can't even send his own callsign correctly?

Another Idea

It wasn't long before I had another idea which was to use a tape recorder playing into the microphone of an a.m. transmitter. This worked a bit better, however the tape had to be constantly rewound and the machine I was using was an early model which was so big that it hardly left room for my logbook.

In addition, I used to get stations complaining about the strong carrier when the calls were being made. So I soon gave up on this idea.

My third idea was to lay a tape loop into an audio operated relay, but the main snag with this was that the loop wore out rapidly because of the many laps it had to do. This idea, too, was abandoned and a long 'self-calling' period ensued with me having to send Morse in the traditional way until there appeared a small advertisement offering a kit of very few solid state bits, powered by a PP3 battery that would do all I wanted and more. It was as if the designer had been reading my mind.

The 'brain' it had was a chip - I can't tell you its number because it has been obscured by a very strong label. Available with this piece of equipment were four options which I elected to use:

- 1). As an ordinary CQ;
- 2). The same but saying 'DX K' at the end;
- 3). A short run down on my name, QTRH and power;
- 4). A longer ramble with more detail about my outfit. (This number message is very handy when working a very slow Morse learner because I can use the three or four minutes to make tea, etc.).

Silent Key?

The inventor of this gadget may read this article and decide to offer his goods once more as I'm sure that it would have a good market for something which is quite small and very light on battery consumption. The odd thing is, he advertised only once (some ten years ago) and perhaps he is now a 'Silent Key'. On the other hand, he could have perfected the complete, tiny, self-operating QSO machine!

PW



...bring your scanning directories to life!

With 2 Megabytes of Memory

**FAIRHAVEN RD500VX
RADIO DATABASE**

The RD500VX is a new kind of wideband receiver with sleek, robust styling, ...only 8 inches wide!



Its massive memory can store information equivalent to several scanning directory books. Any word such as "Fire", "Air", "Voice Of America", or even your local town can be searched for. It can hold 54,682 entries, each with 20 characters of text, mode, and frequency. A 45 key TV style remote is provided for text entry and control, and a PC keyboard can be plugged into the receiver.

...No more thumbing through scanning directories, and no PC needed!

The RD500VX gives wideband coverage with auto memory, skip list, priority channel, pause/hold, AFC, world time clock, and S.meter, and its HF performance is complemented with pass band shift, notch and peak filter, noise blanker, and smooth 5Hz tuning steps.

Modes include USB/LSB, AM, sync AM, stereo CW, NBFM/WBFM and stereo FM, with TV sound and video output as standard.

We include Windows software to make it easy to gather information from document scanners, the Internet and other sources. **The RD500VX** can be linked to your PC to backup or download information, and a database is loaded into the receiver before shipping.

It also has a built in digital sound recorder and editor so a news flash or rare DX can be recorded. Up to 4 minutes of sound can be permanently stored!



Specifications:

Sensitivity (10dB S/N) HF SSB 0.2uV. IP3 +10dBm.

VHF/UHF NBFM 0.3uV. Scan speed 50/second.

Frequency range 0 - 1750MHz

Collins filters available.

Price £799
inc postage

**FAIRHAVEN
RADIO**

Includes software, PSU, remote and 2 year guarantee.

Phone +44(0)1332 670707 Fax +44(0)87 00 55 88 99

<http://www.fair-radio.demon.co.uk>

47 Dale Road, Spondon, Derby DE21 7DG

Mannion's Marathon!

An Irish Holiday To Remember

Rob Mannion
G3XFD/EI5IW
describes his
'marathon' 1750
mile (2800km)
holiday and the
natural
friendship that
awaits Radio
Amateurs
visiting the Irish
Republic and
Northern
Ireland. But he
says "Take a
good appetite
and be prepared
to be
overwhelmed by
the hospitality!"

My holiday to EI and GI began with two differences this year - it started on a Friday (23rd of April) and, instead of heading for Cork and the south west, I stayed overnight in Rosslare before my 'marathon' drive to County Donegal **VIA** County Mayo (not exactly a direct route!). As I was determined to give my newly-issued Irish call sign **EI5IW** (Irish Whiskey) a good 'airing' **Jeff Stanton G6XYU** of **Waters & Stanton** had kindly loaned me an ADI 146 - 50W 144MHz f.m. mobile transceiver to go with the h.f. equipment I carry. This budget-priced rig was to prove itself thoroughly reliable and very useful indeed over the holiday!

Travelling up through Carlow I stopped off briefly in Athlone to meet **Ron Hall EI4AR**, a great friend and marvellous organiser on behalf of others (thanks Ron!) to drop off some solar panels that I'd brought for him. We'd been working each other on 144MHz simplex for a while but before that I'd been active on the **Limerick Repeater EI4LRC** which has an enormously wide coverage. In fact I was still working through EI4LRC when I was up in Sligo thanks to the marvellous (and often not fully appreciated) work by the Repeater Groups.

Mayo Meeting

There was a real surprise awaiting for me in County Mayo. **John Corless EI7IQ** and the wonderful crowd that make up the Mayo Amateur Radio community arranged for me to see a pub which has had a diesel railway locomotive installed inside the pub. You can enjoy a drink - and admire the railway memorabilia at the same time. Incidentally, anyone going on holiday to EI and GI can get a free leaflet - jointly issued by the Irish and Northern Ireland Tourist Boards - showing everything of railway interest.

Running behind schedule, I was then taken to another pub where - to my great surprise and pleasure - many of the **Mayo Radio Experimenter's Network (MREN)** had turned out to enjoy a full sit-down meal and 'get together' with me. It was an ideal way to meet so many PW readers and (swollen head here!) I was even asked to autograph copies of my 'Keylines' pages!

At the end of the meal I was presented with a copy of *Ironing The Land* - the book which accompanies the Irish TV (RTE) series broadcast recently on the history of Irish Railways - not seen in the UK yet and a treat to come I hope. However, it was time to move on and the only problem was that, although I could have spent several days with them, I had to hurry with them all on to the 'Wishing Well' Hotel in Ballyvary in County Mayo.

Once at the Hotel I had the pleasure of officially 'opening' the QTH of the MREN's 'visitor' Amateur Radio station. This marvellous idea is bound to grow and at the moment there's a power supply available, a half-sized G5RV, somewhere to park the car and a great welcome.

All you need to do is bring your rig with you on holiday! The next stage I hope to see with this venture is an outbuilding provided for the visiting Radio Amateur so that operating can be done outside throughout the year. Perhaps we can persuade a generous



Rob EI5IW receives a copy of the Irish Railway book *Ironing The Land* from members of the County Mayo Amateur Radio community - after a splendid meal in good company!

donation of a sturdy wooden shack or portable building to further encourage the splendid initiative of the MREN? I for one intend going back to Mayo soon - because, apart from the fishing, delightful countryside and marvellous people, this part of Ireland seems very special and is matched by its Amateur Radio community.

Sligo & Donegal

Bidding farewell to my Co. Mayo friends I was then escorted part of the way towards Sligo before driving onwards to Donegal by some of the members heading home. It clearly indicated to me the long distances Amateurs in this part of Ireland have to travel to enjoy club meetings.

Driving through Sligo I was able to see Ben Bulbin, Ireland's own 'Table Mountain' clear of cloud for the first time (it's normally covered by cloud when I pass by). I then had a memorable drive up into Donegal and through the 'Barnesmore Gap' and could clearly see the sad remains of the famous old County Donegal narrow gauge railway high up on the mountainside alongside the modern - but twisty - main road. The railway was still visible by its engineering works and telephone poles - 40 years after it had closed. I almost expected to see a train!

The 'Wishing Well' pub at Ballyvary in County Mayo. Bring your rig on holiday and you can use the power supply and antenna provided by the Mayo Radio Experimenter's Network.



I'd been on the road for 13 hours by the time I arrived at the home of my good friend **John Doherty EI9GB** in Buncrana. This pleasant little seaside resort (full of excellent restaurants) is often called 'Londonderry By The Sea' because it's so close to Derry City in Northern Ireland and many people travel the short distance to enjoy the food and other (liquid!) delights.

John and my other good friend **Willy McCauley EI4EK** had arranged a truly superb 'B&B' for my stay in the town. It turned out to be as good as it looked!

On the Sunday, John and I met up with Willy to travel up to Malin Head Radio station to meet **Finbar O'Connor EI0CF**, one of Ireland's very well known Amateurs. The historic Malin Head station - still very much operational is where Finbar works and we enjoyed the visit very much despite it being the only day on my holiday where it rained.

Finbar turned out to be a railway enthusiast too - he's built miniature live steam locomotives that run on a large track in the roof of his barn/workshop. No room downstairs as it's already filled with boats he's built!

Donegal Club Visit

On Monday 26th during the day, John, Willy and I met up for lunch before travelling to Londonderry to the Foyle Railway, right in the centre of Londonderry itself. This was a 'treat' arranged by Willy on my behalf and the Museum and Railway was opened especially for me - what a privilege!

I thoroughly recommend, if you're in Northern Ireland on holiday, that you visit the Foyle Railway. Willy EI4EK is a true 'Master Craftsman' and he rebuilt (from an almost total wreck) No. 12 County Donegal Diesel Railcar. I had a ride and was then given the opportunity to drive it on the narrow gauge track.

Incidentally, the County Donegal narrow gauge system was one of the World's pioneers in diesel traction and the use of these remarkable vehicles kept the railway going until 1959. Willy is now rebuilding an original County Donegal coach (yes, a full size narrow gauge carriage) in his workshop. When I saw it - the coach was almost ready, but how it was to be removed from the workshop I don't know (demolish the large workshop perhaps!).



Rob's hosts in Donegal, John EI9GB (second left) and Willy EI4EK (on G3XFD's right) at the Foyle Railway in Londonderry, Northern Ireland with one of the volunteer staff and organisers (far left). Willy EI4EK rebuilt the 1930s railcar which Rob was able to drive on the visit

In the evening, Willy, John and I drove down to Ballybofey in Donegal to visit the Tir Conaill ARS (the Donegal Amateur Radio Club). The venue was at the same Hotel where they hold their rally in late June - Jackson's Hotel (a superb venue). Unknown to me it wasn't to be just a 'social' visit - it turned into a 'PW Club Visit' and talk. We came away very late indeed after a marvellous evening and drove back to Buncrana via Willy's home complete with a large bottle of Irish Whiskey for EI5 'Irish Whiskey' (thanks folks!).

Bangor Club

On the Tuesday (27th April) I said farewell - and thank you - to John and Willy and headed for Bangor in County Down

Practical Wireless, August 1999

to meet up with another special friend - **Terry Barnes GI3USS**, former President of the RSGB and stalwart of the **Bangor & District Amateur Radio Society**.

After lunch - where we were joined briefly by another good friend (and supposedly 'retired') - journalist **Stewart Mackay GI4OCK** - who writes the only weekly Amateur Radio column that's published in a newspaper in the British Isles.

In the afternoon, Terry Barnes and I visited the Transport Museum at the Ulster Folk Museum, Cultra, near Holywood, Belfast. This museum demonstrates a marvellous spirit of unity as it holds the Irish national collection of vintage railway items, historic bus and trolleybus collection, tram, car, motorcycles and you name it! A wonderful (you need at least a day) day out. We were joined by another friend (and yet another former RSGB President) - **Ian Kyle GI8AYZ/MI0AYZ** - for the afternoon. I enjoyed the company and recommend a visit.

In the evening we had a marvellous meal in the Crawfordsburn Inn - hosted by the B&DARS and I was very proud to be made an Honorary Member of the Society. Another late night - but to experience and taste Irish hospitality is something to remember!

South To Tipperary

On the Wednesday (28th) I headed south to Dublin and onwards to Clonmel in Tipperary. The drive from Dublin to Clonmel went through some particularly beautiful countryside and I arrived in the late afternoon. The Tipperary Amateur Radio Group (TARG) has arranged accommodation for myself and **Kevin O'Herlihy EI7IM** (Editor of the *IRTS Newsletter*) and we enjoyed each other's company very much!

Kevin and I enjoyed our time hosted by TARG, and in particular the hospitality provided by **Liam O'Brien EI7FE** and **Ron McGrath EI6GO**. And I even managed a home bread baking session and demonstration at **Jim Gaffney EI8W's QTH!** (The loaves I baked were my way of saying 'thank you').

On the Thursday, the TARG meeting held at a local pub proved to be yet another wonderful occasion. Here I was presented with a 'Certificate Of Appreciation' by **Hugh O'Donnell EI2HI** and the occasion left me (unusually) lost for words and with a lump in my throat!

Heading For Home

The Friday (30th April) saw me heading for home, via an overnight stop in Rosslare before the ferry trip back to Fishguard and Dorset via Wales. It was too short a holiday with a great deal packed into it. However, if you're thinking of a holiday where you can enjoy your Amateur Radio, the hospitality and marvellous countryside north and south - I recommend the Island of Ireland.

Thanks to all my EI/GI friends - the 144MHz repeater network organisers and the weather for a marvellous time. I'll be back soon ... of that you can be sure.

PW



On his visit to the Bangor & DARS, GI3XFD - after receiving honorary membership of the Society - was then privileged to operate on 430MHz from the shack of Stewart Mackay GI4OCK, a fellow journalist who writes the only regular column on Amateur Radio to appear in a newspaper (*The Belfast Telegraph*) in the British Isles.



End of a marvellous meeting - Rob and friends at the Tipperary Amateur Radio Group in Clonmel, County Tipperary.



Rob EI5IW and Kevin EI7IM (Editor of the *IRTS Newsletter*) enjoy pints of the 'black stuff' after taking extra insulin as both journalists also belong to the international 'Diabetics' club! Kevin, a keen member of the Irish cricketing fraternity has a son who could soon be playing for an English team. Well bowled Sir!


ROB MANNION G3XFD/EI5IW TAKES HIS PRODIGIOUS APPETITE OVER THE SEA TO IRELAND AND IS NOT DISAPPOINTED!

out of this world!

The NEW ALINCO DJ-V5

dual band handheld!

**A Dual Band Transceiver
PLUS Scanner
for the price of a scanner!**



- Full VHF + UHF Amateur Band coverage
- Expandable Receive Range, (76 - 999MHz)
- Wide FM for FM broadcast
- Up to 5W output (3 ou u se ngs 0.5W, 1W, 5W)
- 200 memory channels plus two call channels
- 4 scan modes
BAND SCAN - Scans entire band in VFO mode
PROGRAMMED SCAN - Scans channels programmed in memory for dedicated frequency range.
MEMORY SCAN - Scans memory channels
SKIP SCAN - Scans memory channels less ones marked to skip
- 5 programmable scan bands
- Priority Watch - monitors priority channel every 5 seconds
- Alphanumeric Display
- CTCSS Encode + Decode, DTMF squelch and 4 different European Tone Bursts
- Accepts up to 13.8VDC direct input
- Input voltage display with over voltage warning
- Autodial memories
- Automatic high temperature protection feature
- Standard high power 700mAh NiCad battery pack EBP-45N
- SMA antenna connector
- Eight different tuning steps
- Wire cloning capability
- Wide choice of accessories
- Audio output control (h gh o)
- Split band operation capability (ma e g bo om)
- Superb audio quality on receive
- Outstanding value for money!
- 700mAh Hi Power NiCad pack fitted as standard!
- Ideal for Packet operation
- Auto Power off
- Battery save function
- Programmable repeater shifts plus reverse repeater function

**An exciting NEW VHF/UHF
Dual Band handheld that
will change the way you
think about handle
communication!**

**The NEW ALINCO DJ-V5 is a
compact multi purpose
portable communications
centre loaded with
features!**

NEVADA[®]

DISTRIBUTION DIVISION

UK Distributors for Alinco products

tel: **01705 662145** fax: **01705 690626**

• 189 LONDON ROAD • NORTH END • PORTSMOUTH • HANTS • PO2 9AE

• e-mail: info@nevada.co.uk • website: <http://www.nevada.co.uk>

DX-70TH

award winning HF performance

100 Watt HF Transceiver *plus* 100W on 6 mtrs



£699.00

Just look at this impressive range of features supplied as standard - everything for the HF DX'er!

- TX - all HF + 6mtr
- RX - general coverage 150kHz - 30-MHz 50MHz - 54MHz
- SSB, CW, AM, FM and digital modes
- 100 memories
- Detachable faceplate and remote mounting kit available
- Speech processor standard
- Narrow filters fitted as standard
- 100W output on HF + 6mtrs
- Selectable 4 stage RF gain

The very LATEST VERSION DX70 TH packs a hefty 100W punch on all Ham bands 1.8 - 50MHz. It is backed by a superb receiver with narrow filters fitted as standard. Make no mistake - this is a real DX operators transceiver ideal for use at home, in the car, or for that portable DXpedition. A built in quick offset allows easy 'split' operation for DX 'pile ups'. General coverage receive is included and wideband transmit facilities for export customers. The detachable front panel allows remote mounting for additional security.

EDX-1

HF Antenna Tuner

A coaxial tuner built to high standards giving easy matching of most popular antennas.

- 160 - 10 metres (including WARC bands)
- 120W power
- 150W built in thru-line power & SWR meter
- Automatic SWR calibration circuit allows instant SWR reading
- Illuminated meter
- Optional EBC-9 vehicle mounting bracket

EDX-2

Automatic Random Wire Antenna Tuner

An automatic antenna tuner that matches your transceiver to a random wire, mobile whip, vertical, inverted L or dipole antenna. The EDX-2 is supplied with 5 metres of coaxial and control cables ready wired for the Alinco DX70. The EDX-2 is also suitable for ICOM, KENWOOD and YAESU radios.

- Freq. 3.5 - 30MHz (Min. 3 mtrs wire/whip) 1.6 - 30MHz (Min. 3 mtrs wire/whip)
- Power 200W PEP
- Fully weatherproof
- Fast automatic matching

EMS-14 Base Microphone

A desktop electret condenser mic that gives 'DX penetratory' audio.

- FM/SSB selectable
- Up/Down controls
- Direct powered from Alinco DX70 or DX77
- On air LED

£59.95

HFM-1

Stainless steel HF mobile antenna complete with spring base.

Covers: 3.5 - 30MHz (when used with EDX-2 auto ATU)
Length: 2.7 metres

£59.95



DX-77(E)

the affordable desktop HF transceiver

loaded with features - packed with performance



£599.00

This is no 'bare bones' radio. The DX77(E) was designed from the beginning to be a quality amateur radio full of features to enhance its performance and your enjoyment.

- Covers all HF Amateur Bands 10 - 160 metres SSB, CW, AM, FM
- General coverage receive 500kHz - 30MHz, all modes
- 100W output SSB, CW & FM, 40W AM
- Smooth tuning of 10Hz steps
- Built in speech compressor
- Front panel mounted speaker with loud, clear audio
- Front panel jacks for convenient connections of mic, key, headphones and external speaker
- QRN/QRN reduction with IF shift, RF attenuator and optional CW filter
- Full QSK, 7-step semi break-in operation or Auto Break-in CW modes
- 100 memory channels, each stores mode, split, frequency, AGC, RF attenuation or gain
- computer control with optional ERW-4
- Two VFOs + memory operation mode
- Rear panel connectors for external amplifiers, antenna, power, computer control
- Basic model upgradeable to (T) model with EJ33U Electronic keyer.....£29.95
- EJ34U CTCSS.....£19.95
- EJ35U CW filter.....£49.95
- post and packing £2.75

ALINCO

• innovation • quality • style

On The VHF Bands

Fair-Weather Hill-Topping

Colin Redwood
G6MXL looks
into v.h.f.
operating on his
local hill-tops
and discovers
that there are a
lot of advantages.
If you've ever
fancied trying it
then read on and
find out how.

There are many advantages, I feel, to operating from the local hilltops on the v.h.f. bands - not the least of which is the distances that can be worked. With a bit of advanced planning, it's possible to make the very most of the opportunity. In the past, I've found that there have been plenty of articles written in magazines by the large contest groups and DXpeditions and whilst these all make interesting reading, the average fair-weather operator, running up to only a few tens of watts into a single antenna and going out portable for the first time will find these of little help with the planning - this article is intended to cater for those individuals.

First Outing

For your first outing I would suggest that you stick to the nearest readily accessible hill because it's not until you've done this a couple of times that you discover what you really need. The tops of hills are almost always colder than lower down and, once outside, there's no shelter from even the slightest breeze and of course any clouds, mist, fog, etc., always seem to congregate on your chosen hill.

It's important you remember that you will be sat around whilst operating, so you will not be doing anything to keep you warm, consequently you must consider what you wear on each and every visit, even in the height of the hottest summer.

I always make a point of taking at least two additional layers of clothing above what I would wear outside at my starting altitude. I frequently find that I need them both and sometimes more.

I, myself, am what might be termed a 'fair weather' operator. I pack up as soon as I start to feel cold or wet but if you intend to operate through all weathers then you will need to consider a lot more than what I've discussed here.

Even fair-weather operators like me must consider what to take with them in the way of food and drink. A hot drink in a flask should be considered an **absolute minimum** even if your only going to be operating for a couple of hours on a

operate in colder conditions then it is essential that you take enough food and drink to sustain yourself.

Power Supply Requirements

In order to make 'Fair-Weather Hill-topping On The VHF Bands' a success, you will need to consider your power supply requirements **before** you leave for the hills. Whilst a small generator is worth considering, the difficulties of starting it and the need for refuelling on top of an exposed hill top tends not to make it a first choice for the average operator.

I've found the 12V, 6 or 7A hour sealed lead-acid batteries to be ideal for this kind of /P operating. These are available for under £5 each at rallies and worth every penny! Another good thing about them is that they'll even fit into a large coat pocket but there is a downside - they are capable of delivering very high currents if shorted out, so you should consider some protection to save melted leads or connectors in the event of short circuit. I aim to take at least twice as many batteries as I expect to need. Remember that f.m. will eat batteries much faster than s.s.b.

To connect equipment to these batteries, I terminate all my portable equipment in Red and Black 4mm plugs. Maplin supply some useful insulated red and black crocodile clips with 4m sockets. (If you use the Yaesu FT-690, FT-290 or FT-790 then please remember that the external power plug is not wired in the conventional manner!)

Type Of Rig

Where the type of rig you use is concerned, you have a wide variety to choose from - provided that you can provide a suitable power supply just about any rig can be used.

Remember that on the top of a hill you will be exposed to a lot of signals that perhaps you don't normally hear from lower down, so when choosing a rig, selectivity is one of the most important things that you'll need to consider.

Some rigs may need some assistance in the presence of strong, out of band signals. My 70MHz transverter doesn't reject some strong local Band II f.m. signals very well and I found that a band-pass filter removed from an old ex-p.m.r. radio helped and was very effective.

Another important thing to remember is that if you find yourself operating during a major v.h.f. contest, then you may be surprised at the strength of some of the signals on the band. If so, you may also need to chose your operating frequency in order to continue operating.

Some hand-helds are notorious for their inability to cope with strong out-of-band signals. Fortunately, band-pass filters have recently appeared on the market place which claim to help, but I have not yet tried one, so cannot comment but it might be something worth considering. In



Colin Redwood G6MXL and his set-up at one of his favourite hill-top sites.

warm summers day.

A hot cup of tea/coffee will warm you up even if you just got a bit cold whilst packing up. If you plan to

the end, you may even need to consider changing site if your rig cannot cope with out-of-band signals.

The Antenna

As usual with any aspect of Amateur Radio, the antenna is an important consideration. For portable (P) operation some different considerations will come into play. First and foremost is the ease with which the antenna can be assembled and erected on site.

You might find that you're able to do a partial assembly at home before transporting to site. For example, I leave the elements of my 9-element Tonna permanently attached to the two halves of the boom and transport it on a roof-rack to the chosen site. Once on site, I just have to connect the feeder and clamp the two halves of the boom together to the mast. I have tried larger antennas, but they generally seem to need more than one person to help erect them.

Where I have to remove the elements of antennas for transportation, I use colour coded insulation tape - each element has a different number of strips of tape on it, as does the multi section boom. This helps to ensure that the boom is assembled in the correct manner and that the correct elements go into their respective hole. Each antenna has a different colour of insulation tape. This way I can then quickly spot if I am trying to put the 70MHz elements on to the 50MHz boom.

Where masts are concerned, I've been using the 30mm 1m lengths of swaged aluminium tubing for some time. These seem to work well and I normally use either three or four lengths and try to get the antenna bracket bolted on to the mast before I leave home. It's one less thing to do on a cold hill-top and one less set of nuts to drop in the grass or mud!

As regards to erecting the mast, I always adopt what may seem a rather novel approach. I try to avoid locations where I need to guy the mast - instead, I look for venues where I can clamp the mast to an existing fence post or seat. I also use re-usable cable ties to fix the mast to the fence posts, picnic tables, railings, etc. (See Fig. 1). These seem to be very effective and have never let me down. They have the advantage of not having guys to trip over or stakes to get in and out at the end when it starts to rain!

A favourite site of mine boasts four picnic tables with concrete legs set into the ground. There's no way that these are going to move! Further more, they are nine metres or so from the nearest car so that, in the unlikely event of catastrophic failure, the antenna will not come tumbling down on a visitors car.

Getting the antenna up can be made easier by applying a little physics. I usually fix the bottom section to the picnic table, then I fix the top mast section to the antenna whilst it's still flat on the ground. When I'm ready to put it all up, I insert the remaining one or two sections into the top section and then turn over the antenna, gripping the mast with my hands well apart (over 1.5m apart) - this maximises the amount of control I have on the antenna. I then walk it over to the single lower section and insert it.

For a small antenna, this approach seems to make much more sense than the use of gin-poles, etc., which you may have seen described elsewhere. As a final test, I use my full (ample) weight to try to pull the antenna system over.

By using the picnic seat/table for supporting my antenna system, I've also saved the need to bring tables and chairs with me! I usually position the rig at the end of the table by the antenna pole - this way the antenna can be rotated (by hand) and the rig operated single-handed. (See Fig. 2). Even if you have a second operator with you

there will inevitably be occasions when they won't be able to assist (when pouring the tea!). Also, I always keep a spare battery immediately to hand, so that I can switch over at a moment's notice.

If I use the same site more than once, I always try to sit facing the same direction (preferably where I expect to get most of my calls from) - that way I get to know where the major towns and locator squares, etc., are ("Scotland is over that clump of trees on the horizon, the Channel Islands in IN89 are immediately behind, London is over that town in the distance and Wales up that valley") and can point the beam roughly in the right direction as soon as I have a clue where a station might be.

As regards to log sheets, etc., I always clip these to a clip board. I'm sure that someone has some bright ideas to keep them under control when the wind starts to blow - I currently use spare batteries to try to keep mine under some control!

Storing & Transportation

I have found that the covers designed for rotary clothes lines are quite effective for storing and transporting antenna poles, boom and elements. One cover will easily store four or five poles and the elements and boom for at least one antenna.

Once the opening is tied up, the cover will strap to a car roof-rack quite easily with small bungee straps. I've also tried re-usable cable ties, but I don't think they're as effective as the bungee straps. I try to keep a separate bag per band, so that I can grab the mast bag and the correct antenna bag at a moments notice.

I have a couple of boxes in which I put the rest of the gear apart from the rig - one box is used just for the batteries and I never put anything metallic in it just in case it should short the batteries during transportation. The other box has coaxial leads, connectors, pens, tools, etc. Both boxes have clip down lids, so that they can be closed when not in use. These boxes are reasonably smart, so can be taken into a guest house or hotel overnight for battery charging, etc.

Dress Rehearsal

If I'm thinking of travelling a significant journey away then I always have a 'dress rehearsal' to check that I have everything. For this I assemble the complete station in the back garden or even the local park. I find that this is a very effective way of checking that I have everything I need and that it all works and connects together.

A 'dress rehearsal' is also useful for checking which tools I need to assemble the antenna and clamp it to the pole, etc., and can also be an effective way of eliminating things that aren't needed if short of space.

I hope that this article will encourage some of you to try 'Fair-Weather Hill-Topping On The VHF Bands' - I truly feel that you will enjoy it immensely.

PW



Fig. 1: Colin Redwood G6MXL uses re-usable cable ties to fix the mast to the fence posts, picnic tables, railings, etc. An idea that you might like to try.



Fig. 2: Colin positions the rig at the end of the table by the antenna pole - this way the antenna can be rotated (by hand) and the rig operated single-handed.

COLIN REDWOOD G6MXL EXPLAINS HOW YOU CAN MAKE FAIR-WEATHER HILL-TOPPING ON THE VHF BANDS A SUCCESS.

ML&S
Dial 07000 73 73 73
or 0208 566 1120

Open 7 days a week: Mon - Sat 9:30-6.00, Sun 10.00-4.00.

MARTIN LYNCH & SONS
140-142 NORTHFIELD AVENUE, EALING,
LONDON W13 9SB

TEL: 020
FAX: 020
CUSTOMER SERVICE
WEB SITE
E-MAIL:

YAESU FT-1000 200W

From only £1695*

HF
Flagship
200W
On
moving
most of



our stock into the new warehouse we found a couple of brand new boxed 200-Watt HF Flagships. Beautifully made, (who else uses a crafted front panel made out of Die-Cast Aluminium these days?), built in HD PSU & Tuner, this really is a once in a life time opportunity to own the best in modern Ham Radio Engineering. Retailing at £4995, save yourself a fortune at only £2599. Better still, buy on our budget plan with only £397.52 deposit & 48 x £65 p/m for 48 months. APR 19.9%

**Only
£2599⁰⁰**

* We also have a few prime used examples from only £1695 - please call.

Yaesu FT-1000MP HF Bands including DSP

From only £1499

Most of the top CXDC members use FT-1000MP's - supplied by ML&S. We have a couple of as 'brand new' used AC versions from under £1500, supplied with full 12 month warranty. We also have a batch of boxed U.K. supplied units at the lowest price in the U.K. Give us a call.

**From Only
£1499⁰⁰**

Yaesu FT-920AF

HF Bands + 6M



Only £1195 with FREE Matching PSU & AM/FM options

An excellent Base Transceiver for operation on HF or Six, the new FT-920 comes supplied with AM/FM units and a free Base supply to run it.

**Only
£1195⁰⁰**

Yaesu FT-847

With FREE FC-20 Matching Auto ATU & FREE FINANCE!

HF Bands + 4/6/2/70

The other manufacturers just can't keep up. No one offers the range of bands covered



like the FT-847 from Yaesu. All housed in a neat compact package, buy from Lynch's this month and get a FREE FC-20 Auto Tuner. RRP £1599, ML&S £1499 with free FC-20 & Free finance. £479 deposit & 12 x £85.00 p/m

**Only
£1499⁰⁰**

Yaesu FT-100

With FREE ATAS Active Antenna.



HF Bands + 6/2/70

Reviewed last month in RadCom & Radio Today, this wonder box (no bigger than a multimode 2M rig) got the obvious 'thumbs up'.

**Only
£1195⁰⁰**

This month buy a new FT-100 and receive the matching ATAS HF/VHF Mobile Antenna - FREE. RRP £1249 ML&S £1195 with FREE ATAS worth £249.

Icom IC-706mkII

FREE FINANCE & a FREE IC-T8E worth £349!



HF Bands + 2/6/70

I wonder if Icom realised just how popular the IC-706 would turn out to be? I think they probably did. Now offered on FREE Finance and get your order in before the end of July and claim an IC-T8E Triple Band Handie from Icom UK - ABSOLUTELY FREE OF CHARGE! (Offer ends July 31st, whilst stocks last). £196 deposit and 18 x £55.50 p/m. Zero APR

**free triple
band handie**

Icom IC-746

Still only £1149. No Deposit & FREE Filters!



**Only
£1149⁰⁰**

HF + 6/2

Last chance to buy at £1149 - next month apparently the price will rise. In the interim grab yourself a bargain HF, 6M, 2M (all at 100 Watts), DSP, Auto ATU base station at silly money. Better still, buy on our Budget Plan and receive the FL223 & FL-100 filters absolutely FREE! RRP £1699, ML&S £1149 or buy on or Budget plan with ZERO Deposit & 46 x £35 p/m and receive the two Icom Filters FREE OF CHARGE! (APR 19.9%)

Icom IC-775DSPmk11



HF Flagship 200W

If you want all bands in one box then read no further. The IC-775DSPmk11 is a dedicated HF Base Station offering the user ultimate performance between 160-10M then read on. 200 Watts, built in PSU and Tuner, the Icom is easy to use and removes the necessity for a Linear. RRP £2999. ML&S £2599. Buy before the end of July and we will 'top up' your trade in by another £250. Call the sales desk for details.

**Only
£2599⁰⁰**

Kenwood TS-870S



HF DSP

Some people say that the TS-870S performs so well, Kenwood didn't feel it necessary to continue with the production of the TS-950SDX. DSP, ATU and superb TX and RX quality almost make this a best seller. A discounted price of only £1499 make it a complete one!

**Only
£1499⁰⁰**

RRP £1999 ML&S £1499 or ZERO deposit & 47 payments of £45 p/m. (APR 19.9%)

Kenwood TS-570DGE Package Deal - FREE SPEAKER & PSU



HF DSP

The smaller brother to the TS-870, the compact TS-570 has features that appeal to the CW and SSB enthusiast. Brilliant display and a menu system that doesn't require brains of Britain to operate it. RRP £999. Including the matching SP-21 Speaker and GSV-3000 25-30AMP Bench PSU.

**Only
£999⁰⁰**

KENWOOD

ML&S FOR V.H.F.

Yaesu VX-5R

*5 Watts out of the Box!



Yep, it's true. The VX-5R is the best selling handie available today. 2/6/70 & 5W as standard. Lithium Battery and easy to use. RRP £329 or £29 deposit & 12 x £25 p/m FREE FINANCE

**Only
£329⁰⁰**

Icom IC-T81E

The only Handie with all FOUR bands, 6/2/70/23. Supplied complete with Nicads/charger. RRP £399, ML&S £99 deposit & 12 x £25 p/m FREE FINANCE

Kenwood TH-D7E



More of a hand held Data Communicator than just a handie. 2/70 7 Built-in 9k6 Packet modem. Lovely. RRP £319.95 or £19.95 deposit & 12 x £25 p/m FREE FINANCE

**Only
£319⁹⁵**

Icom IC-207H

Simple, Twin Band Remote Head 2/70 50W/35W Mobile. RRP £369, ML&S £269

**Only
£269!**



Yaesu FT-8100

**Only
£399**



If you want the best RF performance and a true 'dual receive', for repeater capability mobile, then this is it! RRP £449 ML&S £399 or £39 deposit & 12 x £30 p/m FREE FINANCE

Kenwood TMG-707

Twin Bander with a bloody great display that's easy to read. Remote Head & the usual features. RRP £349 ML&S £299 or £7 deposit & 13 x £25 p/m. (19.9% APR)



**Only
£299**

Yaesu VX-1R

Only £169 free case!

The smallest cutest little toy available. Also happens to be a Twin band Handie not a lot larger than a box of matches too. RRP £269 ML&S £169 with CSC-71 matching case FREE!



Icom IC-2800 SAVE £90!

The only Dual Bander with a TFT Colour display with Video Input. Ideal for Packet, SlowScan etc. RRP £549 ML&S £459 or £12.67 deposit & 17 x £30 p/m (19.9% APR)

**Only
£459**



ML&S FOR



NEW! Olympus C2000Z

For more photographic creativity:
The C-2000ZOOM by Olympus

The very best 2.1megapixel digital camera with 3 times optical zoom lens. Available from stock. ML&S £739.99 or £9 deposit & 39 x £25 p/m (APR 19.9%)

ML&S Don't

08 - 566 1120
08 - 566 1207
CARE: 0208 - 566 0 566
E: MLandS.co.uk
sales@MLandS.co.uk

The Word on the Street!

New Company to join the ML&S Group.

By now, some of you will have heard rumours regarding my involvement in a new business to run in addition to the Ham Radio Company. Well, it's true! London traffic is getting worse by the day so to meet the demand of city travellers I have opened a new Scooter Outlet. 'ML&S BikeSmart' starts trading on the 3rd of July this year. With Suzuki, Aprilia and Peugeot, you won't be short of choice. (Bit like Yaesu, Icom & Kenwood really!) If you fancy joining the opening celebrations, pop in that weekend. Until the additional new premises are fully refurbished, both companies will operate from one location, but don't worry - the new store is in the same road so you won't have to search West London looking for us! How will it effect our No. 1 position Ham Radio? It won't - the same faces, Chris, Graeme, Jez, Andy, Brian and the rest of the gang are all here together with a larger warehouse to cope with the growth in mail order. We are in fact recruiting for further staff to assist in the Scooter division. Any budding mechanics out there? Give me a call! BikeSmart can be reached on 0208 566 0000. The usual Ham Sales is on 0208 566 1120.

4th JULY IS INDEPENDENT'S DAY
ML&S IS THE FIRST INDEPENDENT AMATEUR RADIO RETAILER TO BE OPEN 7 DAYS A WEEK - FROM SUNDAY 4th JULY!!!!
10am - 4pm

Kenwood TS-950SD



All the new 950SDX's are gone but we always have a selection of prime used stock available. TS-950SD's from only £1495 and 'x's' from only £2295. Give the sales desk a call.

From Only £1495.00

Yaesu Quadra VL-1000



Only £CALL

The ultimate station accessory, a true 'plug and go' 1kW output Linear Amplifier operating 160m - 6m. Fully automatic including PSU and auto tuner. RRP £4495. ML&S please call.

Icom IC-PW1



Only £3195

The smallest compact 1kW HF Linear available with PSU and ATU. Easy to use and will interface with most HF rigs available. RRP £3695. ML&S £3195. Call for trade in values and finance.

ML&S FOR ACCESSORIES

Kenwood VCH-1

A Visual Communicator to transmit & receive colour pictures. Just hook up to a transceiver and start sending! RRP £399.95 ML&S £299.95, or £7.12 deposit & 13 x £25 p/m (APR 19.9%)



Shure 526T

Since ML&S reintroduced the famous 526T, the bands have sounded much better! You can't beat the TX audio from a 526T. Ask anyone. £149.95 pre-wired to your radio.



Yaesu Rotators

G-450C Light to medium duty, low price perfect entry level rotator supplied with 25m cable. RRP £379. ML&S £319

G-650C Medium Duty rotator, ideal small H.F. Beams etc. c/w 25m Cable. RRP £499.95 ML&S £429.95

G-1000SDX Medium/heavy duty, for larger HF Beams. RRP £529. ML&S £499

G-2800SDX The ultimate high torque, planetary gears, tower mounted rotator. RRP £1229. ML&S £1095

GC-038 Lower Mast Clamps £24.95
GC-065 Stay Bearing, 2' £47.95
GS-680U heavy duty stay bearing £75.00
GA-2500 Tower Mounted shock absorber £55
GA-3000 Heavy Duty tower shock £80.00

Heil Sound

ML&S are the sole authorised retailers of this excellent range of TX/RX Audio products from the USA. As used by the 9MOC DXpedition last year, treat yourself to either the HC4 for DX or HCS 'full articulation' inserts.

The Pro Series Headsets are designed to meet the demands of top contesters and DX chasers. The light and comfortable headset combines with a flexible boom which houses either a HC4 DX or HCS 'full "BBC quality" microphone insert.

This month we are offering a special package deal. Proset 4 DX h/set + boom with FREE HCS insert and lead for your rig. Total RRP £172. **ML&S £129.95.**

Heil Proset Professional Headset & Boom Microphone HC-4 & HC-5 Inserts Foot Switch Heil Pro Micro Lightweight Headset & Boom Microphone



Icom IC-PS85

If space and weight is a premium and a good reliable PSU is the order of the day, then try a switch mode Icom PS-85 for size. Very small and compact and backed by Icom's famous two year warranty



RRP £245, ML&S £199.95

Yaesu FP1030A

High quality Regulated DC PSU specifically designed to work with their current (including the FT-847GX) range of HF Transceivers.



RRP £229 ML&S £169

Icom PCR-1000

The same as its big brother the PCR-1000, but excluding SSB & DSP. Just plug this very small black box into your Win 95/98 PC and you have an instant 10kHz-1300MHz FM/WB/FM & AM receiver.



RRP £249.95 ML&S £199 incl. FREE DELIVERY. Introductory offer only. Whilst stocks last.

ML&S FOR USED

Make	Model/Description	Price
DAWA	CN20 SWR/PWR METER	50.00
DIAMOND	GSV3000 25 - 30A PSU	75.00
DRAKE	R8A HIGH PERFORMANCE GEN COVERAGE S/W RX WITH VHF	499.00
HONDA	E4500 4.5KW PETROL GENERATOR, 110V/220V EXCELLENT CONDITION	595.00
ICOM	IC AT30E MATCHING ATU FOR ICOM MARINE	399.00
ICOM	IC736 EXCELLENT HF TRANSCEIVER WITH 6 METRES PSU AND INTERNAL ATU	795.00
ICOM	IC737A LATEST HF TRANSCEIVER WITH AUTO ATU	549.00
ICOM	IC751 100W HF ALL MODE TRANSCEIVER	295.00
ICOM	IC7750SPART11 HF 200W DSP TRANSCEIVER WITH AUTO ATU AND PSU - MK11 VERSION	1899.00
ICOM	IC821H 2M / 70CM MULTIMODE VHF/UHF BASE RADIO	799.00
ICOM	IC97DE ALL MODE HF / VHF / UHF HANDHELD SCANNER AS BRAND NEW IN BOX	199.00
ICOM	IC9CE HANDHELD 5 TO 1300 MHz AM/FM/WFM RX	99.00
ICOM	IC9SP EXTERNAL SPEAKER	25.00
ICOM	IC7E TRIPLE BAND HANDIE 6M / 2M / 70CM	225.00
ICOM	IC7000DSP COMPUTER CONTROLLED HF/VHF/VHF RECEIVER	249.00
ICOM	PS85 20A MATCHING PSU FOR IC746 / IC756 ETC	149.00
ICOM	SMB BASE STATION MICROPHONE	35.00
JRC	JST245 HF AND 50MHz 150 WATT TCVR, INBUILT PSU & AUTO ATU AS BRAND NEW	1595.00
KANTRONICS	KPC3 MINATURE PACKET TERMINAL	70.00
KENWOOD	AT50 MATCHING AUTO ATU FOR TSSOS	169.00
KENWOOD	HSS DELUXE COMMUNICATIONS HEADPHONES	45.00
KENWOOD	MC60A BASE MICROPHONE	79.00
KENWOOD	MC30 "DSP" READY BASE MICROPHONE FOR TS870/950 SERIES	125.00
KENWOOD	UPDOWN UNLISHED	75.00
KENWOOD	SP430 SPEAKER (MATCHES TS440S)	25.00
KENWOOD	TH07E DUAL BAND HAND	295.00
KENWOOD	TM741E DUAL BAND MOBILE TRANSCEIVER, REMOTE HEAD, OPTION 10/16/23	299.00
KENWOOD	TR751E 2M MULTIMODE 25W	399.00
KENWOOD	TS140S HF TRANSCEIVER, SIMPLE TO USE 100W ALL MODE	399.00
KENWOOD	TS490SAT HF GEN COV TRANSCEIVER WITH AUTO ATU, GEN COVERAGE ALL MODE	595.00
KENWOOD	TS490SAT HF GEN COV TRANSCEIVER WITH AUTO ATU, GEN COVERAGE ALL MODE	595.00
KENWOOD	TS88S LATEST 100W HF "MOBILE" ALL MODE TRANSCEIVER	399.00
KENWOOD	TS88S LATEST 100W HF "MOBILE" ALL MODE TRANSCEIVER	399.00
KENWOOD	TS7900 DSP HF TRANSCEIVER, 100 WATTS OUT, INTERNAL AUTO ATU	650.00
KENWOOD	TS870S LATEST DSP 100W HF TX/RX	1199.00
KENWOOD	TS940SAT HF GEN COV WITH AUTO ATU, 100W INCL PSU	895.00
KENWOOD	TS950SD HF TRANSCEIVER TOP SPEC FULLY LOADED	1495.00
KENWOOD	TS950SD HF TRANSCEIVER TOP SPEC FULLY LOADED	1599.00
KENWOOD	VCH1 SSV TX/RX HANDHELD UNIT	265.00
LOWE	AP150 MATCHING SPEAKER UNIT WITH FILTERS FOR HF150	85.00
LOWE	HF150 COMMUNICATIONS RECEIVER	275.00
LOWE	HF225 RECEIVER	249.00
LOWE	HF225 RECEIVER C/W KEYPAD	299.00
MUTEK	HF2200C HF TRANSVERTER ALL BANDS ALL MODE	199.00
YAESU	FC1000 REMOTE CONTROL HF ATU	299.00
YAESU	FC92 300W ATU WITH METERING/COAX SWITCH MATCHES FT101/201/700GSM	150.00
YAESU	FR230C COMPUTER INTERFACE RS232C	45.00
YAESU	FL602U CLIP ON LINEAR AMP 3M 10W	99.00
YAESU	FRG100 SHORT WAVE RECEIVER	299.00
YAESU	FR8800 COMMUNICATIONS RECEIVER FITTED VHF CONVERTER	199.00
YAESU	FT1000 ALL MODE HF TRANSCEIVER, GEN COVERAGE DUAL RECEIVE	1895.00
YAESU	200W Flagship	1895.00
YAESU	FT1000 ALL MODE HF TRANSCEIVER, GEN COVERAGE DUAL RECEIVE	1899.00
YAESU	200W Flagship	1795.00
YAESU	FT1000MP HF GENERAL COVERAGE D S P TRANSCEIVER WITH INBUILT PSU	1499.00
YAESU	FT100AMP A/C HF GENERAL COVERAGE D S P TRANSCEIVER	1595.00
YAESU	FT211RM 2M 45 WATT FM MOBILE	99.00
YAESU	FT2800 2M MULTIMODE TRANSCEIVER	300.00
YAESU	FT41R LATEST 70CM MINIATURE 70CM HANDIE, KEYPAD ENTRY, OTMF INCL	159.00
YAESU	FT728 2M/70CM ALL MODE MULTIMODE BASE STATION	749.00
YAESU	FT8800 DUAL BAND MOBILE TRANSCEIVER	279.00
YAESU	FT8800R 2M/70CM DUAL BAND MOBILE WITH VUBAND RX	250.00
YAESU	FT8100R DUAL BAND MOBILE FM TRANSCEIVER	295.00
YAESU	FT8500 LATEST DUAL BAND RADIO	279.00
YAESU	FT920 LATEST DSP HF AND 50MHz RADIO WITH INTERNAL ATU	1100.00
YAESU	FT980 W/SHOP BRAND NEW TECHNICAL SUPPLEMENT FOR FT980	20.00
YAESU	FT9800C 100W MULTIMODE GEN COV HF TRANSCEIVER, FITTED AUTO ATU	895.00
YAESU	SP8 EXTERNAL SPEAKER WITH AUDIO FILTERS	99.00
YAESU	VX1R 2M / 70CM HANDIE WITH WIDE RX	125.00
YAESU	VX1R 2M / 70CM HANDIE WITH WIDE RX	159.00

SPECIALS

Olympus P-330E

Digital Colour Photographic Printer

Ideal for use with the GC-S5EK Digital Camera



Direct printing - no computer required. The new P-330 digital printer is perfect for producing photographic quality images from digital cameras, VCRs and computers in minutes. The SmartMedia card slot means there is no fussing with leads and the 306 dpi resolution ensures sharp, defined pictures. A must buy for anyone with a digital camera.

ML&S price £399.95 or £14.03 deposit & 18 x £25 p/m (APR 21.9%)

Inrad Filters

FT-1000MP model
MLS-711 1.8kHz SSB (8215MHz) £109.00
MLS-702 2.1kHz SSB (455kHz) £145.00
MLS-709 2.1kHz SSB (8215MHz) £109.00
MLS-701 400Hz CW (8215MHz) £109.00
MLS-703 400Hz CW (455kHz) £145.00

FT-847 model
MLS-706 2.6kHz SSB (455kHz) £119.00
MLS-712 300Hz CW (455kHz) £119.00

FT-920 model
MLS-711S 1.8kHz SSB (8215MHz) £119.00
MLS-701 300Hz CW (455MHz) £119.00

IC-746 model
MLS-110 2.1kHz SSB (9MHz) £95.00
MLS-314 2.1kHz SSB (455kHz) £145.00
MLS-111 400Hz CW (9MHz) £95.00
MLS-116 400Hz CW (455kHz) £145.00

Don't forget! Morse Tests last Saturday of every month.

John Brown G4UBB says that recent articles on solar power panels on a spacecraft prompted him to try a system for himself. His experience wasn't gained in orbit though - but in sunny Pinner, Middlesex, in Greater London!

Installing... Solar Power

News of damage to solar panels on the *MIR* space station prompted me to buy my own solar panel generator to charge a 20Ah car battery used to feed my 12V v.h.f. radio transceiver. This is an elderly Icom 290E, whose memories continuously consume 30mA and also a Davis weather station taking 4mA. The car battery also serves as emergency lighting in the event of mains power loss.

After considering different offers I bought the Uni-Solar Flexible Solar Panel MBC-131. This seemed to have the most comprehensive specification, rugged marine construction and a three year warranty.

I'll briefly mention some of the brochure details: System voltage, 12V d.c. Rated peak power, 5.5W. Rated peak current, 0.35A. Rated charging (UK), 7Ah/week. Size, 710mm wide x 200mm high. Weight, 700g.

Blocking Diode

The panel output cable incorporates a blocking

diode to prevent 'back leakage' from the battery to the panel at night. Also supplied with the panel is the battery connector lead with an in-line fuse.

I extended the wiring using 1.5mm² pvc insulated red and black wires to reach my battery terminal board. I took good care to avoid a short circuit when making the connections.

Next, I made a wooden frame to mount the solar panel and installed it with an elevation of 45° facing south to get the best sun from my home in Greater London. (See **Fig. 1**). However, the elevation and direction the panel faces is not particularly critical. Straightforward installation instructions come with the panel so I shall not repeat them here.

I mounted the panel with the cable rising from below to minimise the chance of water percolating into the connections. To avoid short circuits later, I ensured that the plug and of the panel cable was also mounted out of the rain.

Solar Panel Performance

In July afternoon sunshine, the solar panel performance (open circuit) voltage was 20V d.c.

My car battery measured 12V before connection to the panel. But when connected, the panel produced a charging current of 200mA.

In mid-day sunshine, the panel produced 400mA, considerably exceeding specification, so I introduced a 3.5V 300mA miniature Edison screw (MES) torch bulb in series with the charging circuit.

The sleeved bulb




Fig 1: The solar panel installed at G4UBB's home in Greater London. (See Editorial footnote at the end of the article regarding and up-date on purchasing this form of solar panel).



has a very low resistance at 100mA or less but in bright sun conditions it reduced the charging current to around the brochure value of 350mA. (When the weather was overcast the current was about 100mA).

Incidentally, the 3.5V 300mA bulb gives a useful indication of battery charging current as follows:

Bulb dark	Current 100mA or less;
Bulb just alight	Current just over 100mA;
Bulb dim	Current 200mA;
Bulb normal brightness	Current 300mA.

Although not really necessary, I added an ammeter to the charging circuit. This meter was obtained second hand at a radio rally and is a moving coil milliammeter which I rescaled and added a home-made shunt to, see **Fig. 2**.

Brochure & Details

A brochure and details on Uni-Solar Flexible Solar Panels was obtained from **Ampair, PO Box 416, Poole, Dorset, UK, BH12 3LZ, Tel: (01202) 749994**. The solar panels may be obtained from Ampair or a convenient yacht chandlerly (the yachting world's equivalent of a hardware or ironmonger's shop).

To conclude, I must say that I found this

project interesting to install and satisfying in use. Although I am not sure I would recommend it to absolute beginners in Amateur Radio ... although setting up such a project will provide interesting experience.

Editorial note:

Since John G4UBB prepared this article the designation of the solar panel he purchased has changed to **USF-5**. It now costs **£88 plus VAT plus £4.50 P&P**. Additionally, for readers equipped with Internet access, Ampair inform us they now have a Web site with full information on the products at: **www.ampair.com**

PW



Fig. 2: Although not strictly necessary, being a Radio Amateur G4UBB fitted an ammeter so he could monitor the efficiency of the solar panel (see text).

JOHN BROWN G4UBB INSTALLS A SOLAR POWER SYSTEM.

UK's Premier Service Centre

12.5kHz CONVERSIONS

Save money and keep your existing rig. Castle can convert most makes and models. Call us to discuss your requirements

RIG CHECKS

Do you ever wonder if your rig still performs as it should? You suspect something's not quite right? Let Castle Electronics test your rig. We have been checking and servicing all the major brand names for many years. Call us for more details.

ICOM - KENWOOD - YAESU



TS-570DG MODS - RING FOR DETAILS

MAIL ORDER

Right in the heart of England, we are well placed to supply all the major brand names, at competitive prices by mail order. Before you buy from anyone, give us a call. You might be pleased you did!

FOR SERVICE...

There really is only one choice. The choice many manufacturers have made when they want their own equipment serviced. When you send a repair or service to Castle Electronics, we do the job in house. We do not use sub-contractors!



Castle Electronics

Unit 20, Halfpenny Green Airport
Bobbington, Nr Stourbridge
West Midlands DY7 5DY

Telephone (01384) 221036 Fax (01384) 221037

Email: services@castle-elect.demon.co.uk

Trade Enquiries Welcome

MAIN DEALERS
FOR ALL MAJOR
BRANDS



This month
the Rev.
George Dobbs
G3RJV is
taking a
'quick look' at
light emitting
diodes (l.e.d.s)
and zener
diodes after, of
course, the
usual
quotation....

"As if his whole vocation
were endless limitation"
Wordsworth

Carrying on the Practical Way

In 1907 Henry J. Round, an experimenter with electricity, touched a crystal of silicon carbide with two wires connected to a battery and noticed that the crystal emitted a yellowish light. This was the humble beginning of the light emitting diode (l.e.d.) which is now the definitive indicating device in electrical and electronic equipment.

If Mr. Round had kept his battery connected to the crystal it would have still been giving out light (with many years to go) before its intensity noticeably decreased. The l.e.d. is a source of cold light with a life expectancy of over 100 years.

The basic l.e.d. is a single colour, on-off, device although there are many variants, types and applications for the device. The common colours are red, green, yellow and orange.

In practice, the simplest l.e.d. is used as an on-off indicator, as a segment or dot matrix indicator for alphanumeric displays and for optical coupling. The voltage drop across an l.e.d. is a nominal 1.6V for the red and 2V for the green types with a current flow in the order of 20 to 30mA.

The diagram, Fig. 1, shows the usual arrangement to illuminate a single l.e.d. The device is connected to the supply via a current limiting resistor, R_s .

Table 1 shows how to calculate the series resistor (R_s). It's a simple application of Ohms Law assuming a current flow of 20mA through the l.e.d. There is enough latitude in R_s requirements to use the nearest preferred value of resistor.

The table also includes

worked out values for three common supply voltages. The l.e.d. is a rugged device and decreasing the value of R_s will allow a greater light output.

However, if the constructor wants a bright light 'super bright' l.e.d.s are available. (I've even seen miniature 'shack lights' sold using the bright l.e.d.s.)

Polarity Identified

The polarity of single l.e.d.s is identified in two ways. Many l.e.d.s have a long and a short lead. In such cases the longer lead goes to the anode (positive) side of the circuit.

Some l.e.d.s have a flat side to the plastic base. In such l.e.d.s the flat side indicates the cathode (negative) lead.

An l.e.d. can also be used as an a.c. voltage indicator. For this it must be provided with reverse voltage break-down protection.

The reverse voltage break-down is in the 3 to 10V range. The protection is a diode (or even another l.e.d.), in reverse polarity, connected in parallel with the l.e.d.

Most signal diodes can withstand 50 - 100 peak inverse voltage but the average l.e.d. can only handle about 3V. (This arrangement still requires the

appropriate series resistor shown in Fig.1).

Before leaving the basics of l.e.d. operation, I offer a simple but useful little circuit in Fig. 2. This is an l.e.d. 'Flasher' based on the LM3909 chip.

The LM3909 is a dedicated l.e.d. 'flasher' chip, which only requires the l.e.d. and a capacitor to produce flashes of light. The frequency of the flashing depends upon the value of the capacitor.

A value of 330 μ F produces about one flash per second. In the past I have built such


flashers into small boxes as mock alarms for cars and garden sheds.

Just to see a flashing l.e.d. might just deter the would-be thief. Such has become the power of this remarkable little diode device. (Completed project is shown in Fig.6).

The Zener Diode.

The Zener Diode differs from a conventional diode in that the primary characteristic for its intended purpose is the reverse break-down point. In use the positive voltage is applied to the cathode rather than the anode. As this reverse voltage goes higher, the leakage current in the diode remains fairly constant until a critical point, known as the break-down voltage, is reached.

In conventional diodes it's essential to operate the diode well below the break-down point to avoid damage. When the break-down point is reached large amounts of current flow through the diode junction. For zener diodes this is known as the zener current. At break-down the normally high reverse-



This month's column discusses the use of two forms of diode - the l.e.d. and the zener.




Fig. 1: Basic light emitting diode (l.e.d.) circuit (see text).




Fig. 2: A 'flasher' unit based on a dedicated integrated circuit, the LM3909. The rate of flashing is set by the value of C1. In the text G3RJV suggests various uses, including Amateur Radio shack alarms.




Fig. 3: Basic circuit using a zener diode (see text).




Fig. 4: A 'customised' zener diode 'stack' to achieve the stabilised level required (see text).


regulation in many circuit applications.

Shunt Voltage Regulator

The diagram, **Fig. 3**, shows the method for using a zener diode as a shunt voltage regulator. The zener diode is D1 and V_{in} is the supply voltage and V out is the required regulated voltage while R_1 is the current limiting resistor with R_L representing the load resistance offered by the circuit using the regulated voltage.

Table 2 gives all the information required to work out the value of R_1 for a given zener diode and a known supply voltage. (The zener diode must have an adequate power rating for the application).

Fig. 6: A completed project using the LM3909 i.c.



resistance of the diode drops to a very low level and, therefore, the current increases rapidly.

In zener diode circuits a series resistor between the zener diode and the voltage source limits the amount of current. Zener diodes are designed for a specifically high break-down value, from about 3.9 up to 200V.

The diodes are supplied in types according to the designed break-down voltage. The zener diode type specification will also designate a safe zener current level which can be in the range from 150mW to tens of watts.

There are many uses for the zener diode but the most common is that of a shunt voltage regulator. It's a simple way to add a regulated voltage to a circuit or part of a circuit.

Although this usage has been largely replaced by the advent of three lead voltage regulator chips, zener diodes are a cheap and easy way to add simple voltage

Information on how to calculate the power rating is also given in Table 2. All these calculations are variants of Ohms Law, so remember the basic units of calculation are volts, ohms and amps.

No Zener?

Not got a zener diode or can't find one for a required voltage? Don't panic! - it's possible to make a voltage regulator from conventional diodes.

The voltage regulator shown in **Fig. 4**, is based on the fact that a forward biased diode will not conduct until about 0.6V d.c. is supplied. By adding a suitable number of diodes in series, as shown in **Fig. 4**, a 'custom' voltage regulator can be made. (D_n represents the total number of diodes in series and the regulation voltage is $D_n \times 0.6V$).

The diagram, **Fig. 5**, shows a very useful circuit that has 'done the rounds' for many years. It's a Ni-Cad battery charger based on **Fig. 4**.

A mains transformer supplies an a.c. voltage of (let's say) 30V which is rectified by the diode bridge with a little smoothing added by the electrolytic capacitor.

The bulb acts as a current limiter and for most Ni-Cad batteries a bulb rated at 100 to 150 mA, with a voltage rating around the voltage of the Ni-Cad battery, will serve the purpose. The series diode chain is then made up for the maximum battery voltage.

Setting Up

The setting up of the circuit requires the use of the 'rule of thumb'. First you should switch on the charger without the battery connected and the lamp should glow.

You should then find that the voltage across the regulator should be about 5% above the rated voltage of the battery. (Diodes can be added or removed to obtain this value).

When charging batteries the current should be approximately 100mA for a partly discharged battery. It should then drop to around 5mA for a fully charged battery.

So, there you have a few ideas for using those useful diodes: the l.e.d. and the Zener diode. 'Flashing' and regulation circuits will always prove useful.




Fig. 5: A simple NiCad battery charger based on **Fig. 4**. (see text).

TABLE 1

A series resistor, R_s , is required to limit the current through the l.e.d. Most common l.e.d.s operate at about 1.8V @ 20-30mA.

The simplest formula to work out the value of R_s (for supply voltages above 3V) is:

$$R_s = \frac{\text{Supply Voltage}}{20\text{mA}}$$

(and use the nearest preferred value above the figure obtained).

Common supply voltages work out as:

6V:330Ω	9V:470Ω	12V:680Ω
---------	---------	----------

Table 1: LED series resistors.

TABLE 2

The limiting resistor [R_1] is worked out from:

$$R_1 = \frac{V_{in} - V_z}{I}$$

V_z = Zener Diode Voltage, I = Current through R_1 (this should be the maximum planned current)

The current is shared between D1 and R_1 according to the load applied. e.g. A 12V supply to give 9V at a maximum current of 50mA requires a 9V zener diode and R_1 of 60Ω.

Zener Diode Power

The zener diode must have an appropriate power rating which can be calculated from:

$$P_z = V_z \times I_L$$

V_z = Zener Diode Voltage, I_L = Max. load current (Be conservative! Use the maximum projected load current to calculate R_1 and the safest power rating for the zener diode).

Table 2: Zener diode limiting restrictions.

RADIO BASICS

Now that he's back from holiday - Rob Mannion G3XFD is 'champing at the bit' and ready to guide you through (what often seems) the tricky setting up of a superhet 'front end'.

One of the most off-putting aspects of the superhet 'front end' receiver design for many radio enthusiasts - both beginner and experienced alike - can often be the 'setting up' of the local oscillator and input tuning and tracking. It can be infuriatingly 'fiddley' and frustrating when it's not successful but in this somewhat delayed edition of 'Radio Basics', I'm aiming to help you over some hurdles by lowering them somewhat!

The problems which occur with tuneable local oscillators and mixers are due to a number of factors - some

of them under our control and some we have to 'put up' with and make a working compromise. However, because most of the Amateur Radio bands are relatively narrow frequency wise, particularly on h.f., constructors are actually assisted

because the tuning range to be covered is relatively small. Broadly speaking (forgive the deliberate pun!) the narrower the tuning range - the easier it is to get the 'tracking' to stay in track as the combined input tuning and local oscillator circuitry is tuned over the band.

What's Tracking?

As this series is aimed at the less experienced constructor I can imagine that quite a few readers are asking the questions: "What's tracking - what does it mean and what's going on in the circuitry?" Well, to answer these questions let's now look at the circuit, Fig.2 on page 31 of the June issue, reproduced this time for discussion purposes as Fig.1.

I've chosen the simpler circuit because it will be easier to follow. So, let's follow the r.f. inwards from the antenna to start the reception process and to see what's involved in a very simplistic explanation. No science degrees needed!

The incoming r.f. signals are tuned by the combination of L101a and L101b and C101. The dotted line connecting C101 and C105 indicates that the two variable capacitors are actually 'ganged' together. In fact they're usually combined on one 'chassis' (see Fig.3, page 14 May issue) with the moving vanes (the 'variable' part of the capacitor actually mounted on the same rotating spindle).

In practice, it is possible (though not recommended until you're quite confident) to use totally separate variable capacitors. With this method - often favoured by keen constructors

and a method dating back to the late 1920s and early 1930s - constant 'tweaking' and 'tiddling' is required to get the best results from the mixer and oscillator. Perversely, the constant 'tweaking' for best results is why some enthusiasts use two separate capacitors rather than one 'ganged' type.

A degree of amplification of the incoming tuned signal, fed into the device by the Gate (G) is provided by the MPF102 f.e.t., Tr1a and this amplified signal appears at the f.e.t.'s 'Drain' (D on

diagram). However, a second signal - locally produced (hence 'local oscillator') is generated by the second f.e.t. - Tr2a in conjunction with C105 and the inductor (coil) L103. This is also fed into the Gate via C104.

The resultant 'mixing' process provides (amongst other signals*) a 'difference' signal which we will then 'select' by the use of a suitable tuned circuit (L102a) to pass on out to our fixed tuned intermediate frequency (the car radio - this time being set on to one frequency on the medium wave) via L102a and L102b. But that's when it can become 'difficult differences'!

**Note: For the purposes of the simplified explanation I'm ignoring the other products of the mixing process. You can read up on them later!*

To produce the 'difference' signal the local oscillator must always 'track' ('follow') the incoming signal by an unchanging amount over the tuning range. Something that's very difficult to do in practice!

One method to produce the 'difference' signal is to make the local oscillator (l.o.) run above the incoming signal. And for this discussion I'll suggest we're to produce a 1MHz (1000kHz, right in the centre of the medium wave band) on a 7MHz 'front end'. So, to achieve this our local oscillator will be a 8MHz when the input (antenna input) is tuned at 7MHz (at the bottom end of the 7MHz (40 metre Amateur Band) and at 9MHz when the 'front end' input is tuned to 8MHz.

Easier Said Than Done!

Getting an oscillator and the 'front end' input to 'track' (tune in step) over even a narrow band is often 'easier said than done' but it is possible. For you - the home constructor - one of the easiest ways to achieve reasonable tracking is to wind L103 with fewer turns than L101b so that it will tune to a higher frequency and adjust the value of the actual variable capacitor in circuit by the use of a 'trimmer'.

Sometime you'll be helped by the inclusion of small value 'trimming' capacitors mounted on the same chassis as the main variable capacitor, as shown in Fig. 2, which, in this instance, is of course a miniature solid dielectric type. Fig. 3, shows other capacitors which can also often include 'trimmers' (particularly the 'open' air spaced variable).

If you're using a variable capacitor fitted with trimmers, it's best to adjust the value of the antenna input circuit to be as high as possible (trimmer screwed down hard or set with its mini-vanes fully meshed) and in the case of the l.o. tuning circuit the trimmer is set at minimum value so to help ensure the local oscillator is continually on the higher frequency as it will naturally be tuning to a higher frequency.

Don't forget though - it's up to



Fig. 2. Example of a miniature solid dielectric capacitor with fitted 'trimmers' (see text).

you to ensure your l.o. is higher than the input frequency to start with. Incidentally, for those of you 'already in the know'... I am aware of course that you can have the l.o. below the incoming frequency - but I should also point out that keep things as straightforward as possible at this stage of most of this column's readers.

For those of you who opt for the 'permeability' (slug tuned - as discussed in May 'Radio Basics' with a sample of the coil formers used shown in Fig. 2 on page 14) the necessary tracking can be arranged



Fig. 3: Variable capacitors - particularly the 'open' air-spaced type are often available with trimmer capacitors (see text). If not, you can always incorporate low value type in parallel (see text).

mechanically by off-setting the cores on their tuning 'yoke'. Anyone interested in this - relatively more complicated but very successful - tuning method can get a photocopied sheet showing my ideas and suggestions for this under-used technique by sending a stamped addressed A5 sized envelope (with a 26p stamp) and endorsed with 'Permeability Tuning Details' to me at the PW office.

Perseverance Pays!

Please do try your hand and build a tuneable 'front end' - perseverance pays! It can be time consuming but the effort is worth it.


You'll also learn a lot on the way and enjoy the process. And what's more you will have achieved it by your own efforts!

Next month I'm planning to introduce several smaller projects which will end up with you providing yourself with some useful little test equipment aids that can be put to use immediately.

Cheerio for now. And keep that soldering iron hot!


PW

Fig. 1: Simple 'no frills' front-end circuit (see text for further comments).



Whether you are brand new to the hobby of radio monitoring or a seasoned DXer, there is something in *Short Wave Magazine* for you every month!

**FREE
GIFT**



MONSTER FREQUENCY WALL CHART - PULL-OUT & KEEP

Robert Connolly G17IVX has been a radio addict for many years. Here he tells us about 'Amateur Radio In A Virtual War Zone'.

Andrew Howlett G1HBE checks out the Yaesu FRG-9600 and Icom IC-R7000 base station scanning receivers. Read his round-up and you could find yourself buying second-hand too.

Joe Carr K4IPV, our resident antenna specialist, explains how to build a very usable and cheap beam for listening use in Part 1 of Building A VHF/UHF Yagi Antenna.

Lawrence Harris reviews PROsat For Windows LC - the latest offering from the Newmarket based satellite specialists - Timestep.

JW investigates what was a quantum leap at the time of its launch - the R-1000.

**CRAMMED FULL OF ESSENTIAL INFO
FOR ANY RADIO ENTHUSIAST - CAN YOU
REALLY AFFORD TO BE WITHOUT IT?**

short wave magazine

WIN A HF
RECEIVING
STATION,
INCLUDING AN
NRD-345 &
WELLBROOK
ALA 1530
ACTIVE LOOP
ANTENNA IN
PART 2 OF OUR
COMPETITION

**and all your
regular
favourites too!**

BROADCAST SECTION
◆ Bandscan Europe
◆ LM&S
◆ Off The Record

On sale NOW
- £2.99 -
Miss it, Miss out!

RMS

HEAVY DUTY PSU's



These top quality, stabilized, protected power supplies, are the most compact design available, measuring only 160 x 120 x 280mm.

They are both rated at 20/25A, and the HT1520 (pictured) also has Voltage & Current Meters, as well as a variable voltage control giving an output between 3.5 - 18v DC.

HT1420 £159.95 **£99.95**
Voltage 13.8v DC Current Rating 20/25A

HT1520 £179.95 **£119.95**
With Voltage & Current Meters, and Voltage Control
Voltage 3.5-18v DC Current Rating 20/25A

HIGH PRECISION SWR/POWER METERS



Built to the highest standard, these highly visible cross-needle meters give a continuous reading of SWR and AVG/PEP Power. No switching is needed.

CN-144 £87.45 **£69.95**
140-170MHz 15/150/1500W

CN-V/UHF £97.45 **£79.95**
140-170,410-450MHz 15/150/1500W

CN-220 £119.95 **£99.95**
1.8-250MHz 15/150/1500W

Available only by mail order from our sole distributor:

EASTCOMM

Cavendish House, Happisburgh, Norfolk NR12 0RU
Free UK mainland carriage! For full catalogue send £2 in stamps.



Sales order line

01692 650077

Fax: 01692 650925 Website: www.cqcqcq.com



Counting Up From The Millennium!

Most of us are somewhat tired of the various 'count downs' to the coming 'Millennium'. However, for the remaining part of 1999, Rob Mannion G3XFD is doing something quite different by 'counting up' from the Millennium! Rob is letting his imagination run wild with 'cuttings' of imaginary Amateur Radio 'news' items which (might) appear in the magazine in future years. They're intended to be thought provoking, sometimes controversial and interesting but above all ... totally imaginary!

(Report originally broadcast on Welsh TV in September 2014, published in PW in the October 2014 issue)

Welsh Candidates Take RAE In England

Since the enforcement - by the all-powerful Welsh Language Agency - of compulsory 'Welsh Language only' Radio Amateur's Examinations in the Devolved Principality - a growing number of candidates in South Wales are taking their internal passports to drive the short distance across the border to sit the examination in England.

However, despite the opportunity of taking the 'walk in

and on demand' RAE in England, many Welsh candidates are finding reasons - and apparent advantages - in learning Welsh and taking the examination at a local centre. And to prove the advantage, Mike Arfon, who sat his Welsh language format RAE in Cardiff recently said: "It does have its advantages. I had to learn Welsh to sit the RAE in my own country, it was hard work but I now have the ability to read the road signs and road work

instructions now that English has disappeared from road signs here in Wales and can also read official letters sent to me".

Looking proudly and directly at the camera, successful candidate Mike (now awaiting his call sign) said "I felt so good when I was able to speak directly in Welsh to the exam invigilator - and what's more I don't feel like a second class citizen anymore because I can speak the language now!" PW

(Extract from the PW Editorial, March 2020)

Frequencies Unlimited - Spectrum Sale

Since 'Frequencies Unlimited' - the UK's former Radiocommunications Agency - was 'privatised' when the English Federated States decided the control of the Radio Spectrum in England and Wales had to go into private hands - everyone involved in Amateur Radio has been concerned as to whether the hobby could be 'priced out' by the increasingly competitive communications market.

Recently, as more European Union nations have followed suit and also 'privatised' their formerly Government-controlled agencies, the International Amateur Radio Union (IARU) has rallied round to ensure a 'group strategy' approach to the forthcoming 'frequency auctions'. In an odd way member state's National Amateur Radio Society has helped too - as there have been adequate funds available to challenge individual Governments in

the new EU Central Court in the Hague, in Holland with enough money left over to 'lease' the frequencies for our use over the next five years. Once the time is up though - the whole process starts again!

In the meantime, the average 'cost' applied to each Amateur in the Confederated English States and Wales is approximately 50 Euros per head. Most of the costs involved are for v.h.f. and u.h.f., but it reflects increased costs of the h.f. allocations. The new 'Middle East based' - owners of 'Frequencies Unlimited' state that "Amateur Radio won't be treated differently to any other customer" and that "only the highest and most suitable bids for frequencies will be accepted".

As Editor, I'm pleased indeed that the IARU and the EU are supporting our national societies. Without them we'd be lost!

PW

(Court report reproduced in PW with permission from the Southern Times newssdisk, 2010).

Amateur Radio Protected - First Prosecution

Now that Amateur Radio has at long last become a partially 'protected' service within the European Union, progress is being made to remove some of the totally unnecessary EMC problems affecting innocent Radio Amateurs in these Islands. The first prosecutions of alleged offenders are taking place as this issue PW 'goes on line' to the Web.

The first prosecutions involve 'North & South Power', the largest 'tidal power hydroelectric' generation company in Europe. This huge PLC -

generating 100 000 megawatts from its English Channel tidal barrage is accused of causing widespread interference on the various Amateur Bands below 500kHz and right up to 30MHz from its overhead power lines due to lack of maintenance to insulators and switchgear. The company is also accused of causing widespread interference from its h.f. mains-distributed data systems. The case is being brought by the IARU with help from the EU.

The case continues at the Isle of Wight Central Legislature.

PW

Rare Paper PW Found!

all over Europe and watching via the video link, we all noted that the issue of PW was dated 2005. It appears to be in good condition although it seems hard work to turn the pages rather than pressing the 'scroll' button on a portable disk display unit!

The PW team wonder just how anyone managed to store five magazines compared to the 50 or so volumes now available on the new 'postage' stamp sized plasti-disk. Perhaps it was from the not so good old days?

PW

illy Henry, daughter of the late Michael Farad (for many years a well known PW author earlier this century) reports that she's found a paper copy of the magazine in her late father's former shack! "I found it quite by accident, behind a map which was itself protected by a glass cover, it's a miracle it survived and it's so quaint" she told PW's newssdisk by videophone. Holding it up to the micro-camera lens for the PW Editorial team to see, although spread out

(News report from PW dated 2070)

Please direct any correspondence or comments to the PW office in the correct year - remembering to add the relevant space-time-warp code.

Coming Next Month in PRACTICAL WIRELESS

THE UK'S BEST SELLING INDEPENDENT
AMATEUR RADIO MAGAZINE

EXAMINATION TIME!

Tempted to have a crack at the RAE? Want to take your Morse Test but didn't really know where to start? Tempted to crack the Novice RAE course? Hesitate no longer - the PW RAE Course Listing in next month's PW has news of courses all over the country, so there's just no excuse!

SPECIAL OFFER!

Take a sneaky peak at the **PW Tenna-Tourer antenna base** - ideal for portable working!

REVIEWED!

Rob Mannion G3XFD reviews the **MFJ-9402X 144MHz s.s.b. transceiver** courtesy of Waters & Stanton PLC and the **Maspro 144WH8 antenna** courtesy of the **Short Wave Shop** which he used to take part in the 1999 PW QRP Contest - just for fun, of course!

Richard Newton G0RSN puts the **Icom IC-706MkIIIG** through its paces whilst taking part in the 1999 PW QRP Contest and reviews its performance for you in the September PW.

ANTENNAS IN ACTION

Tex Swann G1TEX gives you more goodies on antennas and other antenna related hints, tips, news and mini reviews.

FEATURES

Build your very own 'Modulation & Ripple Level Meter' courtesy of **Jim Brett G0TFP**; play 'I Spy With My Little Set' with **Ben Nock G4BXD** as he puts the Spy Set under the Radio Amateur's microscope; join **Phil Whitchurch G3SWH** as takes you through his DXpedition to **Les Iles Glénan**, in the Bay of Biscay; collect old QSL cards with the help of **John Heys G3BDQ** and discover the secrets of v.h.f. propagation with **Patrick Allely GW3KJW**'s article on 'Red Sprites And Blue Jets'.

Plus all your regular favourites including:
Bargain Basement
Carrying on the Practical Way
Keylines
News
Radio Scene
Valve & Vintage

and much, much more!

* Contents subject to change

PW

**CAN YOU AFFORD TO MISS IT? -
SEPTEMBER ISSUE ON SALE 12 AUGUST 1999
PLACE YOUR ORDER TODAY!**

DELTA

HF & VHF LOW PASS FILTERS & BANDPASS TRANSCIVING FILTERS



50Ω LOW PASS FILTERS

420	600W	30MHz	SO239	£64.95
421	8kW	30MHz	SO239	£84.95
425	600W	56MHz	SO239	£69.95
426	3kW	54MHz	SO239	£89.95

Most lowpass filters are made from thin lightweight materials, assembled with pop rivets, and do not even have earth terminals! Their performance is, to say the least, poor. Delta Lowpass Filters are designed for performance not economy, giving a tough solid construction, with attenuation slopes which avalanche downward immediately above the transmitting frequency range. No other current filters compare favourably with these designs. Delta Lowpass Filters allow frequencies below the rated cut off point to pass with little or no attenuation, while those above the cut off frequency are harshly attenuated. These filters are heavily built deep notching Chebyshev designs, ideal for preventing interference from harmonic or spurious emissions - a must for good operating. Low power models use silver-mica capacitors and phenolic connectors.

High power models use thick teflon TFE insulation sheet, brass or copper capacitor plates, and all connections are soldered.

Filters are non-polarized and non-directional and should be mounted as close as possible to your station earth. They may be stacked for additional attenuation. Insertion Loss is 0.1dB - 0.4dB approaching cut off. Attenuation is 70-90dB.



50Ω TRANSCIVING BANDPASS FILTERS

412	250W	50-50.5MHz	SO239	£77.45
413	250W	144-148MHz	SO239	£77.45

These Bandpass transceiving filters are designed to lessen or eliminate interference from nearby transmitters operating in close proximity to transceivers. As they are transceive style, they will also effectively reduce any transmitted spurious and harmonic emissions from your transmitter. The 412 and 413 are two stage, parallel resonant circuit, top-coupled designs. Each unit will pass the listed band of frequencies, and attenuate or block all frequencies above and below that band segment.

The filters are not polarised, and can be connected either way round between the transceiver output and the antenna. Direct grounding of the filter may in some circumstances offer better overall performance, but generally the station's earth ground will be sufficient. Insertion loss is 0.5dB.

Available only by mail order from our sole distributor:

EASTCOMM

Cavendish House, Happisburgh, Norfolk NR12 0RU

Free UK mainland carriage! For full catalogue send £2 in stamps.



Sales order line

01692 650077

Fax: 01692 650925 Website: www.cqcqcq.com





Stand to attention! - it's Ben Nock G4BXD 'on duty' in the 'wireless shop' and his Second World War uniform reminds us that we've got a mainly 'Military' theme this month - and a mystery has also been solved.

Hello once again and I hope that summer is well on the way by the time you're reading this, hopefully sitting in the garden with a very dry Martini. I'm often asked where I find all my old gear from and in fact, the story of how I obtained the first set in this issue, **Fig. 1**, shows just what a complicated business it can be. The set in question was French made in the 1938/39 era, stolen by the invading Germans and used in Norway during its occupation.

The set was originally sent to me here in the UK from Norway. Another French friend supplied information on it and an American contact supplied some missing valves.

The Saram 3-10 transmitter was used in larger aircraft, indeed, it's very similar to the better known T1154 of RAF fame, but I'll let my friend, **Dominique Loustau**, describe it for you. (*We've published Dominique's letter with as few corrections as possible so as to maintain clarity. Ed.*)

Dominique wrote: "The Saram Transmitter covers wavelengths (as used in its initial version) from 41 to 1560 metres, with six continuous sub ranges. This is a French Transmitter designed in the 1938/39 era as a transmitter for large military planes. It was associated to a receiver Saram 3-10, successor to the Saram 0-12, covering a wider wavelength range with six continuous sub ranges from 19 to 2170 metres. The Transmitter was a modern, v.f.o. type with mechanical memories (like 'flick' system as on 19 Set, Ben), buffer stage and PA-2 valves in parallel. The receiver was a superhet using two i.f.s (with variable selectivity) with i.f. frequency

Fig. 2: The Experimental X32D set as it arrived, only barely evident as a military radio.

according to the received range. (The i.f. frequency changes depending upon range selected. Ben).

"Construction is basically with aluminium sheets and the units are relatively light. The Saram 3-10 system could be operated with c.w., m.c.w. and 'phone and used additional items (modulator, control box, etc.) and was powered from onboard 24V d.c. with two rotary converters (1200V for transmit and 300V for Receive) or for ground stations from a.c. mains (p.s.u. rack of 122kg, only). According to my info, the sets entered in mass production in late 1939-beginning 1940 and a part of them were seized/rebuilt by the Germans who replaced wavelengths by frequencies markings and added other German markings.

"After the war, in the 1950s, the French Air Force made use of these Saram 3-10 sets after complete rebuilt and modifications, like addition of six switched xtals to the transmitter for operation on stabilised frequencies, replacement of the sockets for headset and throat microphone by standardised jack types. The name was changed to 3-11 and 3-10 DM, apparently painted in black colour although the initial 3-10 sets have been painted in light grey (French issues).

"The Saram 3-10 sets are difficult to find and the transmitter seems very scarce today although several hundreds of these sets have been available for surplus sales in the beginning of the 1960s, but at high prices at that time and amateurs were fond of more renowned or exotic US sets than these national units".

Thank you for that most interesting information
Dominique.



Fig. 1: The Saram 3-10 transmitter. The two doors either side of the large central tuning dial open to reveal the valves for the set.


Strange Rusty Chassis

A strange 'bashed up', partly rusty chassis, **Fig. 2**, was offered to me recently and at first glance I thought it was a 22 Set.

However, there seemed to be too many i.f. transformer 'cans' on it, too many valve sockets and the tuning dial did not look right. The grab handles seemed different and real doubt spread through my mind.

Having got the set home and given it a wash (hot water with 'Fairy Liquid' works wonders), the light began to dawn. In fact the set is an experimental set called the X32D. This 19/22 Set hybrid was apparently designed and produced in limited numbers to test out the new, as then, frequency modulation mode against amplitude modulation.

The X32D set can run c.w., a.m. or f.m., with an output of about 10W on c.w. or f.m. and about 3W on a.m. The tuning range is the same as the 19 Set, 2 to 8MHz and is covered in two bands.






Fig. 3: The inside of the X32D before any restoration work (although a new tuning mechanism has been fitted) showing how the layout differs from either the 19 or 22 Set.

Although the one dial remaining on the set was slightly different to the standard 19 Set dial, when I removed it for cleaning it was revealed that it was indeed a 19 Set dial simply reversed and re-numbered. The antenna tuning 'roller coaster' is from a 22 Set and the knobs are similar to the 62 Set knobs and exactly the same as those on the BE-201.

I have so far restored the front to something approaching a decent appearance, Figs. 3 and 4, although I'm not totally happy with it...so there is still more to do. I also fitted a 19 set dial in place of the missing one (not correct but near enough for the time being) and a new antenna tuning knob was found, again a close match.

The set should have had two drop leads, as on 19 set control boxes, but these had been replaced with standard jack sockets. I will refit drop leads along with a new antenna terminal which had been changed to a Pye socket.

The next stage will be to re-valve the set and start work on the electronics. I have limited information on this set and am looking for copies of the following military publications to assist in the restoration. EMERs Tels F370/1 WS No32D, Dec 1944. SRDE 445, Nov 1943. SRDE 574B, May 1945. SRDE 575A, June 1945. All expenses will be covered of course and I'll bring you further news of this interesting set as it develops.

Mystery Set Revealed

The mystery TR11HS set mentioned in my last column (May, 1999) has been revealed to have been manufactured by Ernest Turner Ltd. It made for and used by the Oil Exploration industry in the 1950s and 60s.

Ted Martin G0WYU, wrote to tell me he used an earlier version of the set while exploring in the Libyan desert for British Petroleum. Apparently, the FIRE and SSD function relate to the set sending out

a tone or pulse when the detonation of an underground charge went off which, using seismic refraction techniques, was used to locate underground oil, etc. The pulse from the TR11 was transmitted to the base camp, basically to synchronise the recording equipment.

As well as the principal function of sending the timing pulse back to the base, the set could also used in a more conventional role to provide communications between base and the field stations. This role of operation was once used by Ted to 'check' on his position during one particular off road experience, not that he was lost of course, it was just a check.

Thank you very much for the information Ted!

The Light's Out

The beacon put forth by Eddystone's famous Lighthouse logo has gone out for the last time (perhaps). With the demise of the Eddystone name a great tradition in receiver (and latterly, high quality broadcast equipment) building has ended.

Along with the demise of the company the Eddystone User Group (EUG) Newsletter has been forced to go it alone and hopes to continue publishing its very informative material. It welcomes new members and offers its newsletter and various other attractions for a yearly subscription of £12.

If you wish to join and help keep the name in the public domain then contact: **Graeme Wormald G3GGL at 15 Sabrina Drive, Bewdley, Worcestershire DY12 2RJ, Tel. (01299) 403372.**



STOP PRESS: Just as this text was being finished off I heard that a company in Cambridge might well be buying Eddystone. So, watch this space and I'll let you know. (See News pages. Ed).

Frequency For Testing

And a final point: A new frequency, 3.605MHz, for testing a.m. equipment is being proposed. So, I hope to hear you there!

So that's it for now. Hopefully I will meet some of you at the rallies throughout the summer and I can, as always, be contacted at: **62 Cobden St, Kidderminster, Worcestershire DY11 6RP**, via the PW offices or E-mailed on **G4BXD@compuserve.com** A correction to my Web site address, which I got wrong last time, (naughty me!): **http://ourworld.compuserve.com/homepages/G4BXD/**

PW

Fig. 4: The front panel of the X32D after a week's restoration work. Not quite finished but at least it's now starting to look like a military set.

THIS MONTH SEES BEN NOCH G4BXD BACK IN THE 'WIRELESS SHOP' WEARING HIS SECOND WORLD WAR UNIFORM.



MULTICOMM 2000

LARGE SHOWROOM BEST PRICES



ICOM



IC-705MkII "DSP"
£675



IC-T8
£299

ICOM



IC-775 DSP
£2399

ICOM



IC-746

£1025

ICOM



IC-R10
£259



£849



AH-4
£279



IC-207H
£289



PCR-100
£199



PCR-1000
£259



IC-R8500
£1099

IC-706 MkII G



FT-920AF

£1069

YAESU

CALL FOR OUR LATEST YAESU PRICES!



FRG-100
£369



VX-1R
£175



FT-840 £569



FT-847 £1299



FT-1000MP £1799



FT-8100 £329



FT-100
£975.00



VX-5R



HEAVY DUTY
G-800SDX
£389



JRC JST-245 £1599
HF + 6 200W
CTCSS, FILTERS &
AUTO ATU
EX-DEMO
UNIT

JRC

£1595 **PATCOMM PC-15000**
UNBELIEVABLE "DSP" RIG



DX-70T H
£599



DJ-G5EY
£225

ALINCO



DR-610
£425



DR-150
£239



DJ-V5
£195



DR-605
£345



TS-570DG £799

KENWOOD



TM-G707
£299

TH-D7
£299



COME VISIT OUR
"NEW" IMPRESSIVE
SHOWROOM!





SALES HOTLINE 01480 406770

**NO DEPOSIT FINANCING AVAILABLE
USED EQUIPMENT URGENTLY WANTED!**



OUTbacker

**ALPHA-DELTA
OUTPOST**

£169



**SG-2020
£569**



**SG-231
£289**



**SGC-230
£259**



**SGC POWER CUBE
£775**

SGC

SUPER SALE M F J SUPER SALE



**MIFJ-989C
3kW HF
ATU
£245**



**MIFJ-962D
1.5kW HF
ATU
£199**



**MIFJ-969
300W HF
ATU
£129**



**MIFJ-949
300W HF
ATU
£99**



**MIFJ-948
300W HF
ATU
£89**



**MIFJ-945
300W HF
ATU
£75**



**MIFJ-941
300W HF
ATU
£89**



**MIFJ-934
Ground
+ ATU
£149**



**MIFJ-931
Artificial
Ground
£65**



**MIFJ-748B
DSP
unit
£169**



**MIFJ-906
6 meter
ATU
£68**



**MIFJ-901
HF
ATU
£65**



**MIFJ-815
HF + 6
SWR
£55**



**MIFJ-817
VHF/UHF
SWR
£59**



**MIFJ-812
VHF
SWR
£29**



**MIFJ-921
VHF
ATU
£55**



**MIFJ-924
UHF
ATU
£55**



**PRO SET
£99**



HC-4 Insert DX£25
HC-5 Insert HQ£25
Foot switch£25
Adapter leads£10
INCLUDING HC4 or HC5 INSERT



**PRO-MICRO
£79**

LOADS OF MIFJ STOCK

10.5% A.P.R. WRITTEN QUOTATIONS AVAILABLE UPON REQUEST



HF2V	80 & 40	£189
HF6V	80 - 10	£225
HF9V	80 - 6	£269
HF5B	20 - 10	£339
TBR-160S	160 kit	£89
CPK counterpoise kit		£99
STR-II	Radial kit	£89



OUTBACKER +	OUTREACH
160-10	160-10
£189	£269
JUNIOR PLUS	PERTH +
80-2	160-10
£169	£189
PERTH PERTH	80-10
	£175

UNIT 4, 17-E, LITTLE END ROAD, EATON SOCON, CAMBS PE19 3JH

Website: <http://www.multicomm2000.com> E-mail: sales@multicomm2000.com

FAX: 01480 356192

As we are half way through 1999 and the year 2000 is looming on the horizon, take a step back in time with this month's Book Profiles.

Take a look at the development of wireless over the past century.

The Practical Wireless Editorial team bring you a selection of books which will take you back to valve regenerative receivers, the story of John Logie Baird, old handbook receivers amongst other fascinating Amateur Radio topics.

Telephone
(01202) 659930

TELEPHONE,
FAX, E-MAIL
OR USE THE
ORDER FORM
ON PAGE 82

Please note: Cash not accepted with mail orders.

Book PROFILES

Secrets Of Homebuilt Regenerative Receivers C. F. "Rock" Rocky

Secrets Of Homebuilt Regenerative Receivers
This American book claims to give you the "secrets" of how to build a simple regenerative receiver with vacuum tubes and to "relive the earliest days of radio" - and this "old pro", C. F. "Rock" Rocky, does just that.

With its chapters on 'Early Detectors', 'Regenerative Detection', 'Challenges of Regenerative receiver Design', 'Building a Practical Regenerative Receiver' and 'Sample Regenerative Receiver Circuits', this book will help you to understand the regenerative receiver and help you build one.

"All you need are a couple of vacuum tubes or transistors and not much more than a handful of parts to build a simple but hot performing regenerative receiver. With it you can cover the short wave bands listening in on foreign broadcasts, amateur communications, ships at sea, secret spy transmitters and much more".

If you've always wanted to learn more about such receivers then this book is a definite must. It's circuits and diagrams are clear and uncluttered and C. F. Rocky's writing style is clear and, as

you might expect from a past teacher of electronics and science courses, concise. **Recommended.**

How To Build Your First Vacuum Tube Regenerative Receiver T. J. Lindsay

In his book, *How To Build Your First Vacuum Regenerative Receiver*, T. J. Lindsay says that he intends to show you "the practical stuff", where vacuum tube regenerative receivers are concerned and he admits that if you also want some of the theory then you will need to look at other books and he suggests C. F. Rocky's (as discussed above).

As you open this American book, the reader is confronted with a disclaimer from the publishers and it is important that you take note of this disclaimer: "The author of this book is not a professional engineer nor has he had formal training in the design and operation of regenerative receivers. The author is an amateur but has been successful in building and operating the device discussed herein."

"The methods that he describes are presented merely as guidelines for others in developing such

receivers. These devices can be dangerous, possibly even lethal, and dangers have been pointed out wherever possible. Since the author is not a professional in this field, there are probably other dangers involved in construction and operation as well".

Despite the fact that the author is **not a professional**, there is still some very interesting information in this book and it is worth reading - just be cautious! (Remember, America is the home of compensation litigation). The author encourages you to have a go at these receivers because they are "incredibly simple sculptures of metal, plastic and glass that come to life and perform far better than most people would ever expect". **Recommended.**

Communication Receivers - The Vacuum Tube Era: 1932-1981 Raymond S. Moore


This soft-backed book, in reality is more of a catalogue of receivers - with brief details and some history - than a true book. The copy of *Communications Receivers - The Vacuum Tube Era: 1932-1981* that we are profiling here is the new Fourth Edition - straight from the USA.

In the book **Raymond S. Moore** discusses the 'History Of The Communications Receiver' and also contains 'Tables' of valve receivers from the vacuum tube era, in which the author gives the specifications on these receivers with pictures of each one (where pictures were available).


A fascinating read for anyone who would like to learn more about the valve era and the many, varying types of receivers which were available over that era -



£7.⁹⁵



£7.³⁰



from Hallicrafter, Collins and Hammarlunds to Lafayette and military receivers (very useful for the collector).

It's well worth reading for the section on Hallicrafters equipment alone, but the associated text is somewhat disjointed at times with a jerky 'notebook' style. Another problem is that the reader can be misled by thinking that the illustration above or below the text is actually the equipment under discussion ... which sometimes it isn't! **Recommended.**

1934 Official Short wave Radio Manual

Lindsay Publications

The **1934 Official Short Wave Radio Manual** is a reprint from **Lindsay Publications** of the original manual and will probably bring back a lot of memories for a lot of you. In the introduction, **Hugo Gernsback** (the editor) states that in this book, they have tried to incorporate "... all the various branches of short wave equipment, in such a manner as to cover the best that has appeared during the past few years".

The book also features a complete directory of all 1934 short wave receivers, has many projects and circuit diagrams and also has a special



£11.95

new chapter on building transistor receivers. The **1934 Official Short Wave Radio Manual** is a fascinating collection of old articles ranging from 'Can We Radio The Planets?' to 'Human Beings As Antennas'.

So, if you wanted to take a step back in time and see what Amateur Radio articles were all about back in 1934 - or perhaps you remember but would like to read them all over again, then this book comes **Recommended.**

Those Great Old Handbook Receivers

Lindsay Publications

Those Great Old Handbook Receivers is another offering from **Lindsay Publications** and carries the sub-title 'Techniques of Early Vacuum Tube Short Wave Receiver Construction' and contains chapters from the 1929 and 1934 **ARRL Radio Amateur's Handbook**.

The book states that "If you enjoy electronics, amateur radio, collecting or just the history of technology,



£6.95

you'll get interesting insight into the beginnings of a technology so common today that we almost take it for granted". With various chapters dealing with receiver design and construction, detailed receiver theory, construction techniques and power supply secrets from the 1929 and 1934 editions of the **ARRL Radio Amateur's Handbook**, there is anything you need to "... rediscover radio in the days when it was just beginning to emerge as a new technology".

Those Great Old Handbook Receivers is a good read, if tightly packed in, with circuit diagrams and pictures in abundance, so if you fancy a vintage read, then why not put your hands on a copy of **Those Great Old Handbook Receivers. Recommended.**

Seeing By Wireless Ray Herbert

Seeing By Wireless - The Story of Baird Television is a Second Edition by **Ray Herbert**. **G2KU/G2TV** is a book which you are probably very familiar with by now. This book (now published by PW Publishing Ltd.) has been fully revised by the author, who is of course, well known to PW readers.

Seeing by Wireless is the story of John Logie Baird and

Baird Television. It's hard to imagine that television is, in fact, conceptually older than radio, even though it was 1926 before J. L. Baird, often referred to as the 'Father of Television', demonstrated the first true television pictures. This and many other interesting facts are detailed within the pages of Ray's book.

The publication traces the Baird story from the early demonstrations, which became historical events to International Operations through to Stereoscopic Television. **Seeing by Wireless** gives a fascinating insight, complete with quality photographs, into something that has become an accepted part of everyday life - television.

Seeing by Wireless costs just **£4.95** and comes **Recommended** to those of you who would like to be more familiar with the story of John Logie Baird and the birth of TV.



£4.95

MULTICOMM 2000

LARGE SHOWROOM BEST PRICES

ANTENNAS

MFJ-1796

6-band 40-2
vertical
£199



R-7000

40-10**£289**

R-6000

20-6**£259**

X-7

20-10**£425**

A3S

20-10**£299**

MA5B

20-10**£275**

**FULL RANGE OF COMET ANTENNAS
IN STOCK AT DISCOUNTED PRICES**

MFJ-1798

10-band 80-2
vertical
£225



RECEIVERS



ICOM IC-R75E
Short wave
receiver
£775



YAESU FRG-100
Short wave
receiver
£369



DRAKE R-8B
Short wave
receiver
£929



JRC NRD-545
Short wave
receiver
£1199



AOR AR7030
Short wave
receiver
£669



AOR AR5000
SW/VHF/UHF
receiver
£1145



ICOM IC-R3500
SW/VHF/UHF
receiver
£1099



ICOM PCR-100
SW/VHF/UHF
receiver
£199



FAIRHAVEN RD-500
SW/VHF/UHF
receiver
£799



ICOM PCR-1000
SW/VHF/UHF
receiver
£249



AOR AR8200
SW/VHF/UHF
scanner
£349



DJX-10
SW/VHF/UHF
scanner
£259



DJ-X10
SW/VHF/UHF
scanner
£259



MVT-9000
SW/VHF/UHF
scanner
£299




MVT-7100
SW/VHF/UHF
scanner
£179



**VIBROKEYER
DELUXE**
£139



**ORIGINAL
DELUXE**
£169



**IAMBIC
BRASS RACER**
£75

THIS IS
ONLY A
SMALL
SELECTION
OF OUR
CW
EQUIPMENT



**BENCHER
BY-2**
£69



**BENCHER
BY-4 GOLD**
£129



SALES HOTLINE 01480 406770



**NO DEPOSIT FINANCING AVAILABLE
USED EQUIPMENT URGENTLY WANTED!**



ICOM IC-729
HF + 6
Mint
£499



ICOM IC-728
HF 100W
Mint
£425



ICOM IC-726
HF + 6
Mint
£475



ICOM IC-725
HF 100W
Mint
£425



ICOM IC-735
HF 100W
Mint
£425



ICOM IC-751
HF 100W
plus extras
£399



JRC JST-135DX
HF 100W
Plus extras
£575



KENWOOD TS-440S
HF 100W
Mint
£399



KENWOOD TS-450SAT
HF 100W
Mint
£535



KENWOOD TS-711E
2mtr base
multimode
£425



KENWOOD TS-480
2/70 base
multimode
£449



YAESU FT-726
2/70 base
multimode
£445



YAESU FT-757GX
HF/6/2/70
CTCSS/ATU
£675



KENWOOD TS-50
HF 100W
Auto ATU
£575



YAESU FT-736
2/70 base
multimode
£650



ICOM IC-2KL
500W linear
plus ATU
£799

USED EQUIPMENT WANTED

USED EQUIPMENT

USED EQUIPMENT WANTED

HF TRANSCEIVERS	
Heathkit HW9	QRP HF rig mint.....£199
Icom IC-725	As new.....£479
Icom IC-726	HF + 6, as new.....£599
Icom IC-728	Boxed.....£499
Icom IC-729	HF + 6 as new, boxed.....£635
Icom IC-735	As new, boxed.....£499
Icom IC-735	Boxed, as new.....£400
Icom IC-746	Ex-display, new.....£1000
Icom IC-751	Great performer.....£469
Icom IC-B1050	29MHz FM rig.....£45
JRC JST-135DX	Boxed, as new.....£749
JRC JST-135DX	Boxed, CW filter.....£599
JRC JST-245	Ex-demo.....£1599
Kenwood TS-440S	Boxed, immaculate.....£399
Kenwood TS-450SAT	Mint.....£550
Kenwood TS-450SAT	Mint.....£550
Kenwood TS-570DGE	Ex-demo.....£759
Kenwood TS-870SD	Ex-display.....£1425
Yaesu FT-1000MP AC	Ex-demo, new.....£1625
Yaesu FT-747GX	Boxed, mint.....£325

Yaesu FT-757GXII	Boxed.....£489
Yaesu FT-767GX	With 6/2/70/CTCSS.....£729
Yaesu FT-ONE	Great condition.....£359
VHF/UHF TRANSCEIVERS	
Alan CTE-145	2 meter hand-held.....£95
Alinco DJ-150	As new.....£169
Alinco DJ-180	2 meter hand-held.....£99
Alinco DJ-180	Dual band hand-held.....£110
Alinco DJ-560	Dual band hand-held.....£140
Alinco DJ-S41	70cm hand-held as new.....£90
Icom IC-2350H	Dual band, ex-display.....£299
Icom IC-255E	25W FM.....£149
Icom IC-260E	2 meter multimode.....£239
Icom IC-2AT	Boxed, as new.....£99
Icom IC-505	6 meter base multimode.....£265
Icom IC-W21E	As new, dual band.....£169
Icom IC-W2E	Dual band hand-held.....£99
Icom IC-W32E	Dual band h/h + access.....£169
Kenwood TH-26AT	2 meter hand-held.....£99
Kenwood TH-26E	Boxed, as new.....£89
Kenwood TH-78E	Dual band, A-1 cond.....£150

Kenwood TH-79E	Boxed, as new.....£195
Kenwood TM-231E	2 meter mobile, boxed.....£169
Kenwood TM-2550A	2 meter 70W mobile.....£199
Kenwood TM-733	As new.....£299
Kenwood TR-7730	2 meter mobile.....£89
Kenwood TS-480	Great 2/70 base rig.....£449
Kenwood TS-711	Boxed, mint.....£375
Multi 800-D	25W 2 meter FM.....£79
Palstar KH-6	6 meter hand-held, ex-display.....£79
Standard C-500	Dual band, large battery.....£140
Standard C-5200	Dual band, boxed, mint.....£195
Trio TR-7200G	Mint, boxed, 1 owner from new.....£69
Trio TS-700G	2 meter base multimode as new.....£249
Yaesu FT-203	2 meter hand-held.....£85
Yaesu FT-208R	Boxed, hand-held.....£75
Yaesu FT-230	Boxed, mint.....£165
Yaesu FT-290	+ linear.....£195
Yaesu FT-290R	Boxed, mint.....£175
Yaesu FT-411E	2 meter h/held + accessories.....£99
Yaesu FT-480	2 meter multimode.....£229
Yaesu FT-530	D/band, mint + £215 worth of acc.....£175

UNIT 4, 17-E, LITTLE END ROAD, EATON SOCON, CAMBS PE19 3JH

FAX: 01480 356192

SALES HOTLINE 01480 406770

WEBSITE: <http://www.multicomm2000.com>

EMAIL: Sales@multicomm2000.com

ELECTRONICS IN ACTION

Hello and welcome to the August 1999 issue of Electronics-in-Action (E-i-A), a bi-monthly look at news, views, electronic projects and ideas.



Downey G3WDK. With almost 300 pages, the Techni-Tool catalogue is packed with items to ease all stages and levels of production. There are simple hand tools and toolkit boxes right up to the production stages using surface mounted components. A catalogue of useful and indispensable tools and items for any level of



production. The contact details I have are: **Doug Dilley, T.I.G Marketing, 3 Bedwell Park, Stevenage, Herts SG1 1NB. Tel: 0800-026 8609.**

Maplin Electronics are presently saying "See How We Measure Up" with savings of up to £170 (before VAT) on selected oscilloscopes and other savings on test equipment through their many

stores. On offer is the Goldstar OS-502 oscilloscope for only £299.99 (inc VAT) instead of £499.99 (in VAT). But you don't have to spend that sort of money to save, there's a free £10 gift voucher with many Fluke Digital Multimeters and saving of up to 50% on other multimeters in the very affordable range of prices starting from only £12.49 (in VAT). Maplin have 50 store nationwide so, there should be one near you, or you can phone then on (01702) 554000 to order by credit card over the 'phone.

Your Letters

Turning now to your letters and I'll return to a plea that I mentioned back in this column on page 53 of the June 1999 PW. In that issue I asked on behalf of **Michael Troy EI6HA** about an infra-red trigger to make photography of animals easier. Since then I've found a supply of very cheap (costing nothing) electronic flash guns. The source of the flash-guns costing 'nowt' is the simple 'throw-away' cameras that abound these days.

I have to deal with a commercial photographic developing house and in the course of seeing 'how the processing was done' I found a box full of throw-away cameras awaiting the local refuse operative's arrival. On

Let me start by looking at some catalogues, the first of which I received after a visit by **Roland G7VRN** (who is a member of **Sheffield and District Amateur Radio Club**), to **Graham G7TCS** here in Poole. Graham brought Roland along to one of Poole Radio Society's meetings and we fell to discussing good shops for components. Roland mentioned that 'back home in Sheffield' there was an excellent shop in the form of **N. R. Bardswell**, who seemed to be able to supply almost any component at very good (for this read 'low') prices.

Several days after Roland's visit I received a simple, but comprehensive 26 paged A4 catalogue (same size as PW) that featured tools, components, batteries, accessories, cable, boards, connector and computer bits and pieces. It's worth getting this catalogue from them, at **288 Abbeydale Road, Sheffield S7 1FL (Tel: 0114-2500689)** just to see what is available. For those of you with Internet access try <http://www.bardswell.co.uk> or send an E-mail to sales@bardswell.co.uk to ask for a catalogue.

Another catalogue that I received 'by recommendation' from a fellow amateur was the **Techni-Tool** catalogue that dropped onto my desk here at PW after talking to **Pete**



Fig. 1: Throw-away cameras can be a source of small electronic flash guns and high voltage capacitors. See text for more details.




Fig. 2: Front and back on one of the 'larger' electronic flash guns. Readers should be aware that the capacitors, rated at 120µF may carry a dangerous voltage of up to 330V.




Fig. 3: All shapes and sizes, but still as dangerous with 300+V available from this little 'nipper'. See text for more detail.



Fig. 4: The AOP-1 output transformer from Isoplethics matches almost perfectly to battery valved audio amplifiers.

asking, I was told to take as many as I wanted just to get rid of them. The photograph of **Fig. 1** shows a typical camera (this one is from Kodak) and the flash-gun units stripped out of three others.

The cameras have a low light output electronic flash, suitable for the film that's inside. The cameras are a source of fairly good quality, high voltage capacitors. Power to charge up the capacitor usually comes from a single 'penlight' 1.5V cell. **Fig. 2** shows the front and back of these units. When you have gained access to the battery I suggest that you take it out and leave the camera for several days before proceeding. Why? You may ask - well I'll tell you!

The reason I suggest putting the camera aside is because of safety. Although you may not be able to see the lettering on the storage capacitor in the photograph, it's **120µF with a rated voltage of 330V**. After struggling to try and get the inner case sections apart for around two minutes my fingers found the two 'lands' on the p.c.b. with this level of voltage on them.

The 300+ volt jolt (across my fingers luckily) caused my arm to immediately straighten out and fling the whole camera away. Sailing serenely across the room it was brought up sharply by the wall, when the camera simply fell apart,



Fig. 5: Two colours of 20mm diameter coil former, fitting a B9A base, available from Isoplethics. You may have your own choice of colour if you order enough of them.



Fig. 6: My first attempt at a 'reproduction' coil for a valved radio - not very pretty, but the next one will be better!



Fig. 7: Winding a 15µH choke on an Isoplethics IDCW5/16 powdered iron choke core is very easy and the results look good.

revealing the p.c.b. in its glory. Whilst the flash itself didn't go off, I noted lights flashing in my eyes and a general wish to sit down for several minutes!

My technique of disassembling the camera is **not** recommended for those 'of a nervous disposition' or with heart problems! But it did open the camera up easily - if a little suddenly. The photo of **Fig. 3** shows another type of electronic flash unit that I've encountered (albeit not shockingly this time). The two small contact are the trigger contacts and these too carry the full voltage although with a low current capability due to a limiting resistor. But still not recommended to touch!

Tracking The LO

I've had a letter from **George Fisk** congratulating me on my attempt (in E-i-A June 1999) to tackle the mystery of how to get perfect tracking (of r.f. and l.o. circuits in superhet receivers) "a subject usually avoided", as George says, "by writers of articles on radios". George did however, rightly take me to task for not mentioning the value of the variable tuning capacitor I had designed the circuit around - it was, as he says 350pF.

Another problem George pointed out was that the annotations of Table 1 on page 56 of the June 1999 issue of *PW* had the two legends reversed. The two tuning ranges legends (top and bottom parts) should be reversed within the table. George also mentions that my choice of having the l.o. on the low side of the r.f. makes tracking more difficult. I shall look deeper into and discuss more this in a future column. George, as I think it deserves a little more space. But for those readers who would like to investigate for themselves he suggests that an article in *Short Wave Magazine* October 1947 (Simplified Formula For Oscillator Tracking) might be a useful starting point.

While I'm on the subject of radio and making coils and general valved circuits. I have recently had, from **Isoplethics**, an audio output transformer, the 'AOP-1' shown in **Fig. 4**. This is to replace the 'jury-rigged' output transformer (a 6V-1A mains transformer) that I'd used in the battery valved, amplifier, presented in E-i-A, (p58) April 1999 issue of *PW*. The sound is now much smoother and less distorted and is much louder than before.

Also from Isoplethics (a wonderful name), I've had samples of other products, such as the 20mm diameter) coil formers shown in **Fig. 5** and **Fig. 6** and the powdered iron core choke formers of **Fig. 7**. For more details of the growing range of products that Isoplethics can supply, contact them at **13 Greenway Close, North Walsham, Norfolk NR28 0DE. Tel: (01692) 403230** for more details.

A FEW BOOKS

Let me now look quickly at a few books that I think may be useful in your library. I've specifically looked out books which, although cheap, are excellent value for money. So, I'll start with a book from the pen of **Robert Penfold**. The 92 page book **Projects For Radio Amateurs And SWLs (BP304)** by Robert Penfold is the slimmest of the four books I have and this little Babani volume will prove helpful to anyone coming into the hobby, as it offers interesting (and instructive) working projects ranging from 'add on' beat frequency oscillators, crystal calibrators, various filters and an 'active antenna' circuit.

Well known for his straightforward approach, this book by R. A. Penfold will provide hours of home-brewing ideas, construction and instruction all at the same time. **Helpful, practical and affordable** at only **£3.95**.

Also well known to *PW* readers, **Ian Poole** who writes the 'What is a...' column has tackled the basic explanation of how a superhet receiver works. In **The Superhet Radio Handbook**, Ian Poole describes in seven chapters all the main areas of superhet receivers, from the history to implementation of features to be found in most good-quality sets. For instance, chapter two deals with the basic principles of mixing, tuning, a.g.c. and even d.s.p., while chapter three looks at sensitivity and overload.

Selectivity has a chapter all to itself as has the local oscillator. Chapter six deals with demodulation of both a.m. (standard as well as synchronous decoding) and f.m. signals as well as single and double sideband signals. For decoding f.m. signals, the two methods of a ratio and a Foster-Seeley detectors are looked at in greater detail all before the final chapter seven deals with the more 'day-to-day' information of antennas, controls and how to make the most effective use of your superhet receiver. All in all **very informative and good value** at **£4.95**.

Easily the thickest of the Babani books I'm looking at this month, **Owen Bishop's Practical Electronic Design data**, with over 320 pages is the one of the most comprehensive and wide-ranging data books I've seen at such a low price. Broken down into six chapters, covering Units of measurements, components, analogue circuits, digital circuits, radio circuits and power supply circuits, there's something in this book for almost everyone.

The analogue and digital sections cover almost two thirds of the whole book, but much data will be found in there as well as many circuits to try out, leaving r.f. and p.s.u. circuits for the final third. In spite of appearing to have less information for a Radio Amateur, this is still an extremely good book at the price of **only £5.99** and certainly is one that should be considered for your library.

The final book that I have this month is a reprint of compilation articles from the 1929 and 1934 *ARRL Radio Amateur's Handbook*. Titled **Those great old HANDBOOK RECEIVERS** and sub-titled 'Techniques Of Early Vacuum Tube Shortwave Receiver Construction - Chapters From The 1929 And 1934 Arl Handbook', this is a fascinating book of historical circuits.

I was also impressed with the general quality of the printing of this book, it's of excellent quality - but what about the content? Throughout the book, chapters have the same number as when originally printed so, the first chapter, about 'How Radio Signals Are Sent And Received' is 'Chapter IV' followed by 'Chapter V' - 'Building A Station - The Receiver', then follows another chapter five, but this time from the later issue of the handbook, about 'High Frequency Receivers'. A small gap leads into 'Chapter Nine' about 'Ultra High Frequencies' and the final chapter in the book is 'Chapter Ten' about power supplies.

This book **Those great old HANDBOOK RECEIVERS** is well illustrated through out and makes fascinating reading. There are many tables of valve and transformer data to make this a worthwhile reference book too. **Excellent reading as well as being very readable** and at a price that is within range of everyone's **pocket money** at **£6.95**.

URL Watch

Links to World-Wide-Web sites related to items on these pages.

Maplin Electronics
N. R. Bardswell
Poole Radio Society

www.maplin.co.uk
www.bardswell.co.uk
www.pawns.co.uk/PRAS/prs-start.html

Well that's all I have space to squeeze in this month. I'll see you in the next issue of E-i-A.

TEZ

Amateur Radio Communications Ltd

38 Bridge Street, Earlestown, Newton-le-Willows, Merseyside WA12 9BA

OPEN Tue-Sat
10am-5pm
FREE PARKING

SUMMER MADNESS

Due to shop and stockroom refurbishment we are able to offer a large selection of quality radios, on sale at near or less than trade price!! These include ex-demo models and recently discontinued stock - **ALL BOXED AND CARRY FULL WARRANTY**

YAESU FT-736R

VHF-UHF transceiver.

The FT-736R is a frequency-synthesized amateur transceiver incorporating up to four band modules covering the 50, 144, 220, 430, 440 and 1200MHz amateur bands. The standard model provides 25 watts RF power output on the 144 and 430/440MHz amateur bands in SSB, CW, and FM modes, with any two of the remaining three bands installable as options.

YAESU FT-650

24.5, 28 & 50MHz all mode transceiver.

Power output is adjustable from 10 to 100 watts in CW, SSB and FM modes and up to 25 watts carrier in AM mode. Operates from 13.8V DC. Options include the DVS-2 Digital Voice Synthesizer for continuous recording and instant playback of received signals.

YAESU FT-990

All mode HF transceiver.

Based on the high performance and easy operation of the FT-1000, the FT-990 combines the basic technical features of that model with several enhanced features resulting in a spectacular performer, i.e. multiple direct digital synthesizers, effective interference rejection, with digital filtering, A/B VFOs & 90 memories, etc.

YAESU FT-1000

The best of the best HF all mode transceiver.

It took Yaesu's top design engineers and many man hours to produce this remarkable 200W, dual-receive HF radio. There are too many features to list, so phone now for a colour brochure and discover yourselves the many advantages to owning this impressive radio.

YAESU FT-790RII

70cms multimode mobile.

Although discontinued by Yaesu, this is still a sought after radio. Complete with FBA-8 battery case and nine 'C'-size dry cells or NiCads, the FT-790R which provide extra high performance and 2.5W output for many hours after hand-held have water up their batteries.

ICOM IC-728

HF all band transceiver.

Compact enough for mobile and portable operations as well as fixed operation, and easy operation appealing to both beginners and experts alike. It is equipped with basic features plus additional functions required for HF operation such as passband tuning and speech compressor.

ICOM IC-2340

Dual band FM mobile transceiver.

Separate tuning controls for operating convenience, 100 memories, optional remote control capability. This radio is built to the highest quality and was one of the best mobiles on the market at the time.

ICOM IC-2000

144MHz FM mobile transceiver.

Compact sized mobile constructed of die-cast aluminium with a large heat sink making stable operation even at high duty cycles. The IC-2000 has 1 call channel and 50 regular memory channels plus 6 scan edge memory channels. It has a large easy-to-read function display and a set mode to customize operation.

ICOM IC-281H

2m FM mobile transceiver.

High power 50W mobile with 70cm receiver and packet connector. Smaller than the average mobile radio but built to Icom's usual high standard.

KENWOOD TM-251

144MHz mobile transceiver.

High performance mobile transceiver that combines a sophisticated, stylish design with advanced technology. Top flight features include a digital recording system, a 6-pin mini DIN connector for packet communications, built-in DTSS with pager, and a multi-function LCD with three different display modes. Each features a dual-band receive capability, allowing full-duplex cross-band communications.

KENWOOD TS-450S

HF transceiver.

Kenwood's formidable TS-450S can star in virtually any role with its 100W transmission capabilities on all nine amateur bands - in SSB, CW, AM, FM and FSK modes. Compact lightweight construction makes this HF transceiver particularly suited for DX-peditions. Rugged liability is matched with leading-edge electronics. Optional antenna tuner unit is available.

USED EQUIPMENT

All secondhand equipment is checked out thoroughly before going on our shelves for sale and we try to give an honest description of equipment to mail order customers.

Yaesu FT-980	£575
Yaesu FT-767GX + 2m boxed	£600
Kenwood TS-530SP	£399
Yaesu FT-726R + 2/6HF	£625
Kenwood TS-770	£499
Yaesu FT-890	£600
Icom IC-735	£525
Icom AT-180 (IC-706 matching ATU)	£250
Kenwood TS-830	£350
Yaesu FT-1012D MkII + FC-902/FTV-901R	£799
Icom ICR-7100 boxed	£TEL
Icom ICR-7000 + book/box	£TEL
2 x Yaesu FRG-8800 + VHF converter	from £450
Drake R8E	£650
Yaesu FRG-7	£TEL
Beacat UBC-860XLT	£99
AOR AR3000A	£450
2 x Yaesu FRG-9600 scanners	from £300
Yaesu FT-790RII boxed	£190
Kenwood TW-4100	£225
Icom IC-207 dualbander	£TEL
AKD-4001 4m FM	£TEL
Icom V-200T + book/box	£TEL
AR8200 boxed	£275
ADI-18 2m hand-held	£99
Icom IC-X21ET + CTCSS fitted	£225
Yaesu FT-60R + FT-12/CAT software	£TEL
Capco SPC-300	£99
Icom FL-52A filter	£TEL
MCL 1000/100 easy reader + monitor	£99
Yaesu FL-2100Z HF linear	£TEL



Tel: 01925 229881/Fax: 01925 229882



The Technical Superstore that's always open

The Electromail CD-ROM Catalogue contains more than 100,000 technical products, all available from stock for same or next day despatch. All you have to do is make your selection from the CD-ROM and 'phone your order through to our 24 hour orderline - any day of the week.

Our sister company, RS Components, is the U.K.'s largest distributor of electronic, electrical and mechanical products to technical professionals. The Electromail CD-ROM makes this extensive product range available to technical hobbyists and small businesses, and there's a comprehensive library of product datasheets already on the CD-ROM which contain detailed information on the majority of our product range. There are also Technical Helplines, to answer more specific enquiries, relating to your actual intended application.

At just £3.99, the Electromail CD-ROM gives you everything at your fingertips, with the service back-up which is second to none.



Electromail, P.O. Box 33, Corby, Northants. NN17 9EL.

HOW TO ORDER

Tel: 01536 204555 Fax: 01536 405555

Please quote stock number 332-3996 when ordering, and have your credit card information available.



RADIO DIARY

July 11: The 19th Sussex Amateur Radio and Computer Fair will take place at the Brighton Race Course from 1030-1600. There is free on-site parking and admission is £2. The rally is one of the largest in the South of England with well over 100 trade stands covering Amateur Radio, Computers, Electronics, etc. There will also be a large Bring & Buy display area, refreshments and bars at reasonable prices, a picnic area with views over the South Downs. Further details on (01323) 485704.

July 18: The Leeds & District Amateur Radio Society are holding a large Amateur Radio, computer and car boot sale at The Radio Shack, Yarnbury Rugby Club, Brownberrie Lane, Horsforth, Leeds, W. Yorkshire. There will be a large car park, full bar and meals service, toilets, etc. Talk-in on S22. Prices are as follows: Cars £5, Vans £10. The site will be open from 0800, there will be full marshalling on site, supply your own tables. **John MICAI** on (01943) 874650 after 1800.

July 18: The 16th McMichael Amateur Radio Rally and Car Boot Sale is being held at The Haymill Youth & Community Centre, 112 Burnham Lane, Slough. Doors open at 1000 and admission is £1.50, car boot pitches are £10 on the day. There is free parking on-site, food, tea and coffee served and a licensed bar. The Thames Valley Packet BBS Group and the Berkshire Downs Repeater Group will also be in attendance. Talk-in on S22 GB6MMR. **Dave Chislett G4XDU** on (01628) 625720 or E-mail g4xdu@amsat.org Trade enquiries and bookings should be made to **Min Standen G0JMS** on 0118-972 3504, E-mail: mns@mstanden.freemove.co.uk

July 25: The Rugby Amateur Transmitting Society are holding their Radio & Computer Rally at the BP Truckstop, A5 Watling Street. Details from **M0ASD** on (01788) 550778.

July 25: The Colchester Amateur Radio & Computer Rally is to be held at St. Helena School, Sheepen Road, Colchester, adjacent to the Colchester bypass, Avenue of Remembrance. Doors open from 1000-1600. Talk-in on S22. Admission is £1.50. There will be a wide range of Amateur Radio and Computer traders, Bring & Buy and specialist stands inside, a car boot sale and trade sale area outside. RSGB Morse tests on demand (two passport sized photos required). Catering and licensed bar. There will be ample free parking and reserved disabled parking adjacent to the main entrance, with full access for wheelchair users. Details from **Jeff G7BKU** on (01206) 728710.

***August 8:** The Flight Refuelling ARS Hamfest 1999 will take place at Flight Refuelling Sports Ground, Merley, Wimborne, Dorset. The event will run from 1000-1700 and will include the usual mix of traders, craft exhibitors, car boot sale and field events. Overnight camping facilities available for Saturday 7 August. Talk-in will be on S22. **Note - No Bring & Buy.** Further details from **Richard Hogan G4VCQ** on (01202) 691021.

August 8: The annual Derby Radio Rally will take place from 1000 at the Littleover Community School, Pastures Hill, Littleover, Derby. This is on the A5250, just north of its junction with the A38. For further details contact **Martin Shardlow G3SZJ (QTHR)** on (01332) 556875 or E-mail: martin@martinshardlow.demon.co.uk

August 13: The Cockenzie & Port Seton Amateur Radio Club are holding their 6th Annual Radio Junk Night at the Cockenzie & Port Seton Community Centre, South Seton Park, Port Seton, East Lothians, Scotland, from 1830 to 2130. Bring along your own junk and sell it yourself. Tables will be provided on a first come first served basis - with no charge for the table. There will be a raffle at approximately 2100 and refreshments will be available.

Disabled access. Entry fee is just £1 all persons, with all money donated to the British Heart Foundation. **Bob Glasgow GM4UYZ @ GB7EDN** on (01875) 811723, E-mail: r.glasgow@x400.wins.icl.co.uk or bob.gm4uyz@btinternet.com

August 29: The Milton Keynes ARS Annual Rally & Car Boot Sale is to be held at the Bletchley Park Museum, Wilton Ave, Bletchley, Milton Keynes. Open from 0800 for traders, 0900 for buyers. Museum open with tours. Morse test on demand (bring two passport size photos). Talk-in on S22. Contact **Dave G3ZPA** on (01908) 501310.

August 29: The Torbay ARS annual rally at Churston Grammar School near Brixham. A wide variety of traders will be present and food and refreshments will be available. Doors open at 1000. Further details from **Peter G4VTO** Tel: (01803) 864528.

August 29: Coleraine and District ARS will hold its annual Radio Rally in the Bohill Hotel, Cloyfin Rd, Coleraine, Northern Ireland. Full catering facilities available in Hotel. Why not stay overnight and visit the Causeway Coast? Doors open midday. All enquiries to **G18LTB** Tel: (01265) 52393 or **G17TMQ** on Tel: (01265) 822502.

August 30: The Huntingdonshire Amateur Radio Rally are holding their rally at the Ernulf Community School, St. Neots, Cambridgeshire (near Tesco Superstore on the A428). Doors open 1000 till 1400 and admission is just £1. Hot and cold refreshments will be available. Features hall and car boot sale on handstanding. Talk-in on S22. **David Leech G7DIU** on (01480) 431333 (between 0900 and 2100).

September 5: The Bristol Radio & Computer Rally is to be held at the Brunel Centre, Temple Meads Station, Bristol. Doors open 1030 till 1600 (disabled entry from 1015). Admission is just £1, accompanied children under 12 free. Features

include 15+ tables, large Bring & Buy, under £30 Bring & Buy, refreshments, on-site parking £3.50, also NCP £1 opposite, ATV demonstration and a raffle. Details from **Muriel Baker G4YZR**, Rally Manager, on (01275) 834282 (24hr answerphone).

September 11: The Reddish Rally is to be held at 1000 at St Mary's Parish Hall, Reddish, Stockport. More information from **G4ILA** on 0161-477 6702.

September 12: The Lincoln Hamfest will take place at the Lincolnshire Showground on the A15, five miles north of Lincoln. There will be extensive free parking and overnight facilities for tents and caravans by previous arrangement. There will also be a licensed bar, catering on the day, trade stands, flea market, Bring & Buy, car boot sale and Morse tests. Talk-in on 2m. Other 'non radio' attractions. Admission is £2 per person (under 14s free). **Bob G3VRD** on (01522) 533325.

***September 25/26:** The Leicester Amateur Radio Show will be held at the Castle Donington International Exhibition Centre at Donington Park, Castle Donington, Leicestershire. The hall itself is purpose built and features a floor area approximately one third larger than the two Granby Halls combined, and the car parking is unlimited and free.

October 3: The Great Lumley Amateur Radio & Electronics Society are holding their rally at the Great Lumley Community Centre, Front Street, Great Lumley, near Chester Street. Doors open 1100 (1030 for disabled visitors). There is free parking and easy access, with good, inexpensive food and drink. There will be radio, electronics, computer, satellite and component stalls, plus a Bring & Buy in two sections - junk and good buys. Admission is just £1, free of charge for under 14s if accompanied by an adult. Talk-in. More information on 0191-384 2803 or (01228) 401201 or from the Rally Organiser, **Nancy Bone, 49 South Street, Durham City DH1 4QP.**

October 24: The Galashiels & DARS is to be held at The Volunteer Hall, St John Street, Galashiels, Scottish Borders. Doors open at 1100 (disabled access from 1045). There will be all the usual attractions. **Jim Keddie GM7LUN** on (01896) 850245.

If you're travelling a long distance to a rally, it could be worth 'phoning the contact number to check all is well, before setting off.

The Editorial Staff of PW cannot be held responsible for information on Rallies, as this is supplied by the organisers and is published in good faith as a service to readers. If you have any queries about a particular event, please contact the organisers direct. - Editor

TROUBLE FINDING PW EACH MONTH?

We need to know if any of you are having problems obtaining *Practical Wireless*. If you can't find a regular outlet, then let us know. Please contact **Distribution Complaints** by telephone (01202) 659910, FAX: (01202) 659950, E-mail: dist-comp@pwpublishing.ltd.uk or by letter to: **Distribution Complaints, PW Publishing Ltd., Arrowsmith Court Station Approach, Broadstone, Dorset BH18 8PW.**

WE CAN HELP YOU, IF YOU KEEP US INFORMED.

You can always place a regular order with your local newsagent. To help make this easier, please fill in and cut out the coupon on this page.

Dear Newsagent,

Distributed by Seymour

please reserve/deliver my monthly copy of *Practical Wireless*

Name.....

Address.....

Postcode.....

Signed.....

RadioScene

VHF REPORT

REPORTS & INFORMATION BY
THE LAST SATURDAY OF EACH
MONTH.

DAVID BUTLER G4ASR
YEW TREE COTTAGE
LOWER MAESCOED
HEREFORDSHIRE HR2 0HP

TEL: (01873) 860679
E-MAIL: g4asr@btinternet.com
PACKET @ GB7MAD
UK DX Cluster @ GB7DXC

THIS MONTH DAVID BUTLER
G4ASR HAS NEWS OF
ACTIVITY ON BOTH THE 50
AND 70MHz BANDS.

After a period of many months and for some operators, many years, the 50MHz band finally kicked started itself into life again.

Propagation during the month of May saw not only the start of the regular summer Sporadic-E (Sp-E) season, but also the start of some real DX activity via the F2-layer.

Contacts made with Sp-E propagation are via the E-layer (an altitude of around 100km) and normally allow QSOs to be

made with stations up to 2500km or so away. For stations in the UK this effectively means the possibility to contact every country in Europe and some further afield.

Propagation via the F2 layer (at an altitude around 400km), however, enables world-wide contacts to be made with stations 5000, 10 000 or even 15 000km away. During May, many UK operators reported making QSOs around 10 000km into South America with stations in CE (Chile), CX (Uruguay), LU (Argentina) and PY (Brazil).

Contacts were also reported with African stations such as TZ (Mali), V5 (Namibia), Z2 (Zimbabwe), 5H (Tanzania), 6W (Senegal) and 7Q (Malawi). The distance for most of these countries is around 7500km from the UK. This is the beginning of a number of years of excellent propagation on the 50MHz band - so, get on the band now!

YOUR REPORTS

Now I'll take a look at your Sp-E reports. The first reasonable opening via this mode occurred on May 4 between 2100-2200UTC with stations as far north as IO83 reporting propagation into Italy and

neighbouring countries. Another event followed two days later on May 6 with stations in central England and Wales working into the Mediterranean area.

The first sign of Sp-E signals at the QTH of **John Hilton GM1ZVJ** (IO86) was at 1100UTC on May 14 when he worked the Spanish station of EH1DAV. John uses an Alinco DX-70TH transceiver running 100W into a 5-element F9FT Yagi and in the period May 16-19 he made further s.s.b. contacts on the band with the stations of EH1EBJ, IK3ITO, S53EO, S54G and 9A7W. A contact with GU6AJE gave John his 37th country and brought his squares total up to 192.

"Wow-wee"! Exclaimed **Simon Purdy M1DEF** (IO84). Six months of listening to white noise and then an s.s.b. contact with S57UUD in Slovenia on May 17. All with 20W and a poorly located dipole inside the house!

Mike GU6AJE (IN89) made similar comments about a Sp-E opening on May 24. He contacted stations in DL, EH, I, IS0, IT9, OE, OK, OZ, SM, SP and 9H. Mike reports that he usually calls CQ around 50.175MHz if you're looking for a contact with Guernsey.

Steve Bunting M0BPQ (ex-G7ACQ) (IO91) reports that he's

now active on the 50MHz band having recently erected a G3FDW design log periodic beam. The only problem is that the beam's located on a first floor balcony and fixed on a beam-heading of 100°. However, the log periodic covers the 50, 70 and 144MHz bands, making it ideal for those with limited space unable to erect antennas for individual bands.

Steve uses an Alinco DX-70T transceiver running 9W and prefers to use c.w. for most of his contacts. This is probably a very wise move as use of c.w. is very effective and can go a long way to combating the use of low power and a small antenna. On May 17, whilst testing the antenna, he made contacts with the stations of IC8XCU and 9A5I.

The antenna, by the way, was balanced on a clothesline a few feet off the ground and beaming completely in the wrong direction! Having fixed the beam on the balcony, Steve was then in a position to start working some more DX on the 50MHz band.

On May 18, between 1159-1215UTC, three c.w. contacts were made with Romanian stations YO2BEH, YO7BSN and YO2VS. On the following day, May 19, even better results were achieved. Between 1710-2206UTC he contacted two German (DL) stations, three Austrian (OE), three Czech (OK), ten Polish (SP) and one Croatian (9A) station. Best DX of the day was SP6GYU/8 (KN19) at 1640km.

On May 20 he worked EH7GTF (IM87) in Spain and two Portuguese (CT) stations and a few days later on May 23 he contacted three Polish stations, IW5BMC and OK1MP. Steve reports that an opening on May 24 was very good and provided him with his best DX so far, 9H1AZ (Malta) at 2046km. He also contacted six Italian (I) stations and two Sicilian (IT9) stations, although the latter can't be counted as an additional country for DXCC award purposes.

Steve mentions that he heard the Bulgarian beacon station LZ1JH/b peaking 329, although his unit only runs 1W into a vertical antenna. Around the same time the Scottish beacon GB3RMK (IO77) was heard peaking 599, via short-skip Sp-E. **Ivan S51DI** (JN76) also reports hearing the GB3RMK beacon, but this one was on the 70MHz band. He heard it on May 16 between 1530-1700UTC.

FURTHER AFIELD

Now it's time to take a look at some of the DX from much further afield on the 50MHz band. A good opening to Africa



Research Vessel Services
"Quality Oceanographic Services Worldwide"

RRS Challenger

Fig. 1: Andy Adams G0KZG has been transferred to this ship - Royal Research Ship Challenger (published with the kind permission of Southampton Oceanography Centre).

and South America occurred on May 8 with several stations in southern England working CX8BE, V51, Z23JE, Z23JOR and 7Q7RM between 1630-1900UTC.

A week later, on May 16 at 1900UTC, **Kerry Rochester G0LCS** (IO91) reported hearing the station of 5H3US (K193) in Tanzania. Interestingly **Chris Gare G3WOS** observed that it was 10-years to the day that he worked the other active Tanzanian station, 5H1HK, at 1812UTC on May 16 1989.

Between May 16 to 23 Argentinean stations were given permission to change their call signs from the LU prefix to L2 and from LW to L3. Whether this administrative move caused the band to open up can only be conjecture but, on the very first day of airing his new call sign, **Alberto L22EG (LU2EG)** had a tremendous opening to the UK. Between 1700-1730UTC on May 16 he contacted the stations of G0LCS, G1IOV, G1RMN, G1YLI, G3COJ, G3FPQ, G3IMV, G3NSM, G3NVO, G3WOS, G3WZT, G4BWP, G4DEZ, G4HBA, G4IGO, G4PCI, G6ION, G7BXS, G8BCG/P, M1CYQ, GW4EAI and GW7SMV.

Another excellent opening to Africa and South America occurred during the evening of May 26. Stations known to have been worked or heard from the UK included TZ6VV, PY5CC, 6W4RK, 7Q7RM and the V51VHF beacon. **Darrell Moody G0HVQ** (IO81) heard the station of TZ6VV around 2040UTC but was unable to crack the pile-up. He reckons that 50W is not enough as there seem to be so many more stations active running high power with large antenna systems.

Darrell also reported an amazing opening on May 30 with many LU stations and a handful of CX stations, active between 1800-1900UTC. This time he did manage to crack the pile-up working four LU stations. His secret? He simply used c.w. - it works every time! Among the DX noted in the UK were the stations of CX1DDO, CX7BBR, LU2EG, LW4DIR, LU7DZ, LU8DIO, LU8MB and LU9AEA.

One real gem during this opening was the Chilean station CE3BFZ (FF46) who was worked by **Keith G4FUF** (JO01) at 1838UTC on 50.112MHz. The distance for this contact was around 11 700km. The station of LU2EG (GF05) reported making contacts with G0JHC, G1YLE, G3IBI, G3FPQ, G3VOF, G4DEZ, G4HBA, G4IGO, G4NOO, G4PCI, G4RGK, G6IJJ, G6ION, G7BXS, G7ULL, M0RCT and GW7SMV.

Neil Carr G0JHC (IO83)

mentions that this opening to CX and LU was the first to reach his QTH since 1991. He worked six LU and two CX stations, leaving to the pack a number of South American stations he'd previously worked eight years ago.

FLEETING OPENINGS

One method of catching those fleeting openings on the v.h.f. bands is to log into your local Packet radio DX Cluster. However, some anti-social people have been putting 'spoof' spots on the system, causing some confusion amongst the inexperienced operators.

Neil G0JHC commented about these 'hoax' DX spots on the UK Six Metre Group Web site. He thought that some of it was unintentional as there are now a number of operators new to the band who have little experience of international call signs. For example, he recently heard a local working a 9A (Croatia) station. Unfortunately, he logged him as 5A and then went on to tell his mates that he had worked Libya!

Another instance of incorrect logging occurred during a recent Sp-E opening to Italy. A Dutch station was called by a very weak c.w. station signing Z52CO before disappearing into the noise. After some investigation (on the DX Cluster) it turned out to be S52CO. Working Slovenia is certainly very different from contacting the tip of South Africa!

STATION ACTIVITY

Now some news of station activity and DXpeditions to look out for on the 50MHz band this summer. First up is **Gary Hyde G7LXX** who reports that, if his permit arrives in time, he will be active between July 10-14 from the west coast of Ireland (IO53). He will be using an Icom IC-706 running 100W into a 2-element Yagi.

Richard PE1OUC passes on the news that the third yearly meeting for 50MHz enthusiasts will be held at **Fort the Gagel, Utrecht, Netherlands on July 10-11**. The Six Metre group plan to erect a 12m long Yagi on top of a large tower and participate in the IARU 50MHz contest which is running during the weekend. On the Saturday evening, there will be a barbecue and on the Sunday the team will run a flea market. Contact Richard by telephone **0031 346 578 024** for more details. If you're unable to attend you can always listen out for the contest group who are expected to be active around 50.135 and 50.098MHz.

In North America, a group of Canadian operators will be active as **CY9CWI** between **July 21-28**

and N5JQQ will be using the call sign **C6AFP** whilst on holiday in the Bahamas during July. Two German operators, DL9UDS and DL9USA, will be using the special call sign **J45K** (Greece) during the period July 28 to August 11.

The station **HZ1AB** (LK27) in Saudi Arabia has a transceiver and amplifier for the 50MHz band and expects to have a beam antenna erected for the summer Sp-E season. Keep a look out for N3FNE who will be active from Jordan as **JY9NE** from now until the summer of 2000. He'll be active on the h.f. and 50MHz band.

Erol TA7V, one of the Turkish hosts of the Dutch expedition YM7PA in 1977, will be active on the 50MHz band this summer. Using the callsign **YM7KA** he will be active until September 1 from his home QTH in Trabzon on the Black Sea coast in eastern Turkey.

THE 70MHz BAND

On to activity on the 70MHz band now. It was recently reported (not in this column!) that Polish amateurs will have access to the 70MHz band commencing January 1 2000. The request was for an assignment between 70.000-70.300MHz, using c.w. and s.s.b. at a power level of 10W. However, it's my understanding that, although a request has been forwarded to the **Polish Ministry of Telecommunications (Panstwowa Agencja Radiokomunikacyjna)**, nothing has yet been confirmed.

Indeed, a letter from the v.h.f. manager of the **Polish Amateur Radio Society (PZK)** mentions that they're watching the situation, but just when they can obtain authorisation for 70MHz access is unclear. This is because of many changes in regulations relating to new European Union requirements. This news is very encouraging and follows the introduction of the 70MHz band to Slovenian (S5) Radio Amateurs in June 1998.

Another country that has requested permission for spectrum space at 70MHz is South Africa. **Chris Turner ZS6GM**, President of the **South African Radio League (SARL)** previously reported (in 1996) that the band 70.000-70.300MHz has been allocated to the amateur service on a secondary basis.

The allocation is part of a re-farming of the radio frequency spectrum in South Africa which involves some migration of existing users to new frequency bands before the amateur service can be accommodated. The migration plan expected this to come into effect three years after the initial notification dated December 27 1996, sometime later this year or early in 2000.

However, I've recently heard that, although the full allocation will not become available until the end of 1999, a small allocation has been granted and that several contacts within South Africa (mainly in the ZS6 call area) have already been completed.

Following an investigation of commercial users in the 70MHz band, it was found that a number of 12.5kHz channels were unassigned. Requests were then made to the South African Frequency Planning Department asking for four discrete frequency assignments between 70.000-70.100MHz slotted in-between existing commercial users.

The purpose behind the above is to establish beacon stations in Johannesburg, Durban, Port Elizabeth and Cape Town. These represent the four major areas of South Africa and are also coincident with the major centres of v.h.f. activity. I'm pleased to report that permission has recently been obtained for these beacons, ahead of the migration plan and that the two are already operational.

On April 29 the beacon **ZS1FOR**, operating on 70.002MHz, was switched on. Operating from the Cape Town area, the message transmitted is as follows "ZS1FOR/B (three times) Western Cape JF96FB Vertical dipole 15W". According to a message recently seen on the Packet radio BBS system, another unit is also operational.

The beacon **ZS5MTL** (KG50IG) is running 50W into an omni-directional antenna on 70.005MHz. I've also heard that there are plans for a beacon station to be located on a site (KG44CE) some 1900m a.s.l. on a ridge overlooking Pretoria and Johannesburg. A Pye p.m.r. (private mobile radio) transmitter has been obtained and is being crystallised to operate on 70.015MHz.

All of this is very good news indeed, especially as there's a high possibility of contacting South African stations on the 70MHz band in the next few years. This is because we are very close to the peak of Solar Cycle-23 when the maximum usable frequency (m.u.f.) may reach 70MHz or higher for this path. The optimum months to listen for ZS stations will be from October 1999 through to March 2000.

If you can't wait that long, then why not try your hand at some cross-band working. Listen on 28.885 or 50.185MHz for non-UK stations who have the capability to listen on the 70MHz band. A number of stations including CY9AA, UR4LL (KO70), F5MZX (JO00), IK0BAL and PA2TAB (JO32) have such facilities.

Universal Radio Communications trading as:

Unicom

Phone/Fax: (01227) 749352

E-mail: unicom@cqdx.co.uk

Web site: www.cqdx.co.uk/unicom

**112, Reculver Road, Beltinge,
Herne Bay, Kent CT6 6PD**

★ MAIL ORDER HOTLINE ★ 01227 749038

● All major credit cards accepted ● Prompt Despatch

IC-Q7E

- Tx 2m/70cm
- Rx 25-1300MHz
- AM/FM/WFM
- CTCSS
- 200 memory channels
- Compact size

£159

ICOM IC-T8E

- Tri-band operation
- Rugged construction
- Tone squelch
- DTMF


£269

TH-D7E

- True dual band
- NFM Tx switch
- Packet modem built in
- APRS-beacon
- Rx 118-174, 300-470
- CTCSS fitted
- Dx cluster monitor
- Rugged construction

£299

SUPPLIER OF QUALITY USED TEST INSTRUMENTS



Cooke International

Unit Four, Fordingbridge Site, Barnham,
Bognor Regis, West Sussex PO22 0HD, UK
Tel: (+44)01243 545111/2 Fax: (+44)01243 542457
Web: <http://www.cooke-int.com>
E-mail: info@cooke-int.com
Catalogue available

OPERATING & SERVICE MANUALS



Cooke International

Unit Four, Fordingbridge Site, Barnham,
Bognor Regis, West Sussex PO22 0HD, UK
Tel: (+44)01243 545111/2 Fax: (+44)01243 542457
Web: <http://www.cooke-int.com>
E-mail: info@cooke-int.com
Catalogue available

N. R. BARDWELL LTD (PW)

100	Signal diodes 1N4148	£1.00	200	Asstd. disc ceramic capacitors	£1.00
75	Rectifier diodes 1N4001	£1.00	50	Asstd. Skel presets (sm, stand, cermet)	£1.00
50	Rectifier diodes 1N4007	£1.00	50	Asstd. RF chokes (inductors)	£1.00
10	W01 Bridge rectifiers	£1.00	50	Asstd. grommets	£1.00
10	555 timer I.C.s	£1.00	80	Asstd. solder tags, p/conn, terminals	£1.00
4	741 Op amps	£1.00	10	Asstd. crystals-plug in	£1.00
50	Assorted Zener diodes 400mW	£1.00	24	Asstd. coil formers	£1.00
12	Assorted 7-segment displays	£1.00	8	Asstd. diode switches	£1.00
25	5mm l.e.d.s. red, green or yellow	£1.00	20	Miniature slide switches sp/co	£1.00
25	3mm l.e.d.s. red, green or yellow	£1.00	10	Standard slide switches dp/dt	£1.00
50	Axial l.e.d.s. 2mcd red diode package	£1.00	30	Asstd. IF transformers	£1.00
25	Asstd. high brightness l.e.d.s. var coils	£1.00	100	Asstd. beads (ceramic, teflon, fish spine)	£1.00
20	BC182L transistors	£1.00	80	Asstd. small stand offs. l/throughs etc	£1.00
25	BC212L transistors	£1.00	30	Asstd. diode sockets up to 40 way	£1.00
30	BC237 transistors	£1.00	10	TV coax plugs, plastic	£1.00
20	BC227 transistors	£1.00	20	Small spring loaded terminals	£1.00
30	BC328 transistors	£1.00	40	Meters very thin connecting wire, red	£1.00
30	BC547 transistors	£1.00	20	1in. glass reed switches	£1.00
30	BC548 transistors	£1.00	20	Magnetic ear pips with lead and plug	£1.00
30	BC549 transistors	£1.00	100	Any one value 1/4W 5% of resistors range 1R to 10M	£0.45
25	BC557 transistors	£1.00	10	7812 voltage regulators	£1.00
30	BC558 transistors	£1.00			
30	BC559 transistors	£1.00			
20	2N3904 transistors	£1.00			
100	50v vkg axial capacitors 1nf	£1.00			
100	50v vkg axial capacitors 4n7	£1.00			
12	1uf 250v encapsulated radial plastic cased capacitors	£1.00			
80	Asstd. capacitors electrolytic	£1.00			
80	Asstd. capacitors 1nf to 1uf	£1.00			

Prices include VAT. Postage £1.45. 31p stamp for lists.
288 Abbeydale Road, Sheffield S7 1FL
Phone 0114-255 2886 Fax 0114-250 0689
E-mail: sales@bardwells.co.uk
Web site: <http://www.bardwells.co.uk>

MILITARY WIRELESS EQUIPMENT

The "SEM 35" is a West German army manpack/vehicle Tx/Rx. Fully transistorised. Frequency range 26mc/s to 69.5mc/s. 50Kc/s channel spacing. Digital (mechanical) readout. The unit operates from either an external 24V supply or from ordinary D cells internally fitted. The transmitter output power is switchable for either 1 watt or 150MW with BNC socket for the aerial section. Supplied in good condition with handset and 35 page manual (German). **£77.00** each unit. Carriage £16.

NEW BOOKS

Winning The Radar War. By Jack Nissan. A book on WWII radar. The suspense filled story of the experiments and breakthroughs of electronic eavesdropping. Includes details of German radar. Author was one of the key technicians. 224 pages. Illustrated hardback **£9.95** P&P £2.75.
Radar By P.S. Hall. A study of military radar from Chain Home to Patriot. Numerous photos and illustrations of equipment. **£7.50** P&P £2.75.

MILITARY MANUALS

Facsimile reprints, Large Format, Circuits, Notes and Data.

R1155 Receiver Data 47 pages **£11.75** including P&P.
T1154 Series Transmitter Manual 54 pages **£14.75** including P&P.
Wireless Set (Canadian) No. 19 Mk3 Technical Manual 62 pages **£12.50** including P&P.
AR88D Communications Receiver Manual 25 pages **£9.75** including P&P.
Admiralty B40 Receiver 48 pages. **£13.50** including P&P.
Racal RA1217 Transistorised HF Communications Receiver Manual Notes, circuits, faults, operation etc. Nearly 80 large format pages. Facsimile copy **£17.50** including P&P.

Secret Warfare. The Battle of Codes and Ciphers. An outstanding book with emphasis on code-breaking, particularly in WWII. Extensive use of diagrams. 187 pages. **£5.95** incl postage.
The Ultra-Magic Deals by B F Smith. A well researched book on Ultra codebreaking operations providing a fascinating study of the technologies, personalities and politics of Britain and America's most mysterious secret - the pooling of their cryptological intelligence against Germany and Japan. Includes recently released details of Bletchley Park operations and is one of the few books published on cryptanalytic operations. 276 pages. Published at £17.95. Our price **£11.50** P&P £2.75.

Interested in vintage wireless or military radio?

Why not subscribe to *The Vintage Wireless Trader*. Published approx every six weeks. Contains 100s of out of print old and collectable wireless books, magazines, ephemera, vintage communication and domestic receivers, government surplus military equipment, valves and components etc. at affordable prices as well as subscribers wants and sales. Send \$8 for the next eight issues.

(Dept PW) CHEVET SUPPLIES LTD.

157 Dickson Road, BLACKPOOL FY1 2EU

Tel: (01253) 751858. Fax: (01253) 302979.

E-mail: chevet@globalnet.co.uk TELEPHONE ORDERS ACCEPTED.

VALVES GALORE!

Most valves available at low prices from stock otherwise obtained. Amateur radio, vintage audio and military. Phone or SAE for quote.

SYON TRADING

16 The Ridgeway, Fetcham, Leatherhead
Surrey KT22 9AZ

Tel: 01372 372587 Fax: 01372 361421

Callers by appointment only.

Try us for:

Resistors - Capacitors - Switches - Semiconductors -
Cable connectors etc.

Plus all those hard to find parts for the constructor.

Send or phone today for your catalogue

★ See us at the rallies ★

COMPONENTS AND AMATEUR RADIO
EQUIPMENT PURCHASED

Robin G3NFV

Geoff G4ECF

MEGA SPECIAL OFFER

Realistic PRO-2042 1000
channel scanner. 25-520
760-1300MHz. AM/FM/WFM
switchable. Brand new, boxed.
1 year R.T.B. warranty.
Was £299.99.



Our price

£144.99 + P&P

VISA/Mastercard mail order welcome

Raeform Electronics
45-49 South Bridge Street
Airdrie M16 6JQ

Tel: (01236) 764804

HILTON

N A T I O N A L

East Midlands Airport

BOOK NOW FOR LEICESTER SHOW

Purposely designed to suit everyone's requirements in
every way.

Ideally located just off Junction 24 of the M1, 2 miles from
Donington Park.

The East Midlands Hilton has 152 luxurious rooms from
family rooms to our superior plaza rooms.

With everything under one roof you don't even have to
leave the hotel, fully equipped Livingwell Health Club,
dining choices from our atmospheric Deli Lounge to the
cosmopolitan feel of our à la Carte Pavilion Restaurant.

Not forgetting our dedicated weekend host who is here
solely to answer any questions you may have about the
hotel or the local area.


We haven't forgotten our younger guests. We have a fully
supervised Yogi Play Park and many more facilities
available to them and you.

SO TAKE ADVANTAGE OF OUR COMPETITIVE RATES
AND CALL US NOW TO MAKE YOUR RESERVATIONS ON:

01509 674000

ANTENNA OFFERS

(applies to existing stocks only)



Unlike other makes of HF Antenna, Mosley Antennas
have pre-drilled and colour coded element pieces which
makes assembly quick and easy.

Unlike other makes, all Hardware is of Stainless Steel,
and tubing is aircraft grade, drawn, aluminium. This
means that the telescopic tubing can be of closer
tolerance. There is no need therefore for unsightly hose
clamps.

Unlike other makes, Mosley's unique design has two
traps in each trap assembly. A Mosley 3 element, tri-
bander has only 6 trap assemblies, whilst other makes
have twelve!

Consider the difference that makes to wind
loading and structural stability.

Now look at Mosley's low prices..

..unlike other makes!

VERTICALS

RV-6-C-WARC	10/12/15/17/20/40m	£299
RV-7-C-WARC	10/12/15/17/20/30/40m	£339

STANDARD

TA-33-JR-N	10/15/20m	3 EL	£309
TA-33-JR-N-WARC	10/12/15/17/20m	4 EL	£399

HEAVY DUTY

TA-33-M-WARC	10/12/15/17/20m	4 EL	£549
TA-40-KR	ADD 40m to TA-33		£169

HEAVY DUTY CLASSIC

CL-33-M	10/15/20m	3 EL	£499
CL-36-M	10/15/20m	6 EL	£599

HEAVY DUTY WARC BANDS

TW-33	12/17/30m	3 EL	£279
-------	-----------	------	------

Do you remember when VHF/UHF Beam antennas
were built to last?

Not only do some lightweight makes fold up in the first
puff of wind, but their bandwidth is poor due to the small
diameter of the elements. CQ-DX Beams are made to
last, and their bandwidth is excellent - no trimming
capacitors necessary. Each beam is D.C. grounded,
completely sealed to prevent moisture ingress, and fitted
with a downlead and 'N' socket. All saddle clamps are
Diecast Zinc Alloy.

Don't throw money away on short term solutions.

Buy a beam that will last! BUY CQ-DX!

Model	Elements	Gain	Boom	Price
2m				
CQ-DX 144/10XY	10 El Cross	13.6dB	4.0m	£79.95
70cm				
CQ-DX 430/10Y	10 El	13.6dB	1.5m	£54.95
CQ-DX 430/18Y	18 El	17.6dB	2.8m	£64.95
CQ-DX 430/18XY	18 El Cross	17.6dB	3.2m	£84.95
CQ-DX 430/24Y	24 El	18.2dB	3.9m	£94.95

Available only by mail order from our sole distributor:

EASTCOMM

Cavendish House, Happisburgh, Norfolk NR12 0RU

Free UK mainland carriage! For full catalogue send £2 in stamps.



Sales order line

01692 650077

Fax: 01692 650925 Website: www.cqccq.com



RadioScene

Although the cross-band working frequency is 70.185MHz, a good frequency for non-UK stations to monitor is the national s.s.b. and c.w. calling frequency on 70.200MHz. If you want to look for UK stations then don't forget that Tuesday night is the 70MHz activity night. You'll also find a fair bit of activity on Sunday mornings and during contest periods.

MARITIME MOBILE

Andy Adams G0KZG, famous for his maritime mobile exploits, informs me that he has been inactive for six months but now the ship is back in service and he's now active again on the 144MHz band.

Since his last radio operations, he's moved house from Wales to Cornwall and has therefore changed his callsign from GW0KZG to G0KZG. He's also been transferred to the Royal Research Ship RRS Challenger (shown in the photograph, Fig. 1), where Andy first started his /MM operation over ten years ago.

The equipment in use will be the same as last year, a Trio TR-9130 transceiver, a 3CX800A7 amplifier running 1kW, an 11-element F9FT Yagi and a Landwehr GaAs f.e.t. low noise amplifier. His operating times, subject to work requirements, are 0400-0700, 1800-2100UTC and weekend afternoons.

As he only has a temporary feeder cable installation, he has to close down operations during bad weather to prevent flooding of his cabin. Operating frequencies are 144.240MHz for s.s.b. and c.w. contacts, 144.125MHz for random (unscheduled) meteor scatter contacts and 144.120MHz for meteor scatter (m.s.) schedules.

When operating via m.s. Andy transmits during the first 2.5 minute period (that is 00-2.5 minutes, 05-07.5 minutes, 10-12.5 minutes past the hour and so on) at a speed of 360 words per minute (wpm) on high speed c.w. The call sign GTKZGMM will be used, the letter T indicating an abbreviated 'zero' and omitting the 'forward slash'.

At the start of the operating period he'll send for one period the old two letter QRA locator, for example VQ for IO56. (I wonder

how many newcomers will understand this?). His first cruise is already over, having left Southampton on April 17 to his working areas in IO40, IO31 and IN18 and arriving in Glasgow on May 19.

Herv F5HRY reports that he had one contact with G0KZG/MM on May 2. He heard Andy calling CQSI, meaning he was locator square IN28. His next cruise will start from Southampton on July 21 for working areas in IN68, IN69, IN78 and IN79, returning to Southampton on August 14. The follow-on cruise departs Southampton on August 17 with a working area of the English channel and southern North Sea, returning to port on August 30.

Andy mentions that there will be a few more cruises later in the year and that he will forward the details when he receives them. His QSL address is 15 Tregenna Court, Port Pendennis, Falmouth, Cornwall, TR11 3XG.

DEADLINES

That's it again for another month. Please forward any news, views, comments or photographs to the address and by the date given at the top of the column.

THANKS FOR YOUR LETTERS AND GOOD LUCK WITH THE DX. SEE YOU AGAIN NEXT MONTH.

73 David GAAR.

HF FAR & WIDE

LEIGHTON SMART GW0LBI
33 NANT GWYN
TRELWIS
MID GLAMORGAN
CF46 6DB
WALES


Tel: (01443) 411459

THIS MONTH LEIGHTON SMART GW0LBI BRINGS YOU NEWS ON MAY'S PROPAGATION CONDITIONS, SPECIAL EVENTS AND THE USUAL BAND REPORTS FROM VARIOUS REPORTERS AROUND THE UK.

Well it seems that it wasn't a very 'merry month of May' this time around, with conditions on the higher bands ranging from 'patchy' to 'poor' judging by our reporters' comments. In mid-April, there was a large solar flare which, it seems, had quite a detrimental effect on h.f. propagation conditions, although May itself did not see much of an improvement on this either.

As far as the sunspot maximum is concerned, John Heys G3BDQ in Hastings tells me that the 'experts' first announced that it would take place in the spring of 2000, but have now decided that the maximum won't occur until late 2000.

John says: "I've a horrid suspicion that this cycle will be a great disappointment, especially to the new entrants to our hobby". Well let's hope that you're wrong, John!



by the Prudential ARS and Barry ARS) celebrated 150 years of the Prudential Building Society and these QSL cards will have been sent out by the end of June. Anyone who has not received their QSL card should apply again and another will be sent out.

NEW LICENCE

One event this month will certainly have the UK Amateur Radio world talking! (As if we don't do enough of that already, that is!). The introduction of a new class of licence, the A/B licence, is of course a 'middle ground' approach to what exists now and should satisfy those who have campaigned, whether you think rightly or wrongly, for a better deal for B licensees.

On the other hand, although the Novice licence improvements are, I think, a step in the right direction, I still believe that

Indeed, John has been spending most of his time exploring the very experimental 136kHz band, where his exploits have bagged him contacts with 12 G stations and a couple of GWs, as well as crossing the English Channel to work the Netherlands and Belgium. Pretty good going on such a long wavelength!

John operates mainly at weekends and during daylight hours, and would appreciate listener reports. His address is: 'Whitefriars', Friars Hill, Guestling, Nr Hastings TN35 4EP.

SPECIAL EVENTS

News has come in of special event stations GB99SET and GB150PRU from Dennis Egan GW4XKE. Dennis says that both operations were a huge success, bringing contacts from all over the world and would like to thank all those who made them successful.

The GB99SET (promoting Science and Technology) QSLs have been despatched via the relevant bureau, with s.w.l. reports being the first to be sent. (See Fig. 1).

The GB150PRU (run jointly

Fig. 1: QSL card sent out to all those who contacted the GB99SET Special Event.

Novices should have access to all bands depending on class of licence and all modes at 10W output and not merely small narrow segments of them.

I have no doubt that the RSGB and the RA are thinking more positively regarding the future of our hobby. But more work needs to be done, particularly regarding the Novice allocation. What do you think?

YOUR REPORTS

I'll start with the 14MHz band this month, as space is limited. First comes Sean Gilbert G4UCJ of Milton Keynes who says that things have been so quiet this month that he's taken to other pursuits, such as broadcast band DXing.

Nevertheless, he hasn't given up, and lists his 14MHz 30W c.w. contacts this month as YV5DTJ (Venezuela) at 2314UTC, HL1CG (South Korea) at 1133, YN6HM (Nicaragua) at 2202, 5N0MSV (Nigeria) at 2236, PZ1DV (Suriname) at 2246 and

DL1GKG/HI3 (Dominican Republic) at 2206UTC. His QRP contacts at 2W include HS0/JA6GJ (Thailand) at 2316, HV5PUL (Vatican State) at 1133, and LU5FF (Argentina) at 2216UTC.

More grass means less time on the air for **Ted Trowell G2HKU** on the Isle of Sheppey in Kent, proving that gardening and Amateur Radio are two hobbies that get in the way of each other! Ted lists a 5W c.w. QRP contact with JH4UYB, while increasing power to 70W brought him contacts with S79GT (Seychelles Islands), at 1500, as well as JA5PL (Japan), 5A1A (Libya) and TF1MM/P (Iceland), all at around 1800UTC.

THE 18 & 21MHz BANDS

On to your 18 and 21MHz band news now and **Carl Mason 2C0VSW** of Skewen in West Glamorgan says that long shifts as a BBC outside broadcast engineer covering the opening of the National Assembly of Wales meant that radio was much curtailed this month. Looks like matters of State come first Carl! He lists just one 2W c.w. contact on the 18MHz band in the form of T77C (Republic of San Marino) at 1619 and a single 3W 21MHz contact with 7X2DG (Algeria) at 1708UTC.

Meanwhile, the ever-intrepid Yeovilian s.s.b. DXer **Don McLean G3NOF** had a bit more time to spare on 18MHz, hooking up with BV4QC (Taiwan), CO8LY (Cuba), ER1M (Moldova), TR8CA (Gabon), FG/JA1WPX/P (Guadeloupe), a string of Japanese stations and 9M6CT (Sabah).

On the 21MHz band he adds A71EM (Qatar), ET3AA (Ethiopia), DU7MHA (Philippines), TI4CF (Costa Rica), YB2LAB (Indonesia), as well as 6W1RB (Senegal), 7J6CC (Japan), 9V1JA (Singapore) and 5H3US (Tanzania).

THE 24 & 28MHz BANDS

Change was certainly in the air this month for Ted G2HKU. Normally a c.w. - only man, he switched to s.s.b. for a few contacts on the 24MHz band, which included 5V7FA (Lome, Togo), P49M (Aruba Island), 5A1A (Libya) and S79YL (Seychelles Islands), all at around 1500, while his 28MHz c.w. list includes LW6DJQ (Argentina) and 5H3RK (Tanzania), again at 1500UTC.

A man who specialises in 28MHz operation is **John Wheeler G0IUE** of Melksham in Wiltshire. He's also an all - s.s.b. operator who, despite the recent drop in conditions on the band, managed to come up with a

pretty impressive list of 28MHz DX, including PU1MPR (Brazil) and VU2SMN (India) both at around 1520, LU9AY (Argentina) at 1200, 8R1Z (Guyana) at 2017, 9J2AM (Kuwait) at 0824 and 4K54GF (Azerbaijan) at 1300UTC.

While operating mobile passing Stonehenge, John also hooked up with CX6DAF (Uruguay) at 1222 and also made a 29MHz n.b.f.m. contact with OD5JY in Lebanon at 1613UTC.

To tie up the ribbons this month, Carl 2C0VSW offers 24MHz c.w. contacts with 3B8CF (Mauritius) at 1200 and FG/DL1WPX/P (Guadeloupe) at 1700, while Sean G4UCJ mentions 9K2MU (Kuwait) at 1106 and VU3VLH (India) at 0900UTC on the same band. Finally, last but certainly not least, on the 28MHz band Don G3NOF hooked up with AP2JZB (Pakistan) and S07UN (Western Sahara) both during mid-afternoon.

SIGNING OFF

So, despite relatively poor conditions our reporters have been able to dig out some of the good stuff on the bands. Let's hope that by the time you read this, the 'lull' in propagation will be long forgotten!

THANKS AGAIN TO ALL REPORTERS FOR THEIR HELP AND ASSISTANCE. AS USUAL REPORTS, INFORMATION AND PHOTOGRAPHS BY THE 15TH OF THE MONTH. DETAILS AT THE TOP OF THE COLUMN.

FOCAL POINT

REPORTS & INFORMATION TO:

**GRAHAM HANKINS G8EMX
11 COTTESBROOK ROAD
ACOCKS GREEN
BIRMINGHAM
B27 6LE**

E-MAIL:
graham@ghank.demon.co.uk

PACKET: G8EMX@GB7SOL

THIS TIME ROUND, GRAHAM HANKINS G8EMX REMINDS YOU ABOUT "SHUTTLEWORTH '99" AND ALSO BRINGS YOU NEWS ABOUT HOW SOMEONE WENT /P WITH AN ATV SET-UP.

Perhaps this part should be printed in red ink, because it's a 'Final Notice' to remind you of the **British Amateur TV Club (BATC)** convention and general meeting



on **Sunday 8 August** at **Shuttleworth College, near Bedford.**

The BATC organises its convention every two years and this biennial occasion, called "Shuttleworth '99" is far more specialised than a 'normal' rally would be. There will only be a small number of traders - instead, the emphasis will be on practical Amateur Television, so a live ATV relay link through GB3PI, the Cambridge 1270MHz repeater, is planned plus ATV to and from Holland.

The provisional plan for the day's lecture stream includes a talk on Programmable Integrated Circuit (PIC) programming by **Brian Kelly GW6BW** and representatives from the Radio Society of Great Britain (RSGB) and the Department of Trade and Industry may come along to speak.

The convention will be opened with a 'Keynote Speech' from BATC Chairman **Trevor Brown G8CJS** and will close with an Awards Ceremony to recognise outstanding or long-service contributions to ATV by BATC members.

The Awards Ceremony will be immediately followed by the BATC's Biennial General Meeting (BGM). A small entrance charge may be made to attend the convention, but this will be removed by - or before - the start of the BGM, which has to be available for all BATC members to attend, without charge.

Within the formal business of the BGM will be the election of a committee that will take the BATC into the next millennium - at least one member of the present committee does not wish for re-election, others have to stand down on rotation (but may be willing to be re-elected). But, of course, all committee positions may be contested.

Elections to the committee are only a part of what the Biennial General Meeting is all about. The BATC represents and supports Amateur Television within the broader Amateur Radio hobby and, at present, there are many ATV-related issues

Fig. 1: An ident page from Coventry 1270MHz ATV Repeater GB3RT, which may soon be moving to a new and better site in Leamington Spa.

that could be aired at the BGM: the retention of the 430MHz band for ATV; repeater site costs; ways of encouraging more activity; the promotion of ATV contests; the digital prospects for amateurs and 'Any Other Business' can open a 'Pandora's Box' of discussion! "Shuttleworth '99" opens at 10am on Sunday August 8. See the BATC Web site at <http://www.batc.org.uk> for latest details.

FIXED STATION ATV

Fixed station ATV is reasonably commonplace and so too is ATV/P from various hilltops, but what about ATV/M? The **Kent Television Group (KTG)** runs GB3KT, the 1270MHz ATV repeater and their latest newsletter shows KTG member, **Andrew White G6OLV**, fully walkabout mobile using a camcorder and Solent 1W 1270MHz transmitter attached to the camcorder's tripod socket. Andrew used a home-brew quarter-wave antenna, with a ground plane of unetched p.c.b. and his antenna was weather-protected with a radome made from an inverted ice-cream tub!

A quick reminder now about protocol when using the 144MHz band for ATV talkback. The v.h.f. frequency of 144.750MHz is an **ATV CALLING** channel. When a QSO has been established, stations should find a clear frequency and move off the calling channel. I experienced this problem in Birmingham recently, 144.750MHz was in continuous one-way use by an ATV station working cross-band to 1270MHz. His speech path was 144MHz, the other station was able to use the 6MHz audio sub-carrier on 1270MHz.

COMPUTER LITERATE?

Have you heard of the phrase

RadioScene

used to describe people as 'being computer-literate'? I have never been quite certain what it means but I do remember, with some horror, hearing a conversation near the hobby magazines in a newsagent shop. A customer observed: "Well, if folks aren't up with computers soon, they're going to be quite out of the scene".

So, how 'computer-literate' does today's ATV operator need to be? The early home computers, e.g. the Spectrum or BBC, became extensively used for ATV as they were fairly easily programmed in BASIC (Beginner's All-Purpose Symbolic Instruction Code) via the keyboard to produce test cards, text or other graphics. But, vitally, they could be fed into a domestic TV as a monitor, so the computer's direct video output became a vision source for ATV.

Can the PC be used as a vision source for ATV? The screen of a computer monitor uses many more lines than a domestic TV and although QBASIC and 'C' languages are available, the PC is not usually programmed from the keyboard. So, it was with some curiosity that I downloaded a programme called *PCATV* from the BATC's software pages on their Web site.

The *PCATV* generates test cards on the PC monitor, but is as a 'zip' or compressed file when received so it has to be 'unzipped'. Onto the internet (yes, again), find *WinZip* (trial version) and download. I try to do all these downloads on a weekend, because they take a long time. Click to start the process then walk away and have a cup of tea, to give your eyes a break if not yourself.

'Winzip Download complete' is the eventual message. After auto configuring in Windows 95 I go to 'Unzip' and click on *PCWIN* which is expanded and installed in my 'ATV' folder. Running *PCWIN* and selecting a style of test card produces that card, with my callsign and locator, on the monitor screen. All very pretty, but what could I actually do with it? Not a lot - I needed another plug-in card for the computer.

There are cards now available which let you watch broadcast TV on your PC (and yes, you do still need a TV licence). But these same cards

also have a 'TV out' socket, which lets you watch your PC on the TV! And, presumably, transmit that *PCWIN* testcard on ATV too. When I've bought one of these video cards and tried it, I'll let you know! I'm still not sure if I can be considered as 'computer-literate' or not!

ANYWAY, THAT'S ALL THIS TIME AROUND. HOPE TO SEE YOU ALL AT "SHUTTLEWORTH '99"!

73 Graham

DATA SCAPE

ROGER COOKE G3LDI

Tel: (01508) 570278

E-MAIL: rcooke@g3ldi.freemove.co.uk

PACKET: G3LDI @ GB7LDI

THIS MONTH ROGER COOKE G3LDI BRINGS YOU SOME MORE INFORMATION ON APRS AND BEACON SITES ON THE INTERNET AND ALSO LOOKS AT THE W9GR DSP-III UNIT.

It's all my fault and I apologise! I changed from Freenet to Freemove a few months ago and forgot to change it on my template footer, hence the wrong E-mail address was printed on last month's 'Data Scape' column. I did this last month, only to get it wrong!

But worry not, the correct version is now in place, so those of you that sent me information, numerous photographs and so on, please could you re-send to the above address.

AUTOMATIC POSITIONING

In last month's 'Data Scape' column, you might remember that I told you a little bit about Automatic Positioning Reporting System (APRS). It's an excellent application for using orbiting Packet digipeaters such as on the shuttle, *MIR* space station, AO-16, WO-18, LU-19, IO-26 and AO-27. APRS only requires one Packet for everyone to see each station, compared with the

typical 'Connected' SAREX mode which requires five successful Packets.

Not only does APRS reduce channel loading, but it also capitalises on the most fascinating aspect of the Amateur Radio hobby - and that is the display on a map of the location of those stations.

If everyone simply inserted their 'Lat/Long' or 'Grid Square' as the first characters of their beacon text, everyone within the satellite footprint would see the location of every successful uplink. Similarly, any 144MHz f.m. rig and any TAPR-2 compatible TNC can be used to digipeat APRS Packets via any of the PACSATS.

EXCELLENT TOOL

I have found that APRS is an excellent tool for plotting the location of a hidden transmitter, balloon, or interfering signal as it has several powerful d.f. tools such as:

- 1). APRS plots the positions and bearing lines of all participating stations, whether mobile or fixed;
- 2). It plots the overlapping signal strength contours for omni-d.f. reports. This technique even plots big black circles for null reports so that you see all the areas where the fox is NOT. This omni technique is very powerful and can locate a jammer to a neighbourhood with no beams or special equipment;
- 3). APRS has a Fade-Circle Search and Rescue technique for single station signal strength location using only an omni antenna;
- 4). Finally, it has optional automatic d.f. interface to Doppler d.f. units for automatic plotting of d.f. bearings.

For tracking known objects that move at known speeds over a known course, such as the runners in a marathon, APRS will 'dead-reckon' objects along the course. This makes it possible to follow the progress of the event without having to strap a tracker to the runners. All **Global Positioning Systems (GPS)** mobiles are also tracked. This is a tremendous visual aid for net control.

OTHER FEATURES

Other features which APRS has to offer include the following:

- 1). **Weather Station Reporting** - Automatic display of remote weather station information on the screen;
- 2). **DX Cluster Reporting** - APRS is an ideal tool for the DX Cluster user. Not only is it possible to see all DX spots on the map but, by operating in the monitor only

mode, the overall Packet load on the DX Cluster is reduced. This is a benefit to everyone on the channel;

3). **Internet Access** - With a modified version of APRS, it's possible to telnet into the Internet APRS servers and see hundreds of stations from all over the country, live. Everyone connected can feed their locally heard Packets into the APRServe system and everyone everywhere can see them.

SEVERAL SITES

You can get your hands on **APRS Software** from several sites on the Internet. A good starting point is <http://www.aprs.org> (See Fig. 1). APRS is extremely popular in the USA and Canada and is catching on fast in the UK.

Unfortunately, the system gained some bad publicity in the first instance - due mainly to the fact that, in conducting experiments with the system, the input channel to my BBS was used.

This caused problems for my users with the constant beacons being generated and a few tempers were frayed!

However, the problem has now been sorted and the following paragraph regarding a change to the 144MHz bandplan will show that a dedicated channel is now available. This will enable the APRS enthusiasts to set up their own network.

Ian Wade G3NRW has produced a white paper on APRS briefly describing how APRS works and discussing how APRS can go forward in the UK. The white paper can be found on the Internet at: www.harlington.demon.co.uk/aprs

BANDPLAN AMENDMENTS

As part of its ongoing review of utilisation of spectrum allocated to digital modes, the RSGB's Data Communications Committee has recognised that the recommended plan for the 144.800-144.990MHz segment should be amended in order to better serve the needs of data users within that band. Due to pressure from various sources, the following has been agreed:

- 144.800MHz now confirmed as "unconnected nets" UIView APRS, etc.;
- 144.825MHz no change (25kHz/9600 bps);
- 145.790MHz now confirmed as "special linking" as previously discussed;
- 433.800-434.250MHz now data. VERTICAL ONLY in this mini-band. LINKING ONLY



Fig. 1: You can get your hands on APRS Software from several sites on the Internet. A good starting point is <http://www.aprs.org>



Fig. 2: The title page of a beacons Web site which can be found at: http://www.taborsoft.com/softstuff/ABW_Page.html




Fig. 3: The free software which can be found at http://www.taborsoft.com/softstuff/ABW_Page.html



Fig. 4: A Web site connected with propagation is <http://www.taborsoft.com/wwizard>

above 434.0MHz. Also, it must be appreciated that the new frequencies are currently only available as site-cleared.

The DCC does not currently plan to reassign 144.975MHz, although by doing so a single additional 12.5kHz channel at 144.9625MHz would become available. Users are, however, asked to recognise that pressures on spectrum within the 144MHz may inevitably result in changes to the use of that channel and it is suggested that no further use of 25kHz channels within the band be planned.

For further information, please either telephone the DCC Chairman on (01494) 432144. FAX: (01494) 728094 or send an E-Mail to: bandplan@rsbg.org.uk

THE W9GR DSP-III

Following on from Rob Mannion G3XFD's review of the W9GR DSP-III unit (courtesy of Hands Electronics) in the June Issue of PW, Rob kindly offered me the chance to ascertain how well it would perform in conjunction with my Yaesu FT-1000MP.

I must admit that I thought it was 'guiding the lily' somewhat to expect it to improve the FT-1000 too much, but all the same, I readily agreed. I had considered buying such a unit some years earlier to use on the satellite, Oscar 13 because I had heard that the improvements that such a unit made were astounding, the noise reduction superb, etc. However, I never even tried one, so was very pleased to have the opportunity to do so.

Looking at the unit, it seems rather a large amount of cash for rather a small box but I wired it into the audio line, not expecting too much. I had used audio type filtering in the past with moderate success, but I found that the W9GR DSP-III is a drastic improvement over such a system.

Filtering is a complex subject and obviously cannot be covered here, but it is well worth a read - for example in the ARRL Handbook - where it's extensively

covered and, in fact, this unit is described there too. The use of f.i.r. filters in modern DSP units is commonplace now, they have a constant delay at all frequencies, or a linear phase response, which means that the filter will not introduce phase distortion of the signal - in the field of DSP, this is a crucial requirement. Ringing is also reduced, something that was evident in older filtering systems which detracts from the readability of the signal.

I first used the DSP-III on c.w. and I was pleasantly surprised because it really isn't needed on the FT-1000MP, which has its own internal filtering. However, I could take the bandwidth down to 50Hz and winkle out the weakest stations quite well, after adjusting the filter itself.

Tuning the filters takes a little more practice but is obviously an essential procedure - It's simple to do and should not present anybody with a problem. Tuning is not possible with such a limited bandwidth so the filter has to be switched in after tuning the station in, but this applies to narrow filtering anyway.

I then tried the DSP-III on s.s.b., again, with the Yaesu FT-1000's superb internal filtering it really isn't necessary, but even here it's possible to reduce QRM from the side. The noise reduction is quite impressive too, although the way that this is effected produces a weird effect on the final audio. Once accustomed, the final audio is very acceptable and it becomes almost desirable to use it all the time!

On to Packet now and the same thing as with s.s.b. applies here. The FT-1000MP has a Packet position which offsets the centre of the i.f. passband according to the Packet tone pair that is being used in the TNC.

This is selectable and, once set, the selectivity can be narrowed down to 500Hz. Having set this as normal and then switched in the DSP-III to the Packet position, the received audio certainly seemed sharper.

The h.f. Packet filter uses a 100th order linear phase bandpass filter, if the passband is 1550-1850Hz then 1350Hz and 2050Hz will be attenuated at 65dB - this is very difficult to quantify with h.f. Packet. The same filtering will be used for h.f. SSTV, but I do not use this mode.

However, the same principle applies as we're dealing with an audio bandwidth, this time the passband would be 1075-2350Hz. In this case, 875Hz will be attenuated 70dB and 2550Hz will be attenuated 60dB. If you intend using both modes then you will have to get used to adjusting between them with the BIO switch on the back panel - It's simple to use, however, so it should not present a problem.

The DSP-III also covered RTTY and it does improve the receive capability and again, it depends which tone pair is being used but once set up, using the BIO switch on the DSP-III, it will remain set. Used in

conjunction with the RTTY bandpass position AND the 500Hz filter on the FT-1000MP, there was not much other than the required signal!

I would think that, used in conjunction with a transceiver that does not possess too much in the way of filtering, either i.f. or audio, the DSP-III would transform it. Used with my FT-1000MP, I was impressed with its performance and must admit will myself consider buying one!

(A full review of the W9GR DSP-III unit appeared in the June issue of PW, back issues are



Fig. 5: Northern California DX Foundation's (NCDXF's) logo as seen at <http://www.ncdxf.org/beacon.htm>

BEACONS

As you are probably aware, 14.100MHz is an International beacon frequency and should be kept CLEAR at all times for the benefit of everybody. There's also a beacon frequency on 21.150MHz and, of course, numerous beacons on 28MHz.

Beacons can provide an invaluable aid to the DXer and h.f. amateur interested in International communications because checking them can provide useful information before trying to maintain skeds and so on. The title page of a beacons Web site can be seen in Fig. 2. The address of this Web site is: http://www.taborsoft.com/softstuff/ABW_Page.html

Software is available that can be run on the standard PC which can assist in this checking and it is free from the NCDXF site. A visit to this site will provide you with all sorts of information and software. Some of it is free and some of it is for sale, so take your choice. The free software displays a world map on the screen and highlights the beacon heard (as in Fig. 3). It's possible to connect the PC to the transceiver to produce an automatic system.

There's also a list of programs on the Internet which are connected with propagation, some are free and some are for sale. Another page from this site - <http://www.taborsoft.com/wwizard> - is shown in Fig. 4. shows the Northern California DX Foundation's (NCDXF's) logo as seen at <http://www.ncdxf.org/beacon.htm> It's well worth a visit and is a must for the serious h.f. operator. The URL is www.ncdxf.org

THAT'S ALL FROM ME THIS MONTH. UNTIL THE NEXT TIME ...

73 Roger

RadioScene

BROADCAST

REPORTS AND INFORMATION TO ME PLEASE:

PETER SHORE
C/O PW EDITORIAL OFFICES
ARROWSMITH COURT
STATION APPROACH
BROADSTONE
DORSET
BH18 8PW

E-MAIL:
petershore@pwpublishing.ltd.uk

THIS MONTH PETER SHORE CONTINUES HIS REPORTS FROM THE BALKANS AND FINISHES UP WITH SOME FREQUENCY NEWS AND AN ESSENTIAL BOOK FOR THE BRITISH BROADCAST STATION ENTHUSIAST.

For the third month, my 'Broadcast' column starts with news from the Balkans. As I write, NATO's campaign against the Milosevic regime continues as does the exodus of refugees from Kosovo.

The NATO alliance has targeted broadcasting installations across Serbia, including Radio Yugoslavia's short wave sites. However, at the end of May, as this column went to press, it was still possible to hear Radio Yugoslavia in Europe.

Some of the transmissions have become less than regular and the signal strength is often poor due perhaps to a combination of attacks on the transmitter sites and on Serbian power supplies. Here's the latest schedule that I have (all times are in UTC):

1800-1830 on 6.10MHz in Russian
1830-1900 on 7.23MHz in Serbian
1900-1930 on 7.22MHz in Spanish
1930-2000 on 6.10MHz in Serbian
2000-2030 on 6.10MHz in German
2030-2100 on 6.185MHz in French
2100-2130 on 6.185MHz in English
2130-2200 on 6.185MHz in Serbian

Radio Yugoslavia still has a presence on the Internet, but the URL has changed from www.beograd.com/radioyu/ to <http://62.229.99.175> There's RealAudio in English and the other languages which the station broadcasts.

The Serbian television service, RTS, has been removed from the Eutelsat satellite across Europe and at the meeting of Eutelsat's owners - principally Europe's state telephone companies in Cardiff in May - it was decided that it's inappropriate for Eutelsat to continue to relay what NATO believes is propaganda from Belgrade. The Belgrade administration has protested, but this is unlikely to cause a reversal of the decision.

INCREASED OUTPUT

As I reported in last month's column, broadcasters across Europe and further afield have increased their output directed towards the former Yugoslavia and the latest additions come from the **Voice of Russia** and **Radio France Internationale**.

Voice of Russia has expanded its Serbian programmes from one and a half hours a day to four hours and 50 minutes. Radio France Internationale has introduced

new Albanian language programming at 0530UTC on 7.28 and 9.805MHz and increased its 'lifeline' broadcasts to Albanian-speaking Kosovo refugees. There's a weekdays-only broadcast at 1010UTC on 11.67 and 15.155MHz. Serbo-Croat has an extra 30 minutes at 0500 on 9.805 and 11.975MHz.

In other parts of the world, the broadcasting bands continue to be as interesting as ever. In the Caribbean, **Radio Marti** is using more short wave to reach Cuba. This seems to be in response to increased jamming of the American-run station.

According to the Radio Marti Web site, Radio Marti programmes offer listeners an uncensored, comprehensive and balanced perspective on current events, in sharp contrast to the Cuban media.

Channel Africa has increased its output this season although its coverage is still limited to Africa, officially, you can receive some broadcasts in Europe, so here's the current schedule (all times are in UTC):

0300-0325 on 5.955MHz in English
0300-0325 on 6.15MHz in Swahili
0330-0355 on 5.955MHz in French
0400-0430 on 9.525MHz in English
0430-0455 on 9.525MHz in French
0430-0455 on 3.345 and 5.955MHz in Portuguese
0500-0530 on 11.72MHz in English
0530-0555 on 11.72MHz in Portuguese
0600-0630 on 15.215MHz in English
0630-0655 on 15.215MHz in Portuguese

1300-1455 on 11.90, 17.86, 21.53MHz in English
1500-1525 on 15.545MHz in Swahili
1500-1530 on 17.87MHz in English
1530-1555 on 17.87MHz in French
1600-1630 on 6.15MHz in English
1600-1630 on 11.90MHz in Swahili
1630-1655 on 3.345 and 6.15MHz in Portuguese
1700-1730 on 17.86MHz in English
1730-1755 on 17.86MHz in Portuguese
1800-1830 on 17.87MHz in English
1830-1855 on 17.87MHz in French

CLOSER TO HOME

Closer to home, **Merlin Network One (MNO)** is on the air 24 hours a day in English from London, mainly broadcasting pop music. **Merlin Communications International**, the company that provides **BBC World Service** transmission, runs MNO and the service can be heard (all times are in UTC):

0000-0200 on 9.60MHz
0200-0400 on 9.795MHz
0400-0500 on 3.985MHz
0500-0600 on 6.045MHz
0600-0700 on 6.11MHz
0700-1600 on 9.915MHz

1600-2000 on 6.175MHz
2000-2200 on 17.695MHz
2200-0000 on 11.985MHz

All transmissions come from Merlin's transmitting stations in the UK, except the two hour block at 2000UTC which comes from **Radio Canada International's** Sackville transmitters and is beamed to Europe. The MNO service is also on Astra.

MEDITERRANEAN VOICE

The **Voice of the Mediterranean** has Arabic, English, German, Italian, Japanese and Maltese language programmes made in Malta but relayed from transmitters in Italy and Russia, plus medium wave in Libya on 711kHz. The station has a Web site under construction at <http://www.vom-malta.org.mt> with RealAudio.

English is on the air at: 0500-0600UTC Sunday on 711kHz; 0530-0600UTC Monday-Saturday on 7.155MHz; 0800-0900UTC Sunday on 11.77MHz; 1900-2000UTC Sunday-Thursdays on 12.06MHz.

Radio Republik Indonesia is an unusual catch, at least for me. Here's the English-language schedule; let me know if you hear the station: 0100-0200UTC on 9.525MHz; 0800-0900UTC on 9.525MHz; 2000-2100UTC on 15.15MHz.

Radio Bulgaria has English for Europe: 1100-1200UTC on 15.70 and 17.50MHz; 1900-2000UTC on 9.40 and 11.72MHz; 2100-2200UTC on 9.40 and 11.72MHz; 2300-0000UTC on 9.40 and 11.70MHz.

If you have an interest in catching broadcast stations from across Britain, the **British DX Club's Radio Stations in the United Kingdom** is a must. The 16th edition is now available and it details all the stations on the air, listing by frequency and their station name. Frequencies are cross-referenced to show parallel channels and comprehensive data on transmitter sites and powers, postal and E-mail addresses plus telephone and FAX numbers are included.

There's also a special supplementary guide to radio stations in the Irish Republic, including complete details of the new RTE classical music service, 'Lyric FM'. This useful book is available for £3.00 (DM10, US\$5) from the **British DX Club, 126 Bargey Road, London SE6 2LR**.

THAT'S ALL FOR THIS MONTH. UNTIL NEXT MONTH HERE IN PW, GOOD LISTENING!

73 Peter




Fig. 1: A Voice Of The Mediterranean QSL Card.

We stock all you need to build your own PC and the peripherals to help you use it.



K62-350 £50

**We have
AMD / Cyrix /
Intel**

**All major Credit
and Switch
cards
accepted**

**Pressit CD
labelling
Kits and
labels at
competitive
prices**

**CD Rewriters,
CDR, CDR-W,
Zipdrives and
disks, LS120 Drives
and disks**



visit us at

<http://www.ronal.freeserve.co.uk>

**Sound cards,
Video Cards,
Network cards,
Hubs, Cables
Connectors**



**Hewlett
Packard
420C**



£ 86

**Ask about our
range of
printers**

Prompt

**14", 15" & 17"
Monitors always
in stock**

**mail
order
service**

**Mustek 12000P
Scanner(600x1200)**



£67

**The "Really,
Really simple
Guide to the
Internet" Video
£14.99**



**Don't forget we
have Motherboards,
Fans, Memory, FDDs,
HDDs, CD-ROMs and
lots of other bits**

**We build
PCs to
order**

**Mustek Scanner
6000P(300x600) only
£43**



**4x2x8
Mitsumi Rewriter**



£155

All prices include V.A.T but exclude delivery.

This is only a small selection of our stock, please phone for prices or items not mentioned.

LEICESTER AMATEUR RADIO SHOW COMMITTEE PRESENTS

28th LEICESTER AMATEUR RADIO SHOW

at a new venue

CASTLE DONINGTON INTERNATIONAL EXHIBITION CENTRE

near junction 23A M1 motorway
on

**24th & 25th
SEPTEMBER, 1999**

All the usual features but even bigger than ever.

For further details contact Geoff Dover,

G4AFJ. Tel: **01455 823344** or Fax: **01455 828273**

For stand and table bookings contact

John Theodorson, G4MTP. Tel/Fax: **01604 790966**

E-mail: G4MTP@lars.org.uk Web site: <http://www.lars.org.uk>

FREE ADVERTS

Now's your chance to send in a photograph of your equipment (a good idea if it's really unusual) to accompany your advert. Please note that all photos will only be published at our discretion and are non-returnable.

When sending in your advert, please write clearly in BLOCK CAPITALS up to a maximum of 30 words, plus state your contact details. Please use the order form provided.

Bargain Basement

Advertisements from traders or for equipment that is illegal to possess, use or which cannot be licensed in the UK, will not be accepted. No responsibility will be taken for errors.

You should state clearly in your advert whether the equipment is professionally built, home-brewed or modified. The Publishers of *Practical Wireless* also wish to point out that it is the responsibility of the buyer to ascertain the suitability of goods offered for purchase.

For Sale

18m lattice tower, £150. 3-element Tri-band J-beam, £100. Tel: Jim MW0ATF (01495) 248899.

Abandoned project: Alpha transceiver/receiver, single band, 20m (14MHz) 50W. All info and parts to complete, offers around £150, ring for further details. Tel: Mike GD3JUI (QTHR) (01624) 832037.

AKD Target receiver, £95. Datong FL2 filter, £65. MCL 1100 easy reader decoder with monitor, £175. Tel: John Redfern GW4RZU (01437) 710544.

Alinco DJ-511, £50. DJ-C1, £50. DJ-C5, £120. Hora C408, £50. Microset 40W 144MHz linear amplifier, £30. All new, boxed, MFJ-411 code tutor, £40. MFJ-212 Matchmaker, £40. MFJ-1116 distribution board, £25. Tel: Stockport 0161-427 6094.

Alinco DJ-560 hand-held, 2m/70cm (144/430MHz) charger, spare battery case, speaker/microphone, car lead, £150 o.n.o. Mono notebook, 2Mb RAM, 60Mb hard drive, charger (battery door catch broken) thermal printer (portable) sheet feeder spare cartridge, £95 o.n.o. Tel: Maurice GOFUE (QTHR) on Norfolk (01362) 896993. GOFUE@GB7ILH.

Alinco DX-70, boxed, manual, mint condition, £400 buyer inspect/collect or pay P&P. Tel: Wiltshire (01672) 564151.

Altron 9m, two section mast with base, needs cable, £100. Collins TC-S10 receiver plus p.s.u., good condition, needs restoration, £40. DX-40U transceiver, needs restoration work, £20. HF-225 extras, manual, boxed, £350. Tel: Malcolm (01703) 433749.

Ameritron AL-811X linear halfly used, going QRP, boxed, £450, carriage extra. Tel: Dave (01443) 683912.

AOR 2000 hand-held scanner, 0-1300MHz c.w. charger NiCads, stand, discone, coaxial cable frequency book, £150 o.v.n.o. Midland 76-900 CB base station, fully featured, v.g.c., c/w base microphone, rare classic rig, £160 o.v.n.o. Tel: Kevin on Essex (01268) 779191.

AOR AR-1500 hand-held scanner, covers 500kHz-1300MHz, no gaps, all modes immaculate, boxed with case, charger, instructions, etc., £140. Timewave DSP-9+ noise filter, boxed, instructions, immaculate, £100. Tel: 0181-391 1145.

AOR AR-800 plus Mini-Scout, NiCads chargers, only three months old, under guarantee, £330. Yupiteru 7000, NiCads charger, case, £130. Tel: Ipswich area (01449) 721225, after 5pm.

Base scanner Pro-2039 a.m./f.m. 68-960MHz with gaps, excellent condition, boxed, manual, antenna, £75, P&P extra at cost. Tel: John G3OAZ (01256) 465126.

Brand new Epson GT5500 colour image scanner plus manuals, etc., £150 plus P&P or exchange for base scanner or 2m (144MHz) base receiver (no77) hand-helds. Tel: John (01634) 233058.

Butternut HF2V vertical antenna with coils for 30, 40, 80 and 160m (1.8, 3.5, 7 and 10MHz), £35 o.n.o. Tel: (01625) 876133 (near Stockport).

Collins TC-S10 receiver 46159, g.w.o., £75. AR77 receiver, £60. Also collection of domestic radios for restoration, £65: Phillips super induction receiver 577A, Pilot U357, Pye Cambridge International, etc. Tel: High Wycombe (01494) 521839.

Complete disposal of workshop Test equipment and spare parts; transistors; diodes; resistors; capacitors; valves including storage trays, etc. Some test equipment perfect, some need repair, first reasonable offer secures. Tel: C. Jeffry on Cornwall (01872) 573373.

Decoder: Universal M7000 version 7.2 boxed with manual and guide, 19 models, excellent performer with Novex 11 inch monitor, may exchange or part exchange for good receiver or sell for £550. Tel: Bournemouth (01202) 430043.

Diamond SX-600 s.w.r. meter, 1.8-160 and 140-525MHz, unused, bargain, £75, no offers, with 13.8V meter lamp. Tel: Alan G7CDK on Royston, Herts (01763) 262443.

Diamond X500 dual-band collinear, 2m/70cm (144/430MHz), £50. Noltori Nova 4m a.m./f.m., six channels, crystallised77, £35. Tel: Neil G1HSG (01204) 594235 or (0467) 824643.

Eddystone 1837/2 digital five filters, excellent receiver, £250. Tel: Kent (01797) 361438.

Fairhaven RD-500VX, boxed with remote, book, etc., £500. Yupiteru 9000 top quality scanner, boxed, £225. Tandy 2042 with voice box record internally fitted, boxed, £150. DX-392 h.f. receiver, cassette, boxed, £70. Tel: Vic on Stoke-on-Trent (09735) 38502.

FC-20 a.a.t.u. for FT-847, unused, boxed, £150. Icom IC-T42E, 70cm (430MHz) hand-held, speaker, microphone, charger and manual for TS-450/890, £5 plus postage. Tel: Terry on Hitchin (01462) 435248, after 6pm.

FT-101 h.f. transceiver fully working, £155. FT-101B h.f. transceiver, working on 80m (3.5MHz), £80. Military sets for

exchange Mk119 German Torn B BC-1000 with p.s.u. Wanted, similar military sets WWII, etc. Tel: Ben (01562) 743253 or E-mail: 106312.1035@compuserve.com

FT-290 multi-mode, 2m (144MHz) transceiver with FL-2025 linear mobile mount bracket, gutter mount antenna, p.s.u. and s.w.r. meter, £300 o.n.o. Tel: G7KGM on Swindon (01793) 740786.

Grundig YB-400 portable radio, f.m. plus all short wave bands 1.6-30MHz, digital, s.s.b., as new, in box, very little use, £95 o.n.o. or WHY? Tel: Chester (01244) 310267.

Icom IC-240 2m (144MHz) mobile transceiver with 12-element, home-brew beam, Slim-Jim and magnetic mount whip antenna. Old radio but works very well. Also power supply 3/5A, £225. Tel: G4ZTW on New Romney, Kent (01797) 366272.

Icom IC-4SRE u.h.f. transceiver wide band receiver, boxed, v.g.c., £60. B40 receiver, £50. Autek research v.h.f. analyst RF5, as new, £150. Tel: Richard G7MJJ 0181-690 9913, office hours.

Icom IC-701 six band transceiver, s.s.b./c.w./RTTY, microphone, RM3 remote c.u., wired for linear, matching p.s.u. and speaker, 100W, all manuals and circuits, v.g.c., original boxes, £265. Tel: G3PXV (QTHR) (01733) 844321.

Icom IC-706 MkII h.f./v.h.f. (1.8-146MHz) transceiver, mint condition, £650 o.n.o. Watson 25A p.s.u., £70. Welz 0.5-150MHz s.w.r./power meter, £30. Heavy duty coaxial switch, £12. Tel: Jon on Eastbourne (01323) 769849.

Icom IC-725 h.f. transceiver with f.m. board, 100W, ideal for new A/B licence, as new condition, boxed, £400. Tel: 0141-885 2022.

Icom IC-735 h.f. transceiver/receiver, all filters fitted plus iambic keyer, £550. AH2 a.a.t.u., £350. Trio CS-2070 oscilloscope, 70MHz, £350. Packrat PK232MBX Packet modem, £175. Might consider exchange WHY? Amateur equipment or computers. Tel: G4XPP (QTHR) (01388) 747018.

Icom IC-735, good condition, g.w.o., with manual, buyer collects, an absolute bargain at £300, no offers please! Tel: East Lincs (01754) 890628.

Icom R-71E all mode classic receiver with f.m. board, 0-30MHz, 32 memory channel switch, proper S-meter, good condition, £295 includes carriage. Tel: GW0GHF on Cardiff (01222) 703429.

JRC NRD-545 DSP receiver, mint condition, £900. Lake Electronics NRD2 noise reduction filter, £10. Joy Match a.t.u., £10. May exchange

NRD-545 for back lit Racal 1792 or Plessey PRS-2280. Tel: (01772) 704009, after 6pm.

Kenwood 570D transceiver, boxed, unused, £550. Motorola SRBR u.h.f., 460MHz hand-helds, four available, boxed, unused, £95 each. PSU, 25A with meters, fan, boxed, unused. Tel: Graham (01634) 717365, after 6pm.

Kenwood SP-23 speaker, 8Ω, cost £70 will sell for £40. Icom IC-202 portable 2m (144MHz) s.s.b./c.w. transceiver, 3W output, 13.6V input, manual, £90. Panasonic multi-band compact radio RF-B65D u.s.b./f.s.b., o.s.u., manual, £60. Tel: Alan near Bury St. Edmunds (01284) 827379.

Kenwood TH-D79E dual-band hand-held f.m. transceiver plus accessories, boxed, £220. Datong D-70 Morse Tutor, £25. Tel: Paul M0BCL on Somerset (01823) 661405.

Kenwood THG-71E hand-held, dual-band includes speaker, microphone, power supply, DB770H telescopic antenna, 1998 Callbook, mobile magmount, mint and boxed, ideal for beginner or professional. Tel: Mike Dudley on West Midlands (01384) 233723, after 6pm.

Kenwood TS-50 transceiver with Kenwood AT-50 a.t.u., boxed, all manuals, new October 1998, possible part exchange for FRG-8800 or similar, or sell, £800 o.v.n.o. Tel: Plymouth (01752) 669758.

Kenwood TS-711A/E transceiver, 144MHz, all modes, never used, still boxed, voice synthesiser, £400 o.n.o. Tel: Cheltenham (01242) 241499.

Kenwood TS-790F 144/430MHz, £900, no offers. Tel: Tony G0CZV (01430) 422657.

Kenwood TS-940, SP-930, £700. Kantronics Kamplus, Pactor, RTTY, G7TOR, Packet, £120. Two 13.8V p.s.u.s, 6/8A, 5/7A, £10 each. AKD h.f. wavemeter, £30. Leader LAC895 h.f. tuner, 80-10m (3.5-28MHz), £15. Tel: Yeovil (01935) 422973.

KW Viceroy transceiver, g.w.o., new 6148s fitted, manual, £50, buyer collects. Yaesu UD-844 base microphone matches FST-101ZD, etc., £20. XLP-150 low pass filter, £8 - all plus postage. Tel: (01745) 890646.

KW2000A transceiver/receiver with p.s.u., SEM a.t.u., SMC TS-1706 v.s.w.r. bridge, Shure hand microphone and Hi-mound key, £150. Eddystone EC-958 receiver, £50. EK150 keyer, £25. SSM Europa-B v.h.f. transverter, £25. Tel: Terry G4ANW (01983) 401446.

Lake DTR7, 40m (7MHz) transceiver/receiver with TU2 MkII a.t.u., £80. Datong FL3 audio filter, £60. Stephen James MkII multi-

tuner a.t.u., suit s.w.l. or QRP, £25. Tel: Pete on Bristol (01454) 882465.

Marconi TF-2015 signal generator 10-520MHz, a.m./f.m., £65. Telequipment oscilloscope D83, £75. Kingshill p.s.u. 0-50V twice at 5A, nice but big, £35. All plus carriage or buyer collect. Tel: Ray (01989) 769209, day or (0374) 173333.

MFJ-784B tunable DSP unit, absolutely superb, very effective unit, five months old, as new, boxed with manual, bargain at £100 including P&P, no offers. Tel: Mike G4MJA 0191-389 2822.

MFJ-901B versa tuner, new, cost £59, will accept £35. Duplexer model CF-706 for 1.3-56MHz77, 144-3020MHz77, £20. Tel: John (01283) 221870, after 6pm.

Microwave Modules, 144MHz BNC converter, 28-30MHz, l.f. m.o.s.f.e.t., 9-15V, £20. Hansen r.m.s. peak reading watt meter, FS60/m, £25. Spectrum 10m (28MHz) pre-amplifier, r.f. switched, 10-18V, £20. S G Brown 2000Ω headphones, £15. Tel: Alan near Bury St. Edmunds (01284) 827379.

Military/Marine Marconi CR300 with p.s.u., working, £65. Non-working, immaculate, CR-100 and R107, also ex g.p.o. moving coil meters, switches, test gear, offers please. Tel: Chris Moreton on Gwent (01291) 673849/650499.

Oscilloscope - model 1707B dual beam, £60. Multimetre Keithley 179 TRMS digital, v.g.c., £20. Tel: Mr Ken Wood (01827) 895170. Dordon Rd, Dordon, Tamworth B78 1QV.

Phillips PH3217 50MHz dual trace c.r.o., £165. Marconi r.f. signal generator TF2002 10kHz-72MHz, £110. TF-2006 200MHz-1000MHz, £130. 2019A 80kHz-1040MHz synthesiser, £665. KW2000B transceiver, £125. Tel: John G7EJK (01889) 564477, after 6pm.

Practical Electronics Volume 1, issues 1-14 (November 1964 to December 1965) complete and professionally bound with Blue Print wall charts, etc. Excellent condition, £20. Tel: Colin G6MXL (QTHR) on Poole (01202) 665284.

Private collection: 50 domestic and schools radios for sale separately (1930s-1960s) offers invited, please send large s.a.e. for lists (plus £1 for illustrated catalogue if required). Tel: Chris Moreton (01291) 673849/650499, 10 Castle Parade, Usk, Gwent NP15 1AA.

Pye record maker, unusual item will record onto magnetic disk, also play normal records, telephone for details, £20 o.n.o. Tel: Chester (01244) 310267.

Racal receiver: four x 1784, £450 each. Three x 1792 back lit, £750 each. Three x 1772, £450 each. Four x 1795 u.h.f./v.h.f., £700 each. Two x 1776, £450 each. All in good condition. Tel: 0161-776 0094 for details.

Reel-to-reel tape recorders: Teac A1030, needs slight attention; Brenell Hi-fi tape deck, minor fault; Colloredo Studio three motor - deck only, offers. Tel: Huntingdon (01480) 860401.

Saje SC-40 frequency counter, £60. MFJ-921 144MHz a.t.u., £30. Comet CD-120 1.8-200MHz, £30. CD-270D 144-525MHz, £30. Diamond SX-40C X-needle p.w.r./s.w.r., £30. AKD WA1/2/3, £15 each SEM Easytune, £15. Tel: Stockport 0161-427 6094.

Several Betamax video recorders and tapes including pre-recorded tapes (one stereo machine, rest mono), offers please. Consider swaps for WW2 radio, etc. WHY? Tel: Anthony on Bucks (01908) 373114.

Shack clearance bargains: 2m (144MHz) all mode base, nice, £135. Quality 6m (50MHz) transverter (144MHz drive - 25W output), £115.

Readers & Their Local Dealers

We Need Your Help!

Yes...you can help PW to complete a project for the forthcoming Millennium and it could help us to help you get the most from your radio hobby, says the Editor, Rob Mannion G3XFD. Rob says he's hoping to recruit readers to help locate all those 'difficult to get' components and the local dealers who provide them.

Project 2000 is an idea I've been thinking of for some while - and believe it or not the ideas comes directly from readers who have met me on the many 'club visits' I undertake through the year. It's on these occasions that readers - in the general 'chat' sessions that often take place (as we're being locked out of the building by the Caretaker!) tell me about their favourite local shop. Many of these truly local dealers have stocks of components, rare items and other help and advice that - if we don't support them - will soon disappear from the towns they serve, to be replaced by yet another 'take away' or 'Building Society' (for 'Building Society; please read 'bank' or 'financial institution'!).

When Project 2000 - with your help - comes to fruition we hope to publish a special directory listing all our regular dealers (and the not-so-well-known services they provide) and every other radio component, service, equipment and otherwise hobby-related dealer we can learn about. In this way our readers will continue to be able to enjoy their hobby and the dealers involved will be provided with the necessary customers to keep them in business. Because without each other - our hobby could be in trouble!

As Time Goes By

To use the famous cliché: 'As time goes by', radio hobbyists are finding local stockists of components and specialists more difficult to find. Added to this, more and more specialised dealers (many of whom advertise in *PW*) don't have room in their standard advertising to mention the complete range of services they offer. So, what the *PW* team are planning is this - a complete 'Directory' of who the dealers are, where they are, what they do, supply or make, how to contact them and everything you need to help you - the reader and the supplier - at the same time.

We're planning to publish a comprehensive directory to cover England, Ireland Scotland and Wales, Isle of Man, Channel Islands and of course we would be delighted to hear from readers abroad too! So, if you're in Paisley or Plymouth, Birmingham or Belfast, Tralee or Truro we'd like to hear from you. By working together we can 'communicate' our interests and help readers find the dealers they need and assist the trader to find customers.

All you need to do is fill out all the information on the local radio shops you use, on the form laid out below (clean photocopies welcome). Provide all the details you know, and we'll do the rest. You can be sure that we'll produce a directory to help the hobby forge its way into the Millennium. Project 2000 is already on its way - with your help!

Name & Address of Dealer:

Town:

County:

Country:

Telephone & FAX number:

Do they have a Web site?

What specialities do they offer?

(e.g. components, new/used equipment/surplus, 'sale on commission' etc.):

Is a mail order service offered?

Do they publish a list or catalogue of components?

Do they publish a list of second-hand equipment?

What service which they offer do YOU think is their speciality?

(e.g. Servicing, part exchange, antennas, accessories, etc.).

Your comments on what's on offer and anything of special interest you've discovered: (e.g. large stocks of resistors, 'goodybags' of components, variable capacitors, etc. We will then contact the dealer concerned to provide us with a full up-date so, in turn, we can provide the most accurate information as possible. But please bear in mind that some dealers have 'limited stocks' of 'quick turn round' surplus).

Your full name and address:

(Please note that any details provided in the name and address section, along with any special interests) is for the use of Rob Mannion G3XFD and the Editorial team only in preparing the directory. You have G3XFD's personal assurance that none of the information (your address, etc., will be passed to a third party for any purposes other than that stated).

Interests:

Suggestions for information to be included in directory:

Thank you for your help. Please ensure that any help you can provide is sent (by Wednesday September 1) to: Rob Mannion G3XFD, Editor *Practical Wireless*, Project 2000 'Freeport', Arrowsmith Court, Station Approach, Broadstone, Dorset BH18 8PW, United Kingdom. (Unfortunately, the 'Freeport' facility is not available from addresses outside the UK, but we'll still be pleased to hear from you and would appreciate to receive your information).

PHONE 0181 684 1166 **LANGREX SUPPLIES LTD** **FAX 0181 684 3056**
 DISTRIBUTORS OF ELECTRONIC VALVES
 TUBES AND SEMICONDUCTORS AND I.C.S.
 1 MAYO ROAD • CROYDON • SURREY CR0 2QP
 24 HOUR EXPRESS MAIL ORDER SERVICE ON STOCK ITEMS

£ p	KT66 China	10.00	524GT	3.00	6V6G	10.00
AZ31	KT88 China	12.00	6AQ5	2.00	6V6GT	5.00
CL33	N78	8.00	6AR5	20.00	6X4	3.00
E88CC	0A2	3.00	6AS7G	7.50	6X5GT	3.00
E180F	0B2	3.00	6AU5GT	4.00	12A7T	3.00
E810F	0C3	3.00	6AU6	2.00	12AU7	3.50
EABC80	0D3	3.00	6AW8A	4.00	12AX7	5.00
EB91	PCF80	2.00	6B4G	22.00	12AX7A	7.50
EBF80	PCL82	2.00	6BA6	1.50	12AX7WA	6.00
EBF89	PCL85/805	2.50	6BE6	1.50	12BA6	2.00
EBL31	PCL86	2.50	6BH6	2.00	12BE6	2.00
ECC33	PD500	6.00	6BQ7A	2.00	12BH7/A	10.00
ECC35	PL36	3.00	6BR7	4.00	12BY7A	7.00
ECC81	PL81	2.00	6BR8	4.00	12DW7	15.00
ECC82	PL504	3.00	6BW6	2.50	12E1	10.00
ECC83	PL508	3.00	6BW7	3.00	13E1	85.00
ECC85	PL509/519	10.00	6BZ6	3.00	572B	25.00
ECC88	PL802	4.00	6C4	2.00	805	45.00
ECC808	PY500A	3.00	6CB6A	3.00	807	7.50
ECC80	PY800/801	1.50	6CD6G	5.00	811A	7.50
ECH35	QV02-6	12.00	6CL6	3.00	812A	55.00
ECH42	QV03-10	5.00	6CG7	7.50	813	27.50
ECH81	QV03-20A	10.00	6CH6	3.00	833A	85.00
ECL82	QV06-40A	12.00	6CW4	6.00	866A	20.00
ECL86	U19	8.00	6DQ5	17.50	872A	30.00
ECL800	UABCO	1.50	6DQ6B	10.00	931A	25.00
EF37A	UCH42	5.50	6F6G	6.00	2050A	12.50
EF39	UCL82	2.00	6F07	7.50	5751	6.00
EF40	UCL83	2.00	6GK6	4.00	5763	6.00
EF86	UF89	4.00	6J5G	6.00	5814A	5.00
EF91	UL41	12.00	6J5M	4.00	5842	12.00
EF183/4	UL84	3.00	6J7	3.00	6072A	6.00
EL33	UY41	4.00	6JB8A	27.50	6080	6.00
EL34	UY85	2.00	6JE6C	27.50	6146B	15.00
EL34G	VR105/30	3.00	6JS6C	27.50	6201	8.50
EL36	VR150/30	3.00	6K6GT	4.00	6336A	35.00
EL41	Z759	10.00	6L6G	15.00	6550A	25.00
EL84	Z803U	15.00	6L6GC	15.00	6863B	15.00
EL95	2D21	3.50	6LW6B	10.00	7025	7.50
EL360	3B28	12.00	807	3.00	7027A	25.00
EL509/519	4CX250B	45.00	6SA7	3.00	7199	15.00
EM34	5R4GY	7.50	6SC7	3.00	7260	25.00
EM81/4/7	5U4G	10.00	6SG7	3.00	7581A	15.00
EN91	5U4GB	10.00	6SJ7	3.00	7586	15.00
EZ80/81	5V4G	4.00	6SK7	3.00	7587	20.00
G232	5Y3GT	2.50	6SL7GT	5.00		
GZ33/37	5Z3	5.00	6SN7GT	5.00		
KT61	5Z4G	6.00	6UBA	1.50		

Prices correct when going to press.

OPEN TO CALLERS MON - FRI 9AM - 4PM. CLOSED SATURDAY.

This is a selection from our stock of over 6000 types. Please enquire for types not listed. Obsolete items are our speciality. Valves are new mainly original British or American brands. Terms CWO/ min order £10 for credit cards.

P&P 1-3 valves £2.00. 4 - 6 valves £3.00. Add 17.5% VAT to total including P&P.
 E-mail: langrex@aol.com

New kits available soon

...America's Best!
TEN-TEC

Complete projects
 T-Kits and Modules

2m and 6m FM mobile transceivers.
 80m, 40m, 30m, 20m 17m and 15m QRP CW transceivers
 20m - 6m, 2m - 6m, 10m - 17m and 15m QRP CW transceivers, SWR bridge and RF wattmeter, short wave receivers, RF ground counterpoise, transmatch tuning bridge, electronic keyer smart squelch, universal BFO, active antenna, receive converter, speech processor.

PLUS! Repair service for all Ten-Tec kits

Adur Communications

Tel: (01903) 879526 ttkits@adurcomms.com

Belmont Buildings, The Street, Bramber, West Sussex BN44 3WE

The **SHORTWAVE** Shop

18 FAIRMILE ROAD, CHRISTCHURCH, DORSET BH23 2JL

Phone/Fax 01202 490099 SHORTWAVE HOTLINE: 07000 CQDXCQ (273927)

THE COMMUNICATION SPECIALISTS

Receivers - Scanners - Transceivers

Call & discuss which part of the radio spectrum you wish to operate and we will advise you on the most cost effective way achieving it.

● Full range of new & secondhand equipment available.

● We stock all leading brands:-
 Airband Amateur CB, Marine Shortwave

Web site: <http://www.shortwave.co.uk>

4 MILES FROM BOURNEMOUTH INTERNATIONAL AIRPORT ON B3073

300 YARDS FROM CHRISTCHURCH RAILWAY STATION. FORECOURT PARKING FOR DISABLED

B.S.I. Regd. stockist
 ISO 9002 RS33906

ElectroValue

afdec
 Member

We supply

Capacitors

Resistors

Thermistors

EMC filters

Inductors

Suppressors

Varistors

Potentiometers

Knobs

Ferrites

Fuses

Spark gaps

Batteries

Terminals

Siemens franchised distributor

Diodes & rectifiers

Transistors

Integrated Circuits

Semiconductors

Lamps & LEDs

Power supplies

Regulators

Thyristors

Sensors

Crystals

Panel meters

Test gear

Valves

Flash tubes

Books

Boxes & Cases

Breadboards

Connectors

Cable

Fans

Switches

Relays

Transformers

Hardware

Headphones

Soldering equip

PCB materials

Service aids

Electrovalue Ltd. See us at web site: www.electrovalue.com
 Shop: Tel: 0161-432 4945. Fax: 0161-432 4127. E-mail: sales@electrovalue.com
 680 Burnage Lane, Manchester M19 1NA
 Mail order: Tel: 01784 433604. Fax: 01784 433605. E-mail: sales@electrovalue.co.uk
 Unit 5, Beta Way, Thorpe Industrial Park, Egham, Surrey TW20 8RE

J. BIRKETT

SUPPLIERS OF ELECTRONIC COMPONENTS

CRYSTALS KITS Ex MOD type 1 kit HC6U type 2510, 2704, 3755, 4015, 4195, 4290, 4360kHz, HC18U type 4990, 5100, 5226, 5770, 5978, 6020, 7836kHz. Type 2 kit 2700, 2820, 2827, 2840, 3262, 4155kHz, HC18U 5100, 5263, 5300, 5770, 5867, 5893, 5975, 6340, 7805kHz. These kits may vary. Price for the 2 kits £3.50.

TRW RF POWER TRANSISTOR PT31991 @ £2, 6 for £10, PT313963 @ £2.50.

AIRCRAFT NEW SPARE NEGRETTE and ZAMBRA PRESSURE GAUGE 0 to 4000psi No M1953AA, Nato No. 6A/6685-99-625-8799 @ £5, oxygen mask face piece 0.7 60/2203475 @ £3.

VHF R.F. AMPLIFIER Type 10U/9118333 with three DET23 valves on silver plated chassis @ £25 (P&P £10).

EX MOD R.F. MULTIMETER Type 471C up to 1500MHz complete with leads 50 and 75 ohm, probes and instructions, takes 3 D type batteries, with serviceable label but untested @ £20 (P&P £10).

SMALL ELECTROLYTICS 33µF 450V.w. @ £1.15, 5 for £5, miniature .01µF 400V.w. DC capacitors @ 10 for £1.

AMIDON DUST IRON RINGS T50-26 @ 8 for £1, T80-26 @ 5 for £1, T106-52 @ 4 for £1, T130-52 @ 3 for £1, T130-16T3 @ 3 for £1, T141-603 @ 60p, T151-50 @ 70p, T200-40 @ £1, T250-52 @ £1.30, T300-40 @ £1.50.

RF POWER TRANSISTORS SD1487, 100W, 12V, with data @ £12.95, £22 pair.

EX AIRCRAFT TRANSCEIVER UHF 2 channel type M4 @ £12 (P&P £8).

PHILIPS CONCENTRIC TRIMMERS 30pF @ 30p, film trimmers 10pF, 20pF, 40pF @ 20p each, 125pF @ 50p.

ACCESS. SWITCH, BARCLAYCARD & AMERICAN EXPRESS cards accepted.

P&P £2 under £10. Over Free, unless otherwise stated.

C.M. HOWES KITS. Available by post and for callers.

25 The Strait
 Lincoln LN2 1JF
 Tel: 01522 520767
 Partners J.H. Birkett
 J.L. Birkett

The Kits with ALL the Bits!

Build transceivers, receivers, ATU's, test gear.

First grade components and designs.

Full, comprehensive instructions.

Excellent after sales service.

Kits for Amateurs, SWL's and Novices.

Send large S.S.A.E. (A5) or phone for our brochure!



LAKE ELECTRONICS



7 Middleton Close, Nuthall, Notts NG16 1BX

Tel: 0115-938 2509.

Callers by appointment only.

DEMODULATORS FOR JVFX HAMCOMM SKYSPY RADIORAFT DL4SAW & POC SAG

THE ORIGINAL RECEIVE ONLY with 25 way 'D' type £16.99

POCSAG RECEIVE version (as above, with variable hysteresis) £19.99

TRANSMIT version (Pocsag Rx + Fax/SSTV/HamComm Tx) £24.99

Adaptors 25/9 £3.00. 25m/25m £3.00. 4 way RS232 Switch Box £17.50

1m 25 way cable £6.00 Shareware on 3.5" HD Disks JVFX7 + HamComm 3.1 +

Pktmon12 + Pocsag (PD2.04) + Wxgraph + Freqs £2.50 RADIORAFT V3.0 £2.50

DL4SAW SSTV (V1.2) £2.50 JVComm32 (2 disk) £3.50

REGISTERED VERSIONS OF SOFTWARE INCLUDING LATEST RADIORAFT VERSION 3.0

● NEW ● RadioRaft V3.0 £24.99 ● DL4SAW/GSHPC SSTV (V2.3) £34.99

HamComm3.1 £19.99 SkySpy V1.5 £24.99 Pocsag (PD2.04) £19.99

JVComm32 £49.99 Creative SB16 SoundCard for JVComm £24.99

All prices UK/Eire inc VAT + P&P. For non-EU deduct 17.5% VAT

All products (except software) carry a full money back guarantee.

Minimum credit card order £15.00. Outside British Isles add £2.00

Pervisell Ltd, 8 Temple End, High Wycombe Bucks HP13 5DR

Tel: (01494) 443033 Fax: (01494) 448236

www.pervisell.com e-mail: ham@pervisell.com



Classified Ads

To advertise on this page see booking form.

For Sale

TECHNICAL MANUALS, AR88, CR100, R210, HR0. £5 each. Circuits £1.50. Hundreds available. SAE list. Bentley, 27 De Vere Gardens, Ilford, Essex IG1 3EB. Tel: 0181-554 6631.

THE UK'S LARGEST SOURCE for Vintage Service data, circuits and manuals from 1900 to the 1970s. Free brochure from Tudor Gwilliam-Rees, Savoy Hill Publications, 50 Meddon St, Bideford, The Little White Town, North Devon, EX39 2EQ. Tel: 01237 424280.

E-mail: tudor.gwilliam-rees@virgin.net
Visa & Mastercard accepted.

THE RF-KIT CATALOGUE. send 2x 2nd class stamps or browse www.rf-kits.demon.co.uk
Hands Electronics, Tegryn, Llanfyrnach, Pembro SA35 OBL. Tel 01239 698427.

RACAL RA1795 RECEIVER VHF/UHF 20-1000MHz plus wideband video. Rare opportunity to acquire. £800 each. Two available. Tel Anthony 01908 373114, evenings. Consider exchange for WWII radio equipment.

Valves

VALVES GALORE Most valves available from stock. Otherwise obtained quickly. Please send SAE stating requirements or telephone. **VALVE & ELECTRONIC SUPPLIES** Chevet Books, 157 Dickson Road, Blackpool FY1 2EU. Tel: (01253) 751858 or Fax: (01253) 302979. E-mail: chevet@globalnet.co.uk

VALVES:- OVER 50000 STOCKED Ham, Vintage, Military, Audio. SAE for FREE list to: Wilson Valves, (Jim

Fish G4MH), 28 Banks Ave., Golcar, Huddersfield, West Yorks HD7 4LZ. Tel: 01484 654650. Fax: 01484 655699. E-mail: wilsonvalves@surflink.co.uk Visa etc. Fast & personal service.

CASH FOR VALVES. ECC32 £10. ECC33/35 £6. ECC83/EF86 £3.50. KT66 £35. KT88 £55. EL34 £20. EL37 £18. PX4 £70. PX25 £130. GZ34 £8. GZ32 £8. DA100 £150. 4212E £150. PT15 £10. Ask for free wanted list.

Colomor (Electronics) Ltd, Unit 5, Huffwood Trading Estate, Bookers Road, Billingham, W. Sussex RH14 9RZ.

Tel: 01403 786559.

Fax: 01403 786560.

E-mail: giacomelli@colomor.demon.co.uk

VALVES FOR SALE, swap, wanted. Thompson. 83 School Lane, Hartford, Cheshire. Tel/Fax: 01606 871082.

VINTAGE VALVE RADIOS Various models for sale all fully restored. Wireless repairs and cabinet restoration. Established on the south coast for 12 years.

Tel/Fax: Geoff Luxton 01903 531389.

TOP PRICES PAID

for all your valves, tubes, semi-conductors and ICs.

Langrex Supplies Ltd.
1 Mayo Road, Croydon
Surrey CR0 2QP.

TEL: 0181-684 1166. FAX: 0181-684 3056.

Holidays

NORTH WALES HOLIDAYS - Caravan - bunkhouse - camping. Elevated rural site, two miles from beach, use of shack and antennas, open all year. Tynrhos, Mynytho, Pwllheli. Tel: 01758 740712.

Packet address:

GW4VAG@GB7BAY#55.GBR.EU

Wanted

WANTED FOR CASH Valve or solid state communication receivers Pre-1980. Preferably working and in good condition. Non working sets considered also domestic valve radios. Items of Government surplus wireless equipment and obsolete test equipment. Pre-1965 wireless and audio components and accessories. Pre-1975 wireless and TV books and magazines. Also, most valves wanted for cash. Must be unused and boxed. CBS, 157 Dickson Road, Blackpool, FY1 2EU. Tel: (01253) 751858 or Fax: (01253) 302979. E-mail: chevet@globalnet.co.uk

QUARTZ CRYSTALS 1kHz-250-MHz, >20,000 stocked. 32.768kHz/£1.65, 38kHz/£1.65, 400kHz/£3.95, 455.2kHz/£1.50, 3.2768MHz/£1.95, 7.03MHz/£3.95, 10.106MHz/£3.50, 10.7MHz/£1.75, 11.0592MHz/£1.60, 21.06MHz/£3.95 etc. SPXO/TCXO/VCXO devices from £2.50. Ceramic filters & oscillators. 26 page list. Circuits & applications booklet/£5.00.

Q-Electronic Design. Tel: 0181-391 0545. Fax/Msge 0181-391 5258.

Miscellaneous

VALVE ENTHUSIASTS: Capacitors and other parts at attractive prices! Ring for free list. Geoff Davies (Radio), Tel: (01788) 574774.

DISCLAIMER

Some of the products offered for sale in advertisements in this magazine may have been obtained from abroad or from unauthorised sources. *Practical Wireless* advises readers contemplating mail order to enquire whether the products are suitable for use in the UK and have full after-sales back-up available. The publishers of *Practical Wireless* wish to point out that it is the responsibility of readers to ascertain the legality or otherwise of items offered for sale by advertisers in this magazine.

ORDER FORM FOR CLASSIFIED ADS

PLEASE WRITE IN BLOCK CAPITALS

The prepaid rate for classified advertisements is 42 pence per word (minimum 12 words), box number 70p extra. Semi-display setting £13.90 per single column centimetre (minimum 3cm). Please add 17.5% VAT to the total. All cheques, postal orders, etc., to be made payable to PW Publishing Ltd. Advertisements, together with remittance, should be sent to the Classified Advertisement Dept., Practical Wireless, Arrowsmith Court, Station Approach, Broadstone, Dorset BH18 8PW. Tel: (01202) 659920, Fax: (01202) 659950

Please insert this advertisement in the issue of Practical Wireless (if you do not specify an issue we will insert it in the next available issue of PW) for insertion/s. I enclose Cheque/P.O. for £..... (42p per word, 12 minimum, please add 17.5% VAT to total).

Name:

Address:

Telephone No.:

Box Number @ 70p: Tick if appropriate ☐

Category heading:

Trader's Table

Disclaimer

Advertisements from traders for equipment that is illegal to possess, use or which cannot be licensed in the U.K., will not be accepted. While the publishers will give whatever assistance they can to readers or buyers having complaints, under no circumstance will the magazine accept liability for non-receipt of goods ordered, late delivery or faults in manufacture.

WATERS & STANTON

01702 206835

HF TRANSCEIVERS

Icom IC-706 HF, 6m, 2m All Mode Mobile/Base with Gen.Cov. £595
Icom IC-738 Base Transceiver with Gen.Cov.and ATU 12V £749
MFJ MFJ-9020 x2 20m CW QRP Transceiver £125
Trio TS-120V HF SSB,CW Transceiver 25W with VFO-120 £269
Yaesu FT-757GX II Base Transceiver with Gen.Cov. 12V £579

VHF/UHF BASE/MOBILE TRANSCEIVER

AKD 2001 2m FM Mobile Channelised 25W £145
Alinco DR-M06T 6m FM Mobile 10W CTCSS £159
Kenwood TM-251E 2m FM Mobile 50W £269
Kenwood TM-451E 70cm FM Mobile 35W 2m RX, Full Duplex £299
Kenwood TS-711E 2m All Mode Base Transceiver 25W mains £549
MFJ MFJ-9406 6m SSB Transceiver 10W 12V with CW Option £199
Yaesu FT-225RD 2m All Mode Base 25W with Mutek Mains/12V £549
Yaesu FT-290R II 2m All Mode Portable 2.5W £299
Yaesu FT-790R II 70cm All Mode Portable 2.5W £259
Yaesu FT-5100 2m,70cm FM Mobile 50W, 35W Full Duplex £299

VHF/UHF HAND HELD TRANSCEIVER

ADI AT-200 2m FM H/Hand with Nicad, sp.mic. £99
ADI AT-600 2m,70cm FM H/Hand, Wide RX, Full Duplex £175
Alinco DJ-180 2m FM H/Hand with sp.mic,DC lead,Batt box £135
Alinco DJ-580 x2 2m/70cm FM H/Hand £175
Alinco DJ-F1E x2 2m FM Mini H/Hand £99
Alinco DJ-S11 2m FM Palm Transceiver with 136-174MHz RX £69
Hara C-408 70cm FM Micro Transceiver (2 x AA batteries) £65
Icom IC-2E 2m FM H/Hand £95
Icom IC-2SE 2m FM Mini H/Hand with Battery box, Case £109
Icom IC-24ET 2m/70cm FM H/Hand £179
Icom IC-W2E 2m/70cm FM H/Hand (with sp. mic) £199
Icom IC-W32E 2m/70cm FM H/Hand with Full Duplex £229
Kenwood TH-28E 2m FM H/Hand £199
Kenwood TH-42E 70cm FM H/Hand £189
Kenwood TH-46E 70cm FM H/Hand £199
Standard C-520 2m,70cm FM with Full Duplex, Batt. box £185
Standard C-558 2m/70cm FM Handheld £299
Yaesu FT-50R 2m/70cm FM Dual Display Wide RX £179
Yaesu FT-51R x3 2m/70cm FM Dual Display Wide RX 80Ch £249
Yaesu FT-209R 2m FM H/Hand £95
Yaesu FT-470R x3 2m/70cm FM H/Hand with Dual Display £189
Yaesu FT-530 2m,70cm FM Handy with Full Duplex £195
Yaesu FT-811 70cm FM H/Hand with DC adapter £189

SCANNERS MOBILE/BASE

AOR AR-3000A 100kHz-2036MHz All Mode 400Ch, 12V with PSU £459
Realistic Pro-2006 25-520,760-1300MHz AM/FM, WFM 400Ch £175
Realistic Pro-2014 68-512MHz (with gaps) FM Receiver 50Ch, 12V £85
Realistic Pro-2026 x2 66-956MHz (with gaps) AM/FM 100Ch, 12V £149

SCANNERS HAND HELD

Alinco DJ-X1 100kHz-1300MHz AM/FM, WFM 100Ch £139
AOR AR-8000 500kHz-1300MHz All Mode 1000Ch, with PC unit £279
Icom IC-R1 x3 0.1 - 1300MHz AM/FM/WFM £199
Opto R-10 x2 30MHz-2GHz FM Interceptor £129
Realistic Pro-43 x4 68-999MHz (with gaps) AM, FM 200Ch £129
Realistic Pro-62 68-960MHz (with gaps) AM/FM 200Ch, Hyperscan £139
Signal R-537S 118-136MHz Airband Receiver £49
Sony Air-7 FM/MW/LW/SW with 108-137,144-174MHz £99
Steepletone SAB-9 MW/FM, Airband, Marine Analogue Radio £15
Uniden UBC-220XLT 66-956MHz (with gaps) AM/FM 200Ch £125
Yupiter MVT-3300 x2 66-1000MHz (with gaps) AM/FM 200Ch £129

NEVADA

01705 662145

TRANSCEIVERS HF

ALINCO DX-70TH 100W HF+6M TRANSCEIVER £499
ICOM IC-725 HF 100W TX £499
ICOM IC-765 HF 100W TRANSCEIVER £999
KENWOOD TS-680S 100W HF + 10W 6M + CTCSS £599
KENWOOD TS-930S 100W HF TRANSCEIVER £699
KENWOOD TS-570DGE 100W HF DSP TRANSCEIVER £799
TRIO TS-940S 100W HF TRANSCEIVER £795
YAesu FT-757GX HF 10W TX/RX £395
YAesu FT-1000 200W HF TRANSCEIVER + ALL FILTERS £1799

TRANSCEIVERS VHF/UHF

AKD 2001 2M FM MOBILE TRANSCEIVER £99
ALINCO DR-112E 2M FM MOBILE £125
ALINCO DR-590 2M/70CM MOBILE TRANSCEIVER £225
ICOM IC-207H 2M FM MOBILE TRANSCEIVER £225
ICOM IC-228H 2M 45W MOBILE £185
ICOM IC-245 2M MULTIMODE TRANSCEIVER £149
KENWOOD TM-201A 2M FM MOBILE £159
KENWOOD TM-255E 2M MULTIMODE £499
KENWOOD TM-732E DUAL BAND MOBILE TRANSCEIVER £329
STANDARD C-5200 TWINBAND 50W MOBILE £299
STANDARD C-8900 2M MOBILE £185
TRIO TR-2200 2MTR MOBILE TX £75
TRIO TR-2200 GX 2MTR MOBILE TX £75
TRIO TR-751E 2M MULTIMODE TRANSCEIVER £329
TRIO TR-9130 2M MULTIMODE £249
TRIO TS-700 2M MULTIMODE BASE £295
YAesu FT-227R 2M 10W FM MOBILE £99
YAesu FT-290R 2M MULTIMODE - ACC £199
YAesu FT-290 R11 2MTR M/MODE £275
YAesu FT-726R 2M/6M MULTIMODE BASE £499
YAesu FT-726R HF/2M/70CMS BASE TX £599
YAesu FT-5100 DUAL BAND MOBILE £269
YAesu FT-8100R 2M/70CM MOBILE TRANSCEIVER £325

RECEIVERS

DRAKE - R&A HF RECEIVER £799
ICOM IC-R70 HF RECEIVER £300
ICOM ICR-71E HF RECEIVER+REMOTE £399
ICOM PCR-100 PC BASED SCANNER £149
ICOM PCR-1000 + DSP PC BASED SCANNER £259
JRC NRD 345 HF RECEIVER £399
KENWOOD R2000 + VHF HF RECEIVER £329
SANGHAN ATS-803A S/WAVE RX £99
SONY ICF-760XD SHORTWAVE RECEIVER £69

HAND-HELDS

ALINCO ALM-203E 2M H/HELD TX £99
ALINCO DJ-180EB 2M HANDIE - EX DEMO £129
ALINCO DJ-180 2MTR H/HELD + EDC46 Fast Charger £99
ALINCO CS DUAL BAND MICRO - EX DEMO £149
ICOM IC-41E 70CMS - EX DEMO £155
KENPRO 202 2MTR H/HELD TX £39
KENPRO KT-44 70CMS H/HELD TX £69
KENWOOD TH-215E 2MTR H/HELD TX £75
KENWOOD TH-28E 2MTR H/H TX+70CM RX £149
KENWOOD TH-45E 70CMS H/HELD TX £119
YAesu FT-23R 2M HANDIE £99
YAesu FT-50R 2M/70CMS HANDIE £199
YAesu FT-70R 70CM HANDIE £89

MISCELLANEOUS EQUIPMENT

AEA SWR121 HF ANTENNA ANALYSER £245
AMIDAT ADC-60 FREQUENCY STANDARD CLOCK £99
BURNES TC101 WAVEMETER £35
DATONG PCI IF DOWN CONVERTER £65
ICOM PS-15 20 AMP PSU - BOXED £99
KENWOOD AT-200 ANTENNA TUNER £175
KENWOOD AT-230 ANTENNA TUNER £169
KENWOOD PS-430 POWER SUPPLY £100
KENWOOD RC-10 REMOTE CONTROLLER £49
KENWOOD TL-120 100W HF AMP £185
MEJ 986 3K PEP TUNER £249
MW MODULES 43250 70CMS AMP £195
MW MODULES MMA28 10M PREAMP £20
TIMEWAVE DSP 5+ DSP FILTER £175
TOKYO HY-POWER HL-160V 2M 140W AMPLIFIER £169
TOKYO SAGRA 600 2M 600W AMP £499
VECTRONICS VC-300M ANTENNA TUNER £70
YAesu FT-S17 CTCSS & FT-411811 ETC £39

SOUTH EAST COMMUNICATIONS

00353 51 871278

Station Accessories

Mirage B-34-G amp for handhelds £79
Garmin GPS 45XL handheld GPS £149
Yaesu MD-1 Desk mic boxed mint £69
Diamond SX100 SWR/PWR meter 3kw £75
Momentum 1100 multimode decoder with screen £169
Packrat PK232 multimode decoder as new £179
MFJ 1214 PC fax,cw,rtty decoder £99
Kenwood MC90 digital desk mic £99
Yaesu FRT7700 short-wave A.T.U. £49
Watson 25amp P.S.U. Demo model £79
Vectronics VC300m 300watt mobile A.T.U. £69
Microwave Modules 10m to 144mhz transverter £99
Night Vision Scope by Moonlight new £299
Kenwood AT50 auto ATU £199
Davies Weather Station, wind speed etc. new £149

VHF/UHF TRANSCEIVERS

Kenwood THD7 latest 2/70cm h/h demo £299
Kenwood TMG707E 2/70cm mobile demo £299
ADI 146 50watt 2m mobile £169
Yaesu FT50R 2/70cm mil spec as new £199
Yaesu FT736R 2/70cm plus 50mhz module £899
Alinco DJG5E 2/70cm wide RX charger £199
Alinco DR150E 2M 50watt wide RX £199
Alinco DJ190 2M h/h plus charger £125

HF TRANSCEIVERS

Kenwood TS850satauto ATU etc £749
Alinco DX70 HF+6m mobile £475
Kenwood TS570D Auto A.T.U. DSP £675
Yaesu FT847 boxed and mint £1149
Yaesu FT1000MP/AC demo £1899
Icom IC746 HF+6+2 100watts A.T.U. £1099
Icom IC737 mint, auto A.T.U. £649
Yaesu FT920 AF HF+6M demo £1095
Kenwood TS680 HF+6M £499

SHORTWAVE RECEIVERS

JRC NRD535 mint extras £799
AOR 7030 with remote control £449
Kenwood R2000 0-30mhz all mode £299
Lowe HF225 0-30mhz all mode £225
Lowe HF150 0-30mhz with keypad £249
Realistic DX394 0-30mhz new £99
Sony SW77 boxed mint with PSU £229
Yaesu FRG100 boxed mint with PSU £349
Icom IC7000HF 0-2000mhz all mode £699
AOR 3000 0-2036mhz all mode £399
Icom IC8500 0-2000mhz Demo £1049

SCANNERS BASE/MOBILES

Bearcat 9000XLT 25-1300mhz AM, FM, NFM £199
Bearcat 3000XLT 25-1300mhz AM, FM, NFM £179
AOR 8000 0-1900mhz 1000 memories £239
Icom PCR100 0-1300mhz AM, FM, NFM £169
Icom IC7100HF 0-2000mhz all mode 1000mem £699
Yupiter MVT7100 0-1650mhz charger nicads etc £179
Realistic Pro2042 1000 memories base £179
Realistic Pro 2025 60 memories 66-512mhz £79
Realistic Patrolman 66-956mhz £149
AOR 8200 0-2000mhz boxed mint £289

All prices in Sterling

UNICOM

01227 749352

Items marked with * are sold on behalf of customers, cash or cheque, no warranty. All other equipment includes 3 months warranty.

HF TRANSCEIVERS

Icom IC-761 Gen cov Rx ATU 100W 240V £675
IC-745 Gen cov RX 100W 12V DC £395
IC-735 Gen cov Rx 100W 12V DC £495
IC-725 Gen cov Rx 100W 12V DC £495
IC-706 HF/6/2 100W 12V DC £495
Ten Tec Corsair plus PSU CW filters £350 *
RECEIVERS & SCANNERS
Icom IC-R7000HF wideband + RC12 remote £695
IC-R71E HF Receiver £549 *
IC-R72E HF Receiver £495
IC-R70 HF Receiver £295
Kenwood R-5000 HF Receiver £599
Uniden UBC50XL Handheld scanner £50
UBC200XLT Handheld scanner £99
Ten Tec RX325 HF Receiver £195 *
Realistic PRO-2006 Base scanner £125
Yupiter MVT-7100 Handheld scanner £150
MVT-7000 Handheld scanner £125
Drake R8E HF Receiver £495
Lowe HF-150 HF Receiver £195
HF-225 HF Rx + FM, sync AM £295 *
AOR AR 900 Handheld scanner £100
Yaesu FRG-7700 HF Receiver £175

6m

Yaesu FT-690R M/mode portable £199

2m

Icom IC-271E M/mode Base 25W £395
IC-27E FM Handheld £99 *
IC-2SE FM Handheld £125
IC-2E FM Handheld £50
IC-H6 6ch FM Handheld £40
Yaesu FT-480R M/mode mobile 10W £195
FT-230R FM mobile 10W £125
FT-208R FM Handheld + fast charger £95 *
AKD 2001 Packet ready £125 *
Kenwood TR-9000 M/mode mobile 10W £295

70cm

ADI AT-48 FM Handheld k/pad £99
AKD 7003 Packet ready £125 *
Yaesu FT-790R M/mode portable 1W £199
FT-41R FM Handheld £125

DUALBAND 270

Yaesu FT-726 M/mode Base 10W £525
Icom IC-W2E FM Handheld £150
Standard 528 FM Handheld £199
Kenwood TH-G71E FM Handheld £195

STATION ACCESSORIES

Icom RM-3 Controller £45
Microwave Mod 144-30LS 2m L/amp 30W £75 *
144-100S 2m L/amp 100W £99
Zetagi BV131 amp 240v 10m 75W £75
MEJ 989C 3KW ATU £175 *
Datong ANF Notch filter £25
Howes CTU9 ATU £25

CB

Midland 77104GTL + PSU £45
Danita 640 (Eur) £30
Altai 5-7A PSU £15

Book Store

**BOOK
of the
MONTH**

Basic Radio - Principles & Technology

This month's 'Book Of The Month' comes from the stores of **Newnes** and is written by **Practical Wireless**' very own 'What Is A?' author, **Ian Poole G3WYX**.

In this book, *Basic Radio*, Ian G3WYX says that he has assumed that the reader already has a basic knowledge of electronics and "... aims then to provide an introduction for future radio engineers and should be useful to those on BTEC and similar courses as well as Radio Amateurs wanting to deepen their knowledge of the topic".

With chapters such as: 'Capacitors, inductors and filters'; 'Modulation'; 'Receivers'; 'Transmitters'; 'Antenna systems'; 'Broadcasting'; 'Satellites' and 'Personal communications', *Basic Radio* covers a wide range of necessities.

For this month only, you can order *Basic Radio - Principles & Technology* from the **PW Book Store** for a special price of **£12.74 including P&P** (UK only, £2 P&P for overseas orders). This is 15% off the usual price of £14.99. But hurry, offer closes **31 August 1999**.



To order please either use the form on page 82 or call the Credit Card Hotline on (01202) 659930 and quote PW8.

LISTENING GUIDES

Airband

	Pages	Price
ABC BRITISH AIRPORTS 16th Edition, A. Wright	112	£8.99
ABC CIVIL AIRCRAFT MARKINGS 1999, A. Wright	352	£8.99
ABC MILITARY AIRCRAFT MARKINGS 1999, A. Wright	192	£8.99
ABC AIRBAND RADIO GUIDE 4th Edition, G. Duke	96	£7.99
AIR BAND RADIO HANDBOOK 6th Edition, David J. Smith	192	£9.99
AIRCRAFT RADIO FREQUENCIES & GUIDE BOOK 2nd Edition	96	£5.99
AIR TRAFFIC CONTROL 7th Edition, Graham Duke	112	£8.99
AIRWAVES 99	134	£9.95
CALLSIGN 99	168	£9.95
FLIGHT ROUTINGS 1999, Williams	160	£7.95
INTERNATIONAL AIR BAND RADIO HANDBOOK, David J. Smith	192	£9.99
NORTH ATLANTIC FLIGHT COMMUNICATIONS 2nd Edition (Inc. software)	172	£16.50
UNDERSTANDING ACARS 3rd Edition		
Aircraft Communications Addressing and Reporting System, Ed Flynn	80	£9.95
VHF/UHF AIRBAND FREQUENCY & CALLSIGN GUIDE, July 1998 Edition	308	£12.50
WORLD AIRLINE FLEET & SELCAL DIRECTORY	300	£16.00
WORLDWIDE AERONAUTICAL COMMUNICATIONS FREQUENCY DIRECTORY 2nd Edition, Robert E. Evans	260	£19.95

Datamodes

FAX & RTTY WEATHER REPORTS, Philip Mitchell	88	£11.50
GUIDE TO UTILITY STATIONS 1999, 17th Edition, Joerg Klingenfuss	580	£30.00
GUIDE TO WORLDWIDE WEATHERFAX SERVICES, 18th Edition		
Joerg Klingenfuss	436	£23.00
WEATHER REPORTS FROM RADIO SOURCES, Philip Mitchell	32	£7.50
RADIO DATA CODE MANUAL, 16th Edition, Joerg Klingenfuss	788	£30.00

DXTV

DXTV FOR BEGINNERS, Simon Hamer	31	£3.95
GUIDE TO DXTV, Keith Hamer & Garry Smith	36	£3.95
GUIDE TO WORLDWIDE TV TEST CARDS	60	£4.95
MASTS - PRACTICAL IDEAS FOR THE DXER, Hamer/Smith	36	£4.95
THIS IS BBC TV - FIRST 30YRS OF TV GRAPHICS, Keith Hamer & Garry Smith	38	£4.95
THE FIRST 30 YEARS OF BBC-2, Keith Hamer & Garry Smith	60	£4.95

Frequency Guides

1999 SHORTWAVE FREQUENCY GUIDE, Joerg Klingenfuss	564	£23.00
1999 SUPER FREQUENCY LIST CD-ROM, Joerg Klingenfuss	n/a	£23.00
FERRILL'S CONFIDENTIAL FREQUENCY LIST NEW 11th Edition	450	£19.95
GLOBAL RADIO GUIDE 1999	32	£3.95
PASSPORT TO WORLD BAND RADIO 1999	528	£15.50
RADIO LISTENERS GUIDE 1999	128	£4.95
RSGB IOTA DIRECTORY & YEARBOOK 1998/9 (A4 size)	112	£8.95
SHORTWAVE INTERNATIONAL FREQUENCY GUIDE	176	£12.95
VHF-UHF SCANNING FREQUENCY GUIDE, Bill Laver	192	£12.95
WORLD RADIO TV HANDBOOK 1999	640	£19.50

General

BUYING A USED SHORT WAVE RECEIVER NEW 4th Edition, F. Osterman	78	£5.95
GETTING ON TRACK WITH APRS, Stan Horzepa W1LOU	165	£11.50
POP WENT THE PIRATES, Keith Skues	568	£16.95
RADIO SCIENCE OBSERVATION Volume 1 (inc. CD-ROM), Joe Carr	414	£26.95
SHORT WAVE RADIO COMMUNICATIONS, Peter Rouse GU1DKD	187	£4.50
SHORT WAVE RADIO LISTENING FOR BEGINNERS	174	£13.95
SHORTWAVE RECEIVERS PAST & PRESENT (NEW 3rd Edition)	450	£25.95
SHORTWAVE LISTENER'S GUIDE, Ian Poole	192	£14.99
THE COMPLETE SHORT WAVE LISTENER'S HANDBOOK New 5th Edition		
Andrew Yoder	410	£19.95

Maritime

ELECTRONICS AFLOAT, Tim Bartlett	92	£11.95
GMDSS EDITIONS MARINE SSB OPERATION, Michael Gale	96	£11.95
GMDSS FOR SMALL CRAFT, Alan Clemmetsen	94	£11.95
RADAR FOR SMALL CRAFT, Tim Bartlett	96	£11.95
SCANNING THE MARITIME BANDS, 2nd Edition	158	£9.75
SHORTWAVE MARITIME COMMUNICATIONS, B.E. Richardson	195	£16.50
SHIP TO SHORE RADIO FREQUENCIES, Ken Davies	95	£5.99
SIMPLE ELECTRONIC NAVIGATION, 2nd Edition, Mike Chenery	64	£8.95
SIMPLE GPS NAVIGATION, Mik Chinery	96	£10.95
THE VHF GMDSS HANDBOOK, New Edition, Michael Gale	64	£8.95
WATCHERS OF THE WAVES, Brian Faulkner	118	£13.50

Satellite

AN INTRODUCTION TO SATELLITE COMMUNICATIONS BP326.F.A. Wilson	230	£5.95
ARRL SATELLITE ANTHOLOGY 4th Edition	150	£9.50
NEWNES GUIDE TO SATELLITE TV, Derek Stephenson	371	£19.95
SATELLITE HANDBOOK (ARRL) New Edition, Martin Davidoff K2UBC	370	£15.50
SATELLITE PROJECTS HANDBOOK, Lawrence Harris	174	£14.99
SATELLITE TELEVISION, A layman's guide, Peter Pearson	73	£1.00
WEATHER SATELLITE HANDBOOK, 5th Edition, Dr Ralph E. Taggart WB8DQT	192	£15.50

Scanning

AN INTRODUCTION TO SCANNERS AND SCANNING BP311, I.D. Poole	152	£4.99
SCANNER BUSTERS 2, D.C. Poole	100	£6.00
SCANNERS 2 INTERNATIONAL, Peter Rouse GU1DKD	261	£10.95
SCANNERS 3 PUTTING SCANNERS INTO PRACTICE		
4th Revision, Peter Rouse	271	£10.95
SCANNING SECRETS, Mark Francis	280	£16.95
UK SCANNING DIRECTORY 6th Edition	540	£18.50

AMATEUR RADIO

Amateur Television

AN INTRODUCTION TO AMATEUR TELEVISION		
Mike Wooding G6IQM & Trevor Brown G8CJS	156	£5.00
SLOW SCAN TELEVISION EXPLAINED, Mike Wooding G6IQM	156	£5.00
THE AMATEUR TV COMPENDIUM, Mike Wooding G6IQM	104	£3.50

Antennas & Transmission Lines

25 SIMPLE AMATEUR BAND AERIALS BP125, E.M. Noll	63	£1.95
25 SIMPLE INDOOR AND WINDOW AERIALS BP136, E.M. Noll	50	£1.75
25 SIMPLE TROPICAL AND MW BAND AERIALS BP145, E.M. Noll	54	£1.75
ANTENNA IMPEDANCE MATCHING (ARRL), Wilfred N. Caron	195	£15.50
ANTENNAS FOR VHF AND UHF BP301, I.D. Poole	104	£4.95
ANTENNA TOOLKIT (inc. CD-ROM), Joseph J. Carr	214	£25.00
ARRL ANTENNA BOOK 18th Edition	732	£24.00
ARRL ANTENNA BOOK ON CD-ROM	n/a	£28.00
ARRL ANTENNA COMPENDIUM Volume One	175	£10.50
ARRL ANTENNA COMPENDIUM Volume Two	208	£10.50
ARRL ANTENNA COMPENDIUM Volume Three, Edited by Jerry Hall K1TD	236	£11.50
ARRL ANTENNA COMPENDIUM Volume Four	204	£16.50
ARRL ANTENNA COMPENDIUM Volume Five	200	£16.50
ARRL VERTICAL ANTENNA CLASSICS, R. Schetsen	130	£11.50
BEAM ANTENNA HANDBOOK, W.I. Orr W6SAI & S.D. Cowan W2LX	268	£8.95
BUILDING & USING BALUNS, Jerry Sevick	125	£18.95
CUBICAL QUAD ANTENNAS 3rd Edition, William Orr W6SAI and Stuart Cowan W2LX	110	£8.95
EXPERIMENTAL ANTENNA TOPICS BP278, H.C. Wright	70	£3.50
G-QRP CLUB ANTENNA HANDBOOK		
Compiled and edited by P. Linsley G3PDL & T. Nicholson KA9WRI/GW0LNQ	155	£7.25
HF ANTENNA COLLECTION (RSGB), Edited by Erwin David G4LOI	233	£10.99
HF ANTENNAS FOR ALL LOCATIONS (RSGB), Les Moxon G6XN	322	£14.65
MORE OUT OF THIN AIR (PWP)	112	£6.95
"ON4UN'S" LOW BAND DXING (ARRL), J. Devoldere		£23.00
PHYSICAL DESIGN OF YAGI ANTENNAS (ARRL)		£15.50
PRACTICAL ANTENNAS FOR NOVICES, John Heys G3BDQ	52	£6.30
PRACTICAL ANTENNA HANDBOOK 3rd Edition, (inc. software) Joseph J. Carr	580	£33.45
PRACTICAL WIRE ANTENNAS RSGB, John Heys G3BDQ	100	£8.95
RADIO ANTENNAS & PROPAGATION, William Gosling		£19.95
RADIO AMATEUR ANTENNA HANDBOOK, W.I. Orr W6SAI & S.D. Cowan W2LX	188	£8.50
RECEIVING ANTENNA HANDBOOK, Joe Carr	189	£17.50
SIMPLE, LOW-COST WIRE ANTENNAS FOR RADIO AMATEURS	224	£8.95
THE TRUTH ABOUT CB ANTENNAS, (Orr & Cowan) W.I. Orr W6SAI & S.D. Cowan W2LX	188	£8.95
VERTICAL ANTENNAS, W.I. Orr W6SAI & S.D. Cowan W2LX	192	£8.95
VERTICAL ANTENNA CLASSICS (ARRL), R. Schetsen	123	£11.50
W1FB'S ANTENNA NOTEBOOK (ARRL), Doug DeMaw W1FB	123	£8.00
WIRE ANTENNA CLASSICS (ARRL)		£11.50
YOUR ANTENNA COMPANION, Paul Danzer	130	£7.50

Beginners (inc RAE)

AN INTRODUCTION TO AMATEUR RADIO - New Edition, Ian Poole G3WYX	150	£4.99
BASIC RADIO PRINCIPLES & TECHNOLOGY, Ian Poole G3WYX	262	£12.74
BASIC RADIO & ELECTRONIC CALCULATIONS, Ray Petri G0OAT	160	£13.95
AN RAE STUDENTS NOTEBOOK, Bob Griffiths G7NHB	76	£6.95
HOW TO PASS THE RADIO AMATEURS' EXAMINATION (RSGB)		
Clive Smith G4FZH and George Benbow G3HB	88	£8.75
PRACTICAL RECEIVERS FOR BEGINNERS (RSGB), John Case GW4HWR	165	£12.50
THE NOVICE RADIO AMATEURS EXAMINATION HANDBOOK (BP375)		
Ian Poole G3WYX	150	£4.95
THE RADIO AMATEURS' QUESTION & ANSWER REFERENCE MANUAL		
Fifth Edition, Ray Petri G0OAT	208	£13.95
RADIO AMATEURS EXAMINATION/END OF COURSE TEST PAPERS, Ray Petri G0OAT	104	£13.95
RAE MANUAL (RSGB), New Revised Edition, G.L. Benbow G3HB	127	£14.95
THE NOVICE LICENCE STUDENT'S NOTEBOOK, John Case GW4HWR	124	£5.00
SHORTWAVE RADIO LISTENING FOR BEGINNERS, Anita Louise McCormick KA8KGI	176	£14.95
TRAINING FOR THE NOVICE LICENCE - A MANUAL FOR THE INSTRUCTOR (RSGB)		
John Case GW4HWR	101	£6.75
YOUR FIRST AMATEUR STATION, (RSGB) Colin Redwood G6MXL	120	£5.75

Callbooks

JOINT INT'L AMERICAN CALLBOOK CD-ROM	n/a	£40.00
RSGB CALLSEEKER CD-ROM 1999	n/a	£14.50
RSGB YEARBOOK 1999 EDITION	432	£14.50

	Pages	Price
Computing		
AN INTRODUCTION TO THE WORLDWIDE WEB FOR PC AND MAC USERS. (BP390)		
D.C. & D. Bishop	148	£6.99
ELECTRONIC PROJECTS FOR YOUR PC BP320. R.A. Penfold.	102	£3.99
E-MAIL ON THE INTERNET. BP420.	156	£6.99
GETTING THE MOST FROM YOUR PC HARD DISK BP280.	90	£6.99
HOW TO EXPAND & UPGRADE YOUR PC BP450. R.A. Penfold.	170	£6.99
INTERFACING PCs AND COMPATIBLES BP272. R.A. Penfold.	86	£4.99
MS-OFFICE ONE STEP AT A TIME (BP402).	77	£5.95
MS WORKS FOR WINDOWS 95 EXPLAINED BP405	175	£5.95
NEWNES COMPUTER ENGINEER'S POCKET BOOK 3rd Edition. Michael Tooley	256	£12.95
PERSONAL COMPUTERS IN THE HAM SHACK (ARRL)	284	£11.50
THE INTERNET AND WORLD WIDE WEB EXPLAINED. J. Shelley.	130	£5.95
WINDOWS '98 ASSISTANT (BP454) I. Sinclair.	160	£6.99
WINDOWS '98 EXPLAINED (BP456). N. Kantaris & P. Oliver	160	£6.99
WINDOWS '98 - HARD DISK & FILE MANAGEMENT. (BP455) J. Gately	160	£6.99

EMC

ARRL RFI BOOK (Practical Cures For Radio Frequency Interference)		£15.50
INTERFERENCE HANDBOOK. William R. Nelson WA6FGG.	250	£9.50
RSGB GUIDE TO EMC. 2nd Edition. Robin Page-Jones G3JWL.	204	£18.50

Historical

100 RADIO HOOK UPS. 2nd Edition (reprinted)	48	£3.35
1934 OFFICIAL SHORT WAVE RADIO MANUAL. Edited by Hugo Gernsback.	260	£11.85
COMMUNICATIONS RECEIVERS - THE VACUUM TUBE ERA. R.S. Moore	141	£17.95
HEATHKIT - A GUIDE TO AMATEUR RADIO PROJECTS. C. Penson	248	£21.95
HENLEYS 222 RADIO CIRCUIT DIAGRAMS (1924)	271	£9.45
HOW TO BUILD YOUR FIRST VACUUM TUBE REGENERATIVE RECEIVER. T.J. Lindsay	127	£7.30
HOW TO BUILD YOUR RADIO RECEIVER (A4) (Popular Radio Handbook No. 1)	100	£6.95
OLD TIME RADIOS - RESTORATION & REPAIR. J. Carr	256	£20.95
SECRETS OF HOMEBUILT REGENERATIVE RECEIVERS (Rocky)	127	£7.95
SEEING BY WIRELESS - THE STORY OF BAIRD TELEVISION. Ray Herbert	27	£4.95
THOSE GREAT OLD HANDBOOK RECEIVERS (1929 + 1934)	94	£6.95
VISION BY RADIO (1925) (Jenkin)	140	£7.85
DOUBLE TESLA-ODIN COIL	24	£3.95
RADIO TESLA - THE SECRET'S OF TESLA'S RADIO AND WIRELESS POWER	36	£5.30
TESLA COIL	24	£3.95
TESLA - THE LOST INVENTIONS	32	£4.75
TESLA: THE TRUE WIRELESS	16	£3.95
THE TESLA HIGH FREQUENCY COIL (1910).	120	£6.95

Crystal Set Books (Xtal Set Society)

THE XTAL SET SOCIETY NEWSLETTER, Volume 1 & 2 Combined.		
Phil Anderson W0XI	96	£14.00
THE CRYSTAL SET HANDBOOK & VOL. 3 XTAL SET SOCIETY NEWSLETTER.		
Phil Anderson W0XI	134	£8.00
THE XTAL SET SOCIETY NEWSLETTER, Volume 4. Phil Anderson W0XI	88	£7.00
CRYSTAL SETS. The Xtal Set Society Newsletter, Volume 5. Phil Anderson W0XI.	88	£7.00
CRYSTAL SET BUILDING & MORE (Vol 6 & 7 of Xtal Set Society Newsletter).	168	£11.00
CRYSTAL RADIO HISTORY, FUNDAMENTALS AND DESIGN. P.A. Kinzie	122	£8.00
CRYSTAL SET PROJECTS - 15 RADIO PROJECTS YOU CAN BUILD. Phil Anderson	160	£10.00
CRYSTAL SET LOOPERS, A3 TUBER & MORE. Volume 8 Xtal Set Society Newsletter	128	£10.50

Maps & Log Books

AMATEUR RADIO LOGBOOK (RSGB)	50	£3.75
AMATEUR RADIO WORLD ATLAS (A4 SIZE)	20	£8.00
GREAT CIRCLE MAP 600mm x 600mm	n/a	£1.50
NORTH ATLANTIC ROUTE CHART	740 x 520mm	£8.50
QTH LOCATOR MAP OF EUROPE. New Edition	1080 x 690mm	£7.00
RADIO AMATEURS MAP OF THE WORLD. New Edition	980 x 690mm	£7.00
RECEIVING STATION LOG BOOK (RSGB)	60	£3.75
RSGB 1998 PREFIX GUIDE	32	£6.95

Morse

SECRETS OF LEARNING MORSE CODE Mark Francis	84	£6.95
---	----	-------

Microwaves

AN INTRODUCTION TO MICROWAVES (BP312). F.A. Wilson.	134	£3.95
ARRL UHF/MICROWAVE EXPERIMENTER'S MANUAL. Various Authors.	446	£15.50
ARRL UHF/MICROWAVE PROJECT MANUAL VOL 2	160	£11.50
ARRL UHF/MICROWAVES PROJECT MANUAL (ARRL)	352	£15.50
MICROWAVE & WIRELESS COMMUNICATIONS TECHNOLOGY. Joseph J. Carr	436	£27.50
MICROWAVE HANDBOOK - COMPONENTS & OPERATING VOL 1 (RSGB)	110	£10.50
MICROWAVE HANDBOOK - CONSTRUCTION & TESTING VOL 2 (RSGB)	120	£15.75
MICROWAVE HANDBOOK - BANDS & EQUIPMENT VOL 3 (RSGB)	140	£15.75

Operating & Handbooks

ALL ABOUT HAM RADIO. Harry Helms	290	£16.50
ARRL HANDBOOK 1999 76th Edition	380	£24.00
ARRL HANDBOOK 1999 ON CD-ROM	n/a	£33.00
ARRL OPERATING MANUAL. NEW EDITION	420	£18.50
ARRL RADIO BUYERS SOURCEBOOK VOL 1 (QST Reviews 1981-1991)	280	£11.50
ARRL RADIO BUYERS SOURCEBOOK VOL 2 (QST Reviews 1991-1993)	240	£11.50
COMPLETE DX'ER. Bob Locher	204	£9.50
DISCOVERING DXING (2nd Edition). John Zondlo	90	£7.50
HAM RADIO MADE EASY (ARRL). Steve Ford.	204	£11.50
HINTS AND KINKS FOR THE RADIO AMATEUR.		
Edited by Charles L. Hutchinson and David Newkirk	129	£9.50
LOW PROFILE AMATEUR RADIO (ARRL). Jim Kearman KR1S	124	£7.50
SETTING UP AN AMATEUR RADIO STATION BP300. LD. Poole.	81	£3.95
TRANSMITTER HUNTING - RADIO DIRECTION FINDING SIMPLIFIED.		
Joseph D. Moell & Thomas N. Curlee.	325	£24.95

Packet

HF DIGITAL COMPANION. Steve Ford	120	£7.50
NOS INTRO: TCP/IP OVER PACKET RADIO. Ian Wade G3NRW	356	£11.50
PACKET RADIO PRIMER (RSGB). Dave Comber G8UYZ & Martyn Corft G8NZU.	266	£9.95
PACKET, SPEED & MORE SPEED APPLICATIONS (ARRL)	148	£10.50
PRACTICAL PACKET RADIO. Stan Horzepa	140	£10.50
YOUR PACKET COMPANION. Steve Ford W8BIMV.	170	£7.50

Propagation

AN INTRODUCTION TO RADIO WAVE PROPAGATION BP293. J.G. Lee.	116	£3.95
YOUR GUIDE TO PROPAGATION (RSGB) Ian Poole	88	£6.95

QRP

ARRL LOWER POWER COMMUNICATIONS - THE ART & SCIENCE OF QRP.		
Richard Arland K7SZ		£11.50
QRP POWER (ARRL)	188	£11.50
G-QRP CLUB CIRCUIT HANDBOOK. Edited by Rev. G. Dobbs G3RUV.	96	£9.00
INTRODUCING QRP. Dick Pascoe G0BPS	48	£6.95
W1FB'S QRP NOTEBOOK (ARRL). 2nd Edition. Doug DeMaw W1FB.	175	£8.00

Test Equipment

AN INTRODUCTION TO THE ELECTROMAGNETIC WAVE BP315. F.A. Wilson.	122	£4.95
BUILD YOUR OWN TEST EQUIPMENT. Davidson	285	£19.95
GETTING THE MOST FROM YOUR MULTIMETER BP239. R.A. Penfold.	102	£2.95
HANDS-ON GUIDE TO OSCILLOSCOPES. Barry Ross.	228	£20.95
HOW TO USE OSCILLOSCOPES & OTHER TEST EQUIPMENT BP267. R.A. Penfold.	104	£3.50
MORE ADVANCED TEST EQUIPMENT CONSTRUCTION BP249. R.A. Penfold.	102	£3.50
MORE ADVANCED USES OF THE MULTIMETER BP265. R.A. Penfold.	96	£2.95
OSCILLOSCOPES - HOW TO USE THEM/HOW THEY WORK. 4th edition. Ian Hickman	259	£17.99
PRACTICAL TRANSMITTERS FOR NOVICES. John Case GW4HWR.	126	£12.30
TEST EQUIPMENT FOR THE RADIO AMATEUR. Clive Smith G4FZH	170	£10.95

VHF

ALL ABOUT VHF AMATEUR RADIO. W. I. Orr W6SAI	163	£8.85
VHF/UHF HANDBOOK (RSGB). Dick Biddulph G8PDS	180	£19.95

ELECTRONICS

General

BEGINNERS GUIDE TO MODERN ELECTRONIC COMPONENTS BP285	166	£4.99
CIRCUIT SOURCE BOOK 1 - BP321. R.A. Penfold.	162	£4.95
CIRCUIT SOURCE BOOK 2 - BP322. R.A. Penfold.	214	£4.95
DIGITAL ELECTRONICS (CD-ROM). Mike Tooley	n/a	£45.00
ELECTRONIC PROJECT BUILDING FOR BEGINNERS. R. Penfold. (BP392)	110	£4.95
ENCYCLOPEDIA OF ELECTRONIC CIRCUITS Vol. 7	1128	£32.95
FAULT FINDING ELECTRONIC PROJECTS BP391	133	£4.99
GETTING STARTED IN PRACTICAL ELECTRONICS BP345. Owen Bishop.	198	£4.95
HOW ELECTRONIC THINGS WORK ... AND WHAT TO DO WHEN THEY DON'T. Goodman	326	£16.95
HOW TO TEST ALMOST EVERYTHING ELECTRONIC	326	£16.95
NEWNES AUDIO AND HI-FI ENGINEER'S POCKET BOOK 3rd Edition. Vivian Capel.	210	£14.95
PARTS GALLERY & ELECTRONICS CIRCUITS & COMPONENTS (CD-ROM). Mike Tooley	n/a	£35.00
PICTUTOR (CD-ROM). John Decker	n/a	£45.00
POWER SUPPLY PROJECTS BP78. R.A. Penfold.	89	£3.99
PRACTICAL DIGITAL ELECTRONICS FOR TECHNICIANS. Will Kimber	262	£12.99
PRACTICAL ELECTRONIC FILTERS BP299. Owen Bishop.	89	£4.95
PRACTICAL ELECTRONICS HANDBOOK. Ian Sinclair	439	£14.95
PRACTICAL OSCILLATOR CIRCUITS BP393. A. Flind.	136	£4.99
PREAMPLIFIER & FILTER CIRCUITS BP309. R.A. Penfold.	92	£3.95
RADIO ENGINEERS FACTFINDER FOR WINDOWS (Floppy Disk) John Davies	n/a	£18.00
RADIO FREQUENCY TRANSISTORS, PRINCIPLES & PRACTICAL APPLICATIONS		
Dye/Granberg (Motorola). Hardback	292	£39.95
SCROGGIES - FOUNDATIONS OF WIRELESS & ELECTRONICS. 11th Edition	292	£19.95
TECHNICAL TOPICS SCRAPBOOK (RSGB). 1990-94. Pat Hawker	310	£13.50
TEST EQUIPMENT CONSTRUCTION BP248. R.A. Penfold.	104	£3.99
THE ART OF SOLDERING BP324. R. Brewster	84	£3.99
UNDERSTANDING BASIC ELECTRONICS (ARRL)	314	£15.50
UNDERSTANDING DIGITAL TECHNOLOGY. F. Wilson. (BP376)	110	£4.95
VALVE AMPLIFIERS. Morgan Jones.	374	£25.00
VALVE & TRANSISTOR AUDIO AMPLIFIERS. John Lindsay Hood	310	£9.95
W1FB'S DESIGN NOTEBOOK (ARRL). Doug DeMaw W1FB.	195	£8.00

Data

ARRL ELECTRONICS DATA BOOK. Doug DeMaw W1FB	260	£8.95
ELECTRONIC HOBBYIST DATA BOOK BP396. R.A. Penfold.	242	£5.95
LF SOURCE BOOK (RSGB) 2nd Edition. Peter Dodd	130	£8.95
PRACTICAL ELECTRONICS CALCULATIONS AND FORMULAE BP53.		
F.A. Wilson.	249	£3.95
PRACTICAL ELECTRONIC DESIGN DATA BP316. Owen Bishop.	327	£5.99
PRACTICAL RF HANDBOOK (2nd Edition). Ian Hickman.	302	£19.99
RF CIRCUIT DESIGNS. Chris Bowick	176	£18.95
SECRETS OF RF CIRCUIT DESIGN. New Edition (Hardback) Joseph Carr	405	£41.95
SOLID STATE DESIGN FOR THE RADIO AMATEUR (ARRL)		
Les Hayward W7ZOI & Doug DeMaw W1FB.	256	£11.50
SPREAD SPECTRUM SOURCE BOOK	320	£15.50
TOWERS INTERNATIONAL MOSPOWER & OTHER FET SELECTOR	140	£19.95
TOWERS INTERNATIONAL TRANSISTOR SELECTOR - UPDATE 5	476	£24.95
TRANSISTOR DATA TABLES (BP401)	178	£5.95

Projects

33 SIMPLE WEEKEND PROJECTS/CQ	68	£7.95
35 OPTO-DISPLAY TERMINAL BLOCK PROJECTS BP140	104	£4.99
BUILD YOUR OWN INTELLIGENT AMATEUR RADIO TRANSCIVER. Randy L. Henderson	350	£25.95
COIL DESIGN & CONSTRUCTION MANUAL BP160. B.B. Babani	106	£3.95
HOW TO DESIGN & MAKE YOUR OWN PCBs BP121. R.A. Penfold	66	£2.50
MORE ADVANCED POWER SUPPLY PROJECTS BP192. R.A. Penfold	92	£2.95
PROJECTS FOR RADIO AMATEURS & SWLs BP304. R.A. Penfold	92	£3.95
RADIO RECEIVER PROJECTS YOU CAN BUILD	312	£20.95
SIMPLE SHORT WAVE RECEIVER CONSTRUCTION BP275. R.A. Penfold	88	£3.95

Valves/Tubes

ELECTRON TUBE LOCATOR. George H. Fathauer	350	£21.95
ESSENTIAL CHARACTERISTICS (TUBES & TRANSISTORS) (Original publishers General Electric)		
Re-published by Antique Electronic Supply (Arizona)	475	£10.50
HANDBOOK OF RADIO, TV, INDUSTRIAL & TRANSMITTING TUBE		
& VALVE EQUIVALENTS	60	£2.95
RADIO VALVE GUIDE BOOK VOL 1	54	£2.95
RADIO VALVE GUIDE BOOK VOL 2	42	£2.95
RADIO VALVE GUIDE BOOK VOL 3	40	£2.95
RADIO VALVE GUIDE BOOK VOL 4	48	£2.95
RADIO VALVE GUIDE BOOK VOL 5	44	£2.95
RCA RECEIVING TUBE MANUAL. (Original Publishers Radio Corporation Of America).		
Re-published by Antique Electronic Supply (Arizona)	384	£10.50
RCA TRANSMITTING TUBES		
(Original Publisher Radio Corporation of America) Re-published by Antique		
Electronic Supply (Arizona)	318	£10.50
TUBE SUBSTITUTION HANDBOOK	150	£15.50

The quickest and most comprehensive radio book service in the UK.

The books listed have been selected as being of special interest to our readers. They are supplied direct to your door. Many titles are overseas in origin.

Telephone

(01202) 659930

E-MAIL: bookstore@pwpublishing.ltd.uk

FAX: (01202) 659950

OR USE THE ORDER FORM ON PAGE 82



Please note:
Cash not accepted with mail orders.

Order Form

Photocopies of this page are acceptable

Check out our Web Pages at:
<http://www.pwpublishing.ltd.uk>

FOR ALL MAIL ORDER PURCHASES IN
PRACTICAL WIRELESS



SUBSCRIPTION RATES

See our Subscriptions page on p.83 to
see how you can pay for your PW
subscription in **three easy instalments!**

Practical Wireless – 1 year.

- ☐ £28 (UK)
☐ £35 (Europe Airmail)
☐ £38 (Rest of World Airmail)
☐ £45 (Rest of World Airmail)

Special joint subscription with Short Wave Magazine – 1 year.

- ☐ £55 (UK)
☐ £68 (Europe Airmail)
☐ £74 (Rest of World Airmail)
☐ £85 (Rest of World Airmail)

PLEASE START MY SUBSCRIPTION WITH
THE.....ISSUE.

Monitoring Times – 1 year (12 issues).

- ☐ £38 (UK)
☐ £43 (Europe Airmail)
☐ £49 (Rest of World Airmail)

SPECIAL OFFER

☐ Please send me.....copies of **Basic Radio -
Principles & Technology** @ **£12.74** including
P&P (UK only, plus £2 P&P for overseas orders).
Offer closes **31 August 1999**.

£

Book Orders

..... £
..... £
..... £
..... £
..... £
..... £

Postal charges:

£1 for one, **£2** for two or more (UK)
£2 per book or **£10** for five books or more items
(overseas surface)
£2 per binder (overseas surface)
NEW FASTER NEXT DAY SERVICE (UK MAINLAND ONLY)
£4.50 per parcel (orders must be placed by 12 noon)

GRAND TOTAL..... £

Thankyou for using PW for your purchases

PAYMENT DETAILS

CREDIT CARD ORDERS TAKEN ON (01202) 659930

between the hours of 9.00am - 5.00pm. Outside these hours your order will be recorded on an answering machine.

FAX ORDERS TAKEN ON (01202) 659950

or please fill in the details ticking the relevant boxes, a photocopy will be acceptable to save you cutting your beloved copy!

**To: PW Publishing Ltd., FREEPOST, Arrowsmith Court, Station Approach,
Broadstone, Dorset BH18 8PW**

Name Card number

Address Valid from to

..... Signature

..... Postcode Telephone number

Telephone number Orders are normally despatched by return of post but please allow
I enclose cheque/PO 28 days for delivery.

Payable to PW Publishing Ltd.) £.....

Prices correct at time of going to press.

Please note:

**ALL PAYMENTS MUST BE MADE IN STERLING,
CASH NOT ACCEPTED WITH MAIL ORDER.**

Charge to my Access/Visa card the sum of £.....

**CREDIT CARD ORDERS TAKEN ON (01202) 659930
FAX ORDERS TAKEN ON (01202) 659950**

Subscribe In Three Easy Instalments


Want to subscribe to *Practical Wireless* but can't afford the initial subscription fee? Well, why not take this opportunity to order a subscription and pay for it in **three easy instalments**? Your subscription will begin with the **September 1999** *Practical Wireless* and end with the **August 2000** issue.

Payments will be accepted by Credit card (1st payment will be charged immediately, 2nd payment on 1/12/99 and 3rd payment on 1/3/2000), or three post dated cheques drawn on a UK bank. (You must send three cheques with your order - the first cheque dated immediately, the second dated 1/12/99 and the third dated 1/3/2000).

To order, please use the order form on this page or telephone the *PW* Subscriptions department on **(01202) 659930** and quote **PW8**.

Subscription Prices

	UK	Europe	Rest Of World
Cost of Sub	£28	£35	£38
1st payment	£10	£12	£13
2nd payment	£9	£11.50	£12.50
3rd payment	£9	£11.50	£12.50



Order Form To PW Publishing Ltd, Arrowsmith Court, Station Approach, Broadstone, Dorset BH18 8PW.

I would like to subscribe to *PW* in three easy instalments.

Name.....

Address

Postcode

Telephone No.....

I enclose three cheques (Payable to PW Publishing Ltd.)/Credit card details:

1st Cheque (payable immediately) £.....

2nd Cheque (dated 1/12/99) £.....

3rd Cheque (dated 1/3/2000) £.....

Credit Card No.

Valid From To

Signature

YOUR LOCAL DEALERS

W. SUSSEX

Adur Communications

Belmont Buildings, The Street,
Bramber, W. Sussex BN44 3WE.
Tel: (01903) 879526

E-mail: service@adurcomms.com

Repairs and alignment to all amateur
and commercial radio equipment.

SURREY

Chris Rees G3TUX

The QRP Component Company

PO Box 88 Haslemere Surrey GU27 2RF

Tel: (01428) 661501

Fax: (01428) 661794

KITS, KEYS & QRP

MAIL ORDER - 9AM TO 6PM (NOT SUNDAYS)
SAE FOR LISTS AND LITERATURE

MID GLAMORGAN

SANDPIPER COMMUNICATIONS

Unit 5, Enterprise House, Cwmbach
Industrial Estate, Aberdare,
Mid Glamorgan CF44 0AE

Tel: (01685) 870425

Fax: (01685) 876104

A full range of transmitting & receiving
antennas available for the amateur
commercial market.

LONDON

MARTIN LYNCH & Son

For all your amateur radio needs

140-142 Northfield Avenue
Ealing London W13 9SB

Tel:

0181-566 1120

Fax:

0181-566 1207

BIRMINGHAM

FREE CB RADIO CATALOGUE

PHONE

0121-457 7788

SRP RADIO CENTRE

SCOTLAND

JAYCEE ELECTRONICS LTD

20 Woodside Way, Glenrothes, Fife KY7 5DF

Tel: (01592) 756962 (Day or Night)

Fax No. (01592) 610451

New opening hours: Tuesday-Friday 9am to 5pm.

Saturday 9am to 4pm. Closed Sunday & Monday.

KENWOOD, YAESU & ICOM APPROVED DEALERS

A good stock of new and secondhand
equipment always in stock

NOTTINGHAMSHIRE

KANGA QRP KITS

We stock a complete range of QRP kits
for beginners or the more expert! Prices
start from just £3.95.

Send an SAE for our free catalogue or

check out our www pages;

<http://www.kanga.demon.co.uk>

Kanga Products

Sandford Works, Cobden Street, Long Eaton,
Nottingham NG10 1BL
Tel: 0115-967 0918

EASTERN ENGLAND WATERS & STANTON PLC

Spa House, 22 Main Road, Hockley
Essex SSS 4QS

Tel: (01702) 206835/204965

Fax: (01702) 205843

Web: <http://www.waters-and-stanton.co.uk>

E-mail: sales@wsplc.demon.co.uk

Open 9am to 5.30pm Monday to Saturday inclusive

MAIN AGENTS - ALL BRANDS

PHONE/FAX FOR FREE PRICE LIST

WEST YORKSHIRE

HUDDERSFIELD ELECTRONICS 'G4MH MINIBEAM'

10, 15, 20m.

S.A.E for details.

Suppliers of new & used

amateur SWL/CB equipment.

P/X welcome.

4A Cross Church Street
Huddersfield HD1 2PT

Tel/Fax: 01484 420774

DORSET

THE SHORTWAVE SHOP

Novice/C.B./Amateur/SWL Equipment.

Full range secondhand equipment
always available.

18 Fairmile Road, Christchurch,
Dorset BH23 2LJ

Tel/Fax: 01202 490099

AVON/SOMERSET

QSL COMMUNICATIONS

We stock all makes of equipment
for the Amateur and Listener.

Part Exchange Welcome

Unit 6, Worle Industrial Centre, Coker Road,
Worle, Weston-Super-Mare BS22 0BX

Tel/Fax: (01934) 512757

SOUTHAMPTON

SMC Ltd

Main Dealer for: Yaesu,
Kenwood, Icom AOR,
Cushcraft & Comet.

SM House, School Close, Chandlers Ford

Industrial Estate, Eastleigh,

Hampshire SO53 4BY

Tel: (01703) 246222

Fax: (01703) 246206

SOUTH WEST

Reg Ward & Co

MAIN DEALER FOR: YAESU,
KENWOOD, ICOM, AOR,
CUSHCRAFT & COMET

1 Westminster House

West Street, Axminster

Devon EX13 5NX

Tel: (01297) 34918 Fax: (01297) 34949

LONDON

HAYDON COMMUNICATIONS

For all your amateur radio equipment.

NEW, SECONDHAND, EX-DEMO

132 High St., Edgware, Middx HA8 7EL

Tel: 0181-951 5781/2

Fax: 0181-951 5782

Open Mon-Fri 9.30-5.30. Sat 9.30-2.00

NORTHWEST

ARC Ltd.

Everything for the radio
amateur under one roof!

38 Bridge Street, Earlestown, Newton-
le-Willows,
Merseyside WA12 9BA

Tel: 01925 229881

Fax: 01925 229882

SCOTLAND

TENNAMAST SCOTLAND LTD

Masts from 25ft - 40ft

Adapt-A-Mast

(01505) 503824

81 Mains Road, Beith, Ayrshire. KA15 2HT

E-mail: nbrown@tennamast.com

Web site: www.tennamast.com

Index to Advertisers

Adur Communications	77	Icom (UK) Ltd	IBC	Raeform Electronics	67
ARC Ltd	62	Lake Electronics	77	Roanl Computers	73
Birkett, J	77	Langrex Supplies	77	RSGB	31
C M Howes	15	Leicester ARS	73	Short Wave Magazine	49
Castle Electronics	45	Martin Lynch & Sons	42, 43	SMC Ltd	18, 19
Chevet Supplies	66	Megasys Ltd	31	SRP Trading	6
Cooke International	66	Moonraker (UK) Ltd	15	Sycorn	67
Eastern Communications	49, 51, 67	Multicomm 2000	54, 55, 58, 59	The Shortwave Shop	77
Electromail	62	N R Bardwell	66	Unicom	66
Electrovalue	77	Nevada	38, 39	Waters & Stanton	IFC, 1, 2
Fairhaven Electronics	35	Pervisell Ltd	77	Yaesu	OBC
Haydon Communications Ltd	23, 24, 25	Practical Wireless	51		
Hilton Hotel	67	Radio World	4, 5		

ICOM

**PHEW, WHAT
A SCORCHER!**

AMAZING SUMMER OFFER 'TIL 31.7.99.

The message is pure and simple - when you buy a new
IC-706MKIIG (ICOM's latest), we will throw in a
brand-new IC-T8 handheld **ABSOLUTELY FREE!** -
no strings - who wants a radio with strings anyway!

*Offer only applies while promotional
stocks last - so be quick! Contact your
authorized ICOM dealer today!*

The advertisement features two ICOM radios. In the foreground, a large ICOM IC-706MKIIG HF/VHF/UHF Transceiver is shown. Its green LCD display shows '14.195.706' and '99 CH'. The display also includes various status indicators like 'USB', 'SPL', 'NB', 'VOX', 'F-BK', 'COM', 'FAGC', and 'VFO A'. Below the display are several control buttons labeled 'MENU', 'F-1', 'F-2', 'F-3', 'MODE', 'TS', 'RX', 'TX', 'DISPLAY', and 'LOCK'. To the right of the main display is a large rotary knob. In the background, a smaller ICOM IC-T8 handheld FM transceiver is shown, displaying '145.500.99' on its screen. The handheld has a speaker grille and various function buttons like 'BAND', 'TONE', 'VOL', 'CLR MHz', 'VFO', 'SKIP', 'MR', 'LOCK', 'CALL', 'MW', and 'S.MW'. A coiled cable is connected to the bottom of the handheld.

ICOM (UK) Ltd. Sea Street Herne Bay Kent CT6 8LD. Telephone: 01227 741741. Fax: 01227 741742.
URL: www.icomuk.co.uk e-mail: info@icomuk.co.uk

Count on us!



All-Mode HF Transceiver FT-1000MP



The year was 1956. Electronic communication throughout the world was on the threshold of significant and remarkable change. Intrigued by the development of single-sideband radio theory, a young engineer and amateur radio experimenter painstakingly assembled an SSB transmitter. Word of his successful efforts spread quickly among his friends, and soon radio amateurs from all over the country were requesting transmitters just like it. Thus was born the first invention of JA1MP, founder of Yaesu. Though his key is now silent, in tribute to his leadership and exceptional contributions to the radio art, the FT-1000MP carries the memory of his call sign.

An HF Masterpiece, Combining the Best of Digital and RF design technology. The FT-1000MP.



Specifications

- EDSP (Enhanced Digital Signal Processing)
- Shuttle-jog Rapid Tuning Enhancement
- Directional Tuning Scale for CW/Digital mode and clarifier offset display
- Dual In-Band Receive w/ Separate S-Meters
- Selectable Antenna Jacks
- Collins SSB Mechanical Filter built-in, 500 Hz CW Collins filter plug-in, optional
- Selectable Cascaded Crystal and Mechanical IF Filtering (2nd and 3rd IF Filters)
- User-Programmable Tuning Steps w/ 0.625 Hz High Resolution Low-Noise DDS Circuit
- Custom Feature Set-up via New Menu System
- Adjustable TX Output Power: 5-100W (5-25W AM)
- True Base Station: Both 100-117 or 200-234 \pm VAC 10% 50/60 Hz and 13.5 VDC Power Inputs

Blending digital and RF technology, the FT-1000MP features a Yaesu exclusive: Enhanced Digital Signal Processing (EDSP). Beginning on the receive side with Yaesu's industry-standard high-intercept front end design, the RF signal is then fed to the IF stages, where an impressive array of 8.2 MHz and 455 kHz IF filters (including a built-in Collins SSB Mechanical Filter) establish the tight shape factor so important in obtaining high dynamic range and low noise figure. Finally, the EDSP system provides specially-designed filter selections and response contours for maximum intelligence recovery.

Only with this combination of EDSP, independently selectable 8.2 MHz and 455 kHz IF filters, and a low-noise DDS local oscillator system can receiver performance without compromise be obtained. You can customize your FT-1000MP by choosing from 20 kHz, 500 Hz, and 250 Hz optional, cascaded IF filters, then zero in on weak signals using Yaesu's exclusive Shuttle-jog Rapid Tuning Enhancement and high-resolution (0.625 Hz) DDS VFO. Without question, the FT-1000MP is the most technologically advanced HF rig today.

EDSP operates in both transmit and receive modes. On receive, the EDSP produces enhanced signal-to-noise ratio and significantly improved intelligence recovery during difficult situations involving noise and/or interference. The result of hundreds of hours of laboratory and real-world experimentation, EDSP's 4 preset random noise reduction protocols and 4 digital filtering selections are controlled by easy-to-use concentric controls on the front panel of the transceiver. High, low, and mid-range cuts for voice work are teamed with razor-sharp CW bandpass filters and an automatic notch filter which identifies and attenuates undesired carriers or heterodynes. Also operational in the transmit mode, EDSP provides 4 performance-enhancement pattern selections for different operating circumstances, ensuring best readability of your signal on the other end of the path.

Once again, Yaesu's engineers have reaffirmed the vision and dedication of JA1MP which began nearly 40 years ago. See the incomparable FT-1000MP today.

The FT-1000D continues to offer unsurpassed performance for the serious DX'er who requires a full 200 Watt Power output packaged with full Cross-Band Dual Receiver Capability
The Best of the Best



YAESU
Choice of the World's top DX'ers

<http://www.yaesu.co.uk>