





Soldering, desoldering, fixed or portable, look for Weller!

LOFRING STATION

The DS500 power vacuum desoldering station works with external air system.

The DS100 provides identical desoldering performance linked with temperature controlled soldering capability.

The new portable DS600 offers you a compact self-contained vacuum/air nump

compact self-contained vacuum/air pump desoldering unit.

Which one is for you?



The Cooper Group PO Box 728 Apex NC 27502 USA Tel (919) 362-7510 Telex 579497


BOKER CRESCENT UFKIN NICHOLSON PLUMB WELLER WISS XCELITE



CIRCLE 21 ON FREE INFORMATION CARD

100 MHz OSCILLOSCOPE **MODEL** 5100

- 4 Channels / 8 traces
- Fast sweep speeds from 2nS/DIV
- Dual Time Base
- High sensitivity from 2mV/D V
- · Glass epoxy circuit boards
- 15,000 MTBF
- · Brilliant intensity, domed-mesh CRT
- Patented AUTO-FIX circuit for easy triggering
- Jitter-free trigger circuit
- Two year parts and labor warranty



SEEIT

\$1995.00








OSCILLOSCOPE CAMERA **MODEL 7000**

- Fits all Oscillescopes and most _og c Anal /zers
- Dan be hand-held or mounted
- Jses stancard Folaroid® film
- √ariable agerture control: f3.5 f32
- √ariable shutter speeds: 1 second to 1/125th & B
- Built-in "X" contact for event :riggering



- ...converts any oscilloscope into a storage scope
- ...permits acquisition of analog data with any computer
- Storage adapter for any oscilloscope with external trøger input
- · Fermits recording of high speed measured values with strip chart recorders
- Amplitude resolution of 8 bits = 256 steps
- Meximum clock rate 2 MHz, permits storage of analog signals up to 300 kHz
- Parallel operation possible
- Pre-trigger switchable in steps for recording the "history" of a trigger event
- Built-in linear interpolator which can be switched off
- Memory capacity 2000 bytes
- Digital data input and output
- Optional IEEE-488 interface
- Strip chart recorder output.



ASK FOR IT

11684 Pendleton Street • Sun Valley, California 91352 (213) 767-0044 • TELEX: 67-4188 TCLL FREE 800-423-2344 Outside California

CIRCLE 43 ON FREE INFORMATION CARD

DIGITAL WAVEFORM RECORDER

OSCILLOSCOPES

SCOPE CAMERAS & PROBES

Free Timex Computer, Software and Free Timex Watch

Just in time for back to school...

Timex technology and the buying power of Communications Electronics will put you in the challenging, fascinating arena of home electronics for much less than you thought possible. As you grow in your computer expertise and needs, you can be secure knowing your TIMEX SINCLAIR 1000 Computer is expandable with a complete line of accessories. You won't outgrow your T/S 1000 Computer — it grows with you!

In addition to the accessories, Timex offers a full range of software for the T/S 1000 Computer. Cassette programs designed especially for your computer open the magical microprocessor doors to home management, business applications, educational aids and computer games. If your computer is used in business, it may be fully tax deductable.

Of course, as you become more skillful in using the T/S 1000 Computer, you'll find that you can create your own programs — tailored, as you wish. to your own specific requirements. The extensively detailed instruction manual that comes with the T/S 1000 Computer gives complete information on how to do your own programming.

Behind you and your TIMEX SINCLAIR 1000 Computer is proven Timex technology and reliability. It doesn't end with the unique design of this sensational computer. Timex wants you to enjoy and grow with it. When something isn't clear or if you're having trouble operating your computer, just dial 800-24-TIMEX — you'll be in touch with the Timex Technical Support Group. They're ready to answer all your questions.

Join the home computer technology generation at an amazingly low cost.

Receive your TIMEX T/S 1000 personal home computer and your TIMEX quartz watch absolutely free when you purchase the following:

- ☐ The Timex T/S 1016 16K Ram Pack
- ☐ The Timex T/S 2040 Printer
- ☐ And your choice of six of the following software cassettes:
 - 1. College Cost Analyzer
 - 11. IRA Planner 2. Home Improvement Planner

 - 3. Organizer
 - 4. Money Analyzer 1
 - 5. Algebra 1
 - 6. Mixed Game Bag II
 - 7. Fortress of Zorlac
 - 8. Gambler
 - 9. Supermaze

- 10. Coupon Manager
- 12. Stock Option Analyzer
- 13. Geometry 1
- 14. Statistics
- 15. Power Pack 1
- 16. Grimm's Fairy Trails
- 17. Presidents
- 18. Cube Game

When you order, you will receive this complete package: T/S 1000 Computer, Ram Pack, Printer, choice of six Timex software cassettes, and as an extra bonus, a coupon for a free Timex quartz watch. But wait, there's more. If you order before October 31, 1983 from CE, Timex will also give you a coupon that's good for an additional six free software cassettes from a choice of over seventy titles (Frogger™ excluded). The additional value of this bonus software is worth up to \$116.70. Therefore, if you act now, you can get this complete package worth up to \$461.20 for only \$199.00 plus \$10.00 for U.P.S. shipping and handling in the continental U.S.A.

Order at no risk.

All Timex products carry CE's 31 day money back guarantee. If for any reason you are not completely satisfied with this special offer, return everything within 31 days and we will give you a full refund (less shipping and handling charges). All Timex computer products come with a ninety day warranty. Should anything go wrong with your Timex products, simply mail it to Timex and they will promptly repair or replace it. Dealer and educational inquiries welcome.

Mail orders to: Communications Electronics," Box 1002-Dept. CE-10, Ann Arbor, Michigan 48106 U.S.A. If you have a Visa or Master Card. you may call and place a credit card order. Order toll-free in the U.S. Dial 800-521-4414. In Canada, order toll-free by calling 800-265-4828. Telex anytime 810-223-2422. If you are outside the U.S.A. or in Michigan $dial\,313-973-8888.\,\,Michigan\,\,residents\,\,add\,tax.\,\,The\,\,demand\,will\,\,be\,\,great$ for this fantastic limited time offer, so be sure to order today.

Order Toll-Free 800-521-4414

T/S1000 is a registered trademark of Timex Corp. Copyright® 1983 Communications Electronics®





Computer Products Division

818 Phoenix 🗆 Box 1002 🗆 Ann Arbor, Michigan 48106 U.S.A Call TOLL-FREE 800-521-4414 or outside U.S.A. 313-973-8888



Computer, Watch & Software Cassettes

YES, Please send my free Timex computer, software and watch with the purchase of a Ram Pack, Printer and choice of six cassettes for only \$199.00 (plus \$10.00 for shipping/handling in the continental U.S.A. For Canada, Puerto Rico, Hawaii, Alaska, or APO/FPO delivery, shipping is \$25.00).

Mail To: Communications Electronics"

Box 1002-Dept. CE-10

Ann Arbor, Michigan 48106 U.S.A.

List selection of cassettes by number: 1 ____ 2 ___ 3 ___ 4 ___ 5 ___

Credit Card #_

Address

City

Telephone

Note: For additional product information call 800-24-TIMEX.

To order call 800-521-4414 or 313-973-8888

CE-10 •

2

Name

Radio-Electronics

THE MAGAZINE FOR NEW IDEAS IN ELECTRONICS

Electronics publishers since 1908

OCTOBER 1983 Vol. 54 No. 10

SPECIAL FEATURE

75 YOUR OWN COMPUTER

A round-up of the computer systems currently available, organized in price categories from under \$500 to over \$4500. Marc Stern

- 79 UNDER \$500
- 95 \$500 TO \$1000
- 111 \$1000 TO \$1500
- 118 MANUFACTURER LIST
- 119 \$1500 TO \$2000
- 129 \$2000 TO \$2500
- 135 \$2500 TO \$3000
- 147 \$3000 TO \$3500
- 155 \$3500 TO \$4000
- 162 \$4000 TO \$4500
- 167 OVER \$4500

BUILD THIS

63 MINI PLAYER-PIANO

Part 2. Winding up the theory and beginning construction.

Robert Grossblatt

TECHNOLOGY

4 VIDEO ELECTRONICS

Tomorrow's news and technology in this quickly changing industry. **David Lachenbruch**

10 SATELLITE/TELETEXT NEWS

The latest happenings in communications technology. Gary H. Arten

12 VIDEOGAMES

Some different ways of distributing games.

Danny Goodman.

CIRCUITS AND COMPONENTS

56 NEW IDEA

An award-winning project from one of our readers.

58 HOBBY CORNER

A new contest. Earl "Doc" Savage, K4SDS

EQUIPMENT REPORTS

- 24 BK Dynascan Model 1653 and 1655 Variable Voltage Supply
- 30 Finger Print Control Module For Epson Printers
- 32 Global Specialties Model 6000 Frequency Counter
- 40 Tektronix Model 213 DMM Oscilloscope

DEPARTMENTS

- 8 Advertising and Sales Offices
- 20 Letters
- 208 Advertising Index
- 177 Market Center

8 Editorial

- 44 New Products
- 209 Free Information Card
- 6 What's News

ON THE COVER

There's little doubt that personal computers have become the fastest growing segment of the consumerelectronics market. In the past year many new companies have been founded, and scores of new machines have been introduced. In addition, most of the "established" manufacturers (in this industry that's anyone that's been around longer than two years) have either unveiled new systems, or beefed-up their existing ones, to remain competitive. The result has been greatly increased selection, generally lower prices, and just about utter confusion for the consumer. That's where this special section comes in—it's designed to help you make sense out of the jumble of systems by summarizing what's available. To help make comparisons easier, everything is organized by list price. The section begins on page 75.

TO OUR READERS

Due to our large computer-hardware section, several articles that were originally scheduled for this issue could not appear, due to space limitations. Those articles will be published in coming months.

COMING NEXT MONTH On Sale October 20

- Test Equipment. A look at what's new and unusual.
- Audio Tape. Audio-cassette tapes and how they differ.
- How To Design Analog Circuits. All about filters.
- And lots more!

Radio-Electronics, (ISSN 0033-7862) Published monthly by Gernsback Publications, Inc., 200 Park Avenue South, New York, NY 10003. Second-Class Postage Paid at New York, NY, and additional mailing offices. One-year subscription rate: U.S.A. and U.S. possessions. \$14.97, Canada, \$17.97. Other countries, \$22.47 (cash orders only, payable in U.S.A. currency.) Single copies \$1.50. © 1983 by Gernsback Publications, Inc. All rights reserved. Printed in U.S.A.


Subscription Service: Mail all subscription orders, changes, correspondence and Postmaster Notices of undelivered copies (Form 3579) to Radio-Electronics Subscription Service, Box 2520, Boulder, CO 80322.

A stamped self-addressed envelope must accompany all submitted manuscripts and/or artwork or photographs if their return is desired should they be rejected. We disclaim any responsibility for the loss or damage of manuscripts and/or artwork or photographs while in our possession or otherwise.

As a service to readers, Radio-Electronics publishes available plans or information relating to newsworthy products, techniques and scientific and technological developments. Because of possible variances in the quality and condition of materials and workmanship used by readers, Radio-Electronics disclaims any responsibility for the safe and proper functioning of reader-built projects based upon or from plans or information published in this magazine.

VIDEO ELECTRONICS

DAVID LACHENBRUCH CONTRIBUTING EDITOR



ANTENNA SWITCHING

A noteworthy trend in new sets is the increased use of multiple antenna connections to help solve the problem posed by two or more RF video attachments on a single set. In most cases, the antenna terminals may be switched via remote control. Magnavox, NEC, Panasonic, Quasar, Sanyo, Sony, and Zenith all have sets that permit the viewer to switch from one 75-ohm input to another, eliminating the complicated traffic jam at the antenna terminals.

Sony is fielding a 13-inch model, designed especially for use with videogames or other RF attachments; it has its second antenna terminal at the front. That terminal is controlled by a HIT (Home Interface Terminal) Button that switches the set to the game or other device.

Zenith offers a system for switching among four RF inputs by remote control on many of its sets. It requires the addition of a special switching splitter (carrying a suggested list price of \$30) at the back of the set (see photo); the remote-control unit has a sequential four-position antenna control. Zenith also introduced the "Redi-Plug," a video-audio in-out eight-pin DIN connector built into some of its sets and easily installed on most others made since November 1981. It will accommodate a Zenith teletext decoder and (in the future) an adaptor for multichannel (stereo and bilingual) sound. GE and Magnavox sets, as well as most of the other "true components," also are claimed to be easily adaptable to multichannel sound.

HI-FI VHS

With Beta Hi-Fi now launched on the market and providing excellent audio, Matsushita Electric (parent of Panasonic and Quasar) has introduced the VHS answer in Japan, and it should arrive on these shores by the end of this year or early next. Like Beta Hi-Fi, the Hi-Fi VHS system uses the high head-to-tape speed of the helical track to provide an auxiliary high-quality stereo audio track. Beta Hi-Fi superimposes FM audio on the video track, but Hi-Fi VHS uses a somewhat different approach. It adds two audio heads to the video head drum and records the audio with a different geometric head angle (azimuth) to avoid interference with the video information. As in Beta Hi-Fi, the standard longitudinal audio track is retained to maintain compatibility of older tapes with Hi-Fi VHS machines. The specs of Hi-Fi VHS are similar to those of Beta Hi-Fi—a dynamic range of more than 80 dB, a frequency response of 20-20,000 Hz, distortion 0.3% or less, wow and flutter less than 0.005%.

RANDOM-ACCESS CED

They said it couldn't be done—which gives RCA all the more satisfaction with its introduction of a random-access CED videodisc palyer. The new model, which was still unpriced at presstime, uses a wireless remote control to let the user choose any "page" (single groove) or "band" (selection) of the disc, or the choice may be made by dialing up the minute and second desired. These may be programmed to play in any sequence, repeat, etc. An added feature of the new machine is on-screen prompting: Alphanumerical reminders and queries appear on the screen—such as "please load disc," "audio track A or B?" "Band _____to Band ____," and so forth. Special discs with individual frames repeated three times (the CED disc has four frames per groove) will be available for programs using stop-motion. The random-access disc player may be programmed with its own remote-control unit or with a *Digital Command Center*, a 51-button remote control that comes with many of RCA's new-model TV sets and monitors and is designed to operate TV set, VCR and videodisc player.

THE POMONA PROMISE

We provide the design engineer with the best Grabber* made in this country.

Or anywhere.



Saying you can perform at that level is one thing. Doing it may be something else.

But doing it is what ITT Pomona Electronics is all about. And has been ever since we opened shop better than thirty years ago.

That's why we promised that no matter what it took, we were going to produce the best line of plunger action test clips going.

It's clearly a promise we made good on.

And every year we add new versions and new applications. Now our Grabber line is one of the

most versatile assortment of testing tools we offer.

At ITT Pomona Electronics, we know there is no such thing as standing pat. We also know that your needs change and your expectations become greater as the demands become more severe. To this end we will continue to create a better way. A better product.

That's a promise.

All of our products are described and illustrated in our General Catalog, and it's free. Just call (714) 623-3463 or 623-6751. TWX 910-581-3822. Write to us at ITT Pomona Electronics, a Divi-

CIRCLE 97 ON FREE INFORMATION CARD

sion of International Telephone and Telegraph Corporation, 1500 E. Ninth St., Pomona, CA 91766.

In Europe: ITT CANNON BELGIUM S.A./N.V. Rue Colonel Bourg Str. 105 Space A (B.3) 1140 Brussels, Belgium. Phone: 02-735-6094.

Our products are available through your favorite electronics parts distributor.

* GRABBER is the trademark for a Pomona Electronics test clip.

III Pomona Electronics

RADIO-ELECTRONICS

WHAT'S NEWS

Postage stamps honor four U.S. inventors

The United States Postal Service has unveiled the design of a block of 20-cent stamps honoring four American inventors in the field of electricity and electronics. The stamps were issued September 21, 1983, at the U.S. Patent and Trademark Office in Arlington, VA.

The four inventors selected as most worthy of honor are Charles Proteus Steinmetz, Edwin H. Armstrong, Nikola Tesla, and Philo T. Farnsworth.

Charles Steinmetz—born in Breslau, Germany, in 1865—came to the United States in 1899, and became the leading engineer and scientist of General Electric Co. in Schenectady, NY. Among the more important of his many studies and inventions were researches on the theories of alternating current and high-voltage power.

Edwin Armstrong—born in New York City in 1890—is credited with the invention of the superheterodyne radio, the type used almost universally today. His most important achievement was the development of wide-band frequency modulation, known to the average listener as FM radio.

Nikola Tesla was born in 1857, in Smiljan Lika, Croatia, in what is now Yugoslavia. The more important of his more than 700 inventions included pioneering developments in radio, high-frequency electrical currents, glow-

lamps, and polyphase alternating current theory and practice.

Philo T. Farnsworth was born in Utah in 1906. His more than 300 inventions were practically all in television and related subjects. He is most famous for his first all-electronic television transmission, made in San Francisco, CA, on September 7, 1927.

Videogames to become computer terminals?

A new service, *Gameline*, by Control Video Corp of Vienna, VA, promises as a start to allow any owner of an Atari 2600 video computer system (and a few other brands) to tap into a vast central computerized library of popular videogames.

Eventually, says CVC, the game-system owner will be able to make use of a variety of other features, such as sports reports, stock quotations, news, electronic banking, and other services now available only to personal-computer owners who subscribe to services like CompuServe or The Source.

In addition to giving access to an enormous variety of games, Gameline gives the player a chance to preview new games just coming on the market, and to sample games before purchase. Contests, from regional to worldwide, with prizes ranging from T-shirts to four-year college scholarships, are also offered.



MASTER MODULE PLUGGED INTO AN ATARI VCS 2600 and connected to the telephone brings the avid player a plethora of the latest video games.

The "brain" that turns an Atari 2600 into a computer terminal is the CVC Master Module, which plugs into the console where the game cartridge would normally go. It consists of a sophisticated modem, two memory devices, and an automatic telephone dialer. One memory unit stores a videogame or up to six pages of typewritten text. The other stores the players' names, ID's, the module's serial number, contest scores, and telephone numbers to access the system.

The user simply turns on the TV and the game system, and selects the desired game from a list that flashes on the TV screen. He makes his selection with the joystick and "fire" button, and the module dials its memory-stored local number to connect with the central computer. The game's software is then fed into the *Master Module*. The whole telephone call lasts usually less than one minute.

Costs of the service are claimed to be moderate. The Master Module is being offered at an introductory rate of \$49.50 (plus \$5 for shipping and handling). Game sessions (multiple plays of a game) cost \$1, or about 10 to 15 cents a play, depending on the player's skill. A \$15 membership fee (waived during the introductory period) is charged each member, and if the player wants to enter contests, a fee of 50 cents for registering a high score in the central computer. Games are charged against credit cards. (Credit limits can be set.)

The Gameline Master Module is

compatible with the Atari 2600 VCS and Sears Video Arcade. It can also be used with ColecoVision units equipped with Expansion Module #1, or with the ColecoVision Gemini system.

New color display uses liquid crystals


A display system that uses a monochrome cathode-ray tube and a liquid crystal "color switch" to produce a high-resolution, field-sequential color display was demonstrated recently by Tektronix at the Philadelphia meeting of the Society for Information Display.

The success of the new system was due to the development of a new, proprietary, fast liquid-crystal optical switch. Combined with the monochrome CRT, it produces a high-resolution field-sequential color display.

Because there are no shadow masks or penetration phosphors, the resolution can be as high as that of any monochrome CRT. Other advantages are inherent convergence (there is only one electron beam) excellent contrast in high ambient light, and ruggedness. (The fragile shadow mask and complex color gun are eliminated.)

The new technology is expected to find applications in instrument displays, where its high resolution will make it useful. It will also be useful in small process-control displays, where the color can be used for warnings or for highlighting special situations.









FOUR AMERICAN INVENTORS ARE HONORED on US postage stamps. Charles Steinmetz, upper left, for pioneering in electrical theories; Edwin Armstrong, upper right, for frequency modulation; Nikola Tesla, lower left, for alternating current theory and practice, and Philo Farnsworth, lower right, for television pioneering and invention.

Now 60 MHz or 100 MHz Tek quality is just a free phone call away!



best-selling 2200 scope line up to 100 MHz. And brought it all as close as your phone. Tek's revolutionary, reduced-component architecture brings unprecedented quality, reliability and affordability to the 60 MHz 2213 and 2215, and now, the 100 MHz 2235.

All three of these lightweight (13.5 lb.) scopes feature 2 mV/div vertical sensitivity and 5 ns/div sweep speeds, plus a complete trigger system for stable triggering on digital, analog or video waveforms.

Scopes with a comprehensive 3-year warranty*...
probes...and expert advice.
One free call gets it all! You can order, or obtain literature, through the Tek National

| | 2213 | 2215 | 2235 |
|-----------------------|---------------------|-------------------|-------------------|
| Bandwidth | 60 MHz | 60 MHz | 100 MHz |
| No. of Channels | 2 | 2 | 2 + Trigger View |
| Alternate Sweep | | Yes | Yes |
| Vert/Trig B/W Limit | _ | | Yes—20 MHz |
| Single Sweep | | _ | Yes |
| Accuracy: Vert/Horz | 3% | 3% | 2% |
| Delay Jitter | 1:5,000 | 1:10,000 | 1:20,000 |
| Trigger'g Sensitivity | 0.4 div at 2 MHz | 0.4 div at 2 MHz | 0.3 div at 10 MHz |
| Input R-C | $1 M\Omega - 30 pf$ | $1M\Omega - 30pf$ | 1MΩ -20pf |
| Variable Holdoff | 4:1 | 4:1 | 10:1 |
| Price | \$1200† | \$1450† | \$1950† |

Marketing Center. Technical personnel, expert in scope applications, will answer your questions and expedite delivery. Direct orders include operating and service manuals, two 10X probes, 15-day return policy, and worldwide service back-up.

Call toll-free: 1-800-426-2200, Extension 76.

In Oregon, call collect: (503) 627-9000, Ext. 76.

†Price F.O.B. Beaverton, O.R.
"3-year warranty includes CRT and applies to 2000 family oscilloscopes purchased after 1/1/83.
Scopes are U.L. Listed, CSA and VDE approved.



EDITORIAL

Yes! Another Buyers Guide For Computers

Our research tells us that most of our readers either own a computer or are considering purchasing a computer. Even among those of you who do own a computer, many are considering either upgrading their systems or outrightly purchasing a new system. In today's marketplace, that's not an envious position to be in. It seems as if everyone, and I mean everyone, is jumping into the computer marketplace with a new computer. And to make matters even more confusing, there's a flood of workalikes and lookalikes. These are computers that are designed to look like or be "compatible" with other computers such as the IBM *PC*, *TRS-80*, *Apple*, or others.

With prices, features, and capability varying widely from computer to computer, your decison won't come easy—and it shouldn't. With such a wide array of computers available, you must weigh your decision carefully. Even with the drastic price reductions of late, computers aren't cheap. Even after you've made a decision, reconsider it before you make your final decision. Get your hands on the computer and play with it. Make sure it runs the software that you ultimately intend to use and that it will interface with the peripherals you wish to connect to it. Try your darndest to ensure that the computer won't become obsolete within a few months.

This month's *Your Own Computer* special section is intended to be a guide to help you narrow down your choices. It is not meant to be used to make a final decision. And above all, unless you pay carefull attention to compatibility, or buy peripherals from the same manufacturer, don't expect to take your computer home, plug it in and have it work. For example, all RS-232 I/O ports are created equal. Right? Wrong! The RS-232 standard is sometimes adhered to and sometimes it isn't. So, if you buy a printer with an RS-232 port and connect it to a computer with an RS-232 port, it may work. Then again, it may not. Remember—*Caveat Emptor!*

Art Aleiman

ART KLEIMAN Editor

Radio-Electronics

Hugo Gernsback (1884-1967) founder M. Harvey Gernsback, editor-in-chief Larry Steckler, CET, publisher Arthur Kleiman, editor Carl Laron, WB2SLR, associate editor Brian C. Fenton, assistant editor Jack Darr, CET, service editor Robert F. Scott, semiconductor editor Herb Friedman, communications editor Gary H. Arlen, contributing editor David Lachenbruch, contributing editor Earl "Doc" Savage, K4SDS, hobby editor Danny Goodman, contributing editor Dan Rosenbloom, production manager Robert A. W. Lowndes, production associate

Joan Roman, circulation director
Arline R. Fishman,
advertising coordinator

Cover photo by Robert Lewis

Radio-Electronics is indexed in Applied Science & Technology Index and Readers Guide to Periodical Literature.

Gernsback Publications, Inc. 200 Park Ave. South New York, NY 10003 President: M. Harvey Gernsback Vice President; Larry Steckler

ADVERTISING SALES 212-777-6400

Larry Steckler Publisher

EAST/SOUTHEAST

Stanley Levitan Radio-Electronics 200 Park Ave. South New York, NY 10003 212-777-6400

MIDWEST/Texas/Arkansas/Okla.

Ralph Bergen Radio-Electronics 540 Frontage Road—Suite 325 Northfield, Illinois 60093 312-446-1444

PACIFIC COAST Mountain States

Marvin Green Radio-Electronics 413 So. La Brea Ave. Los Angeles, Ca 90036 213-938-0166





The 100MHz scope that won the largest scope contract ever awarded...

Now just \$1,950.

For sales and technical information: call toll free 800-421-5334 (in Calif., Alaska, Hawaii 213-515-6432)

Kikusui International Corp.
17819 Figueroa Street, Gardena, Calif. 90248
TWX 910-346-7648
In Canada call: Interfax Systems, Inc. 514-336-0392
Subsidiary of Kikusui Electronics Corp., 3-1175
Shinmaruko-Higashi, Nakaharu-Ku, Kawasaki City,
Japan (044)-411-0111 © Kikusui International 1983

KIKUSUI

Ch1 & Ch2 (1 mV w/5X mag)

Alternate trigger Multi-mode.
Any combination
of modes may
be selected.
5 channels

Multi-trace. 500 KHz chop frequency. 20 KV acceleration potential

Alternate

Lock (P-P auto trigger) Sweep time: 0.5S to 20nS. Ch3 external sweep input

> Ch4 | input



3rd channel (0.1 & 1V/div)

20 MHz bandwidth limit

Beam finder

m Calibrated er sweep delay

www.americanradiohistory.com

A & B trace separation for alternate Ch5 input

sweep mag

CIRCLE 48 ON FREE INFORMATION CARD

GARY ARLEN CONTRIBUTING EDITOR

THREE-BIRD SYSTEM

Geostar Satellite System has proposed an all-digital nationwide service which would offer paging, emergency monitoring, and other special services via three new satellites. The newly formed company, based in Princeton, NJ, envisions three operational geostationary satellites (at 70°, 100° and 130° west longitude) plus an earth station with massive computer power. The system would operate in the 2.48, 1.6 and 5.1 GHz spectrums and, if Geostar gets FCC approval, the service could be up and running by 1987.

Geostar customers would be equipped with a \$200 transceiver to transmit their coordinates to any other transceiver. The units would have a 36-character message readout (probably liquid crystal) or possibly a hard-copy printer. Geostar will automatically track the location of all transceivers; one of the birds will transmit an interrogation signal 100 times per second to each transceiver; the transceiver automatically will relay a signal with an identifying code through all three satellites. Using eight 32-bit sequences, GSS will be able to address 268 million individual users. The system will include suppression circuits in the transceivers to limit the number of times they would respond to the interrogation if the user does not need instant access.

GSS foresees airplanes and autos equipped with the devices to help signal an emergency call for help. Travelers could also send or receive brief messages or reports via the GSS system.

NBC ESCALATES TRANSMISSION

NBC-TV is now feeding its entire New York-originated schedule via satellite, with most of the programming traveling via Comstar D-3, transponder 1V (at 87° west longitude); some afternoon programming goes out via Satcom IV, transponder 24 (at 83°). Almost all of the network's programs—with the exception of sports broadcasts—are sent to affiliates via satellite, including special closed-circuit news reports transmitted daily at 4:30 p.m. (eastern time).

RCA LAUNCHES ADVANCED SATCOM

RCA Satcom 1R—the replacement satellite for RCA's original communications satellite which has been in service for nearly eight years—is now in place at 139° west longitude. Meanwhile the original Satcom 1 is still in service at 136°. The new bird is the first completely solid-state domestic communications satellite, with 24 transponders of 8.5 watts each. The new antennas provide stronger signal coverage to all 50 states.

AROUND THE SATELLITE CIRCUIT

Oak Industries has dropped its plans to build and operate a direct-broadcasting satellite system. The company had intended to launch its own DBS bird by 1986 for direct-to-home pay-TV programming, but now Oak has retrenched on its plans, although it still intends to make equipment and programming for DBS and other pay TV services.

The FCC is eyeing a plan to restructure spectrum allocations to put DBS service in the 12-GHZ band, shared with other microwave services.

United Satellite Communications, which plans to begin DBS service this fall, is negotiating with local telephone companies to install and service receiver facilities. USC will have five channels of programming, and the company is also talking to existing cable-programming services such as ESPN and Cable News Network about carrying their feeds as part of the DBS service. USC plans to offer its package of programming for about \$17.50 per month in addition to the cost of buying reception facilities, now estimated at about \$500.

VIDEOTEX/ TELETEXT BRIEF BITS

Public Broadcasting Service has launched a demonstration teletext service, using vertical-blanking-interval lines 17 and 18 for business data provided by Merrill Lynch and Co. The service will be tested via public TV stations in New York, Chicago, and Miami.

American Bell Inc. will sell its videotex home terminal in south Florida this year for \$595; for now, the unit is intended to be used by customers of Viewtron, the electronic publication and home banking/shopping service developed by Knight-Ridder Newspapers.

Control Data Corp. is becoming a major partner in Source Telecomputing Corp., raising the possibility that some Control Data subsidiaries (notably Ticketron and various financial service companies) may soon offer online interactive services via The Source.

10



For \$35.50 Here's your best VOM value.



It's compact, drop-proof (3 feet) and provides 21 color-coded ranges—volts, milliamps, ohms, temperature scale and decibels. True quality instrument for your portable applications. Tough, accurate, taut-band meter, fuse-protected. Sensitivity 20,000 ohms/volt DC. High-impact case, colored bright orange. Snap action, dual-detent range switch. Range limits: 1000V DC and AC, 250 mA DC, one megohm, +200°C. Battery Test provision. Meter OFF position. Temperature scale (special probe optional).

WV-547D. Same instrument in impact-resistant carrying case. Handle converts to tilt stand.

\$39.95

Want full technical details and a demonstration? Call toll-free, 1-800-523-3696, for the VIZ distributor near you.



Look to VIZ for value, quality, availability.

Over 70 instruments in the line—PLUS full accessories.

VIZ Mfg. Co., 335 E. Price St., Philadelphia, PA 19144

CIRCLE 91 ON FREE INFORMATION CARD

VIDEOGAMES

Alternate means of distribution

DANNY GOODMAN, CONTRIBUTING EDITOR

THE TIME MAY COME WHEN, HAVING CONquered or become bored with a cartridge, we no longer put it on the shelf and go out to buy another. Recently, a couple of ideas have surfaced to offer different ways of providing us with games to play without investing in \$20 to \$40 cartridges or waiting for a cable-TV company to offer a game service.

One system getting underway now is called GameLine by Control Video Corporation (8620 Westwood Center Drive, Vienna, VA 22180). GameLine's idea is to have games downloaded to your 2600 via the telephone. Here's how it works.

First, you need to buy CVC's Game-Line Master Module for \$50-60 at a local videogame store. That gizmo, shown in Fig. 1, looks like an oversized cartridge and plugs into the cartridge slot of the 2600 (or a 2600-compatible machine) It also comes with a cord that has modular telephone plugs on either end and a "Y" adapter. All you have to do is plug the adapter into the back of your telephone, and the cord from the adapter to the Master Module.



FIG. 1

A \$15 registration fee sets up your account with CVC. All charges are billed to a credit card, and parents have the option of limiting the dollar amount playable per week. Each time you download a game, you are charged \$1.00. For that dollar, you get about 10 complete games—then the game disappears from the console's memory.

To download a game, you must first look at the listings of games offered by GameLine in their monthly newsletter (free for the first year). Responding to prompts on the screen with your joystick, you select the number of the game you want. Then the *Master Module* automatically calls GameLine (either a toll-free or local call), tells the main computer who is calling, and asks for the game you want to play. The entire transfer process takes about a minute.

As of this writing, however, CVC has not lined up too many suppliers of games. Imagic is about the biggest of them all. The balance of the listings are of smaller—and a few defunct—producers, including Telesys, U.S. Games, Data Age, and so on. If CVC can attract the big guns-Atari, Activision, Parker, Coleco—only then will GameLine be something to consider. And even then, only if the companies release titles to GameLine at the same time they're released to the stores. Then it'll really be a great way to try out a potential blockbuster cartridge. Unfortunately, I don't believe CVC will get too big a following of the big-name game producers—they would rather sell cartridges outright.

The system does, however, hold promise as a telecommunications network for the 2600 as people graduate to the computer keyboard. The GameLine Master Module (technologically a fine product at an attractive price) and main computer could become a low-cost electronic mail system for the masses.

Another approach


Taking a different approach to game distribution is a company called Romox (501 Vandell Way, Campbell, CA 95008). Although the firm is focusing its attention on computer cartridge-type software now, there is nothing that would prevent its concept from being carried over to videogames.

Romox produces cartridges that can be reprogrammed by a dealer equipped with a special computer-like terminal. The system is based on periodic telephone transfers of software from a central computer to the in-store terminal where it is stored on a hard disk. The first cartridge you buy costs about the same as a regular game cartridge: \$25-35. Later, if you find you don't use that program anymore, you can take it back to the dealer, look at the list of hundreds of programs on hand and have the cartridge reprogrammed with a new game for about \$10. The process takes only a minute or two, and you leave


the store with a new program at one-third the regular cost.

Romox has signed up several major computer-software houses, including Sierra On-Line, to participate in this new distribution method. What I like about this system over GameLine is that you get a cartridge that you can play as many times as you want. With GameLine, the meter is running every time you lose a life. That's too much like the quartereating arcades. I thought the home videogame was supposed to let us get away from constantly reaching into our pockets for one more chance.

CommaVid's Cake Walk for Atari 2600



CIRCLE 101 ON FREE INFORMATION CARD



THERE IS NO LACK OF "CUTESY" videogame cartridges available for the 2600, yet more keep coming. CommaVid Inc. (1470 N.Farnsworth, Suite 203, Aurora, IL 60505) has published another one of those games that seems aimed at the younger or more sensitive games player. This one is called *Cakewalk*, a simplistic hand-eye coordination activity.

continued on page 14



Communications Electronics, the world's largest distributor of radio scanners, introduces new models with special savings on all radio scanners. Chances are the police, fire and weather emergencies you'll read about in tomorrow's paper are coming through on a scanner today.

We give you excellent service because CE distributes more scanners worldwide than anyone else. Our warehouse facilities are equipped to process thousands of scanner orders every week. We also export scanners to over 300 countries and military installations. Almost all items are in stock for quick shipment, so if you're a person who prefers fact to fantasy and who needs to know what's really happening around you, order your radio today from CE.

Regency[®] M100
List price \$319.95/CE price \$199.00
6-Band, 10 Channel • No-crystal scanner
Search • Lockout • AC/DC
Bands: 30-50, 144-174, 440-512 MHz.
The Regency Touch M100 provides the ease of

computer controlled, touch-entry programming in a compact-sized scanner for use at home or on the road. Enter your favorite public service frequencies by simply touching the numbered pressure pads. You'll even hear a "beep" tone that lets you know you've made contact.

In addition to scanning the programmed channels, the M100 has the ability to search through as much as an entire band for an active frequency. When a call is received, the frequency will appear in the digital display. You can either continue searching or store the new frequency in one of the 10 scan channels.

NEW! Regency® HX650 List price \$119.95/CE price \$84.00

Bands & Channel • Handheld crystal scanner Bands: 30-50, 146-174, 450-512 MHz.

Now you can tune in any emergency around town, from wherever you are, the second it happens. Advanced circuitry gives you the world's smallest scanner. Our low CE price includes battery charger/A.C. adapter.

NEW! Regency® MX7000

Allow 120-240 days for delivery after receipt of order due to high demand for this product. List price \$599.95/CE price \$449.00 10-Band, 20 Channel • Crystalless • AC/DC Frequency range: 26-27, 30-108, 108-136 AM, 144-174, 440-512, 806-881 MHz., 1.0 GHz., 1.1 GHz. In addition to normal scanner listening, the MX70G0 offers CB, VHF, and UHF TV audio, FM. Broadcast, all aircraft bands (civil and military), 800 MHz communications, cellular telephone, and when connected to a printer or CRT, satellite weather pictures.

The Regency Touch MX7000 provides the ease of computer controlled, touch-entry programming in a compact-sized scanner for use at home or on the road. Enter your favorite frequencies by simply touching the numbered pressure pads. You'll even hear a "beep" tone

that lets you know you've made contact.
In addition to scanning the programmed channels, the MX7000 has the ability to search through as much as an entire band for an active frequency. When a call is received, the frequency will appear on the digital display.

NEW! JIL SX-200 CE price \$279.00/NEW LOW PRICE 8-Band, 16 Channel • No-crystal scanner Quartz Clock • AM/FM • AC/DC Bands: 26-88, 108-180, 380-514 MHz.

Tune Military, F.B.I., Space Satellites, Police & Fire, D.E.A., Defense Department, Aeronautical AM band, Aero Navigation Band, Fish & Game, Immigration, Paramedics, Amateur Radio, Justice Department, State Department, plus thousands of other restricted radio frequencies no other scanner is programmed to pick up. The JIL SX-200 features unrestricted federal

frequency coverage – all 8 bands, selectable AM/FM receiver circuits – 60db plus selectivity. tri-switch squelch settings – signal, audio and signal & audio, outboard AC power supply – DC at 12 volts built-in, quartz clock- bright vacuum fluorescent blue readouts & dimmer, dual level search speeds - tri-level scan delay switches, 16 memory channels in two channel banks, receive fine tune (RIT) ± 2 KHz, speaker, recorder, and recorder control jacks, dual level RF gain settings - 20 db pad, AGC test points for optional signal strength meters and many more features. Order your JIL SX-200 scanner today.

NEW! JIL SX-100
CE price \$149.00/NEW LOW PRICE
6-Band, 16 Channel • Crystalless • AC/DC
Frequency range: 30-54, 140-174, 410-514 MHz. The JIL SX-100 scanner is a mobile keyboard programmable scanner that puts you in the seat of the action at home or in your car. Compact and good looking, the SX-100 even gives you the time and date. It's small size will easily fit in most domestic or foreign cars and it's AC/DC adaptable for home use.

Regency® R106
List price \$149.95/CE price \$99.00
5-Band, 10 Channel • Crystal scanner • AC/DC
Frequency range: 30-50, 146-174, 450-512 MHz. A versatile scanner, The Regency R-106 is built to provide maximum reception at home or on the road. Rugged cabinet protects the advanced design circuitry allowing you years of dependable listening.

You'll hear calls on all the public service bands, also extended UHF and amateur. What you will really appreciate, though, is that the R-106 will provide the kind of first rate performance you have come to expect from Regency. Order crystal certificates for each channel.

NEW! Regency[®] D810 List price \$399.95/CE price \$259.00 **8-Bend, 50 Channel • Crystalless • AC only** Bands: 30-50, 88-108, 118-136, 144-174, 440-512 MHz This scanner offers Public service bands, plus Aircraft and FM broadcast stations. You can listen to Bach or a Boeing 747, the Rolling Stones or the riot squad, or any of 50 channels Plus special direct access keys let you listen to police, fire, emergency, or any of your favorite channels just by pushing a button.

Regency® R1040
List price \$199.95/CE price \$129.00
6-Bend, 10 Channel • Crystalless • AC only
Frequency range: 30-50, 144-174, 440-512 MHz. Now you can enjoy computerized scanner versatility at a price that's less than some crystal units. The Regency R1040 lets you in on all the action of police, fire, weather, and emergency calls. You'll even hear mobile telephones.

Programming the R1040 is easy. Merely touch the keyboard and enter any of over 15,000 frequencies on your choice of 10 channels.

Fanon Slimline 6-HLU

List price \$169.95/CE price \$99.00

Low cost 6-channel, 4-band scanner!

The Fanon Slimline 6-HLU gives you six channels of crystal controlled excitement. Unique Automatic Peak Tuning Circuit adjusts the receiver front end for maximum sensitivity across the entire UHF band. Individual channel lockout switches. Frequency range 30-50, 146-175 and 450-512 MHz. Size 2¾ x6¼ x 1." Includes rubber ducky antenna. Made in Japan. Order crystal certificates for each channel.

TEST ANY SCANNER

Test any scanner purchased from Communications Electronics" for 31 days before you decide to keep it. If for any reason you are not completely satisfied, return it no riginal condition with all parts in 31 days, for a promot refund (less shipping/handling charges and rebate credits).

CIRCLE 22 ON FREE INFORMATION CARD

THER PARIOS & ACCESSORIES

| OTHER RADIUS & ACCESSORI | EJ |
|--------------------------------------------------------|-----------|
| Regency [®] C403 Scanner | . \$59.00 |
| Panasonic RF-9 Shortwave receiver | . \$84.00 |
| Panasonic RF-799 Shortwave receiver | \$219.00 |
| Panasonic RF-2600 Shortwave receiver | \$199.00 |
| Panasonic RF-2900 Shortwave receiver | \$249.00 |
| Panasonic RF-3100 Shortwave receiver | \$269.00 |
| Panasonic RF-6300 Shortwave receiver | \$539.00 |
| NEW! Bearcats † 151 Scanner | \$169.00 |
| NEW! Bearcat Five-Six Scanner | \$129.00 |
| Bearcate 300 Scanner | \$349.00 |
| Bearcat® 250 Scanner | \$279.00 |
| Bearcat® 200 Scanner | \$189.00 |
| Bearcat® 210XL Scanner | \$229.00 |
| Bearcat* 20/20 Scanner | \$289.00 |
| Bearcat® 100 Scanner | \$289.00 |
| Bearcat® Weather Alert | \$49.00 |
| CHB-6 Fanon AC Adapter/Battery Charger | \$15.00 |
| CAT-6 Fanon carrying case with belt clip | \$15.00 |
| SP55Carrying case for Bearcat Five-Six | \$15.00 |
| MA-506 Carring case for Regency HX650 | \$15.00 |
| SCMA-6 Fanon Mobile Charger/Audio Amplitier | \$49.00 |
| AUC-3 Fanon auto lighter adapter/Battery Charger. | \$15.00 |
| FB-E Frequency Directory for Eastern U.S.A | \$12.00 |
| FB-W Frequency Directory for Western U.S.A | \$12.00 |
| TSG "Top Secret" Registry of U.S. Government Freq. | \$15.00 |
| RRF Railroad Frequency Directory | \$10.00 |
| ESD Energy Services Directory | \$10.00 |
| ASD Frequency Directory for Aircraft Band | \$10.00 |
| SRF Survival Radio Frequency Directory | \$10.00 |
| TIC Techniques for Intercepting Comm. Manual. | \$12.00 |
| CIE Covert Intelligence, Elect. Eavesdropping Man. | \$12.00 |
| B-4 1.2 V AAA Ni-Cad batteries (set of four) | \$9.00 |
| B-6 1.2 V AA Ni-Cad batteries (set of four) | \$12.00 |
| A-135c Crystal certificate | \$3.00 |
| Add \$3.00 shipping for all accessories ordered at the | ametime |
| Add \$12.00 per shortwave receiver for U.P.S. | snipping |
| INCREASED DERFORMANCE ANTE | NNAS |

INCREASED PERFORMANCE ANT

If you want the utmost in performance from your scanner, it is essential that you use an external antenna. We have a base and a mobile antenna specifically designed for receiving all bands. Order # A60 is a magnet mount mobile antenna and order #A70 is an all band base station antenna. Price is \$35.00 each plus \$3.00 for UPS shipping in the continental United States.

BUY WITH CONFIDENCE

To get the fastest delivery from CE of any scanner, send or phone your order directly to our Scanner Distribution Center." Be sure to calculate your price using the CE prices in this ad. Michigan residents please add 4% sales tax or supply your tax I.D. number. Written purchase orders are accepted from approved government agencies and most well rated firms at a 30% surcharge for net 30 billing. All sales are subject to availability, acceptance and verification. All sales on accessories are final. Prices, terms and specifications are subject to change without notice. All prices are in U.S. dollars. Out of stock items will be placed on back-order automatically unless CE is instructed differently. Minimum prepaid order \$35.00. Minimum purchase order \$200.00. Most products that we sell have a manufacturer's warranty. Free copies of warranties on these products are available prior to purchase by writing to CE. International orders are invited with a \$20.00 surcharge for special handling in addition to shipping charges. All shipments are F.O.B. Ann Arbor, Michigan. No COD's please. Noncertified and foreign checks require bank clearance.

Mail orders to: Communications Electronics, Box 1002, Ann Arbor, Michigan 48106 U.S.A. Add\$7.00 per scanner for U.P.S. ground shipping and handling in the continental U.S.A.
If you have a Visa or Master Card, you may call and place a credit card order. Order toll-free in the U.S. Dial 800-521-4414. In Canada, order toll-free by calling 800-265-4828. Telex anytime 810-223-2422. If you are outside the U.S. or in Michigan dial 313-973-8888. Order today.

Scanner Distribution Center* and CE logos are trademarks of Communications Electronics.**

**Bearcat is a federally registered trademark of Electra Company, a Division of Masco Corporation of Indiana.

**Regency* is a federally registered trademark of Regency Electronics Inc.

**AD #072583 Copyright °1983 Communications Electronics'







Consumer Products Division

818 Phoenix
Box 1002
Ann Arbor, Michigan 48106 U.S.A. Call toll-free 800-521-4414 or outside U. S.A. 313-973-8888

VIDEOGAMES

continued from page 12

An introductory screen depicts a large face of a mustached baker, complete with chef's hat, and pairs of cakes streaking along the bottom of the screen. When you turn on the game, the name of the cartridge and the CommaVid company logo appears at the upper left corner of the screen. That introductory screen comes back at the end of each game, displaying

The actual game begins with a press of the RESET button. Six rows of conveyor belts dominate the screen action. At the end of each conveyor is a small gap; on the other side of the gap is a shelf. The object of the game is to move the baker up and down the screen to each belt, where he transfers the cake or other pastry coming off the conveyor over to the shelf. If he fails to get to a pastry in time, it falls to the floor, and a cleanup man comes out and sweeps the mess away. To keep things interesting, pastries come at random, either singly or in groups of two and three, and at different speeds on each belt.

In defense of the oncoming cakes, you can stop one conveyor by positioning the baker at the end of that belt and pressing the action button on the controller. The belt turns red and stops for a few seconds, allowing you some time to catch up with the other cakes.

The cartridge contains 16 variations of this one-player game. Differences between versions lie for the most part in the speed of the cakes and the response speed of the baker to your joystick action. A few variations at the top-end feature tricky gingerbread men who move along the belts erratically.


What disappointed me most about, about this game is what I call the twodimensionality of the game play. I'm not talking about graphics-which, I'm sorry to say, are nothing special either—but about how the game plays. All the action is on the screen at once, and the action or thought demanded of the player is minimal. In other words, there is essentially no depth to the game.

Perhaps this level of game is what the very young and/or inexperienced go for. But there are so many other similarplaying games in the store racks with much better graphics and sound (sound that does more than chime a dull tone at the acquisition of each point) that you probably already own enough games of this type to take care of the occasional players in your household. And I am concerned that between each game, when the title screen reappears, the cartridge does not cycle through the colors to avoid burn-in on a color TV. There is also another potential problem: the cartridge may not work on the Colecovision 2600cartridge adapter—the sample we had did

Atari's Space Dungeon for Atari 5200



CIRCLE 102 ON FREE INFORMATION CARD



FOR THE POOR 5200 OWNERS WHO HAVE had to get by with only a handful of cartridges, let it be known that relief is on the way; the recent crop of Atari (1265 Borregas Ave., Sunnyvale, CA 94086) 5200 cartridges have been outstanding additions to the fledgling library. And I don't think I've come across a more challenging and purely addictive actionvideogame cartridge on any system to date than Space Dungeon,

One of the most unusual features of this game is that the player must use both iovsticks to control the action. The cartridge is packaged with a special plastic

brace that tries to hold both controllers steady while you concentrate your physical action on the joystick. Without going into the somewhat inane instruction manual explanation of what your screen character is doing, suffice it to say that you must move your character into as many of the 36 chambers on each level as possible.

Treasures are picked up by running over them. But you have to avoid or destroy all the enemies who can do you in on a second's notice. There are many kinds to watch out for.

The only time you gain the bonus point for picked-up treasure is when you fight your way into the chamber with the bonus square. Then, not only do you collect bonus, but you proceed to the next, more intensive level of 36 chambers. And so on-for more levels than I could reach. At levels two and up, a Thief is also in the game. The Thief's objective is to try to take away treasures while you try to col-


Controller action takes quite a while to get used to. One joystick controls the movement of your character within the chamber and through openings to adjacent chambers. The other joystick controls the firing direction of a powerful laser-type cannon. Unfortunately, you have only eight firing directions, so to aim at a rapidly oncoming enemy, you need to juggle the firing direction and movement of your character. That's not an easy task by any means because each joystick needs to go in opposite directions: moving away from the enemy, while firing toward the enemy.

Your progress through a level is monitored in a map of the level that depicts which chambers you've been in. That map also shows which chambers still have enemies lurking within; which one has the bonus portal to the next level, and where you dropped the treasure the last

time an enemy hit you.

The physical challenge of maneuvering two joysticks is trouble enough. When you add the very fast action on screen, you have one harried time keeping on top of the situation. Space Dungeon is an excellent example of the computer-quality games that the Atari 5200 is capable of. Let's hope Atari maintains the same level of quality in future 5200 offerings.

Where's Your ELECTRONICS Career Headed?



The Move You Make Today Can Shape Your Future

Yes it's your move. Whether on a chess board or in your career, you should plan each move carefully. In **electronics**, you can *move ahead* faster and further with a

B. S. DEGREE

Put professional knowledge and a COLLEGE DEGREE in your electronics career. Earn your degree through independent study at home, with Grantham College of Engineering. No commuting to class. Study at your own pace, while continuing your present job.

The accredited Grantham non-traditional degree program is intended for mature, fully employed workers who want to upgrade their careers . . . and who can successfully study electronics and supporting subjects through

INDEPENDENT STUDY, AT HOME

Free Details Available from:

Grantham College of Engineering 2500 South La Cienega Blvd. P. O. Box 35499 Los Angeles, CA 90035

Independent Home Study Can Prepare You

Study materials, carefully written by the Grantham staff for independent study at home, are supplied by the College, and your technical questions related to those materials and the lesson tests are promptly answered by the Grantham teaching staff.

Recognition and Quality Assurance

Grantham College of Engineering is accredited by the Accrediting Commission of the National Home Study Council.

We are located at 2500 S. LaCienega Blvd., Los Angeles, California, but for faster response please use our mailing address: P. O. Box 35499, Los Angeles, CA 90035.

| | College of Engine 35499, Los Angeles | - |
|---------------------------------------------------------------------------------------------|-----------------------------------------|-----|
| Please mail me your free catalog which explains your B.S. Degree independent-study program. | | |
| Name | | Age |
| Address | | |
| City | State | Zip |

Everybody's making money selling microcomputers. Somebody's going to make money servicing them.

Now NRI Trains You At Home To Make Money Servicing, Repairing, and Programming Personal and Small Business Computers





Training now includes either the TRS-80 Model 4 Microcomputer with *Disk Drive* or the TRS-80 Color Computer with Computer Access Card; professional LCD multimeter; the NRI Discovery Lab; and hundreds of demonstrations and experiments.

Seems like every time you turn around, somebody comes along with a new computer for home or business use. And what's made it all possible is the amazing microprocessor, the tiny little chip that's a computer in itself.

Using this new technology, the industry is offering compact, affordable computers that handle things like payrolls, billing, inventory, and other jobs for business of every size...perform household functions including budgeting, environmental systems control, indexing recipes. And thousands of hobbyists are already owners, experimenting and developing their own programs.

Growing Demand for Computer Technicians

This is only one of the growth factors influencing the increasing opportunities for qualified computer technicians. The U.S. Department of Labor projects over a 600% increase in job openings for the decade; most of them *new* jobs created by the expanding world of the computer.

(TRS-80 is a trademark of the Radio Shack division of Tandy Corp.)

Learn At Home to Service Any Computer

NRI can train you for this exciting, rewarding field. Train you at home to service not only microcomputers,

but word processors and data terminals, too. Train you at your convenience, with clearly written "bitesize" lessons that you do evenings or weekends, without going to classes or quitting your present job.

Your training is built around the latest model of the world's most popular computer. It's the amazing

TRS-80™ Model 4, now with disk drive and the capabilities and features to perform a host of personal and business functions. No other small computer has so much software available for it, no other is used and relied on by so many people. And it's yours to keep for personal and business use.

You get plenty of practical experience. Under NRI's carefully planned training, you even install a *disk drive*

as an alternative to the Model 4. The same technique for getting inside is enhanced by using the new NRI-developed Computer Access Card. Only NRI offers you a choice to fit your specific training needs.

Become the Complete Computer Person

In addition to training in BASIC and advanced machine language, you gain hands-on experience in the operation and application of the latest computers for both business and personal jobs. You're trained to become the fully rounded, new breed of technician who can interface with the operational, programming, and service facets of all of today's computers. You're ready to take your place in the new electronic age.

Other Opportunities

NRI has been giving ambitious people new electronic skills since 1914. Today's offerings also include TV/Audio/Video Systems servicing with training on our exclusive Heath/Zenith computer-programmable 25" diagonal color TV...Industrial Electronics, Design

Technology...and other state-of-the-art courses.



verifying its operation at each step. Using the NRI Discovery Lab® that also comes as part of your course, you build and study circuits ranging from the simplest to the most advanced. You analyze and troubleshoot using the professional 4-function LCD digital multimeter you keep to use later in your work. Then you use the lab and meter to actually access the interior of your computer...build special circuits and write programs to control them. You "see" your computer at work and demonstrate its power.

Same Training Available With Color Computer

NRI offers you the opportunity to train with the TRS-80 Color Computer

The Catalog is Free. The Training is Priceless.

Send the postage-paid card for our 104-page catalog showing all courses with equipment and complete lesson plans. There's no obligation other than to yourself. See how NRI can help you take advantage of the exciting job and earnings opportunities in the exploding field of microcomputers. If card has been removed, please write to us.



NRI SCHOOLS

McGraw-Hill Continuing Education Center 3939 Wisconsin Ave. Washington, DC 20016

We'll give you tomorrow.

Address your comments to: Letters, Radio-Electronics, 200 Park Avenue South, New York, NY 10003

RECEIVE-BOARD PROBLEM

Heathkit has found a problem with HERO's sonar receive board. It acts erratically within a few hours of operation. That is caused by noise-pickup from the logic supply.

Although they will upgrade HERO's under warranty, you can also do it yourself. Just replace the receive transducer wiring with a shielded cable. Be sure, however, to connect the shield to the uninsulated pin on the transducer. Finally, lift the P1101 plug above the circuit board.

MICHAEL A. TYBORSKI Application Engineer Greendale, WI

SPEAKER PROBLEMS

Having restored many old radios myself, I thoroughly enjoyed the article "How To Repair Antique Radios" in the March 1983 issue of Radio-Electronics.

We are a major reconing center with over 30 years' experience behind us. We would gladly help any of your readers with any speaker problems that they might have.

FRANK PETRONELLA Phoenix Electronics 1100 FM 1960 W. Houston, TX 77090

ON CHOOSING A PRINTER

I really must take exception to a number of items in Les Spindle's comments on choosing a printer ("Computer Corner," Radio-Electronics, March 1983). First of all, dividing printers into dot-matrix and impact is like dividing IC's into NAND gates and CMOS—not only do the categories overlap, they don't cover the entire topic.

"Impact" refers to the method of producing the image on the paper. In impact printing, an inked surface (normally a ribbon) and the paper are forced together at high speed, transferring the ink to the paper. All of the printers that Mr. Spindle talks about are impact printers.

There are also a number of non-impact printing technologies, the most common of which are thermal (using a specially treated paper that changes color when heated), Xerographic (the laser printers, which are very popular on large mainframe computers), and electrostatic (similar to Xerographic, but using specially treated paper and much simpler mechanism).

The main advantages of impact technologies are low cost and the ability to produce carbon copies. The disadvantages are lots of noise, lots of moving parts to wear out, and fairly low speed. The main advantages of non-impact technologies are high speed and low noise levels; the disadvantages are high cost and inability to make carbons.

Dot-matrix refers to the method of forming





No costly School. No commuting to class. The Original Home-Study course that prepares you for the FCC Radiotelephone license exam in your spare time! An FCC Government license is your "ticket" to thousands of exciting jobs in Communications. Radio & TV. Mobile two-way. Microwave. Computers. Radar, Aerospace and more. You don't need a college degree to qualify, but you do need an FCC License. No need to quit your job or go to school! You learn how to pass the FCC License exam at home at your own pace with this easy-to-understand, proven course. It's easy. fast and low cost! GUARANTEED PASS—You get your FCC License or money refunded. Write for free details. Soon you could be on your way to being one of the highest workers in the electronics field. Send for FREE facts now. MAIL COUPON TODAY!

COMMAND PRODUCTIONS

FCC LICENSE TRAINING, Dept. 90 P.O. Box 2223, San Francisco, CA 94126

Rush FREE facts on how I can get my FCC License in spare time. No obligation. No salesman will call.

NAME

ADDRESS

STATE___ZIP_

RADIO-ELECTRONICS

CIRCLE 14 ON FREE INFORMATION CARD

Here's why we're Number One.

True multi-family

performance:

DTL, TTL, CMOS

Or ECL†!

When it comes to logic probes, more people purchase Global Specialties! Because you can spend twice as much and not get the speed, precision, flexibility and accuracy offered by our four logically-priced probes—including our remarkable new 150 MHz ECL Probe. Not to mention the versatility, reliability and durability we've become famous for.

But we don't stop there. When it comes to logic testing, Global Specialties does the *complete* job. With our DP-1 auto-sensing digital signal injector—for fast, easy stimulus-response testing at an economical \$83.00*. Plus a line of multi-channel Logic Monitors that provide an inside picture of circuit activity at up to 40 nodes simultaneously. And each product has an idea-filled applications manual—as well as an unmatched line of highly-functional accessories, to extend its versatility still more.

With Global Specialties, there's no need to compromise on performance. Or *value*. Discover for yourself why we're the number-one logical choice!

Easy-to-use Memory and Pulse functions

Full readout indications—HI, LOW PULSE

Overload and AC-lineprotected highimpedance input Linear input impedance eliminates errors due to non-uniform loading

Complete line of interchangeable probe tips and grounding wires, including easy clip, banana plug, alligator clip jumpers and variety of power

cords


Interchangeable thinprofile power cords (instead of awkward, heavy or coiled cords)

Unsurpassed reliability performance proven

All specs conservative and guaranteed

Half the price for equal (or better) performance

Circuit-powered with reverse-voltage protection



Standard LP-1, only \$50.00*, with latching memory—captures pulses as fast as 50 nsec, to 10MHz, guaranteed

Economy LP-2, \$32.00*, guaranteed to 50 nsec, 1.5 MHz High-speed LP-3 with memory, only \$77.00*, guaranteed to 10 nsec (6 nsec, typical) and 50 MHz!

New ECL LP-4[†], \$150.00[†], the new industry standard—with memory, guaranteed to 4 nsec (2 nsec, typical) at 150 MHz! [†]LP-4 probe exclusively for use with ECL. For DTL, TTL or CMOS, select LP-1, -2 or -3.

Compact, high-impact, human-engineered case

70 Fulton Terr., New Haven, CT 06509 (203) 624-3103, TWX 710-465-1227 OTHER OFFICES: San Francisco (415) 648-0611, TWX 910-372-7992 Europe: Phone Saffron-Walden 0799-21682, TLX 817477 Canada: Len Finkler Ltd., Downsview, Ontario GLOBAL SPECIALTIES CORPORATION

Call toll-free for details
1-800-243-6077
During business hours

*Suggested U.S. resale. Prices, specifications subject to change without notice. © Copyright 1981 Global Specialties Corporation.

CIRCLE 10 ON FREE INFORMATION CARD

FOR THE MAN ON THE JOB. . .

Professional-grade instruments have: continuity beeper, diode test, transient protection and double fusing. UL Recognized test leads and a full line of optional accessories.

The **470**_{TM} is our new low-cost, full-function, hand-held DMM with 25 ranges, 0.15% basic accuracy, thumbwheel knobs, and a 2-way fold-out stand. The **467E** hand-portable DMM has 0.1% basic accuracy, peak hold, true RMS and 26 ranges. The **360 Series 3** digital VOM (with world famous 260® styling) has 0.1 basic accuracy, 28 ranges, bright LED display, rechargeable batteries.

These 3 new DMMs will join the family of 29 other UL Listed Simpson Instruments...available at leading electrical/electronics distributors worldwide.



SIMPSON ELECTRIC COMPANY

A Katy Industries, Inc. Subsidiary 853 Dundee Avenue, Elgin, IL 60120 (312) 697-2260 Telex 72-2416 Cable SIMELCO



CIRCLE 54 ON FREE INFORMATION CARD

characters. Dot-matrix printers form characters from an array of dots (usually 5 dots wide by 7 dots high, or 9 dots wide by 11 dots high). Formed-character printers (what Mr. Spindle calls "impact printers") have the complete set of characters fully formed (as you find on a typewriter). There are a few other methods of forming characters, but they are very rare. The main trade-offs between dot-matrix and formed-character printers are speed, print quality, and functionality. (Contrary to Mr. Spindle's assertion, noise level is a function of image technology, rather than of character technology.)

Dot-matrix printers are generally faster than formed-character printers. The print quality of formed-character printers is usually much higher, but some of the newer dot-matrix printers use overlapping dots, which results in a print quality that is nearly as good as that of formed-character printers.

An area that Mr. Spindle completely ignores is that of functionality. A formed-character printer can produce only characters which are in its formed set; a dot-matrix printer, however, has the capacity to produce any character which *can* be formed from its matrix—including complete pictures. (Those capabilities, programmable character sets and graphics capabilities, are usually offered as options.)

LAWRENCE J. JONES Cincinnati, OH

RADAR DETECTORS

Richard Kolasinski presented quite a few important pieces of information in his letter on radar detectors in the March 1983 Radio-Electronics, but it seems that he forgot to take all of his information to its logical conclusion.

If the "vast majority of drivers" are exceeding the speed limit "when they think they can get away with it," then obviously, the speed limit is too low. What isn't quite so obvious is that police officers, who are required to enforce artificially low speed limits, have their hands full, and end up ignoring the bad drivers — in effect, condoning their bad driving.

Want to put the radar-detector industry out of business, Mr. Kolasinski? Then help us get the speed limits back to reasonable levels. Maybe then we can all stop watching our speedometers and watch the road instead. DAVID BARNES

Cincinnati, OH

THE PROGRAMMA III

I thought I would let you know how much I enjoyed building the Programma III, and best of all the application and use of it. I was able to build it in 12 hours' time.


When I fired it up, I found one wiring error and one bad IC. The LM380N went up in smoke. The reason for that was that it went into oscillation (448 kHz) out of pin-8 output and couldn't handle the power dissipation. I cured the problem of oscillation by referring to the *National Linear Data Book*, page 10-42, note 4. If oscillation exists under some load conditions, add 2.7 ohm in series with pin 8. Thought I would let you know about that, in case someone else has the same problem.

All in all, it was a fine project and I loved it. I have learned more about IC's these past two weeks, using your Programma III, than in the previous 10 years. I have even fixed a way with the plugs to test op-amps.

GEORGE STEINER

Sacramento, CA

R-E



Now you can choose from the big, wide wonderful world of

ZENITH VIDEO/AUDIO ACCESSORIES

for the new sounds, new sights, and fun you may be missing

Today, with more of us tapping into our TVs for more than the news, sports, and the typical TV "shows" we are so familiar with, Zenith introduces a whole host of video accessories designed to access just about anything in the television spectrum.

First among these super-convenient TV accessories is the push-button Zenith Video Organizer that lets you switch from one program source to another — even lets you record — without the nuisance of changing connections manually.

Individually packaged and clearly labeled for cash-and-carry convenience at your Zenith dealer's are such TV accessories as dust covers, video tape ID kits, cassette storage modules, signal splitters, attenuators, terminators, A-B switches, "F," mini and other types of plugs and jacks in virtually any combination...plus cables in a variety of lengths, each with gold electroplated connectors.

Also included in this, the biggest, broadest-ever Zenith line of video, audio and telephone accessories, are indoor and outdoor antennas...super lightweight stereophones...and 2- and 3-prong Zenith Spike Suppressors to protect the TVs, home appliances, and solid-state electronics in your home from damaging high-voltage surges the year-around.

Make the most of TV's new potential. With video/audio accessories bearing TV's best known name for reliability. They're at your Zenith dealer's now. Go see!



The quality goes in before the name goes on.®

Zenith Radio Corporation Service, Parts & Accessories Division 11000 Seymour Avenue Franklin Park, Illinois 60131



EQUIPMENT REPORTS

1653/1655

B&K-Dynascan Models 1653 and 1655 Variable **Voltage Supplies**



B&K

OVERALL PRICE

INSTRUCTION MANUAL

PRICE VALUE

CIRCLE 103 ON FREE INFORMATION CARD

WE'VE FELT FOR A LONG TIME THAT ONE of the most useful pieces of test equipment for servicing TV sets is the variable-

voltage transformer (Variac). Now, B&K-Dynascan (6460) West Cortland Street, Chicago, IL 60635) has come up

with a couple of units that are even better. Those are their model 1653 and 1655 (shown) isolated variable-voltage supplies. The advantage that those have over a standard Variac is that they also isolate hot-chassis sets. That's essential considering that so many modern TV sets use full-wave bridges right across the AC line. A chassis like that is hot to everything, (including your test instrument!) so an isolation transformer is necessary for safe servicing.

The difference between the two models lies in their current ratings, and the inclusion of some extras on the 1655. The 1653 has a 2-amp current rating, ample for practically all TV sets. The 1655 has a 4-amp rating, and also has a variable voltage soldering-iron outlet on the back. With that, you can keep the iron hot enough to work, yet cool enough to save tips.

One source for thousands of VCR parts.

RCA VCR parts are available from more than 600 authorized RCA parts distributors. See your local RCA distributor for RCA's new VCR parts kits they're easy to use and reuse. Each package has a handy slide top — and features detailed cross-references to other manufacturers' model numbers and stock numbers.

One more thing. Kit prices are lower than the total cost of the individual parts. So see your RCA distributor today. Also ask for a copy of the VCR Parts Cross Reference of more than 8000 VCR parts (Form 1F6627) and VCR Tool Catalog (Form 1F6857). Or write: RCA Distributor and Special Products Division, 2000 Clements Bridge Road, Deptford, NJ 08096.




Service more than 95 RCA and other brand models with these VCR Parts Kits:

199094 and 199095 Belt Kits, 199096 Lamp Kit, 199097 Fuse Kit, 199300 IC Kit

REAL VCR Parts

24



What if there were a faster way to build and test circuits?

There is, Circuit-Strip from A.P. PRODUCTS makes circuit building a snap, giving you more time to experiment, to create. With a Circuit-Strip solderless breadboard, all you have to do is plug in components and interconnect them with ordinary #22 AWG solid hook-up wire. If you want to make a circuit change, just unplug the components involved and start over. It's just that easy. Circuit-Strips feature 610 plug-in tie-points and have a capacity of up to 6 14-pin DIPs. Four separate distribution buses of 35 tie-points each give you access for power, ground or signal.

What if it were easier to identify tie-point locations in a circuit?

It is. C rcuit-Strip has a moldedin alpha-numeric grid for instant identification of every tiepoint. Schematics can be labeled with each tie-point location to make circuit building faster and troubleshooting easier Circuit-Strip is ideal for electronic training programs as well as laboratory use.

What if Circuit-Strip had a new low price?

It does. Circuit-Strip now carries a suggested resale price of only \$12. That means that the best tool for the job now has the best price ever.

What if you need more information?

That's easy, too. Just call toll free 800-321-9668 for the name of the distributor near you. (n Ohio, call collect (216) 354-2101.)



ericantadiohistory.com



AP PRODUCTS INCORPORATED 9450 Pineneedle Dr. • Box 540 Mentor, Ohio 44061-0540 [216] 354-2101 TWX: 810-425-2250

In Europe, contact A P FRIDDUCTS GmbH Baeumlesweg 21 D-70G1 Weil 1 • West Germany Phone: [07157 62424 TLX: 841 07 23384

CIRCLE 56 ON FREE INFORMATION CARD

measures voltage and current. The meter's function is selected by pushbutton switches. On the 1653, the meter measures voltages when the button is in, current when it is out. The 1655 has separate pushbuttons for voltage, two current ranges (0-2 and 0-4 amps), and a special leakage test for checking the isolation of any exposed metal parts to either the ground side of the line or to the hot side. The test probe for that last function is permanently connected; all you have to do is pick up the probe, push the button and you're ready. Leakage is read on the meter in microamps. Incidently, if you read more than 500 microamps, some-

Both units have a front-panel meter that

thing is definitely wrong in the set! That is the standard maximum value specified by OSHA, UL and CSA. Some makers specify even a lower limit for greater safety.

As we mentioned earlier, you need an isolation transformer when working with hot-chassis sets. Both of the B&K units have very high isolation (leakage less than 0.1 mA). There is one isolated outlet on the 1653, and two on the 1655. However, the manufacturer warns against plugging two hot-chassis sets into the 1655 at the same time. There is always a chance that the two will be hot to one another, and cause damage to something.

The load current can be accurately read with either unit. That is useful for such things as checking for nuisance tripping of circuit breakers. To do that, check the rating of the breaker in the service data, then plug it in and bring up the current slowly to see if the breaker is tripping too fast. That isn't at all uncommon, and it can lead you to unnecessary testing to find out if the set has too much leakage, etc. If, for instance, the breaker is rated 1.9 amps, but trips at only 1.5 amps, it's obviously bad.

Sets with problems that show up only with high or low line-voltage can be checked instantly. (Those are the ones that work fine in the shop, but act up as soon as they are taken home.) High linevoltage should be suspected if the set has a history of blowing out output transistors, etc. To assure yourself that the set will work fine at low (105-volts AC) or high (125-volts AC) line-voltages, simply use either device to check operation at the extremes.

The standard use for devices such as those is to raise the line voltage slowly enough to allow you to perform some tests on the set before blowing out the output transistor, etc. Be sure to watch the line current while doing that. The normal load current is provided on the schematic (or should be!)

The units' meter is very accurate; we checked readings against a very accurate DVM and found them to be right on the button. They claim an accuracy of $\pm 5\%$ full scale, but our tests showed it to be even better than that.

In all, then, those are versatile, useful instruments that make servicing safer for the set and yourself. They are also well made. As evidence of that, one of the ones sent for review had been badly mishandled by the shipping company—the front panel, as well as the shaft of the Variac control, had been bent. For curiosity's sake we tried it out before sending it back for adjustment. It worked perfectly.

The model 1653 carries a suggested list price of \$165; the model 1655 carries a suggested list price of \$350. R-E

continued on page 30

IT'S HERE

IT'S FREE . . .



AND IT'S YOURS!

Consolidated Electronics has a catalog that's sure to please you. We've slashed 80% of our prices in this catalog. We at CEI are so sure that you'll find our quality parts dependable that we've put a TWO YEAR WARRANTY on everything. Not only that, CEI is offering FREE shipping and handling. Just call us TOLL FREE for details.

CALL TOLL FREE TODAY! 1-800-543-3568 1-800-762-3412

NATIONAL WATS

705 WATERVLIET AVE., DAYTON, OHIO, 45420 IN DAYTON • (513) 252-5662


TELEX NO. 288-229



"If you think that's bad, you should try turning it on when it's plugged in!'

26

RCA'S REPLACEMENT OF THE EDEC



The newest book in the MRO Series! Over 3000 RCA devices replace 9500 JEDEC and commercial types.

RCA's galaxy of MRO devices makes your world an easier place to work. Our new Industrial/MRO Guide is your one solid state replacement source for everything you'll need on maintenance and repair jobs. And it's bigger and better than ever.

We've added 32 extra pages, and a combined Index/Cross Reference section with four separate columns: product type, device ID code, device to use, and page number for abbreviated device specs. You need look in only one place in the Guide to

determine which RCA device will best fulfill your MRO requirements. There is even a special section on High Reliability Devices.

The RCA Industrial/MRO Guide, #1K7304. One source for all your JEDEC and commercial replacements. For your copy, see your local RCA Industrial/MRO distributor. Or write: Sales Promotion Services, RCA Distributor and Special Products Division, 2000 Clements Bridge Road, Deptford, NJ 08096. And may the source be with you!



MITACHI

KEITHLEY



ton-Linear System

HICKOK

TRIPLET

WESTON

DATA PRECISION

PHILIPS

PRECISION



LEADER



VIZ no

Non-Linear Systems, Inc. **OSCILLOSCOPES**

MS15 15 MHz M\$215 15 MHz MS230 30 MHz

Single Trace Dual Trace Dual Trace



Non-Linear Systems' trio of miniscopes are accurate, affordable, portable. And there's one to match nearly every budget and need. Standard features on all models include an input impedance of 1 megohm-with 50 pF; maximum input voltage of 350 V; trigger modes in auto, internal, external and line; slope that's + or selectable; graticule (4×5 division of 0.25" each); dual power sources operating either internally from rechargable lead acid batteries or externally from 115 VAC or 230 VAC (50-60 Hz) via plug-in transformer; handy size (2.9" $H \times 6.4$ " $W \times 8.0$ "D) and weighs just 3 lbs.*

(Exception: model MS-230 is slightly deeper, at 8.6", and heavier, at 3.6 lbs.)

PRECISION

POWER SUPPLIES



MODE

MODEL 1650

- Functions as three separate suppl-
- · Exclusive tracking circuit
- Fixed output 5VDC 5A
- Two 0 to 25VDC outputs at 0.5A
- Fully automatic, current-limited overload protection

BECKMAN'S CIRCUITMATE

AVAILABLE NOW UNDER \$100

Circultmate DM 40 - 31/2 - digit multimeter 0.8% Vdc accuracy, diode test, autopolarity, auto-zero, auto-decimal

Circuitmate DM 45 - 31/2 - digit multimeter: 0.5% Vdc accuracy. diode test, continuity beeper, 10 amps AC and DC ranges, autozero, auto-polarity, auto-decimal



PRECISION

able current limit

Isolated 0-50VDC, continuous variable; 0-2A in four ranges

Fully automatic shutdown, adjust-

Perfect for solid state servicing

\$29995 WAS \$359.

FUNCTION GENERATORS



Sine, square and triangle output

Variable and fixed TTL outputs

Push button range and function selection

Typical sine wave distortion under 0.5% from 1 Hz to 100kHz

0.1 Hz to 1MHz in six ranges

MODEL 3010

3010

MODEL \$17095

WAS \$229.

MODEL \$31995 3020 WAS \$394.

SWEEP FUNCTION MODEL 3020

- Four instruments in one packagesweep generator, function generator, pulse generator, tone-burst generator
- ... Covers 0.02Hz-2MHz
- 1000:1 tuning range Low-distortion high-accuracy outputs

PRECISION

CAPACITANCE METERS



\$18995

WAS \$238.





- Automatically measures capacitance from 0.1pF to 200mF
- 0.1pF resolution
- 0.2% basic accuracy
- 31/2-digit LCD display



- Resolves to 0.1pF
- 4 digit easy-to-read LED display
- Fuse protected against charged capacitors
- Overrange indication

BECKMAN DIGITAL MULTIMETERS



320 310 330 360

350 ALL IN STOCK

CALL FOR PRICES

ORDERING NFORMATION

We don't just take orders, we ship them Advance Electronics endeavors to keep everything we advertise in stock for

immediate delivery.




■ Mastercharge & Visa shipped within 24 hours.

- Bank checks or Money Orders shipped within 24 hours.
- Personal checks please allow 3 weeks for check to clear.
- All prices plus shipping charges. Please call for appropriate charges. Use our toll free number.
- New York State residents add appropriate sales tax
- PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

Quantities are limited

VIZ REA



HICKOK

WESTON

DATA PRECISION

KEITHLEY





TRIPLETT




PHILIPS

LEADER

Dual Trace w/Delay

Price does not include probes. Probes \$50. a pair when purchased with scope. \$10 shipping within continental U.S.



BK PRECISIUA

MODEL 302F

All Hitachi Oscilloscopes feature 2 year parts and labor warranty

WE CARRY A FULL LINE OF HITACHI OSCILLOSCOPES

CALL FOR **OUR PRICES**



INDUSTRIAL TRANSISTOR



TESTER

WAS \$249. MODEL

- 520B ■ Now with HI/LO Drive
- Works in-circuit when others won't
- Identifies all three transistor leads
- Random lead connection
- Audibly and visually indicates GOOD transistor

FEATURES

- 1 mV/div high sensitivity design. Effective for measurement of weak signals.
- Employs TV sync separator circuitry with one touch synchronization of both TV horizontal and vertical signals.
- Built-in signal delay line enables front observation of fast rising waves.



41/2 DIGIT MULTIMETERS

MODEL 8060A

Frequency measurements to 200KHz

- dB measurements
- Basic dc accuracy 0.04%; 10 aV, 10 nA and 10 m Ω sensitivity,
- Relative measurements
- True RMS

High-speed

Beeper

\$34900

Continuity and relative reference functions identical to 8060A.

MODEL 8062A

- True RMS measurements to 30 kHz.
- Basic dc accuracy 0.05%; 10 μ V, 10 nA and 10 m Ω sensitivity.
- Beeper

\$27900

AVAILABLE FOR IMMEDIATE DELIVERY

Circle Reader Service 7 for more information

THE TEST EQUIPMENT SPECIALISTS



TOLL FREE HOT LINE 800-223-0474

26 WEST 46th STREET, NEW YORK, N.Y. 10036-212-730-7030

ADVANCE ELECTRONIC:

30



EQUIPMENT REPORTS


continued from page 26


Finger Print Control Module for Epson Printers

some of the more popular printers, such as the the Epson MX-80/MX-100 printers and their clones—such as the printer for the IBM PC—have extended software-programmable "fonts" (print styles). They include 10 (standard) pitch, 16.5 (compressed) pitch, expanded size, italics, double strike, enhanced printing, or almost any possible combination of type styles. For example, it's possible to have the Epson print enhanced, expanded, italics in either pitch.

Unfortunately, the printers' features are software driven by control codes from within the program or by a direct statement (command) from BASIC, such as "LPRINT CHR\$(27)'P'." While some software, such as word-processing software, makes provision for a few printer codes, other software doesn't. Even the few non word-processors that permit initial printer-setup codes rarely allow the user to change the setup once the printing is under way.

That's where Finger Print from Dresselhaus Computer Products (PO Box 929,





Azuza, CA 91702) comes in. It is a user-installed retrofit device for the Epson (and similar) printers that allows many of the most commonly used print functions to be pre-programmed by simply touching the printer's control buttons—the three buttons located on the top of the printer which normally place the printer on/off line, formfeed (FF) the paper, and linefeed (LF) the paper.

With Finger Print, the user can select the setup function(s) before printing starts, and even change the setup during the run. If the software can't be programmed to stop the printer for a change in setup (type style), the printer can be stopped with its own on/off line switch, the new setup can be programmed in, and

the printer restarted. Finger Print provides either nine or ten functions, depending on whether the Epson printer has Graftrax or Graftrax-Plus. If the printer has Graftrax Plus the functions are: 1: RESET (clears all setuprestores printer to normal power-up state, and flushes the printer's own buffer); 2: COMPRESSED PRINT (16.5 characters-perinch); 3: DOUBLE WIDE (does not automatically cancel at the end of the print line); 4: EMPHASIZED (creates bold print), 5: DOUBLE STRIKE creates super-bold printing when used with EMPHASIZED command or it can be combined with COMPRESSED PRINT for enhanced "micro type"); 6: PERFORATION SKIPOVER (when printing near the bottom of the page the printing automatically skips over the perforations of tractor-fed paper); 7: INDENT (indents left margin six spaces so printouts can be punched and put into binders



DON'T FORGET



USE YOUR READER SERVICE CARD

CIRCLE 82 ON FREE INFORMATION CARD



1355 SHOREWAY ROAD **BELMONT, CA 94002**

One-Stop Component Center

• Quality Components • Over 650 Items Available From Our 700

Competitive Prices

Authorized JIM-PAK Distributors

Send Self-Addressed Stamped Envelope for 1983 Catalog and Distributor List



BUG TRAYTM — Stores in Bug Cage • Molded plastic • Three styles: Open (1 compartment); Vertical (5 compartments); and Horizontal (8 compartments) • Ideal for tools, hardware, components, etc. • Color: Black • Size: 3.55" x 5.05" x .6".

| PART NO. | |
|---------------------------------|---|
| Horizontal Bug Tray (2) BTH-002 | |
| Vertical Bug Tray (2) BTV-002 | |
| Open Tray (2) | 0 |

DATA BOOKS

| _ | | 200 |
|----------|-------------------------------|-----|
| Part No. | Description Pages | |
| 30001 | National CMDS (628 pg.) | |
| 30003 | National Linear (1952 pg.) | |
| 30005 | National TTL Logic (624 pg.) | |
| 30008 | National Memory (464 pg.) | и |
| 30009 | Intersil Data (1356 pg.) | 1 |
| 30013 | Zilog Micro (641 pg.) | 1 |
| 10400 | Intel Data (1405 pg.) | |
| | | |



CONNECTORS



| g Pin Plug | DEST |
|----------------------------------|--------|
| 9 Pin Socket | DE9S |
| 15 Pin Plug | |
| 15 Pin Socket | DA15\$ |
| 25 Pin Plug (Meets RS232) | DB25F |
| 25 Pin Socket (Meets RS232) | DB258 |
| 37 Pin Plug | DC37P |
| 37 Pin Socket | |
| 50 Pin Plug | DD50P |
| 50 Pin Socket | |
| Accessories | |
| Hood for DE-9 Series Connectors | DE-9H |
| Hood for DA-15 Series Connectors | DE-15H |
| Hood for DB25 Series Connectors | DB25H |
| Hood for DC37 Series Connectors | 0B37H |
| Hood for DD50 Series Connectors | DD50H |

BUG CAGE

New!



BUG CAGETM — 6 locations store Bug Boxes, Big Bug Boxes or Bug Trays • Modular & interlock-ing • Cage size: 5-1/8"x5"x3-7/8" • Color: Blue

| PART NO. | . BGC-001B |
|----------|----------------|
| PARTINO. | . DGG-UUID |

LSI BIG BUG BOXTM — Designed to store large IC's, Resistors, Capacitors and Diodes • Three vertical and three horizontal dividers included • Color: Blue • Size: 4.9" x 3.3" x .6".


PART NO. BLX-002B (2 Boxes)

ANTI-STATIC

PART NO. BLX-002BAS (2 Boxes)

JE224 Adjustable Switching **Power Supply Kit**

4-24VDC REGULATED, UP TO 5AMP



The JE224 is a high-efficiency power supply utilizing a LH1605 5 amp switching regulator. The LH1605 provides high current output while maintaining a small physical configuration. Open frame type to allow mounting into restricted areas

FEATURES: Adjustable 4-24VDC: 5VDC @ 5A, 6VDC @ 4.8A, 9VDC @ 4.1A, 12VDC @ 3.3A, 18VDC @ 1.9A, 24VDC @ .5A. Overvoltage protection. Input: 115VAC 50/60Hz. Output variations within 20mV. Size: 8.24"L x 4.25 "W x 2.25 "H. Weight: 3.25 lbs.

PART NO. JE224 KIT

BUG BOX

New!



BUG BOXTM — 30 individual compartments
• Stores 60 8-pin or 30 14- or 16-pin DIPs • Heavy duty
injection molded plastic • Clear plastic cover slides &
locks • Cover marked w/numbers 1-30 • Compartment
size: 1″ x 3.75″ x .5″ deep • Box size: 4.9″ x 3.3″ x .6″
• Weight: 1.75 oz. • Color: Blue

| PART NO | BGX-002B (2 Boxes) |
|---------|--------------------|
|---------|--------------------|

- ANTI-STATIC

PART NO. BGX-002BAS (2 Boxes)

JOYSTICKS





| JS-5K | 5K Linear Taper Pots |
|---------|----------------------------------|
| JS-100K | |
| JS-150K | |
| JVC-40 | 40K (2) Video Controller in case |

Muffin-Style Fan



- 105cfm free air delivery 4.68" sq. x 1.50" depth
- 10 years continuous duty at 20 °C
- Impedance protected,
- ambients to 70 °C
- 115V 50/60Hz 14W

PART NO. . . . MU2A1

Sprite-Style Fan

36cfm free air delivery

• 3.125" sq. x 1.665" depth

• 10 years continuous duty at 20°C

115V 50/60Hz

PART NO. . . PWS2107

Anti-Theft Auto Alarm System

Affil-Helt Autu Adali Systelli Autuber Auführen sonnt Schaffen auch von der Schaffen auch von der Autuber Autuber Autuber Autuber Autuber Auführen auch Von der Auführen auch Von der Autuber Auführen auch Von der Auführen auch Vo



Stereo Cassette Player with FM Stereo Tuner Pack

- Lightweight Headphones Cr02/Metal/Normal
- **Tape Selector** Anti-Rolling Mechanism

FEATURES: • Blue carrying case, shoulder strap, belt strap, lightweight headphones, FM stereo tuner pack & instruction manual • Talkline • Tone selector • Cr02/Metal/Normal tape selector • LED operation indicator • Built-in microphone • Stop/eject, play, rewind/review, fast forward/cue, tape/radio selector functions • Vol. control • Ext. power input jack • Headphone jack • Auto-stop mechanism (shuts off player when tape ends) • Anti-folling mechanism (prevents sound from quivering when walking, jogging, etc.) • Weight: 13 oz. • Requires 4 AA batteries (not included) • Size: 6"L x 4"W x 1-1/8"H

PART NO. MODEL TWF-802



HEAT SINKS KEYBOARDS WIRE

SPEAKERS TOOLS CORDS SOLDER IC'S

BOOKS CAPACITORS and more...



Door Security System

Coded door alarm. • Instant or 7-second delay stem. • Alarm activated as door is opened. Can be de-activated by pressing personal code.
 Power: One 9V battery (not incl.).
 System includes one personal coded keyboard and one magnetic sensor.

PART NO. . . ES-07 Door Alarm

Home Alarm System

• Self-Installation • Presettable w/Individual 3-digit code — no key nec. • Instant or 10-sec. delayed warning system • Alarm system incl. window & door contacts • One 9V battery required (not Incl.) Low power consumption (0.01mA) • Loud audible alarm (90db) • Delayed exit feature • System complete w/one control station with built-in siren and test button; 4 magnetic contact sets & connecting wires for entire system

PART NO. ST-05 Home Alarm System



Mini Stereo UTIC AM/FM Receiver

WITH HEADPHONES For Joggers, Cyclists, Skaters & Sports Events

FEATURES: Lightweight headphones. Left/right balance control. Full fidelity stereo sound. Additional black soft carrying case & shoulder strap. Belt-clip (hands-free). Uses 3 AA cell batteries (not included). Compact size: 3-1/8"H x 4-7/8"L x 1"D. Wt. 6 oz.

PART NO.

..... MODEL 2830

31

www.americanradiohistory.com

without obscuring part of the copy); 8: EIGHT LINES-PER-INCH (normal is 6 linesper-inch); 9: ITALICS; 10: FINE PRINT (about 5-point size—sets superscript mode and 12 lines-per-inch). Function 10 isn't implemented on *Graftrax* models.

Using the module

The Finger Print functions are entered through the three control buttons on the top of the printer, which retain their normal functions of on/off line, formfeed, and linefeed. If the ON LINE button is held down for about a second, the printer's "bell" beeps to tell the user that the printer is now in the "Finger Print" mode. The beep counts as one entry, or RESET, which clears the printer and flushes its buffer. To indent the left margin, which is function 7, the user presses the ONLINE button for six more beeps (for a total of 7). Pressing the printer's FF button programs the command into the printer. Additional functions such as double-wide, enhanced italics, the perforation skipover can be "stacked." When the Finger Print functions are programmed, pressing the LF (linefeed) button resets the printer controls back into normal operation.

Any part of the setup can be changed whenever the printer is stopped. A function is eliminated by simply "beeping" the appropriate number of times. For example, if you entered three beeps to turn on the double-wide printing, entering

three more beeps will turn it off. Similarly, if the indent was turned on with 7 beeps, 7 beeps will turn it off.

Finger Print is completely hardware driven. It consists of a small printedcircuit module that is user-installed within the Epson printer as a substitute for the IC normally located in socket 1B. The retrofit requires no soldering or cutting of existing printed-circuit foils. First, the cover is removed, then the IC is removed from the 1B socket and installed in a matching socket on the Finger Print module. Next, the module is plugged into the printer's 1B socket. A small clip terminal is slipped on an IC lead that has been bent outward, and a miniclip is slipped over the terminal of another IC within the printer. The whole installation from beginning to end takes about 10 minutes, 15 if you're extra careful.

It's a simple task for someone with just a minimum of electronic assembly experience, but if you're not used to close-quarter assembly have someone else do it. Actually, a Radio-Electronics reader should have no problems because the documentation—the assembly and use manual—is outstanding; possibly the best in the entire computer industry. It is typeset, printed on coated stock with photographic reproductions and line artwork exceeding the quality you would expect to find in a professional photographic magazine. And all this is topped off with su-

perbly written installation instructions that leaves nothing to chance or any danger of misinterpretation.

An equally well-prepared selfadhering metallic label that lists the *Fin*ger *Print* function "beep" commands is supplied for the front panel of the printer.

As far as gadgets for personal computers are concerned, *Finger Print* is one of the best and most reliable accessory devices we have used, installed, or serviced. The printed-circuit module doesn't look like much, but it does one heck of a job.

Finger Print is available by direct mail from Dresselhaus Computer Products for \$59.95. It is also sold by some local computer dealers. A call to Dresselhaus will get you the name of the nearest store. R-E

Global Specialties Model 6000 Frequency Counter

FOR MANY YEARS, A FREQUENCY COUnter was considered a luxury. However, because counters are so versatile—even for the hobbyist or radio amateur—and because their prices have fallen to reasonable levels, the frequency counter has become more of a necessity than a luxury. One instrument we examined recently was the model 6000 from Global Specialties Corporation (70 Fulton Terrace, New Haven CT 06509). That counter, with a frequency-measurement range

Now 27 choices! Free, free, free...



Hurry, hurry, step right up! It's RCA's Carnival of Awards. And what a lineup of acts. First, the headliners: RCA receiving tubes, very popular with TV technicians for their top performance and dependability.

Plus, a stupendous carnival of valuable awards. Shown here are just a few of the 27 great gifts waiting for you. To earn them, just purchase RCA receiving tubes in required quantities from your participating RCA distributor. Each purchase helps qualify you for the award of your choice. See your participating RCA distributor for details. And come one, come all to RCA's Carnival of Awards!

from 5 Hz to 650 MHz, is housed in a neat, compact plastic case. It has a large (0.43 inch) 8-digit LED display across the top of the panel. The display is easy to read, even in high ambient light, due to its contrast-enhancement filter.

While there is no need for a range switch, there are two BNC input jacks on the panel. The A INPUT jack is used for frequency inputs from 5 Hz up to 100 MHz; the B INPUT jack is used for inputs from 40 MHz up to 650 MHz.

The 8-digit display reads out the frequency in kHz. For example, a frequency continued on page 38



CIRCLE 69 ON FREE INFORMATION CARD

with your purchase of RCA Receiving Tubes!



CG7170 RAY-O-VAC "Magnum" 5-Function Light Value: \$27.45

> CG7178 Waring Ice Cream Parlo Value: \$44.99



CG7163
Cobra Cordless
Extension Phone



CG7164 Wittnauer "Saturn" Man's Quartz Watch Value: \$175.00



CG7169 Skil Cordless Screwdriver Value: \$39.99

CG7167
American Tourister
5 Inch Attache Case
Value: \$56.00

CG7180
London Fog
Man's Raincoalt
Value: \$150.00

CG7162 Canon Palm-sized Printing Calculator Value: \$64.95



CG7168 Skil Double Insulated 71/4" Power Saw Value: \$65.99

Receiving Tubes

RCA Distributor and Special Products Division, Deptford, NJ 08096

NTS Intronic Training is a carefully developed Learn Robotics, and tested learning system providing a tho-Microcomputers, Microprocessors, Digital Video, Test
Equipment and more
with NTS INTRONIC™home training. Courses include state-of-the-art equipment, lessons and texts to make your hands-on programs exciting and down-to-earth practical.

HERO 1 is included in two courses, one basic and one advanced. You'll cover principles of industrial electronics, microprocessor troubleshooting, fundamentals of mechanics, and robotic applications in industry. You'll learn analog and digital skills, radio control, fluidic, pneumatic and servo-mechanisms. as well as computer interfacing and robotic programming. HERO 1, complete with arm, gripper and speech synthesis board, is a fully self-contained electro-mechanical robot—the featured unit in the most exciting training programs ever offered in home study.



rough intergration of advanced electronic

hardware with modern lesson texts. The relationship between theory and practical

applications is made clear through the

hands-on experience of building and assembling kits of state-of-the-art equipment. Courses include a wide variety of test instruments, both digital and analog, as well as other units not shown here. And, depending on

> the NTS program you select, you can earn up to 30 CEU credits for successful completion. Our fullcolor catalog has complete

> > details. NTS has taught industrial skills for over

FIRST WITH TOMORROW'S

1.

TECHNOLOGY

1. Advanced "Z Chassis" NTS/HEATH "Smart Set" with computer space command remote control and space phone. Originate or receive telephone calls through this set and the number appears on the screen-store your police and other emergency numbers into memory which may be recalled and auto-dialed at any time. Traditional and incomparable picture quality. Unit has Quartz Controlled Tuning, 178 channel capacity, remote antenna switch accessory for reception of VCR, VDR, Broadcast, Cable, Video Games, and Personal Computer Input (no cable change) plus computer- controlled color. Featured 2 in all-new Video Technology Course.

2. NTS/HEATH HN89A Microcomputer is included in two programs. This famous and reliable unit features Floppy Disc Drive, 48K Memory on Board, CRT Terminal with its own Z-80 Processor, and standard keyboard as well as Numerical Input Keyboard. The growing importance of computer knowledge and skills have made these programs increasingly significant. The experience

gained in assembling these kits is invaluable in the understanding of computer troubleshooting skills. 3. NTS Microprocessor Trainer is included in our Industrial and Microprocessor Technology Course. It is a portable unit, contained in

a convenient high-impact carrying case. Hardware/ Firmware includes Monitor Operating System-Expandable User Memory-User Experimental On-Board Section-Breakpoint Editor-Single Step Trace-

Cassette I/O.

NO OBLIGATION

NO SALESMAN WILL CALL



TECHNICAL TRADE TRAINING SINCE 1905 Resident and Home-Study Schools 4000 So. Figueroa St., Los Angeles, CA 90037

3. Use the mail-in card or fill out and mall the coupon, indicate the field of your choice. (One, only please.) FREE full color catalog will be sent to you by return mail.

Simulated TV Reception

12:01:36

| NATIONAL TECHNICAL SCHOOLS Dept. 206-103 4000 South Figueroa Street, Los Angeles, CA 90037 Please send FREE color catalog on course checked below: | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--|--|
| ☐ Robotics ☐ Digital Electronics ☐ Video Technology ☐ Auto Mechanics ☐ Home Appliances ☐ Air Conditioning/Solar Heating | | | |
| Name | Age | | |
| Apt City | | | |
| StateZipZipZipZip | | | |
| ☐ Check if interested ONLY in classroom training in Los Angeles | | | |
| | | | |



CIRCLE 71 ON FREE INFORMATION CARD

☐ Build Your Own Satellite TV Receiver

☐ TV Descrambler (January, February 1981)

☐ Radio-Electronics back issues (1983)

(January, February 1983 not available)

□ 8-Balt Satellite TV Antenna

Write in issues desired_

Build Your Own Robot.

EQUIPMENT REPORTS

continued from page 33

of 624 MHz would be shown as 624000.00 kHz. (Decimal point placement is automatic.) Two red LED's at the left of the display indicate GATE OPEN and OVERFLOW.

Controls

There are four "push-push" controls across the bottom of the panel, more or less under the display. First is the power switch, which is marked STANDBY/ON. (No pilot light is necessary because when the 6000 is on, the display is lighted.) The STANDBY position is used in the similar model 6500. That model has a crystal oven that is kept running even when the rest of the circuitry is off. The standard model 6000 has a temperaturecompensated crystal oscillator (often called TCXO), with a 3.579545 MHz crystal. The TCXO uses special components to minimize the effect of temperature on the crystal frequency. It has a rating of ± 1 ppm at 40°C ambient, and ages less than 4 ppm/year. The model 6500 has a temperature-controlled crystal oven that keeps the crystal at a constant temperature and gives the oscillator a rating of 0.1 ppm from 10-40°C, and an aging rate of less than 1 ppm/year.

REPRINT

☐ Special Projects (Spring 1981)

Special Projects #4 (Summer 1982)

☐ Special Projects #6 (Spring 1983)

☐ Special Projects #5 (Winter 1983)

☐ Radio-Electronics Annual 1983

☐ How to Make PC Boards.

All About Kits

BOOKSTORE

\$4.00

\$3.00

\$3.00

\$2.50

\$2.00

\$2.00

The GATE/SECONDS control will set gate times of 0.1, 1.0, and 10.0 seconds; a red LED lights to show which one is in use. Next to the gate control is the INPUT SELECT button, which chooses between the two inputs. Again, LED's show which is in use.

For low-frequency readings (only on the A input), a lowpass filter can be switched into the input circuit simply by pressing the LOWPASS FILTER button. That filter makes it easier to make lowfrequency readings in noisy (high-RF) environments. The filter response is flat up to 30 kHz. Above that, the input sensitivity is reduced by 3-dB-peroctave. That control also has a red LED indicator to show that it is in use.

The A input has a high input impedance (1 megohm) and an input capacitance of 25 pF. The sensitivity of that input is 10 millivolts RMS at the low-frequency end, rising to 40 mV at 50 MHz. The B input has a load impedance of 50 ohms, to match common transmission lines. Its sensitivity is 50 mV RMS at 40 MHz, rising to 150V RMS at 600 MHz. The maximum allowable input voltage is 5.0 peak.

The instruction book that came with the counter is quite complete. It has full instructions on use, setup tests, plus a good explanation of the counter's circuitry. Calibration procedures are given; the calibration trimmer is accessible from the bottom of the case. A signal generator at least 5 times as accurate and stable as the instrument being calibrated is needed for calibration. (Incidentally, for quick checks, you can read the frequency of the 3.579545 MHz oscillator in any TV Set on a network picture!)

The model 6000 is priced at \$399.95; the Model 6500 with the crystal oven is \$449.95. Those are good prices for such instruments, and well below average. So if you require accurate frequency measurement of anything from the frequency of an ultrasonic remote control unit up to a UHF radio transmitter, keep the 6000/6500 in mind. R-E

continued on page 40

| □ Radio-Electronics back issues (1982)\$3.00 (January 1982 not available) Write in issues desired | Modern Electrics (Vol. 1. #1, |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|
| To order any of the items indicated above, check off the ones you want. Complete the order form below, include your payment, check or money order (DO NOT SEND CASH), and mail to Radio-Electronics, Reprint Department, 200 Park Ave. South, New York, NY 10003. Please allow 4-6 weeks for | ARTICLE MONTH YEAR |
| delivery. If you need a copy of an article that is in an issue we indicate is unavailable you can order it directly from us. We charge 50¢ per page. Indicate the issue (month & year), pages and article desired. Include payment in full, plus shipping and handling charge. | PAGES @ 50¢ each TOTAL PAGES TOTAL PRICE |
| Total price of order . Sales Tax (New York State Residents only) . Shipping & Handling (U.S. & Canada only) (Includes FIRST C All other (\$2.00 per item, sea mail) | 10-83 NY 10003 |
| Total Enclosed | s,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| Name | |
| Address | |
| City | State Zip |

\$5.00

\$12.00

\$3.00


\$3.00



Our innovation.



Their imitation.



If you need any one of nine microwave oven rectifiers now, only Philips ECG is ready to deliver today.


You can tell where your new markets are by checking

out what's new from Philips ECG. When microwave ovens became popular, Philips ECG was ready first with Sylvania microwave oven components. When the computer boom hit, we were first again. In fact, on average, we introduce roughly 300 new replacement semiconductors every year—far more than anyone else in the business.

Maybe that's why even our competition looks to us first for new ideas. But although they copy us, they never quite equal either our superior performance specs or our cross-reference accuracy. So for the best insurance against premature

failures and call backs, demand parts from Philips ECG. We're the only source you'll ever need for replacement semiconductors that fit and work.

But just because the imitators can't keep up with us doesn't mean it's hard for you to keep up-to-date. To stay posted on all our latest advances in profit-generating replacement parts, stop by your Philips ECG distributor's and pick up your copy of our new, expanded Master Guide (ECG212L) and our *ECG Counterpoints* new product update. For the name and number of your nearest distributor, call 1-800-225-8326 toll free (in MA, dial 1-617-890-6107). Or just send \$3.25 for your Master Guide to Philips ECG, Inc., Dept. RE, 70 Empire Drive, West Seneca, NY 14224.




PhilipsECG

If it's ECG, it fits. And it works.

A North American Philips Company

INTRODUCING



THE **PROTECTOR**

TOTAL PROTECTION FOR YOUR SENSITIVE ELECTRONIC EQUIPMENT.

Something that you can't even see may be slowly but surely killing your expensive electronic equipment. It's transient voltage, and it can be fatal to computers, medical equipment, electronic games, videotape recorders, electronic test equipment, electronic cash registers — almost any of today's sophisticated solid state equipment.

THE TRANSIENT VOLTAGE PROBLEM.

Most of this modern electronic equipment uses LSI and MOS semiconductor devices which are extremely sensitive to voltage transient surges or "glitches." In fact, a large percentage of equipment failures can be directly linked to the damaging effects of over-voltage line transients to unprotected, highly fragile components.

THE PROTECTOR 6000™ SOLUTION.

Not to be confused with other transient voltage protection units available today, THE PROTECTOR 6000 uses state-of-the-art solid state components and exclusive circuitry to provide you with complete and total protection from transient voltage surges of up to 6,000 volts. THE PROTECTOR 6000 uses silicon PN junction devices - proven to provide the fastest response to surges! They have a statistical life expectancy of over 20 years THE PROTECTOR 6000 has a maximum clamping voltage of only 335 volts, well below the voltage rating of other transient protection devices which commonly use much less effective MOV's or gas discharge tubes. It also provides full protection from electro-magnetic and radio frequency interference. The unit operates in both common and differential modes, and is outfitted with a circuit breaker to guard against severe current overloads over 15 amps.

Why take chances with your expensive electronic equipment? For full details contact your local NTE distributor or write:



New-Tone Electronics, inc. 44 Farrand St., Bloomfield, NJ 07003 THE PEOPLE WHO BRING YOU THE TCG LINE OF SEMICONDUCTORS.

© 1983 New-Tone Electronics, Inc.

EQUIPMENT REPORTS

continued from page 38

Tektronix Model 213 DMM Oscilloscope CIRCLE 106 ON FREE INFORMATION CARD Tektronix 213 OVERALL PRICE EASE OF USE INSTRUCTION MANUAL PRICE/VALUE

IF YOU WERE TO ASK A FIELD TECHNICIAN to design a "fantasy" instrument, one

For Home or Business WHAT...WHEN...HOW. **LEARN HOW** to use a COMPUTER Train at home in spare time! No previous experience needed! Now you can learn it all! Computer programming...computer applications...computer games...everything you ever wanted to know about com-puter operations! Write your own computer programs or use hundreds of programs already available...budget-ing, real estate, bookkeeping, expenses, investments, interest, taxes, shopping lists, vacation planning,

You'll know what really happens when you have a computer problem with a bank, store, loan company, oil company, utility or anyone else. You'll be able to talk their language. understand why and how things happen...to be able to take the offensive when you're the victim of a computer error. Experts explain everything in easy-to-understand language with step-by-step directions.

addresses, phone num

bers, routing ...even foreign languages and

graphics.

 TIMEX COMPUTER INCLUDED WITH YOUR TRAINING . Plugs into any TV

SEND FOR FREE FACTS!

COMPUTER TRAINING, Dept. DE093 Scranton, Pennsylvania 18515.

Please rush me free facts and color brochure that tells how I can learn computer applications, programming and operation at home in spare time. No cost. No obligation.

| Name | Age |
|----------------|-----|
| Address | |
| City/State/Zip | |

that he would desperately want if it really existed, what you might wind up with is the Tektronix (PO Box 500, Beaverton, OR 97077) model 213 DMM oscilloscope. That's right—a DMM and a single-channel oscilloscope all wrapped up into one package. And to make things even nicer, that package measures just 5.35-inches wide, by 2.95-inches high, by 9.05-inches long—smaller than some portable DMM's alone—and weighs 3.7 pounds. Finally, the whole thing is battery operated, has its own built-in recharger, and comes with the primary testleads permanently attached. (Some additional test leads are needed for some DMM functions—more on that later.)

Oscilloscope

All of the oscilloscope's functions are selected using a row of pushbuttons on the front of the unit. Also on the front panel are two rotary switches used to select the vertical (volts/mA-per-division) and the horizontal (seconds-per-division) deflection; settings on those switches are laid out in the familiar 1-2-5 sequence.

The rest of the controls are located along the side of the unit. Slide switches are used to select how the signal is coupled to the input amplifier (AC, DC, or ground), to chose the triggering mode (external DC, normal internal AC, and automatic internal AC), and to turn the unit on and off.

Looking a little closer at the triggering modes for just a second, in the normal internal AC mode, no trace appears when the input signal is not sufficient to cause triggering. In the automatic internal AC mode, the sweep runs free to provide a reference trace when the signal is insufficient to cause triggering.

Moving on, six continuously variable controls are used to set the triggering level, the beam intensity, the horizontal and vertical position of the trace, and magnification in the horizontal and vertical directions. The last two controls may vary from what you might be used to. On many scopes, the level of magnification is switch-selected, which limits you to just a few discrete settings (and sometimes just one). Here, the magnification is continuously variable and can be set for between 1 and 2.5 times the calibrated vertical (volts/mA-per-division) setting and 1 and 5 times the calibrated horizontal setting. Note, however, that the magnified displays are not calibrated. Magnification is turned off by turning the vertical control fully clockwise, and the horizontal control fully counterclockwise.

The remaining controls are only occasionally used and are screwdriveradjustable. Those are the DC balance, focus, vertical gain, sweep calibrate, and trace rotate.

Turning to the scope's specifications, the bandwidth varies with the selected vertical deflection. For settings of $5-\mu A$ -


For more proficient color TV servicing, in-home and on the bench . . .



Field Service Guide and Service Literature Digest

Up-to-date service information compiled from regular RCA color TV service literature . . . in convenient, easy-to-use 17" × 11" volumes that each cover two years of RCA color TV models . . . designed especially for in-home servicing but equally useful as handy bench references . . . featuring:

- Complete chassis and tuning system schematics
- · Chassis circuit board illustrations
- Disassembly/reassembly instructions
- Comprehensive parts lists
- Tables of common trouble symptoms and typical causes
- Quick-Find Indexes and cross references



VOLUME 9 NOW AVAILABLE!

This latest addition to RCA's popular series of service literature digests covers model years 1981-1982 and RCA color TV chassis CTC91, 92, 96, 97, 99, 101, 107, 108, 109, 110, 111, 115 . . . 520 pages, $17'' \times 11''$, saddlestitched . . . ONLY \$14.95

VOLUME 8 STILL AVAILABLE

Covers model years 1979-1980 and RCA color TV chassis CTC 85, 86, 87, 88, 89, 90, 91, 92, 93, 96, 97, 99, 101 . . . 424 pages, 17" × 11", saddlestitched . . . ONLY \$12.95

SPECIAL LIMITED-TIME TWO-VOLUME OFFER!

Save \$5.40 . . . Volume 8 and 9 together cover four years of RCA color TV models . . . Order now and receive both volumes for only \$22.50.

RCA Field Service Guide Order Form

Check appropriate boxes, indicate quantities & prices, enclose check payable to "RCA Consumer Electronics"


MAIL TO: RCA TECHNICAL PUBLICATIONS 1-450

P.O. Box 1976 Indianapolis, IN 46206



| FIELD SERVICE GUIDES | PRICE | QUANTITY | PRICE TOTAL |
|----------------------------------------|---------------|----------------|-------------|
| □ VOLUME 9 | \$14.95 ea. | | |
| VOLUME 8 | \$12.95 ea. | | |
| TWO-VOLUME SPECIAL OFFER (VOLS. 8 & 9) | \$22.50 ea. | | |
| (PLEASE PRINT) | | | |
| NAME | TOTAL (AMOUNT | OF YOUR CHECK) | |
| STREET ADDRESS | | | |
| CITY | STATE | ZIP | |

42



Simply select a chord letter, and the Chord Computer's LCD 31-key piano keyboard

display will show which notes to play for the selected chord. Press another button to choose sharp, flat, major, minor, augmented, diminished, 6th, 7th or 9th chords — including inversions. The Chord Computational of the chord sharp of the c ter can also display complete scales for all keys, or even transpose them at the touch

Serious about music? The Chord Computer could be the best investment you'll ever make. only \$59.95 (plus \$2.50 postage/handling) Order yours today

CHARGE TO VISA OR MC TOLL-FREE 1-800-654-8657 9AM to 5PM CST MON FRI

Ask for your free PAIA catalog. Direct mail orders and inquiries to: Dept.10R **PAIA** Electronics. Inc.

1020 W. Wilshire , Oklahoma City, OK 73116 - (405)843-9626

CIRCLE 52 ON FREE INFORMATION CARD

to $10-\mu$ A-per-division, the bandwidth is DC to at least 200 kHz; for settings of 20-µA- to 200-mA-per division and 5mV- to 10-mV-per-division, the bandwidth is DC to at least 400 kHz, and for settings of 20-mV- to 100-volts-perdivision, the bandwidth is DC to at least 1 MHz. Accuracy is claimed to be 3% or better. The maximum safe input voltage is rated at 500 (DC + AC peak) DC coupled, and 800 (DC + AC peak) AC coupled; the maximum safe current is rated at 2-amps RMS or 3-amps peak. The sweep rate can be varied between 500-ms- and 2-μs-per-division; accuracy is claimed to be within 5%.

DMM

Now we get to what this reviewer considers the most interesting part of the unit—the built-in 31/2-digit DMM. Using that DMM, measurements from 0.1 to 1000 volts, 0.1 to 1000 mA, 1 kilohm to 10 megohms can be made. All AC measurements are made in true RMS. Overrange inputs of up to 200% full scale can be accommodated on all ranges except 1000 volts. Range selection, including resistance, is done using the vertical deflection (volts/mA-per-division) switch. The voltage and current settings are made using the same scale that's used by the oscilloscope; a separate ohms scale, in blue, is used for resistance.

Turning to the test leads, the built-in

ones are used for voltage measurements. For current and resistance, separate leads (not provided) must be connected to the banana jacks on the side of the unit.


Looking at the readout, rather than the small LCD or LED unit you might have expected, the display is generated by the 1.2 × 2-inch CRT itself. Among its features are an automatic polarity indicator and an overrange indicator. The positioning of the decimal point is determined by the range setting.

Two manuals were provided with the unit we received for evaluation; both were excellent. The small operators' manual provides all the information one needs to successfully use the instrument. It includes such things as a rundown on the controls and functions, the unit's electrical specifications, and suggested applications for the device. The second one is a very complete service manual. It covers just about anything you might ever need to know about the unit. Included are complete electrical and mechanical diagrams including schematics and partsplacement diagrams, a parts list including both Tektronix' and the manufacturer's part numbers (where applicable), theory of operation, and full maintenance. calibration, and service data.

There is one thing about the instrument that we found a little disturbing. It was designed with the input-common reference floating above ground. Because of that, the probe-common clip, the common input-jack, the mA-ohm input jack, the external-trigger jack, and power-plug prongs may be at a dangerous potential. Specifically, when the unit is batteryoperated, a voltage applied to the common inputs could cause some current to flow through the power-line circuitry creating a potential shock hazard on the prongs. The danger of that is clearly spelled out in the manual. To prevent shocks, it is strongly recommended that the power-cord plug be stored in the special compartment in the rear of the instru-

Despite the above hazard, we feel that this unit has a lot going for it, especially for the field technician. If the thought of replacing your scope and DMM with a unit that's barely larger than your DMM appeals to you, give this unit a look. It's suggested retail price is \$2410.





THE NEW

Model 3500 has manual ranging or easy to use auto ranging



ONLY \$140

A custom CMOS integrated circuit provides additional state-of-the-art features such as:

Readings to 2999 in all manual ranges and functions. Flashing "1" in illustration signifies a "2" for a 2234 reading. This provides an additional digit of resolution. Flashing "1" with three zeros

indicates an over range.



- 2. Relative reference, off set, measurement up to 99 counts on all DMM functions, displays subsequent readings as a ± deviation from stored input.
- 3. Autoranging voltage and resistance ranges with simple switching to manual ranging mode and 12 LCD display annunciators, mV, V, mA, A, Ω , K Ω , LP Ω , AUTO, BATT, ADJ, AC and negative (-).

Note these additional features:

- basic dc accuracy 0.25%,
- selectable audible continuity tone on all ohms ranges,
- 10A range,
- overload protection to 1000 VDC, 750 VAC and 600 V on ohms and current ranges with .3A/250V and 2A/600V fuses arrangement,
- only two jacks make all measurements,
- five Hi Power and four Low Power ohms ranges,
- easy access to 2 AA batteries and fuses,
- temperature probe accessory available.

For a demonstration, contact your Triplett Distributor, Mod Center or Representative.

Triplett Corporation, One Triplett Drive, Bluffton, OH 45817. (419) 358-5015, TWX (810) 490-2400.

ACTUAL



Triplett performance . . . a tough act to follow





NEW PRODUCTS

For more details use the free information card inside the back cover

DIGITAL MULTIMETER, model *LX-306*, features the same *Vari-Pitch* audible tone that was introduced in Hickok's model MX-33.. It has 31/2-digit capability and is accurate to within 0.25%. It includes full AC/DC voltage ranges up to 1000 volts DC, 750 volts AC (usable to 5 kHz), 10-ampere AC/DC current ranges, resistance ranges from 200 ohms to 20 megohms, diode-test function, and 10megohm impedance.



CIRCLE 111 ON FREE INFORMATION CARD

The unit's miniaturized hand-held case design allows ease of handling, conveniently fits into a tool kit, and the case is sturdy enough to pass a 4-foot drop test. The Vari-Pitch audible tone varies in frequency proportionally to the signal input, and is usable on all ranges and functions. Response is instantaneous. Using Vari-Pitch, troubleshooting by characteristic or "signature" sound, saves time and effort in detecting ripple or noise on power-supply lines, locating intermittent problems, locating and testing capacitors. The user can make analog-type peaking and nulling adjustments.

The model LX-306 is priced at \$139.00.-Hickok Electrical Instrument Company, 10514 Dupont Ave., Cleveland, OH 44108.

FUNCTION GENERATOR, model 528D, has a frequency range of 0.001 Hz to 20 MHz and produces sine, square, triangle, positive square, and negative square waveforms from the main generator. An auxiliary ramp is also available through the main output amplifiers, and is used to sweep the main generator in the sweep mode. A built-in frequency/period counter reads out the frequency/period of the main generator, the frequency/period of the ramp (sweep) generator, and also serves as a frequency/period counter for external signals from 1 Hz to 100 MHz and 1 microsecond to 1000 seconds.



CIRCLE 112 ON FREE INFORMATION CARD

In the sweep mode, the ramp generator is used to internally sweep the main generator either up or down linearly (up to 1000:1) or logarithmically (up to 100,000:1). The start and stop frequencies are independently settable and either may be easily set and measured using the RUN/HOLD and TRIGGER/HOLD positions of the RAMP-MODE switch and the built-in frequency counter. The main generator frequency can be manually swept linearly up to 3 decades, or logarithmically up to 5 decades, using the START FREQUENCY dials. A VCF input allows the external control of frequency over a 5-decade range in the log mode and a 3-decade range in the linear mode. The frequency controls are dual (coarse and fine), providing excellent resolu-

As a pulse generator, the model 528D uses the ramp generator to trigger the main generator. Square pulses of either polarity, or single pulses of sinewave, triangle, haversine, or havertriangle waveforms can be selected.

The model 528D is priced at \$1495. Exact Electronics, 2000 Arrowhead Dr., PO Box 1925, Carson City, NV 89701.

SATELLITE-TV RECEIVER, model SC-7032, has a wide range of features to cover the requirements of the home satellite-TV reception system. Included are channel scan for convenient and quick review of available channels on each satellite; polarity-reverse



CIRCLE 113 ON FREE INFORMATION CARD

button; signal-strength meter for easy video fine-tuning control; audio tune; channel select, with LED readout; built-in satelliteselector control, with LED readout for optional actuator, and built-in polarotor that automatically changes polarization. In addition, an optional channel-select remote con-

Amazing new solidstate oscilloscope... fits in the palm of your hand

CRT oscilloscopes just became

obsolete! The revolutionary new solid-state digital LED Pocket-O-Scope does it all, in a 4-ounce package you can put in your pocket.

Easy to use. Ideal for the hobbyist or the technician. The Pocket-O-Scope is 100% solid-state, focus and brightness on the 210 point, high-intensity illuminated screen are *electronically* self-controlled. The trace is *always* in sharp focus. Zero and sweep positions are maintained automatically. Zero-reference, or cross-over line is always centered for full trace minimum on the screen. Automatic internal circuitry always assures a properly positioned wave form. 4 solid-state controls do it all. The only knobs on the Pocket-O-Scope are for positive and negative sensitivity and for coarse and fine synchronization of the frequency of the incoming signal. The easiest to use, full capability scope available!

Years in development. The Pocket-O-Scope is the culmination of years of development in high technology, microelectronic components and digital design.

Features: All solid-state, digital design • Hand-held or bench operation • High resolution 210 point, 1.5" square display • Battery or A/C operation with adapter • Factory calibrated – never requires recalibration • Full function, single trace capability plus ½ channel dual trace and signal

OCKET O SCOPE

Patent Pending

inverter • Full overload protection to prevent damage to scope Automatic zero voltage centering • Automatic free run or locked image • Automatic full horizontal sweep circuit • External input/output for add-on capability 5 Megahertz

Specifications:
5 Megahertz
bandwidth •
Sensitivity –
vertical,
10MV •

Accuracy

± 3% on wave forms – sweep linearity ± 5% • Time base

5% • Time base

− .1 microseconds
to .5 seconds

• Vertical gain -0 to 120 volts • Continous free run to locked image response • Power supply 9VDC – dual polarity **Controls:** Single or dual trace • On-off, battery-A/C • Sensitivity; separate pos. & neg. controls • Sync C & Sync F controls

Limited, 90-day warranty

No risk introductory offer. The revolutionary Pocket-O-Scope is a development of Calvert Instruments, Inc., for 25 years a manufacturer of electrical equipment. As an introductory offer for a limited time only, you can buy the Pocket-O-Scope including a carrying case, A/C adapter, 3 standard "grabber" probes and 2 high voltage probes for only \$249.95, a \$321 value. If you act now, you will also receive FREE Calvert's 200-page Comprehensive Oscillo-

scope Training Manual, a \$15.95 value! Put your Pocket-O-Scope to the test for two weeks. And if you decide, for any reason, that the Pocket-O-Scope is not for you, return it within the 14-day trial period for a prompt refund. The training manual will still be yours to keep.

Mail this coupon today, or call toll-free* while the introductory offer is still in effect.

| Ingersoll Dr., Cleveland OH 44116 • 216-356-2155 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| |
| end me: |
| ocket-O-Scope(s), including carrying case, A/C adapter, standard and high oltage probes, and FREE training manual. (Batteries not included) all for 249.95 plus \$5 for postage and insurance. Ohio residents add 6.5% sales ta |
| ocket-O-Scope only with standard probes: \$179.95 plus \$5 postage. thio Residents add 6.5% sales tax. |
| eck is enclosed. |
| charge the credit card account checked below. (Fill in all account number of the one credit card you wish to use.) RE-1083 *Card Usia |
| |
| n Interbank |
| No(MasterCard only) |
| ature |
| (please print) |
| (please print) |
| |
| |

*CALL TOLL-FREE 800-835-2246 EXT. 118 to order by phone, request further information or to inquire about becoming a distributor. In Kansas, call 800-362-2421 Ext. 118. Allow 6-8 weeks for delivery.

CIRCLE 7 ON FREE INFORMATION CARD

Digital Features.



Analog Prices.

Now you can get all the measurement capability you've been looking for in a digital multimeter for the price of an analog.

Priced as low as \$59.95, the Circuitmate™ Series DMMs from Beckman offer a superior combination of standard features including:

- DC + AC Volts
- DC + AC Amps
- Resistance
- Diode Test
- 0.8% or 0.5% DC Accuracy (depending on model)
- Single Rotary Selection
 Switch

Depending on the model you choose—you can enjoy the added capability and convenience of 10 Amps AC + DC, audible continuity checking, hFE testing, capacitance and conductance capability.

Get your hands on a Circuitmate™ DMM today. For the dealer nearest you, write or call Beckman Instruments, Inc., Instrumentation Products, 2500 Harbor Blvd., Fullerton, CA 92634, (714) 993-8803.

BECKMAN

CIRCLE 41 ON FREE INFORMATION CARD

trol with fine-tune button and up/down transponder switch is available.

Input frequency of the model *SC-7082* is 70MHz at 72 ohms impedance. The video output level is 1 volt peak-to-peak nominal at 27MHz with 20Hz to 4.2MHz frequency response. Audio output is variable 5.5 to 8.0 MHz, selectable from the front panel. Frequency response is 50Hz to 15kHz. Harmonic distortion is less than 2% maximum THD. Power is 115 volts AC, 50/60Hz.

A single-conversion downconverter with IF output of 70MHz mounts at the antenna, with 72-ohm output for coaxial cable to the receiver. A channel ¾ crystal-controled modulator is built into the receiver.

The model *SC-7032* is priced at \$965.00— **Winegard Company**, 3000 Kirkwood Street, Burlington, IO 52601.

STEREO PHASER, model *VC-1*, easily connects most TV sets, and all video recorders to your stereo unit. It improves ordinary TV sound in three ways.



CIRCLE 114 ON FREE INFORMATION CARD

1: Dynamic range expansion: the model *VC-1's* dynamic range-expansion process restores and delivers the depth, and clarity of the original production sound.

- 2: Synthesized stereo sound: The model *VC-1* takes the video mono signal, processes it, and creates a stereo effect.
- 3: Noise/hiss elimination: A simple fourstep control dial on the model *VC-1* effectively blocks out garbage noise and hiss, and allows you to adjust the noise reduction for any video source: TV program, cable, videotape deck, or videogame.

The model *VC-1* is priced at \$199.00.—**RG Dynamics, Inc.**, 6440 North Ridgeway Ave., Lincolnwood, IL 60645.

LOW-DISTORTION OSCILLATOR, model 4500 ranges from 1Hz to 100kHz. It generates a sinewave with less than .001% (-100dB) distortion, and squarewaves with




CIRCLE 115 ON FREE INFORMATION CARD

aberrations of less than 5% peak-to-peak amplitude. Five pushbuttons of decade multiplication with an infinite-resolution, single-turn dial calibrated in Hz from 1 to 10 provides continuous frequency coverage. Also, a vernier dial that covers ±5% of the frequency range is provided for intricate adjustments.

The model 4500 delivers up to 7 volts RMS open circuit to MAIN and INVERTED outputs of





CIRCLE 28 ON FREE INFORMATION CARD

RADIO-ELECTRONICS

NEY SAVING SAL

PORTABLE CORDLESS **EXTENSION TELEPHONE**

Exclusive clear call selector allows optimine voice clarity within operation range

89⁹⁵ MODEL CP205S

· Portable handset allows you to place or answer calls up to 600 feet from base unit ... inside or






CORDLESS TELEPHONE-CLOCK RADIO

ea. MCDEL RP-740S

• For inside or outside your house (up to 100 ft. Automatically redials last telephone number called.

 Mute button for privacy. AM-FM ELECTRONIC DIGITAL CLOCK

RADIO FEATURE: ● Large LED time display ● Hi-Lo dimmer switch ● Snooze alarm ● Walnut styling . Slide rule dial indicator



MODEL CP-110S

· Mute button on handset allows you to talk to someone in room without party on line listening to conversation. Remote Rechargeability . Works up to 600* feet from base unit.





CORDLESS SPEAKERPHONE **Q**95

MODEL CP-130S

- Sneakernhone is huilt into hase unit. Allows. entire family to speak and listen without passing around the handset. Nou get Hands
 Free Conversation • 9 Number Automatic
 Dialer • Last number redial • 2-Way intercom with Hold . Works Up to 600* feet
- · Exclusive Clear Call Selector

PAIR-O-PHONES: COMPLETE PHONE SYSTEM

ea. MODEL CP-140S

 1 Cordless Telephone with memory that stores and automatically dials up to 9 numbers plus last number redial • 2-Way intercom that allows paging from remote handset and hase, plus hold . 1 Standard Telephone with 10 foot cord and RJ-11 modular plug, mute button and last number redial button ● 1-Telephone Wall Hoister ● 1-Remote





AM CB RADIOS

MODEL 29LTD

to to to 1 s 1 s to "The Truckers Choice" with an instant emergency channel 9 switch • Delivers maximum power output, 100 per cent modulation and fine receiver sensitivity Features: SWR bridge and antenna warning indicator.



MODEL RD-4000

Dual Band Super Sensitivity/Dual Alarm Audible and Visual with exclusive SIGNAL

ELIMINATES FALSE ALARMS • Responds to X and K band Speed radar frequencies. The only one approved by the FCC

SSB MOBILE

MODEL 148GTL



Precision AM/SSB mobile unit for CB. Features: DynaMike, Volume, ON/OFF control Squeich, RF gain, SWR CAL control, Voice Lock, S/RF/CAL/SWR switch, LSB/AM/USB mode switch, switchable automatic noise limiting and noise blanking, CR/PA switch and much more.

40-CHANNEL CB 2-WAY MINI-MOBILE RADIO



39⁹⁵

Combination Squelct /PA/CB Control

- ANL Switch automatically reduces the high-pitched noises • 3/RF PWR Meter • 0ff/0ri/Volume • PA

S.O.S. 40 CHANNEL EMERGENCY 2-WAY RADIO

MODEL 39LTD

Needs no installation. Simply plug into cigarette lighter. Features a built-in microphone, LED channel display, emergency channel 9 indicator plug a host of



260 Motor Parkway, Hauppauge, N.Y. 11788

Master Charge WISA ■ COD

NY State

residents add appropriate sales tax.

COE's extra (required 25% deposit)

ADD FOR SHIPPING AND INSURANCE

ADD FOR SHIPPING \$250.00. \$251.00 to 500.00 501.00 to 750.00 751.00 to 1000.00. over 1000.00.

in N.Y. State call 800-832

47





CIRCLE 40 ON FREE INFORMATION CARD

Opto Designer I Opto Designer II

• 3 mm (T-1) 5mm (T-1)_{kl}) • Round • Square • Cylindrical • Triangular • Rectangular • High Intensity • Custom • Arrays • Two-color Round. Rectangular • Level meter panel displays

YES, I would like to take advantage of your offer. ☐ Send me — Opto Designer I @ \$19.95 plus

□ Send me — Opto Designer II @ \$24 95 plus

CALL TOLL FREE 1-800-426-1044

CIRCLE 31 ON FREE INFORMATION CARD

\$3.00 shipping and handling

\$3.00 shipping and handling

Please charge my ☐ Mastercard

\$24.95

FREE 100 CB-50 T-13/4 mounting

Clips if you order within 7 days

Zip

□Visa

Exp

180 Round Square, Triangular, Rectangular and Cylindrical LED Lamps

180 T-1 and T-114 Red, Green, Yellow Orange and Red-Orange LED Lamps

Send for FREE LED BROCHURE

19.95

Name

City

Address

Company

Signature

10% change in line voltage.

floating ground. The oscillator uses only 6 watts and operates on switch-selectable line voltages of 90-132 or 180-264 volts, 50-60Hz. An optional 19-inch Rack Mount Kit is available. The model 4500 is priced at \$675.00. — Krohn-Hite Corporation, Avon Industrial Park, Avon, MA 02322.

DIGITAL THERMOMETERS, model 865, model 866, model 868 (shown), and model 869 (shown) have thermistor or RTD (Resistance Temperature Detector) sensors and offer increased accuracy over thermocouple



CIRCLE 116 ON FREE INFORMATION CARD

600-ohm impedance. A MAIN output of 50ohm impedance is also provided. Exceptionally flat response. (.05dB) virtually eliminates the need to constantly monitor output voltage levels. A four-position pushbutton attenuator, calibrated in 20-dB steps. together with a 30dB vernier, provides a total dynamic range of 90dB. Amplitude and frequency stability varies less than .001% with a A rear-panel switch selects chassis or

HEATING TOOL, the Glo-Ring Infra-Red Heat Tool, is a hand model with half-inchdiameter elements designed specifically for shrinking heat-shrinkable tubing on small work pieces in the electrical and electronics industry. It uses quartz-glass heating elements that open and close like a thumb and forefinger to encircle the work piece with instant radiant heat at a temperature of 1000°F. Glo-Rings provide an alternative to using the traditional heat gun. Cost savings are realized by reducing production time and electrical power consumed. Safety hazards

are eliminated because no uncontrollable

meters; they have 0.1° sensitivity.

Model 865 (°F) and model 866 (°C) are

Model 868 (°F) and model 869 (°C), with

platinum RTD sensors, offer accuracy equiv-

alent to thermistors over a wide range. The

RTD models are designed to meet the

accuracy and long-term stability requirements of critical laboratory applications.

The thermometers are priced as follows:

- Keithley Instruments, Inc., 28775 Aurora

Model 865 and model 866 are \$139.00 each:

model 868 and model 869 are \$249.00 each.

Road, Cleveland, OH 44139.

blowing hot air is generated.

thermistor thermometers, designed for applications in electronics, life sciences, food

processing, and heating and ventilating.

CIRCLE 117 ON FREE INFORMATION CARD

The prime application for the device is for shrinking heat-shrink sleeving in the electrical and electronics industries. However, it is also useful for sweating solder sleeving, bending PVC pipes, and drying out compressed-air lines. In addition to half-inch elements, plug-in two-inch, three-inch, and fourinch elements are available.

The Glo-Ring Infra-Red Heat Tool is priced at \$197.00 — The Eraser Company, PO Box 4961/Oliva Drive, Syracuse, NY 13221.

TELEVISION SYSTEM, the VideoScope model RVP-460, is a rear-screen projection system; the 46-inch screen provides three times the viewing area of an average 26-inch console, yet requires no additional floor space. That is due to an exclusive optics system, which folds the projected image path to fit into a substantially smaller cabinet than those used in conventional systems.





tate-of-the-Art

Quality • Low Prices • Immediate Delivery



BP STABILIZER/IMAGE ENHANCER/ RF CONVERTER/VIDEO FADER/2-WAY **DISTRIBUTION AMPLIFIER**

OUR PRICE

Contains five units in one; stabilizer (video guard remover); image enhancer; video to RF converter; video fader; and dual output distribution amplifier. Stabilizer Will correct entire range of copy guard distortion such as jitter, vertical roll or black bar

travelling through picture.

Enhancer Attain best picture for your preference. RF Converter Allows your TV set to receive video and audio signals from your image enhancer, guard stabilizer, video camera, computer, VCR, etc. The direct video signal from any video component can be fed into the V-1880 and converted to a usable RF signal that can go to your TV antenna terminals.

Video Fader Used to produce fade ins and outs



BP TV TO STEREO AUDIO ADAPTOR/ ENHANCER S

OUR PRICE

Easily connects to any TV and Stereo Amplifier or simulated stereo sound. Makes taping TV Audio simple - TV can be located any distance from stereo. Delivers two channels of simulated stereo. With noise eliminator and special output level controls. Frequency response: 50 Hz - 15,00 KHz.

BP VIDEO COLOR PROCESSOR/RF CONVERTER/

OUR PRICE

8995

Corrects video signal directly into tape not just on playback Luminance meter monitors brightness levels for quality

recordings. Can also

be used between video cameras and VCR, VCR and VCR and from VCR to TV during playback mode. Corrects off-color tapes. Center detent, luminance, chroma, phase and audio controls. Stabilizer for removing copyguard.

MODEL V-1890

BP VIDEO GUARD STABILIZER

MODEL V-1875

\$45°° OUR PRICE

Has self contained A&B and bypass switch. Many movies, concerts and special programs for sale or rental are copy guarded. This removes copy guard and allows you to make copies. Many TV sets will not play prerecorded tapes because copy guard. causes picture to roll and litter, turn to snow or disappear. Video Guard Stabilizer removes copy guard from signal.

BP RF CONVERTER/MODULATOR **MODEL V-1885**

OUR PRICE

Allows your TV to receive video and audio signals from image enhancer, guard stabilizer, video



camera, computer, VCR, etc The outputs of many video omponents cannot be directly hooked up to the VHF antenna terminals on your TV set. This problem is solved by using the Model V-1885 RF Converter Converts video signal from any video component to adjustable RF signal at antenna terminals. Allows your VCR output to feed the VT sets at the same time, with virtually no signal losses at the same time, with virtually no signal losses. sets at the same time, with virtually no signal loss.

BP VIDEO SELECTOR CENTER MODEL V-4803

^{\$}49⁹⁵ OUR PRICE A switcher that can

accept 3 inputs and direct them to 3 outputs. Ut lizes switch similar to one used on home VCR's. You avoid signal loss incurred by



PHILIPS/MAGNAVOX REMOTE TV CONVERTER MODEL CTC9R

OUR PRICE

60 Channel selection. Infrared transmiter system for impedance free operation. On/Off, change channels



fine tune. Program-mable 12 hour clock with Auto and PM indication. Channel memory and recall

BP UHF CABLE CONVERTER WITH FINE TUNING/46 CHANNEL

MODEL V-5746

OUR PRICE \$2495

Fully shielded oscillator eliminates herring bone distortion. For Beta/VHS recording. Record & use TVs remote control. Complete programming of VTR



BP VIDEO GUARD STABILIZER/ RF CONVERTER

MODEL



Same as V-1875 but with a built-in RF Converter that gives the model V-1877 an RF output which can be fed directly to the antenna terminals of a TV set. This enables you to remove the copy guard from a pre-recorded tape and view it on a TV using

Use as an RF Converter only. Used in conjunction with your TV, you can feed direct audio and video signals from any video device such as video camera, computer, portable VCR, etc.

BP IMAGE ENHANCER MODEL V-1860

Dramatically improves performance of video cameras and VCR's (off-the-air or second generation recordings). by compensa-

with two video outputs.

only a VCR



ting for deteriora-OUR PRICE tion of detail and sharpness. Includes video distribution amplifier

N.Y. State \$250.00 \$251.00 to 500.00 501.00 to 750.00 751.00 to 1000.00 over 1000.00 COD s extra (required 25% deposit)

ADD FOR SHIPPING AND INSURANCE

in N.Y. State call 800-832-1446

49

Vital protection for PC Boards



Be safe. Desolder PC components with Endeco irons. Get proper HEAT TO MELT and strong VACUUM ACTION TO LIFT solder and cool both PC board and component without damage.

These PC components replaced fast with Endeco desoldering or soldering tools









Endeco professional features include safety light that denotes high. low and off on switch models. SS construction for long life, light weight and balance for easy use.

Contact your distributor for Endeco desoldering and soldering irons, kits and equipment—or write us today.

Enterprise Development Corp.

5127 East 65th Street Indianapolis, IN 46220 Phone: (317) 251-1231

CIRCLE 15 ON FREE INFORMATION CARD

Buy Direct & Save

SUPER SPECIALS

\$2995

Advanced Solid State design and cir-

cuitry allows you to receive mid &

super band channels. Restores pro-

\$6995

Send \$5 for Complete Catalog

P.O. BOX 1329

JEFFERSONVILLE, INDIANA 47130

1-812-282-4766

gramming to Video Recorders.

THE ULTIMATE CABLE TV

JERROLD 400

CONVERTER

DIRECT

VISA

40 CHANNEL CONVERTER

36 CHANNEL REMOTE CONTROL CABLE CONVERTER

60 CHANNEL

INFRARED

CONTROL

SALES

REMOTE

\$12995

The convertible screen directs the brightest optical path to the viewer's eye level, and can be adjusted easily for either seated or standing positions. It is cylindrically curved to reduce room light reflections, and uses a special dye to minimize the effects of ambient



CIRCLE 118 ON FREE INFORMATION CARD

The model RVP-460's high-resolution, high-contrast picture makes the set especially useful as a computer data-display unit. That application is further enhanced by an RGB input circuit that provides a display of 80-characters (color) by 25 lines. Use of a comb filter improves picture quality even further. The resolution is more than 500 lines (RGB), 450 lines (video), and 340 lines (RF).

The model RVP-460 is priced at \$4400.00 - Sony Corporation of America, 9 West 57th Street, New York, NY 10019.

PHONE-RINGER KIT, model GT-1218, is designed to replace the sometimes unpleasant ring of a conventional telephone bell; in its place, it will play one of four tunes or tones that the user can select or change at

The pre-programmed integrated circuit in this one-evening kit is a true polyphonic synthesizer and alerts the owner of phone calls in one of four ways: a beeping signal, an upbeat four-note chime, ten seconds of Beethoven's "Fur Elise," or 20 seconds of "Romance" by Rubenstein.

A pushbutton switch lets the user choose either the standard telephone bell, or one of the pleasant signals from the Phone Ringer, which are selected by jumping a small wire to separate sockets on the internal circuit board.



CIRCLE 119 ON FREE INFORMATION CARD

Housed in a beige snap-together case (5 % \times 4 $\frac{3}{4}$ \times 1 $\frac{1}{4}$ inches) with an internal speaker, the phone ringer includes two connector leads for remote speakers, a variable volume control, modular phone plug with six feet of cable, and keyhole slots in the caseback to facilitate wall mounting. It installs between any modular telephone unit and a modular telephone set (except wall-mount set). It is powered up to a year by two 'C' cell alkaline batteries, and is approved by the FCC for direct-line connection.

The Pleasant Phone Ringer, model GT-1218, is priced at \$29.95. - Heath Company, Benton Harbor, MI 49022.

MOTION DETECTOR, the Micro Motion Sensor, is designed for automotive security applications, and is easy to mount anywhere under the hood or fender. It is made of classfilled virgin nylon, and is completely sealed to



CIRCLE 120 ON FREE INFORMATION CARD

eliminate the false alarms common to older type motion detectors during damp or rainy weather. The Micro Motion Sensor is 3 × 1 % × 1 inches and can be used in any system that employs motion detection. It is priced at \$9.95 — Thug Bug Corporation, 1999 Johns Drive, Glenview, IL 60025.

Versatile Lab **Power Supply**



• 0-30 VDC at 0-2A • Excellent Regulation . Ripple & Noise - 500 uV . Built-in Short-

Circuit and Overload Protection Model 3002A features continuously adjustable current limiting and precision

constant voltage/constant current operation with "automatic crossover." This lab-grade unit can also be used as a current regulated power source.

Optional 10-turn voltage & current controls: \$25 each. Add \$3.00 for UPS shipping in Continental U.S. Check, Money Order or C.O.D. accepted. Illinois residents add 6% sales tax.

(I II I)ELECTRO INDUSTRIES, INC. 4201 W. IRVING PK., CHICAGO, IL 60641 312/736-0999

CIRCLE 26 ON FREE INFORMATION CARD

Two facts you'll find hard to believe . . .

1. This phone, with engineering for the year 2001, is yours right now. 2. Your cost is only \$99.95.

Some of the brightest electronic engineers in the world decided to build a telephone that makes all others obsolete.

This phone would have a big memory to remember (and dial with one or two buttons) a lot of phone numbers.

It would handle one or two lines, with a "hold" button, for big-phone performance and convenience.

It would work with rotary pulse or Touchtone®, so you can use it to talk to a computer or to use MCI, Sprint, or any of the tone-code long distance

It would display the number being dialed in LED-illuminated figures, to prevent errors even in the dark.

Most of all

It would be beautiful, a magnificent sleek instrument to enhance any room. Ladies and gentlemen, we give you...

The Electronic Secretary-Phone

Every other state-of-the-art phone we've seen handles either just one line or (bulkily) five lines.
The ELECTRONIC SECRETARY-

PHONE is about half the size of most phones, but its innards are crammed with advanced electronic technology.

What a timesaver! It "remembers"

up to 32 numbers! Enter them just once then call any of them by pushing one or two buttons.

Two-in-One, with "Hold" Button

You control two separate phone lines, which means you can have a true multi-line conference call without involving the phone company.

Talk on Line 1; or put the call on Line 1 on hold while you talk on Line 2; or tie both lines together by depressing both buttons!

Best of all, you can touch one key and you'll have a hands-free speakerphone whose sound fidelity is surprising. Your phone has a volume control, of course.

Before we tell you how little it costs, here a few more timesavers and conveniences built into your Electronic Secretary-Phone:

Elegant, Expensive-Looking, Easy!

We've seen phones you need an engineer's degree to operate. A child will have no trouble putting this wonderphone through its paces.

You won't dial a wrong number because an LED display shows you, digitally, the number you're calling. You can call MCI, Sprint, your

computer, or anywhere you need the touchtone signal. A touch of your finger switches back and forth from pulse to

Automatic redialling of the last number? Of course. No jangling ringerbell; the ringer is a pleasant electronic

But we think what you'll like most about the Electronic Secretary-Phone is its beauty. If ever a phone could win an award for design, this is it. You'll be proud to have this phone in your home or office.





LED Display Shows No. Being Dialed.

Get It Far Below Market Place

We originally planned to sell this phone for \$169.95, and it would be a bargain at that price. When we decided to feature it in our catalog, we lowered the price to \$129.95.

Now we've been able to contract for enough of them that you can own an Electronic Secretary-Phone for only \$99.95! At that price, while we have them, you should order two.

Our absolute guarantee means you'll have a month to use this phone and see for yourself that our claims about it are true. Enjoy it!

WE ABSOLUTELY GUARANTEE!

Plug in the ELECTRONIC SECRETARY-PHONE. Use it for up to 30 days. If you decide for any reason you don't want to keep it, return it for a 100% refund.

• Handles TWO Phone Lines Use the "Hold" button to switch back

and forth, Or use them together for conference calls!

Conference Call Feature

Just push both buttons and both lines are open. They're interactive, so you can tie two calls together!

Speaker Phone

If you have a roomful of people, or if you just don't want to hold the instrument, your Speakerphone has wonderful sound fidelity plus volume adjustment!

• 32 Memories

Your phone "remembers" up to 32 numbers. Enter them just once, then dial by pushing one or two buttons. Even remembers long strings of numbers like MCI!

\$99.95 complete SAVE \$20.00! Two for \$179.90 (+ \$2.50 per total order for shipping)

Order TOLL-FREE For fast delivery on credit card orders call toll-free 24 hours a day, 7 days a week:

800-443-0100

Ask for Ext. 111

Or send check or money order. Please add indicated shipping cost.

NEWHORIZONS

Dept. R10 5-31 50th Avenue Long Island City, N.Y. 11101

At CIE, you get electronics career training from specialists.



If you're interested in learning how to fix air conditioning, service cars or install heating systems— talk to some other school. But if you're serious about electronics... even earning an Associate Degree... come to CIE—The Electronics Specialists.

Why trust your education and career future to anything less than a specialist?

You shouldn't. And you certainly don't have to.

If you talked to some of our graduates, chances are you'd find a lot of them shopped around for their training. They pretty much knew what was available. And they picked CIE as number one.

Be sure to shop around. Because, frankly, CIE isn't for everyone.

There are other options for the hobbyist. If you're the ambitious type—with serious career goals in electronics—take a close look at what we've planned for you at CIE. What you should look for first.

Part of what makes electronics so interesting is it's based on scientific discoveries—on ideas! So the first thing to look for is a program that starts with ideas and builds on them!

That's what happens with CIE's Auto-Programmed®Lessons. Each lesson takes one or two principles and helps you master them—before you start using them!

How practical is the training?

This is the next big important question. After all, your career will be built on what you can do—and on how well you do it.

Here are ways some of CIE's career courses help you get your "hands-on" training...

With CIE's Personal Training Laboratory...

you learn and review the basics—perform dozens of experiments. Plus, you use a 3-in-1 precision Multimeter to learn testing, checking, analyzing!

When you get your own 5MHz, solid-state oscilloscope, you take some real professional steps. You use it as a doctor uses an X-ray machine—to "read" waveform patterns...lock them in...study, understand and interpret them!

When you get your Digital Learning Laboratory, you'll

be into digital theory—essential training today for anyone who wants to keep pace with the state of the art of electronics. With CIE's Digital Lab, you'll be applying in dozens of fascinating ways the theory you've learned. For example, you'll compare analog and digital devices. You'll learn to make binary to decimal conversions and to work with semiconductor devices and circuits. You'll see how digital equipment is vital to today's exciting, growing fields such as security... where digital theory provides the brains for space-age alarm and protective devices.

You'll build your Microprocessor Training Laboratory, a working microcomputer—from "scratch." You'll also learn how to program and interface it with displays, memories, switches, and more.

Earn An Associate Degree from CIE.

One of the best credentials you can have in electronics
—or any other career field
—is a college degree. That's why CIE gives you the opportunity to earn an Associate in Applied Science

in Electronics Engineering Technology. Any CIE career course can offer you credit toward the degree...more than half of the number needed in some cases.

You can also prepare for the government-administered FCC (Federal Communications Commission) Radiotelephone License, General Class. It can be a real mark in your favor... government-certified proof of your specific knowledge and skills.

Shop around...but send for CIE's free school catalog first!

Mail the card. If it's gone, cut out and mail the coupon. If you prefer to write, mention the name and date of this magazine. We'll send you a copy of CIE's FREE school catalog—plus a complete package of independent home study information! For your convenience, we'll try to have a representative contact you to

answer your questions.
Mail the card or coupon or write: CIE, 1776
East 17th St.,
Cleveland,
OH 44114.

Cleveland Institute of Electronics, Inc.

1776 East 17th Street, Cleveland, Ohio 44114 Accredited Member National Home Study Council

YES... I'm shopping around for the <u>right</u> kind of career training in electronics — and CIE sounds well worth looking into. Please send me my FREE CIE school catalog—including details about the Associate Degree program—plus my FREE package of home study information!

| Address | | Apt |
|---------------|----------------------------------|---------------|
| City | State | Zip |
| Age | Area Code/Phone No | |
| Check box for | G.l. Bill information: Veteran | ☐ Active Duty |

MAIL TODAY!

RE-70

RADIO-ELECTRONICS

NEW IDEAS

Remote telephone ringer

HAVE YOU EVER MISSED AN IMPORTANT telephone call because you were in your basement or garage and didn't hear the phone ring? Or perhaps you heard it ring, but you heard it too late and, although you rushed as fast as you could, you couldn't get to the phone in time. And, even if the call is not important, missing it by a few seconds can be, to say the least, annoying.

Of course one solution to the problem is to stay near the phone when you are expecting a call. (Unfortunately, that doesn't work if you get an important call when you're not expecting it.) Yet there is another solution—the remote telephone ringer that we'll discuss here.

The ringer that we'll describe solves the problem of incompatibility between telephone equipment and a conventional AC alarm bell or 110-volt electric light outlet. wire it into the phone itself. If you decide to do that, all you have to wire it in parallel with the phone's bell. The circuit is centered around the two neon bulbs, NE1 and NE2. Those bulbs will light when more than 100 volts is across the ringing circuit. The bulbs also provide line isolation between the unit and the telephone line. Finally, they act as a voltage divider for the bridge rectifier made up of D1-D4. That creates a positive voltage that is then applied through D5, is filtered by R2, R3 and C2, and causes Q1 and Q2 to conduct. When that happens, triac TR1 is fired through the optical coupler IC1. Using the optical coupler assures that the load is isolated from the telephone linesan important consideration.

None of the parts used in the circuit are very critical and any wiring method can be used. And many of them, including the triac, optical coupler, neon bulbs, and

FIG. 1

Why do I mention the electric light outlet? Well, for the hearing impaired, a light is an excellent way to signal a telephone call. It might also be a good idea, say, in a workshop. It's easier to see a light than to hear a bell when you're running a power tool.

To hook up the circuit (its schematic is shown in Fig. 1), you can wire it to an existing junction box. An alternative is to

VR1 transient protector can be found at Radio Shack. The voltage of the transformer's secondary can be anywhere between 10 and 26 volts.

Before we go, we should make one final note: It is advisable to check with your local telephone company to make sure that you follow the area's rules and regulations regarding the use of such an extension ringer.—Craig K. Sellen

NEW IDEAS


This column is devoted to new ideas, circuits, device applications, construction techniques, helpful hints, etc.

All published entries, upon publication, will earn \$25. In addition, Panavise will donate their model 333—The Rapid Assembly Circuit Board Holder, having a retail price of \$39.95. It features an eight-position rotating adjustment, indexing at 45-degree increments, and six positive lock positions in the vertical plane, giving you a full ten-inch height adjustment for comfortable working.



I agree to the above terms, and grant Radio-Electronics Magazine the right to publish my idea and to subsequently republish my idea in collections or compilations of reprints of similar articles. I declare that the attached idea is my own original material and that its publication does not violate any other copyright. I also declare that this material has not been previously published.

| Title of Idea | | |
|---------------|----------------------------------------------------------------------------------------|-----|
| Signature | | |
| Print Name | D | ate |
| Street | | |
| City | State | Zip |
| to: New Ideas | a along with this coup B Radio-Electronics O Park Ave. South, W York NY 10003 | |



MAKE YOUR STEREO SOUND SUPER FOR ONLY \$4.50

THE SOUND RIVALS THE MOST EXPENSIVE SPEAKERS

IT'S A GREAT DEAL BUT THERE'S A CATCH

Only \$4.50? It's true. Sound that rivals the most expensive speakers? That's also true. But there is a catch to this deal. Not number 22. Actually, our first. Read on.

We're a new company. We need customers. So we're offering this special deal, on a very special product. The headphones are very new on the market. You'll see similar models just beginning to appear in hifi stores bearing respected names like Sony and Toshiba.

Actually they're miniature versions of the famous new technology headphones that wrap around your head with a steel band. The mylar diaphragms are exactly the same. So the tight crisp response is unbelievable, over the entire 20-20,000 Hz frequency range. And as you probably know mylar domes simply don't work with normal speaker magnets. So the miniatures have the same powerful rare earth Samarium magnets as the ones you've seen.

PHONE TE

But here's where the similarities end. There is no steel band to fit around your head and press against your ears. They simply slip into your ears. That makes them more comfortable, but what's more important something really amazing happens to the sound. You're closer to the music, it almost seems to envelope you. The sound truly is all encompassing. If you ever try the older style headphones again, you'll think you're missing half the sound you've

come to expect. You get these remarkable little speakers with a standard phone plug adaptor plus an extra set of foam covers.

Now you're saying you never bought a Walkman. Glad you thought of that. Because we also have this neat little radio. Take seven normal filter cigarettes. Line 'em up in a row. That's the size of it. Really, it's that small. Plus it comes with its own headphone set, and it's powered for up to 24 hours straight by two normal AAA batteries. Get the FM stereo version for \$22.50 or the slightly larger AM/FM model for \$27.50. Both include headphones exactly like the ones we've described.

Now if you like that idea, you don't mind the catch. Painless and easy, here it is: Try the radio and we'll throw in the extra headphones, adaptor and foam covers for only \$4.50 more.

So why do we do it? We're losing our shirts on the earphone, but we need to build our sales, and find people who like neat deals on neat electronics. We're a brand new division of a very large electronics company. And we want to show those guys at headquarters what we can do. The best way is very special deals like this. So you benefit.

To try this deal with your credit card call the RCD toll free hotline or send your check plus \$2.00 postage and handling. Specify group 1900 on FM or AM/FM on the radio. If you aren't 100% satisfied return it in the original carton within 25 days for a courteous refund. No hassles, no problems.

Be prepared to get an explosion of sound, at home or anywhere you go.

806 Custer Avenue P.O. Box 1494 Norfolk, Nebraska 68701 Call TOLL FREE 800-228-8108

RADIO-ELECTRONICS

HOBBY CORNER

A new contest

EARL "DOC" SAVAGE, HOBBY EDITOR

FOR SOME REASON THERE HAS BEEN AN increase in the number of inquiries about an unusual clock readout that was described here several years ago (March, 1980). Since that time, all kinds of new IC's have appeared and there are more modern ways to achieve the same result. Let's see who can come up with the best new circuit. To be fair to those of you who may not have been around back then and/or who do not have ready access to back issues, I'll run through the description.

Bob Hankinson (PA) built a readout that consisted of a single vertical column of LED's. They were turned on and off in such a way that you could read the digits by "sweeping" your eyes across the column. (Think of a "Times Square" billboard—except your eyes, not the numbers, scroll.) If you looked at it straight on, it looked just like a line of LED's. Here are a few hints that should help you to understand the problem better.

Imagine a block as shown in Fig. 1 consisting of just 15 LED's. (The filled-in circles are lighted.) By lighting selected LED's, you can show any digit. (For example, in Fig. 1, the numeral 4 is shown.) With four blocks, you could show the time in hours and minutes. That's how many early digital clocks were made.

For clarity, I'll confine the discussion to one digit/block. Looking again at Fig.

AN INVITATION

To better meet your needs, "Hobby Corner" has undergone a change in direction. It has been changed to a question-and-answer form. You are invited to send us questions about general electronics and its applications. We'll do what we can to come up with an answer or, at least, suggest where you might find one.

If you need a basic circuit for some purpose, or want to know how or why one works, let us know. We'll print those of greatest interest here in "Hobby Corner." Please keep in mind that we cannot become a circuit-design service for esoteric applications; circuits must be as general and as simple as possible. Please address your correspondence to:

Hobby Corner Radio-Electronics 200 Park Ave. South New York, NY 10003




FIG. 1

l, you will see that the "4" (in this case) is made of 3 vertical columns. Of course, in the normal readout all three columns are lighted properly at the same time.

Now take just one column of 5 LED's and light it sequentially according to the pattern of column a and then b and then c. If you get a match between the sequential rate and the speed of your eyes sweeping horizontally across the column, you can actually see the digit 4. It's really quite fascinating.

Of course, once you get it working for one digit, all you have to do is add three more into the pattern and add blank spaces between digits. Then drive the whole thing with a clock IC and your family and guests will go bananas until they get the hang of reading it.


Now for the contest: See what you can build and send me the circuit. (Show the entire clock circuit or at least back to the commonly available signal lines.) Keep it as simple and as inexpensive as possible (and make the diagram legible, of course).

You have until the end of the October. That should give you plenty of time. Meanwhile, I'll see what I can do about finding some kind of prize for the best circuit.

An old puzzle

Some of you missed the point of the 3-house/3-utility problem back in March. Recall that I said I had "whiled away many pleasant hours" on it back in junior high school. That, of course, was before I had learned enough math to prove that the problem has no solution—it just can't be done.

I do hope those who have been working



on it and requesting a solution have had as much fun with it as I once did! If not, perhaps you have learned to read more carefully.

If you would like another, similar puzzle, try this one: Figure 2 shows a design. Place your pencil anywhere inside or outside that design. The idea is to cross every line-segment with your pencil without crossing any segment more than once. (This one brings back memories of junior high, too.) Good Luck!

Homebrew transceiver

Darrell Hohensee (KS) has asked for schematic for a 4-band ham transceiver with internal VFO. Well, the best I can do is to refer you to the publications of an organization of radio amateurs, the ARRL or American Radio Relay League (225 Main Street, Newington, CT 06111). I have built and learned from their Radio Amateur's Handbook for many years. That and several of their other publications contain the kind of information you seek.

Darrell, you are right: you can learn a great deal by building (or "homebrewing") your own equipment. From your letter, however, I gather that you have not done much construction. The transceiver you ask about is a big project to undertake, especialy on limited experience. There's an old saying about learning to walk before you run that applies equally well to building electronic projects. If you get involved in a big one before you have worked your way up to it with smaller projects, you can easily get jammed up. You can end up with something that is partially built and it's easier for someone else to start from scratch than to correct your mistakes. So start small, Darrell, and work your way up. Those ARRL books have plenty of less-complex ham gear to build, too.

More on the solar collector

Marvin Roesch (AZ) wants that solar follower from the June Hobby Corner to return to the east direction under its own steam. Apparently, he plans to put a collector in a remote location.

The first consideration is a motor to turn the mechanism "backwards." That can be a second motor or a the original motor can be one that will reverse. The easiest way to point the collector east is to

Now electronics technicians can get into VCR Servicing quickly and easily

Learn professional VCR servicing at home or in your shop with exclusive videotaped demonstrations

Today, there are more than 10 million VCRs in use, with people standing in line to have them serviced. You can bring this profitable business into your shop with NRI professional training in VCR servicing. This top-level training supports the industry's claim that the best technicians today are those who service VCRs.

Integrated Three-Way Self-Teaching Program

In one integrated program, NRI gives you a study guide, 9 instructional units, 2 hours of video training tapes accompanied by a 32-page workbook that pulls it all together. At home or in your shop, you'll cover all the basic concepts of video recording, mechanical and electronic systems analyses, and the latest troubleshooting techniques. Your workbook and instructional units also contain an abundance of diagrams, data, and supplementary material that makes them valuable additions to your servicing library.

The "How-To" Videotape

Your NRI Action Videocassette uses every modern communications technique to make learning fast and easy. You'll enjoy expert lectures and see animation and video graphics that make every point crystal-clear. You'll follow the camera eye into the heart of the VCR as step-by-step servicing techniques are shown. Both electronic and mechanical troubleshooting are covered . including everything from complete replacement and adjustment of the recording heads to diagnosing microprocessor control faults.

Plus Training On All The New Video Systems

Although your course concentrates on VCRs covering Beta, VHS, and 3/4" U-Matic commercial VCRs, NRI also brings you up to speed in other key areas. You'll get training in capacitance and optical video disc players, projection TV, and video cameras. All are included to make you the complete video technician. There's even an optional final examination for NRI's VCR Professional Certificate.



The Best Professional Training

This exclusive self-study course has been developed by the professionals at NRI. NRI has trained more television technicians than any other electronics school! In fact, NRI has consistently led the way in developing troubleshooting techniques for servicing virtually every piece of home entertainment equipment as it appears in the marketplace.

Satisfaction Guaranteed . . . 15-Day No-Risk Examination

Send today for the new NRI Self-Study Course in VCR Servicing for

Professionals. Examine it for 15 full days, look over the lessons, sample the videotape. If you're not fully satisfied that this is the kind of training you and your people need to get into the profitable VCR servicing business, return it for a prompt and full refund, including postage. Act now, and start adding new business to your business.

Special Introductory Offer

This complete VCR training course with two hour videotape is being offered for a limited time only, on orders received from this ad, at our low introductory price of \$179.95. Save \$20 by acting now!

NRI Training For Professionals McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington, DC 20016

ES Get me started in profitable VCR servicing. Rush me my NRI self-study course in VCR Servicing for Professionals. I understand I may return it for a full refund within 15 days if not completely



NRI Training For Professionals McGraw-Hill Continuing

Education Center 3939 Wisconsin Avenue Washington, DC 20016

| satisfied. | |
|----------------------------------|-------------------------------------------------------------------------|
| PLEASE SPECIFY TAPE FORMAT DESI | RED 🗆 VHS 🗀 BETA |
| Name (please print) | |
| | |
| | |
| | |
| Enclosed is my | rder for \$179.95 (D.C. residents add 6% tax) Make check payable to NRI |
| | · |
| | sterbank Number |
| Card Number | Expiration Date |
| Signature | |
| (required for credit card sales) | 2600-103 |



CONVERTERS DESCRAMBLERS

Largest Selection of Equipment Available \$Buv Warehouse Direct & Save \$



36 channel converter **\$45**95

36 channel wired remote converter only **\$88**95



ATTACH

LABEL

HERE

Send \$2 for complete catalog of converters and unscramblers

Quantity Discounts • Visa • Master Charge Add 5% shipping - Mich, residents add 4% sales tax

C&D Electronics, Inc. P.O. Box 21, Jenison, MI 49428 (616) 669-2440

MOVING?

Don't miss a single copy of Radio-Electronics. Give

Six weeks' notice

Your old address and zip code

Your new address and zip code

(please print)

address

name

city

state

zip code

Mail to: Radio-Electronics SUBSCRIPTION DEPT., P.O. BOX 2520, BOULDER, COLO. 80322

control the second motor or reverse switch with a clock/timer. Every night at midnight it can swing the reflector back to be ready for the rising sun. It can also be done in fancier ways, Marvin, but the solution you should always look for is the simplest and most straightforward onethe one that causes the fewest troubles in construction and operation.

Resistance, reactance, impedance

A series of basic questions was sent in by Anwar Khanb (NY). Space will not permit giving detailed answers, but perhaps the following will help him and others who may be a bit confused.

From his letter, I deduce that Anwar's fundamental difficulty is in having a clear picture of the difference between resistance, reactance, and impedance. Here are some pointers toward the right direction: Resistance is the opposition to the flow of electrical current that results in heat in the conducting material. Resistance is symbolized in equations by the letter R. It is measured in ohms, which are symbolized by the capital Greek letter omega (Ω) .

Reactance is the opposition to the flow of AC current. It's symbol is the letter X. Reactance is also measured in ohms.

Impedance is the combination of the opposition to the flow of AC current due to resistance and reactance. It is measured in ohms and is symbolized by the letter Z.

Though the units of measurement for each of them is called the ohm, they are quite obviously different. Thus, you cannot substitute or switch one for the other.

There is no formula that relates the DC resistance of a coil directly to the (AC) impedance or reactance of that coil. That's because the resistance is determined by the type and length of the wire used. The reactance is determined by how the wire is wound and the frequency of the signal that is fed through it.

Consider this example: the resistance of a ten-foot piece of wire is a certain number of ohms. That value remains unchanged regardless of the form into which you put the wire—anything from a straight line to a tightly wound ball. On the other hand, its inductance, and thus its reactance, changes depending on the shape(s) into which the wire is placed. The reactance is also related to the frequency, f, of the signal that is fed through it $(X = 2\pi f L)$.

So, Anwar, knowing only the DC resistance of a coil will not enable you to determine its reactance or impedance. The other factors must be considered.

Your input

Your input makes a valuable contribution to this column. Your suggestions are encouraged. Don't hesitate to ask a question--there are probably hundreds of other readers who would like to know the same thing. And don't forget—I'll be on the lookout for your contest entries. R-E

COMPUTERS

TELEMARKETING **Works For You** 1-800-841-0860

> Call For Your Discount Prices

Write For Free Price List commodore • EPSON

SCM SMITH-CORONA

FRANKLIN • OKIDATA

Eagle

• TRS-80

MICRO MANAGEMENT SYSTEMS

TELEMARKET DEPT. 15

2803 Thomasville Rd. E. • Cairo, Ga. 912-377-7120

TIMEX/SINCLAIR COMPUTER USERS We Have The Books You Need







Zip:

ART OF PROGRAMMING THE 1K ZX81. How to use the features of the ZX81 in programs

that fit into the 1K machine. 96pp. \$5.75 postpaid. ART OF PROGRAMMING THE 16K ZX81. How to use your 16K RAM pack and ZX printer to

the full. 144 pp. \$6.95 postpaid.
ART OF PROGRAMMING THE ZX SPECTRUM. Everything you need to know to put the ZX Spectrum to work for you. 144 pp. \$8 postpaid.

> ELECTRONIC TECHNOLOGY TODAY, INC P.O. BOX 240 MASSAPEQUA PARK, NY 11762

Address

City

State Number of books ordered

VIC-20 INTERFACING BLUE BOOK

Did you know that your VIC can be used to control a 99¢ toy motor so effectively that it runs like a precision machine? Or that you can build an accurate digital thermometer using

build an accurate digital thermometer using the VIC and four parts costing less than \$5? These and other 28 interfacing projects selected for usefulness, ease of construction and low cost are detailed in the VIC-20 Interfacing Blue Book, a veritable gold mine of practical information on how to build a variety of interfaces for your computer. Projects include: Connecting VIC to your stereo, Pickproof digital lock, Capacitance meter, Liquid level sensor, Felephone dialer, Voice output; 8K/16K RAM/ROM expansion; 128K RAM expansion; 8-bit precision DIA; 8-bit AID converter, MX-80 interface and more.

128K RAM expansion; 8-bit precision DIA, 8-bit A/D converter; MX-80 interface and more. Written by a college professor in a friendly and informative style, the Blue Book gives you theory of operation, schematics, program listings, parts Ilst, construction hints and sources of materials for each one of the 20 and process.

lects.

If you want to get the most out of your VIC
this book is a must. Cost is \$14.95 (less than
50¢ per project!). Price includes postage.

microsignal Dept M P.O. BOX 22 MILLWOOD NY 10548

VIC-20

CIRCLE 46 ON FREE INFORMATION CARD

ANNUAL INVENTORY REDUCTION...

TEST INSTRUMENT SALE!

| | 550 | | | |
|----------------------------------------------------------------------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------|
| ZHWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW | WHIL | SIMPSON 452 IS MHZ SCOPE | 115T \$919. | SALE \$ 827. |
| NOT SECONDS, NOT REBUILTS, NOT REJECT | 75- 7 | SIMPSON 454 ISMHZ SCOPE | \$ 730. | \$ 657. |
| ALL ARE <u>BRAND NEW-IN</u> FACTORY CARTO HAVE NOT BEEN USED FOR DEMOS. | ws! ≨ | SIMPSON 260-7 MM | \$ 119. | \$ 103. |
| FINIMANNINA WYMMANIAMANA | THEM | SIMPSON 260-7M MM | \$ 127. | \$ 114: |
| | SALE | SIMPSON 269-3 MM | \$ 218. | \$ 196. |
| HITACHI V-099 WAVE FORM MONITOR \$1350. | SOLD OUT | SIMPSON 360-2 DMM | \$ 375 | \$ 337. |
| HITACHI V-089 VECTOR SCOPE \$1684. | SOLD OUT | SIMPSON 463 PMM | \$210. | \$ 174. |
| HITACHI V-152F 15MHz SCOPE \$595. | \$ 468. | SIMPSON 461-2 DMM | \$204. | \$ 174. |
| HITACHI V-1050F 100 MHz SCOPE \$1980. | \$1589. | SIMPSON 461-ZR DMM | \$246. | \$ 219. |
| HITACHI V-151F 15MHz SCOPE \$495. | \$ <i>388.</i> | SIMPSON 464A-3 DMM | \$304 | \$ 273. |
| HITACHI V-202F 20MHz SCOPE \$695. | \$ 546. | SIMPSON 464 D-3 DMM | \$365. | \$ 319. |
| HITACHI V-650F 60MHz SCOPE \$1195. | \$ SOLD OUT | SIMPSON 460-5 DMM | \$397. | \$ 357. |
| HITACHI V-302F 30MHz SCOPE \$ 799. | £ 665. | SIMPSON 467-E DMM | \$225. | \$ 202. |
| BECKMAN TECH300 DMM \$ 120. | \$ 108. | BBC MASE MM | \$179. | \$ 161. |
| BECKMAN HD-100 DMM \$ 169. | \$ 152. | BBC MAIH MM | \$ 49. | \$ 44. |
| BECKMAN TECH 310 DMM \$ 145. | <i>\$ 130.</i> | BBC MAZH MM | \$ 79. | \$ 71. |
| BECKMAN TECH 330 DMM \$219. | \$197. | BBC M2011 DMM | \$119. | \$ 107. |
| BECKMAN TECH 350 DMM \$229. | \$ 206. | BBC M2012 DMM | \$139. | \$ 125. |
| BECKMAN TECH 360 DMM \$289. | \$ 260. | BBC MASD DMM | ¥595. | \$ 535 |
| LEADER LBO-514A SCOPE \$695. | <i>\$589.</i> | BBC M2030 DMM | \$199. | \$ 179. |
| LEADER LFG-13005, FUNCTION GEN. \$495. | 5 419. | BBC M2031 DMM | \$219. | \$ 197. |
| LEADER LSG-17, SIGNAL GEN. \$ 190. | \$ 160. | BBC M2032 DMM | \$ 259. | \$ 233. |
| LEADER LAG: 27 SINE/SQ. WAVE GEN. \$205 | | A.W. SPERRY 315P, ISMHZ SCOPE | 4800. | \$ 720. |
| LEADER LDC-8235 FREQ.COUNTER \$450 | | A.W. SPERRY 620C, 20MHz SCOPE | \$ 785. | \$ 706. |
| LEADER LOC-822 FREQ. COUNTER \$320 | | A.W. SPERRY EZ-GIIO DMM | \$ 168. | \$ 89.88 |
| LEADER LBO-524, 35 MHz SCOPE \$995 | , . | A.W. SPERRY SP-10 MINI-METER | \$17.75 | \$ 15.88 |
| VIZ WP-704A POWER SUPPLY \$139. | | A.W. SPERRY SP-15 MINI-METER | \$19.95 | \$ 17.88 |
| VIZ WP-702A POWER SUPPLY \$184. | | A.W. SPERRY 5J-25 MINI-PROBER | \$32.95 | \$29.88 |
| VIZ WP-708 POWER SUPPLY \$499 | | ALL MARKETER | 44.44 | 11.11 |
| VIZ WE-130A SOUND LEVEL METER \$179 | 7 / | HAMMAN MANAMANANAN AN | MAMA | NAMA |
| VIZ WA-504B/44D AUDIO GENERATOR \$184 | | ALL ITEMS CARRY FULL MANUFA WARRANTY PLUS ELECTRONICS WA | | |
| SIMPSON 7016 COUNTER TIMER \$447 | 205 | FULL 45 DAY MONEY BACK GUAR | PANTEE | * * |
| SIMPSON 7020 SCALER \$506 | SOLD OUT | THIMMMIN MANNAMININ | MMA | THEN |

EXTENDED TO SEPT. 30" 1983!!

SIMPSON 420A FUNCTION GEN, \$204. \$ 183.

Halls Rd. - P.O. Box 624 - Old Lyme, CT 06371

TERMS: U.S. funds, Visa, Amex, MC, Money Order, Check (allow 2 weeks to clear), CT residents add 77:9% sales tax. Sale prices for prepaid orders only. Prices and availability of product subject to change without notice. Write for free catalog. C.O.D. orders cash or certified check add \$1.60. Shipping and handling charges add \$3.60 for orders under \$100., add \$7 for orders over \$100. (air freight extra).



TELEPHONE ORDERS FILLED FAST! ORDER DESK OPEN FROM 9AM TO 5PM ESJ. CALL (203)434-8308

AZING

B&K-PRECISION's under \$170 100 MHz frequency counter.



PRECION CORPORATION

1303

OVER

12345678

100 MHz FREQUENCY COUNTER


POWER

OR LIFE

5 Hz to 100 MHz



200 V MAK




SHOWN ACTUAL SIZE

MODEL 1803

SIMPLE TO POWER. BATTERY OR AC LINE OPERATION (ADAPTER INCLUDED)



SELECTABLE DW-PASS FILTER FOR ACCURATE LOW-FREQUENC MEASUREMENTS.



BNC INPUT CONNECTOR SIMPLIFIES HOOK-UPS—ELIMINATES NEED FOR ADAPTERS.



EASY TO-READ, PROVIDES 1 HE RESOLUTION

For more details on the amazing 1803 and the full line of new B&K-PRECISION frequency counters, see your local distributor of call 1-312-889-9087.



PRECISION DYNASCAN CORPORATION

6460 W. Cortland Street • Chicago, .L 60635 • 312/889-9087 International Sales, 6460 W. Cortland St., Chicago, IL 60635 Canadian Sales, Atlas Electronics, Ontario South and Central American Sales, Empire Exporters, Plainview, NY 11803

CIRCLE 77 ON FREE INFORMATION CARD

www.americanradiohistory.com

BUNLD THIS

Part 2 This Nove, we see you be suited the planematic. But before to begin, be a misk up our look at how the circuit perates.

Note generator

notes p The note generator has eting ónsis the Pianomat C. As f two The quency oscillator and a freq rmine t scillator formed by IC f is d io mula: 1/2 C. used R35 and ed to the c That we get a of a uen ial a s e ne ary divisio input of to s internally design pr vid. es een npu of abo produce the top octave that a clock of 300 kHz we bring the or the jian Byusing to roughly of the piano keyboard.

The calculate of the same generation and connected to the

Build the Pianomatic are make beautiful us

player-pic

ROBERT GROSSBLATT




FIG. 5—TWO OF THE FIVE boards used in this project are double-sided. The foil side of one of those boards, Board 1, is shown here half-size.




FIG. 6—THE COMPONENT SIDE OF BOARD 1. Note the pads for the male header at the bottom of the pattern. Once again this board is shown half-size.




FIG. 7—THE FOIL PATTERN for Board 2. The foil side of that double-sided board is shown here half-size.

inputs of IC8, the note selector. That one-of-sixteen analog switch will output the input chosen by the binary word on the output-data bus. When the inhibit pin of the IC, pin 15, is connected to + V, it will disable the output. If we're reading a tune back from memory, we obviously want the output of IC8 turned on all the time, but if we leave it on when we're writing a tune into memory we'll run into a prob-

lem similar to the one we ran into earlier when we wanted to play the Pianomatic without writing into memory.

The problem before was caused by the fact that there was always data on the input-data bus. The problem this time is similar. There is always some data on the output-data bus, and it's not always the data we want. When we're writing a tune into memory, pressing a key will cause

that note to be written into memory. Remember that before we pressed the key, there was always something stored at that location in the memory. Consequently, until we program the note we want, we'll hear whatever note was already at that memory address. Even when the memory is first put in the circuit, some sort of random data will be stored in it. If we're writing a tune on a page we've previously used, the old tune will be stored there. The way around this problem is to use the inhibit pin (pin 15) of IC8 when we're writing into memory.

Once again we use the "any-keypressed" signal from the keyboard encoder to enable the note selector. Since we need a high to turn off IC8, we have to use the inverted version of the "any-keypressed" signal available at the output of IC15-c. Switch S2-b connects the inhibit pin of IC8 to ground when we are reading from memory and to the inverted "anykey-pressed" signal when we are writing into memory. That means that IC8 is always enabled during a READ but, during a WRITE operation, it's only enabled when a key is pressed. Now, it's true that since this same inverted signal is also used to generate a write pulse for the memory, there will be a period of time when IC8 is enabled and the new note hasn't yet been written into memory. But let's be realistic. The write time of the memory is something like 300 nanoseconds so the old data will be present for only—to be generous—a brief period of time.

Amplifier

The output of IC8, available at pin 1, is fed to the input of IC10 through C18. That is a ½-watt integrated amplifier that can directly drive an 8-ohm speaker. The noteworthy thing here is that the gain of the amplifier is varied by the output of the tremolo clock, IC14-a. That is a low frequency oscillator running at about 6 Hz or so. The output is integrated by R31 and C21 to produce something vaguely resembling a sinewave. We're not after perfection here, but we do have to smooth it out somewhat. The reason for that is that the Pianomatic uses CMOS logic; one of the characteristics of that logic family is that oscillators using it can swing nearly the full range of the supply voltage. For the output here, the low point is pretty near ground and the high point is within shouting distance of the positive supply rail. If we connected the tremolo clock directly to the gain control pin of the amplifier, pin 8, it would turn the amplifier off every time the oscillator reached the bottom of the curve. It would be like trying to sing while someone was hitting you on the back (although there are certain kinds of music where that would be a definite plus).

Because we're using the gain-control pin of the amplifier to add tremolo, the volume of the Pianomatic is determined by the size of the capacitor, C19, that connects the output of IC10 to the speaker. The value chosen provides a comfortable level but you can change it. Raising the value will increase the volume and vice versa. Keep in mind though, IC10 is only a ½-watt amplifier and the speaker is a miniature one. If you have visions of using the Pianomatic at a rock concert, you're going to have to come up with some other output stage—you might try converting it to run off diesel power.

Memory retention

The Pianomatic will remember programmed tunes even after it's been turned off. That nonvolatility of the memory is a nice feature and understanding how it's done means that you can use the same technique in other designs. Basically we're using a backup battery to retain the memory and although the same method can probably be used with any other memory device, there are several memories that are specifically designed with that feature in mind. Those particular memories are the so-called "low-power" devices. They are generally CMOS and provide guaranteed data retention with as little as two volts applied. The rules for using them are simple since they usually have a control pin to switch the memory over to the LOW POWER mode. The Pianomatic uses three 20-milliamp-hour (mAh) nickel-cadmium button cells to provide a memory-retention voltage of 3.6. The draw is so low that 1-mAh nickel-cadmium cells could have been used if they could have been found.

Diodes D14 and D15 are used to steer the power for the memory. When the Pianomatic is turned on, D15 isolates the +V pin of the memory, D14 protects the batteries, and R16 allows the batteries to trickle charge at a rate we can figure from Ohm's law.

The operating voltage of the Pianomatic is 7.3 volts and, since D15 is a silicon diode, the drop across it will be about .65 volts. That makes the voltage at the batteries, B9-B11, 6.65 volts. Nickel-cadmium button cells should be recharged at no more than 10 percent of their rated capacity—the so-called C10 rate. In the case of our batteries that would be a recommended charging current of 20 mA/10, or 2 mA. The batteries also have a nominal voltage of 3.6 volts (1.2 volts per cell). Now that we've worked all that out, our charging resistor can be figured easily.

 $\begin{array}{l} V = IR \\ R = V/I \\ V = V_{system} - V_{batteries} \\ V = 6.65 - 3.6 = 3.05 \text{ volts} \\ I = 2mA = .002 \text{ amps} \\ R = 3.05/.002 \\ R = 1525 \text{ ohms} \end{array}$

That's why our charging resistor, R16, is 1.5K ohms. If you use different batteries in your Pianomatic, be sure to recalculate the value of R16. Nickel-cadmium batteries have a nasty habit of blowing up




FIG. 8—FOR SIMPLICITY IN MAKING THE BOARDS, neither of the double-sided boards uses plated-through holes. The foil pattern for the component side of the second double-sided board, Board 2, is shown here. Once again, that board is shown here half-size.




FIG. 9—MOST OF THE control switches are mounted on this small board, Board 3. Note that this foil pattern is shown full-size.




FIG. 10—FOIL PATTERN FOR THE DISPLAY BOARD. Note that there are only nine mounting holes for the LED displays. Pin 1 of each display is not used and therefore has been removed.

4-1/2 INCHES




FIG. 11—BOARD FIVE is shaped to fit the rear of a piano-shaped case. If a speaker is mounted on this board, the large hole at the top of the pattern will have to be further enlarged so that the speaker's magnet-housing fits snugly (see text).

65

if they're charged too fast and/or without the proper controls. When the Pianomatic is turned on, the batteries charge, and when the power is turned off, the batteries forward-bias D14 and provide standby power to the memory. Capacitor C15 is there to catch any glitches that may occur if the battery switch-over isn't quite as noise-free as we'd like it to be. Pin 17 of memory IC4 is the input that controls the low-power mode. When it's high the memory operates normally and when it's brought low the memory is in its low power, data-retention mode. We have to make sure that this pin is brought low before we switch over to the standby battery supply. That is easily done by making sure that our on/off switch, S8, is a SPDT type. When we switch the power off, we connect the + V line to ground. Since pin 17 of the memory is on the +Vbus, our problem is solved.

If you monitor the voltage on the batteries you'll make an interesting discovery. Although the nominal voltage is 3.6 volts, the unloaded voltage of the charged cells is a bit higher—about 4.2 volts. When the batteries are put under load, that is, used to power something, you would ordinarily expect to see the voltage drop to the nominal voltage—3.6 volts. When you turn the Pianomatic off, the memory draws whatever power it needs to retain the data, but the battery voltage won't fall below 4 volts. What that is telling you is that the draw from the batteries is really low-on the order of about about 10 microamps!

Note counter

The note counter (IC11, IC12, and DISP1-DISP3) is a standard counterdecoder/driver combination. IC12 is a three-digit counter in one package, is extremely convenient to use, and has an internal multiplexer for a three digit display. The clock, reset, and blanking control lines are handled automatically by the circuitry and switching of the rest of the Pianomatic. Resistors R37 and R38 bring the clock-voltage and rise-time requirements in line with those of IC3. That is necessary since they are both being incremented by the same clock.

Power supply

The power supply is standard. Diode D16 prevents an accidental reversal of polarity from damaging anything and the voltage regulator, IC13, is set to provide the Pianomatic with 7.3 volts. Potentiometer R41 and transistor Q1 monitor the unregulated voltage. When it falls below a preset level, Q1 conducts and causes SCR1 to fire and light the three decimal points in the display. That is a low-battery warning; the trip point of the circuit can be set by adjusting R41.

If you look closely at the schematic and follow the output of SCR1, you'll notice that there are two resistors (R30 and R40) on the line in series. The reason for that is

RTS LIST

| PAF |
|-------------------------------------------|
| All resistors 1/4 watt, 5%, unless other |
| wise noted |
| R1, R7, R10, R17-8200 ohms |
| R2—6800 ohms |
| R3, R8, R29—1 megohm |
| R4, R38—10,000 ohms |
| R5—3000 ohms |
| R6, R12, R30—1000 ohms |
| R9—150.000 ohms |
| R11, R15—100,000 ohms |
| R13—470 ohms |
| |
| R14, R19–R28, R36, R40—160 ohms |
| R16—1500 ohms |
| R18—82,000 ohms |
| R31—22,000 ohms |
| R32, R33—560,000 ohms |
| R34—390 ohms, ½ watt |
| R35—15,000 ohms |
| R37, R39—2200 ohms |
| R41—500,000 ohms, multi-turn potentio |
| meter, PC mount |
| Capacitors |
| C1, C4, C6, C8, C9, C13, C15, C18, C20 |
| C23, C28—0.47 μ F, 35 volts, tantalum |
| C2—0.5 μF, ceramic disc |
| C3, C22—100 pF, ceramic disc |
| C5, C16—0.22 μF, 35 volts, tantalum |
| C7, C19-2.2 μF, 35 volts, tantalum |
| C10, C11, C14, C25, C26, C29-0.01 µF |
| ceramic disc |
| C12-47 nF ceramic disc |

–47 pF. ceramic disc C17-.001 µF, ceramic disc C21—10 μ F, 16 volts, electrolytic C24—500 μ F, 25 volts, electrolytic C27-100 µF, 16 volts, electrolytic

Semiconductors IC1-4514 1-of-16 data selector IC2-4520 dual binary counter IC3-4040 12-stage binary ripple counter IC4-5101L-1 256 × 4 static RAM IC5-4066 quad analog switch

IC6-4515 1-of-16 data selector IC7-50240 top-octave generator (AMI, Mostek) IC8-4067 1-of-16 analog switch

IC9-4082 dual 4-input AND gate IC10-386 1/2-watt audio amplifier IC11-4511 BCD-to-7-segment-display decoder/driver

IC12-4553 3-digit counter

IC13—7805 five-volt positive regulator IC14—4093 quad 2-input NAND Schmitt trigger

IC15-4049 hex inverter

SCR1-ECG 5400 or equivalent

Q1-2N2222A or equivalent NPN silicon transistor

D1-D3, D5-D7, D9, D11, D13, D17,

D18-1N34A germanium diode D4. D8, D10, D12-1N914 silicon diode

D14, D15-1N4001 silicon diode D16-1N4003 silicon diode

DISP1-DISP3-FND 359, common

cathode 7-segment displays with decimal point

LED1-LED13-miniature red LED LED14-LED16-miniature green LED S1-S3, S7—DPDT miniature switch

S4-S6-SPST normally open momentary switch

S8—SPDT miniature switch

S9-S24-SPDT miniature lever-type switch, Radio Shack 275-016, or equivalent

J1-miniature N.C. chassis-mount phone jack, Radio-Shack 274-253 or equiv-

SO1, SO2-female header strips, AP Products 929974 or equivalent

PL1-PL5-male header strips, rightangle, AP Products 929835 or equivalent

PL6-male header-strip, AP Products 929834 or equivalent

B1-B8--1.5-volt alkaline "AA" cell B9-B11-nickle-cadmium "button" cell.

20 mAh, or larger

Miscellaneous: PC boards, IC sockets, female header-strips (AP Products 929974 or equivalent) for interconnections (see text), solder, wire, case, etc

A set of the five PC boards, etched and drilled, but not plated through, is available from Hal-Tronix, PO Box 1101, Southgate, MI 48195. The price is \$39.95. Please add \$2.00 for shipping and handling. MI residents add 4% tax.

TABLE 2—BOARD 2/BOARD 3 CONNECTIONS

| Pin number | Switch number and position | Conn | ectio | n | |
|---------------|----------------------------|-------|-------|-----------------------------------------|----------------------------|
| 1 | S2-b, WRITE | From | Boar | d 2. | pin 17 (IC15, pin 6) |
| 2 | S2-a, center | tt | 11 | " | " 4 (IC3, pin 11) |
| 3 | S2-b, center | " | u | # | " 5 (IC8, pin 15) |
| 4 | S3-b, MANUAL | " | " | # | " 15 (IC6, pin 1) |
| 5 | S3-a, center | " | " | H | " 2 (D3, D6 junction) |
| 6 | S3-b, center | " | " | 11, | " 1 (Blanking) |
| 7 | S3-a, AUTOMATIC | 11 | 11 | " | " 14 (IC15, pin 3) |
| 8 | Various | n_c | | " | " 6 (Ground) |
| 9 | S7-b, PLAY | " | " | " | " 16 (IC15, pin 7) |
| 10 | S7-a, center | " | " | ." | " 15 (IC6, pin 1) |
| 11 | S7-b, center | " | " | " | 7 (IC5, pins 5, 6, 12, 13) |
| 12 | Various | И | " | 11 | " 13 (+V) |
| 13 | S1-a, center | 11 | ** | tr | " 12 (IC3, pin 4) |
| 14 | S1-a, 2 TUNES | " | 11 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | " 10 (IC4,pin 7) |
| 15 | S1-b, 2 TUNES | " | 11 | " | " 9 (IC2, pin 12) |
| 16 | S1-b, center | " | " | 19 | " 11 (R-12) |
| 17 | S1-b, 4 TUNES | " | # | 29 | " 8 (IC2, pin 13) |
| 18 | S1-a, 4 TUNES | " | " | " | " 3 (D18) |




FIG. 12—PARTS-PLACEMENT DIAGRAM for Board 1. Note that female header, PL6, mounts on the foil side of the board.




FIG. 13—AS SHOWN HERE, the cathode connections for LED1-LED16 are located on the foil side of Board 2.




FIG. 14—THIS TINY, single-sided, board can be mounted anywhere that is convenient. In the prototype it was mounted in a "piano bench."

that they are on two separate boards. Resistor R40 is on the display board because locating it there allows us to test the board all by itself.

Keyboard display

The last part of the Pianomatic that we'll look at is the keyboard display, controlled by IC6, a one-of-sixteen data selector similar to the keyboard selector, IC1. The output-data bus is monitored by IC6; that IC puts a low at the pin selected by the word on the bus. Those outputs are used to turn on small LED's buried in the piano keys. The inhibit input is connected to the center pole of switch S7-b, half of the PLAY/MEMORY switch. That means that the LED's will be turned on only when the memory is enabled. Since only one LED will be on at a time, we only need a single current-limiting resistor, R36.

Construction

Now that we understand how the Pianomatic works, we can put it together. You could use perfboard and wire wrap the whole thing—after all, the pyramids were built thousands of years ago with primitive tools and they've lasted—but the use of printed-circuit boards is strongly suggested. The PC-board patterns for the device are shown in Figs. 5–11; the partsplacement diagrams are shown in Figs. 12–16. If those are used, the project becomes neater and cleaner.

There's nothing particularly complicated about the construction of the Pianomatic. The circuit has been designed to fit on five separate boards. The interconnection diagram for the boards is shown in Fig. 17 (which appears next month). The interconnection between boards 2 and 3 is a little complicated, so to simplify things it's been listed in Table 2.

There is one small complication with the boards: two of them—boards 1 and 2—are, unfortunately, double sided. Don't forget to solder small pieces of wire to both sides of the double-sided boards as feedthroughs. All feedthroughs are indicated by asterisks on the appropriate parts-placement diagrams. Where possible, the feedthroughs were done on the legs of the components, but there are some that had to stand by themselves.

A few important points: First, note that the pads for the LED's are on the front of board 2 in between the pads for keyboard switches S9-S24 (see Fig. 13). Notice that the cathode pads are on the component side of the board and the anode pads are on the foil side. Also, the cathode of LED16 is used as a feedthrough between the two sides of the board; be sure to solder it on both sides of the board. Finally, watch the polarity of electrolytics and IC's and above all, use IC sockets.

There are several options available to you in building the Pianomatic and one really tricky thing to watch out for. You can change the speed of the tremolo by




FIG. 15—THE DISPLAY BOARD mounts directly on Board 1 using a right-angled male header, PL4.




FIG. 16—MOST OF THE POWER-SUPPLY COMPONENTS mount on Board 5. Batteries B1–B8 and jack J1 can be mounted anywhere that is convenient. In the prototype they were mounted in the wood base.

adjusting the value of R32. Raising the value will slow it down and lowering the value will, logically enough, speed it up. The pitch of the Pianomatic can be changed by adjusting the parameters of the oscillator made from IC15-e and IC15-f. Just plug the values of R35 and C22 into the formula f=1/2.2RC and you'll be OK. Remember, though, IC7 does a good deal of division internally. The lowest note available from IC7 is the input frequency divided by 478, so bear that in mind when you start substituting values.

The tricky part of the Pianomatic is the tempo clock. Getting it to work in the manual mode is straightforward and shouldn't present any problems—getting it to work in automatic is something else. The problem comes about because you're operating at the upper and lower trip points of the Schmitt trigger. Although things seem clear cut when they're on paper, and formulas and graphs indicate all sorts of precision, dealing with the real world is quite another matter.

The important parameters in the tempo clock are R2, R3, and R4. Resistor R3

serves the same purpose as R31 does in the tremolo clock. It sets the frequency of the clock. Either R3 or C8 can be altered to change the tempo. The relationship is complicated but is of the form f = (1/RC)K, where K is a constant. The voltage divider made up of R2 and R4 is what sets things up for automatic playback. In manual playback, the voltage at pin 12 of IC14-d should be at ground when the clock is disabled and about one third below the supply rail when the clock is enabled (when the start switch, S4, is kept closed). In automatic, the voltage of pin 12 should be half the supply voltage when the clock is disabled. Now, mind you, that is in theory. What we're trying to do is keep the voltage in the middle of the dead-band area of the Schmitt trigger. That way it only takes a little push in either direction to enable or disable the clock.

When you put your Pianomatic in automatic, one of three things will happen-it will work perfectly, it won't start, or it won't stop. Assuming the pin-12 voltage is correct, the problem facing you is that there are variations in the dead band from IC to IC. You'll find that some Schmitt triggers have a dead-band area that tends to favor the upper end of the supply, while others favor the lower end. That is normal and the solution is to vary R2 and R4 until the circuit works. Now, nothing would make us happier (well, a few things would) than to give you numbers, but that is impossible. We've taken our Pianomatic, which works perfectly, and substituted different 4093's for IC14. Some would work and some wouldn't, even though no other changes were made in the circuit. Even IC's from the same production run will have different trip points. Be comforted by knowing that any of those IC's could be made to work by fooling around with the values of R2 and R4. The best way to find the correct values for your circuit is to realize that varying R2 is going to have a much greater effect than playing around with R4. We've seen that R4 has a function when the Pianomatic is in manual as well as automatic playback—it pulls pin 12 low to stop the clock. On the other hand, R2 has no purpose in life other than keeping pin 12 in the middle of the dead-band area when the Pianomatic is set to automatic playback.

Raising the value of R2 will lower the voltage on pin 12 and lowering the value will raise the voltage. If your Pianomatic won't start playing in automatic, the voltage on pin 12 is too low—if it won't stop playing, the voltage is too high. Don't make heroic changes in the value of R2, however, because, as you'll discover, a handful of ohms will go a long way. In fact, going up or down about 2K should solve the problem.

Next month the final installment on the Pianomatic will discuss the voltage-regulator circuit, operation, troubleshooting, and calibration. R-E

ELECTRONIC HAS IT ALL FOR LESS

OVER 10,000 PARTS IN STOCK-CALL FOR LOW PRICES



\$**88**88

"ALL-IN-ONE VIDEO PROCESSING CENTER"

•STABILIZER - Eliminates picture roll/jitter

- •IMAGE ENHANCER Adjusts picture contrast/clarity and detail for improved home viewing and recording or dubbing
- •RF CONVERTER Converts video and audio direct line outputs from any VCR component, TV or video camera to an "RF" signal
- •VIDEO FADER Produces gradual "fade-ins" or "fade-outs" with professional results
- •DISTRIBUTION AMPLIFIER Provides extra signal gain needed for best results (dual output)

COMPUTER **POWER SUPPLY**



\$69

- 4 CHANNEL SWITCHING
- +5V@5A, -5V@1A,
- + 12V@1A, 12V@1A INPUT 90-130V AC
- REGULATION: LINE ± 0.2% LOAD ± 1%
- RIPPLE: 30 MV P-P



- 8060A \$345
- 8062A \$267
- 8022B \$143
- 8020B **\$193**
- 8024B \$247

BECKMAN

- · 300 \$109
- 310 \$129
- 330 \$199

Xcelite®



- TC-100ST XCELITE'S BEST CONTAINS 53 TOOLS \$329
- TC-150ST SMALLER VERSION \$279



•99SM ROLL KIT \$65

PRECISION



- 1476P-10MHZ DUAL TRACE \$439
- 1477P-15MHZ DUAL TRACE \$495
- 1479BP-30MHZ DUAL TRACE \$609
- 1570P-70MHZ QUAD TRACE \$1049

PRICES INCLUDE PROBES

SOAR COT DOTALIST

3½ DIGIT MULTIMETER



\$79.88

MODEL 8050

- 8 separate functions (30 ranges) including diode and transistor check, 10 AMP range on AC and DC
- · Single rotary switch for all functions/ranges
- Accuracy ±0.5% DVC
- 61/4" x 31/3" x 1" Small enough to fit into shirt pocket
- One year parts and labor warranty
- #CC531 Carrying Case \$9.90

VIDEO ACCESSORIES BY ARISTA

MASTER VIDEO SELECTOR



\$16.88

#5000

- · Brings all video components under simultaneous control
- Eliminates unnecessary extra wiring
- · Low loss bypass routing handles up to 5 inputs including cable converter, disc player, video games, TV antenna or cable, home computer, TV. VCR and auxiliary
- With touch of switch your TV turns into a multi-media event

MAGNETIC BULK ERASER



\$29.88

#5410

- · Thoroughly erases video and audio from all video cassettes
- Takes only minutes to remove all information
- · On-off switch with LED indicator
- Fuse protected line power/automatic thermal protection
- More efficient erasure than VCR erase heads

DISTRIBUTION AMPLIFIERS



As low as

\$8.88

#945 — 25DB, FM trap, UHF/VHF/FM-\$24.88

#910 - 10 DB, VHF/FM-

#911 — One input, four 3 DB outputs,

A/B/C COAXIAL SWITCH

will play through one set, two or three. Easy to



\$6.88

\$11.88

#4540

STEREO SIMULATOR For TV and VCR



\$17.88

#780



· Achieve simulated stereo with simple hook-up

- Enables TV or VCR to play through your stereo system and Hi-Fi speakers
- · Eliminates tiny and tinny TV speaker sound

75 OHM INDOOR/OUTDOOR **SPLITTERS**



#1900 - 2 set - **\$1.88** #1930 - 3 set - \$3.88 #1940 - 4 set - \$4.88



COAXIAL SIGNAL SWITCH

#4550

75 OHM IMPUT 75 OHM OUTPUT

TRIPLE PLAY! Select choice of signal antenna, cable or video player or decide if video tape or disc

connect. Standard "F" Connections

TAFT ELECTRONIC SALES 68 W. 45th Street

N.Y.C., N.Y. 10036


212-575-8632

MASTER CHARGE • VISA

MONEY ORDER • CHECK 25% DEPOSIT ON C.O.D.'s

ADD FOR SHIPPING UP TO \$300.00 - \$5.50 OVER \$300.00 - \$8.00 N.Y.S. ADD SALES TAX

CIRCLE 38 ON FREE INFORMATION CARD



Now you can meet the challenges of today's incredibly rapid changes in electronics quickly and easily. This professional level electronics learning series is as innovative as the circuitry it explains and as fascinating as the experiments you build and explore!

From digital logic to the latest 16-bit microprocessor, you master one subject at a time with McGraw-Hill Concept Modules sent to you one at a time, once a month, to make up the complete CONTEMPORARY ELECTRONICS SERIES. Each module of the fifteen in the Series is a unique blend of "hands-on" experience, interactive audio cassettes, and vividly illustrated printed support materials. Together they will prepare

Understand Digital Logic...

Microprocessors...Optoelectronics

Here's an extraordinary opportunity to update your understanding of today's most important technological changes in electronics. You can start from scratch or use the Series to update yourself. You cover the latest integrated circuits, including TTL, CMOS, and ECL digital circuits; op-amps; phase-locked loops; microprocessors; and opto devices such as LEDs and LCDs.

Perform Electronic Experiments

With your first module you'll use the latest digital integrated circuits to build an oscillator circuit that demonstrates digital signals - verified visually by the flash of light emitting diodes (LEDs) and audibly by tones produced through the mini-speaker that is provided.

You'll learn concepts applicable to all electronic circuits. With the first module, you will be able to identify the major passive components, like resistors, capacitors, inductors, diodes and transformers, and active


Electronics Series

components such as transistors and integrated circuits.

Each Concept Module goes right to the heart of the matter. You waste no time on extraneous material or outdated history. It's a fast, efficient, and lively learning experience, a nontraditional approach to the most modern of subject matter.

Construct and Use a Prototyping Design Laboratory

You will construct a professional Prototyping Design Laboratory which will be a valuable learning tool throughout your studies. Because of its versa-



Unique Interactive Instruction Makes Learning Easy

With each new module you'll receive a McGraw-Hill Action-Audio Cassette, a proven successful method of interactive instruction. Each tape creates a dynamic dialogue that not only quickly communicates the facts, but makes you feel that you're participating, as you respond to questions and listen to problems being solved.

Your ability to rapidly make this knowledge your own is further aided by a strikingly original technique for using diagrams, illustrations and schematics to

Contemporary Electronics

Contemporary Electronics

Carefully
indexed
binder
that contains
this material also
includes the instructions

to guide you through hands-on experiments. Finally, having completed the Series, you can be awarded a Certificate of Achievement from McGraw-Hill upon passing an optional final examination.

YOU COVER EVERY SUBJECT IN CONTEMPORARY ELECTRONICS

- Digital logic
- Digital gates (TTL, CMOS, ECL, NMOS)
- Flip flops
- Counters and Registers
- Op-amps and Applications
- Combinational logic circuits (ROMs, PLAs, decoders, etc.)
- Circuit analysis. LCR networks
- Transistors (bipolar and FETs), diodes and thyristors
- Integrated circuits (linear and digital)
- Oscillators
- Optoelectronics
- Microprocessors
- Voltage Regulation
- Advanced Digital Concepts

Update Your Knowledge of the New Electronics

This program is for you whether you're a scientist who can use electronics to improve or speed up your investigations...a teacher who'd benefit from a refresher in contemporary components, circuits and applications...a manager or supervisor in an electronics related business or industry...an engineer in another field who finds electronics playing an ever more important role in your work...

someone looking to find new direction in this wide open field...or the kind of person who wants to understand what's going on in the world around you.

McGraw-Hill's Contemporary Electronics Series offers you the quickest and probably least expensive learning method available today, and the only one with "hands-on" experience. The only equipment you will need to complete the experiments in the Series is a multimeter, which is not included.

The First Module Includes a Solderless Breadboarding System It enables you to connect components and build electronic circuits easily and quickly. You'll use it throughout the Series to build and test your own contemporary circuits. Each module includes an essential hands-on experiment with real electronic components to give you a clear understanding of contemporary electronics.



15-Day Trial

To order your first module under our 15-day trial examination, simply complete the card and send today! If card is missing, write us for ordering information:

McGraw-Hill CEC, 3939 Wisconsin Ave.,
Washington, DC 20016.

73

Compare Radio Shack's TRS-80° Model 4 With IBM° and Apple°



Model 4 Wins! And You Save Up to \$1014

| Description | Radio Shack Model 4 | IBM PC | Apple IIe |
|----------------------------|---------------------|------------------------------------|-----------------|
| Two-Drive Unit | \$1999 | \$1864 | \$1995 |
| Formatted Disk Capacity | 174Kb each (TRSDOS) | 180Kb (DOS 2.0) 160Kb (DOS 1.0) | 124Kb (DOS 3.3) |
| 80-Column | Included | Included | Included |
| Monitor | Included | \$345 | Included |
| Monitor Adapter | Not Required | \$335 | Not Required |
| First Drive | Included | Included | Included |
| Second Drive | Included | \$289 | \$395 |
| Parallel Printer Interface | Included | Included | \$165 |
| Serial Interface | Included | \$120 | \$195 |
| Reference Books | Included | Included | \$50 |
| Numeric Pad | Included | Included | \$159.95 |
| Diskette Operating System | Included | \$60 | Included |
| Total | \$1999* | \$3013 | \$2959.95 |

Radio Shack

The biggest name in little computers®
A DIVISION OF TANDY CORPORATION

*Price applies at participating Radio Shack stores and dealers. IBM is a registered trademark of International Business Machines Corp. Apple is a registered trademark of Apple Computers. CP/M is a registered trademark of Digital Research, Inc. Prices based on manufacturer's literature

| □ Send me a free T | RS-80 Model 4 | brochure to | oday! |
|---------------------------------------------------------------------------------------|---------------|-------------|-------|
| Mail To: Radio Shack, Dept. 84-A-836 300 One Tandy Center, Fort Worth, Texas 76102 | | | |
| NAME | | | |
| COMPANY | | | |
| ADDRESS | | | |
| CITY | STATE | ZIP | |
| TELEPHONE | | | |

TRS-80 Model 4 Is the Logical Choice. For performance and price, our Model 4 desktop computer is the professional approach to improving your productivity. It has features built-in that cost extra in other computers—features that will make your job a lot easier.

Designed to Make Hard Work Easy. The easy-to-read 80-character by 24-line display and 64,000-character memory make Model 4 perfect for complex spreadsheet analysis. To speed operations, our "MemDisk" emulates a super-fast disk drive in memory for keystroke-quick responses instead of time-consuming disk access. A built-in print spooler lets you work on one job while printing another.

Versatile and Powerful. We designed Model 4 to be completely compatible with our existing line of word processing, time management, electronic filing—in fact, *all* TRS-80 Model III software. And soon you'll be able to choose from thousands of CP/M®-based programs.

See It Today. Get a demonstration of the TRS-80 Model 4 (Cat. No. 26-1069) at your nearest Radio Shack Computer Center, participating store or dealer. Be sure to ask about our leasing, training and service plans, too.

CIRCLE 61 ON FREE INFORMATION CARD

Copyright Senséash Publications, Inc., 1983

It has been only a year since the last Your Own Computer hardware buying guide was published, but what a year it has been! Almost overnight, the shape of the microcomputer world has been changed. A generation of new microcomputers has appeared, bringing tow-cost computing power to price levels unimagined at the time.

The primary change that brought this about has to do with economics more than arything else. As recently as five or six years ago, the small piece of silicon that carries the number-crunching circuitry—the CPU (Central Processor Unit)—cost as much as \$50 or more in small quantities. Yes, they were used in many items and as they became more common their post began to drop. Soon they were selling for \$20, and shortly thereafter for \$10. The economies resulting from mass production techniques were making themselves felt


At the same time, the price of mass memory fell dramatically. No longer was the price of this key ingredient in the makeup of a personal computer pro-

COMPREHENSIVE BUYERS GUIDE TO COMPUTER SYSTEMS

MARC STERN

Under \$500 \$500-\$1000 \$1000-\$1500 \$1500-\$2000 \$2000-\$2500 \$2500 - \$3000 \$3000 - \$3500 \$3500 - \$4000 \$4000 - \$4500 Over \$4500





A NEW GENERATION OF COMPUTERS, the lap computer, makes its appearance this year.

hibitive. Instead, like the price of CPU's, the price of the memory IC's used to store information for use by the microcomputer fell to low levels, with the result that there are now home computers that have as much on-board memory as some of last year's higher-priced models. This development in the home-computer market is perhaps more dramatic than any other that has occurred in the last few years.

8-bit/16-bit CPU's

The face of the microcomputer industry is changing. No longer is the industry standardized around an 8-bit CPU (the length of a digital "word"). Instead, the standard word size found in many of today's moderate and higher-priced home-microcomputer systems is 16-bits. A 16-bit CPU can address more memory space. Where the 8-bit machine is limited in its memory-addressing capability to 64K bytes (actually 65,536 bytes) of memory to perform its tasks, the 16-bit CPU can address more than 1 megabyte. Thus, the 16-bit CPU can handle tasks that are far too complex for the 8-bit machine to handle and it can handle those tasks faster.

It should be noted, though, that 8-bit CPU's are still more than powerful enough for the average, single home user, so it isn't necessary to spend the extra money for a 16-bit system, unless you need its extra computing power.

The inevitable move to 16-bits has been spurred by the entry of IBM into the microcomputer market. Long dominant in the mainframe world, this computer giant jumped into the micro world nearly two years ago and, since that time, it has become a major force. Of course, Apple, Radio Shack, Heath, and Commodore Business Machine microcomputers are still abundant; but it has been estimated that nearly 20 percent of the microcomputer market is held by IBM and, with such representation in the market, it naturally calls the tune.

Thus, more and more microcomputer systems are becoming IBM-workalikes, IBM-lookalikes or IBM-compatibles. They also run similar operating systems to IBM's PC-DOS. In the non-IBM world, this disk operating system is known as MS-DOS and you will see many references to it in the "Operating System" category of the pricing charts included in this buying guide. Such is the success and dominance of this microcomputer system that other computer manufacturers are going out of their way to make their machines compatible.

In a sense, this is a good move because it provides a measure of standardization in an otherwise nonstandard, incompatible market. Just as IBM's 8-inch floppy-disk format became a standard, so to has its operating system become a standard for the micro world. However, it should be realized that though a

machine may be capable of running MS-DOS, it may still be incompatible with others on the market because of incompatible storage formats. That is one facet of the microcomputer market that has yet to be worked out.

This trend has its parallel in the 8-bit world. The CP/M (Control Program/Microcomputers) operating system became the de facto 8-bit standard operating system because of its early headstart and subsequent dominance in this sphere. Yes, there is a 16-bit version of CP/M (CP/M-86), but it hasn't achieved the dominance of MS-DOS.

Portable computers

Another trend over the last year has affected the so-called portable market. Just a year ago, this type of computer was the rage of the microcomputer world. It had the following attributes: a small CRT screen (5 to 9 inches) built-in; two disk drives for storage; or comprehensive software applications packages included, and weighed up to 30 pounds. At this weight, these machines were certainly transportable, but were they portable? Obviously, the microcomputer industry didn't believe they were because it has come out with a new generation of lap computers talso called notebook or briefcase computers) which weigh between 9 and 11 pounds. This new generation has also split the "portable" market into the transportable computer market, as the heavier machines are called, and the lap-machine market, as the new notebook-sized machines are called.

Last year's portables are as different from these machines as day is from night. Where last year's portable had the two power-hungry drives and the CRT, this year's crop of lap computers is capable of running off battery power. And, where last year's group of machines included software packages that were stored on minifloppy diskettes that had to be inserted into the drives before they could be used, this year's breed of lap computers includes software that is part of the machine itself. This software is stored in ROM (Read-Only Memory) and is accessed with the push of a button. Typically, this software includes some variety of text editor, electronic mail system, appointments calendar and more. The lap computer usually includes at least 16K of user memory (RAM) with the upper limit being either 32K or a full 64K.

Like last year's portables, the majority of today's lap machines are driven by 8-bit CPU's, although some contain 16-bit CPU's. These microcomputers, though, aren't power-hungry. Instead, they are CMOS 8- or 16-bit microcomputers, which mean these machines can rely on battery power.

Unlike last year's portables, though, these compacts rely on liquid crystal displays, rather than cathode-ray tubes. Using this remarkable technology, the industry has been able to develop 8-line by 40-character displays for the new generation of lap computers. This means these devices are free of the need for large power-supplies and AC outlets.

Generally, these machines—like last year's models—feature full-travel, typewriter-style keyboards, which is a remarkable feature, when you consider that microcomputers of the same size class last year featured membrane or rubber overlay keyboards.

Like their larger counterparts, though, the new portables also feature some sort of storage medium. Some feature cassette interfaces for mass storage, while others—the Epson QX-10, for instance—have integral minicassette data storage. Still other portables use the more traditional minifloppy disks for storage, although they are capable of storing some information that may have been generated in the field in RAM.

An interesting use of RAM has been made by Athena Computer and Electronic Systems in its Athena I. Instead of using two disk-drives for mass storage, it uses RAM configured as a storage device. This allows a user to load applications software and files and use this memory space for work. The key advantage to using RAM in this configuration is a manyfold increase in speed because the necessary program files are available in memory for instant use. There is no need to wait for a disk access that slows program speed.

It must be noted that although RAM drives, as these are termed, are very quick and speed things up greatly, they are also volatile. In other words, the contents of these drives disappear as soon as the power is turned off. So, unless you want to keep the computer on all the time, you must eventually empty the contents of the RAM drive to some sort of storage device, which the Athena I does. It provides one standard drive for storage.

About this supplement

In this year's **Your Own Computer** supplement, we will take a look at small computer systems in order of increasing price, from below \$100 to over \$4500. A series of charts will help you understand how small-computer systems become more powerful as their prices increase. They will also show you the trends that we have just mentioned.

In a departure from last year's supplement, we have omitted printers because of the wide variety available for a wide range of prices. This means that instead of having to rely on a manufacturer's suggested printer, the small-computer buyer can find one of his own, within his price range. And, since most printers interface with small computers in only one of two manners, serial or parallel, there should be little trouble interfacing the printer with the computer. Thus, because of the disparity in printer prices and varieties, we leave it up to the individual buyer to make his own choice.

As for the system prices you will find they might differ somewhat from what you may see advertised. The reason is quite simple, we are using the *manufacturer's suggested retail price* as the basis for our pricing considerations. Using this type of guideline provides a more objective standard by which to judge the many systems on the market.

Many, but not all, computers can be purchased ready to plug in and run. They will usually have a minimal amount of standard memory and provisions for a video display. Further, they will also usually have some provision for storing programs and data, either on cassette tape or floppy disks. Most of our systems assume that—after the lowest price level—you will be buying one of the display devices offered by the manufacturer. The prices reflect this, although it should be noted that you can also buy a monitor yourself and save money with it.

Regardless of whether a particular device is included with our listings, the computer can usually be purchased without it and, in many cases, you will want to do that and then add the peripherals that best meet your needs.

For your own shopping, though, one of the items that must be carefully considered is the amount of memory available for a system. Memory is the most vital consideration in any small-computer system. The reason is that without it, the system is little more than an inert box, capable of little or nothing. Memory is vital because it provides an area in which to store and manipulate data.

Most small computers come with a minimal amount of user memory, usually ranging from 4K to 16K. While this level is adequate for game-playing and simple home applications, a computer used for more serious purposes will generally require at least 48K or memory and most of the systems mentioned in our supplement can be expanded beyond this point. And, with the new generation of memory-intensive 16-bit programs coming onto the market, 48K is not enough, with a minimum of 64K preferred, although 128K is better.

Some of the computers you will find listed here are "micromainframes." These systems are little more than boxes housing the CPU, disk drive storage devices and motherboard—the board that carries the bus signals. Usually found on high-end systems, these machines have several input/output ports and you will also find that these systems must have terminals or workstations attached to them before they can become useful. Typically, these systems are usually found in multiuser environments, although a single user can functions with one, too.

Every small-computer system comes with some means of mass data storage. The device can be a cassette interface or floppy-disk drives and controller. These devices allow data to be



stored for future use. Our tables show the typical configuration for the price range in question. In nearly every case, there are other alternatives open to the user, but it should be kept in mind that these are more expensive. For instance, the typical dual-drive 5½-inch configuration may add \$300 to \$500 to the cost of a typical one-drive system, while an 8-inch drive may add \$1500 or more. Also keep in mind, though, that higher-density storage options increase the usefulness of the system, but at a cost. For instance, a double-sided, double-density 8-inch floppy disk storage system is capable of storing 2 megabytes of information or about 16 million bits of information (8 bits to a byte).

Some of our completed systems mention "hard" or Winchester disk storage. These fixed medium storage devices are capable of huge amounts of storage, 5 megabytes and up to 20 for the typical 51/4-inch hard disk system. However, they add considerably to the cost of the unit—from \$1500 to \$3000 on average—and they should only be considered for serious computer work.

For the typical small-system user, we recommend a two-drive floppy-disk system. Not only will this give you greater storage, but you will also find it faster to copy files from one disk to another. More important, if you can afford this type of system, is the fact that if the storage capacity of the disk is small, it may not be possible to hold both the DOS (Disk Operating System and the data you require. In the two-drive configuration, one drive is used to hold the application program and DOS, while the second drive holds the data.

Most systems require the use of a keyboard for input and some type of video display device for output. The most inexpensive computers usually rely on a home television set and interface with the video unit through an RF modulator. You will find the definition and clarity of this type of display device is poorer than a dedicated monitor. The RF modulator will usually be built into the unit or might be an extra-cost add-on and it pays to check.

Some computers, the Heath H89 or Radio Shack TRS-80 Model III, come with built-in video display devices, while others, primarily the micromainframe category, require auxiliary terminals—a combination keyboard and display unit. If you opt for this type of unit, it should be noted that terminal prices start about \$600.

We have tried to give you as complete an indication as possible as to what the display situation is with a particular system. However, it should be kept in mind there might be several possible choices for any system.

The tables included with each price-category section show which computers, features and accessories you can expect to find in a typical system within that price range. If a system has been upgraded from the previous table, the new information appears in blue print in the comments line to the right of the table. The tables will give you an idea of what you can get for a given price; a local computer store will be able to answer your questions and tailor a system to your specific requirements. R-E

OMMODORE 64

\$**139**_00*

COMPUTER AND SOFTWARE SALE

WE HAVE

VIC-20 (a real computer at the price of a tov)

\$**77**_00*

- 40-80 COLUMN BOARD \$99.00 *
- VOICE SYNTHESIZER \$69.00 *
 - (* with Cassette and Gortek purchase)

VIC-20 COMPUTER \$77.00

You get the Commodore VIC-20 Computer for

only \$77.00 when you buy at sale prices: The

Commodore Data Cassette for only \$69.00 and

• 170K DISK DRIVE \$179.00 #

TRACTION FRICTION PRINTER \$119.00 # SERVICE

THE **BEST** WE **HAVE** THE LOWEST **PRICES**

(* with software savings applied)

COMMODORE 64 COMPUTER \$139.00

You pay only \$239.00 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$139.00!! LESS a \$49.50 BONUS PACK of 30 programs on tape or disk we give you absolutely FREE!!!

170K DISK DRIVE \$179.00

You pay only \$279.00 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your disk drive that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$179.00. LESS a \$49.50 BONUS PACK of 30 disk programs we give you absolutely FREE!!!

TRACTION FRICTION PRINTER \$119.00

You pay only \$219.00 when you order the Com-T/F deluxe line printer that prints 8 1/2 x 11 full size, single sheet, roll or fan fold paper, labels etc. 40, 66, 80, 132 columns. Impact dot matrix, bi-directional, 80 CPS. LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$100 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$119.00.

80 COLUMN BOARD \$149.00

You pay only \$149.00 for this 80 Column Board when it is purchased with a COMMODORE 64 Computer or a Disk Drive or a Printer or a Monitor. If purchased alone the sale price is \$169.00. Included with this board is word processor pack, electronic spread sheet and ma., merge data base on two tapes. List \$249.00. (Disk add \$10.00).

> **EXECUTIVE WORD PROCESSING PACKAGE**

SCRIPT 64 EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64
Computer! THE ULTIMATE for PROFESSIONAL wordprocessing application. Featuring simple operation, powerful text editing with a customized word dictionary, complete cursor and insert/delete key controls, line and paragraph in-sertion, automatic deletion, centering, margin settings and output to all printers. Included is a powerful MAIL MERGE When used with THE COMPLETE DATA BASE PACKAGE. List \$99.00. Sale \$79.00. Coupon Price \$52.00. (Disk only).

SPECIAL SOFTWARE COUPON

with every COMMODORE 64 COMPUTERings are possible!! (example)

PROFESSIONAL SOFTWARE COMMODORE 64

| Name | List | Coupon |
|--------------------------------|---------|---------|
| Executive Word Processor | \$99.00 | \$52.00 |
| Complete Data Base | \$89.00 | \$46.00 |
| Electronic Spreadsheet | \$89.00 | \$46.00 |
| Accounting Pack | \$69.00 | \$32.00 |
| Total 5.2 Word Processor-Plus | | |
| Tape | \$69:00 | \$37.00 |
| Disk | \$79.95 | \$42.00 |
| Total Text 2.6 Word Processor— | | |
| Tape | \$44.95 | \$26.00 |
| Disk | \$49.95 | \$26.00 |
| Total Label 2.6 | \$24.95 | \$12.00 |
| Disk | \$29.95 | \$15.00 |
| Quick Brown Fox Word | | |
| Processor | \$69.00 | \$40.00 |
| Programmers Reference | | |
| Gulde | \$20.05 | \$12.50 |
| Programmers Helper | \$69.00 | \$40.00 |
| Basic Tutor | \$29.95 | \$15.00 |
| Typing Tutor | \$29.95 | \$15.00 |
| Sprite Designer | \$16.95 | \$10.00 |
| Medicinemen | \$19.95 | \$12.00 |
| Weather War II | \$19.95 | \$12.00 |
| Music-Maker | \$19.95 | \$12.00 |
| EDU-Pack | \$24.95 | \$13.00 |
| 3D Maze Craze | \$24.95 | \$13.00 |
| Professional Joy Stick | \$24.95 | \$12.00 |
| Light Pen | \$39.95 | \$20.00 |
| Deluxe Dust Cover | \$ 8.95 | \$ 4.60 |

(and many other items) Write or call for

Sample SPECIAL SOFTWARE COUPON!

PROFESSIONAL BUSINESS SOFTWARE **EXECUTIVE QUALITY BY TIME WORKS!**

The Cadillac of business programs for Commodore 64 Computers

| Item | List | *SALE |
|------------------------|---------|---------|
| Inventory Management | \$89.00 | \$69.00 |
| Accounts Receivable | \$89.00 | \$69.00 |
| Accounts Payable | \$89.00 | \$69.00 |
| Payroll Management | \$89.00 | \$69.00 |
| Cash Flow Management | \$89.00 | \$69.00 |
| Sales Analysis | \$89.00 | \$69.00 |
| General Ledger | \$89.00 | \$69.00 |
| (*COURON PRICE \$59 M) | •00.00 | ****** |

We pack a SPECIAL SOFTWARE COUPON DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$100 OFF SALE PRICES! \$200-\$300 sav-

the Gortek Introduction to Basic program for only \$19.95. TOTAL LIST PRICE \$302.95. SPECIAL PACKAGE SALE PRICE \$165.25.

40-80 COLUMN BOARD \$89.00 A fantastic price breakthrough for VIC-20 owners on this most wanted accessory! "Now you can get 40 or 80 Columns on your T.V. or Monitor Screen." Plus we add a word processor with mail merge, electronic spread sheet, time manager and terminal emulator!! These PLUS programs require 8K or 16K RAM memory. (Disk add \$10.00).

VOICE SYNTHESIZER \$59.00

Votrax Based, Make your VIC-20 COMPUTER TALK! Has features equivalent to other models costing over \$370.00. You can program an unlimited number of words and sentences and even adjust volume and pitch. You can make adventure games that talk! A must for enhancing your programming creativity and pleasure.

60K MEMORY EXPANDER \$59.00

Sixslot - Switch selectable - Reset button -Ribbon cable. A must to get the most out of your VIC-20 Computer. Includes FREE \$29.95 adventure game.

8K RAM CARTRIDGE \$39.95

Increases programming power 2 1/2 times. Expands total memory to 33K (33,000 bytes). Memory block switches are on outside of cover! Includes FREE \$16.95 game.

16K RAM CARTRIDGE \$69.00

Increases programming power 4 times. Expands total memory to 41K (41,000 bytes). Memory block switches are an outside cover! Includes FREE \$29.95 adventure game!!

12" GREEN SCREEN MONITOR \$109.00

Excellent quality GREEN PHOSPHOROUS VIDEO MONITOR with antiglare, 1920 characters (80 characters x 24 rows). Save your TV! a must for 80 column word processors. PLUS \$9.95 for VIC 20 or Commodore 64 Cable.

12" AMBER SCREEN MONITOR \$149.00

Premium quality AMBER VIDEO MONITOR With antiglare, (80 characters x 24 rows), exceptionalscreen, faster scanning, 1000 lines. PLUS \$9.95 for VIC 20 or Commodore 64 Cable.

 LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA — MASTER CARD ACCEPTED


PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

CIRCLE 24 ON FREE INFORMATION CARD







It's amazing how much computer power can be bought for less than \$500. Let's take a look.

Under \$500

MARC STERN

PERHAPS THE MOST VOLATILE SEGMENT OF THE PERSONAL-computer marketplace is the segment under \$500. Since last year's supplement was published, seven new names have joined the ranks of the manufacturers producing machines here. Those manufacturers include some of the leading names in consumer electronics, notably Mattel and Panasonic, while the others include new companies whose products are now just hitting the market.

Timex

Still leading this price segment is the Timex-Sinclair 1000 (formerly the Sinclair ZX81). A tiny machine, about the size of a book, it features 2K of user memory—expandable to 16K—and a cassette interface. Essentially, it is a computer learning machine with which one can begin to understand the basics of microcomputing. Supplied with the 1000 is a BASIC learning guide with which you can learn how to program in this high-level language.

The BASIC programming language is resident in 8K ROM (Read-Only Memory). The 1000's unique multi-function, single-key entry system permits the user to enter BASIC commands and instructions with a single push of the tiny microcomputer's membrane keyboard.

This type of keyboard, which has been used on other machines on the market, is fine for hunt-and-peck typists, but it is lacking for touch typists. In fact, the size of the unit makes speedy text entry nearly impossible.

Capable of interfacing with a home television set as an output device, the 1000 has a limited 32-character by 24-line display. This is less than half the industry-standard 80 by 24 display and this is limiting because the display isn't entirely flicker-free.

Moving up a notch from the 1000, we come to the recently introduced 1500. Driven by a Z80A microprocessor, the same CPU that drives the 1000, the 1500 has an improved keyboard,

with small-sized calculator-type keys, much like those found on pocket calculatorrs. And, while this type of keyboard is better from a tactile standpoint, the experienced typist will be hindered by the non-standard keys.

This mini-microcomputer, which weighs in with a mini-price of \$79.95, has 16K of user memory standard. This feature means it can handle far more complex tasks than the 1000. It also makes the 1500 the first computer in the under-\$100 market that has 16K of resident user memory.

Mass storage for the 1500 is provided with a standard cassette interface. User-generated data can be stored for future use via this interface.

Unlike the more limited 1000, the 1500 can have its memory expanded to 32K, providing more than enough user memory for games and limited home-computing applications.

But like the 1000, video output is handled via a built-in RF modulator that interfaces with a home television set. Both units are also capable of generating black-and-white graphics and include the plot and unplot graphics commands provided in the high-level Extended BASIC language provided in the ROM.

Another computer from Timex is the top-of-the-line 2000 series, that consists of two models, one priced at \$149.95 with 40K of user memory and the other priced at \$199.95 with 72K of user memory. Both provide color graphics and feature sophistication not normally found in low-cost home computers.

Physically much larger than its stablemates, the 2000 features a standard "QWERTY"-type keyboard with large calculator-type keys. The keys appear large enough so that an experienced typist should almost feel comfortable using it.


Actually developed by Sinclair Research Ltd. during Great Britain's Prestel videotext terminal competition, the 2000 is a sophisticated machine with a nearly normal screen display of 64-characters by 24-lines, or twice the capability of its stable-

| TABLE 1-under \$500 | | | | | | |
|-------------------------------------|--------------------------------|------------------|-----------------|----------------------|------------------|-----------------------|
| Manufacturer Timex Computer | Model 1000 | Price \$49.95 | Z80A | Word length 8-bit | Operating System | Languages BASIC |
| Radio Shack | TRS-80 Pocket | | Custom CMOS | Not announced | N/A | BASIC |
| | Computer PC-4 | | | | | |
| Timex Computer | 1500 | \$79.95 | Z80A | 8-bit | N/A | BASIC |
| Radio Shack | TRS-80 Pocket Computer PC-4 | \$89.95 | Custom CMOS | Not announced | N/A | BASIC |
| Video Technology Inc. | VZ200 | \$99.95 | Z80À | 8-bit | N/A | BASIC |
| Netronics Research | Elf II | \$99.95 | 1802 | 8-bit | N/A | machine |
| Sharp Electronics | PC-1250 | \$110 | Custom CMOS | 8-bit | N/A | BASIC |
| Radio Shack | TRS-80 MC-10 | \$120 | 6803 | 8-bit | N/A | BASIC |
| Video Technology Inc. | VZ200 | \$125 | Z80A | 8-bit | N/A | BASIC |
| Netronics Research | Explorer/85 | \$130 | 8085 | 8-bit | N/A | machine |
| Radio Shack | TRS-80 Pocket | \$140 | Custom CMOS | Not announced | N/A | BASIC |
| Timex Computer | Computer PC-4 2000 | \$150 | Z80A | 8-bit | N/A | BASIC |
| Netronics Research | Elf II | \$150 | 1802 | 8-bit | N/A | machine |
| Mattel Electronics | Aquarius | \$150 | Z80A | 8-bit | N/A | BASIC, LOGO |
| | | | | | | |
| Video Technology Inc. | VZ200 | \$174.95 | Z80A | 8-bit | N/A | BASIC |
| Sharp Electronics | PC-1250 | \$185 | Custom CMOS | 8-bit | N/A | BASIC |
| Atari Products | 600XL | \$199 | 6502C | 8-bit | N/A | BASIC |
| Sord Computer Multitech Electronics | M5 MPF-IP | \$199 \$199 | Z80A Z80 | 8-bit 8-bit | N/A N/A | BASIC BASIC, FORTH |
| Timex Computer | 2000 | \$199.95 | Z80A | 8-bit | N/A | BASIC |
| Radio Shack | TRS-80 Pocket | \$199.95 | Custom CMOS | 8-bit | N/A | BASIC |
| Commodore Business | VIC-20 | \$199.95 | 6502 | 8-bit | N/A | BASIC |
| Machines Mattel Electronics | Aquarius | \$205 | Z80A | 8-bit | N/A | BASIC, LOGO |
| Sharp Electronics | PC-1500 | \$220 | Custom CMOS | 8-bit | N/A | BASIC |
| Netronics Research | Elf II | \$224.45 | 1802 | 8-bit | N/A | machine |
| Video Technology Inc. | VZ200 | \$224.45 | Z80A | 8-bit | N/A | BASIC |
| | | | - 25 | | | |
| Texas Instruments Texas Instruments | TI-99/4A CC-40 | \$225 \$250 | TMS9900 7C20 | 16-bit 8-bit | N/A N/A | BASIC BASIC |
| Mattel Electronics | Aquarius | \$265 | Z80A | 8-bit | N/A | BASIC, LOGO |
| Dadia Chash | TDC 00 Deal of | \$000.00 | Custom CNOC | 0.54 | N1/A | BACIC |
| Radio Shack | TRS-80 Pocket Computer PC-2 | \$269.90 | Custom CMOS | 8-bit | N/A | BASIC |
| Commodore Business Machines | VIC-20 | \$274.95 | 6502 | 8-bit | N/A | BASIC |
| Panasonic Co. | JR-200 | \$279.95 | Not announced | Not announced | Not announced | BASIC |
| Sharp Electronics | PC-1500 | \$295 | custom CMOS | 8-bit | N/A | BASIC |
| Radio Shack | TRS-80 Color Computer | \$299 | 6809E | 8-bit | N/A | BASIC |

| | emory/Storage | Keyboard | 1/0 | Display | Comments |
|---|------------------------------------------------|---------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------|------------------------------------------------|
| 2 | K/cassette interface | membrane keyboard/ multifuntion keys | peripheral interface | TV output/32 × 24 ca- pability | basic system |
| 5 | 44 steps | | 12-pin interface con- nector | 1 line 12-character liquid crystal display | handheld computer, basic model |
| 1 | 6 K/cassette interface | | peripheral interface | | memory expands to 16K |
| 1 | 568 steps | 53 calculator keys, 10- | 12-pin interface con- nector | | memory expands |
| 4 | K/cassette interface/soft- | 45 keys, 16 predefined | rector | built-in modulator/32 × 16 | basic configuration |
| | vare cartridges | function | | text mode/128 × 64 color cap. | kit |
| | 256 bytes/ | hex keypad | N/A | | |
| | assette | | | | |
| | nterface .7K | 54 keys, reservable | | 24-character × 1 line liq- | low-cost, handheld micro- computer |
| | K/cassette interface | keys, keypad 48 multifunction keys | 1 serial port | uid crystal display eight color output/32 × 16 | entry level color computer |
| | K/cassette interface/soft- | 45 keys, 16 predefined | 1 parallel | text mode/RF modulator | parallel printer port |
| | vare cartridges | function | | text mode/128 × 64 color capability. | |
| | 256 bytes/cassette inter- | N/A | N/A | N/A | basic Explorer/85 building |
| | ace 568 steps/cassette inter- | 53 calculator keys, 10- | 12-pin interface con- | 1 line 12-character liquid | block system cassette interface |
| | ace | key keypad | nector | crystal display | Cassello illionaco |
| | IOK/cassette interface/ | 42 keys/multi- | peripheral interface | color output/256 × 192 ca- | basic system |
| | software cartrige slot | function/rubber overlay keyboard | | pability/64 × 24 text mode | |
| | 256 bytes/cassette inter- ace | hex keypad | N/A | | assembled |
| 4 | 1K/cassette interface | 49 keys | 1 serial, peripheral inter- face | 320 × 192 graphics/40 × 24 text/user option | basic 'system |
| | 4K/cassette recorder/soft- ware cartridges | 45 keys, 16 predefined function | 1 parallel | built-in modulator/32 × 16 text mode/128 × 64 color capability. | cassette recorder |
| Ę | 5.7K | 54 keys, reservable keys, keypad | | | memory increases 4K |
| | 6K cartridge slot | 62 keys, help key, 4 special function | 1 serial, 2 controller, ex- pansion connector | built-in video output sup- ports 256 colors, 40 × 24 text | basic system |
| | 20K/cassette | 54 keys | Not announced | Home television | |
| | 4K/cassette interface | 49-key | peripheral connector | 20-digit, 1-line alpha- numeric display | basic system |
| | 72K/cassette interface/ software cartridges | 42 keys/multifunction/ rubber overlay keyboard | peripheral interface | color output/256 × 192 ca- pability/64 × 24 text mode | |
| | 2640 bytes | 65 calculator keys, 19- key pad, 18 definable | 60-pin bus connector | 1 line 7 × 156 dot matrix liquid crystal display | pocket computer |
| | 5K/cassette interface | 66 keys, 4 user- programmable | | color capability | basic system |
| | 4K/cassette recorder | 49 keys | 1 serial, peripheral inter- | 320 × 192 graphics/40 × | cassette recorder |
| | | | face | 24 text | |
| | 2.6K | 65 keys, 10-key keypad, function keys | | 26-character × 1 line liq- uid crystal display | basic system |
| | 256 bytes/cassette inter- face | hex key pad | 1 serial, 2 parallel | home TV | expansion board with ports, RF modulator |
| | 20K/cassette recorder/soft- ware cartridges | 45 keys, 16 predefined function | 1 parallel | built-in modulator/32 × 16 text mode/128 × 64 color capacity | 1 memory expansion module brings RAM to 20K |
| | 16K/cassette interface | standard | | 16 colors | basic system |
| | 6K/software cartridges | standard layout | | 31-character × 1 line liquid crystal display | |
| | 4K/cassette recorder | 49 keys | system expander with cartridge/memory ports/1 serial | 320 × 192 graphics/40 × 24 text | system expander, 2K memon added |
| | 4K | 65 calculator keys, 19- key keypad, 18 defina- | 60 pin bus connector | 1 line 7 × 156 dot matrix liquid crystal display | memory expanded to 4K |
| | 5K/cassette recorder | 66 keys, 4 user- programmable | | color capability | digital cassette recorder |
| | 32K/cassette interface | 60 keys, multifunction | 1 parallel | RGB/composite video out- put/CRT is user option | - basic system |
| | 6.6K | 65 keys, 10-key keypad, function keys | | 26-character × 1 line liq- uid crystal display | user memory expanded 4K |
| | 16K/cassette interface | 53 keys | 1 serial | CRT is user opt/32 × 16 color text mode/256 × 192 graphics capability | basic system |

| TABLE 1under \$500 (continuation Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
|-----------------------------------------------|--------------------------------|-----------------|-----------------|---------------|-------------------------|------------|
| Spectravideo | SV-318 | \$299 | Z80A | 8-bit | N/A | BASIC |
| | | | | | | |
| Atari Products | 600XL | \$299 | 6502C | 8-bit | N/A | BASIC |
| Spectravideo | SV-318 | \$299 | Z80A | 8-bit | N/A | BASIC |
| | | | | | | The second |
| Commodore Business Machines | VIC-20 | \$324.90 | 6502 | 8-bit | N/A | BASIC |
| Netronics Research | Elf II | \$339.40 | 1802 | 8-bit | N/A | machine |
| Panasonic Co. | JR-200 | \$340 | Not announced | Not announced | Not announced | BASIC |
| NEC Home Electronics | PC-6000 | \$349.95 | Z80A-compatible | 8-bit | N/A | BASIC |
| Sharp Electronics | PC-1500 | \$370 | Custom CMOS | 8-bit | N/A | BASIC |
| Panasonic Co. | H1400 | \$380 | 6502 | 8-bit | SNAP (version of FORTH) | BASIC |
| Radio Shack | TRS-80 Color Computer | \$399 | 6809E | 8-bit | N/A | BASIC |
| Multitech Electronics | MPF-II | \$399 | 6502 | 8-bit | N/A | BASIC |
| Netronics Research | Explorer/88-PC | \$399.95 | 8088 | 16-bit | N/A | machine |
| Texas Instruments | CC-40 | \$400 | 7C20 | 8-bit | N/A | BASIC |
| Unitronics | Sonic | \$400 (est.) | 6502 | 8-bit | N/A | BASIC |
| Unitronics | Sonic | \$400 (est.) | 6502 | 8-bit | N/A | BASIC |
| Commodore Business Machines | VIC-20 | \$404.85 | 6502 | 8-bit | N/A | ASIC |
| Sord Computer | M5 | \$421 | Z80A | 8-bit | N/A | BASIC |
| Video Technology Inc. | VZ200 | \$424.95 | Z80A | 8-bit | N/A | BASIC |
| Texas Instruments | TI-99/4A | \$425 | TMS9900 | 16-bit | N/A | BASIC |
| Panasonic Co. | JR-200 | \$430 | Not announced | Not announced | Not announced | BASIC |
| NEC Home Electronics | PC-6000 | \$450 | Z80A-compatible | 8-bit | N/A | BASIC |
| Netronics Research | Elf II | \$454.40 | 1802 | 8-bit | N/A | machine |
| Radio Shack | TRS-80 Pocket Computer PC-2 | \$480 | Custom CMOS | 8-bit | N/A | BASIC |
| Panasonic Co. | H1800 | \$480 | 6502 | 8-bit | SNAP (version of FORTH) | BASIC |
| Spectravideo | SV-318 | \$490 | Z80A | 8-bit | N/A | BASIC |
| Atari Products | 1200XL | \$499 | 6502 | 8-bit | N/A | BASIC |
| Netronics Research | Explorer/85 | \$499.75 | 8085 | 8-bit | N/A | machine |
| Panasonic Co. | JR-800 | \$499.95 | Not announced | Not announced | NI/Λ | BASIC |

| Memory/Storage | Keyboard | I/O | Display | Comments |
|------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| 16K/cassette interface | 71 keys, 10 program- mable, built-in joystick | | 256 × 192 resolution, 16 colors, television used as display | basic system |
| 16K cassette recorder/car- tridge slot | 62 keys, help key, 4 special function | 1 serial, 2 controller, expansion connector | built-in video output sup- ports 256 colors, 40 × 24 text | cassette recorder |
| 16K/cassette recorder/car- tridge slot | standard layout, function keys | | 256 × 19 2 /16 colors | |
| 13K/cassette recorder | 66 keys, 4 user- programmable | 49 | color capability | user memory expanded 8K |
| 4K/cassette interface | hex keypad | 1 serial, 2 parallel | home TV | user memory expanded to 4K |
| 32K/cassette interface | 60 keys, multifunction | 1 parallel, 1 serial | RGB/composite video output/CRT is user option | serial port |
| 16K/cassette interface | 71 keys, 5 multifunction | 1 parallel, 2 game con- troller ports | 256 × 192 capability, 32 × 16 text, composite video output avail. | basic system |
| 10.6K | 65 keys, 10-key keypad, function keys | | 26-character × 1 line liq- uid crystal display | user memory expanded by 8K |
| 4K | 65 calculator keys in typewriter arrangement, redefinable | | 1-line × 26-character liq- uid crystal display | basic hand-held computer |
| 16K/cassette interface | 53 keys | 1 serial | CRT is user opt/32 × 16 color text mode/256 × 192 graphics capability | extended BASIC |
| 64K/cassetté interface | 52 keys | 1 parallel, 1 game con- troller | supports 40 × 24 text/6 colors/180 × 192 res./ user option | basic system |
| 64K/cassette interface | N/A | 1 serial | N/A | starter kit |
| 22K/software cartridges | standard layout | | 31-character × 1 line liquid crystal display | user memory upgraded to 22K |
| 80K/148K wafertape | 70 keys, 10 function | expansion ports, game controller | 16 colors, 40 column ca- pability | basic Sonic home computer system, includes stringy-flop- py mass storage |
| 112K/148K waftertape | 70 keys, 10 function | expansion ports, game controller | 16 colors, 40 column ca- pability | 32K memory added |
| 29K/cassette recorder | 66 keys, 4 user- programmable | | color capability | user memory expanded to 29K |
| 20K/cassette/cartridges | 54 keys | Not announced | Home television | BASIC home finance soft- ware, joysticks, games added |
| 64K/cassette recorder/soft- ware cartridges | 45 keys, 16 predefined function | 1 parallel | built-in modulator/32 × 16 text mode/128 × 64 color capacity | 44K memory added |
| 16K/wafertape | standard | HEX-BUS expansion unit | 16 colors | Wafertape drive used in place of cassette |
| 32K/cassette recorder | 60 keys, multifunction | 1 parallel, 1 serial | RGB/composite video out- put/CRT is user option | cassette recorder |
| 16K/cassette recorder | 71 keys, 5 multifunction | 1 parallel, 2 game con- troller ports | 256 × 192 capability, 32 × 16 text, composite video output available | cassette recorder |
| 16K/cassette interface | hex keypad | 1 serial, 2 parallel | home TV | user memory expanded to 16K |
| 16K | 65 calculator keys, 19- key keypad, 18 defina- ble | 60 pin bus connector | 1 line 7 × 156 dot matrix liquid crystal display | memory expanded to 16K |
| 8K | 65 calculator keys in typewriter arrangement, redefinable | , | 1-line × 26-character liq- uid crystal display | basic system |
| 4648K/cassette recorder | 71 keys, 10 program- mable, built-in joystick | | 256 × 192 resolution, 16 colors, television used as display | cassette recorder added for storage, user memory up- graded to 48K |
| 64K/cassette recorder | standard typewriter/16 special function | 1 printer, 2 controller, ex- pansion connector | built-in video output sup- ports 256 colors, 40 × 24 text | basic 1200 system/no std. CRT |
| 256 bytes/cassette inter- face | 56 keys | N/A | 12-inch monochrome CRT | expansion board, keyboard, CRT |
| 16K/cassette interface | 47 keys, 20-key keypad, 10 programmable | parallel | 8-line × 32-character LCD | notebook computer with ROM-based software |



THE TIMEX SINCLAIR 2048 provides 8 colors.

Another feature not normally found on home computers in this price category is included: memory bank-switching. Using this technique, the microcomputer is fooled into thinking it can address more memory than it normally can. In reality, the Z80A can still only directly address 64K, but bank-switching allows it to address much more.

The 2000-series can display a range of eight colors and allows separate control of foreground, background, and border areas. Resolution is fairly high with 256- by 192-dots (horizontal by vertical). All pixels (picture elements) are individually addressable by the user, which means the video output is memory mapped, with specific memory addresses provided for each pixel.

Like other members of the Timex Sinclair family, mass storage is via cassette interface to a cassette recorder.

Radio Shack

Competing heavily in the under-\$100 market is Radio Shack with its \$69.95 Pocket Computer *PC-4*, one of this manufacturer's series of handheld pocket computers that is driven by a custom CMOS VLSI microprocessor.

The miniscule PC-4 reaches its fullest configuration in this pricing category with maximum memory expansion and all peripheral accessories. It features a 544-step user memory that can be expanded to 1568 steps with the plug-in memory expansion module.

Featuring a one-line, 12-character LCD readout, this tiny microcomputer is programmable in BASIC and can handle strings of up to 30 characters in length.

Using a "QWERTY" keyboard layout, you can use the 53 keys for text or program input. In fact, 15 BASIC programming functions can be entered with two keystrokes. While the keyboard does have the traditional layout, it should be noted that the keys are actually calculator-type keys and the close placement really won't allow touch typing. A separate keypad allows numeric entry. Total system expansion is achieved in this price range. This includes the 1K RAM module and cassette-recorder interface and tiny thermal printer with a total price of \$140.

Radio Shack has many other entries in the under-\$500 category. These microcomputers include a variety of handheld and small keyboard-computers.

While Radio Shack's bottom-of-the-line handheld microcomputer is the PC-4, its bigger brother is the recently introduced PC-3 that sports a 1.4K nonexpandable memory. The \$99.95 unit, like its stablemates, features a one-line LCD readout and it features a standard keyboard layout. Like its stablemates, it uses tiny calculator-type keys that aren't suited for speedy text entry.

The PC-4, driven by a CMOS 8-bit microprocessor, reaches its full configuration in this price category with the addition of a

printer/cassette interface. This boosts the price to roughly \$220.

While the PC-1 has been discontinued since last year, the PC-2, manufactured for Radio Shack by Sharp, is still available and represents Radio Shacks's top-of-the-line handheld. Offered at a base price of \$199.95, it reaches its fullest configuration in the \$500 to \$1000 price category.

A versatile unit, its basic user memory is 2.6K. This memory, however, is expandable to a maximum of 16K, with the addition of the proper memory modules. It will also accept ROM modules, but the limit is still 16K. This expandability makes this unit a powerful, flexible handheld microcomputer.

Programmable in Extended BASIC, the PC-2 features 42 statements and 34 built-in functions. It allows a user to have two-dimensional arrays, variable-length character strings with extensive string handling, formatted printing, and other features

The display is a 26-character by 1-line dot matrix LCD with user-addressable graphics over its complete range. The keyboard is a full "QWERTY" type, with 65 keys and a separate number pad. There are also six user-definable keys.

Like the others in the Radio Shack handheld line, the PC-2 uses tiny calculator-type keys that are better suited to single-finger use, rather than two-handed touch typing. Another feature that might prove somewhat confusing is the placement of the space bar next to the function entry key. The layout, though, is about as clean as one could hope for in a small unit.

Driven by an 8-bit, low-power CMOS microprocessor, the PC-2 is powered by 4 "AA" batteries. A 60-pin expansion port allows interfacing with a variety of peripherals, including a color-printer/dual-cassette interface (valuable for speedier program storage and retrieval) and an RS-232C interface for tying into such data networks as The Source or CompuServe via a phone line.

Altogether, the PC-2 is a powerful handheld unit. However, this isn't the only Radio Shack offering in this pricing category. Radio Shack also offers two Color Computers, the new MC-10 Micro Color Computer and the more traditional TRS-80 Color Computer.

The MC-10 is a tiny unit, about the size of the Timex 1000. However, instead of using a membrane keyboard, Radio Shack has opted for a more standard set of small calculator-type keys in a standard keyboard format. The multi-function keys allow quick two-key entry of program commands. A learning machine, the MC-10 comes with a tutorial manual that describes how to produce 8-color graphics and teaches a user BASIC programming.

The 4K memory of the *MC-10* is expandable to 20K through an expansion connector on the tiny box. Unlike other low-cost microcomputers, the *MC-10* has a built-in serial interface that allows the user to connect either a modem or printer to the unit. With either of these peripherals attached, the user gains flexibility in output format. In fact, with a modem the user will gain access to such services as The Source or CompuServe.

This year, only the 16K-version of the more-powerful \$299.95 TRS-80 Color Computer is available rather than the 4K-version that was available last year.

Driven by an 8-bit 6809E microprocessor, the *Color Computer* interfaces directly with a color-television set as a display device through a built-in RF modulator.

An even more powerful version, capable of programming in Extended BASIC, is available for \$399.95. This version of the *Color Computer* allows multi-character variable names and string arrays of up to 255 characters; full-featured editing, floating point 9-digit accuracy, trigonometric functions, user definable keys, specific error messages and PEEK, POKE and USR commands to call machine-language routines.

This machine is a good basic home system, capable of personal computer power or videogame entertainment. It is a flexible unit. There is a wide variety of prepackaged programs available for it on cassette and it includes a standard serial interface port for using a modem to tie into one of the many information services available.

"I built this 16-bit computer and saved money. Learned a lot, too."

Save now by building the Heathkit H-100 yourself. Save later because your computer investment won't become obsolete for many years to come.

Save by building it yourself. You can save hundreds of dollars over assembled prices when you choose the new H-100 16-Bit/8-Bit Computer Kit — money you can use to buy the peripherals and software of your choice.

MailMerge Data Base Manager

Accounts Payable
Accounts Payable

File Manager

Lotus 1,2,3

Fortran-86

8-bit CP/M

Software

Cobol-86

Pascal

General Ledger

Inventory Control Sales Invoicing

PeachText 5000

Basic Compiler

Most standard

H-100 SERIES COMPUTER SPECIFICATIONS:

USER MEMORY: 192K-768K bytes* MICROPROCESSORS:

16-bit: 8088 8-bit: 8085

DISK STORAGE: 5.25" disk drive, 8" disk drive

Winchester drive KEYBOARD:

Typewriter style, 95 keys, 13 function keys, 18-key numeric pad

GRAPHICS: Always in graphics mode. 640h/225v resolution; up to eight colors are available**

COMMUNICATIONS: Two RS-232C Serial Interface Ports and one parallel port

DIAGNOSTICS: Memory self-test on power-up

AVAILABLE SOFTWARE: Z-DOS (MS-DOS) CP/M® Z-BASIC Language

Z-BASIC Language Microsoft BASIC Multiplan SuperCalc WordStar

*192K bytes standard.
**Optional.
CP/M is a registered trademark of Digital*
Research.

The H-100 is easy to build – the step-by-step Heathkit manual shows you how. And every step of the way, you have our pledge – "We won't let you fail." He p is as close as your phone, or the nearest Heathkit Electronic Center.†

And what better way to learn state-of-the-art computing techniques than to build the world's only 16-bit/8-bit computer kit? To run today's higher-speed. higher-performance 16-bit software, you need an H-100. It makes a big difference by processing more data faster.

Dual microprocessors for power and compatibility. The H-100 handles both high-performance 16-bit software and most current Heath/Zenith 8-bit software.

Want room to grow? The H-100's standard 192K byte Random Access Memory complement can be expanded to 768K bytes – compared to a 64K standard for many desktop computers.

And the industry-standard S-100 card slots support memory expansion and additional peripheral devices, allowing your investment to grow.

High-capacity disk storage, too. The H-100's 5.25" floppy disk drive can store 320K bytes on a single disk. The computer also supports an optional second 5.25" and external 8" floppy disk drives. For maximum storage, an optional internal Winchester disk drive is also available.

For more information, circle the reader service number below. Better yet, visit your Heathkit Electronic Center for a demonstration!

> The H-100 gives me the most for my computer dollar!

> > Heathkit

T STOPPED TO

The SPECIALISTS IN TEST EQUIPMENT AND NOW

COMPUTERS



WHO KNOW

COMPUTERS



SANYO

DESK-TOP COMPUTERS



LATEST ENTRY

INTRODUCTORY

LETTER QUALITY PRINTER



- 16 characters per second
- · Bi-Directional printing
- Quiet operation
- Choice of 10, 12 or 15 characters per inch.

Reg. \$99500

*PHS

MICROPRO SOFTWARE (\$2,000.00 Value)

- WORDSTAR SPELLSTAR CALCSTAR
- MAILMERGE INFOSTAR

Rea. \$99500 IBM PC Compatible

- Disc Drive
- 128K Memory
- Centronics Printer Port Compatible
- Color Graphics Capability

PLUS


- 8088 CPU
- Self-Diagnostics

IBM PC registered trademark of IBM Corporation

9" MONITOR (Hitachi B/W)

Reg. \$149°5

WHEN PURCHASED WITH COMPUTER OF PRINTER





ADVANCE THE PEOPLE WHO KNOW

TOLL FREE HOT LINE 800-223-0474

COMPUTERS

26 WEST 46th STREET, NEW YORK, N.Y. 10036 212-730-7030

The Color Computer can have its user memory expanded to 32K, with the addition of a RAM expansion kit. An already expanded version is available for \$549.95 and it features the same functions already described.

For the user who would like the ultimate in flexibility and speedy mass storage, there is an optional external disk drive available. The *Color Computer* can support up to four of these drives and this gives the user far more flexibility in this system than in other low-end systems. However, the buyer should note that even one drive will significantly raise the cost of the system.

The Color Computer's expansion possibilities are outlined in subsequent sections and you will find it becomes a full-blown

system in the \$1500 price range.

Handheld microcomputers continue to abound in the low-end price range, with offerings from Sharp, Hewlett-Packard, and Panasonic.

Sharp

For instance, Sharp offers two handhelds, the *PC-1250* and the *PC-1500*. The *PC-1500* is identical to Radio Shack's *PC-2*, so its description will suffice for the *1500*, except to say that it is more expensive than the Radio Shack unit, with a base price of \$220. Both of these handhelds become fully configured in higher price categories.

The basic model, the *PC-1250*, is available for \$185. It is driven by a CMOS 8-bit microprocessor, which means that it can be run by battery power because the current drain is low.

Programmable in BASIC, its 54-key small calculator-type keys are arranged in a "QWERTY" layout. However, since the unit is handheld, it isn't suited to fast touch-typing. The *PC-1250* has a one-line by 24-character LCD readout.

Panasonic

Another of the entrants in the handheld computer field is Panasonic, whose H1400/H1800-series builds into a portable briefcase system. In reality, this series uses the same handheld case, but each pricing level reflects more user memory. For instance, the \$380 H1400 features 4K of user memory, while the \$480 H1800 features 8K of user memory.

If you look closely at the accompanying table, you will see an operating system is noted. Unlike other handheld computers, which operate with machine language instruction sets, the H1400/1800 series uses the SNAP operating system, a derivative of FORTH. Under this operating system, BASIC is the programming language.

Again, like other handheld computers, the keyboard is laid out in a standard "QWERTY" fashion, however, with 65 small calculator-type keys and narrow spacing on the keyboard, it



PANASONIC'S JR-800 displays eight 32-character lines.



would seem that this type of layout wouldn't lend itself to touch-typing. Instead, it seems more oriented toward one-finger entry. To give these units their due, though, they are larger than other handheld units on the market.

Notice that they are on the upper end of the pricing scale. Although they are less expensive than they were last year, all it takes is a bit of added memory—expansion RAM modules are available—to push them into the next price class, where you will again see them mentioned.

These aren't the only Panasonic units available in the under-\$500 category. Another is the recently introduced \$279.95 JR-200. It is a complete keyboard-computer and features a built-in AC power supply, a built-in RF modulator, built-in cassette interface port, and game-controller connections. Unlike other low-priced units, this one includes a standard printer interface port. Other systems in this price range usually make additional ports for communications or printers extra-cost addons.

With 32K of RAM, this unit is capable of handling some fairly sophisticated programs. Its programming language is BASIC, whose commands and other textual matter are inserted through the 60 multifunction small calculator-type keys. One of the nicer features of this keyboard is its standard key spacing that should make quick data entry easy.

The JR-200 is also a color home computer that can interface not only with a home television set, but also with a monitor with either composite video or RGB inputs. It is capable of generating eight colors simultaneously and—for music composition or sound effects—three simultaneous tones in five octaves. Mass storage is through the cassette interface and Panasonic has an interesting option, a 2400-baud data cassette recorder that allows faster data storage and retrieval via cassette.

Rounding out Panasonic's entries in this field is one of the new breed of lap computers now making their way to the market. The JR-800, that weighs a mere 1% pounds and which fits easily into a briefcase, is priced at \$499.95. For that price, the user receives a powerful piece of equipment.

Initially equipped with 16K of user memory, or enough to perform complex tasks and to store a good deal of information, the memory is expandable to 24 or 32K, or as much RAM as some much larger machines had only a few years ago. No pricing was provided on this expandable feature.

Featuring a full travel standard layout typewriter keyboard, the *JR-800* also has 20 programmable function keys and an independent numeric keypad. The programmable keys can be programmed to carry out often-used commands to help simplify and speed up the computing process.

Like other lap computers, the JR-800 has taken advantage of advances in liquid-crystal-display technology and sports a 32-character by 8-line LCD. The display can be scrolled through 255 columns and contrast control is provided so the display can be adjusted for easy viewing in a variety of lighting conditions.

Memory protection is provided so that any data or programming material that has been stored in RAM will be saved even if the power is turned off.

The BASIC programming language this unit uses is located in ROM for quick loading and 51 BASIC commands are provided on the keyboard, as well as 64 graphic symbols and 32 user-definable keys.

Texas Instruments

Since last year's supplement was published, there has been a tremendous price war going on in the low-cost home-computer field and the semiconductor giant, Texas Instruments, has been among those companies battling it out with its T1-99/4A, the only low-cost home computer to use a true 16-bit microprocessor, TMS-9900. In fact, TI was the first manufacturer on the market with a 16-bit CPU when the model was introduced three years ago. Although you might find the manufacturer's suggested retail list price somewhat shocking, in view of the heavy price discounting and rebate programs that have gone on, it is \$225.

However, the user gets a machine with a typewriter-style keyboard and immediate availability to TI's wide library of prepackaged software. This software is immediately usable thanks to the TI-99/4A's 16K user memory.

Programmable in BASIC, a user can use a built-in cassette interface for data storage. Disk drives are available, but they push its cost up to other pricing categories.

The T1-99/4A is capable of generating up to 16 colors and interfaces with a television set through a built-in RF modulator. It can also use a color monitor, as will be shown in other pricing categories.

This isn't the only TI entrant in this pricing category. The company is also marketing its *Compact Computer 40*, a handheld unit with a base price of \$249.95. It interfaces with a wide variety of peripherals.

Driven by a low-power CMOS 8-bit microprocessor, the CC-40 comes equipped with 6K of user memory. Its standard keyboard layout allows entry of BASIC commands and text, although its display is only a 1-line by 32-character LCD. Mass storage is via TI's proprietary Wafertape drive system. In other circles, this type of tape system might be called a "stringy" floppy drive.

Wafertape is actually a continuous-loop cassette tape system that allows quick data entry and retrieval. This is similar to the endless tape loops used in telephone answering machines.

If you look closely at the accompanying table, you will find this system mentioned twice because it starts its upgrading within this price segment with the addition of a serial input/ output port.


The TI-99/4A also begins upgrading and its price rises to \$425 with the addition of the Wafertape drive, in place of a standard cassette recorder.

Video Technology

A newcomer to the home-computer wars, Video Technology is offering a keyboard-computer, the VZ200, whose pricing starts at \$99.95. For this price, a user gets a Z80A 8-bit microprocessor, one of the 8-bit world's standards, but only 4K of user memory, which is enough for simple tasks and home



COMMODORE'S VIC-20 is a BASIC-programmable machine.



THE ELF II from Netronics is one of the oldest computer kits available.

games, but isn't really enough for complicated tasks. In fact, if you watch how the system upgrades, you will notice the first expansion is to increase the amount of user memory, which is accomplished before it reaches the \$500 to \$1000 pricing category.

Fully programmable in BASIC, the VZ200 features a standard keyboard layout with small calculator-type keys. These multifunction keys allow one-key entry of BASIC commands and speed up programming.

The VZ200 features a built-in cassette interface for data storage. In the next pricing level the manufacturer's proprietary data cassette recorder is added to the system configuration. (You will notice the same thing happening with many of the home-computer systems listed. In a departure from last year, we have included the proprietary cassette recorder in the pricing equation.)

The unit is also capable of a video output of 32-characters by 16-lines in its 9-color text mode. Low-resolution graphics of 64-by 32-dots are available in 9 colors, although a higher resolution of 128- by 64-dots is available in eight colors.

An interesting feature of the VZ200 is its dedicated video RAM. The manufacturers have set aside 2K of user memory, roughly two pages of text, for video memory. This assures that display input won't be overwritten should the user-memory area become full. The unit is also capable of interfacing with a home television set (through an RF modulator) or a dedicated monitor.

In this pricing category, according to the manufacturer's released prices, the VZ200 gains a printer port, memory expansion and peripheral expansion bus, and this just about exhausts the list of possibilities because other planned peripheral prices weren't available at press time.

Mattel Electronics

Making its first formal foray into the home-computer field, Mattel Electronics has introduced the \$150 Aquarius system. (It has an add-on computer module for its Intellivision game controller, but this is its first formal home computer.)

Driven by an 8-bit Z80A microprocessor, the *Aquarius* comes with only 4K of user memory. Eventually, the company plans total user memory capability of 52K.

Another of the keyboard-computers available, the *Aquarius* has a 49-key small calculator-type of keyboard. Its basic measurements are 13 by 6 inches and its is capable of 256 graphics characters, as well as 16 colors.

Capable of interfacing with a cassette recorder for mass storage, software is available not only on tape, but also in the form of plug-in cartridges. Programming languages include BASIC and the educationally-oriented LOGO.

In its two expansions in this pricing category, one will find the cassette recorder and the expansion bus have been added.

88

INTRODUCING the world's first, affordable teaching robot...

most sophisticated microprocessor-controlled device since the microcomputer.

HERO1 is a completely self-contained, electromechanical robot capable of interacting with its environment. Controlled by an on-board, programmable computer, it has electronic

sensors to detect light, sound, motion and obstruction in its path.

Capable of seven axes of mo-

tion, the robot can be programmed to pick up small objects with its arm. It will also speak in complete sentences using its voice synthesizer.

Remarkable though the robot is,

its companion Robotics Education Course
is an even more significant "first." It provides
a thorough understanding of robot technologies, including
robotics programming.
Course features self-test
unit reviews, experiments and final exam.

Designed to be used with HERO 1, this 1200 page course is the most complete introduction to robotics available today.



HERO1 uses a 6808 microprocessor that controls 13 functions and sense boards. Its on-board processor can take it through complex maneuvers. The programming process is straightforward with provision for step-by-step debugging, enhancement and other corrections.

HERO1 senses include; sound detection (frequency range 200-5000 Hz); light detection; ultrasonic ranging; ultrasonic motion detection; speech synthesis; and real time, four year calendar clock.

A completely mobile platform robot, HERO 1's motion abilities permit head rotation and arm rotation of 350,° shoulder rotation of 150,° arm extension of 5 inches, wrist pivot of 180° and wrist rotation of 350.° Gripper will open to a maximum of 3½ inches and rotate 90° at extreme extension. Payload capacity of arm is 8 oz. at maximum extension and 16 oz. at normal.

The remarkable HERO 1 robot is in production now, ready for you. Buy assembled or build it from a kit. Kit price is \$1500 and the assembled robot is \$2500, FOB Benton Harbor, or through your nearest Heathkit Electronic Center.

For full information on HERO 1 call 800-253-0570 toll-free. (In Alaska, Hawaii and Michigan, call 616-982-3411.) We'll give you the address of the nearest Heathkit Electronic Center and send you a booklet that gives details about the robot, the content of this course, and other information.



Please send details on the HERO 1 robot and robotics course.

Mail to: Heath Company, Dept. 020-108 Benton Harbor, MI 49022

Heathkit

Heathkit/Zenith

Educational Systems

Address _____

State Zip Heathkit/Zenith Educational Systems is a division of Heath Company, Benton Harbor, Michigan 49022. R0-100AR1

Heathkit Electronic Centers are units of Veritechnology Electronics Corporation. Heath Company is a subsidiary of Zenith Radio Corporation.

CIRCLE 16 ON FREE INFORMATION CARD

www.americanradiohistory.com

The Complete

The Complete Bange

Fifteen months ago Memotech developed the first 64K Memopak, designed to maximise the capabilities of the Sinclair ZX81. Since then, using the ZX81 as a starting point, we've gone on to produce a comprehensive range of Memopaks, adding 16K and 32K memory expansions, utilities packages comprising a Word Processor, Z80 Assembler and Spreadsheet Analysis, plus Communication Interfaces. High Resolution Graphics and a professional quality Keyboard. To complete our range of Timex add-ons, we are now introducing the MEMOPAK RS232 Serial Interface.

RS232 Interface

The RS232 is an all-purpose interface which allows the Timex not only to output to suitable serial printers, but can link up with numerous types of peripheral or even other processors The Interface has two main modes of operation: BASIC mode allows you to use the range of functions supplied in the RS232 EPROM within an ordinary BASIC program, and TERMINAL mode allows you to use your Timex as a terminal to another processor The EPROM functions offered permit the user to send, receive and convert bytes between Z80 code and ASCII, as well as check the status of numerous control flags. Received or transmitted data can appear simultaneously on the screen, and received data may be printed simultaneously

\$99.95 cable \$19.95

Memopak Centronics I/F

The BASIC commands LPRINT, LLIST and COPY are used to print on any CENTRONICS type printer. All ASCII characters are generated and translation takes place automatically within the pack. Reverse capitals give lower case. Additional facilities allow high resolution printing.

\$74.95 cable \$19.95

Memopak HRG

This pack breaks down the constraints imposed by operating at the Z80 character level and allows high definition displays to be generated. All 248 x 192 individual pixels can be controlled using simple commands, and the built in software enables the user to work interactively at the dot, line, character, block and page levels:

\$99.95

Memocalc

The screen display behaves as a 'window' on a large sheet of paper on which a table of numbers is laid out. The maximum size of the table is determined by the memory capacity, and with a Memopak 64K a table of up to 7000 numbers with up to 250 rows or 99 columns can be specified.

\$49.95

Memotext

Text is first arranged in 32 character lines for the screen with comprehensive editing facilities. On output the user simply chooses the line length required for printing and the system does the rest. Used with the Memopak Centronics Interface, the Word Processor makes available printout with 80 character lines, upper and lower case and single and double size characters.

\$49.95

Memopak Memory Extensions

For those just setting out on the road to real computing, these packs transform the Timex from a toy to a powerful computer.

Data storage, extended programming and complex displays all become feasible. Further details available on request

16K Memopak \$49.95 32K Memopak \$99.95 64K Memopak \$149.95

Z80 Assembler

The Assembler allows you first to code and edit a source program in the Z80 language, and then assemble it into machine code. You can now write flexible and economic programs The Editor mode allows you to code directly in the right format, manipulate inidividual lines and control the exact placing of source and machine code. Routines may be merged or listed (even to a commercial printer using our Centronics Interface). The assembler mode handles all standard Z80 mnemonics, numbers in hex or decimal. comments and userselected lables

\$49.95


Memotech Keyboard

The Memotech plug-in Keyboard plus buffer pack takes the effort out of data entry for Timex users. The Keyboard has a light professional touch and is housed in an elegant aluminum case. The simple plug-in system means that you are not obliged to open up your Timex, use a soldering iron or invalidate your Timex warranty.

Keyboard Buffer Pak

The Buffer Pak performs a "housekeeping" function for the Keyboard, interfacing directly with the port of your Timex.

\$99.95 - (keyboard & buffer included)



Note! All Memotech products carry a 6 mo. warranty. 80 column dot matrix printer packages available at a substantial savings from Memotech.

Order at no risk (10 day money-back guarantee): Call 1-800-662-0949 (Colorado 1-303-986-1516). Or send your name, address, phone number and a check/money order/Visa or MasterCard number with expiration date to: Memotech Direct Sales Division, 7550 W. Yale Avenue, Denver, Colorado 80227.

Shipping/Handling \$4.95; Colorado Residents add applicable sales tax.





VIDEO TECHNOLOGY'S VZ200 has calculator-type keys.

Commodore Business Machines

Commodore Business Machines, one of the longtime microcomputer manufacturers, also has a keyboard-computer entry in this price category, the VIC-20. CBM, as the manufacturer is also known, has been one of the firms engaged in a hotly contested drive for domination of the under-\$500 marketplace and even though the VIC-20 carries a \$199.95 manufacturer's suggested retail price tag, you should be able to find it for much less.

Driven by a 6502, 8-bit microprocessor, the VIC-20 features a full-travel keyboard. Some of its keys, such as the quotation marks, are in nonstandard locations, so this could slow an accomplished touch typist. However, once the user is familiar with the keyboard, it should be easy to use. Four function keys are provided.

In the accompanying table, you will find the VIC-20 listed three times in this price class. At each level something has increased and if you note, the first addition is the data recorder. At the second level, user memory is expanded. At the third level, memory is expanded farther.

The VIC-20 system is fully programmable in BASIC. It features color-display capability with graphics resolution of 176- by 184-dots and it is capable of generating a 22-character by 23-line display. It is also capable of generating sounds over a five-octave range.

In this portion of the price range, the VIC-20 is limited to either cassette tape or plug-in cartridge software. However, its versatility grows as more system expansion takes place, as you will see later.

Atari

Atari Home Computers has three entries in this price category, the \$199 model 600XL, the \$299 (give or take a few dollars) 800XL and the \$499 model 1200XL. The reason the price of the 800XL isn't detailed is because specific pricing for the new models offered by Atari was not available at press time. Atari has a total of five models in the home-computer market.

The low-cost 600XL is equipped with 16K of user memory that is expandable to 64K. It also features a full-stroke typewri-



SPECTRAVIDEO'S SV-328 uses a Z80A microprocessor.



ter keyboard and is programmable in BASIC. This low-cost unit expands once with the addition of Atari's data recorder and features five text modes and 11 graphics modes with 256 colors.

The 600XL is capable of a maximum graphic resolution of 320- by 192-dots and a 40-character by 24-line text display. A serial input-output port is standard on this unit as are two game-controller ports. It has a built-in RF modulator for using a home television as the output device.

The 800XL, priced somewhere between the 600XL and the 1200XL, includes all the features of the lower-priced model, plus 64K of user memory. It also has outputs to enable you to connect the computer to either a televison set or a monitor.

This new line of computers seems to fix one of the weaknesses of the former price leader, the 400, which has been discontinued. The 400 used a membrane keyboard that has never been popular. Instead, the new machines sport keyboards with typewriter-style keys. They also include slots to accept software cartridges.

The only machine that continues in Atari's lineup is the 1200XL, which is driven by a 6502 8-bit microprocessor. It features a keyboard with typewriter-like keys and is programmable in BASIC.

Also included in the basic outline of this machine is a parallel printer port and two game controllers. Its display capabilities include the generation of up to 256 colors and 40-character by 24-line text generation. It interfaces with a home television set.

Netronics

If you want to "roll your own" microcomputer, then you have three choices from Netronics—the Elf II, Explorer/85 and the Explorer/88-PC.

The *Elf II* is one of the oldest kit computers on the market and is driven by the venerable 1802 8-bit microcomputer from RCA. It is also one of the last microcomputers on the market to still use Tiny BASIC.

Constructed on a small PC board, the Elf II uses a hex keypad for machine-language programming. It generates a composite video display for interfacing with a monitor or it can interface with a home-television set through an RF modulator. An extremely expandable machine—more than half the motherboard is reserved for that—at its basic level there are only 256 bytes of user memory. However, that can be expanded to 64K. Options include a full keyboard and an A/D converter board. As you can see from the chart below, it upgrades several times in this price category.

Far more complete machines are represented by the *Explorerl* 85 and the *Explorer/88-PC*.

The Explorer/85 contains an S-100 bus—100 signal-lines on the motherboard that carry data, address, and control information to the various boards plugged into it—and as a result, expansion is nearly unlimited. Various S-100 boards that are available include RAM boards, floppy-disk controllers, serial

The Explorer/88-PC is a good learning experience for those who would like to see what makes an IBM-compatible machine tick. It not only includes the motherboard and microprocessor, but also the IBM-type expansion bus. With the correct add-on board, cabinet and drives, the user has an IBM-compatible system. In fact, in one of the higher price categories, there is a full-blown kit that will produce such a machine.

NEC

The NEC PC-6000 is another of the computers found on the market today with an integral keyboard. Priced at \$349.95, it is driven by a Z80A-compatible microprocessor. The PC-6000 contains 16K of user RAM and is expandable to 32K with an optional cartridge.

Its BASIC programming language is resident in 16K of ROM and features enhanced graphics and sound capabilities. Capable of color graphics with a resolution of up to 256- by 192-dots, the *PC-6000* is useful for color graphics work. In the text mode, resolution is 32-characters by 16-lines. A composite video output is available.


The *PC-6000* upgrades once in this price category with the addition of the NEC-offered cassette recorder for mass storage.

Multitech

Multitech Electronics has two offerings in this pricing category, the MPF-IP and the MPF-II.

The MPF-IP is driven by an 8-bit Z80 microprocessor. It contain 4K of RAM memory that is expandable to 10K via an optional input output and memory board.

Basically a computer literacy machine, the MPF-IP has a 49-key keyboard with calculator-type keys. The keyboard will enable a user to enter programs in assembly language, machine code, BASIC, or FORTH.



MULTITECH'S MPF-IP is another Z80A machine.

The display of this device is a 20-digit, 14-segment alphanumeric green tube display that scrolls much like a Times Square billboard.

It features a built-in speaker, battery-operated memory backup circuit and such options as an EPROM (Erasable Programmable Read-Only Memory) board, a speech-synthesizer board, thermal printer, and a combination I/O and memory board and accessory kit for experiments.

The MPF-II is an Apple-compatible machine driven by a 6502 8-bit microprocessor. Featuring 64K of user memory, the MPF-II is programmable in BASIC via its 53-key standard-layout keyboard with calculator-like keys. A serial port allows interfacing with peripheral devices such as modems or printers.

The MPF-II will interface with a user's choice of videodisplay device. It is capable of displaying 40-characters by 24-lines of text and six colors with a resolution of up to a 180- by 192-dots.

Spectravideo

Spectravideo also has two computer offerings in this price category, the SV-3/8 and the SV-328.

The SV-318 is driven by a 3.6 MHz Z80A microprocessor and features 32K of user memory built-in. This means that nearly from the start this unit can handle sophisticated applications programs.

The keyboard, which uses a standard-keyboard layout and calculator-type keys, also features user-programmable function keys.

Programmable in BASIC, as are most of the other low-cost home computers on the market, it is capable of handling high-level color-graphics functions. A user can address 16 colors from the keyboard with a resolution of 256- by 192-dots.

The more expensive SV-328 is also driven by a Z80A microprocessor. It features 80K of RAM—the top amount found in microcomputers in this price category—and built-in BASIC.

Further, this machine features CP/M compatibility, which increases the flexibility and usefulness of this computer, especially in a small-business setting.

It also features two built-in ROM-resident programs, a wordprocessing application and a terminal application, which make this a full-featured machine from the start.

An 87-key, full-stroke keyboard offers 10 user-definable functions, three special word-processor keys, 34 keyboard-generated computer-graphic symbols, and a separate numeric keypad.

The screen is somewhat limited for serious business work, offering 32 characters-per-line in the graphics mode and 40 characters-per-line in the text mode, but it should easily serve the average home user.

At this level, data storage is via a built-in cassette interface, while its composite video and audio output are through an RF modulator.

Sord

Another of the low-priced keyboard-computers is the Sord M5, which is driven by a Z80. It upgrades once in this price category and features two joysticks and programming for household accounting and bank-loan management. Input/output is handled through a parallel printer port, while data can be saved to cassette. A home-television set is used as a display.

Unitronics

Driven by an 8-bit 6502 microprocessor with a Texas Instruments video-display processor for arcade quality graphics, the Sonic uses a Waferdrive (endless-loop tape) that allows full read/write capabilities and mass storage for 128K.

The Sonic includes a 16-color display, 40 column display and a 70-key typewriter-style keyboard. The keyboard includes 10 function keys.

An additional 32K of RAM can be added to this system with the addition of a RAM module. It interfaces with the Sonic's expansion port.







Surprising sophistication and low cost are the characteristics of the systems in this category.

\$500 to \$1000

MARC STERN

IT'S AMAZING THE AMOUNT OF SOPHISTICATION BUILT INTO today's crop of low-cost home computers. Just a few years ago, machines in this price category were fairly primitive affairs, with little user memory and few peripherals. In fact, the microcomputer world was dominated by hobbyists, rather than home users. These hobbyists put together their systems with a little bit from this source and a little bit from that source, until they had fairly decent machines.

Contrast this situation with today where anyone can go to a retail outlet or computer store and buy a machine with 64K of user memory, sophisticated peripherals, and graphics capability. Today's microcomputer market has radically changed and

the consumer has benefited from that change.

In this price category, some new companies make their first appearance. Some of these companies are more widely known for their consumer-electronics goods than their computer hardware and they include Casio, Sanyo, and Toshiba. Other companies, better known in the computer peripheral business than for their home computers, have also joined and they include Epson America and Formula International. Even a widely known game manufacturer, Coleco, has an entry in this price level.

New machines also make their appearance from Commodore Business Machines and Atari.

At this price level, many of the machines mentioned in the under-\$500 price category start to become more powerful systems. So, without further delay, let's take a look at the new entrants in this market and then wrap up with a look at how some systems have matured.

Coleco

The Adam is Coleco's first entry into the computer marketplace, and it is being marketed as a complete system. It includes a standard printer in its initial configuration. User memory stands at 80K, which is enough for most chores that a home-computer user might have and the system features a standard typewriter-like keyboard with 75 full-travel keys. Built into this system is a word-processing package. The Adam is also compatible with CP/M, which makes this system a candidate for small businesses, because of access to the rich variety of CP/M programs.

Unlike other machines in this price category, the Adam includes an integral storage device, called a digital data-pack drive, capable of 500K of mass storage. According to industry reports, it is a tape drive, much like others on the market.

This near full configuration makes this machine ideal for the person looking for a fairly complete system under \$1000. It is programmable in BASIC.

Formula International

Long associated with the hobby-electronics world, this company is offering an Apple-compatible kit called the *Pinecom*. It is driven by a 6502 8-bit microprocessor and the kit includes the basic computer with keyboard and little more.

Programmable in BASIC, the *Pinecom* has 64K of user memory. Data input is via a 60-key keyboard and the unit is capable of 40-character by 24-line display for output. It also has color capability. It upgrades once in this price category with the addition of a parallel printer port.

Toshiba

Better known for its semiconductors and consumerelectronics products, Toshiba has introduced its T100 computer that is driven by a Z80A.

The *T100*, in this price category, is a pretty barebones machine. It includes 64K of user memory but mass storage is limited to cassette tape.

| 1ABLE 1-\$500 to \$1000 | | | | | | |
|---------------------------------------|--------------------------------|-------------------|-----------------|-----------------|------------------|------------------------|
| Manufacturers | Model | Price | CPU | Word length | Operating System | |
| NEC Home Electronics | PC-6000 | \$500 | Z80A-compatible | 8-bit | N/A | BASIC |
| Commodore Business Machines | Pet 64 | \$500 | 6500 series | 8-bit | N/A | BASIC |
| Atari Products | 800XL | \$500 (est.) | 6502C | 8-bit | N/A | BASIC |
| Sharp Electronics | PC-1250 | \$505 | Custom CMOS | 8-bit | N/A | BASIC |
| Atari Products | 600XL | \$519 | 6502C | 8-bit | N/A | BASIC |
| Texas Instruments | TI-99/4A | \$525 | TMS9900 | 16-bit | N/A | BASIC |
| Panasonic Co. | H1400 | \$538 | 6502 | 8-bit | SNAP | BASIC |
| Netronics Research | Explorer/85 | \$539.70 | 8085 | 8-bit | N/A | machine |
| Radio Shack | TRS-80 Color Computer | \$549 | 6809E | 8-bit | N/A | BASIC |
| NEC Home Electronics | PC-6000 | \$550 | Z80A-compatible | 8-bit | N/A | BASIC |
| Texas Instruments | CC-40 | \$555 | 7C20 | 8-bit | N/A | BASIC |
| Netronics Research | Elf II | \$559.30 | 1802 | 8-bit | N/A | machine/BASIC |
| Texas Instruments | TI-99/4A | \$585 | TMS9900 | 16-bit | N/A | BASIC |
| Netronics Research Commodore Business | Explorer/85 Commodore 64 | \$589.65 \$595 | 8085 6510 | 8-bit | N/A | machine BASIC |
| Machines | | | | | | |
| Atari Products | 1200XL | \$598 | 6502 | 8-bit | N/A | BASIC |
| Spectravideo | SV-328 | \$600 | Z80A | 8-bit | N/A | BASIC |
| Sharp Electronics | PC-1500 | \$600 | Custom CMOS | 8-bit | N/A | BASIC |
| Spectravideo | SV-328 | \$600 (est.) | Z80A | 8-bit | N/A | BASIC |
| Coleco Industries | Adam | \$600 (est.) | Not announced | Not announced | N/A | BASIC, LOGO |
| Panasonic Co. | H1800 | \$638 | 6502 | 8-bit | SNAP | BASIC |
| Formula International | Pinecom (kit) | \$645 | 6502 | 8-bit | N/A | Not announced |
| Commodore Business Machines | Commodore 64 | \$670 | 6510 | 8-bit | N/A | BASIC |
| Netronics Research Texas Instruments | Explorer/85 CC-40 | \$689.60 \$695 | 8085 7C20 | 8-bits 8-bit | N/A N/A | machine/BASIC BASIC |
| Spectravideo | SV-328 | \$700 | Z80A | 8-bit | N/A | BASIC |
| Formula International | Pinecom (kit) | \$730 | 6502 | 8-bit | N/A | Not announced |
| Radio Shack | TRS-80 Pocket Computer PC-2 | \$759.75 | Custom CMOS | 8-bit | N/A | BASIC |
| Netronics Research | Explorer/85 | \$789.80 | 8085 | 8-bit | N/A | machine/BASIC |
| Toshiba America | T100 | \$795 | Z80A | 8-bit | N/A | BASIC |
| Epson America | HX-20 | \$795 | 6301 | 8-bit | N/A | N/A |
| Multitech Electronics | MPF-II | \$797 | 6502 | 8-bit | Proprietary | BASIC |
| Radio Shack | TRS-80 Model 100 | \$799 | 80C85 | 8-bit | N/A | BASIC |

| | Keyboard | 1/0 | Display | Comments |
|--------------------------------------|----------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------|
| | 71 keys, 5 multifunction keys | 1 parallel, 2 game con- troller ports | 256 × 192 capability, 32 × 16 text, composite video output avail. | memory expanded to 32K RAM |
| | standard, numeric keypad | 1 serial | integral display | basic system |
| | 54 keys, help key, 4 special function keys | 1 serial, 2 controller, expansion connector | built-in video output sup- ports 256 colors, 40x24 text | basic system |
| | 54 keys, reservable keys, keypad | | 24-character × 1 line liq- uid crystal display | interface/printer/cassette u added, user memory ex- panded 8K |
| | 62 keys, help key, 4 special function keys | 1 serial, 2 controller, ex- pansion connector/ interface module | built-in video output sup- ports 256 colors, 40x24 text | interface module added to future expansion |
| 48K/cassette interface | standard | THE | 16 colors | user memory upgraded by 32K |
| | 65 calculator keys in typewriter arrangement, redefinable keys | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display | I/O adapter |
| | 56 keys | N/A | 12-inch monochrome CRT | S-100 card cage added for expansion boards |
| | 53 keys | 1 serial | 32 × 16 color text | user memory expanded to |
| | | | mode/256 × 192 graphics capability | seriai port added |
| | 71 keys, 5 multifunction keys | 1 parallel, 1 serial, 2 game controller ports | 256 × 192 capability, 32 × 16 text, composite video output avail. | |
| 22K/software cartridges | standard layout | 1 serial, 1 parallel | 31-character × 1 line liquid crystal display | serial and parallel ports |
| | 56 keys | 1 serial, 2 parallel | home TV | keyboard, BASIC added |
| | standard | HEX-BUS expansion unit | 16 colors | HEX-BUS expansion unit |
| | 56 keys 60 keys, 4 program- | N/A | 12-inch monochrome CRT 16 color graphics ca- | basic system |
| | mable keys | d printer O controller ov | pability/text | cassette recorder |
| | standard typewriter/16 special function keys | 1 printer, 2 controller, ex- pansion connector | built-in video output sup- ports 256 colors, 40x24 text | cassette recorder |
| | 87 keys, keypad, 10 definable keys | | | basic system |
| | 65 keys, 10-key keypad, function keys | | 26-character × 1 line liq- uid crystal display | cassette interiace, printer ter added |
| | 87 keys, 10 program- mable, numeric keypad | | 40 x 24 text mode ca- pability/16 colors | basic system |
| drive (see text)/software | 75-keys, 6 "smart" keys, detachable 12-key key- pad | Not announced | color graphics ca- pability/36 column | basic system |
| 8K | 65 calculator keys in typewriter arrangement, redefinable keys | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display | I/O adapter added |
| | 66 keys, 14-key keypad | | 40 × 24 text mode/280 × 192 graphics capability | Apple-compatible kit |
| | 60 keys, 4 program- mable keys | | 16 color graphics ca- pability/text | cassette recorder |
| 4K/cassette interface | 56 keys | N/A | 12-inch monochrome CRT | ROM-based BASIC adde |
| | standard layout | 1 serial, 1 parallei | 31-character × 1 line liquid crystal display | watertape drive added |
| 80K/cassette recorder | 87 keys, 10 program- | | 40 × 24 text mode ca- | cassette recorder |
| | mable, numeric keypad 66 keys, 14-key keypad | 1 parallel | pability/16 colors 40 × 24 text mode/280 × 192 graphics capability | parallel port |
| | 65 calculator keys, 19- key keypad, 18 defina- | 60 pin bus connector | 1 line 7 × 156 dot matrix liquid crystal display | memory expanded to 32 memory modules added |
| | ble keys 56 keys | N/A | 12-inch monochrome CRT | User memory expands to |
| 64K/cassette interface | 89 keys, 8 special func- tion keys | 1 parallel, 1 serial | | basic system |
| 16K/microcassette storage (built-in) | standard, 5 function keys, 10-key keypad | 1 serial | 4-line liquid crystal display | lap computer |
| | 52 keys | 1 parallel, 1 game con- troller | supports 40 × 24 text/6 colors/ 180 × 192 resolution display is user option | disk drive added on/ |
| 8K/cassette interface | 56 keys, embedded 10- | 1 parallel, 1 serial, built- | 40 × 8 liquid crystal dis- | lap computer |

| TABLE 1—\$500 to \$1000 (continued) | | | | | | | |
|-------------------------------------|--------------------------------|----------|-----------------|---------------|------------------|---------------|--|
| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages | |
| NEC Home Electronics | PC-6000 | \$800 | Z80A-compatible | 8-bit | N/A | BASIC | |
| Atari Products | 1200XL | \$818 | 6502 | 8-bit | N/A | BASIC | |
| Sharp Electronics | PC-1500 | \$825 | Custom CMOS | 8-bit | N/A | BASIC | |
| Texas Instruments | TI-99/4A | \$835 | TMS9900 | 16-bit | N/A | BASIC | |
| Panasonic Co. | JR-200 | \$880 | Not announced | Not announced | Not announced | BASIC | |
| Panasonic Co. | H1400 | \$938 | 6502 | 8-bit | SNAP | BASIC | |
| Netronics Research | Explorer/85 | \$939.80 | 8085 | 8-bit | N/A | machine/BASIC | |
| Atari Products | 600XL | \$969 | 6502C | 8-bit | Atari DOS II/III | BASIC | |
| Radio Shack | TRS-80 Pocket Computer PC-2 | \$979.70 | Custom CMOS | 8-bit | N/A | BASIC | |
| Sanyo | MBC 550 | \$995 | 8088 | 16-bit | MS-DOS | BASIC | |
| Commodore Business Machines | Executive 64 | \$995 | 6500 series | 8-bit | Proprietary | BASIC | |
| Hewlett-Packard | HP75C | \$995 | Not announced | | N/A | BASIC | |
| Radio Shack | TRS-80 Model 100 | \$999 | 80C85 | 8-bit | N/A | BASIC | |
| Radio Shack | TRS-80 Model 4 | \$999 | Z80A | 8-bit | N/A | BASIC | |
| Radio Shack | TRS-80 Model III | \$999 | Z80 | 8-bit | N/A | BASIC | |
| Casio, Inc. | FX-9000P | \$999 | Z80A-compatible | 8-bit | Not announced | BASIC | |
| | | | | • | | | |

Programmable in machine language and BASIC, data entry is via the 89-key typewriter-style keyboard. This keyboard also has 8 special-function keys that are user programmable. This unit includes standard serial and parallel ports for input/output.

Epson

Another of the entrants on the market with lap computers, Epson America is probably better known for its microcomputer printers than it is for its small systems. However, in the last year it has come out with two, the HX-20 lap computer and its user-friendly QX-10.

In this price category, the HX-20 lap computer makes its debut. Like other lap models, this one is capable of independent operation with batteries. Its 6301 8-bit microprocessor is capable of handling sophisticated number-crunching or just about any other task it will be called on to handle.

The beauty of this type of machine is its ability to go anywhere. With 16K of user memory, it can store about 16 typewritten pages in memory, or about as much daily production as anyone in the field might generate. The machine also features a built-in microcassette storage system.

Its full-travel, keyboard has five multifunction keys. A serial port allows the *HX-20* to be used with a modem so that the person in the field can upload or download files to/from a mainframe or office minicomputer system. Further, this port will allow the user to tie into any of the many information networks available today.

The HX-20's display is more limited than the competition in the lap market. Unlike other machines with 8-line liquid-crystal displays, the HX-20 has a four-line display, although this should be enough for many users.

Sanyo

Another of the firms that is better known for its consumer electronics products, Sanyo, also has a microcomputer, the

MBC 550. Unlike other small-computer systems in this price category, the MBC 550 is driven by a 8088 microprocessor. This feature alone will give the user access to the rapidly growing world of MS-DOS applications software that runs on this microprocessor. (A version of this disk operating system—PC-DOS—is what is primarily used in the IBM Personal Computer world and this is what has contributed to its lead in the 16-bit single-user system world.)

Unlike other systems in this price category, this one comes with 128K of user memory. It is one of the only microcomputers in this area to provide so much standard start-off RAM. (Sixteen bit computers can address up to 1.2 megabytes of RAM.) And, unlike other systems in this category, the MBC 550 comes with one single-sided, double-density 160K floppy disk drive for storage. When you add in other peripherals, as we have done in other price categories, you will find this is a powerful home system.

Radio Shack

Not only does this major consumer-electronics firm have small-computer-system entries in the \$100-to-\$500 field—primarily handheld and small color systems; they also have entries in this category that begin their climbs toward computing power.

The first new Radio Shack system is the *Model 100* lap computer. Another of the many lap computers that are appearing on the market, the model 100 uses a CMOS 80C85 8-bit microprocessor. It is a low-power version of the standard 8085.

This system comes with 8K of user memory, but, while that figure may seem small, it must be noted it has several powerful programs built into ROM that are accessed at the touch of a button. This means that the user memory can be used for user input without worrying about loading an applications program into memory.

Programmable in BASIC, the Model 100 sports a full-travel,

| (| 2 |
|---|----------|
| Ò | <u>ې</u> |
| 4 | - |
| (| Э |
| (| |
| 1 | Щ |
| | IJ |
| | ۰ |
| 5 | ő |
| 2 | 1983 |

| Memory/Storage | Keyboard | 1/0 | Display | Comments |
|-------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------------|--------------------------------------|
| 32K/cassette recorder | 71 keys, 5 multifunction keys | 1 parallel, 1 serial, 2 game controller, digi- tized touch panel | 256 × 192 capability, 32 × 16 text, composite video output avail. | |
| 64K/cassette recorder/car- tridge slot | standard typewriter/16 special function keys | 1 printer, 2 controller, ex- pansion connector/ interface module | built-in video output sup- ports 256 colors, 40 × 24 text | interface module added |
| 10.6K/cassette interface | 65 keys, 10-key keypad, function keys | 1 serial | 26-character × 1 line liq- uid crystal display | serial port added |
| 48K/cassette interface | standard | HEX-BUS expansion unit, peripheral interface | 16 colors | expansion interface |
| 32K/cassette interface | 60 keys, multifunction keys | 1 parallel, 1 serial | RGB CRT/RGB and com- posite video output | color CRT |
| 14K | 65 calculator keys in typewriter arrangement, redefinable keys | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display | memory expanded to 14K |
| 64K/cassette interface | 56 keys | N/A | 12-inch monochrome CRT | user memory expands to 64K |
| 16K/floppy disk drive | 62 keys, help key, 4 special function keys | 1 serial, 2 controller, ex- pansion connector/ interface module | no std. CRT/built-in video output supports 256 col- ors, 40x24 text | floppy disk drive added |
| 32K/cassette interface | 65 calculator keys, 19- key keypad, 18 defina- ble keys | 60 pin bus connector | 1 line 7 × 156 dot matrix liquid crystal display | cassette interface/printer added |
| 128K/1 160K floppy disk drive | Not announced | 1 parallel, joystick port | color graphics capability (no further details) | basic system |
| 64K/1 170K 5 1/4" floppy disk drive | standard | 1 IEEE-488 serial | 6-inch high-res. color dis- play | transportable business com- puter |
| 16K/built-in card reader (see text) | 61 keys, multifunctional keys | interface port for add-on options | 32 character one-line LCD | basic system, includes card reader |
| 24K/cassette interface | 56 keys, embedded 10- key keypad, 8 program- mable keys | 1 parallel, 1 serial, built- in modem | 40 × 8 liquid crystal display | memory increased to 24K |
| 16K/cassette interface | 70 keys, 3 program- mable keys, 12-key keypad | 1 parallel | 12-inch monochrome/80 × 24 text (64 × 16 double- sized) | basic system |
| 16K/cassette interface | 64 keys, 12-key keypad | 1 parallel | 12-inch monochrome | basic system |
| 4K/cassette interface | 67 keys, 16-key keypad | | 5.5-inch monochrome | basic system |

typewriter-like keyboard. It also features a cassette-tape interface for data storage.

An interesting feature of this system is the built-in direct-connect modem and software to drive it. This makes the *Model 100* a very versatile machine for use in the field because it can act as a portable terminal from just about anywhere there is a phone. Its 40-character by 8-line display is more than adequate for most field situations. This unit upgrades once in this category with the addition of 16K of RAM.

Another offering from Radio Shack is the new Model 4, an

all-in-one, terminal-type computer system.

At this point in its pricing, the *Model 4*, driven by an 8-bit Z80A microprocessor, relies on a cassette recorder for mass storage, has 16K of RAM (that is more than enough for average home usages), and it includes a 70-key standard typewriter-type keyboard. This keyboard contains three programmable keys and a separate 12-key pad.

The beauty of an all-in-one system versus others on the market is that the buyer doesn't have to worry about which display unit to buy, because the system includes one. The display on the *Model 4* is a full 80 characters by 24 lines.

Similarly, the TRS-80 Model III desktop, which uses a Z80 microprocessor instead of the Z80A, is another all-in-one system. It also differs from the Model 4 in its display, which is 64-characters by 16-lines. It is an older unit and offers the same amount of basic user memory, although its keyboard is more limited.

Both systems can be expanded into fairly powerful units, as will be seen later.

Two other Radio Shack computers that were introduced in the \$100 to \$500 price category, upgrade in this price category. The *Color Computer* has its memory increased to 32K, while the *PC-2* Pocket Computer reaches 32K of RAM and its flexibility is increased with the addition of the printer/cassette interface expansion unit.

Commodore

Commodore is another computer manufacturer with a wide range of products. In this price category, alone, three new systems debut including the *Pet 64*, aimed at business, the *Commodore 64*, and the *Executive 64*, a tote-along system.

The Pet 64 continues Commodore's policy of making a display screen available with its microcomputer systems. Driven by a 6500-series—Commodore actually came up with this series and uses it in all its products—8-bit microprocessor, the Pet 64 has 64K of user memory standard.

With its standard typewriter-like keyboard, a user can program in BASIC and then save the results to a cassette recorder. Actually the basis of a very powerful system, the *Pet 64* comes with a standard 12-inch monochrome monitor and a serial port so the unit can interface with a printer or modem for output.

The Commodore 64, of which the Pet 64 is a variant, is another unit driven by a 6500-series microprocessor. Very expandable, it will interface with all the peripherals offered for the VIC-20. Like the VIC, the Commodore 64 has been part of the ongoing battle for dominance in the low-cost personal computer market and Commodore has cut its price. Although the price in our listing looks high, you should be able to find it substantially discounted.

Programmable in BASIC, the Commodore 64 has a standard 64-key typewriter-like keyboard and it features 64K of RAM that makes it a highly versatile unit for many tasks. It will interface with a home television set through a built-in RF modulator and is capable of 16-color graphics and text. The system upgrades once in this price category with the addition of the digital tape recorder offered by Commodore.

Also based on the Commodore 64 is the Executive 64, another entry in the transportable market. Again driven by a 6500-series 8-bit microprocessor, the Executive 64 has one built-in 170K single-sided, double-density disk drive for mass storage. This

RADIO-ELECTRONICS

increases the capability of the unit from the start because it is able to access and store large amounts of data very quickly.

The built-in 6-inch display is capable of high-resolution color, a departure from the usual monochrome display found on other transportable computer systems.

The Executive is capable of interfacing with a printer through a parallel port for hard-copy output. It is the basis of an expandable transportable system and, as we shall see, it continues to expand in other price categories.

Atari

Best known for its home games, Atari's line expands in this price category with the addition of the 800XL. Driven by a more advanced 6502C 8-bit microprocessor, the 800XL features 64K of RAM. Not only is it capable of high-level tasks because of its level of RAM; it is also capable of using Atari's programming cartridges through a standard cartridge port.

Programmable in BASIC, the 800XL has a standard typewriter-like keyboard for data entry. This is aided by four special-function keys and a HELP key. Its built-in video output supports 256 colors in the graphics mode or 40-characters by 24-lines in text mode. The display of 40 characters-per-line would seem to limit this unit's usefulness to casual wordprocessing or note writing.

In this price category the 600XL upgrades with the addition of an expansion module that permits further system expansion. A

second expansion adds a disk drive.

The 1200XL upgrades twice. With the first upgrade, the Atari-offered data cassette recorder has been added to the picture for mass storage, while, with the second, the expansion interface module has been added to permit system growth.

Hewlett-Packard

Hewlett-Packard has a new entry in this price category, the HP75C. Actually a handheld, the HP75C features a "QWER-TY" type of keyboard layout. In reality, though, the small calculator keys and the rather narrow placement of the keys make this keyboard suited only to one-finger entry than touch typing. Its display is a one-line by 32 character liquid-crystal display that is limited to casual or field use.

The HP75C's forte is its portability. With 16K of built-in user memory, it is capable of most tasks one would expect it to perform in the field. However, this memory limits the sophistication of those tasks because it cannot perform functions requiring more memory. Perhaps its key feature is its built-in card reader. This allows the user to store data on magnetic cards.

Like other small-computer systems, this one is programmable in BASIC. This and other data entry is performed through the unit's 61-key keyboard. The HP75C also features an interface port for add-on perhipheral options.

The PC-6000 begins to expand to a much more powerful system in this price category. Its first expansion brings the user memory to 32K, while its second, the addition of a serial port, gives it the ability to communicate with the outside world via either a printer or modem.

The addition of the expansion module and a digitized touchtablet for graphic input gives this system more flexibility and sophistication.

Texas Instruments

The TI-99/4A expands three times in this segment. Its first expansion increases its user memory by 32K, while the second adds to its flexibility with the addition of the Hex-Bus option. The Hex-Bus allows external peripherals to be added to this unit to give it, for example, additional input/output capability through serial and parallel ports that can be added

In its next upgrade, the expansion interface is added to increase the versatility of this system. The expansion interface is used to accommodate such items as disk drives.

TI's CC-40 also becomes more fully configured in this price

category. In its first expansion, it gains I/O capability with the addition of parallel and serial ports. With these ports, the computer can interface with either a printer or a modem for output or input. In its second expansion, the CC-40 gains greater—and faster-mass storage with the addition of the Wafertape continuous tape-loop data drive.

Pansonic

The Panasonic H1400 and H1800 begin to become more fully configured also. In the first expansion, the input/output adapter is added to each unit. This enables each unit to interface with other peripherals, as will be shown in other price categories.

In its second expansion, the H1400 becomes more useful as its user memory is increased to 14K

The JR-200 computer also becomes a little more powerful in this price category as a color monitor is added.

Netronics

The Explorer/85 kit expands five times. In the first expansion, the S-100 card cage is added. When this is done, the user has the ability to choose from the many S-100 add-in cards available to configure his system as he wants. For instance, there are cards adding serial or parallel ports, disk controllers, analogto-digital and digital-to-analog conversion, etc.

However, the memory capacity is still lacking in this unit and the second expansion brings it up to 4K. At this level, though, it is still only capable of performing very basic functions because

of the limited memory.

The third expansion adds BASIC, with the addition of the correct ROM. This simplifies the use of the Explorer/85 because BASIC no longer has to be loaded from tape.

Expansion number 4 increases the RAM to a much more reasonable 16K. At this level, the machine is capable of performing more serious tasks. The final expansion brings memory up to 64K.

The Elf II expands here with the addition of a full-blown keyboard (replacing the hex pad of the earlier price level.) At the same time, the unit becomes more flexibile in its programming capabilities with the addition of BASIC. Now, a user has a choice of machine-level or BASIC programming.

Spectravideo

The Spectravideo SV-328, described in an earlier section of this supplement, expands once in this price category with the addition of the company-offered tape recorder. Although it was described earlier, as you will note from the chart, its basic price puts it in this category, as does its first expansion.

Sharp

The Sharp PC-1250 becomes a more versatile unit with the addition of a cassette interface and printer. This gives the user the opportunity of storing his work on magnetic tape or outputting it to the thermal printer built into the unit. Additionally, the unit becomes more versatile with the expansion of user memory to 8K

The PC-1500 expands twice here. The first expansion adds the color printer, the plotter, and the cassette interface, which gives the user the option of outputting either hard text or saving the work to a cassette recorder.

In its next expansion, the PC-1500 gains the possibility of accessing a data network or mainframe computer through the addition of a serial port. To use this capability, of course, you must add a modem to pass data through the phone lines. Still, it shows this system can become a powerful workstation for someone in the field.

Multitech

The MPF-II becomes a more powerful unit with the addition of a minifloppy disk drive for data storage. A disk drive helps increase the flexibility of any system because it gives the user a method for quick data storage and retrieval. It is a quantum leap over the use of a cassette recorder.

4300 West 62nd Street P.O. Box 7092 Indianapolis, Indiana 46206

Repeated By Popular Demand!

MS 20% DISCOUNT SALE

Once again, Sams helps you invest in your future with a flat 20% discount on genuine Sams Computer Books, the same ones you'll find in our latest regular catalog!

The sale includes our brandnew 1983 titles as well as our best-sellers—books about the Apple II®, IBM® PC, Timex Sinclair 1000®, VIC-20, Commodore 64, TRS-80®, and more!

If you're into computing, you need to be into a Sams Book now!

ELEMENTARY COMPUTING Sams/Waite Primers



UNIX™ PRIMER PLUS

Presents the elements of UNIX clearly, simply, and accurately, for ready understanding by anyone in any field who needs to learn, use, or work with this remarkable operating system. Fully illustrated. By Mitchell Waite, Donald Martin, and Stephen Prata.

\$19.95 Ask for No. 22028 Now Only \$15.96

CP/M® PRIMER

(2nd Edition)

Completely updated to give you the know-how you need to understand and work with new or old CP/M versions immediately, in any application. Includes CP/M terminology, operation, capabilities, internal structure, and more. By Mitchell Waite and Stephen Murtha

Ask for No. 22170 . . . \$16.95 Now Only \$13.56



BASIC PROGRAMMING PRIMER

(2nd Edition)

Improved and expanded edition gives you fundamental keywords, statements, and functions usable with the IBM® PC, Apple® II, or any other computer running a variation of Microsoft BASIC. Also contains new, advanced BASIC coverage, new game-program listings, and more. By Mitchell Waite and Michael Pardee

Ask for No. 22014 \$17.95 Now Only \$14.36



COMPUTER GRAPHICS PRIMER

Amaze yourself! Create computer animation and other graphics routines and techniques with this colorful Sams bestseller. Many examples, all in BASIC. By Mitchell Waite.

Ask for No. 21650 \$15.95 Now Only \$12.76



PASCAL PRIMER

You'll learn to generate powerful programs in UCSD™ Pascal as this Sams powerhouse guides you through Pascal program structure, procedures, variables, decision-making statements,

and numeric functions. Remark ably user-friendly, with many examples and 8 appendixes. By Mitchell Waite and David Fox.

Ask for No. 21793 \$17.95 Now Only \$14.36

MICROCOMPUTER PRIMER

(2nd Edition)

Covers basic computer concepts, the electronics behind the logic, what happens inside the computer as a program runs, and a little about languages and operating systems. Excellent introductory material. By Mitchell Waite and Michael Pardee

. \$14.50 Ask for No. 21653 Now Only \$11.60

COMPUTER **FUNDAMENTALS**



HOWARD W. SAMS CRASH COURSE IN MICROCOMPUTERS

(2nd Edition)

An actual self-study course in one lay-flat volume, completely updated with new chapters on 16-bit micros and BASIC programming, expanded coverage of applications software, new photos, and more. Lets you learnabout microcomputers and programming fast! No previous computer knowledge necessary. By Louis E. Frenzel.

Ask for No. 21985 .. \$21.95 Now Only \$17.56

HOW TO MAINTAIN AND SERVICE YOUR SMALL COMPUTER

Shows you simple procedures you can use to sharply reduce problems and down-time with your Apple® II, TRS-80®, or other small computer. Also shows you how to diagnose what's wrong, find the faulty part, make simple repairs yourself, and deal with the repair shop when professional servicing is necessary. By John G. Stephenson.

\$17.95 Ask for No. 22016 Now Only \$14.36



MICROCOMPUTERS ON THE FARM

Gives farm-management and agribusiness professionals the information needed to make intelligent decisions about using microcomputers in farming operations. Discusses programs, applications, examples, and more. By Jack O. Beasley.

Ask for No. 22011 \$14.95 Now Only \$11.96

MEGABUCKS FROM YOUR MICROCOMPUTER

Shows you how to make money using your creative talents through your microcomputer, and includes details for doing your own writing, reviewing, and programming. By Tim Knight.

Ask for No. 22083 . .. \$3.95 Now Only \$3.16



YOUR OWN COMPUTER

(2nd Edition)

Explains and explores computer applications, buzzwords, programs, hardware, and peripherals. Compares 30 different models of personal and smallbusiness computers. Easy to read, informative, and ideal for newcomers to computing. By Mitchell Waite and Michael Pardee.

Ask for No. 21860 . \$8.95 Now Only \$7.16

101



PERSONAL COMPUTERS HANDBOOK

You'll need this practical guide to explain the hows and whys of your micro's microprocessor, memory, peripherals, programming, and hardware/software troubleshooting. By Walter H. Buchsbaum.

Ask for No. 21724 \$12.95 Now Only \$10.36

GUIDEBOOK TO SMALL COMPUTERS

Presents an unbiased review of the capabilities of 21 popular microcomputer systems from 14 different manufacturers. Helps you make an informed choice. By William Barden, Jr.

Ask for No. 21698 \$6.95 Now Only \$5.56



UNDERSTANDING AND BUYING A SMALL BUSINESS COMPUTER

A lively, practical guide for anyone considering a micro- or minicomputer for business use. Filled with useful examples, diagrams, and case studies. Nontechnical, and not a shopping guide. By Susan Blumenthal.

Ask for No. 21890 \$9.95 Now Only \$7.96

DICTIONARIES



USER'S GUIDE TO MICROCOMPUTER BUZZWORDS

Handy quick-reference that provides an understanding of the basic terminology you need to become "computer literate." Contains many illustrations. By David H. Dasenbrock.

Ask for No. 22049 \$9.95 Now Only \$7.96



COMPUTER DICTIONARY

(3rd Edition)

More than 12,000 definitions in this paperback reference translate computing terminology into language you can easily understand. By Charles J. Sippl.

Ask for No. 21652 \$16.95 Now Only \$13.56

MICROCOMPUTER DICTIONARY

(2nd Edition)

Most current, down-to-earth, and complete explanation of 5000+ microcomputer products, procedures, systems, techniques, and components available. By Charles J. Sippl.

Ask for No. 21696 \$16.95 Now Only \$13.56

COMPUTER DICTIONARY & HANDBOOK

(3rd Edition)

Largest, most complete reference book available on all phases of computers and their applications. More than 22,000 definitions, plus 14 appendixes. By Charles J. Sippl and Roger J. Sippl.

Ask for No. 21632 \$34.95 Now Only \$27.96

COMPUTER MATH



MICROCOMPUTER MATH

Excellent introduction to binary, octal, and hexadecimal number systems plus arithmetic operations on all microcomputers. Many practical examples. By William Barden, Jr.

Ask for No. 21927 \$11.95 Now Only \$9.56



BOOLEAN ALGEBRA FOR COMPUTER LOGIC

Basic introduction that covers everything from binary numbers to Karnaugh maps. No knowledge of higher math needed. By Harold E. Ennes.

Ask for No. 21554 \$7.95 Now Only \$6.36

PRACTICE PROBLEMS IN NUMBER SYSTEMS, LOGIC, AND BOOLEAN ALGEBRA

(2nd Edition)

Sixty-four lessons covering number systems, conversions, binary and octal arithmetics, Boolean algebra, and implementation of Boolean relationships. By Edward Bukstein.

Ask for No. 21451 . . . \$10.95 Now Only \$8.76

GENERAL PROGRAMMING

DON LANCASTER'S MICRO COOKBOOK, Volume 2: MACHINE LANGUAGE PROGRAMMING

Covers address space and addressing, system architecture, programming using the "those #\$!&#%\$! codes" technique, details of input/output, and more. By Don Lancaster.

Ask for No. 21829 . . . \$17.95 Now Only \$14.36

NUMERICAL BASIC



Thoroughly explains techniques for using trigonometry, vector algebra, and matrix manipulations under ordinary BASIC on a microcomputer. By Bruce Powell Douglass.

Ask for No. 22048 \$15.95 Now Only \$12.76

CP/M® BIBLE: THE AUTHORITATIVE REFERENCE GUIDE TO CP/M

Gives you instant, one-stop access to all CP/M keywords, commands, utilities, and conventions. Covers CP/M-86, MP/M-80 and 86, CP/Net, and more. By Mitchell Waite and John Angermeyer.

Ask for No. 22015 . . . \$19.95 Now Only \$15.96



SOUL OF CP/M®: HOW TO USE THE HIDDEN POWER OF YOUR CP/M SYSTEM

Teaches you how to use and modify CP/M's internal features, including how to modify BIOS, use CP/M® system calls in your own programs, and more! By Mitchell Waite and Robert Lafore

Ask for No. 22030 \$18.95 Now Only \$15.16

ELECTRONICALLY SPEAKING: COMPUTER SPEECH GENERATION

Learn to generate synthetic speech with a microcomputer. Includes techniques, a synthesizer overview, and advice on problems. By John P. Cater.

Ask for No. 21947 \$14.95 Now Only \$11.96



المال 2

INTRODUCTION TO ELECTRONIC SPEECH SYNTHESIS

Explains creation of an electronic "voice", three current speech-synthesis technologies, and speech quality vs. data rate and hardware costs. By Neil Sclater.

Ask for No. 21896 \$8.95 Now Only \$7.16

COMPUTER LANGUAGE REFERENCE GUIDE

If you know one language, this small book can help you understand six more! Seven chapters cover seven languages, and an eighth presents a keyword dictionary. By Harry L. Helms, Jr.

Ask for No. 21786 \$9.95 Now Only \$7.96

FORTH PROGRAMMING

Shows you the differences between FORTH-79 and fig-FORTH, and how to write or modify software using either dialect. Includes more than 50 useful programs. By Leo J. Scanlon.

Ask for No. 22007 \$16.95 Now Only \$13.56

102



INTRODUCTION TO FORTH

A fundamental approach to FORTH programming, using MMS FORTH in particular. Program examples are directly compared to the same program in Level II BASIC for clarity. By Ken Knecht.

Ask for No. 21842 . . . \$10.95 Now Only \$8.76



26 BASIC PROGRAMS FOR YOUR MICRO

A series of 26 simple-to-complex games, most of which need 500 to 5000 bytes of RAM (13K is the highest). Conversion charts included. By Derrick Daines.

\$8.95 Ask for No. 22047 Now Only \$7.16



WHAT DO YOU DO AFTER YOU PLUG IT IN?

covers Complete tutorial hardware, software, languages, operating systems, data communications, and more, followed by solutions to the practical problems you'll meet while using them. By William Barden,

Ask for No. 22008 . . . \$10.95 Now Only \$8.76

EXPERIMENTS IN ARTIFICIAL INTELLIGENCE FOR SMALL COMPUTERS

Takes you into the fascinating world of artificial intelligence, where you and your computer directly participate in sessions involving reasoning, problemsolving, creativity, and verbal

communication. By John Krutch. Ask for No. 21785 . \$9.95 Now Only \$7.96



DON LANCASTER'S MICRO COOKBOOK, Volume 1

includes ground-zero basics, a real-world set of rules for the novice, pragmatic number systems and logic, usable codes, memory, and memory devices, all dedicated to helping you profit from and enjoy computing. By Don Lancaster.

Ask for No. 21828 \$17.95 Now Only \$14.36



CHEAP VIDEO COOKBOOK

Shows you how to build and use a \$20, seven-IC circuit that lets your computer provide any alpha or graphics format, including hi-res and a four-color mode, via software control. There's more, too. By Don Lancaster.

Ask for No. 21524 Now Only \$6.36

SON OF CHEAP VIDEO

Gives you do-it-yourself specs for a low-cost, custom EPROM character generator, plus lowercase for an Apple II, cheap video for 8080/Z-80, complete video display for \$7, and more. By Don Lancaster.

Ask for No. 21723 . . . \$10.95 Now Only \$8.76

BUSINESS PROGRAMMING



BASIC BUSINESS SOFTWARE

Explains the fundamentals of application software for busi-

CIRCLE 32 ON FREE INFORMATION CARD

ness, how to evaluate it, and how to write it. Covers information storage and retrieval, inventory control, payroll, and general ledger programming. By E. G. Brooner


Ask for No. 21751 . . . \$11.95 Now Only \$9.56



WORD PROCESSING FOR SMALL BUSINESSES

Tells you about doing practical word processing on a personal computer, and presents details for more than 50 wordprocessing systems, including hardware, software, and more. By Steven F. Jong

Ask for No. 21929 . . . \$11.95 Now Only \$9.56



MICROCOMPUTER **DATABASE MANAGEMENT**

Create your own database program! Complete tutorial shows routines you can use to control and access large amounts of data with a microcomputer. Also explains operation of 3 commercial D/B programs. By E. G. Brooner.

Ask for No. 21875 \$12.95 Now Only \$10.36



USING COBOL IN

AN MP/M® SYSTEM
Shows you how to use COBOL with a multiple-terminal CP/M system so that more than one user can access the same file at the same time without interference. Describes system design and more. By Neil G. Gelb.

.. \$12.95 Ask for No. 21936 . . Now Only \$10.36



COMPUTER PROGRAMS FOR MACHINE DESIGN

Ready-to-use BASIC programs to help mechanical and material engineers, machinists, technicians, and students solve the everyday problems they meet in machine technology. By Robert J. Wenzel

Ask for No. 21960 . . . \$21.95 Now Only \$17.56

GENERAL INTERFACING

ANALOG ELECTRONICS FOR MICROCOMPUTER **SYSTEMS**

Useful desktop reference covering power supply design, analog signal conditioning, data acquisition principles, data communication links, PID control, and other material necessary to microcomputer interfacing. By Paul Goldsbrough, Trevor Lund, and John Rayner.

Ask for No. 21821 ... \$19.95 Now Only \$15.96



COMPUTER COMMUNICATION **TECHNIQUES**

Covers data transfer techniques, hardware matching, standards and protocols, networking, videotex, teletext, software, and what's necessary to use them. By E. G. brooner and Phil Wells.

. \$15.95 Ask for No. 21998 . Now Only \$12.76



THE WORLD CONNECTION

Powerful information that shows you how to select and use a



modem for sending and receiving electronic mail, making use of CompuServe and The Source. using electronic bulletin boards, and more. By Timothy Orr Knight.

Ask for No. 22042 ... \$9.95 Now Only \$7.96



THE S-100 AND OTHER **MICROBUSES**

Discusses microcomputer bus systems in general, examines 21 of the most popular ones, and explores ways to interface any two of them. By Elmer C. Poe and James C. Goodwin II.

Ask for No. 21810 \$9.95 Now Only \$7.96



STD BUS INTERFACING

Gives you all information and circuitry needed to interface your STD bus system easily. Much assembly language software included for Z-80, 8080/8085, 6502, and 6800-based boxes. By Christopher A. Titus, Jonathan A. Titus, and David G. Larsen.

Ask for No. 21888 \$13.95 Now Only \$11.16

APPLE® PROGRAMMING **& INTERFACING**



POLISHING YOUR APPLE Volume 2

Guides intermediate-level programmers in making finished, commercially salable products. Demonstrates menu techniques, error-trapping, making your programs run smoothly, and more. By Herbert M. Honig.

Ask for No. 22160 \$4.95

Now Only \$3.96

DISKS, FILES, AND PRINTERS FOR THE APPLE II

Provides you with outstanding explanations for Apple programming with sequentialaccess, random-access, and executive files, plus basic-to-advanced details for using disks and printers. By Brian D. Blackwood and George H. Blackwood.


Ask for No. 22163 . . . \$15.95 Now Only \$12.76

APPLE II APPLICATIONS



Real-world interfacing applications that can be modified to fit your needs. Includes serial and parallel I/O boards, EPROM or E2PROM boards, remote data acquisition system, and more. By Marvin L. De Jong.

Ask for No. 22035 ... \$15.95 Now Only \$12.76



APPLESOFT™ LANGUAGE

(2nd Edition)

The only complete Applesoft manual on the market, now with new material covering disk operations plus additional detail on numbers and number programming. Many usable routines and programs, too. By Brian D. Blackwood and George H Blackwood.

Ask for No. 22073 . . . \$13.95 Now Only \$11.16

POLISHING YOUR APPLE Volume 1

Clearly written, highly practical, concise assembly of all procedures needed for writing, diskfiling, and printing programs with an Apple II. Positively ends your searches through endless manuals to find the routine you need! By Herbert M. Honig.


Ask for No. 22026 \$4.95 Now Only \$3.96



ENHANCING YOUR APPLE II, Volume 1

Shows you how to mix text, LORES, and HIRES anywhere on the screen, how to open up whole new worlds of 3-D graphics and special effects with a one-wire modification, and more. Tested goodies from a trusted Sams Author! By Don Lancaster.

Ask for No. 21846 \$17.95 Now Only \$14.36



APPLE II ASSEMBLY LANGUAGE

Shows you how to use the 3-character, 56-word vocabulary of Apple's 6502 to create powerful, fast-acting programs! For beginners or those with little or no assembly language programming experience. By Marvin L. DeJong.

Ask for No. 21894 \$15.95 Now Only \$12.76

MOSTLY BASIC: APPLICATIONS FOR YOUR APPLE II, Book 2


Now, a second goldmine of fascinating BASIC programs for your Apple II, featuring 3 dungeons, 11 household programs, 6 on money or investment, 2 to test your ESP level, and more— 32 in all! By Howard Berenbon.

Ask for No. 21864 \$12.95 Now Only \$10.36

MOSTLY BASIC: APPLICATIONS FOR YOUR APPLE II, Book 1

An assortment of 28 useful and ready-to-use Applesoft programs including a telephone dialer, a spelling test, housebuying guide, gas mileage calculator, and many more. By Howard Berenbon.

Ask for No. 21789 . \$13.95 Now Only \$11.16



THE APPLE II CIRCUIT DESCRIPTION

Provides you with a detailed circuit description of all Apple II motherboards, including the keyboard and power supply. Comes complete with timing diagrams for major signals and a discussion of differences between the various revisions. By Winston D. Gayler.

Ask for No. 21959 . \$22.95

Now Only \$18.36

ATARI® PROGRAMMING & INTERFACING



MOSTLY BASIC: APPLICATIONS FOR YOUR ATARI, Book 1

Thirty-eight fascinating and useful Atari BASIC programs you can run on any Atari 400, 800, or 1200XL computer! Includes a bar-chart generator, IRA planner, message taker, medical expense recorder, and many more. By Howard Berenbon.

Ask for No. 22075 \$12.95 Now Only \$10.36

COMMODORE PROGRAMMING & INTERFACING

COMMODORE SOFTWARE ENCYCLOPEDIA

(3rd Edition)

Giant, comprehensive Third Edition directory of software for the entire line of Commodore microcomputers, including the VIC 20 and Commodore 64. Covers games, business, education, and much more. By Commodore Computer.

Ask for No. 22091 \$19.95 Now Only \$15.96





COMMODORE 64 PROGRAMMER'S REFERENCE GUIDE

This creative programmer's working tool for the Commodore 64 includes a complete, detailed dictionary of all Commodore BASIC commands, statements, and functions, followed by BASIC program samples showing how each item works, and much, much more! By Commodore Computer.

Ask for No. 22056 . . . \$19.95 Now Only \$15.96

COMMODORE 64 USER'S GUIDE

Shows you how to set up, program, and operate your Commodore 64, including how to do arcade-type color animation, music, and sound effects. Same book that comes packed with every Commodore 64 computer! By Commodore Computer.

Ask for No. 22010 \$12.95 Now Only \$10.36



VIC 20 PROGRAMMERS REFERENCE GUIDE

An easy-to-use, detailed manual that helps you program your VIC 20 like a pro in either BASIC ormachine language! Includes a special section on VIC 20 I/O operations, too. By Commodore Computer

Ask for No. 21948 \$16.95 Now Only **\$13.56**

MOSTLY BASIC: APPLICATIONS FOR YOUR PET® Book 2

YOUR PET®, Book 2
A second collection of ready-torun BASIC programs that includes three dungeons, eleven
household programs, seven on
money and investment (three of
which are on the stock market),
two that test your ESP level, and
more! Thirty-seven in all. By
Howard Berenbon.

Ask for No. 22001 \$13.95 Now Only \$11.16

MOSTLY BASIC: APPLICATIONS FOR YOUR PET®, Book 1 Contains 28 useful BASIC pro-

Contains 28 useful BASIC programs for home, business, and entertainment. Includes a telephone dialer, spelling test, house buying guide, gas mileage calculator, and more. By Howard Berenbon.

Ask for No. 21790 . . . \$13.95 Now Only \$11.16

IBM® PROGRAMMING & INTERFACING

INTERFACING TO THE IBM PERSONAL COMPUTER

Written by the lead designer and architect of the IBM PC itself, this authoritative, single-volume presentation gives you detailed technical data and operational theory for interfacing the IBM PC with a variety of hardware and software. By Lewis C. Eggebrecht.

Ask for No. 22027 \$17.95 Now Only \$14.36



MOSTLY BASIC: APPLICATIONS FOR YOUR IBM PC, Book 1

Brings you 38 chapters filled with useful and entertaining BASIC programs for your home and office. Helps you save money on energy usage, bar-chart your business sales, dial the telephone, learn a foreign language, and more. By Howard Berenbon.

Ask for No. 22076 \$12.95 Now Only \$10.36

MOSTLY BASIC: APPLICATIONS FOR YOUR IBM PC, Book 2

A second collection of 32 assorted programs in IBM BASIC you can use wherever you use your IBM PC. Includes a math dungeon, two memory challengers, a student grader, a phone directory, monthly budget, and much more. By Howard Berenbon.

Ask for No. 22093 \$14.95 Now Only \$11.96



USING YOUR IBM PERSONAL COMPUTER

Part One gets you started with off-the-shelf programs, and shows you how to use the PC's system hardware. Part Two teaches you to program in PC BASIC, and includes graphics, music, sound effects, and more. Fully indexed and illustrated. By Lon Poole.

Ask for No. 22000 \$16.95 Now Only \$13.56



8088 ASSEMBLER LANGUAGE PROGRAMMING: THE IBM PC

Shows you how to program the PC with 8088 assembler language. Includes a complete functional description of the 8088 microprocessor, plus a detailed analysis of the IBM PC architecture and how to make full use of it. By David C. Willen. **Ask for No. 22024** ... \$15.95

Now Only \$12.76

TEXAS INSTRUMENTS PROGRAMMING & INTERFACING

THE TI 99/4A® USER'S GUIDE

You'll like this badly needed guide to all aspects of the TI 99/4A! Covers everything from system setup to expansion options, including languages, software, and peripherals. By Carol Ann Casciato and Donald J. Horsfall.

Ask for No. 22071 \$10.95 Now Only \$8.76

TIMEX SINCLAIR PROGRAMMING & INTERFACING

TIMEX SINCLAIR 1000™/ZX81 USER'S HANDBOOK

Keep this handy as a useful reference source and you'll have most of the answers you'll ever

need on hardware and peripheral details, interfacing, machine-code programming, and possibly troublesome areas of BASIC. By Trevor J. Terrell and Robert J. Simpson.

Ask for No. 22012 . . . \$13.95 Now Only \$11.16



TIMEX SINCLAIR 1000™/ZX81 BASIC BOOK

Neatly and effectively teaches ZX81 BASIC language, instructions, and programming techniques to owners of the ZX81 personal computer. Includes many examples and exercises. By Robin Norman.

Ask for No. 21957 \$12.95 Now Only \$10.36

TRS-80® PROGRAMMING & INTERFACING

TRS-80 FOR KIDS FROM 8 TO 80, Volume 2

Assumes you've either read Volume 1 or are familiar with its concepts. Covers new topics but also gives new detail on material from Volume 1, and includes many helpful programs, hints, and techniques. By Michael P. Zabinski.

Ask for No. 22070 \$9.95 Now Only \$7.96



LEARNING AND TEACHING PROGRAMMING USING THE TRS-80 MODEL III

Makes it possible for parents and teachers of elementary-aged children to become computer literate enough to teach gradeschoolers the subject using Computer Aided Instruction. By Nancy Lee Olsen.

Ask for No. 22072 . . . \$10.95 Now Only \$8.76

105





BATTLESTAR BASIC FOR THE TRS-80

You construct an arcade-type video game program from scratch, using (and learning) new BASIC statements and commands as they become necessary to make the game gradually more complex and sophisticated. By David H. Dasenbrock.

Ask for No. 22006 \$14.95 Now Only \$11.96



TRS-80 FOR KIDS FROM 8 TO 80, Volume 1

Amazingly effective information suitable for beginning TRS-80 programmers of any age, especially youngsters. No special background is needed. Same principles used at National Computer Camp help you learn quickly and easily. By Michael P. 7abinski.

Ask for No. 22046 \$9.95 Now Only \$7.96



TRS-80 COLOR COMPUTER INTERFACING, WITH EXPERIMENTS

Teaches you the interfacing techniques, inner workings, and operation of the TRS-80 Color Computer and its highperformance 6809 microprocessor. Shows how you can control and monitor various equipment and events. By Andrew C. Staugaard, Jr.

Ask for No. 21893 . \$14.95 Now Only \$11.96



TRS-80 MODEL I. III. AND COLOR COMPUTER INTERFACING PROJECTS

A unique book for beginning interfacers which includes 14 simple, useful, and easy-to-build construction projects to help you make use of your TRS-80 model 1, 3, or Color Computer in the real world. By William Barden, Jr. Ask for No. 22009 \$14.95 Now Only \$11.96

MOSTLY BASIC: APPLICATIONS FOR YOUR TRS-80, Book 2

Now, a second goldmine of fascinating BASIC programs for your TRS-80, featuring 3 dungeons, 11 household programs, 6 on money or investment, 2 to test your ESP level, and more-32 in all! By Howard Berenbon.

Ask for No. 21865 . \$12.95 Now Only \$10.36

MOSTLY BASIC: APPLICATIONS FOR YOUR TRS-80, Book 1

Brings you 28 ready-to-use BASIC programs for your TRS-80, including a telephone dialer, spelling test, house buying guide, gas mileage calculator, and more. By Howard Berenbon. Ask for No. 21788 \$12.95

Now Only \$10.36

TRS-80 ASSEMBLY **LANGUAGE MADE SIMPLE**



Learn how to plan, write, and hand-assemble your own assembly language programs in memory, using the T-BUG and Level II BASIC ROM subroutines. Provides immediate, short-cut results for the user who can simply use existing routines. By Earles McCaul.

Ask for No. 21851 \$12.95 Now Only \$10.36

16-BIT MICROPROCES-SOR PROGRAMMING & INTERFACING



16-BIT MICROPROCESSORS

Carefully steps you through the complexities of programming and designing with powerful 16-bit microprocessors. Covers the 68000, 8086, Z8001/2, 9900, and NS16000. By Christopher A. Titus, Jonathan A. Titus, Alan Baldwin, W. N. Hubin, and Leo Scanlon

Ask for No. 21805 \$15.95 Now Only \$12.76



THE 68000: PRINCIPLES AND PROGRAMMING

Systematically guides you through the 68000's complex architecture, instruction set, pinouts, and interfacing techniques. Excellent for design engineers, programmers, and students. By Leo J. Scanlon.

Ask for No. 21853 \$15.95 Now Only \$12.76

6502 MICROPROCESSOR **PROGRAMMING & INTERFACING**



6502 SOFTWARE DESIGN

Shows you how to place the powerful 6502 under assembly language program control. Contains 88 debugged and usable sample programs, and a wealth of additional material. By Leo J. Scanlon

Ask for No. 21656 \$13.95 Now Only \$11.16



PROGRAMMING AND INTERFACING THE 6502. WITH EXPERIMENTS

Good any time, but excellent if you don't have much 6502 assembly language programming or chip-level interfacing experience. Simple I/O techniques, instructions, and interfacing that can be reinforced by a KIM, SYM, or AlM system. By Marvin L. DeJong.

Ask for No. 21651 . . . \$17.95 Now Only \$14.36

6800 MICROPROCESSOR PROGRAMMING & INTERFACING



6809 MICROCOMPUTER PROGRAMMING AND INTERFACING, WITH **EXPERIMENTS**

Instructional text and applications handbook giving you a solid understanding of the 6809 high-performance chip. Covers all aspects and includes much software. By Andrew C. Staugaard, Jr.

Ask for No. 21798 \$14.95 Now Only \$11.96



HOW TO PROGRAM AND INTERFACE THE 6800

Introductory tutorial to Motorola's popular 6800, emphasizing real-world applications. Covers internal structure, instruction set, programming, hardware, and interfacing techniques. Many experiments! By Andrew C. Staugaard, Jr.

Ask for No. 21684 . . . \$15.95 Now Only \$12.76

8080/8085 MICRO-PROCESSOR PROGRAM-MING & INTERFACING

8085A COOKBOOK

A design-it-yourself guide to basic microcomputing concepts for the 8085A microprocessor and its family-compatible chips. Helps you design a number of completely operational, 8085A-based microcomputers. By Jonathan A. Titus, David G. Larsen, and Christopher A. Titus.

Ask for No. 21697 \$15.95 Now Only \$12.76

8080/8085 MICROPROCESSOR PROGRAMMING & INTERFACING



8080/8085 SOFTWARE DESIGN, Book 1

Gives you a thorough and detailed look at programming in assembly language for the 8080 or 8085 microprocessor. Includes a complete discussion of the 8080/8085 instruction sets and interfacing techniques. By David G. Larsen, Jonathan A. Titus, and Christopher A. Titus.

Ask for No. 21541 . . . \$13.95 Now Only \$11.16

Z-80 MICROPROCESSOR PROGRAMMING & INTERFACING

Z-80 MICROPROCESSOR ADVANCED INTERFACING WITH APPLICATIONS IN DATA COMMUNICATIONS

Helps you learn to exchange information and access data bases all over the world, using a system based on the Z-80 or almost any other 8- or 16-bit microprocessor. Includes much portable software. By Joseph C. Nichols, Elizabeth A. Nichols, and Keith A. Musson.

Ask for No. 22003 \$19.95 Now Only \$15.96



Z-80 MICROCOMPUTER HANDBOOK

Acquaints you with the hardware of the Z-80 and discusses its software aspects, including use of machine and assembly language. Also looks at the microcomputers using that chip. By William Barden, Jr.

Ask for No. 21500 \$13.95 Now Only \$11.16

Bug symbol is a registered trademark of The Blacksburg Group, Inc., and denotes those books in the Blacksburg Continuing Education Series.

Apple II and Apple II Plus are registered trademarks of Apple Computer, Inc. IBM is a registered trademark of International Business Machines, Inc.

TRS-80 is a registered trademark of Radio Shack, a Tandy Corporation. PET is a registered trademark of Commodore Business Machines. CP/M and MP/M are registered trademarks of Digital Research, Inc UCSD is a trademark of UC Regents, San Diego campus. Timex/Sinclair 1000 is a registered trademark of Timex Computer Corporation.

Special Price

IMPORTANT— HERE'S HOW TO ORDER

- 1. Look through the Sams Book listings in this ad and find the books that fit your interests or the interests of someone you know
- 2. To get your books at this special discount, and in the shortest possible time, complete and mail the handy order card attached. If the order card is missing, send us the order form on this page or staple it to your purchase or der
- 3. Charge your books to your MasterCard or VISA account, or include your check or money order for the full amount due. Be sure to add \$2 for handling.
- 4. If you'd rather order by phone, call the Sams Order Desk at 800-428-3696 toll-free or 317-298-5566 and charge it to MasterCard or VISA. Give the Order Desk operator the code number in the box at the bottom of the order form when she asks for it. Order Desk hours are 8:00 AM to 4:30 PM Monday thru Friday, EST the year 'round.
- 5. Mail your order to:

| | | | | | | | | _ |
|----|----|-----|--------|--------|-----|-------|--------|---|
| SA | MS | 20% | DISCOL | JNT SA | \LE | ORDER | ₹ FORM | A |

Catalog No

Total

| ☐ Check ☐ Money Order | Subtotal Add Local Sales Tax Where Applicable | | | | |
|----------------------------------------------------|--------------------------------------------------|--|--|--|--|
| ☐ MasterCard☐ VISA | Add Handling Charge 2.00 Total Amount Enclosed | | | | |
| Account Number Name (print) SignatureAddress | | | | | |
| C'. | StateZip | | | | |

Offer good in USA only and expires 1/31/84. Prices subject to change without notice. All books available from Sams distributors, bookstores, and computer stores nationwide. In Canada, contact Lenbrook Electronics, Markham, Ontario L3R 1H2.

AD453

Total



Howard W. Sams & Co., Inc., 4300 W. 62nd St., P.O. Box 7092, Indianapolis, Indiana 46206

Special Price

Qty

Catalog No

THE FIRST LOW COST 6502 COMPUTER WITH 48K RAM THAT'S COMPLETELY COMPATIBLE WITH APPLE II®

Introducing the RAM-TECH*RT 2 computer which offers you greater flexibility than the Apple II + * at a price that's easier on your finances. The RT 2 will run all software and use all peripheral hardware designed for the Apple II + * It's 100% Apple* compatible yet it offers you features not available on the Apple II + .®

COMPARE THESE FEATURES:

- supports upper & lower case characters from the keyboard
- high quality ABS case will not crack and is light weight
- RF modulator included in addition to composite video output
- high quality light-touch keyboard with upper/lower case key
- 15 key numeric key pad for fast data entry (optional)
- high power switching power supply (8.5 amps total) will power two
- disk drives and several peripherals easily, has internal circuit breaker eight expansion slots to increase flexibility with peripheral cards
- 48K RAM expandable to 64K (192K RAM upgrade card available soon)
- socketed IC's for quick and easy service
- thousands of programs (business & home) available
- operates identically to the Apple II + * with exception of extra features on RT 2
- full 90 days parts and labor warranty with fast service turn-around

THE RAM-TECH* RT 2 IS EVERYTHING YOU ALWAYS WANTED FROM AN APPLE® (AND MORE), BUT THOUGHT YOU COULDN'T AFFORD. AND THAT'S GOOD NEWS!

BUT THE BEST NEWS IS THE PRICE: \$525.00 + \$18.00 shipping & handling

WITH OPTIONAL NUMERIC KEYPAD:

\$575.00 + \$18.00 shipping & handling

COMPARED TO APPLE II® WHICH RETAILS AT MORE THAN DOUBLE THIS PRICE AND OFFERS YOU LESS, YOU CAN SEE WHY THE RAM-TECH* RT 2 SHOULD BE YOUR CHOICE. MAKE NO SYNTAX ABOUT IT, THE RT 2 IS FOR YOU!

PERSONAL I.D. OPTION — We will burn your name into ROM. When you power up your Ram-Tech your name will be displayed on the screen. *AN EXTRA MEASURE OF SECURITY AGAINST THEFT*.

Indicate on your order what name you wish to use (maximum 8 letters including spaces) — ADD: \$25.00 for I.D. option.

ALSO AVAILABLE: (sub-assemblies for do-it yourselfers) — 90 days warranty

| 1 - ABS case, high quality, Apple® look-a-like and color matched, will replace Apple® case |
|-----------------------------------------------------------------------------------------------------------------|
| 2 - same as #1 above but with numeric keypad cutout\$ 84.00 |
| 3 - keyboard with upper/lower case key, direct replacement for Apple® or Ram-Tech* |
| 4 - same as #3 above but with numeric keypad, use in combination with #2, also fits Apple® |
| 5 – RF modulator with TV switch and cable, also fits Apple® |
| 6 - switching power supply, 8.5 amps, internal circuit breaker, high power, also fits Apple® |
| 7 - motherboard, completely assembled & tested, fully operational with burned ROMS |
| 8 - bare motherboard w/ parts discription screened on board and instructions, highest quality G10 epoxy\$ 48.00 |
| SHIPPING & HANDLING FOR ABOVE: cases #1 & 2 add 10%; all others add 5% |

PERIPHERALS, CARDS & ACCESSORIES FOR YOUR RAM-TECH* OR APPLE®

all items #1 to 19 guaranteed for one year (disk drives for six months)

| 1 | - 16K RAM card | \$ 58.00 | 11 - interger card\$ 97.50 |
|----|---------------------------------------------------|----------|----------------------------------|
| 2 | - 80 column card | \$ 94.50 | 12 - PAL card\$114.00 |
| 3 | - clock card | | 13 - language card\$ 72.50 |
| 4 | - communications card | \$ 89.00 | 14 – RS-232 serial card |
| 5 | - disk controller card | \$ 58.00 | 15 – Z-80 CP/M card\$ 92.00 |
| 6 | - EPROM writer card | \$124.50 | 16 - VERSA card\$345.00 |
| 7 | - FORTH card | \$ 98.50 | 17 - analog/digital card\$116.50 |
| 8 | - IEEE-488 card w/cable | \$186.00 | 18 - system cooling fan |
| 9 | parallel printer card w/cable | \$112.00 | 19 – joy stick w/button\$ 24.50 |
| 10 | - parallel printer buffer and grappler card with | cable | \$245.00 |
| | | | |

DISK DRIVES: Guaranteed high quality for use with all Apple® compatible (or Ram-Tech*) controllers - DOS 3.3 & 3.2

USES SPECIAL LOW POWER CONSUMPTION CIRCUITRY

.....\$325.00 .\$370.00 with controller .\$330.00 with controller TEAC 55A SHUGART \$285.00

SHIPPING & HANDLING: add \$3.50 per item #1 - 19 . . . disk drives add \$10.00

TO ORDER

- ALL PRICES IN U.S. CURRENCY
- VISA OR MASTER CARD: SEND NUMBER, EXPIRY DATE, BANK NAME & CARD HOLDER'S NAME, INCLUDE PHONE NUMBER.
- CHECKS & MONEY ORDERS O.K. CHECKS NEED THREE WEEKS TO CLEAR. (NO C.O.D.'S TO U.S., DUE TO POSTAL REGULATIONS)
- CANADIAN ORDERS ADD 25% FOR CDN FUNDS EXCHANGE.
- U.S. CUSTOMERS WILL HAVE TO PAY U.S. CUSTOMS 4.7% DUTY. DUTIES COLLECTED BY POST OFFICE. WE ASSUME NO LIABILITY FOR CUSTOMS CLEARANCE.

Apple is a trademark of Apple Computer Inc.

DEALER INQUIRIES REQUESTED

BYTE-RYT

DEPT. RE P.O. BOX 205, STATION CART. MONTREAL, QUEBEC, CANADA H4K 2J5

(514) 335-1717

*Ram-Tech is a trademark of 99506 CANADA INC.







Some big-name and some new-name manufacturers join the list of companies we have already mentioned.

\$1000 to \$1500

MARC STERN

BY NOW YOU ARE PROBABLY WONDERING WHERE ALL THE "BIG names" in the microcomputer industry are hiding. Well, this price category answers that question as such giants as IBM, Apple, and Heath join the parade of small-computer manufacturers.

At the same time, another Apple-compatible computer makes its debut, the Ace-series from Franklin Computer Corp., which has been the subject of controversy, but whose way seemingly has been cleared thanks to recent court actions. And, another system debuts from a manufacturer whose name has long been associated with consumer electronics: Sony.

New systems debut from manufacturers whose names we are familiar with. Atari has a new system as does NEC Home Electronics and Commodore Business Machines.

Meanwhile, systems launched in the lower-price categories begin to either become fully configured or take on new power and become much more versatile.

Let's start our exploration of this price category with the new entries on the block, moving on to the new entries from those manufacturers we have already met, and wrap it up with looks at how already-described systems take on new configurations.

IBM

Two key changes have occurred during the last 12 months. First, IBM increased the amount of user memory from 16K to 64K in the basic unit and second, the computer giant has dropped a standard cassette interface.

At this point in its life, the IBM *Personal Computer* is little more than the system box, motherboard, 64K of user memory, and the 83-key keyboard that boasts 10 function keys. However, this is the beginning of a truly powerful system.

Capable of interfacing with a home television set—providing the user opts for the correct monitor-interface board—the IBM PC is driven by a 16-bit 8088 microprocessor. This gives it the

ability to handle up to 1.2 megabytes of RAM and, further, it also has the ability to handle complex applications programming.

In reality, these capabilities are reserved for higher price classes.

Franklin

Franklin was the perhaps the first domestic computer manufacturer to enter the highly lucrative Apple-compatible market last year with its Ace. It continues to market the Ace 1000 this year and has expanded its offerings, as you will see in other price categories.

The Ace 1000 is driven by an 8-bit 6502 microprocessor, the same micro that drives the venerable Apple II series. This small computer comes with 64K of user memory that makes it capable of highly complex applications. It also features a cassette interface for mass storage and is programmable in BASIC.

The Ace 1000 features a full, typewriter-style keyboard with 72 keys and a 12-key numeric keypad. This feature, alone, makes this machine very usable and should enable quick data or program entry by a skilled typist.

The Ace 1000 is capable of 40-character by 24-line text display and 280- by 192-dot graphics resolution.

Although it is the basic Ace 1000 system, it is still a capable unit, whose functionality grows as we add more peripherals to it. For instance, the Ace 1000 becomes more versatile in this price category with the addition of a floppy-disk drive that uses an Apple-compatible disk operating system.

Apple

Apple Computer, one of the long-time leaders in the microcomputer market, apparently knew it had a good thing on its hands with the *Apple II* and *Apple II-Plus* and so rather than phasing out this long-lived series, the company upgraded it to

| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
|-----------------------------|--------------------------------|------------------|-----------------|-------------------|--------------------|------------------|
| Atari Products | 1400XL | \$1000 | 6502C | 8-bit | N/A | BASIC |
| | | (est.) | | | | |
| | | 0.000 | | | 44 - 3 000 111 | D. 010 |
| Atari Products | 1450XLD | \$1000 (est.) | 6502C | 8-bit | Atari DOS III | BASIC |
| | | | | | | |
| Texas Instruments | TI-99/4A | \$1009 | TMS9900 | 16-bit | N/A | BASIC |
| | | | | | | |
| Commodore Business Machines | Commodore 64 | \$1018.95 | 6510 | 8-bit | N/A | BASIC |
| Formula International | Pinecom (kit) | \$1029 | 6502 | 8-bit | N/A | Not announced |
| | | 44000 | | | | 5 200 |
| Panasonic Co. | H1800 | \$1038 | 6502 | 8-bit | SNAP | BASIC |
| Toshiba America | T100 | \$1050 | Z80A | 8-bit | N/A | BASIC |
| Radio Shack | TRS-80 Model III | \$1059 | Z80 | 8-bit | N/A | BASIC |
| | | | | | | |
| Spectravideo | SV-318 | \$1079 | Z80A | 8-bit | N/A | BASIC |
| Commodore Business | BX256-80 | \$1095 | 6509/8088 | 8/16-bit | | BASIC |
| Machines | BA230 00 | ψ1033 | 0000/0000 | 0, 10 D II | | DAGIO . |
| Franklin Computer Corp. | Ace 1000 | \$1095 | 6502 | 8-bit | N/A | BASIC |
| Radio Shack | TRS-80 Model | \$1118 | 80C85 | 8-bit | N/A | BASIC |
| | 100 | | | | | |
| Sord Computer c/o Mitsui | M23 | \$1120 | Z80A | 8-bit | Proprietary, CP/M- | BASIC, Pascal, |
| Texas Instruments | TI-99/4A | \$1135 | TMS9900 | 16-bit | compatible N/A | FORTRAN BASIC |
| | | | | | | |
| Casio, Inc. | FX-9000P | \$1144 | Z80A-compatible | 8-bit | Not announced | BAŞIC |
| D. C. Charle | TD0 00 0-1 | 04440 | 22225 | 0.1.3 | | B010 |
| Radio Shack | TRS-80 Color Computer | \$1148 | 6809E | 8-bit | Proprietary | BSIC |
| Commodore Business | VIC-20 | \$1152.80 | 6502 | 8-bit | Proprietary | BASIC |
| Machines | | | | | - roprious, | |
| Formula International | Pinecom (kit) | \$1154 | 6502 | 8-bit | N/A | No anounced |
| | | | | ه ا | | |
| Radio Shack | TRS-80 Pocket Computer PC-2 | \$1179.20 | Custom CMOS | 8-bit | N/A | BASIC |
| Panasonic Co. | H1400 | \$1188 | 6502 | 8-bit | SNAP | BASIC |
| i unagomo oo. | i i i i o o | 41100 | 0002 | 0-MI | VIACI. | DAOIO . |
| NEC Home Electronics | PC-8800 | \$1199 | Z80A-compatible | 8-bit | N/A | BASIC |
| | Barrier of | | | | | |
| Spectravideo | SV-328 | \$1200 | Z80A | 8-bit | N/A | BASIC |
| Out to Chart | The cold to | #4C07 | 700 | 0 1 2 | A1/A | 24010 |
| Radio Shack | TRS-80 Model III | | Z80 | 8-bit | N/A | BASIC |
| Radio Shack | TRS-80 Model III | \$1255 | Z80 | 8-bit | N/A | BASIC |
| Atari Products | 1200XL | \$1268 | 6502 | 8-bit | Atari DOS III | BASIC |
| | | | | (6.1 b) | de la lace | |
| Netronics Research | Explorer/88-PC | \$1284.48 | 8088 | 16-bit | N/A | machine/BASIC |
| Panasonic Co. | H1800 | \$1288 | 6502 | 8-bit | SNAP | BASIC |
| . anagomo oo. | 111000 | #1500 | 000L | O Dit | 311/1 | D, 1010 |

| | M | Kaubaard | 1/0 | Dienlay | Comments |
|---|----------------------------------------|---------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------------------|
| | Memory/Storage | Keyboard | I/O 1 serial, 2 controller, ex- | Display 256 colors, 40 × 24 text | basic system |
| | 64K/cartridge slot | 66 keys, 4 special function, 4 programmable, 12 preprogrammed | pansion connector, modem, speech syn- thesizer | 256 COIOTS, 40 × 24 lext | Dasic System |
| | 64K/1 slim line 254K DS/ DD drive | 66 keys, 4 special function, 4 programmable, 12 preprogrammed | 1 serial, 2 controller, ex- pansion connector, modem, speech syn- thesizer | 256 colors, 40 × 24 text | basic system |
| | 48K/cassette interface | standard | 1 serial, HEX-BUS ex- pansion unit, peripheral interface | 16 colors | serial pori |
| | 64K/cassette recorder | 60 keys, 4 program- mable | 1 serial | 14-inch high-res. dedicated color monitor | color mon tor, serial port |
| | 48K | 66 keys, 14-key keypad | 1 parallel | 80-column text capability/280 × 192 graphics | 80-colümn video card |
| | 16K | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display | memory expanded to 16K |
| | 64K/cassette interface | 89 keys, 8 special function | 1 parallel, 1 serial | 80 × 25 monochrome | monitor |
| | 16K/cassette recorder | 64 keys, 12-key keypad | 1 parallel | 12-inch monochrome/64 (32) × 16 text mode | cassette recorder |
| | 64K/cassette recorder | 71 keys, 10 program- mable, built-in joystick | 1 serial, 1 parallel | 256 × 192 resolution, 16 colors, television used as display | serial, parafiel ports added, memory upgraded, expan- sion interface |
| | 256K | standard, numeric key- keypad | 1 serial | 12-inch monochrome CRT/80 × 25 text mode | basic system, dual pro- cessors |
| | 64K/cassette interface | 72 keys, 12-key keypad | game controller | 40 × 24/280 × 192 graphic capability | basic system |
| | 32K/cassette interface | 56 keys, embedded 10- key keypad, 8 program- mable | 1 parallel, 1 serial, built- in modem | 40 × 8 liquid crystal dis- play | memory expanded to 32K |
| | 128K | 59 keys, 20-key keypad, 9 special function | Not announced | | basic system |
| - | 48K/cassette interface | standard | 1 serial, 1 parallel HEX- BUS expansion unit, pe- ripheral interface | 16 colors | parallel port |
| | 8k cassette interface | 67 keys, 16-key keypad | | 5.5-inch, 32 × 16 mono- chrome, 256 × 128 graphics | 4K RAM |
| | 32K/1 156K 5 1/4" floppy disk drive | 53 keys | 1 serial | 32 × 16 color text mode/256 × 192 graphics capability | 156K drive |
| | 29K/1 170K 5 1/4" floppy disk drive | 66 keys, 4 user- programmable | 1 serial | 14-inch high-res. dedicated color monitor | color menitor, 170K floppy disk drive and serial port |
| R | 48K | 66 keys, 14-key keypad | 1 parallel | 9-inch monochrome CRT/280 × 192 graphics/80 column capability | monochrome monitor |
| | 32K/cassette interface | 65 calculator keys, 19- key keypad, 18 defina- ble | 60 pin bus connector/ RS-232C interface | 1 line 7 × 156 dot matrix liquid crystal display | communications interface |
| | 22K | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display | memory expanded to 22K |
| | 64K/cassette interface/disk interface | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | RGB/composite video outputs 640 × 400 res./80 × 25 text | basic system |
| | 80K/cassette recorder | 87 keys, 10 program- mable, numeric keypad | 1 serial, 1 parallel | 80 × 24 text mode ca- pability/16 colors | serial and parallel ports, 80- column display card, expan sion interfac |
| | 32K/cassette recorder | 64 keys, 12-key keypad | 1 parallel, 1 serial | 12-inch monochrome/64 (32) × 16 text mode | memory expands by 16K, so rial port added |
| | 48K/cassette recorder | 64 keys, 12-key keypad | 1 parallel, 1 serial | 12-inch monochrome/64 (32) × 16 text mode | memory expanded to 48K |
| | 64K/floppy disk drive | standard typewriter/16 special function | 1 printer, 2 controller, ex- pansion connector | built-in video output sup- ports 256 colors, 40 × 24 text | floppy disk drive |
| | 64K/cassette interface | 83 keys, 10 function, numeric keypad | 1 serial | 12-inch monochrome CRT | assembled Explorer/88-PC with keyboard, color board, ROM and monitor |
| | 24K | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display | memory expanded to 24K |

TABLE 1-\$1000-\$1500 (continued)

| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
|--------------------------------|------------------------|----------------|-----------------|-------------|--------------------------|------------------------------------------------------|
| NEC Home Electronics | PC-6000 | \$1350 | Z80A-compatible | 8-bit | Proprietary | BASIC |
| Formula International | Pinecom (kit) | \$1354 | 6502 | 8-bit | N/A | Not announced |
| ĪBM | IBM-PC | \$135 5 | 8088 | 16-bit | N/A | COBOL, FORTRAN, BASIC, Macro Assembler, Pascal |
| Multitech Electronics | MIC-500 | \$1395 | Z80A | 8-bit | CP/M | BASIC, COBOL, Pascal |
| Apple Computer | Apple IIe | \$1395 | 6502A | 8-bit | N/A - | BASIC |
| Heath Company | HS-89-3 (kit) | \$1399 | Z80 | 8-bit | HDOS/CP/M optional | BASIC |
| Commodore Business Machines | Commodore 64 | \$1417.95 | 6510 | 8-bit | Proprietary | BASIC |
| Heath Company | HS-89-2 (kit) | \$1429 | Z80 | 8-bit | HDOS/CP/M optional | BASIC |
| Commodore Business Machines | Commodore 64 Executive | \$1443.95 | 6500 series | 8-bit | Proprietary | BASIC |
| Hewlett-Packard | HP75C | \$1445 | Not announced | | N/A | BASIC |
| NEC Home Electronics | PC-8800 | \$1448 | Z80A-compatible | 8-bit | N/A | BASIC |
| Sony | SMC-70 | \$1475 | Z80A | 8-bit | N/A | BASIC, CB-80, Pilot Plus |
| Franklin Computer Corp. | Ace 1000 | \$1494 | 6502 | 8-bit | Apple DOS 3.3 compatible | BASIC |
| Commodore Business Machines | CBM 8032 | \$1495 | 6502 | 8-bit | N/A | BASIC |
| TeleVideo Systems | Teletote | \$1499 | Z80A | 8-bit | CP/M | Not announed |

the Apple IIe that made its appearance earlier this year. Still using a 6502 microprocessor, the 8-bit Apple IIe has had its user memory upgraded to 64K. Further, it has also changed its keyboard slightly, providing 63 keys and two programmable keys.

As with other small-computer systems, this one uses BASIC as its primary user programming language and it features either low- or high-resolution graphics capability, along with a standard 40-character by 24-line text mode. The 40-character lines are fine for standard home applications, but it is limited for some applications such as word processing. If one wants to have word-processing capability, then the Apple-offered 80-column display card must be used. For output, a user can interface with a standard monitor or with a home television if he buys an RF modulator. (But not for 80 columns.)

Heath

For those would-be computer users who would like more than just an outside look at a microcomputer, there's the Heath line of computer kits, the *H89*-series. These computers give you an inside-out look at what makes a microcomputer tick as you put them together piece-by-piece.

Since this series, the *H89-2*, *H89-3*. comes with a single, built-in 51/4-inch minifloppy double-sided, double-density disk, the user has fast mass storage and retrieval capabilities right from the start.

Programmable in BASIC and Z80 based, this series features an 84-key keyboard and a separate 12-key keypad. The sloped keyboard allows for quick data entry. Input/output is provided by three serial ports. These allow the *H-89*-series to interface with a variety of printers or modems.

It should be noted that this CP/M-compatible system is all-inone. It combines the CRT, system board, and keyboard into one box and looks much like the traditional type of computer workstation with which many of us are familiar.

TeleVideo

TeleVideo is another of the long-established firms in the computer industry and it has an entry in the transportable computer market, the *Teletote*. (Remember, the transportable market was last year's portable market, but the new generation of lap computers has changed this designation.)

The *Teletote* breaks no new ground in the computer industry, having been based around proven technology. It is driven by an 8-bit Z80A microprocessor and uses the industry-standard CP/

M operating system.

It features 64K of RAM and one 368K double-sided, double-density 51/4-inch minifloppy disk drive for storage. This combination gives the user a great deal of flexibility and increases the system's capabilities. Its prime drawback is that the user must use the same drive for both the application program disk and a data disk, which can make it somewhat cumbersome, especially if a file has to be copied. In this situation, the user must keep switching disks, so it's a good idea to consider investing in a second disk.

Data entry is facilitated with the 75-key typewriter-type keyboard and output is aided by 2 standard serial-ports. It is also equipped with what seems to be becoming the standard-sized monitor in the transportable field, a 9-inch monochrome unit, capable of 80-characters by 24-lines in text mode and highresolution graphics of 640- by 240-dots.

Sony

Sony, long a leader in consumer electronics, also has a small-computer offering in this price segment, the modular *SMC-70*. This computer contains a keyboard and easily upgrades into a powerful system. However, at this price level it is very much a basic unit.

Driven by an 8-bit Z80A microprocessor, the SMC-70 consists of a system box and keyboard. The keyboard includes 71 keys, a keypad, and nine special-function keys. It is a standard

| $\overline{}$ |
|---------------|
| \circ |
| \circ |
| 007 |
| OBER |
| Œ |
| m |
| \mathbf{z} |
| _ |
| 983 |
| Ó |
| ش |
| - |
| 16 |

| Memory/Storage | Keyboard | I/O | Display | Comments |
|-----------------------------------------|--------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| 32K/1 floppy disk drive unit | | 1 parallel, 1 serial, 2 game controller, digi- tized touch panel | 256 × 192 capability, 32 × 16 text, composite video output avail. | floppy disk drive |
| 48K | 66 keys, 14-key keypad | 1 parallel | 9-inch monochrome CRT/280 × 192 graph- ics/80 column capability | color monitor |
| 64K | 59 keys, 10 special func- tion, 20-key keypad | N/A | N/A | basic system, includes moth er board, cpu, 64K memory, system housing and key- board only |
| 64K/2 5 ¼" floppy disk drives | N/A | 2 serial, 1 parallel | N/A | basic system, terminal required |
| 64K/cassette interface | 63-key typewriter, 2 programmable | game controller | low/high-res. color, 40 × 24 test mode, video output | basic system |
| 48K/1 5 1/4" floppy disk drive | 84 keys, 12-key keypad | 3 serial, 1 parallel | white monochrome dis- play/80 × 25 text mode | kit |
| 64K/1 170K 5 1/4" floppy disk drive | 60 keys, 4 program- mable | 1 serial | 14-inch high-res. dedicated color monitor | floppy disk drive |
| 48K/1 5 1/4" floppy disk drive | 84 keys, 12-key keypad | 3 serial, 1 parallel | green monochrome dis- play/80 × 25 text mode | kit |
| 64K/2 170K 5 1/4" floppy disk drives | standard | 1 IEEE-488 serial, 1 standard serial | 6-inch high-res. color dis- play | 2nd drive, standard serial port |
| 24K/cassette recorder | 61 keys, multifunctional | interface port for add-on options | 32 character one-line LCD | cassette recorder |
| 64K/cassette interface/disk interface | 81 keys, 5 multifunction, 10-key keypad | | 14-inch monochrome CRT/80 × 25 text | monochrome display |
| 64K/cassette interface | 72 keys, keypad, 9 special function | 1 parallel | | basic system |
| 64K/1 5 ¼" floppy disk drive | 71 keys, 12-key keypad | game controller | 40 × 24/280 × 192 graphic capability | floppy disk drive |
| 32K/cassette interface | standard, numeric key- keypad | 1 serial | integral display | basic system |
| 64K/1 368K DS/DD 5 1/4" floppy drive | 75 keys, 16 special function, 17-key keypad | 2 serial | 9-inch CRT/640 × 240 graphics/80 × 24 text | basic system, transportable |

typewriter-style unit that should facilitate keyboarding data or BASIC programming, the language that comes with the system.

At this stage, the SMC-70 relies on a cassette interface and cassette recorder for data storage.

Commodore

A multi-line computer manufacturer, Commodore Business Machines has entries in many price classes and this price category is no exception. It is here that the BX256-80 makes its appearance, as does the 8032.

The BX256-80 is a dual-processor machine, capable of handling both 8-bit and 16-bit programming. It was unveiled about a year ago.

Driven by dual 6509 and 8088 processors, the BX256-80 is capable of sophisticated tasks. Its 256K of standard user memory assures that more than enough memory is available for almost anything a user may want to do. In fact, with some of the new generation of memory-hungry programs, 256K is needed.

It features a standard keyboard and is programmable in BAS-IC. It has a 12-inch monochrome CRT to display the machine's 80-characters by 25-lines.

The second system to debut in this category is the 8032. This long-time veteran of the computer wars is driven by an 8-bit 6502 microprocessor and it comes with 32K of RAM as standard. Mass storage at this price level is handled via cassette recorder.

Data entry is facilitated by a standard keyboard and separate numeric keypad. It is programmable in BASIC. With a standard monochrome display, this basic system should easily meet most beginning home needs for most users. The user should also be able to access any information network by attaching a modem to the standard serial port.

While these are the new systems in this price category, there are also two other systems that have been upgraded, the VIC-20 and the Commodore 64. The VIC-20 upgrades and becomes a

fairly sophisticated system. With 29K of RAM, the system is becoming fairly flexibile. However, it becomes even more flexible with the addition of a 170K 51/4-inch minifloppy disk for storage. This provides the user with a large increase in speed for both data access and retrieval. A color CRT is also added and a serial port gives this unit communications ability.

The Commodore 64 upgrades twice. First, a color CRT and serial port are added. These two additions give the user the potential for color-graphics work and communications. Of course, if a user wants to take advantage of the communications potential he must add a modem.

The second expansion gives the user access to a 170K floppy disk, with its speed and storage flexibility advantages. With this system limited to one disk, though, it is a bit cumbersome. However, help is on the way when this system gains its second disk in another price category.

The Executive 64, on the other hand, becomes powerful with the addition of a second drive.

Atar

The new Atari systems appearing in this price category are the 1400XL and 1450XLD. Although exact prices hadn't been established at press time, they are likely to be in the \$1000 range.

The 1400XL is driven by an 8-bit 6502C microprocessor and it comes with 64K of RAM. It has an integral software cartridge slot which allows it to use Atari's proprietary packaged software.

Programmable in BASIC, it features a standard typewriter keyboard that has four special-function keys, four programmable keys and 12 preprogrammed function keys.

Input/output is provided by standard serial port. However, a user doesn't have to tie up this port by connecting it to a modem because it includes a built-in modem, which is a plus.

Capable of supporting up to 256 colors, the display is limited to 40-characters by 24-lines of text, which is somewhat limiting

for serious word-processing work.

The 1450XLD is nearly identical to the 1400XL with one major exception, it includes disk storage. The -XLD includes a slim line 5½-inch minifloppy disk as standard and this gives the user access to 254K of mass storage.

Another Atari system, the 1200XL, has its capabilities upgraded in this segment with the addition of a disk drive.

NEC

Not only does the NEC *PC-6000* ugrade in this price category, but the manufacturer also has another model that makes its debut here, the *PC-8800*, a more powerful version of last year's *PC-8001*-series.

What makes the new system different? At one point in its expansion, the PC-8800 gains an 8086 co-processor, giving this

unit 8-bit and 16-bit capability.

But, we're getting ahead of ourselves because at this level, the *PC-8800* is roughly equivalent to last year's *PC-8001*. It is driven by a Z80A-compatible 8-bit microprocessor and it includes 64K of user memory. However, at this level the user is limited to cassette storage that is far slower than disk storage and far less versatile. In its favor, though, is the fact that this model includes a disk interface, which gives the user the option of equipping this system with a disk drive, if he so desires.

The 81-key typewriter-like keyboard has five multifunction keys and a separate 10-key keypad. Input/output is aided by standard serial and parallel ports that enable you to tie a printer or modem to the unit, further increasing the unit's versatility.

This computer features RGB color or composite-video output. It is capable of 640- by 400-dot resolution in the graphics mode or 80 characters by 25 lines in the text mode.

The *PC-8800* also upgrades once in this price category with the addition of a monochrome display that provides far better resolution than using a home television set.

The PC-6000 gains a minifloppy drive in this price range.

Sord

Sord, one of the newer names in the microcomputer business, has a new offering in this price category, the M23. Driven by a Z80A 8-bit microprocessor, the M23 comes with 128K of RAM, which is about twice the user memory offered on other systems in this price category.

Programmable in BASIC, Pascal, or Fortran, this unit has a 59-key typewriter-like keyboard with a 20-key numeric keypad

and nine special-function keys.

Multitech

Although a relative newcomer to the microcomputer marketplace, Multitech not only has lower-priced offerings, but is also offering a full-blown small-computer system, the *MIC-500*.

Driven by a Z80A 8-bit microprocessor, the MIC-500 is a full-featured system. It includes not only dual serial ports, but

also a parallel printer port.

Its standard 64K RAM will perform many tasks the system is called upon to perform, including sophisticated applications routines. It is equipped with two disk drives and runs under the industry-standard CP/M operating system.

It must be noted, should the user opt for the MIC-500 system, that it is a micromainframe and a terminal will have to be added

to handle input and output.

Radio Shack

Radio Shack has four systems that become more fully configured in this price category. For instance, the full complement of memory is added to the lap *Model 100* to bring the total memory to 32K.

The Model III is upgraded three times in this price category. The second and third expansions of the Model III make it a far more powerful system. In the first expansion, a cassette recorder is added. In the second, the memory is increased to 32K, which means the system can perform far more serious microcomputing tasks. A serial port is also added that gives this small-computer

system the potential of tying into a modem and linking to other systems via the phone line. The third expansion brings this system up to its full memory complement of 48K.

The *Color Computer* becomes a more sophisticated system here with the addition of one 156K 51/4-inch drive.

The PC-2 can now act as a terminal in the field with the addition of a communications interface.

Hewlett-Packard

Hewlett-Packard's handheld computer also becomes more powerful in this price segment. The lone upgrade to the *H75C* is the inclusion of a cassette recorder for data storage and retrieval.

Panasonic

The HHC series also upgrades in this pricing segment. For instance, the H1400 has its memory expanded to 22K. This means that you can enter longer documents or handle more complex tasks with this handheld. At the same time, the H1800 undergoes two memory upgrades.

Texas Instruments

Contrary to what one might have thought about the capabilities of the T1-99/4A system, it is much more than a simple, low-cost home computer.

In the first expansion, a serial port is added to this home computer. The second expansion adds a parallel port.

Formula International

The *Pinecom* kit becomes even more versatile in this price category with the addition of an 80-column card and two types of monitors. The 80-column card gives the user the ability to handle serious word-processing chores because the machine now has the ability of displaying a full page's worth of text.

The user is also given the option of choosing the type of monitor which best suits his needs. If he is interested in data and word-processing then a monochrome display is the best choice. However, if he is interested in graphics and color game-playing capability, then he should opt for the color CRT.

Netronics

The Explorer/88-PC from Netronics becomes nearly a full-blown system with the addition of a keyboard, color monitor board, ROM-based BASIC and system-monitor program, and a color CRT.

Although this system is still limited to cassette storage, a user can take advantage of cassette-based programs for applications. It should be kept in mind, though, that a cassette system is nowhere near as fast as a floppy-disk drive system for storage.

Spectravideo

Both the SV-318 and SV-328 upgrade in this category, too. The SV-318 becomes a far more powerful system with the addition of parallel and serial ports for input/output and with the addition of more user memory for handling programs with greater sophistication. An expansion interface is also added for future system upgrading.

The SV-328 also becomes more powerful as it gains parallel and serial interface ports. An 80-column card has also been added so that this system can handle either word-processing or sophisticated data processing chores. An expansion interface has also been added to facilitate system upgrading.

Toshiba

The T100 upgrades with the addition of a monochrome display, giving the user the chance to handle sophisticated word-processing or data-processing applications.

Casio

The Casio FX-9000P becomes more versatile with the addition of 4K of RAM. This means it can now handle more sophsticated routines, although this amount of memory is somewhat limited for high-level tasks.



PLEASE ADD SU-FICIENT **POSTAGE**

1 Unit weighs 5 lbs.

To order by Visa or Master Charge No C.O.D. orders

GREATER DISTANCE

Call 800-428-3500 Information 317-291-7262

ABC Switch built in

★ Coax cable not included

ECTRONIC

SATELLITE TELEVISION RECEIVER



Rainbow makes a top-of-the-line Receiver affordable

The Electronic Rainbow Receiver consists of a receiver with an external down-converter that mounts at the antenna, feeds the voltage to the LNA through the coax cable. The 43Hz signal is down converted to 70 MHz and is fed through the RG59/U poax to the receiver. Rainbow Kits are supplied with simple step by step instructions. All the circuits that you need expensive test equipment to do are pre wired and tested. All printed circuit boards have the outline of each part printed on them.

RECEIVER FEATURES
Built in RF modulator • Detent
Tuning-3.7 to 4. GHz • Variable
Audio-5.5 to 7.5 MHz • Invert Video
• Channel Scan • Voltage monitoring • Meter purput • Remote Tuning

Ing • Meter output • Remote Tuning SPECIFICATIONS:
Single Conversion Image Rejection Downconverter • Threshold 8 db CNR • IF Bandwidth 21MHz • Output IV Aud o and V dec • IF Frequency 70MHz • Video Bandwidth 4.5MHz • Size 3½"Hx8½"Dx11¼"W

Complete Satellite TV Receiver

KIT #1 — Contains:

and back for a professional look 70 MH2 Filter is pre-wired and tested. Complete instruction \$205.00 \$395.00 Manual.

We will accept telephone orders for Visa & Mastercard No C.O.D. Orders To Order Call 800-428-3500 317-291-7262
Comelete Kit Weighs 10 pounds. Please add Sufficient Postage
6254 La Pas Trail Indianapolis, Indiana 46268

- KIT #2 Board Kit Contains:

 Main Board Tuning Board Down-converter board Modulator Board

 Parts List, assembly and alignment
- 4GHz local oscillator and 70MHz filter is pre-wired and tested. \$129.00

Instruction manual. Contains printed circuit board layouts, parts placement, and alignment instructions. \$25.00

Ask about quarenteed to play

CIRCLE 59 ON FREE INFORMATION CARD

RADIO-ELECTRONICS

COMPUTER MANUFACTURERS

The following is a list of the manufacturers whose systems were covered in this special section. Those readers who wish to get more information about a system should contact the manufacturer directly.

Access Matrix Corp. 2159 Bering Drive San Jose, CA 95131

Albert Computers 3170 Los Feliz Drive Unit C Thousand Oaks, CA 91362

Alspa Computer 300 Harvey West Blvd Santa Cruz, CA 95060

Altos Computer Systems, 2641 Orchard Park Way San Jose, CA 95134

Apple Computer 20525 Mariani Drive Cupertino, CA 95014

Atari Products Box 50047 San Jose, CA 95150

Athena Computer 31952 Camino Capistrano San Juan Capistrano, CA 92675

Basis, Inc. 5435 Scotts Valley Drive Scotts Valley, CA 95066

Canon USA One Canon Plaza Lake Success, NY 11042

Casio, Inc. 15 Gardner Rd. Fairfield, NJ 07006

Coleco Industries 945 Asylum Ave. Hartford, CT 06105

Columbia Data Products 8990 Route 108 Columbia, MD 21045

Commodore Business Mach. 1200 Wilson Drive West Chester, PA 19380

Compaq Computer Corp. 20333 FM 149 Houston, TX 77070

CompuPro Box 2355 Oakland Airport, CA 94614

Computer Devices, Inc. 25 North Ave. Burlington, MA 01803

Cromemco, Inc. 280 Bernado Ave. Box 7400 Mountain View, CA 94039 Digital Equipment Corp. 2 Mount Royal Ave. Box 1008 Maynard, MA 01752

Docutel/Olivetti Corp. 155 White Plains Rd. Tarrytown, NY 10591

Durango Systens 3003 North First St. San Jose, CA 95134

Dynalogic Info-Tech Corp. 8 Colonnade Road Ottawa, CANADA, K2E 7M6

Eagle Computer, Inc. 983 University Ave. Los Gatos, CA 95030

Epson America 3415 Kashiwa St. Torrance, CA 90505

Formula International 12603 Crenshaw Blvd. Hawthorne, CA 90250

Franklin Computer Corp. 2138 Route 38 Cherry Hill, NJ 08002

Fujitsu Microelectronics 3320 Scott Blvd. Santa Clara, CA 95051

Gavilan Computer Corp. 240 Hacienda Ave. Campbell, CA 95008

Gifford Systems 1922 Republic Ave. San Leandro, CA 94577

Heath Company Benton Harbor, MI 49022

Hewlett-Packard 1000 NE Circle Blvd. Corvallis, OR 97330

Hitachi Sales Corp. West Artesia Compton, CA 90220

Honeywell, Inc. 200 Smith St. Waltham, MA 02154

IBC 21592 Marilla St. Chatsworth, CA 91311

IBM Box 1328 Boca Raton, FL 33432 IMS International 2800 Lockheed Way Carson City, NV 89701

Intertec Data Systems 2300 Broad River Rd. Columbia, SC 29210

Ithaca Intersystems 200 E. Buffalo, Box 91 Ithaca, NY 14851

Kaypro Division PO Box N Del Mar, CA 92014

LNW Research Corp. 2620 Walnut Tustin, CA 92680

Mattel Electronics 5150 Rosecrans Ave Hawthorne, CA 90250

Morrow Designs 600 McCormick St. San Leandro, CA 94577

Multitech Electronics 195 West El Camino Real Sunnyvale, CA 94086

NEC Home Electronics 1401 Estes Ave. Elk Grove Village, IL 60007

NEC Information Syst. 5 Militia Drive Lexington, MA 02173

Netronics Research 333 Litchfield Rd. New Milford, CT 06776

North Star Computers 14440 Catalina St. San Leandro, CA 94577

Osborne Computer Corp. 26538 Danti Court Hayward, CA 94545

Panasonic Co. One Panasonic Way Secaucus, NJ 07094

Radio Shack One Tandy Center Fort Worth, TX 76102

Sage Computer Tech. 35 North Edison Way, Suite 4 Reno, NV 89502

Sanyo 51 Joseph St. Moonachie, NJ 07074 Seequa Computer Corp. 209 West St. Annapolis, MD 21401

Sharp Electronics 10 Sharp Plaza Paramus, NJ 07652

Sony Sony Drive Park Ridge, NJ 07656

Sord Computer 200 Park Ave New York, NY 10166

Spectravideo 39 W. 37th St. New York, NY 10018

Sumicom Inc. 17862 East 17 St. Tustin, CA 92680

TeleVideo Systems 1170 Morse Ave Sunnyvale, CA 94086

Texas Instruments Box 53 Lubbock, TX 79408

Timex Computer Box 1700 Waterbury, CT 06721

Toshiba America 2441 Michelle Dr. Tustin, CA 92680

Unitronics 401 Grand Ave. Suite 350 Oakland, CA 94610

Vector Graphic, Inc. 500 North Ventu Park Rd. Thousand Oaks, CA 91320-2798


Video Technology 2633 Greenleaf Ave. Elk Grove, IL 60007

Wang Laboratories One Industrial Ave. Lowell, MA 01851

Xerox Corp. 1341 West Mockingbird Lane Dallas, TX 75247

Zenith Data Systems 1000 North Milwaukee Ave Glenview, IL 60025







Disk drives are almost standard equipment as we move into this range. And most machines here have at least 64K RAM.

\$1500 to \$2000

MARC STERN

IF THERE HAS BEEN ONE TRUTH ABOUT THE MICROCOMPUTER industry during the last couple of years, it is this: every day it gets more crowded. In this year's hardware guide alone, there are more than 500 entries as various machines go through their paces and upgrade.

Some estimates have put the number of small-computer systems available at more than 250, while others have put the number at more than 400. But, whatever the number, there's little doubt that it's confusing to the average buyer and our supplement is an attempt to ease that confusion.

As you look over the charts we offer, note how each system upgrades as the price climbs. And, if you pay careful attention, you should have a good idea of how much computing power you can buy and still be within your budget.

Don't let the absolute numbers confuse you because, in the final analysis, only you can judge which computer system is right for you. If we have helped you in that search, then we have succeeded in the purpose of this section.

In this price category nine new names join the list of manufacturers offering systems. But, these aren't all the new entries you will find. Other manufacturers that have already been mentioned also have new offerings to look at. Finally, existing systems continue to grow more and more powerful.

One of the more interesting things to note, as you examine the charts, is that in this category more and more systems are starting to come through with either one or two minifloppy disk drives for storage. Of course, including a drive does raise the system's price, but it also makes it much more flexible and provides speedier data retrieval and storage.

So, without further ado, let's look at the new additions to the price parade and see what each system has to offer.

Morrow Design

George Morrow is a longtime veteran of the microcomputer industry and you would expect his company to have an entry in the microcomputer field. Indeed he does. In fact, he has two—

the Micro Decision MD1 and MD2. Both have their starting prices in this category.

The Micro Decision is a Z80-based, 8-bit system that runs under the CP/M operating system. Its 64K of user memory provides more than enough memory space for many sophisticated routines. This operating system is a natural for the average user because it allows access to a wide variety of already-packaged, proven programs.

Programmable in BASIC, the MDI includes one 200K singlesided, double-density disk drive as standard. The typewriterlike keyboard allows quick data or word-processing entry and enhances this machine.

Input/output is provided through two serial ports that Morrow includes with this system. This gives the user the option of attaching both a dedicated printer and a modem. The modem, incidentally, gives the user access to the world of database networks, bulletin boards, or other computer systems and gives him the ability to upload or download files.

The MDI includes basic applications software in its base price and gives the user a monochrome display for output.

The MD2 is an upgraded MD1. It adds a second single-sided, double-density disk drive. This is perhaps the most important improvement that can be made to any system, because adding a second drive so greatly improves the flexibility and productivity of any system. Using one disk limits the user to loading not only the program disk in the single drive, but also removing the program disk and loading the data. It involves an incredible amount of disk-swapping that having a second drive eliminates. Further, only having only one disk drive makes copying a program or data file cumbersome.

Kaypro

Although Kaypro (Non-Linear Systems) has been in the transportable computer business only a little more than a year, it has already made quite a market for itself. This firm has a long history of producing fine electronics test equipment and so its

| Memory/Storage | Keyboard | I/O | Display | Comments |
|-----------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 32K/1 floppy disk drive unit | 71 keys, 5 multifunction | 1 parallel, 1 serial, 2 game controller, digi- tized touch panel | monochrome CRT added, 32 × 16 | monochrome (green) CRT |
| 22K | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display/color TV adapter | color television adapter |
| 32K/2 156K 5 1/4" floppy drives | 53 keys | 1 serial | 32 × 16 color text mode/256 × 192 graphics capability | second drive added |
| 29K/2 170K 5 1/4" floppy disk drives | 66 keys, 4 user- programmable | 1 serial | 14-inch high-res. dedicated color monitor | 2nd drive added |
| 64K/1 256K 5 ¼" floppy disk drive | 71 keys, 10 program- mable, built-in joystick | 1 serial, 1 parallel | 256 × 192 resolution, 16 colors, television used as display | 1 256K drive |
| 64K/cassette, 16K RAM pack | 89 keys, 8 special func- tion | 1 serial, 1 parallel | 8-line by 40-char. liquid crystal display | liquid crystal display, 16K RAM cartridge |
| 64K/1 160K 5 1/4" floppy drive | standard | 1 serial, 1 parallel | monochrome CRT | basic system |
| 64K 2 190K SS/DD 5 1/4" drives | 72 keys, 14-key keypad, 20 programmable | 1 serial, 1 parallel | 9-inch monochrome moni- tor/80 × 25 text | portable system |
| 64K/1 5 1/4" floppy disk drive | 72 keys, 12-key keypad | game controller | 80 × 24/280 × 192 graphic capability | system includes one drive monochrome monitor, 80-cc umn card, and bundled software |
| 64K/2 5 1/4" floppy drives | 59 keys, 5 special function | 1 serial, 1 parallel, RS-422/423 capability | RGB outputs, 256 colors, 40 or 80-column text mode | basic system |
| 64K/1 390K 5 1/4" floppy drive | 75 keys | 2 serial, 2 parallel | optional | basic system |
| 24K | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus | 1-line × 26-character liq- uid crystal display/color TV adapter | color television adapter |
| 24K/cassette interface | 67 keys, 16-key keypad | | 5.5-inch monochrome, 32 × 16 text, 256 × 128 graphics | 16K RAM added |
| 24K/cassette recorder | 61 keys, multifunction | interface port for add-on options | | memory increased to 24K |
| 64K/1 184K 5 ¼" floppy drive | 70 keys, 3 program- mable keys, 12-key keypad | 1 parallel | 12-inch monochrome/80 × 24 text (64 × 16 double-sized) | disk drive added |
| 64K | standard typewriter/16 special function | 1 printer, 2 controller, ex- pansion connector | built-in video output sup- ports 256 colors, 40 × 24 text | 2nd floppy disk drive added |
| 32K/1 floppy disk drive unit | 71 keys, 5 multifunction | 1 parallel, 1 serial, 2 game controller, digi- tized touch panel | composite color CRT add- ed, 32 × 16, up to 256 × 192 graphics | color CRT |
| 64K/cassette interface | 63-key typewriter, 2 programmable | game controller | 12-inch monochrome CRT/80-column card/80 × 24 text mode | CRT and 80-column card |
| 64K/1 8" floppy disk drive | 56 keys | N/A | 12-inch monochrome CRT | disk drive, controller, operating system |
| 48K/1 floppy disk drive | standard | 1 serial, 1 parallel HEX- BUS expansion unit, pe- ripheral interface | 16 colors | disk drive, plus controller |
| 64K/1 390K 5 1/4" floppy disk drive | 57 keys | 1 serial, 1 parallel | 12-inch monochrome/80 × 25 text/high-resolution graphics | modular system with one drive |
| 22K | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus/1 serial | 1-line × 26-character liq- uid crystal display/color TV adapter | serial port |
| 64K/1 5 1/4" floppy disk | 72 keys, 12-key keypad | game controller | 40 × 24/280 × 192 graphic capability | integral disk housing and d |
| 128K | 95 keys, 8 special function, 10-key keypad | 1 parallel | | basic system |
| 64K | 59 keys, 20-key keypad, 14 special function | | | basic system |
| 64K/2 102K 5 1/4" floppy drives | 57 keys, 12-key keypad | 1 serial, 1 IEEE-488, modem, external video connector | 5 ½" monochrome CRT/52 x 24 text mode | transportable |
| 64K/2 170K 5 1/4" floppy disk drives | 60 keys, 4 program- mable | 1 serial | 14-inch high-res. dedicated color monitor | 2nd drive added |
| 4014/4 40 414 F 1/# Alaman | 64 keys, 12-key keypad | 1 parallel | 12-inch monochrome/64 | 184K drive added |
| 48K/1 184K 5 1/4" floppy drive | 72 keys, keypad, 9 | 1 parallel, 1 serial | (32) × 16 text mode home television | basic system |

TABLE 1—\$2000-\$2500 (continued)

| Manufacturer | Model | Price | СРИ | Word Length | Operating System | Languages |
|--------------------------------|-------------------------|-----------|---------------------------|-------------|----------------------------|----------------------------------------------------------------------|
| Atari Products | 600XL | \$1869 | 6502C | 8-bit | Atari DOS III | BASIC |
| Spectravideo | SV-328 | \$1874 | Z80A | 8-bit | CP/M | BASIC |
| Panasonic Co. | H1800 | \$1891 | 6502 | 8-bit | SNAP | BASIC |
| Toshiba America | T100 | \$1895 | Z80A | 8-bit | N/A | BASIC |
| TeleVideo Systems | Teletote | \$1899 | Z80A | 8-bit | CP/M | Not announced |
| Netronics Research | Explorer/88-PC | \$1899.95 | 8088 | 16-bit | MS-DOS | machine/BASIC |
| Heath Company | HS-89-3 (kit) | \$1924 | Z80 | 8-bit | HDOS/CP/M optional | BASIC |
| Apple Computer | Apple IIe | \$1934 | 6502A | 8-bit | N/A | BASIC |
| Hewlett-Packard | HP75C | \$1935 | Not announced | | N/A | BASIC |
| Radio Shack | TRS-80 Model III | \$1948 | Z80A | 8-bit | TRSDOS | BASIC, COBOL, Fortran, |
| Spectravideo | SV-318 | \$1953 | Z80A | 8-bit | CP/M | BASIC |
| Heath Company | HS-89-2 (kit) | \$1954 | Z80 | 8-bit | HDOS/CP/M optional | BASIC |
| Docutel/Olivetti Corp. | M20 | \$1988 | Z8001 | 16-bit | N/A | BASIC |
| Morrow Design | Micro Decision (MD2) | \$1990 | Z80A | 8-bit | CP/M | BASIC |
| Commodore Business Machines | SuperPET | \$1995 | 6502/6809 | 8-bit | N/A | BASIC, APL, COBOL, For- tran, Pascal |
| Osborne Computer Corp. | Osborne I | \$1995 | Z80A | 8-bit | CP/M | BASIC |
| Seequa Computer Corp. | Chameleon | \$1995 | Z80A/8088 | 8/16-bit | MS-DOS, CP/ M, CP/M-86 | BASIC, Fortran, Pascal, COBOL, FORTH, LISP, as- semb., C. PL/1 |
| Franklin Computer Corp. | Ace 1200 | \$1995 | 6502/Z80 | 8-bit | Apple-compati- ble/CP/M | BASIC |
| Toshiba America | T100 | \$1995 | Z80A | 8-bit | CP/M | BASIC |
| LNW Research Corp. | LNW80 Model 2 | \$1995 | Z80A | 8-bit | N/A | BASIC |
| Kaypro Division | Kaypro IV | \$1995 | Z80 | 8-bit | CP/M | BASIC, Pascal, Fortran, Assemb., COBOL |
| Eagle Computer Inc. | Eagle IIE-2 | \$1995 | Z80A | 8-bit | CP/M | BASIC |
| Sanyo | MBC 1000 | \$1995 | Z80A | 8-bit | CP/M | BASIC |
| Eagle Computer Inc. | Eagle PC-E | \$1995 | 8088 | 16-bit | CP/M-86 | |
| NEC Home Electronics | PC-8800 | \$1998 | Z80A-compati- ble/8086 | 8/16-bit | N/A | BASIC |
| Radio Shack | TRS-80 Model 4 | \$1999 | Z80A | 8-bit | TRSDOS, LDOS, CP/M | BASIC |
| | | | | | | |

move into the microcomputer field is somewhat logical.

Its offering in this field, the Kaypro II, easily shows its heritage. Packaged in a sturdy, all-metal box, the Kaypro II looks as if it would be more at home on a test bench than in a computer showroom. The box is heavy-gauge metal and the components look like they mean business.

Like the all-in-one transportable Oshorne I, the Kaypro II is a fully configured system. It includes a Z80 8-bit microprocessor and a series of applications programs to complete this system. These applications include a spreadsheet, word-processing, and business BASIC programming language, plus the CP/M operating system. Its 64K of user memory lets the user take advantage of those sophisticated packages.

This system takes advantage of a disk operating system from the start as it includes two single-sided, double-density 190K 51/4-inch minifloppy disk drives

The Kaypro II features a standard, sloped typewriter-like keyboard with 72 keys, and a 14-key numeric pad plus programmable keys. The keys make a telltale beeping sound as you

Input/output is handled by a standard serial and a standard parallel port. Display output is handled by a 9-inch monochrome CRT. This is rapidly becoming the standard size in the transport-

There's also another Kaypro model in this field, the Kaypro IV, whose price puts it just at the top limit of this category. The

| Memory/Storage | Keyboard | 1/0 | Display | Comments |
|--------------------------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------|--------------------------------------------------|
| 16K/2 floppy disk drives | 62 keys, help key, 4 special function | 1 serial, 2 controller, ex- pansion connector/ interface module | built-in video output sup- ports 256 colors, 40 × 24 text | 2nd floppy disk drive |
| 144K/1 256K 5 1/4" floppy drive | 87 keys, 10 program- mable, numeric keypad | 1 serial, 1 parallel | 80 × 24 text mode ca- pability/16 colors | 64K, disk drive |
| 24K _. | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus/1 serial | 1-line × 26-character liq- uid crystal display/color TV adapter | serial port |
| 64K cassette, 32K RAM cartridges | 89 keys, 8 special funct. | 1 serial, 1 parallel | 8-line by 40-char. liquid crystal display | liquid crystal display, 32K RAM cartridge |
| 64K/2 368K DS/DD 5 1/4" floppy drives | 75 keys, 16 special func- tion, 17-key keypad | 2 serial | 9-inch CRT/640 × 240 graphics/80 × 24 text | 2nd drive |
| 64K/1 5 1/4" floppy disk drive | 83 keys, 10 function, nu- meric keypad | 1 serial | 12-inch monochrome CRT | kit form of Explorer/88-PC with drive and boards |
| 48K/2 5 1/4" floppy disk drives | 84 keys, 12-key keypad | 3 serial, 1 parallel | white monochrome dis- play/80 × 25 text mode | 2nd drive |
| 64K/cassette interface | 63-key typewriter, 2 programmable | 1 parallel, game control- ler | 12-inch monochrome CRT/80-column card/80 × 24 text mode | parallel port added |
| 24K/cassette recorder | 61 keys, multifunction | general purpose I/O port | 32 character one-line LCD | general purpose I/O port added |
| 48K/1 184K 5 1/4" floppy drive | 64 keys, 12-key keypad | 1 parallel, 1 serial | 12-inch monochrome/64 (32) × 16 text mode | serial port |
| 64K/2 256K 5 ¼" floppy disk drives | 71 keys, 10 program- mable, built-in joystick | 1 serial, 1 parallel | 256 × 192 resolution, 16 colors, television used as display | 2nd drive |
| 48K/2 5 1/4" floppy disk drives | 84 keys, 12-key keypad | 3 serial, 1 parallel | green monochrome dis- play/80 × 25 text mode | 2nd drive |
| 128K/cassette interface | 72 keys, 16-key keypad | 1 serial, 1 parallel | 12-inch high-res. mono- chrome/80 × 25 text mode | basic system |
| 64K/2 200K 51/4" tloppy drives | standard | 1 serial | monochrome CRT | second SS/DD drive added |
| 96K/cassette interface | standard, numeric keypad | 1 serial | 12-inch monochrome CRT/80 × 25 text mode | basic system |
| 64K/2 204K 5 1/4" floppy drives | 57 keys, 12-key keypad | 1 serial, 1 IEEE-488, modem, external video connector | 5 ½" monochrome CRT/52 × 24 text mode | disks now DS/DD |
| 128K/2 160K SS/DD 5 1/4" floppy drives | 83 keys, 10 function, 17- key keypad | 1 serial, 1 parallel | 9-inch monochrome/80 × 24 text/640 × 200 graph- ics | basic system |
| 128K/1 5 ¼" floppy disk drive | 72 keys, 12-key keypad | 1 serial, 1 parallel, game controller | 80 (40) × 24/280 × 192 graphic capability | basic system |
| 64K/2 280K DS/DD 5 1/4" drives | 89 keys, 8 special func- tion | 1 parallel, 1 serial | 8 lines × 40 characters, LCD | 2 drives added |
| 96K/cassette interface | 73 keys, 11-key keypad | 1 parallel, 1 serial | 480 × 192 color ca- pability/62 × 16 text mode | basic system |
| 64K/2 5 1/4" DS/DD drives | 72 keys, 14-key keypad, 20 programmable | | 9-inch monochrome monitor, 80 × 25 character | DS/DD drives |
| 64K/2 390K 5 1/4" floppy drives | 75 keys | 2 serial, 2 parallel | 12-inch monochrome/80 × 25 text mode | 2nd drive added |
| 64K/1 328K DS/DD 5 1/2" floppy drive | 55 keys, 5 program- mable, 10-key keypad | 1 parallel, 1 serial | 12-inch monochrome/ 80 × 25 text mode | basic system |
| 64K/1 320K 51/4" drive | 105 keys | 2 serial, 1 parallel | optional | basic system |
| 128K/cassette interface/ disk interface | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch monochrome CRT/80 × 25 text | 8086 co-processor, 64K,= high-res CRT |
| 64K/2 184K 5 1/4" floppy disk drives | 70 keys, 3 program- mable, keypad | 1 parallel | 12-inch monochrome | 2nd drive added |

Kaypro IV is essentially the same machine as the II, but with much greater memory. The amount of storage on the IV is upgraded to 800K by changing to two double-sided, double-density 5½-inch minifloppy drives. It, too, comes with all the basic software one could need for serious computing as soon as the box is opened.

Osborne

The Osborne I is the machine that launched the transportable/portable computer market. When it was introduced in 1981, it was a daring gamble. How, people asked, could the company include software, dual disk drives, and a monitor in a portable package and still remain in business? After all, it was reasoned at

the time, the software cost as much as the system itself. But, Osborne did it and established a new segment of the microcomputer market.

What does this package include? For starters, there's 64K of user memory, enough to use the sophisticated software packages included with this system efficiently. Further, the system includes two 102K single-sided 51/4-inch floppy disk drives and a full keyboard with 57 keys and a separate numeric keypad.

Perhaps its prime drawback is the size of its screen. At 5.5 inches, it is one of the smallest video displays on the market. Although it is a high-resolution affair, the display is limited to 52 characters by 24 lines; and, the size of the display makes the letters somewhat hard to see at times. However, a user should

soon become acclimated to this display and it should be easy to use.

It runs under the industry-standard CP/M operating system, so a user can have access to the wide range of packaged software available. Interestingly, this unit includes one serial port, that can be used with either a printer or modem, and an IEEE-488 port. This port, serial in nature, is extensively used in the scientific computing environment and allows the Osborne to interface with a wide variety of peripherals.

You don't have to tie up the serial port with a modem, though, because a modem is included with the *Osborne 1*, so the serial port can be used with a printer. The Osborne system upgrades once in this category as the disks are upgraded so they can accomodate a total of 400K of storage.

Eagle

A newcomer to the microcomputer field, Eagle Computers has three entries in this price category, the Eagle IIE-1, Eagle IIE-2 and the Eagle PC-E.

The Eagle IIE-I is another of the many Z80A-based systems on the microcomputer market. This is important to the user looking for a wide base of existing applications software because the 8-bit Z80A, and the CP/M operating system that works with it, have a wide variety of software available. This software will fill just about any need a user might have.

This system can take advantage of CP/M from the start because it includes one 390K double-sided, double-density disk as standard. And, any time a system includes a disk, it needs a disk operating system to work correctly. The system also has more than enough user memory—64K—to take advantage of the sophisticated programs available on the market.

Input/output is aided by including two standard serial ports and two standard parallel ports. This means this machine can interface with a wide variety of peripherals.

The standard 12-inch monochrome display handles the industry-standard 80-by 25-line display, thus fulfilling the needs of users who have a great deal of serious data or word-processing work to attend to.

The *Eagle IIE-2* is essentially an upgraded *IIE-1* system. In this version, a second drive is added.

The Eagle PC-E represents another trend in the microcomputer field, the trend toward IBM Personal Computer workalikes and lookalikes. Under this trend, competing computer manufacturers are trying to build systems that operate as closely to the IBM as possible. The reason the manufacturers are taking this tack is because of the popularity of the IBM system and because of the wide software base that is rapidly building for that system.

Like the IBM, the Eagle PC-E is driven by a 16-bit 8088 microprocessor. It features 64K of user memory, about the minimum needed in this type of system for efficient perfor-



MORROW DESIGNS MICRO DECISION MD1 is a CP/M machine that includes bundled software.

mance. (Where 8-bit systems get along with 64K easily, 16-bit systems like a minimum of 64K, with 128K preferred, to promote efficient operation. This is because the programming is more complex.)

Running under CP/M-86 (the 16-bit version of CP/M), MS-DOS—the system used by the IBM-PC—is available as an option. The Eagle system is able to use a disk operating system because it comes with one 390K double-sided, double-density 5½-inch minifloppy disk drive for storage. Output is provded by two standard serial ports and one parallel port. The user has the option of choosing a video-display device.

Docutel/Olivetti

Long a name in the office-equipment field, Olivetti introduced its M207 microcomputer system more than a year ago. It is one of the few systems marketed that uses the 16-bit Z8001 microprocessor, something the potential buyer of this system should recognize.

Currently there is little likelihood a wide software base will develop rapidly, unless other manufacturers take advantage of this microprocessor. This means the user will be limited to those packages offered by the manufacturer and to the support the manufacturer offers.

The buyer who opts for this system will find that it offers plenty of potential power. Standard user memory is 128K, or about twice the amount offered by most small computer systems, and this means the system can handle sophisticated tasks.

What limits this system in this price category is the fact that storage is via cassette. Cassettes, while they can offer nearly 500K of storage, are much slower than disk-based storage systems and, unless the system can act randomly by reading the tape back and forth, it is limited to slower serial—one file after another—operation.

The typewriter-style 72-key keyboard and 16-key pad allow quick data or numeric entry and input/output is aided with standard serial and parallel ports. The 12-inch monochrome display is a high-resolution unit, with an 80-character by 25-line text display and respectable graphics.

Seequa

A newcomer to the transportable microcomputer market, Seequa's *Chameleon* is an IBM *PC*-compatible unit, with a difference; it uses two CPU's, an 8-bit Z80A and a 16-bit 8088. This feature alone offers the user the best of two worlds, CP/M and MS-DOS. CP/M is the standard operating system of the 8-bit microcomputer world, while MS-DOS is rapidly becoming the standard operating system of the 16-bit world. This system can also run the alternative 16-bit system, CP/M-86.

Because the *Chameleon* gives the user access to either processor, he has the option of running any of the many programs that exist in both microcomputer segments. Its 128K of user memory also gives the user enough memory space to take advantage of those programs. With its 9-inch monochrome display, 80-character by 24-line text mode or a 640- by 200-dot graphics mode, the *Chameleon* delivers a high-resolution video output.

Input is aided by an 83-key keyboard and a 17-key keypad. Like the IBM PC, the microcomputer has 10 function keys. Unlike the PC, the Chameleon has standard serial and parallel input and output ports. The IBM-PC's are extra-cost add-ons. Programmable in a variety of high-level languages, this microcomputer, including two 160K single-sided, double-density drives as standard equipment, is a unit that can be used in a home or business environment.

Albert

Another newcomer to the microcomputer market is the Albert. An Apple IIe-compatible system, the Albert includes 64K of RAM and two 51/4-inch minifloppy disk drives. Because it has disk drives, it needs an operating system and it uses Apple's.

Its 59 typewriter-style keys and five special-function keys

make short work of data input, while output is handled by standard serial and parallel ports. It has RGB output and it can display up to 256 colors, and its text-display capability includes either 40 or 80 characters-per-line.

Sumicom

Sumicom, another newcomer to the small-computer system world, is another manufacturer that has chosen to take the IBM-workalike route with its *System 330*. Driven by a 16-bit 8088 CPU, this system has 128K of user memory.

With a 95-key keyboard that includes 8 special-function keys, data or word-processing input should be easy. A parallel interface is included in the basic configuration.

LNW

LNW Research is offering another of the many Z80A-based systems on the market. As with other 8-bit Z80A systems, the user has access to a wide variety of programming when disk drives are added to the configuration. However, in this price category, the user will have to content himself with a cassette recorder for data storage. The LNW80 Model 2 comes with 96K of RAM standard.

Keyboard input is via a keyboard having 73 keys and an 11-key numeric keypad, while output is handled by standard serial or parallel ports. The monochrome display provides 80-characters by 25-lines of text.

Cromemco

Long associated with the microcomputer industry, Cromemco has an offering in this price category, the single-user C-10 system. This is an 8-bit Z80A microprocessor-based system. It is programmable in several high-level languages.

Its 64K of standard memory and its standard 390K 5¼-inch minifloppy disk drive provide the basics for a very powerful system. This means he can take advantage of the CP/M operating system and the wide variety of programs available that run under it. Input is handled via a 57-key keyboard while output is handled either via a standard parallel or serial port. Its 12-inch monochrome monitor displays a standard 80-character by 25-line text or high-resolution graphics.

Franklin

Although this Apple-compatible computer manufacturer has only been in the microcomputer field for less than two years, it has already gathered a fine reputation and has built a rather wide product line. Two of those products make their debut in this price category.

The first is the *Ace Professional*, a business-oriented system, based on the Apple-compatible *Ace 1000*. It is driven by the same 8-bit 6502 microprocessor, and is programmable in BAS-



THE KAYPRO II from Non-Linear Systems is one of the most popular transportable computers.



IC, and shares many of the same attributes of the Ace 1000. However, this model differs in that it includes a standard 5½-inch minifloppy disk drive for mass storage, an 80-column card, as well as some standard applications software. Since this system runs under an Apple-compatible operating system, it is able to take advantage of the many programs available. The keyboard is a typewriter-style affair with 72 keys and a 12-key numeric keypad.

Also in this price category, the basic *Ace 1000* system can be upgraded with the *Ace 1100* integral disk drive and housing. Of course, that raises the price of the system.

The other new system here is the top-of-the-line *Ace 1200* which offers the user a way to enjoy the best of two worlds: Apple and CP/M. Unlike other dual-processor machines on the market, that combine either two Z80's for speed or a Z80 and an 8086/88 microprocessor for access to both the 8 and 16-bit worlds of software, the *Ace 1200* combines a 6502 and a Z80. This gives the user the option of running either Applecompatible software or CP/M-compatible software.

Since it is the top-of-the-line, you would expect it to have other features that the other models don't offer and it does. The *Ace 1200* comes with a standard 128K of user memory and a built-in 5½-inch minifloppy disk drive for storage. It also features the same keyboard as the other machines in the *Ace* line, but adds standard serial and parallel ports to its configuration and its display output capability is 80 columns for CP/M; forty columns for Apple programs.

Hewlett-Packard

A new Hewlett-Packard system makes its appearance in this category, the first of this manufacturer's full-blown *HP86A*. In this price level, the system is just the basic unit and includes one parallel port. It has a 59-key keyboard, 20-key keypad and special-function keys and is programmable in several high-level languages, including BASIC.

Another of H-P's handheld systems, the HP75C, continues to become much more powerful in this price category. In its first upgrade, the user memory increases to 24K, enough to handle sophisticated routines in the field. In its second upgrade, a general-purpose I/O port is added. Don't unerestimate the importance of this second upgrade. With this port, the HP75C can now interface with a variety of peripherals and can become the heart of a very powerful portable system.

Commodore

As we have seen in the other price categories, Commodore Business Machines is a microcomputer manufacturer with a broad line, and its machines make their debuts in several price categories. This classification is no exception as CBM introduces the *SuperPET*, a dual-processor model driven by 8-bit 6502 and 6809 microprocessors.

The SuperPET is the basis of a powerful dual-processor development system and comes with 96K of memory as stan-

dard. Also standard, is the 12-inch monochrome display, that delivers an 80-characters by 25-lines text display. At this level, the speed of this system is somewhat limited by the need for cassette storage. But, this changes in other price categories as disk drives are added.

Its keyboard is a standard typewriter-type unit and it has a separate numeric keypad. This keyboard lets the user write programs in the high-level languages available for this machine. Those languages include: BASIC, COBOL, APL, Fortran, and Pascal.

Input/output is provided by a standard serial port a user can use to attach either a printer or a communications modem, should he have need of hard copy or communications ability.

The VIC-20 and 64 are still being manufactured in quantity. Versions are now available with two 5½-inch disc drives. This increases the effectiveness and flexibility of these units. When the VIC-20 is equipped with two drives it can handle both data and program disks simultaneously, and no longer is the user limited to using one disk to copy files. Instead, he can use two disks, and gain a manyfold increase in system speed and capability.

In the same way, a second disk drive is added to the Commodore 64.

Sanyo

The MBC 1000 is another of the many Z80A, 8-bit systems in the small-computer market and because it is, the system can take advantage of the CP/M operating system and the many programs available under it. The system comes with one standard 328K double-sided, double-density 51/4-inch minifloppy disk.

With 64K of standard user memory, this system can perform highly sophisticated tasks. Data input is facilitated by the 55-key keyboard, that includes five multifunction keys and a 10-key numeric pad. Input/output is aided by a standard serial port and a standard parallel port. The 12-inch monochrome display handles 80-characters by 25-lines of text.

Radio Shack

Radio Shack has three systems that upgrade in this price category—the *Color Computer*, *Model III*, and *Model 4*. The *Color Computer* becomes fully configured by adding a second disk drive.

The Model III upgrades twice. The first step is to add a 184K 51/4-inch minifloppy drive. The second upgrade gives this system a serial port.

The Model 4, a newly introduced unit, becomes even more powerful when a 184K minifloppy-disk drive is added. The second upgrade adds a second drive to this system.

Toshiba

The Toshiba *T100* lap computer upgrades in this price category. In the first upgrade, the *T100* goes portable and its usermemory area is expanded by adding nonvolatile RAM cartrages that hold their contents even when unplugged from the system.

Also, the T100 becomes configured with two 280K double-sided, double-density disk drives. This upgrade gives the user access to the CP/M operating system and the many programs that work under it. For the user who may not want to be limited to the liquid-crystal display, video monitors are available.

NEC

Both NEC systems, the *PC-6000* and *PC-8800*, include two upgrades. The first adds a green monochrome video display to the unit. This type of dedicated, high-resolution monitor lets the user take full advantage of the graphics capability of this or any other system, something a home television set can't match. The second upgrade shows you what happens to the price when the color monitor is added to the configuration.

The PC-8800 becomes a more powerful unit when we add the 8086 16-bit card. This gives the user the option of taking advantage of the rapidly growing variety of 16-bit programs. In later stages, as disks are added, the user can take advantage of

either the world of CP/M or MS-DOS and the many programs available that run under those systems.

Apple

In its first upgrade, the Apple *IIe* becomes more versatile when the screen enhancement card (80-column) and a video monitor are added. These changes, alone, give the user the advantage of the graphics capability of this system, plus letting the system handle serious word-processing or data processing chores.

The second upgrade gives this system output capabilities by adding a parallel printer port. Now the user can have hard copy backups of the material he is working on.

Atari

Two Atari systems upgrade in this price category, the 1200XL and the 600XL. The 1200XL's upgrade adds a second disk drive. The 600XL also receives a second floppy disk drive.

Panasonic

The HHC series, (H1400 and H1800), of handheld minimicrocomputers become true systems in this price category with the added color display adapter. It can be used to interface with a color television, and a serial port.

Heath

The Heath HS-89-2(3) system reaches its full configuration in this price category by adding a second drive.

Since it is a kit, the HC-89-2(3) system is a good learning experience for the potential computer user who wants to know his system inside and out.

Spectravideo

The SV-318 system becomes fully configured in this price category and its first upgrade adds a 256K 5½-inch minifloppy disk drive. This gives the user a manyfold increase in data access and retrieval time. Adding a second drive, also in this price category, makes this system even more versatile.

For the SV-328, the user gains more memory area and a disk drive for storage, thus increasing this system's versatility.

Netronics

By adding a disk drive, disk-drive controller and operating system, the *Explorer*/85, an 8085-based small-computer becomes much more powerful. It now has disk storage and speed, and it can access and use the many programs that run under its operating system.

The new Netronics system, the Explorer/88-PC, (also a kit) is a fully configured system at this point. The user who does take the time to put the kit together will be rewarded with an intimate understanding of an IBM-compatible microcomputer system.

Texas Instruments

By this time in the price categories, the Texas Instruments *TI-99/4A* is becoming a very powerful system. Not only is it driven by a 16-bit microprocessor, but it now has a disk drive for mass storage; it is now a far cry from the low-cost unit that was introduced in our first price category.

Sony

At this point in the SMC-70's price path, it gains a serial interface for output. The RGB/composite video/RF-modulator gives the user several choices for video output.

TeleVideo

The transportable *Teletote* gains even more versatility when a second disk drive is added. This frees the user from the restriction of being tied to using only one drive.

Casio

The X-9000P becomes more versatile and able to perform more sophisticated tasks by adding 16K of RAM.







The computer becomes more business-like than personal as we cross the \$2000 mark.

\$2000 to \$2500

MARC STERN

IF THERE IS ANY LINE OF DEMARCATION IN THE SMALL-computer world, we have reached it, the \$2000 barrier. Many of the systems that had their origins in the low-cost regions of the microcomputer marketplace, have, by now, reached their full configurations and those that continue in our charts become more and more oriented toward business, rather than home use, because of the powerful levels they attain.

Because of this you will find the systems that join our listings now are much more fully configured right out of the box. It's the usual practice in the industry to include at least one disk drive as standard equipment in this pricing level and to include at least 64K or more of user memory. And on those systems where disks are included as standard, the disk-operating system is also a standard or reasonable-cost option.

It's also an important line of demarcation in the type of microprocessor unit driving the system we will be discussing. In the \$2000 region, it seems that more and more of the systems are using standard 16-bit microprocessors, as opposed to 8-bit CPU's. This stands in marked contrast to a year ago when the majority of systems on the market were 8-bit systems.

Why is the industry moving toward the 16-bit CPU? The most obvious reason is because IBM has chosen to market a 16-bit microcomputer and the rest of the industry is moving to cash in on the market created by that move. But another, not so obvious reason, is because the 16-bit CPU allows small-computer systems to achieve true power. They can handle applications that, a few years ago, were limited only to mainframe and powerful minicomputers. In fact, the 16-bit microprocessors now on the market and those planned for the near future blur the distinction

between the minicomputer—a more powerful, businessoriented system—and the microcomputer.

So, as we cross the line of demarcation, we find 12 new systems joining the microcomputer field. Some of them are from companies whose names are already mentioned in earlier price categories, while others are new to the field.

Let's begin our look at this price category with those systems from the new manufacturers, moving on to those from established firms, and wrap it up with a look at some of the systems that have upgraded.

Access Matrix

Access Matrix Corp. is a new entrant to the microcomputer market and its product, the *Access*, is a full-featured transportable computer, based on the near-standard 8-bit Z80A CPU. With this CPU and the features this small-computer packs, a user needs little more to fulfill his computing needs.

For starters, the *Access* includes two standard 184K singlesided, double-density minifloppy disk drives for storage and 64K of RAM. With this combination, the user has access to the wide variety of ready-to-run programs available under the CP/M operating system, which is another 8-bit industry standard.

Programmable in BASIC, this unit features a typewriter-style keyboard, that has 62 keys, 15 special-function keys and a 15-key numeric keypad. Input/output is provided by standard serial and parallel ports.

The 7-inch built-in amber CRT display is capable of an 80-character by 24-line text mode, which is important for serious word-processing or data entry.

CPU

6502

6502

6502A

6502

Z80A

6502

Z80A-compatible

Not announced

Not announced

Z80A-compatible

8085/8088

Word Length

8-bit

8-bit

8-bit

8-bit

8-bit

8-bit

8-bit

8-bit

8/16-bit

Operating System

Apple DOS 3.3

Apple DOS 3.3

Proprietary, CP/M-compatible

Proprietary

compatible

N/A

N/A

N/A

SNAP

N/A

SNAP

Languages

BASIC, Pascal, FORTRAN

BASIC, Pascal, FORTRAN

BASIC

BASIC

BASIC

BASIC

BASIC

BASIC

BASIC

BASIC

BASIC

Price

\$2015

\$2044

\$2090

\$2091

\$2129

\$2144

\$2160

\$2185

\$2191

\$2197

\$2199

TABLE 1-\$2000-\$2500

Franklin Computer Corp.

Franklin Computer Corp.

NEC Home Electronics

Model

FX-9000P

Ace 1000

HP86A

H1400

Apple lie

HP75C

M23P

H1800

PC-8800

HS-100-31

Ace Professional

Manufacturer

Hewlett-Packard

Apple Computer

Hewlett-Packard

Sord Computer

Panasonic Co.

Heath Company

Panasonic Co.

Casio, Inc.

| | Memory/Storage | Keyboard | I/O | Display | Comments |
|---|------------------------------------------------------------|--------------------------------------------------------------|----------------------------------------------------------------------------|-----------------------------------------------------------------------|----------------------------------------------------------------|
| | 32K/cassette interface | 67 keys, 16-key keypad | | 5.5-inch, 32 × 16 mono- chrome, 256 × 128 graphics | 28K RAM |
| | 64K/2 5 ¼" floppy disk drives | 72 keys, 12-key keypad | game controller | $40 \times 24/280 \times 192$ graphic capability | 2nd floppy disk drive |
| Ī | 64K | 59 keys, 20-key keypad, 14 special function | 1 parallel | 9" monochrome CRT, 80 × 25 text | monochrome CRT |
| | 22K/cassette interface | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus/1 serial/ modem | 1-line × 26-character liq- uid crystal display/color TV adapter | modem/cassette interface |
| | 64K/cassette interface | 63-key typewriter, 2 programmable | 1 parallel, 1 serial, game controller | 12-inch monochrome CRT/80-column card/80 × 24 text mode | seri a l port |
| ī | 64K/2 5 ¼" floppy disk drives | 72 keys, 12-key keypad | game controller | 40 × 24/280 × 192 graphic capability | 2nd drive |
| | 24K/cassette recorder | 61 keys, multifunction | general purpose I/O port | 32 character one-line LCD/ video interface | video interface |
| | 128K/290K microfloppy drives | 60 keys, 20-key keypad, 9 special function | 2 serial, 1 parallel | | basic system |
| | 24K/cassette interface | 65 calculator keys in typewriter arrangement, redefinable | input/output adapter/ex- pansion bus/1 serial | 1-line × 26-character liq- uid crystal display/color TV adapter | modem/cassette interface |
| | 64K/cassette interface/disk interface | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch color CRT/640 × 400 res./ 80 × 25 text | color display |
| | 192K/1 320K DS/DD 5 1/4" floppy disk drive | 60 keys, 14 function keys, 18-key keypad | 2 serial, 1 parallel | monochrome | basic version, includes 1 drive |
| | 192K/ 1 640K DS/DD 5 1/4" drive | 67 keys, 18 special func- tion, 10 edit, 18-key keypad | 1 parallel, 1 serial | | basic system |
| | 192K/2 160K SS/DD 5 1/4" floppy disk drives | 83 keys, 10 function, 17- key keypad | 1 serial, 1 parallel | 9-inch monochrome/80 × 24 text/640 × 200 graph- ics/RGB output | user memory expands to 192K, RGB output card add- ed |
| | 144K/2 256K 5 1/4" floppy drives | 87 keys, 10 program- mable, numeric keypad | 1 serial, 1 parallel | 80 × 24 text mode ca- pability/16 colors | 2nd drive |
| | 64K/2 8" floppy disk drives | 56 keys | N/A | 12-inch monochrome CRT | second disk drive |
| | 48K/2 floppy disk drives | standard | 1 serial, 1 parallel HEX- BUS expansion unit, pe- ripheral interface | 16 colors | 2nd disk drive |
| Ī | 48K/2 184K 5 1/4" floppy disk drives | 64 keys, 12-key keypad | 1 parallel, 1 serial | 12-inch monochrome/64 (32) × 16 text mode | serial port, second drive |
| | 64K/dual 5 1/4" floppy disk drives | standard, numeric key- keypad | 1 serial | integral display | standard 12-inch mono- chrome display; dual drives added |
| | 64K/2 5 1/4" floppy disk drives | 72 keys, 12-key keypad | game controller | 40 × 24/280 × 192 graphic capability | |
| | 192K/1 320K DS DD 5 1/4" floppy disk drive | 60 keys, 14 function keys, 18-key keypad | 2 serial, 1 parallel | monochrome version | basic system |
| | 128K/2 290K microfloppy disk drives | 60 keys, 20-key keypad, 9 special function | 2 serial, 1 parallel | 12-inch green CRT | CRT added |
| | 256K/2 160K SS/DD 5 1/4" floppy disk drives | 83 keys, 10 function, 17- key keypad | 1 serial | 9-inch monochrome/80 × 24 text/640 × 200 graphics/RGB output | user memory expands to 256K |
| | 64K/2 320K 5 ¼" floppy disk drives | standard | 1 serial, 1 parallel | monochrome CRT | drive capacity increases with DS/DD drives |
| ī | 24K/cassette recorder | 61 keys, multifunction | general purpose I/O port | 32 character one-line LCD/9" 80 × 25 CRT | CRT added |
| | 64K/1 640K slim line DS/ DD floppy disk drive | 50 keys, 15 program- mable, 18-key keypad | 1 parallel, 1 serial | 12-inch monochrome/80 × 25 text/640 × 400 graphics | higher-density disk drives |
| | 64K/2 102K 5 1/4" floppy disk drives | 57 keys, 12-key keypad | 1 serial, 1 parallel | 7-inch monochrome (amber)/80 × 24 text mode | basic system |
| | 64K/2 184K SS/DD floppy disk drives | 62 keys, 15 special func- tion, 15-key keypad | 2 serial, 1 parallel, 1 IEEE-488 | 7-inch monochrome (amber)/80 × 25 text mode | full-featured transportable computer |
| | 64K/2 350K DS/DD 5 1/4" floppy disk drives | 62 keys, 18-key keypad | 2 serial | 12-inch monochrome/80 × 24 text mode | |
| | Not announced/2 640K DS/DD 5 1/4" floppy disk drives | standard | The Hall | monochrome display/80 × 25 text mode | basic system |
| | 128K/1 140K SS/DD 5 1/4" floppy disk drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler | 280 × 192/560 × 192 graphics capability/80 × 24 text | basic system |
| | 64K/2 368K 5 1/4" DS/DD floppy disk drives | 72 keys, 16 program- mable, 17-key keypad | 2 serial | 14-inch monochrome/80 × 25 text | basic system |
| | 192K/1 640K DS/DD 5 1/4" drive | 67 keys, 18 special funct., 10 edit, 18-key keypad | 1 parallel, 1 serial | 80 × 25 monochrome | display added |

Intertec Data Systems

Although Intertec is a long-time veteran of the microcomputer wars, few consumers have probably heard of its products. The prime reason for this is that it has addressed the business market.

In this price category, we find one of its several products, the *Superbrain II Jr.*, another of the 8-bit systems on the market using the Z80A as the CPU.

However, the Superbrain II Jr. departs from standard philosophy in its use of dual processors. Although there are several systems on the market today with two mircroprocessors, the chances are very good that one will be an 8-bit device, while the other is a 16-bit device. This gives the user access to the established base of 8-bit software and the rapidly growing base of 16-bit software. The Superbrain II Jr., on the other hand, uses dual 8-bit processors for speed. While one is busy handling the processing (computing) chores, the other is handling house-keeping functions, such as keyboard input and screen output. That is a way to achieve faster throughput.

The Superbrain II Jr., is an all-in-one unit, with dual 350K double-sided, double-density minifloppy-disk drives, 64K RAM, and runs CP/M.

Programmable in high-level Fortran or BASIC, this unit features a 62-key typewriter-style keyboard with an 18-key numeric keypad. Two serial ports are also included.

Video output is via a built-in 12-inch monochrome display unit, capable of 80-characters by 24-lines in the text mode.

Canon

If the inclusion of the name Canon in a computer hardware supplement startles you, it shouldn't. The reason is Canon is not only big in the camera field, but also in the office-equipment field. And because it is, its development of a microcomputer system isn't really any surprise. The AS100 is a new system and like many other machines on the market, it is an IBM-workalike. It runs under MS-DOS, although Canon is also hedging its bet by providing access to CP/M-86, the 16-bit version of the CP/M operating system. This second option gives the user access to many programs that run under this operating system and, if the market swings in its direction, then the user also has this advantage, too.

That it can use an operating system indicates that this system has floppy disk drives, and it does. Canon provides the user with two 640K minifloppy disk drives for mass storage and retrieval.

Programmable in BASIC and COBOL, the AS100 has a typewriter-style keyboard for data input. Data is output to an 80-character by 25-line monochrome display, which is the standard for serious data or word-processing work.

Apple

Although Apple's name has appeared before, it has a new system appearing in this category, the *Apple III*, a more powerful, business-oriented system than other Apple offerings.

The Apple III system has twice the RAM of the Apple IIe with 128K and it features a standard 140K single-sided, double-density minifloppy disk drive for storage.

A sophisticated system, the Apple III's operating system is also more sophisticated. Called Apple SOS, it allows the user access to not only the software written to operate under it, but the existing base of software written for other Apple computers.

Yet, despite its sophistication, the Apple III is driven by the same 6502 8-bit microprocessor that drives the other members of the Apple family. Its keyboard is a standard typewriter-like affair with 61 keys, two programmable keys and a 17-key keypad. (It was quite an improvement over the old Apple II and Apple II-Plus keyboard.)

This system also differs from the rest of the Apple lineup in two other key areas. It is provided with a standard serial port and it has a standard 80-column display capability. (Other members of the family require add-on video cards to provide this function.) This display capability also can be used to generate up to 560- by 192-dot graphics. The actual display device is a user

option.

The Apple IIe becomes more flexibile in its input/output capabilities here with the addition of a serial port.

Heath

Heath Co. has two kits that debut in this price spectrum, both of which give the user an inside-out knowledge of his microcomputer system, the *HS-100-31* and the *HSA-120-31*. Both microcomputers are kit versions of the Zenith *Z-100* series of 8/16-bit computer systems. About the only real difference between the two systems is that the *HS-100-31* is the low-profile version—no monitor included—and the *HSA-120-31* is the all-in-one unit—monitor, keyboard, and system unit in one box. With this in mind, what follows will apply to both.

Driven by a dual 8085/8088 processor set, this series has access to the world of 8- and 16-bit programs and, although it seems like an IBM-workalike, it doesn't run under MS-DOS. Instead, it runs under the proprietary Zenith Disk Operating System—ZDOS.

A 320K double-sided, double-density floppy is built into its standard configuration that includes 192K RAM.

Programmable in BASIC, that unit features a 60-key key-board that includes 14 function keys and an 18-key keypad.

About the only remaining differences between the two systems is that the all-in-one *HSA-120* has two serial ports and one parallel port, while the *HS-100* has one serial and one parallel; and, the *HSA-120* has a standard monochrome video display, while the *HS-100* leaves it to the user's option.

Toshiba

Toshiba has another system which debuts in this price category, the *T300*, another IBM-workalike.

Driven by a 16-bit 8088 CPU, the T300 provides the user with 192K of standard memory. A standard 640K 51/4-inch minifloppy disk drive is provided for data storage and retrieval.

Programmable in several high-level languages, data is entered via a typewriter-style keyboard with 67 keys. The keyboard also includes 18 special-function keys, 10 editing keys, and an 18-key numeric keypad.

Equipped with standard serial and parallel ports—extra-cost options on the IBM *PC*—the *T300* is a flexible unit. It upgrades once in this category. That upgrade provides the user with an 80-character by 25-line video display monitor. In its first configuration, that device is left to the user's option.

Sord

Another Z80A-based system debuts in this manufacturer's lineup, the M23P with 128K of RAM as standard. The Z80 CPU gives you access to the world of CP/M.

In a departure from usual practice, the M23P is equipped with a microfloppy-disk drive capable of holding 290K of data. Very few manufacturers now offer this type of drive and there is an ongoing controversy about standardization.

Sporting a typewriter-style keyboard with a 20-key pad, 60 keys and 9 special-function keys, the M23P relies on this device for input, either in the high-level programming languages this system recognizes or word-processing applications.

An almost fully configured system, it includes an input/output adapter, expansion bus, and a serial port. This system also upgrades once in this category with the addition of a 12-inch green monochrome video display device.

TeleVideo

Another single-user system from TeleVideo makes its appearance in this price category, the TS 803.

Driven by an 8-bit Z80A microprocessor unit, the modular TS 803 runs the industry-standard CP/M operating system. The computer includes dual 368K double-sided, double-density minifloppy disk drives for storage.

Programmable in the high-level COBOL language, the TS 803 is aimed primarily at the business community and its level of

standard features, such as 64K of user memory and two standard serial communications ports, indicates this.

Equipped with a typewriter-style keyboard containing 72 keys, 16 programmable keys and a 17-key numeric keypad, the TS 803 also features a standard 14-inch monochrome CRT that is capable of 80-characters by 25-lines of display.

Osborne

Osborne Computer Corp. is the firm that kicked off the portable-computer revolution and it has a new offering that debuts in this price spectrum, the Executive.

Although based on its Osborne I-described elsewhere in this

supplement—the Executive is substantially upgraded

Still driven by the same 8-bit Z80A CPU, the Executive has dual single-sided, double-density disk drives, rather than the single-density drives of the Osborne I.

It also sports the same 62-key detachable keyboard, but its input/output capabilities have been upgraded with the addition of a second serial port and a parallel port for a printer.

Further, the video display has been upgraded to a 7-inch amber monochrome unit, capable of an 80-character by 24-line

text display

The most important improvement in this system is the ability of it to recognize a variety of disk formats and its capability of reading files generated on those systems. This means it can be used with a variety of desktop office-based systems and files can be transported.

Sanyo

Sanyo's MBC 1200 upgrades in this price segment. Driven by dual Z80A 8-bit CPU's, the MBC 1200 relies on one of those devices for information processing, while the other handles the housekeeping chores. In this version, the MBC 1200 has more storage capacity with the addition of a higher-density half-height 640K minifloppy disk drive.

The last new system that debuts in this category is the Morrow MD3 Business Computer, a full-featured small-business computer. Like the others in the MD-series, this micro is driven by an 8-bit Z80A CPU. It comes equipped with 64K of user memory as standard.

Using the industry-standard CP/M operating system, the MD3 is sold with a powerful set of programs included in the price. These programs include the basic applications needed by a small business or serious home user and, in fact, may be all the user needs.

The MD3 has two 320K 51/4-inch minifloppy-disk drives for storage. It also has a standard typewriter-style detachable keyboard for user input. Input/output is further provided by two serial ports. This system features a monochrome monitor.

Franklin

Two Franklin systems upgrade in this price category, the Ace 1000 and the Ace Professional. These systems gain a second disk drive for greater storage and this, of course, raises the price of these devices.

Why is a second drive so important? It provides a manyfold increase in the flexibility of the system because the user is no longer limited to using just one disk for program and data loading. Instead, the program can be loaded and kept in one disk drive, while the other is used to house the data disk.

Panasonic

The HHC-series of handheld computers becomes even more fully configured with the addition of a modem/cassette interface. Now this system has become a true portable, capable of acting as a workstation in the field.

Hewlett-Packard

Another handheld system, the HP75C becomes fully configured with the addition of a monochrome video-display de-

vice. The importance of this upgrade to a handheld system can't be overestimated. The reason is the user is freed from the necessity of using a one-line liquid crystal display. Now he can see his input and the system's output in a more convenient

This upgrade wouldn't have been possible without the other upgrade that occurs in this segment, the addition of the video interface.

The same type of upgrade occurs to the HP86A microcomputer system. It has also received a monochrome display. The reason this is important is the user now gains far higher resolution by using a dedicated video device, rather than trying to use a home television with its resolution limitations.

Seegua

The dual-processor (Z80A, 8088) Chameleon upgrades twice in this price category. In its first upgrade, the buyer receives an increase in user memory to 192K. This gives it enough memory to handle most 8- or 16-bit program on the market. This expansion also gives it color graphics capability.

The second expansion brings user memory to 256K, which is becoming one of the standards of the IBM-workalike world. Yes, many of the IBM-workalikes do have less memory, but it seems that most of them are urging their buyers to upgrade memory to at least 256K.

Radio Shack

In this price category, the TRS-80 Model III reaches its full configuration with two drives and a serial port. This all-in-one system is a powerful unit in this configuration.

Commodore

The Pet 64, based on the Commodore 64 system, also becomes fully configured in this price category

The addition of dual floppy drives for data storage and access makes this a powerful system for either the business or home user.

Texas Instruments

Believe it or not, the low-cost TI-99/4A can become a highpowered home system and it does, indeed, have a version that appears in this price category

The addition of a second drive makes the TI-99/4A a system that can be used by either the serious home user or the small businessman who needs a small computer system. The second drive adds flexibility to the system.

Panasonic

Panasonic's PC-8800 series is still an 8-bit microcomputer at this point. Another upgrade or two will be needed to make it a dual-processor 8/16-bit machine. However, in this configuration a user should find it very powerful.

At this point, color graphics output capability is added to the PC-8800 system with the addition of a high-resolution, RGB video display device.

Spectravideo

At this point in the price categories, the SV-328 becomes fully configured. A second drive is added at this point, which provides the user added flexibility and makes this system a fullfeatured choice for the small business or home user.

Netronics

Another system that reaches its full configuration is the Explorer/85 from Netronics. This upgrade adds a second disk drive to its configuration that brings with it greater storage capability and far better system flexibility.

Casio

Still a very basic system, the Casio FX-9000P has its memory increased to 32K at this point. It still relies on a cassette recorder for storage.



A PRACTICAL DIGITAL **ELECTRONICS KIT FOR LESS THAN** Suitable for Beginners

Meet the challenges of today's incredibly rapid changes in electronics quickly and easily. This innovative kit is as exciting as the circuits you build and explore.

Learn the wonders of digital electronics and see how quickly you are designing your own circuits with the SUPERKIT which contains

Seven TTL integrated circuits, breadboard, LED's, and all the DIL switches, resistors, capacitors and other components to build interesting digital circuits; plus a very clear and thoroughly tested instruction manual. This course teaches Boolean logic, gating, R-S and J-K flipflops, shift registers ripple counters and half adders. You will learn about fault finding, improvisation and sub-system checking and the manual asks plenty of questions, but never leaves you stuck for an answer. You don't even need a soldering iron! Using the same breadboard you may construct literally millions of different circuits . \$39.95

Order one of our written Courses to complement VOUR SUPERKIT.

Digital Computer Logic & Electronics - An introduction to digital electronics designed specifically for the raw beginner. If you're just starting with Digital Electronics this is the Course for you\$13.95 DIGITAL COMPUTER DESIGN - A totally revised and updated Course using the programmed learning system. This book is not intended for beginners but is ideally suited to engineers, technicians and hobbvists who

TO ORDER BY MAIL

Just send your check or money order to the address below. Make sure you enclose your address and specify which Courses you are ordering. Payment must be in US Dollars drawn on major US Bank Mass. Residents add 5% sales tax Company Purchase Orders also accepted.

PHONE ORDERS - FREE

To order by phone call (617) 664-3657 with your credit card information. It won't cost you a dime, because we'll deduct the cost of the call from the cost of the Courses you order.

NO RISK GUARANTEE


There's absolutely no risk to you. If you're not completely satisfied, simply return your order within 30 days. We'll send you a full refund.

AIR MAIL

The prices shown include surface mail postage. For Airmail shipment please write for additional cost. specifying Courses to be ordered.

CAMBRIDGE LEARNING Inc.





P.O. BOX 307, North Reading, MA 01864

CIRCLE 35 ON FREE INFORMATION CARD

GET IBM-PC Capacity at a Fraction of IBM'S Price!

New NETRONICS 16 Bit EXPLORER 88-PC Kit Starts at Just \$399.95 - Accepts All IBM Peripherals. tt's true! Now you can enjoy the power of the 🗆 IBM compatible keyboard...\$299.95

Intel 8088—the same microprocessor which powers the IBM-PC—and run any program com-piled for the IBM-PC...starting at only \$399.95!

Take this easy, low cost way to learn 16-bit technology! Two-board system features:

1. 8088 mother board with 5-slot expansion

bus; accepts any hardware designed for IBM-PC; and

2. 64K memory board, expandable to 256K; with IBM compatible RS232 communicacations port.

Any disk-operating system which works on the IBM will work directly on the EXPLORER 88-PC, and all programs compiled for the IBM will run

The system monitor ROM included in the Starter system features a user friendly operating system that allows easy program generation and debugging. The commands include display/modify memory...display/modify registers...input/output data to 1/0 ports...block moves...single-step trace mode...gg/run with optional breakpoint and register reports...cassette load/save with file labels buls a compiler system test unoram labels...plus a complete system test program that tests and reports condition of ROM, RAM cassette interface, timer, DMA controller, interrupt controller, and the communications port. These test programs not only allow easy debug-ging of software but they serve as hardware and software learning tools.

The EXPLORER 88-PC STARTER KIT includes a mother board, memory/I/O board, all components mother loadin, memory/fiv loadin, an components needed, sockets for IC's used, one 62-jin bus connector and complete assembly/test instructions. All you need is a soldering iron, solder, a power supply, and a standard RS222 terminal (Netronics has 2 low-cost ones to choose from).

Explorer 88-PC Starter Kit...\$399.95 + 10.00 p&i (wired & tested, add \$100.00)

Extra 62-pin connectors at \$4.25 ea. + 1.00 p&i. to be your own terminal with the EXPLORER 88 PC or, if you plan to expand it to be fully IBM compatible, we offer our IBM compatible keyboard and an IBM compatible color graphics board

(only available wired and lested).

+ 10.00 p&i.

| BM compatible color board...\$299.95 + 10.00 p&i.

| Additional ROM required...\$35.00.

Set your own nace! Invest and learn, at the rate Set your own pace! Invest and learn, at the rate YOU want! Add to your EXPLORER 88-PC.

Oeluxe heavy duty steel cabinet that houses either two 5½" thoppies or a 5½" hard disk with one floopy. This cabinet features a brush-finish front panel and a wood-grained described.

EXPLORER 88-PC Cabinet...\$199.95 + 18 00 n&i

A heavy-duty open frame power supply with fan that can be used in your own cabi net or installed into the Netronics cabinet is available as follows:

available as follows:

10 amp power supply for system + 2 flopoles...S149,95 + 8.00 p&i.

As above + extra power for 1 hard disk...

S169.95 + 8.00 p&i.

IBM compatible disk controller board. Controls four 5½" floppy dives (w/2 drive cable). Available wired and tested only...

\$250.00 + 8.00 p&i.

S250.00 + 8.00 pgl.

Monitors and BIOS source listings: available on either disk or hard copy at \$35.00.

Please specify format and system required.

INTEL 8086/8088 user manual...\$15.00

THE 8086 BOOK by RECTOR & ALEX... \$16.00 + 1.50 p&i.



Special IBM compatible system: with key-board, color graphics board, floppy disk controller, 64K RAM, cabinet, standard power soubly and a single 54" lloppy drive... \$1899.95+ 25.00 p&i.

IBM compatible hard disks, built-in modern board, eprom burner, print buffer system plus more will be available shortly.

ilver 100 EXCLUSIVE Products and Kitsover 100 EXCLUSIVE Frouters and Kis— including the Speak Easy universal voice synthesizer, a Diagnostic card with built-in logic probe for the IBM-PC, terminals, moni-tors, the ELF and EXPLORER 85 computers. and much more, are described in our up-coming catalog. It's yours FREE if you check here



"p&i" stands for "postage and insurance"

CALL TOLL FREE 1-800-243-7428 for Charge Card Orders. In Conn., call 203-354-9375, Conn. res. add sales tax. TO ORDER 8Y MAIL, CHECK BOXES FOR PRODUCTS DESIRED AND MAIL ENTIRE AD TO:

METRONICS R&D LTD.

333 Litchfield Rd., New Milford, CT 06776

| Amount enclosed Acct. No. gnature | OR C | harge my □ VISA Exp. Oate | ☐ MASTERCARD |
|-----------------------------------|------|------------------------------|--------------|
| RINT NAME | | | |
| ddress | City | State | Zip |

Experience The Future With **ROBOTICS** AGE

Your Monthly Guide to Intelligent Machines

Intelligent machines have already become a part of our world, touching our lives daily in many ways. The future is unfolding with a wealth of ideas and information. Developments in robotics and intelligent machines are happening at an incredible pace. ROBOTICS AGE is your monthly source of tutorial and practical information about experimental robotics.

ROBOTICS AGE looks to this future with articles on walking machines, pneumatic systems design, low-cost vision systems for microcomputers and domestic robots. You'll find articles on the realities of industrial automation as well as the prospect of personal robotics in the home and office environments. Explore with us the intimate relationship between hardware and software engineering. A subscription to ROBOTICS AGE is your key to the fast-paced technology of robotics.

Don't miss out on a single issue. Subscribe today and have the next issue delivered to you. You can save by subscribing now at our subscription price of \$24 for the next twelve issues. That's a full one-third off the newsstand price for the same issues. And, if you include payment, you'll receive free a reprint of the article "ODEX I: The First Functionoid."

Send in your order to:

ROBOTICS AGE

174 Concord St Peterborough, NH 03458 Or give us a call at



| repri n t. | g 427.00 for 12 issue | ues plus the ODE) F |
|-----------------------------------|-----------------------|------------------------|
| Name | | |
| Address | | |
| Town/City | | |
| Charge my ☐ Master C ☐ Visa | State | Zip MasterCa |

at the following rates: Canada & Mexico-\$28.00; all other

CIRCLE 87 ON FREE INFORMATION CARD







Seven new manufacturers join our expanding list.

\$2500 to \$3000

MARC STERN

IF YOU THOUGHT THE MICROCOMPUTER FIELD BELOW THE \$2000 level was crowded, then take a look at the chart accompanying this article; this price area is even more crowded. Almost every week there seems to be a new microcomputer entry in this or the higher-priced categories. And, as noted in the previous story, there are more and more 16-bit machines coming out.

With this in mind, a closer look shows that 18 new machines join the market fray. Some of them are from companies whose names are already familiar, while others are from firms whose names appear here for the first time.

Seven manufacturers join the list here, all featuring fairly well configured, powerful systems. Among them there is a fairly even split between 8- and 16-bit microprocessor units.

The other 12 new machines come from already-mentioned manufacturers, while the rest of the listing presents upgrades of systems that were introduced in lower-priced levels.

Without further ado, let's begin our look at the new offerings from the new manufacturers. From there we'll look at what the familiar firms have to offer and we'll tie up this piece with a peek at how various systems upgrade.

Wang

Perhaps best known in the business field, Wang has long held a dominant position in the word-processing/minicomputer market. Its *Wangwriter* has set the standard in this field for years. Now it has an offering in the microcomputer field, its *Professional Computer*.

An IBM-workalike, it differs from the *Personal Computer* because it uses a 16-bit 8086 CPU. However, the 8086 recognizes the 8088's instruction set and will work with any software written for the 8088. With the 128K standard user memory, the buyer has a powerful system from the start.

Equipped with a standard 128K single-sided, double-density

floppy disk drive, the *Professional* runs under MS-DOS. CP/M-86 is also available.

Programmable in several high-level languages, this data can be input via a 101-key typewriter-style keyboard, that features 16 programmable keys, as well as an 18-key numeric pad. Input/output is handled via standard parallel and serial ports.

Compaq

One of the major newcomers in the IBM-compatible field, Compaq Computer's *Compaq* is nearly totally compatible with the IBM offering.

A transportable, the *Compaq* is driven by a 16-bit 8088 CPU, the same one used by the *PC*. It features more standard user memory: 128K.

Operating under Compaq DOS, an IBM workalike diskoperating system, the *Compaq* can use many of the programs written for the IBM-PC. Further, it comes with one doublesided, double-density 320K minifloppy disk drive as standard equipment.

Like other small-computer systems, the *Compaq* is programmable in BASIC and data are entered via an 83-key IBM-PC-like keyboard. Unlike the PC, the *Compaq* comes with a standard parallel printer port. Its built-in 9-inch monochrome display handles both an 80-character by 25-line text mode and graphics.

Altos

The user looking for a more business-oriented system, should check out the Altos 5-15D. A micromainframe—the system box and drives, the terminal is a user option—the 5-15D is driven by an 8-bit Z80A CPU and comes with 192K of memory.

Running under the industry-standard CP/M operating system, the 5-15D comes with two standard 1-megabyte 51/4-inch floppy

| TABLE 1—\$2500-\$3000 | | | | | | |
|--------------------------------|--------------------------|------------------|---------------------------|-------------|-----------------------------------------------------|------------------------------------------------------|
| Manufacturers | Model | Price | CPU | Word Length | Operating System | Languages |
| Sord Computer | M23 Mark III G | \$2530 | Z80A | 8-bit | Proprietary, CP/ M-compatible | BASIC, Pascal, FORTRAN |
| Franklin Computer Corp. | Ace 1200 | \$2544 | 6502 Z80 | 8-bit | Apple DOS 3.3 compatible, CP/M | BASIC |
| NEC Home Electronics | PC-8800 | \$2547 | Z80A-compatible | 8-bit | CP/M | BASIC |
| IBM | IBM-PC | \$2564 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FRTRN, BASIC, MACRO assembler, Pascal |
| Heath Company | HS-100-31 | \$2594 | 8085/8088 | 8/16-bit | Proprietary ZDOS | BASIC |
| Texas Instruments | Professional Computer | \$2595 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p- System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Sharp Electronics | PC-5000 | \$2599 (est.) | 8088 | 16-bit | N/A | |
| Canon USA | AS100 | \$2620 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL. |
| Toshiba America | T100 | \$2635 | Z80A | 8-bit | СР/М | BASIC |
| LNW Research Corp. | LNW80 Model 2 | \$2645 | Z80A | 8-bit | CP/M, Proprie- tary | BASIC |
| Apple Computer | Apple IIe | \$2674 | 6502A | 8-bit | Apple DOS 3.3 | BASIC, PILOT, Logo, Pas- cal, FORTRAN, COBOL |
| Sony | SMC-70 | \$2675 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Apple Computer | Apple III | \$2695 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Access Matrix Corp. | Access | \$2695 | Z80A | 8-bit | CP/M | BASIC |
| Apple Computer | Apple III | \$2720 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Heath Company | HSA-120-31 | \$2744 | 8085/8088 | 8/16-bit | Proprietary ZDOS | BASIC |
| Canon USA | AS100 | \$2745 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL |
| NEC Home Electronics | PC-8800 | \$2747 | Z80A-compati- ble/8086 | 8/16-bit | N/A | BASIC |
| NEC Information Syst. | APC | \$2748 | 8086 | 16-bit | CP/M-86, MS- DOS | BASIC, COBOL, FOR- TRAN, PASCAL, Assem. |
| Hewlett-Packard | HP85A | \$2750 | Not announced | | N/A | BASIC, assembler |
| Hewlett-Packard | HP120/125 | \$2775 | Z80A | 8-bit | N/A | BASIC, assembler |
| IBM | ІВМ-РС | \$2788 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, MACRO assembler, Pascal |
| Kaypro Division | Kaypro 10 | \$2795 | Z80 | 8-bit | CP/M | BASIC, Pascal, FORTRAN, Assembler, COBOL |
| Texas Instruments | Professional Computer | \$2820 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p- System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Commodore Business Machines | BX256-80 | \$2890 | 6509/8088 | 8/16-bit | Proprietary | BASIC |
| Zenith Data Systems | ZF-100 | \$2899 | 8085/8088 | 8/16-bit | CP/M, ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| 1BM | ІВМ-РС | \$2904 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, MACRO assembler, Pascal |
| Apple Computer | Apple III | \$2920 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Sord Computer | M23P | \$2930 | Z80A | 8-bit | Proprietary, CP/ M-compatible | BASIC, Pascal, FORTRAN |
| Hewlett-Packard | HP-85A | \$2945 | Not announced | | Proprietary | BASIC, assembler |

| | Memory/Storage | Keyboard | I/O | Display | Comments |
|-------------|----------------------------------------------------|----------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------|
| | 128K/2 330K 5 1/4" DS/DD | 59 keys, 20-key keypad, | 2 serial, 1 parallel | 12-inch green CRT | 2 DS/DD drives, CRT |
| | drives 128K/2 5 1/4" floppy disk drives | 9 special function 72 keys, 12-key keypad | 1 serial, 1 parallel, game controller | 80 (40) × 24/280 × 192 graphic capability | Ace 1200 gains further storage with second floppy disk |
| | 64K/2 320K DS/DD 5 1/4" | 81 keys, 5 multifunction, | 1 parallel, 1 serial | 14-inch monochrome CRT/80 × 25 text | dual 320K DS/DD drives |
| | floppy drives 64K/1 SS/DD 180K 5 1/4" | 10-key keypad 59 keys, 10 special func- | 1 parallel | 12-inch monochrome | 1 drive added, display device |
| | floppy drive | tion, 20-key keypad | | CRT/80 × 25 text | added |
| | 192K/2 320K DS/DD 5 1/4" floppy drives | 60 keys, 14 function keys, 18-key keypad | 2 serial, 1 parallel | monochrome capability | 2nd drive |
| | 64K 1 320K DS DD 5 1/4" floppy drive | 97 keys, 17-key keypad, 12 special function | 1 parallel | 12-inch monochrome CRT, 720 × 300 res., 80 × 25 display | base system |
| | 128K/128K bubble memory storage/cassette interface | standard typewriter | | 80-character × 8-line liq- uid crystal display | base system |
| | Not announced/2 640K DS/DD 5 1/4" floppy drives | standard | 1 serial | monochrome display/80 × 25 text mode | serial port |
| | 64K/2 280K DS/DD 5 1/4" drives | 89 keys, 8 special function | 1 parallel, 1 serial | 640 × 200 color display, 80 × 25 in text mode | color display |
| | 96K/1 5 1/4" floppy disk drive | 73 keys, 11-key keypad | 1 parallel, 1 serial | 480 × 192 color ca- pability/62 × 16 text mode/ monochrome CRT | first drive and monochrome |
| | 64K/1 5 1/4" floppy drive | 63-key typewriter, 2 programmable | 1 parallel, 1 serial, game controller | 12-inch monochrome CRT/80-column card/80 × 24 text mode | 1 disk drive and controller added |
| | 64K/1 280K microfloppy drive | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch green 80 × 25 text | disk drive and CRT added, video converter deleted |
| | 128K/1 140K SS/DD 5 1/4" floppy drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler | 280 × 192 and 560 × 192 graphics capability/80 × 24 text | 128K memory |
| *********** | 64K/2 DS/DD floppy disk drives | 62 keys, 15 special function, 15-key keypad | 2 serial, 1 parallel, 1 IEEE-488 | 7-inch monochrome (amber)/80 × 25 text mode | drives upgraded to DS/DD |
| | 128K/1 140K SS/DD 5 1/4" floppy drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 280 × 192 and 560 × 192 graphics capability/80 × 24 text | parallel port |
| | 192K 2 320K DS/DD 5 1/4" floppy drives | 60 keys, 14 function keys, 18-key keypad | 2 serial, 1 parallel | monochrome version | 2nd drive |
| | Not announced/2 640K DS/DD 5 1/4" floppy drives | standard | 1 serial, 1 parallel | monochrome display/80 × 25 text mode | parallel port |
| | 128K/cassette interface/ disk interface | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch color CRT/640 × 400 res./80 × 25 text | optional 8086 card/memory upgraded to 128K color CRT for display |
| | 128K/1MB 8-inch half- height DS/DD drive | 66 keys, 25-key keypad, 23 function | 1 parallel, 1 serial | 80 × 25 monochrome | basic system |
| | 16K/tape cartridge | 58 keys, 20-key keypad, 8 special function | | built-in 5" CRT, 256 × 192 graphics, 32 × 16 text | portable system |
| | 64K | 58 keys, 8 special function | 2 serial, 1 IEEE-488 | 9" or 12"-monochrome CRT/80 × 25 text | basic system, HP120 has 9" display, 125 has 12" |
| | 64K1 SS DD 180K 5 1/4" floppy drive | 59 keys, 10 special func- tion, 20-key keypad | 1 parallel | 12-inch high-res. color dis- play/80 × 25 text | color display adapter |
| | 64K/ 1 5 1/4" DS/DD drive, 10MB hard disk | 72 keys, 14-key keypad, 20 programmable | 1 serial, 1 parallel | 9-inch, monochrome CRT/80 × 25 text | basic system |
| | 64K/1 320K DS/DD 5 1/4" floppy drive | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 12-inch monochrome CRT, 720 \times 300 res., 80 \times 25 display | serial port |
| | 256K/dual 5 1/4" floppy disk drives | standard, numeric keypad | 1 serial | 12-inch monochrome CRT/80 × 25 text mode | dual drives |
| | 128K 1 320K DS/DD 5 1/4" drive | 77 keys, 18-key keypad, 13 special function | 2 serial, 1 parallel | composite video output | basic system |
| | 64K/1 320K DS/DD 5 1/4" floppy drive | 59 keys, 10 special func- tion, 20-key keypad | 1 parallel, 1 serial | 12-inch monochrome CRT/80 × 25 text | drive becomes DS/DD, serial port added |
| | 256K/1 140K SS/DD 5.1/4" floppy drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 280 × 192 and 560 × 192 graphics capability/80 × 24 text | parallel port added, memory upgrades to 256K |
| | 128K/2 290K microfloppy | 60 keys, 20-key keypad, | 2 serial, 1 parallel | 14-inch color monitor | color monitor |
| | drives | 9 special function | | | |

TABLE 1-\$2500-\$3000 (continued)

| Manufacturers | Model | Price | CPU | Word Length | Operating System | Languages |
|------------------------|--------------------------|--------|---------------|-------------|----------------------------------------------|-------------------------------------------|
| Hewlett-Packard | HP86A | \$2950 | Not announced | | UCSD p-Sys- tem, CP/M | BASIC, Pascal, FORTRAN, |
| Docutel/Olivetti Corp. | M20 | \$2965 | Z8001 | 16-bit | PCOS (Prof. Computer Op- erating Sys.) | BASIC |
| Apple Computer | Apple III | \$2969 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Toshiba America | T300 | \$2975 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC |
| Basis Inc. | Basis 108 | \$2985 | Z80A/6502 | 8-bit | CP/M, Apple DOS 3.3 | BASIC, Pascel, LOGO |
| Altos Computer Systems | 5-15D | \$2990 | Z80A | 8-bit | CP/M | BASIC, COBOL, Pascal, FORTRAN, SOFTBOL |
| Eagle Computer Inc. | Eagle PC-1 | \$2995 | 8088 | 16-bit | CP/M-86, MS- DOS | |
| Eagle Computer Inc. | Eagle IIE-3 | \$2995 | Z80A | 8-bit | CP/M | BASIC |
| Vector Graphic Inc. | Vector 4 | \$2995 | Z80B, 8088 | 8/16-bit | N/A | Not announced |
| Computer Devices Inc. | DOT-3000A | \$2995 | 8088 | 16-bit | MS-DOS | BASIC, FORTRAN, COBOL, Pascal, assembler |
| Hewlett-Packard | H85B | \$2995 | Not announced | | Proprietary | BASIC, assembler |
| Sanyo | MBC 1250 | \$2995 | Z80A | 8-bit | CP/M | BASIC, Pascal, Fortran, Macro-80 |
| Sumicom Inc. | System 330B | \$2995 | 8088 | 16-bit | MS-DOS/CP/ M-86 | FORTRAN, COBOL, Pas- cal, BASIC |
| Wang Laboratories | Professional Computer | \$2995 | 8086 | 16-bit | MS-DOS, CP/M emulation | BASIC, COBOL, FORTRAN, Pascal |
| Hewlett-Packard | HP87XM | \$2995 | Not announced | | N/A | BASIC, Pascal, FORTRAN |
| Intertec Data Systems | Superbrain II - QD | \$2995 | Z80A | 8-bit | CP/M | BASIC, FORTRAN |
| Compaq Computer Corp. | Compaq | \$2995 | 8088 | 16-bit | Compaq DOS (Similar to IBM PC-DOS) | BASIC |
| Columbia Data Products | 1600-VP | \$2995 | 8088 | 16-bit | MS-DOS | Not announced |
| Basis Inc. | Basis 108 | \$2995 | Z80A/6502 | 8-bit | CP/M 3.0, Ap- ple DOS 3.3 | BASIC, Pascal, LOGO |
| TeleVideo Systems Inc. | TS 1603 | \$2995 | 8088 | 16-bit | CP/M-86, MS- DOS | COBOL |
| North Star Computers | Horizon | \$2999 | Z80A | 8-bit | TSS/C (Proprie- tary CP/M-like) | Not announced |
| North Star Computers | Advantage | \$2999 | Z80A | 8-bit | CP/M, GDOS | BASIC, FORTRAN, COBOL, Pascal |

disk drives

The 5-15D has two serial ports and one parallel port as standard.

Vector Graphic

Vector Graphic is a long-time veteran of the microcomputer marketplace. It was one of the first microcomputer manufacturers and remains in the thick of the fray with its *Vector 4* system. It has 128K of user memory and, with the addition of a couple of drives, can become a powerful system.

Driven by dual Z80B and 8088 CPU's, the system has a typewriter-style keyboard with 91 keys, 15 special-function keys and an 18-key numeric pad. Its 12-inch monochrome display delivers an 80-column by 24-line display or 640- by 312-dot graphics.

Basis

A newcomer to the microcomputer market, Basis Inc. sells the Basis 108 system, that takes a different tack. A dual-

processor small-computer system, it does not use Z80A's or a Z80/8086(8) combination. Instead the company has opted to make this single-user system compatible with CP/M and its many programs and Apple's disk-operating system and the many programs that run under it. Driven by a Z80A 8-bit microprocessor and a 6502, another 8-bit CPU, the *Basis 108* has 128K of user memory.

The 108 comes with two 51/4-inch minifloppy disk drives. Input/output is provided by serial and parallel ports.

With RGB color outputs available, the *Basis 108* can generate up to 280- by 192-dot video resolution or an 80-character by 25-line text display. This system upgrades once in this price category by adding CP/M 3.0.

Zenith

The parent of the Heath Co., who offers kit versions of the Z-100 series, Zenith has a ready-to-go version of the same system. The ZF-100 outlined here is the low-profile version of this system.

| | Memory/Storage | Keyboard | 1/0 | Display | Comments |
|---|----------------------------------------------|----------------------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------|-------------------------------------------------|
| | 64K/1 270K 5 1/4" drive | 59 keys, 20-key keypad, 14 special function | 1 parallel | 9" monochrome CRT/80 × 25 text | 5 ¼" drive added |
| | 128K 1 360K 5 1/4" floppy drive | 72 keys, 16-key keypad | 1 serial, 1 parallel | 12-inch high-res. mono- chrome/80 × 25 text mode | one-drive added |
| Ē | 128K/1 140K 5 1/4" floppy drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 12-inch CRT/280 × 192 and 560 × 192 graphics cap/80 × 24 text | CRT added to 128K Apple III |
| | 192K/2 640K DS/DD 5 1/4" drives | 67 keys, 18 special funct., 10 edit, 18-key keypad | 1 parallel, 1 serial | | 2nd drive added |
| | 128K/2 5 1/4" floppy drives | 58 keys, 15 program- mable, numeric keypad | 1 parallel, 1 serial | RGB and composite/280 × 192 res:/80 × 25 text | basic system |
| ī | 192K/2 1MB DS/DD 5 1/4" floppy drives | N/A | 4 serial, 1 parallel | N/A | micro-mainframe, can drive 1 to 3 terminals |
| | 128K/1 320K DS/DD 5 1/4" floppy drive | 105 keys | 2 serial, 1 parallel | 12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode | memory increases to 16K, monitor added |
| | 64K.2 780K DS/DD 5 1/4" floppy drives | 75 keys | 2 serial, 2 parallel | 12-inch monochrome/80 × 25 text mode | DS/DD 96-track disk drives |
| | 128K | 91 keys, 15 special func- tion, 18-key keypad | 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 24 text/640 × 312 graphics | ba s ic system |
| | 64K/1 3 1/s" 280K micro floppy drive | 59 keys, 10 function keys, 18-key keypad | | 80 × 24 text | basic system |
| | 32K/tape drive/electronic (RAM) disk | 58 keys, 20-key keypad, 8 special function | | built-in 5" CRT, 256 × 192 graphics, 32 × 16 text | electronic RAM disk, 32K memory |
| | 64K/2 640K slim line DS/ DD floppy drives | 50 keys, 15 program- mable, 18-key keypad | 1 parallel, 1 serial | 12-inch monochrome/80 × 25 text/640 × 400 graphics | 2nd high-density slim line disk |
| | 128K/2 SS/DD 160K 5 1/4" floppy drives | 95 keys, 8 special func- tion, 10-key keypad | 1 serial, 1 parallel | monochrome CRT | 2 SS/DD disks, CRT |
| | 128K 1 360K DS/DD 5 1/4" floppy drive | 101 keys, 16 program- mable, 18-key keypad | 1 parallel, 1 serial | | basic system |
| | 128K | 59 keys, 20-key keypad, 14 special function | multipurpose port | 8" monochrome CRT/80 × 25 text | basic system |
| | 64K 2 750K 5 1/4" floppy drives | 62 keys, 18-key keypad | 2 serial | 12-inch monochrome/80 × 24 text mode | drives upgraded to 750K |
| | 128K/1 320K 5 ¼" DS/DD drive | 83 keys, 10-key keypad, 10 special function | 1 parallel, opt. serial | 9-inch monochrome, 80 × 25 text | basic system |
| | 128K/2 320K 5 1/4" floppy disk drives | 83 keys, 10 special func- tion, keypad | 1 serial, 1 parallel | 9-inch monochrome CRT/80 × 25 text | basic system |
| | 128K/2 5 1/4" floppy drives | 58 keys, 15 program- mable, numeric keypad | 1 parallel, 1 serial | RGB and composite/280 × 192 res./80 × 25 text | CP/M 3.0 |
| | 128K/2 half-height 1MB floppy drives | 72 keys, 16 program- mable, 16-key keypad | 2 serial, 1 serial RS-422 port | 14-inch monochrome/80 × 25 text | 16-bit system |
| | 64K/2 360K DS/DD 5 1/4" floppy drives | N/A | 2 serial, 1 parallel | N/A | micromainframe system |
| | 64K/2 360K DS DD 5 1/4" floppy drives | 49 keys, 14-key keypad, 15 function keys | 1 parallel, 1 serial | 12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode | all-in-one microcomputer with dual floppy disks |

Driven by an 8085 8-bit processor and an 8088 16-bit processor, this system has 128K of standard user memory.

Another of the IBM-workalikes on the market, the ZF-100 operates under its own proprietary operating system and CP/M.

With one standard double-sided, double-density 320K minifloppy-disk drive available for storage, the system is almost fully configured right from the box.

Programmable in BASIC, COBOL and Fortran, this and other data are entered via a typewriter-style keyboard with 77 keys. It also features an 18-key numeric keypad and 13 special-function keys. Input/output is through two serial ports and one

parallel port.

Computer Devices

Another of the many IBM-compatible systems now on the market, the Computer Devices *DOT-3000A*, is a transportable system. This new manufacturer is using the same CPU found in the IBM, the 16-bit 8088 to drive the *DOT*. Its 64K of user memory is the minimum needed for efficient operation of the

many programs available for MS-DOS, the DOT's operating system.

The *DOT* can use several high-level programming languages and this data are input through a 59-key keyboard. Since it is a transportable, the *DOT* has a built-in display, with an 80-character by 24-line text mode.

Columbia Data Products

Although this manufacturer is not widely known outside the computer industry, it also has a microcomputer offering, the 1600-VP, another IBM-compatible transportable system.

Driven by the 16-bit 8088 CPU, the 1600-VP has 128K of standard user memory. It is compatible with MS-DOS and runs under it.

The 1600-VP comes with two 320K double-sided, double-density minifloppy disk drives for storage. The keyboard is patterned after the IBM's 83-key unit. However, unlike the IBM, the 1600-VP includes standard serial and parallel ports for interfacing with a variety of peripherals. The 9-inch

monochrome screen unit has an 80-character by 25-line text display.

Sord

From Sord/Mitsui comes the M23 Mark III G, another of the many Z80A-based systems. A fully configured system right out of the box, it comes with 128K of user memory and a basic set of applications software, something a growing number of systems are doing.

With two standard double-sided, double-density 330K minifloppy disk drives, this system is flexible. Not only does it run under its own proprietary operating system, it is also CP/M compatible and is programmable in BASIC, Pascal, and Fortran.

Basically the M23 system, it is actually an upgraded version with the drives and 12-inch green monochrome display device included. User input is via a keyboard containing 59 keys, a 20-key numeric pad and nine special-function keys. Input/output is handled through two serial ports and a parallel port.

The basic M23 upgrades in this price category by adding a high-resolution color video monitor.

Texas Instruments

A new personal computer joins the array from this semiconductor giant. Its the *Professional Computer*, another of the many IBM-workalikes. Driven by a 16-bit 8088 microprocessor, the same one used by IBM, this system has 64K of RAM.

Its standard 320K double-sided, double-density disk provides basic storage capability, although the addition of a second disk drive increases system flexibility. It runs under MS-DOS, but CP/M-86 and the UCSD p-System are also available.

Output is through a standard parallel port for a printer. The standard display is a 12-inch monochrome screen, with 720- by 300-dot resolution and an 80-character by 25-line text display. It upgrades once in this price category by adding a serial port.

Sharp

A new model joins the Sharp lineup in this price category, the lap computer *PC-5000*. Driven by a 16-bit 8088 microprocessor, the *PC-5000* has a rather unusual feature; it relies on magnetic bubble-memory storage in place of a disk drive. Magnetic bubble memory is nonvolatile user memory that retains its contents even when the power is shut down. This type of memory can effectively eliminate the need for disks for mass storage. The unit comes with 128K of RAM. With a standard keyboard, the *PC-5000* can be programmed in BASIC. Its screen is an 80-character by 8-line liquid-crystal display.

NEC

A new small-computer joins the NEC lineup here, the APC, another IBM workalike. Instead of using an 8088, 16-bit CPU, the APC takes advantage of its brother the 8086, that recognizes the same instruction set. It is equipped with 128K user memory and a 1-MB 8-inch half-height double-sided, double-density disk drive. It runs under MS-DOS or CP/M-86.

It is programmable in several high-level languages input via a typewriter-style keyboard with 66 keys. Twenty-three function keys and a 25-key numeric pad aid functionality. Input/output is through standard parallel and serial ports. Video output is 80-characters by 25-lines text on a monochrome display.

The PC-8800—still only a CP/M-compatible machine at this point—upgrades by adding dual 320K double-sided, double-density minifloppy disk drives. Its second upgrade makes it a true 16-bit machine with the addition of the optional 16-bit card. This gives the user the advantage of MS-DOS capability.

Hewlett-Packard

Two new systems join the Hewlett/Packard lineup in this price category, the 120/125 and the HP87XM. In this price category, the new HP120/125 system is in its most basic configuration. Driven by dual Z80A CPU's, the system has 64K of user memory. But no disk storage is available at this price.

Programmable in BASIC and assembler, this and other data are input via a typewriter-style keyboard with 58 keys. The keyboard includes 8 special-function keys and other soft or programmable keys. Input/output is aided by two standard serial ports as well as an IEEE-488 port, for a variety of test and measurement, and other devices. The standard display on the HP120 is a 9-inch monochrome display, while the HP125 has a 12-inch monochrome display.

The HP87XM is a very basic machine at this point. Although it has 128K of user memory and is programmable in BASIC. Fortran, Pascal, and COBOL, you will need disk drives to take

full advantage of them.

The basic configuration of this system includes a typewriterstyle keyboard with 58 keys, a 20-key numeric keypad and eight special-function keys. A multipurpose port facilitates input/ output. A built-in 8-inch monochrome display rounds out the basic unit.

Other H-P small-computer systems also upgrade or are introduced in this price segment. There's the portable *HP85A*. It is not only introduced, but also has its RAM expanded to 32K. This system includes 195K of built-in tape storage and a built-in thermal printer and a built-in 5-inch monochrome CRT. It also includes 2 serial ports and an IEEE-488 port.

The *HP85B* enhances the *HP85A* system by including an electronic (RAM) disk for speed and storage and greater user memory. Meanwhile, the *HP86A* system debuts in this category and, while it has many of the attributes of the *HP85* system, it also includes a standard minifloppy disk drive for storage.

North Star

North Star Computers has two systems that debut in this price category, the *Horizon* and the *Advantage*. A micromainframe, the *Horizon* is driven by an 8-bit Z80A CPU. The basis of a multi-user system, it includes 64K of user memory and two standard double-sided, double-density 360K minifloppy disk drives for storage. With access to a proprietary operating system, there are many applications for this computer system, which includes two serial ports and one parallel for input/output. The terminal is a user option.

The Advantage is an all-in-one microcomputer system that includes dual floppy-disk storage. Also driven by a Z80A, it has 64K of user memory and runs CP/M. Programmable in BASIC, Fortran, COBOL, and Pascal, this and other data are entered via a typewriter-style keyboard with 49 keys. It also includes a 14-key numeric pad and 15 function keys. Input/output is aided with standard serial and parallel ports. The built-in 12-inch monochrome screen displays 640 by 240 graphics or an 80-character by 24-line text mode.



THE APC from NEC is an IBM workalike.

Many IBM workalikes have appeared on the market in the recent past from many manufacturers.

TeleVideo is no exception with its 8088-driven TS 1603 that runs CP/M or MS-DOS. It offers 128K RAM and two half-height one-megabyte double-sided, double-density floppy-disk drives.

With two standard serial ports and an RS-422 serial port, a user has several peripheral interface options for input/output. The TS 1603 is programmable in COBOL, so it's readily apparent this small-computer is aimed at the business market.

Sanvo

The MBC 1250 expands in this category with the addition of a second high-density slim-line floppy-disk drive. This type of drive shows an important trend in the small-computer industry, miniaturization.

Unfortunately it also shows another important trend: computer manufacturers often find it hard to agree on standards. There are several computers from different companies who offer microfloppy-disk drives—each with its own "standard".

Kaypro

Kaypro adds to its line of Z80-based, 8-bit transportable microcomputer systems with the Kaypro 10. Like the other members of this manufacturer's line, the Kaypro 10 comes as a full-featured unit right out of the box. However, it features not only a double-sided, double-density 51/4" floppy-disk drive, but also a ten-megabyte hard-disk drive.

Intertec

Intertec's new offering in this price category is the Superbrain II—QD. Like the Superbrain II—Ir., this small-computer system is driven by dual Z80A microprocessors; one handles the actual data processing, while the other microprocessor handles the housekeeping.

The key change in this system, and the one that raises it above the *Superbrain II—Jr*. is the use of dual 750K 51/4-inch minifloppy disk drives for storage. It has the same specifications as the Junior and is an all-in-one unit.

Sumicom

The System 330B expands in this price category with the addition of two 160K single-sided, double-density minifloppy-disk drives. This turns it into a fully configured microcomputer system.

Apple

Two systems upgrade in this price category, the Apple IIe and the Apple III. The Apple IIe upgrades once with the addition of a minifloppy disk drive and disk-drive controller circuitry.

The business-oriented Apple III upgrades four times. Its first upgrade is its increase in user memory to 128K as standard, while its second upgrade gives it output capability by adding a parallel port for a printer. The third upgrade brings the user memory to 256K, and also adds a parallel port for increased output capability, while the fourth upgrade to the 128K version adds a standard video-display device.

IBM

The IBM *Personal Computer* becomes a far more powerful tool with its first upgrade, the addition of a minifloppy disk drive for storage. This upgrade also adds the high-resolution display that enhances serious computing. Its second upgrade adds the color display device to the one-disk drive version of the IBM-*PC*. In its third upgrade, the *PC* gains further input/output capabilities with the addition of a serial port and the disk drive becomes even more versatile as its mass-storage capabilities increase to 320K.

Eagle Computer

Both Eagle models, the PC-1 and IIE-3, upgrade here. The



THE BASIS 108 from Basis, Inc. is a dual microprocessor (280A/6502) system that runs CP/M and an Apple-compatible DOS.

PC gains more user memory and a standard video-display device, in addition to its complete complement of bundled (included) software. The storage capacity of the Eagle IIE-3 increases with the addition of 96-track double-sided, double-density minifloppy disks.

Toshiba

The *T100* system can handle high-resolution color graphics in this price spectrum by adding a 640- by 200-dot resolution color video display device.

The T300 system gains greater mass-storage capability in this price category with the addition of a second minifloppy-disk drive to its configuration.

Canon

This manufacturer's offering, the AS100, has two upgrades. The first adds a serial port for greater input/output capability. The second upgrade adds a parallel port.

Heath

At this time, second disk drives for greater mass-storage capabilities are added to the low-profile Heath HS-100-31 kit and the HS-120-31 kit.

Franklin

A second disk drive is added to the Franklin Ace 1200. As you might expect, that increases the mass-storage capabilities of this unit.

Sony

The SMC-70 becomes even more fully configured as a disk drive is added for mass storage and a standard video-display device is also added.

Commodore

The CBX256-80 becomes fully configured with the addition of two disk drives.

Access Matrix

With the addition of higher-density disks, the mass-storage capabilities of the Access transportable increase dramatically.

LNW

In this price category's configuration, the *LNW80 Model 2* gains its first disk drive for storage. Further, the user gains a standard video-display device.

Join the ELECTRONICS AND **CONTROL ENGINEERS' BOOK CLUB** and

INTUITIVE IC ELECTRONICS: A Sophisticated Primer for En-

gineers and Technicians. By T. M. Frederiksen. 208 pp., illus. Covering both the simplest and the most complicated IC designs, this lively, easy-to-read volume provides a sophisticated, nonmathematical explanation of the basic internal mechanisms common to all semiconductor devices.

219/230

RADIO HANDBOOK, 22/e. By W. Orr. 1,136 pp., more than 1,300 illus. Here's the latest edition of what is universally regarded as the most useful reference in the industry. It's a "course" in communications, a fact-packed reference, and a how-to guide-all in a single book!

582442-6B \$39.95 (Counts as 2 of your 3 books)

VLSI TECHNOLOGY By S. M. Sze. 672 pp., 400 illus., 50 tables. An anthology from more than 3,000 technical papers, by 14 leading experts, covering everything from crystal growth to special packaging consid-

626/863B \$32.50

(Counts as 2 of your 3 books)

ANTENNA THEORY: Analysis and **ANTENNA THEORY:** Analysis and **Design.** By C. A. Balanis. 816 pp., illus. Packed with equations, design procedures, and plenty of nuts-and-bolts know-how, this is the first place to turn for answers to all your antenna design questions.

(Counts as 2 of your 3 books)

ELECTRONIC COMMUNICATIONS SYSTEMS. By W. D. Stanley. 566 pp., illus. The ideal working tool for practicing engineers who deal with a combination of system-level consideration and actual hardware implementation and operation. \$19.95

582834-0

TAKE ANY 3 BOOKS FOR ONLY \$100 EACH Values up to \$89.50 . . .

If you join now for a trial period and agree to purchase three more books—at handsome discounts—over the next year. (Publishers' prices shown) ■ Keep up with current technology

Sharpen your professional skills

Be ready for new career opportunities

Boost your earning power



DIGITAL COMMUNICATIONS. By J. G. Proakis. 624 pp., illus. A wealth of new material, information about spread spectrum signals, requiring a minimum of math to get through it 509/271B

(Counts as 2 of your 3 books)

\$37.50

MICROPROCESSOR APPLICATIONS **HANDBOOK**. Editor-in Chief, D. F. Stout. 472 pp., 284 illus. At last—a reference guide to microprocessor applications to help you make your systems timely, versatile, and cost-effective.

617/988B \$39.95 (Counts as 2 of your 3 books)

ELECTRONICS ENGINEERS' HANDBOOK, 2/e. Edited by D. G.
Fink & D. Christiansen. 2,272 pp., 2,189 illus. This updated and enlarged edition covers the latest knowledge in the field, including new advances in integrated circuits, pulsed and logic circuits, laser technology. telecommunications, and much more 209/812A \$79 (Counts as 3 of your 3 books)

MODERN ELECTRONIC CIRCUITS REFERENCE MANUAL. By J. Mar-kus. 1,264 pp., 3,666 circuit diagrams. Complete with values of com-ponents and suggestions for revisions, plus the original source of each circuit in case you want additional performance or construction details.

(Counts as 3 of your 3 books)

OPTICAL FIBER COMMUNICA-TIONS. By G. Keiser. 416 pp., illus. For those with little or no prior experience with optical fibers, the perfect book to walk you through a typical

334/676B (Counts as 2 of your 3 books)

PCM AND DIGITAL TRANSMISSION SYSTEMS. By R. Owen. 320 pp., 186 illus. This useful volume allows newcomers to the field to familiarize themselves with its problems and equipment in two weeks, instead of the three months it would ordinarily

479/542B (Counts as 2 of your 3 books)

MANUAL OF ACTIVE FILTER DE-SIGN, 2/e. By J. L. Hilburn and D. E. Johnson. 225 pp., 157 easy-to-use design graphs. This ingenious manual enables you to design filter circuits for virtually any application in minutes—without making a single computation! Covers all the latest designs.

(Counts as 2 of your 3 books)

This Remarkable New Reference a \$79.50 value—is yours for only \$3

THE MCGRAW-HILL COMPUTER HANDBOOK.

Edited by H. L. Helms. 992 pp., 475 illus. In one volume, crammed with easy to get at information, ranging from design concepts to programming tech-niques from data bases to interfacing, networking, speech synthesis and recognition.

\$79.50

(Counts as 3 of your 3 books)



571/503

DIGITAL HARDWARE DESIGN. By J. B. Peatman. 428 pp., over 400 illus. Taking you beyond the microcomputer, this guide reexamines traditional techniques and focuses on the design of circuitry too fast for the microcomputer alone.

491/321B (Counts as 2 of your 3 books)

ELECTRONICS ENGINEERING FOR PROFESSIONAL ENGINEERS' EX-AMINATIONS. By C. R. Hafer. 336 pp., more than 200 illus. Actually two books in one—a quick preparation manual to help you pass your P.E. exams on the first try and a rich source of practical electronics engineering information and know-how.

254/303

\$29.95

MICROPROCESSOR SUPPORT CHIPS Theory, Design and Application. By J. J. Byers. 228 pp., 170 illus. Everything from pinouts to operating characteristics is spelled out for telecommunications, power supplies, interfaces, control, video and A/D and D/A converters.

(Counts as 2 of your 3 books)

INTRODUCTION TO RADAR SYSTEMS, 2/e. By M. I. Skolnik. 698 pp., 244 illus. This new edition of a widely used text on radar from the systems engineer's point of view brings you full discussions of the many major changes that have occurred in the field recently.

579/091B \$40.95 (Counts as 2 of your 3 books)

STANDARD HANDBOOK FOR ELECTRICAL ENGINEERS, 11/e. By D. G. Fink and H. Beaty. 2,448 pp., 1,414 illus. Today's most widely used source of electrical engineering information and data serves you as no other single work when you need detailed, timely, and reliable facts. able facts

209/74XA (Counts as 3 of your 3 books) McGraw-Hill's NATIONAL ELECTRICAL CODE® HANDBOOK, 17/e. By J. F. McPartland. 1,162 pp., 1,096 illus. Bigger and better than ever! This mammoth reference explains and clarifies the many complants and claimes the many com-plex provisions of the current (1981) Code® to help you meet rules exactly and pass inspections the very first time.

456/933

HANDBOOK OF SEMICONDUCTOR AND BUBBLE MEMORIES. By W. A. Triebel and A. D. Chu. 416 pp., illus., over 50 worked-out problems This detailed, comprehensive guide brings you right up to the minute on such newly developed devices as the PLA, FIFO, CAM,

CCD, and magnetic bubble memory—as well as all the standard storage devices from ROMs and RAMs to shift registers. 582376-4 \$24.95

ANALYSIS AND DESIGN OF DIGI-TAL INTEGRATED CIRCUITS. By D. A. Hodges & H. G. Jackson. 448 pp., illus. The only book available written from a quantitative point of view for those who design as well as use ICs. 291/535 \$29.50

Be sure to consider these important titles as well!

RADAR TRANSMITTERS, By G. W. 198/438 \$29.50

16-BIT MICROPROCESSOR SYSTEMS. By Texas Instruments, Inc. 637/601B \$49.50 (Counts as 2 of your 3 books)

ELECTRONIC CIRCUITS NOTEBOOK: Proven Designs for Systems Applications. Edited by S. Weber. (Counts as 2 of your 3 books)

OPTICAL FIBER SYSTEMS: Technology, Design, and Applications. By C. K. Kao.

INTRODUCTION TO THE THEORY AND DESIGN OF ACTIVE FILTERS. By L. P. Huelsman & P. E. Allen.

(Counts as 2 of your 3 books)

MICROELECTRONICS. By J. Millman.

423/27XB \$35.95 (Counts as 2 of your 3 books)

HANDBOOK OF OPERATIONAL AMPLIFIER CIRCUIT DESIGN. By D. E. Stout & M. Kaufman. \$39.50 (Counts as 2 of your 3 books)


MICROCOMPUTER-BASED DESIGN. 491/380B (Counts as 2 of your 3 books)

BIT-SLICE MICROPROCESSOR DE-SIGN. By J. Mick & J. Brick. (Counts as 2 of your 3 books)

NETWORK SYSTEMS. By R. Sharma & P. DeSousa. 582557-0

ENGINEERING MATHEMATICS HANDBOOK, 2/e. By J. J. Tuma. 654/298B \$34.50 (Counts as 2 of your 3 books)

MAIL THIS COUPON TODAY



Why YOU should join now!

- BEST AND NEWEST BOOKS IN YOUR FIELD! Books are selected from a wide range of publishers by expert editors and consultants to give you continuing access to the best and latest books in your field
- BIG SAVINGS! Build your library and save money too! Savings ranging up to 30% or more off publishers' list prices—usually 20% to 25%

BONUS BOOKS! You will immediately begin to participate in our Bonus Book Plan that allows you savings up to 80% off the publisher's prices of many professional and general interest books!

■ CONVENIENCE! 12-14 times a year [about once every 3-4 weeks] you receive the Club Bulletin FREE. It fully describes the Main Selection and alternate selections. A dated Reply Card is included. If you want the Main Selection, you simply do nothing-it will be shipped automatically. If you want an alternate selection-or no book at all-you simply indicate it on the Reply Card and return it by the date specified. You will have at least 10 days to decide. If, because of late delivery of the Bulletin you receive a Main Selection you do not want, you may return it for credit at the Club's expense.

As a Club Member you agree only to the purchase of three additional books during your first year of membership. Membership may be discontinued by either you or the Club at any time after you have purchased the three additional books.

Other McGraw-Hill Book Clubs:

Accountants' and Controllers' Book Club • Architects' Book Club • Byte Book Club • Chemical Engineers' Book Club • Civil Engineers' Book Club • Mechanical Engineers' Book Club

For more information, write to:

McGraw-Hill Book Clubs • P.O. Box 582, Hightstown, NJ 08520

| McGraw-Hill Book Clubs |
|------------------------------------|
| Electronics and Control Engineers' |
| Rook Club |

P.O. Box 582, Hightstown, New Jersey 08520

Please enroll me as a member and send me the three choices I have listed below. Bill me only \$3.00 plus local tax, postage, and handling. If not satisfied, I may return the books within 10 days and my membership will be canceled. Lagree to purchase a minimum of three additional books during my first year of membership as out-lined under the Club plan described in this ad. A shipping and handling charge is added to all shipments.

Indicate below by number the books you want. A few expensive books (noted in the descriptions) count as more

| than one choic | e. | | | |
|--------------------------------------------------------|-----------|--------------|------------|-------------|
| Name | | | | |
| Address/Apt | | | | |
| City/State/Zip | | | | |
| This order subject to char members. Orde cepted. | ige witho | ut notice. (| Offer good | only to new |

E33628

145

The SENSAPHONE Transforms Your Telephone Into a Full-Time Monitor, Whether You're Home Or Not.

TALKS TO YOU — IN CLEAR ENGLISH

Your Sensaphone uses a standard built-in modular telephone connector. Instead of plugging your phone into the wall, plug it into the Sensaphone, then in turn plug the Sensaphone into the wall. Total time: 10 seconds.

Once installed, the Sensaphone does its job and reports its findings in clear English. For example —

- If you aren't home and a problem occurs, it calls anyone you've designated and reports that problem, in English, then arranges to quit calling once the message is acknowledged.
- If you want to know what time it is, your Sensaphone tells you in English.
- If you want to know the current temperature in the room, your Sensaphone tells you — in English.
- If the backup batteries (which hold the "memory" if you have a power failure) are low, your Sensaphone tells you so — in English.
- If you call in from the outside to learn how things are, your Sensaphone reports on all conditions in English.

YOU MAY NOT BELIEVE IT AS YOU READ THIS, BUT YOU'LL BELIEVE WHEN YOU PLUG IT IN. YOUR MONEY BACK IF WE'RE EXAGGERATING.

Read This Section Carefully: Your SENSAPHONE Will Do All This —

- 1. You can call in from any phone in the world. SENSAPHONE will report every monitored condition to you.
- You can listen to room sounds in your home or office through the powerful built-in microphone, from any phone in the world.
- It reports specific unusual sounds, such as a smoke alarm's ringing or buzzing, or a burglar alarm.
- 4. It monitors and reports on any three other conditions of your choice (basement water level; door or window opening; water heater; appliance on).



- 5. (Get this!) If one of the preprogrammed problems occurs, it automatically calls you or anyone you designate, then states in English what the problem is. If the first person called doesn't answer, SENSAPHONE calls up to four numbers in rotation until someone answers and acknowledges receiving the call.
- It monitors your household or office electricity, so if your refrigerator or lights go out, it reports the problem.
- 7. If room temperature rises above the number you preset, or falls below it, Sensaphone tells you so.
- An automatic dialer calls any of eight numbers with one-button dialing.
- 9. It tells you the correct time, in English, including whether the time is a.m. or p.m.
- 10. It tells you the exact room temperature, on request.

The Sensaphone \$249.95 two for \$229.95 each A FANTASTIC GIFT IDEA!

add \$3.50 per total order for shipping

WE ABSOLUTELY GUARANTEE!

Plug your home or office phone (or both) into the Sensaphone. Use It for up to 30 days. If for any reason you decide you don't want to keep it, return it for a 100% refund.

For fast delivery on credit card orders, call toll-free 24 hours a day.

7 days a week:

1-800-443-0100

Ask for Extension 111


Or send check or money order. Please add \$3.50 per total order for shipping.

The **Sensaphone** is another electronic marvel from

NEW HORIZONS

Dept. R10 . 5-31 Fiftieth Avenue Long Island City, NY 11101







Sixteen-bit machines begin to take a greater share of the market.

\$3000 to \$3500

MARC STERN

DURING THE LAST YEAR, THE BIGGEST TREND IN THE microcomputer industry has been the swing to the 16-bit machine. And, it's no mystery why it has happened. With the arrival of IBM in the small-computer market, more and more of the computer industry has jumped aboard the bandwagon, hoping to carve out its niche.

For the person thinking of buying such a system there are a couple of benefits. The first is the ability of the 16-bit microcomputer to handle much larger amounts of memory. This means that applications programs can become more comprehensive and more powerful.

The second reason is that IBM is bringing some stability and order to this market. Just as CP/M caught on in the 8-bit market and assured some stability and rationalization and a degree of standardization, so has IBM and the operating system it has chosen—MS-DOS—brought some order to the market.

This means that the buyer will have an easier time deciding which type of machine is the best to buy, since the base of MS-DOS-compatible software is rapidly growing.

Yes, there are a great many machines that are IBM-workalikes and the search for the right one can be confusing. However, if the buyer opts for one using an 8086(88) CPU, there is a measure of order.

Don't think, though, the 8-bit CPU is dead. There are still many fine machines on the market using this type of CPU. In fact, this type of CPU is likely to be around for several years to come in single-user machines and you'll still find a wide variety of those machines available in our listings.

So let's begin our look at the new machines making their debuts here and move on to seeing how other offerings have upgraded.

Epsor

Although Epson has long been known for its small-computer

peripheral equipment, it has also entered the microcomputer market with two offerings of its own, the HX-20 and the easy-to-use QX-10. The HX-20 is a low-cost lap computer, while the QX-10 is a full-featured small system

Right from the box, the user has access to the power of an 8-bit Z80A microprocessor and 64K of RAM. This amount of memory is more than enough to handle all the user-oriented software available for this system. This system features a plain language user-interface and a one-key function access.

Fully configured, this system features the CP/M operating system and two double-sided, double-density 51/4-inch minifloppy-disk drives.

Data are entered via a typewriter-style keyboard with 63 keys. This keyboard includes 21 special-function keys. With the push of one of these buttons, a user is able to access functions without the necessity of entering a series of "computer-like" commands

Output is via a standard 12-inch monochrome display, capable of 640- by 400-dot graphics resolution or an 80-character by 25-line text display. Input/output is provided by standard serial and parallel ports.

Hitachi

Better known for its consumer electronics products, Hitachi also has an offering that makes its debut in this price range, the 16-bit MBE 16000 system. Another of the 1BM-workalikes, it is driven by an 8088 microprocessor, the same one used by IBM in its Personal Computer.

With 128K of user memory, this system is easily able to handle many functions a user may care to undertake. It uses MS-DOS and comes with two 51/4-inch minifloppy-disk drives for storage.

Although a firm price for this system hadn't been established at press time, it's likely to be about \$3000 and for this amount

| TABLE 1-\$3000-\$3500 | | | | | | |
|-----------------------------|--------------------------|------------------|-----------------------------|-------------|-----------------------------------------------------|------------------------------------------------------|
| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
| Epson America | QX-10 | \$3000 (est.) | Z80A | 8-bit | CP/M | Not announced |
| Hewlett-Packard | HP86B | \$3000 (est.) | Not announced | | UCSD p-Sys- | BASIC, Pascal, FORTRAN |
| Hitachi Sales Corp. | MBE 16000 | \$3000 (est.) | 8088 | 16-bit | tem, CP/M MS-DOS | BASIC, FORTRAN, COBOL, Pascal, assemb. |
| Zenith Data Systems | Z-120 | \$3038 | 8085/8088 | 8/16-bit | CP/M, ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| LNW Research Corp. | LNW80 Model 2 | \$3045 | Z80A | 8-bit | CP/M, Proprietary | BASIC |
| Apple Computer | Apple IIe | \$3069 | 6502A | 8-bit | Apple DOS 3.3 | BASIC, PILOT, Logo, Pas- cal, FORTRAN, COBOL |
| Sord Computer | M23 Mark III C | \$3075 | Z80A | 8-bit | Proprietary, CP/ M-compatible | BASIC, Pascal, FORTRAN |
| Toshiba America | T300 | \$3090 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC |
| NEC Home Electronics | PC-8800 | \$3097 | Z80A-compati- ble/8086 | 8/16-bit | CP/M, CP/ M-86, MS-DOS | BASIC |
| Sony | SMC-70 | \$3125 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| IBM | IBM-PC | \$3148 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, MACRO assembler, Pascal |
| Apple Computer | Apple III | \$3169 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Dynalogic Info-Tech Corp. | Hyperion | \$3195 | 8088 | 16-bit | MS-DOS | BASIC, COBOL, FORTRAN, Pascal |
| Sony | SMC-70 | \$3195 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Toshlba America | T300 | \$3195 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC |
| Canon USA | AS100 | \$3195 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL |
| Radio Shack | TRS-80 Model 12 | \$3199 | Z80A | 8-bit | TRSDOS | BASIC |
| Casio, Inc. | FX-9000P | \$3214 | Z80A-compatible | 8-bit | Not announced | BASIC |
| Athena Computer | Athena I | \$3250 | NSC-800 (low- power Z80) | 8-bit | СР/М | Pascal |
| Commodore Business Mach. | CBM 8032 | \$3290 | 6502 | 8-bit | Proprietary | BASIC |
| Hewlett-Packard | HP86A | \$3290 | Not announced | | UCSD p-Sys- tem, CP/M | BASIC, Pascal, FORTRAN |
| Computer Devices Inc. | DOT-3000X | \$3295 | 8088 | 16-bit | MS-DOS | BASIC, FORTRAN, COBOL, Pascal, assembler |
| Sanyo | MBC 4000 | \$3295 | 8086 | 16-bit | CP/M-86 | BASIC, assembler |
| Xerox Corp. | 820-11 | \$3295 | Z80A | 8-bit | CP/M | Not announced |
| NEC Home Electronics | PC-8800 | \$3296 | Z80A-compatible | | CP/M | BASIC |
| IMS International | 5000SX | \$3300 | Z80 | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| Canon USA | AS100 | \$3320 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL |
| Hewlett-Packard | HP-85A | \$3340 | Not announced | | N/A | BASIC, assembler |
| NEC Information Syst. | APC | \$3346 | 8086 | 16-bit | CP/M-86, MS- DOS | BASIC, COBOL, FOR- TRAN, PASCAL, Assem. |
| Texas Instruments | Professional Computer | \$3370 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Columbia Data Products | 1600-1 | \$3395 | 8088 | 16-bit | MS-DOS | BASIC, assembler |

| Memory/Storage | Keyboard | 1/0 | Display | Comments |
|--------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------|
| 64K/2 340K DS/DD 5 ¼" floppy drives | 63 keys, 21 special function, 18-key keypad | | 12-inch monochrome CRT/80 × 25 text mode/640 × 400 graphics res. | basic system |
| 128K/1 3.5-inch 270K drive | 59 keys, 20-key keypad, 14 special function | 1 parallel | 12" monochrome CRT/80 × 20 text | memory expands to 128K and microdrive added |
| 128K/2 5 1/4-inch floppy drives | 61 keys, 8 special func- tion, 18-key keypad | 1 serial, 1 parallel | 80 × 25 text/640 × 400 graphics capability | IBM-workalike |
| 128K/1 320K DS/DD 5 1/4" drive | 77 keys, 18-key keypad, 13 special function | 2 serial, 1 parallel | 80 × 25 text/green mono- chrome CRT | green monochrome display added |
| 96K/2 5 1/4" SS floppy disk drives | 73 keys, 11-key keypad | 1 parallel, 1 serial | 480 × 192 color ca- pability/62 × 16 text mode/ monochrome CRT | 2nd drive |
| 64K/2 51/4" minifloppy disk-drives | 63-key typewriter, 2 programmable | 1 parallel, 1 serial, game controller | | 2nd drive |
| 128K/2 330K 5 ¼" DS/DD drives | 59 keys, 20-key keypad, 9 special function | 2 serial, 1 parallel | 14-inch color CRT | color display |
| 192K/2 640K DS/DD 5 1/4" drives | 67 keys, 18 special funct., 10 edit, 18-key keypad | 1 parallel, 1 serial | 80 × 25 monochrome | 2nd drive |
| 128K/2 320K DS/DD 5 1/4" floppy drives | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch monochrome CRT/80 × 25 text | dual 320K DS/DD drives added |
| 64K/2 280K 3.5" microflop py drives | | 1 parallel, 1 serial | 12-inch green CRT/80 × 25 | 2nd drive |
| 64K/1 320K DS/DD 5 1/4" floppy drive | 59 keys, 10 special func- tion, 20-key keypad | 1 parallel, 1 serial | 12-inch high-res. color dis- play/80 × 25 text | color, serial port added |
| 256K/1 140K SS/DD 5 1/4" floppy drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text | CRT added to 256K Apple III |
| 256K/1 320K DS/DD 5 1/4" floppy drive | 84 keys, 10 function keys, 10-key keypad | 1 serial, 1 parallel | 7-inch amber monochrome CRT/80 × 25 text mode/640 × 250 graphics | transportable IBM-compatible |
| 64K/1 280K 3.5" microflop- py drive | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch RGB high-res. color CRT | color CRT subsituted |
| 192K/2 640K DS/DD 51/4" drive | 67 keys, 18 special funct., 10 edit, 18-key keypad | 1 parallel, 1 serial | 640 × 200 color display, 80 × 25 in text mode | color display |
| Not announced/2 640K DS/DD 5 1/4" floppy drives | standard | | 640 × 400 color graphics capability | color version with high-res. graphics capability |
| 80K/1 1.25MB 8" DS/DD floppy drive | 82 keys, 8 program- mable keys, 19-key keypad | 2 serial, 1 parallel | 12-inch monochrome/80 (40) × 24 text mode | basic system |
| 32K/dual floppy disk drive | | | 5.5-inch monochrome CRT, 32 × 16, 256 × 128 graphics | 28K RAM, plus disk storage added |
| 68K/128K of RAM-disk storage/1 DD 5 ¼" floppy included | standard | 2 serial, 1 parallel | 80-character × 4-line liq- uid crystal display/external CRT connector | lap computer |
| 32K/dual 51/4" floppy disk drivers | standard, numeric keypad | 1 serial | integral display | dual drives added |
| 64K/1 3.5-inch micro 270k drive | 59 keys, 20-key keypad, 14 special function | 1 parallel | 9" monochrome CRT, 80 × 25 text | 3 1/2-inch drive added |
| 128K/1 3.5" 280K micro floppy drive | 59 keys, 10 function keys, 18-key keypad | | monochrome monitor (built-in)/80 × 24 text | 64K RAM added |
| 128K/1 640K slim line 5 1/4 DS/DD floppy drive | mable, 18-key keypad | 1 parallel, 1 serial | 12-inch monochrome/80 × 25 text mode | basic system |
| 64K/2 SS/DD 5 1/4" floppy drives | standard, 10-key keypad | | monochrome CRT/80 × 24 text mode | business-oriented system |
| 64K/2 320K DS/DD 5 1/4" floppy drives | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch color CRT/640 × 400 res./ 80 × 25 text | color display added |
| 64K/2 409K DS/DD half- height 5 1/4" floppy drives | N/A | 2 serial, 3 parallel | N/A | micromainframe system |
| Not announced/2 640K DS/DD 5 1/4" floppy drives | standard | 1 serial | 640 × 400 color graphics capability | serial port added |
| 32K/built-in tape storage, 195K | 8 special function | | built-in 5" CRT/256 × 192 graphics/32 × 16 text | serial port added |
| 256K/1 1MB 8-inch half- height DS/DD drive | 66 keys, 25-key keypad, 23 function | | 80 × 25 monochrome | 128K memory added |
| 64K/2 320K DS/DD 5 1/4" floppy drives | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 12-inch monochrome CRT, 720 × 300 res., 80 × 25 text | |
| 128K/2 320K 5 1/4" floppy disk drives | 83 keys, 10 special func- tion, keypad | - 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 25 text | basic system |

| TABLE 1—\$3000-\$3500 (co | ontinued) | | | | | |
|---------------------------|-----------------------|--------|-----------------|-------------|-----------------------------------------------------|------------------------------------------------------|
| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
| North Star Computers | Advantage 8/16 | \$3399 | Z80A/8088 | 8/16-bit | MS-DOS, GDOS | BASIC, FORTRAN, COBOL, Pascal |
| Apple Computer | Apple III | \$3404 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| IBM | IBM-PC | \$3433 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, MACRO assembler, Pascal |
| Canon USA | AS100 | \$3445 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL |
| NEC Home Electronics | PC-8800 | \$3447 | Z80A-compatible | 8-bit | CP/M | BASIC |
| NEC Information Syst. | APC | \$3448 | 8086 | 16-bit | CP/M-86, MS- DOS | BASIC, COBOL, FOR- TRAN, PASCAL, Assem. |
| TeleVideo Systems Inc. | TS 802 | \$3495 | Z80A | 8-bit | CP/M | COBOL |
| Alspa Computer | BC-800 | \$3495 | Z80A | 8-bit | CP/M | |
| Sumicom Inc. | System 330E | \$3495 | 8088 | 16-bit | MS-DOS/CP/ M-86 | FORTRAN, COBOL, Pas- cal, BASIC |
| Computer Devices Inc. | DOT-3000Y | \$3495 | 8088 | 16-bit | MS-DOS | BASIC, FORTRAN, COBOL, Pascal, Assembler |
| Eagle Computer Inc. | Eagle PC-2 | \$3495 | 8088 | 16-bit | CP/M-86, MS- DOS | |
| Digital Equipment Corp. | Rainbow 100 | \$3495 | Z80/8088 | 8/16-bit | proprietary | Not announced |
| Intertec Data Systems | Superbrain II - SD | \$3495 | Z80A | 8-bit | CP/M | BASIC, FORTRAN |
| NEC Information Syst. | APC | \$3498 | 8086 | 16-bit | CP/M-86, MS- DOS | BASIC, COBOL, FOR- TRAN, PASCAL, Assem. |
| Zenith Data Systems | ZF-110 | \$3499 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |

the user gains access to such high-level languages as BASIC, Fortran, COBOL, Pascal, and assembler.

The graphics resolution of this computer is 640- by 400-dots and the text display is 80-characters by 25-lines. Input/output is provided by standard parallel and serial ports to which a user can add a variety of peripherals including printers and modems.

The MBE 16000 is fully configured right out of the carton.

Hyperion

One of the remarkable events of the last year has been the appearance of a number of IBM-workalike transportable computers and the Hyperion is one of them.

Driven by a 16-bit 8088 CPU, this micro system comes with 256K of user memory as standard.

Capable of running under the near-standard MS-DOS, the Hyperion comes equipped with one double-sided, double-

density 320K minifloppy-disk drive.

Programmable in BASIC, COBOL, Fortran and Pascal, this and other data are entered via an IBM-like 84-key low-profile keyboard. It features 10 special-function keys and a 10-key numeric keypad. Input/output is aided by standard parallel and serial ports (extra-cost options on the IBM PC).

Since it is a transportable, it has a built-in display. This video display is a 7-inch 80-character by 25-line amber unit. It is also

capable of 640- by 250-dot graphics.

Radio Shack

The Model 12 debuts in this price category. A businessoriented system, the Model 12 is driven by an 8-bit Z80A microprocessor and is equipped with 80K of user memory. There is a powerful base of proprietary and second-source software available for it which gives the user access to many applications.

This system uses the proprietary TRSDOS system and because it does, one can easily assume that it comes with a standard disk drive, which it does. The standard drive is a double-sided, double-density 8-inch slim-line floppy capable of 1.25MB of mass storage. This amount of storage is enough to satisfy anyone's needs at first.

Programmable in BASIC, this and other data are entered through a keyboard with 82 typewriter-style keys. This unit also features eight programmable keys and 14 special-function keys.

An all-in-one unit, the 12-inch green monochrome monitor, keyboard and system box are housed in the same cabinet. The display is 80 characters by 24-lines in the text mode. Input/ output is aided with two standard serial ports and one standard parallel port.

Athena

This is one of the more unusual transportables on the market because it relies on using user memory configured as a disk for high-speed storage and data access. Using memory configured as a pseudo-disk or virtual memory disk isn't a new idea in the microcomputer market, but it is usually an add-on feature, rather than a standard one. The key advantage to a memory disk is a manyfold increase in program execution speed. Further, the Athena I relies on low-power CPU's and circuitry to have effective battery operation.

The Athena I is driven by dual NSC-800's, low-power versions of the popular Z80 8-bit microprocessor. It comes equipped with 68K of RAM and 128K of memory dedicated to

the virtual memory disk.

The user doesn't have to keep this machine powered up indefinitely to retain this storage because Athena makes a double-density 51/4-inch floppy disk available for permenant backup. The system runs under the CP/M operating system and so the user has a wide range of already-produced programs available.

| _ |
|---------|
| Ö |
| |
| |
| |
| \circ |
| |
| <u></u> |
| 皿 |
| 77 |
| |
| - |
| CO |
| œ |
| 23 |
| |

| Memory/Storage | Keyboard | 1/0 | Display | Comments |
|----------------------------------------------------|----------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------|
| 128K/2 360K DS/DD 5 1/4" floppy drives | 49 keys, 14-key keypad, 15 function keys | 1 parallel, 1 serial | 12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode | basic system |
| 128K/2 140K SS/DD 5 1/4" floppy drives | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text | 2nd drive added to 128K Apple III |
| 64K/2 320K DS/DD 5 1/4" drives | 59 keys, 10 special function, 20-key keypad | i parallel, 1 serial | 12-inch monochrome/80 × 25 text | 2nd drive |
| Not announced/2 640K DS/DD 5 1/4" floppy drives | standard | 1 serial, 1 parallel | 640 × 400 color graphics capability | parallel port |
| 64K/2 1 MB DS/DD 8" flop- py drives | 10-key keypad | 1 parallel, 1 serial | 14-inch monochrome CRT/80 × 25 text | dual 8" DS/DD drives added |
| 128K/2 1MB 8-inch half- height DS/DD drives | 66 keys, 25-key keypad, 23 function | 1 parallel, 1 serial | 80 × 25 monochrome | 1 disk drive added |
| 64K/2 368K DS/DD 5 1/4" drives | 72 keys, 16 program- mable, 17-key keypad | port | 14-inch monochrome/80 × 25 text | |
| 64K/2 1.2MB floppy drives | 95 keys | 2 serial, 2 parallel, 1 RS-422 network port | 12-inch monochrome/80 × 25 text | |
| 128K/2 720K 5 1/4" floppy dives | 95 keys, 8 special func- tion, 10-key keypad | 1 serial, 1 parallel | monochrome CRT | 2 720K 5 1/4" drives |
| 128K'1 3 1/5" 280K micro floppy drive | 59 keys, 10 function keys, 18-key keypad | | monochrome (built-in)/80 × 24 text | 64K RAM added |
| 128K/2 320K DS/DD 5 1/4" floppy drives | 105 keys | 2 serial, 1 parallel | 12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode | 2nd drive added |
| 64K/2 400K 5 1/4" floppy drives | 58 keys, special func- tion, 14-key keypad | 1 serial, 1 RS-423 syn- chronous | monochrome CRT/80 × 25 text | basic system |
| 64K/2 1.5MB 5 ¼" floppy drives | 62 keys, 18-key keypad | 2 serial | 12-inch monochrome/80 × 24 text mode | 750K |
| 128K/1MB 8-inch half- height DS/DD drive | 66 keys, 25-key keypad, 23 function | 1 parallel, 1 serial | 80 × 24 color, 640 × 200 mono res., 160 × 100 16- color, 320 × 200 4-color | model |
| 128K/2 320K DS/DD 5 1/4" drives | 77 keys, 18-key keypad, 13 special function | 2 serial, 1 parallel | user option | basic system |

Programmable in high-level Pascal, this and other data are input via a standard typewriter-style keyboard. Input/output is provided by two standard serial ports and one parallel port. These can be used to interface with a wide variety of peripherals.

The Athena I makes one other departure from standard transportable configuration with its display. Unlike other transportables that use power-hungry CRT's, this small system uses a four-line, 80-character liquid crystal display. It seems this unit is a cross between the lap and the transportable computer. An external video output is available for a standard video display.

Computer Devices

The DOT-3000X is another of the many IBM-workalike transportables on the market.

Driven by a 16-bit 8088 microprocessor, the *DOT-3000X* comes with 128K of RAM. This amount of memory should enable the user to take advantage of the new generation of powerful 16-bit software coming to the market.

Capable of operating under MS-DOS (MicroSoft Disk Operating System), the *DOT-3000X* comes with a 3.5-inch 280K microfloppy disk drive. It is programmable in BASIC, Fortran, COBOL, Pascal, and assembler.

User input is via a typewriter-style keyboard with 59 keys. There are also 10 special-function keys and an 18-key numeric keypad. Output is via a built-in 5½ by 9-inch display that is capable of an 80-character by 24-line text mode.

Sanyo

Another of the many 16-bit machines on the market is another offering from Sanyo, the *MBC* 4000. Driven by a 16-bit 8086 CPU, the *MBC* 4000 comes equipped with 128K of RAM.

Departing from what seems like the norm today, this system runs under the 16-bit version of CP/M, CP/M-86, which, at the moment, limits the user in the amount of software that has been

written for this system. However, Digital Research, the producers of CP/M-86, indicates that this will soon change and more companies will write software for this operating system.

Since it has an operating system, one can assume it also has a disk and it does. It comes equipped with a 640K slim-line double-sided, double-density minifloppy disk drive that saves a great deal of space.

Programmable in BASIC and assembler, this and other data are input via a keyboard containing 60 keys, 15 programmable keys and an 18-key numeric keypad. Input/output is provided by standard serial and parallel ports.

The standard display device for the 80-character by 25-line text display of the MBC 4000 is a 12-inch monochrome unit.

An upgraded system, the 3000Y, is also included in this price category. In this higher-cost version, the amount of user memory doubles.

Xerox

Long active in the office-product market, Xerox has an entry in the small-computer sphere, the 820-II. First released as the 820, this system was upgraded last year.

Driven by an 8-bit Z80A CPU, the 820-II comes equipped with 64K of RAM. It features two standard single-sided, double-density minifloppy-disk drives for storage. It operates under CP/M and gives the user access to the wide variety of programs available under that operating system.

Input/output is handled by a standard serial port to which a variety of peripheral equipment can be interfaced, while video output (80 characters by 24 lines of text) is handled by a standard monochrome display.

IMS International

An S-100 micromainframe system is available from IMS International, the 5000SX.





THE HYPERION is a transportable IBM workallke.

The 5000SX is a Z80-based, 8-bit system that includes two 409K double-sided, double-density minifloppy-disk drives for mass storage. It is capable of operating under CP/M and this gives the user a wide choice of application programs.

When this disk storage is combined with the 64K of RAM, the system's power is quite evident. It will easily handle many

routines a user may choose to run.

With two standard serial ports and three standard parallel ports, one can see the 5000SX is the basis of a multiuser system. With this number of input/output ports, a user can interface two terminals and three printers or a terminal, modern, and several other peripherals. Thus, more than one person can use this system, if it has more than one terminal installed. With the number of parallel ports, it can act as the mainframe driving several peripherals in an office or manufacturing setting.

Columbia Data Products

Every day it seems that one manufacturer or another is introducing an IBM-workalike small-computer system and Columbia is no exception. Its 1600-1 is driven by the same 16-bit CPU, an 8088, used by IBM and it runs under the same operating systems, MS-DOS, CP/M-86 (available for the IBM PC) and UCSD p-System (also available for the PC).

With 128K of RAM, the basic version of the 1600-1 has twice the memory of the basic PC. It also includes two 320K double-sided, double-density 51/4-inch minifloppy disks as standard for mass storage. This system is programmable in BASIC and

assembler.

Equipped with an 83-key typewriter-style keyboard, this unit includes 10 special-function keys—as does the IBM—and a numeric keypad. (The importance of a numeric keypad can't be underestimated. It speeds numeric data entry and makes the system far more flexible to use.)

With two standard serial ports and one standard parallel port, the user has a number of interfacing options. He can use the serial ports to support printers, plotters, or modems and he can use the parallel port to support a printer. IBM makes these user options.

An 80-character by 25-line text display is read on a standard 12-inch monochrome video display.

North Star

North Star's all-in-one Advantage 8/16 combines all the features of an 8-bit small computer with those of a 16-bit machine by using dual Z80A and 8088 CPU's. This gives the user access to the wide variety of programs available for each type of system.

With 128K of RAM, the Advantage 8/16 is a versatile machine that is programmable in BASIC, Fortran, COBOL, and Pascal. It provides two standard 360K double-sided, double-density minifloppy disk drives for storage.

Equipped with a typewriter-style keyboard, having 49 keys, it also includes a 14-key numeric keypad and 15 special-function keys. User input is handled by this device. However, input can also come via the standard serial port.

Output, on the other hand, is displayed on a standard 12-inch monochrome video screen, either as 640- by 240-dot graphics or 80-character by 25-line text. Output can also be routed through the standard parallel port to a printer.

TeleVideo

The TeleVideo TS 802 is another of this computer manufacturer's Z80A-based, single-user systems. Fully configured right from the box, it includes two standard 368K double-sided, double-density minifloppy-disk drives.

With 64K of RAM, the TS 802 is easily able to handle many tasks. When this amount of user memory is combined with the standard disk drives, one can easily see it is a powerful system, capable of running under the industry-standard CP/M operating

system.

Programmable in COBOL, this and other data are entered via a typewriter-style keyboard with 72 keys. The keyboard also features 16 programmable keys and a 17-key numeric keypad. Input/output is provided by two standard serial ports and an RS-422 serial port.

Since this is a fully configured system, the video-display device is standard. It uses a 14-inch monochrome screen to

display 80 characters by 24 lines of text.

Alspa

A newcomer to the small-computer arena, the Alspa BC-800 includes a great deal of bundled (included) software. Relying on proven 8-bit Z80A technology, this system comes with 64K of RAM.

A fully configured system, it comes with two 1.2MB floppydisk drives for storage—a valuable asset. It operates under CP/M, which provides the user with access to a wide variety of

proven application programs.

Data is input via a 95-key keyboard and it is output to a standard 12-inch monochrome display. Input/output is provided by two standard serial, two standard parallel and one serial RS-422 port.

Sumicom

Sumicom's *System 330E* is another of the IBM workalikes on the market and it uses the same CPU, the 16-bit 8088, that IBM chose for its *Personal Computer*.

Equipped with 128K of user memory—enough to handle the biggest of spreadsheet programs—the *System 330E* comes with two 720K 5½-inch minifloppy disks for mass storage. This feature makes this system far more flexible than relying on one disk. Adding to its capabilities are the operating systems available, MS-DOS and CP/M-86.

This typewriter-style keyboard with 95 keys also includes eight special-function keys and a 14-key numeric keypad.



ZENITH'S LOW PROFILE ZF-100 is a powerful machine.

Actually a system upgrade over lower-priced versions, the *System 330E* is capable of input and output through standard serial and parallel ports. Video output via a monochrome video display device.

Eagle

The Eagle PC-2 is another of the IBM-workalikes on the market and uses the same CPU that is used in the IBM PC, a 16-bit 8088.

The computer comes with 128K of RAM, or twice that of the IBM. This is enough to handle any of the 16-bit applications programs on the market.

That it can run programs written under either MS-DOS or CP/M-86 indicates it has standard disk drives, and it does. The Eagle *PC-2* comes equipped with dual 320K 51/4-inch minifloppy disk drives. This feature makes it a highly versatile system.

User input is via a 105-key keyboard and input/output is handled via two standard serial ports and one standard parallel port.

A fully configured system, video output is to a standard 12-inch high-resolution monochrome display that's capable of an 80-character by 25-line text display.

DEC

Long the leader of the minicomputer world, Digital Equipment Corp. joined the microcomputer world a year and a half ago with its release of several small-computer systems. These systems included the *Rainbow 100*.

Equipped with Z80 and 8088 CPU's, this system uses a proprietary operating system that allows the user access to the world of CP/M and MS-DOS.

The computer comes with 64K of RAM, or enough to handle fairly complex tasks. The dual-standard minifloppy-disk drives are capable of 400K of storage apiece and add to the versatility of this system.

The main slim-line, typewriter-like keyboard has 58 keys including special-function keys and a 14-key numeric keypad. Output to the user is handled via a high-resolution monochrome video display

Fully configured, this system includes one standard serial port and one serial RS-423 synchronous port.

Intertec

The Intertec Superbrain II—SD is the third upgrade of this manufacturer's all-in-one series of microcomputers. Using dual Z80A 8-bit CPU's, this system has 64K of RAM, and uses the CP/M operating system.

It upgrades in its disk storage capability. This system now has two 1.5MB super-density 51/4-inch minifloppy-disk drives. An all-in-one unit, it includes a 12-inch monochrome display in the same cabinet with the system box and the keyboard that contains 62 typewriter-like keys, a 25-key numeric keypad and 23



COMPUTER DEVICES' DOT-3000X is another transportable IBM workalike



special-function keys. This box also houses the two standard serial ports.

Zenith

The second member of the Zenith Z-100 family appears in this price category, the all-in-one version, called the Z-120. This unit combines the keyboard, system box, and video-display tube into one cabinet, much like the computer workstations with which many people are familiar. Unlike those terminals, which are usually linked to a mainframe and lack any real power of their own, the Z-100 is a full-blown small-computer system.

Driven by an 8-bit 8085 and a 16-bit 8088, this 8/16-bit system comes with 128K of RAM. An IBM-workalike, it has twice the memory of the IBM PC.

Because it uses the proprietary Zenith Disk Operating System (ZDOS) and CP/M, one can assume it has a disk drive included as standard for storage, and it does. The disk drive is a 5¼-inch minifloppy 320K double-sided, double-density unit. This combination is powerful enough to give a user a good start in microcomputing.

Programmable in BASIC, COBOL, and Fortran, this and other data are entered via a typewriter-style keyboard with 77 keys. This keyboard includes an 18-key numeric keypad and nine special-function keys. Input/output is provided by two standard serial ports and a parallel port.

Since it's an all-in-one unit, the video-display tube is included in its basic configuration. It's a 12-inch monochrome display, capable of displaying 80-characters by 24-lines.

The low-profile system, the ZF-100, upgrades in this price category to become a full-featured system, with the exception of a standard display. This upgrade adds a second disk drive to the low-profile ZF-100 system. The video display is still a user option.

Hewlett-Packard

The HP86B system upgrades with the addition of more user memory—128K now—and a 3.5-inch 270K microfloppy drive. More and more manufacturers are turning to this type of drive because of the space savings. Like a minifloppy, it makes a system more versatile.

At the same time, the *HP86A* is also upgraded with the addition of the same type of 3.5-inch drive, while the *HP85A* upgrades with the addition of a serial port. This gives the *HP85A* telecommunications capability if you add a modem or the capability to interface with a serial printer, rather than relying on the built-in thermal printer.

IBM

The IBM *Personal Computer* becomes more powerful and capable of high-resolution color output with the addition of a color video-display tube to the double-sided, double-density drive model. In this configuration, a serial port is also added for

communications capability, if you choose, or to interface with a serial printer.

The second upgrade—a second disk drive for storage—brings the IBM *Personal Computer* to its full configuration. Now it has two disk drives for added flexibility in mass storage and data access.

Apple

The Apple IIe is just about fully configured in this price category. In the latest upgrade, a second minifloppy-disk drive is added for greater mass storage.

At the same time, the Apple III upgrades twice. In the first upgrade, a standard high-resolution video display device is added to the 256K version of this small-computer system.

The 128K version of the same system becomes fully configured with the addition of a second minifloppy disk drive for mass storage.

NEC

The NEC APC becomes a far more powerful system with its three upgrades. The first adds 128K to the amount of RAM, while the second adds a disk drive. At once, this upgrade makes



THE ALL-IN-ONE version of Zenith's 8/16-bit computer system, the Z-100 has a non-glare green CRT and two 320K 51/4-inch drives.



EPSON's QX-10 desktop computer features two double-sided, double-density disk drives and runs the CP/M operating system.

the system far more flexible. The third upgrade adds a color video-display device to the one-drive needed and gives you color-graphics capability.

The PC-8800, now an 8/16-bit system with access to both CP/M and MS-DOS, the leading operating systems of the 8-bit and 16-bit worlds, now becomes fully configured as dual 320K double-sided, double-density disk drives are added. It gains even more capability as the disk-drive capacity is increased even further with dual eight-inch floppy-disk drives.

Toshiba

With the two upgrades to the *T300* small-computer system, it makes the transition from a monochrome microcomputer with two drives to a color computer with two drives.

The first upgrade brings the monochrome system to full configuration with the addition of a second disk drive. This increases the flexibility of this system.

Under the second upgrade, the monochrome display is changed to a high-resolution color display and this system gains color-graphics capability, if the user chooses to use it.

Sony

The SMC-70 system becomes quite full-featured here. With its first upgrade, a second disk drive increases this system's storage flexibility and capability. This system was the first to make use of 3.5-inch microfloppy-disk drives, which a number of other microcomputer companies are also making use of. However, this isn't yet the standard size because there are also varieties available in the 3 to 3.25-inch range.

The second upgrade substitutes a high resolution RGB color video-display device for the monochrome display and gives this system its full configuration.

Canon

In this price category, the Canon AS100 system upgrades three times. The first upgrade gives this system color-graphics capability with a color video-display tube capable of a 640- by 400-dot resolution.

In the second upgrade, a serial port is added to the AS100's configuration. The third upgrade, adding a parallel interface, frees the serial port for communications use solely. (The parallel port can be dedicated to a printer.)

Texas Instruments

The *Professional Computer* becomes nearly fully configured in this price category with the addition of a second double-sided, double-density 320K minifloppy-disk drive. This addition gives the user access to a second disk which speeds system operation.

Casio

The Casio FX-9000P has its memory increased to 32K with the addition of 28K of memory. Further, the versatility of this small system is increased with the addition of a minifloppy-disk drive.

LNW Research

The LNW80 Model II becomes a fully configured system with the addition of a second minifloppy-disk drive.


Sord

Although the name M23 Mark III C looks as if it might be a new system, it is, in reality, an upgraded Sord M23 system. In this configuration, the system upgrades and gains color capability with, as you might expect, the addition of a color video-display device.

Commodore

The 8032 system, which was introduced several price categories ago, makes its appearance again, now in its fully configured state. This system, which includes a standard CRT, now also has duel 51/4-inch minifloppy-disk drives included for storage.







An innovative lap computer is among the new machines we see here.

\$3500 to \$4000

MARC STERN

AS WE MOVE INTO THE HIGHER PRICE CATEGORIES, PERHAPS you've noticed how more and more central processing units have become 16-bit devices. This contrasts quite markedly with the situation a year ago, when the majority of higher-priced, small-computer systems on the market were still 8-bit machines.

Why has this happened? The key reason is IBM's move into the microcomputer market. It has legitimatized the microcomputer in the eyes of many and it has created a vast market of new users. Seeing this, the rest of the microcomputer industry has jumped aboard the bandwagon with new IBM-workalike or compatible systems. A second reason, that is just as important, is that the microcomputer industry has seen the power available in the 16-bit CPU and it wants to make use of that power.

In this price category, 11 new systems make their debuts. Most are from manufacturers that have already been introduced in other price categories. However, there are four new companies that make their appearances here. Let's begin our look at this market with those four new companies. Then we will explore the rest of the category and see how various systems upgrade.

Gavilan

The Gavilan is one of the most innovative of the new generation of lap computers, now making their debuts. It is very frankly aimed at the business market and makes no bones about saying so. Because it is, this system includes a variety of bundled (included) software for word-processing, appointments and other business-oriented tasks. They are contained in plug-in capsules, as the company terms them.

Perhaps the most innovative fact about the *Gavilan* is its size. Even though it includes a microdisk drive for storage as part of its basic configuration, it easily folds up and fits into the average briefcase. If you've looked closely at the chart you've probably noticed that it only comes with 32K of RAM. Other ROM-based functions reside in another 32K of built-in memory and this

leaves a full 32K available for the user. This ROM handles much of the work that RAM is required to do in other systems. This system is driven by a 16-bit 8088 microprocessor, that makes it another of the many IBM-workalikes that are now on the market

Because it does have a standard disk drive it needs an operating system and the one Gavilan has chosen is the near-standard 16-bit operating system, MS-DOS. Due to the extensive package of software included with this system, a user really won't have need of much more software than that included.

The Gavilan's other unique feature is its "mouse." A relatively new feature in the small-computer world, a mouse is a small device that rolls around a desk top. It interfaces with the system's memory and lets the user move the cursor all over the screen. This eliminates the need for keyboard use and lets the user pick a function from several on the screen, provided a program has this type of feature, by just moving the mouse around. But rather than relying on a true "mouse," Gavilan uses a touch-sensitive plate under the 8 line by 66-character liquid-crystal display so a user can access a particular function.

Fujitsu

A leading Japanese computer manufacturer, Fujitsu has an entry in the microcomputer field, the *Micro 16*, a unit with 8-and 16-bit co-processors.

Driven by either a proven 8-bit Z80A CPU or a reliable 16-bit 8086—the bigger brother of the 8088—the Micro 16 has access to the world of CP/M and its many programs, Concurrent CP/M and its multitasking capabilities, or optional MS-DOS. This gives the user access to a versatile software base.

Equipped with 128K of user memory, this system will easily handle any of the many sophisticated programs available on the market today. Its mass-storage capabilities—two standard 320K double-sided, double-density minifloppy-disk drives—is also easily up to any task given the system.

The keyboard has a total of 98 keys and a separate numeric

| | | | S | | | | | |
|--|--|--|---|--|--|--|--|--|
| | | | | | | | | |

| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
|---------------------------|-----------------------------------|----------------|-----------------------------|-------------|-----------------------------------------------------------|------------------------------------------------------|
| Athena Computer | Athena I | \$3500 | NSC-800 (low- power Z80) | 8-bit | CP/M | Pascal |
| Texas Instruments | Professional Computer | \$3515 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p- System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Basis Inc. | Basis 108 | \$3590 | Z80A/6502 | 8-bit | CP/M, Apple | BASIC, Pascal, LOGO |
| TeleVideo Systems Inc. | TS 1603 | \$3590 | 8088 | 16-bit | CP/M-86, MS- DOS | COBOL |
| Compaq Computer Corp. | Compaq | \$3 590 | 8088 | 16-bit | Compaq DOS (Similar to IBM PC-DOS) | BÁSIC |
| Zenith Data Systems | ZF-100 | \$3598 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| IBM | IBM-PC | \$3598 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, Macro Assembler, Pascal |
| Zenith Data Systems | Z-120 | \$3599 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| Sage Computer Tech. | Sage II | \$3600 | MC68000 | 16/32-bit | UCSD p-Sys- tem, CP/M-86K, Modula 2, Hyper-FORTH | BASIC, FORTRAN, Pascal, Assembler |
| Apple Computer | Apple III | \$3604 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Zenith Data Systems | ZF-100 | \$3638 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| Sony | SMC-70 | \$3645 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Texas Instruments | Professional Compu te r | \$3670 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p- System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| IBM | IBM-PC | \$3677 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, Macro Assembler, Pascal |
| Dynalogic Info-Tech Corp. | Hyperion | \$3690 | 8088 | 16-bit | MS-DOS | BASIC, COBOL, FORTRAN, Pascal |
| Basis Inc. | Basis 108 | \$3690 | Z80A/6502 | 8-bit | CP/M, Apple | BASIC, Pascal, LOGO |
| IMS International | 5000IS | \$3700 | Z80 | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| Sony | SMC-70 | \$3700 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Compaq Computer Corp. | Compaq | \$3705 | 8088 | 16-bit | Compaq DOS (Similar to IBM PC-DOS) | BASIC |
| Hewlett-Packard | HP-85A | \$3735 | Not announced | | Proprietary | BASIC, Assembler |
| Sord Computer | M23 Mark V G | \$3785 | | 8-bit | Proprietary, CP/ M-compatible | BASIC, Pascal, FORTRAN |
| Wang Laboratories | Professional Computer | \$3790 | | 16-bit | MS-DOS, CP/M emulation | BASIC, COBOL, FORTRAN, Pascal |
| Hewlett-Packard | H85B | \$3790 | | | Proprietary | BASIC, Assembler |
| Commodore Business Mach. | SuperPET | \$3790 | | 8-bit | Proprietary | BASIC, APL, COBOL, FOR- TRAN, Pascal |
| Toshiba America | T300 | \$3795 | | 16-bit | MS-DOS, CP/ M-86 | BASIC |
| Columbia Data Products | 1600-1 | \$3840 | 8088 | 16-bit | MS-DOS | BASIC, Assembler |
| IBM | IBM-PC | \$3842 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, Macro Assembler, Pascal |
| NEC Home Electronics | PC-8800 | \$3846 | Z80A-compati- ble/8086 | 8/16-bit | CP/M, CP/ M-86, MS-DOS | BASIC |
| Hewlett-Packard | HP86A | \$3865 | Not announced | | UCSD p-Sys- tem, CP/M | BASIC, Pascal, FORTRAN |

| | Memory/Storage | Keyboard | I/O | Display | Comments |
|---|------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------------------|--------------------------------------------------------|
| | 68K/256K of RAM-disk stor age/1 DD 5 1/4" floppy included | - standard | 2 serial, 1 parallel | 80-character × 4-line liq- uid crystal display/external CRT connector | 256K RAM-disk |
| | 64K/1 320K DS/DD 5 1/4" floppy drive | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 13-inch color CRT, 720 × 300 res., 80 × 25 text | color CRT added to 1-disk version |
| | 128K/2 5 1/4" floppy driv- es/256K memory (RAM) disk added | 58 keys, 15 program- mable, number keypad | 1 parallel, 1 serial | RGB and composite/280 × 192 res./80 × 25 text | 256K r. Pary RAM-disk |
| | 256K/2 half-height 368K DS/DD floppy drives | 72 keys, 16 program- mable, 16-key keypad | 2 serial, 1 serial RS-422 port | 14-inch monochrome/80 × 25 text | memory expanded to 256K |
| | 128K/2 5 1/4" DS/DD drives, 640K | 83 keys, 10-key keypad, 10 special funct. | 1 parallel, opt. serial | 9-inch monochrome (built- in)/80 × 25 text | second drive added |
| | 128K/1 320K DS/DD 5 1/4" drive | 77 keys, 18-key keypad, 13 special funct. | 2 serial, 1 parallel | color CRT/640 × 225 high-res., 80 × 25 lines | high-res. color CRT added |
| | 128K/2 320K DS/DD 5 1/4" drives | 59 keys, 10 special func- tion, 20-key keypad | 1 parallel, 1 serial | 12-inch monochrome/80 × 25 text | memory expanded to 128K |
| | 128K/2 320K DS.DD 5 1/4" drives | 77 keys, 18-key keypad, 13 special funct. | 2 serial, 1 parallel | built-in 80 × 25 mono- | 2nd drive added |
| | 129K/1 640K 5 1/4" floppy drive | N/A | 2 serial, 1 RS-488, 1 parallel | chrome CRT N/A | powerful MC68000-based mi- cromainframe |
| | 256K/2 140K SS/DD 5 1/4" floppy drives | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text | 2nd drive added to 256K Apple III |
| | 128K/2 320K DS/DD 5 1/4" drives | 77 keys, 18-key keypad, 13 special funct. | 2 serial, 1 parallel | green monochrome CRT/80 × 25 text | green monochorme display |
| | 64K/2 280K 3.5" microflop- py drives | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch RGB high-res. color CRT | cotor CRT substituted for dis- play |
| | 128K/2 320K DS/DD 5 1/4" floppy drives | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 12-inch monochrome CRT, 720 × 300 res., 80 × 25 display | nory added to 2- una monochrome unit |
| | 64K/2 320K DS/DD 5 1/4" drives | 59 keys, 10 special function, 20-key keypad | 1 parallel, 1 serial | 12-inch high-res. color dis- play/80 × 25 text | color display added to 2-drive DS/DD system |
| | 256K/2 320K DS/DD 5 1/4" floppy drives | 84 keys, 10 function keys, 10-key keypad | 1 serial, 1 parallel | 7-inch amber monochrome CRT/80 × 25 text mode/640 × 250 graphics | second drive added |
| | 128K/2 5 1/4" floppy driv- es/256K memory (RAM) disk | 58 keys, 15 program- mable, keypad | 1 parallel, 1 serial | RGB and composite/280 × 192 res./80 × 25 text | 256K memory RAM disk for greater speed added |
| | 64K/2 409K DS/DD half- height 5 1/4" floppy drives | 64 keys, 14 special func- tion, 19-key keypad | 1 serial | monochrome CRT/80 × 24 text mode | basic system |
| | 64K/2 280K 3.5" microflop- py drives | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch green CRT/80 × 25 text | expansion unit |
| | 128K/2 5 1/4" DS/DD drives, 640K | 83 keys, 10-key keypad, 10 special funct. | 1 parallel, 1 serial | 9-inch monochrome (built- in)/80 × 25 text | serial port |
| | 32K/built-in tape storage, 195K | 58 keys, 20-key keypad, 8 special function | 1 serial, 1 general pur- pose interface | built-in 5" CRT/256 × 192 graphics, 32 × 16 text | 2nd port serial added |
| | 128K/2 1MB 8" drives | 59 keys, 20-key keypad, 9 special function | 2 serial, 1 parallel | 12-inch green CRT | system or graded to 1-fruit drives with 1MB stolage |
| | 128K/2 360K DS/DD 5 1/4" floppy drives | 101 keys, 16 program- mable, 18-key keypad | 1 parallel, 1 serial | monochrome CRT 800 × 300 | second drive, display, and adapter added to Wang PC |
| | 160K/tape drive/RAM disk | 58 keys, 20-key keypad, 8 special function | | built-in 5" CRT/256 × 192 graphics, 32 × 16 text | RAM expanded to 165K |
| | 96K/dual 5 1/4" floppy disk drives | standard, numeric key- keypad | 1 serial | 12-inch monochrome CRT/80 × 25 text mode | dual floppy disk drives added |
| | 192K/2 640K 5 1/4" drives | 67 keys, 18 special funct., 10 edit, 18-key keypad | 1 parallel, 1 serial | 640 × 200, 80 × 25 in text mode | and draw seded to color |
| | 256K/2 320K 5 1/4" floppy disk drives | 83 keys, 10 special function, keypad | 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 25 text | user memory increased to 256K |
| Ī | 128K/2 320K DS/DD 5 1/4" drives | 59 keys, 10 special function, 20-key keypad | 1 parallel, 1 serial | 12-inch high-res. color dis- play/80 × 25 text | memory expanded to 128K in color IBM-PC |
| | 128K/2 320K DS/DD 5 1/4" floppy drives | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch color CRT/640 × 400 res./80 × 25 text | color display added to 5 1/4- |
| | 64K/2 270K 3.5-inch mi- | 59 keys, 20-key keypad, | 1 parallel | 9" monochrome CRT/80 × | 2nd drive added |
| | crodrives for storage | 14 special function | | 25 text | |

TABLE 1-\$3500-\$4000 (continued)

| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
|--------------------------|--------------------------|--------|-----------------------------|-------------|--------------------------------------------------------|------------------------------------------------------|
| Texas Instruments | Professional Computer | \$3870 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p- System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Vector Graphic Inc. | Vector 4/10 | \$3895 | Z80B, 8088 | 8/16-bit | CP/M-86, MS- DOS (optional), CP/M | Not announced |
| Micro Source | M6000P | \$3900 | Z80A | 8-bit | CP/M | Not announced |
| Compaq Computer Corp. | Compaq | \$3910 | 8088 | 16-bit | Compaq DOS (Similar to IBM PC-DOS) | BASIC |
| IBM | IBM-PC | \$3928 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, MACRO Assembler, Pascal |
| Digital Equipment Corp. | Professional 325 | \$3945 | PDP-11/238 | 16-bit | Proprietary, CP/M optional | Not announced |
| Athena Computer | Athena I | \$3950 | NSC-800 (low- power Z80) | 8-bit | CP/M | Pascal |
| Hewlett-Packard | HP120/125 | \$3975 | Z80A | 8-bit | CP/M | BASIC, Assembler |
| Hewlett-Packard | HP200 | \$3985 | MC68000 | 16/32-bit | N/A | BASIC, Pascal, HPL |
| Computer Devices Inc. | DOT-3000Z | \$3995 | 8088 | 16-bit | MS-DOS | BASIC, FORTRAN, COBOL, Pascal, Assembler |
| Gavilan Computer Corp. | Gavilan | \$3995 | 8088 | 16-bit | MS-DOS | BASIC, Pascal |
| Sanyo | MBC 4050 | \$3995 | 8086 | 16-bit | CP/M-86 | BASIC, Assembler |
| Toshiba America | T250-4 | \$3995 | Z80 | 8-bit | CP/M | BASIC |
| Eagle Computer Inc. | Eagle IIE-4 | \$3995 | Z80A | 8-bit | CP/M | BASIC |
| Fujitsu Microelectronics | Micro 16 | \$3995 | Z80A, 8086 | 8/16-bit | CP/M-86, Con- current CP/M/ MS-DOS op- tional | Not announced |
| NEC Home Electronics | PC-8800 | \$3997 | Z80A-compati- ble/8086 | 8/16-bit | CP/M, CP/ M-86, MS-DOS | BASIC |
| Radio Shack | TRS-80 Model 12 | \$3999 | Z80A | 8-bit | TRSDOS | BASIC |

keypad, plus 10 programmable keys. This device handles user input, while input/output is handled by standard serial and parallel ports. The video display delivers 640 by 200-line high-resolution graphics or an 80-character by 25-line text mode.

Micro Source

The Micro Source *M6000P* is an industry-oriented S-100 compatible transportable microcomputer system. (The industry-standard S-100 bus features a 100-line bus that accessory cards are plugged into. The micprocessor's motherboard is also tied into this bus.) The *M6000P* has 64K of RAM and operates under CP/M. Because it operates under CP/M, the operator has many programs to use with the standard 376K double-sided, double-density 5½-inch minifloppy disk drives.

User input is via the keyboard that has a total of 83 keys, including four function keys and a separate 14-key numeric pad. Standard serial and parallel ports handle input/output. The built-in monochrome display is a 9-inch screen that displays 80 characters by 24 lines. RGB outputs are also available for color graphics.

Sage

The Sage II is a powerful, multiuser MC68000-based small-computer system. Its 16-, 32-bit MC68000 CPU makes it special, because few other systems use this powerful microprocessor chip (a situation that's likely to change in the relatively

near future). Actually a micromainframe, the Sage II has 128K of standard user memory available, enough for a single-user system, but really not enough for an extended multiuser system.

The single 640K 51/4-inch minifloppy disk drive gives the user of this system a great deal of initial mass storage. It can run under several high-level operating systems and the system is programmable in BASIC, Fortran, Pascal, and assembler.

Since this is the basis of a multiuser system, it includes several standard input/output ports. These include two standard serial, an RS-488 general purpose serial port, and a parallel port. The user has his choice of a terminal.

IMS International

The IMS 5000IS is, at this stage, a fully configured system. Driven by a Z80 microprocessor, it runs under CP/M, MP/M (the multiuser version of CP/M) and TurboDOS, another highlevel operating system. Standard user memory is 64K and disk storage is handled by two 409K double-sided, double-density 51/4-inch minifloppy disks.

Programmable in BASIC, COBOL, Fortran, and Pascal, this and other data are input via a typewriter-style keyboard with 64 typewriter-style keys. There are also 14 special-function keys, as well as a separate 19-key numeric pad. Input/output is handled with a standard serial port so that a user can interface a printer or modem for telecommunications. The standard monochrome monitor displays 80 characters by 25 lines.

| Memory/Storage | Keyboard | 1/0 | Display | Comments |
|--------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------|
| 192K/2 320K DS/DD 5 1/4" floppy drives | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 12-inch monochrome CRT/720 × 300 res., 80 × 25 display | 2-drive monochrome version, memory expanded to 192K |
| 128K/1 630K 5 1/4" floppy drive | 91 keys, 15 special function, 18-key keypad | 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 24 text/640 × 312 graphics | 1 630K 5, ¼" drive added |
| 64K/2 376K DS/DD 5 1/4" floppy drives | 83 keys, 4 function, 14- key keypad | 1 serial, 1 parallel | 9-inch CRT, RGB color av- ail./80 × 24 text | basic system |
| 256K/2 5 1/4" DS/DD drives, 640K | 83 keys, 10-key keypad, 10 special funct. | 1 parallel, 1 serial | 9-inch monochrome (built- in)/80 × 25 text | 128K memory expansion |
| 256K/2 320K DS/DD 5 1/4" drives | 59 keys, 10 special function, 20-key keypad | 1 parallel, 1 serial | 12-inch monochrome/80 x 25 text | memory expanded to 256K |
| 256K/2 400K 5 ¼" floppy drives | 58 keys, special function, 14-key keypad | 1 serial, 1 RS-423 syn- chronous | monochrome CRT/80 x 25 text | professional system with powerful CPU and operating system |
| 68K/512K of RAM-disk storage/1 DD 5 ¼" floppy included | standard | 2 serial, 1 parallel | 80-character × 4-line liq- uid crystal display/external CRT connector | 512K RAM-disk |
| 64K/1 3.5-inch 248K micro- drive | 58 keys, 8 special func- tions, programmable keys | 2 serial, 1 IEEE-488 | 9" or 12"-monochrome CRT/80 × 25 text | 3.5-inch drive added |
| 128K | 57 keys, 10 definable functions on 5 keys | 1 serial, 1 multipurpose IEEE-488 port | 9" monochrome CRT/80 × 25 text | base configuration |
| 128K/1 3.5" 280K micro floppy drive | 59 keys, 10 function keys, 18-key keypad | • | monochrome (built-in)/80 × 24 text | software package enhanced |
| 32K/1 320K 3" microfloppy disk drive | 61 key board, embed- ded 10-key keypad | 1 serial | 66-character × 8-line liq- uid crystal display/touch panel | full-featured lap computer |
| 128K/2 640K slim line 5 ¼" DS/DD floppy drives | 60 keys, 15 program- mable, 18-key keypad | 1 parallel, 1 serial | 12-inch monochrome/80 × 25 text mode | 2nd drive added to MBC 4000 |
| 64K/2 8-inch DS/DD drives | not announced | not announced | not announced | |
| 64K/1 780K DS/DD 5 ¼" floppy drive/1 10MB hard disk | 75 keys | 2 serial, 2 parallel | 12-inch monochrome/80 × 25 text mode | 10MB hard (Winchester) disk drive |
| 128K/2 320K DS/DD 5 1/4" floppy drives | 98 keys, separate nu- meric keypad, 10 programmable keys | 1 serial, 1 parallel | 80 × 25 text mode/640 × 200 graphics | basic system |
| 128K/2 1MB DS/DD 8" floppy drives | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch monochrome CRT/80 × 25 text | storage grows to 2MB with 8 DS/DD drives |
| 80K/2 1.2MB 8" DS/DD floppy drives | 82 keys, 8 program- mable keys, 19-key keypad | 2 serial, 1 parallel | 12-inch monochrome/80 (40) × 24 text mode | 2nd drive |

Toshiba

With entries in several other pricing categories, Toshiba has a new entry in this one, the T250-4. Another of the many Z80 8-bit systems on the market, it features 64K of user memory. Operating under the CP/M operating system, the T250-4 comes with two standard 8-inch double-sided, double-density floppy-disk drives for storage. Information on the display was unavailable at press time.

DEC

Another of the Digital Equipment small-computer offerings is the *Professional 325*, that uses a proprietary 16-bit microprocessor based on the architecture of the DEC *PDP-11/238*. Equipped with 256K of user memory, this system has two standard 400K 51/4-inch minifloppy disks for storage. It operates under a proprietary operating system, but CP/M is also available as an option.

Fully configured at this point, the *Professional* uses a slimline typewriter-style keyboard with a total of 58 typewriter keys. This keyboard also features special function keys and a separate 14-key numeric pad. While the keyboard handles user input, output is sent to a high-resolution monochrome display that has an 80-character by 25-line display. Input/output is handled by a standard serial port as well as by an RS-423 synchronous port. That port can be used for communications or can interface with a larger network.

Eagle

The Eagle IIE-4 is another small-computer system that makes its appearance here. Actually an upgrade of an already existing system, the Eagle IIE series, that was introduced in another pricing category, the Eagle IIE-4 is driven by the same type of 8-bit Z80A CPU. Operating under CP/M, it has one 780K double-sided, double-density minifloppy disk available for storage. Its other storage medium, also part of the system upgrade, is a 10-MB hard disk.


Programmable in BASIC, this and other data are input via the 75-key typewriter-style keyboard. Output is to a 12-inch 80-character by 25-line monochrome display screen. Input/output is handled by two standard serial and two standard parallel ports, so a variety of peripherals can be attached.

Vector Graphic

The Vector 4/10 is an 8/16-bit small-computer that makes use of co-processors, a Z80B (8-bit) and an 8088 (16-bit). The Vector 4/10 runs CP/M-86—the 16-bit version of CP/M—CP/M, with MS-DOS available as an option.

The standard disk drive is a 630K 51/4-inch minifloppy unit. When this is combined with the standard 128K RAM, it becomes a flexible unit.

Having a total of 91 typewriter-style keys, the Vector 4/10's keyboard also has 15 special-function keys and an 18-key numeric pad. User input is via this device and output is to a



THE GAVILAN is an IBM workalike lap computer.

12-inch monochrome video tube that delivers 640 by 312 graphics or an 80-character by 24-line text display. There are two standard serial ports and one standard parallel port.

Sanyo

A new Sanyo offering is the MBC 4050 16-bit small-computer system. Driven by an 8086, 16-bit microprocessor, it has 128K of user memory. This amount of memory is enough to handle any of the complex 16-bit programs available on the market today. Unlike other 16-bit systems today, the MBC 4050 relies on the CP/M-86 operating system. It could be somewhat limiting to a computer user because most 16-bit programs are being written for MS-DOS. The MBC 4050 is equipped with two 640K slim-line minifloppy-disk drives for mass storage.

Programmable in BASIC and assembler, this and other data are input via a standard typewriter-style keyboard with 60 typewriter keys. There are also 15 separate programmable keys and a separate 18-key numeric pad. Video output (80 characters by 25 lines text) is to a standard 12-inch monochrome display. Input/output is handled via standard serial and parallel ports. The MBC 4050 system is actually an upgrade to the MBC 4000 small-computer system. It adds a second drive for greater storage.



THE SAGE II is shown here with some of its "big brothers."

Computer Devices

The DOT-3000Z is basically an upgraded system at this point. The key change to this 8088, 16-bit CPU-based 3000Z is an enhanced software package. It still has only one 3.5-inch microfloppy drive for storage, but it does offer 128K of user memory. A transportable, it has 59 typewriter-style keys on the main keyboard and eight special-function keys, plus programmable softkeys. Its monochrome display is still a built-in 5½ by 9-inch screen.

Hewlett-Packard

A new system joins the wide-ranging Hewlett-Packard lineup in this price category, the *HP200*, one of the first small-computers in the reasonable-cost market to make use of the powerful MC68000 16-bit microprocessor. That CPU offers seventeen 32-bit registers and can directly address 16 megabytes.

This microcomputer uses the powerful multiuser UNIX operating system, but there is no disk storage indicated at this price level

Programmable in BASIC, Pascal, and HPL, the system has 128K of standard user memory. The typewriter-style keyboard has 57 keys and 10 definable functions included on five multifunction keys.

In this base configuration, input/output is handled via a standard serial port or a multipurpose IEEE-488 general input/output port. Both of these ports can be interfaced with a variety of peripherals, including printers, plotters, modems, and scientific or manufacturing instruments. The standard screen is a 9-inch monochrome display that shows 80-characters by 25-lines.

For the portable HP85A, this upgrade adds a second serial port—a general-purpose input/output port—that lets this small-computer system be linked to a wide variety of peripheral equipment. Meanwhile, the HP85B has its user memory increased to 160K. That means it can handle more user input and far more complex routines and tasks.

The HP86A, meantime, becomes fully configured with an added second 270K 3.5-inch microfloppy-disk drive for mass storage. This frees the user from the limitations imposed by only having one disk drive. The HP120/125 becomes much more versatile with one 248K 3.5-inch microfloppy-disk drive.

Compaq

This IBM-compatible transportable small-computer system becomes fully configured in this pricing category. With the addition of a second 320K double-sided, double-density minifloppy-disk drive, the *Compaq* gains much more power and flexibility. Its second upgrade gives it even further capability by allowing serial communications ability. The optional serial interface port is now standard and a user can tie in a variety of peripherals, including printers, plotters, and modems.

Its next upgrade adds to its full configuration by adding a full



DIGITAL EQUIPMENT CORP.'s computers—the Professional is in center.

128K of user memory, thus bringing its standard memory to a full 256K. With this much memory, this system can easily handle the memory-hungry 16-bit programs available.

Sony

The full-featured SMC-70 system becomes even more versatile with the addition of a 12-inch RGB high-resolution color monitor. This system now has color-graphics capability. It becomes even more flexible in its second expansion with the addition of an expansion unit that broadens the range of peripherals to which it can be interfaced.

IBM

The IBM Personal Computer begins to become rather powerful as it approaches its fullest configuration. In its first change, the user memory capacity is increased to 128K on the monochrome version. That makes it able to handle just about any program on the market. In its second upgrade, the high-resolution monochrome display is changed to a high-resolution color display.

With this second upgrade completed, the next upgrade increases the memory of the color display version of the IBM-PC to 128K. The final upgrade brings the amount of user memory up to 256K.

Texas Instruments

The one-disk version of the TI *Professional Computer* gains color-graphics capability with the addition of a 13-inch color monitor. It delivers 720 by 300 resolution. Another version, the two-drive monochrome version, has its user memory increased to 128K for more capability.

The last upgrade to the two-drive monochrome TI PC brings the amount of user memory up to 192K. Although you may think this is far too much memory, remember that the new generation of memory-hungry 16-bit programs requires great amounts of memory to function correctly.

Zenith

The Z-100 line becomes more powerful in this region, too. In the first expansion to the low-profile unit, a high-resolution color monitor is added to enhance the unit's graphics capability. Although this seems unlikely, adding the high-resolution green monochrome display increases the cost of the low-profile Z-100 beyond that of the color version. The prices, though, were obtained from two different Heath/Zenith sources.

The last upgrade to this line makes the all-in-one Z-100 a fully configured unit. It adds a second 320K double-sided, double-density disk drive to the all-in-one.

NEC

The now-dual processor *PC-8800* series receives the addition of a 14-inch, high-resolution color monitor.





Basis

The Apple/CP/M-compatible Basis 108 system becomes a speedier unit with the addition of a 256K virtual-memory disk.

Athena

The transportable Athena I, has its standard virtual-memory disk expanded to 256K for greater storage potential. It means a user can now load and use larger programs in this type of pseudo-disk system. The second expansion makes this system even more powerful as this memory disk is expanded to 512K.

TeleVideo

The memory capacity of the TS 1603 16-bit system is expanded to 256K, the fully configured number for this supplement. It means this system can use any of the memory-hungry 16-bit programs now coming to the market very efficiently.

Apple

At this stage, the Apple III becomes fully configured. Not only does it have a standard display and 256K of memory, but it also has a second drive for more flexible system operation.

Hyperion

This transportable small-computer system finds its flexibility increase in this pricing category with the addition of a second 320K double-sided, double-density minifloppy-disk drive.

Sord

The M23 system becomes even more powerful as it upgrades to the Mark V G model. In this configuration, the drives are upgraded to 8-inch units with 1-megabyte of storage potential per drive.

Wang

The *Professional Computer*—this company also makes one—gains more power and flexibility with the addition of a second 360K double-sided, double-density drive. At the same time, a high-resolution—800 by 300—monochrome display and its adapter become standard equipment.

Commodore

With the addition of dual 51/4-inch disk drives, the 96K SuperPET system becomes fully configured.


Toshiba

The T300, now a color-capable computer, becomes even more capable with the addition of a second 640K 51/4-inch minifloppy-disk drive.

Radio Shack

The TRS-80 Model 12 business computer becomes even more powerful and flexibile with the addition of a second 1.2-MB 8-inch floppy-disk drive.

161





The major change in this price range, when compared to last year, is the inclusion of a hard-disk drive in many systems.

\$4000 to \$4500

MARC STERN

something interesting is beginning to occur at this point in our buyer's guide; the Winchester drive is beginning to appear more frequently. Also known as the hard disk, this storage option was, until a couple of years ago, associated only with full-sized mainframe computers or minicomputers. If any were available for the small-computer world, they were only available on high-end systems costing nearly \$10000.

Now, hard disks are available near the top-end of any affordable computer line. Their cost isn't much greater than the cost of a pair of high-density 8-inch floppy-disk drives, but their advan-

tages are greater.

These disks are capable of much greater storage potential. Where a high-density minifloppy may store up to 700 kilobytes of data and an 8-inch floppy may now store over 1 megabyte, the smallest hard disk stores 5 megabytes or more of information.

Perhaps their greatest drawback is backup because it takes a great many floppy or minifloppy disks to back up the information on a hard disk.

In this price category, nine new machines debut and without further ado, we'll begin our look at those machines.

DEC

The DECmate II is another of the Digital Equipment Small Computer offerings that were first unveiled about a year and a half ago.

Driven by a proprietary PDP-8 16-bit microprocessor and a Z80 co-processor, the *DECmate II* features 64K of RAM in this

configuration.

Capable of using CP/M-86, MS-DOS or its own proprietary operating system, this microcomputer is equipped with two standard 400K 51/4-inch minifloppy-disk drives.

The slim-line typewriter-like keyboard of the *DECmate II* has 58 keys. It also features separate special-function keys and a 14-key numeric keypad.

Equipped with a standard serial port, which can be interfaced with a wide variety of peripherals, including printers, plotters, and modems, the *DECmate II* also features an RS-423 synchronous port. This type of port allows this machine to be tied into a larger office network and provides high-speed data communication in this setting.

User output is via a black-and-white CRT that provides an 80-character by 25-line text display.

IMS

The 5000X16 system is another of the micromainframe systems offered by IMS International. A micromainframe is a small-computer system that features a system box, two drives, and a number of input/output ports. A user has the option of interfacing his own terminal, a device that includes a keyboard and a display screen.

Driven by a 16-bit 8088 CPU—the same one used by the IBM Personal Computer, this system runs under either MS-DOS or

CP/M-86.

This last feature is also one worth noting. Since the 16-bit microcomputer world seems to be standardizing around MS-DOS as the operating system, it makes sense for a microcomputer manufacturer to offer it. There is a wealth of new, powerful software being written for this operating system. At the same time, though, Digital Research, which offers CP/M-86, is becoming more aggressive in this field and it is possible another body of software will grow under this system. It just gives the user another "in case" option.

With 256K of user memory, this system can handle any of the new 16-bit programs which might be thrown at it. It can also become a multiuser machine with the addition of a hard disk.

The standard disk drives for the 5000X16 are dual 409K double-sided, double-density 51/4-inch minifloppies.

With two standard serial and three parallel ports, there are

enough input/output options for a user to interface a number of peripherals. Those will likely include, in this case, terminals, printers or plotters, and, possibly, a modem. This computer is programmable in BASIC, COBOL, Fortran, and Pascal.

Another IMS offering, the 5000IS16 is also driven by a 16-bit 8088 CPU. An IBM-workalike small computer, this system also has 256K of RAM. This allows the 5000IS16 to easily handle any of the sophisticated 16-bit programs now coming to the market. In fact, most of those programs require a minimum of 90 to 128K of memory for efficient operation.

Running under either MS-DOS or CP/M-86, a user has access to a wide variety of programs. The disk drives are double-sided,

double-density 409K 51/4-inch minifloppies.

Programmable in BASIC, COBOL, Fortran, and Pascal, this and other data are are input via a keyboard containing 64 separate typewriter-style keys. The keyboard also contains 14 special-function keys and a 19-key numeric keypad.

User output is to a monochrome monitor with an 80-character

by 24-line text mode display.

Input/output is handled via a standard serial port to which a variety of peripherals can be attached.

Vector Graphic

The Vector 4/20 is a new offering from this long-established microcomputer manufacturer.

A co-processor machine, it is driven by an 8-bit Z80B CPU or an 8088 16-bit CPU. This gives the user access to the worlds of CP/M, CP/M-86 or, optionally, MS-DOS. Standard user memory is 128K.

The Vector 4/20 comes equipped with two standard 630K

51/4-inch minifloppy-disk drives.

User input is handled via a typewriter-style keyboard featuring a total of 91 keys. Included are 15 special-function keys and an 18-key numeric keypad.

Output is a 12-inch monochrome display that is capable of 640- by 312-dot graphics or an 80-character by 24-line text display. Other input/output is provided via two standard serial ports and a parallel port.

Durango Systems

The Durango *Poppy* computer takes advantage of the powerful 80186 16-bit advanced CPU.

This advanced CPU, when combined with the 128K of user memory, allows use to take advantage of the many sophisticated 16-bit programs on the market. Since it has a more powerful architecture it allows the user to have access to MS-DOS, CP/M-86, MP/M-86 and the multiuser, multitasking operating system, Xenix.

Equipped with dual 800K 51/4-inch minifloppy disks, the *Poppy* has more than enough mass storage for most needs.

User input is via a keyboard with 64 typewriter-style keys, eight special-function keys, and a 14-key keypad. Output is to a monochrome CRT with an 80-character by 25-line text display.

Input/output is handled via standard serial and parallel ports that allow the user the ability to interface such peripherals as printers, plotters, and modems.

Eagle

Two new models debut in this pricing category, the Eagle 1620 and the Eagle PC-XL.

The Eagle 1620 is driven by a 16-bit 8086 CPU, the big brother to the 8088 used by the IBM Personal Computer. It

comes with 128K of RAM.

Operating under MS-DOS or CP/M-86, the Eagle 1620 has two 780K double-sided, double-density 51/4-inch minifloppy

disks as standard equipment.

User input is via a 105-key keyboard and output is to a 12-inch, high-resolution monochrome display. The display is capable of 720- by 352-dot graphics resolution and an 80-character by 25-line text mode.

Input/output is handled via two standard parallel ports and two standard serial ports.

The Eagle PC-XL uses essentially the same mechanical components, but differs in three key areas: CPU, storage, and input/output.

This computer also uses a 16-bit CPU, but it is an 8088, rather than the slightly faster 8086.

Further, rather than having two parallel ports and two serial ports, it only has one parallel port and two serial ports.

Finally, this system includes a standard 10 megabyte Winchester hard disk. This means this system has much greater storage capability and faster data access and retrieval.

Software is also bundled (included) in this configuration.

TeleVideo

A new model appears in this pricing category, the TS-1602G, driven by an 8088, 16-bit CPU. This allows the user access to the many programs now appearing for this type of device.

With 128K of RAM memory, the TS-1602G is capable of handling any of those new programs. It runs under either CP/M-86 or MS-DOS. The standard disk drives are 2 1-megabyte double-sided, double-density 51/4-inch minifloppies.

Programmable in COBOL, this system accepts this and other data input from its 72 typewriter-style keys, 16 programmable keys, and a 16-key numeric keypad. Output is to a 14-inch monochrome display tube that is capable of an 80-character by 25-line text display. Additional I/O is via two standard serial ports and one parallel port.

The 1603H, which uses the same components, is an upgraded version of the TS-1603. In this version, a 10-megabyte hard disk is added to its configuration for greater storage density.

Hewlett-Packard

The HP85B becomes a more completely configured system in this price range with the addition of a serial port. This gives the user the option of interfacing this small-computer system with a printer or a modem.

Meanwhile, the HP86A reaches its full configuration with the

addition of a second disk drive.

The HP87XM becomes more versations.

The HP87XM becomes more versatile with the addition of a 270K 3.5-inch microfloppy disk for storage.

The change made to the HB120/125 course. So be this will be additionally a storage.

The change made to the *HP120/125* system finds this small-computer system's drives changed to 5¹/₄-inches.

NEC

The PC-8800 is becoming fully configured at this point. In this version, the PC-8800 is still only a CP/M-compatible machine and uses dual 8-inch floppy disk drives for storage. The upgrade to this version adds a high-resolution color monitor. The 14-inch color display is capable of 640- by 400-dot color resolution or an 80-character by 25-line text mode.

Texas Instruments

Both the color version of the TI *Professional Computer* and the monochrome version are upgraded.

The first upgrade to the color version is the addition of a second 320K minifloppy-disk drive.

The second upgrade to that system brings the amount of user memory up to 128K.

The monochrome version reaches its fullest memory configuration—for our supplement—with its upgrade to 256K of RAM.

North Star

The *Horizon* micromainframe system becomes much more powerful with the addition of a 5-megabyte hard disk. The advantage of a Winchester disk is its rapid data-retrieval capability and its voluminous storage.

The Advantage also gains much more storage capability with the addition of a hard-disk system.

IBN

The IBM Personal Computer reaches its full configuration in this price category by having its on-board RAM memory in-

CPU

8086

8088

8088

Price

\$4030

\$4065

\$4070

Word Length

16-bit

16-bit

16-bit

Operating System Languages

MS-DOS, CP/M

MS-DOS, CP/

MS-DOS, CP/

M-86, UCSD p-

emulation

System

BASIC, COBOL, Fortran,

Macro Assembler, BASIC,

Macro Assembler, BASIC,

COBOL, FORTRAN, Pascal

COBOL, FORTRAN, Pascal

Pascal

TABLE 1-\$4000-\$4500

Wang Laboratories

Texas Instruments

Texas Instruments

Manufacturer

Model

Professional

Professional

Professional

Computer

Computer

North Star Computers

8-bit

\$4499

Advantage

Z80A

CP/M, GDOS

BASIC, Fortran, COBOL,

Pascal

| | Memory/Storage | Keyboard | I/O | Display | Comments |
|---|--------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| | 128K/2 360K DS/DD 5 1/4" floppy drives | 101 keys, 16 program- mable, 18-key keypad | 1 parallel, 1 serial | monochrome CRT/800 × 300 graphics capability | second crive, display and adapter, graphics adapter |
| | 64K/2 320K DS/DD 5 1/4" floppy drives | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 13-inch color CRT/720 × 300 res., 80 × 25 display | 2nd drive drive added to color- version |
| | 256K/2 320K DS/DD 5 1/4" floppy drives | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 12-inch monochrome CRT/720 × 300 res., 80 × 25 display | 64K added to 2 drive mono- chrome system |
| | 256K/2 409K DS/DD half- height 5 ¼" floppy drives | N/A | 2 serial, 3 parallel | N/A | basic micromainframe system with dual disk drives |
| | 256K/2 320K DS/DD 5 1/4" drives | 59 keys, 10 special func- tion, 20-key keypad | 1 serial, 1 parallel | 12-inch high-res. color dis- play/80 × 25 text | memory expanded to 258K in color version |
| | 160K/tape drive/electronic | 58 keys, 20-key keypad, 8 special function | 1 serial | built-in 5" CRT/256 × 192 graphics, text | serial port added |
| | 128K/1 270K 3.5-inch micro drive | 59 keys, 20-key keypad, 14 special function | multipurpose port | monchrome CRT, 80 × 24 text | 3 1/2-inch drive added |
| | 64K/2 1 MB DS/DD 8" flop- py drives | 10-key keypad | 1 parallel, 1 serial | 14-inch color CRT/640 × 400 res./ 80 × 25 text | color display added |
| | 128K/2 1MB 8-inch half- height DS/DD drives | 66 keys, 25-key keypad, 23 function | 1 parallel, 1 serial | color/640 × 200 mono res., 160 × 100 16-color, 320 × 200 4-color 80 × 25 text | color CRT added |
| | 128K/2 320K DS/DD 5 1/4" drives | 77 keys, 18-key keypad, 13 special function | 2 serial, 1 parallel | color CRT 640 × 225 high-res., 80 × 25 lines | high-res. color CRT added |
| | 64K/2 400K 5 1/4" floppy drives | 58 keys, special func- tion, 14-key keypad | 1 serial, 1 RS-423 syn- chronous | monochrome CRT80 × 25 text | basic system |
| | 256K/2 409K DS/DD half- height 51/4" floppy drives | 64 keys, 14 special func- tion, 19-key keypad | 1 serial | monochrome CRT/80 × 24 text mode | basic system |
| | 64K/1 248K 5 1/4" floppy drive | 58 keys, 8 special func- tions, programmable keys | 2 serial, 1 IEEE-488 | 9- or 12- monochrome CRT/80 × 25 text | drive changed to 5 1/4 inches |
| | 64K/2 270K 5 1/4" drives | 59 keys, 20-key keypad, 14 special function | 1 parallel | 9" monochrome CRT/80 × 25 text | 2nd 5 ¼" drive added |
| | 128K/2 1MB 8" drives | 59 keys, 20-key keypad, 9 special function | 2 serial, 1 parallel | 14-inch color CRT | dual 8-inch drives |
| | 128K/2 3.5" 280K micro floppy drives | 59 keys, 10 function keys, 18-key keypad | 2 serial | monochrome (built-in)/80 × 24 text | 2 serial ports, 2nd drive add- ed |
| | 128K/2 320K DS/DD 5 1/4" floppy drives | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 13-inch color CRT/720 × 300 res., 80 × 25 display | 64K memory added to 2- drive color version |
| | 128K 2 630K 5 ¼" floppy drives | 91 keys, 15 special func- tion, 18-key keypad | 2 serial, 1 parallel | 12-inch mcnochrome CRT/80 × 24 text/640 × 312 graphics | 2nd 630k drive |
| | 128K/2 800K 5 1/4" floppy disk drives | 64 keys, 8 special func- tion, 14-key keypad | 1 serial, 1 parallel | monochrome CRT/80 × 25 text | 16-bit system |
| П | 128K/2 640K 5 1/4" floppy drives | N/A | 2 serial, 1 RS-488, 1 parallel | N/A | storage expands to 1.28MB with second drive |
| | 48K/1 184K 5 1/4" floppy drive/5MB hard disk | 64 keys, 12-key keypad | 1 parallel, 1 serial | 12-inch monochrome/64 (32) × 16 text mode | hard disk drive (5MB) added |
| | 128K/1 1MB DS/DD 5 1/4" floppy drive/1 5 1/4" 10MB hard disk | 72 keys, 16 program- mable, 16-key keypad | 2 serial, 1 serial RS-422 port | 14-inch monochrome/80 × 25 text | hard disk system added to TS 1603 |
| | 128K/2 DS/DD 780K (96 tpi) 5 ¼" floppy drives | 105 keys | 2 serial, 2 parallel | 12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode | base system |
| ř | 128K/1 320K DS/DD 5 1/4" floppy drive/1 10MB hard disk | 105 keys | 2 serial, 1 parallel | 12-inch high-res. mono- chrome/720 × 352 capability/80 × 25 text mode | fully configured base system |
| | 128K/2 1MB DS/DD 5 1/4" floppy drives | 72 keys, 16 program- mable, 16-key keypad | 2 serial, 1 serial RS-422 port | 14-inch monochrome/80 × 25 text | base system |
| | 64K/1 360K 5 1/4" DS/DD floppy/5MB hard disk | N/A | 2 serial, 1 parallel | N/A | micromainframe storage grows with addition of 5 MB hard disk |
| | 64K/1 360K DS/DD 5 1/4" floppy drive/5MB hard disk | 49 keys, 14-key keypad, 15 function keys | 1 parallel, 1 serial | 12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode | hard disk added |

Zenith

The low-profile Zenith Z-100 becomes a color graphics-capable system with the addition of a high-resolution color-video display. Capable of a 640- by 225-dot resolution, this display is also capable of an 80-character by 25-line text mode.

Sord

Although the M23 Mark V C small-computer system bears another name at this point, it is actually an upgrade to the overall M23 system. At this point, the system has gained dual 1-megabyte 8-inch floppy-disk drives for storage. This fully configured system is now aimed more at the business user than the home computer hobbyist and the potential 2 megabytes of storage provide more than enough to meet the needs of most small businessmen.

Radio Shack

At this point, the *Model III* system reaches its fullest configuration with the addition of a 5-megabyte hard disk. This same disk can also be added to the *Model 4*, whose price is just about the same as the *Model III*. The key advantage to a hard-disk system is the increase in data access and storage speed and a secondary advantage is the massive storage capabilities of such a system.

Sage

The micromainframe Sage II has its potential storage capacity increased to 1.28 megabytes with the addition of a second 640K minifloppy disk.



Computer Devices


The DOT-3000B, another variation of the DOT series of transportable microcomputers, becomes fully configured at this point with the addition of two serial ports and a second disk drive.

The serial ports give this small-computer system input/output capability and allow it to be connected to a variety of peripheral devices, including printers, plotters, and modems.

Wang

In this configuration, the Wang *Professional Computer* reaches its full capability as a color-graphics machine. This upgrade involves more than one item and includes the addition of a second 360K double-sided, double-density minifloppy-disk drive for mass storage; an 800- by 300-dot color-graphics monitor and the adapter needed to support this monitor.

BUILD YOUR COMPUTER BREADBOARDS & INTERFACES FASTER AND EASIER WITH NEW VECTOR PLUGBORDS



New 4613 series — for IBM Personal Computer. Three models available.

New 4614, 4615 series – for VME Bus. Six models available

4610 series — for STD-Bus. Three models available.

4608 series — for Multibus solderable, or unpatterned.

8804 series — for S-100. Seven models available.

4607 — for DEC LSI-11/PDP8-11, Heath-11.

4609 — for Apple II, Super-Kim, Pet Commodore with Expandamem.

4350 - for TI 980

4611 series – for Motorola Exorciser



ALSO: C

Connectors • Enclo

Enclosures

Mother Boards

Extenders

748209

VECTOR ELECTRONIC COMPANY, Inc., 12460 Gladstone Ave., P.O. Box 4336, Sylmar, CA 91342-0336; (213) 365-9661

See us at Wescon Booths 1717 & 1719

RADIO-ELECTRONICS







The machines we'll discuss here are the most powerful—and the most expensive.

Over \$4500

MARC STERN

AT THIS POINT IN OUR BUYER'S GUIDE, YOU WILL NOTICE MORE and more systems with hard—Winchester—disks for storage. These devices offer a manyfold increase in data access and storage speed. Usually, storage densities begin at a minimum of 5-megabytes and increase rapidly from there. This is a minimum of a fifteenfold increase in data density over a 300K double-sided, double-density minifloppy disk. Since hard disks rotate much faster than the average minifloppy or even an 8-inch floppy, data access time is quicker. This means that you can load a program from a hard-disk system much quicker than you can load the same program from a floppy-disk system.

One of the most attractive features of the hard disk—besides its data-storage capability—is that a few of these devices have been trimmed down to 5½ inches, and are no larger than the

minifloppy drives they replace.

Many new machines make their debut in this category, and there are upgrades of existing systems. Most of the new machines are from manufacturers we have already discussed in earlier sections of this report. So rather than first looking at the new machines, we'll look at all the offerings from each manufacturer, and put the new ones at the opening of each set.

Hewlett-Packard

A new machine makes its appearance in this price category, the *HP200*, the top-of-the-line HP small-computer system, for our supplement's purposes. This system is not only introduced here, but also upgrades several times in this category.

Based on the Motorola MC68000 CPU, this powerful machine has 128K of standard user memory. Operating under the powerful *UNIX* multiuser operating system, this system includes one 3.5-inch 270K microfloppy-disk drive as standard.

Programmable in BASIC, Pascal, and HPL, this and other data are entered via a keyboard featuring 57 typewriter keys and five keys offering a total of 10 definable functions. User output

is displayed on a standard 9-inch 80-character by 25-line monochrome display. Other input and output functions are handled via a standard serial port or an IEEE-488 general-purpose interface port. This second port allows the *HP200* to be interfaced with a wide variety of test, measurement, scientific, and other peripherals.

This system also upgrades three times in this price realm. In its first significant change, the size of the drive increases from 3.5 inches to the more standard 5¼-inch drive. The second upgrade adds a second 3.5-inch microfloppy-disk drive for storage. The third reconfiguration merely changes the size of the disk drive from a microdrive to a more standard 5¼-inch unit.

The HP120/125 upgrades twice in this category. In the first upgrade, a second 248K 3.5-inch microfloppy drive is added to this system's configuration. The second reconfiguration increases the size of the disk to a more standard 51/4-inch drive. But there's no increase in storage.

The *HP87XM* has three changes in its configuration, two of which deal with 5¼-inch drives, and a third that deals with a microfloppy drive. Looking at the most important change first, the *HP87XM* gains a second 270K microfloppy-disk drive.

The two changes involving 5½-inch drives merely involve an increasing drive size to a more standard size configuration. The HP85B becomes even more versatile when an IEEE-488 port is added. It allows the user to interface this small-computer system with a number of test, measurement, and manufacturing instruments, as well as other peripherals.

For the HP86A, the upgrade increases user memory to 128K.

Texas Instruments

The TI *Professional Computer* undergoes four upgrades in this price category. In the first upgrade, the color *PC* has its user memory expanded to 192K by adding 64K of RAM. At this level a user can configure a portion of that RAM into a pseudo-disk or

| 31 E 1 | | | |
|--------|--|--|--|
| | | | |
| | | | |

| Manufacturer | Model | Price | СРИ | Word Length | Operating System | Languages |
|---------------------------|--------------------------|--------|-------------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|
| Hewlett-Packard | HP87XM | \$4515 | Not announced | | UCSD p-Sys- tem, CP/M | BASIC, Pascal, FORTRAN |
| Hewlett-Packard | HP120/125 | \$4550 | Z80A | 8-bit | CP/M | BASIC, Assembler |
| Texas Instruments | Professional Computer | \$4565 | 8088 | 16-bit | MS-DOS, CP/M-86, UCSD p-System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Hewlett-Packard | H85B | \$4580 | Not announced | | Proprietary | BASIC, Assembler |
| Docutel/Olivetti Corp. | M20 | \$4610 | Z8001 | 16-bit | PCOS (Prof. Computer Operating Sys.) | BASIC |
| Gavilan Computer Corp. | Gavilan | \$4690 | 8088 | 16-bit | MS-DOS | BASIC, Pascal |
| IMS International | 5000SX | \$4700 | Z80 | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| NEC Home Electronics | PC-8800 | \$4746 | Z80A-compati- ble/8086 | 8/16-bit | CP/M, CP/ M-86, MS-DOS | BASIC |
| Texas Instruments | Professional Computer | \$4765 | | 16-bit | MS-DOS, CP/M-86, UCSD p-System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Hewlett-Packard | HP86A | \$4770 | Not announced | | UCSD p-Sys- tem, CP/M | BASIC, Pascal, FORTRAN |
| Hewlett-Packard | HP87XM | \$4770 | Not announced | | UCSD p-Sys- tem, CP/M | BASIC, Pascal, FORTRAN |
| IMS International | 8000SX | \$4780 | Z80 | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| Radio Shack | TRS-80 Model III | \$4790 | Z80A | 8-bit | TRSDOS | BASIC, COBOL, FORTRAN, Assembler |
| Sony | SMC-70 | \$4820 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Honeywell, Inc. | microSystem 6/10 | \$4870 | Proprietary (Micro 6)/8086 | 16-bit | Proprietary, MS-DOS, CP/M-86 | BASIC |
| North Star Computers | Advantage 8/16 | \$4899 | Z80A/8088 | 8/16-bit | MS-DOS, GDOS | BASIC, FORTRAN, COBOL, Pascal |
| Sord Computer | M68 | \$4899 | M68000/ Z80A | 8/16/32-bit | Proprietary, CP/M-compatible | BASIC, Pascal, FORTRAN |
| IBC/Integrated Bus. Comp. | Cadet | \$4925 | Z80 | 8-bit | OASIS, CP/M, MP/M, MVT- FAMOS | Not announced |
| Computer Devices Inc. | DOT-3000D | \$4943 | 8088 | 16-bit | MS-DOS | BASIC, FORTRAN, COBOL, Pascal, Assemble |
| Computer Devices Inc. | DOT-3000C | \$4943 | 8088 | 16-bit | MS-DOS | BASIC, FORTRAN, COBOL, Pascal, Assembler |
| Athena Computer | Alhena I | \$4950 | NSC-800 (low- power Z80) | 8-bit | CP/M | Pascal |
| Gavilan Computer Corp. | Gavilan | \$4970 | 8088 | 16-bit | MS-DOS | BASIC, Pascal |
| Hewlett-Packard | HP120/125 | \$4975 | Z80Ā | 8-bit | CP/M | BASIC, Assembler |
| Altos Computer Systems | ACS8000-15 | \$4990 | Z80A | 8-bit | CP/M | BASIC, COBOL, Fortran, SOFTBOL Pascal, |
| ІВМ | IBM-PC XT | \$4995 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, Macro Assembler Pascal |
| Durango Systems | Рорру | \$4995 | 80186 | 16-bit | MS-DOS, CP/ M-86, MP/ M-86, Xenix | Not announced |
| Toshiba America | T250-5 | \$4995 | Z80 | 8-bit | CP/M | BASIC |
| Columbia Data Products | 1600-4 | \$4995 | 8088 | 16-bit | MS-DOS | BASIC, Assembler |
| Ithaca Intersystems | Encore | \$4995 | Z80B | 8-bit | CP/M | Not announced |
| Digital Equipment Corp. | Professional 350 | \$4995 | PDP-11/238 microprocessor | 16-bit | Proprietary, CP/M optional | Not announced |
| | | | microprocessor | | OF /INI OPHONAL | |

| | Memory/Storage | Keyboard | I/O | Display | Comments |
|-----|----------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------|----------------------------------------------------------|
| | 128K/1 270K 5 1/4" drive | 59 keys, 20-key keypad, | multipurpose port | | drive changed to 5 1/4 inches |
| | | 14 special function | | 25 text 9" or 12" monochrome CRT/ | 2nd miorodrive added |
| | 64K/2 3.5-inch 248 microdrives | 58 keys, 8 special func- tions, programmable keys | 2 serial, 1 IEEE-488 | 80 × 25 text | Zila Microditve added |
| | 192K/2 320K DS/DD 5 1/4" | 97 keys, 17-key keypad, | 1 parallel, 1 serial | 13-inch color CRT/720 × | memory expanded to 192K |
| | floppy drives | 12 special function | | 300 res., 80 × 25 display | |
| | 160K/tape drive/electronic disk | 58 keys, 20-key keypad, B special function | 1 serial, 1 general pur- pose port | built-in 5" CRT/ 256 × 192 graphics, 32 × 16 text | |
| | 160K/2 360K 5 1/4" floppy drives | 72 keys, 16-key keypad | 1 serial, 1 parallel | 12-inch high-res. mono- chrome/80 × 25 text mode | 2nd drive added, memory up- grade to 160K |
| | 32K/2 320K 3" microfloppy disk drives | 61 key board, 10-key keypad | 1 serial | 66-character × 8-line liq- uid crystal display/touch panel | second drive |
| 1 | 64K/1 409K DS/DD half- height 5 1/4" drive/6MB hard disk | N/A | 2 serial, 3 parallel | N/A | micromainframe system |
| | 128K/2 1MB DS/DD 8" floppy drives | 81 keys, 5 multifunction, 10-key keypad | 1 parallel, 1 serial | 14-inch color CRT/640 > 400 res./80 × 25 text | color display added |
| Te' | 256K/2 320K DS/DD 5 1/4" floppy drives | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 13-inch color CRT/720 × 300 res., 80 × 25 display | memory expanded to 256K |
| | 128K/2 270K 5 1/4" drives for storage | 59 keys, 20-key keypad, 14 special function | 1 parallel | 9" monochrome CRT/80 × 25 text | |
| | 128K/2 270K 3.5-inch mi- crodrives for storage | 59 keys, 20-key keypad, 14 special function | multipurpose port | 8" monochrome CRT/80 × 25 text | |
| | 64K/2 1.2MB 8" DS/DD half-height floppy driv- es/6MB hard disk | N/A | 2 serial, 3 parallel | N/A | micromainframe system |
| | 48K/2 184K 5 ¼" floppy drives/5MB hard disk | 64 keys, 12-key keypad | 1 parallel, 1 serial | 12-inch monochrome/64 (32) × 16 text mode | hard disk drive (5MB) added |
| | 64K/2 280K 3.5" microflop- py/5.7MB hard disk | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch green CRT/80 × 25 text | hard disk and interface unit added, 1 microdrive deleted |
| | 128K/1 5 1/4" floppy disk drive | standard, keypad, tunction keys | 2 serial, 1 parallel | 12-inch monochrome CRT | basic system |
| | 128K/1 360K DS/DD 5 1/4" floppy drive/5MB hard disk | 49 keys, 14-key keypad, 15 function keys | 1 parallel, 1 serial | 12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode | 5MB hard disk |
| | 256K/2 1.2M 5 1/4" drives | Typewriter style, keypad, function keys | 2 serial, 1 parallel, 1 IEEE-488 | 12-inch green CRT/80 × 25 | base configuration |
| | 64K/1 1MB floppy disk drive | N/A | Not announced | N/A | micromainframe system |
| | 256K/2 3.5" 280K micro floppy drives | 59 keys, 10 function keys, 18-key keypad | 2 serial | monochrome (built-in)/80 × 24 text | user memory expanded to 256K |
| | 128K/2 3.5" 280K micro floppy drives | 59 keys, 10 function keys, 18-key keypad | 2 serial | monochrome (built-in)/80 × 24 text | integral printer, 128K memory |
| | 68K/1MB of RAMdisk stor- age/1 DD 5 1/4" floppy | standard | 2 serial, 1 parallel | 80-character × 4-line liq- uid crystal display/external CRT connector | TMB RAM-disk |
| | 96K/2 320K 3" microfloppy disk drives | 61 key board, embed- ded 10-key keypad | 1 serial | 66-character × 8-line liq- uid crystal display/touch panel | 64K memory added |
| | 64K/2 248K 5 ¼" drives | 58 keys, 8 special func- tions, programmable keys | 2 serial, 1 IEEE-488 | 9" or 12" monochrome CRT/80 × 25 text | 2nd drive added |
| | 208K/2 500K SS/DD flop- py drives | N/A | 6 serial, 1 parallel | N/A | micromainframe |
| | 128K/1 DS/DD 5 ¼" floppy drive/10MB hard disk | 59 keys, 10 special func- tion, 20-key keypad | 1 parallel | | basic system |
| | 256K/2 800K 5 1/4" floppy disk drives | 64 keys, 8 special function, 14-key keypad | 1 serial, 1 parallel | monochrome CRT/80 × 25 text | user memory increased to 256K |
| | 64K/ 1 8-inch DS/DD drive, 1 5MB hard disk | not announced | not announced | not announced | hard disk added |
| | 128K/1 320K 5 1/4" floppy disk drive/12MB hard disk | 83 keys, 10 special func- tion, keypad | 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 25 text | hard disk added for greater storage |
| | 128K/2 SS/DD 5 1/4" floppy disk drives | N/A | Not announced | N/A | micromainframe system |
| | 256K/1 400K 5 ¼" floppy drive | 58 keys, special func- tion, 14-key keypad | 1 serial, 1 RS-423 syn- chronous | monochrome CRT/80 × 25 text | system box enlarged for hard disk |
| | | | | | |

| | Manual - 1 | Deta | CDIL | Mord Land | Operating System | l anguages |
|------------------------|--------------------------|---------------------|---------------|-------------|-----------------------------------------------------|------------------------------------------------------|
| Manufacturer Sanyo | MBC 3000 | Price \$4995 | Z80A | 8-bit | Operating System CP/M, TS-DOS | BASIC, Pascal, FORTRAN, |
| Gifford Systems | 100 | \$4995 | 8085/8088 | 8/16-bit | CP/M, CP/M-86 | Macro-80 Not announced |
| Radio Shack | Model 16 | \$4999 | MC68000/Z80A | 8/16/32-bit | Proprietary | Assembly |
| | | | 8088 | | CP/M-86, MS- | COBOL |
| TeleVideo Systems Inc. | TS 1602G | \$5090 | | 16-bit | DOS | |
| IMS International | 5000SX | \$5090 | Z80 | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| IMS International | 5000IS | \$5100 | Z80 | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| Apple Computer | Apple III | \$5164 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Hewlett-Packard | HP200 | \$5185 | MC68000 | 16/32-bit | UNIX | BASIC, Pascal, HPL |
| Hewlett-Packard | HP87XM | \$5225 | Not announced | | UCSD p-Sys- tem, CP/M | BASIC, Pascal, FORTRAN |
| Gavilan Computer Corp. | Gavilan | \$5240 | 8088 | 16-bit | MS-DOS | BASIC, Pascal |
| Canon USA | AS100 | \$5245 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL |
| Sony | SMC-70 | \$5340 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Apple Computer | Apple III | \$5364 | 6502B | 8-bit | Apple SOS | BASIC, Pascal |
| Columbia Data Products | 1600-4 | \$5440 | 8088 | 16-bit | MS-DOS | BASIC, assembler |
| NEC Information Syst. | APC | \$5446 | 8086 | 16-bit | CP/M-86, MS- DOS | BASIC, COBOL, FOR- TRAN, PASCAL, Assem. |
| IMS International | 5000IS | \$5490 | Z80 | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| Texas instruments | Professional Computer | \$5490 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p- System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Altos Computer Systems | 5-5D | \$5490 | Z80A | 8-bit | CP/M | BASIC, COBOL, Pascal, FORTRAN, SOFTBOL |
| CompuPro Division | System 816/A | \$5495 | 8085/8088 | 8/16-bit | CP/M, CP/M-86 | Not announced |
| Vector Graphic Inc. | Vector 4/30 | \$5495 | Z80B/8088 | 8/16-bit | CP/M-86, MS- DOS (optional), CP/M | Not announced |
| Zenith Data Systems | ZF-100 | \$5499 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| IMS International | 5000X16 | \$5500 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL, FORTRAN, Pascal |
| Hewlett-Packard | HP200 | \$5505 | MC68000 | 16/32-bit | UNIX | BASIC, Pascal, HPL |
| Computer Devices Inc. | DOT-3000E | \$5542 | 8088 | 16-bit | MS-DOS | BASIC, Fortran, COBOL, Pascal, assembler |
| IMS International | 8000X16 | \$5580 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL, FORTRAN, Pascal |
| Gifford Systems | 100+ | \$5595 | 8085/8088 | 8/16-bit | CP/M, CP/M-86 | Not announced |
| Zenith Data Systems | Z-120 | \$5599 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| Zenith Data Systems | ZF-100 | \$5638 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| IMS International | 5000IS16 | \$565 0 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL, FORTRAN, Pascal |
| IBM | IBM-PC XT | \$5675 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, Macro Assembler, Pascal |
| Hewlett-Packard | HP200 | \$5760 | MC68000 | 16/32-bit | UNIX | BASIC, Pascal, HPL |

| | Memory/Storage | Keyboard | 1/0 | Display | Comments |
|----|--------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------|
| | 64K/2 8" DS/DD drives, | 59 keys, 22 program- | 2 serial, 1 parallel | 12-inch monochrome/80 × 25 text mode | basic system |
| | 1MB per drive 64K 2 1.2MB 8" DS/DD 8" | mable, 18-key keypad N/A | 1 serial | user option | micromainframe |
| | floppy drives 128K/1.25MB 8 st floppy | 76 keys, numeric | 2 serial, 1 parallel | 12" green monochrome, | basic system |
| | disk 256K/2 1MB DS/DD 5 1/4" | 72 keys, 16 program- | 2 serial, 1 serial RS-422 | 80 × 24 text 14-inch monochrome/80 × | 256K memory added |
| | floppy drives | mable, 16-key keypad | port Constitution | 25 text | second floppy drive added |
| | 64K/2 409K DS/DD half- height 5 1/4" floppy driv- es/6MB hard disk | N/A | 2 serial, 3 parallel | N/A | |
| | 64K/1 409K DS/DD floppy drive/6MB hard disk | 64 keys, 14 special function, 19-key keypad | 1 serial | monochrome CRT/80 × 24 text mode | storage increased with addi- tion of 6MB hard disk |
| | 128K/1 140K SS/DD 5 ¼" floppy drive/hard disk drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text | hard disk (Winchester drive) added to 128K Apple III |
| | 128K/1 3.5-inch 270K mi- crofloppy drive | 57 keys, 10 definable functions on 5 keys | 1 serial, 1 multipurpose IEEE-488 port | 9" monochrome CRT/80 × 25 text | 3.5-inch microfloppy added |
| _ | 128K/2 270K 5 1/4" drives | 59 keys, 20-key keypad, 14 special function | multipurpose port | 8" monochrome CRT/80 × 25 text | 2nd 5 1/4-inch drive added |
| | 160K 2 320K 3" microflop- py disk drives | 61 key board, embed- ded 10-key keypad | 1 serial | 66-character × 8-line liq- uid crystal display/touch panel | 128K of user memory added |
| | Not announced/2 640K DS/DD 5 1/4" floppy driv- es/2 8" floppies | standard | 1 serial, 1 parallel | monochrome display/80 × 25 text mode | 2 eight-inch floppy drives |
| | 64K/1 280K 3.5" microflop- py/5.7MB hard disk | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch RGB high-res. color CRT | color CRT subsituted for dis- play |
| | 256K/1 140K SS/DD 5 1/4" floppy drive/hard disk drive | 61-key typewriter, 13-key keypad, 2 program- mable | 1 serial, 2 game control- ler, 1 parallel | 12-inch CRT/280 × 192/560 × 192 graphics cap./80 × 24 text | hard disk (Winchester drive) added to 256K Apple III |
| | 256K/1 320K 5 1/4" floppy disk drive/12MB hard disk | 83 keys, 10 special func- tion, keypad | 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 25 text | user memory increase to 256K |
| | 128K/1MB, half-height DS/ DD drive, 10MB hard disk | 66 keys, 25-key keypad, 23 function | 1 parallel, 1 serial | monochrome/80 × 25 text | hard disk added to 1 drive monochrome model |
| | 64K/2 409K DS/DD half- height 5 ¼" floppy driv- es/6MB hard disk | 64 keys, 14 special func- tion, 19-key keypad | 1 serial | monochrome CRT/80 × 24 text mode | 2nd DS/DD floppy drive added |
| | 256K/1 320K 5 1/4" DS/DD drive/5MB hard disk | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 12-inch monochrome CRT/720 × 300 res., 80 × 25 display | hard disk added to mono- chrome unit |
| Ī | 192K/1 1MB DS/DD 5 1/4" floppy | N/A | 4 serial, 1 parallel | N/A | micromainframe |
| | 128K/2 8-inch floppy driv- es, 2.4MB storage | N/A | 4 serial, 1 parallel | user option | micromainframe |
| | 128K/ 1 630K 5 1/4" floppy drive/5 MB hard disk drive | 91 keys, 15 special func- tion, 18-key keypad | 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 24 text/640 × 312 graphics | hard (Winchester) disk |
| E) | 192K/1 320K DS/DD 5 1/4 drive/11.3 MB hard disk | 77 keys, 18-key keypad, 13 special funct. | 2 serial, 1 parallel | user option | memory increased to 192K and hard disk added, one |
| | 256K 1 409K DS/DD half- height floppy drive/6MB hard disk | N/A | 2 serial, 3 parallel | N/A | floppy deleted micromainframe |
| | 128K/1 270K 5 1/4" drive | 57 keys, 10 definable functions on 5 keys | 1 serial, 1 multipurpose IEEE-488 port | 9" monochrome CRT/80 × 25 text | drive changed to 5 1/4" |
| | 256K/2 3.5" 280K micro floppy drives | 59 keys, 10 function keys, 18-key keypad | 2 serial | monochrome (built-in)/80 × 24 text | 256K memory, printer in- cluded |
| | 256K/2 1.2MB 8" DS/DD half-height drives | N/A | 2 serial, 3 parallel | N/A | micromainframe |
| | 128K/2 1.2MB 8" DS/DD 8" floppy drives | N/A | 1 serial | user option | memory capacity increased to 128K |
| | 192K/1 320K DS/DD 5 1/4 drive/11.3 MB hard disk | 77 keys, 18-key keypad, 13 special funct. | 2 serial, 1 parallel | built-in monochrome CRT/80 × 25 text | hard disk, 92K of memory added, 1 floppy deleted |
| | 192K/1 320K DS/DD 5 1/4 drive/11.3 MB hard disk | 77 keys, 18-key keypad, 13 special funct. | 2 serial, 1 parallel | green monochrome CRT/80 × 25 text | monochrome CRT added |
| | 256K/1 409K DS/DD half- height 5 ¼" floppy drive/6 MB hard disk | 64 keys, 14 special func- tion, 19-key keypad | 1 serial | monochrome CRT/80 × 24 text mode | hard disk added |
| | 128K/1 DS/DD 5 1/4" floppy drive/10MB hard disk | 59 keys, 10 special func- tion, 20-key keypad | 1 serial, 1 parallel | 12-inch monochrome/80 × 25 text | monochrome CRT |
| | 128K/2 3.5-inch 270K mi- crofloppy drives | 57 keys, 10 definable functions on 5 keys | 1 serial, 1 multipurpose IEEE-488 port | 9" CRT/80 × 25 text | 2nd 3.5-inch microfloppy add ed |

TABLE 1-\$4500 AND UP (continued)

| Manufacturer | Model | Price | CPU | Word Length | Operating System | Languages |
|--------------------------|--------------------------|----------------|----------------------------|-------------|--------------------------------------------------------|------------------------------------------------------|
| IMS International | 8000SX | \$5780 | | 8-bit | CP/M, MP/M TurboDOS | BASIC, COBOL, FORTRAN, Pascal |
| Radio Shack | Model 16 | \$ 5798 | MC68000/Z80A | 8/16/32-bit | Proprietary | assembly |
| Sony | SMC-70 | \$ 5820 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Gifford Systems | 100 | \$5870 | 8085/8088 | 8/16-bit | CP/M, CP/M-86 | Not announced |
| IMS International | 5000X16 | \$5890 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL, FORTRAN, Pascal |
| ІВМ | IBM-PC XT | \$5919 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, Macro Assembler, Pascal |
| Canon USA | AS100 | \$594 5 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL |
| Fujitsu Microelectronics | Micro 16 | \$5990 | Z80A 8086 | 8/16-bit | CP/M-86, Con- current CP/M/ MS-DOS op- tional | Not announced • |
| Vector Graphic Inc. | Vector 4/40 | \$5995 | Z80B/8088 | 8/16-bit | CP/M-86, MS- DOS (optional), CP/M | Not announced |
| Durango Systems | Рорру | \$5995 | 80186 | 16-bit | MS-DOS, CP/ M-86, MP/ M-86, Xenix | Not announced |
| TeleVideo Systems Inc. | TS 802H | \$5995 | Z80A | 8-bit | CP/M | COBOL |
| North Star Computers | Horizon | \$5999 | Z80A | 8-bit | TSS/C (Proprie- tary CP/M-like) | Not announced |
| North Star Computers | Advantage | \$5999 | Z80A | 8-bit | CP/M, GDOS | BASIC, FORTRAN, COBOL, Pascal |
| ІВМ | IBM-PC XT | \$6005 | 8088 | 16-bit | PC-DOS (MS- DOS), CP/ M-86, UCSD p- System | COBOL, FORTRAN, BASIC, MACRO assembler, Pascal |
| IMS International | 5000IS16 | \$6040 | 8088 | 16-bit | MS-DOS, CP/ M-86 | BASIC, COBOL, FORTRAN, Pascal |
| Texas Instruments | Professional Computer | \$6185 | 8088 | 16-bit | MS-DOS, CP/ M-86, UCSD p- System | Macro Assembler, BASIC, COBOL, FORTRAN, Pascal |
| Zenith Data Systems | Z-100 | \$6198 | 8085/8088 | 8/16-bit | CP/M/ZDOS (proprietary) | BASIC, COBOL, FORTRAN |
| Hewlett-Packard | HP200 | \$6215 | MC68000 | 16/32-bit | UNIX | BASIC, Pascal, HPL |
| Sony | SMC-70 | \$6340 | Z80A | 8-bit | CP/M | BASIC, CB-80, Pilot Plus |
| Honeywell, Inc. | microSystem 6/10 | \$6370 | Proprietary (Micro 6)/8086 | 16-bit | Proprietary, MS-DOS, CP/ M-86 | BASIC |
| Wang Laboratories | Professional Computer | \$6400 | 8086 | 16-bit | MS-DOS, CP/M emulation | BASIC, COBOL, FORTRAN Pascal |
| Gifford Systems | 100+ | \$6470 | 8085/8088 | 8/16-bit | CP/M, CP/M-86 | Not announced |
| Fujitsu Microelectronics | Micro 16 | \$6490 | Z80A/8086 | 8/16-bit | CP/M-86, Con- current CP/M, MS-DOS op- tional | Not announced |

virtual-memory disk, provided the system has the proper software. A greater part of this report was written with the assist of such a "disk."

The second upgrade brings the PC's user memory to 256K. The third upgrade to this system involves the monochrome PC. At this stage it reaches its maximum configuration, for our purposes, with the addition of a 5-megabyte hard-disk drive. This provides the user with denser storage and truly high-speed

data access, storage and retrieval. The final change brings the color *PC* up to its fullest configuration with the addition of the 5-megabyte 51/4-inch hard-disk drive.

Zenith

Zenith has four system configuration changes here. With the first, the user memory of the ZF-100 low-profile small-computer system increases to 192K and, at the same time, the

| | Memory/Storage | Keyboard | 1/0 | Display | Comments |
|---|-----------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------|------------------------------------------------------------------------|--------------------------------------------|
| | 64K/1 1.2MB 8" DS/DD half-height floppy drive/6MB hard disk | N/A | 2 serial, 3 parallel | N/A | 6MB hard disk |
| | 128K/slim-line 1.25MB 8- inch floppy disks | 76 keys, numeric key- pad | 2 serial, 1 parallel | 12-inch green mono- chrome/80 × 24 text | 2nd drive |
| | 64K/1 280K 3.5" microflop- py/12.1 MB hard disk | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch green CRT/80 × 25 text | 12.1MB hard disk |
| | 64K/2 1.2MB 8" DS/DD 8" floppy drives | N/A | 1 serial | standard terminal | micromainframe with user terminal attached |
| | 256K/2 409K DS/DD half- height floppy drives/6MB hard disk | N/A | 2 serial, 3 parallel | N/A | 2nd floppy disk drive |
| | 128K/1 DS/DD 5 1/4" floppy drive/10MB hard disk | 59 keys, 10 special function, 20-key keypad | 1 serial, 1 parallel | 12-inch high-res, color dis- play/80 × 25 text | color display an d adapter |
| H | Not announced/2 640K DS/DD 5 1/4" floppy driv- es/2 8" floppies | standard | 1 serial, 1 parallel | 640 × 400 color graphics capability | 2 eight-inch floppy drives added |
| | 128K/2 320K DS/DD 5 ¼" floppy drives/20MB 5 ¼" hard disk | 98 keys, separate nu- meric keypad, 10 programmable keys | 1 serial, 1 parallel | 80 × 25 text mode/640 × 200 graphics | hard disk added |
| | 128K/1 630K 5 1/4" floppy drive/10MB hard disk drive | 91 keys, 15 special func- tion, 18-key keypad | 2 serial, 1 parallel | 12-inch monochrome CRT/80 × 24 text/640 × 312 graphics | hard disk capacity increased to 10 MB |
| | 128K/1 800K 5 1/4" floppy disk drive/10MB hard disk | 64 keys, 8 special func- tion, 14-key keypad | 1 serial, 1 parallel | monochrome CRT/80 × 25 text | hard disk added |
| | 64K/1 368K 5 ¼" DS/DD floppy drive/9.6MB hard disk | 72 keys, 16 program- mable, 17-key keypad | 2 serial, 1 serial RS-422 port | 14-inch monochrome/80 × 25 text | hard disk |
| | 64K/1 360K 5 1/4" DS/DD floppy/15MB hard disk | N/A | 2 serial, 1 parallel | N/A | 15MB hard disk |
| | 64K/1 360K DS/DD 5 1/4" floppy drive/15MB hard disk | 49 keys, 14-key keypad, 15 function keys | 1 parallel, 1 serial | 12-inch monochrome CRT/640 × 240 graphics res./80 × 24 text mode | 15 MB hard disk |
| | 256K/1 DS/DD 5 ¼" floppy drive/10MB hard disk | 59 keys, 10 special function, 20-key keypad | 1 serial, 1 parallel | 12-inch monochrome/80 × 25 text | memory expanded to 256K |
| | 256K/2 409K DS/DD half- height floppy drives/6MB hard disk | 64 keys, 14 special function, 19-key keypad | 1 serial | monochrome CRT/80 × 24 text mode | 2nd disk added |
| | 256K1 320K 5 1/4" DS/DD drive/5MB hard disk | 97 keys, 17-key keypad, 12 special function | 1 parallel, 1 serial | 13-inch color CRT/720 × 300 res., 80 × 25 display | hard disk added to color unit |
| | 192K/1 320K DS/DD 5 1/4 drive/11.3 MB hard disk | 77 keys, 18-key keypad, 13 special funct. | 2 serial, 1 parallel | high-res. color CRT/80 × 25 text mode | color CRT added |
| | 128K/3 270K 5 ¼" drives | 59 keys, 20-key keypad, 14 special function | 1 serial, 1 multipurpose IEEE-488 port | 9" monochrome CRT/80 × 25 text | 2nd 5¼" drive added |
| | 64K/1 280K 3.5" microflop- py/12.1 MB hard disk | 72 keys, keypad, 9 special function | 1 parallel, 1 serial | 12-inch RGB high-res. color CRT | color CRT subsituted for dis- play |
| | 128K/2 5 1/4" floppy disk drives | standard, keypad, function keys | 2 serial, 1 parallel | 12-inch monochrome CRT | second high-density disk added |
| ı | 128K/1 360K DS/DD 5 1/4" floppy drive/1 10MB hard disk | 101 keys, 16 program- mable, 18-key keypad | 1 parallel, 1 serial | monochrome CRT/graphics capability | hard disk |
| | 128K/2 1.2MB 8" DS/DD 8" floppy drives | N/A | 1 serial | standard terminal | terminal added |
| i | 1MB/2 320K DS/DD 5 1/4" floppy drives | 98 keys, separate nu- meric keypad, 10 programmable keys | 1 serial, 1 parallel | 80 × 25 text mode/640 × 200 graphics | user memory expanded to 1MB |

second minifloppy drive is swapped for an 11.3-megabyte hard-disk drive, with all its advantages. The all-in-one Z-120 system also has the same changes in the second reconfiguration, while the low-profile system gains a high-resolution monochrome display in the third change to the models of this system.

The low-profile, monochrome hard-disk ZF-100 reaches its fullest configuration and capability as a color graphics-capable system by adding a 640- by 225-dot high-resolution color moni-

tor. This display handles an 80-character by 25-line text mode.

IBN

A new version of the IBM *Personal Computer* debuts in this price category, the *PC-XT* (Extended). Having the same essential specifications as the standard IBM *PC*—8088 CPU, PC-DOS, double-sided, double-density minifloppy-disk drive, 59 typewriter-style keys, 10 special-function keys and numeric

keypad—the new system differs in two key areas. First is that the amount of user memory is doubled from 64K to a standard 128K. The second change is an added standard 10-megabyte 5½-inch hard-disk drive.

This system also has three configuration changes in this price range. The first one involves adding a high-resolution monochrome green display to the *PC-XT*. This monitor delivers a flicker-free detailed text display and is ideal for serious word-processing. In its next change, the *XT* becomes a color-graphics machine with the addition of a color adapter card and a high-resolution 12-inch color monitor. The final expansion of this system brings the user memory up to 256K.

Apple

The 128K version of the *Apple III* becomes a far more versatile system with an added hard-disk drive. This gives the user higher-density, high-speed data storage and access. The last change to this system brings it to its full configuration. The 256K version of the *Apple III* includes a hard disk.

Computer Devices

The *DOT-3000* series has several changes in this price category. The IBM-compatible transportable *DOT-3000D* adds RAM for a total of 256K.

The transportable *DOT-3000C*, retains the standard 128K user memory configuration, and becomes more versatile as the optional built-in printer capability is used and a printer is added. At once, a user has a complete system at his fingertips that can close up and travel with him.

The final version of this system, the DOT-3000E, brings both features together. The user memory is expanded to 256K, and the printer is also included.

Gavilan

The innovative, IBM-compatible, 8088-driven Gavilan lap-computer system upgrades three times in this price range. In its first upgrade, this system becomes more versatile and flexible by adding a second 320K 3-inch microfloppy-disk drive. The second upgrade gives the user 96K of RAM by adding a 64K RAM memory add-on cartridge. When this is combined with the dual disk drives now included, this system becomes a truly versatile lap machine. In its final upgrade, memory capacity is increased to 160K.

IMS International

This microcomputer manufacturer has a variety of new machines debuting, as well as others that upgrade, in this price category. The micromainframe 5000SX system, driven by an



TI's PROFESSIONAL COMPUTER gains a RAM disk in this price range.

8-bit Z80 microprocessor, debuts with a 6-megabyte hard-disk system. Immediately, this increases the versatility of the system, which also has 64K of RAM. The standard minifloppy-disk drive for this system is a 409K, half-height double-sided, double-density unit.

Capable of operating under CP/M, MP/M (the multiuser version) or TurboDOS, this system is programmable in BASIC, COBOL. Fortran, or Pascal. Since it is a micromainframe system, terminal choice is up to the user. However, this system can also support a variety of input/output devices through two standard serial ports and three standard parallel ports. The system upgrades once in this category with an added second 409K half-height minifloppy drive. This makes backing up the contents of the hard disk far easier.

The 8000SX is another version of this micromainframe system and shares many of the same features with the 5000SX. The key difference is in the amount of floppy-disk storage. Instead of relying on minifloppy-disks, this system uses half-height, 8-inch floppy-disk drives for storage. Their capacity is 1.2-megabytes per drive and offer the user up to 2.4-megabytes of potential storage.

In this system's upgrade, the second floppy disk is replaced by a 6-megabyte hard-disk drive. This gives the user access to high-density, high-speed data access and retrieval. The Z80-based 5000IS system upgrades in this price realm, too. This system, which operates under CP/M, MP/M, and TurboDOS and is programmable in BASIC, COBOL, Fortran, and Pascal, gains a 6-megabyte hard disk.

Also added to the configuration of the 5000IS—which has a keyboard containing 64 keys, 14 special-function keys, and a 19-key numeric keypad and a serial port, plus 64K of RAM, and a monochrome CRT—is a second 409K double-sided, double-density, half-height minifloppy, disk drive. It is in addition to the already-existing minifloppy and hard-disk drives.

The 16-bit 8088-based version of the 5000 system, the 5000X16, also has a 6-megabyte hard-disk drive added to its configuration. In this configuration, it has a single 409K double-sided, double-density minifloppy-disk drive, as well as the hard disk and 256K of user memory. This system operates under MS-DOS and CP/M-86 and, since it is a micromainframe, the terminal is a user option. It is programmable in BASIC, COBOL, Fortran, and Pascal. The second upgrade to this system adds a second minifloppy to speed hard-disk backup.

The 8000X16, which shares the same basic attributes as the 5000X16, differs in that it has a pair of half-height, 1.2-megabyte 8-inch floppy-disk drives, rather than the 5½-inch units. The 5000IS16, which is has the same basic mechanical attributes as the 5000IS system, differs in that it has a 16-bit 8088 CPU and operates under MS-DOS and CP/M-86.

In its first upgrade in this price realm, this machine, with its 256K of user memory, gains a 6-megabyte hard disk for storage. This is in addition to the standard 409K, half-height, double-sided, double-density disk drive. The second upgrade adds a second half-height minifloppy drive.

Sony

The SMC-70 small-computer system upgrades four times in this price category. In the first upgrade, the SMC-70 gains a 5.7-megabyte hard-disk drive for data storage, while in the second, the system becomes a color computer, with an added 12-inch RGB high-resolution color monitor. The third upgrade to this system brings the capacity of the hard-disk drive to 12.1-megabytes, allowing much greater storage capability on the monochrome version of this system, while the fourth upgrade brings much greater hard-disk storage capability with the addition of the 12.1-megabyte unit to the color SMC-70.

Canon

The AS100 upgrades twice in this price range. The first upgrade adds two 8-inch floppy-disk drives to the system configuration, giving the user access to four disk drives for storage and increasing system capability. The second upgrade adds two

8-inch floppy disk drives to the configuration of the color AS100.

NEC

The *PC-8800*C small-computer system upgrades in this category. The 8-inch drive version of the *PC-8800* becomes a color graphics-capable machine when a 14-inch color monitor is added that can handle 640- by 400-dot resolution and an 80-character by 25-line text display.

Fujitsu

The Micro 16 upgrades twice in this price category. The first step adds a 20-megabyte 51/4-inch hard disk for dense, high-speed data storage and retrieval, while the second upgrade expands the user memory to a phenomenal 1 megabyte.

North Star

There are three systems that upgrade in this price category, the Advantage 8/16, the Horizon and the Advantage. The Advantage 8/16, driven by an 8-bit Z80A and a 16-bit 8088, has its mass-storage capabilities increase with an added 5-megabyte hard disk. This change gives the user access to dense high-speed data storage and retrieval capabilities. The micromainframe Horizon becomes a truly powerful system with an added 15-megabyte hard disk. In fact, this change gives this system potential multiuser capability. A 15-megabyte hard disk gives the Advantage high-density data-storage capability and brings added versatility to this system.

Durango

The powerful Durango *Poppy* upgrades twice in this price category. With the first upgrade, the small-computer system has its user memory increased to 256K. This lets the system take fuller advantage of the advanced capabilities of its powerful CPU, the 80186. With the second upgrade, the *Poppy* becomes much more fully configured. This is the addition of a 10-megabyte hard disk. When the memory size and hard disk are taken into account, this system becomes a candidate for multiuser status.

Vector Graphic

The co-processor *Vector 4/20* system upgrades as its name changes in this price category. With the addition of a 5-megabyte hard disk for increased storage capability, this system becomes the *Vector 4/30*. This change provides the user with a powerful, high-speed data storage option and increases the versatility of this system by several orders of magnitude. As the hard-disk capacity increases to 10 megabytes, the system's name becomes the *Vector 4/40*.

TeleVideo

The 16-bit TS1602G becomes a much more potent machine with the addition of user memory. At this point, this small-



HEWLETT-PACKARD's HP200 features Motorola's MC68000 microprocessor.



computer system can use any of the advanced programs on the market. With an added 9.6-megabyte hard disk, the *TS802H*, a Z80A, 64K system, becomes much more potent. It now gives the user the option of truly high-density, high-speed data storage and retrieval.

Gifford Systems

A newcomer to our buyer's guide is Gifford Systems' 100/ 100 + series of co-processor micromainframes. Since these are micromainframes, it's up to the user to supply the terminal although two of our listings indicate terminals and show how these change the cost parameters for these systems.

Driven by 8-bit 8085 and 16-bit 8088 CPUs, these systems are offered only with the CP/M operating system or CP/M-86, as opposed to MS-DOS. (This could prove a drawback in the 16-bit realm because the emerging standard operating system, and the one that most software is being written for, is MS-DOS.) Equipped with 64K of user memory—somewhat limited for some 16-bit applications—this system has two standard 8-inch double-sided, double-density 1.2-megabyte floppy-disk drives for storage. This makes this system very versatile. Input/output is handled via standard serial ports, to which a variety of peripherals can be interfaced.

These systems upgrade twice. The first upgrade adds 64K to the user memory, bringing it up to 128K. This makes this system more versatile and able to handle 16-bit programs more efficiently, while the second upgrade adds a terminal offered by the manufacturer.

Docutel/Olivetti

At this point, the Olivetti M20 becomes fully configured. Actually two upgrades are included at once. With the first change, user memory is increased to 160K, making this system more versatile. The second change here adds a second 360K 5½-inch minifloppy-disk drive.

Honeywell

This is Honeywell's first appearance in this buyer's guide with its *microSystem 6/10*. Driven by a proprietary 8-bit microprocessor—Honeywell Micro 6—teamed with an 8086, 16-bit CPU, the 6/10 has 128K of standard user memory. It works under three operating systems: MS-DOS, CP/M-86, and a proprietary system. The standard disk drive is a 51/4-inch minifloppy-disk drive for storage.

Programmable in BASIC, the 6/10 accepts this and other data input through a standard typewriter-style keyboard. The keyboard also includes a separate numeric keypad and special-function keys. User output is to a standard 12-inch monochrome CRT. Input/output chores are handled through two serial ports or one parallel port. To these ports a user can interface a variety of peripherals.

The system has a key upgrade in the upper end of this price guide with the addition of a second 51/4-inch drive.

Wang

The Wang *Professional Computer* reaches its fullest configuration with the addition of a 10-megabyte hard-disk drive. It gives the user much higher-speed data access, storage, and retrieval capabilities and increases the flexibility of this system.

Athena

This transportable microcomputer system reaches its fullest configuration in this price category. At this point, the memory capacity is increased to a full megabyte. However, much of this memory is used as a virtual or pseudo-disk for high-speed program execution.

Sanvo

A new system debuts in this price range, the MBC 3000, driven by dual Z80A CPU's. With two operating systems available, CP/M and the proprietary TS-DOS, this system has more than enough to handle most average applications. The disk drives available are two 8-inch double-sided, double-density floppies. Each of those drives is capable of up to 1 megabyte of storage.

Programmable in BASIC, Pascal, Fortran, and Macro-80, this system accepts this and other data input through 59 typewriter-style keys. The keyboard also features 22 programmable keys and a 18-key numeric keypad. User output is to a 12-inch monochrome display that can deliver an 80-character by 25-line text mode. Input/output is handled by two standard serial ports or an RS-423 synchronous serial port.

Toshiba

The T250-5 system is an upgrade of the T250 system already described. It upgrades here and becomes more versatile with an added 5-megabyte hard disk. The addition of that drive gives the user the ability to have truly high-speed, high-density data access and retrieval.

Columbia Data Products

The 16-bit 1600-4, based on the 8088 CPU, upgrades twice. The first upgrade brings a 12-megabyte hard disk to this 128K system. Backup disk storage is provided by a 320K 51/4-inch floppy disk.

This system, which runs under MS-DOS and is programmable in BASIC and assembler, upgrades again here to 256K of user memory in the second reconfiguration.

Sord

The M68 is this small-computer firm's top-of-the-line system. A versatile system, it is driven by a powerful MC68000 CPU, with a Z80A acting as co-processor. Running under an operating system that is CP/M-compatible, this system has 256K of user memory and two 1.2-megabyte 5½-inch minifloppy drives for storage. This configuration is powerful enough to take advantage of the potential of this system. User input is via a typewriter-style keyboard and output is to a 12-inch monochrome CRT. Input/output is handled by two serial ports plus one parallel, and one IEEE-4888 general-purpose interface port.

IBC

The Cadet micromainframe uses proven 8-bit technology with a Z80 CPU. It has 64K of standard user memory and runs CP/M, MP/M and two other operating systems, MVT-FAMOS and OASIS. It is programmable in BASIC, COBOL, Fortran, and assembler. Standard disk storage is one 8-inch 1-megabyte floppy-disk drive. The terminal is a user option.

Altos

Another micromainframe that debuts here is the ACS8000-15. Driven by an 8-bit Z80A, it has 208K of user memory. It runs under the industry-standard CP/M operating system and has two 500K single-sided, double-density disks for storage. It is programmable in BASIC, Fortran, COBOL, and SOFTBOL and is

meant to be the basis of a multi-user system. It has six standard serial ports and one parallel port as standard. Terminal choice is up to the user.

This company's 5-15D is another micromainframe system, that debuts here. Driven by a Z80B, this 8-bit system operates under the CP/M operating system. It has 192K of user memory and includes a 1-megabyte double-sided, double-density 5½-inch minifloppy-disk drive for storage. Programmable in BAS-IC, COBOL, Pascal, Fortran, and SOFTBOL, the system uses four serial ports and one parallel port for input/output. Since it is a micromainframe—a system box with a disk drive and interface ports—the terminal choice is up to the user.

Ithaca Intersystems

Another 8-bit micromainframe—driven by a Z80B microprocessor—is the *Encore* from Ithaca Intersystems. It operates under CP/M. Standard user memory is 128K, and storage is on two 51/4-inch single-sided, double-density disk drives. Since it is a micromainframe, the choice of terminal devices is up to the user.

CompuPro

Long a leader in S-100 bus products, CompuPro's System 816/A also debuts here. A micromainframe small-computer system, it is driven by co-processors, an 8-bit 8085 and a 16-bit 8088 and runs under CP/M and CP/M-86. User memory is 128K and storage is handled by two 1.2-megabyte 8-inch floppy-disk drives. Since it is a micromainframe, terminal choice is up to the user, but input/output functions are handled through four serial ports and one parallel port included as standard.

DEC

The last of the four single-user microcomputer systems introduced a year and a half ago makes its debut here, the *Professional 350*. Actually an upgrade of the *Professional 325*, this system includes a larger system-unit box, that is made to accept a 51/4-inch hard-disk drive. In this version, storage is provided by a single 400K 51/4-inch minifloppy-disk drive. User memory stands at 256K, or more than enough to handle any advanced application program.

The system is driven by a proprietary 16-bit CPU, the PDP-11/238 and operates under a proprietary operating system. CP/M is available as an option. User input is via a slim-line keyboard which contains 58 typing keys. There are special-function keys and a separate 14-key numeric pad. User output is handled by an 80-character by 25-line black-and-white monochrome display, while input/output chores are handled by a serial port or an RS-423 synchronous port.

Radio Shack

The Model III Desktop reaches its top configuration in this price category. It becomes a full-blown business small-computer system with the addition of a 5-megabyte hard-disk drive. This allows the user high-speed, high-density data access and storage. A similarly equipped Model 4 would top out about the same price in this range, too.

A new model makes its appearance and becomes fully configured in this price category, the *Model 16*. Driven by the advanced MC68000, the *Model 16* also uses a Z80A to handle the housekeeping chores. This frees the main CPU to handle information-processing functions. Equipped with 128K of user memory, that is expandable, this system operates under a proprietary operating system. In its base configuration, it includes one double-sided, double-density 1.2-megabyte slim-line 8-inch floppy-disk drive for mass storage.

The 76-key keyboard includes a numeric keypad. Output is to a 12-inch green monochrome video-display screen that delivers an 80-character by 24-line display. Input/output is handled via two serial ports and one parallel port, included as standard. It upgrades and becomes fully configured at the upper end of this price category with the addition of a second drive 1.25-megabyte slim-line 8-inch floppy-disk drive.



The ELECTRONICS BOOK CLUB

Hundreds of time- and money-saving ideas for hobbyists, experimenters and technicians!



Select 6 fact-filled volumes for only \$295 (total value up to \$115.70)



1536 List \$13.95



1406 List \$17.95



1467 List \$16.95



1000 List \$13.95







1277 List \$19.95



1497 List \$15.95




1451 List \$18.95







1474 List \$15.95







1332 List \$16.95



1436















List \$13.95



7 very good reasons to try **Electronics Book Club** Blue Ridge Summit, PA 17214

· Reduced Member Prices. Save 20% to 75% on books sure to increase your know-how

· Satisfaction Guaranteed. All books returnable within 10

days without obligation Club News Bulletins. All about current selections—mains, alternates, extras-plus bonus offers. Comes 13 times a year with dozens of up-to-the-minute titles you can pick from

"Automatic Order." Do nothing, and the Main selection will be shipped automatically! But . . . if you want an Alternate Selection—or no books at all—we'll follow the instructions you give on the reply form provided with every News Bulletin

 Continuing Benefits. Get a Dividend Certificate with every book purchased after fulfilling membership obligation, and qualify for discounts on many other volumes

Bonus Specials. Take advantage of sales, events, and added-value promotions

Exceptional Quality. All books are first-rate publisher's editions, filled with useful, up-to-the-minute information


LLECTRONICS BOOK C

Blue Ridge Summit, PA 17214

Please accept my membership in Electronics Book Club and send the 6 volumes circled below, billing me \$2.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership cancelled. I agree to purchase 4 or more books at reduced Club prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

| | 1000 1276 1435 1473 | 1062 1277 1436 1474 | 1113 1296 1451 1486 | 1160 1332 1465 1497 | 1199 1346 1467 1505 | 1211 1406 1468 1536 | |
|--------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|-----------|
| Name - | 274 | | | | F | hone | |
| Address | | | | | | | |
| City | | | | - | | | |
| Valid for ne | ew memb | ers only. (| Orders ou | itside U.S | or Canad | Zip da must be p emit in U.S. | repaid in |

This order subject to acceptance by Electronics Book Club.



CALL NOW AND RESERVE YOUR SPACE

- 6 × rate \$550 per each insertion
- Reaches 220.500 readers.
- Fast reader service cycle.
- Short lead time for the placement of
- · We typeset and layout the ad at no additional charge

Call 212-777-6400 to reserve space. Ask for Arline Fishman. Limited number of pages available. Mail materials to: mini-ADS, RADIO-ELECTRONICS. 200 Park Ave. South. New York. NY 10003



COVER STORY AUDIO KITS from Radio Electronics 5-6/78, 2/80 and 3-4/81. Our \$89 Graphic Equalizer (.02% THD, 12 bands, 92dB S/N), \$40 PLM-1, and \$120 ASRU (Noise Filter/Expander increases dynamic range by 18dB) are attractive, excellent performers. Free shipping with prepaid orders. Free catalog with lots more. SYMMETRIC SOUND SYSTEMS, 856J Lynn Rose Ct., Santa Rosa, CA 95404. (707) 546-3895.



CONVERTERS-DESCRAMBLERS-MICROWAVES-New genuine Oak, Jerrold, Zenith, Hamlin, Sylvania, Test, Pioneer! Name it! Sine-wave, gated-sync, vari-sync, in-band, out-band. We sell 'em all! No order too big or small. Compare our prices. Send \$5.00 for new expanded catalog-now includes schematics. TV PRODUCTS CO., 635 Park Ave. Suite 222, Idaho Falls, ID 83402



CABLE TV DESCRAMBLER KIT \$39.95 Computerized addressable gated sync type. We also have complete line of Jerrold and Oak cable TV converters and descramblers. Such as, Jerrold gated sync (SB-3), Oak sinewave (N12), and Jerrold 61 channel remote control converter descrambler (DRX-DIC-105). 90 day warranty. SEND \$2.00 for "INFORMATIVE CATALOG" for prices and availability to: J & W ELECTRONICS, INC., P.O. Box 61-X, Cumberland, RI 02864. CIRCLE 63 ON FREE INFORMATION CARD



DESCRAMBLERS Completely assembled and tested. Compatable with ZENITH Z-TAC and SSAVI systems. No internal T.V. connections. Built in VARACTOR TUNER. \$129.00 VISA, M/C, and C.O.D. orders accepted, DE-CODER DISTRIBUTORS CO., 23400 Michigan Avenue, Suite 502, Dearborn Michigan, MI 48124 (313) 562 • 9661. Other models available, we also ship to Canada.

CIRCLE 92 ON FREE INFORMATION CARD




SPEECH SYNTHESIZER SALE!!!-Complete plug-in module interfaces to the Apple II, II + TRS 80 Models I, III - Commodore 64, Vic 20. Regularly \$89.95 NOW ONLY \$59.95 + \$4.00 Sh/Hd. Complete and Starter Kits Available. All synthesizers include: Phrase Finder program on cassette tape and a Speech Synthesis Instruction Manual - A \$15.00 VALUE FREE. Send check or M.O., C.O.D. Add \$2.00. 10 Day Money-Back Guarantee. R.I.S.T. INC., P.O. Box 499 Dept. RE1083, Ft. Hamilton Station, Brooklyn NY 11209, (212) 259-4934. **CIRCLE 96 ON FREE INFORMATION CARD**



MODERN ELECTRICS. Miniature souvenir of the first publication ever produced by Gernsback Publications. This issue appeared in April 1908—just 75 years ago. You can own your own reprint of this unique first edition for iust \$2.50 plus 75¢ P&H. It's available from R-E BOOKSTORE, Radio-Electronics, 200 Park Avenue South, New York, NY 10003



ELECTRO IMPORTING CO. CATALOG. This reprint of the historic 176-page catalog No. 20 gives you an accurate look at the state of electronics in 1918. Contains everything from a Zinc Spark Gap to a 1000-Mile Receiving Outfit. You can get your own copy of this modern antique, profusely illustrated, for only \$4.95 plus \$1.00 P&H. Order yours from R-E **BOOKSTORE**, Radio-Electronics, 200 Park Avenue South, New York, NY 10003.




Make your own prototypes! This 14" IN-Line Press Brake is constructed of highgrade ductile iron castings and steel parts. Standard equipment includes male dies for straight or box bends from 1/2" to 14" plus a FREE urethane forming pad. Write or call for literature and prices on our SPECIAL Shear-Notcher-Brake package. PACIFIC ONE CORP., Suite K302, 513 Superior Ave., Newport Beach, CA. 92663; (714) 645-

CIRCLE 100 ON FREE INFORMATION CARD



Introducing an ULTRASONIC ECHO RANGING KIT with up to 20 feet and greater ranging capabilities. May be interfaced to your microcomputer or used alone with analog output and 4 digit LCD display. Applications in Robotics, Alarms, Positioning, Level control and more. Complete kit #ERS400KD @\$139.50. Less enclosure and LCD display #ERS400 @\$89.50. Money orders, checks accepted. COD add 10%. TRABAND ELEC-TRONICS, INC., P.O. Box 166, Clifton Heights, PA 19018 (215) 623-2700.

CIRCLE 64 ON FREE INFORMATION CARD



ONE MAN CRT FACTORY, easy operation. Process new or rebuild old CRT's for tv's, bus. machines, monitors, scopes, etc. Color, b&w, 20mm, foreign or domestic. 3×6 ft. space required. Profits??? Average CRT rebuilding cost — \$5. Sell for $$100 = $95 \text{ profit}; \times 5 \text{ CRT's} = $475 \text{ daily}; \times 5$ days = \$2375 weekly profit. Higher profits outside U.S.A. Investigate this opportunity today. We service the entire world. Write or call: CRT Factory, 1909 Louise St., Crystal Lake, II. 60014, (815) 459-0666. CIRCLE 84 ON FREE INFORMATION CARD



High precision NTSC I and Q color bar generator board. It is the main board from the Multidyne TS-1, a broadcast standard portable signal generator. Vectors are accurate to 1 degree and amplitudes to 1%. All pulses are derived from a 14.318180 temperature compensated crystal oscillator. The board is quaranteed for 1 year. It measures 73/4 x 33/4 and requires ¢ and -12 volts to produce 1 volt of video n 75 Ohms. It costs ,\$198.50. A standard 14 × 17 EIA Cross-Hatch and Dots generator board matches the RETMA linearity chart and costs \$125. Add \$4.50 for insured shipping. Checks, money orders and C.O.D. only. Other NTSC boards available. Satisfaction is guaranteed. MULTIDYNE ELEC-TRONICS, P.O. Box 528, Locust Valley, N.Y. 11560, (516) 671-7278.

CIRCLE 17 ON FREE INFORMATION CARD.



COMPUTER/PRINTER DESK/STAND. New, Surplus stand was part of a KSR Printer. Mfg. cost over \$100.00. Size; 27h imes 24d imes27"w. Space for electronics. Very Rugged. Add top of your choice. Use Order No. R2A70585. Only \$39.99, \$150.00/4! Shipped via Truck Freight Collect, 40 pg, pictured catalog of surplus compter equipment available. BNF Enterprises, 119 Foster Street, Peabody, MA 01960, (617) 531-5774.


CIRCLE 98 ON FREE INFORMATION CARD





SATELLITE TV SYSTEMS FROM \$1,495.00 AMATEUR MICROWAVE SYSTEMS FROM \$60.00 T-3 Amateur Antenna-FULL PARA-BOLIC DISH very high gain \$60.00 4 lot, \$70.00 each. IMPROVED M-21 Antenna, features grid style antenna and extra high gainlow noise front end, \$115.00 5 lot, \$135.00 each. Amateur Systems not available to Michigan residents. SATELLITE TV IN-STALLATION MANUAL & CATALOG ONLY \$2.50. SATELLITE RECEIVER SYSTEMS. 33117 Gratiot Ave., Mt. Clemens, MI 48043, (313) 791-5551.

CIRCLE 95 ON FREE INFORMATION CARD




FREE! Ungar's new #9100 Electronic Temperature Controlled Soldering System with each #2000A or #4000 Desoldering System purchased Sept. 15 through Dec. 15, 1982.

For Model 2000A (for use with shop air) and a free \$91.00 System #9100, order #2091 at \$365.00 sugg.

For portable Model 4000 and a free \$91.00 System #9100, order #4091 at \$399.00 sugg. See your Ungar distributor or contact Ungar Division of Eldon Industries, Inc., P.O. Box 6005, Compton, CA 90220, (213) 774-5950, (800) 421-1538.

CIRCLE 65 ON FREE INFORMATION CARD



AMATEUR MICROWAVE RECEIVER -Regularly \$99.50. Now liquidating at only \$59.95 + \$5.00 S & H. (Dealer ten pack just \$499.00 F.O.B) Complete system includes dish, probe/downconverter, coax cables, power supply, and instructions. Top quality units. Supply limited. Money order, VISA or Mastercard ONLY. (No checks or C.O.D.) T.V. PRODUCTS CO., 635 Park Ave., Dept. 222, Idaho Falls, Idaho 83402. DE-SCRAMBLERS?? We stock all types. Send \$5.00 (REFUNDABLE WITH ORDER) for new expanded catalog now including schematics.

MARKET CENTER

FOR SALE

CABLE TV products: Wireless, corded & settop converters. Send \$3.00 for catalog ADDITIONAL OUTLET CORP., 231 E. Commercial Blvd., Ft. Lauderdale, FL 33334.

RESISTORS ¼&½W5%C.F. 3 cents. 1%M.F. All values. No minimums. Volume discounts. Write JR INDUSTRIES, 5834-B Swancreek, Toledo, OH

COLOR computer VIC-20 programs hardware Rtty code EPROM Progammer RS-232 FRANK LY-MAN, Box 3091, Nashua, NH 03061

RECORDS- tapes! Discounts to 73%; all labels: HECOHDS— tapes! Discounts to 73%; all labels; no purchase obligations; newsletter; discount dividend certificates; 100% guarantees. Free detalls. DISCOUNT MUSIC CLUB, 650 Main Street, PO Box 2000, Dept. 3-1083, New Rochelle, NY 10801.



SPEAKER & ELECTRONICS CATALOG

1001 BARGAINS IN SPEAKERS

Tel.: 1 (816) 842 5092 1901 MCGEE STREET KANSAS CITY, MO. 64108

XENON FLASH LAMPS



ASK FOR OUR NEW CATALOG.
CALL OR WRITE FOR INFORMATION.

TEC/WEST (USA) INC. 10889 WILSHIRE BLVD., SUITE 740 LOS ANGELES, CA 90024-4299 CA: 213/208-5529 • OUTSIDE CA: 1-800-421-7215

PRINTED-circuit boards: single side, prototype, and quantity, quick delivery. Send positive, free quotes. FABTRON, Box 925, Dept. C, Columbia, TN 38401 (615) 381-1143.

RADIO West - still the best for SW/MW DX receivers and receiver modifications! Catalog 50 cents. RADIO WEST, 3417 Purer Road, Dept RE, Escondido, CA 92025 (619) 741-2891.

SCANNER/monitor accessories—kits and factory assembled. Free catalog. CAPRI ELECTRONICS, Route 1R, Canon, GA 30520.

FAST, dependable mail-order! Prime semiconductors, parts, supplies. Free 55 page catalog. THE PARTSTORE, Dept. 165, 999 44th St., Marion, IA 52302 (319) 373-1803.

RELIABLE MICROWAVE TV ANTENNAS 2.1 to 2.6 GHz **Frequency Range** 34db System Gain (or Greater) Complete System (pictured) \$119.95
Down Converter Probe Style
(Assembled & Tested) \$ 49.95
Power Supply (12V to 16V DC+)
(Assembled & Tested) \$ 39.95

PETERSON **ELECTRONICS**

4558 Auburn Blvd Sacramento, CA 95841 (916) 486-9071 SPECIAL QUANTITY PRICING

Dealers Wanted - CDD'S

PARTS & LABOR



DESCRAMBLERS! Largest supply U.S.A.—Catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

COMPUTER cables, RS232, VIC 20 and C64 cables, breakout boxes, and switch boxes. More! For free catalog, write COMPUCOMM, Box 211, South Sioux City, NE 68776.

EPROM programmer programs 2716, 2732, 2764, and 27128. For IBM PC \$225.00 each. For Apple II, ROM version \$195.00 each, diskette version \$225.00 each. Also 64k add-on RAM card for IBM PC \$140.00 each. \$3.00 ship/hndlg. Check, money order, no COD please. Quantity discount. Dealer inquiries invited. **LSG ELECTRONICS, INC.,** 3122 Hollowcreek Dr., Houston, TX 77082 (713) 558-

SATELLITE, microwave, video, audio components and equipment. Send \$1.00 for 1983 catalog. DSCo, Department F, 3110 Evelyn Street, Roseville, MN 55113.

ELECTRONIC surveillance! Incredible manual, "Homebrew Bugging" outlines wiretapping, bugging, and other techniques used by professional operatives (schematics included)— \$15.00. We also have manuals on remote control, covert communications, survival, weaponry, exotic alarm systems, countermeasures, and an inventory of amazing electronic devices. Send \$3.00 for catalog. A.T.I.S., Dept. R, 61 Gatchell St., Buffalo, NY 14212 14212

****** **QUALITY MICROWAVE TV SYSTEMS**

1.9 to 2.5

GHz **Antennas** Galaxy

Electronics 6007 N. 61st Ave. Glendale, Az. 85301 1-602-247-1151 1-800-247-1151

COD's / Dealers Wanted







To run your own classified ad, put one word on each of the lines below and send this form along with your check for \$1.90 per word (minimum 15 words) to:

Radio-Electronics, 200 Park Avenue South, N.Y., N.Y. 10003

ORDER FORM

PLEASE INDICATE in which category of classified advertising you wish your ad to appear. For special headings, there is a surcharge of \$15.00. () Business Opportunities struction () Wanted () For Sale Education/Instruction () Satellite Television

Special Category: \$15.00

PLEASE PRINT EACH WORD SEPARATELY, IN BLOCK LETTERS.)

| 1 | 2 | 3 | 4 | 5 |
|----|----|----|----|----|
| 6 | 7 | 8 | 9 | 10 |
| 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 |
| 21 | 22 | 23 | 24 | 25 |
| 26 | 27 | 28 | 29 | 30 |
| 31 | 32 | 33 | 34 | 35 |

PLEASE INCLUDE FOR OUR FILES YOUR PERMANENT ADDRESS AND PHONE NUMBER.

CLASSIFIED COMMERCIAL RATE for firms or individuals offering comercial products or services). \$1,90 per word prepaid (no charge for zlp code)...MINIMUM 15 WORDS. 5% discount for 6 issues, 10% for 12 issues within one year, if prepaid.

NON-COMMERCIAL RATE (for individuals who want to buy or sell a personal item) \$1.25 per word prepaid...no minimum.

ONLY FIRST WORD AND NAME set in bold caps. Additional bold face (not available as all caps) at 15¢ per word. All copy subject to publisher's approval. ADVERTISEMENTS USING P.O. BOX ADDRESS WILL NOT BE ACCEPTED UNTIL ADVERTISER SUPPLIES PUBLISHER WITH PERMANENT ADDRESS AND PHONE NUMBER. Copy to be in our hands on the 20th of the third month preceding the caps of the property of th date of the issue (i.e., August issue closes May 20th). When normal closing date falls on Saturday, Sunday, or a holiday, issue closes on preceding working day.

TI-99/4A software. Free price list plus newsletter. GLEN DOBBS, Box 801 RE, Santa Maria, CA

TROUBLESHOOT design UHF converters video accessories latest system info \$2.00. New manual \$12.95. A&R ELECTRONICS, PO Box 381, Dedham, MA 02026.

ALARMI Vic 20/ 64 CoCo Sinclair become \$1000 burglar fire system. Cassette, documentation (specify microprocessor) \$29.00. Retailers inquire. Catalog. SKIDMORE'S H'N'S, 716 Walker, Greensboro, NC 27403. Sinclair piano, music processors with all bardures \$60.00. gram cassette all hardware \$9.00



Our VOCAL ELIMINATOR can remove most or virtually all of a lead vocal from a standard stereo record and leave most of the background untouched! Record with your voice or perform live with the backgrounds. Used in Professional Performance yet connects casily to a home component stereo system. Not an equalizer! We can prove it works over the phone. Write or call for a free brochure and demo

record.
Write to: LT Sound, Dept. R-1, PO Box 338
Stone Mountain, GA 30086
In Georgia Call (404)493-1258
TOLL FREE: 1-800-241-3005 — Ext. 72

ANTIQUE radio catalog: 16 pages of tubes, parts, and literature. Send \$1.00 to ANTIQUE ELECTRONIC SUPPLY, 1725 W. University, Suite No. 2, Tempe, AZ 85281.

UNUSUAL UHF subscription TV kits and other units. Catalog 50 cents. TROJAN, 2920 Sheiby, Indianapolis, IN 46203.

VIC-20 TV-test generator cassette. Crosshatch, colorbars, dots, H&V-lines, window, 5 colored rasters, 3 tones. \$9.95. JERRY HILLIARD, 3223 Ellis Way, Louisville, KY 40220.

ADVENT and Kloss video parts and service available from **PROFESSIONAL ELECTRONICS**. Call 504-467-1717 for further information.

COLOR computer owners—free hardware and software catalog. SPECTRUM PROJECTS, 93-15 86 Drive, Woodhaven, NY 11421 (212) 441-2807.



\$7,00 - 3rd Class . \$12.50 - 1st Class \$25,00 - Lifetime - 3rd Class





RELIABLE MICROWAVE TV ANTENNAS 2.1 to 2.6 GHz Frequency Range 34db System Gain (or Greater) **COMPLETE SYSTEM**

ELECTRONICS

145 North Main Bountiful,Ut. 84010

(801) 295-1166

SPECIAL QUANTITY PRICING Dealers Wanted - CDD'S



DESCRAMBLERS for downconverters, high gain. Free information, RB ELECTRONICS, PO Box 643, Kalamazoo, MI 49005

PRINTED-circuit boards: Your artwork, quick delivery, reasonable. Quantity discounts. ATLAS CIRCUITS, Dept. A, Box 892, Lincolnton, NC 28092 (704) 753-3943.

HIGHLY PROFITABLE ONE-MAN **ELECTRONIC** FACTORY

Investment unnecessary, knowledge not required, sales handled by professionals, Ideal home business. Write today for facts! Postcard will do, Barta-RE-X, Box 248, Walnut Creek, CA 94597.

BUSINESS OPPORTUNITIES

PROJECTION TV... Make \$\$\$ assembling projectors... Easy... Results comparable to \$2500.00 projectors... Your total cost less than \$20.00.... Plans, lens & dealers information \$17.50... Illustrated information free ... MACROCOM-GBX, Washington Crossing, PA 18977. Credit card orders 24 hours. (215) 736-2880.

DESCRAMBLERSI Largest supply U.S.A.—catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

WHOLESALE MATV/CATV/VCR equipment, anreplacement cartridges & styli, telephone accessories, radios, cassette recorders, speakers, etc., send letterhead for free catalog (212) 897-0509 D&WR, 66-19 Booth, Flushing, NY 11374.

MONEY broker, commercial business loans to start, expand, etc. \$50,000 to millions. Send \$2.00 LOREDO ENTERPRISES, Box 2243 APO NY 09009

MECHANICALLY inclined individuals desiring ownership of small electronics manufacturing business—without investment. Write: BUSI-NESSES, 92-R, Brighton 11th, Brooklyn, NY 11235.

LCD watches \$2.50, penwatch \$3.60, catalog \$1.00. RELIANT ENGINEERING COMPANY, PO Box 33610, Sheungwan, Hongkong.

MAKE additional income and have tax write-offs. Free info. Contact DEPT. A, PO Box 222, Harbor City, CA 90710.

SECURITY alarm industry booming. Tremndous demand. Employment—business terrific. E-Z learn. Information package \$2.00. SECURITY ELECTRONICS INTERNATIONAL, PO Box 1456-NE, Grand Rapids, MI 49501.

CB EQUIPMENT

CB radio books, kits, modifications, catalog \$1.00 refundable. APS, PO 263RE, Newport, RI 02840.

EPROM PROGRAMMER

FOOLPROOF. Programs 2716 through 27128; 2508 through 2564; 2815/16 eeproms! Others too! Features: Stand alone single board design. Zif eprom sockets. Automatic duplication. Program verify. Regulated power supply—requires only power transfermer. Complete decumentation. A/T verify. Regulated power supply—requires only power transformer. Complete documentation. A/T \$149.00 Compare! Why pay more? Manual \$2.00, refundable first order. LUBOMIR CORPORATION, PO Box 511, Rensselaer, NY 12144.

ROBOTIC BOOKS

ROBOTICS books—build your own robot. Write now for free catalog. H. D. KOHN CO., RE2, Box 16265, Alexandria, VA 22302.

DESCRAMBLER TROUBLES

SINE wave descrambler problems? Manual includes trouble shooting, alignment, antenna hookup, improvements, theory. \$15.00. SIGNAL, Box 2512-R, Culver City, CA 90230.

CONVERT S/W KIT TO CABLE

CABLE sinewave descrambler from over-air. Instructions including deluxe, scrambled microwave, optional over-air, \$8.00. Manual in descrambler troubles classification, instructions, \$20.00. SIGNAL, Box 2512-R, Culver City, CA 90230.

SATELLITE TELEVISION

SATELLITE antennas; build or buy 8-10-12 foot wood or metal from \$43.00 send \$2.00 PROTOTYPE ENGINEERS, Box 1812 Deming, NM 88030

SATELLITE TV receiver breakthrough! Build your own commercial quality receiver now! Complete instruction manual \$8.00! XANDI, Box 25647, Dept. 21P, Tempe, AZ 85282.

DESCRAMBLERS! Largest supply U.S.A—catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

SATELLITE TV system \$1295 complete! 8' antenna, polar mount, 120 LNA, receiver. Handbook and buyer's guide, \$10.00. Dealers wanted. MICROWAVE SYSTEMS, 1101 E. Chestnut, Santa Ana, CA 92701.

FREE! Information on 100 satellite television channels plus free catalog of proven do-it-yourself plans/ kits for easy, low-cost, attractive satellite antennas. Wholesale electronics components. GFI-5, Box 9108, Missoula, MT 59807.

THE original Howard/Coleman TVRO receiver! Instructions, schematics, layouts, printed-circuit boards: ROBERT COLEMAN, Rt. 3, Box 58-ARE, Travelers Rest, SC 29690.

RECEIVE 80 channels satellite system only \$1299.00. Complete information and order forms send \$3.00 to REMINGTON'S SATELLITE SALES, RR2, Box 124, Noblesville, IN 46060.

SURPRISING news about satellite television: time to know the facts! Send \$1.50 SASE to INFINITY ELECTRONICS, 1378 Norvella, San Jose, CA 95122

SEIKO TV watch— Watch TV or listen to FM stereo. Imported direct from Japan—limited supply. \$498.00 for standard model. Money back guarantee. Send check or money order or use Visa, MasterCard. Allow 4 to 6 weeks. THE MEUNIER COMPANY, Dept. R, PO Box 4235, Federal Way, WA

MOST comprehensive video book and manual on the market. 150 pages. All types, UHF, cable, satellite. Complete troubleshooting for Zenith systems. 24-hour COD hotline for orders. 301-668-7099 or send \$21.95 plus \$1.50 shipping to TELE-PUBLICATIONS, Dept. RE-10, PO Box 16693, Baltimore, MD 21206.

UHF types, all deiux, cable units, dealers (Zenith units) excellent quantity pricing. Call (301) 882-9362. Send \$2.00 for catalog. SATELLITE ELECTRONICS, Dept. R-10, PO Box 9534, Baltimore,

INTERESTED in home satellite television—don't buy anything until you've read Homesat Handbook & Buyer's Gulde. Our book tells everything about home satellite TV and may save you hundreds, even thousands of dollars in your selection and installation of a system. \$10.00: H & G HOMESAT SERVICES, Box 422, Seaford, NY 11783.

> SATELLITE TV VIEWERS Get the most complete weekly listings Send \$1 for sample copy.

Box 308, Fortuna, California 800-358-9997 (U.S.) • 800-556-8787 (Calif.) 707-725-2476 (all others)

HOME ROBOTS

WORLD'S largest supplier of Home Robot kits/ parts. Motors, seeing/hearing sensors, batteries, robot mounted computer for programming controls and playing video games. Inexpensive, easy construction. Complete kits \$99.95. Send \$3.00 (refundable with order) for information package, photos, catalog, club membership to: ROBOT SHACK, Department 10, PO Box 583, El Toro, CA

REVERBERATION **FOR ORGANS**

olid state with controls for reverberation and room size EVERY ORGAN SHOULD Send for free flyer OWN ONE. DEVTRONIX ORGANS INC

6101 WAREHOUSE WAY CRAMENTO, CALIFORNIA 95826 Dept. B TI-99/4A owners. Send for free list of new and exciting, low cost software. **DYNA**, Box 124, Hicksville, NY 11801.

EDUCATION & INSTRUCTION

EARN your university degree through evaluation assessment, of existing education, experience, achievements. Call, (614) 863-1791, or write, ASSESSMENT, Box 13130 R, Columbus, OH

UNIVERSITY degrees by mail! Bachelors, Masters, Ph.D's... Free revealing details. COUNSELING, Box 317-RE10, Tustin, CA 92680.

YOUR own radio station! AM, FM, cable, licensed, unlicensed. Low cost transmitter kits. Free info. BROADCASTING, Box 130-F10, Paradise, CA 95969

F.C.C. commercial radiotelephone license. Home study. Fast, inexpensive! Free details. COM-MAND, D-91, Box 2223, San Francisco, CA 94126.

REEL TO REEL TAPES

TRUCKLOAD sale Ampex high quality open reel tape, 1800' or 2400' on 7" reels, used once. Case of 40, \$45.00. Cassettes available.VALTECH ELEC-TRONICS, Box 6-RE, Richboro, PA 18954

CABLE TV

CHANNEL 3- 65dB super notch fliter. 63.5 mHz. \$29.00 postpaid. TV PRODUCTS, 635 Park Ave., Idaho Falls, ID 83402.

DEALERS wanted: Channel 3 notch filters, send \$15 for sample and quantity price list. Moneyback guarantee. LEE KURTZ, 235 SW 87th Ter., Plantation, FL 33324.

LSR UHF CONVERTERS WITH AGC

GATED pulse wave (speaker box type), parts \$125.00. Sound out of the TV type: Deluxe IIB sinewave, parts \$125.00. Digital Z-type FV-4, parts \$225.00. Quantity discounts. Plans: large SASE (54 cents postage). Free shipping/handling. I-312/267-3455. LSR ENGINEERING, Dept. RE, Box 6075, Chicago, II, 50680-5075. Chicago, IL 60680-6075.

DESCRAMBLERS — CABLE — UHF - TVRO

DESCRAMBLERSI Largest supply U.S.A.—catalog \$3.00 TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

WANTED

WANTED: old Western Electric, RCA, tubes, speakers, amplifiers. 713 7284343. MAURY CORB, 11122 Atwelf, Houston, TX 77096.

TRANSFORMERS rewound specialist will rewind your hard to replace radio transformers, choke coils, series colls, etc. Any type. Send name and phone number to: A.T.S., PO Box 13773, Orlando, FL

RADAR equipment any type, any condition needed for experimental use. Contact A. WEINER, 207-





EXPERIENCE * QUALITY * VARIETY NAMES AND ASSESSED A

PLANS & KITS

CATALOG! 40 pages of neat electronics parts and klts. Send 50 cents refundable first order. BEC ELECTRONICS, Box 401244R, Garland, TX

FUN kits—low cost. Easy to build educational electronics projects. Handbook /catalog \$1.00. TRIANGLE ELECTRONICS, 89 Arkay Drive, Hauppauge, NY 11788.

PRINTED-circuit boards. Quick prototypes, production, design, reflow solder send print or description for quote to KIT CIRCUITS, Box 235 Clawson, MI 48017.

PROJECTION TV... Convert your TV to project 7 foot picture. Results comparable to \$2,500 projector... total cost less than \$30.00. Plans & lens \$19.95... Illustrated information free...Credit card orders 24 hours. (215) 736-3979. MACROMA-GB, Washington Crossing, PA 18977.

ELECTRONIC touch light control pad and other products free brochure EXOTIC ELECTRONIC IDEAS, PO Box 446, Lake Bluff, IL 60044.

NEW!... Repair any TV... Easy. Anyone can do it. Write: RESEARCH, Box 517E Brea, CA 92621.

MOST advanced sine converter descrambler available. PCB and plans \$15. JIM RHODES, 1025 Ransome Ln., Kingsport, TN 37660.

Mixers, Equalizars, Limiters, Pre-Amps, VCA's, Power supplies, parts, and more CATALOG

Modular design featuring plug-in construction. Design your own combination of functions. Write RODCAR ELECTRONIC SALES 214-351-989 9983 Monroe Drive Dallas, Texas 75220

CABLE_TV converters and equipment. Plans and parts. Build or buy. For information send \$2.00. C & D ELECTRONICS, PO Box 21, Jenison, MI 49428.

SUBSCRIPTION TV out of set UHF sine wave type, PCB and plans \$16.50. In set UHF/VHF type, PCB and plans \$12.50. RVB INDUSTRIES, Box 663, Skokle, IL 60076.

DESCRAMBLERS! Largest supply U.S.A.—catalog \$3.00. TV PRODUCTS CO., 635 Park Ave., Idaho Falls, ID 83402.

CB MODIFICATIO

Increase channels, range, privacyl We specialize in frequency expanders, speech processors, FM converters, PLL & slider tricks, how-to books, plans, kits. Expert mail-in repairs & conversions 16-page catalog \$2

CBC INTERNATIONAL, P.O. BOX 31500RE, PHOENIX, AZ 85046 (602) 996-8700

CABLE TV descrambler kits plans \$4.00. For information send \$2.00. DOMCAN ELECTRONICS, PO Box 605, Downsview A Downsview, Ontario, Canada M3M3A9.

UP-TO-DATE design electronics kits. High quality. Unbelievable low price. Absolutely free catalog. IN-TERNATIONAL POLYTECHNIQUES, PO Box 862R, New York, NY 10002.

Catalog

TEST & EXPERI-

EQUIP.

FUNCTION GENERATOR KIT \$59.95 ato-Ranging Cap-meter kit \$79.95

Phone 209-772-2076

Write or Phone for FREE CATALOG

DAGE SCIENTIFIC INSTRUMENTS BOX 144 VALLEY SPRINGS CA 95252

SPIRIT life energy detector and separator complete plans \$4.00. PO 893, Torrance, Ca 90508.

SAVEI Build your own cable TV converter. Complete manual \$3.00. JKA ENTERPRISES, Box 234, Lyman, SC 29365.

MICROWAVE television "downconverters". Exclusive new five stage design. Easily assembled. Catalog: \$2.00 (refundable). NDS, Box 12652-R, Dallas, TX 75225.

PROGRAM your own EPROMS. Build a computerized thermostat. Send SASE for free details. GLOVATRON, PO Box 559, East Detroit, MI 48021.

DESCRAMBLERS

AMERICAN—CANADIAN

C-1000 / ZENITH TYPE

Descrambles "over the air" and "cable" sync suppressed active video inversion signals. Ready to go C-1000.... Complete Kit C-1000K. Printed Circuit & Manual.

C-100 / JERROLD TYPE

Cable Descrambler for in-band gated

Ready to go C-t00... Complete Kit C-100K

SEND \$2 FOR COMPLETE INFORMATIVE CATALOG TO DETERMINE WHAT TYPE YOU NEED.

FALL SPECIAL Buy 1 kit Get 2nd kit

at 1/2 price

Offer ends 10/1/83

J & D ENGINEERING P.O. Box 6099 Falmouth, Maine 04105

Dealers Wanted Special Quantity Pricing COD's-OK

All J & O products are engineered, not copied, all are guaranteed 90 days & we stand behind our products where others fail to

TOP-quailty imported, domestic kits, surplus electronics, IC's, free catalog. TEKTRASONIX, 175 Fifth Ave., Suite 3194, NY, NY 10010.

200 electronics kits, projects, plans. Send stamp for list. MATCO ELECTRONICS, Box 316R, Cadillac, MI 49601.

"IN band" descrambler for cable ready television sets (except Zenith) \$139.95. Kits \$99.95. Info? SASE. ALLSEN ELECTRONICS, Box 2125, Vero Beach, FL 32960.



CABLE TV descramblers. For plans send \$3.00 + SASE. ELECTRA, 610 Brasted Pl., Wavkesha, WI 53186

TELEPHONE recording control kit. Records incoming/outgoing calls automatically. Connect to your telephone and tape recorder. Easy assembly with case. \$16.95 kit. \$20.50 assembled. Includes shipping. Guaranteed. CREATIVE ELECTRONICS, PO Box 4253, Thousand Oaks, CA 91360.

BUILD this electronic-tone circuit to replace that harsh telephone ringer. Gives soft tones, chirps, beeps, and buzzes with simple dipswitch settings. Fully explained schematic and creative suggestions included. Questions answered same day. PRO-FESSIONAL CIRCUITS UNLIMITED, 3509 Park Lane, Suite 1032, Midland, TX 79703. \$5.30.

LEARN copying secrets Atari Vectrex game cartridges includes schematics \$19.95. ATOMIC COMPUTERS, PO Box 177, Dyer, IN 46311.

HI-FI speaker kits, auto speaker systems and raw drivers from the world's finest manufacturers. For beginners or experts. Free literature. A&S SPEAK-ERS, Box 7462R, Deniver, CO 80207 (303) 399-8609

LIGHT chaser/color organ kits, rack mount units. 20% off sale. DESIGN SPECIALTY, PO Box 1995, Huntington Beach, CA 92647.

CATALOG: Hobby, CB, Broadcasting. Linears, transmitters, bugging devices, scramblers, downconverters, much more. \$1.00 (refundable). PANAXIS, Box 130-F10, Paradise, CA 95969.

STOP

LOCKING FOR RESISTORS, CAPACITORS, DIODES, METERS HARDWARE, CONTROLS, POWER RESISTORS, TRANSISTORS, 10'S, TRANSPORMERS, FUSES, KITS, LED'S, CABINITS, SEND \$1.00 (REFUNDABLE), FOR OUR CATALOG OF OVER 1200 ITCHS OR SEND A STAMP FOR OUR FLYER, 24 HOUR TURN AROUND TIME - LOW PRICES - 100% GUARANTEE

Daytapro Electronics, Inc. 3029 N. WILSHIRE LN., ARLINGTON HTS., ILL. 60004 312-870-0555

MAKE RADIO SHACK YOUR PARTS PLACE

Wide Selection! Low Prices! "Hometown" Shopping!

Versatile New ICs Low 159

ICL 7660 Voltage Coverter IC. Input: +5 VDC. Output: -5 VDC, up to 10 mA. Ideal for memory circuits. 8-pin DIP with data. 276-2335 3.79

MC3423 Overvoltage Sensor IC. Protects sensitive electronic circuitry by triggering an external LED or crowbar SCR in the event of line transients or loss of regulation. Usable from 4.5 to 40 VDC. 8-pin DIP with data. 276-1717

10×10cm Solar Cell



Harness "Free" Power That's Available **Every Sunny Day**

Save \$807

Cut 45%. Build a panel for charging batteries or powering projects. This quality cell, approximately 4" square, produces 0.42 VDC at 2 amps in full sun. Wire several in series for more voltage.

21-Range LCD Multimeter

\$20

Reg. 59.95 3995

Audible Continuity & Range-Change Indicator



Reduced 33%! Time-saving continuity function "beeps" at less than 300 ohms circuit resistance. "Diode check" allows testing of diodes and transistors. Measures AC and DC voltage, AC and DC current, and resistance up to 20 megohms. Overload protected. 63/6 x 31/2 x 13/6". With manual, spare fuse, test leads. Requires two "AA" batter-Sale 39.95 ies. 22-191

Melody Synthesizer

NEW!



AY-3-1350 Melody Synthesizer. 28 built-in tunes! NMOS device is ideal for doorbells and musical funboxes. Pre-programmed with Torea-dor, William Tell, Yankee Doodle, Blue Danube, Star Wars, America, Beethoven's 5th, other pop and classical favorites. Or add a PROM and create your own. Auto switch-off at end of tune. With data. 276-1782

Universal Breadboard

NEW! 1995





Universal **PC Board**

Accepts ICs up to 40 pins. Total of 750 indexed holes with solder rings, two busses, one grounding strip. Mounting holes at corners. 33/8 x 27/8'

Sealant Tape



Waterproof, non-corrosive, stays flexible. Ideal for outdoor antenna connections, 5 ft. x 1/2".

Coax Stripper





Adjustable blades for perfect strip ping of RG-6, RG58, RG8M, RG62 and other cables from 3/16 to 5/16"

PC Board Spacers

NEW!

69¢ Pkg. of 8

Nylon type, mount PC boards 3/8" from chassis or enclosure. Snap into place .. Set, 69¢ 270-1391





Lighted Switch

NEW! 495

120VAC SPDT Push-On/ Push-Off. Contacts: 3A at 120 VAC. Lamp requires 12 volts, AC or DC. Mounts in 1/2" diameter hole.

Power Cable



Two-conductor, color-coded cable is ideal for many uses. 25 feet.

Cable Clips

Pkg. of 10

278-1640

Keeps cables up to 3/8" dia. in place. Adhere to smooth, non-porous surfaces, indoors or out.

.. Pkg. of 10/1.99

Resistor Networks NEW! 89

IC Pin Spacing

Five separate 1/4-watt resistors in one package Ideal for LED current limiting and digital circuits

| Ohms | Cat. No. | Each |
|------|----------|------|
| 470 | 271-095 | .89 |
| 1000 | 271-096 | .89 |
| 10k | 271-097 | .89 |
| | | |

Transient Protector



V8ZA1, This MOV (metal oxide varistor) protects circuits operating at 5 VDC and below. Absorbs potentially damagvoltage transients.

Miniature 4PDT Relay



Cut 26%

Switches up to four circuits! Contacts: 3A at 125 VAC. 120VAC coil. PC or socket mounting. 13/6 x 11/6 x 13/16"



18-Gauge

Keep Up With New Developments



Understanding Telephone Electronics. Learn how your phone works and read about the impact

electronics is making on telephone systems. Illustrated. 256 pages.

349 From Texas Instruments Learning Center

295

Understanding Communications Systems. Covers the basics of electronic communications—telephone, television, fascimile, data links and more. Illustrated. 256 pages. 62-2018

"Jumbo" Neon Lamp

Each



Pilot lights that can't be overlooked! Require 5/8" diameter mounting hole.

| quito 18 0 | tarrieter meanting | , |
|--------------|--------------------|--------------|
| Color | Cat. No. | Each |
| Red Green | 272-710 272-711 | 1.99 1.99 |

Ferrite Beads

89[©] Pkg. of 10




For EMI/RFI Reduction

Install over insulated wires or component leads to reduce RFI and stabilize circuits. Diameter of hole: 0.7mm. BF40 material. 273-098 Pkg. of 10/89¢

A DIVISION OF TANDY CORPORATION • OVER 8600 LOCATIONS WORLDWIDE

Prices apply at participating Radio Shack stores and dealers

CIRCLE 86 ON FREE INFORMATION CARD





COMPUTER-PERIPHERAL SWITCHERS

Consict sity number of peripherals it a single 1/O port — use a lingle printer to support a swratzl microcomputers — use two or more printers to support a single increasing the control of the control o

RS232 SERIAL SELECTO-SWITCH

| serial ports . Coni | nectors are female DB25 type | |
|---------------------|------------------------------|------------------|
| PART NO. | DESCRIPTION | PRIC |
| GRS232-AB | 2-Way Switch | \$139.9 |
| GRS232-ABC | 3-Way Switch | \$179.96 |
| DB25 PAR | ALLEL SELECTO-S | WITCH |
| . TRS-80, Apple, a | and IBM compatible . Switche | s 24 lines (line |
| 1 is ground) . Cor | nectors are female DB25 typ | 0 |
| SART NO | DESCRIPTION | PRIC |

| PART NO. | DESCRIPTION | PRICE |
|-----------------------|---------------------------|------------------|
| GP24-AB | 2-Way Switch | \$139.95 |
| GP24-ABC | 3-Way Switch | \$179.95 |
| · Switches all 36 lin | | emale Centronics |
| PART NO. | DESCRIPTION | PRICE |
| GCENT-AB GCENT-ABC | 2-Way Switch 3-Way Switch | |

Micro-Logic Corp. **MICRO-CHARTS**



Fully decoded data • Instant access • 2-sided, totally comprehensive • Compac 8/wx11 In. durable credit care plastic • Perfect for programmers & engineer Clear & concels table for, full infaction lest, diseasembly, ASCII, base conver-sion, effect of flags, compare vs, jump, Interrupt structure, pinout, cycle times diagrams. buy notice, & much more;

| PART NO. | REFERÊNCE PRIC |
|----------|------------------------|
| ML-Z80 | Z80 CPU\$5.9 |
| ML-8080A | 8080A/8085A\$5.9 |
| ML-6502 | 6502 (65XX)\$5.9 |
| ML-8048 | 8048, Relatives |
| ML-7400 | 5400/7400 TTL Pin-Outs |

| | BOOKS |
|--------|-------------------------------------------------------------------------------------------------------|
| 30001 | National CMOS Data Book (1981) |
| 30003 | National Linear Data Book (1982) |
| 30008 | National Mamory Data Book (1980) |
| 30009 | Interall Data Book (1983) |
| 30010 | National Audio/Radio Handbook (1980) |
| 30011 | National Linear Application Handbook (1980)\$15.95 (736 pages) Application Notes, Linear Briefs, etc. |
| 30012 | National PAL Data Book (1982) |
| 30013 | Zilog Deta Book (1983) |
| 210830 | Intel Memory Components Handbook (1983) |

210844 Intel Microprocessor & Paripheral Handbook (1983) ...\$14.95 (1027 pages) Contains Data Sheets on all of Intel's Microprocessors and Peripherals. ATARI

ATARI PADDLES JSP (2) \$2.95 pair

ATARI DRIVER JSD(1) \$2.95 ea.



TV GAME SWITCH Used on Atarl, Cosmet-ically blemished, 100% functional.

TGS-1 . . . \$1.95 ea.

ameco Digital Thermometer Kit



Diel sensors — switch controls for indoor/outdoor of dual monitoring — can be extended to 500 feet. Continuous LED 8 nt. display, Range: 40 °F to 199 °F, 40 °C to 100 °C. Accuracy = 11 nominal. Calibrate for Fahr en hel I/C els lus. Simulated walnut case. AC wall adapter included. Size: 6% "L x 3%" H x 1%" To.

\$29.95

JE300. Computer Keyboard Enclosures Universal

| | - /100 | | | | | | | | | y mod | |
|--------------------|----------|---------|--------|-------|-------|------|------|------|------|---------|-----|
| | | | | | | | | | | oxy m | |
| | 100 | | end | gied | 85 | in r | noc | :ha | br | own fi | ni |
| 4 | 0. | SHO | ling o | ear | bo | itar | n a | ani | et 1 | or sar | vic |
| | 7/1 | ompone | nt ac | ces | s'. 1 | Op | /bi | ott. | pa | nels | 30 |
| 100 | > thi | ck alum | alog | line | tvo | 81 | 20 | 0 fk | nis | h (aol | d' |
| 3 | color | for bes | t pair | nt ac | ihe | sio | n a | ter | m | odifica | ati |
| Q' | Vented | top & b | atton | 1 04 | nel | s to | r c | ooli | ina | effici | en |
| 1 | Rigid co | | | | | | | | | | |
| 3.40 7 0.50 | | | AS | 5817 | bly | in: | stru | cti | on | s inch | Jd |
| | 7 5 7 | | | | | | | | | | |
| DTE 8 Panel Width | | | | | | | | | | | |
| DTE-11 Panel Width | 10.13 | " | | | | | | | | \$27 | 1 |
| | | | | | | * | | | | | |
| DTE-14 Panel Width | 1 13.5 | | | | | | ٠. | > | | \$29 | |

DTE-20 Panel Width 19.25"

ACCESSORIES FOR APPLE* COMPUTERS

Numeric/Auxiliary Keypad for APPLE //e*



JESTA is a newly introduced hymetotausitisty keyped for E-the*1 referes the lievability of a 10-key and and the convenie directly accessible hundrions. Screen melopistic fig fundit word processing is seen smill cursor controls make this key reference to the service of the service of the control enditionals and as otto-recommanded with your APPLE user Question of the helphot date has have subsequently and the service of the service

JE614 Assembled and Tested.



Extended 80 Column/64K RAM Card for APPLE //e*



JE864

, and double the memory capacity and yet ...

yether larger and process of the programming for with a single of the programming for with a single of the process of the pro

Board: High density board design squeezes 64K bytes of RAM onto 8 2% " x 4%" board + Fully tested to essure proper operation

Uses Word processing — displays 1000 mars characters per ecreen;
• Exiza mamory allows sunning of extremely large programs • Ulira https://www.mamory.com/mamor/sunnings/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.com/mamory.

Cooling Fan for APPLE II,



Part No. APF-1

40 Tracks 500Kbytes double-sided

 Single/ double density Brushless DC direct-drive motor

54" HALF-HEIGHT DISK DRIVES

O DRIVES IN THE SAME SPACE AS ONE CONVENTIONAL 51/4" DR

COMPATIBLE WITH TEAC FD55A **SHUGART SA455** DOUBLE-SIDED:

250Kbytes single-sided
 Single/ double density

Brushless DC direct-drive motor
 Low 5W power consumption

FD55A...

· 6 msec. track to track · One year warranty

• Size: 5% W x · Walght: 3 lbs. 5 oz.

. \$249.95 SA455

Shugart SA455

Compatible with SA400/450 • One year warranty • Size: 5.75"W × 1.83"H × 8"D Weight: 3.3 lbs.

Power req.:
+ 12VDC @ .75A
+ 5VDC @ .7A

6 msec. track to track

. \$259.95

Keytronics 90-Key Keyboard







ade for Visusi Technology, this keyboard features: a security keylock (includes two keys) to guard against authorized use; an 11-key numeric keyaad; cursor controls; and 10 use; programmable keys. Electrical re-tremants: e-VDC. Color (case). White. Color (keyacps): Black, Complete with case, keyboard assembly, inch Interface cable, and schematics. Weight: 7 lbs.

\$79.95 each Part No. KB270

23"Lx54"Wx1-3/8"H

MICRD SWITCH 85-KEY KEY80ARD \$29.95 each

HI-TEK 14-KEY NUMERIC KEYPAO ing, Charcoal grey keycaps, Mounted on printed circuit board.

Part No. K-14 POWER SUPPLY + 5VDC @ 1 AMP REGULATED Trensaction Tech
Dutput - 5VDC @ 14 (site - 50VDC) reg. (napt 118/40.6 6Hr. 2 - 16ns (black/baleg) salt-inclosed
case. 5 ft., 3 cond. black power cord. 5 % W x 7"D x 2 % "H. WI. 3 lbs. Data sheet Incl.
Part No. PS51194\$ \$1.495 each



Part No. PS51194S

POWER SUPPLY + 5VDC @ 3 AMP REGULATED

Outfrom Input: 115VAC, 47-440Hz. Output: SVDC Adjustable @ 3 amp, 8VDC @ 2.5 amp, Adjustable current limit, Ripple & 8VBc: 18W rms, 8WV = P. — amounting surfaces. Ut recognized, 8tz: 4% Vir. 2 to 7:16 ("H. wt. 2 lbs. Dais sheet included.

POWER SUPPLY + 5VDC @ 7.5 AMP, 12VDC @ 1.5 AMP SWITCHING https://dx.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.div.us.d





POWER SUPPLY 4-Channel Switching - Apple Compatible FOR USE AS AN EXTERNAL POWER SUPPLY FOR APPLE von use na mi externat ruwer Suprity FOR APPLE Micrograssay nind-compute, terminia, medical supulment and process control applications, In-pui; 80-19VAC d.7440Hz, Outpatr. +5VDC ⊕ 5A, -5VDC ⊕ 1A, -12VDC ⊕ 1A, -1 Part No. FCS-604A \$69.95 sach

\$10.00 Minimum Order — U.S. Funds Only California Residents Add 6½ % Sales Tax Shipping — Add 5% plus \$1.50 Insurance Send S.A.S.E. for Monthly Sales Fiyer!

Spec Sheets — 30c each Send \$1.00 Postage for your FREE 1983 JAMECO CATALOG Prices Subject to Change





1355 SHOREWAY ROAD, BELMONT, CA 94002 10/83 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043

VISA'



JE664 EPROM PROGRAMMER 8K TO 64K EPROMS - 24 AND 28 PIN PACKAGES

• Programs, validates, and chacks for properly erased EPROMs - Emulates PROMs or EPROMs - R5232C Computer interface for selfling / program leading > Least data in RAM by keybody of - Loads RAM Nations in RAM Dy keybody of - Loads RAM Nations in RAMO by keybody of - Loads RAM Nations in EPROMs - Compares EPROMs for content differences - Copies EPROMs - Power for titliface, Owlet, - 4 tibly power consumption - Enderser; Coder-coordinated, light tan panels w/molead mochs brown and places - \$tax: 16-6/8*L x 8*v*D x 3*y* - Weight - 3*d tbs.

JE664-A EPROM Programmer

JE664 - A EPROM Programmer

Assemble & Tested (flictudes JM 164 Modus)

JE685 - R\$232C INTERFACE OPTION - The JE658 R\$232C Interface
(floor inciplinaries) computer access in the JE654 R\$43 Model I, Level III Computer, Saud rate: 9600, Word

BASIC provided for TR\$-80° Model I, Level III Computer, Saud rate: 9600, Word

Igin: 8 bits - cod print; Saud bits: 9500, Word

JE655 can be Interface to any computer with an R\$232 port, information is also provided for the Computer of the JE655 can be Interfaced to any computer with an R\$232 port, information is also provided for the Computer of the JE655 can be Interfaced to any computer with an R\$232 port, information is also provided for interfaced to any computer with an R\$232 port, information is also provided for interfaced to any computer with an R\$232 port.

\$1195.00 Light Property of the Property of the

| P/N | EPROM | EPROM MANUFACTURER PRICE |
|--------|--------------|--------------------------------------------|
| LMOBA | 2708 | AMD, Motorola, National, Intel, Ti \$14,95 |
| IM18A | 2716.TMS2516 | Intel, Motorola, National, NEC, Tl\$14,98 |
| JM 16B | TMS2716 | Motorois, Ti (+5, -12, +12) |
| JM32A | TM52832 | Motorois, 71 |
| FM32B | 2732 | AMD, Fujiteu, NEC, Hitachi, Intel |
| JM32C | 2732A (21V) | Fujitsu, Intel |
| JM64A | MCM88784. | |
| | MCM68L764 | Motorola |
| JM64B | 2764 | (ntel |
| JM84C | TMS2564 | TI |
| IMBAD | HN482784G-4 | HRachi (21V) \$14.95 |



III's Black Hole

EPROM Eraser 9 Chips — 5 Minutes

The Black Hole EPROM Ensart will completely and select years of EPROMs in less than a minutes. The Black Hole is a fully automatic cases to exchange was expended in less than a minutes. The Black Hole is a fully automatic cases to exchange ensart heaturing the property of the parameter (and the property of the parameter (and the parameter) of

PART NO. Replacement Lamp for ERS-008 \$29.95 ULV-008 ERS-008 Eranar, Auto Ejact & LED Readout\$249.95

IBM MEMORY EXPANSION KIT

SAVE HUNDREDS OF \$\$\$ BY UPGRADING MEMORY BOARDS YOURSELF!

Most of the popular memory boards allow you to add an additional 84K, 128K, 127K, or 258K. The ISM64K KII will populate these boards in 64K byte increments. The kill is aimple to Install — Just insert the nine 64K RAM chips in the provided sockets and set the two groups of switches. Directions are included.

IBM64K (Nine 200ns 64K RAMs)

\$59.95

EXPAND YOUR MEMORY

TRS-80 to 16K, 32K, or 48K

**Model 1 = From 4K to 16K Requires (1) 0ne kit
Model 3 = From 4K to 48K Requires (3) Three kits
Color = From 4K to 16K Requires (1) One kit ** Model 1 equipped with Expansion Board up to 48K Two Kits Required — One Kit Required for each 18K of Expansion —

TRS-80 Color 32K or 64K Conversion Kit

Easy 10 Install kit comes complete with 8 ea. 4164.2 (200na) 84K dynamic RAMs & conversion documentation, Converts TRS-80 color computers with E circuit boards, & all new color computers to 32K Minor modifications of 32K memory will allow tho use of all the 64K of the dynamic RAM providing you have a FLEX DOS operating system.

TRS-64K2 \$54.95

51/4" Mini-Floppy Disk Drive 5 7% MITTH-FIOLITY DESCRIPTION OF THE PROPERTY OF THE PROPERTY

FD200 \$179.95 Single-sided, 40 tracks, 250K bytes capacity. FD250 \$199.95 Double-sided, 35 tracks, 438K bytes capacity



FLOPPY DISK DRIVE



Shugart 801R compatible
 Single-Sided
 77 Tracks

- 400/800K Bytes Canacity

Industry Standard

The FDD100-8 8" Floppy Disk Drive (Industry Standard) features aingle or double density. Recording mode: FM slingle, MFM double and the standard of the slingle sided soft sectored IBM Diskette I, or eq. disk cartridge. Power ISVAC 9:50-6014, 24VDC 9:17 amps max, 4VDC 9:12 amps max. Unit as pictured above does not include case, power supply, or manual size. 85-50 W at 14"L x 4.5"H. Weight 12 lbs. Incl. 85-pg manual size.

FDD100-8 . . \$169.95 ea

FORMULA INTERNATIONAL INC.

12603 Crenshaw Blvd., Dept. B, Hawthorne, CA 90250 o

For information (213) 973-1921 • Orders Only (outside Calif.) (800) 672-8758

UNIVERSAL

NI-CD BATTERY

Part No. 050-0190

CHARGER MW-398

Charges 9V, AA, C or D size Ni-CD batteries all at one

SUPER FM WIRELESS MIC KIT This new designed circuit uses high FREQ FET transistors with 2 stage pre-amp. Transmits FM

range (88-120MHz) up to 2 blocks away and with the ultra sensitive condenser microphone that comes with the kit allows you to pick up any sound within 15

ft. away, Klt includes all electronic parts, OSC coils

PROFESSIONAL FM WIRELESS

MICROPHONE

Made by one of the leading Japanese manu-facturers. This factory assembled FM wireless

microphone is powered by two AA size batteries. It

transmits in the range of 88-108MHz. Element is built

in a plastic tube type case with an omni-directional electronic condenser microphone unit. By using a

standard FM radio, signal can be heard anywhere on a one acre lot. Sound quality was judged "very good." MODEL WEM-36 was \$16.50.

HEAVY DUTY 500mA

MULTIPLE AC-DC ADAPTOR

For all battery operated electronic equipment up to 500mA with LED indicator.

SANYO ANTENNA SIGNAL BOOSTER

This Booster is specially designed for UHF Channels (14-83). After installing (between the antenna input cable and the UHF tuner), this unit will provide a minimum of 10dB gain, that is approximately 2 times better than you are seeing now. Ideal for those who

live in apartments that can not put up an outdoor antenna. Small in size, only 2" x 11/2" x 1". Supply

PROFESSIONAL REGULATED

VARIBLE DC POWER SUPPLY KIT

All solid state circuitry with high efficiency power transitor 2SD388 and IC voltage regulator MC1733. Output voltage can be adjusted from 0-30V at 1A current limited or 0-15V at 2A current limited. Internal resist-

ance is less than 0.005(), ripple and noise less than 1mV, dual on panel meters for voltage and current reading, also with on board LED and audible over load

ndicator. Kit comes with pre-drilled PC Board, instructions, all necessary electronic components, trans-former and a professional looking metal cabinet. The best project for school and the most useful instrument for repairmen. Build one today!

\$59.50 per Kit

TA-322 30 WATTS TOTAL

15W + 15W STEREO AMP KIT

This is a solid state all transistor circultry with on board stereo pre-amp for most microphone or phone input. Power output employs a heavy duty Power

Hybrid IC. Four built on board controls for, volume, balance, treble and bass. Power supply requires 48VCT 2.5A transformer. THD of less than 0.1% between 100Hz-10KHz at full power (15 Watts + 15 Watts loaded into 8tt).

0-15VDC @ 2A

Model TRASE 0-30VDC @ 1A

* SPECIAL * Excellent Price!

Model 001-0034

\$29.50 per Kit

Transformer \$10.50 ea.

\$8.25 88

Input: 117/220VAC, 50/60Hz

Output: 3, 4.5, 6, 7.5, 9 and 12VDC

Model SA-8112A

\$25.00 ea

and PC Board. Power supply 9VDC.

ON SALE

voltage is 15 VDC

Model 001-0076

\$12.50

FMC-105 \$11.50 per Kit

\$11.50 ea



POCKET LIGHT

Complete with 5" flourescent tube, powerful bulb and handy strap. Runs on 3 pcs 1.5V "C" size batterles (not included). It's a practical, convenient, powerful spotlight and flourescent light. Its superior quality is ideal for indoor or outdoor use

LOW PRICE \$6.50

SANYO UHF VARACTOR TUNER

FOR UHF CHANNELS 14-83

Tuning voltage +1 to +28VDC, Input impedance 75Ω, IF band width 7-16MHz, Size 2%" x 11/4" x 3/4". Supply voltage 15VDC.

Model 115-B-403A, Video IF 45.0MHz Model 115-B-405A, Video IF 62.5MHz

\$19.95

Tuner is the most important part of the circuit. Don't let those \$19.00 tuners fool you.
All units are brand new from Sanyo. When ordering

please specify model number.



MARK IV - 15 STEP LED POWER LEVEL INDICATOR KIT.

This new stereo indicator kit consists of 36 4-color LED's (15 per channel) to indicate the sound level output of your amplifler from - 36dB to + 3dB Comes with a well designed slik screen printed plas-tic panel and has a selector switch to allow floating or gradual output indicating. Power supply is 6-12VDC with THG on board input sensitivity controls. This unit can work with any amplifier from 1W to 200W. Kit includes 70 pcs driver transistors, 38 pcs matched 4-color LED's, all electronic components, PC Board and front panel. MARK IV KIT



FLOURESCENT AUDIO LEVEL MONITOR

This is the kind of VU monitor that is being used by most amplifier manufacturers IC's are used to simplify circuit layout. Easy to assemble and can be used with all power level amplifiers. Power requirement 12VDC.



TE-221 KIT For Just \$28.50 (Limited Stock)





POWER AMP KIT

Dynamic Bias Class "A" circuit design makes this unit unique in its class. Crystal clear, 100 watts power output will satisfy the most picky fans. A perfect combination with the TA-1020 low TIM stereo pre-

Specifications - Output power 100W RMS into 80. 125W RMS Into 4Ω • Frequency response 10Hz-100KHz • THD less than 0.01% • S/N ratio better than 80dB • Input sensitivity 1V max. • Power supply ± 40 V at 5A.

1 WATT AUDIO AMP

All parts are pre-assembled on a mini PC Board. Supply voltage 6-9VDC Special Price \$1.95 . Special Price \$1,95

6W AUDIO AMP KIT

TBA810 with Volume Control. Power Supply Only \$7.50 ea.

"FISHER" 30 WATT STEREO AMP

MAIN AMP (15W x 2). Kit includes 2 pcs. Fisher PA 301 Hybrid IC, all electronic parts with PC Board Power supply ±16VDC (not included). Voltage gain 33dB, 20Hz-20KHz

Super Buy

Only \$18.50

SEND ONE DOLLAR
FOR OUR DETAIL CATALOG

Outside Calif. (incl. Mexico'& Canada)

LASER SUPER LATERN

Brilliant flourescent lantern with 9" 6 watt flourescent tube. Features include Powerful direct beam spotlight with 9V pre-focus bulb; Buzzer horn - either constant or time intervals of sonic alarm; Twin blinker -red amber flashing or red & amber flashing on time Intervals; Fully adjustable nylon strap. Operates from D size batteries or plugs into vehicle clgar lighter

SPECIAL \$11.95

6-WAY A/C ADAPTOR

Input: 110VAC. Output: 3V. 4.5V, 6V, 7.5V and 12VDC. Current: 300mA.

OUR LOW PRICE \$5.50 ea.

No FCC License Required OUR PRICE \$49.50 Additional Microphone (Transmitter) Available at \$28.00 ea MURA WMS-49

CRYSTAL CONTROLLED WIRELESS MICROPHONE SYSTEM

Transmitter: FET mic for flat 30Hz-18KHz response. X'tal controlled 49MHz AM Band for drift-free performance. 100mW output (range approx. ¼ mile) for re-liable long range

transmissio Powered by a 9V radio battery.
Receiver: X'tal controlled locks on

49MHz transmitter signal. On panel VU meter, monitors the signal strength from the microphone. Standard phone jack outlet connection to a P.A. or other phone input. 9V battery included. This professional set is ideal for on stage, in field, church, in house or



A GOOD BUY at \$65.00 TA-800

120W PURE DC POWER STEREO AMP KIT

Getting power hungry from your small amp? Here's a good solution! The TA-800 is a pure DC amplifier with a built-in pre-amp. All coupling capacitors are eliminated to give you a true reproduction of the music. On board tone and volume controls combined with built-in power supply make the TA-800 the most compact starger amp. available. Specifications: 60W x 2 line stereo amp available. Specifications: 60W x 2 Into 81). Freq Range: 0Hz-100KHz±3dB. THD: .01% or better. S/N Ratio: 80dB. Sensitivity: 3mV Into 47K. Power Regulrement: ±24-40 Volts.

WHISTLE ACTIVATED SWITCH BOARD

All boards are pre-assembled and tested. You whistle to its FET condenser microphone from a distance, as far as 30 feet away (sensitivity can be easily adjusted), and it will turn the switch on. If you whistle again it will turn off. Ideal for remote contro toys, electrical appliance such as lights, coffee pots, TV, Hi-FI, radio or other projects. Unit works on 9VDC

Model 968\$2.50 ea.

LOW TIM DC STEREO PRE-AMP KIT TA-1020

Incorporates brand-new DC design that gives a frequency response from 0-100KHz ±0.5dB, Added features like tone defeat and loudness control iet you tailor your own frequency supplies to eliminate powe

Specifications: • THD/TIM less than .005% • Frequency response DC to 100KHz ±0.5dB • RIAA deviation ±0.2dB • S/N ratio better than 70dB • Sensitivity; Phone 2mV 47KI), Aux 100mV 100KD • Output level 1.3V • Max output 15V • Tone controls; Bass ±10dB & 50Hz, Treble ±10dB & 15Hz • Power supply ±24VDC & 0.5A. Kit comes with regulated power supply. All you need is a 48VCT transformer & 0.5A.

> Purchase 5% 1**0**%

Only \$44.50 Transformer \$4.50 ea.

Purchase

Under \$50.00 Over \$50.00



Shipping & Handling Charges

Minimum Order \$10.00/Calif. Residents add 6.5% Sales Tax. Phone Orders Accepted on VISA or MC ONLY. NO C.O.D.'s. Prices subject to change without notice.

LOW T.I.M. TRANSISTORS 100W + 100W

Employs Hitachi low noise I.C. for pre-amp • Max. output 16 V P-P (non distortion) • With hi-low filter, and tone defeat circuil • Rear power amp with short oricuit protection • Giant heat slink for maximum results • Tone controls ± 14dB • All components (except pots for volume, and fone controls) are pre-assembled, the quality is guarantieed. • Power supply DC±35V-50V



MODEL: SA802C Part #370-0340 \$85.00 POWER TRANSFORMER (68V-80V CT 6 AMP) Part #670-0220 \$24.50

60W + 60W O.T.L. AMP

Stereo pre-amp+tone control+power amp. All in on unit, fully assembled Compact in size: 7"x4%"x2½". Can be fitted into most cabinets. Power translistors using 25C1667 X 4 to give a max output of 60W + 60W (8Ω)

(8Ω) Frequency response: 20Hz~85KHz(-1dB) • Total harmonic distortion: 0.02% (1KHz) • Signal/Noise Ratio: 88 dB (open loop) • Tone control: 100 Hz±16 dB 10 KHz±14dB • Dynamic range: 60 dB • Power Supply: 48V~70V5 Amp. • Filter Capacitor: 4700 µ75V or better.



MODEL: SA-4520 MOUDEL: SA-324 Part #370-0350 \$39.95 ea. Transformer Part #670-0230... \$22.50 ea. 2 Fliter Capacitor 4700μF 70V \$6.50 ea.

MAGNETIC HEAD EQUALIZER

Standard RIAA curve for all kinds of magnetic heads - 3 stages crossover circuit for best results - Output voltage guaranteed to be stable without any oscillation - Power Supply: 24 V.D.C.



MODEL: MA-142 \$6.95 ea Part #370-370

STEREO MIC. AND ECHO MIXER FOR STEREO AMPLIFIER SYSTEM

FOR STEREU AMP Ell lactuits, BBD type
The circuitry employs all integrated circuits, BBD type
The can be adjusted (max. .30 echo circuit, echo time can be adjusted (max. .30 Msec.) Also with a microphone preamp on the board. Fully assembled



MODEL: MX205 Part #370-0360\$29.95 ea.

20 STEPS BAR/DOT AUDIO LEVEL DISPLAY KIT

AUDIO LEVEL DISPLAY KIT
This new designed audio level display unit is using a
new integrated circuit from National Semiconductor to
drive 20 pieces of color LEDs (green, yellow and red) on
each channel. It provides two types of display methods
for selection 'bar' or 'dot'. The display range is from
57dB to 068. Kit is good for any amplifier from 2 wat
to 200 wattst Power supply requires 12V AC or DC. So it
is great for care as wellf Kit comes with printer circuit
board, all LEDs, electronic components, switches, and
silk screen printed professional front panel.



MODEL: TY-45 Part #370-0280 \$38.50

STORE HOURS MON-FRI-10-7 SAT-10-6

*Apple and Apple II are the trademark of APPLE COMPUTERS, INC

CIRCLE 76 ON FREE INFORMATION CARD

www.americanradiohistory.com

MULA INTERNATIONAL INC. DEPT. B • 12603 CRENSHAW BOULEVARD • HAWTHORNE, CALIFORNIA 90250 • (213) 973-1921



pinecom™ Break thru!

NEW IMPROVED KEYBOARD

No more copyright problems!! 100% Apple II Compatible!

Features:

- Upper/lower case Full size keyboard with numeric key pad
- Auto repeat keys 25 Pre-programmed function keys •48K RAM user memories can expand to 192K •2W Audio AMP with volume control •High resolution color display with graphics •110/220V 5 AMP switching power supply •Guarantee to run on CP/M • Fully assembled and tested

DIRECT SALE

\$549.00

(Add 5% shipping and handling)

AUTOTERM™ 80 COLUMN CARD



- 40/80 column auto-selectable
- with NORMAL/REVERSE and HIGHLIGHT functions
- capable to run PASCAL & CP/M
- SHIFT function as typewriter





HEW

PART # 900-0080

\$75.00

EPROM PROGRAMER CARD AP-64e

Program any 2716, 2732 or 2764 EPROMS

- Plug to any slot of your apple computer.
- No extra equipment needed, completely reliable Auto blankcheck, compare, read, copy,
- monitor functions.
- Automatic verify.
- Errors indicated on screen.
- Burning voltage adjustable.
- Dip switch for different EPROMS
- No jumpers required.
- Firmware included.



ANTI-STATIC PLASTIC MINI-FLOPPY DISK STORAGE CASE

Holds up to 75 514" diskettes with 4 dividers color: smoke clear on top with light brown bottom

> MODEL: MINI-FILE \$19.95 EACH

GREAT INPUT. Introducing the KoalaPad™ Touch Tablet

 Under \$125 with Micro Illustrator™ software. • Paddle, joystick, keyboard and mouse in one. • Perfect for computer graphics, games, education. • Friendliest controller available-perfect for youngsters. • For Apple®, Atari®, Commodore*, and IBM* personal computers. • Compatible with most game and educational software.




Introductory Offer ⁵99[∞]



80 Column card for Apple Ile®

MADE BY APPLE COMPUTER





FOR APPLE* OR PINECOM COMPUTERS Metal case with 2 fire buttons, 360 degree cursor control, auto centering and two fine

MODEL: THE COMPATIBLE II \$34,95

Apple II + Compatible



THE MICRO-II

and compatible computer, 48K RAM on board with numeric key pad, upper/lower case keyboard

SORRY! ROM SET IS NOT INCLUDED!

Fully assembled Special price

\$519.00

Apple II & Apple IIe are registered trademarks of Apple Computer, Inc. U.S.A.



OUTSIDE CALIFORNIA

PHONE ORDERS ONLY 1-800-672-8758 CALL TOLL FREE



* Apple is a registered trademark of APPLE COMPUTERS, INC.

SEND \$1.00 FOR OUR DETAILED CATALOG.

STORE HOURS MON-FRI -- 10-7 SAT - 10-6

CIRCLE 76 ON FREE INFORMATION CARD

| SUPPORT 8251 4.50 5.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 6.55 | 20 | 1/16" thick with 1/10" spacing 4/3" x 6/3" s1.95 14 PIN HEADERS 3/1.00 18 PIN HEADERS 40 24 PIN HEADERS 1.5 40 PIN HEADERS 1.10 50 PIN EDGEBOARD CONN. 3.95 26 PIN EDGEBOARD CONN. 3.95 26 PIN EDGEBOARD CONN. 3.95 TRANSISTOR SPECIALS 201307 PRP 6E T0-5 8, 40 24400A PRP 6E T0-5 18, 40 24400A PRP 8E T0-5 18, 40 24400A PRP 9E T0-3 18, 40 2440A PRP 9E T0-3 18, 40 2440A PRP 9E T0-3 18, 40 2440A PRP 9E T0-3 18, 40 24707 PRP 9E T0-3 18, 40 24 | Free Buyers Guide pages of the latest in components, tools and instruments — a must for DESIGNERS, instructors and maintenance engineers. U.H.F./V.H.F. CONVERSION KIT Genuine Mitsumi Tuner & Industrial Grade Components Cat. #K1 3 or more \$88.95 TOUCH TONE TELEPHONE KEYPAD XFormer Generated Tone \$3.95 COMPONENTS SPECIALS DB25P (RS232 Male) \$2.65 ea. DB25S (RS232 Female) \$3.25 ea. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3628.4.3 3.00 4118.4 5.50 4.00 18.00 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 20.30 | 74S10 30 74S139 1.10 74S241 1.50 74S11 35 74S140 1.70 74S241 1.50 74S11 35 74S140 1.70 74S251 1.30 74S15 40 74S151 1.25 74S258 1.30 74S20 40 74S153 .96 74S250 1.50 74S32 40 74S153 1.25 74S250 1.50 74S32 40 74S158 1.25 74S250 1.75 74S32 40 74S158 1.25 74S274 1.75 LINEAR CIRCUITS DAQ08EQ - 3.75 L7356 - 1.00 TL062 CP36 LM35650 LM20175 LM357 - 1.60 LM20175 LM377 - 1.60 LM20175 LM377 - 1.60 LM30730 LM377 - 1.60 LM30730 LM377 - 1.60 LM30150 LM38656 LM31011 LM38656 LM31015 LM38656 LM31150 LM329 - 1.25 LM31150 LM329 - 1.25 LM31875 LM32456 | 7411 .24 7491 .45 74182 .45 74182 .45 7412 .30 7492 .45 74190 .70 7413 .35 7493 .35 74191 .75 7414 .45 7494 .50 74193 .70 7413 .35 7493 .35 74191 .75 7414 .45 7494 .50 74193 .49 7416 .35 7496 .55 74194 .85 7420 .24 74107 .30 74196 .75 7425 .25 7418 1.50 74221 .10 7426 .25 7418 1.50 7427 .85 7426 .25 7412 1.45 7427 .85 7427 .25 7412 .50 7429 .65 7430 .24 7412 .55 74298 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 7439 .65 8128 1.25 7448 .65 74165 .65 8138 .90 | 1 Piece Hood Shell Cat. #HS-25 \$1.75 ea. COMPUTER/VIDEO GAME Joysticks Cat # CN-12 |
| 2N 6028 PROG. UJT \$.65 DISC CAPACITORS 1UF 16V 10/\$1.00 100/\$8.00 .01UF 35V 16/\$1.00 100/\$8.00 .01UF 35V 16/\$1.00 100/\$5.00 PRINTED CIRCUIT BOARD 4" x 6" DOUBLE SIDED EPOXY BOARDED /1,"THICK \$.60ea. 5/\$2.50 TOGGLE 108D - SPDT - 120 SWITCHES 2080 PPDT 1 120 SWITCHES 2080 PPDT 1 120 SWITCHES 2080 PPDT 1 120 IN4148 (IN914) 15/1.00 L1411-IR DETECTOR 3/\$1.00 FP 100 PHOTO TRANS \$.50 MCIL GREEN OF AMBER LARGE LED'S .2" 6/\$1.00 YEL, GREEN OF AMBER LARGE LED'S .2" 6/\$1.00 YEL, GREEN BIPOLAR LED \$.90 MLED92 IR LED \$.90 MLED92 IR LED \$.40 MRD148 PHOTO DARL. XTOR \$.50 MCIT2 OPTO ISOLATOR \$.60 AV26 OPTO ISOLATOR \$.60 AV26 OPTO ISOLATOR \$.60 AV26 OPTO ISOLATOR \$.60 1 WATT ZENERS: 3.3, 4.7, 5.1, 5.6, 6.8, 82, 9.1, 10, 12, 15, 18, or 22V. 6/\$1.00 FLAT DIP SWITCHES | LM38985 568 - 3.50 CA3140 - 1.00 | 74LS0 SERIES 74LS00 35 74LS109 56 74LS240 1.10 74LS01 35 74LS113 50 74LS241 1.10 74LS02 33 74LS113 50 74LS241 1.10 74LS02 33 74LS113 50 74LS241 1.10 74LS04 40 74LS12 35 74LS244 1.30 74LS04 40 74LS12 35 74LS244 1.30 74LS08 40 74LS12 35 74LS244 1.30 74LS08 40 74LS12 50 74LS245 1.75 74LS08 40 74LS12 50 74LS245 1.75 74LS08 40 74LS12 50 74LS245 1.70 74LS12 40 74LS13 56 74LS24 1.10 74LS13 40 74LS13 56 74LS24 1.10 74LS14 50 74LS13 70 74LS25 1.70 74LS14 50 74LS13 70 74LS25 1.70 74LS14 50 74LS13 70 74LS25 1.00 74LS24 50 74LS13 70 74LS26 1.00 74LS26 50 74LS15 1.00 74LS27 40 74LS15 50 74LS26 1.00 74LS27 40 74LS15 50 74LS26 1.00 74LS28 60 74LS15 1.00 74LS28 60 74LS28 1.00 74LS28 60 74LS16 1.00 74LS28 60 74LS16 1.00 74LS28 60 74LS28 1.00 | PREVENT HI—TECH HEADACHES Our leolators eliminate equipment interaction, clean up interference, |
| RIBBON CTS 206-4 | TERMS-FOB CAMBRIDGE MASS SEND CH OR MONEY ORDER, MINIMUM TELEPHO | 74LS15 40 74LS188 2:50 74LS388 70 74LS14 40 74LS170 190 74LS372 120 74LS73 55 74LS173 90 74LS373 120 74LS73 55 74LS173 90 74LS374 120 74LS78 55 74LS178 90 74LS376 100 74LS38 50 74LS178 90 74LS386 60 74LS189 90 74LS380 100 74LS88 90 74LS189 90 74LS393 1.10 74LS88 90 74LS189 90 74LS393 1.10 74LS88 90 74LS189 90 74LS383 1.00 74LS88 90 74LS189 90 74LS86 150 74LS88 70 74LS189 90 81LS96 150 74LS88 90 74LS189 90 81LS97 120 74LS88 90 74LS189 90 81LS97 120 74LS88 100 74LS189 90 81LS98 1.20 74LS88 100 0HM 3/\$2.00 10K 500 0HM 3/\$2.00 10K 500 0HM 3/\$2.00 10K 500 0HM 500 0HM 500 0H 500 0K 500 0H 500 | curb damaging power line spikes and lightning bursts. ISO-1 Isolator 3 isolated sockets; quality spike suppression; basic protection\$76.95 ISO-3 Super-Isolator 3 dual isolated sockets; suppressor; commercial protection115.95 ISO-17 Magnum Isolator 4 quad isolated sockets; suppressor; laboratory grade protection200.95 |
| ADD 3% FOR ORDERS ABOVE \$50.00 | TATE SALES | TEL. (617) 547-7053 WE SHIP OVER OVER 95% OF OUR ORDERS WITHIN 24 HOURS OF RECEIPT OLL FREE 1-800-343-5230 FOR ORDERS ONLY | Electronic Specialists, Inc. 171 S. Main St., Box 389, Natlok, MA 01760 Toll Free Order Desk 1-800-225-4876 MasterCard, VISA, American Express |

EPOXY GLASS VECTOR BOARD

CPU'S &

TRANSFORMERS

VOLTS at 150 MA 16.5 V. at 3 AMPS 18 V at 650 MA 18 V.C.T. at 2 AMP 24 VOLTS at 250 MA VCT at 1 AMP V.C.T. at 1.2 AMP

DC WALL TRANSFORMER



PLUG IN

4 VDC at 70 MA 9 VDC at 225 MA 16.5 VAC at 10 VA \$4.00 22 VDC at 60 MA

2K 10 TURN MULTI-TURN POT



SPECTROL #MOD 534-7161 \$5.00 EACH

VARACTOR DIODE

BB-103 3 for \$1.00

HELPING HAND

WILL HOLD P.C. BOARD OR OTHER SMALL ITEMS AND ALLOW BOTH YOUR HANDS FREEDOM TO WORK.

\$6.50 EACH

MULTI-**SWITCHES**

3 STATION NON-INTERLOCKING



3 - 2PDT SWITCHES. EACH OPERATES INDEPENDENTLY. 1¾" BETWEEN MOUNTING CENTERS. \$1.75 EACH

5 STATION INTERLOCKING

MADE BY ALPS. 3 · 2PDT AND 2 · 6PDT 3 · 2PDT AND 2 - 6PDT SWITCHES ON FULLY

INTERLOCKING ASSEMBLY. 31/4" BETWEEN MOUNTING CENTERS. \$2.50 EACH

5 STATION NON-INTERLOCKING

SAME AS ABOVE, EXCEPT EACH SWITCH OPERATES INDEPENDENTLY. \$2.50 EACH

2 CHANNEL LIGHT ORGAN

EASILY HOOKS INTO STEREO SPEAKERS AND ALLOWS 110 VAC LIGHTS TO DANCE WITH MUSIC, TWO SEPARATE 110 VAC OUTPUTS FOR HIGH AND LOW FREQUENCY SIGNALS. USE TWO ORGANS FOR

\$6.50 PER UNIT

COLOR LIGHT STRING AVAILABLE \$1.75 EA



6 VDC RELAY MINIATURE D.P.D.T. 3 AMP CONTACTS FUJUITSU # FBR321D006 \$1.75 EA 10 / 16.00

THREE WIRE 18ga

8 FOOT 18ga THREE WIRE

KEY ASSEMBLY 5 KEY



EACH

CONTAINS 5 SINGLE-POLE ORMALLY OPEN SWITCHES. MEASURES 3 3/4" LONG



CONTAINS 6 SINGLE-POLE ORMALLY OPEN SWITCHES. MEASURES 4 1/4" LONG.

REE WIRE 2 for \$1.00

\$2.00 EACH

SLIDE R POTS



100K linear tape

1 5/8" TRAVEL 75¢ EACH

500K linear taper 2 7/8" LONG

1 3/4" TRAVEL 75¢ EACH **DUAL 100K**

audio taper 3 1/2" LONG 2 1/2" TRAVEL. \$1.50 EACH

POWER SUPPLY W/ PRE-AMP



OR INFORMATION

(213) 380-8000

THIS SUPPLY WAS USED TO POWER AN 8 TRACK/CASSETTE UNIT. IT WILL SUPPLY APPROX. 18 VDC AND INCLUDES A SMALL PRE-AMP TO BOOST SIGNAL LEVEL. BOOST SIGNAL LEVEL.
RCA PLUGS FOR LINE IN/OUT.

\$4.50 EACH

MIKE CONNECTOR



5 CONDUCTOR IN-LINE PLUG AND CHASSIS MOUNT JACK. TWIST LOCK STYLE, SAME AS T 12CL5M \$2.50 PER SET

CRYSTAL

2 MHZ \$3.50 EACH

TRANSISTORS 5 for \$1.00

2N706 2N2222A PN2222 4 for \$1.00 8 for \$1.00 2N2904 2N2905 4 for \$1.00 2N2907 MJ3030 2N3055 2N3585 4 for \$1.00 \$2.50 \$1.00 \$1.00 2N3904 5 for \$1.00 5 for \$1.00 5 for \$1.00 2N4401

2N4403 5 for \$1.00 D44C2 TIP 31 TIP 32 TIP 121 **TIP 126**

MICROWAVE TRANSISTOR

MRF 901 REDUCED TO N.P.N. SILICON \$2,00 EACH

.75

LIGHTS

GRAIN OF WHEAT

T1 SIZE 125" DIA. (3,15mm)

3 to 6 VOLTS 3 for \$1.00 Rated: 55ma @ 5 VOLTS 6 to 12 VDLTS 3 for \$1.00 Rated: 55ma @ 8 VOLTS

12 to 24 VOLTS 3 for \$1.00 Rated: 45ma @ 14 VOLTS

T1 SIZE

WITH WIRE LEADS

3 to 6 VOLTS 2 for \$1.00 Rated: 55ma @ 5 VOLTS

6 to 12 VOLTS 2 for \$1.00 Rated: 55ma @ 8 VOLTS

12 to 24 VOLTS 2 for \$1.00 Rated: 45ma @ 14 VOLTS

T1- 3/4 SIZE WITH 99 WIRE LEADS

163" DIA. (4.14mm)

3 to 6 VOLTS 2 for \$1.00 Rated: 45ma @ 6 VOLTS

6 to 12 VOLTS 2 for \$1.00 Rated: 55ma @ 8 VOLTS

12 to 24 VOLTS 2 for \$1.00 Rated: 45ma @ 14 VOLTS

DIRECT

7 for \$1.00 FROM 120 VOLT

120V INDICATOR

NEON INDICATOR. RATED 120 V 1/3 W. MOUNTS IN 5/16" HOLE . . . RED LEN RED LENS. 75¢ EACH

COMPUTER

GRADE

CAPACITORS

1700 mfd. 150 VDC \$2.00

2 1/2" DIA × 4 3/4" HIGH 3,600 mfd.

1 3/8" DIA. × 3" HIGH 6,400 mtd. 80 VDC \$2.50 1 3/8" DIA. × 4 1/4" HIGH 18,000 mtd. 75 VDC \$4.00 2 1/2" DIA. × 4 1/2" HIGH 22,000 mtd. 15 VDC

2" DIA, × 2 1/2" HIGH \$2.00 22,000 mfd. 40 VDC

2" DIA. × 6" HIGH \$3.00 24,000 mfd. 30 VDC

1 3/4" DIA. × 4" HIGH 31,000 mfd. 15 VDC

40VDC \$1.00 3/8" DIA. × 3" HIGH

SOLDERING **IRON STAND**

SPRING STEEL IRON HOLDER ON WEIGHTED BASE.

\$5.00 EACH



12 VOLT A.C. POWER UNIT



THIS LINIT CONSISTS OF A 12 VOLT 2 AMP TRANSFORMER, 1 AMP CIRCUIT BREAKER, 4 PRONG CINCH JONES SOCKET AND A 3 WIRE A.C. CORD ALL MOUNTED IN AN ATTRACTIVE 4%" x 5%" x 3" CHASSIS BOX GOOD FOR PARTS OR A NICE START FOR D.C. POWER SUPPLY. \$8.50 PER UNIT

METERS 0 - 20 V.D.C.

0 -20 VDC FULL SCALE FACEPLATE BATTERY TEST

SET-UP AS INDICATOR \$5.50 EACH

1 MA

2 5/16" SQUARE PANEL METER MOUNTS IN 2 1/8" HOLE





THIS 2-1/4 SQUARE METER MEASURES \$4.50 EACH

METAL OXIDE VARISTOR

2 FOR

G F # V82ZA12 50 VOLTS, NOMINAL D.C. VOLTAGE, 5/8" DIAMETER.

EDGE

CONNECTORS

THE MENTAL PROPERTY OF

ALL ARE .156" SPACING

15 PIN GOLD

SOLDER EYELET \$1.75 EACH

15/30 GOLD

SOLDER EYELET \$2.00 EACH

18/36 GOLD

22/44 TIN

\$2.00 EACH

PLA .

in morning and

SWITCHES

MINI-PUSH BUTTON S P.S.T. MOMENTARY

NORMALLY OPEN 1/4" BUSHING

35¢ EACH 10 FOR \$3,25 100 FOR \$30.00

SPECIFY COLOR: RED, BLACK, WHITE, GREEN, YELLOW

KEY SWITCH

4 AMPS @ 125 VAC KEY REMOVES BOTH POSITIONS \$3.50 EA



RED LIGHTED 120 VAC

POWER" PRINTED ON FACE MOUNTS IN 7/8" SQUARE HOLE .

\$1.50 EA 10 FOR \$13.50

FREE FREE FREE SEND FOR LARGER

POWER SUPPLY



REGULATED LLY ADJUSTABLE VDC AT 3 AMPS. \$18.50 EACH

TWO WIRE 3 FOR \$1.00

6 VDC RELAY

SUPER SMALL SPDT RELAY; GOLD COBALT CONTACTS.

RATED 1 AMP AT 30 VDC; HIGHLY SENSITIVE, TTL DIRECT DRIVE POSSIBLE, OPERATES FROM 4.3 TO V. COIL RES. 220 OHM.

MINIATURE

1 3/16" × 13/32" × 7/16" AROMAT # RSD-6V \$1.50 EACH 10 FOR \$13.50


13 VDC RELAY

CONTACT: S.P.N.C. 10 AMP @ 120 VAC ENERGIZE COIL TO

OPEN CONTACT COIL 13 VDC 650 OHMS SPECIAL PRICE \$1.00 EACH

4 PDT RELAY

14 pin style 3 amp contacts 24 volt d.c. or 120 volt a.c. coi



1 3/4" DIA. × 4" HIGH \$2.50 72,000 mfd. 15 VDC 2" DIA. × 4" HIGH \$3.50 180,000 mfd. at 6V 2 1/2" DIA. × 4 1/3" 2 1/2" DIA. × 4 1/2" HIGH \$1.50 CLAMPS TO FIT CAPACITORS 504 on

S.P.D.T. (on-on)

BUSHING. 754 EACH 10 FOR \$7.00

S.P.D.T. (on-off-on) NON-THREADED BUSHING. P.C. STYLE 754 EACH 10 FOR \$7.00

SOLID STATE RELAY

3-32VDC LOAD: 10 AMP 140 VAC

CONTROL \$9.50 EACH

MINIATURE TOGGLE SWITCHES ALL ARE RATED 5 AMPS @ 125 VAC

(on-on)

P.C. STYLE, NON-THREADED

SOLDER LUG TERMINALS. \$1.00 EACH 10 FOR \$9.00 100 FOR \$80.00

S.P.D.T. (on-on) P.C. LUGS, THREADED

SPDT (on-off-on) SOLDER LUG

> D.P.D.T. (on-on)

SOLDER LUG

48 PAGE CATALOG FREE! FREE! FREE! L.E.D.'S STANDARD JUMBO

DIFFUSED RED 10 FOR \$1.50 GREEN 10 FOR \$2.00 YELLOW 10 FOR \$2.00

FLASHER LED 5 VOLT OPERATION RED JUMBO SIZE

\$1.00 EACH BI POLAR LED

2 FOR \$1.70 SUB-MINI LED

.079" × .098" RED 10 FOR \$1.00 200 FOR \$18.00

GREEN 10 FOR \$1.50 LED HOLDERS TWO PIECE HOLDER

FOR JUMBO LED 10 FOR 654 20 200 FOR \$10.00 PHOTO-FLASH CAPACITORS

35 MFD 330 VOLT 1" × 5/8" DIA.

170 MFD 330 VOLT

2 FOR \$1.50 10 FOR \$7.00

750 MFD 330 VOLT 2" HIGH × 1 1/4" DIA. \$1.25 EACH 10 FOR \$11.00

TOLL FREE ORDERS ONLY (IN CALIFORNIA: 1-800-258-6666) ALASKA, HAWAII,

PO BOX 20406 Los Angeles, Calif. 90006 905 S. Vermont Ave.

FOREIGN ORDERS: INCLUDE SUFFICIENT SHIPPING CALIF. RES. ADD 6 1/2% NO C.O.D.!



CIRCLE 73 ON FREE INFORMATION CARD

OCTOBER 1983



SATISFACTION GUARANTEED

Š

\$

\$

\$\$\$\$\$\$\$\$\$\$

\$

\$

\$

\$

\$

\$

\$

\$

\$

\$ \$

\$

\$\$\$\$\$\$

Š

Frequency Range 470-899 MHz Channels 14-83. Output Channel 3. Ch 2 or 4 Avail.

\$1500 PART #B20

To make a regular UHF tuner into a GILCO HIGH GAIN TUNER, each and every one of the following steps is painstakingly taken by a certified technician:

1. The first thing GILCO does is change the standard diode to a hot carrier diode

2. The tuner's output is then measured on our JERROLD field strength meter and compared to a computer derived chart from which we determine the correct value coil to add across the IF output for maximum pre-peaked gain.

3. The tuner is then fed a standard 10db 300 ohm antenna input and while monitoring the output on our HEWLETT PACKARD spectrum analyzer, the tuner is tuned to the desired channel and its oscillator is offset for the desired output frequency as follows:

Channel 2: 58 Mhz, Channel 3: 63 Mhz, Channel 4: 68 Hhz

We call this step peaking because the tuner's output looks like a peak on our spectrum analyzer and the highest point of that peak is actually adjusted for the desired output.

4. The last step is one more measurement on the field strength meter which is again compared to our performance chart to calculate the correct value of the second coil which is added to the tuners internal connections.

This procedure was developed by GILCO and it is our computer derived performance charts that make our tuner better, that's because almost every tuner gets a different value coil before it's peaked and again a different value coil after it's peaked. The combinations are endless and the way we determine the values is our secret.

GILCO PARTS KIT & PRINTED CIRCUIT BOARD

- Use with GILCO High Gain Tuner
- Requires NO Modification to Your Television
- Individually Packaged and Labeled Parts Save Guesswork
- The only tools required for assembly are: screwdriver, soldering Iron, voltmeter. No drilling is required to the P/C board
- This kit was designed to take advantage of the GILCO high gain tuner which means its circuitry is simpler



Pre-drilled, pre-screened, plated through the holes P/C board. All hardware, connectors, page illustrated instruction manual, & Gilco Hy Gain tuner. Kit assembles in just 4 hours.

and more efficient than those circuits that require inferior varactor tuners

FREE 22 Page Instruction Book included with each P/C Board or Parts Kit. This instruction book will guide the builder through every step of the assembly. Nearly every page is illustrated. With this Instruction Book, estimated assembly time is 4 hours

HERE'S WHAT YOU GET FROM GILCO

Part No. B21 Printed Circuit Board . . .

1, This Printed Circuit Board uses only one resist. This prevents solder bridges jumper, others use nine.

2. The component layout is screen printed on the component side of the P/C board.

3. The solder side of the P/C board is the parts and the P/C board covered with high temperature solder

4. Newest Addition: the P/C board is plated

through the holes. This allows for easier and more positive soldered contact between

\$1700

Part No. B22 Complete Electronic Parts Kit

All resistors (30), Potentiometers (1-5K, 3-10K), Panel Mount Potentiometer (10K), Electrolytic Capacitors (6), Ceramic and Mylar Disc Capacitors (35), Variable Capacitors (4), All Integrated Circuits (7), Voltage Regulator, Heat Sink, Diodes (4), IC Sockets (4-8 pin, 3-14 pin), Power Transformer (24V, 1A), Coil KIt with No. 26 wire (4), Speaker (4'', 30z.), Standoffs, Coaxial Cable, All Miscellaneous Harware, Etc. All parts are individually packaged and labeled.

All components including the Wire, Hardware, Coaxial Cable and Heat Sinks are included in the parts kit. This means your assembly time from start to finish is just 4 hours.

| _ | | GILCO A | ACCESSO | RIES & | AMPLIFIE | R KITS - | |
|------|-----------|-----------|-------------|----------|-----------------|----------|-----------|
| #A02 | New 2 sta | ge, low r | noise, 28db | gain, RF | Amplifier Kit | K | it \$1800 |
| #A03 | New 1 sta | ge, low r | noise, 14db | gain, RF | Amplifier Kit | t K | it \$1050 |

| B20 GILCO Hy | -Gain Modified Tu | ner | *15°° |
|--------------|---------------------|-------------------|------------|
| B21 GILCO Pr | edrilled, Screen Pr | inted, Circuit Bo | ard \$1700 |
| | rts Kit (Less P/C B | | |
| | Complete P/C Bo | | |
| | , 28 db gain, Amp | | |
| | , 14db gain, Amp | | |
| lame | | | Total |
| ddress | | - | Tax |
| City | State | Zip | Ship |
| Mail Order | Only. Send che | ck or money | |

P.O. Box 8817, Coral Gables, Florida 33124 CALL (305) 823-5891 for COD orders PLEASE WRITE FOR OUR FREE CATALOG Shipping Orders under \$50 add 10%, Orders over \$50 add 5%, FL residents +5% Tax

\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$

PROFESSIONAL IS & SERVICEN

WE CAN SUPPLY ALL THE COMPONENTS FOR YOUR MAINTENANCE, REPAIR & DESIGN WORK

REPLACEMENT FOR ECG® TYPES (Min. 5 pcs. each type)

| NO. | PRICE | TYPE NO. | PRICE | TYPE NO. | PRICE |
|------|-------|-------------|-------|-------------|-------|
| 85 | 30 | 152 | 40 | 375 | 99 |
| 123A | 25 | 153 | 40 | 500A | 8.95 |
| 124 | 95 | 154 | 65 | 523, | 10.20 |
| 128 | 45 | 165 | 2.25 | 526A | 10.75 |
| 129 | 45 | 238 | 2.25 | 712 | 1.25 |
| 130 | 85 | 291 | 99 | 852 | 4.95 |

\$\$\$\$\$\$\$\$\$\$\$\$

S

\$

5555555555

SUPER SPECIAL (Min. 5 pc. each)

YOUR PRICE TYPE NO.

6.95 276 **EXACT REPLACMENT FOR SG613H 2SC1172B** 100 PCS. FOR **1.60** EACH

SPECIAL JAPANESE TYPES (Min. 5 pcs. each)

2SC867A 2.75 AN214Q 1.45 UPC 1181H ... 1.25 2SC1172B...1.95 UPC1182....1.25 M51515BL ... 2.95 2SC1308K...1.95 TA7205AP ... 1.25 STK435..... 3.95

FOR A COMPLETE 1983 COMPONENT CATALOG CALL OR WRITE

CALL TOLL FREE 800-526-4928

IN NEW JERSEY (201) 379-9016 COD ORDERS WELCOME (\$25 Min. Order)

110 Hillside Avenue, Springfield, N.J. 07081

*ECG IS A TRADE MARK OF PHILIPS ECG.
DIGITRON ELECTRONIC IS NOT ASSOCIATED IN ANY WAY WITH PHILIPS ECG.

CIRCLE 11 ON FREE INFORMATION CARD



The Original Diablo Hytype II Daisy Printers w/K

READY TO USE Limited supply, while they last

• used, refurbished, tested & fully operational!

capable of metal or plastic wheel operation!

35 characters per second!

- 10 pitch, 12 pitch & proportional space plus plotting!
- uses standard "Diablo" Daisy Wheels!
- we have MANY spare parts in stock!
- Interface (RS232 & Centronics) available too!

External Diablo power supply for the above:

Please add \$25 for packaging & handling

This printer requires ±15VDC and +5VDC to operate.


A Micro-processor interface board for RS-232 and Centronics I/O is available for

\$295°°

We Offer New & Used FLOPPY DRIVES, DISK DRIVES, PRINTERS, & MORE at BARGAIN PRICES! Write or Call for Our Latest Flyer NOW!!!

omputer roducts & eripherals nlimited

WAREHOUSE: 18 Granite St., Haverhill, Mass, 01830 MAIL ORDERS: Box 204, Newton, New Hampshire 03858





RADIO-ELECTRONICS

the first name in Counters! 9 DIGITS 600 MHz

wired, I year warranty \$129.95 Kit, 90 day parts warranty
AC-1 AC adapter
BP-1 Nicad pack +AC
Adapter/Charger
OV-1, Micro-power Oven
time base
External time base input

The CT-90 is the most versatile, feature packed counter available for less than \$300.00! Advanced design features include, three selectable gate times, nine digits, gate indicator and a unique display hold function which holds the displayed count after the input signal is removed Also, a 10 mHz TCXO time base is used which enables easy zero beat calibration checks against WWV. Optionally, an internal nicad battery pack, external time base input and Micropower high stability crystal oven time base are available. The CT-90, performance you can count on!

SPECIFICATIONS:

20 Hz to 600 MHz

Range: Less than 10 MV to 150 MHz Sensitivity Less than 50 MV to 500 MHz 0.1 Hz (10 MHz range)

Resolution: 1.0 Hz (60 MHz range) 10.0 Hz (600 MHz range)

9 digits 0.4" LED Display: Standard-10.000 mHz, 1.0 ppm 20-40°C. Time base: Optional Micro-power oven-0.1 ppm 20-40°C

8-15 VAC @ 250 ma Power:

DIGITS 525 MHz \$99 \frac{95}{W}

SPECIFICATIONS:

20 Hz to 525 MHz Less than 50 MV to 150 MHz Sensitivity:

Less than 150 MV to 500 MHz Resolution 1.0 Hz (5 MHz range) 10.0 Hz (50 MHz range)

100.0 Hz (500 MHz range) Display: 7 digits 0.4" LED 1.0 ppm TCXO 20-40°C Time base: 12 VAC @ 250 ma

The CT-70 breaks the price barrier on lab quality frequency counters. Deluxe features such as: three frequency ranges - each with pre-amplification, dual selectable gate times, and gate activity indication make measurements a snap. The wide frequency range enables you to accurately measure signals from audio thru UHF with 1.0 ppm accuracy - that's .0001%! The CT-70 is the answer to all your measurement needs, in the field, lab or ham shack.



PRICES: CT-70 wired, I year warranty \$99.95 CT-70 Kit, 90 day parts war-84 95

AC-1 AC adapter 3.95 BP-1 Nicad pack + AC adapter/charger 12.95



DIGITS 500 MHz \$79 95 WIRED

PRICES:

MINI-100 wired, I year

AC-Z Ac adapter for MINI-

BP-Z Nicad pack and AC adapter/charger

3.95

Here's a handy, general purpose counter that provides most counter functions at an unbelievable price. The MINI-100 doesn't have the full frequency range or input impedance qualities found in higher price units, but for basic RF signal measurements, it can't be beat! Accurate measurements can be made from 1 MHz all the way up to 500 MHz with excellent sensitivity throughout the range, and the two gate times let you select the resolution desired. Add the nicad pack option and the MINI-100 makes an ideal addition to your tool box for "in-the-field" frequency checks and repairs.

SPECIFICATIONS:

1 MHz to 500 MHz Range: Sensitivity: Less than 25 MV 100 Hz (slow gate) Resolution 1.0 KHz (fast gate)

Display: 7 digits, 0.4" LED 2.0 ppm 20-40°C Time base: 5 VDC @ 200 ma

8 DIGITS 600 MHz \$159 % WIRED



SPECIFICATIONS:

20 Hz to 600 MHz Range: Sensitivity:

Resolution:

Display. Time base:

Less than 25 mv to 150 MHz 1.0 Hz (60 MHz range) 10.0 Hz (600 MHz range) 8 digits 0.4" LED

2.0 ppm 20-40°C 110 VAC or 12 VDC

The CT-50 is a versatile lab bench counter that will measure up to 600 MHz with 8 digit precision. And, one of its best features is the Receive Frequency Less than 150 mv to 600 MHz Adapter, which turns the CT-50 into a digital readout for any receiver. The adapter is easily programmed for any receiver and a simple connection to the receiver's VFO is all that is required for use. Adding the receiver adapter in no way limits the operation of the CT-50, the adapter can be conveniently switched on or off. The CT-50, a counter that can work double-duty!



CT-50 wired, I year warranty CT-50 Kit, 90 day parts \$159.95 119.95

RA-1, receiver adapter kit RA-1 wired and pre-programmed (send copy of receiver

29.95

14.95



DIGITAL MULTIMETER \$99 % WIRED

PRICES: DM-700 wired I year warranty DM-700 Kit, 90 day parts warranty AC-1, AC adaptor 79.95 BP-3, Nicad pack +AC 19.95 adapter/charger MP-1, Probe kit

The DM-700 offers professional quality performance at a hobbyist price. Features include; 26 different ranges and 5 functions, all arranged in a convenient, easy to use format. Measurements are displayed on a large 31/2 digit. 1/2 inch LED readout with automatic decimal placement, automatic polarity, overrange indication and overload protection up to 1250 volts on all ranges, making it virtually goof-proof! The DM-700 looks great, a handsome, jet black, rugged ABS case with convenient retractable tilt bail makes it an ideal addition to any shop.

SPECIFICATIONS:

DC/AC volts: 100 uV to 1 KV, 5 ranges DC/AC

0.1uA to 2.0 Amps, 5 ranges current 0.1 ohms to 20 Megohms, 6 ranges Resistance

Input 10 Megohms, DC/AC volts impedance

Accuracy: 4 'C' cells Power.

AUDIO SCALER

For high resolution audio measurements, multiplies UP in frequency.

- Great for PL tones
- Multiplies by 10 or 100

 0.01 Hz resolution! \$29.95 Kit \$39.95 Wired

ACCESSORIES

High impedance probe, light loading. 15.95 Low pass probe, for audio measurements . . Direct probe, general purpose usage Tilt bail, for CT 70, 90, MINI-100... 3.95 Color burst calibration unit, calibrates counter against color TV signal.

COUNTER PREAMP

For measuring extremely weak signals from 10 to 1,000 MHz. Small size, powered by plug transformer-included.

- Flat 25 db gain
 BNC Connector **BNC Connectors**
- Great for sniffing RF with pick-up loop \$34.95 Kit \$44.95 Wired


ramsey electronies, inc. 2575 BAIRD RD. • PENFIELD, NY 14526



Satisfaction guaranteed: examine for 10 days, if not pleased, return in original form for refund. Add 5% for shipping insurance to a maximum of \$10. Overseas add 15% COO, add \$2. Orders under \$10, add \$1.50. NY residents add 7% tax

OCTOBER 1983


0 A



RADIO-ELECTRONICS

all 218-681-6674) By mail send you KEY GUARANTEE: And

DIGI-KEY 800-346-5144



OCTOBER 1983

VOLUME DISCOUNT
0.00-5 99.99 N
100.00-5249.99 Less 10
250.00-3499.99 Less 25
500.00-5999.99 Less 20

MICROWAVE TV SYSTEM

Variable from 1.9 to 2.5 GHz



The latest advance in microwave technology with a SNOW-FREE PICTURE.

> Introductory SPECIAL

THIS UNIT COMES COMPLETE WITH:

- 20" Fiberglass Parabolic Dish
- Pre-Assembled Probe with **Down Converter**
- Power Supply and Coax Switch
- 60' of RG-59/U Coax with Connector
- Transformer for 75 to 300 Ohms
- All Mounting Hardware for Fast and Easy Installation



Send Cashiers Check or Money Order to: (Personal Checks, allow 2-5 weeks to clear)



PROFESSIONAL VIDEO, Inc. 4670 Hollywood Blvd., Hollywood, Calif. 90027

For C.O.D. Orders Call (213) 219-0227 352-9681

CIRCLE 30 ON FREE INFORMATION CARD

TECHNICAL ELECTRONICS YOUR SUPPLY SOURCE WITH ASSORTMENTS LIKE THESE:

LED ASSORTMENT 25 LEDS at a price everyone can afford! Red, Green, Yellow, Amber in all shapes and sizes

Stock No. 10-1501

SWITCH ASSORTMENT 8 general purpose toggle switches. Includes single, double, and three pole switches from top manufacturers such as Cutler-Hammer

Stock No. 12-2230

FOOT ASSORTMENT Plastic, rubber, snap-fit, felt bottom, stud mount, you name it—it's in this assortment of approx. 100 feet.

Stock No. 49-2398

\$2.95

\$2.95 pkg.

Stock No. 49-2390
SLIDE SWITCH ASSORTMENT Includes
SPDT and DPDT slides. 10 pieces per package.
\$1.50 pkg.

ODDS-N-ENDS BARGAIN BOX 5 pound Random assortment of good quality components and parts. Includes items such as capacitors, diodes, motors, transformers, printed circuit boards, and much

Stock No. 49-3041

TERMINAL STRIP ASSORTMENT Half pound of approx. 100 pieces. Random assortment of sizes and


Stock No. 49-2400

ORDER TODAY! VISA, MASTERCARO & COO accepted for phone orders. Please add \$3,00 for UPS ground. Satisfa tion guaranteed. Call or write for your FREE CATALOG!

TECHNICAL ELECTRONICS

Dept. L P.O. Box 2361 Woburn, MA 01888 (617) 935-1717

CIRCLE 8 ON FREE INFORMATION CARD



Receive movies, special presentations and educational broadcasts—ALL FREE—with the SKYFOX deep fringe microwave receiver for homeowners outside the service area of microwave TV stations SKYFOX receives up to a distance of 55 miles From microwave transmitters located on buildings or towers in almost all medium and large size cities. SKYFOX does not receive Cable TV or satellite transmissions.

SKYFOX I \$ 79.95 (not pictured, 25 mile line of site) SKYFOX II \$109.95 (as shown, 55 mile line of site) ORDERS ONLY: Toll Free 1-800-323/1327

For Information Call: 1-312/564-0104

Visa Mastercharge accepted, COD, cash or Money Order only, When ordering by mail. Money Orders or Cashiers Checks only Personal checks, wait 4 weeks for check

90 day warranty . Conditional money back quarantee

S.E.I. Inc.

Available by Mail Order Only

657 Academy Drive Northbrook, Illinois 60062

CIRCLE 55 ON FREE INFORMATION CARD

THE SOLUTION COMPUTER

An Affordable 64K Assembled Computer With These Features:



Northbrook, Illinois 60062

657 Academy Drive



- Fully compatible with Apple® II +
- Original design!
- Fully assembled and tested!
- Detachable keyboard for easy use.
- Uses 64K × 1 Dynamic Ram.
- 9 on board peripheral connectors for expansion.
- Uses 6502 mpu.

\$67500 each (Monitor not included) Add \$110 for 12" Amber Monitor. Add 5% shipping and handling.

We believe the Solution Computer will be the answer for people who realize a great product when they see one. Many other peripheral card products are available for the Solution Computer. Send for a free color brochure

For Information Call (312) 564-0104

To Order Call (800) 323-1327

Note: Due to the demand of this computer, delivery will vary from 2-4 weeks.

VISA and MASTERCARD acceptable.

Minimum order \$15.00. Add 10% shipping on orders under \$35.00. Orders over \$35.00 add 5%. Illinois residents add 6% Illinois State Tax.

JDR SUPER SPECIALS!

.95

THE LEADER IN COMPUTER COMPONENTS **BRINGS YOU THESE FANTASTIC SUMMERS-END CLEARANCE BARGAINS**

OKI MSM5832RS

MICROPROCESSOR COMPATIBLE CLOCK/CALENDAR CHIP 3.95 100/3.25 ea.

32.768KHZ XTAL

OTHER CRYSTALS

3.579545MHZ 95 5.0688MHZ 18 432MHZ 1.95

78M05

VOLTAGE REGULATOR TI PART #UA78M05C STANDARD TO-220 CASE 5 VOLT AT 500MA CAN BE USED AS 7805T IN MOST APPLICATIONS

100/25 EA

ORDER TOLL FREE 800 538-5000 800 662-6279 (CA Residents)





CONNEUTONS 95
IDP-16 IDC DIP-PLUG 95
IDE-34 IDC EDGE-CARD 1.95
IDE-34 IDC EDGE-CARD 1.95
14 DIP "HEADER" 49 44P-ST PC FDGE-CARD 1.95 DB25PC/P VERTICAL PC-MOUNT
DB25PC/S VERTICAL
PC-MOUNT 1.49 1.69

TRANSISTORS

100/7.95 TO-92 TO-92 100/7 95 PN2222 TO-92

CERAMIC MONOLITHIC CAPS AT THE PRICE OF DISC! 100/12.00

.1UF-MONO .047UF-MONO .01UF-MONO

100/11.00 100/10.00 PRIME LED'S

JUMBO RED JUMBO YELLOW JUMBO GREEN 100/ 8.00 100/12.00 100/12.00 5082-7760 10/ 7.95

JDR DISK DRIVE BLOW OUTS!

SA 410 \$11995

★ ½ Mb Storage

* SS/DD

SA 460 \$14995

- ★ 1 Mb Storage
- **★ DS/DD**
- ★ 80 Track 96TPI
- ★ 6 ms track to track
- * 5¼" Standard Format
- ★ 90-DAY GUARANTEE

SALE ENDS SEPT. 30, 1983

MICROPROCESSOR

| | Z80A-CPU | 3.95 |
|---|-------------------|-------|
| | Z80A-CTC | 3.95 |
| | Z80A-PłO | 3.95 |
| | Z80A-SIO/1 | 12.95 |
| | Z80A-DART | 6.95 |
| | 8086 16-BIT 5MHZ | 19.95 |
| | 68A00 CPU 1.5MHZ | 2.95 |
| | 68A10 RAM 1.5MHZ | 1,95 |
| | 68A21 PIA 1.5MHZ | 2.95 |
| | 68A50 ACIA 1.5MHZ | 2.95 |
| l | 6520/6820 PIA | 2.95 |
| ı | | |

MEMORY

| IIILIIIORI | | | | |
|------------|----------|------|--|--|
| 2102L-4 | 450NS-LP | .55 | | |
| 2111L | 450NS-LP | 1.49 | | |
| 2112 | 450NS | 1.99 | | |
| 2114 | 450NS | .99 | | |
| 2114-25 | 250NS | 1.09 | | |
| TMS4027 | 250NS | .99 | | |

SPECIAL TMS4060/2107

4096 x 1 DYNAMIC RAMS TI OR INTEL YOUR CHOICE

69

SPECIAL THANKS TO MATT FOR HIS **RECENT SOFTWARE DEVELOPMENTS** WHICH WILL ENABLE **JDR TO BETTER SERVE OUR CUSTOMERS**

LINEAR I.C.'S

| | | _ | - | |
|--------|--|---|---|------|
| LM1800 | | | | 1.95 |
| LM1310 | | | | .99 |
| MC1330 | | | | .99 |
| MC1350 | | | | .89 |
| MC1358 | | | | .99 |
| | | | | |

HARD TO FIND BLACK CONDUCTIVE FOAM

14" x 26" SHEET 12" x 13" SHEET 6.00

DISK CONTROLLERS

| 1771 | 11.95 |
|------|-------------|
| 1791 | 18.95 |
| 1793 | 18.95 |
| ODT | CONTROLLEDO |

CRT CONTROLLERS

| DP8350 | 19.95 |
|---------|-------|
| CRT5027 | 9.95 |
| CRT5037 | 9.95 |
| | |

D-RAM CONTROLLERS

8202 17 95

Visit Our EXPANDED Retall Store **NEW SATURDAY HOURS 10-3**



JDR Microdevices

1224 S. Bascom Ave. • San Jose, CA 95128 (408) 995-5430 • Telex 171-110

k, 1983 JDR MICRODEVICES, INC.

VISIT OUR RETAIL STORE

HOURS: M-W-F 9-5 T-Th. 9-9 Sat. 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING PLEASE USE YOUR CUSTOMER NUMBER WHEN ONDERING TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air, Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. Thereis a \$10 minimum order. Bay Area and Los Angeles Counties add 6½% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or best any competitor's price provided it is not below our cost.

64K DYNAMIC \$595 200 NS

TMM2016 2KX8 STATIC \$415

74LS00

.25

.24

.28

.35

.59

.25

.25

.29

.35

.35

.25

.75

75

.25

.29 .29 1.25

.39

.39

.49

.69

.55

.55 .55

.39

.39

.39

741 500

74LS02

741 504

74LS08

741 510

74LS12

74LS13 74LS14

74LS15 74LS20

74LS21 74LS22

74LS26 74LS27

741.528 74LS30

741 532 74LS33

74LS37

741 540

74LS47

741 549

74LS54

74LS63

74LS73 74LS74

74LS75 74LS76

74LS78 74LS83

741 585

74LS86

74L S90

741 592

74LS93

74LS95

74LS96 74LS107

74LS109

74LS173 74LS174

74LS175

74LS181

74LS189

74LS190

741 5191 74LS192

741 5193

741 5195

74LS197

74LS240

74LS242

74L S244

74LS245 74LS247

74LS248 74LS249

74LS251 74LS253

74LS257 74LS258

74LS259 74LS260

74LS266

74LS273

74LS275

74LS279

741 5280

74LS290

74LS293 74LS295

74LS298 74LS299

74LS323 74LS324

74LS352 74LS353

741 5363

74LS365

74LS367

74LS368 74LS373

.69 .55

.55

8.95

.89

.89 .79

.79 .69

.69 .79

95

99

.99

1 29

.75

99

.59

.59

2.75 .59

.55

1,49

3.35

.49 1.98 .69

.89

.99

1.75

3.50

1.75

1.29 1.29

1.35

1.95

.49

.45

1.39

STATIC RAMS

| 256 x 4 | (450ns) | 1.95 |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 256 x 4 | (450ns) (cmos) | 3.95 |
| 1024 x 1 | (450ns) | .89 |
| 1024 x 1 | (450ns) (LP) | .99 |
| 1024 x 1 | (250ns) (LP) | 1.49 |
| 256 x 4 | (450ns) | 2.49 |
| 256 x 4 | (450ns) | 2.99 |
| 1024 x 4 | (450ns) | 8/9.95 |
| 1024 x 4 | (250ns) | 8/10.95 |
| 1024 x 4 | (450ns) (LP) | 8/12.95 |
| 1024 x 4 | (300ns) (LP) | 8/13.45 |
| 1024 x 4 | (200ns) (LP) | 8/13.95 |
| 4096 x 1 | (55ns) | 4.95 |
| 4096 x 1 | (450ns) | 3.49 |
| | | 3.99 |
| 4096 x 1 | | 4.49 |
| 1024 x 8 | (250ns) | 9.95 |
| | | 4.15 |
| 2048 x 8 | (150ns) | 4.95 |
| 2048 x 8 | (100ns) | 6.15 |
| | | 4.75 |
| | | 4.95 |
| | | 8.95 |
| | | 5.95 |
| | | 6.95 |
| | | 10.95 |
| 4096 x 8 | (300ns) (Qstat) | 34.95 |
| | 256 x 4 1024 x 1 1024 x 1 1024 x 1 256 x 4 1024 x 4 1024 x 4 1024 x 4 1024 x 4 1024 x 4 4096 x 1 4096 x 1 4096 x 1 4096 x 1 4096 x 1 4096 x 2 4096 x 3 4096 | 1024 x 4 (250ns) 1024 x 4 (450ns) (LP) 1024 x 4 (300ns) (LP) 1024 x 4 (200ns) (LP) 4096 x 1 (55ns) 4096 x 1 (450ns) 4096 x 1 (300ns) 4096 x 1 (200ns) 1024 x 8 (250ns) 2048 x 8 (250ns) 2048 x 8 (150ns) |

DVNIAMIC DAMS

LP = Low Power

Qstat = Quasi-Static

| | IIIAVIA | II C IIA | VIO |
|----------|-----------|--------------|---------|
| TMS4027 | 4096 x 1 | (250ns) | 1.99 |
| UPD411 | 4096 x 1 | (300ns) | 3.00 |
| MM5280 | 4096 x 1 | (300ns) | 3.00 |
| MK4108 | 8192 x 1 | (200ns) | 1.95 |
| MM5298 | 8192 x 1 | (250ns) | 1.85 |
| 4116-300 | 16384 x 1 | (300ns) | 8/11.75 |
| 4116-250 | 16384 x 1 | (250ns) | 8/11.95 |
| 4116-200 | 16384 x 1 | (200ns) | 8/12.95 |
| 4116-150 | 16384 x 1 | (150ns) | 8/14.95 |
| 4116-120 | 16384 x 1 | (120ns) | 8/29.95 |
| 2118 | 16384 x 1 | (150ns) (5v) | 4.95 |
| 4164-200 | 65536 x 1 | (200ns) (5v) | 5.95 |
| 4164-150 | 65536 x 1 | (150ns) (5v) | 6.95 |

5V = single 5 volt supply

EPROMS 256 x 8 (1us) 1024 x 8 (450ns) 1024 x 8 (450ns) (5v) 1702 4.50 2708 2758 3.95 5.95 2048 x 8 (450ns) (5v) 2048 x 8 (350ns) (5v) 2716 2716-1 5.95 TMS2516 2048 x 8 (450ns) (5v) 2048 x 8 (450ns) 5.50 TMS2716 7.95 4096 x 8 (450ns) (5v) 4096 x 8 (450ns) (5v) TMS2532 5.95 4.95 2732-250 4096 x 8 (250ns) (5v) 4096 x 8 (200ns) (5v) 8192 x 8 (450ns) (5v) 8.95 11.95 2764 9.95 14.95 2764-200 8192 x 8 (200ns) (5v) 24 95 TMS2564 8192 x 8 (450ns) MC68764 8192 x 8 (450ns) (5v)(24 pin) 39.95 27128

5v = Single 5 Volt Supply

EPROM ERASERS

| | Timer | Capacity Chip | Intensity (uW/Cm ²) | |
|---------|-------|------------------|------------------------------------|--------|
| PE-14 | | 6 | 5,200 | 83.00 |
| PE-14T | X | 6 | 5,200 | 119.00 |
| PE-24T | X | 9 | 6,700 | 175.00 |
| PL-265T | X | 20 | 6,700 | 255.00 |
| PR-125T | X | 16 | 15,000 | 349.00 |
| PR-320 | X | 32 | 15,000 | 595.00 |

| Z-80 |) | | | | |
|-----------|---------|--|--|--|--|
| 2.5 MI | 2.5 Mhz | | | | |
| Z80-CPU | 3.95 | | | | |
| Z80-CTC | 4.49 | | | | |
| Z80-DART | 10.95 | | | | |
| Z80-DMA | 14.95 | | | | |
| Z80-PIO | 4.49 | | | | |
| Z80-SIO/0 | 16.95 | | | | |
| Z80-SIO/1 | 16.95 | | | | |
| Z80-SIO/2 | 16.95 | | | | |
| Z80-SIO/9 | 16.95 | | | | |
| 4 O MAR | 17 | | | | |

| 200-010/3 | 10.33 | | | | |
|------------|-------|--|--|--|--|
| 4.0 Mhz | | | | | |
| Z80A-CPU | 4.95 | | | | |
| Z80A-CTC | 4.95 | | | | |
| Z80A-DART | 11.95 | | | | |
| Z80A-DMA | 16.95 | | | | |
| Z80A-PIO | 4.95 | | | | |
| Z80A-SIO/0 | 16.95 | | | | |
| Z80A-SIO/1 | 16.95 | | | | |
| Z80A-SIO/2 | 16.95 | | | | |
| Z80A-SIO/9 | 16.95 | | | | |
| 6.0 Mhz | | | | | |
| Z80B-CPU | 11.95 | | | | |
| Z80B-CTC | 13.95 | | | | |
| Z80B-PIO | 13.95 | | | | |
| Z80B-DART | 19.95 | | | | |

| | DAIII | 13.30 |
|------|-------|-------|
| | ZILO | G |
| Z613 | 2 | 34.95 |
| Z867 | 1 | 39.95 |
| | | |

| CRYST | ALS |
|------------|------|
| 32.768 khz | 1.95 |
| 1.0 mhz | 4.95 |
| 1.8432 | 4.95 |
| 2.0 | 3.95 |
| 2.097152 | 3.95 |
| 2.4576 | 3.95 |
| 3.2768 | 3.95 |
| 3.579535 | 3.95 |
| 4.0 | 3.95 |
| 5.0 | 3.95 |
| 5.0688 | 3.95 |
| 5.185 | 3.95 |
| 5.7143 | 3.95 |
| 6.0 | 3.95 |
| 6.144 | 3.95 |
| 6.5536 | 3.95 |
| 8.0 | 3,95 |
| 10.0 | 3.95 |
| 10.738635 | 3.95 |
| 14.31818 | 3.95 |
| 15.0 | 3.95 |
| 16.0 | 3.95 |
| 17.430 | 3.95 |
| 18.0 | 3.95 |
| 18.432 | 3.95 |
| 20.0 | 3.95 |
| 22.1184 | 3.95 |
| 32.0 | 3.95 |

| CRT | | | | | | | |
|-----------|-------|--|--|--|--|--|--|
| CONTRO | LLERS | | | | | | |
| 6845 | 14,95 | | | | | | |
| 68B45 | 19.95 | | | | | | |
| HD46505SF | 15.99 | | | | | | |
| 6847 | 11,99 | | | | | | |
| MC1372 | 6.95 | | | | | | |
| 68047 | 24.95 | | | | | | |
| 8275 | 29.95 | | | | | | |
| 7220 | 99.95 | | | | | | |
| CRT5027 | 39.95 | | | | | | |
| CRT5037 | 49.95 | | | | | | |
| TMS9918A | 39.95 | | | | | | |
| DP8350 | 49.95 | | | | | | |

| KEYBOA | RD |
|--------------|-------|
| CHIPS | |
| AY5-2376 | 11.95 |
| AY5-3600 | 11.95 |
| AY5-3600 PRO | 11.95 |

| 80 | 000 |
|----------|-------|
| 8035 | 5.95 |
| 8039 | 6.95 |
| INS-8060 | 17.95 |
| INS-8073 | 24.95 |
| 8080 . | 3,95 |
| 8085 | 5.95 |
| 8085A-2 | 11.95 |
| 8086 | 29.95 |
| 8087 | CALL |
| 8088 | 39.95 |
| 8089 | 89.95 |
| 8155 | 6.95 |
| 8155-2 | 7.95 |
| 8156 | 6.95 |
| 8185 | 29.95 |
| 8185-2 | 39.95 |
| 8741 | 39.95 |
| 8748 | 24.95 |
| 8755 | 24.95 |

8200

24.95

| | 8203 | 39.95 |
|---|--------------|---------------|
| | 8205 | 3.50 |
| | 8212 | 1.80 |
| | 8214 | 3.85 |
| | 8216 | 1.75 |
| | 8224 | 2.25 |
| | 8226 | 1.80 |
| | 8228 . | 3.49 |
| | 8237 | 19.95 |
| ١ | 8237-5 | 21.95 |
| | 8238 | 4.49 |
| | 8243 | 4.45 |
| 1 | 8250 | 10.95 |
| | 8251 | 4.49 |
| ١ | 8253 | 6.95 |
| ı | 8253-5 | 7.95 |
| ı | 8255 | 4.49 |
| ١ | 8255-5 | 5.25 |
| ı | 8257 | 7.95 |
| J | 8257-5 | 8.95 |
| 1 | 8259 | 6.90 |
| ı | 8259-5 | 7.50 |
| | 8271 | 39.95 |
| ı | 8272 | 39.95 |
| ı | 8275 | 29.95 |
| ١ | 8279 | 8.95 |
| ١ | 8279-5 | 10.00 |
| ı | 8282 | 6.50 |
| ı | 8283 8284 | 6.50 |
| | 8284 8286 | 5.50 6.50 |
| ı | 8287 | |
| Ī | 8287 | 6.50 25.00 |
| | 8289 | 49.95 |
| | 0703 | 49.95 |

| | D | ISC |
|---|--------|---------|
| ı | CONTR | ROLLERS |
| I | 1771 | 16.95 |
| ı | 1791 | 24.95 |
| | 1793 | 26.95 |
| | 1795 | 49.95 |
| | 1797 | 49.95 |
| | 2791 | 54.95 |
| | 2793 | 54.95 |
| | 2795 | 59.95 |
| | 2797 | 59.95 |
| | 6843 | 34.95 |
| | 8272 | 39.95 |
| | UPD765 | 39.95 |
| | MB8876 | 29.95 |
| | MB8877 | 34.95 |
| | 1691 | 17.95 |
| | 2143 | 18.95 |

| CONNECTO | RS |
|---------------------|------|
| RS232 MALE | 2.50 |
| RS232 FEMALE | 3.25 |
| RS232 HOOD | 1.25 |
| S-100 ST | 3.95 |

| _ | |
|-------|-------|
| 680 | 0 |
| 68000 | 59.95 |
| 6800 | 3.95 |
| 6802 | 7.95 |
| 6808 | 13.90 |
| 6809E | 19.95 |
| 6809 | 11.95 |
| 6810 | 2.95 |
| 6820 | 4.35 |
| 6821 | 3.25 |
| 6828 | 14.95 |
| 6840 | 12.95 |
| 6843 | 34.95 |
| 6844 | 25.95 |
| 6845 | 14.95 |
| 6847 | 11.95 |
| 6850 | 3.25 |
| 6852 | 5.75 |
| 6860 | 9 95 |

| | | 500 | MHZ |
|---|--------------|--------|------|
| | 68B50 | 0 - 2 | 5.9 |
| | 68B45 | | 19.9 |
| | 68B21 | | 6.9 |
| | 68B10 | | 6.9 |
| | 68B09 | | 29.9 |
| | 68B09E | | 29.9 |
| | 68B02 | | 22.2 |
| | 68800 | | 10.9 |
| | 680 | 0 - 11 | MHZ |
| | 68488 | | 19.9 |
| ш | 68047 | | 24.9 |
| Ш | 6883 | | 22.9 |
| | 6880 | | 2.2 |
| | 6862 6875 | | 11.9 |
| | 6860 | | 9.9 |
| | | | |

| | 6500 |) |
|-------|-------|------|
| | 1 MHZ | |
| 6502 | | 4.9 |
| 6504 | | 6.9 |
| 6505 | | 8.9 |
| 6507 | | 9.9 |
| 6520 | | 4.3 |
| 6522 | | 7.9 |
| 6532 | | 9.9 |
| 6545 | | 22.5 |
| 6551 | | 11.8 |
| | 2 MHZ | |
| 6502A | | 6.9 |
| 6522A | | 9.9 |
| 6532A | | 11.9 |
| 6545A | | 27.9 |
| 6551A | | 11.9 |
| | 3 мн | |
| 65028 | | 14.9 |

| UART | S | | | |
|----------|-------|--|--|--|
| AY3-1014 | 6.95 | | | |
| AY5-1013 | 3.95 | | | |
| AY3-1015 | 6.95 | | | |
| PT1472 | 9.95 | | | |
| TR1602 | 3.95 | | | |
| 2350 | 9.95 | | | |
| 2651 | 8.95 | | | |
| TMS6011 | 5.95 | | | |
| IM6402 | 7.95 | | | |
| IM6403 | 8.95 | | | |
| INS8250 | 10.95 | | | |
| GENERAT | ORS | | | |
| BIT-RA | TE | | | |
| MC14411 | 11.95 | | | |
| BR1941 | 11.95 | | | |
| 4702 | 12.95 | | | |
| COM5016 | 16.95 | | | |
| COM8116 | 10.95 | | | |
| MM5307 | 10.95 | | | |
| FUNCTION | | | | |
| MC4024 | 3.95 | | | |
| | 4 | | | |

| 6532A | 11.95 | | /4LS113 | .39 | 74LS374 | 1.39 |
|----------|-------|---|---------|------|----------|-------|
| 6545A | 27.95 | | 74LS114 | .39 | 74LS377 | 1.39 |
| 6551A | 11.95 | | 74LS122 | .45 | 74LS378 | 1.18 |
| 3 MH2 | 2 | | 74LS123 | .79 | 74LS379 | 1.35 |
| 65023 | 14.95 | | 74LS124 | 2.90 | 74LS385 | 1.90 |
| | | | 74LS125 | .49 | 74LS386 | .45 |
| | | | 74LS126 | .49 | 74LS390 | 1.19 |
| UART | S | | 74LS132 | .59 | 74LS393 | 1.19 |
| AY3-1014 | 6.95 | | 74LS133 | .59 | 74LS395 | 1.19 |
| AY5-1013 | 3.95 | | 74LS136 | .39 | 74LS399 | 1.49 |
| AY3-1015 | 6.95 | | 74LS137 | .99 | 74LS424 | 2.95 |
| PT1472 | 9.95 | | 74LS138 | .55 | 74LS447 | .37 |
| TR1602 | 3.95 | | 74LS139 | .55 | 74LS490 | 1.95 |
| 2350 | 9.95 | | 74LS145 | 1.20 | 74LS624 | 3.99 |
| 2651 | 8.95 | | 74LS147 | 2.49 | 74LS640 | 2.20 |
| TMS6011 | 5.95 | | 74LS148 | 1.35 | 74LS645 | 2.20 |
| IM6402 | 7.95 | | 74LS151 | .55 | 74LS668 | 1.69 |
| IM6403 | 8.95 | | 74LS153 | .55 | 74LS669 | 1.89 |
| INS8250 | 10.95 | | 74LS154 | 1.90 | 74LS670 | 1.49 |
| GENERA' | TORS | | 74LS155 | .69 | 74LS674 | 9.65 |
| BIT-RA | | | 74LS156 | .69 | 74LS682 | 3.20 |
| MC14411 | 11.95 | | 74LS157 | .65 | 74LS683 | 3.20 |
| BR1941 | 11.95 | | 74LS158 | .59 | 74LS684 | 3.20 |
| 4702 | 12.95 | | 74LS160 | .69 | 74LS685 | 3.20 |
| COM5016 | 16.95 | | 74LS161 | .65 | 74LS688 | 2.40 |
| COM8116 | 10.95 | М | 74LS162 | .69 | 74LS689 | 3.20 |
| MM5307 | 10.95 | | 74LS163 | .65 | 74LS783 | 24.95 |
| | | | 74LS164 | .69 | 81LS95 | 1.49 |
| FUNCT | ION | | 74LS165 | .95 | 81LS96 | 1.49 |
| MC4024 | 3.95 | | 74LS166 | 1.95 | 81LS97 | 1.49 |
| LM566 | 1.49 | | 74LS168 | 1.75 | 81LS98 | 1.49 |
| XR2206 | 3.75 | | 74LS169 | 1.75 | 25LS2521 | 2.80 |
| 8038 | 3.95 | | 74LS170 | 1.49 | 25LS2569 | 4.25 |
| | | | | 1 1 | | |
| | | | | | | |



JDR Microdevices

1224 S. Bascom Ave. • San Jose, CA 95128 (408) 995-5430 • Telex 171-110

1983 JDR MICRODEVICES, INC.

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9 Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 6% \$368 and \$10 minimum order. Bay Area and Los Angeles Counties add 6% \$368 Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or best any competitor's price provided it is not below our cost. 2114 450 NS 8/\$995

2114 250 NS 8/\$1095

| 7400 | | IIN | EAR | | RCA | Y | CMOS |
|-------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|----------------------------------------------------------------|----------------------------------------------|--------------------------------------------------|----------------------|------------------------------------------------------------|
| 7400 .19 74132 .45 7401 .19 74136 .50 | LM301 .34 LM301H :79 | LM340 (see 7800) | LM566 1.49 LM1800 LM567 .89 LM1812 | 8.25 CA 3039 | 2.75 CA 3082 1.6 1.29 CA 3083 1.5 | 5 4001 | ,29 4527 1.95 ,25 4528 1.19 |
| 7402 .19 74141 .65 7403 .19 74142 2.95 | LM307 .45 LM308 .69 | LM350K 4.95 LM350T 4.60 | NE570 3.95 LM1830 NE571 2.95 LM1871 | 3.50 CA 3046 | 1.25 CA 3086 .8 2.90 CA 3089 2.9 | | .25 4531 .95 .89 4532 1.95 |
| 7404 .19 74143 2.95 7405 .25 74145 .60 | LM308H 1.15 LM309H 1.95 | LM358 .69 LM359 1.79 | NE592 2.75 LM1872 LM709 .59 LM1877 | 3.25 CA 3065 | 2.90 CA 3096 3.4 1.75 CA 3130 1.3 | 0 4008 | .29 4538 1.95 .95 4539 1.95 |
| 7406 .29 74147 1.75 7407 .29 74148 1.20 | LM309K 1.25 LM310 1.75 | LM376 2.75 LM37795 | LM710 .75 LM1889 LM711 .79 LM1896 | 1.75 CA 3081 | 1.10 CA 3140 1.1 1.65 CA 3146 1.8 | 5 4010 | 39 4541 2.64 45 4543 1.19 |
| 7408 .24 74150 1.35 7409 .19 74151 .55 | LM311 .64 LM311H .89 | LM378 2.50 LM379 4.50 | LM723 .49 ULN2003 LM723H .55 LM2877 | 2.05 | 3160 1.19 | 4011 4012 | .25 4553 5.79 .25 4555 .95 |
| 7410 .19 74152 .65 7411 .25 74153 .55 | LM312H 1.75 LM317K 3.95 | LM380 .89 LM380N-8 1.10 | LM733 .98 LM2878 LM741 .35 LM2900 | 2.25 | T 4.20 75365 1.9 | 4013 4014 | .38 4556 .95 .79 4581 1.95 .39 4582 1.95 |
| 7412 .30 74154 1.25 7413 .35 74155 .75 | LM317T 1.19 LM318 1.49 | LM381 +.60 LM382 +.60 | LM741N-14 .35 LM2901 LM741H .40 LM3900 | 1.00 TL494 ,59 TL496 1.25 TL497 | 4.20 75365 1.9 1.65 75450 .5 3.25 75451 .3 | 9 4016 | ,39 4582 1,95 ,39 4584 ,75 ,69 4585 ,75 |
| 7414 .49 74156 .65 7416 .25 74157 .55 | LM318H 1.59 LM319H 1.90 | LM383 1.95 LM384 1.95 | LM747 .69 LM3905 LM748 .59 LM3909 | .98 75107 | 1.49 75452 .3 1.95 75453 .3 | 9 4018 | .79 4702 12.95 .38 74C00 .35 |
| 7417 .25 74159 1.65 7420 .19 74160 .85 | LM319 1.25 LM320 (see 7900) | LM386 .89 LM387 1.40 | LM1014 1.19 LM3911 LM1303 1.95 LM3914 | 3.95 75150 | 1.95 75454 .3 1.95 75491 .7 | 9 4020 | .75 74C02 .35 .79 74C04 .35 |
| 7421 .35 74161 .69 7422 .35 74162 .85 7423 .29 74163 .69 | LM322 1.65 LM323K 4.95 | LM389 1.35 LM390 1.95 | LM1310 1.49 LM3915 MC1330 1.69 LM3916 MC1349 1.89 MC4024 | 3.95 75188 | 1.25 75492 .7 1.25 75493 .8 | 9 4022 | .79 74C08 .35 .29 74C10 .35 |
| 7425 .29 74164 .85 | LM324 .59 LM329 .65 LM331 3.95 | LM392 .69 LM394H 4.60 LM399H 5.00 | MC1349 1.89 MC4024 MC1350 1.19 MC4044 MC1358 1.69 RC4136 | 3.00 | | 4024 4025 | .65 74C14 .59 .29 74C20 .35 |
| 7427 ,29 74166 1,00 | LM331 3.95 LM334 1.19 LM335 1.40 | NE531 2.95 NE555 .34 | MC1372 6.95 RC4151 LM1414 1.59 LM4250 | 3.95 1.75 | BIFET | 4026 4027 | 1.65 74C30 .35 .45 74C32 .39 |
| 7430 .19 74170 1.65 | LM336 1.75 LM337K 3.95 | NE556 .65 NE558 1.50 | LM1458 .59 LM4500 LM1488 .69 RC4558 | 3.25 TL071 .69 TL072 | .79 TL084 2.1 1.19 LF347 2.1 | 9 4028 | .69 74C42 1.29 .79 74C48 1.99 |
| 7432 .29 74172 5.95 7433 .45 74173 .75 7437 .29 74174 .89 | LM337K 3.95 LM337T 1.95 LM338K 6.95 | NE561 24.95 NE564 2.95 | LM1489 .69 LM1308 LM1496 .85 LM1360 | 0 1.29 TL074 0 1.49 TL081 | 2.19 LF351 .6 .79 LF353 1.0 | 0 4030 0 4034 | .39 74C73 .65 1.95 74C74 .65 |
| 7438 .29 74175 .89 7440 .19 74176 .89 | LM339 .99 | LM565 .99 | LM1558H 3.10 LM1370 | 0 1.49 TL082 TL083 | 1.19 LF355 1.1 1.19 LF356 1.1 | | .85 74C76 .80 .75 74C83 1.95 |
| 7442 .49 74177 .75 7443 .65 74178 1.15 | H = TO | D-5 CAN T | = TO-220 K = TO-3 | LF3 | 1.40 | 4041 4042 | .75 74C85 1.95 .69 74C86 .39 |
| 7444 .69 74179 1.75 7445 .69 74180 .75 | 74 | S00 | IC SOCKETS | VOLT | TAGE | 4043 | .85 74C89 4.50 .79 74C90 1.19 |
| 7446 .69 74181 2.25 7447 .69 74182 .75 | 74500 .32 | 745163 1.95 | 1-99 100 8 pin ST .13 .11 | | ATORS | 4046 4047 | .85 74C93 1.75 .95 74C95 .99 .35 74C107 .89 |
| 7448 .69 74184 2.00 7450 .19 74185 2.00 | 74S02 .35 74S03 .35 | 74S168 3.95 74S169 3.95 | | 7805T .75 | 7905T .8 | | .35 74C150 5.75 .79 74C151 2.25 |
| 7451 ,23 74190 1.15 7453 ,23 74191 1.15 | 74S04 .35 74S05 .35 | 74S174 .95 74S175 .95 | 20 pln ST .29 .27 | 78MO5C .35 7808T .75 | 7908T .8 7912T .8 | 5 4053 | .79 74C154 3.25 .89 74C157 1.75 |
| 7454 .23 74192 .79 7460 .23 74193 .79 7470 .35 74194 .85 | 74508 .35 74509 .40 | 745181 3.95 745182 2.95 | 24 pin ST .30 .27 | 7812T .75 7815T .75 | 7915T .8 7924T .8 | 4066 | .39 74C160 1.19 .39 74C161 1.19 |
| 7470 .35 74194 .85 7472 .29 74195 .85 7473 .34 74196 .79 | 74S10 .35 74S11 .35 | 74S188 1.95 74S189 6.95 74S194 1.49 | 40 pin ST .49 .39 | 7824T .75 7805K 1.39 | 7905K 1.4 7912K 1.4 | 9 4069 | .29 74C162 1.19 .35 74C163 1.19 |
| 7474 .33 74197 .75 7475 .45 74198 1.35 | 74S15 .35 74S20 .35 74S22 .35 | 74S194 1.49 74S195 1.49 74S196 1.49 | ST = SOLDERTAIL | 7812K 1.39 7815K 1.39 | 7915K 1.4 7924K 1.4 | | .29 74C164 1.39 .29 74C165 2.00 |
| 7476 .35 74199 1.35 7480 .59 74221 1.35 | 74530 .35 74532 .40 | 74S197 1,49 74S201 6.95 | 14 pin WW .69 .52 | 7824K 1:39 78L05 .69 | 79L05 .7 79L12 .7 | | .29 74C173 .79 .29 74C174 1.19 |
| 7481 1.10 74246 1.35 7482 .95 74247 1.25 | 74S37 .88 74S38 .85 | 74S225 7.95 74S240 2.20 | 18 pin WW ,99 .90 | 78L12 .69 78L15 .69 | 79L15 .7 | 9 4076 | .79 74C175 1.19 .29 74C192 1.49 |
| 7483 .50 74248 1.85 7485 .59 74249 1.95 | 74S40 .35 74S51 .35 | 74S241 2.20 74S244 2.20 | 22 pin WW 1.39 1.28 | 78H05K 9.95 | LM323K 4.9 UA78S40 1.9 | 5 4082 | .29 74C193 1.49 .29 74C195 1.39 |
| 7486 .35 74251 .75 7489 2.15 74259 2.25 | 74S64 .40 74S65 .40 | 74S251 .95 74S253 .95 | 28 pin WW 1.69 1.49 40 pin WW 1.99 1.80 | 78H12K 9.95 C, T = TO-220 | | 4085 4086 | .95 74C200 5.75 .95 74C221 1.75 .49 74C373 2.45 |
| 7490 .35 74265 1.35 7491 .40 74273 1.95 | 74S74 .50 74S85 1.99 | 748257 .95 748258 .95 | WW = WIREWRAP 16 pin ZIF 6.75 call | | TO-92 | 4093 4098 4099 | .49 74C373 2.45 2.49 74C374 2.45 1.95 74C901 .39 |
| 7492 .50 74276 1.25 7493 .35 74279 .75 | 74\$86 .50 74\$112 .50 | 74S260 .79 74S274 19.95 | 24 pin ZIF 9.95 call 26 pin ZIF 10.95 call | DIP SWITCHES | INTERFACE 8T26 1.59 | 14409 | 12.95 74C902 .85 12.95 74C903 .85 |
| 7494 .65 74283 2.00 7495 .55 74284 3.75 7496 .70 74285 3.75 | 745113 .50 745114 .55 745124 2,75 | 74S275 19 95 74S280 1.95 74S287 1 90 | ZIF = TEXTOOL (Zero Insertion Force) | 4 POSITION .85 | 8T28 1.89 8T95 .89 | 14411 | 11.95 74C905 10.95 |
| 7497 2.75 74290 .95 74100 1.75 74293 .75 | 745124 2.75 748132 1.24 745133 .45 | 745287 1 90 745288 1 90 745289 6-89 | 1 ED 1 4110 | 5 POSITION ,90 | 8T96 .89 8T97 .89 | 14419 | 7.95 74C907 1.00 4.18 74C908 2.00 |
| 74107 .30 74298 .85 74109 .45 74351 2.25 | 748134 .50 748135 .69 | 74\$301 6 95 74\$373 2 45 | LED LAMPS | 6 POSITION .90 | 8T98 .88 DM8131 2.99 | 4502 | .95 74C909 2.75 .65 74C910 9.95 |
| 74110 .45 74365 .65 74111 .55 74366 .65 | 74S138 .85 74S139 .85 | 745374 2 45 745381 7 95 | Red .10 .09 Green .18 .15 | 7 POSITION .95 | DS8835 1.99 DS8836 .99 | 4510 | 1.95 74C911 8.95 .85 74C912 8.95 |
| 74116 1.55 74367 .65 74120 1.20 74368 .65 | 74S140 .55 74S151 .95 | 748387 1 95 748412 2 98 | Yellow .18 .15 | 8 POSITION .95 | MISC. | 4512 | .85 74C914 1.95 .85 74C915 1.19 |
| 74121 .29 74376 2.20 74122 .45 74390 1.75 | 74S153 .95 74S157 .95 | 745471 4 95 748472 4 95 | LED DISI | PLAYS | ULN2003 2.49 3242 7.9 | 5 4515 | 1.25 74C918 2.75 1.79 74C920 17.95 1.55 74C921 15.95 |
| 74123 .49 74393 1.35 74125 .45 74425 3.15 | 748158 .95 74S161 1.95 | 748474 4 95 748482 15 25 | HP 5082-7760 .6" MAN 72 .3" | CC 1.29 CA .99 | 3341 4,91 MC3470 4,91 MC3480 9,00 | 5 4518 | .89 74C922 4.49 .39 74C923 4.95 |
| 74126 .45 74426 .65 74128 .55 74490 2.55 | 74S162 1.95 | 74S570 2'95 74S571 2 95 | MAN 74 3" | CC .99 | 11 C90 13.99 95 H90 7.99 | 5 4520 | .79 74C925 5.95 1.25 74C926 7.95 |
| CLOCK | NTEDOU 1 | 9000 | FND-500 (503) .5" FND-507 (510) .5" | CC 1.49 CA 1.49 | 2513-001 UP 9.9 2513-002 LOW 9.9 | 5 4526 | 1.25 74C928 7.95 74C929 19.95 |
| CIRCUITS | NTERSIL | 9316 1.00 9334 2.50 | EXAR | | QUISITION | - | OUND CHIPS |
| MM5314 4.95 ICL MM5389 3.95 ICL MM5375 4.95 ICL | 107 12.95 | 9368 3.95 9401 9.95 | XR 2206 3.75 | ADC0800 15.55 | DAC0808 2.9 | 5 76477 | 3,95 |
| MM58167 8.95 CL | | 9601 .75 9602 1.50 | XR 2207 3,75 XR 2208 3,75 XR 2211 5,25 | ADC0804 3.49 ADC0809 4.49 ADC0817 9.95 | DAC1020 8.2 DAC1022 5.9 MC1438L6 1.9 | 5 AY3- | 8910 12.95 |
| | 7208 15.95 | 96502 1.95 | XR 2240 3.25 | DAC0800 4.95 | MC1408L8 .2.9 | | |
| ODDED T | | | 000 520 | | 900_ | | |

ALL MERCHANDISE





. 1983 JOH MICRODEVICES, INC.

800-538-5000 **CALL US FOR VOLUME QUOTES**

CABINETS FOR 51/4" **DISK DRIVES** CABINET #1 \$29.95

- * DIMENSIONS 8% x 5146 x 3146
- * COLOR MATCHES APPLE
- * FITS STANDARD 51/4" DRIVES, INCL SHUGART
- * INCLUDES MOUNTING HARDWARE AND FEET

\$79.00 CABINET #2

- COMPLETE WITH POWER SUPPLY. SWITCH, LINE CORD, FUSE & STANDARD POWER CONNECTOR
- * DIMENSIONS: 111/2 x 51/4 x 31/9/6"
- * +5V @ 1 AMP, +12V @ 1.5 AMP * FITS STANDARD 51/4" DRIVES
- * PLEASE SPECIFY GRAY OR TAN

NOTE: Please include sufficient amount for shipping on above items.

RESISTORS

WATT 5% CARBON FILM ALL STANDARD VALUES FROM 1 OHM TO 10 MEG OHM

| | - | | | |
|------|------|------|-------|------|
| 50 | PCS. | SAME | VALUE | .025 |
| 100 | PCS. | SAME | VALUE | .02 |
| 1000 | PCS. | SAME | VALUE | .015 |

BYPASS CAPS

.01 UF DISC 100/6.00 1 UF DISC 100/8.00 .1 UF MONOLITHIC 100/15.00

WE HAVE THE COMPLETE LINE OF DISC, TANTALUM AND ELECTROLYTIC CAPACITORS IN STOCK!

CONNECTORS RS232 MALE 2.50 RS232 FEMALE 3.25

RS232 FEMALE RIGHT ANGLE 5.25 RS232 HOOD 1.25 S-100 WW 4 95 72 pin ST 72 pin WW 7.95 50 pin ST 44 pin ST 2.95

3.95

MUFFIN **FANS**

72 pin SE

NEW UN-USED 4.68" Square 14.95 3.125" Square 14.95

OPTO-**ISOLATORS**

| 4N26 | 1.00 |
|---------|------|
| 4N27 | 1.10 |
| 4N28 | .69 |
| 4N33 | 1.75 |
| 4N35 | 1.25 |
| 4N37 | 1.25 |
| MCT-2 | 1.00 |
| MCT-6 | 1.50 |
| MCA-7 | 4.25 |
| MCA-255 | 1.75 |
| IL-1 | 1.25 |
| ILA-30 | 1.25 |
| ILQ-74 | 2.75 |
| H11C5 | 1.25 |
| TIL-111 | 1.00 |
| TH 440 | |

TRANSISTORS

| 2N918 | | 50 | MPS3706 | .1. |
|---------|------|-----|---------|------|
| MPS918 | | 25 | 2N3772 | 1.8 |
| 2N2102 | | 70- | 2N3903 | .2 |
| 2N2218 | | 50 | 2N3904 | .1 |
| 2N2218/ | Α . | 50 | 2N3906 | .10 |
| 2N2219 | | 50 | 2N4122 | .2 |
| 2N2219/ | Α .: | 50 | 2N4123 | .2 |
| 2N2222 | .: | 25 | 2N4249 | .2 |
| PN2222 | | 10 | 2N4304 | .7 |
| MPS236 | 9 .: | 25 | 2N4401 | .2 |
| 2N2484 | | 25 | 2N4402 | 2 |
| 2N2905 | .! | 50 | 2N4403 | .2! |
| 2N2907 | .: | 25 | 2N4857 | 1.00 |
| PN2907 | .1 | 25 | PN4916 | .2 |
| 2N3055 | .7 | 79 | 2N5086 | .25 |
| 3055T | .6 | 59 | PN5129 | .25 |
| 2N3393 | | 30 | PN5139 | .25 |
| 2N3414 | | 25 | 2N5209 | .25 |
| 2N3563 | | 10 | 2N6028 | .35 |
| 2N3565 | | 10 | 2N6043 | 1.75 |
| PN3565 | | 25 | 2N6045 | 1.75 |
| MPS363 | | 25 | MPS-A05 | .25 |
| MPS364 | | 25 | MPS-A06 | .25 |
| PN3643 | | 25 | MPS-A55 | .25 |
| PN3644 | | 25 | TIP29 | .65 |
| MPS3704 | | 15 | TIP31 | .75 |
| | | | TIP32 | .79 |
| - | | | | .,, |

MICROCOMPUTER HARDWARE HANDBOOK

FROM ELCOMP - \$14.95

Over 800 pages of manufacturers data sheets on most commonly used IC's. Includes:

- * TTL 74/74LS and 74F
- * CMOS
- * Voltage Regulators
- Memory RAM, ROM, EPROM
- CPU's 6800, 6500, Z80, 8080, 8085, 8086/8
- MPU support & interface -6800, 6500, Z80, 8200, etc.

HEAT SINKS

TO-3 style TO-220 style .35

DISK DRIVES TANDON

TM100-1 54" (FOR IBM) SS/DD 229.00 TM100-2 5%" (FOR IBM) DS/DD 295.00

SHUGART

SA 400L 51/4" (40 TRACK) SS/DD 199.95 SA 400 54" (35 TRACK) SS/DD 189.95

SIEMENS

FD100-8 8" SS/DD

189.00 (SHUGART 801 EQUIVALENT)

FD200-8 8" DS/DD

(SHUGART 851 EQUIVALENT)

PERTEC

FD-200 54" SS/DD 179.95 FD-250 51/4" DS/DD 199.95

MPI

239.00

MP-52 54" (FOR IBM) DS/DD 295.00

NOTE: Please Include sufficient amount for shipping on above items.

POWER SUPPLY MODEL 2 \$3995

MOUNTED ON PC BOARD MANUFACTURED BY CONVER

+5 VOLT 4 AMP ±12 VOLT 1 AMP

NOTE: Please include sufficient amount for shipping on above Items.

DIODES

| 1N751 | 5.1 voit zener | .25 |
|---------------|------------------------------------|---------|
| 1N759 | 12.0 voit zener | .25 |
| 1N4148 | (1N914) switching | 25/1.00 |
| 1N4004 | 400PiV rectifier | 10/1.00 |
| KBP02 | 200PiV 1.5amp bridge | .45 |
| KBP04 VM48 | 400PIV 1.5amp bridge Dip-Bridge | .55 |

D-SUBMINIATURE

| DESCRIPTION | SOLDER CUP | | RIGHT ANGLE PC SOLDER | | IDC RIBBON CABLE | | HOODS | |
|-------------|------------|--------|--------------------------|--------|---------------------|--------|--------|------|
| | MALE | FEMALE | MALE | FEMALE | MALE | FEMALE | BLACK | GREY |
| ORDER BY | DBxxP | DBxxS | DBxxPR | DBxxSR | IDBxxP | IDBxxS | HOOD-B | HOOD |
| CONTACTS 9 | 2.08 | 2.66 | 1.65 | 2.18 | 3.37 | 3.69 | | 1.60 |
| 15 | 2.69 | 3.63 | 2.20 | 3.03 | 4.70 | 5.13 | | 1.60 |
| . 25 | 2.50 | 3.25 | 3.00 | 4.42 | 6.23 | 6.84 | 1.25 | 1.25 |
| 37 | 4.80 | 7.11 | 4.83 | 6.19 | 9.22 | 10.08 | | 2.95 |
| 50 | 6.06 | 9.24 | | | | | 7- | 3.50 |

For order instructions see "IDC Connectors" below.

CALL FOR MOUNTING HARDWARE

RIBBON CABLE

| CONTACTS | SINGLE | COLOR | COLOR CODED | | | | | | |
|----------|--------|-------|-------------|-------|--|--|--|--|--|
| CONTACTS | 1' | 10' | 1' | 10' | | | | | |
| 10 | .50 | 4.40 | .83 | 7.30 | | | | | |
| 16 | .55 | 4.80 | 1.00 | 8.80 | | | | | |
| 20 | .65 | 5.70 | 1.25 | 11.00 | | | | | |
| 25 | .75 | 6.60 | 1.32 | 11.60 | | | | | |
| 26 | .75 | 6.60 | 1.32 | 11.60 | | | | | |
| 34 | .98 | 8.60 | 1.65 | 14.50 | | | | | |
| 40 | 1.32 | 11.60 | 1.92 | 16.80 | | | | | |
| 50 | 1.38 | 12.10 | 2.50 | 22.00 | | | | | |

IDC CONNECTORS

| DESCRIPTION | SOLDER HEADER | RIGHT ANGLE SOLDER HEADER | WW HEADER | RIGHT ANGLE WW HEADER | RIBBON HEADER SOCKET | RIBBON HEADER | RIBBON EDGE CARD |
|-------------|---------------|------------------------------|-----------|--------------------------|-------------------------|------------------|---------------------|
| ORDER BY | IDHxxS | IDHxxSR | IDHxxW | IDHxxWR | IDSxx | IDMxx | IDEXX |
| CONTACTS 10 | .82 | .85 | 1.86 | 2.05 | 1,15 | - | 2.25 |
| 20 | 1.29 | 1.35 | 2.98 | 3.28 | 1.86 | 5.50 | 2.36 |
| 26 | 1.68 | 1.76 | 3.84 | 4.22 | 2.43 | 6.25 | 2.65 |
| 34 | 2.20 | 2.31 | 4.50 | 4.45 | 3.15 | 7.00 | 3.25 |
| 40 | 2.58 | 2.72 | 5.28 | 4.80 | 3.73 | 7.50 | 3.80 |
| 50 | 3.24 | 3.39 | 6.63 | 7.30 | 4.65 | 8.50 | 4.74 |

ORDERING INSTRUCTIONS: Insert the number of contacts in the position marked "xx" of the "order by" part number listed. Example: A 10 pin right angle solder style header would be IDH10SR.

JDR Microdevices 1224 S. Bascom Avenue

San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA) (408) 995-5430 • Telex 171-110

1983 JDR MICRODEVICES, INC.

VISIT OUR RETAIL STORE

NEW HOURS -M-W-F, 9-5 T-Th., 9-9 Sat. 11-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS—For shipping include \$2 for UPS Ground or \$3 for UPS Bloe-Label Air. Hems over 5 pounds require additional shipping charges Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angels. Counties add.6.—Sales Tax. Other California residents add.6.—Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Price s are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.

CIRCLE 49 ON FREE INFORMATION CARD

FOR APPLE COMPUTER USERS

FD-35 DISK DRIVE

- * Direct Replacement for Apple Disk II
- Compatible with Apple Controller or other Apple compatible controllers
- ★ Specially designed electronics with low power consumption
 * DOS 3.3 and 3.2 compatible
- * Owner's Manual and Warranty Card included

MOW WITH ONE YEAR \$22995 CONTROLLER CARD '89.95

VIEWMAX-80

A Full Function

80 Column Card for Apple II* * Soft Video Switch * Shift Key Support

2 YEAR WARRANTY

NOW ONLY \$18995

51/4" DISKETTES VERBATIM DATALIFE

SS/DD SOFT SECTOR..... 29.95 SS/DD 10 SECTOR HEAD 29.95

NASHUA

SS/DD SOFT SECTOR WITH HUB RING

\$1995

Ask about our full line of Nashua diskettes **BEST BUY**

THOUSANDS SOLD JDR 16K RAMCARD

- * Expand your 48K Apple to 64K
- * Fully compatible with Apple Language System - Use in place of Apple Language card
- * Frovides extra memory for Visicalc"
- * Fun PASCAL, FORTRAN, Integer Basic with appropriate software
- * Highest quality card features: gold edge connector, sockets for all IC's

WITH 2 YEAR WARRANTY

ASSEMBLED & TESTED WITH WARRANTY.....

KIT - INCLUDES ALL PARTS & INSTRUCTIONS

BARE PC CARD WITH INSTRUCTIONS

APPLE COMPATIBLE POWER \$99.95

- * Compact Switching Design
- * All Outputs regulated
- * Short Circuit and Overload **Frotection**
- ★ Complete with Apple-type plug-in power cord
- * Apple Compatible Yet higher output allows more disk drives and cards without overheating
- * +5V @ 5A, +12V @ 3A, -5V @ .5A, -12V @ .5A
- * Shielded enclosure: 10¾" x 3½"

NEW IMPROVED JDR COOLING FAN

- * Easy modification no modification of Apple required
- * Eliminates overheating problems
- Switch on front controls fan, Apple, and extra outlet
- * Rotron whisper fan is the quietest, most reliable on the

NOW WITH SURGE SUPPRESSION

WITHOUT SURGE SUPPRESSION 159.95

MONITORS

MONOCHROME

NEC JB1201M - 20 MHZ GREEN \$169 ZENITH ZUM-121 - 15 MHZ GREEN 599

TAXAN 18 MHZ AMBER \$139 COLOR

AMDEK COLOR I - COMPOSITE \$335

ORDER TOLL FREE

ACCESSORIES FOR APPLE II & IIE ALL WITH 1 YEAR WARRANTY BY

PRINTERLINK

CENTRONICS PARALLEL INTERFACE

- * Simple to use No configuring required
- * Use with any centronics printer - EPSON, OKIDATA, etc.
- * Includes Cable & Manual

\$5900

MESSENGER

SERIAL INTERFACE

- * Connects to any RS-232 serial device
- * 8 switch selectable drivers for printers. terminals and modems
- * Includes Cable & Manual

\$9900

TIMELINK REAL TIME

CLOCK

- * Applications in file management, word processing, communications, etc.
- * Exclusive Alarm Clock feature
- * Battery recharges automatically

\$8400

NEW BUFFERLINK

ADD-ON PRINTER BUFFER

- * Saves Time No mcre waiting for printed output
- * Connects easily to any parallel interface
- * Expandable from 16K

\$13900 (16K)

100% GUARANT

800-538-5000



CALL US FOR VOLUME QUOTES

1983 JUR MICRODEVICES, INC.

P.O. Box 8000, Westboro, Mass. 01581 CALL TOLL FREE: 1-800-343-0874

Mass customers call (617) 366-0500

CIRCLE 3 ON FREE INFORMATION CARD

DON'T **FORGET**



USE YOUR READER SERVICE

CARD

CABLE TV



- Remote Control
- 60 Channel Wireless

\$ 183.00 241.00 314.00 135.00 150.00

SEND OR CALL FOR INFORMATION

The unauthorized use of Cable TV equipment may be illegal, check with your local Cable Co. before ordering.

TO THE PUBLIC SPECIALS

| 10 1 | UE I | PUBLIC SPECIALS |
|------------------|-------|--------------------|
| CAR STEREOS | | AKAI HOME STER |
| AM FM IN Dash C | 888. | AM FM Rec. |
| AUDIOVOX 600 \$ | 65.00 | 30 Watt |
| CLARION 3100 | 86.00 | 45 Watt |
| Imported ELITE | 49.00 | 60 Watt |
| EQUALIZERS | | B DOLBY Cass. Deck |
| 10 BAND 150 Watt | 59.00 | C DOLBY Cass. Deck |
| 7 BAND 150 Watt | 49.00 | TURN TABLES |

CLARION 500 EQ B 71.00 BELT DRIVE 6 X 9 TRIAXALS
AUDIOVOX 29
CLARION 78
JENSEN II 66 29.00 78.00 60 95

73.00 98.00 DIRECT DRIVE

HOME STEREO SPEAKERS

PIONEER 100 Watt 4 way

159

With 12" WOOFER

PR

JVC 100 Watt 4 way

with 12" WOOFER

EGO 85 Watt 3 way

219 159.00 PR. 169.00 PR. 219.00 PR.

Orders sent UPS COD OR PREPAID, CREDIT CARD. SEND FOR COMPLETE CATALOG.

WANTED: DEALERS . WHOLESALERS . PEDDLERS

Become a CABLE TV giant in your town and get in on the big profits send or call for DEALER catalog information with special Dealer Pricing Limited Territories, car stereos AUDIOVOX. CLARION, JENSEN and

KEEP US IN MIND FOR ALL YOUR CABLE TY EQUIPMENT REPAIRS SYSTEMS COMPLETELY REBUILT : \$45.95

270 ISLIP AVENUE (Rt. 111) ISLIP, N.Y. 11751 (516) 277-4232 (500 Ft. So. of Sunrise Hwy.)

HOURS: M-F 9 to 9 - SAT. 10:30 to 7:30

CIRCLE 44 ON FREE INFORMATION CARD

Components is Our First Name Call Us with Your Requirements

APPLE IIe 64K RAM CARD

80 column x 24 lines 64K RAM

> Compatible with Apple lle Software

for APPLE 16K RAM CARD

Language Transparent COEX FACTORY WARRANTY

51/4"Floppy

All Certified-100% Guaranteed

BOX of 100...\$14900 Above with

Hub Rings......\$169.00

FLOPPY DISK DRIVE

Apple Ile Compatible with Track Zero Micro Switch
DOS 3.2.1 & DOS 3.3 ● CP/M and PASCAL

DESIGNED FOR YOUR APPLE™

Controller Card \$75.00 for above.....

DOT MATRIX

- Bi-Directional Printing
- 2K Buffered Memory
- 80, 96, 132 Columns, Graphics and Block Printing
- · Selectable Char Pitch, Line Spacing and Feed PARALLEL

COEX Interface Card to Apple . . \$49.95

Commodore Interface Card to VIC, 64, PET......\$79.95

VISION-80®

80x24 Video Display Card

Vista Computer Company's new Vision-80 board is a sophisticated yet easy to use video display card for the Apple™ computer.

EXTENDER CARDS

for APPLE ... \$16.95 for I.B.M.... \$19.95

DO YOU HAVE *COMMODORE?*

NEW ROM for COEX 80 & DP8480 Allows Full Graphics Compatibility \$2995 with All Commodore Computers

PARALLEL INTERFACE **EPSON TO APPLE**

New From COEX

\$4995 CABLE INCLUDED

"Have You Kissed Your Computer Lately"

Components Express,



1380 E. Edinger ● Santa Ana, Calif. 92705 ● 714/558-3972

TWX 910-595-1565 • ADVACON SNA • International Orders Welcome Terms of Sale: Cash, Checks, Credit Cards, M.O., C.O.D. FOB Santa Ana. Calif. residen Calif. residents add 6% sales tax.

201

6K Apple™ Ramcard



LIST 195 ACP

5995

 Full 1 year warranty • Top quality - gold fingers Expand Apple II 48K to 64K

Compatible with Z-80 Softcard

NOW AVAILABLE

Apple IIe 64K Add-In Memory with 80 Columns

\$14995

32K STATIC RAM



2 or 4 MHz Expandable lises 2114L's

\$159.95 217.95 217.95 289.96 339.00 39.95 taless mem. 99.95 16K 4 MHz Kit 16K 4 MHz A&T 32K 4 MHz Kit 32K 4 MHz A&T BARE BOARD Bare Bow/all part

REPEAT OF SELL-OUT 58 Key Unencoded Keyboard



This is a new 58 key terminal Keyboard manufactured by a major manufacturer.
t is uncoded with SPST keys unatached to any PC board. Solid molded
plastic 11" x 4" base.

Unencoded Key Pad

10 keys and tab turn, (-), (;) and (,)



UV "EPROM" **ERASER**



Model DE-4 \$89.95

Model 8-52T

loids 4 EPROM s at a time, \$325.00

16K Memory **Expansion Kits**

for Apple/TRS-80 200/250nS nouter \$12.95

CALL FOR VOLUME PRICING CORCOM FILTER



9 pcs 4164 D-RAM 00

AMD MODEM IC

5 Volts

1200Baud Special ACP Price 9900

64K CMOS

IEEE ompatible Uses Low Power

6116 IC's \$26900 6116 IC's
Single Supply
Assm and Tested

> INTEL 4K STATIC RAMS



Super Fast! Super Low Power!

..\$1.95 ea.

STEPPER MOTOR



Operates by applying Operates by applying 12VDC in one direction and then reversing polarity (or aquare wave). Uses 12VDC, Clock Wise Rotation, Rated 3 RPM at 4 P.P.S. with a 5 degree stepping angle. stepping angle

ACP PRICE 395 ea.

10 for \$34,95

RS232 SIGNAL TESTER COEX RS232



Line Tester only \$2495

Other Styles Also Available

INTEL CODEC IC P/N 2910A For Digital Voice





CONNECTORS



PARALLEL ALPHA NUMERIC PRINTER

19 Column Printer prints 16 numerical columns pius 3 columns which have math, alpha and other notations. Each wheel has 12 positions with position 12 blank. Position 11 on numerical columns have decimal point or #. Utilizes 2.75" wide adding machine tape and a dual color ink ribbon. Input data parallel withfourbil BCD comparatorcircuit. Print rate, 3 lines per second. Operating voltage 22-28VDC with typical cycle time of

340mS. Size 61/2"W x 31/6"H x 51/6"Dp. New.

\$8.95 ea. 3/\$25

4.95

MICROPROCESSORS

| Z8001 | \$99.00 | 8008-1 | \$14.95 | 8802P | 14.95 |
|-----------|---------|--------|---------|-------|--------|
| Z8002 | 69.00 | 2901 | 9.90 | 8035 | 14.95 |
| Z80 | 9.95 | 2901A | 14.95 | 8039 | 12.95 |
| Z80A | 11.96 | 9900JL | 49.95 | 8073N | 34.95 |
| F-8 (385C | 16.95 | 8602 | 9.95 | 8755 | 49,95 |
| 2650 | 16 95 | 8502A | 16.95 | 8748 | 49.95 |
| 1802 | 9.75 | M6100 | 29.95 | 6809 | 30.00 |
| 8080A | 4.75 | 6800 | 11.75 | 8088 | 49 95 |
| 8085 | 14.95 | 68008 | 19.95 | 68000 | 129.95 |
| | | | | . 6 | OR . |

CALL PRICE 5290 \$1,99 5298 1,49 6508 4,50 8118/2016 \$7. 8264-64K 5. 5298 1,49 6508 4,50 6518 6.79 6561 3,79 6604 3,99 6605 7,99 9130 8,99 9140 8,99 93415 6,99 4116-2 4118-2 1.99
4118-2 8/12.95
2101 3.99
21002 .79
21L02-2 1.49
21L02-4 1.29
2111 3.49
2114 1.99
2114L-4 2.29
21125 8.99 1103 4.69 3.99 4.69 3.99 1.49 7.95 1.99 4.60 4027 4044 4050 4060 4096 4115 4200 4402 5280

SUPPORT

| 8155 \$9. | 95 825 | 9 \$8.9 | 95 66 | 3047 | \$22.95 |
|-----------|--------|---------|-------|---------|---------|
| 8156 9 | 95 827 | 5 19. | 95 68 | 3488 | 19.95 |
| 8202 29. | 95 827 | 9 9.5 | 50 48 | 3505 | 22.95 |
| 8205 2. | 69 681 | 0 4. | 75 65 | 20 | 6.95 |
| 8212 2. | 75 682 | 0 6. | 50 65 | 522 | 9.95 |
| 8214 4. | 95 682 | 1 6. | 50 68 | 530-X | 24.95 |
| 8216 2. | 75 682 | 8 10. | 50 66 | 532 | 17.95 |
| 8224 2. | 95 883 | 4 16. | 95 85 | 551 | 19.95 |
| 8226 2. | 95 684 | 5 22.1 | 95 Z8 | 30-PIO | 6.50 |
| 8228 3. | 95 684 | 7 27.1 | 95 Z8 | BOA-PIO | 9.50 |
| 8243 9. | 50 685 | 0 5. | 25 Z8 | 30-CTC | 6.50 |
| 8250 14. | 95 685 | 2 5. | | BOA-CTC | 9.50 |
| 8251 8. | 50 686 | 0 10. | 95 Z8 | BO-DMA | 19.95 |
| 8253 11. | 95 686 | 2 10. | | BOA-DMA | 27.95 |
| 8255 4. | 50 687 | 5 5. | 95 Z8 | 30-SIO | 24.95 |
| DOET A | EO 000 | 0 0 | 40 71 | 204 610 | 20.00 |

MOS PROMS

| 2784 (8Kx8) TS | \$69,95 | 2708 (450nS) | \$5.75 |
|-------------------|---------|--------------|--------|
| 2732 (4Kx8) TS | 12.95 | 2708 (650nS) | 5.25 |
| 2716/2518: 5V | | 1702A | 5.75 |
| (2Kx8) TS | 7.95 | MM5203AQ | 14.50 |
| TMS2716, 5V, 12V | 17.95 | MM5204Q | 9.95 |
| 2758, 5V, (450nS) | 3.50 | | |
| | | | |

HI-TECH

| 2513-001 (5V: Upper | \$9.50 | DAC08 | \$9.9 |
|-------------------------|--------|-----------------|------------------|
| 2513-005 (5V) Lower | 10.95 | DAC100 | 9.9 |
| 2513-ADM3 (GV) Lower | 14.95 | 8038 Function (| Generator 4.5 |
| MCM86710 A3CII Shifted | 12.95 | MC4024 VC0 | 2.9 |
| MCM66740 Math Symbol | 1395 | LM566 VCO | 1.9 |
| MCM66760 Alpha Control | 1345 | XR2206 Function | on Generator 5.2 |
| 1771-01 8" & Minfleppy | 24.95 | TR1602B (5V, 1 | 2V) 3.9 |
| 1761 Dual Floppy | 29.95 | AY51013 (5V, 1 | 2V) 4.9 |
| 1791-01 Dual Floopy | 38 95 | AY51014A/161 | 2 (5-14V) 8 9 |
| 1791-02 Dual Floppy | 44.95 | AY\$1015A/188 | 3 (5V) 6.9 |
| 1793 DD, DS Floppy | 44.98 | IM6402 | 7.9 |
| 1797 DD, DS Floppy | 54.95 | IM6403 | 8 9 |
| 1691 Data Separator | 18.95 | 2350 UBRT | 9.9 |
| 2143 Clock Generator | 18 95 | 1671B Astros | 24 9 |
| 8700 8 bit Binary | 1350 | MC144,11 | 11.9 |
| 8701 10 blt 8@nary | 22 00 | 4702 | 14.9 |
| 8703 8 bit TS | 13 50 | WD1941 | 9.9 |
| 9400 Voit to Freq Conv. | 7 25 | COM5018 | 16.9 |
| 8750 31/e Digit 8CD | 13.95 | N88250 | 15.9 |
| 1408L6 6 bit | 3.95 | AY5-2378 | 13.7 |
| 1408L8 8 bit | 5.95 | | 13.7 |
| DACC1 D to A | 5.95 | MM5740AAC | 8.9 |
| | _ | | |

SOCKETS

| 1 | LOW PR | |
|----------|--------|--------|
| 1-24 | 25-49 | 50-100 |

| | 1-24 | 25-49 | 50-100 |
|-----------|------|-------|--------|
| 8 pln LP | .18 | .15 | .14 |
| 14 pln LP | .20 | .19 | .18 |
| 18 pin LP | .22 | .21 | .20 |
| 18 pin LP | .29 | .28 | .27 |
| 20 pln LP | .34 | .32 | :30 |
| 22 pln LP | .29 | .27 | .24 |
| 24 pln LP | .38 | .37 | .38 |
| 28 pln LP | .45 | .44 | .43 |
| 40 pln LP | .60 | .59 | .58 |
| | | | |

3L WIREWRAP KETS (COLD)

| SUCKE IS (GOLD) | | | 1230100 |
|-----------------|------|-------|---------|
| | 1-24 | 25-49 | 50-100 |
| 8 pln WW | .55 | .54 | .49 |
| 10 pin WW (Tin) | .65 | .63 | .56 |
| 14 pln WW | .75 | .73 | .67 |
| 16 pin WW | .80 | .77 | .70 |
| 18 pin WW | .95 | .90 | .81 |
| 20 pin WW | 1.15 | 1.08 | .99 |
| 22 pin WW | 1.45 | 1.35 | 1.23 |
| 24 pin WW | 1.35 | 1.26 | 1.14 |
| 28 oin WW | 1.60 | 1.53 | 1.38 |
| 40 pin WW | 2.20 | 2.09 | 1.89 |

S

| I | SWITCHE | | | |
|---|------------|--------|--|--|
| ı | 2 Position | \$.99 | | |
| ı | 4 Position | 1.19 | | |
| ı | 5 Position | 1.29 | | |
| | 8 Position | 1 35 | | |

| • • • • • • • • • • • • • • • • • • • • | |
|-----------------------------------------|--------|
| 2 Position | \$.99 |
| 4 Position | 1.19 |
| 5 Position | 1.29 |
| 6 Position | 1.35 |
| | |

\$1.39 1.49 1,65 1,69 7 Position 8 Position 9 Position 10 Position

MUFFIN® FAN

LINEAR

78M/06 78M/06 78M/06 1M108AH LM300H LM300H LM306H LM306H LM306CN LM308CN LM310CN LM310CN LM311D/CN LM3117/ LM310CN LM3

LM338K LM339N LM340K-XX* LM340T-XX* LM340H-XX* LM344H LM348N LM350K LM358CN

LM358CN LM360N LM372N LM376N LM377N LM380CN/N LM381N LM383T LM388N

LM387N

LM390N NE531V/T

NE531V/T NE555V NE556N NE566N/H NE568N/H NE588H/V NE582V LM702H LM700N/H LM710N/H LM711N/H LM711N/H LM715N LM723N/H LM733N/H LM733N/H LM733N/H

LM733N/H LM739N LM741CN/H LM741CN-H LM747N/H LM748N/H LM760CN LM1310N MC1330 MC1350 MC1358

74S02 74S03

74504

84X 9819 85.95

.95 1.76 1.25 1.95 1.95 1.20 5.60 98 1.49 1.95 3.75 2.75 1.25 1.25 1.40

74500

3.69 .54 .66 1.15 1.89 1.29 1.29 1.29 1.29 1.29 1.49 2.69 1.89 1.89 2.75 2.75 2.75 2.99

74S135 74S136 74S138 74S139 74S151 74S153 74S157 74S158 74S169 74S174 74S178 74S188 74S194 74S194 74S194 74S240 74S241 74S242 74S242 74S243

LM1414N
LM1458CN/N
MC1488N
MC1488N
MC1488N
MC1488N
LM1858N
MC1488N
LM1858N
LM1858N
LM1858N
LM1858N
LM1858N
LM1859N
LM2111N
LM2901N
LM2901N
LM2901N
LM2911N
CA3013T
CA3018T
CA3018T
CA3023T
CA3038T
CA3038N
CA3088N
CA3088N
CA3088N
CA3088N
CA3088N
CA3083N
CA3083N
CA3083N
CA3081N
CA3

7400

74LS00\$
74LS01
74LS02
74LS03
74LS04
74LS06
74LS08
74LS08
74LS08
74LS10
74LS11
74LS12
74LS14
74LS14
74LS14
74LS12
74LS21
74LS21
74LS22
74LS23
74LS33
74LS14
74LS33
74LS14
74LS35
74LS37
74LS35
74LS37
74LS36
74LS37
74LS36
74LS37
74LS36
74LS37
74LS36
74LS36
74LS37
74LS36
74LS37
74LS36
74LS36
74LS36
74LS36
74LS37
74LS36

4000 \$.35 4001 .35

7-LS124
7-LS124
7-LS124
7-LS124
7-LS124
7-LS124
7-LS124
7-LS124
7-LS122
7-LS124
7-LS122
7-LS124
7-LS124
7-LS124
7-LS124
7-LS124
7-LS125
7-LS126
7-LS12

CMOS

4037 \$1.95

4040 4041

745244 \$2.99 74\$251 1.35 74\$253 1.35 74\$256 1.29 74\$258 1.29 74\$280 .75 74\$280 .75 74\$280 .75 74\$280 .75 74\$287 2.99 74\$287 2.99 74\$287 3.10 74\$374 3.10 74\$374 7.95 74\$477 7.95 74\$477 9.95 74\$477 9.95 74\$476 9.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95 74\$57 8.95

74LS00

4089 4093 \$2.95

.99 2.95 2.29 2.25 12.95 12.95 12.95 12.95 4.95 4.95 39 1.65

8.95 .95 3.75 1.19 1.39 2.75 1.45 1.25 4.95 2.25 1.60 1.25

The dependable, low cost, largest selling fan for commercial cooling applications.

 105cfm free alr delivery 4.88" sq. x 1.50" deep Weight - 17 oz.

SPECIAL PURCHASE WEW \$9.50 ..

CLOCEOUT CDECIALO

| į | 90 | PEK | | LU3 | EUUI | SPE | CIAL | -5 |
|---|----------|--------|------------|--------|------------|---------|----------|---------|
| l | 14411 | \$7.95 | 6571A | \$6.95 | 8080A CPU | \$2,95 | 5027 CRT | \$9.95 |
| i | 74LS668 | 3/1.99 | SIG 2652 | 3.95 | 2102 RAM | .75 | 2901 | 3.95 |
| í | 74LS377 | 2/1.99 | 8253 | 6.95 | 4080 RAM | 1.40 | 8039 | 3.98 |
| ı | 74LS241 | 2/1.99 | 2758 EPROM | 2.95 | 2732 | 6.95 | MM5320 | 5.99 |
| ı | 8259 | 6.95 | 1802 | 8.95 | UPD410 | 2.98 | 9131 RAM | 1.99 |
| ı | 6561 RAM | 2.95 | Z80A CPU | 4.95 | UPD411 | 2.98 | EMM4402 | 1,99 |
| ı | LM733CN | 3/1.99 | 6522 | 6.95 | 2708 EPROM | 8/29.95 | 10415 | 4.95 |
| ı | I M323K | 3.05 | 8502 CPU | 5.05 | 2114 . | 8/14 50 | 8700 A/D | 2/18 95 |

TOLL FREE

910-595-1565

Mail Order: P.O. Box 17329 Irvine, CA 92713 Retail: 1310B E. Edinger, Santa Ana CA 92705 (714) 558-8813 542 W. Trimble, San Jose, CA 95131 (408) 946-7010

CIRCLE 80 ON FREE INFORMATION CARD


www.americanradiohistory.com

OCTOBER 1983






(800) 243-6700



\$1.49 ea.

\$1,00

CHANEY



WESTELH ELECTRONICS 4242 SOUTH 48TH STREET, PHOENIX, ARIZONA 85040

CIRCLE 13 ON FREE INFORMATION CARD



(602) 829-6700



IRIFO

TWO YEAR WARRANTY PARTS & LABOR



COMPLETE SYSTEMS (as Pictured) Commercial 40" Rod Style \$ 89.95 Parabolic 20" Dish Style \$ 79.95

ONLY:

COMPONENTS Down Converters

(both types) \$ 34.95 **Power Supplies**

[12V to 16V] \$ 24.95 Data Info (Plans)\$ 9.95

CALL OR WRITE FOR KITS. PARTS. INDIVIDUAL COMPONENTS

We Repair All Types Down **Converters & Power Supplies**

Phillips-Tech Electronics

P.O. BOX 34772 Phoenix, AZ 85067 (602) 265-8255

Special Quantity Pricing Dealers Wanted









Kits!!!

CIRCLE 34 ON FREE INFORMATION CARD

FACTORY PRIME DEVICES INCLUDE: Capacitors

- all types & styles
- Chokes & Coils.
- Connectors
- Digital & Linear IC's
- Hardware & Accessories
- **IC Sockets**
- Memory
- Microwave Semiconductors
- Resistors
- fixed & variable
- **Transformers**
- Transistors & MORE!

MANUFACTURERS SUCH AS: Motorola, National, NEC. J.W. Miller, Texas Instruments and more!

WE STOCK & SUPPLY DEVICES FOR: OEM's,

Distributors, Hobbiests, Magazine Projects, Engineers, Schools, Technicians & You!

> Call or Write for Quantity Pricing and FREE Catalog.

P.O. Box 33205 Phoenix, AZ 85067 **274-2885**


BETA Electron

1700 E. DESERT INN RD., SUITE 222 LAS VEGAS, NEV. 89109

TOLL FREE 800 - 782-2701

"LEADER IN THE BEST VIDEO CIRCUITS FOR THE **EXPERIMENTERS.**"

"The Deluxe II"



The ultimate in UHF sine wave converter technology with modulated audio. Easy to build with fully illustrated plans. Outstanding video clarity and stability.

TWO CHANNEL SELECTOR SWITCH

PC BOARD, PLANS & PARTS \$5.95 PLUS SHIPPING \$1.50 EACH



FITS DIRECTLY INTO YOUR DELUXE II FOR CONVENIENT CHANNEL SELECTION.

NE 564 SUBSTITUTE CIRCUITS AVAILABLE (PLUGS DIRECTLY INTO THE NE 564 POSITION) \$4.95 EACH PLUS \$1.50 SHIPPING.

"THE Z BOARD"

PC BOARD, PLANS, PARTS & ENCLOSURE \$119.95 PLUS SHIPPING \$4,95 EACH

UHF AMPLIFIER KIT

PC BOARD, PLANS & PARTS \$19.99 PLUS SHIPPING \$1.50 EACH

EASY TO BUILD & NO SPECIAL EQUIPMENT REQUIRED. IMPROVES RECEPTION WITH 12db GAIN.


DUAL POWER SUPPLY

PC BOARD, PLANS & PARTS \$17.50

PLUS SHIPPING \$2.50 EACH



VORKS GREAT WITH THE "Z BOARD," "FV4" OR "FV5"



A powerful circuit with a challenge. The best in UHF "pulse suppressed" circuits. Suppressed horizontal synchronization with video inversion and modulated audio that mates with your Zenith M1 module. Fully illustrated plans for easy assembly.

QUANTITY DISCOUNTS AVAILABLE

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

CALIF. ORDERS ADD 6% SALES TAX VISA/MST MONEY ORDERS NO PERSONAL CHECKS

CIRCLE 67 ON FREE INFORMATION CARD

YOUR SEMICONDUCTOR SUPERMARKET

LINEAR IC'S

| | | 740 | 0 | |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5000005555555000500000555555555 | 7400 7401 7402 7403 7403 7406 7405 7408 7411 7413 7411 7413 7417 7425 7427 7430 7430 7430 7441 7442 7436 7440 7441 7442 7446 7446 7447 7446 | .20 .29 .29 .31 .32 .38 .31 .30 .31 .32 .33 .31 .32 .33 .31 .32 .33 .31 .32 .33 .31 .32 .33 .31 .30 .31 .32 .33 .31 .32 .33 .33 .33 .34 .35 .35 .35 .35 .35 .35 .35 .35 .35 .35 | 7475 7476 7486 7486 7489 7492 7492 7493 7495 7496 74107 74123 74123 74145 74147 74153 74154 74154 74174 74176 74177 74164 74176 74177 | .50 .38 1.10 .35 2.40 .52 .52 .52 .52 .67 .73 .35 .40 .58 .75 .75 .75 .75 .75 .75 .1.05 1.00 .80 .80 .80 .80 .80 .80 .80 .80 .80 |

| | , , , | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7400 7401 7401 7402 7403 7405 7406 7410 7411 7413 7414 7425 7427 7432 7432 7432 7441 7442 7446 7447 7447 7447 7447 | .20 .29 .29 .31 .32 .38 .31 .30 .31 .46 .59 .31 .31 .31 .31 .29 .83 .83 .83 .83 .25 .35 .35 | 7475 7476 7486 7489 7490 7492 7493 7495 74107 74123 74125 74145 74154 74154 74154 74154 74175 74175 74175 74194 74193 74199 | .50 .38 1.10 .52 .52 .52 .52 .67 .73 .35 .40 .58 .52 .75 .75 .75 1.05 1.05 1.05 1.05 80 80 80 80 99 .99 |

VOLT-REGS

.80 .80

80

.80 .80 1.30 1.30 1.30

1.30 1.30 1.30

LM317T LM317K LM323K LM350T LM350K LM338K LM337T 78L05 78L12 78L15 79L05

79L05 79L12 79L15

79L12 80 79L15 80 78H05KC 9.25 78H12KC 9.25

| .50 | |
|-----------------------------------------------------------------------------------------------------|----|
| .50 .38 1.10 2.40 .52 .52 .52 .52 .52 .75 .75 1.75 1.05 1.05 | |
| 1.10 | 1 |
| 2.40 | |
| .52 | |
| .52 | |
| .67 | |
| .73 | |
| .35 | |
| .58 | |
| .52 | |
| .75 | |
| 75 | |
| .75 | |
| 1.17 | |
| 1.05 | |
| 1.05 1.05 1.00 | |
| 1.00 | |
| .83 | |
| .80 | |
| 1.08 | |
| .99 | CD |
| .99 | CD |
| , | 00 |

LM301AN LM307N LM308N LM310N LM311N LM318N LM319N LM3900 LM3909 LM3911 MC1489P MC1496P MC1723P .75 1.00 1.50 1.10 MC1723P MC1723P MC1741CP1 MC3301 MC3302 MC3403P MC1648P MC4024P MC4024P MC4024P ICM7207 ICM7207 ICM7205 ICM7045 .62 .56 .90 .80 .90 1.30 3.80 4.50 4.49 15.95 6.00 9.95 12.95 LF347 LF351 LF353 2.35 .60 .99 1.10 .42 1.10 4.29 LF357 NE555 MC1306P MC13306P MC133001P MC13390P MC1350P MC1357P MC1358P MC1373P MC1373P MC1403U MC1403U MC1403U MC1413P MC1376P MC1376P MC1376P MC1376P MC1458CP1 MC1458CP1 LM324N LM325N LM326N LM556N LM339N LM383T LM377N LM378N .98 1.70 1.49 1.30 LM379N LM380N LM381N 4.42 3.54 2.71 9.70 1.20 2.61 15.50 3.40 1.20 7.45 7.80 8.25 8.25 LM381AN LM384N MWA110 MWA120 MWA130 MWA310 LM386N LM565N LM566N LM567N 2.08 MWA320 ZN414 8.65 LM1889

| | CM | OS | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CD4001 .30 CD4007 .32 CD4010 .55 CD4011 .32 CD4013 .45 CD4016 .50 CD4017 1.00 CD4020 1.17 CD4023 .32 CD4024 .83 CD4025 .32 CD4027 .55 CD4029 1.42 CD4040 1.17 CD4044 .80 | CD4046 1.50 CD4047 1.40 CD4049 4.5 CD4050 4.5 CD4051 1.00 CD4069 .32 CD4071 .32 CD4071 .32 CD4081 .32 CD4093 .60 CD4510 1.17 CD4511 1.20 CD4515 2.80 CD4515 1.17 | MC14000 .40 MC14001 .40 MC14002 .40 MC14006 1.42 MC14007 .40 MC14008 1.25 MC14012 .40 MC14013 .72 MC14013 1.25 MC14015 1.47 MC14016 1.5 MC14017 1.25 MC14017 1.25 MC14018 1.15 MC14021 1.47 MC14021 1.47 | MC14023 1.22 MC14024 1.06 MC14027 .72 MC14028 1.02 MC14028 1.02 MC14032 1.93 MC14034 3.50 MC14036 1.86 MC14036 2.19 MC14040 1.47 MC14042 1.06 MC14044 9.99 MC14044 1.57 MC14044 7.72 |
| MOST MOTOROL | A CMOS IN STOCK | | |

CIRCUIT SPECIALISTS INC. 738 S. Perry Lane, Tempe, AZ. 85281 Order Phone: 1-800-528-1417 INCLUDE \$1.25 SHIPPING

CIRCLE 7 ON FREE INFORMATION CARD

1.00 3.75 6.95 3.25 5.50 7.60

1.90 .40 .40 .40

508 Central Ave. Westfield, N.J. 07090 (201) 654-6008

7806 7808 7812

UHF-TV PREAMP

featured in Radio Electronics March/ y articles, 1982)

This inexpensive antenna mounted pre-amp can add more than 25 dB of gain to your system. Lots of satisfied customers and repeat orders for this high quality kit, which includes all component parts, PC BD, Case, Power Supply and Baiun \$34.50 Assembled Version.

Heart Rate Monitor

KIT-\$39.95

Have Some Fun...Fun...Fun! PROGRAMMABLE MESSAGES IN SPACE, with SPACE WRITER Kit \$39.50

Signalman Mark | Modem-\$99 Direct connect modem/RS-232C; Built In Interface cable and connector; Light, compact, Bell 103 compatible Data/voice switch

BMC-12A, 12" Green Phosphor Monitor \$99

| ı | |
|----|-----------------------------------------------------------------------------------------|
| I | 2N3095(PRIME) |
| ŀ | MPS 6571 (NPN SILICON TRANS)10/61 |
| ı | "BOOT" BOLDER BUCKER(works great). 812 LM1310 |
| Ì | ED4047 |
| į | LM1889 |
| ı | 20V 1W EXPOXY ZENERB20/81 78L0B (5V REGULATOR)5/81 |
| ı | MOTION DETECTOR BOARDS-82 EACH7/810 MOTION DETECTOR(IC DNLY)3/8220/610 |
| ì | CONDENSER MICROPHONE3/62 9V BATTERIES |
| | 1000 PIECE REBISTOR ABS'T 1/2w65 CRYSTALS-1MHz62-3.5MHz81/6MHz62 |
| l | 2560.0 KC |
| Ì | .33uF 100V DIP MYLAR |
| ŀ | 4.7uF 40V MINI RADIAL10/61 6.BuF 35V SOLID TANTALUM2/61 10uF 50v DIP TANTALUM3/62 |
| ı | 3200uF SOV TWIST LOCK |
| ı | 1000uF 16V TWIST LOCK |
| ı | SLEEVING-1' LENGTHS, 10 DIAMETERS 83 LED (HIGH INTENS. RED EMITTER, WATER |
| | CLEAR LENS) 10/81, 100/87.50, 1000/849 BATTERY SNAPS |
| | HEAVY DUTY ALLIGATOR CLIPS10/93 LIGHTER WEIGHT CLIPB10/62 |
| | 74L5174 (PRIME TEXAS INST)2/01 VERY LOUD BUZZER2/01 |
| Ι. | BN75324 [C |

| LM1391 (PRIME, HOUSE #D)3/81 |
|--------------------------------------------|
| ULN 2001 (UNTEBTED) |
| R8232 CONNECTUR (DB-25F-A123) |
| 100K TRIMPOT4/81 |
| 10F TRIMPOT |
| SN74472/81 |
| 9N74923/#1 |
| SW938 2-P(DTL) |
| BED BS UHE HIBH GAIN AMPS2/93 |
| WINEGARD FU420 UHF ANT, 48AY BOWTIE825 |
| CONNECTOR FOR RIBBON CABLE 34 PIN \$2 |
| 8243 16 LINE I/O EXTENDER CHIP |
| 7805.7812.7905.7912 MIX/MATCH4/95 |
| OM/FM RADID IC (UNTESTED) N/SPECS 10/83 |
| PDTS-LIN TAP/BSHG-10K, 100K, 1M 3/92 |
| IC BOX (STURES & LABELS IC'S) |
| DIP SWITCHES-4,6,8 %10 POB2/63 |
| 1V FNOBS |
| *****AMDEK COLOR! MONITER\$305#### |
| Voltage-Mate (switching regulator kit |
| with adjustable DE/DEvoltage convers- |
| ton. Dutput voltages: -24 to +30VDC.3 |
| op. modes (step-up, downkinversion -\$19 |
| CHIP CAPS(SET OF 4, 2EACH 2, 743, 3of) \$3 |
| FPA104 INFRA-RED EMITTER/SENSOR 49 |
| MINIATURE SPEAKER (1 1/2")2/91 |
| OKIDATA, EPSON, CENTRONICS PRINTERS/IEL |
| CONVENIENCE PAPER PAKS, CONT. ROLL |
| TEAR AWAY RAZOR EDGE, IK SHEETS \$16 |
| LOWEST PRICES VERBATIM DISKETTES/CALL |
| TEK/TOOL ZERO INSERTION IC TEST SOCK- |
| FIR- 14 PIN-89 |
| 4/pf& 470pf IFV DISCB(NICE SIZE) 20/81 |
| LM380 (IILN2280) |
| UDN7180 GAS DISCHARGE DIRF/DRVR3/45 |
| DENTITION OF DISCOMMISE DIRECTORY 1.3/ 93 |
| |
| |

MICRO-CONTROLLER BOARD (Kit/899.50)

Terms: MICRO-MART accepts Visa, MC and telephone COD's. Minimum order \$10.00. Shipping—U.S. orders, \$2.00. Canada and other countries \$3.50 (includes ins.). Shipping rate adjusted where applicable. NJ residents add 5% sales tax.

MICRO-MART ● 508 CENTRAL AVE., WESTFIELD, NJ 07090 ● (201) 654-6008

CIRCLE 12 ON FREE INFORMATION CARD

Bargains 111 or ACPP-1 ACAC-1 10 ft. audio extension

YOUR PARTS SUPERMARKET 160 2nd Ave.S., Nashville, TN 37201

cable. \$ 1.50

72 ECKA-72 Mini-axial Kit PCS. PER. KIT ECKR-72 Mini-lytic Kit \$ 6.85

UVE1-A Mitsumi UHF/VHF combo varactor tuner \$9.75

Calculator keyboard switch \$2,25



SPECIALS !!! SPK-100 PIEZO TWEETER \$6.75 each or \$4.65 with \$15 order! This quality hi-fi horn is easily installed without crossover.

> ECK-251 \$9.35 assorted miniature electrolytics, all good useable values, in a plastic bag. 251 PCS.

1000 long lead resistors, ½ and ¼ watt assortment \$ 6.75

Out-of-state orders over \$15 call Toll Free 1-800-251-5555 Tennessee residents and information requests call 1-615-244-4444

CIRCLE 29 ON FREE INFORMATION CARD

RADIO-ELECTRONICS



Mailing List Control Center Box 840 Champlain, N.Y. 12919 | Enclose_ (cash OK); Please rush postpaid \$1 for 1 year subscription to the world famous ETCO catalog.

\$3 Canadian & Foreign 1 year subscription to the ETCO catalog.
304 page handbook "BUILD YOUR OWN EARTH STATION". (TA025) \$10.00
360 pages MASTER HANDBOOK OF TELEPHONES. (TA001) \$11.00 FREE - sample copy of the bargain packed ETCO catalog. (USA only)

Name Address_ Zip_ State

CIRCLE 50 ON FREE INFORMATION CARD

ELECTRONIC KITS FROM HAL-TRONIX

2304 MHZ DOWN CONVERTERS. TUNES IN ON CHANNELS 2 TO 7 ON YOUR OWN HOME T.V. HAS FREQUENCY RANGE FROM 2000 MHZ TO 2500 MHZ. EASY TO CONSTRUCT AND COMES COMPLETE WITH ALL PARTS INCLUDING A DIE-CAST ALUM CASE AND COAX FITTINGS, REQUIRE A VARIABLE POWER SUPLY AND ANTENNA (Antenna can be a disk by any coffee can be depended on the can be a dish type or coffee can type depending on the signal strength in your area.)

2304 MOD 1 (Basic Kit) \$19.95 2304 MOD 2 (Basic/Pre-amp) \$29.95

2304 MOD 3 (Hi-Gain Pre-amp) \$39.95 POWER SUPPLY FOR EITHER MODEL ABOVE IS

AVAILABLE. COMES COMPLETE WITH ALL PARTS, CASE. TRANSFORMER, ANTENNA SWITCH AND CONNECTORS \$34.95 Assembled

Slotted Microwave Antenna For Above \$39.95 Downverters

PREAMPLIFIERS

HAL PA-19—1.5 mhz to 150 mhz. 19db gain operates on 8 to 18 volts at 10ma. Complete unit \$6.95. HAL PA-1.4—3 mhz to 1.4 ghz. 10 to 12 db, gain operates on 8 to 18 volts at 10 ma. Complete unit \$12.95.

(The above units are ideal for receivers, counters, etc.)

16 LINE TOUCH TONE DECODE KIT WITH P.C BOARD AND PARTS \$69 95

12 LINE TOUCH TONE DECODER KIT WITH P.C BOARD AND PARTS\$39.95 \$39.95

16 LINE ENCODER KIT, COMPLETE WITH CASE, PAD AND COMPONENTS......\$39.95 12 LINE ENCODER KIT, COMPLETE WITH CASE, PAD AND COMPONENTS.... \$29.95

Complete Sets of P.C. Boards Available For: Unicorn Robot Project and Heart-A-Matic Project. MANY, MANY OTHER KITS AVAILABLE Send 20 cents sizmp or S.A.S.E. for information and flyer on othe HAL-TRONIX products. To order by phone. 1-313-285-1782.



HAL-TRONIX P.O. Box 1101 Southgate, MI 48195

INFORMATION,

#4 Coil & Chokes 1 each of 15, 33, and 100

chokes 1-variable RF coil (same as #49A537MPC)

**SIC's Sockets, & Semi's 1 each of: NE564, LM565, MC1330, MC1350, MC1496, LM1889, 7812, 7818, ZN222ZA, MV2109, heat sink 2-MC1458, 4-

1N4002 4-8 nln 2-14

pin, 1-16, & 1-18 pin

\$13.25 each

#6 Misc. Hardware LED & holder, fuse &

holder, line cord, grommet, SPST switch DPDT switch, 2-F61 conn & lugs, knob, 4-

spacers, 6-screws & nuts. 2'-RG-174, matching transformer w/nut.

\$5.95 each

(uh) micro henries

ORGERS OVER \$25.00 WILL BE SHIPPED POSTPAID EXCEPT ON ITEMS WHERE ADDITIONAL CHARGES ARE REQUESTED, ON ORDERS LESS THAN \$25.00 PLEASE INCLUDE ADDITIONAL TO SEE THAT OF THE PROPERTY OF THE PR

CIRCLE 75 ON FREE INFORMATION CARD

in our labs is being tested by Gov't for riot control. Soon to come under weapons restrictions as an infernal machine. Easily handheld. Hazardous IF NOT USED WITH DISCRETION.

S INVISIBLE PAIN FIELD GENERATOR — Produces a di rectional field of moderately intense pain to back of head up to 50' Cigarette pack size enclosure is easily hidden.

96-3 PLANS \$7.00 IPG-3K KIT & PLANS \$44.50 IPG-30 (assembled for animal control). \$59.50

R PHASOR STUN/BURNING WAND - Produces sufficient electrical energy capable of burning flesh. Intended as a person-al defense device. PSW-3 PLANS \$8.00 PSW-3K KIT & PLANS \$59.50

RUBY LASER RAY PISTOL - Intense visible red, burns,

CARBON DIOXIDE LASER — Generales 20-40 mails of continuous power capable of burning, cutting, hazardous, (with \$15.00). LASER RIFLE — Produces 200-3000 pulses of 30 watt opti-

R cal energy. Portable and easily hand-held. LRG-3 PLANS LRG-3K KIT PLANS (minus dlode) \$10.00 POCKET LASER — For the beginner, visible red "optical

POCKET LASER — For the beginner, visible red "optical version", non-hazardous, LHC-2 KIT & PLANS \$24.50 HIGH POWERED PORTABLE ENERGY SOURCE FOR LASERS AND MAGNETIC WEAPONS — Exploding wires, shockwave, etc. Miniature size, HPS-1 PLANS \$49.50 PARTICLE BEAM WEAPON — PLANS \$15.00

INFINITY XMTR — Uses telephone lines for selective home fice listening while away on business or vacation.

1 PLANS

SEE IN DARK - Long range, total darkness. \$10.00 Ū

LONG RANGE WIRELESS MIKE - Crystal clear quality FBT-7 PLANS ... \$7.00 FBT-7K PLANS & KIT. .. \$34.50
WIRELESS TELEPHONE TRANSMITTER — Long

range, automatic. VWPM-5 PLANS \$10.00 VWPM-5K PLANS & KIT \$34.50

Send for FREE catalog descripton of above plus hundreds more plans, kits and completed items. We accept MC or Visa or when ordering, send check or money order. We pay shipping charges on orders over \$50.00, otherwise include 10% with remittance.

SEND TO: SCIENTIFIC SYSTEMS DEPT. R8, BOX 716, AMHERST, N.H. 03031

CIRCLE 36 ON FREE INFORMATION CARD

POPULAR CHIPS

LM 301 .39 LM 380 1.25 LM 386 .79 NE 564 2.50 LM 565 89 MC 1330 1.10 MC 1350 1.00 MC 1358 1.10 MC 1458 49 MC 1496 1.50 1.95 LM 1889 7808 .75 7812 .75 7815 .75 7818 .75 MV 2109 69 2N2222A .30 MC1349 1.39



100 uh

10 mh

18 uh 69¢ each VARI CAPS 10 - 60 pf 69¢ each

30 - 90 pf 69¢ each

.47 uh

15 uh



MITSUMI UES A55F VARACTOR TUNER CHAN, 14-83 400 ohm 1NPUT \$17.95

\$3.25 each

DELUXE PARTS ASSORTMENTS

11 Resistors & Trimpots 68 : wait. 5% resistors & 5 PT-15 10K trimpots. 1 each - 51. 75. 100. 470. 1.5K. 3.6K. 51K. 470K 13-1.2K. 2-220. 3-100K. 6-330. 6-12K. 7-910. 9-3.3K. & 14-4 7K. 55.25 each

2 Capacitor *
Monolythics - 1-560pt, 71 mfd, & 1-22 mfd,
Silver Micas - 2-10pf, & 1
each of 43pf, 110pf,
560pf, 120pf, 3000 or
3300pf
\$5.95 each

\$5.95 each

\$3 Capacitor "B"

Mylars 4-001. 2- 047, 2901. Radial lytics 3-10

mfd 16V, 1-1000 mfd

50V, 1-2200 mfd 35V

Disc Caps 1 each of 5.

12. 27. 36. 110, 330pf. 2
120pf. 3-39pf. 3-220pf.

and 1 Vari Cap 5-35pf.

\$7.50 each

UHF AMP KIT

25 db gain

stripline PC board

using

(2) BFR-90's

\$9.95

power supply

for above \$3.49

METAL BOX-

DIM: 103 W x 41/2D x 3" High HOLES: 4% in back, 1% in front 24" in front 6 #6 on bottom PAINTED \$10.95 ea., 10/\$99.50 25/\$223.75

PRE-DRILLED

TERMS: Visa, M.C., Check Money Order or COD (add \$3.00). Min. Order \$10.00. Add \$2.50 S&H for USA. III. add 7% Tax. MAIL ORDER ONLY. Prices subject to change without notice.

Phone Orders Welcome. WRITE FOR OUR MONTHLY

UN-AOVERTISEO SPECIALS

MINI COAX CABLE RG-174 50ohm .100 OD 10 feet/\$1.00

SOLID CARBIDE PC DRILL \$1.00

NETWORK SALES, INC.

RIBBON CABLE CONNECTOR

These very popular 40 PIN ribbon cable connectors are used by a number of mfgs. of micros for internal board to board terminations and I/O port connections.

W/strain relief \$2.50


40 CONDUCTOR RIBBON CABLE gray color 70¢/ft.

MINI FAN 3.125" SQ. 40 CMF 115VAC-60hz

REMOVED FROM NEW EQUIP. TESTED \$6.95

POWER TRANSFORMERS

Pri: 115V AC Sec: 24 volts @ .350 A Dim: 21/4 x 1 x 1 H



THUMBWHEEL TRIMMER POTS VERTICAL MOUNT

OHMS 500. 1K, 2K, 5K, 10K, 25K 50K, 100K, 200K, 500K, 1 MEG. 100/\$20.00 4/\$1.00

#55 1/8 in. SHANK FOR USE WITH DREMEL TOOL

DIP SWITCHES

High quality DIP switches mfg. by CTS. Available in the following configurations.

4 POS-80¢ 6 POS-80¢ 5 POS-80¢ 7 POS-80¢



DB-25 S (FEMALE)

The most popular computer connector Mfg. by AMP. .025" gold PC pins with mfg. holes.

\$1,95



BRIDGE RECTIFIERS

35A 200 PIV \$2.00 25A 100 PIV \$1.50 400 PIV \$1.00



THUMBWHEEL SWITCH

BCD 0-9 W/COMPLIMENT \$7.95


(EACH DIGIT ILLUMINATED W/LED)



W/END PLATES FOR EASY MTG.

4 TURN TRIM POTS BOURNS #3339B K — 6K R/A — 10K \$1.49 EA.







NETWORK SALES, INC.

2343 W. BELMONT AVE.

CHICAGO, IL. 60618

312-248-3202





Touch Tone Generator

10 @ \$5.35

MX 5089N & 3 579 MHZ CRYSTAL USE WITH ANY 4 X 3 SWITCH MATRIX IO PAGE OATA BOOK 95

POWER

TRANSFORMER

1.99 PAR 1.99 PAIR 01/

INFRA-RED

Emitter/Detector 1-4100 PAIR

SNOOPER

DIGITAL COFFEE

AMPLIFIER

Mini - Kit

5.95

REED SWITCH

20/



Channel 2 Decoder

10 05 14.35



\$100

Carbide Drill & Router Bits

(602) 971-0990 (602) 971-0996

SURPLUS SURPLUS

Wholesale - Retail - Surplus C

Electronic Parts

12627 N. Cave Creek Rd. • Phoenix, AZ 85022

HOT

PLATES

\$150

MICROWAVE KIT

COMPLETE


- P.V.C.
- PC Board
- 2 2SC2369
- 1 MRF911
- Resistors
- Capacitors • "F" Connector
- Chip Cap

10" FIBERGLASS **SCREW DRIVER**

with Plastic Handle

Latching Relay \$495

24V Coil 110V @ 15A D.P.S.T.



w/Transformer and 4" x 2.3" Heat Sink \$5.50 each -or- 2/\$10.00



Items MC, VISA, COD via UPS (Plus Shipping/Handling)



CIRCLE 89 ON FREE INFORMATION CARD

Dokay Computer Products,

VISIT OUR RETAIL STORE

Inc

2100 DE LA CRUZ BLVD.

| 8000 | | | | | | |
|-------|-------|--------|-------|--|--|--|
| 8035 | 4.95 | 8251 | 4.39 | | | |
| 8039 | 5.95 | 8253 | 6.89 | | | |
| 8080A | 3.89 | 8253-5 | 7.89 | | | |
| 8085A | 5.89 | 8255 | 4.39 | | | |
| 8086 | 24.95 | 8255-5 | 5.19 | | | |
| 8088 | 34.95 | 8257 | 7.89 | | | |
| 8155 | 7.75 | 8259 | 6.85 | | | |
| 8156 | 8.75 | 8272 | 39.00 | | | |
| 8185 | 29.00 | 8275 | 29.00 | | | |
| 8202 | 27.95 | 8279 | 8.89 | | | |
| 8205 | 3.45 | 8279-5 | 9.89 | | | |
| 8212 | 1.79 | 8282 | 6.49 | | | |
| 8214 | 3.75 | 8283 | 6.49 | | | |
| 8216 | 1.69 | 8284 | 5.49 | | | |
| 8224 | 2.19 | 8286 | 6.49 | | | |
| 8226 | 1.79 | 8287 | 6.49 | | | |
| 8228 | 3.34 | 8288 | 24.95 | | | |
| 8237 | 19.00 | 8289 | 39.00 | | | |
| 8238 | 4.39 | 8741 | 34.95 | | | |
| 8243 | 4.39 | 8748 | 14.95 | | | |
| 8250 | 10.49 | 8755 | 29.95 | | | |

| DISC | | INTER | FACE |
|---------|-------|--------|------|
| CONTROL | ERS ' | 8T26 | 1.65 |
| 1771 | 15.95 | 8T28 | 1.95 |
| 1791 | 27.95 | 8T95 | .95 |
| 1793 | 29.95 | 8T96 | .95 |
| 1795 | 49.95 | 8T97 | .95 |
| 1797 | 49.95 | 8T98 | .95 |
| 6843 | 32.95 | DM8131 | 2.90 |
| 8272 | 39.00 | DP8304 | 2.25 |
| UPD765 | 34.95 | DS8835 | 1.89 |
| 1691 | 17.95 | DS8836 | .99 |

| EPROMS | | | STATIC RAMS | | |
|----------|------------|------|-------------|---------------|-------|
| 1702 | 1ns | 2.95 | 2101 | 450ns | 1.80 |
| 2708 | 450ns | 2.98 | 2102L-2 | 250nsLP | 1.44 |
| 2716 | 450ns | 3.90 | 2111 | 450ns | 2.48 |
| 2716-1 | 350ns | 5.90 | 2114 | 450ns | 1.74 |
| | 450ns | 5.35 | 2114L-4 | 450nsLP | 1.84 |
| 2532 | | 4.90 | 2114L-3 | 300nsLP | 1.84 |
| 2732 | 450ns | | | | 1.94 |
| 2764 | 450ns | CALL | 2114L-2 | 200nsLP | |
| D, | YNAMIC RAN | 1S | TMS4044-4 | 450ns | 3.15 |
| TMS 4027 | 250ns | .79 | TMS4044-3 | 300ns | 3.45 |
| UPD 411 | 300ns | 2.89 | TMS4044-2 | 200ns | 3.89 |
| MM 5280 | 300ns | 2.89 | MK4118 | 250ns | 9.69 |
| MK4108 | 200ns | 1.74 | TMM2016 | 200ns | 4.15 |
| MM 5298 | 250ns | 1.74 | TMM2016 | 150ns | 4.89 |
| | | | HM6116-4 | 200ns | 5.90 |
| 4027 | 250ns | 2.00 | HM6116-3 | 150ns | 6.90 |
| 4116 | 200ns | CALL | HM6116-2 | 120ns | 8.95 |
| 4116 | 150ns | CALL | Z6132 | 300ns | 32.95 |
| 4164 | 200ns | CALL | | | |
| 4164 | 150ns | CALL | | P = LOW POWER | |
| | | | | | |

| 51/4" | DISKETTES | |
|--------|-----------|---|
| ATHANA | OR NASHU | Α |

| SSSD | . 18.95 |
|------|---------|
| SSDD | . 22.95 |
| DSDD | . 27.95 |

BULK SSDD SOFT \$1.65 EA

| EPROM ERASERS |
|----------------------|
| HOLDS 15 EPROMS |
| ERASES IN 20 MINUTES |

ERASES IN 20 MINUTES 59.95

| CONNECTORS | | | | |
|--------------|---------|--|--|--|
| RS232 Male | 3.00 | | | |
| RS232 Female | 3.50 | | | |
| RS232 Female | RA 4.95 | | | |
| DC222 Hood | 1 20 | | | |

| | 6500 1 MHz | |
|------|---------------|-------|
| 6502 | | 5.25 |
| 6504 | | 6.85 |
| 6505 | | 7.60 |
| 6507 | | 9.85 |
| 6520 | | 3.95 |
| 6522 | | 4.95 |
| 6532 | | 5.95 |
| 6545 | | 16.95 |
| 6551 | | 10.95 |

UPGRADE YOUR APPLE or TRS-80 4116 200ns

CALL

| 32,768 KHz | 1.90 | 6.144 | 2.69 |
|------------|------|----------|------|
| 1.00 Hz | 4.50 | 6.5536 | 2.69 |
| 1.8432 | 4.50 | 8.0 | 2.69 |
| 2.0 | 3.90 | 10.0 | 2.69 |
| 2.097152 | 3.90 | 12.0 | 2.69 |
| 2.4576 | 2.69 | 14.31818 | 2.69 |
| 3,2768 | 2.69 | 15.0 | 2.69 |
| 3.579545 | 2.69 | 16.0 | 2.69 |
| 4.0 | 2.69 | 17,430 | 2.69 |
| 5.0 | 2.69 | 18.0 | 2.69 |
| 5.0688 | 2.69 | 18.432 | 2.69 |
| 5.185 | 2.69 | 20.0 | 2.69 |
| 5.7143 | 2.69 | 22.1184 | 2.69 |
| | 2.69 | 22,1104 | 2.05 |
| 6.0 | 2.09 | | |

CRYSTALS

74LS00 SERIES

| 74LS00 | .23 | 74LS123 | .77 | 74LS253 | .57 |
|------------------|------|--------------------|------------|--------------------|--------------|
| 74LS01 | .23 | 74LS124 | 2.88 | 74LS257 | .57 |
| 74LS02 | .23 | 74LS125 | .47 | 74LS258 | .57 |
| 74LS03 | .23 | 74LS126 | .47 | 74LS259 | 2.73 |
| 74LS04 | .23 | 74LS132 | .57 | 74LS260 | .57 |
| 74LS05 | .23 | 74LS136 | .37 | 74LS266 | .53 |
| 74LS08 | .23 | 74LS137 | .97 | 74LS273 | 1.47 |
| 74LS10 | .23 | 74LS138 | .53 | 74LS275 | 3.33 |
| 74LS11 | .25 | 74LS139 | .53 | 74LS279 | .47 |
| 74LS12 | .25 | 74LS145 | 1.18 | 74LS280 | 1.96 |
| 74LS13 | .39 | 74LS147 | 2.47 | 74LS283 | .67 |
| 74LS14 | .39 | 74LS148 | 1.33 | 74LS290 | .87 |
| 74LS15 | .29 | 74LS151 | .53 | 74LS293 | .87 |
| 74LS20 | .23 | 74LS153 | .53 | 74LS295 | .97 |
| 74LS21 | .23 | 74LS154 | 1.88 | 74LS298 | .87 |
| 74LS22 | .23 | 74LS155 | .67 | 74LS324 | 1.73 |
| 74LS26 | .29 | 74LS156 74LS157 | .67 | 74LS352 | 1.27 |
| 74LS27 | .23 | 74LS157 74LS158 | .63 .57 | 74LS353 74LS363 | 1.27 1.33 |
| 74LS28 74LS30 | .23 | 74LS158 74LS160 | .67 | 74LS363 | 1.93 |
| 74LS30 | .25 | 74LS160 | .63 | 74LS365 | .47 |
| 74LS32 74LS33 | .49 | 74LS161 | .67 | 74LS366 | .47 |
| 74LS33 | .29 | 74LS162 | .63 | 74LS367 | .43 |
| 74LS37 74LS38 | .29 | 74LS163 | .67 | 74LS368 | .43 |
| 74LS36 74LS40 | .23 | 74LS164 | .93 | 74LS373 | 1.37 |
| 74LS40 74LS42 | .43 | 74LS166 | 1.93 | 74LS373 | 1.37 |
| 74LS47 | .49 | 74LS168 | 1.73 | 74LS377 | 1.37 |
| 74LS48 | .74 | 74LS169 | 1.73 | 74LS378 | 1.17 |
| 74LS49 | .74 | 74LS170 | 1.47 | 74LS379 | 1.33 |
| 74LS51 | .23 | 74LS173 | .67 | 74LS385 | 1.88 |
| 74LS54 | .23 | 74LS174 | .53 | 74LS386 | .43 |
| 74LS55 | .28 | 74LS175 | .53 | 74LS390 | 1.17 |
| 74LS63 | 1.23 | 74LS181 | 2.13 | 74LS393 | 1.17 |
| 74LS73 | .37 | 74LS189 | 8.93 | 74LS395 | 1.17 |
| 74LS74 | .33 | 74LS190 | .87 | 74LS399 | 1.47 |
| 74LS75 | .37 | 74LS191 | .87 | 74LS424 | 2.93 |
| 74LS76 | .37 | 74LS192 | .77 | 74LS447 | .35 |
| 74LS78 | .47 | 74LS193 | .77 | 74LS490 | 1.93 |
| 74LS83 | .58 | 74LS194 | .67 | 74LS668 | 1.67 |
| 74LS85 | .67 | 74LS195 | .67 | 74LS669 | 1.87 |
| 74LS86 | .37 | 74LS196 | .77 | 74LS670 | 1.47 |
| 74LS90 | .53 | 74LS197 | .77 | 74LS674 | 9.63 |
| 74LS91 | .87 | 74LS221 | .87 | 74LS682 | 3.18 |
| 74LS92 | .53 | 74LS240 | .93 | 74LS683 | 3.18 |
| 74LS93 | .53 | 74LS251 | .59 | 74LS684 | 3.18 |
| 74LS95 | .73 | 74LS242 | .97 | 74LS685 | 3.18 |
| 74LS96_ | .87 | 74LS243 | .97 | 74LS688 | 2.38 |
| 74LS107 | .37 | 74LS244 | 1.27 | 74LS689 | 3.18 |
| 74LS109 | .37 | 74LS245 | 1.47 | | |
| 74LS112 | .37 | 74LS247 | .73 | 81LS95 | 1.47 |
| 74LS113 | .37 | 74LS248 | .97 | 81LS96 | 1.47 |
| 74LS114 | .37 | 74LS249 | .97 | 81LS97 | 1.47 |
| 74LS122 | .43 | 74LS251 | .57 | 81LS98 | 1.47 |

| IC | SOCKETS | |
|--------|-----------|------|
| | ST | W/W |
| 8 PIN | .10 | .49 |
| 14 PIN | .12 | .50 |
| 16 PIN | .15 | .57 |
| 18 PIN | .20 | .85 |
| 20 PIN | .25 | .99 |
| 22 PIN | .25 | 1.30 |
| 24 PIN | .25 | 1.40 |
| 28 PIN | .35 | 1.50 |
| 40 PIN | .40 | 1.80 |
| OŤ | Caldanial | |

ST = Soldertail W/W = Wirewrap

Z 80

SERIES

2.5 MHz

3.35 3.35

20.95

780-CPU

Z80-PIO

| 200-010 | 0.00 |
|------------|-------|
| Z80-DMA | 12.49 |
| Z80-DART | 14.98 |
| Z80-S10/O | 16.95 |
| Z80-SIO/1 | 16.95 |
| Z80-S1O/2 | 16.95 |
| Z80-SIO/9 | 16.95 |
| | |
| 4.0 MHz | |
| Z80A-CPU | 4.90 |
| Z80A-PIO | 4.90 |
| Z80A-CTC | 4.90 |
| Z80A-DMA | 21.95 |
| Z80A-DART | 15.95 |
| Z80A-SIO/0 | 20.95 |
| Z80A-SIO/1 | 20.95 |

| 280A-510/9 | 16.95 |
|------------|-------|
| 6.0 MHz | |
| Z80B-CPU | 14.9 |
| Z80B-PIO | 12.9 |
| Z80B-CTC | 12.95 |
| | |

Z80A-SIO/2

ZILOGZ6132 32.95
Z8671 38.95

ORDER TOLL FREE (800) 538-8800 (800) 848-8008

(CALIFORNIA RESIDENTS)
ALL MERCHANDISE IS 100% GUARANTEED

APPLE JOYSTICKS 29.95 APPLE PADDLES 9.95

APPLE SUPER COOLING FANS 49.95

WITH SURG PROTECH
69.95

APPLE* II
COMPATIBLE
DISK DRIVE
225.95
CONTROLLER CARD
79.95

DOKQU Computer Products, Inc.

2100 De La Cruz Blvd. Santa Clara, CA 95050 (800) 538-8800 Calif. Residents (800) 848-8008 STORE HOURS: MON-FRI 8:30 A.M.-5:30 P.M. SAT 10:00 A.M.-3:00 P.M.

BANKAMERIÇARD VISA



TERMS: For shipping include \$2.00 for UPS Ground. \$3.00 for UPS Blue Label Air. \$10.00 minimum order. Bay Area residents add 6% Sales Tax. California residents add 6% Sales Tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.



ADVERTISING INDEX

RADIO-ELECTRONICS does not assume any responsibility for errors that may appear in the index below.

| in the index below. | | | | |
|---------------------|-----------------------------------------------|----------|--|--|
| Free Info | ormation Number | Page | | |
| 3 | Active Electronics | | | |
| 80 | Advance Electronics | | | |
| 73 | All Electronics | | | |
| 51 56 | AMC Sales AP Products | | | |
| 89 | Arizona Electronic Surplus | | | |
| 60 | BBC Metrawatt | | | |
| 41, 78 67 | Beckman Instruments46, (Beta Electronics | | | |
| 98 | BF Electronic Supermarket | 179 | | |
| 77 5 | BK Precision Dynascan Byte-Ryte | | | |
| 7 | Calvert | | | |
| 35 | Cambridge Learning | | | |
| 18 | C D Electronics | | | |
| 34 | Chaney Electronics | | | |
| _ | CIE, Cleveland Institute of Electronics | 62.66 | | |
| 7 | Circuit Specialists | | | |
| - | Command Production | 20 | | |
| 22, 81 88 | Communications Electronics Components Express | | | |
| 68 | Computer Products | 200 | | |
| | Peripherals | | | |
| 21 84 | CRT Factory | | | |
| 92 | Decoder Distributors | 178 | | |
| 95 39 | Diamondback Electronics Digi-Key | | | |
| 11 | Digitron | | | |
| 53 | Direct Video Sales | | | |
| 99 26 | Dokay Computer Products Electro Industries | | | |
| 14 | Electronic Parts Supply | 20 | | |
| 59 6 | Electronic Rainbow | | | |
| 72 | Electronic Technology | | | |
| 33 | Today Electronic Warehouse | | | |
| 45 | Electronics Book Club | 177 | | |
| 15 50 | Enterprise Development | | | |
| 31 | Etronix | | | |
| 40 | Firestick Antenna | | | |
| - 76 | Formula International | 186, 187 | | |
| _ | Gilco International | 190 | | |
| 71 10 | Gladstone Electronics Global Specialties | | | |
| | Grantham College of Engineeri | ng15 | | |
| 75 16, 37 | Hal-tronix | | | |
| 85 | Hickok Electrical Instrument | | | |
| _ | ICS Computer Training | | | |
| 94 | Illinois Audio | | | |
| 20 | Jameco Electronics | 184, 185 | | |
| 28 29 | JAN Crystals | | | |
| 49 | JDR Microdevices | | | |
| 4 | Jim-Pac Electronic Component | | | |
| 63 83 | J W Electronics KCS Electronics | | | |
| 48 | Kikisui | 9 | | |
| 44 | L.I. Public Wholesalers | | | |
| 93 | McIntosh Labs | | | |
| - | Memo Tech | | | |
| 66 | Micro Management | | | |
| 12 | Micro-Mart | 204 | | |
| 46 17 | Microsignal Multidyne Electronics | | | |
| _ | Netronics R D Ltd | 134 | | |
| 90 | Network Sales New Horizons | | | |
| = | Newtone Electronics | | | |
| | NRI Schools | | | |
| 100 | NTS Schools. | | | |
| 52 | PAIA Electronics | 42 | | |
| 69 | Panavise | 33 | | |

| 9 | District Track Etc. | 202 |
|--------|----------------------------|-----------|
| - | Philips-Tech Electronics | |
| 97 | Pomona Electronics | |
| 30 | Professional Video | |
| 24 | Protecto Enterprises | 78 |
| _ | Radio-Electronics Reprint | |
| | Bookstore | |
| 61, 86 | Radio Shack | |
| 79 | Ramsey Electronics | 191 |
| 42 | RCA | 27,32,33 |
| _ | RCA Distributors Special | |
| | Products | 24 |
| _ | RCA Technical Publications | 41 |
| _ | RCD | 57 |
| 27 | R.F. Electronics | 206 |
| 96 | R.I.S.T. | 178 |
| 87 | Robotics Age | 134 |
| 32 | Sams Books | . 101-109 |
| 95 | Satellite Receiver Systems | 179 |
| 36 | Scientific Systems | 205 |
| 25 | SCR Electronics Center | 188 |
| 55 | SEI | 194 |
| 54 | Simpson Electric | 22 |
| 82 | Sintec | 30 |
| 23 | Solid State Sales | 188 |
| 43 | Soltec | 1 |
| 47 | Spartan Electronics | 208 |
| _ | Symmetric Sound Systems | 178 |
| 38 | Taft Electronics | |
| 8 | Technical Electronics | 194 |
| 74 | Tektronix | 7 |
| 64 | Traband Electronics | |
| 62 | Triplett | 43 |
| _ | T.V. Products | 178, 179 |
| 65 | Ungar | 179 |
| 19 | Vector Electronic | |
| 91 | VIZ Manufacturing | |
| 13 | Westech | |
| _ | Zenith | |
| | | |

ACTIVE RECEIVING ANTENNA

Gives excellent reception, 50 KHz to 30 MHz.

New MFJ-1024 Active Receiving
Antenna mounts outdoors away from
electrical noise for maximum signal.
Gives excellent reception of 50 KHz
to 30 MHz signals. Equivalent to wire
hundreds of feet long. Use any SWL,
MW, BCB, VLF or Ham receiver.
High dynamic range RF amplifier. 54

in. whip. 50 foot coax. 20 dB attenuator prevents receiver overload. Switch between two receivers. Select auxiliary or active antenna. Gain control. "ON" LED. Remote unit, 3x2x4 in. Control, 6x2x5 in. 12 VDC or 110 VAC with optional adapter,



MFJ-1312, \$9.95. \$129.95 (+54.00)

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping).
One year unconditional guarantee.

Order today. Call TOLL FREE 800-647-1800. Charge VISA, MC. Or mail check, money order. Write for free catalog. Over 100 products.


CALL TOLL FREE ... 800-647-1800

Call 601-323-5869 in Miss., outside continental USA, tech/order/repair info. TELEX 53-4590.

MFJ ENTERPRISES, INCORPORATED Box 494, Mississippi State, MS 39762

CIRCLE 66 ON FREE INFORMATION CARD

Our new 4½ digit DMM only acts expensive.



Now you can get $4\frac{1}{2}$ digit resolution plus an unmatched combination of high performance features for just \$239.

Performance Power

The new Beckman Model 4410 DMM gives you precise readings with resolutions down to 10 microvolts and 10 nanoamps. The 4410 offers you 0.05% basic Vdc accuracy plus true RMS Vac capability for

accurate readings of complex waveforms. Add to this RF shielding and high input impedance, and you have superior 4½ digit performance.

Easy to use

Built-in 10A ac/dc capability eliminates the need to carry an external shunt. For fast continuity tests, the INSTA-OHMS® continuity indicator works at the speed of a glance. For even more convenience, the single rotary switch makes function and range selection simple and sure.

Built to last

Packed with overload protection, the 4410 is designed for reliable service. It withstands 1500 Vdc or 1000 Vac on all voltage ranges as well as 6kV transients. A rugged 2A/600V fuse protects current ranges and resistance ranges against overloads up to 500 Vdc. For extra long life, the 4410 uses Beckman's custom designed switch and self-cleaning gold contacts.

With so much performance and reliability at your convenience, you'd expect the Beckman 4410 DMM to be expensive—not just \$239.

For more information, see your local distributor today. For the one nearest you, call or write: Beckman Instruments, Electronic Technologies Group/Instrumentation Products, 210 Ranger, Brea, CA 92621; (714) 993-8803.

^{\$239.}

BECKMAN

CIRCLE 78 ON FREE INFORMATION CARD



performance by design

Folding Meters are Better


Not all multimeters fold. There's a reason. While other manufacturers were busy copying each others designs, BBC looked at where portable meters were used and how they could be improved.

The result is a unique approach. Folding meters with large displays (18 mm LCDs) and adjustable viewing angles. Now you can have high performance in a meter that excels in the field and on the bench.

Hands Free vs Handheld

In multimeters "hands free" is significantly better than "handheld." You need three hands to operate the typical "handheld" meter in the field. One for the meter and two for the probes. BBC's folding design lets you use a neck strap for the meter. This frees your hands for the probes.

On the bench, the large, adjustable displays pay off. It's a sensible design that lets you make measurements faster and more easily.



A Heritage of Precision

BBC's track record of expertise in precision engineering spans eight decades. All our meters are built to tough VDE and DIN safety standards. The 3½-digit DMM's feature 0.1% basic dc accuracy and externally accessible fuses for overload protection.

CIRCLE 60 ON FREE INFORMATION CARD
www.americanradiohistory.com

Compact, Rugged and Affordable

To design the impact resistant case that protects these DMM's, BBC relied on the industrial design skills of the Porsche Design Studios.

When open, the display angle is easily adjustable. When closed, the display and the controls are protected, and the meters turn off automatically. Competitive pricing is another feature of BBC meters. Prices start at \$193.00.

Available Locally

BBC meters are available throughout the U.S. If your instrumentation supplier doesn't carry BBC yet, we'll gladly tell you who does. Call toll free:

1-800-821-6327 (In CO, 303-469-5231)

BBC - METRAWATT/GOERZ 6901 W. 117th Avenue Broomfield, CO 80020, Telex 45-4540

Engineering Excellence in Test and Measurement

