


FT501

Digital readout, 560W p.e.p., separate 9 MHz filters for USB and LSB, separate 9 MHz CW filter.

The very latest and best at a price only a fraction above the norm.

£300 plus V.A.T.



Sigmasizer

Complete coverage of 2m in 10 kHz steps. This F.M. rig is fantastic value at only **£165.00 plus V.A.T.**

LOWE ELECTRONICS

119 CAVENDISH ROAD, MATLOCK, DERBYSHIRE, DE4 3HE. Tel. Matiock 2817/2430

MEMBERS OF THE AMATEUR RADIO RETAILERS ASSOCIATION

1

March, 1973

G3LRB G3MCN **STEPHENS - JAMES LTD.** 70 PRIORY ROAD · LIVERPOOL · L4 2RZ

Telephone 051-263 7829

V.A.T. STARTS APRIL 1st, SAVE 10% - BUY NOW!

We can offer the most comprehensive range of amateur equipment in the country. Full guarantee on new equipment. Three months guarantee on our secondhand range, with money back guarantee. We purchase equipment for cash. Please state full details of the equipment and the price you require. Our secondhand range changes rapidly, but if you require any specific item let us know and we will inform you as soon as we have the item available. HP can be arranged on all orders over £35, this is subject to acceptance by the Finance Company. With a minimum of 10% deposit balance can be payable from 6 to 36 months. After sales service on all equipment. Equipment serviced and re-aligned whether you purchased it from us or not. A large S.A.E. will bring you full information on any equipment we stock.

Yana In					
Yaesu/Sommerkamp Range	Sentinal		Test Equipment		masts, lashing kits, etc. Send
FT101/FT277. New model £255	2 Metre Converters £	٤13.75	Kuranishi Wattmeter	£32.00	S.A.E. for leaflet.
FT200/250 Transceiver £172	4 Metre Converters f	£13·75	Hansen SWR Bridge		Social Factoria
FT401 Transceiver £230		£6 · 50	Osker SWR/Power Meter		Secondhand Equipment
FT505 with AM £240					Eddystone EB35 £50-00
TS145 2m Transceiver £94-00	Conal		Tech 13 G.D.O	£12+50	T\$500 Remote VFO £15-00
IC20XT 2m Transceiver £105				£4.00	KW Atlanta VFO £22.00
IC21XT 2m Transceiver £130-00	M	£7+50	Tech 20D Sig. Gen.	£15-00	KW2000B Transceiver and
	Model 227	£8-25	TMP436 Multimeters	£6-95	A.C. P.s.u £170
FR400/FR500 Receiver £160	Model 601 Post free £	E12·50	STI00 TR Multimeter	£13-50	Trio JR500 Rx £50.00
FL400/FL500 Transmitter £146+00			TMK TW50 Multimeter	£8-50	Trio JR310 Rx with 160
Remote VFO's £38-00	Skywood CX30		Sansei SWR Bridge	£3 85	THO JESTO EX WITH 160
Matching Speakers £10.00		28 . 50	Omena Nata Did TETO		metres £65-00
FL21000 Linear Amp £148.00		.20.30	Omega Noise Bridge TE701	£13.50	KW2000A with A.C. p.s.u. £155
FR50B Receiver £59.00			Omeag Noise Bridge TE702		Trio IR310 £60.00
FL50 Transmitter £68-00	Eddystone		Medco High Pass Filters	£2+40	KW Vespa Mk. II £85.00
FV50 VFO £27.50	ECIOMk2 Receiver £	686+00	TEI6 Transistor Sig. Gen.	£7.97	Sentinel 2M Converter
	1000 Series Receiver	£210	EK-9X Electronic Keyers	£8+20	28-30 Mcs. IF £10-00
F175 Transceiver £99.00		£98.00	Semi Auto. Bug Keys	£4.75	National NCX5 Mk2
FT75 A.C. and D.C. P.s.u's £22.50		£9.50	Morse Oscillators	£2.20	
1		£7.75		£4.80	
KW Electronics	A.C. Power Units		Wight traps standard		Eddystone 840c Rx £50
KW2000E Transceiver £265	Telescopic Antenna	£2+85	wight traps standard	£2.75	
"Q" Multiplier £12.50			Wight traps high power	£3.75	Publications
KW2000B Transceiver £240	Lafayette		Dipole "T" Pieces	13p	RSGB 1973 Call Book 70p
KW Atlanta Transceiver £210	Lafayette HA600A Receiver £	£50×00	Egg Insulators	4p	RSGB Standard Log Book 55p
			3" ceramic Insulators	150	
KW202 Receiver £140	Codar		PL259 Plugs	305	RSGB De Luxe Log Book £1-30
KW204 Transmitter £160	PR40 Pre-selector	£8•50	SO259 Sockets	300	Mobile Mini Log Book 25p
KW107 Matching Unit £46.00	CR70A General coverage	20.30	SO259 Sockets with nut	Job	Examination manual 90p
KW E-Z Match £16-50			fixing instead of 4 screws	34-	RSGB Communications
KW Balun £2.30	Receiver £	27 - 50	Amphenol Line Connectors	30p	Handbook £4-10
KW Antenna Switch £4-25			Amplienoi Line Connectors	90p	VHF/UHF Manual £1-80
KW103 SWR Power £12,50	G-Whip Mobile Antenna Ra	1124	Cable reducers	10p	ARRL Antenna Handbook £1.35
KW Trapped Dipoles from £16-00	160m. Ranger	£7.50	300 ohm twin feeder yd.	5p	ARRL Single Sideband Book £1.35
		29.00	75 ohm twin feeder yd.	5p	Send S.A.E. for full list of American
KW Dummy Load £8-00			50 ohm coax ýd.	12p	and British publications available.
Trio	Calls for 00 40 100	10.50	50 ohm co-ax UR67 yd.	22p	Brain Difficient publications available.
		£4+00	, u.		Book prices include postage.
9R59DS Receiver £49.50	Basemounts	£1.45	J Beam		
JR310 Receiver £75.00	2m 5/8th vertical	£4+10	2 M . 4 EL .	£3-40	Barlow Wadley XCR-30
SP5D Speaker £4.75	Multi Mobile £	12.50			Receiver. Introducing
TS515 Transceiver £210		£4.00	2 Metre 6 Element	£4.00	the newest solid state
JR599 Receiver £185	G-Whip booster, 40" fibre		2 Metre 8 Element	£4•70	portable receiver 0.5 to
	glass rods for fixed/port-		2 Metre 10 Element	£9.50	
1X399 Iransmitter £185	able	CA 75	2 Metre 14 Element	£12.50	30 MHz, continuous
Hu Gala Antones Broom		£4•75	2 Metre 14 Element Para-		coverage, direct readout.
Hy-Gain Antenna Range	New FLEXI-whip range.		beam	£14-80	AM, CW. Selectable
12AVQ 10-15-20m. Vertical £16-50	Basic 10 metre model	£8+00	2 Metre 8 over 8	£8.90	Upper or lower S Band £89-50
14AVQ/WB 10 to 40m.	Coils for all other bands	£4•25		£7.25	
Vertical £24.50					S.A.E. with all enquiries please.
18AVQ/WB 10 to 80m.	Antenna Rotators			£5.10	Carriage/postage extra all items
Vertical £35.50		25.00	A Metre Halo	£1+85	at cost. unless stated.
TH6DX Tribander Beam £97.00	TD 44		2 Metre Crossed Dipoles	£5-10	at tout, unicas stated,
TH3MK3 Tribander Beam £75.50		45.00	2 Metre Omnidirectional	£7+65	Shop howns 820 and to t
TH3 Junior Tribander Beam £51.00	HAM-M Carr. 50p £	10.00	70 Cms. 8 over 8	£6+10	Shop hours 9.30 a.m. to I p.m.
TH2MK3 two element			70 Cms. 14 Element	£7 • 50	2.15 p.m. to 6 p.m.
	Microphones		70 Cms, 18 El. Parabeam	£7.95	Half day is Wednesday
Tribander £51.00	Yaesu YD844 £	12.00	70 Cms. 46 Element Multi-		inan uay is weanesday
LC80Q Loading Coil £7.75		£5.00	beam	£11+00	Taller of the second second
BN86 Balun £8-00	Shure 444 £				Full range of diecast boxes, cabinets,
203BA 20 metre 3 element £75-00		£5.75	All above include carriage	- Full	panel meters, etc. Large S.A.E.
			range of J Beam stocked in	cluding	for lists.
	MEMOTOS OF THE SHE				
	MEMBERS OF THE AMAT	EUR RA	DIO RETAILERS ASSOCIAT	ION	

RADIO COMMUNICATION HANDBOOK

Fourth Edition of the Original RSGB "Amateur Radio Handbook"

Price £4.10

(inclusive of post and packing) Available from stock

Order from

PUBLICATIONS DEPT. SHORT WAVE MAGAZINE LTD., 55 VICTORIA STREET, LONDON, SW1H OHF

"DX ZONE MAP"

In four colours, on durable paper for wall mounting, 35in, wide by 25in, deep. Giving essential DX information—bearing and distance of all parts of the world relative to the U.K., the 40 Zone areas into which the world is divided for Amateur Radio purposes, with major prefixes listed separately. Distance scale in miles and kilometres. Time scale in GMT. Marking of Lat./Long. close enough for accurate plotting. Hundreds of place names, mainly the unusual ones, and most of the rare islands. With may Berfu the unusual ones, and most of the rare

With new Prefix List revised to January 1972. Price 85p

including postage and special packing in postal tube to avoid damage in transit.

Publications Dept. Short Wave Magazine Ltd., 55 Victoria Street, London, SWIH 0HF (01-222 5341/2.)

NEW HEATHKIT 2-METRE F.M. SOLID-STATE AMPLIFIER

An economy approach to boost mobile powersmall in size and price but just look at this spec!

40 watts nominal out for 10 watts in-requires only 12 VDC supply.

Perfect match for the HW-202 Transceiver-also gives fully automatic operation with any 2-metre exciter delivering 5-15 watts drive.


Solid-state design - all components mount on single board for fast, easy assembly.

If you're regularly working from a fringe area, the new Heathkit HA-202 2-metre Amplifier can boost your mobile output to 40 watts (nominal), while pulling a maximum of 7 amps from your car's 12 volt battery.

You can mount the compact HA-202 wherever it's convenient-in the boot or under the dashboard. Use it with HW-202 2-metre Transceiver, or with any 2-metre exciter delivering 5-15 watts drive.

Fully automatic operation—an internal antenna changeover relay and sensing circuitry provide automatic transmit/receive switching. The all solid-state design features rugged, emitter-ballasted transistors, combined with a highly efficient heat sink. This permits the HA-202 to withstand high VSWR loads, yet remain cool and continue to transmit without the need for complex sensing circuits.

Tuned input/output circuits provide a low spurious content, yet allow coverage of any 1.5 MHz segment of the 2-metre band without re-adjustment.



Easy, 4-hour assembly-all components mount on one printed circuit board. Then you align your HA-202 with either a VOM or VVM. The manual shows you how, every step of the way. Installation is even faster!

Kit includes transceiver connecting cable as well as antenna connector. The HA-202 is designed for operation from a 12 VDC system. Additional power supplies are not required.

HA-202 SPECIFICATION—Frequency Range: 143-149 MHz. Power Output : 20W at 5W in, 30W at 7.5W in, 40W at 10W in, 50W at 15W in. Power Input (rf drive): 5-15W. Input/Output Impedance: 50 ohms, nominal. Input VSWR: 1.5:1 max. Power Supply Requirements: 12 to 16 VDC, 7 amps max. **Operating Temperature Range:** -30 F to +140 F. **Dimensions:** 3^{n} x $5\frac{1}{2}^{n}$ d x $4\frac{1}{4}^{n}$ w. (Excluding mounting flanges).

KIT K/HA-202

(Mail order prices and specifications subject to change without notice)

FREE CATALOGUE	Please send me a FREE Heathkit catalogue
Post the coupon NOW for a FREE copy of the world- famous HEATHKIT Hi-Fi Audio/ Instrumentation Catalogue.	Name Address
	HEATH Heath (Gloucester) Limited, Dept.SW/03/73 Schlumberger Gloucester GL2 6EE. Telephone 0452 29451





A NEW SERVICE

JUST PHONE YOUR ORDER IN!

NO LETTER WRITING - NO MONEY REQUIRED - JUST QUOTE YOUR ACCESS CARD NUMBER AND

WE DESPATCH THE GOODS!

This service will be available to callers, mail and telephone customers ; just another part of the finest service available to the U.K. Amateurs. We hope you'll give it a try ! We'll despatch your order the same day if humanly possibly by whatever means you wish.

You may order anything which we sell by this high speed service, including used equipment, up to the limit of your Access card.

NOW IS YOUR LAST CHANCE!

Don't forget all prices go up by 10% V.A.T. in April on everything which we sell except Caslon Clocks. You'd be wise to make that possible change in your station now !

H.P. With inflation and V.A.T. you may as well get the goods on H.P.!

ANNOUNCE

EXAMPLES OF HIRE PURCHASE Monthly Repayments over :

Model	Deposit	l Year	H.P. Price	l½ Years	H.P. Price	2 Years	H.P. Price	3 Years	H.P. Price
FR50B FR400SDX FT/FT75 FT/FT200 FT-101 FT-101 FT-2 AUTO YC-305 FL-2100 FL-2100	£7.00 £16.00 £12.50 £18.00 £26.00 £9.00 £9.00 £9.00 £15.00 £15.00 £15.00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	£74.00 £178.00 £135.50 £191.00 £284.00 £256.00 £100.00 £162.00 £124.00 £124.00 £125.00	$\begin{array}{c} 16- \ \pounds 4\ ;\ 2- \ \pounds 3\\ 9- \ \pounds 10\ ;\ 9- \ \pounds 9\\ 3- \ \pounds 8\ ;\ 15- \ \pounds 7\\ 3- \ \pounds 1\ ;\ 15- \ \pounds 7\\ 3- \ \pounds 1\ ;\ 15- \ \pounds 10\\ 2- \ \pounds 14\ ;\ 15- \ \pounds 10\\ 2- \ \pounds 14\ ;\ 6- \ \pounds 13\\ 6- \ \pounds 6\ ;\ 12- \ \pounds 5\\ 1- \ \pounds 5\ ;\ 12- \ \pounds 5\\ 1- \ \pounds 5\ ;\ 17- \ \pounds 5\ ;\ 17- \ \pounds 5\\ 1- \ \pounds 5\ ;\ 17- \ $	£77.00 £187.00 £141.50 £201.00 £298.00 £105.00 £171.00 £171.00 £131.00 £173.00	$\begin{array}{c} 2-\ \text{\pounds4}\ ;\ 22-\ \text{\pounds3}\ \\ 12-\ \text{\pounds8}\ ;\ 12-\ \text{\pounds7}\ \\ 16-\ \text{\pounds6}\ ;\ 8-\ \text{\pounds5}\ \\ 1-\ \text{\pounds7}\ ;\ 23-\ \text{\pounds8}\ \\ 22-\ \text{\pounds1}\ ;\ 5-\ \text{\pounds1}\ \\ 20-\ \text{\pounds7}\ ;\ 18-\ \text{\pounds4}\ \\ 20-\ \text{\pounds7}\ ;\ 4-\ \text{\pounds6}\ \\ 1-\ \text{\pounds5}\ ;\ 23-\ \text{\pounds4}\ \\ 6-\ \text{\pounds6}\ ;\ 18-\ \text{\pounds5}\ \\ 22-\ \text{\pounds7}\ ;\ 2-\ \text{\pounds6}\ \end{array}$	£81.00 £196.00 £148.50 £211.00 £312.00 £12.00 £111.00 £179.00 £106.00 £138.00 £181.00	$\begin{array}{c} 11- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	£90.00 £214.00 £162.50 £230.00 £341.00 £308.00 £195.00 £195.00 £116.00 £151.00 £198.00

REMEMBER! THE YAESU RANGE IS SECOND TO NONE & LIKE OUR SERVICE !

We carry a full stock of factory recommended spares and more besides!

SERVICE: We do all labour FREE on warranty claims.

GUARANTEE: We maintain the YAESU 12 months guarantee.

DELIVERY: We deliver within 24 hrs. of receipt of order of items which are in stock. This is the **fastest delivery service** in the country and costs £1 per parcel only ! 48 hr. service to Scotland and remote places.

COLLECTION: In the unlikely event of your having faulty equipment, all you have to do is phone/write us and we will collect by SECURICOR AT OUR EXPENSE and return the unit to you AT OUR EXPENSE.

EVERY MODEL BELOW, EX-STOCK

As there will be a last minute rush to beat V.A.T. you'll be wise to place your order with us now. Dial 04216 4930 and Mary or Hilary will soon confirm availability.

YAESU PRICES-CARRIAGE PAID BY SECURICOR

HF TRANSCEIVERS

SPARES:

FT-75. 50W p.e.p. 10-80m. 3 Ch. vxo	£99.00
FP-75. AC PSU and Speaker for above	£22.50
DC-75 DC PSU SPEAKER and MOBILE MOUNT	£22.50
FT-200 240W. p.e.p. 10-80m	£134.00
	£38-00
	£46.50
FT-101. 10-80m. AC & DC PSU built-in NEW	
	£249.00
	£255.00
	£230.00
FI-4UI 56UVV. D.C.D. IV-8UM	
•••••••••••••••••••••••••••••••••••••••	E230.00
VHF TRANSCEIVERS	2230.00
•••••••••••••••••••••••••••••••••••••••	£89.00
VHF TRANSCEIVERS	
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER	£89.00
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER FP-2 ACB. AC PSU/Spkr. and Ni.cad batteries	£89.00 £25.50 £36.00
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER FP-2 ACB. AC PSU/Spkr. and Ni.cad batteries FT-2 AUTO ·2m. 8 Ch. Scanning	£89.00 £25.50 £36.00
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER FP-2 ACB. AC PSU/Spkr. and Ni.cad batteries FT-2 AUTO ·2m. 8 Ch. Scanning HF TRANSMITTERS	£89.00 £25.50 £36.00 £146.00
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER FP-2 ACB. AC PSU/Spkr. and Ni.cad batteries FT-2 AUTO '2m. 8 Ch. Scanning HF TRANSMITTERS FL 50. 50W. p.e.p. 10–80m. VXO control	£89.00 £25.50 £36.00 £146.00 £68.00
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER FP-2 ACB. AC PSU/Spkr. and Ni.cad batteries FT-2 AUTO ·2m. 8 Ch. Scanning HF TRANSMITTERS	£89.00 £25.50 £36.00 £146.00 £68.00
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER FP-2 ACB. AC PSU/Spkr. and Ni.cad batteries FT-2 AUTO '2m. 8 Ch. Scanning HF TRANSMITTERS FL 50. 50W. p.e.p. 10–80m. VXO control	£89.00 £25.50 £36.00 £146.00 £68.00 £72.00
VHF TRANSCEIVERS FT-2FB 2m. 12 Channel, 10W. O/P FM. NEW ! FP-2AC AC PSU and SPEAKER FP-2 ACB. AC PSU/Spkr. and Ni.cad batteries FT-2 AUTO '2m. 8 Ch. Scanning HF TRANSMITTERS FL 50, 50W. p.e.p. 10-80m. VXO control FL 50 fitted VOX	£89.00 £25.50 £36.00 £146.00 £68.00 £72.00

HF RECEIVERS

FR50. Double conversion 10-80m	£59.00
FR50 fitted WWV and xtal. Calibrator	£63.00
FR400DX. 160m. 80–10m. (28–29 MHz)	£120.00
FR400SDX. 160-2m. 4 Mech. Filters, 28-30 MHz	£160.00

REMOTE VFO's

FV-101 for FT-101, FV-200 for	FT-200		 £38-00
FV_401 for FT_401		•••	 £38-00
FV-50 for FT-75 and FL50	•••	•••	 £27.50

FREQUENCY COUNTERS

YC-305, 35 MHz AC and 12v. DC	£85∙00
YC-355, 35 MHz AC only	£85•00
YC–305D, 220 MHz. Built-in pre-scaler	£111.00
YC-355D, 220 MHz AC and 12v. DC	£111.00

LINEAR AMPLIFIERS

FL-2100W p.e.p. 10-80m. (Matches FT-101)	£148.00
	£148.00
FL-2500 2kW p.e.p. 160-10m	£122.00

FT-101 SPECIAL FREE OFFER!

For a limited period only we offer any licensed amateur whose QTH appears in the Callbook the opportunity to try in your own home on your own antenna the FT-IOI (old model). Compare it against your present gear and marvel at its superb performance (sensitivity on 28 MHz etc.) and if you're not satisfied merely send it back to us. DO NOT SEND ANY MONEY ! You have the FT-IOI for seven days and then either send us the "IOI" back or £229.00 ! We will pay the carriage both ways so that you are put to no expense whatsoever !



INTRODUCTORY OFFER £299 !

NEW! SIGMASIZER 200. A 2m. 200 channel frequency synthesised Transceiver. 10w. o/p, £165

144 MHz EQUIPMENT

TEMPO	2	METRE	FM	AMPLIFIERS
-------	---	-------	----	------------

Model	Drive Power	Output Power	Current	Price
1002-3	5-25 watts	100-135 watts	17 amps	£119-90
802	5-12 watts	70-90 watts	12 amps	£98-97
502	5-15 watts	35–55 watts	5 amps	£57 · 95
TCP 12A	CONTROL HEAD			£17·85

All the amplifiers operate on 13.8v, D.C.

Tempo brings you the finest amateur RF amplifier for VHF FM available today. Years of experience in solid state RF design have gone into the equipment to assure the highest degree of efficiency and reliability. Only state-of-the-art techniques in circuit and semiconductor technology make an amplifier of this quality possible. The amplifying transistors are of the balanced emitter silicon power type. These transistors are individually checked for power output and reliability during mis-match conditions, before being inserted in the amplifiers. Additionally the amplifying transistors are operated well within the factory's suggested limitations for added reliability and life. This assures the customer of years of dependable service even under the most punishing conditions. All circuitry is of micro-strip technique for stability and broadband charac-teristics. Additional features of the micro-strip techniques include extreme mechanical stability and ease of servicing.

Antenna switching is accomplished through the use of specially selected pin diodes and printed quarter wave micro-strip transmission lines. These PIN diodes are activated by an RF sensing circuit consisting of a printed omni-directional coupler and amplifier. Thus when as little as 5 watt of RF power is applied to the input of the amplifier this circuit is activated causing the PIN diodes to switch this RF power through the RF power amplifier During receive the antenna by-passes the amplifier and is fed through the PIN diode switch to the transceiver. Also of note is a reverse voltage pro-tection diode. In the event the amplifier is connected to the wrong polarity, the diode will protect the power transistors from destruction. All RF and DC cables are supplied along with a detailed instruction manual describing installation, circuitry, and service. All of the units are very simple to install and fool-proof to operate. With proper care these amplifiers will give you a lifetime of dependable service. Those amplifiers include commercial quality fibring. All commercial orders should include a frequency range to which the amplifier should be tuned. **TEFMPO TCP 12A**

TEMPO TCP 12A

This unit offers the user continuous monitoring of the power output of his amplifier. Power is read directly in watts on the meter. This head is plugged into the control jack of any Tempo amplifier. It can be mounted in any con-venient location, away from, or next to the amplifier. It then offers the user not only power output monitoring but also the ability to turn the amplifier off and on. The control head can also monitor the battery voltage. Power is detected in the amplifier by a printed circuit directional coupler which is built into all Tempo TPL VHF power amplifiers.

★ Switchable for FM or SSB.

★ Regulated 12v. D.C. supply available to power FT-2FB, etc.

NEW ! SEIDENSHA 2m. FM-SSB power Amplifier. Type FMB200J, £160

- ★ Operates from 234v. A.C.
- ★ 100 watts OUTPUT !
- ★ Requires only 10w. drive.

430Z MHz EQUIPMENT

MODEL TA-10CN. 144-432 MHz Transvertor £85.39. This unit converts 144 MHz signal to 432 MHz. 10w. o/p and also converts the received signal to 144 MHz.

ROBOT Slow-scan TV. Ex-stock

All you need to add to your SSB transmitter/receiver is the mode to monitor £237 and Model 80 Camera £262 in order to send and receive SSTV signals from around the world. Please send SAE for full details.

J BEAM EX-STOCK

AMECO TRANSCEIVER PRE-AMPLIFIER. Model PT-E

Covers 1-8-54 MHz to give a boost to receiver signals. Automatically by-passed on transmit. Feed a second receiver. Powers transceiver and clock and has a spare A.C. outlet. Relays operate linear and receiver muting. Has 6CW4 Nuvistor RF stage for excellent noise figure. Price £31.80 Ex-stock.

NEW/USED EQUIPMENT

ELECTRIC WINCH for Versatower, £49.75 (50p) NEW !

ANTENNAS. ASAHI, MOSLEY, HY-GAIN, J-BEAM, BANTEX, G-WHIP all in stock.

EXPORT : A pleasure ! We ship daily via LAND, SEA or AIR ! STOP PRESS. Due to currency fluctuations, prices are liable to alterations.

FOR COURTEOUS SERVICE CONTACT US AT

WESTERN ELECTRONICS (UK) LTD.


OSBORNE ROAD . TOTTON . SOUTHAMPTON SO4 4DN . TEL : TOTTON (04216) 4930 or 2785

Cable : 'AERIAL' SOUTHAMPTON

5




March, 1973



TEN-TEC RX-10 — COMPACT, PORTABLE, 4-BAND RECEIVER

The Ten-Tec RX–10 is a rugged, solid-state receiver for 80–40–20–15 metre Amateur Bands. Dependable synchrodyne circuit converts signal directly to audio with dual gate MOSFET mixer. Assures freedom from "images and birdies". Sensitivity is high and frequency drift is negligible. The RX-10 features a built-in oscillator for code practice. Also makes a fine CW monitor when used with a suitable transmitter. Audio output drives high impedance headphones only. Rear switch for 230v. A.C. or 12v. D.C. operation.



£32.50 (postage 30p extra)

PERFORMANCE;

Sensitivity : Less than I uv provides readable signal. Stability : Less than 100 Hz drift. No warm up. Audio Output: 3 volts across 1000 ohm load.

RADIO SHACK LTD. 188 BROADHURST G LONDON, NW6 3AY Open 6 days 9 a.m. until 5 p.m.

Closed for lunch | p.m. until 2 p.m.

SPECIFICATIONS :

Frequency range: 80 3.5- 4.0 MHz 40 7.0- 7.3 MHz 20 14·0-14·6 MHz 15 21.0-21.9 MHz Modes of operation : USB, LSB, CW, AM. Power : 230v. A.C. 50-60 Hz &A. or 12v. D.C. 35ma. Size : $10\frac{3}{8}$ w. x $4\frac{1}{2}$ "h. x $6\frac{5}{8}$ "d. Controls : Band Selector (push-button). Audio gain, Antenna tune, Main tune. Power ON-OFF. Rear panel connectors : Antenna-phono socket. Key-phono socket. 12v. D.C.-phono socket. Shipping Weight : Approx. 24 lbs.

> Antenna impedance : 50–75 ohms—unbalanced. Circuit : Direct conversion. Synchrodyne. Selectivity : 2 kHz at 6dB down points.

188 BROADHURST GARDENS


Just around the corner from West Hampstead Underground Station Telephone : 01-624 7174 Cables : Radio Shack, London, N.W.6. Giro Account No.: 588 7151 Access and Barclay cards accepted



PMILA



PMIX



PRESELECTORS

P.M.IIA. This is a preselector covering from 1.8 to 32 MHz in six overlapping ranges, having an antenna coupler to make the most of your aerial, followed by an EF80 to amplify the signal up to some 20/25 dB before it reaches the receiver. Com-plete with silicon/transformer fused supply and indicator. £9-20. Can also be supplied with a built-in 1 MHz crystal calibrator. £13-20.

P.M.IIB. A preselector covering from 1.8 to 32 MHz with antenna coupler utilizing an FET and Bipolar, battery powered. £8-25.

The PMIIB can now be supplied with a gain control. £8-50.

P.M.IIBX. The mains powered version of the P.M.IIB. Having a transformer/ silicon fused power supply with indicator. A gain control is included. Case size as P.M.IIB. £10.85.

CALIBRATORS

P.M.V. Extremely small unit having a 1 MHz oscillator and 100 kHz 1/C divider. Modulation applied at 1 kHz. £7.75.

P.M.VIII. Battery driven with outputs at 1 MHz, 100 kHz, 10 kHz and modulation at 1 kHz. Oscillator adjustable to a frequency standard transmission, again using I/C dividers. £11.75.

P.M.IX. Mains powered de luxe version of the above, having outputs at 1 MHz, 500 kHz, 100 kHz, 500 kHz, 10 kHz and again modulation at 1 kHz when required. It has a silicon/transformer fused supply, with indicator and gain control. £19.50. All these calibrators give harmonics up to at least 144 MHz.

CONVERTERS

P.M.III. This is a 1-8 MHz converter, using FET's in R.F. and Mixer plus a Bipolar crystal controlled oscillator. I.F. at 7 to 7-2 MHz. Having an antenna coupler. Battery powered. £10-50.

P.M.VI. A preselector with same specification as the P.M.IIA with the addition of an FET 1-8 MHz converter again crystal controlled, with antenna coupler. $\pounds 18 \cdot 50$. This can also be supplied with a built-in 1 MHz calibrator. $\pounds 22 \cdot 50$.

Send for illustrated leaflets

HAMGEAR ELECTRONICS **29 CARLYLE ROAD, NORWICH, NOR 66C**

WE ARE THE ANTENNA PEOPLE

SOME ANTENNAS

MONO-BANDE	RS							
A-310	3 Element. 10 metres			•••			£24-00	
A-315	3 Element. 15 metres	•••					£25-00	
Classic-203-C	3 Element, 20 metres						£70.00	
A-92-S	9 Element. 2 metres						£11.50	
DI-10	Ground Plane. 10 metres						£18+00	
D1-2	Ground Plane. 2 metres						£6-50	
MCQ-10	10 metre Quad						£45.00	
MCQ-15	15 metre Quad						£45.00	
MC Q-20	20 metre Quad						£48.00	
						•••	210.00	
DUAL-BANDER	S							
Elan	3 Elements. 10 and 15 me	****						
Elan	2 Elements. 10 and 15 me	tres .	•••	•••	•••	•••	£30-00	
TD-2	Trap Dipole. 40 and 80 m	tres	•••	•••	•••	•••	£22.00	
	map Dipole. 40 and 60 m	erres	•••		•••	•••	£22-50	
TRI-BANDERS								
Mustang	3 Elements. 10, 15 and 20	metro					<i>(11 an</i>	
Mustang	2 Elements. 10. 15 and 20	metre			•••	•••	£44.00	
TA-33 Jr.	3 Elements. 10, 15 and 20	metre	5	•••	•••	•••	£33.00	
TA-32 Jr.	2 Elements. 10, 15 and 20	metre	5	•••	•••	•••	£35-00	
TA-31 Jr.	Rotary Dipole. 10, 15 and	nietre:	5	•••	•••	•••	£24.50	
Classic-36	6 Elements. 10, 15 and 20	20 me	tres	•••	•••	•••	£15-50	
Classic-33	3 Elements. 10, 15 and 20	metre	5	•••	•••	•••	£98.00	
V-3 Jr.	Tree Version 10, 15 and 20	metre	s	•••	•••	•••	£77.00	
MCQ-3B	Trap Vertical. 10, 15 and	20 met	res	•••		•••	£11-00	
El-Toro	Cubical Quad. 10, 15 and	20 met	res			•••	£70-00	
21-10-0	Vertical. 20, 40 and 80 me	etres			•••		£11-00	
QUAD-BANDER	16							
Atlas		1 10						
A040	Trap Vertical. 10, 15. 20 a	Ind 40 I	metres			•••	£22.00	
SWL Antennas								
SWL/7	Dipole. 11, 13, 16, 19, 25,	21	40					
RD-5	Dipole. 10, 15, 20, 40 and	and and	49 me		•••	•••	£11+00	
	Dipole. 10, 15, 20, 40 and	ou met	res	•••	•••	•••	£11-00	
Note : All "E" Mod	lels (2" mast fitting)					Plus	50 p	

Note : All prices ex works carriage and Insurance extra.

Send for HANDBOOK/CATALOGUE containing full details of Antennas and other technical information. 25 pages 15p.

Refundable upon purchase of Antenna.

40 Valley Road, New Costessey, Norwich, NOR 26K, England.

R. T. & I. ELECTRONICS LTD. where equipment is fully overhauled

KW VESPA 2 and p.s.u.						£105-00 (£3-00)
HEATHKIT GR 64					•••	
KW/GELOSO CONVER	TEP /					£25-00 (£1-00)
LAFAYETTE LLASSA	EK (I	nto 4.	- 5 M F	1Z)		£16-00 (50p)
LAFAYETTE HA350						£60.00 (£1.50)
LAFAYETTE HA800			• • •			£48.00 (£1.00)
HEATHKIT RAI						£35.00 (£1.00)
LAFAYETTE HE 80				•••		
HAMMARLUND SP-600	1.4		•••			£50.00 (£1.50)
EDDYCTONE TOU		•••				£135-00 (£2-00)
EDDYSTONE 770U						£160-00 (£2-00)
HEATHKIT DX 100 Trai	nsmitte	er				£45.00 (£3.00)
EDDYSTONE ECI0 Mk.	2					£68.00 (£1.00)
KW 2000A with A.C. p.s.u	-			•••	•••	
NATIONAL NCX-5 wit		•••	•••			£180.00 (£3.00)
TRIOTAL NUL WIT	n A.C.	p.s.u.	• • •	•••		£220.00 (£3.00)
TRIO TS 510 with A.C. p.	.s.u.					£150-00 (£3-00)
EDDYSTONE 960 Receiv	er					£120.00 (£2.00)
KW 201 Receiver						£90.00 (£2.00)
HEATHKIT RGI Receive			•••	•••	•••	
TRIO JR-500-SE Receive	• • • •	•••	• • •			£33-00 (£1-00)
Thio JR-300-SE Receive	r					£58.00 (£1.50)
RCA AR88D Receiver			• • •			£75.00 (£2.00)
TW 160 Communicator I	2v. D.C					£48.00 (£1.50)

WE CAN ALSO SUPPLY ANY MAKE OF NEW EQUIPMENT—and have pleasure in giving a few examples which are normally in stock:—

STOCKISTS OF YAESU MUSEN EQUIPMENT.

- STOCKISTS OF YAESU MUSEN EQUIPMENT.
 AVOMETERS, Model 7, Mk. 2, 637-60; Model 8, Mk. 5, 640-90; Model 70, Kk. 2, 637-60; Model 72, 640-90; Model 40, Mk. 2, 637-60; Model 72, 618-20; Multiminor, Mk. 4, 613-59; Standard leather carrying case (Model 57, 8, 9, 40) triminor, Mk. 4, 640-90; Model 40, Mk. 2, 637-60; Model 72, 618-20; Multiminor, Mk. 4, 613-59; Standard leather carrying case (Models 7, 8, 9, 40) trivitation of the start of the sta

LAFAYETTE HA600 Receiver £50-LAFAYETTE HA800, £57-50 (50p).

Carriage for England, Scotland and Wales shown in brackets, Terms: C.W.O., Approved Monthly Accounts, Hire Purchase and Part Exchange. Special facilities for export. Enquiries invited.

At R.T. & I.

- We have full H.P. facilities.
- Part exchanges are a pleasure.
- We purchase for cash.
- We offer a first-class overhaul service for your electronic equip-ment, whether you are an amateur or professional user.

TA 33 Junior

FREE SHURE MIC. WITH EVERY KW TRANSMITTER or TRANSCEIVER purchased

- We have EASY Packing facilities.
- * We welcome your enquiries for specific items which although not advertised, may very well be in stock.
- PARTRIDGE "JOYSTICKS," "New Lightweight VFA" £11.00 (40p). "JOYMATCH" III. Aerial Unit, £11.00 (40p). LO-Z500, £16.00 (40p); ATU kit, £4.50 (30p); ATU assembled, £5.50 (30p); Artificial earch £4.50 (30p); Aerial Bandswitch, £4.50 (30p). Literature on request.
- TRIO EQUIPMENT. Receivers :STS9DS, 249-50 (4:00); IR 319, 475-00 (4:1-00); IR 399, £185-00 (£1-50); Transmitter TX-599, £185-00 (£3-00); Transciver TX 515 and PS 515, £210-00 (£3-00); Loudspeaker SPSD, £4-50 (50p); Headphones HS4 (equivalent), £6-00 (20p); Stabiliser, 60p (5p). Leaflets available.
- SHURE MICROPHONES, 444T, £15-00 (40p); 444, £13-00 (40p); 401A, £6-50 (30p); 201, £5-40 (30p); 202, £6-00 (30p). Full details on request.
- KEYNECTORS, piano key mains connector units, £2.95 (25p).
- VALVES. Please state your requirements.
- ADVANCE DMM2 DIGITAL MULTIMETER, £99-00 (50p), etc., etc
- TMK METERS : TMK500, £9-00 (25p) ; TW20CB, £11-25 (25p) ; TPSN £6-25 (25p) ; 700, £18-00 (25p) ; also leather cases. PHILIPS PM2403 ELECTRONIC MULTIMETER, £49-00 (25p), etc., etc.
- We also supply PHILIPS and KORTING COLOUR TV TEST EQUIP-MENT, including Colour Bar Generators, Convergators, etc.
- MENT, including Colour Bar Generators, Convergators, etc.
 KW EQUIPMENT (Don't forget your FREE mic. with every Tx. and Txcr.). KW2000B + A.C. ps.u., £240-00 (£1-00); D.C. ps.u. for KW2000B, £44-00 (50p); F.W 2000B only, £200-00 (£1-50); KW2000E plus A.C. ps.u., £255-00 (£1-00); KW ATLANTA + A.C. ps.u., 1990-00 (£2-00); Remote V.F.O. for Atlanta, £34-00 (50p); VCX unit for Atlanta, £7-50 (25p); Remote V.F.O. for 2000B, £36-00 (50p); KW200 Linear amplifier, £135-00 (£1-50); KW202 Receiver with calibrator, £140-00 (£1-50); KW 202 Matching speaker, £8-00 (80p); KW204 Transmitter, £160-00 (£2-00); KW107 combined E-Z Match; VSWR indicator, dummy load, and ant. switch (4 outles) 52 or 75 ohms, £44-00 (50p); KW103, VSWR and power meter, 52 ohms, £12-50 (45p); KW101, VSWR meter, 52 and 75 ohms, £42-52 (30p); also E-Z match, dummy load, trap dipoles etc., etc. Details on request.



MONO-RANDERG

AMATEUR ELECTRONICS G3FIK

BIRMINGHAM 021-327 1497 021-327 6313

MEMBER OF THE AMATEUR RADIO RETAILERS ASSOCIATION

THE LAST CHANCE BEFORE VAT!

When this appears in print there will be approximately one month remaining before ALL Amateur equipment and accessories go up in price by perhaps 10%. What is not generally realised is that second-hand gear will also be affected so that this is the last time that our advertisement will show tax-free prices and, consequently, this is your very last opportunity to beat VAT. On the face of it, it seems only fair that Amateur gear should be taxed in line with everything else but it is conveniently overlooked that Amateur equipment is far too expensive in any event due, of course, to the relatively tiny market which does not permit mass production in the TV/BC Radio sense. Anyway the die is cast so presumably we must grin and bear it.

At the time of going to press we have a good variety of used equipment with other items en route, plus the full range of TRIO, SOMMERKAMP/YAESU and K.W. EQUIPMENT, together with an excellent range of Aerials, Rotators and accessories of every description.

IF YOU WOULD LIKE FULL ILLUSTRATED DETAILS OF ANYTHING BY THE ABOVE MANUFACTURERS LET US HAVE A REASONABLY LARGE STAMPED ADDRESSED ENVELOPE.

CREDIT TERMS : These are available on anything over ± 25 (10% deposit) and provided that you are able to give satisfactory proof of identity we are able to arrange an on-the-spot transaction which means you may have immediate possession of the goods without prior arrangement.

PART EXCHANGES: Thanks to our high turn-over in used equipment we welcome these and equally we buy outright for cash. If you have surplus or redundant gear please drop us a line stating condition, etc.. and price required.

Mades Elles -

YAESU FTDX-560 TRANSCEIVER. Absolutely mint con- dition £160-00
SOMMERKAMP FTDX-150 TRANSCEIVER. Excellent £145-00
COLLINS 75-A2 RECEIVER. Typically Collins in perform-
ance £82.50
HAMMARLUND HQ145 RECEIVER. Double conv.
General coverage £67-50
General coverage
general coverage set £145.00
KW201 RECEIVER. Excellent condition and performance £81-50
KW VESPA Mk. I TRANSMITTER with excellent HB PSU £81-50
SWAN 260 TRANSMITTER. Absolutely new throughout £150.00
KW1000 LINEAR. Another excellent little-used item £105-00
TRIO JR-310 RECEIVER. As new with full guarantee £66-50
TRIO 9R59-DE RECEIVER. Excellent clean condition £36-50
TRIO 9R59-DS RECEIVER. Indistinguishable from new £41.50
TRIO JR-310 RECEIVER. An excellent buy at £60-00
HEATH GR-78 RECEIVER. Choice of two, both unmarked £65.00
TRIO TS-500 TRANSCEIVER with PS-500 and VFO-5.
Excellent £135-00
TRIO TS-500 TRANSCEIVER with PS-500 and VFO-5, Very
good £130-00
GEC RC-410 RECEIVER. Digital read-out £275-00
KW2000 TRANSCEIVER. First-class condition £150-00
HALLICRAFTERS SR500 TRANSCEIVER. 500 watts input £135-00
TRIO JR-500 RECEIVERS. Choice of three from £45-00
HEATH SB300 RECEIVER with SB600 speaker. Fitted CW
filter also £95.00
PLEASE NOTE ! Our used equipment stocks are continually changing,
at S.A.E. will bring you our latest list.
As announced last month we are now stocking the most popular items in the MOSLEY ANTENNA RANGE details as below. FULL RANGE OF
AERIALS, CABLE AND ACCESSORIES AS SHOWN BELOW.
Osker Block SWR200 TCC SWR/Power
Power Meters. The Bridges C3005. Twin
ultimate in SWR/ meter model £7-85
Power Bridges £19-25 TCC SWR Bridges Sansei Miniature
C3042. Single meter SWR/Power Meter
model £5.00 SE406 £3.80


Medco Filters. The	Shure Microphones
best on the market,	Model 201 Hand £5.75
FL50A and FL75A 50	Model 444 Desk £13-25
ohm Belling Connec-	(S.A.E. with enguiries please)
tors £6.00	Mosley Antennas
FL50B and FL75B 75	TA31 Jnr £15+50
ohm PL259 Connec-	TA32 Jnr. E £25-00
tors £6-50	TA33 Jnr. E £35-00
FH40 High Pass £2-35	Hy-Gain Antennas
Copal Clocks	12-AVQ Vertical £16-50
•	14-AVQ Vertical £24-50
All types ex stock. Illus-	18-AVT/WB Vertical £35-50
trated list by return.	10-AVI/VVB Vertical 233.30
	LC-80Q Loading coil £7-50
Amphenol PL259 Con-	TH3 Jnr. 3 ele, beam £51-50
nectors ea. 30p	TH3 Mk. III 3 ele, beam £75-00
Belling Coaxial Con-	TH6 DXX 6 ele, beam £97.00
nectors ea. 10p	BN-86 Balun £8.00
50 ohm Heavy Duty	(Corriage extra on Mosley/Hy-Gain)
Coax yd. 22p	Rotators, All post paid.
	Stolle Memomatic 3001 £22.40
(carriage extra)	Stolle Automatic 2010 £28-00
J. Beam Antennas.	
Illustrated catalogue	
on receipt of S.A.E.	CDE AR22 £25-65
	CDE TR44 £45-75
Full range in stock.	CDE HAM-M £70-80
G-Whip Antennas all	Wightraps
ex stock, catalogue by	Standard pairs £2.90
return.	
	High Power 1.5+90

NEW I We are pleased to announce a Home Demonstration Service for the serious enquirer on all items of NEW communications equipment advertised. For Southern customers this is available by arrangement with our Southern Representative Jeff Harris G3LWH, Cricketfield Lane, Bishop's Stortford, Tel: 0279-56347. At the same time it will be of interest to Northern customers to hear of the appointment of John Rowley, G3KAE as our Northern representative. John is located at Castle Rise, West Ayton, Scarborough, Yorks. Tel: West Ayton 3039 and similarly he is equipped to home demonstrate all new gear if you are seriously contemplating purchasing and if you are within reasonable distance.

PLEASE NOTE—Both G3LWM and G3KAE are NOT part-timers, available only at certain hours of the day. REMEMBER—THIS IS THE ONLY WAY TO BUY EXPENSIVE GEAR IF YOU CAN'T GET IN TO SEE IT IN THE SHOWROOM.

ALL ITEMS OF EQUIPMENT AND ACCESSORIES ARE PRICES TO INCLUDE CARRIAGE/POSTAGE UNLESS OTHERWISE STATED. PRIVATE CAR PARK FACILITIES FOR THE CALLER

ELECTRON HOUSE, 508-514 ALUM ROCK ROAD, BIRMINGHAM. 8.



LOWE ELECTRONICS 119 Cavendish Road, Matlock, Derbyshire, DE4 3HE Tel. Matlock 2817 or 2430 9 a.m. - 9 p.m. John: G3PCY Bill: G3UBO Alan: G3MME


Hours: Tuesday to Saturday 9-5.30 (closed for lunch 1-2 and all day Monday).

Service and Sales: A good range of our equipment is available (evenings and weekends only) at the following: John G3JYG, 16 Harvard Road, Ringmer, Lewes, Sussex. Tel: Ringmer 812071. Sim GM3SAN, 19 Ellismuir Road, Baillieston, Nr. Glasgow. Tel: 041-771 0364. Alan GW3YSA, 35 Pen y Waun, Efail Isaf, Nr. Pontypridd, Glam. Tel: Newton Llantwit 3809. Peter Ward G3XWX, 47 Radstock Avenue, Ward End, Birmingham, B36 8HD.

Service only (evenings and weekends): Dave Dryden G3BKQ, 205 Main Street, Thornton, Leics.

MAIN DISTRIBUTORS FOR YAESU MUSEN EQUIPMENT

In addition to our range of equipment covering all the needs of the Amateur, we would like to mention just three new products.



YC-355D Counter Reads to at least 200 MHz Battery or mains

£111 plus V.A.T.

At around 50p a Meg, the YC-355D is streets ahead.

SOLID STATE MODULES

Telephone: 0484 - 23991

63 WOODHEAD ROAD. SOLID, LOCKWOOD, HUDDERSFIELD, HD4 6ER

MEMBER OF THE AMATEUR RADIO RETAILERS ASSOCIATION

PLEASE NOTE ALL OUR EQUIPMENT WILL CARRY 10% V.A.T. AFTER 1st APRIL

NEW ! SSM EUROPA 10 METRE TO 2 METRE SSB TRANSVERTER

TRANSVERTER Orders for this equipment have been so good that at the moment (January) we cannot assure an ex-stock supply at press time. But we can say that orders received during this month will save the 10% V.A.T. which will be added to all our products next month. The unit plugs straight into YAESU/SOMERKAMP gear. The receive converter specification is the same as below. The transmitter converter uses valves, two QQV03/10 and QQV06/40 P.A. and is rated at 200W P.E.P. input. Price **538-50** less valves—we find that many people have the valves available but we can supply them at £1.25 each, QQV03/10, and £10.00, QQV06/40.

NEW ! We have now a very comprehensive stock of J Beam aerials and rotators.

NEW! 3CG CRYSTAL CONTROLLED CALIBRATION GENERATOR I MHZ 100 KHZ 10 kHz outputs, all easily received up to UHF. No unwanted outputs, Internal stabilised mains. P.S.U. or external battery operation. Size: 44 x 1≩" front panel 3≵" deep. Ideal for H.F. or V.H.F use. Price : £16•00.

SPECIFICATION COVERING ALL OUR VHF CONVERTERS * Noise figure 2 dB. Gain 30 dB. * Dual gate MOSFETs in RF and mixers for excellent overload and cross modulation characteristics. * All housed in aluminium cases, stove enamelled silver hammer with black trig in aluminium cases. black trim.

THE SENTINAL 2 METRE OR 4 METRE DUAL GATE MOSFET CONVERTER

CONVERTER By far the most popular converters. Stock IFs for 2 metres : 2-4 MHz, 4-6 MHz, 9-11 MHz, 14-16 MHz, 18-20 MHz, 23-25 MHz, 24-26 MHz, 277-297 MHz, 28-30 MHz. 4 metre IFs : 4-4-7 MHz, 28-28-7 MHz. Size : $2\frac{1}{2}$ "x 3" x $1\frac{1}{2}$ " except the 2-4 MHz and 4-6 MHz which being double conversion are $2\frac{1}{2}$ " x 4" x $1\frac{1}{2}$ ". Price **£13-75**.

THE SENTINEL M.F.

THE SENTINEL M.F. Receives 2 metres on a conventional M.W. B.C. receiver, particularly useful for use with a car radio. IF output 0.5 to 1.5 MHz for 144–145 and 145–146 MHz into switched bands. "OFF" position switches M.W. aerial straight through to receiver. Double conversion design with two switched crystal oscillators. No frequency multiplication. Size : 5" x 1 $\frac{1}{2}$ " front panel 4" deep. Price : **£18-75**.

Now becoming very popular : **THE SENTINEL X DUAL GATE MOSFET 2 METRE CONVERTER** This 2 metre converter is a de luxe version of our well established Sentinel converter. Contains internal mains power supplier but can be used with external batteries. It features an RF gain control to reduce cross modulation and overload of the mains receiver and may be switched between mains and battery. Size: $5^{\prime\prime} \times 1^{\prime\prime}_{1}$ front panel 4" deep. It uses fundamental crystals on the required frequency i.e. no multiplication.

IFs from stock : 4-6 MHz, 2-4 MHz, 27.7-29.7, 28-30 MHz. Price : including P.S.U., £19.50.

Want to improve your present 2 metre receive system ?

- THE SENTINEL LOW NOISE FET 2 METRE PRE-AMPLIFIER
- ★ Low noise figure | dB. Transistors selected for low noise figure.
- ★ Gain 18 dB, 12v. D.C. at 5 mA. Isolated supply lines.
- Yery good for bringing converted business gear up to scratch. Also helps IF breakthrough by increasing the wanted 2 metre signals and gives greater selectivity. Price : £6.50.

Want to receive 70 cms. cheaply but well ? SM70 70 cms. CONVERTER

- ★ Low noise figure 4.5 dB.
- IF output 144–146 MHz. By using the 70 cm. converter with a 2 metre converter you can have a high performance 70 cm. unit at low price £13.75.

SPITFIRE 2 METRE A.M. TRANSMITTER—5 watts input, £22·00, matching modulator, £10·00. T.B.C.I. Top Band to Medium Wave converters, £7·50.

SOLID STATE 9 MHz GENERATOR—£11.00 less filter and crystals, £25.00 with XF-9A filter and USB and LSB crystals.

ELCOND-HAND GEAR. KW2000B, **£165-00**; KW202, **£110-00**; Eddystone 750, **£40-00**. Yaesu Musen equipment from stock, KVG 9 MHz filters, Plessey SL600 series ICs and other components as previously advertised, in stock. We believe that all units and components advertised will be ex-stock, but you can always ring for confirmation. Call in any time to have a look at the stuff. G3MXG.

8 WAYEBANDS—The most exciting radio ever ! Picks up ALL THE USUAL BEC Programmes *All the new local radio stations "continental 'World-wide transmissions 'Pop Pirates 'Radio Brigade *T. V. Sound 'Ambulances and 1,000s more. THE BEST PORTABLE RADOL EVER MADE I We think so. What radio priced at under £120 gives you such a varied choice of trans-there short wave bands (including the Marine and Trawler Band) AND NO LESS THAN THREE V.H.F. BANDS—truly a complete WORLD-WIDE communications Receiver. JUST THINK ! one minute the fick of a switch—you can tune into the control tower and heara and ocean going liners—Eavesdrop on the taxicabs, fire brigades papelalpice ! Extensive shortwave coverage can give you Australia, Pakistan, Luxembourg, North GUARANTEE. Beautifully finised in Teak Wood and Stainless steel—will add distinction to any Iving-room. Completely portable 12" x9" x4", using standard batteries—or can be plugged directly into mains. If **transistors, 6 diodes, 1 thermitter, for the real enrituisias, or car aerials. Automatic Drift-Free Reception. Tore less 100 Mories 1: Low W 150-306 Mc/s. Public Service (VHF) 148-174 Mc/s. THE ULTIMATE in communications receivers—used by professionals and antercentral (VHF) 108-136 Mc/s. Public Service (VHF) 148-174 Mc/s. THE ULTIMATE in communications receivers—used by professionals and antercentral (VHF) 108-136 Mc/s. Public Service (VHF) 148-174 Mc/s. THE ULTIMATE in communications receiver-professionals and anterver the world. INSTANT CASH REFUND If not overwhelmed by the super tone clarity and performance raised by professionals and anterver the world. INSTANT CASH REFUND If not overwhelmed by the super tone clarity and performance raised by professionals and anterver the world. INSTANT CASH REFUND If not overwhelmed by the super tone clarity and performance raised by professionals and anterver the world. INSTANT CASH REFUND If not overwhelmed by the super tone clarity and performance raised by professionals and anterverent world. INSTANT CASH REFU**



NORTH WEST ELECTRICS, G3MAX 769, STOCKPORT ROAD, LEVENSHULME,

MANCHESTER, 19.

Phone: 061-224 4911

EDDYSTONE RECEIVERS & DIECAST BOXES. TRIO RECEIVERS. JACKSON CAPACITORS & DRIVES. DENCO COILS.

INTEGRATED CIRCUITS AND COMPONENTS FOR FRE-QUENCY COUNTERS AND CLOCKS.

NEW TEXAS I.C.'s. 7400, 22½p; 7413, 40p; 7490, 86p; 7474, 45p; 74141, £1.12; 7475, 55p; 72710, 46p; 72741, 75p. Post 5p each.

Holders for IC's low profile 14 or 16-pin, **15p** each, postage 5p each and including 5 off.

READOUT TUBES. ZM1020 1" dia. end viewing, £1.50 each with holder, 4 for £5, post paid. GNP7 or A7001 wire-ended tubes, £1.50, post 5p.

DIGITAL CLOCK BOARD. 4 digit 12 hour. Uses 7 off SN7490's. I-SN7413, 3-SN74141, I-C407. Printed to use A7001 midget side viewing tubes. £1-50p. Post 5p.

ALL BOARDS ARE HIGH QUALITY PRINT ON FIBRE GLASS. HOLDERS FOR I.C's. Low profile 14 or 16 pin, 15p each, postage 5p each and including up to 5 off.

MODULATOR, TYPE 105. Ex-TR 1986 series. 2-6C4 in push pull. EF92 Mic. amp. EL91 driver, with circuit, 75p, post 25p.

CONTROL UNIT, TYPE 384. This unit contains: $3\frac{1}{2}$ " desyn indicator. 5 mA right hand zero meter $1\frac{1}{2}$ " dia. 6-var. res. with gear drive on 2.2 DP push buttons. 2-1-pole 12-way, 1-8-pole 5 way, 2 bank switches. 3-62, 2-42 ohm 5W res. Excellent value, $87\frac{1}{2}p$, post $27\frac{1}{2}p$.

IF STRIP. Ex R3673 Rx. 7-5 MHz with circuit. Less valves. 8 B7G PTFE holders. Sealed relay twin 500 ohm coil. 12-pin plug and socket; 50p, post 20p.

CONVERTER 20 to 90 MHz. 7.5 MHz IF. Ex 3673 Rx. 2/EF91's. I-616 Osc., £1.25, post 20p. Some less valves, 75p, post 20p.

TRANSFORMER. Specially wound for Digital instruments. 200 volt 40 mA HT. 6 volt IA. Two windings LT. Will supply 6v. 2A. or 12v. IA. CT $2\frac{3}{4}$ " x 2" x $2\frac{1}{4}$ ", **£1.50**, post 25p.

CV416 (6F17) VALVE, 30p each, post 5p, or 4 for £1.20, post paid.

- 8 DIGIT READOUT BOARD ASSEMBLY, £4-50, post 10p. Printed to use ZM1020 1" dia. end readout tubes. Front board takes holders for ZM1020s and 74141N Nixie drivers. Back board takes 7490 and 7475 Quad latch. Boards mount back to back to make an ideal assembly for frequency counter, etc. Board size 10[°] x 2½".
- PRINTED CIRCUIT HOLDERS FOR ZMI020, 28p each, post 5p. 8-way ribbon cable for connecting boards, 20p yd., post 5p. yd. (8 for 4" sections required for linking boards.)
 PRINTED BOARD FOR 7271ON op amp. Counter front end. 24" × 14", 45p, post paid.

PRINTED CIRCUIT BOARDS, £1.50 each, post 5p. READOUT BOARD. 4 Digit, uses GNP7 wire-ended, side viewing tubes. 7490 dividers, 7475 latch and 74141 Nixie driver. Printed for reset \emptyset , can be wired to reset 9. Size : $4\frac{1}{4}$ " x 3".

TIME BASE BOARD. Gives all pulses needed to control readout for counter. Uses 7400 Osc. | MHz. 6 off 7490 Divider chain to | cycle. 7474 clocked dual D, 7413 Schmitt trigger. 7400 pulse outputs. 2N3703 latch output. Size : $4\frac{3}{4}$ x $2\frac{1}{2}$.

INSTRUMENT CONTROL KNOBS. Black with bright Ali. centre, $\frac{1}{4}$ " brass insert with grub screw. 1", l_4^{\pm} " and l_2^{\pm} " dia., **ISp** each, post 5p each. Any excess refunded.

DIECAST BOXES. With fitted lid. Post 1	Op per box.
Cat. No. 7969P 3 ^a / ₈ × 1 ¹ / ₂ × 1 7/32",	39p
Cat. No. 7134P 4 ¹ / ₈ × 2 ¹ / ₈ × 1'',	46p
Cat. No. 6909P 4 ¹ / ₈ × 3 ¹ / ₂ × 2",	65p
Cat. No. 6827P 7 ¹ / ₈ × 4 ¹ / ₂ × 2",	£1.04
Cat. No. 6327P 7 ¹ / ₈ × 4 ¹ / ₈ × 3'',	£1.13
Sizes shown are approximate and	

Sizes shown are approx. internal dia.

ALI. MINI BOXES. With fitted	lid. Post 5p per box.
3″ × 2″ × 1″, 33 p	5≟″×4″×1≟″,43p
4″ × 2¾″ × 1½″, 38p	4″ × 2½″× 2″, 38p
4″ × 4″ × 1≟″, 38 p	5″ × 2≩″ × l≟″, 38p

FINNED ALUMINIUM HEAT SINKS. 5" x 2" ready drilled for TO3, 25p. 5" x 4" undrilled, 37¹/₂p. 5" x 8", undrilled, 65p, post 10p.

POLYPROPYLENE ROPE. 5001b Strain. 100yd. reel. £1. post 15p. (This item is now in stock).

Business Hours : Tuesday–Friday, 9.30 a.m. to 6.00 p.m. SATURDAY : 9 a.m.–5 p.m. OPEN ALL DAY CLOSED ALL DAY MONDAY

WE WELCOME ALL ENQUIRIES HOWEVER SMALL Stamped address envelope please for special offer list.

MEMBER OF THE AMATEUR RADIO RETAILERS ASSOCIATION

11

March, 1973

ECHELFORD COMMUNICATIONS 11 BROADWAY, KINGSTON ROAD, STAINES, MIDDX.

Telephone: Staines 54401 & 51176

MAURICE STANSFIELD (G8DNM) RAY BOWDEN and the rest of the staff here are available from 9 a.m. to 6 p.m. every day except Thursday, when the hours are 9 a.m.-1 p.m. and Sunday when we are closed all day. Your queries regarding your radio and electronic requirements either by mail, telephone, or a personal visit will receive most careful attention and what we may not have actually in stock can usually be obtained. We are now in close contact with most suppliers of equipment and maintain constant stocks of the following :

TRIO			J. BEAM
9R59DS Receiver	• •••	£49.50	VHF/UHF Aerials
JR310 Receiver		£75.00	Mast clamps and accessories
JR599 Receiver		£185.00	Stolle Rotators. SENTINEL CONVERTERS AND PRE AMPS
TX599 Matching Transmitter to JR599	9	£185.00	K.W. ELECTRONICS
TR2200 2M Personal Transceiver		£62.50	RANGE OF EOUIPMENT.
SP5D Communications Loudspeaker		£4•50	CODAR RECEIVERS AND PRESELECTORS Etc.
	MICR	ΟΨΑΥΕ	MODULES

144 MHz Transistor Receiver	• • • •		 		 	 •••	•••	£35.00
144 MHz 5 watt AM Transistor Transmitte	r		 	• • •	 	 		£32.50
Mosfet converters for 50, 70 and 144 MHz		•••	 		 	 		£15.50
432 MHz Mosfet Converter			 		 	 		£18.50
432 MHz Varactor Multiplier								£17.50
At the present time all these items are ex Microwave Module products.						of Eng	gland	l for all

Eagle, T.T.C., Jacksons, Chassis, Diecast and Aluminium Boxes, PLUS large stocks of used and reconditioned transmitters and receivers.

EASY CREDIT TERMS AND PART EXCHANGE TRANSACTIONS ARE EASILY ARRANGED If you are able to visit our premises any equipment you may be interested in we will willingly demonstrate to you



12





Due to Warehouse Clearance we have a few low powered F.M. VHF Wireless Station Type A, A.F.V. No. 88. Contained in two units (1) Transmitter/ Receiver, (2) 12 volt Power Unit and L.F. Amplifier. The Tx and Rx are contained in a waterproof diecast alloy case, using a total of 14 valves, operates on four switched channels which are Crystal controlled. All 8 Crystals are supplied, and are the same in each set.

Therefore all sets will transmit and receive to each other, provided each are switched to the same channel out of the four.

The Stations are supplied with mounting carriers, 2 vertical whip aerials, plus aerial base, spare valves, bulbs, mounting screws, connectors, etc. Including the operating manual giving all details, plus circuits of the wireless set.

All above items are individually boxed and wrapped, placed in original transit case. ABSOLUTELY BRAND NEW—Made by Echo for the

ABSOLUTELY BRAND NEW—Made by Echo for the Government no expense spared, few only available at **£9.50**, carr. £2.

RADIO TELETYPE TERMINAL SET

A. type, AN/SGGIA latest Government release of these sought after units, housed in metal case, approx. size: $8'' \times 19'' \times 16''$ deep. Using a total of 11 valves, supply voltage: 115 volts 50 c/s. Containing Meter switched for checking, send and receive bias, send and receive level loop and plate current, in fair used ex-Government condition. Few only available at **17.50**, carr. £1.50.

FREQUENCY SHIFT CONVERTER AND COMPARATOR

Type AN/URA-8B for diversity use or single channels, $\pounds 15$ and $\pounds 10$ respectively, carr. $\pounds 1.50$ and $\pounds 2.50$.

FREQUENCY METER TSI86 D/UP

Recent Ministry release of this scarce and valued unit, this is basically the VHF/UHF version of the BC221. Range 100 mgs. to 10,000 mgs.

Distributed over approx. 16,500 dial divisions, each meter (same as the BC221) contains its own book of calibration charts, plus circuit and instruction book. Contained in metal shockproof transit case, with supply cable, supply 115 volts $\pm 10\%$ 50 c/s. Output on headphones or meter in the front panel. Accuracy is 0.01%, 0.002% on the crystal calibrator check points. Sensitivity for R/F signal input 500 micro volts to 1 volt. A plug is also provided for Vido output for connection to an oscilloscope, RF input connection is via coaxial cable, £18.50, carr. £1.50.

LARGE QUANTITY OF TELEPRINTER PAPER Available, sprocket fed, contained in sealed packs, each pack containing 4 separate wads, price **60p** per pack of four pads, post 25p, or wooden crate containing 5 packs equals 20 wads, **£2**, carr. 50p.

CREED TELEPRINTER MOTORS for mains 200/250v. A.C. for use on 7B teleprinters, etc., available brand new, **£2**, post 25p.

MALLORY LONG LIFE BATTERIES. Type RMI2, 1.35 volts as used in contamination meters No. 1, **21** per box of 50, post 25p. Brand new ex-Government. *Terms:* C.W.O. or uncrossed P.O's in case stocks run out, so we can refund same.

JOHNS RADIO 424 BRADFORD ROAD, BATLEY, YORKS. Phone: BATLEY 7732

ADVERTISERS INDEX

	Page
Aero & General Supplies	57
A.H. Supplies	E 4
Amateur Electronics (G3	
B.I.E.T	. 57
The Amateur Radio Sho	
J. Birkett	
British National Radio Sch	
Canley Engineering	57
I. N. Cline	58
Colomor Electronics	53
Derwent Radio	. 54
Dept. of Electrical Enginee	
ing, Loughborough	- 1
E. & E. Services	
Echelford Communication	
Eddystone Agents	. 60
Fley Electronics	
Elevier Electronics	. 58
Ensign Electronics	. 58
G3HSC	
G.W.M. Radio	. 61
Hamgear Electronics	
Heath (Gloucester) Ltd	. 3
Holdings Photo Audio Cen	tre
(Trio)	. 60
Home Radio (Comp.) Ltd	
	50
T 1 D 11	
17 111 111 1	
K. W. Developments, Ltd.	6
Lowe Electronics inside fro	
Markham Electronics	. 61
S. May (Leicester) Ltd	. 6
Mosley Electronics	. 8
Gerald Myers	. 57
North West Electrics	. 11
P. & P. Developments be	ack cover
Partridge Electronics Ltd	. 14
D. P. OL 1 T. I	
Radio Shack Ltd R. T. & I. Electronics Ltd	
Scientific & Tech.	
	. 10
Senator Crystals	
Small Advertisements	. 51-56
Solid State Modules	. 10
Spacemark	. 61
SSB Products	. 58
Stephens-James	. 2
Strumech Engineering	. 59
Studio Electronics	. 16
~	side back
cover, back cover, 2, 51	
	62, 63, 64
Taurus Electrical Services	60 ⁶⁰
K Δ Weedu	
	. 55
Reg Ward & Co. Ltd	. 55 . 58
Reg Ward & Co. Ltd Waters Electronics	. 55 . 58 . 16
Reg Ward & Co. Ltd	. 55 . 58 . 16

SHORT WAVE MAGAZINE

(GB3SWM)

Vol. XXXI

MARCH, 1973

No. 353

CONTENTS

	001	111110	•				Page
Editorial—Items of Inter	est						1 uge 17
Communication and DX Ne	ws, by E.	P. Esse	ery, G3	KFE	•••	•••	18
Adaptable 30-Watt Trans by F. G. Rayer, A.I.E.		,			•••		24
Two Aerial Ideas		•••		•••	•••		26
Aerial Current Meter, by C.	J. Davis,	G3VM	U				27
Coax Adapter Device, by D	. E. Know	les, G31	UVA	•••		•••	28
Sideband Transverter for '	Two Metr	es, Pai	tI,				
by J. D. V. Ludlow, GI	W3ZTH &	C. J. 1	Dunbar,	, GW81	EHK	•••	29
The Mobile Scene .				•••	•••	•••	34
Solo Mobile Expeditions .							34
Specially on The Air .					•••		34
VHF Bands, by A. H. Dorn	ner, G3DA	4 <i>H</i>				•···	35
The Month with The Clubs-	-From Re	ports					40
"SWL"—Listener Featu	ire	•••					45
New QTH's		••••			•••		50

Managing Editor: AUSTIN FORSYTH, O.B.E. (G6FO/G3SWM)

Advertising: Maria Greenwood

Published at 55 Victoria Street, London, SW1H-0HF, on the last Friday of the
month, dated the month following.Telephone: 01-222 5341 & 5342Annual Subscription:Home: £2.75 (£3.00 first class) post paid

Overseas: £2.75 (\$7.00 U.S.), post free surface mail

Editorial Address: Short Wave Magazine, BUCKINGHAM, MK18 1RQ, England

AUTHORS' MSS


Articles submitted for Editorial consideration must be typed double-spaced with wide margins on one side only of quarto or foolscap sheets. Photographs should be lightly identified in pencil on the back with details on a separate sheet. All drawings and diagrams should also be shown separately, and tables of values prepared in accordance with our normal setting convention—see any issue. Payment is made for all material used, and it is a condition of acceptance that full copyright passes to the Short Wave Magazine, Ltd., on publication.

© Short Wave Magazine Ltd.

E. & O. E.

15

LISTEN TO THE WORLD WITH THE XCR-30 MARK 2 BARLOW-WADLEY'S UNIQUE CRYSTAL-CONTROLLED RECEIVER.



- 1. 0.5 to 30 MHz continuous coverage-direct readout.
- 2. Antenna tuning for maximum sensitivity.
- 3. AM, CW, SSB (selectable USB and LSB).
- 4. Self powered by six SP2 batteries.
- 5. Power jack for external 6-12v. D.C. supply.
- 6. Headphone jack
- 7. Drift free reception.

£89.50

Sole Distributors :

RADIO SHACK LTD. 188 BROADHURST G Open 6 days 9 a.m. until 5 p.m.

Closed for lunch | p.m. until 2 p.m.

188 BROADHURST GARDENS LONDON, NW6 3AY Just around the corner from West Hampstead Underground Station

 Telephone : 01-624
 7174
 Cables : Radio Shack, London, N.W.6.

 Giro Account No.: 588
 7151
 Access and Barclay cards accepted

SPECIALISED KITS

HIGH STANDARD Low Frequency Source (to article by J. M. Osborne, Wireless World, Jan., 1973). Reference accurate to 2 parts in 10^{11} ! A Phase-Locked Loop designer approved kit to professional standards with glass fibre p.c. board and all components including hardware, case, etc. Full constructional details from the designer are included. Probably the most economic high precision signal source available. Kit £22.25

Extra for built and tested only ... **£6-55** High frequency version being developed.

FOR FM STEREO ENTHUSIASTS

The best decoder we know—The Motorola Phase-Locked Loop. No coils to align. Just one pot. to set, and no instruments needed for this. Complete kit ... £3.40 Built and tested ... £5.40

of 124. or more (specify). Kit ... £5-20 Built and tested ... £7-30 Version with integral power supply for 240v. A.C. input. Kit £7-50 Built and tested ... £9-70

PLEASE NOTE—We are prepared to consider offering kits for any published article—send details for quotation. Our service is unique ; ALL communications are acknowledged by return!

CLEARANCE CORNER

Send for lists—large s.a.e. please! R1155A receivers, some spares and data ... ea. £9.00 One only RE24 at ... £2.50 R1475, ex RAF, 2-20 MHz receivers, many possibilities at ea £11.00 Standard casette recorder with R/C mic. ... £13.00 Please add 75p as part carriage. Enquiries welcomed, Trade supplied. Order now for early delivery.

STUDIO ELECTRONICS (G8AIP) 7 COPPICE HATCH, HARLOW, ESSEX Tel. Harlow 25457

Regret callers strictly by prior appointment at present

MINIATURE BEAMS AND VERTICALS

Don't wait for spring. VAT will be too late !

Mini-Products beams and verticals are already in use by many U.K. stations. Never before have such compact beams been available to the European amateur. No garden is too small. Now every amateur and short wave listener has the opportunity of erecting a beam for the high frequency bands. These beams are really robustly made and yet are so light that they require no more in the way of support or rotation than a whf array. Look at the specification below and then drop us an S.A.E. for full details and performance data including SWR curves.

10-15-20 metre operation No traps to burn out Unique end loading for maximum efficiency Extremely good bandwidth 1500 watts power rating 11ft. element length 6ft. turning radius

G2KF says—"My HQ-1 Mini-Products antenna is proving to be very satisfactory and was not affected in any way by a recent gale."

 \star Treat yourself to a pair of 1.5 kW Wightraps and make yourself a 5 band dipole. At £3.35 per pair (20p) including full instructions you won't get them any cheaper.



Callers by appointment

Evenings Tel. 4930



EDITORIAL

ITEMS OF INTEREST

Walkie-Talkie Warning: We are informed by the Ministry that the imported Zodiac walkie-talkies—now being extensively advertised—would not be licensed for use by a private individual and that they would require modification (as to frequency) to make them suitable for operation in our 10-metre band by a licensed amateur. We understand that the advertisers concerned have been notified of this ruling by MinPosTel.

* *

UHF Hazard: Several readers have queried our comment in the January issue Editorial regarding the regulations for the new centimetre-band at 24,000 MHz. The dangers are very real. The health hazard due to UHF radiation by direct exposure depends upon its intensity, *i.e.* power used and proximity, and can vary from mild skin irritation to blindness or severe damage to internal organs. It is a well-known hazard against which the proper precautions must be taken—hence the Ministry's ruling.

* * *

RAIBC Membership: The latest listings, dated December '72, show that the Radio Amateur Invalid & Bedfast Club now has a total of 421 members, of whom 165 are licensed amateurs and 256 are SWL's. They fall into various categories: Blind (76 Tx and 75 SWL); Permanent Invalid (84 Tx and 172 SWL) and others incapacitated in various ways, 14. This large family is in the devoted care of Frances Woolley, G3LWY, and her husband John Woolley, G3ESR. The object of their exercise is not so much charity (though a good deal of that is necessarily involved) but therapy, in the sense of helping members to enjoy Amateur Radio and thereby have a

positive interest in life—which is so very important for the blind or incapacitated.

* * *

VAT Exemption: The fees charged to candidates for the R.A.E. and Post Office Morse Test are exempt from VAT—so says a letter from the Radio Regulatory Division of the Ministry. We are glad to hear it!

* * *

Index: Each copy of this issue should contain, as a free loose supplement, the Index to the Volume just concluded. We now embark on Vol. XXXI—it cannot be said that we don't keep at it!

* * *

Photographs: In a twelvemonth we are offered a great many pictures "for possible publication"-the pity of it is that they are about 50% unusable, either because the quality is too poor to justify the expense of making a block, the subject is badly posed, the accompanying notes are insufficient, or instead of black-and-white prints of about postcard size, we are sent negatives clipped from narrow film strip, involving additional processing (very seldom justified). We pay for all photographs we use -and we need a good many for each issue. But there is no use offering prints that are not clear and sharp-or. in the case of groups and Club pictures, with half the company having their backs to the camera, or with one large bald head in the foreground-or the back of the print covered with a smeary ball-point pen scribble (all the notes should be on a separate sheet, with no ambiguity in the way callsigns are written). Pictures worth using must be of reasonable quality with (in the case of groups) faces turned towards the camera and correctly identified by callsign.

Auchin Forsyth G6F0

WORLD-WIDE COMMUNICATION

COMMUNICATION and DX NEWS

 $T_{\rm any\ to\ suggest\ that\ some\ of\ the}^{\rm HIS\ is\ perhaps\ as\ good\ a\ time\ as\ }$ local nets being taken on Two could well be transferred to Ten-a lovely band for ground-wave workingwhere simple aerials such as dipoles in the loft will suffice for both local natters and the odd DX contact on those occasions when the band does blossom out-and, you know, even at sunspot minima, Ten is likely to attract all the usual VHF-type forms of anomalous propagation, which give cover of much of Europe and N-S DX. Ten is not often as dead as many people suppose, but rather suffers from lack of real activity. What about coming on and giving a shout of CQ, at least once a week, day or evening, on around, say, 28.3 MHz, and just seeing what the result turns out to be-let us know what you work for the May piece, to give time for a bit of exploration.

G3NOF (Yeovil) reports little on the band, and when it was open, an S9 signal was liable to disappear as suddenly as though the aerial had fallen down. Mornings provided the odd African, if anything, and occasionally in the afternoon would creep in a weak-and-watery W the only SSB contact was with RA6JAZ.

All is not lost, though, says G3USF (Keele), although even he is prepared to admit conditions are markedly poorer than they were, say, a year ago. G3USF heard the 3B8MS beacon, now on its permanent frequency of 28190 kHz almost every day, but the lifts have been both relatively brief and geographically limited—which is not to say they weren't useful to someone lying in wait. The usefulness of these lifts can be gauged from a list comprising (SSB) A2CEW, CR4BS, CR6AG, CR7AF, VR7CZ, CX1BB, CX6AM, ET3FF, ET3USE, SV1BV, ZC4DS, ZC4TE, ZE1AS, ZE1AV, TJ1JJ, TU2DD, ZD9BM, ZS6AD, ZS6CJ, 4Z4ME, 3B8DG, 3B8CV, 7Q7RF, the perennial 9J2DT, plus occasional W's and Russians. Beaconry is, of course, the way to assess conditions on this band, and apart from 3B8MS, there are VE3TEN, Ottawa, on 28175 kHz since January 2, and the ZC4CY beacon which should be operational in the very near future.

GW4BLE (Monmouth) has had the long-awaited visit from the Post Office-results, one hi-fi equipment back to the retailer for modification, one TV set back to the shop, four TV set owners given a month to correct faults in the sets themselves (and/or the TV aerials) until the completion of which by the TV viewers the GPO won't take any further action. GW4BLE has been given the go-ahead to operate after the month is up, regardless of whether the viewers have cleared their own This shows the very problems. fair and impartial attitude now being taken by the Radio Interference Dept.

On Ten, most days have seen the morning openings, East-West, plus the odd African at low strength. The first day of the ARRL DX Test produced W4's around tea-time, and a momentary appearance of VO1CU who was at a meter-S7 and then just dropped out in a few minutes.

G3VLX (Chislehurst) had a little dabble, which yielded CR7IZ, 9J2AY, ST2SA, 4W1BC and VP2LI, all on SSB.

The numbers of that group we described a couple of issues back as the "pirates of Penzance" seem to increase each month! Junior op. —sorry, Paul!—G4BKI reports only locals worked on Ten. But, on turning over the page we find another member of the group, this time Dad, G3DLH, on behalf of G4AMJ who had been despatched to school. Three of them in one household it must be bedlam when they are all on Ten together!

Now Fifteen

G3FYR (Petts Wood) writes in another connection, and remarks that he has gone "with-it and really modern!" There is an FT-101,

E. P. Essery, G3KFE

feeding through an E-Zee Match, K.W. Power Meter and SWR indicator, to an 8KW trap dipole. This has duplicated guy-lines, one kept slack, so that should a guy break, the reserve can immediately be tensioned up to take the straina good idea. During the November openings, a VK in Melbourne was working lots of U.K. stations on SSB with just a five-foot whipa pity he chose to do so before G3FYR had mastered the art of driving his new machinery. However, such a gotaway is wonderfully encouraging, and contacts have since been made on Fifteen with W6MSM, W6QC and W6SO to prove it all works OK.

How nice to hear again from G3VLX (Chislehurst), writing in the main about an SWL of our mutual acquaintance. Deryck still has the FL-200B/FR-100B combination, now backed up by a TA-33Jr. on a tower at 40ft., heaved up by volunteer muscle-power. We imagine the volunteers were "amused" when, having got it all up, it was found that someone had connected the However, the balun incorrectly! average report has gone up a little, as given in QSO's on SSB with 9H3WPD, EL9C, VP2LI, VK6HE and A4FD.

Fifteen for G3ZPF (Dudley) meant quite a few contacts, among them VK3LM, OX3SL (who has now got SS/TV gear going), 9Y4EH, YV3BJ VP2VAM, VP1BH, 9J2HE, 9J2AY and, for a change from SSB, KP4USN on CW.

By the time G3NOF is ready to go to work at 0830, Fifteen has usually not shown signs of opening, but it is known that the JA/VK/ZL path has been giving around 0900, albeit signals have not been strong. A few short-path stations from S.E. Asia were heard around 1100, but little in the way of Africans appeared. QSO's were registered with VU2GJ, VU2TVA and some W's.

At this point G3RFG comes in with his usual long list; Stan has an even longer one on Fifteen because W9BR, WB9IJL and ZF1SE. Quite a shoal of stations fell into the clutches of G4BKI; CW accounted for Stateside stuff and 9L1MF, while the SSB attended to YN1URI, ZE8ZW, 9K2BQ, SV1FT, 5N2ABG, VU25MX, VQ9HCS, ZD8TS. HR3AC, EL7C, A4FD, SVØWU, VP2DH, EA8FH, VQ9R and ZD3D.

For G3VLX came this last-minute burst of activity: Fifteen gave CI1ADV on Prince Edward Is. and YV3VU, who was using *two kilowatts* to get his S9 report!

For GW4BLE we see SSB contacts all the way, with EL8G, FY7AE, EL9C, WB2JGD/KP4, 9G1FF, 5H3MT, LU7AJF, PZ1DR, ZB2CO, SV1GP, LU1DAB and 9J2DT.

Twenty

Has its moments. One of the nicest was when your conductor chipped into the Commonwealth Net—there was a UK2 who thought he was part of the British Common-wealth, and before that one was sorted out VK2AJH/P/VP9 popped up, which confused the issue still further.

The short spell G3FYR had on 20m. up to the time of his letter showed him working SSB with VK7CH, ZL3JC and JH6ALF on the trap aerial.

G3ZPF reckoned conditions were none too great, but he perservered, and came out of the fray with VP9GO, VQ9DC, CN8CE, VK6MK, VQ9HCS, JY9VO, YVØAA, VQ9MI, EP2DO, ET3USC, OD5GU, OD5FM and W1-2-3-9.

G3UZ (Goring, Sussex) does not believe in early rising nor yet in staying up late, so returned to his old love, CW with a Swan 350 at 150 watts to a dipole; George finds the callsigns came back better on the key-don't we all! He shows CW log entries against FM7WG, EA8IQ JY1FOC UA9AAC. UA9APP, UA9CMB, UA9HAD, UJ8AR, UL7GAA, UKØAAC, UK7JAA, VK2CX, VK3VC, VE2BAG, VE3UE, VU2IN. ZM2AJ, PY7VOU, VO1EV, plus numerous



DJ6NI is Gunter von der Ley, D-4320, Hattingen-Ruhr, Raabestrasse 42A, West Germany. His line of gear is Trio TX-599, FL-2500 and JR-599, into a two-element Quad for 20 metres. And he has a Morse key as well as the microphone.

W's and, of course, tons of Europeans. On a different point, George rubs home the necessity for correct addressing, when he mentions that a letter accidentally addressed to "Short Wave Magazine, Buckinghamshire" came back "not known." Yes, it's a big shire! (The Post Office do usually find us but this would be a bit much for a main London sorting office!)

Apart from spending three mornings working traffic after the Managua 'quake, W6AM (Long Beach) seems to have given Twenty SSB a good old pasting, with VQ9R, 9K2AU, W6GLC (who had 7Z3AB in the shack), ST2SA, 4W1BC, A4FD, OD5TM and OD5HE, 9N1MM, YVØAA (worked from Aves Is. on 7-14-21-28 CW and SSB), ET3USA, EP2FB, and A2CCU.

For G3RFG, CW yielded pleasurable contacts with CT2BO, JA8ARA, JH1GRC, K2MH, LU9FAN, UA9LAC, VE3JE, VK3AWP,, W2WY, WA2BEB, W7ULC, W8GE, W8PBO, WB8AUH, W9BR and ZL2ASJ.

Around 0800-0830 has been "opening time" on Twenty, says G3NOF, starting with JA's followed quickly by VK and ZL's over the long path, although again signals have not been very strong; in the evenings, conditions to West Coast W and VE have not been much good, and the Africans too have been patchy. Normally, by 1900 things have closed although there was the odd evening when the band stayed open till midnight, either to the States or just to Europe. G3NOF on SSB was heard by EA6BG, HK3CMH, HK3CUT, HR3AC, JA4ATU, K7RSC, KC4UST (McMurdo Bay), M1C, PZ2AB, VE7AAD, VP2KH, VK's, ZD3M, ZD7SD, ZS's, 5T5CJ, 5U7AZ, 6W8AL, 8R1UGF, 9H4K, 9H5D, 9J2TC, 9L1VW and 9Y4PH.

G2HKU (Sheppey) has continued his regular morning sessions with ZL1FB, ZL1VN, ZL3RS and ZL3SE.

Twenty for G4BKI was not a great attraction, Paul obviously having a preference for Fifteen; but he did tangle with CT3AS, ZL4FR, 9Y4BH and CR7IZ, all SSB.

Piracy

One thought there were limits to everything, even the activities of pirates—but here we have a case of a pirate who will not be satisfied even with using a phoney call, but has to purloin a YL's — G3ZZZ (Hassocks) is the sufferer; José says she is being pirated on Top Band CW, for which she has no facilities. As a result, she is being snowed under with QSL requests. Any "G3ZZZ" appearing on Top Band is quite definitely a phoney—so tell him just what you think!

Another sufferer is G3EPU

(Wimbledon) who has not been on for a couple of years now; and when he was, it was mainly 160m. or 2m. phone. Ken is getting QSL's from all over the place, CW, AM and SSB, all bands, for contacts going back as far as 1966!

Here and There

Referring back to our note about HV3SJ last month, your conductor has since had a telephone chat with G3WET, just come back from Rome, where he spoke to Brother Ed. It in fact now appears that there is no intention to put HV3SJ off the air; all that has happened is that no more funds will be forthcoming for maintenance of the rig. Under the cir-

BRIEF DX DATA

Call

Details is on Twent

- VRIAA Dan is on Twenty SSB, can QSY to 7084 kHz at 0600, and to 3785-3800 at 0630 before QRT 0700z.
 XF4 Revilla Gigedo Is. Mar.
- 15-21, XE1IIK and others hope to be operational from Benito Juarez Island, and to have a special prefix for the ARRL DX Contest-6F, 6G, or 6J.
- XUIAA Tony has now completed the QSL chore, and the last few cards are being despatched. Anyone still short, write with details to Tony Kathro, 10 Erw Wen, Rhiwbina, Cardiff, Glam., South Wales.
- JD1ACF Ogasawara Is. Try 14170 kHz SSB around 0900. QSL via JA1AOF.
- ISIA Spratly. The operation has been postponed due to recent political events affecting the operator availability. It may have been operational, nevertheless, by the time this is in print.
- KA1CQ Iwo-Jima, Mar. 20-27, with emphasis on 40-80-160m., and will be on all bands in the Contest. Look around frequencies 1900, 3537, 7080-7090, 14220, 21270 and 28520 kHz.
- 4K1 This prefix is being used by Antarctic U.S.S.R. stations, 1/1/73 effective.

Reporting the HF Bands

cumstances, if anyone who has had QSO's with this friendly character (and hence worked a new country in the process) would like to offer a donation, large or small, towards the repairs required in the station, they should send their offering to G3WET, QTHR, who will do the necessary. It is, we understand, the case that U.S. amateurs will be doing something similar to the same end. (It could end up that the Vatican has more money for HV3SJ than it knows what to do with! These situations always work in extremes!)

WB2OZW (New Jersey) has a long and thoughtful letter on the subject of the relative signal strengths in the CW and SSB ends of the bands. Paul finds the general run of CW signals levels much lower, and when a Sidebander does turn to CW he stands out head-and-shoulders above the others. As Paul says, the name of the game is "Communication" and there is much scope for the chaps with QRP and "catch as catch can" aerials to improve their signal at the distant end, without compromising any principles dearly held. Reading between the lines, WB2OZW likes to ragchew, on CW or SSB, but many times finds it all but impossible to complete a QSO with the weaker U.K. stations because of the heavy local band occupancy over there-we tend to forget in our delight at putting 10 watts into the U.S. that the poor chap at the other end has to copy through QRM that can be stronger even than the Red Army Choir-the least we can do with our QRP is to radiate it efficiently.

G4ABS (Westgate-on-Sea) may have a new callsign, but he has been an SWL for 22 years and so knows the form pretty well. His particular moan is the state of the band on Eighty—not the DX Net question again, but the general phone section. He puts out a CQ, and when he goes over, this is what he hears: A German or two, possibly a Frenchman, a PA, maybe a Norwegian, all calling each other, a lonely cow (Aaaaah!) a blackbird and a canary, a 'printer, a bit of chirpy CW, and finally under it all, a little weak signal calling him-which he cannot possibly copy through the noise! No doubt about it, Eighty has got much worse of late years. Maybe kindly MinPosTel would listen a bit more and give a few of them the chop, which would improve things no end. There is plenty of justification for drastic action, when one listens to much of what goes onbad language, blasphemy and generally appalling behaviour in the operating sense outside the terms of the licence.

Forty Metres

This seems to be the band on which slow-scan television (SS/TV) goes on. Our earlier assumption (because of misleading information) that the Ministry automatically allows SS/TV transmission was wrong-the licence does not permit slow-scan television transmission on any amateur band without prior permission. The operating conditions (which are complicated) will then be laid down by MinPosTel. There will be no difficulty about this provided prior application is made and, for U.K. stations wishing to transmit SS/TV, the technical requirements are accepted and can be met.

SS/TV is at the present time such an esoteric exercise that we would doubt that more than a very few U.K. amateurs are interested in SS/TV transmission—the expense, the bother and all you get is a smudgy face or a blurred callsign, sideways on a mottled screen.

The theme of SS/TV has been plugged for at least the last ten years—the keen and capable types have produced remarkable results in the DX sense, but still no more than blurred callsigns on a smudgy screen. (*Editor*).

G3RFG paddles his key on all the bands which he reckons to be usable, and this month found *Forty* to give K2UZO, K3RDF, K4VE, PY7AWE, VK3MR, VEIBX and 8P6BU. On an entirely different tack, Stan worked W7WN, aged 67; W2WY, aged 77; and W5BSR who is 83—so who is the *oldest* active amateur in the world? It could, one thinks, possibly be a prize for the Russians, where there is one part of that vast country which seems to bestow enormous longevity on its inhabitants. However, any offers for the oldest active amateur?

Only one 7 MHz contact as such appears in the W6AM list, on CW with PZ1AH, although we do know he worked the Aves Is. expedition on both Phone and CW.

Old Timer G5ZN has retired to Withernsea, Yorkshire, where he looks out on to the sea and the winds; and where he can once again take up his favourite activity of bashing the key on Forty—old pals please to keep an ear open for Philip.

G2HKU has some very rude things to say about the BC stations intruding into Forty—we agree! but still takes the odd little peek at things, and came away with CW bookings to PY7CD and PY7BJM, plus SSB to PZ1CU. Ted reckons things were much more fun when he was on DC mains, and there was no such things as beams for Top Band, Eighty, or Forty; nowadays, he reckons, the cheque-book is the dictator for DX success. Well, Yes and No.

Eighty

More reports on this band, for a change! G3RFG (Henlow) used CW as usual, and made it across to K3NPV, W1TM, WB2BGK, W3VA, WA3JYB, W5MCO, W8UM, WB8IJW and W9AC.

G4BKI gave the band a goingover, and emerged with SSB contacts with M1I, EA6BG, ST2SA, OHØMA, CT2BG and 7X2MD considered as worth a mention.

At GW4BLE, the contacts on Eighty included CI1UA (VE1UA with a special call), CT2BG, OHØMA, KV4AM, YV6AMW, VO2GD. ZB2CO. ZB2CF. ZL3KK/C (Chatham Is.), ZL4HJ, ZL4KF, PY4BTK, W1, W2, W3, W4, VE1, VE2 and VE3, despite restriction of operating to mornings before work on Eighty and weekends on the other bands. Nonetheless, GW4BLE is now up to 155 countries accounted for since he got his ticket, with the cards coming



For the Cornish Amateur Radio Club activity on the occasion of the Marconi 70th anniversary, Cape Cod-Poldhu, at the Cornwall end they ran Heathkit HW-100 and Yaesu FT-200, the operators shown here being G3UCQ, G3XFL and G2DUP.

in nicely, more than 50 of the total countries now being confirmed.

The next list set your poor old conductor's head buzzing! G3ZPW (Wombourne) runs a TS-510 into a linear amplifier at 350 watts, fed to a ZL Special at 47 feet, which went into operation on January 6, after trials with phased verticals, delta loops, two-element Yagis and so on. The list covers the 24 days after putting up this aerial, and runs to a total of *fifteen* pages of standard log sheets! One notes operating hours of, roughly, 2130, through midnight to 0230-0300, with the DX seeming to improve as the night wears on. Europeans are here aplenty, plus most of America, lots of Caribbeans, VP2, 6Y5, 8P6, KV4, KP4, and so on repeating time and time again, PJ2, YV's, ZB2's, ZL's, VP7, XE, EP2TW, ZF, an "MP4BFR" on whom some doubt is cast in the log, PZ, HKØ, TI2, KZ5, and HP1JS. Looking at these pages of the log, one notes for much of the time the G3ZPW inputs at the 120, 150 or 180 watt level, and still getting S9 reports, the linear being put on only when the going seemed tough. The aerial main beam direction shown in the

drawings is as near as makes no odds due West. It just goes to show what the DX exponents of Eighty can do, if they have the facilities to put up a decent aerial. Much of this stuff would have been workable on a properly arranged vertical, by someone who had the inclination to sit up late. One hopes G3ZPW will give us some more insight into the DX on 3.5 MHz, he having the courage to brave the QRM.

By way of VK6HD and GW3YGH, we get it that VK6CT is on most evenings, between 2100 and 2200z, around 3512 kHz, looking especially for GW, GC, GD, on CW.

Just a Footnote: We do not want to see voluminous photostated log entries, from which we are expected to extract the plums. The contacts that matter to us for mention in this piece are those that the correspondent himself feels to be most interesting. (*Editor*).

Now Top Band

Last month, at the time when he should have been posting his report, GM3YOR (Kirkcaldy) was in the midst of a Mountain Leadership course in the Cairngorms. However, Drew did write, even though he missed the deadline, to add his final scores, and to mention his contacts with DL8PC, DK2QL, G3PKS, GM3BNX in Berwick, GW4BIF in Merioneth, shoals of OK/OL, and PAØRCH.

G3YMH (Staines) comes in from Cambridge University, with various matters of controversy. On the question from G2HKU about aerials, Ron has a 45ft. vertical, with a loading wire at the top running horizontally for 105 feet, to put the current antinode about 15ft. up the vertical section. For the earth side, there are copper stakes driven into the garden at 4ft. intervals, with a piece of 15 amp. copper wire brazed to the top of each one, right down to the end of the garden; all electrical joints are coated with grease and bound with tape to avoid corrosion and consequent noise. More radials are not found to be worth-while, as the site is on waterlogged soil near the Thames, and by the side of an artificial lake. G3YMH has found that there are two marked peaks across the AtaIntic, one corresponding to dusk in the States and the other to dawn over here-for which the first opening needs a vertical for low-angle radiation, through at dawn here a higher angle of radiation does better. G3YMH goes on to mention his VK skeds, with VK3CZ; both sides have heard the other, but no complete QSO has yet resulted-all hearings corresponded to plus or minus 15 minutes of dawn in VK. VK3CZ also has heard G3TR, G3LIQ, G3IGW, G3YUV and has worked G3SZA and 4W1AE.

G3XAP (Stowmarket) is another one on the VK trail. Phil finds that while DX can be heard on a horizontal aerial, the stuff only started to be worked when he put up his vertical-60ft. high with sixty radials. Phil has had a "near miss' -he got reports both ways from a VK6 but just couldn't copy the chap's complete call. Phil emphasises his nine watts input-20 mA at 450 volts, and he has a SWL report from VK6, at least to convince him his signal was getting into VK6 receivers solidly enough.

G2HKU worked his CW with DL3MO, DLØRZ, OE5KE, and his SSB, as always, over to PAØPN. Ted is unhappy this month at the number of stations to be heard operating in the Top Band "DX Window"—and who can blame him?

From Geoff Watts' DX News-Sheet, we notice "Firsts" being knocked up, among them 5Z4KL, who worked JA7AO for one of them, and listens on Thursday evenings, 2030-2130 on 1802 kHz for EU and JA stations, reserving the weekends for the Americans. EP2BQ was another one to knock up a "First," when he did the trick with ZL1BKX.

W1BB missed out on the best weekend of the season so far, and also the Aves Is. expedition, by way of a cruise in the Caribbean for a couple of weeks-nonetheless, Stew has so far worked 37 countries and 122 DX stations, as against 25/86 at the same stage last year. However, there are still problems with the DX-window concept over on their side of the Pond-the same difficulty as we have over here of chaps busting things up because they just don't know the form, and don't want to be told. He reports G3ZEM as having worked K6UA on December 10, the latter using two fulllength verticals! An interesting little snippet is that Paul Godley, who started it all back in 1921 by hearing the first amateur signals from over the Atlantic from his GM site at Ardrossan, is still interested in Top Band, still listens around the bands and can still copy good Morse at 40-45 w.p.m.

Yet another "First" comes up for mentions, this being the first GW/VK QSO on Top Band, done on January 7, by GW3YBH at 2110.

During the CQ WW 160 Contest, GW3YGH had aerial troubles, and so his only DX contact was EP2BQ, but he heard YV5CKR, PY1DVG, 5Z4KL, KP4AST and UB5WBN.

Culled from the Clip

The World Peace Day station, 9H3WPD, ran up a total of 1400 or so QSO's, with some 140 countries, using KW-2000B and KW-1000 gear into a switchable groundplane for the HF Bands and an 8KW trap dipole for 40 and 80 metres.

G2FWA has just completed a Heathkit HW-7, and is finding it a lot of fun working QRP CW, after six years during which Edgar succumbed to the lure of SSB. G8DV is another, local to G2FWA, who has built and is enjoying using one of these Heathkits.

G2NJ mentions the various QRP chaps he has worked during the month. There was André, ON4TA, worked eight times, with ON4TA's input on occasion as low as 160 *milliwatts*. GW5TW ran 3 watts for two contacts, and then dropped it to 800 milliwatts for a three-way QSO involving G2NJ and G2CAS. G3KPT was worked, when the latter



"... Our first eyeball together, I verily believe ... "

There are not many DX operators on the Island Republic of Dominica, in the West Indies—but here is one of them: Luis Caamano, HI8LC, P.O. Box 88, Sto. D.60, Dominica. He has a nice range of modern gear.



was running three watts-G3KPT has got over to W1TW on Fifteen with only two watts. Then there was the contact G2NJ-G2FWA. satisfactorily concluded when G2FWA was running two watts, although there was all the rumpus of a major contest going on around them. To cap this one, we hear of GW5TW, with 400 milliwatts, making a successful OSO with ON4TA when the latter was running 160 milliwatts, through all the ORM on Forty.

G3DCS accounts for his absence from these pages of late by explaining that he is having a go at RTTY, for which he has bought all the essentials and now has to make it all work. Enver is not beaten yet he has persuaded the printer to print "the quick brown fox jumps over the lazy dog"—but the difficulty is that whenever he settles on some RTTY signal, regardless, this is the message that comes out. Must be a gremlin!

Awards & Contests

The weekend March 24-25 is going to be a busy one for the contest hounds. For a start the **CQ WW WPX Contest** is on, rules for which are as in past years. Thirty hours of the 48 can be used for operating, the rest of the time being "rest periods." Double QSO points accrue for contacts on 160-80-40 metres and the prefix multiplier only counts once, *not* once per band. Make sure your mailing address is one that will still be valid in a year from now, and send your entry to CQ WPX SSB Contest Committee, 14 Vanderventer Avenue, Port Washington, L.I., N.Y., 11050, U.S.A., to be postmarked no later than May 1, 1973.

The same weekend sees the BARTG Spring RTTY Contest, for which the exchange is to be time GMT, the QSO number and the RST. You may work 36 out of the 48 hours between 0200 on March 24. and 0200 on the 26th-just two hours later, start and finish, than the CQ affair just mentionedand in this one you can work 36 out of the 48 hours. Contacts within your own country count two, other countries ten points. Multiplier is the sum of countries worked. Logs to be in by May 31, to G8CDW, 89 Linden Gardens, Enfield, EN1-4DX.

March 10-11 is another somewhat busy weekend for the operating enthusiast. There is the YL/OM CW contest, the Israel International Contest, and the HF Phone WAB, all over the same weekend. And of course, March 3-4 is the **ARRL DX Phone** contest weekend, and March 17-18 is the **ARRL CW**—a major contest, or more than one, on every weekend of the month.

On a more local level, we have notes of the Grafton Top Band contests for this year. March 24 is the AM leg—March 31 the CW— April 7 the SSB—in each case running from 2130 to 0001z. Logs, postmarked not later than April 20, to B. Bond, G3ZKE, 86 Agar Grove, London, N.W.1 from whom also you can get copies of the rules and log sheets in exchange for an s.a.e.

An interesting award is the one being put out by A.R.I., for working a station in each of the areas where Marconi made his experiments there are no less than forty of them, and in some cases it is necessary to have the card to specify the location, as G (Flatholm), U.K. (London), UA1 (Leningrad). This one looks like being a tough nut to crack details from A.R.I., Via Scarlatti, Milano, Italy.

At the time this piece comes to be read, the University College of Wales have GB3UCW on the air to commemorate the College Centenary—the dates are February 26 to March 3. QSL's to: GB3UCW, University College of Wales, Aberystwyth.

Conclusion

There it is again; since all the "hard" news came in at the very last minute, apologies if anyone's pet snippet has had to be excised to get the late stuff into the space allowed. Keep 'em rolling, for a deadline of March 13, addressed "CDXN," SHORT WAVE MAGAZINE, BUCKINGHAM.

ADAPTABLE 30-WATT TRANSMITTER

COIL DATA — VFO COVERAGE — SETTING UP

Part II

F. G. RAYER, A.I.E.R.E. (G3OGR)

CONCLUDING from p.742, February, suitable coils are suggested here but there is no need that these should be exactly as given.

L1 has to allow coverage of the wanted band, or give this when V2 is doubling. L2 is broadly resonant in the wanted band, with stray circuit capacitances. Coils with adjustable cores, such as those mentioned, are most suitable. L3 can vary somewhat in length, diameter and wire gauge. Where an aerial will not load the PA correctly, a tuner or matching device should be added between Tx and aerial, in the usual way, or the length of a dipole be checked. With an end-fed wire, a tuner is useful to help reduce harmonics.

The *Denco* coils plug into B9A holders. For L3, two sockets are fitted to a strip of paxolin, and accept

wander plugs which are soldered to the ends of the PA coil winding.

PA grid current is higher when L1 is on the output frequency, than when V2 is doubling. Attempts to use V2 for greater frequency multiplication than 2x result in insufficient grid current.


VFO Coverage

Where the full swing of VC1 covers too wide a frequency band, this can be reduced by increasing the value of C1 and reducing the inductance of L1, or by using a smaller value for VC1, or by taking plates off VC1. If wanted, further adjustment here can be provided by having a high-stability 50 $\mu\mu$ F or similar trimmer across VC1.


If much change is made from the values given here, note that oscillation may cease completely if the total of VC1 and C1 is too small. Also, should these values be too large, squegging can cause the VFO output to develop numerous frequencies which will be heard each side the wanted frequency. This is easily checked, if needed, with the aid of the receiver, with HT on V1 and V2 only.

VFO Coil

For 160m., or 160m. and 80m. with V2 doubling for the latter band, L1 can be a *Denco* Yellow Range 3 coil, with point 1 to V1 tag 6, 9 to VC1, and 6 to 8



Layout under-chassis of the 30-watt transmitter—reference to the diagrams and the other photographs will help to identify items. The rear potentiometer is VR2, for clamp adjustment on V5. As shown by Fig. 1, p.741 last month, a 4-pole two-way wafer-type switch is needed for the on-off and change-over functions.



This picture should be read with Fig. 2, p.742, February, which will enable items to be identified in the correct positions. The two large cans to the left of the vertical screen are for the VFO and buffer coils.

joined. If VC1 is 75 $\mu\mu$ F and C1 is 150 $\mu\mu$ F 1% or 2% silver-mica, suitable coverage should require nothing more than adjustment to L1 core.

For 80m., L1 can be a Yellow Range 3 coil, with the small winding removed, and also 12 turns taken off the tuned winding. A 50 $\mu\mu$ F capacitor is now actually sufficient for VC1 with C1 alone or C1 and a parallel trimmer, making up a total of about 185 $\mu\mu$ F in addition. The 3.5-3.55 MHz sector of this band doubles to 7-7.1 MHz for 40m. If more bandspread is wanted for 40m. alone, VC1 must be of smaller value, C1 (or the pre-set) being increased to make up. It is not possible to use one inductor or set of capacitor values which will allow full coverage of 3.5-3.8 MHz yet give large bandspread on 40m.

Buffer Coil

For 160m., a *Denco* Blue Range 2 coil is suitable, with the small winding removed. Peak the core for maximum grid current at about 1.9 MHz.

For the 80m. band, a Red Range 2 coil is suitable, with the small winding removed, and also 28 turns taken off the tuned section. For 40m., a White Range 3 coil, without its small winding, can be used.

In case other coils are tried, Blue Range 2 and Yellow Range 2 coils are for aerial and mixer, while Red coils are for 465 kHz IF osc. circuits, and White coils are for receivers with 1.6 MHz IF. Pin connections are thus different, and in order that any buffer coil can be plugged in, wire the holders (or pins) to suit.

PA Coils

A dual-band winding for L3 can be 50 turns of 22g. enam. wire side by side on a 1in. dia. tube. This allows working both 160m. and 80m. if VC2 is 500 $\mu\mu$ F, without too much loss of efficiency. However, it is essential to check that the PA is being correctly tuned to 160m. or 80m. as the case may be, so that the PA is not being used as a doubler. Also, only a narrower band of impedances can be matched.

For 160m. only, 65 to 70 turns of 22g. enam. wire side by side on a 1in. tube will be suitable. For 80m., 35 turns slightly spaced can be used, or 30 turns side by side. For 40m., 18 turns of 20g. wire spaced to occupy $1\frac{1}{2}$ in. on a $1\frac{1}{2}$ in. dia. tube will be suitable.

Other windings, and sundry surplus coils, would no doubt be satisfactory.

Checks

With V1 removed, adjusting the core of L2, or VC2 and VC3/4, should not produce any change in meter readings *at all*, for either position of the meter switch.

When the transmitter is loaded, and the key is up, there should be *no* RF output and *no* PA grid current. If there is, the PA is probably oscillating by itself, due to stray grid-anode coupling.

A domestic lamp (say 25w.) is suitable for AM tests or tests when the Tx is not keyed, but is unsuitable with keying due to its difference in hot and cold resistance.

If a back is wanted on the case, this should be open wire mesh to allow adequate ventilation.

TWO AERIAL IDEAS

SIMPLE, PRACTICAL AND EFFECTIVE

THE current interest in Oscar VI has focused some attention—but not enough—on suitable receiving antennae for the 29.5 MHz "down", or return, signal. It seems that many people are losing chances by not taking enough care with the 10-metre aspect of the operation.

Herewith a crossed-dipole arrangement of proven worth. The sketch is self-explanatory—except that instead of laying the array out flat, the apex of the two dipoles is pulled (or pushed) up so that the arms make about a 45° angle with one another. This calls for less than 6ft. ground-spread all four ways with the apex at a height of 7ft.+—these factors depending, of course, on how high the apex can be set. Note, however, that great elevation is not really necessary, so long as the ends of the arms are a few feet above "ground" level. An indoor or roof-space assembly would be possible in many cases.

With this arrangement, the feed-point impedance will be relatively low compared with that of a single horizontal dipole, though 50-ohm coax will make an acceptable match; probably it could be lower even than this.

If you are really keen about getting "resonance at the frequency", a little juggling with a GDO would enable the arms to be trimmed, with your particular layout, to produce maximum aerial gain (pick-up) around 29.5 MHz.


The advantages of this sort of 10-metre array are that it is polarised virtually both ways, horizontal and vertical, and is also omni-directional—that is to say, it is the nearest thing to a satellite-following aerial that does not call for physical manipulation to keep hold of the 29-5 MHz signal.

Whether it is an attempt to improve results, overcome some local difficulty, or just the fascination of trying "a new aerial," there is always something to be said or written or done in connection with that outside circuit on which at least 75 per cent of our reliance must be placed.

A particular problem is the multi-band aerial something which will do well on several of our frequencies without a lot of matching and stubbing and tuning being necessary. Most of us know the usual methods of getting out on one or two bands, and there is very little difficulty about feeding a dipole on one frequency. But it is quite another matter to evolve a system which radiates reasonably well on frequencies lower than the fundamental, as for instance, 3.5 and 1.8 MHz when less than 100ft. of wire can be put out.

Look at p.27, showing a slight modification of the well-known Collins coupler.

The coil L is linked to the transmitter output tank and tuned with the two condensers C1 and C2, which are earthed at their mid-point, operation being as follows: With the link at the transmitter end disconnected,



Crossed Dipoles for 29MHz

the output stage is tuned to dead resonance in the usual way. With C1 and C2 at minimum capacity, the link is then put on and C1 gradually rotated towards maximum till the plate current begins to rise. As it comes up, C2 is adjusted to keep the circuit in resonance, *i.e.*, minimum obtainable plate mA. Suppose PA plate current at dead resonance is 12 mA. On moving C1 it is pulled up to 35 mA; then by resonating with C2 it can probably be brought back to about 25 mA (on these figures). The process is continued till the normal loading of the PA is obtained, C1 being used to "draw," and C2 to "resonate." The degree of loading is thus controllable within very wide limits, a little preliminary experimental work with the links at transmitter and aerial tuner ends being desirable to ensure that there is enough coupling to allow the tuner to draw fully from the PA tank.

Of course, the usual precautions against overloading must be taken. The amount of draw should not be such as to "kill" the RF in the tank; the setting for highest output is where the RF as indicated by a looplamp or neon held near L is at maximum. If this is over the required input, either the links can be backed off or condensers C1 and C2 adjusted for lighter loading. It does not matter which, so long as resonance is maintained.

All the adjustments are made with the aerial on. Disconnecting the aerial after tuning will cause a large change in plate current—whether it is positive or negative depends upon the settings of C1 and C2 in relation to one another and the PA tank, and has no bearing on the operation of the system, since disconnecting the aerial puts the whole circuit out of tune. But the point is that there should be a change of plate current when the aerial is switched out—showing that it is taking load. Also, after having tuned the aerial side, it should be found that the PA tank condenser is still at dead resonance; that is, it ought not to be possible to reduce plate current any further on the tank side.

The theory of this system is simply that the circuit C1-C2-L can be made to match, within reason, any wire to any frequency. Our own tests shown that there is a certain amount of magic in the length of 85ft. Hundred-foot aerials do not take well to the higher

The Matched End-on terminating circuit. C1, C2, should be 500 pF for all-band operation, 1.8 to 28 MHz or 300pF for 3.5 MHz and upwards.

frequencies like 14 and 28 Mc, and 60-70 foot wires are difficult to load up on Top Band. Values

The fact remains, however, that if one can get up 85 feet of wire and use it with this matching circuit, effective radiation can be obtained on all bands Top to Ten. As to values, if 160 metres is required, C1 and C2 should be 500 $\mu\mu$ F and of a good low-loss design, and the coil L as follows: 1.8 MHz, 24 turns, 4in. diam., link 5 turns; 3.5 MHz, 18 turns, 3in. diam., link 3 turns; 7 MHz 7 turns, 3in. diam., link 2 turns; 14 MHz, 4 turns, 3in. diam., link 2 turns, 1ink 1 turn.

The length of the earth lead affects these values to some extent, so that suitable coils which happen to be available can be used to determine the best ratio for any band by shorting out a section turn by turn and then making L up accordingly.

Since the system works by adding sufficient inductance to the aerial to make it quarter-wave, halfwave, three-half-wave, full-wave or five-half-wave, it follows that the RF ammeter will show different readings from band to band, since its electrical position will alter considerably. That these readings are high,

AERIAL CURRENT METER

ADAPTING A STANDARD INSTRUMENT FOR RF

C. J. DAVIS (G3VMU)


THE non-availability of low current RF ammeters, the old 250 mA thermocouple type especially (and the sad end of the only one at hand, soon after the arrival of the licence) has led over the past six years to various methods of finding aerial current.

Of all those tried, the two shown here have proved the best. They are both empirical, but easy to build and operate. One uses the now ubiquitous toroidal core, the alternative being a $2\frac{1}{2}$ -inch length of $\frac{3}{8}$ -inch diameter ferrite rod. In each case the detector and indicator unit is the same and is dealt with first.

Detector and Indicator Unit

This is shown in Fig. 1 and is straightforward, using a single germanium diode with an RF filter unit. Any length of twisted cable can be used between it and the indicator. The unit poses no special problems at all, except to keep the diode in an earthed box to reduce, as much as possible, any harmonic radiation as diodes are good multipliers and can cause TVI.

A 100 μ F electrolytic condenser is wired in parallel with the sensitivity control; this was an afterthought as the sound of the needle banging against the end of the



low or different is no indication whatever of the radiating efficiency of the aerial, and should only be used as a guide when coming back to a particular band setting.

scale was annoying, SSB being used. The needle now falls rapidly to about one eighth scale and then slows down for the remainder of its traverse.

The meter used is a 19 Set instrument with the internal shunt removed—any meter of 500 micro-amp sensitivity would serve. The meter and sensitivity control can be mounted at the operating position.

Toroidal Transformer Unit

A Mullard FX-1593 toroid is wound with 12 turns of 22g. p.v.c. connecting wire spread evenly over the




Fig. 1. Circuit of the RF meter, with indication remote from the pick-up point. Values can be: C1, .001 μ F; C2, 0.1 μ F; C3, .001 μ F feed-thru; C4, 100 μ F, elect. (see text). VR1, 10K linear; RFC1, 2.5 mH RF choke; D1, OA81 or OA79; M1, 0-500 microamp DC.




Fig. 2. General construction suggested for the mounting of the Unit—the indicator can be remotely located. Hole A $\frac{3}{2}$ -in. diameter.

circumference. This forms the secondary of the transformer, the primary being the aerial wire. This is not a whole turn, the toroid is simply slipped over the aerial lead. Any toroid of good frequency response will do for this purpose.

Ferrite Rod Unit

As toroids are not all that easily obtainable this pickup was tried as an alternative, and is equal to, if not slightly better than the toroidal unit.

A piece of ferrite rod $2\frac{1}{2}$ inches long by $\frac{3}{8}$ inch diameter is wound centrally with 15 turns of 24g. enamelled wire. In this case the primary is half a turn of p.v.c. covered connecting wire near the secondary coil.

Construction

The head unit is built on a piece of printed circuit board $2\frac{1}{2}$ inches wide by 4 inches long. The bottom $1\frac{1}{2}$ inches are left covered with copper, the rest being etched away except for two areas $\frac{3}{4}$ inch long by $\frac{3}{4}$ inch wide, to which the aerial lead is soldered. A box is constructed from printed circuit board on the copper covered area to hold the detector and RF filter. After completion and checking a top is soldered on to form an RF-tight enclosure.

The toroid is self-supporting and the wires are just soldered to the lead-throughs. The aerial is run through the toroid, soldering it to the patches of copper for support.

Fixing the ferrite rod is a little more difficult but basically the same. Two cheeks of Perspex sheet are cut as shown in Fig. 2, drilled to take the rod and "*Araldited*" to the base board. The connections are as before.

The unit described is simple to use. Just tune the ATU for maximum keeping the reading on scale by

reducing sensitivity. A deflection can be obtained, on maximum sensitivity, of the carrier leak-through from the Tx with full drive on Top Band.

No trouble has been experienced with TVI in a fringe-area for Ch. 4, though it must be said that most operation takes place on 160 metres.

COAX ADAPTOR FOR PLUG-SOCKET MATCHING


D. E. KNOWLES (G3UVA)


WHILE there is a complete range of inter-series adaptors available for the types UHF, N and BNC coaxial fittings, many amateurs still use Belling-Lee TV connectors. As a great deal of both Japanese and American equipment uses UHF types and some ex-Service units are fitted with N-type sockets it was felt that a simple adaptor to convert to Belling-Lee would be useful.

On the surplus market are available right-angle adaptors for both UHF and N-type connectors. These are the basis of the new adaptor, and should be converted as follows: Trim off the fixing flange from the chassismounting type of Belling-Lee coaxial socket; this will now fit inside a spare back nut of any PL259 or N-type plug.

For the UHF type build up the pin thickness on the BL socket to be a push fit into the socket end of the right-angle adaptor, screw on backnut and the new adaptor is completed. For N-type, solder a short length of 16g. bare wire to the pin of the BL socket; this will then push into the centre pin at the socket end of the N-type right-angle adaptor. Assemble as with UHF type.

These simple adaptors will enable equipment with different coaxial fittings to be used with existing Belling-Lee type of installations. The adaptors can, of course, be used as they were originally because no alteration has been carried out. (See sketches below).





SSB Transverter with PSU—general appearance

SIDEBAND TRANSVERTER FOR TWO METRES

DESIGN AND CONSTRUCTION

J. D. V. Ludlow (GW3ZTH) and C. J. Dunbar (GW8EHK)

Part I

THE attraction of using a particular mode of operation for communication on two metres revolves around the type of contacts in which the individual operator is interested. If the band is used primarily as a "natterchannel" for local ragchewing then QRP, AM or FM equipment often suffices, but for the operator who wants to work DX, CW or SSB are required to achieve a reasonable degree of success.

Whilst the advantages of using CW for DX working are well known there appear to be comparatively few two-metre operators using this mode. Thus, the use of SSB may include a greater return of DX contacts. This is especially true in the remoter areas of England, Scotland and Wales where often the local terrain is an additional obstacle to be overcome.

The methods of generating SSB on two metres are, alternatively:

- (a) Special purpose single-band filter or phasing generator, or
- (b) The use of an existing HF band trans-


metter/receiver or transceiver and a transverter.

Alternative (a) assumes one has the necessary time and test equipment. While capable of producing excellent results it does imply single-band capability.

Alternative (b) calls for the construction of a relatively simple transverter, which requires only the use of the sort of test equipment found in most VHF stations, *i.e.*, multimeter, absorption wavemeter and if possible a reflectometer or SWR bridge.

This article describes the construction and operation of a two-metre transverter. The basic idea is to take the 10-metre output of an HF transmitter and with suitable mixing and amplification produce a SSB signal on two metres, the "receive" side being similar in that the incoming 144-146 MHz signals are heterodyned down to 10 metres where they are resolved in the normal converter/receiver set up. The choice of an HF band from which to start depends on the equipment available, although it should be noted that as high a frequency as possible should be used so that the difference in mixing and signal frequencies will be great enough to obtain maximum attenuation in the tuned circuits of the transverter.

The choice of 28-30 MHz as the SSB drive frequency was made to allow the facility of having VFO control over the whole of the two-metre band. However, 28-30 MHz is not the best area for minimising spurii and any would-be constructor is advised to choose 21 to 21.5 MHz and thereby reduce any possibility of inband spurii around 145 MHz. (over



BLOCK SCHEMATIC - INTERCONNECTION DIAGRAM

Block Diagram — interconnection of Units

Xtal Oscillator-Multiplier Chassis

This is a four-valve unit, comprising two voltage stabiliser valves, an xtal oscillator and frequency multiplier.

Valves V1 and V2 are series voltage stabilisers and are included to regulate the HT feed to the xtal oscillator valve V3a and the frequency tripler V4. The tripler V4 was fed from this supply because it was felt that any variation in its HT would affect the loading on the xtal oscillator, thus introducing unwanted frequency modulation.

The oscillator V3 is in a conventional Miller circuit and has a typical frequency stability of 20 p.p.m. The xtal oscillator takes a 38.6666 MHz 3rd overtone xtal of the HC-6U variety. The point marked "x" on the diagram could be used to provide IRT/ITT or FM facilities by the inclusion of a varicap diode and suitable circuitry.

The output of the xtal oscillator is capacity coupled to V4, the frequency tripler, its 116 MHz output being inductively coupled to the balanced mixer and 2-metre converter.

Also included on this chassis is the T/R switching relay RL1/2 which is used for breaking the screen grid supply to the balanced mixer, buffer amplifier and PA stage. It could equally well be wired to apply a blocking bias to the PA stage should any unwanted hash due to PA shot noise be detected, also to provide a means of switching the SSB prime mover output from the converter on "receive" to the input network of the transverter on "transmit."

Due to lack of space on the balanced mixer-buffer amplifier chassis the 28 MHz SSB injection trimmer and input network are placed at the rear of this chassis; no problems have been experienced with this arrangement. The trimmer is used as the power level control and not the microphone gain on the prime mover, thus preserving the carrier suppression of the prime mover.

Balanced Mixer/Buffer Amplifier Chassis

The heart of any SSB transverter must be the mixer, for it controls the quality of the final signal. This transverter is no different from any other, so the choice of mixer was made in the light of others' experiences. Whilst single-ended mixers will work, the authors felt that the possible level of spurii would be difficult to remove and so the balanced mixer was adopted. The choice of valves for the job is yet another matter, the QQVO3-10 being a convenient type; at a modest cost it fits the bill and has performed well in this role. The balanced mixer V5 is fed with the 116 MHz from V4 via a 1-turn link and with 29.41 MHz SSB to its cathode to give 145.410 MHz SSB at its anode. (The choice of 28-30 MHz as the injection frequency has been covered earlier). However, there is a problem around 29 MHz since the 5th harmonic is 145 MHz; cathode injection is to be preferred to balance out this component at the anode of the balanced mixer.

The output of the mixer is inductively coupled to the input of the buffer amplifier V6, another QQV03-10 run in Class-A at 8-9 watts with an available output of 2-3 watts—more than enought to drive a pair of 4CX-250B's to one kilowatt input! Again, the output of the buffer is inductively coupled to the grid of the PA stage.

PA Chassis

The choice of PA valve is a matter for the individual but it was felt that from the availability, cost and optimum performance point of view the ubiquitous QQV06-40A has much to commend it. There are, however, other possibilities such as the QQV03-20A for inputs up to 50 watts p.e.p.—another possibility is the 4X150A or 4CX250B stage with the advantage of increased talkpower.

With regard to the existing PA stage it is possible to run the QQV06-40A at inputs up to 200 watts p.e.p., providing caution is observed in the tune-up procedure.

Construction

The transverter was constructed in its present form as a result of experience with an earlier design. Each chassis is screened from its neighbour to reduce any unwanted coupling effects. (The chassis screens and wrap-over cover were made professionally, so much of the hard work was eliminated). There are other lay-out possibilities, but one word of warning: Good and effective interstage screening is a "must" if stability is to be maintained and spurii are to be kept at a low level.

The layouts (given in Pt. II) are as a guide for the would-be constructor. The main point to watch out for is the chassis hole that receives the QQV06-40A PA valve. To maintain stability this should be just right to allow the valve to be seated into its socket and for some cooling air to flow around the valve, a little over 2in. being the optimum size.

In the prototype it was found that the buffer amplifier was unstable and after a considerable amount of blood, sweat and tears had been shed the present design evolved. Grounding of the buffer cathode is to be preferred, the cathode being taken to earth by means of a tag adjacent to its valveholder pin.

The rest is straight forward VHF practice with the liberal use of 001 μ F disc ceramic capacitors with short leads, reducing long leads to a minimum and taking care to avoid any unwanted coupling between components. It cannot be emphasised enough that good quality components should be used, even if they are rescued from the junk-box. Clean off all leads even if the components are brand new as one bad solder joint can cause a considerable amount of trouble.

A large number of disc ceramics are used for decoupling; these have been included to prevent the possibility of unwanted coupling and should be wired as close to their associated stage as possible.

Alignment

With the construction completed a resistance check should be made to make sure there are no shorts. If all is well the valves can be inserted and the heater supply connected. Check the filament voltage of each valve at the pin itself—all should be 6.3v. A.C. Next connect the bias line to the -50v. rail and set the PA bias to -35v.; the buffer amplifier bias volts should be at least -21v. A slightly higher voltage will be necessary at anode voltages above 290v. in order to keep the anode dissipation within the manufacturers' limits; this can be corrected by increasing the value of R14 proportionally.

Then the 300v. supply can be connected. The stabiliser valves V1 and V2 should both strike and the HT across them measured; this should be a nominal 193v. The oscillator anode coil is then adjusted for maximum output, the core being set to ensure reliable starting. Check that the crystal is oscillating on its 3rd overtone; Tc2 should be peaked for maximum 116 MHz output by using a loosely-coupled calibrated absorption wavemeter.

Table of Values

Fig. 1. Circuit of the SSB Transverter

CL	_	$\cdot 002 \ \mu F$, disc	VC3		5 + 5 $\mu\mu$ F, wide
		$30 \ \mu\mu$ F, s/m	105		spaced
C3, Č4,		50 µµ1, 3/11	VC4	_	5-25 $\mu\mu$ F, wide
C5, C6,					spaced
Č7, Č9,			Rİ	=	180,000 ohms, 2w.
C13, C15,			R2	_	150,000 ohms, 2w.
C16, C17,			R3	=	100,000 ohms, 1w.
C19, C20,			R4, R5,		
C21, C22,			R11, R16		47,000 ohms, $\frac{1}{2}$ w.
C23, C26,			R6, R12,		
C28, C29,					100 ohms, ½w.
C30, C32,			R7	=	3,000 ohms,
	=	-001 μF, disc			w/wound
C8, C10,		a		=	1,000 ohms, 1w.
		•047 μ F , disc	R9, R18,		100 -1 - 1
C11, C12,			R19, R20		120 ohms, 1w.
C18, C24,		450 E 4			2,200 ohms, 1w.
		470 $\mu\mu$ F, disc			2,700 ohms, 1w.
C31, C35		68 μμ F , 8kV	$\mathbf{R}^{17}, \mathbf{R}^{21}$	-	10 ohms 5w.,
Tet1		wkng., disc	VD 1		w/wound 5,000-ohm
Ft1,			VKI	-	w/wound pre-set
Ft2,		.001 E 500 food			pot.
F13	=	001 μF 500v. feed thru	MS	_	Meter shunts, as
Tal		3-30 $\mu\mu$ F beehive	141.5	_	required
101	_	trimmer	RL1/2	_	Relay, 12v. DC
Tc2		5-50 $\mu\mu$ F trimmer	RDI/2		coil, 2-pole c/o
Tc3.		o oo ppr timino	V1	_	OB2, 150v.
	-	$5 + 5 \mu\mu$ F butter-	Ŷ2		85A2, 85v.
		fly			ECC81
VC1	-	5-50 μμF, ins.			EF184
		above ground	V5, V6	=	QQVO3-10
VC2	=	$5 + 5 \mu \mu F$ butter-	Ý V7	=	QQVO6-40A.
		fly			

Notes: All resistors 10% tolerance carbon, except where stated. C31, C35 high-voltage RS Components disc cap "ionisation free". Adjust R14 for anode dissipation of 8-9 watts. Wide-spaced capacitors VC3, VC4 should have plates at .045 in .spacing. Preferred crystal frequency is 38.6666 MHz, HC6/U or HC18/U type. RF chokes RFC1, 2, 3, made with quarter-wave (approx. 20in.) of 30g. enam. wound on 1K 1-watt carbon resistor body.

Circuit on p.p. 32 & 33

Table of Coil Data

		Table of Con Such
L1	=	11 turns 30g. enam. close-wound on $\frac{1}{2}$ in. dia. poly former with dust slug.
L2		Three turns 16g.
		One turn 18g. loose-coupled to L2.
L5	=	Filter suitable for 28-30 MHz.
Ĩő		One turn 18g. at centre L7.
		Two-by-two turns of 16g.
L9		One turn 18g, centred on L8.
L10	=	As L9, centred on L11.
LII		Four turns 16g., centre tapped.
L12		Two-by-two turns 16.g
L13	-	One turn 18g, centred on L12.
L14	-	Two turns 18g. centred on L15.
L15		Two-by-two turns of 16g. connected directly
		across V7 grid pins.
L16	_	Two-by-two turns 14g., wound to 1/2 in, i.d.
L17		One single turn at L16.

Note: Except where specified, all coils are half-inch diameter self-supporting, spaced one wire dia. between turns. Coils may need slight adjustment for resonance.

(To be concluded)





Fig. 1. Circuit of SSB Transverter, 28 to 144 MHz



Values and Coil Data on p.31

March, 1973

THE MOBILE SCENE

The Rally dates are filling up fast—we should be informed of further fixtures before March 13, for appearance in the April issue of SHORT WAVE MAGAZINE. Address to "Mobile Scene" on a *separate* piece of paper, please.

- April 1st: Annual White Rose Rally, at the High School, Ring Road, West Park, Leeds 16, junction of the A.6120 (ring road) and A.660, opening at 11.30 a.m.
 —R. J. Nettleton, 129 Stainbeck Lane, Leeds, LS27 2EB, for details.
- April 15: North Midlands Mobile Rally at Drayton Manor Park, near Tamworth, as last year.
- May 6: Tulip-Time Rally, at Sunfleet on the A.16, four miles north of Spalding, Lincs.—Information from R. Harrison, G3VPR, 38 Park Avenue, Spalding, Lincs.
- May 13: South Leicestershire Mobile Rally at Westfield Activity Centre, Rosemary Way, Hinckley, opening at 11.0 a.m. Trade stands are to be organised and applications are invited. Details from J. Elliott, G8CGW, 92 Hinckley Road, Barwell, Leicester.
- May 20: RAIBC gathering at the Fairground Broadlands Estate, Romsey, Hants., in conjunction with the Southampton Group.—Mrs. Frances Woolley, G3LWY, Woodclose, Penselwood, Wincanton, Somerset.
- May 27: Hull & District Mobile Rally at Bishop Burton, near Beverley, Yorkshire. Organiser L. D. Colley, G3AGX, 13 Ferry Road, Wawme, Nr. Hull, HU7 5XU, East Yorks.
- May 27: Maidstone Mobile Rally at YMCA Sports Centre, Melrose Close, opening at 11.0 a.m. All main events under cover, talk-in by GB3YSC on 2-4-80-160m. Contact A. S. Walter, G3WXL, 4 Oak Farm Gardens, Headcorn, Kent.
- July 8: Upton-on-Severn Mobile Rally, organised by the Worcester & District Amateur Radio Club. Details: B. A. Jones, G8ASO, 12 Woodside Road, Larkhill, Worcester, WR5 2EG.
- August 12: Torbay annual Mobile Rally at Newton Abbot Rugby Club ground, with talk-in, the usual stands and competitions.—L. H. Webber, G3GDW, 43 Lime Tree Walk, Newton Abbot, Devon.
- August 26: Town & Country Festival Rally, National Agricultural Centre, Kenilworth, Warwickshire.
- August 26: Preston Amateur Radio Society Rally, details later.—G. Earnshaw, 12 Withy Parade, Fulwood, Preston, Lancs.

SOLO MOBILE EXPEDITIONS

It may be remembered that some years ago, at the suggestion of G3HBZ/M (Sunbury, Middlesex) we

sponsored Sunday-afternoon mobile operating periods the idea being merely to go out, picnic-wise, and see what other /M's could be worked, perhaps from some static site on high ground, or however (p.107, April 1967 SHORT WAVE MAGAZINE refers).

There is no reason why we should not try this again, there having been many more U.K. mobiles licensed during the last six years. Accordingly, we suggest the following Sunday-afternoon dates (about noon to around 5.30 p.m.) during which this ploy might be tried: April 8, May 20, June 10 and July 8. If reports to "Mobile Scene" could be sent in immediately after these tests, results could be covered in the *Magazine* issue following.

We also have some other ideas in mind to encourage what might be called "mobile working with an objective", and generally more activity /M as between mobiles.

Anyway, try one or two of these Sunday jaunts, see what happens and let us know, giving own map location (if static) and callsigns and localities of mobiles worked. Use any band for which you are equipped /M. Write in to "Solo Mobile Expedition, Mobile Scene," SHORT WAVE MAGAZINE, BUCKINGHAM.

SPECIALLY ON THE AIR

This heading covers those amateur-station activities involving a public appearance or demonstration of Amateur Radio, for which the Ministry will issue a special "for duration only" callsign, with a named licensed amateur as being responsible for the operation of the station. Such special-activity stations as are notified to us will be publicised in this space.

Please send in on a *separate* sheet, before March 13 for the next issue. We also need the name, callsign and QTH of the responsible contact-man.

- GB3STF, May 12-13: From the Grammar School, Priory Road, Spalding, Lincs., by the Spalding & District Amateur Radio Society, running CW/SSB on all bands 10-160m. (and AM on two metres), all contacts to be confirmed by special QSL card— Details from R. Harrison, G3VPR, 38 Park Avenue, Spalding, Lincs.
- **GB2BWS, May 30-June 2:** For the Bath & West Show, from the Shepton Mallet, Somerset, showground. Loan of equipment and operating assistance are solicited, conferring free admission for car and/or caravan. Anyone who can help is asked to get in touch with R. B. Holman, G2DYM, The Old Saw Mills, White Ball, Wellington, Somerset.
- GB2GB, August: Station to be operated from Brunel's old steamship *Great Britain*, now dry-docked at Bristol, for the City's charter anniversary celebrations. GB2GB will be available for operation by visiting licensed amateurs during the entire month. Contacts will be QSL'd by special card. Information from G. Mather, G3GKA, 8 Hills Close, Keynsham, Bristol.

For this month's Small Advertisements, see pp.51-56



A. H. DORMER, G3DAH

Oscar VI

THIS has been another frustrating month for users of the satellite, with many predicted orbits inactive and many of those which have produced results difficult to work because of weak signals and much OSB. It is known that some of the trouble is due to a fault in one of the solar cell panels which has resulted in low battery voltages, but AMSAT have now announced that there is a mal-function in the satellite control system as well. In order to conserve power (and thereby relieve the frustration) they propose to switch the transponder off from 0001z on Mondays until 2359z on Thursdays. The 70 cm. beacon and the telemetry will be transmitted at the start of the first orbit after 0001z each day-well out of range of the U.K. Oscar VI may be heard between these times but operators are requested not to use it. In this way it is hoped that a full weekend service may be maintained.

Oscar CW procedures are being speeded up still further as operators become more familiar with working through it. Since most stations are listening through on 10m., it frequently suffices to send "BK", or just your call, or a string of dots to attract the attention of the calling operator, who then sends "K" and away you go. Neat? Adequate!

One might mention at this point that the plans for *Oscar VII* are well advanced. This will be a 2m/70 cm. transponder in a nearly synchronous orbit giving 180° coverage and should be on view for 10 days at a time.

Project "Moonray" is still on the stocks and should put a repeater on the moon in 1976, all being well.

Extracts from Reports

GW3FSP has now had 442 contacts via Oscar of which no less than 147 are with W/VE. He is finding it a bit of a job to work new calls now, and it seems to be the opinion of many that we are reaching saturation point. He has certainly been one of the most consistent performersone rarely hears a pass without Dewi's impeccable CW. He uses the Tx which was on display at the 1966 Exhibition at the Seymour Hall, with a pair of 4X150's in the PA, a 10-ele. J-Beam and a TH3J for 29 MHz. Rx is the HO-170A. He comments on the 2m. beacons which translate quite nicely to 29 MHz on some passes, thereby taking up band space and output power in the satellite, but short of switching them off during in-range passes, it is a bit difficult to know what could be done about it.

Another consistently good signal on most passes is that of G3JVL, with over 300 contacts with 106 different stations through the device. His comments are of great value, therefore. He runs a 4CX250 PA in the Tx and after many trials has settled on the following for the antenna systems: On 10m. he uses

which see text.

a dipole of $\frac{1}{2}$ in. dia. aluminium tube at 32ft., and 5ft. below that, a 7-ele. Yagi tilted at 40° to the horizontal. The latter gives better overall results than the 2m. dipole, which failed for overhead passes, and better than the 10-ele. horizontal Yagi. Obviously in this, as in most cases where amateur operation is concerned, there is need for a compromise. The 10-ele. beam still gives the best results at the low radiation angles required for the more distant orbits, but the tilted antenna, with a broadened lobe in elevation resulting from a reduction in the strength of the ground-reflected signal, gives the best general coverage. Mike stresses the importance of the 10m. Rx. If galactic noise does not predominate, then the Rx or the antenna is at fault. A simple way to check this is to replace the aerial with a 50 or 75-ohm resistance and note that there is a substantial increase of noise with the antenna connected -in other words, that the only substantial noise-effect in the Rx is that produced by the aerial. The receiver must then "hear" any signal which is above Ae. noise. (And CW can, of course, usually be read under it.)

De-sensitisation of the Rx by the 2m. Tx is also a factor, and using a low-pass filter between the antenna and Rx helps a lot here. G3JVL

Orbit	Date	Time (GMT)	Postition	Directio
1736	Mar. 3	0820	23°E	N/S
1737		1015	06°W	N/S
1738		1210	35°W	N/S
1741		1731	35°E	S/N
1742		1926	06°E	S/N
1743		2121	23°W	S/N
1748	Mar. 4	0720	38°E	N/S
1749		0915	09°E	N/S
1750		1110	20°W	N/S
1754		1826	21°E	Ŝ/N
1755		2021	08°W	S/N
1911	Mar. 17	0744	31°E	N/S
1912		0939	03°E	N/S
1913		1134	26°W	N/S
1916		1655	44°E	S/N
1917		1850	15°E	S/N
1918		2045	14°W	S/N
1919		2240	43°W	S/N
1924	Mar. 18	0839	18°E	Ń/S
1925		1034	11°W	N/S
1926		1229	40°W	N/S
1929		1750	30°E	S/N
1930		1945	01°E	S/N
1931		2140	27°W	S/N

35

notes in passing that DJ2RE (with whom he has now had 16 QSO's) has had 620 Oscar contacts to date! In spite of his excellent set-up, 'JVL had yet to work GM!

G4AJC now has 20 countries to his credit, all worked with a QQV06-40A PA, a 2-ele. beam on 10m. and a tiltable 9-ele. on 2m. He finds that, on some orbits which are ostensibly beyond range he can still hear and indeed has worked some good DX. G4ATX has joined the ranks of the Oscar chasers (one doesn't hear too many G4/3's) and comes up with 13 countries in 26 contacts. He runs an 8-ele, beam on 2m, and a dipole on 10m. Tx is a QQV06-40A and Rx a Somerkamp FR-DX500. GM3ZVB uses a 10m. dipole and an 8-ele. beam, slightly tilted, for his Oscar contacts. He comments that for accurate netting an oscillator on 116.5 MHz and a mixer would bring up the 2m. signal on the correct 10m. frequency on the Rx. Very useful when one cannot hear one's own signal.

G5ZT notes that there appears to be an excessive time delay in the return of one's own signal on 10m. Has anyone else noticed this? EI6AS reports that VE3QB is the Canadian control station for Oscar.

G3IOR has had some very fine DX-best to date with W5ORH at 4,556 miles and he is awaiting confirmation of a QSO with W7BBO at 4,741 miles. He has also heard some remarkably good stuff, including KL7, UAØ, JA9, HM, FY7, OX and XE. The gear runs 10 watts to a '320A with a 6/6 inclined at 7° to the horizon. The Rx has a really hot front end (0.05 μ V for 3 dB sig./ noise ratio) and the 10m. antenna is a 3-ele. Yagi at 50ft. He recommends a simple FET pre-amp on the Rx rather than excessive power, and his list of countries heard seems to justify his comment.

The G3NHE total includes an unusual one in FC, which doesn't figure in any other list, and he has at last got his YU after spending much time calling (and who hasn't?) the gentleman in that country with the cloth ears. Martin makes a couple of interesting points. The first is the practice of tilting the 2m. antenna above the horizontal which must degrade the performance at extreme range. (*Vide* comments by G3JVL above). To coin a phrase, "Circumstances alter cases", and the results achieved are probably best evaluated empirically, since soil conductivity and wavelength above ground both play a part. The second concerns reception from beyond the horizon commented upon by several readers. He suggests that the mechanism is bending or refraction, and this seems very likely.

A very complete set of Oscar predictions comes from G3WPO, QTHR, who is prepared to send copies to readers each month on receipt of an s.a.e. To forestall the inevitable questions as to why they apparently conflict with our own predictions, it may be noted that the times and bearings given by G3WPO are for S/N equator crossings, whereas the Magazine figures are for transits at 52°N irrespective of pass direction. A correction factor applied to either set of figures will give the correct answers. With the predictions goes a set of tracking tables and a cursor which enable the elevation at any point and time to be computed. A very public-spirited gesture for which many thanks, Tony. The antennae in use at G3WPO are a bit complex, consisting of two, three-ele, phased beams at 60° to the horizontal and pointing South and North respectively and these, together with the 10-ele. Yagi, do the job very nicely, as the Table shows. Power used is varied to suit the conditions-it can be as low as 20 watts when conditions are right, but needs to be a lot more than that for some passes.

Finally, a report from SWL Gordon Smith of Aberdeen. Not only has he knocked up 31 countries heard, but he also advises that GM8FTJ is "Oscaring" on SSB and GM3AXE on CW. He uses two aerials, a long wire for East/West and a dipole for North/South coverage. His log includes GM and LX which do not often figure frequently in other logs.

Contests

It has hardly been the month for outstanding propagation during any of the VHF contests, although the 2m. SSB event produced some fair results, and the 2m. CW on February 4 saw a certain amount of EU activity.

70 cm. Cumulatives

That on January 4 was pretty poor, although G3KMS (Bolton,

Lancs.) worked G8AHF in I.o.W. and finished up with a total of 134 points including three 9-pointers and one 11-pointer. G8AWS/P was on from near Chester with SSB. Arthur is still in the forefront of 70 cm. activity, as witness the picture on "VHF Bands" last month. The GB3SC signal was very weak at this time. Propagation was average for the January 12 session, although G4AEO (Manchester) heard G3KEO in Surrey. Best score noted was G3KMS with 23 contacts for 132 points, others being around the 10-12 contacts mark. Activity was low, possibly due to the frost and snow, several stations reporting inability to get on the air due to aerial icing. The January 20 event was even quieter, again the bad weather may have had something to do with this. Things perked up a bit for January 28; for example, GD2HDZ was heard well in the Midlands, but scores still but rarely passed the 18-20 contact mark. The February 5

OSCAR VI TABLE Operating Results Station Countries Prefixes DL, DM, EA, EI, F, G, GI, GU, GW, HB, HG, I, LA, LZ, OE, OH, OHØ, OK, OM, OX, OZ, PA, SM, SP, SV, TF, UA, UG, UT, VE, W, 4X4, YU. (186) G6RH 32 DL, DM, EA, EI, F, G, GI, GW, HB, HG, I, LA, LZ, OH, OHØ, GW3FSP 32 N, DA, DZ, OH, OH, OK, ON, OZ, PA, SM, SP, UA, UB, UG, UK, UR, UT, UW, UY, VE, W, 4X4 (442) DL, DM, EA, F, G, GI, GW, HB, HG, I, LA, LX, LZ, OE, OH, OHØ, OK, ON, OZ, PA, SM, SP, UA, UG, UK, UR, UY, VE, W, YO, YU. (329) EI6AS 31 DL, DM, EA, EI, F, FC, G, GI, GW, HB, HG, I, LA, LZ, OH, OHØ, OK, ON, OZ, PA, SM, SP, SV, TF, UA, UG, UR, VE, W, G3NHE 30 YU. (335) DL, DM, EA, EI, F, G, GI, GW, HB, HG, I, LA, LZ, OE, OH, OK, ON, OZ, PA, SM, SP, SV, TF, UA, UG, UR, UT, VE, W, YU. G3BHW 30 (194) G3WPO 29

DL, DM, EA, EI, F,
 G, GW, HB, HG, I,
 LA, LZ, OE, OH, OK,
 ON, OZ, PA, SM, SP,
 UA, UF, UG, UK,
 UR, VE, W, YO, YU.
 (139)

session was also bedevilled by poor propagation conditions in spite of the comparatively high pressure (1035 mB in Herne Bay).

Two Metres

The CW contest on February 4 saw some good EU/DX with DJ9DL and DC6EQ well to the fore, together with a handful of PAØ and F. although final scores did not seem to reflect intense activity. It looked as if the Midlands had it rather better than the South, the two Sheffield stations G3NHE and G3NEO being well up towards the end. The increasing use of the VFO was most noticeable during the contest, with co-channel QSO's very frequent. Little abuse of the method was observed.

The Grafton Radio Society VHF Contest was won by G8GHA/P with 254 points, the runner-up being G8GCS/P.

Four Metres

The last of the Four-Metre Cumu-

G3JVL	28	DL, DM, EA, EI, F, G, GI, GW, HB, HG, I, LA, LZ, OE, OH, OK, ON, PA, SM, SP, SV, TF, UA, UG, UR, UT, VE, W. (300)
G3IOR	26	DL, DM, EA, EI, F, G, GI, GW, HB, HG, I, LA, LZ, OH, OHØ, OK, ON, OZ, SM, SP, UG, UK, UR, VE, W, YU. (198)
G3COJ	23	DL, DM, EI, F, FP8, G, GI, GW, HB, HG, I, LA, LZ, OH, OK, PA, SM, SP, SV, UA, UG, VE, W. (?)
G5ZT	20	DL, DM, EI, F, G, GI, GW, HB, HG, I, LA, OH, OK, ON, OZ, SM, SP, UA, VE, W. (?)
G4AJC	20	DL, EA, EI, F, G, GI, GM, GW, HB, I, LA, OH, ON, OK, PA, SM, SP, UA, VE, W. (250)
G3DAH	18	DL, DM, EA, EI, F, G, GI, GW, I, LA, OH, OK, SM, SP, UK, UR, W, YU. (72)
G4ATX	13	DL, F, G, GW, HB, OH, OK, ON, PA, SM, SP, UA, VE. (26)

It is intended that this Table shall run for the duration of Oscar VI activity. When putting in a claim, please show countries worked in alphabetical order, as given here, with total contacts made via Oscar in brackets. To keep the Table up-to-date, claims should be made monthly. It is open to U.K./EI 2m. operators only and at present no award status for working through Oscar VI is contemplated. Contacts via Oscar do not count for VHFCC Awards. Claims for entry in this Table should be made to "VHF Bands", SHORT WAVE MAGAZINE, BUCKINGHAM. latives took place on January 14 and 28th. Here again, conditions were not very favourable for long-haul contacts. Best signal in the South was G3OHH (Mow Cop), a very reliable performer. Both the beacons were well down on both dates.

Forthcoming Events: March 3/4 for the 144/432 MHz Open and March 4 for the 144 MHz Fixed Station events. March 31/April 1 for the 432 MHz Open.

VHFCC Awards

Joe Ludlow, GW3ZTH of Bridgend, Glamorgan, heads the list this month with Award No. 176 for two-metre contacts. From his OTH at 450ft. a.s.l. four miles inland from the Bristol Channel, he finds propagation good NW-S-SE, average SE-E-NE and poor NE-N-NW due to the surrounding terrain. He runs an FT-101 into a transverter with a '640A in the final, which gives him about 200 watts p.e.p. The antenna at 30ft. is an 8-ele. Yagi, to be changed shortly for a 10-ele. Skybeam or something bigger, and this is fed from the Tx via an SWR bridge and a bandpass filter. The converter uses dual-gate mosfets (3N140's) in the two RF stages, with a 40602 mixer. Future plans include QRO operation with 4CX250B's.

There follows Mike Stevens, G8FBN (Freemantle, Hants.) who gains Award No. 177, also for two metres. He has been a keen SWL since he was 14 years old and recalls that his early Rx was a home-built job with plug-in coils! He was first licensed in August, 1971, and still runs an HW-17A with 8-10 watts output into an 8/8 at 45ft. He has an FR-DX400 and an Eddystone 870A against the time when his G4/3 call arrives.

From Luton in Bedfordshire, Mike Costello, G3YPP gains Award No. 178. He has been on 2m. for nearly three years now, and in the early days ran a QQV02-6 in the final but has changed this for a QQV03-10 with 15 watts into an 8-ele. beam at 36ft. The Trio Rx is preceded by a double-conversion, dual-gate mosfet converter. Mike is now at Swansea University and operates from there on the HF bands as GW3YPP. Whether he gets back on 2m. or not depends upon the breakthrough from GB3GW, as the beacon antenna sits on top of the shack, and this is going to present a few cross-mod. problems.

G8CLK is Ken Woollven of Aldershot, Hants, and to him goes Certificate No. 179. He is another HW-17A user, and runs this into an 8-ele. Yagi at 30ft. which also feeds the fet pre-amp, Nuvistor converter and a CR-100 Rx. He gets nearly 60% QSL return rate, and finds that the Class "B" operators are better at replying than the others. His 70 cm. rig is almost complete, and he hopes to take the Morse test later this year.

The Rectory in Poplar, London is the QTH from which Bob Royall, G8EBP/G4BOW gains Award No. 180. He runs 50 watts input to a '320A on 2m. and this feeds an 8-ele. Yagi at 50ft. rotated by a cowl gill motor. For reception he has a G8AEV converter and the Hammarlund HQ-170.

Double Top this month goes to G8EOP, Melvyn Jackson (Dewsbury, Yorks.) who claims both the 2m. and 70 cm. Awards-and gets them! Nos. 181 and 16 respectively. Initially, the 2m. gear consisted of a QQVO3-10 with 15 watts input and a home-built converter to a CR-100, but this has now been changed for 50 watts output with a mixer VFO. a pre-amp and a Microwave Modules converter to an Eddystone 888A. The 10-ele. beam at 35ft. remains unchanged. On 70 cm., Melvyn started with 25 watts input to a 320A tripler but now runs 90 watts input to a '640A. For reception he uses an AF239 pre-amp with another M.M. converter into the 888A. The beam is a 46-ele. job at 40ft. First licensed in February, 1971 he was QRV on the two bands without any delay.

A feature of these VHFCC Awards is the large number of G8/3's who claim compared with the small number of Class "A" claims, in spite of the fact that, with CW at their disposal, it should be easier for them to make the requisite number of contacts. Perhaps they have done it all before? Or perhaps we should publish the rules again? So, here they are. Your claims should be made for 100 contacts with different stations completed on one of the VHF bands (4m., 2m. or 70 cm.) from a fixed QTH, and which are supported by QSL cards. The lists, which should show the callsign and the date of the contact, should

include a description of your station and be sent to "VHF Bands", SHORT WAVE MAGAZINE, BUCKING-HAM.

SSB in GM

SSB in Scotland, as in other parts of the country, has been given a lift by the number of "Liner-2" rigs now on the air, notably that operated by GM3SAN/P who seems to be laying down a respectable signal over much of Fife and the Lothians. How about getting some of them up on Oscar? Regulars are: GM6XI, GM6XW, GM3FGJ, GM3PQU, GM3BQA, GM8BJF, GM8DIJ, GM3SAN, GM3KXM and GM3ZVL among others. All good stuff, and likely to lead to more GM/G DX contacts during the GM3GUI is coming months. reported to be just about ready to go with an FL-500 and a transverter. His station was recently in the path of a 100 m.p.h. gale which bent his 3in. steel tube mast over at right angles! Sandy Lawrie, GM3PQU, runs an FT-200 with HB transverter to a beam at 80ft. above a block of flats and is able to work GM3KJF in Ayr with nae' bother in spite of the difficult path. He plans to enter the Oscar stakes. GM3ZVL has now completed his solid-state transceiver for 2m. and although he only has 200 mW out to the 8/8 is getting very fine reports. He plans a varactor tripler to go with it for portable operations. His former schoolmaster, mentor and friend, GM3BCD, must be nodding his approval.

There seems to be no holding the "Laird of North Berwick". Not content with the Parabeam at 70ft., GM3BQA has added an 8/8 slot-fed beam at 80ft. to the aerial farm and, having acquired a transverter from

THREE	BAND	ANNUAL	VHF	TABLES

January to December, 1972

FOUR METRES

Station	Counties	Countries	Total
G5DF	52	6	58
G3OHH	51	6	57
G3ZMD	37	4	41
GD2HDZ	34	4	38
G3DAH	34	23	36
G2AXI	31		34
G3EKP	23	6	29
G3FIJ	12	2	14
G3PQF	5	1	6
G3\$MU	5	1	6
GW3CBY	3	1	4
G3YRH	2	1	3

GM6XI, is now blocking frontends over quite a large area with 2 watts of SSB. With the appearance in his shack of some 4CX250B's it does not need a Sherlock Holmes to divine his next move! How about Oscar, Jim?

GM8BJF has recently obtained a 9 MHz McCoy filter and is planning a rebuild, mostly solid-state, of his SSB rig, and the other Brian, GM8DIJ, already QRV with SSB on two metres, intends an onslaught on 70 cm.

Portable Occasions

The School of Engineering Science, U.C.N.W., Bangor, will be operating portable in Denbigh during the 144/432 MHz contest over March 3/4. Site is 1,850ft. a.s.l. and they will have 50 watts of AM on 145·35 MHz and 100 watts p.e.p. on SSB into a 10/10. And 80 watts on 432·75 MHz into a 46/46 at 50ft. will also be available.

Phil Edwards, GW8FJK, will be on from Brecon each evening from 1930z onwards during the first two weeks of March. Rig is HW-17 and an 8 ele. Yagi. Skeds to: P. Edwards, 1 Matthew Terrace, Penrepiod, Pontypool, Mon., with s.a.e. He has been doing very well from the site recently, having worked a string of F's and a PAØ and heard two EA! He points out that not *all* GW's hibernate after VHF/NFD!

Queen's University Radio Club will be heard from the Mull of Galloway between 1800z on March 16 and midnight on the 19th. They will have 4m. and 2m. and will use the callsigns GM3LLQ and GM8FQB. If anyone will twist their arms sufficiently, and will guarantee to keep a sked, they are prepared to take 2m. RTTY with them. An s.a.e. to GI3XGI, QTHR, will bring you the info.

The West Kent A.R.S. intend to be in Rutland during the March 2m/70 cm. contest. QRA ZM21d, 6 km. SW of Oakham. They have AM/CW/SSB on 2m. to an 8/8 phase fed antenna and AM on 70 cm. with a 46-ele. Yagi. The callsign on both bands will be G3WKS. Further details from G3YOU, *OTHR*.

The Swindon District Club will be operating as GW3FEC/P from their Foel Grach QTH in Snowdonia for all the major 2m. and 70 cm. contests during 1973. For VHF /NFD they plan to have GW3ZVC/P on 432 and 1296 MHz and GW4BDW/P on 4m. from the same site. They also envisage a trip to Arran over July 7/8 with 400 watts p.e.p. SSB and 150 watts of AM and CW to a 14-ele. beam on two metres. It is interesting to record that they made contacts with 7 countries and 36 counties during the recent 2m. SSB event.

Annual VHF Tables

A gratifying start to the new Tables so early in the year. Just to remind you how they work: They show claims for contacts made from permanent locations between January 1, 1973, and December 31, '73. From time to time, the composite Table will be broken down into bands to show results separately on 4m., 2m. and 70 cm. in descending numerical order. Your claims should be sent to: "VHF Bands", SHORT WAVE MAGAZINE, BUCKINGHAM. The initial claim should consist of a list of counties and countries worked. with callsigns and dates, and thereafter monthly additions should be submitted giving similar details, and also the new totals claimed, the latter to provide a cross-check. The leading station overall at the end of the year will receive a free subscription to SHORT WAVE MAGAZINE for one year.

If is regretted that the final 4m. Table for 1972 had to be omitted from the last issue, but space considerations did not permit its inclusion.

News Items

SSB: G3XDY (Cleethorpes) is now on 2m. SSB and puts in a plea for the allocation of a band of frequencies for that mode rather than the present arrangement of a single calling channel and a spread-out from there. The increase in SSB operation would certainly seem to justify such a move, and a 100 kHz sub-band would just about fit the case, judging by the traffic during the last contest, and the vast increase in this mode of operation following the introduction to this country of the ubiquitous "Liner-2". It would also help to resolve the AM/FMon-SSB-calling-channel problem.

Discussing SSB, G3BW of Cumberland is enchanted with the mode and the DX it brings. He quotes F6BCK causing QRM to GW3NNF

THREE	BAND	ANNUAL	VHF	TABLE	
Ja	nuary	to Decemb	oer, 19	73	

r							
Station	FOUR Counties	METRES Countries	TWO N Counties	AETRES Countries	70 CENT Counties	IMETRES Countries	TOTAL Points
GD2HDZ	3	1	36	5	8	2	55
G3DAH	7	1	36	6	2	1	53
G3NHE	_	_	34	6	7	1	48
G8FUI	_	_	34	4	6	1	45
G8EOP		—	13	2	20	2	37
G3BW		—	32	5	_	_	37
G3DXY			27	7	_		34
G4AJE			28	5			33
G3OHH	16	2	2	2	8	2	32
G4BKG	-	-	25	4			29
G3FIJ	7	1	13	1	6	1	29
G8DOT	_	_	20	3	_		23
G8CBU	_		17	2	3	1	23
G8DGR	_	_	11	1	6	1	19
G8BKR		-	13	2	2	1	18
GM3ZVB	******	_	15	3	-	_	18
G8GXE	_		12	1		—	13
G3EKP	4	2	2	1	2	2	13
G8GBV		_	11	1	_		12
G8GJB			10	1		_	11
GW8CGH		-	7	2		_	9
G8COG	_		2	2		-	4

as an example of its potency. By careful selection during the recent contest, he was able to amass a score of 62 contacts from his rather remote QTH which yielded nearly eleven points per contact! And that's a bit better than is usual with AM /FM!

GD2HDZ reports the advent of another SSB operator on the Island. This is GD3TNS who runs a "Liner-2" from Douglas, and who has been getting out well in spite of the rather poor conditions of late. His name is also Arthur—just to confuse the issue.

70 cm.: G4BKG (Tunbridge Wells) hopes to be up on 70 cm. shortly with a Multibeam at 55ft. from a good VHF QTH. G8GBV (Derby) is also just about ready to go on the band with 20 watts to a QQV03-20A and a Multibeam. GD2HDZ has been finding 70 cm. a bit difficult recently. During one session of the Cumulatives he was unable to raise a single station! G8DGR (Newbury, Berks.) derives his 70 cm. output from a tripler driven by an HW-17A. The unusual thing about this is that he uses the base/collector junction of a 2N3375 as a varactor and finds that he gets more output that way than if the 3375 were used as a normal transistor—and you don't need a power supply! Just the job if you have a pile of VHF transistors with blown base/emitter junctions!

General

Many operators are faced with the problem of QRM from very local stations, and this is the case with G8DOT in Tiptree, Essex, who has five other 2m. stations within a quarter of a mile of him! Their solution has been to QSY on to the frequency of the DX and call as soon as the QSO with the neighbour has finished. This has been found to be the better solution rather than trying to operate at different ends of the band, apart from the fact that it called for outof-Zone operation.

G8GXE is looking for 2m. skeds on Sunday mornings with Essex and Oxfordshire. The address is: Stag End, Farthing Green Lane, Stoke Poges, Bucks.

Congratulations to G2DQ, Harry Collin of Chelmsford, who this year celebrates the 50th Anniversary of his first licence.

The Gibraltar 4m. beacon, ZB2VHF, is again in operation. Frequency is 70.26 MHz with 20 watts to a beam directed to the North. It has already been heard in this country (on January 2) by G3MD (Wickford, Essex).

J-Beam, Ltd. have been appointed sole U.K. agents for VHF Communications and all subs. and orders for equipment should now be addressed to them.

Conventions and Meetings

Just a reminder that the 1973 VHF Convention is to be held at the usual venue, "The Winning Post" Hotel at Whitton, on April 7. Tickets are $\pounds 2 \cdot 25$ for all day on Saturday, $\pounds 2$ for the dinner only, 50p for the Saturday lectures only and all for free on Sunday morning, when discussion groups will cover a variety of subjects.

The U.K. FM Group (London) will hold an FM Convention on February 24 at Brooklands Technical College, Weybridge, Surrey. The afternoon lecture session is followed by a buffet supper and AGM. Tickets and further details from G8CKT, QTHR.

All future meetings of the South East UHF/VHF Group are to be held in the Electronics Building, University of Kent, Canterbury. Meetings programmed at Wye College have been transferred thereto. The next meeting is on March 2 at 1930 hrs. when Dr. Dain Evans, G3RPE, will be talking about microwave techniques.

Deadline

Deadline for the next issue is March 9. The address for news, views and comment is: "VHF Bands", SHORT WAVE MAGAZINE, BUCKINGHAM. Cheers for now and vy 73 de G3DAH.

THE MONTH WITH THE CLUBS

By "Club Secretary"

(Deadline for April issue: March 9)

(Please address all reports for this feature to "Club Secretary", SHORT WAVE MAGAZINE, Buckingham.)

THE story of Amateur Radio is one of Communication—at least, it *ought* to be! However, one wonders occasionally whether some of the newsletter compilers ever think of their task in these simple terms. For example, one Club who shall be nameless has a prize pessimist and groaner as its Newsletter producer and, to be fair, he does a grand job most of the time. However, he writes a regular preample, and always lays it on the line that the Club is "on the floor" for want of a bit of help from members at large for the hardworking committee men. They had to move to a cheaper Hq. because the members didn't come through with their subs-just two people undertook all the work for the Mobile Rallyand so on interminably, month after month. It's a marvel, after so much brainwashing, that they have any members left at all!

But this happens to a greater or lesser extent in lots of groups, who thus seem to go out of their way to give themselves a thoroughly bad image. If a prospective member sees one of those newsletters he is instantly *lost*—and that can't be the objective, can it?

The one hard remaining fact—and it ought to have been brought out in last month's Editorial—is that the progress and success of any Club depends primarily on a keen, hard-working and conscientious secretary, whose only interest is to make the Club "go". If yours is one such, cherish him dearly, for they are not thick on the ground.

The North

A larger proportion than for some time past hail from Aurora Borealis country, if one takes into account that some more groups reported have found their way into the "Short Notices" section as their turn has come up.

Mexborough are, at the time being, still in the process of getting the programme knocked into shape for the rest of the year, although we do know that moves are being made to set up a permanent Club station with own call. For the rest, we have to refer you to G4BMJ, *see* Panel, who assures us the lads welcome visitors to their gatherings.

Another to make a point of offering visitors welcome is **York**, who are to be found in the British Legion Hq. at 61 Micklegate every Thursday evening.

Possibly the largest gain over a year ever to be brought to the notice of your conductor is that of **Spalding**, whose numbers have risen from 19 to 54! No wonder the lads re-elected the existing committee *en bloc* at the recent AGM. You can find them at the Holland Teachers' Centre, Knight Street, Pinchbeck, on March 23; the start is at 7.30, to hear a talk on "Improving Your Receiver."

Every Wednesday members of the Star clan head for the New Inn Hotel, Bramley Town Street, Leeds—some by way of the transport which is laid on from City Square for members and visitors. The first Wednesday in the month is usually a Film Show, and the last Wednesday a Bingo Night with prizes pertaining to Amateur Radio. On the third Sunday, transport is available for some sort of outing. Details from G4BUU, as in Panel, p.42.

We see marks on the calendar against March 14 and 28, when we look at the **Grimsby** letter. March 14 is devoted to a talk on Fault-Finding, and the 28th sees them entertaining a lecturer. To find them, look for Grimsby Community Centre, Duncombe Street; the start is 8.0 p.m. on the specified evenings.

No doubt about the matter to be dealt with on March 22 by Solway—it's the AGM. It is understood the lads have weekly get-togethers at the Educational Settlement, Castle Hill, Maryport, to which they welcome visitors and potential members.

On Sunday, March 11, starting at 2 p.m., **Scunthorpe** have a Hamfest, with films to be shown, a special show for the distaff side, and tea laid on—also a licensed bar. The charge will be 50p. The venue for this Hamfest will be Grange Farm Hobbies Centre, Franklin Crescent, Scunthorpe.

The **Border** group also favour Sundays for their regular sessions; to be more precise the last Sunday in each month at 3 p.m., at the Tweed View Hotel, Berwick-on-Tweed.

It's all there, on the front page of the **Bury and Rossendale** *Newsletter*—the date, the venue, the Hon. Sec's name and address, the Lot! Good for them, making your scribe's job a bit easier. March 13 is down for a tape-and-slide lecture, at the George Hotel, Market Street, Bury.

Somebody has a lot of work to do at West of Scotland where the activities cover every Wednesday and Friday of each month. Basically, the pattern is that the Wednesdays—March 7, 14, 21, 28, are all down for VHF activity, constructional, and problem-shooting—while for Fridays, March 2, 9, 16, 23, 30, there are lectures, discussions, CW classes and similar activities. The Cornish Amateur Radio Club, covering such a wide area with a large membership, is having to hive-off into groups for local centres of activity. Hence, the West Cornwall Radio Group has recently been formed for the Penzance district. Here we see G3ZPJ on the gear at the inaugural meeting, with (standing, right) G3UCQ - who for many years has been Cornish's hon, secretary and G3HFS, local chairman of the new group.



For Glenrothes, we do not have a note of the Hq., for which we must refer you to GM3YOR—see Panel. However, we can say that the date to book is March 4, when GM3OXX will tell the story of his VHF portable expedition around the Scottish mountain peaks.

At Hull the Hq. in 592 Hessle Road is open each week—for March there is a talk on Aerials on the 2nd, a visit to Hull Power station on the 9th, G2ABR on Old Times should be interesting on the 16th, and the month is rounded off by a session on members' modifications to the Pye Sets.

Nationals

A.R.M.S. first; they cater for the /M interest, by way of various activities, an information service, their *Mobile News* and awards for mobile operating. The current month's issue contains a most interesting article on Aerials of a type giving low-angle radiation from hotel rooms, which at a pinch could be used by travellers and anyway gives food for lots of thought!

As ever, **R.A.I.B.C.** look out for the invalid and blind in our Amateur Radio community, both listener and licensed. As a direct way of helping in the running of the group, any reader who has old copies of the international *Call Books* for disposal could well send them to G3LWY—*see* Panel—who could find eager recipients for them among her members. We also gather that their member John Moxham is trying to get an R.A.E. class organised in *Wells*—he has six takers but needs a minimum of eight to make the course a "goer." Anyone interested please get in touch with John direct, at 40 Roman Way, Glastonbury, Somerset.

Midlands

And, oddly enough, we find **Midland** on the top of the clip. Their Hq. is at the Institute in Margaret Street, and here, on March 20, they will hear G3CNV talking about Raynet activities.

Nice it is to know of a Works Club prospering —which is what is happening at the **Joseph Lucas** group of factories in Birmingham, where the next meeting is as far ahead as April 10, in S4 Conference Room, Well Street, Hockley—all the important details can be obtained from G3GVN, address as Panel, p.42.

It is quite a while since last we heard of the Wirral DX Association, but we are assured they are very much alive and kicking. They meet in each other's homes on the last Thursday in the month, which means that any intending member should get in touch with G4AHC, *see* Panel, to clear the courtesies first. Visitors are certainly welcomed.

Mondays are VHF Nights at Greeba, Shady Lane, Manchester 23, and Fridays the main meetings of the **South Manchester** group at Sale Moor Community Centre, Norris Road. The programme for the latter is: March 2, G3FNM on "Safety in the Shack"; March 9, G8ENC and others, looking into the Pye Cambridge; March 16, a talk by the firm of *Microwave Modules*; March 23, the Club QRP transmitter project reviewed; and to wind up on March 30, a "mystery lecture" by G3HZM.

Slade is the name of a very old-established Midlands Club now based on Hq. at Church House, High Street, Erdington, Birmingham—Slade was one of the original amateur scientific societies. The lads can be found here on March 9 and 23, the former date being for G3JZF to lead the inquest on VHF NFD, and the latter for an illustrated talk entitled "With a Camera in the Alps" ---keeping to Slade's tradition of taking in everything of amateur scientific interest.

From where we sit, it looks like March 5 and March 17 for the Worcester chaps, although the copy of their Newsletter to hand does not extend thus far in advance. The venue, we understand, is the Shakespeare Hotel, Angel Street. Further details can doubtless be obtained by getting in touch with G8ASO—see Panel, below.

As usual, Coventry have a full programme for March. The 2nd is a film show; March 9 and 23 are to be Nights on the Air with the Club station; and March 16 a Space lecture. For venue, times and other details omitted by G3TFA, chase him at the address in the Panel! (Sorry, but we can't dream it up!).

Westerns

The City of Belfast YMCA group celebrates its golden jubilee this year and to mark it, they are setting up an award available to both transmitting amateurs and SWL's. For details of these and the Club activities, refer to GI3NQH, as Panel, hereunder.

Rhondda are also looking ahead, to April 26, when the RAFA Club, Treorchy, will be the scene of a social evening to which amateurs all over South Wales are Club Secretaries with groups of members invited. wishing to attend are asked to give lists of names to the hon. secretary of the Rhondda Club by April 1. Tickets at ± 1.50 cover the dinner and the dancing later, and the bar will be open till 11.30 p.m.

One always likes to hear of a Club which has been in the doldrums climbing back to top form, and there seems little doubt that Hereford are in that category. The date of the next get-together, at the County Control, Civil Defence Headquarters, is March 2, but as the AGM is due about the time these words are going down on the typewriter, we cannot expect to give details of what will happen—however, we will bet they have something to offer!

Having successfully passed the thing called Extra-

Names and Addresses of Club Secretaries reporting in this Issue :

- ACTON, BRENTFORD & CHISWICK: W. G. Dyer, G3GEH, 188 Gunnersbury Avenue, Acton, London, W3-8LB.
 A.R.M.S.: N. A. S. Fitch, G3FPK, 40 Eskdale Gardens, Purley, Surrey, CR2-1EZ.
 BARKING: H. Davidson, G3FZP, 223 Salisbury Avenue, Barking, Essex.
 BASINGSTOKE: R. H. Oakley, G8FKT, 81 Camrose Way, Basingstoke.
- Basingstoke. BEDFORD: J. Bennett, G3FWA, 47 lbbett Close, Kempston
- BEDFORD: 3. Defineting Control (2427), Bedford.
 BISHOPS STORTFORD: E. P. Essery, G3KFE, 17 Ascot Close, Bishops Stortford (52501), Herts.
 BORDER: C. H. Crook, G3YOG, 19 Hatters Lane, Berwick-on-

- CITY OF BELFAST YMCA: J. Beattie, GI3NQH, 12 Welling-
- ton Place, Belfast, BTI-6GE. CORNISH: H. Webster, G3XTF, Crandale, Gillyfields, Redruth
- COVENTRY: G. Whenham, G3TFA, 33 Chapel Street, Bishops


- COVENTRY: G. Whenham, G3TFA, 33 Chapel Street, Bishops Itchington, Warks.
 CRAWLEY: A. Davis, G3MGL, 41 Gainsborough Road, Tilgate, Crawley, RH10-5LD.
 CRAY VALLEY: P. F. Vella, G3WVP, 78 Hurst Road, Sidcup.
 DERBY (Nunsfield House): I. Cage, G8BV, 25 Petersham Drive, Alvaston, Derby, DE2-OUU.
 DUNSTABLE DOWNS: C. G. Powell, G8BPK, 1 Wenwell Close, Buckland Wharf, Aston Clinton (600), Aylesbury, Bucks.
 ECHELFORD: V. W. Hings. G21/WL 205 C.
- Bucks.
 Bucks.
 ECHELFORD: V. W. Higgs, G3VWJ, 205 Commercial Road, Stains, Middx., TW18-2QT.
 EDGWARE: A. J. Masson, G3PSP, 62 Coldharbour Lane, Bushey, Herts., WD2-3NY. (01-950 6827.)
 GLENROTHES: A. Givens, GM3YOR, 41 Veronica Crescent, Kirkcaldy, Fife. KY1-2LH.
 GRIMSBY: W. E. King, G3WEK, 20 Welland Avenue, Grimsby.
 HEREFORD: S. Jesson, 181 Kings Acre Road, Hereford.
 HORSHAM: T. Wadsworth, G3NPF, 39 Church Road, Broad-bridge Heath, Horsham, Sussex.
 HULL: Mrs. M. Longson, 4 Chester Road, Wold Road, Hull, HUS-5QE.
 LINCOLN: F. Day, 5 St. Marks Avenue, Cherry Willingham,

- HU5-5QE. LINCOLN: F. Day, 5 St. Marks Avenue, Cherry Willingham, Lincoln (51058), LN3-4LX. LUCAS: J. H. Butt, G3GVN, 90 Mereside Way North, Olton, Solihull. (021-706 7992.) MEDWAY: H. E. Willis, 11 Laburnum Road, Strood, ME2-2LB. MEXBOROUGH: J. C. Rolley, G4BMJ, 143 Sheffield Road, Warmsworth, Doncaster. MIDLAND: N. Gutteridge, G8BHE, 68 Max Road, Quinton, Birmingham 32. (02-422 9787.)

- MID-SUSSEX: E. J. Letter, G3RXJ, 87 Meadow Lane, Burgess Hill (3552), Sussex. NORTHERN HEIGHTS: A. Robinson, G3MDW, Candy
- NORTHERN HEIGHTS: A. RODINGI, CSIMDW, Caludy Cabin, Ogden, Halfax (44329), Yorkshire.
 NOTTINGHAM: S. F. Claringburn, 49 Fernleigh Avenue, Westdale Lane, Nottingham, NG3-6FN.
 R.A.I.B.C.: Mrs. F. Woolley, G3LWY, Woodclose, Pensel-wood, Wincanton, Somerset.
 READING: D. Ving, 24 Conversal, Drive, Emper. Green.
- wood, Wincanton, Somerset. READING: D. King, 34 Crawshay Drive, Emmer Green, Reading, RG4-8SY. REIGATE: F. H. Munday, G3XSZ, 2 Conifer Close, Reigate (43130), Surrey. RHONDDA: C. M. Parry, GW3PHH, 34 Ca'er-Gwerlas, Tonyre-fail, Porth, Glam. SCARBOROUGH: J. Cutter, G3VAN, 124 Briercliffe, Scar-borough

- SCARBOROUGH: J. Cutter, G3VAN, 124 Briercliffe, Scarborough.
 SCUNTHORPE: R. Hotchin, G4ATA, 12 Cowper Avenue, Scunthorpe (67/37), Lincs., DN17-1PB.
 SHELBURNE (Youth Centre): F. C. Smith, Warden, Shelburne Youth Centre, Benwell Road, London, N.7.
 SLADE: J. E. Drakeley, G8GRC, 186 Conway Road, Chelmsley Wood, Birmingham 37.
 SOUTH BIRMINGHAM: R. Thompson, 23 Fox Hill, Selly Oak, Birmingham 29. (021-472 0533.)
 SOUTHGATE: J. Batchelor, G3XMV, 22 Faversham Avenue, Bush Hill Park, Enfield. (01-360 6537.)
 SOUTHGATE: J. Batchelor, G3XMV, 22 Faversham Avenue, Bush Hill Park, Enfield. (01-360 6537.)
 SOUTHGATE: J. Harison, G3VPR, 38 Park Avenue, Spalding, PE11-1QX.
- PE11-1QX. SOLWAY: J. Hardingham, Woodbine Cottage, Dearham,
- Maryport. STAR: T. Leeman, G4BUU, 115 Asket Drive, Seacroft, Leeds. SUTTON & CHEAM: J. Korndorffer, G2DMR, 19 Park Road,
- Banstead. THAMES VALLEY: C. B. Seaman, G3ATF, 40 Park Road,
- Ashford, Middx. TORBAY: Mrs. G. Western, G3NQD, 10 Truro Avenue, Hele,
- VERULAM: H. Young, G3YHY, 93 Leaford Crescent, Watford, Herts., WD2-5JO. WEST KENT: H. Richards, 17 Reynolds Lane, Tunbridge
- Welsh REAL WEIST OF SCOTLAND: M. Parks, 6 Stamperland Hill, Clarks-ton, Glasgow, G76-8AE. (041-644 1783.)
- WIRRAL (DX Association): T. O'Neill, G4AHC, 41 Willoughby Road, Wallasey, L44-3DZ. WORCESTER: B. A. Jones, G8ASO, 12 Woodside Road, Larkhill, Worcester (29208).
- WORTHING: G. Hooper, G8ETL, 12 Bramble Crescent, Durrington, Worthing (62013).
 YORK: K. R. Cass, G3WVO, 4 Heworth Village, York.

This picture is of the Glenrothes Amateur Radio Club, who came first for Scotland and 6th overall in the last MCC, signing GM3FXM/A. Callsigns identified here are GM's '3YBQ, '4BFQ, '3OLK, '4AQO, '3YOR (back row, right, hon, secretary and a well-known Top Band operator) and seated front l. to r. GM3ZAP, GM3PFQ, GM3FXM and GM4ALK.



ordinary General Meeting in January, **Cornish** are forging ahead. For the meeting booked at the SWEB Room, Pool, Camborne, on March 1, the main gathering will hear a talk by G3THT on the activities and doings of the Newquay group—who can be found at Treviglas School, Newquay on alternate Wednesdays. We also hear that a Penzance group is in formation—and we would think that old friend Bob Albright, G2JL, would have something to do with that.

South and East

First we have a note of a proposal for a new formation, at Shelburne Youth Centre, Benwell Road, London, N.7. Anyone interested apply to The Warden. One has to admit to a sense of surprise at such a Club proposal, almost on the Grafton doorstep, but nonetheless we wish them every success.

Barking have moved to new Hq. at Westbury Recreation Centre, Ripple Road, where they meet every Thursday evening with, in addition, a Tuesday evening Morse class. Among the highlights of the coming month is a talk by G3GJW.

Chineham House, Popley, is the location for the **Basingstoke** group, where they can be found on the first and third Saturdays in each month. The former date, for March, will be Beginners' Night and a talk on Station Operation, and the latter is for G3JHM to come along to talk about—and, doubtless, demonstrate—VHF equipments.

A double bill appears on March 1 at **Cray Valley**, where G3WVP will discuss the impact of VAT on we radio amateurs, followed by a group of members who will hold forth on Contest Operating Procedures. Then on March 15, there will be the usual Natter Nite---both these gatherings at the Church Hall, Court Road, Eltham, London, S.E.9.

Horsham have March 6 at the Guide Hall, Denne Road for G3WPO to talk about aspects of receiver design. In addition, there is the informal at the "Star" in Roffey; both meetings start at 8.0 p.m.

Unfortunately, the **Southdown** Newsletter, although it mentions the Victoria Hotel as the venue, has nothing in the way of dates given. This being the case, we can only indicate the Hq. is in Eastbourne area, and for the rest refer you to G3ZQB, address as Panel, opposite. We are also a bit up against it over the **Medway** report. This says the lads foregather every Friday but omits to say where exactly. Once again, the answer is to contact the hon. secretary, as Panel.

March 6 at 8.0 p.m. should be of great interest to **Reigate**—G8AMU is to give an illustrated talk on his recent holiday in Russia, at the new meeting place, Church Hall, Birkenhead Road, to inaugurate this new venue. Ladies are invited. Informals are taken on the third Tuesday in each month, at the "Marquess of Granby," Redhill, in the saloon bar.

A definite change of venue for the **Thames Valley** lads, who have, for the March and succeeding meetings, moved into the small hall, St. George's Halls, Esher, where there will be all the conveniences. The next date, the first one at the new place, is March 7, but at the time of their letter the programme was not finalised.

At **Bishops Stortford**, the March get-together is on the 19th, for G3VVS to talk about and. hopefully, demonstrate Spectrum Analysis. This one is in the British Legion Club, Windhill.

West Kent have a couple of dates at the Arts Centre, Monson Road, Tunbridge Wells, on March 2 and 16. The earlier date is down for a talk about a digital calendar clock, while on the 16th there will be a visit by K.W. Electronics.

There is not much dead time in the **Worthing** syllabus with weekly meetings coming up at the Rose Wilmot Centre, Littlehampton Road, Worthing; March 6 is a report on the VHF/UHF contest activity, and March 13 an SSB demonstration. A Ragchew on March 20 is followed up by an evening on the Club project on the 27th.

The Staff canteen at Youngmans, Ltd., on March 7 will be the scene of the Junk Sale for **Crawley**, kickoff at 7.45 p.m. Back to the normal Hq. at the Church Hall, Ifield, Crawley, on March 28, when there will be a Constructional Contest and film show.

The **Dunstable Downs** group go from strength to strength—119 members and friends sat down to the recent dinner. They can be found on any Friday at Chews House, 77 High Street South, Dunstable, between 8.0 and 10.0 p.m.

The Ernest Turner works, Totteridge Avenue, High Wycombe, is the home of the **Chiltern** lads. March 13 is

CLUB NAME	HEADQUARTERS LOCATION	MEETING MONTHLY
Acton, Brentford & Chiswick	66 High Road, Chiswick	March 20
Bedford	"The Dolphin," The Broadway	March 1, 8, 15, 22, 29
Crystal Palace	Emmanuel Church Hall, Barry Road, S.E.22	March 17
Derby (Nunsfield House)	Nunsfield House, Boulton Lane, Alvaston	March 4, 9, 16, 23, 30
Edgware	145 Orange Hill Road	March 8, 22
Lincoln	Lincoln Astronomical Society, Westcliffe Street	March 7, 14, 21, 28
Northern Heights	Peat Pitts Inn, Ogden	March 14, 21, 28
Nottingham	Woodthorpe House, Mansfield Road	March 1, 8, 15, 22, 29
Reading	White Horse, Emmer Green	March 13, 27
Scarborough	Technical College, Scalby Road (Lecture Room)	March 2, 9, 16, 23, 30
South Birmingham	Hampstead House, Fairfax Road, West Heath	March 7
Southgate	C.D. Hut, Bowes Road	March 8
Torbay	Bath Lane (rear 94 Belgrave Road,) Torquay	March 31

SHORT CLUB NOTICES

N.B.—In each case the Secretary's name and address appears in the Panel on p.42.

an informal; the programme for March 28 is not yet announced.

Brighton Technical College is in Richmond Terrace and there on March 3, the Club station, G3TCB, will be on the air, at an open meeting in Room B.7. March 19 should be interesting to the CW types as G3YY will be talking about his experiences with foreign Morse codes. Amateur TV comes up for discussion on March 12 at **Echelford**, with G6AHO/T doing the talking. On March 29 there comes the all-important Annual General Meeting. However, the venue is not mentioned, and for that we have to refer you to the hon. secretary—*see* Panel. p.42.

At Shefford the weekly sessions are held in the Church Hall, Ampthill Road, every Thursday. G8AEL has March 1, for a demonstration of RTTY; on the 8th comes a session on workshop practice, with circuit diagrams and layouts; March 15 is for an out-of-the-way topic, namely G8DUY talking about Maps and the Radio Amateur. The R.A.E. Q. and A. evening comes up on March 22, and on the 29th, G3VMI tackles Phone and CW operating procedures.

The third Tuesday in every month is the routine for Sutton and Cheam; and they are to be congratulated on making sure they get their information out on time. This means we can say, with no "scratching around", that the March 20 meeting is a Surplus Equipment Sale and that it is to take place at "The Harrow," Cheam.

Once in a while we seem to get out of phase with **Mid-Sussex**—their current *Newsletter* does not carry the needed information for March, so we have to refer you to Panel. The Hq. is at Marle Place, Leylands Road, Burgess Hill.

March 21 is the date to book if you want to visit the **Verulam** lads, who are, for the moment, using the Market Hall, **St**. Albans, which is near Town Hall, in the Market Place. The time is 7.30 for an 8.0 p.m. start.

Closing Date

For the next issue is March 9, addressed "Club Secretary", SHORT WAVE MAGAZINE, BUCKINGHAM. Dates forward to catch this feature are *April* 6 and *May* 4 —and we do mean to catch this feature.

Much regret that too-late reports were received from Cheltenham, Kingston, Solihull and Surrey Radio Contact—in order of opening after last month's deadline. We just cannot take in late reports after the feature has been composed for the printers.

When the London FM Group held a two-metre "fox hunt" on Esher Common recently, ten teams set out to find G8AMG hidden in a wood near Ashtead, Surrey. The object was to train members in VHF D/F. Some of the results seemed a bit odd to those who did not succeed in finding fox-G8AMG—the spread in terms of distance travelled was ten to 28 miles. Here we see the scene at the start, with G8CKT explaining the rules.



45



SHORT WAVE LISTENER FEATURE

By Justin Cooper

POINTS OF INTEREST FROM A HEAVY MAIL – QUERIES AND THEIR ANSWERS – NEWS AND COMMENT – ANNUAL HPX LADDER CLOSES, AND OPENS FOR 1973

THE subject of aerials and planning permission is one that often seems shrouded in mist and uncertainty; what is the only solution to be acceptable to one council is the only unacceptable one to another. Many SWL's —and indeed many licensed types—make do with far less than the minimum standard of aerial merely to avoid conflict with the authorities.

There is much which can be done with thin wire, particularly by receiving set-ups, over and above the simple end-on arrangement fed against an "earth" consisting of a couple of two-foot stakes knocked into the soil coupled to the receiver through a bit of 22g. wire. For example, beam arrays do not have to be rotatable; they can do much good by being fixed for a period of time and aimed at an area of interest. As an example, for long enough, J.C. has had a ten-metre beam comprising a folded dipole and a director aimed on U.S.A. and Central America, up in the loft. Recently, this was removed and replaced by another beam for 21 MHz, this time aimed on Africa, also in the loft-this one is a bit long in the elements to be fitted in the loft, so the ends have been turned down vertically and symmetrically. It shows appreciable gain in the desired direction, as compared with a simple dipole.

HPX Ladders

This month sees the last showing of the 1972 Table. Our congratulations to N. Gerdes (Basingstoke) on emerging as the leader on this occasion. All scores made should be recorded somewhere for later use in the All-Time Post War Table. Next time we begin all over again, as from January 1st, 1973, with the usual requirement to hear at least 200 prefixes to make a start on the Table. Let battle commence!

The Letters

W. B. Taunton (Meopham) says his Echo 8G aerial is in fact at ground level. However, the main thing is clearly that it works!—and, at that, without offending the eye of the neighbours.

Quite a few people have queried various IV5 callsigns; they have all originated from Viareggio (North-West Italy) in connection with some special-event activity. This answers the first question from *P. Barker* (*Sunderland*); his second is about M1B, the M1 prefix being shown as unofficial in the Prefix List. A good point this—in fact, as far as the writer is aware, the M1 calls are quite OK in that they are duly allocated by the San Marino authorities, who do not use, for some reason of their own, the ITU-allocated prefix of 9A.

N. Callaghan (*Cardiff*) has his nose right down to the grindstone, with his O-Level preliminaries on top of him, so he has to be content with a brief note and two more prefixes.

A much more unusual reason for inactivity is given by J. Woods (Woodbridge), who has occupied his time making a sixty-foot, tilt-over, crank-up tower which works just like the book said—good!

M. North (Bath) has the best possible news—he passed the R.A.E., for which our congratulations. As for Morse, he has it at 10's at the moment, so practice will soon bring its own reward. On the debit side, the receiver is suffering from hiccups on Fifteen although all is well on other bands. Apart from telling it to hold its breath we don't really know what to suggest, although, since the fault *must* lie in the few components which are only involved for 21 MHz, it shouldn't take too much finding.

On to S. Noakes (Cranbrook) who claims to be quite content to be an SWL, and has some sensible comments on the place of the SWL in Amateur Radio—even if its just to phone some local who is calling CQ and getting nowhere, to let him know that at lease he is getting out!

As often remarked, there are so many different interests within the broad definition of Amateur Radio that it is often difficult to advise the novice about, for example, equipment. This is brought home by the letter from S. Scott (Stockport) who has slithered from VHF right down to Top Band in his interests, leaving on the way a half-built DL6SW converter.

The *Bingham* boys, Dad, Billy and Joe, of *Carrick-fergus* have split up the work in a different manner, to make life easier for Dad, we suspect! Be that as it may,

ANNUAL HPX LADDER

SWL

(Started January 1, 1972)

PREFIXES

PRI PHONE ONLY

SWL

PREFIXES

PHONE ONLY		PHONE ONLY	
N. Gerdes (Basingstoke) P. Barker (Sunderland) R. Smye (Parkgate) P. Newman (Thame) R. Philpot (Shenfield) D. Churchill (Bexleyheath) P. Jerromes (Newton Abbot) B. Stone (Penzance) Mrs. R. Smith (Nuneaton) D. Harris (Telford) R. F. McLeod (Glasgow) G. Collins (Skegness) K. M. Rogers (Ullesthorpe)	385 380 372 372 357 347	W. McFaul (Londonderry) R. Griffiths (Ventnor) M. J. Stringer (Southend-on-Sea) A. Milner (Grantham) C. L. Lee (Ilford) R. H. McVey (Weston-super-Mare) K. Williams (Swinton) R. Sharpe (Orpington) W. Stallard (Cardiff) S. Hurst (Sheffield) S. Scott (Stockport)	310 301 300 270 266 262 251 247 241 237 235
W. J. Smith (Benfleet)	311	N. Callaghan (Cardiff)	215

Above is last showing of the Annual for 1972. New Table opened w.e.f. January 1st 1973, first appearance to be in May issue. Starting score, 200 prefixes to be already logged since 1st Jan. before claiming. Rules as for HPX, see p.420, September 1972 issue. they have dug up 53 new ones to bring them much nearer the top of the Table, although we have to doubt the "SY1MA" they logged, at a time when the real SY1MA was not there.

An interesting experiment is going on at the QTH of M. Stringer (Southend) who uses a Cubical Quad on 144 MHz. Your J.C. has always felt that the performance of the Ouad in terms of side-lobes should be better than a normal Yagi, although VHF buffs often say differently -we must wait and see how the experiments pan out.

As always, H. Alford of Burnham-on-Sea (whose picture appeared on p.555, November) has points of interest in his letter. This time there are two; one on the lack of home-construction effort among the SWL's of today; he does not agree that there is any shortage of components (the usual reason given for buying) but rather a matter of pure laziness. He might be right at that! His other points concerns the unpredictability of the bands-for example, one morning he switched on to 21 MHz at 0940z, with ideas of logging the odd JA or two. In the event there were none, but as consolation there were VK4KW (working DU2EL) ZL3 and XW8, all quite readable. The interesting bit is that an hour later, the band was dead to all but Europeans.

Another point crops up in the letter from G. Thompson (Birmingham) who stresses the need for knowing when and where to look for your DX, as for instance the almost daily appearance of the VK/ZL stations in the mornings. On a different tack, he has an 8-ele. Yagi, sitting only two inches above the garage roof, and eight feet above ground, which has produced its fair share of DXclearly said roof is not metallic!

J. Cowan (Rochford) presses on with his commercial radio-operator course, which takes up all his spare time as well; but when it is safely in the bag, John intends to have a bash at R.A.E., and come on Fifteen SSB, for which he wants a cheap transmitter-easy, build one!

Those O-Levels! L. Tarassenko (Dorchester) has no less than eleven of the brutes in the way of his SWL'ing and R.A.E. studies. As if that were not enough, remains the problem, in the license context, that he is not yet a British citizen. On the brighter side, our correspondent is one of the few home-constructors about these days; he has his receiver finished and working on Eighty, to his satisfaction, and next step is to get it going on the other bands-a W3DZZ trap aerial is going up soon to help with the good work; and with any luck, by next time there will be an entry to put in to HPX.

Thirteen or not, and one of our youngest SWL's, M. Peters (Newbury) has his ideas sorted out on Prefixes, although he is bothered a bit by "9H5," as indeed are one or two others. It is quite genuine, and covers British Forces in Malta.

Shift work interferes with the listening of W. Wellington (Whitley Bay), who has a Trio 9R-59DS for generalcoverage, and G3KGN's front-end and IF/AF strip as written-up in the SHORT WAVE MAGAZINE, September 1957 and May 1958, for amateur-band coverage; this Rx was built originally by G3FPE, who is R.A.E.-course king at Gosforth. SWL Wellington has had one go at R.A.E. and come unstuck, and is still trying, whenever the XYL relents over the paint-pots. We know the feeling!

Anyone know anything about the R.1481? If you do, you might share your information with R. Leslie (Bridge of Weir) who has one and wonders what he can do with it. Write to him direct at Windyridge, Kilborchan Road, Bridge of Weir, Renfrewshire.

Once again K. Kyezor (Perivale) is about to be sent into the wilds where receivers are an unheard-of luxury; he has organised things so that an adequacy of letters containing "nil" reports arrive chez J.C. to keep him in the Table-good show.

T. Vale (Abingdon) has a KW-202, ATU to suit. TA32 at 28 feet, and a long-wire running NNE/SSW. He thoroughly recommends the KW receiver which has bumped up the DX heard quite considerably. One query was a station working VK3NR and giving just as the call. Probably he was VK9LC if the "9LC truth were known, but we must regard him as doubtful on the evidence presented.

E. Paterson (Pinner) has been off SWL'ing for quite a while now, but has just returned to the game by way of a Heath GR-78, after a sickening series of mishaps had confused the issue for quite a while.

Life is real, life is earnest, says A. West (Herne Hill) because his 144 MHz converter switches itself on

HPX LADDER

(All-Time Post War)

SWL.

SWL. PREFIXES

(Bury St. Edmunds) 721

PREFIXES

666

652

438

388 324

PHONE ONLY PHONE ONLY R. Pullen (Crawley) A. R. Holland (Malvern) E. Parker (Hove) W. B. Taunton (Meopher R. Shilvock (Lye) 1320 720 712 S. Foster (Lincoln) T. Rootsey (Ilford) A. W. Nielson (Glasgow) J. Fitzgerald 1301 A. K. Hollanu (Marvin) E. Parker (Hove) W. B. Taunton (Meopham) C. K. Verstage (Old Basing) C. Lancaster (N. Ferriby) S. Wessely (Sheffield) B. Thomas (Pontefract) D. A. Shenherd 706 1131 703 671 671 669 (Gt. Missenden) 1107 . Kvezor (Perivale) 1082 W. Bingham 668 (Carrickfergus) 1053 D. A. Shepherd W. Edwards (Tadworth) 976 972 (Brierley Hill) 651 I. Brown (Newtownabbey) R. Carter (Blackburn) A. West (Herne Hill) 644 A. Judge (Bishops Stortford) 641 O. L. Cross (Bexleyheath) 614 J. Woods (Chillesford) 606 957 Mercer (Wigan) 922 H. Alford (Burnham-on-Sea) 917 M. J. Quintin (Wotton-u-Edge) 912 B. Hughes (Worcester) 877 L. Thomas (Castleford) M. Cuckoo (Herne Bay) 604 586 J. R. Cowan (Rochford) K. C. Webb (Reading) 578 D. Rodgers (Bolton) N. Askew (Coventry) 571 863 H. Stephenson 821 N. Askew (Coventry) o... K. Plumridge (Southampton) 820 N. Henbrey (Northiam) 818 J. H. Sparkes (Trowbridge) 816 S. Proud (Letterston) 814 G. W. Paven 569 (Newcastle-on-Tyne) M. North (Bath) M. Kitchener (Hitchin) CW ONLY 523 A. Glass (Plymouth) G. Proud (Letterston) Glass (Plymouth) 896 G. W. Raven (London, S.E.13) M. Fisher (Bradford) 791 Rootsey (Ilford) W. B. Taunton (Meopham) A. Rowland (BFPO 53) 600 779 P. L. King (Emsworth) 775 L. A. S. Poole (London, N.21) 774 D. Rodgers (Harwood) R. Mortimore (Cardiff) J. Whitington (Worthing) H. M. Graham (Harefield) M. Williams (Sleaford) E. W. Robinson 733 316 311 J. Dunnett (Liege)

Starting Score 500 for Phone 200 for CW. Listings include only recent claims. Rules for HPX—see Panel, p.420, September 1972. DX Zone Map with latest Prefix List 85p post free (Prefix List alone 23p post free) from Publications Dept., Short Wave Magazine, 55 Victoria Street, London, SW1H-OHF.

and off at regular intervals. This sounds as though the converter has a stage that is squegging—if it worked OK before, and it is a valved device, you could do worse than go through the thing with a soldering-iron for dry joints or broken wires.

A change of receiver is reported by *H. Glass (Plymouth)* this time, Bert having now gone to a FR-DX400, which enables him to hear *Oscar VI* goings-on. So far, Oscar has stumped up with 27 countries, and four new pre-fixes, which is good listening.

R. Shilvock (Lye) mentions the "DX Information Net" on around 3780-3790 kHz at 2030 each evening as a useful source of gen. His HPX total shows no less than fifty increase—doubtless extra work undertaken to make sure of tipping S. Foster off his seat at the top of the Table!

Perhaps the understatement of the month comes from *W. Stallard* (*Cardiff*) who says he heard a "chap signing a GW9 and this seems strange to me." (Strange to us, too!) Bill was lucky at Christmas, with a nice shiny 9R-59DS receiver, very much approved of.

Another one who has been shopping is *M. Cuckoo* (*Herne Bay*) who has come home with a Yaesu FR-DX400, but because of domestic chores has not really been able to exercise it much yet.

• *

During the compilation of this piece, the news broke across the country that the December R.A.E. results were through; one who was still waiting at the time of his letter was *K. Plumridge (Southampton)*, who was the more on edge as this was his fourth stab at it.

K. Williams (*Swinton*) comes in with a first entry; he uses a Trio 9R-59DS or an HR-10B, coupled to a PR30 Preselector, and a Joymatch ATU, the latter being fed from a TD-3Jr. trap dipole and a Joystick in parallel.

A prize combination of circumstances conspired to keep the total down for *R. Carter (Blackburn)*. For a start, conditions have not been marvellous on the bands anyway, as for example the Commonwealth Net had not been heard since before Christmas at his time of writing. On top of that, the BFO valve in the receiver expired—luckily a spare was found around the house and to crown it all along came a "bug" and laid Ben low. No wonder the score is also a bit low!

E. Parker (Hove) wants to know how high we rate his chances in the R.A.E., at age 58---Ernie has already made a start once but was brought to a stop by illness. One would think it will be a bit tough going, but there is no reason at all why a pass should not be obtained at the first sitting---many readers have passed R.A.E. as prelude to a retirement hobby. (In fact, each year R.A.E. candidates are aged 17 to 70).

R. H. McVey (*Weston-super-Mare*) has the advantage that his father used to be G3GMC in 1955, and has decided to re-activate, starting with the purchase of an FR-50B receiver; a couple of thirty-foot masts are next in prospect, to have eighty feet of wire strung between them.

Another father-and-son team are the Smye family, of whom R. Smye (Shrewsbury) reports. The winter gales have done the big-stick an injury, reducing it to half its designed height. On the other side of the book, Dad has received his pass-slip for R.A.E., to their pleasure.



As the result of a road accident some years ago Brian Hartley, 23 Hasting's Road, Thornton Cleveleys, Lancs. is confined to a wheel chair at the early age of 24 years — but he has a very fine SWL station as some consolation. It includes Yaesu FR-DX400, Collins 75S-3B and Drake R-4B receivers, with various two-metre Rx units and a Robot SS/TV monitor. Antennae are beams for 2-10-15-20m. on a tilt-over Versatower, with rotator unit, a 70ft. Tavasu whip for Top Band and a trapped inverted-Vee for 40-80m. The earth system involves about 200ft. of wire. He holds 18 listener awards, does all his own repair work and is going for the R.A.E. We wish him every possible success in Amateur Radio.

W. J. Smith (Benflect) has taken the game up again after a lapse of 45 years, by way of a Zenith receiver given to him as a retirement present. The stimulus is such that active thoughts are being turned to R.A.E. one thing is that, although rusty, his Morse has not been entirely lost and should therefore be of adequate standard by the time the R.A.E. pass is obtained. On a different tack, W.J.S. mentions that the 9C9 prefix hailed from EP-land, as a special to mark the anniversary of the "White Revolution."

V. Porter (Barnet) has some points on the CQ and ITU Zone scheme. Basically, the CQ Zones are forty in number, divided up arbitrarily to make an interesting chase working them-for instance, Zone 23 comprises part China, Mongolia, Tibet, and a bit of UAØ, just to make things less easy. On the other hand the ITU Zone system was generated comparatively recently to enable data to be reduced to statistics which would aid in propagation and other such research, and is based on the ITU zone system for the administration of BC stations; thus it has no particular relevance to Amateur Radio. Vernon is one of the select band of SWL's who have been at the game for years without serious thought of a "ticket" and he has logged all 40 Zones-so in his retirement days he is going to leave the complexities of the ITU Zone scheme well alone.

A nice long letter from *R. C. Woolley (Ashbourne)* raises lots of questions about the business of getting started in the hobby. However, suffice it to say that Richard hopes to have a "proper" receiver working by the time this reaches print, always assuming he gets the XYL's new kitchen finished first-we sympathise!

R. Pullen (*Crawley*) comments among other things on the local interest in using the FT-2F, and indicates that he may well follow the trend when he has passed the R.A.E. Talking about that, Ross says he has had quite a bit of help from his course tutors, and from his boss at work who is G3ZWS.

For what must be the first time ever, S. Foster (Lincoln) writes in to offer a nil-report, Stew having been pretty busy with other matters. This settles it, and means R. Shilvock passes Stew's total at the top of the Ladder. However, Stew has made his plans, and we wait to see how the battle will go!

* *

Ouite a few points crop up in the letter from D. A. Shepherd (Kingswinford). First, he wants to know how to D/F some pirates on Top Band who are annoying his locals. What one wants is simply a portable receiver with an in-built ferrite rod aerial (which they mostly have, anyway) to tune Top Band. The null will be found to be along the line of the ferrite rod, and should be used in preference to the peak which is wider and made more so by the effect of AVC. Then take a series of shots from different points and plot them on a suitable map, in both directions since you have no "sense" arrangement. In the small area where your plots cross would be "the spot where the body was found." (In fact, this same technique can be used to pin-point almost any sort of QRM). The other question is drift with an 888 receiver. J.C. has one, admittedly not now in constant use, but it is fed from a constant-voltage transformer off the mains, which gets rid of mains-voltage effects on both heaters and HT lines.

A keen Top Band addict is *A. Judge (Bishops Stortford)* who for long complained of an "impossible" aerial for that band but now finds he has hooked such as KV4FZ and W1BB/1 on it. Tony has fifteen countries up, with "local" gaps such as 4U1ITU, OE and GC Jersey to be filled in yet.

Sad to say, for A. W. Nielson (Glasgow) the move to a new QTH has so far been a total disaster radio-wise. Until quite late in January, the receiver was not even plugged in, and when it was conditions were foul. Then he got 'flu, which was still holding him down at the time of writing.

A short list this time is explained by M. Williams (Sleaford) as being due to his pre-occupation with Eighty to the exclusion of DX on the other bands. However, although there has been plenty enough DX on Eighty of late Maurice has still not snagged a ZK1 to put in the log.

A long letter from H. M. Graham (Harefield) who seems to have been really "going to town" one way and another. First, there is the purchase of an FR-50B, then the move of it and the EC-10 to a new base of operations upstairs, in a room which has also to do duty as a storeroom, spare bedroom, and darkroom when not used as a shack. However, all the apparatus seems to be "perking" in its new home. Hearing all the talk about Ten, Maurice has spent some time in monitoring the band during daylight at weekends, and over a period of several weeks there has always been something to be found, usually in a North-South direction as is always the way on 10m. when the MUF is low.

Congratulations to *R. Mortimore* (*Cardiff*) who has his R.A.E. pass in the bag at the ripe old age of fifteen and he did all the work for it by self-tuition, at that. The Morse test had been taken the day before his letter, (and, one would have guessed, passed, if his CW HPX score is a guide) so Richard expects to be able to tell us his call next time round.

G. Collins (Skegness) sent an entry in to HPX last time which would appear to have gone astray; which is our cue for rubbing home the need for accurate addressing, in a readable script. Such a simple error as writing, for example "Buckinghamshire", in place of Buckingham can make a whale of a difference—just compare the county with the town in either area or population, to see the point! To revert to Graham; he has a Trio 9R-59DS and an R.107, plus a 16ft. whip at 45 feet, and a long-wire round the garden. He has tried Two, using an FET converter, but without much success so far.

Wow! The pile of paper about half-an-inch thick wrapped in a letter signifies that *P*. *L*. *King* has rewritten his complete list since he got to *Emsworth*. What a task, checking a claim for 775 prefixes! However, it has to be admitted, ti's a lot easier when done à la King, and nicely readable.

Lady Luck has been working overtime for him, avers R. F. Philpot (Shenfield). First, he made a straight swop of his HA-600 for a Trio JR-500S, and then he managed to get a good 18AVT/WB, second-hand but perfect, for £20, to the great benefit of the scores. All the existing gear, 9R59, ATU's, VHF converters and so on, are still in the shack and in use.

Reporting

Last time out we had a letter from 9M2DQ on the subject of QSL's; this time another comes in from G3BHK, who is perhaps best known for his work in the Scout Jamboree-on-the-Air context. Les was involved with GB3BIC last year, and received 65 SWL reports. On his analysis, some of these optimists didn't even have the sense to mention in their "reports" such vital details as the date, the time or the band! Then there were others who had the cheek to send neither an s.a.e. or IRC, nor even a stamp, and yet almost *demand* a card!


Perhaps we should lay down some ground-rules for SWL reporting, along these lines: (a) Always make sure the report is being *correctly addressed*; it's not much use sending anyone a report direct, if he only QSL's via a manager, (b) Make sure your report has, as the very minimum, at least the date, the time, the mode of transmission, the frequency as accurately as you can read it, and the signal report at which you are hearing him. Again, a report is the more appreciated when the "target" is, for example, calling CQ with no reply-your report then tells him at least that his own gear is not at fault; (c) Send an s.a.e. or IRC-and for Pete's sake, don't forget that it's no good putting a U.K. stamp on an s.a.e. aimed at, say, a JY station; you have to go to the local stamp trader and get mint JY stamps of the appropriate value for your s.a.e. (this where the IRC comes in-you buy it at your local Post Office) whether for air or surface mail; (d) If you can possibly give a period-report over several operating sessions, do so; and if any of his QSO's commented on his signal quality adversely, it will help if you, for example, can say that he sounded quite OK (or the other thing!) to you at the same point in time.

The letter from J. Fitzgerald (Gt. Missenden) looks back and forward. In the forwards direction one is pleased to note the odd CW logging, indicating that John is slowly working towards a pass in the Test; as for the backwards look, there is now a total of 153 countries all-time, logged on *Eighty*. And, note it you moaners about the QRM, most of them heard on an arrangement of two transistor portable sets!

M. Cornwall (*Harefield*), on the other hand has found Eighty pretty uneventful of late, and has been tuning a Cossor portable radio down on to Top Band for a look there. Results have been quite reasonable so far. On the aerial front, great things are hoped for from the multiband trapped dipole arrangement soon to be put up.

Full of questions is C. Verstage (Old Basing)! First, Chris is looking for suggestions for a good aerial for Eighty and Forty—you could do worse, if you have the room, than use dipoles, as high as you can get them. Where to listen on Eighty and Forty for DX, next. Eighty SSB is all up at the 3795 kHz mark on the dial, but you will almost certainly find you can't hear it until you reduce RF gain considerably and run up the AF to compensate. As for Forty, if might be anywhere in the band, but again, reduction of RF gain is essential with most receivers. Last question is more technical how far apart should four and two-metre beams be, mounted on a common mast? As far apart as possible, and both aerials pointing in the same direction.

How to you measure the input impedance of your receiver? So asks *D. Churchill (Bexleyheath).* You don't—youlook it up in the handbook! General-coverage receivers are often 400 ohms, amateur-only ones 50 or 75 ohms; but these are only norminal and wander widely as you tune the bands. What is more important is




SWL Graham Armstrong, Harestanes, Ancrum, Jedburgh Renfrewshire, Scotland is a 160-metre specialist, for which he has a Trio 9R-59DS and 550ft. of wire out at 50ft. up-also a 220ft. aerial and a 14ft. roof whip. At one time interested in the HF bands, he has altogether abandoned them and is learning CW to catch the 160-metre DX.

to tune out the reactance presented to the receiver by the aerial. The practical approach is to knock up an ATU and to fiddle with it till one gets the best signal-transfer —best S-meter reading—on a particular band, using a signal in ground-wave range as one's reference. This should take care of all the variables, and you can have it going quicker than you can do the sums.

Conclusion

That's it, once again. For the next piece, the deadline will be more like normal, to arrive first post on March 22, addressed "SWL," SHORT WAVE MAGAZINE, BUCKINGHAM. And don't forget, we're getting into the DX season, so things should be humming!



This fearsome looking tool is actually a highly efficient self-adjusting wire stripper, capable of dealing with stranded or solid, aluminium or copper, round or flat, single or multiple wires over a wide range of gauges, in one operation. Selfadjustment is over .01 to 0.1in. diameter overall, with a maximum capacity of 7/.02). It weighs only 8¹/₂ ozs. and is a product of Electroplan, Ltd., Royston, Herts., priced at £9.25.



This space is available for the publication of the addresses of all holders of new U.K. callsigns, as issued or changes of address of transmitters already licensed. All addresses published here will be reprinted in the U.K. section of the "RADIO AMATEUR CALL BOOK" in preparation. QTH's are inserted as they are received, up to the limit of the space allowance each month. Please write clearly and address on a separate slip to QTH Section.

- EI3R, T. A. Hurley, 47 Lower Newtown, Waterford.
- G3YCC, F. W. Lee, 8 Westland Road, Kirkella, Hull, Yorkshire, HU10 7PJ.
- G4BMT, K. G. Long, Y.W.C.A., Fourth Avenue, Harlow Essex, CM20 1DZ.
- G4BOB, A. H. Wallwork (*ex-G8ECV*), 9 Bury Lane, Withnell, Chorley, Lancs.
- G4BON, B. A. Strutt (*ex-G8EKV*), 98 Fairview Road, Penn, Wolverhampton, Staffs., WV4 4TE.
- G4BPR, P. H. Truran (*ex-G8DYS*), 125 Gospatrick Road, Tottenham, London, N17 7JD.
- G4BPU, P. I. Fox (*ex-G8FKG*), 193 Conway Avenue, Great Wakering, Essex, SS3 0BL.
- G4BPY, G. M. Pheasant (ex-G8FDV), 43 Station Road, Great Wyrley, Walsall, Staffs., WS66LH.
- **GM4BQD,** R. N. Muir, 23 Aitken Drive, Whitburn, Bathgate, West Lothian, EH47 0HD.
- G4BQJ, A. E. Hill, 3 Cambrai Avenue, Warrington, Lancs., WA4 6QU.
- G4BQK, The East Riding Amateur Radio Group, c/o F. W. Lee, 8 Westland Road, Kirkella, Hull, Yorkshire, HU10 7PJ.
- G4BQM, D. Daunt, 18 Grasmere Terrace, Murton, Seaham, Co. Durham.
- **G8FLS, I.** W. M. MacIver, 165 Manchester Road, Accrington, Lancs. (*Tel. Accrington 32726*).
- **G8GGL**, D. Havelock, 40 Danes Way, Leighton Buzzard, Beds., LU7 8LS.
- **G8GMA**, D. Elliott, 56 Lincoln Avenue, Willenhall, Staffs., WV13 1JQ.
- **G8GNX, J. B.** Bartholomew, 6 Addiscombe Avenue, Croydon, Surrey.
- **G8GOP**, C. Pearce, 85 Percy Road, Hampton, Middlesex.
- **G8GQK,** C. W. E. Sweet, 101 Renown Street, Keyham, Plymouth, Devon, PL2 2DD.
- **G8GSO,** P. J. Atkins, Elm Cottage, Garston Hill, Chickerell, Weymouth, Dorset.

- **G8GUT,** H. Richards, 43 Cowling Lane, Leyland, Preston, Lancs.
- **G8GXA,** R. C. Vincent, 30 Rodney Crescent, Hoddesdon, Herts, EN11 9EW. (*Tel. Hoddesdon* 64285.)
- **G8GXK**, N. S. Hoult, 34 Beacon Road, Loughborough, Leics., LE11 2BO.
- G8GXK/A, N. S. Hoult, Jesus College, Cambridge, CB5 8BL.

CHANGE OF ADDRESS

- G2CIW, J. F. Moseley, 3 Kit Hill Avenue, Walderslade, Chatham, Kent.
- G3AIU, K. A. H. Rogers, Peartree Cottage, High Road, Essendon, Herts. (*Tel. Essendon 251.*)
- G3DNO, A. E. Machin, Valleyside, Millthorpe Lane, Holmesfield, Sheffleld, S18 5SA.
- **GM3EOJ,** C. F. Sherrit, 17 Inchbrae Drive, Aberdeen, AB1 7AB.
- G3GDJ, R. B. Wilson, 81 Clarence Road, Derby, DE3 6LR.
- G3IYT, S. R. Walker, 11 Clee Crescent, Old Clee, Grimsby, Lincs.
- G3JKR, K. S. J. Rancombe, 6 Park Drive, Rustington, Sussex. ((*Tel. Rustington 4680.*)
- GI3KDS, W. J. Woodside, 11 Lenamore Park, Lisburn, Co. Antrim.
- G3KWW, R. W. Wilkinson, Lower Stonehams, Pangbourne Hill, Pangbourne, Reading, Berks. (*Tel. Pangbourne* 2052.)
- **GW3MQX,** P. Lane, H.M. Coastguard Station, Rhossili, Swansea, Glam., SA3 1PR.
- G3NGF, Rev. A. W. Shepherd, WAMRAC Headquarters, Lawn House, West Felton, Oswestry, Salop. (*Tel. Queens Head 366.*)
- G3NJB, World Association of Methodist Radio Amateurs and Clubs, WAMRAC Headquarters, Lawn House, West Felton, Oswestry, Salop. (*Tel. Queens Head 366.*)
- **G3NNT, S. J.** Pilkington, The Quarries, Quarry Drive, Aughton, Ormskirk, Lancs.
- G3TAR, R. E. Roberts, 15 Pineside Avenue, Cannock Wood, Rugeley, Staffs.

- G3UAO, A. L. Gilham (*ex-ZC4UA*), 8 Stokesay Place, Buntingsdale Estate, Market Drayton, Salop, TF9 2HF.
- G3UGO, Mrs. Edna Cooper, The Firs, Treskerby, Scorrier, Redruth, Cornwall.
- **G3VJB,** G. W. Cooper, The Firs, Treskerby, Scorrier, Redruth, Cornwall.
- G3VYZ, L. W. Thompson (*ex-G13VYZ*), 43 College Road, Blandford Camp, Dorset.
- G3YYU, M. O. Binns, Harelaw House, 3 Main Street, Caldecott, Market Harborough, Leics., LE16 8RS.
- G3ZDF, J. J. Kirk, 94 Hoddern Avenue, Peacehaven, Newhaven, Sussex, BN9 7QU.
- GM3ZDH, R. A. Dixon, 20 Summerfield Cottages, Glasgow, G14 0RB.
- **G3ZFZ,** G. Gibson (*ex-DL5YO*/ 9V1PY), 1 Westfield Terrace, Flimby, Maryport, Cumberland.
- G3ZOH, B. R. George, 20 Tile Farm Road, Orpington, Kent.
- G4ABS, D. Bedford, 87 Linksfield Road, Westgate-on-Sea, Margate, Kent.
- G4ACB, J. Leaver, 4 West View, Eaves, Hebden Bridge, Yorkshire.
- G4ADR, N. E. Ayres, Glendevon, Thame, Oxon., OX9 3NQ.
- G4APL, P. N. F. A. Lewis (ex-G8DYZ), 20 Annes Walk, Caterham-on-the-Hill, Surrey, CR3 5EL.
- G4QU, F. C. Mason, Oakdene, Hill Top, Stanton, Bury St. Edmunds, Suffolk. (*Tel. Stanton 597.*)
- G6ACS/T, R. B. Wilson, 81 Clarence Road, Derby, DE3 6LR.
- G8AGO, J. Truscott, 11 St. Luke's Close, Westgate-on-Sea, Kent.
- G8BPA, M. E. Kirk, 9 The Fairway, Mablethorpe, Lincs.
- **G8BWG**, N. Toovey, 136 Woodhead Road, Holmbridge, Huddersfield, Yorkshire.
- **G8CHI**, A. P. Tidder, 146 Heath Road, Hounslow, Middlesex, TW3 2NS.
- G8DLX, M. T. Crampton, 16 Percival Road, Rugby, Warks.

LOUGHBOROUGH TECHNICAL COLLEGE

Principal: F. Lester, B.Sc., Ph.D., F.R.I.C.

Department of Electrical Engineering

Applications are invited for places in September 1973 on the following full-time course :---

Diploma in Radio, Television and Electronics

Applicants for this three-year course should expect to gain "O" level or good CSE grades in Mathematics and a Science subject and be keenly interested in electronics.

A large element of practical work and two periods of industrial placement are included. Students will also sit for Parts I and II of the City and Guilds Technicians Certificate in Radio, Television and Electronics.

Further details may be obtained from:

G. M. Allen, B.Sc.(Eng.), D.L.C., C.Eng., M.I.E.E., Head of Department of Electrical Engineering, Loughborough Technical College, Radmoor,

Loughborough, Leics., LEII 3BT Tel: 5831

The "Call Book" proper is now published only once a year, in December, in two parts, "U.S." and "DX Listings."

Supplements to both editions appear at quarterly intervals, obtainable by prior order direct from the publishers.

We supply the "Call Book" as an annual publication, as required at any time during the year. We shall not be handling the quarterly supplements. These will be available only direct from the publishers.

This comprehensive reference lists about 300,000 licensed radio amateurs in the United States Directory and 160,000 or more in the rest of the world (contained in the "DX Section"). In the U.S. Section, licence classifications are shown with revised listings of new licences, names and addresses. The CALLBOOK also includes much incidental DX information. Every amateur operator and SWL needs the CALLBOOK to get the most out of Amateur Radio.

DX Listings £2.95 U.S. Listings £3.75

The above prices include postage and packing.

Your order to: Publications Dept., SHORT WAVE MAGAZINE 55 Victoria Street, London, SW1H OHF 01-222 5341

SMALL ADVERTISEMENTS

("SITUATIONS" AND "TRADE")

6p per word, minimum charge £1.00. No series discount. All charges payable with order. Insertions of radio interest only accepted. Add 50% for Bold Face (Heavy Type). Box Numbers 15p extra. No responsibility accepted for transcription errors. Replies to Box Numbers should be addressed to The Short Wave Magazine, 55 Victoria Street, London, SW1H OHF.

SITUATIONS

RADIO Amateur/TV Engineer seeks situation in East Anglia.—M. N. Corbett, G4BIY, Ivy Cottage, Barham Green, Ipswich, Suffolk, IP6 0QQ.

ANTENNA Design & Development Engineer: Electronic design and development engineers are required to join expanding company engaged in the design and development of antenna systems and RF feed-line components. The work covers siting assessment, the design and manufacture of antennae and associated components, and systems function testing in the HF, VHF, UHF and microwave spectrums.

We design, develop and manufacture antennae for use on aircraft in addition to ground and seaborne systems, and applicants with some aircraft experience would receive early consideration. Applicants at all levels of qualifications and experience are required.

Salaries will be negotiable and commensurate with experience. The company is situated in a de-

lightful rural setting one mile from Witney, Oxfordshire.

Apply by letter: H. R. Smith (Technical Developments), Ltd., New Mill, Crawley Road, Witney, Oxfordshire.

TRADE

TOKO Filters: CFT-455A, CFT-470C, 60p each plus 5p postage. Discounts for quantities. Send s.a.e. for details.—Harrogate Radio Co., 2-3 Sykes Grove, Harrogate, HG1 2DB, Yorkshire.

WANTED: Early wireless transmitting and receiving equipment from years 1900-1925. Marconi tuners 103, 106, CM-294 and any others. Also magnetic detector, coherer, Marconiphone V2, and amateur and ship receivers. Early telegraph gear, and any item marked "Silvertown." Please give description and prices.—Dr. David Spence, 11 Brookfield Street, Cornholme, Todmorden, Lancs.

UHF High-Pass Filters: Suitable for fitting in UHF/TV antenna lead. In many cases these have proved successful in eliminating TVI. Price £1.75 each. E. & E. Services, 72 Elmstone Road, Rainham, Kent.

QSL Cards: For Tx, G8/3 and SWL, one to 4-colour designs; good selection; large s.a.e. for samples. —Printon Printers (R/Rose), 105 Fleetwood Street, Preston, Lancs.

S.METERS suitable for R.C.A. AR88 D/LF receivers. 2½-in. diameter, 5 mA full-scale deflection, right-hand zero. complete with detailed fitting instructions, price £4.75 each, post paid. Also available, spares for AR88 D/LF receivers, send s.a.e. for list.—A. J. Reynolds, 5 Headland Way, Lingfield, Surrey. QSL Cards for Tx and SWL. Send s.a.e. for samples stating which type required.—Beaumont, G5YV, 8 Ashfield Avenue, Morley, Leeds, LS27-0QD.

QSL CARDS and G.P.O. approved Logs (hardback), prompt delivery. Send 4p stamp for samples.—Atkinson Bros., Printers, Looe, Cornwall, PL13-1JT.

YORK Photo-Audio Centre offer the following Yaesu Equipment at reduced prices, these items having been used for showroom display only and sold as unused with guarantee: FT-101, £225; FT-560, £176; FT-75 £90; FR-400, £108. FL-2000B, £134. FL-50B, fitted Vox, £65. Credit terms arranged. Also a few second-hand receivers and transmitters available; our up-to-date list by return. Your camera equipment taken in Part Exchange—and we also accept communications equipment in exchange for Cameras and Hi-Fi gear.—51 Fossgate, York (56176), or 25798 after hours.

APRIL Issue: Due out March 30. Single-copy orders 300, post free, to reach us by Wednesday, March 28, for posting on March 29.—Circulation Dept., Short Wave Magazine Ltd., 55 Victoria Street, London, SW1H-0HF.

THOUSANDS of Radio Bargains: Transmitters, receivers, relays, motors, meters, components, test equipment, valves, etc., etc. Send s.a.e. with enquiries.—Auto Traction, 27A Arragon Road, Twickenham, Middlesex. (Tel: 01-892 9489).

TELERADIO ELECTRONICS: Stockists of Trio receivers, Mobile communication and Hi-Fi equipment.—Enquiries welcomed at 325-7 Fore Street, Edmonton. London, N9. (Tel: 01-807 3719).

WALKIE-TALKIES: No. 88 ex-W.D. 14-valve four channel transmitter/receiver unit, £5, carriage 62p. No. 17 ex-W.D. unused valved transceiver unit, 2v./120v., price £2.25, carriage 50p. No. 19 Sets, used transceiver valved unit. only £5, carriage £1.
 Salvage telemeter unit, multi-valve receiver, with speaker and tape unit, in sealed cartons, cost vast amount, price £3.75, carriage 75p. Surplus telephone handsets, 97½p. post/packing 17½p. American unused ex-W.D. quality feather-weight low-resistance headwhones, £1.50, post/packing 15p. Various meters and spares in stock. Callers welcome.— Southern Surplus Merchants, Ltd., 66 London Road, Kingston-on-Thames, Surrey. (Tel: 01-546 9263).

READERS ADVERTISEMENTS

30 per word, minimum charge 50p payable with order. Add 25% for Bold Face (Henvy Type). Please write clearly, using full punctuation and recognised abbreviations. No responsibility accepted for transcription errors. Box Numbers 15p extra. Replies to Box Numbers should be addressed to The Short Wave Magnzine, 55 Victoria Street, London, SW1H OHF.

READERS

SELLING: Hy-Gain 18-AVT/WB 10-80m. trapped vertical, only few months' use, £25 or near offer.— Cockayne, G3DAA, 9 Foresters Terrace, Teignmouth (3303), Devon.

FOR SALE: Cambridge AM-10D, dash mounting, 12v. input, working on two metres. Rx tunable. Tx has three channels (one xtal on 145 MHz fitted). all circuits supplied, £25. Also Japanese Hi-Mound semi-automatic bug kev. £2.50.—Axford, G4AQZ, Dorfolk House. Landermere, Thorpe-le-Soken, Clarton-on-Sea, Essex.

SALE: RTTY Creed 3X T/P, 160v. DC, £4; Type 44 perforator. £3; AM/CW Tx. coverage 160-10m.. 40 watts. £15.—Ring Rush, G3YKR, Emsworth 5612 (Hants.). FOR SALE: Trio 9R-59DS receiver with fitted voltage regulator, Hamgear PM-V crystal calibrator, speaker, phones, 4RF ATU, £40, Rx in "as-new" condition with original packing, etc.—Ring Sounes, Rayleigh 4331 (Essex) after 7 p.m., or call at 1 Avondale Road, Rayleigh.

WANTED: 75p paid for copy of October 1971 "Short Wave Magazine."—Huggins, Villiers House, Eton College, Windsor, Berks.

WANTED: HRO coil packs for 14-30 MHz, will collect within reasonable distance.—Chaplin, 36 Southern Way, Romford (45014), Essex.

SALE: Eddystone 750 Rx, with matching speaker and S-meter, very good condition, fully aligned, £45 or near offer.—Lindars, 52 Heathcote Drive, East Grinstead (23950), Sussex.

WANTED: Receivers SP-600, 888A, Eddystones, W-H-Y? Exchange or p/exchange for (or sell) 3 month old G.E.C. 2084 UHF 20 in. TV, Audiomaster replay unit with tapes, £35; or new TV Hi-Fi gear.—Snowden, Swainsea Lane, Pickering, Yorks.

WANTED: Audio filter FL8A.—Meiklejohn, Deer Close, Horsehouse, Nr. Leyburn, Yorks.

FOR SALE: Two-metre Tx, 20 watts, with crystal, needs slight attention, £12; 160m. valve converter, IF 7.7.2 MHz, mains PSU, good condition, £8; Pye Ranger 2107, boot mounting, with control box and mic., Rx separate, Tx modified for 2m., PSU needs attention, £6. Carriage paid on all items.— Forse, Penlan, St. Stephens, Saltash, Cornwall PL12 4AP.

EXCHANGE: Leak Stereo-20 amplifier, Point-One stereo preamp, Rogers FM tuner (mono), FOR best receiver offered, such as AR88, Eddystone, W:H-Y?—Snowden, Swainsea Lane, Pickering, Yorks.

WANTED: R.216 VHF receiver. Wiring diagram with details of set and its associated AC power supply (if possible). must be clear, good price paid. —Reynolds, River View, Lower Montenotte, Cork, Eire.

WANTED Urgently: Circuit diagram and servicing information for the Pye Base Rx, Type 3004 VA. Will pay reasonable price.—Varey, The Cottage, Ings Lane, Molescroft, Beverley, Yorkshire.

SELLING: Hallicrafters SX-146 receiver, Hallicrafters HT-46 transmitter with accessories, £400 or near offer.—Glencross, Worth Abbey, Crawley, Sussex.

"DIGITAL Computer Logic and Electronics": Four volume self-instructional course, £2.95 including post/packing. Money back guarantee.—Cambridge Learning (SW), 8A Rose Crescent, Cambridge.

WANTED: Lafayette HA-500 circuit, manual or aligning details. Loan or purchase.—Byrne, 35 Endsleigh, Douglas Road, Cork, Eire.

SELLING: Heathkit SB-102 Tx/Rx with SB-600 PSU, speaker. £175; Trio 9R-59D Rx, £35; Mobile 160m. Tx/Rx with Tavasu coil aerial inverter, £35.— Hughes, GW3ZAO, QTHR.

SELLING: Eddystone 680X receiver with loudspeaker. etc., revalved, in good condition, £60 or PART EXCHANGE for Eddystone EC-10 receiver.— Habesch, 65 Grange Road, Rhyl, Flintshire.

COR SALE: Lafayette HA-350 receiver, 80-10m... with 100 kHz calibrator. £30; stabilised PSU, 200 mA, 200-400v., £10; 144 MHz transmitter and converter, £5.—Ring Punnett, 01-642 5712. WANTED: FB Heath HW-32A with PSU, AC or DC or both.—Parr, G3EPQ, 147 Main Road, High Harrington, Workington, Cumberland. (Tel: Harrington 680).

SPRING SALE: Marconi TF937 (CT-218) professional signal generator, coverage 85 kHz to 30 MHz, AM/CW/FM, 90 kHz deviation, internal calibration, four modulated frequencies, new, in transit case, £85; TF885 video oscillator, 25 Hz to 5 MHz, square and since wave, 30v. output, with manual, £25; EHT PSU, 2.5 kV at 15 mA, variable, stabilised, £5; CT-82 VHF noise generator, £4; Type 13A 'scope, completely overhauled, new CRT, £20; B:40 Rx, with miniature valves, S-meter, re-aligned, £20.—Ring Jackson, 01-689 2727.

SALE: FT.75 with mobile supply, full set of crystals, £100.-Walker, G3AZT, Woodcote. Tubney, Abingdon, Berks. (Tel: Frilford Heath 398).

WANTED: Single-band SSB transceiver, 80m. or 20m., in mint condition. Cash paid. Details and price, please. Club meetings every Wednesday at 8 p.m., please call or write.—Star Short Wave Club, New Inn Hotel, Bramley Town Street, Leeds 13.

WANTED: R.C.A. AR-8516L in mint condition. SELLING: AR88D, reconditioned.—Chisholm. 141 Stanmore Road, Glasgow S.2.

SELLING: Unused K.W. Atlanta Transceiver with power supply unit and guarantee, £150. Low-pass filter, 50 ohms, £4. Shure 201 mic., as new, £3.50.— Ring Goodbody, 01-592 7800.

FOR SALE: Trio JR-500SE amateur-band receiver with SP-5D speaker, set of spare valves, excellent condition, £45; Lafayette HA-600, fitted speaker, good condition, £30; WANTED: Trio TR-2200.— Price, G8FIH, Sherwood House, Brimpsfield, Glos.

WANTED: For SWL station at the "Star Short Wave Club," New Inn Hotel, Bramley Town Street, Bramley, Leeds 13, an Eddystone 888A receiver with speaker and S-meter, must be in mint condition, cash paid. Club meetings every Wednesday at 8 p.m., please call or write.—Leeman, G4BUU, 115 Ascot Drive, Seacroft, Leeds LS14 1HX, Yorkshire.

WANTED: Codar T-28 receiver, must be in excellent order.—Mathews, 21 Portman Avenue, London SW14 (Tel: 01-876 7868).

WANTED: Vibroplex Presentation Model; also Vibro-keyer. SELL: New FT-DX401, £200 (intend purchasing new "separates"). New K.W. LPF, £3·50. New K.W. Junior traps for 40/20/10m., £1·50. New Ten-Tec electronic keyer, £15. New Admiralty key, £1·50, Bauer key paddle, £1·50. Heath HD-10 electronic keyer, £10. Hy-Gain 18-AVT vertical Ae., £25. Labgear wide-band multiplier unit, £1·50. Large m/c voltmeter, \$500v. DC, £1·50.—Stone, G3JFC, 26 Crayford Way, Crayford (22489), Dartford DA1 4LQ, Kent.

SELLING: Trio JR-310 receiver with Trio calibrator and mechanical filter, one year old, very good condition, £65; KW-202 receiver, as new. £100. —Wilkinson, 104 Falkland Road, Greatfield Estate. Hull, Yorks. (Tel: 0482-791168).


FOR SALE: "G2DAF"-type Mk. II transmitter and receiver (matched pair), mechanical filters, fully operational and working on all bands, 160-10m., original cost £270, bargain at £99 complete. Buyer collects.—Brown, G3NUN, QTHR, (Tel: Parkstone 741964, Dorset.).

SALE: K.W. Vanguard CW/AM Tx, coverage 160-10m., excellent condition, £25.—Powell, G4ADX, QTHR (Tel: 021-373 1841).

К ОП.	K	H	4	the		poner lidlan	
	_			*	G	2 A K	\star
res an	d 70 d	:m. F	ULL	RANG	EIN		Carr
for Lis	t						(50p)
R5 :							
			•••	•••	•••	£25.00	(50p)
OR .	••		•••			£20.00	(50p)
ATIC	0105					£47.00	(50p)
F S -						415.00	(300)
HINS	ULA	TOF	s			64.50	166 P
						£2.30	105
					vd.	40	(25p)
300 oh	m				yd.	40	(25n)
WIRE	SOL	ID 14	G. H,	/D 70ft	• . • •	95p	(25p)
19 (B	ARE)	an	d 32	2/0·2 m	۱m.		
t.		÷				£1.87	(25p)
DIECE	KIBB	ED C	ERAI	MIC		125p	(16p)
							(10p)
L NO	20	0 ID.	100 90	g			(16p)
	40	M IS.	100 ye				
CIAL (CABI	E 75	ohm				
KIAL (CAR	E 50	ohm			250	(24p)
AL 1 4	AVO					£24.50	150-0
R 59D:	s					£49.50	(30)
R 310						£75.00	
0 Mk.		•••					
	AM	K. 11				£27.50	
	РК	40	•••		•••		(30p)
D 204		•••	•••				
	CKS	24 ⊨		OM .		£145+00 £7+00	
IT (A)	I cole		E for	12		190	
						1.50	
ORPI	ION	BA	NDC	. НЕСК			
ORPT	ION	BA	NDC		ER	£5.75	(25p)
	res an res an res an res an res an res and res	res and 70 (for List RS : OR OR OR OR OR OR OR OR OR SULA SULA SULA SULA SULA SULA SULA SULA	res and 70 cm. F for List OR	res and 70 cm. FULL for List RS : OR	UUNG LID. res and 70 cm. FULL RANG for List RS OR ATIC 2010 ATIC 2010 Obs MURE SOLID 14G, H /D 70ft 90 (BARE) and 32/0.2 m 19 (BARE) and 32/0.2 m 10 (b. 100 yd. 400 (b. 00 yd. 400 (b. 00 yd. 400 (b. 00 yd. 400 (b. 00 yd. KIAL CABLE 75 ohm AL 14 AYQ 8 300 S R 310 S CR70A Mk, II CR0PR R40		★ G2AK for List

MI-19467-A MASTER OSCILLATORS

These R.C.A. units which are used in the ET 4336 transmitter and which were supplied as a separate item, each in its own slide-in metal case, are ideal as the heart of any high-power transmitter, unmodified as a low-power (approx. 20w.) transmitter, or as a basis for modification to suit individual requirements. They incorporate a 6-position oscillator switch (covering 1 to 5 MHz); a 3position Multiplier switch (covering 2 to 10 MHz); a D.C. current meter, and oscilla-



mitter, or as a basis for modifiedtion to suit individual requirements. They incorporate a 6-position oscillator switch (covering I to 5 MHz); a 3position Multiplier switch or and multiplier coils with "turns counting" mechanisms for precise tuning. Power requirements are H.T. and L.T. for the 807 valve used in the unit, and are brought in by an 8-pin Jones 907 valve used in the unit, and are brought in by an 8-pin Jones 807 valve used in the unit, and are brought in by an 8-pin Jones 907 on the rear of the chassis. The basic frequency coverage of the oscillator is I to 10 MHz, which can be extended to 20 MHz when used as the oscillator section of a higher power transmitter or when used on its own. All these and many more details are covered in full in the extremely comprehensive instruction/ service manual (supplied with each unit) containing wiring and circuit diagrams, adjustments, photographs, etc. BRAND NEW. Price per unit is £8-50 including 2, 807 valves. Carriage £1-50.

COLOMOR ELECTRONICS LTD. 01-743 0899 01-748 8006 170 GOLDHAWK ROAD, LONDON, W.12

53

DERWENT RADIO 5 COLUMBUS RAVINE, SCARBOROUGH. 5 Showroom open Tuesday /Thursday /Friday /Saturday MemBER OF THE AMATEUR RADIO RETAILERS ASSOCIATION

	ADIO RETAILERS ASSOCIATION
KW103 swr/power £12.50	Trio JR599 £185.00 Trio 9R59DE £49.00 Trio SP 5D speaker £4.00 Trio TS 515 transceiver £210.00
KW 2000E and A.C. p.s.u. £265.00	Trio 9R59DE £49.00
VW Atlanta and neur. £210.00	Trio SP 5D speaker £4.00
KW 202 receiver £140-00 KW 204 transmitter £150-00	Trio TS 515 transceiver £210.00
KW 204 transmitter £160.00	Irio I X 599 transmitter 1105.00
KW 107 AE match unit £15.00 KW EZ match £15.00	RCA IC manual 98p RCA Hobbies manual 76p
KW FZ match £15.00	RCA Hobbies manual 76p
KW 101 swr bridge £8-20 KW AE switch £4-25	BCA Value measurel 990
KW AF switch £4.25	RCA COS/MOS 98p
KW AE switch £4.25 KW Balun £1.95	G Whip tribander ±10.50
KW Atlanta VEO £37.00	G Whip 160/80m £9-00
Eddystone EC10 Mk. II. £86-00	RCA Valve Hianual 90p G Whip tribander £10-50 G Whip 160/80m £9-00 G Whip 160 Ranger £7-50
Eddystone ECI0 A.C. p.s.u. £7.75	G Whin base mount £1.42
Yaesu FT 401 £230.00	G Whip LF coils £4-00
Yaesu FT101 £255.00	Lafayette HA 600 £50.00
KW AE switch	G Whip LF coils £4.00 Lafayette HA 600 £50.00 Lafayette HA 800 £57.00
Yaesu FR400S £160-00	Codar CR70A receiver £27.00
Yaesu F1200 and p.s.u. £172:00 Yaesu F14005 £160:00 Yaesu F1400 £144:00 Yaesu F1508 £59:00 Yaesu F150 £68:00 Unica UNRA Rx. £15:00 Unica UNRA Rx. £14:75	Codar PR40 £8.50 Codar 12/RC ctl unit £2.50 Codar Multiband 6 £11.50 Wight trans standard £2.75
Yaesu FR50B £59.00	Codar 12/RC ctl unit £2.50
Yaesu FL50 £68.00	Codar Multiband 6 £11.50
Unica URIA Rx £25.00	Wight traps standard £2.75
Unica UNR30 Rx £14-75	Wight traps standard £2.75 Wight traps hi power £3.75
	Stereo/Mono head-
TEI5 GDO £12-50	phones £1.99
Hanson swr bridge £4.20	Shure 201 microphones £5.50
Double meter swr £7.75	Shure 444 £14.00
5 hand RF meter £4.00	Acos Mic 45 £1+00
Katsumi El bug EK9X £8-50	Yaesu p.t.t £3.00
Katsumi monitor £2.20	"J" Beam Halo £1-35
Type 500 test meter £8-85	Boom mic crystal £4+60
Mini test meter £2.20	Boom mic ceramic £4.95
Sentinel 2m. converter £13.75	4 digit impulse counter 10p
TEIS GDO f12-50 Hanson swr bridge f44-20 Double meter swr f47-75 5 band RF meter f4-00 Katsumi El bug EK9X f8-50 Katsumi monitor f2-20 Type 500 test meter f2-20 Sentinel 2m. converter f13-75 Sentinel 4m. converter f13-75	Shure 201 microphones £3-30 Shure 444 £14-00 Acos Mic 45 £1-00 Yaesu p.t.t. £3-00 ''J'' Beam Halo £1-35 Boom mic crystal £4-60 Boom mic crystal £4-64 Boom mic crystal £1-30 £1-35 J Gigt impulse counter £1-35 £4-95 Boot mic crystals our selection £50 £4-95
Sentinel 70cm. converter £13.75	50 resistors l6p
Sentinel 2m. pre-amp £6.50	10 ceramic capacitors 10p
Sentinel 2m. pre-amp £6.50 Soldering irons from £1.45	10 silver mica caps 10p
Soldering irons irom 21-43 2 way intercom 22-10 "S" Dec	10 Crystals our selection 639 50 resistors
"S" Dec £1.00	Amphenol SO239 PTFE 30p Amphenol SO239 25p
A R20 rotator £20.00	Amphenol s0239 25p Amphenol reducer 8p
AR22R £25.00	10 0 I Mfd caps 400v 15p
3/6/7-5/9v. D.C. p.s.u 14.00	Double sided copper clad 7p
2,000 Onthe neudoet	Paxolin 8" x 7" 3p
C60 cassettes 30p Casette recordersA.C./	2N3819, BF180 35p
	BC107, 108, 109 10p
D.C. £15.00 0-20y, D.C. p.s.u. A stab. £10.75	250 ohm carbon pots 25p
24" speaker 8 ohm 35p	10 QSL strips (120 cards) 25p
24" speaker 8 ohm 35p 3" speaker 8 ohm 40p	RCA 6LQ6 £2.60
3 speaker of onthe 100	RCA 3N140 Mosfet 85p
17v relay ex equipment 150	RCA 3N141 85p
5 mixed relays 500	6146 ITT £1.80
6 BA boits nack	All RSGB publications stocked.
6 BA puts	RSGB Callbook, post free 65p
2 ³ speaker 8 ohm 40p 14v, relay ex equipment 10p 12v, relay ex equipment 15p 5 mixed relays 50p 6 BA bolts pack 10p 9 BA bolts pack 10p 7 BA bolts pack 10p 7 BA bolts pack 10p 7 BA 20 ICs with data 10p 7 rein B310 BX 75-00	Dosemeter IOp
Trio JR310 Rx £75-00	Type 10 Xtal calibrator £2.75
The second se	Trio JR500SE £45.00
Second-hand equipment: KW2000A and p.s.u. £140-00 KW Viceroy IV £75-00 KW Vanguard £30-00 KW 2000A /B D.C. p.s.u. £30-00 Sommerkamp FL200B £85-00 TW 2.000A /B J.C. p.s.u. £30-00 DE project £1044 50-00	Trio JRS005E 435-00 Trio JRS010 460-00 Codar CR70A 422-00 Codar 12/RC 42-00 Codar PR30 45-00 Codar PR30 45-00 KW 1000 linear amp. 490-00 Vicacow III 470-00
KW Misser IV 475.00	Codar CR70A (22.00
KW Vanguard \$30.00	Codar 12/RC £2.00
KW 2000A /B D C n s.u. 430.00	Codar PR30 £5.00
Commankama El 2008 (85:00	Codar PB30X £7.00
TW 2m Communicator (50.00	KW1000 linear amp £90-00
DE receiver 61044	Viceroy III £70.00
Lafavette HA 63 £20.00	Codar PR40 £7.00
Tw 2m, Communicator 150-00 DF receiver 61044 £40-00 Lafayette HA 63 £20-00 Sentinel 2m. conv £10-00 Trio TS510 and p.s.u £155-00 Trio 455005	Eddystone 840C £45-00
Trio TS510 and p.s.u £155.00	Eddystone EC10 £45-00
Trio 9R59DS £42.00	Viceroy III

Trio VR39DS Harlow Omita Onica
SURPLUS BARGAINS

Trans. Pria 230v. Sec. 2.25Kv. ct. at 565 Ma., size : $6\frac{1}{4} \times 5\frac{1}{4} \times 4\frac{3}{4}$ ". Price **£7**. Also Sec. 415-143-0-143-415v. at 360 Ma on 415v. and 120 Ma on 143v., size : $5\frac{1}{4} \times 4\frac{1}{2} \times$ 41". Price £3. Choke I 9Hy 800 Ma to match above. Price £1.50. Headphone matching trans. with lead and standard jack plug 5ft. with 4000 to 250 ohm matching trans. Price **50p.** Blower Motors double ended full cont rating 27.5v. D.C. 3.8a however will work on 6 to 27 5v. at reduced O/P, Outlets I_8^3 sq., overall size 6 x 34". Price £1.65. The above prices inc. post ; all above new boxed

American surplus.

A. H. SUPPLIES. 57 Main Road, Sheffield S9 5HL

FOR SALE: TV monitors, 21-in. all-metal construction, 625 line, working order, £10. WANTED: Ex-broadcast television equipment, cameras, mixers, cable, fittings, etc.—Summers, G8GQS, 7 Orchard Close, Morton, Gainsborough (3940), Lincs.

SELLING: Hallicrafters SX.117 Rx, triple conversion, covering all HF bands in 500 kHz segments, £75 or near offer. Phasing-type SSB Tx, coverage 10-80m., with PSU and 2/6146 in final, low styling, £45 or near offer.—Ledger, G3UBL, 7 Beamish Drive, Bushey Heath, Herts. (Tel: 01-950 3443).

SALE: Joystick lightweight antenna with Joymatch Mk. III tuner, coverage 1.5-30 MHz, £8.50. Car-riage paid.—Mickleburgh, 13 Elizabeth Road, Poringland, Norwich, NOR 42W.

SALE: Codar T.28, modified for mains/battery, internal speaker, improved BFO, £14; BC-454B "Command" receiver with separate AC/PSU and speaker, coverage 3-6 MHz, £6; also FTC-401 tran-sistor tester, £5. Buyers collect.—Ballance, G3KNB, QTHR (Tel: Stafford 62105).

BARGAIN: Yaesu Musen FR-400SDX Rx, four **D** mechanical filters, etc., two years old, needs slight attention, offers over £85. Buyer collects. (Lancs.).—Box No. 5126, Short Wave Magazine Ltd., 55 Victoria Street, London, 'SW1H-0HF.

WANTED: Trio JR-60 receiver in working order. To Details and price, please.—Smith, 19 Hyde Road, Kenilworth (54609), Warks.

ELLING: Eddystone 830/7 receiver with plinth speaker, little used, immaculate condition, purchased new three years ago, offers over £300. Also Koyo 11-band portable, mint condition (cost £69 three months ago), £40. (Glos.) .- Box. No. 5127, Short Wave Magazine Ltd., 55 Victoria Street, London, SW1H-0HF.

SALE: Heath HW-32 with home-built mains PSU, good condition, £45.-Ring Willmott, Shoeburyness 3475 (Essex).

SELLING: De luxe Joystick and 4RF ATU, as new S £9:50. DX-400U low voltage transformer, new, £8. Geloso crystal microphone, £2:50.—Thompson, G3RCZ, 24 Verdure Close, Failsworth, Manchester.

WANTED: Heathkit RA-1 receiver with loud-speaker, crystal calibrator and handbook, in good condition. Also Joystick aerial less ATU.— Roberts, 9 High Street, Bala, Merioneth, LL23 7AG, North Wales.

SALE: UHF receiver, tunable front-end, with IF **5** unit 1000 to 2600 MHz, and 2300 to 4450 MHz, £15, Avometer Model 7 test meter, £16-50.—Box No. 5128, Short Wave Magazine Ltd., 55 Victoria Street, London, SW1H-0HF.

EXCHANGE: Murphy B.40C Rx, in good condition, modified aerial, and mains plugs, FOR minia-ture-valve version of B.40D, with cash adjustment. WANTED: B.40 bandswitch knob (Note: not for above Rx!); also wobbulator unit for use with Cossor 339 'scope.—Clyne, 78 Halford Road, Uxbridge, Middx. (Tel: Uxbridge 30006, evenings and weakends) and weekends).

SALE: American VHF/UHF Rx, coverage 75-1000 SALL: American VIIF/UIIT KX, coverage 75-1000 MHz, £65; American panoramic receiver, £25; CRT oscilloscope, £6; CRT PSU, £5; IF amplifier, 45 MHz, £3; IF amplifier, 30 MHz, £3; AC/PSU Type 234, £5; American Tx chassis, £1; Command Set/ VHF Rx, £20; Gyroscope motor, £2. Carriage extra. s.a.e. with enquiries please.—Hayward, Sunnyfields. Lighthouse Road, St. Margaret's Bay, Dover, Kent.

SELLING RECEIVERS: Racal RA-17, coverage 0.5-30 MHz; Eddystone 770R, coverage 19-165 MHz; Converter, 36-1000 MHz. Silicon rectifiers, 1250v./12 amp., 10p each; s.a.e. please.—Wright, 249 Sandy Lane, Hindley, Wigan (55948), Lancs.

Volume XXXI

SELLING: KW-2000 with AC/PSU, recently serviced **b** by firm, good condition, £105.—Appleby, G4AFM, QTHR (Tel: 061-439 8555, Cheshire).

FOR SALE: HW-17A transceiver with AC/DC PSU, £55; Codar AT.5 Tx with 12v. PSU and 12RC control; Halson whip, 160/80m. coils, £25.—Denman, G3MEW, QTHR (Tel: Portsmouth 20315).

SALE: Eddystone 888 Rx, with S-meter, in very good condition, £50. Emsac CN2M converter, IF 28 to 30 MHz, £6. Lafayette KT-320 communications Rx kit, complete, £15. Electroniques Coilpax QC-166, with gen., £11; also matching IFA/1.6/SSB Mk. III unit, with gen., £5—or the pair for £15. Calrad DM-16HL microphone, brand new, £3. Arm-strong Stereo-Twelve AM/FM radiogram chassis, with manual, £10. Pair Goodmans "Triaxette" speak-ers, 15-ohm, rated 10 watts, £10, Garrard TA Mk. II turntable, price £2. Buyers collect these items. WAINTED: FT-2FB equipment.—Day, 38 Woodstock Road, Begbroke, Oxford (086-75 2215).

FOR SALE: R.209 Rx, Mk. II, in working order, £10. Also 12-volt vibrator unit, £3. Buyer to collect.-20 Allen Street, Maidstone, Kent, ME14 5AG.

A PRIL Issue Short Wave Magazine due out on Friday, March 30. Single copies at 30p post free can be supplied to orders reaching us by Wednes-day 28th, for despatch on Thursday 29th, the day before publication. These copies go out flat in an envelope, first-class posting. Orders with remittance to:- Circulation Dept., Short Wave Magazine, Ltd., 55 Victoria Street, London, SW1H-0HF.

SALE: Trio 9R-59DS receiver with SP-5D speaker, SALE: THO 9R-39DS receiver with Strong speaker, stabiliser, 500 kHz calibrator, £37-50; Shure 444T microphone with built-in pre-amp, £11; TTC SWR bridge, £3; E.M.I. GDO, £3.50. Buyer to arrange carriage.—Poulter, G3WHK, 279 Aragon Road, Morden, Surrey. (Tel: 01-337 0117).

OR SALE: FT-101 transceiver, mint, guaranteed February 73, £190; Kycritsu GDO, £8; Empire Aristocrat portable typewriter, £10 or near offer. Numerous TV valves, new but in tired wrappings, ex-dealer stock, cheap.-Morris, G4HU, QTHR.

SALE: Aerial rotator with Parvalux/Jeary motor, Treversible, 230/250v., 52lbs./in. at 5 r.p.m., moun-ted in steel tripod frame, driving 3-in. steel rod 18-in. long in ballrace, 5 only, £10 each, plus £1 carriage. --Barnes, 14 Laurel Drive, Eccleston, St. Helens, Lancs. (Tel: 051-966 2393, daytime).

SELLING: Sommerkamp FT-100 transceiver (property of the late G3NXF), best offer over £90 for quick sale.—Bevington, G5KS, QTHR. (Tel: 021-552 1409).

EXCHANGE OR SELL: KW-202 receiver with cali-brator, 5 months old, £100. Consider PART-EXCHANGE for late model unmodified KW-77.--Newey, 23 Leahouse Road, Oldbury, Warley, Worcs.

MANUALS: B.40, T.C.S., RA-17, £1.75; R.210, R.216, J.4, 8516L, £2; CR-100, CR-300, AR88LF, £1.25. Add postage.—Brooks, 5 Farrant House, Winstanley Road, London, SW.11.

SELLING: B.40 receiver, £12 (buyer collects); two-**5** metre transistor converter, IF 46 MHz, f4; Sen-tinel 2m. FET pre-amp, f4; PR-30X pre-amp, f5.— England, G8GJV, 81 Rounds Hill, Kenilworth, Warks. (Tel: Kenilworth 52599, after 6 p.m.).

SALE: Eddystone 888A receiver with S-meter and speaker, £65.—Druce, 6 Kennedy Drive, Goole, Yorks.

G2CTV I. & A. TWEEDY (Electronic Supplies) Ltd. MEMBER AMATEUR RADIO RETAILERS ASSOCIATION yR59DS G.C. Receiver... £49-50 JR310 Ham band Receiver £75-00 JR599 Ham band Receiver £185 TX599 Transmitter ... £185 TS515 Transceiver with ________. Trio : 9R59DS G.C. Receiver..
 Yaesu Musen:

 FT101. 160 to 10

 FR200 with FP200 p.s.u.

 FT401 Transceiver

 FRSDX400 Receiver

 FLDX400 Transmitter

 FL2000B Linear

 FL2000B Linear

 FL30D8 plus Calib plus

 WWV Receiver

 FL50B plus VOX Transmitter

 FT2FB 2 metre Transceiver

 FT2Auto, 2 metre Transceiver
 Yaesu Musen : £255 £172 £230 £160 £146 £148 p.s.u. ... TL911 Linear ... TR2200 2 metre Trans-£140 £63-00 £62.50 £4.50 £72-00 Casion Clocks : Copal 601 Copal 222 Copal 101 Copal 602 £89.00 £13.75 £13.75 £6.65 £8.80 £11.50 £146 ... ceiver • • • KW Electronics : KW107 KW Ezee Match ... KW Trap Dipole 97ft. Aerials : Mosley J Beam, Hy-Gain, Tavasu, "G" Whips, Telomasts. £46.00 £16.50 £16-00 £140 £160 £265 Hamgear : PM2A Preselectors PM2B Preselectors. Solid KW202 Receiver ... KW202 Receiver ... KW204 Transmitter ... KW 2000E Transceiver KW103 SWR and power £9.20 £8.25 £7.75 £11.75 PMV Calibrators PMV Calibrators PMVIII Calibrators PMVIII Converter. MHz-7 MH £12.50 £2.30 KW Baluns 1.8 ... £10-50 Spacemark : ETM2B Keyer ... ETM3B Keyer ... SWR Bridges by KW, Osker, Asahi, etc. £23.80 £25.95 Boom Mikes Model C Model X ... Model C with switch Model X with switch £5-75 £5-40 £7-30 £6-95 C.D. Botators : AR20 ... AR22 ... TR44 ... £20.00 £25.00 £45.90 Used Equipment: Heathkit RAI + calib., £27.50; DX40U + vfo, £25; Trio 9R59DE, £30; JR500SE, £45; JR599, £140; Lafayetre HA350, £45; Sommerkamp/ Yaesu F1150, £150; FRDX500, £105; FRDX 400, £105; FV101, £25; KW "G" line 2000, £110. Open Tuesdays to Saturdays, 9 a.m. to 5.30 p.m. HP terms available Part exchanges 79 CHATSWORTH ROAD CHESTERFIELD S40 2AP Tel.: 68005 evenings Tel.: 4982

WORLD RADIO/TV HANDBOOK 1973

The World's only complete reference guide to international Radio & Television Broadcasting Stations. It includes : Frequencies, time schedules, announcements, personnel, slogans, interval signals and much more besides of value to the listener.

Lists all International short-wave stations, including frequencies, for each country; for ign broadcasts, long and medium wave stations (AM broadcast Band), TV stations and domestic programmes. Long recognised as the established authority by broadcasters and listeners. It is the only publication that enables you to identify BC stations quickly and easily. Enables you to fill more pages in your log book on the SW BC bands and helps you add more BC-station QSL cards to your collection.

£3.00

(The above price includes postage and packing).

from: SHORT WAVE MAGAZINE 55 Victoria Street, London, SWIH OHF

G3ZY

FOR SALE: HW-12A, excellent condition, without PSU, £35; Barlow-Wadley XCR.30, as new, £70 or near offer; K.W. Pepmeter, little used, £5; Lab-gear compressor, £3.—Coull, Domel, Elham, Kent. (Tel: Elham 244, evenings).

SALE: K.W. Vespa Mk. II (6LQ6), with PSU, very good condition, £80; Sommerkamp FT-100, £85; Shure 444 mic., £7.—Tibbert, G3RKZ, 11 Darwin Road, Mickleover, Derby (511434).

SELLING: RTTY Creed 75 printer with reperforator attachment, synchronous motor, 45 and 50 baud gears, single current; 6S5 autosender with 240v. AC governed motor, manuals, tuning fork, paper and ribbons, in perfect order and professionally ser-viced, f60. DL6EQ converter with toroids and input B/P filters for SSB and normal tones; AFSK units; Heath OS-2; T/P table, £15. Buyer collects. K.W. E-Zee Match; 75 dummy load; TTC SWR; Medco LPF; Heath speaker; all co-ax leads, £15.—Cooper, G2UD, QTHR. (Tel: Brighton 34924).

SALE: "G2DAF" type Rx Mk. II, complete but not S working, etched rack mounting case, £35 or near offer.—Ellis, 13A Lower Edgeborough Road, Guildford, Surrey.

FOR SALE: Codar AT-5 Tx, slight modification for 40m. operation, good condition, £19; Trio 9R-59D Rx with SP-4 speaker, good condition, £39. Carriage paid.—Olds, G3KFP, QTHR.

SELLING: Trio JR-310 receiver with SP-5D speaker, mint condition, £60. Will deliver about 30 miles. Joystick with Joymatch 3A tuner, £10.-Ring Grant, 01-472 6073.

SELLING: Mint FT-DX401/FV-401, 6 months old and little used, £240; Trio 9R-59D with fitted stabiliser, mint condition, best offer near £35... Maxfield, G3ZRQ, 40 Fegg Hayes Road, Stoke-on-Trent ST6 6RA, Staffs. (Tel: 0782-35160 between 12.45 and 1.15, Mon.-Fri.).

FOR SALE: KW-2000B with AC/PSU, mic. and K.W. dummy load, £160.—Jenkins, G3VTW, 135B Wembley Park Drive, Wembley, Middx. (Tel: 01-902 1979).

WANTED: Two Pye Bantams, low-wave band, state number of channels, condition and price.— Gough, Heather Croft, Ravenscar, Scarborough, Yorks. (Tel: Cloughton 320).

SELLING: Normende "Globetrotter Amateur," 15 bands, individual calibrated bandspread, all broadcast and amateur bands 80-10m., with LM/ VHF/Top, mains/battery, BFO, double conversion, ideal mobile Rx, £50; National NC-190X, bandspread, all amateur and broadcast bands, double conversion, S-meter, matching speaker, £50. Both Rx's in excel-lent condition.—12 Malton Way, York (59035), Yorkshire.

OFFERING: Two-metre Rx, BF180 RF, diode-U mosfet mixer, Fet oscillator, double-conversion, with BFO, 0.5 microvolt sensitivity, £30. Two-metre all-transistor TX, 12-volt, on commercial boards, 5 watts RF output AM, £35. TV camera, Grundig transistor, 625-line video out, good Vidicon, £35.— Levitt, G8AXY, QTHR, or ring 061-430 2451.

FOR SALE: KW-103, 75-ohm, new, £9. Mosley V3 ton 503958.

DISPOSING: Few copies "DX Listings" 1972 CALL **D** BOOK, at only £1.50 each post free, to clear. First come, first served.—Publications Dept., Short Wave Magazine, Ltd., 55 Victoria Street, London, SW1H-0HF.

SALE: KW-202/204, speaker, as new, very little used, £240. Also TA-33Jr, beam, £10.—Richardson, 25 Constance Crescent, Hayes, Bromley, Kent.

EXCHANGE: Cossor CC.302 low-band, perfect working order, 25 watts of F3, six channels, FOR similar high-band unit.-Ring Naylor, Nottingham 334176.

SALE: Eddystone round speaker and Eddystone mains filter unit, both unsued and as new, £4.75 or near offer.-Ring Barrington, 01-462 1600.

S ELLING: Oscilloscopes — Cossor Type 1035, £15; '1049, £25. Solartron CD513.2, £25; CD711S.2, £39. T03 portable, £27. Also a BC-221B freq. meter with PSU, £18. Robuk RK-4 three-speed tape recorder, £20.—Whitbread, G8AYN, QTHR, Crayford (Kent) 24625.

SALE: SB-620 Spectrum Analyser, mint condition. **5** £50. Also Hartley Type 13A double-beam 'scope (18 x 10 x 13-in.), price £20.—Tompkins, G3SWV, QTHR, or ring 01-777 1579.

SALE: FT-DX560 with C.W.F. and FV-40DS, pair going for £185. Hy-Gain 14AVQ vertical, two months' use, £21. K.W. trap dipole, 97-ft, with balun-LP filter-twin meter SWR bridge-Z-Match; with all connectors, condition as brand new, going as one unit, £40. Mobile antenna, G-Whip, used for less than four hours, coverage 10-15-20-80m., £15. All letters with s.a.e. answered.--Miller, 70 West Road, Newport-on-Tay, Fife, Scotland.

SELLING: BC-639A receiver, coverage 99 to 158 MHz, £20; BC-348Q, £15; BC-453B, less outer case, £5. Mains xformer for S.36A, £4.50. S.27 output xformer, £1.25. BC-625 modulation transformer, £1. Wooden cabinet for BC-221, £2.50. Blank calibra-tion book for BC-221, £1.50. Heavy-duty rack, 6-ft. x 19-in., £2.50. Perforator, 7PN3, £11. Dust cover, 7B, £1. Incomplete keyboard, £1.50. Tape printing attachment, £1.50. Tuning fork, 125 Hz, £1.50. Maintenance manual, T/P's Nos. 7 & 8, £3. Illus-trated parts manual, £3. A.T.M. regenerative re-peater, £5. Book "Telegraphy" by J. W. Freebody, £2. CR-100 manual, £1.75. Replacement R.216 film-strip dial, £1.25. Carriage extra or buyers collect.— Reynolds, 5 Headland Way, Lingfield, RH7 6DH, Surrey. Surrey.

FOR SALE: Type 7B/RP teleprinter, in good con-dition, with end-of-line-kamp mod., N3 type key-board, £25 or near offer. Teleprinter Type 7B, well maintained, £15 or offer. Fibre-glass P.C. boards for "Wireless World" T/P demodulator, complete with layout drawings, all boards roller-tinned with gold-flashed 0 156-in. spacing-edge con-nectors, price £7 per set. Tested 4CX250B valves, £3 each. NE561B PLL, £5. SN7490N, 60p. SN7412N decade/decoder/latch/Nixie driver, £2·30.—Perkins, G30UV, QTHR, or ring High Wycombe (0494) 21612 after 6.0 p.m.

MORSE MARY !!!

FACT NOT FICTION.

FACT NOT FICTION. If you start RIGHT you will be reading amateur and commercial Morse within a month. (Normal progress to be expected.) Using scientifically prepared 3-speed records you automatically learn to recognise the code RHYTHM without translating. You can't help it, it's as easy as learning a tune. 18-W.P.M. in 4 weaks guaranteed. For Complete Course 3 Records & Books send £4.50 (overseas £1 Extra). For Further details of course Ring 01-660 2896/01-668 3255 or send 4p stamp for explanatory booklet to :--G3HSC (Box 14) 45 GREEN LANE, PURLEY, SURREY

ESSENTIAL BOOKS

- COSMIC RADIO WAYES. Start a new hobby—Radio Astronomy. This big book of 444 pages is an ideal handbook for the beginner and established enthusiast. Numerous photographs and illustrations. Published by Oxford University Press. Price £2.50, p.p. 25p.
- GOVERNMENT SURPLUS WIRELESS EQUIPMENT HANDBOOK, Contains circuits, data, illustrations and valuable information for British/U.S.A. receivers, transmitters, transf receivers. With modifications to sets and test equipment. Latest impression, 53-25, incl. postage.
- Impression, E3-25, Incl. possage. PROBLEMS IN ELECTRONICS WITH SOLUTIONS. A must for the student, technician, and electronics engineer. Contains 349 problems, answers and how they were arrived at. Includes all aspects of electronics including aerials, filters, transmission lines and networks, waveguides, semiconductors, amplifers, power supplies, etc. 307 pages. Ideal for R.A.E. studies. Only 90p. p.p. 10p.
- HOW TO MAKE WALKIE-TALKIES FOR LICENSED OPERATION. Only 40p, incl. postage.
- Available from: GERALD MYERS (SW) 18. SHAFTESBURY STREET, LEEDS LS12 3BT. Extra postage for abroad



Whatever your age or experience you must read New Opportunities. It describes the easiest way to pass A.M.S.E., A.M.I.M.I., City & Guilds (all branches), Gen. Cert., etc., and gives details of courses in all branches of engineering Mechanics, Electrical, Civil, Auto, Aero, Radio, TV, Building, etc. You must read this book. Send for your copy today—FREE! **B.I.E.T.**, BSWO3 (CX), Aldermaston Court, Reading, RG7 4PF Accredited by the Council for the Accreditation of Correspondence Colleges

BRITISH INSTITUTE OF ENGINEERING TECHNOLOGY

BERNARD BOOKS

DEMILARD DOORS	
COIL DESIGN AND CONSTRUCTION	
MANUAL 35p post paid	
HANDBOOK OF TESTED	
TRANSISTOR CIRCUITS 45p post paid	
HOW TO MAKE AERIALS FOR T.V.	
(Band I & 3) AND V.H.F. (Band 2) 23p post paid	
HIGH FIDELITY LOUDSPEAKER	
ENCLOSURES 45p post paid	
RADIO & ELECTRONIC COLOUR	
CODES & DATA CHART 21p post paid	
RADIO TELEVISION AND	
ELECTRONICS DATA BOOK 30p post paid	
TRANSISTOR CIRCUITS MANUAL	
No. 1 21p post paid	
HANDBOOK OF TRANSISTOR	
EQUIVALENTS & SUBSTITUTES 45p post paid	
HANDBOOK OF RADIO, T.V., &	
INDUSTRIAL TUBE & VALVE	
EQUIVALENTS 45p post paid	
SOUND & LOUDSPEAKER MANUAL	
(No, 8) 56p	
WORLD'S SHORT WAVE MEDIUM	
& LONG WAVE RADIO STATIONS	
& FM & TV LISTING 41p post paid	
Available from	
SHORT WAVE MAGAZINE	
SHORT WAVE MAGAZINE	
Publications Dept., 55 Victoria Street,	
Publications Dept., 55 Victoria Street, London, SWIH OHF 01-222 5341/2	
Publications Dept., 55 Victoria Street, London, SWIH OHF 01-222 5341/2 (Counter Service, 9.30-5.15, Mon. to Fri.)	
Publications Dept., 55 Victoria Street, London, SWIH OHF 01-222 5341/2	

IS YOUR STATION COMPLETE ??? NOT WITHOUT A DIGITAL CLOCK IT ISN'T !! THIS FABULOUS '222' IS YOURS FOR ONLY £6-65 THIS FABULOUS '222' IS YOURS FOR ONLY £6-65 Made by Copal, the world's largest manufacturer of Digital Clocks, it is absolutely reliable and accurate. Mains powered (negligible con-sumption) with 24 hour read out and built in diffused lighting. Available in White, Charcoal, Flame & Advocado Green. Size: 5° × 24' × 24'. We sell the complete range of Copal Clocks, all at rock bottom prices, and would specially recommend. COPAL'S LATEST, THE '227'-A beautiful 24 hour Mini Digital Clock with alarm buzzer in Black, White, Red and Yellow. Size: 5½''x 3¥' × 2‡''. (See Dec. '72.S.W. Mag. for a photogroph.) ONLY £8-25 THE SUPERB '601' with day, date etc., in a case of Satinised Aluminium. 24 hour. Size: 8½''x 3½'' × 4''. Glocks are carefully checked and INSURANCE All OUR clocks are carefully checked and tsetd, fully suaranteed for All OUR clocks are carefully checked and tested, fully guaranteed for 12 months, and if you are not completely happy we give a full refund without question. DON'T DELAY—SEND TODAY—FOR IMMEDIATE ATTENTION **AERO & GENERAL SUPPLIES**

NANAIMO HOUSE, 2 RINGWOOD AVENUE, LEEDS LSI4 IAJ Telephone 658568



57

2

March, 1973

						_
		0 11	-		_	
REG. WARI	リ&し	U. L	IJ.		(G2	BSW)
WE ARE OFFICIAL SOUTH WEST	LY APPO	INTED K	.w. A	GEN.	TS FO	RTHE
KW Atlanta with p.s	(Somers	et, Dors	et, De	von,	Cornw	rali) £210+00
KW Atlanta with p.s. Remote VFO KW 2000B with p.s. Remote VFO KW 2000E TC/R1 & KW 200E TC/R1 & KW 202 Receiver Matching Speaker KW 204 Transmitter KW 100 Linear KW 100 VSWR Matc KW 101 VSWR Matc			•••			£37-00 £240-00
Remote VFO				•••		£39-00
KW 202 Receiver	A.C. p.s.u	• •••			1	£265+00 £140+00
Matching Speaker KW 204 Transmitter	••• •••	•••	•••	•••	·	£8.00
KW 1000 Linear KW 101 VSWB Meter	····			•••	1	£8.00 £160.00 £135.00 £8.25
KW 103 VSWR Mete	r and Com	bined Pov	ver Met	er		612-50
KW 107 Combined	E-Z Match	. VSWR	and R.		 Ner	£16-50
Indicator, Dummy KW Trap Dipole 70'	Load and A	ntenna Sw	itch for	4 Out	ets	£46-00 £15-00
KW Trap Dipole 97'	Coaxial Fe	eder			···· ···	£16.50
KW 3 way Antenna	witches (fo	r coax)		•••	· • •	£18-50 £4-25
FR50B Amateur Band	is Receiver					£59-00
FT101 260w, Trans A.C./D.C. D.S.U'S	ceiver, wit	h mic.; si	okr. an	dbuil	t-in	£249.00
FR50 + Cal WWV	··· ···					£63.00
FP200 A.C. p.s.u.			•••• •••			£34.00
FR400SDX Rx. (with SP400 Speaker	160 and 2r	n.)			1	E160+00
KW Atlanta with p.s. Remote VFO KW 2003 with p.s.t Remote VFO KW 2003 With p.s.t Remote VFO KW 2003 With p.s.t Remote VFO KW 202 Receiver Matching Speaker KW 204 Transmitter KW 100 Using KW 100 Using KW 103 VSWR Mete KW 103 VSW	al Clocks					£7.50
EC10 Mk. II, £86 ; 830	7. 4372.7	5; New M	odel 10	00, £2	10.	
FP200 A.C. Dasu. FR4005DX Rx. (with SP400 Speaker. Casion 24 hour Digit EDDYSTONE RECE EC10 Mk. II, 266; B31 WE ARE TH PROFESSIONAL Trio Equipment Mc SECOND HAND E ceiver, 6178; Stars Startone EB35 647 SHURE MICROPHI Eddystone B40 RC/M Eddystone B40 RC/M SHURE MICROPHI Eddystone B40 RC/M NATENNAE J-Bean Joymatch A.T.U.S. SANTENNAE J-Bean Joymatch A.T.U.S. SANTENNAE J-Bean Joymatch A.T.U.S. SANTENNAE J-Bean CA.Y.ALVES GR KX 6LO6, 6GES, 6EA8, 6C 6EW6, 12866, 12865, 1 HAND EQUIPMENT U WE STOCK R.S.G.I HP TERMS AVAILABLE AXMINSTER	RECEIVER	NTORS O	OF EDE HE SO		WEST.	
SECOND HAND E	QUIPME	NT in er	ock: K	w.	Atlanta	£49.50
ceiver, £175 ; Star S £35-00 · KW 202 B	R 200 RCV	R: 10-160	n, with	x'tal	cal. Ex	cellent,
Eddystone 840 RCVR	(G/coverage	(e), £30.0	O; Eddy	as n stone	840c. i	£40.00;
SHURE MICROPH	DNES	R59 DS £	39•50.			
Model 444, £14-40 ANTENNAE J-Beam	; Model 20	01, £6; 1 Beams in	Model	202, 1	6-60.	المحم بالما
Joymatch A.T.U.'s. S	tolle Ant.	Rotators	. 140ft.	coils	I4G.	Copper
R.C.A. VALVES for KV	V and Hea	ors. thkit equi	pment,	6146.	6146B	. 6HF5.
6EW6, 12BA6, 12BE6, 1	3W8, 6GK 2B26, etc.	5, 6CM6. and many	6CL6,	6CB6,	68N8,	6HS6
HAND EQUIPMENT	EASURE.	OUR STO	CK O	FGO		COND
WE STOCK BECK	REQUI	REMENTS		US K	NUW	TOOR
HP TERMS AVAILABLE	S. FOBLIC	CARRI	AGE E>	TRA C	S. Etc DN ALL	ITEMS.
AXMINSTER -	- DEV	ON	۲	elep	hone	: 3163
			-			
	-					
дзекх S.S.B						
G3екх S.S.B — SPECIAI			UC'	TS		
G3EKX S.S.B — SPECIAI	PR		UC'	TS		
G3EKX S.S.B — SPECIAI	PR		UC VALV FE	TS /ES 20p)	G3EI £5	κχ —
G3EKX S.S.B — SPECIAI	PR		UC VALV FE	TS /ES 20p) 20p)	G3EI £5 £5	×× — •50
GJEKX S.S.B — SPECIAL PAIR MATCHED PAIR MATCHED PAIR MATCHED	. PR	CHED GER LI C.A A C.A.		TS /ES 20p) 20p) 20p)	G3EI £5 £5	κχ —
G3EKX S.S.B — SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201	• PR	CHED GER LI C.A A Z.A. sed type 110 MHz	UC VAL FE (((((P)	ZOp) 20p) 20p) ixed ease	G3EI £5 £5	×× — •50
GJEKX S.S.B — SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state reg	HF5's R.(6146 R.C. 6146 R.C. 6146B R.(metal ca kHz to	COD GER LI C.A A Sed type IIO MH2 and al	VALV FE (((Pi ternat	TS ZOp) ZOp) ZOp) ixed ease	G3EI £5 £5	×× — •50
GJEKX S.S.B — SPECIAL PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e.	• PR LLY MATOR LON GHF5'S R.(6146 R.C. 6146 R.C. 6146B R.C. metal ca kHz to uirements is enclose	CHED GER LI C.A A. C.A. sed type ilo MH2 and al d for rej	VALV FE ((((((((((((TS 20p) 20p) 20p) ixed ease ives. rom	G3EI £5 £5 £6	××
GJEKX S.S.B — SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state reg	• PR LLY MATOR LON GHF5'S R.(6146 R.C. 6146 R.C. 6146B R.C. metal ca kHz to uirements is enclose	CHED GER LI C.A A. C.A. sed type ilo MH2 and al d for rej	VALV FE ((((((((((((TS ZOp) ZOp) ZOp) ixed ease	G3EI £5 £5	× ×
G3EKX S.S.B — SPECIAI F PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB, S.S.B.TX	HF5's R.(6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. Metal Ca kHz to uirements is enclose 4 MHz. Sp	C.A A C.A Sed type Jio MHZ and al d for rej pot On Iters Phil	VAL FE (((is. Mi t. Pl ternati oly. F 	TS 20p) 20p) 20p) 20p) ixed ease rom (5p) (5p) hing	G3EI £5 £5 £6	× ×
G3EKX S.S.B. — SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6)	LLY MAT OR LON OR LON 6145'S R. (6146 R. (6146 R. (6146 R. (metal ca kHz to uirements is enclose 4 MHz. Sy lattice Fil U xtals) at	CALL CALL CALL CALL CALL CALL CALL CALL	VALV FE (TS 20p) 20p) 20p) 20p) ixed ease rom (5p) (5p) hing ions	G3EI £5 £5 £6 ea.	 K × 50 00 20
G3EKX S.S.B. — SPECIAI — SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2:5, 10:245, 2 SCARAB. S.B. Tx carrier xtal. (HC6 + 3 band-Tx. Circ	LLY MA OR LON HF5's R.(6146 R.C. 6146B R.C. metal ca kHz to uirements is enclose 4 MHz. Sj lattice Fil U xcals ja uit. Hun	CA C.A C.A Sed type 110 MHz and al d for rej bot On iters. Plui 1 parts, in d reds in	VALV FE (((Pi ternati bly. F s matc nstruct use, ()	ZOP) 20p) 20p) 20p) ixed ease ives. rom (5p) (5p) hing ions 30p)	G3EI £5 £5 £6 ea.	 K × 50 00 20
G3EKX S.S.B. — SPECIAI — SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10:245, 2 SCARAB, S.S.B. Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H	LLY MAN OR LON HF5's R.C. 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 146 R.C.	TCHED GGER LI C.A C.A Sed type 110 MHA and al d for rep bot On lters. Plu I parts, in dreds in s. On v	VALV FE (TS 20p) 20	G3EI £5 £5 £6 ea.	 K × 50 00 20
G3EKX S.S.B. — SPECIAL — SPECIAL PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B. Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac	LLY MANOR LON OR LON (6146 R.C. 6146B R.C. 6146B R.C. 6146B R.C. 6146B R.C. 6146B R.C. 6146B R.C. 6146B R.C. 6146B R.C. 6146B R.C. 9145	CHED GGER LI GGER LI C.A S.A. Sed type illo MHA and al d for rej bot On liters. Plu il parts, in dreds in s. On vs. Large	VALV FE (TS 20p) 20p) 20p) 20p) ixed ease ives. (5p) (5p) ions 30p) iase. nals.	G3EI £5 £6 ea. ea. ea.	 K × -50 -20 60p 75p -99
G3EKX S.S.B. SPECIAL F PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed	LLY MA OR LON GHE5'S R. (6146 R.C. 6146 R.C. 6146 R.C. Metal Co. Metal Co.	CA C.A Sed type HIO MH2 and al d for rej bot On Iters, Plui I parts, in dreds in s. On v s. Large	VALV FE (((Pl ternation bly. F s matc nstruct use. ((vood b termin (TS ZOD) ZO	G3EI £5 £5 £6 ea.	 K × -50 -20 60p 75p -99
G3EKX S.S.B. — SPECIAI F PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil	LLY MA OR LON GHE5'S R. (6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 8146 R.C.	CA C.A Sed type HIO MH7 and al d for rej bot On Iters. Plui I parts, in dreds in s. On v s. Large ELAYS.	VALV FE ((is. Mi ternationy. F s matc nstruct use. (vood b termi (! !	TS 200p)	G3EI £5 £6 ea. ea. ea.	 K × -50 -20 60p 75p -99
GJEKX S.S.B. — SPECIAI F PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state reg Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6/ + 3 band-Tx. Circe MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. Ch	LLY MA OR LON 6HF5'S R.(6146 R.C. 6146 R.C. 6146 R.C. metal ca kHz to wirements is enclose 4 MHz. SI lattice Fil U xtals) al uuit. Hun eavy brass: k. contact. DTARY R). Ideal f iangeover	CHED GGER LI C.A A C.A. sed type 110 MH2 and al d for rej bot On iters. Plui l parts, in dreds in s. On v s. Large ELAYS, for aerial contacts	VALV FE ((s. Mi ternati oly. F s matc ternati s s matc termin (12v. I, switc (3-s	res (20p) (2	G3E1 £5 £6 ea. £8 ea. £1	
G3EKX S.S.B. — SPECIAI FAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B. Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. Cr Only	LLY MA OR LON 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. metal ca kHz to uirements is enclose 4 MHz. Sp lattice Fil U xtals a uit. Hun eavy brass k contact: DTARY R). Ideal f langeover	CHED GGER LI C.A A C.A. sed type 110 MH2 and al d for rej bot On iters. Plui l parts, in dreds in s. On v s. Large ELAYS, for aerial contacts	VALV FE ((is. Mi ternationy. F s matc nstruct use. (vood b termi (! !	res (20p) (2	G3EI £5 £6 ea. ea. ea.	
G3EKX S.S.B. — SPECIAI FAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B. Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. Cr Only	LLY MA OR LON 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. metal ca kHz to uirements is enclose 4 MHz. Sp lattice Fil U xtals a uit. Hun eavy brass k contact: DTARY R). Ideal f langeover	CHED GER LI C.A A Sed type IIO MHA and al d for rej bot On Iters. Plu i parts, in dreds in s. On v s. Large ELAYS. for aerial contacts 	UC YALN FE (()) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. match s. match s. (()) s. match s. ma	TS 20p) 20	G3EI £5 £6 ea. (ea. £8 ea. £1 ea. (£49	 < X
G3EKX S.S.B. SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1:450, 2:5, 10:245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. Cf Only TRIO 9R59DS. New EDDYSTONE ECL	LLY MA' OR LON HF5's R(6146 R.C. 6146B R.C metal ca kHz to uirements is enclose 4 MHz. Sp lattice Fil U xtals la uit. Hun eavy brass k contact: 	CODU CA A C.A Sed type IIO MHA and al d for rej bot On Iters. Plu i parts, in dreds in s. On v s. Large ELAYS. for aerial contacts I tx	UCC FE ((s. m) tternatit s matc s	/ES 20p) 20p) 20p) 20p) ixed ease ives. (5p) hing ions (5p) hing ions ase. nals. 30p) 0.C. thing ets). 24p)	G3EI £5 £6 ea. f8 ea. £8 ea. £1 ea. £1 £49 £86	 K X
G3EKX S.S.B. SPECIAI PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1:450, 2:5, 10:245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. Cf Only TRIO 9R59DS. New EDDYSTONE ECL	LLY MA' OR LON HF5's R(6146 R.C. 6146B R.C metal ca kHz to uirements is enclose 4 MHz. Sp lattice Fil U xtals la uit. Hun eavy brass k contact: 	CODU CA A C.A Sed type IIO MHA and al d for rej bot On Iters. Plui I parts, in dreds in s. On v s. Large ELAYS. for aerial contacts I tx	UC YALN FE (()) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. Mi) s. match s. match s. (()) s. match s. ma	TS 20p) 20	G3EI £5 £5 £6 ea. 4 ea. £8 ea. £1 ea. £1 £86 £7 £110	 < X
GJEKX S.S.B. — SPECIAI FAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B. Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. Cr Only TRIO 9R59DS. New EDDYSTONE 524. EDDYSTONE 524.	LLY MA' OR LON 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 146B R.C. is enclose 4 MHZ. Sp lattice Fil U xrals a uit. Hun eavy brassick contact: U xrals a uit. Hun eavy brassick contact: DTARY R DTARY R DTARY R Stock 0. MK. I Power pa for the contact of the contact is stock 0. MK. I Power pa for the contact of the contact of the contact is stock 0. MK. I Power pa	CALL CALL CALL CALL CALL CALL CALL CALL	UC VALL FE (1 PI ternait PI ternait PI ternait (1 PI ternait (1 PI ternait (1 PI ternait (1 (1)	YES 200p) 20	G3EI £5 £5 £6 ea. £6 ea. £1 ea. £1 ea. £1 ea. £1 £110 £95 £95	K X
GJEKX S.S.B. — SPECIAI F PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state reg Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coli 160m. to 2m. CH Only TRIO 9R59DS. New EDDYSTONE 924. EDDYSTONE 924. EDDYSTONE 9708 TRIO TRANSCEIV AR88D. (excellent)	LLY MAN OR LON GHL5'S R.(6146 R.C. 6146 R.C. 6146 R.C. 1440 R.C. 6146 R.C. 1440 R.C.	CA C.A A C.A. Seed type 10 MHz and al d for rej bot On Iters. Plui 10 parts, in dreds in S. Large ELAYS. for aerial contacts I	UC VALL FE (() ternati () ternati () (3-s (3-s (3-s (3-s (3-s) (3-	YES 200p) 20	G3EI £5 £5 £6 ea. £1 ea. £1 ea. £1 ea. £1 £3 £3 £5 £5 £5 £6 £5 £6 £6 £6 £6 £6 £6 £6 £6 £6 £6	 K X
GJEKX S.S.B. — SPECIAI F PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state reg Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coli 160m. to 2m. CH Only TRIO 9R59DS. New EDDYSTONE 924. EDDYSTONE 924. EDDYSTONE 9708 TRIO TRANSCEIV AR88D. (excellent)	LLY MAN OR LON GHL5'S R.(6146 R.C. 6146 R.C. 6146 R.C. 1440 R.C. 6146 R.C. 1440 R.C.	CA C.A A C.A. Seed type 10 MHz and al d for rej bot On Iters. Plui 10 parts, in dreds in S. Large ELAYS. for aerial contacts I	UC VALL FE (() ternati () ternati () (3-s (3-s (3-s (3-s) (3	YES 20p) 20p) 20p) 20p) ixed ease vives. (5p) (5p) (5p) image (5p) (5p) image asse. als. 30p) O.C. image 24p) O.C. image image vives. image imag	G3EI £5 £5 £6 ea. £6 ea. £1 ea. £1 ea. £1 £49 £86 £7 £180 £95 £28	 < X .50 .00 .20 60p .20 60p .50 .00 .00 .00 .00 .00
G3EKX S.S.B. — SPECIAI F PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circe MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC Unused, boxed SUPERB R.C.A. RC Only TRIO 9R59DS, New EDDYSTONE 924. EDDYSTONE 940 EDDYSTONE 940 EDDYSTONE 704 RARCONI CRI50 CLASS 'D' W/MI	LLY MAN OR LON GHL5'S R.(6146 R.C. 6146 R.C. 6146 R.C. 1440 R.C. 6146 R.C. 1440 R.C.	C./mains	UCC FE (s. Mi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Mi ternational s. Mi ternational s. (12v. I, 1 s. (12v. I) s. (12v. I, 1 s. (12v. I) s. (12v. I, 1 s. (12v. I) s. (12v. (12v	YES 20p) 20p) 20p) 20p) ixed ease vives. (5p) (5p) (5p) image (5p) (5p) image asse. als. 30p) O.C. image 24p) O.C. image image vives. image imag	G3EI £5 £5 £6 ea. £1 ea. £1 ea. £1 ea. £1 £3 £3 £5 £5 £5 £6 £5 £6 £6 £6 £6 £6 £6 £6 £6 £6 £6	 < X .50 .00 .20 60p .20 60p .50 .00 .00 .00 .00 .00
GJEKX S.S.B. SPECIAI FAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx- carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. CH Only TRIO 9R59DS. New EDDYSTONE 924. EDDYSTONE 770R TRIO TRANSCEIV AR88D. (excellent) MARCONI CRISO CLASS 'D' W/MI	LLY MA' OR LON 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 146 R.C. 6146 R.C. 146 R.C. 6146 R.C. 146 R.C.	C./mains c./mains c./mains c./mains c./mains c./mains c./mains c./mains	UCC FE (s. Mi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Mi ternational s. Mi ternational s. (12v. I, 1 s. (12v. I) s. (12v. I, 1 s. (12v. I) s. (12v. I, 1 s. (12v. I) s. (12v. (12v	YES 20p) 20p) 20p) 20p) ixed ease vives. (5p) (5p) (5p) image (5p) (5p) image asse. als. 30p) O.C. image 24p) O.C. image image vives. image imag	G3EI £5 £5 £6 ea. £6 ea. £1 ea. £1 ea. £1 £49 £86 £7 £180 £95 £28	 < X .50 .00 .20 60p .20 60p .50 .00 .00 .00 .00 .00
G3EKX S.S.B. — SPECIAI F PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx carrier xtal. (HC6) + 3 band-Tx. Circe MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC Unused, boxed SUPERB R.C.A. RC Only TRIO 9R59DS, New EDDYSTONE 924. EDDYSTONE 940 EDDYSTONE 940 EDDYSTONE 704 RARCONI CRI50 CLASS 'D' W/MI	LLY MA' OR LON 6146 R.C. 6146 R.C. 6146 R.C. 6146 R.C. 146 R.C. 6146 R.C. 146 R.C. 6146 R.C. 146 R.C.	C./mains c./mains c./mains c./mains c./mains c./mains c./mains c./mains	UCC FE (s. Mi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Pi ternational s. Mi ternational s. Mi ternational s. (12v. I, 1 s. (12v. I) s. (12v. I, 1 s. (12v. I) s. (12v. I, 1 s. (12v. I) s. (12v. (12v	YES 20p) 20p, 2	G3EI £5 £5 £6 ea. £6 ea. £1 ea. £1 ea. £1 £49 £86 £7 £180 £95 £28	K X
GJEKX S.S.B. SPECIAI FAIR MATCHED PAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B.Tx- carrier xtal. (HC6) + 3 band-Tx. Circ MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. CH Only TRIO 9R59DS. New EDDYSTONE 924. EDDYSTONE 770R TRIO TRANSCEIV AR88D. (excellent) MARCONI CRISO CLASS 'D' W/MI	LLY MAN OR LON GHE5'S R.(6146 R.C. 6146 R.C. 6146 R.C. Metal Ca kHz to uirements is enclose 4 MHz. Sp lattice Fil U xtals al uit. Hun eavy brass k contact: U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al contact or LARY R). lattice Fil U xtals al contact or Contact or Co	C./mains c.r.mains. c.r.main c.a. c.a. c.a. c.a. c.a. c.a. c.a. c.a	UC VALL FE ((Pi ternati (e) (YES 20p) 20p) 200p 200p	G3EI £5 £5 £6 ea. £8 ea. £8 ea. £1 ea. £1 £110 £95 £28 a. £11 RUR(K X
GJEKX S.S.B. — SPECIAI FAIR MATCHED PAIR MATCHED PAIR MATCHED CRYSTALS. New freq's from 201 clearly state req Essential an s.a.e. 1-450, 2-5, 10-245, 2 SCARAB. S.S.B. Tx carrier xtal. (HC6) + 3 band-Tx. Circe MORSE KEYS. H Type C/1056A, bac Unused, boxed SUPERB R.C.A. RC input (hold in coil 160m. to 2m. CP Only TRIO 9R59DS. New EDDYSTONE 924. EDDYSTONE 924. EDDYSTONE 770R TRIO TRANSCEIV AR88D. (excellent) MARCONI CRI50 CLASS 'D'' W/MI	LLY MAN OR LON GHE5'S R.(6146 R.C. 6146 R.C. 6146 R.C. Metal Ca kHz to uirements is enclose 4 MHz. Sp lattice Fil U xtals al uit. Hun eavy brass k contact: U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al uit. Hun eavy brass k contact or LARY R). ladeal lattice Fil U xtals al contact or LARY R). lattice Fil U xtals al contact or Contact or Co	C./mains c.r.mains. c.r.main c.a. c.a. c.a. c.a. c.a. c.a. c.a. c.a	UC VALL FE ((Pi ternati (e) (YES 20p) 20p) 200p 200p	G3EI £5 £5 £6 ea. £6 ea. £1 ea. £1 ea. £1 £49 £366 £7 £110 £95 £180 £55 £28 a. £1	K X

EMUVERTER
2 METRE CONVERTER ★ Plug in dual gate Mosfets, 116 MHz xtal, image rejection circuit, 28-30 MHz 1.F. 12v. supply used.
£16 including postage
EMUPRESSOR SPEECH PROCESSOR
\bigstar Battery powered, placed between mic. and Tx.
Virtually constant output for a wide input range, enables mod to be kept to an optimum over a wide
range of speech levels.
\star Accepts input signals from ImV to iv. \star Suitable for AM, FM or SSB.
£7.80 including postage
EMUMARKER
★ Provides separate outputs at 1 MHz, 100 kHz and 10 kHz spacings up to 450 MHz.
Set up on Droitwich 200 kHz standard before dispatch.
★ Requires 9v. supply.
£7.80 including postage MONEY BACK GUARANTEE ON ALL PRODUCTS
I. N. CLINE, G3EMU
15 KNIGHT AVENUE,
CANTERBURY, KENT.
CANTERBURY, KENT,
ENSIGN ELECTRONICS
ENSIGN ELECTRONICS
ENSIGN ELECTRONICS
ENSIGN ELECTRONICS Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) £1.00 Sets of spare valves for 62 Set New £1.35 New Eagle 0-300 volt D.C. Meters. 3" square £1.10 AR88 SPARES : I.F. Transformers (L.F. model), 35p ; Crystal Load Coils, 25p ; Wavetraps, 40p ; Resistance Boards, 75p ; Coils—10 mixed, 75p ; Knobs-medium (Jap.), 16p.
ENSIGN ELECTRONICS Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) £1.00 Sets of spare valves for 62 Set New £1.35 New Eagle 0-300 volt D.C. Meters. 3" square £1.10 AR88 SPARES : I.F. Transformers (L.F. model), 35p ; Crystal Load Coils, 25p ; Wavetraps, 40p ; Resistance Boards, 75p ; Coils10 mixed, 75p ; Knobsmedium (Jap.), 16p. New Marked 2N3055 Transistors 35p 100 Mixed High Stability Resistors 35p
Barbon Electronics Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) £1.00 Sets of spare valves for 62 Set New £1.35 New Eagle 0-300 volt D.C. Meters. 3' square £1.35 New Eagle 0-300 volt D.C. Meters. 3' square £1.10 AR88 SPARES : 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 mixed, 75p; Knobsmedium (Jap.), 16p. New Marked 2N3055 Transistors 35p 100 Mixed High Stability Resistors 35p 67' wire aerials. Marked every foor 60p
ENSIGN ELECTRONICS Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61.00 Sets of spare valves for 62 Set New
BENSIGN ELECTRONICS Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) £1.00 Sets of spare valves for 62 Set New £1.35 New Eagle 0-300 volt D.C. Meters. 3" square £1.10 AR80 SPARES : 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 New Marked 2N3055 Transistors 35p 100 Mixed High Stability Resistors 35p 67" wire aerials. Marked every foot 60p Aircraft Mach Meters 70p Slide Switches 4 for 30p Dig Revox Tape Spools 40p Headphones with Boom Mic. (used) £1.45
BENSIGN ELECTRONICS Morse Keys, New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-35 New Eagle 0-300 volt D.C. Meters. 3" square 61-35 AR86 SPARES : 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 mixed, 75p; Knobsmedium (Jap.), 16p. New Marked 2N3055 Transistors 35p 100 Mixed High Stability Resistors 35p 67' wire aerials. Marked every foot 60p Aircraft Mach Meters 30p 104' Revox Tape Spools 40p Headphones with Boom Mic. (used) £1-45 Min Silicon Bridge Rectifiers. 50 volt 1 amp. 25p IN4005's 600 volt P.I.V. 1 amp
BENSIGN ELECTRONICS Morse Keys, New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-35 New Eagle O-300 volt D.C. Meters. 3" square 61-10 AR88 SPARES : 1.F. Transformers (L.F. model), 35p ; Crystal Load Coils, 25p ; Wavetraps, 40p ; Resistance Boards, 75p ; Coils—10 mixed, 75p ; Knobsmedium (Jap.), 16p. New Marked 2N3055 Transistors 35p 100 Mixed High Stability Resistors 367 Wire aerials. Marked every foot 617 wire aerials. Marked every foot Aircraft Mach Meters 104 Revox Tape Spools 104 Mis Stoop wolt I amp. 104 Revox Tape Spools Min Silicon Bridge Rectifiers. 50 volt I amp. 124 pe ach. 12 for £1-30 Valves : E180cc 20p. Ruggedised E.F.91's
BORSIGN ELECTRONICS Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-33 New Eagle 0-300 volt D.C. Meters. 3" square 61-10 AR88 SPARES: 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 Boards, 75p; Coils—10 mixed, 75p; Knobsmedium (Jap.), 16p.
BENSIGN ELECTRONICS Morse Keys, New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-35 New Eagle 0-300 volt D.C. Meters. 3" square 61-35 AR88 SPARES : 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 mixed, 75p; Knobsmedium New Marked 2N3055 Transistors 35p 100 Mixed High Stability Resistors 35p 67' wire aerials. Marked every foot 60p Aircraft Mach Meters 70p Silde Switches 4 for 30p 104' Revox Tape Spools 40p Headphones with Boom Mic. (used) £1-45 Min 5015'con Bridge Rectifiers. 50 volt I amp. 25p N4005's 600 volt P.I.V. I amp. 26p Telephone Handsets 40p Amber Panel Mounting Neon Indicators 20p CAPACITOR OFFER : 100 mid 12 volt, 5p : 33 mid 16 volt 50 for 50p. 50 on 50, mid, 0-002 mid, 50 volt diss, 12 for 15p; 50 for 50p. Min' 'Battery Levels' Meters. 0-600 M.A.F.S.D. 50p 61-50 50 pe
BENSIGN ELECTRONICS Morse Keys, New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-35 New Eagle O-300 volt D.C. Meters. 3" square 61-35 AR88 SPARES : 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 mixed, 75p; Knobsmedium (Jap.), 16p.
ERNSIGN ELECTRONICS Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-35 New Eagle 0-300 volt D.C. Meters. 3" square 61-35 AR88 SPARES : 1.F. Transformers (L.F. model), 35p ; Crystal Load Coils, 25p ; Wavetraps, 40p ; Resistance Boards, 75p ; Coils—10 mixed, 75p ; Knobsmedium (Jap.), 16p. New Marked 2N3055 Transistors 35p 100 Mixed High Stability Resistors 35p 67' wire aerials. 35p 67' wire aerials. 35p 67' wire aerials. 35p 67' wire aerials. 35p 70 p Side Switches 4 for Side Switches 4 for 30p 104' Revox Tape Spools 40p Headphones with Boom Mic. (used) £1-45 Min Silicon Bridge Rectifiers. 50 volt 1 amp. 25p N4Not5's 600 volt P.I.V. i amp. 12 pe ach. 12 for £1-30 Yalves : E180cc 20p, Ruggedised E.F.91's 20p CAPACITOR OFFER : 100 mfd 12 volt, 5p : 33 mfd 16 volt Sp: 0.05 mfd, 0-02 mfd, 0-002 mfd, 50 volt discs, 12 for 15p; 50p
BENSIGN ELECTRONICS Morse Keys, New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-35 New Eagle 0-300 volt D.C. Meters. 3" square 61-35 AR88 SPARES : 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 mixed, 75p; Knobsmedium New Marked 2N3055 Transistors 35p Mor Mixed High Stability Resistors 35p 67 wire aerials. Marked every foot 60p Air & Section Telescopic aerials 35p 67 wire aerials. Marked every foot 60p Aircraft Mach Meters 70p Silde Switches 4 for 30p 104 " Revox Tape Spools 40p Headphones with Boom Mic. (used) £1-45 Min 5015 con bridge Rectifiers. 50 volt 1 amp. 25p Namber Panel Mounting Neon Indicators 20p CAPACITOR OFFER : 100 mid 12 volt, 5p : 33 mid 16 volt 50 for 50p. 50p Min 'Battery Levels' Meters. 0-600 M.A.F.S.D. 50p 813 valves. New and Boxed £1-50 Adjustab
BENSIGN ELECTRONICS Morse Keys. New and boxed wich lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) £1-00 Sets of spare valves for 62 Set New £1-33 New Eagle 0-300 volt D.C. Meters. 3" square £1-10 AR88 SPARES : 1.F. Transformers (L.F. model), 35p ; Crystal Load Coils, 25p ; Wavetraps, 40p ; Resistance Boards., 75p ; Coils—10 mixed, 75p ; Knobs—medium (Jap.), 16p. New Marked 2N3055 Transistors 35p 67' wire aerials. Marked every foot 60p Aircraft Mach Metters 30p 104'' Revox Tape Spools 40p Headphones with Boom Mic. (used) £1-45 Min Silicon Bridge Rectifiers. 50 volt 1 amp. 12 for £1-30 Valves : E180cc 20p, Ruggedised E.F.91's 20p CAPACITOR OFFER : 100 mfd 12 volt, 5p ; 33 mfd 16 volt 5p; 50 for 50p. Min' Battery Levels' Meters. 600 Mix di scs., 12 for 15p; 50 for 50p. S1 valves. New and Boxed £1-50 S1 valves. New and Boxed £1-50 S1 valves. New and Boxed £1-50 S1 valves. New and Boxed £1-60 PLUGS3' 50- S1d Jack Sockets 12p. 5
Benderstein Benderstein Morse Keys. New and boxed with lead and plug (62 Set type) 65p Headphones with Mic. New and boxed (62 Set type) 61-00 Sets of spare valves for 62 Set New 61-33 New Eagle 0-300 volt D.C. Meters. 3" square £1-10 AR88 SPARES: 1.F. Transformers (L.F. model), 35p; Crystal Load Coils, 25p; Wavetraps, 40p; Resistance Boards, 75p; Coils—10 Boards, 75p; Coils—10 mixed, 75p; Knobsmedium (Jap.), 16p. 35p New Marked 2N3055 Transistors 35p 67 wire aerials. 35p 67 wire aerials. 35p 67 wire aerials. 35p 67 wire aerials. 35p 104 Mixed High Stability Resistors 35p 105 Mixeds 4 for 30p 104" Revox Tape Spools 40p Hin Silicon Bridge Rectifiers. S0 volt 1 amp. 25p IN4005's 600 volt P.I.V. 1 amp. 12 peach. 12 for £1-30 Amber Panel Mounting Neon Indicators 20p CAPACITOR OFFER : 100 mfd 12 volt. 5p ; 33 mfd 16 volt 5p; 005 mfd, 0-002 mfd, 50 volt discs, 12 for 15p; 50 for 5dp. *Min 'Battery Levels' Meters. 0-600 M.A.F.S.D. 50p
Benderstand Benderstand

Volume XXXI

THE SHORT WAVE MAGAZINE



THE AMATEUR RADIO SHOP G4MH 13 CHAPEL HILL, HUDDERSFIELD,

Telephone: 20774

(MEMBER OF THE AMATEUR RADIO RETAILERS ASSOCIATION)

Agents for Eddystone, Yaesu, KW, Trio, J Beam Barciay Card, H.P., etc. BEAT V.A.T. BEFORE APRIL Ist, SAVE 10%

Now in stock :

Full range of KW : 2000E, 2000B, 202, 204, 1000LIN, 107, 103, Eze Match, Antenna Switch, etc.


Full range Trio : TSS15, TL911, TX599, JR599, JR310(160), 9E59DS, TR2200, Filters, Mics., etc. Yaesu : FT101(160), FT200, FT401, FT400SDX, FR400, FR50B, FL50B.

- Accessories : Copal 222, 12 hr., 55 ; Copal 222, 24 hr., 67 ; Copal 601, 24 hr., 614.95 ; T.T.C. SWR Ind., 66.75 ; Shure Mics, 201, 65.75 ; Shure 444, £12.50 ; Shure 444T, £16 ; Shure 401, £6.75, Rotators, Beams, Cable, Calves, etc.
- Crystals: HC6U 8012:5, 8018-75, 8031, 25, 8033-33, 8035-4, 8037-S, 8041-66, 8054-16 at £l each. 10XJ (CR1/AR) 8001 to 8107. S.A.E. lists, at 75 peach.

Morse Practice Oscillator including Integrated Circuit, Loud Speaker fully wired, 90p incl. post. The 4 MH 2 Matre Tx now available again 16 watts input xtal supplied, 14:50. Also matching Modulator EF86-ECC83-2XEL84, £11:50. S.A.E. details.

KW201 770R Home made Lin	£140 £140 £78 £95 £25 £50	Viceroy Mk. III AR88LF AR88D Eddystone 840C KW 2000B SR550 Heath <u>H</u> W 17	···· ···	£32 £35 £28 £170 £35 £55
Communicator	£35	HA350	··· ·	£55
WANTED A	LL TYPES	OF GEAR FOR C	ASH	
	S.A.E. for	any gen.		
CLOSED TUESD	AYS, LATE	NIGHT THURSD	AYS	

73 G4MH, G3NEW





This is the latest communication receiver from the Eddystone stable. Covering C.W., M.C.W., A.M. and S.S.B. Powered by integral power pack (rechargeable) or A.C. mains. Other features include single conversion using I.C., F.E. and bi-polar transistors, desensitizing facilities, carrier level meter and separate fine tune control. £210.00

Pop along and see them now ... whilst we still have some in stock.

The EDDYSTONE E.C.10 Mk 2 is still alive and well and thriving at Imhofs. This modest priced communication receiver embodies features usually £86.00 found in more expensive designs.





pack-flat instrument cases for the home constructor

These cases will give your home constructed equipment that professional look at a modest price. Four sizes available complete with a satin finish aluminium front panel.



WRITE FOR COMPREHENSIVE LEAFLETS ON ANY OF THE ABOVE



DEPT. 11/3 112-116 NEW OXFORD STREET LONDON ENGLAND WC1A 1HJ R72

59

March, 1973



EDDYSTONE" Your local Eddystone dealer

WORLD

İS : CHESHIRE

The Transistor Centre (Wilmslow) Ltd Green Lane Wilmslow 24766

CORNWALL

R. V. Heming Ltd (Peter Heming G3WBW Cliff Road, Newquay Newquay 2191

S.S.B. Products (Norman Birkett G3EKX) I Frances Street Trure Devoran 862575

DEVON

Reg. Ward & Co. Ltd: G2BSW Axminster Axminster 3163

ESSEX

F. E. Smith 184 Moulsham Street Chelmsford Chelmsford 54594

HAMPSHIRE

Southern Marine Radio (Southampton) Ltd Solent House, Town Quay Town Quay 22721

IRELAND

John F. MacMahon 10, Church Street, Enniskillen Co. Fermanagh, N. Ireland Enniskillen 2955

LANCASHIRE Holdings Photo Audio Centre Mincing Lane - Darwen Street, Blackburn BB2 2AF Tel. 59595 Stephen-James Ltd 70 Priory Road, Anfield Liverpool L4 2RZ 051-263 7829 North West Electrics 769 Stockport Road Levenshulme, Manchester 19 061-224 4911 Croftfilm Ltd 46 Friargate Preston PRI-2AT Preston 55244

"LISTEN TO THE

LEICESTERSHIRE A. K. Davey Ltd New Street, Hinckley Hinckley 2173 and 4288

LONDON Imhofs (Retail) Ltd 112-116 New Oxford Street 01-636 7878 R. T. & I. Electronics Ltd Ashville Old Hall Ashville Road Leytonstone, E.11 01-S39 4986 Radio Shack Ltd 188 Broadhurst London, N.W.6 01-624 7174 Gardens

NORTHUMBERL'D

Aitken Bros. & Company 35 High Bridge Newcastle upon Tyne NEI IEW Newcastle upon Tyne 26729

WALES

Holt High Fidelity Picton Arcade, Swansea Swansea 53254 Holt High Fidelity 8 Portland Street, Swansea Swansea 41032

WARWICKSHIRE

Chas. H. Young Ltd 170/172 Corporation Street Birmingham 4 021-236 1635

FREE FIELD EFFECT TRANSISTOR with all orders this month

Experiment with new branded I.C.'s—not seconds— Bargain pack contains : (a) Linear Amplifier 709 (b) Thyristor 100 pix, 0.3 amp (c) 18 mixed D.T.L./T.T.L. I.C.'s 20 terms all marked—with outine data, £1 + 10p carr. I.C. Tape Recorder Amplifier I watt—with circuit, 40p + 5p carr. I.C. AM. Radio 700 m/w—with circuit, 75p + 5p carr. I.C. Wide Band Amplifier + F.M. Discriminator—with circuit, 35p + 5p carr. LC. Wide pane summers
 Sp carr.
 LC. 16 Bit Memories, 35p + 5p carr.
 T/90 OP. Amp TO-5, 15p; DIL, 20p + 5p carr.
 Triacs: 450 P.I.V. 5 Amp-with circuit, 55p + 5p carr.
 400 P.I.V. 2 Amp-with circuit, 50p + 5p carr.
 Suitable diac, 24p + 5p carr.

ELEY ELECTRONICS 112 GROBY ROAD, GLENFIELD, **LEICESTER LE3-8GL**

TAURUS **ELECTRICAL SERVICES** 26-28 NOTTINGHAM ROAD, LOUGHBOROUGH, LEICS. Telephone : 05093-5131 Access



We stock all TRIO communication equipment and most of the SOMMERKAMP gear. If we've not got it we do our uttermost to get it for you. Now we have ACCESS for purchasers of all Amateur Radio equipment, New and Second-hand.

BOXED NEW 4CX250	AINS		~			
chimneys and securing d) 883	ES.				c7 74
NEW MULLARD I"	IIPS		livie		DEE	£3.20
Bases for same	CIND-C	JN N	IIXIE			£1-30
907 DACEC			•••			12p
FIELD STRENGTH MET	TERS	•••	•••	•••	each	10p
NEW EDDYSTONE 10	7 Mag	ië.	•••			£3.10
	Choke	l ra		•••	•••	12p
	rge Kno		•••	•••	•••	10p
NEW GORLER Dual IF	Amol	:Core	10.7	Maa		25p
465 kc/s. with circuit	Ambi	mers,		Meg.		63 36
Spare last IF's for above		•••	•••	•••	•••	£3.20
NEW 80 3" Loudspeakers		•••	•••		•••	15p
40 Ω 2" Loudspeaker	-		•••	•••	•••	35p
SHURE LOW IMPEDAN		UNES.	•••	•••	•••	40p
DESK HIGH IMPEDAN	CE MI	IIRE3		•••	•••	£1.75
			•••	•••	•••	£3·25
HAND MIKES		•••	•••		····	£1-50
SLOW MOTION DIAL		•••	•••	80p,	90p	and £l
Small 65p	-3 Madiu	05	_			
TELEPRINTER 7B's in sto	Piediu Tiediu	m as	P		Large	Él .
						£25.00
All goods advertis	ied last	month	still c	ovaila	ble	
OSCARBLOCK SWR an		WED	MET	EBC		
FX2000 CRYSTAL MAR		GENE	PIE		100	£18-50
kHz/50 mHz with switch	sable n	GEIGE	SKA I			<i>(</i> 7 7 7
MG 100 AUDIO GENE					•••	£5.75
wave, 19 Hz - 220 kHz.	RAIU	113 SI				-18 84
WAVE, IF IL - LLV KILL.	•• •	•• •			•••	£17.50
All price	es inclu	ide car	riage			

You can order these goods by letter or telephone SIMPLY QUOTE YOUR ACCESS NO.



2 METRE CONVERTERS

LOW NOISE R.F. STAGE F.E.T. MIXER. Xtal controlled multiplier chain. Aluminium case. Size : 4" x 3" x 14". 1.F.'s 4-6, 18-20, 24-26, 28-30 MHz, £10-50 each. 2 METRE LOW NOISE CASCODED F.E.T. PRE-AMPS. Aluminium case. Size : 2¹/₂ × 1¹/₃ × 1¹/₄, £5-00 each. E & E SERVICES

72 ELMSTONE ROAD, RAINHAM, KENT

Volume XXXI

SPECIAL 6 kHz CRYSTALS in B7G envelope, £1. 50 PIV I AMP SILICON BRIDGES at 25p. VHF TUNING VARACTORS untested usable up to 400 MHz, 50pf at 8 volt, 80pf at 4 volt, 6 for 25p. HIGH VOLTAGE POWER TRANSISTORS NPN 250 volt TO 66 G. W. M. RADIO LTD. VHF TUNING VARACTORS untested usable up to 400 MHz, 50pf at 8 volt, 80pf at 4 volt, 6 for 25p.
HIGH VOLTAGE POWER TRANSISTORS NPN 250 volt TO 66 case, 20p ea.
DUAL BTG CRYSTALS 28211-11 kHz-28344-44 kHz, 28000-00 kHz-28155565 kHz, 28011-11 kHz-281444 kHz, 280111 MHz-28-14444 MHz, 280000 MHz-28-56667 MHz, 28-46667 MHz-28-64444 MHz, 2800809 MHz-26-26667 MHz, 10-26296 MHz-10-37407 MHz, 10-39259 MHz-10-44074 MHz, 10-39263 MHz-10-37407 MHz, 10-39259 MHz-10-44074 MHz, 10-39263 MHz-10-37407 MHz, 10-39259 MHz-10-44074 MHz, 10-39263 MHz-10-37407 MHz, 10-39259 MHz-10-44074 MHz, 10-39263 MHz-10-37407 MHz, 10-39259 MHz-10-44074 MHz, 10-30263 MHz-10-37407 MHz, 28-33333 MHz, 10-37037 MHz, Dual or Single Crystals, 15 pe a.
MULLARD 47 volt, 5'6 volts, 8'2 volt 300 Mw ZENERS, 7p ea.
MULLARD 47 volt, 5'6 volts, 8'2 volt 300 Mw ZENERS, 7p ea.
MULLARD 47 volt, 5'6 volts, 8'2 volt 300 Mw ZENERS, 7p ea.
MULLARD 47 volt, 5'6 volts, 8'2 volt 300 Mw ZENERS, 7p ea.
MULLARD 47 volt, 5'6 volts, 8'2 volt 300 Mw ZENERS, 7p ea.
MULLARD 5 at 300, 2N 3824 at 20p, 2N 5245 at 40p.
MULLARD FETS. 5PWI0 at 25p, BFVI1 at 25p.
STANDARD M.O.S. P CHANNEL FET with circuits at 10p ea.
F.M. I.C's like TAA 5'0 untested with data. 5 for 50p.
STANDARD M.O.S. P CHANNEL FET with circuits at 10p ea.
F.M. I.C's like TAA 5'0 untested with data. 5 for 50p.
10000 PIV I AMP SILICON DIODES at 10p ea.
A 110 VAI-CAP DIODES, 20p ea.
ELECTROLYTIC CONDENSERS. 2500uf 30v.w. 14" x 1" short wires: 10p eat. 45p
10 3 amp Silicon Diodes at 25p
10 5 amp Sulticon Diodes at 35p
10 2 amp Triacs at 50p
10 5 amp Push Fit triacs at 50p
10 5 amp Silicon Diodes at 35p
10 2 amp Triacs at 50p
10 5 amp Push Fit Triacs at 50p
10 5 amp Push Fit triacs at 50p
10 5 amp Silicon Diodes at 35p
10 0 amp Silicon Diodes at 35p
10 0 amp Silicon Diodes a 20p ea. 50p ea. Unmarked Good 2N 706 Transistors at 7+p ea., 50p doz. Packet of 25 Printed Circuit Silicon Diodes untested from 50 PIV to 1000 PIV 500 mA at 75p. J. BIRKETT **Radio Component Suppliers** 25 THE STRAIT, LINCOLN, LN2 1JF. Telephone: 20767

MARKHAM ELECTRONICS

Technical YAESU TRANSCEIVERS Sales XYL

New equipment available from stock-12 months guarantee (excluding valves and semi-conductors)-Delivery by Securicor £3-H.P. terms available

FTIOI. 10 to 80 metres. (Superseded model) ... £220-00 I only

FTDX560					 £180-00
FTDX560.	Fitted	FT401	Noise	Blanker	 £195-00
	Acces	sories-	-Free	Delivery	

FTIOI. 160m. modification kit £5.00 ...

In addition to the equipment imported by us as listed above, we are now able to offer the whole Yaesu range at normal retail prices with free delivery.

In stock now new : FT101 + factory fitted 160 metres £255-00 FTDX 401 £230.00

MARKHAM OAK, BUCKS HORN OAK. FARNHAM, SURREY

Telephone : Bentley (Hants.) 3168 (Evenings)

ALL ORDERS AFTER APRIL 1st - ADD 10% V.A.T. or 'phone for price. DOUBLE BEAM OSCILLOSCOPES CT436 (Military version of the Solatron CD1014) D.C. to Mc/s., IOMv per Cm. sensitivity, clean and good order, \$50 carriage paid. good order, £50 carriage paid.
RECEIVERS, TCS, 1.5 to 12 Mc/s. Power needed 12v. A.C. or D.C. and 220v. D.C. Clean condition, £9.50, post paid.
PYE RANGER. High Band Radio Telephones, dash mounting PTC2002V.
Clean condition, less crystals, £6, post paid. Murphy High Band TR821/25, £8 or Low Band TR801a, £7, post paid. Murphy High Band TR821/25, 120 North Context and the second seco R4187. Complicated £5-50 carriage paid. 45-50 carriage paid. PLESSEY PTR161. 24v. 6 Channel remote Transmitter/Receiver, 116-132 Mc/s. QVO4/7 output. Size : 6" x 8" x 11". Weight : 16 lbs. Good clean condition and complete with circuit giving details of heater connections for 12v. operation, and suggested conversion details for 2 metres, 68, post paid. 2 metres, EQ, poss paid. **REDIFON S.S.B.** Generator 6315/a 6 transistor plug in unit 9" x 6" x 12". No details. £1 post paid. **PARMEKO**. 200-250 Mains Transformers, output 0-4-5-6-3v, 2a, 85p, post paid. Larger potted type, 0-10-10-5-11v., 0.75a., 65p, post paid. 85p. post paid. Larger potted type, 0-10-10-5-11 v., 0'75a., 65p. Dost paid. METERS. 500 microamp calibrated 0-14 kilowatts, by Ernest Turng. Oblong 1² × 14". Also same make and specification but just post paid. Square. Either type 61-25 post paid. 500 ma 24" round, 60p. post paid. Crystal calibrators No. 10 for Army 62 set. 62. 50, post paid. Pre-set 7x 7 pf split stators, 3 for 25p. post paid. Moving coli microphones No. 13 with Plessey plug for 844, 60p. post paid. Low impedance headphones with lead and two way jack. Aluminium headband, as new, £1-15, post paid. paid. REED RELAYS for G3FCW keyer, 4 reed, normally open, 200 ohms, coil, 13p each, post for any number 10p. Reed inserts 1-85" long (body length 1-17), diameter 1-14". Gold clad contacts switch up to 500ma at up to 250v. D.C., 63p per dozen, £3-75 per 100, £27-50 per 1000, post LEDEX 24v. D.C. motorised Yaxley switches, 21 wafers each 1 pole 6 way, 61, post paid. Attenuators, Marconi. 70 ohms 10 dB. Pye socket one end, special other, 50p, post paid.

All Receivers and Test Equipment are in working arder at time of dispatch. Carriage charges quoted are for England and Wales only. Terms: Cash with arder. Early closing Wednesday

40-42 PORTLAND ROAD, WORTHING, SUSSEX

SOLID-STATE RTTY **CONVERTER-KEYER SRD-1**

COPIES 850/400/170 HZ SHIFTS

•IBUILT-IN SINGLE AND DOUBLE CURRENT PSU • F.S. KEYER FOR TX (AND OPTIONAL AFSK)

Complete and ready-to-go for send-receive RTTY with TX, RX and teleprinter.

● Advanced circuitry, 6 ICs, 25 semi-conductors. ● Input matches receiver outputs 3-8 or 500-600 ohms. ● 3-pole Butterworth input bandpass filter. ● Switched 850/400/170 Hz Amateur/ Commercial shifts but copies shifts 1000 Hz down. ● 2-pole low-Commercial shifts but copies shifts 1000 Hz down. @ 2-pole low-pass filter. @ Tuning meter. @ Monitor scope outputs. @ Mark Hold and Normal/Reverse shift switch. @ Built-in loop PSU-Instant switch-selection of single- or double-current printers. @ Narrow-shift CW identification. @ F.S. Keyer output for TX. @ Socket and circuitry already fitted for optional plug-in AFSK eyer module, 850/170 Hz. @ Manual. @ Two-tone pvc-coated case, 9"w x 33"h x 14"d. Weight : 7 bs. SRD-1, £49-50.


(Optional plug-in AFSK module, SRDI-AK, £5-75. SRD-1 complete with SRDI-AK, £55-00).

RTTY CONVERTER-KEYER Model TTU, £120. ST-5 PCBs and datasheets, £4·15. TOROIDS 88 mH, 75p per pair. ST-6 PCBs and datasheets, £11·75. ST-6 KIT complete less case, with datasheets, £62·50. SAMSON ETM-3b, £23·80. ETM-3b, £25·95. JUNKER Precision hand key, £9·75. BAUER keying lever, £3·80. SSB 90° AUDIO PHASE SHIFT NETWORKS, £2·95. PRINTSET Basi-kits.

All goods post-paid U.K. Send stamp for Catalogue SP5.

SPACEMARK LTD. THORNFIELD HOUSE, DELAMER ROAD. ALTRINCHAM, CHESHIRE.

(Tel. 061-928 8458)



THE SHORT WAVE MAGAZINE

March. 1973

SOME TITLES FROM FOULSHAM-SAMS

ABC's of ANTENNAS The introductory chapters cover the fundamentals of radio-wave propagation and basic antenna characteristics. The remainder of the book is then devoted to a discussion of the various types of antennas and their uses. Antennas for radio, television and two-way communications are included. Business radio, amateur, both mobile and fixed-station operation, are covered. The final chapter should be particularly appealing to those interested in microwave uses and radio-navigational systems. A perusal of this book will provide any student with an excellent foundation for more advanced study in antenna design. 89p

89n

AMATEUR RADIO SSB GUIDE Single-sideband receivers, transmitters, and transceivers are now available which have higher frequency stability and are much easier to tune than the early models. In this book, the auchor presents a guide to single-sideband and single-sideband equipment, which will be useful to any amateur considering or already operating SSB By WGTYH

£1.59

BEGINNER'S GUIDE TO RADIO For many years "Beginner's Guide to Radio" has been extremely popular as an introduction to the subject of radio-and-how-it-works. The many advances made in recent times have rendered a new edition

many advances made in recent times have rendered a new edition necessary. This seventh edition has been completely rewritten and brought up-to-date to take account of the latest techniques and methods, and covers every aspect of the modern radio scene, while including the important basic information necessary for the newcomer to the subject. The reader is guided from the first principles of electricity and magnetism, through radio waves, modulation and radio components, including valves and transistors, taking in radio transmitters and stereo broadcasting, and ending with hir freproduction. The book will be of interest to all who wish to understand the how-and-why of radio, whether it be for a hobby or a profession.

£1.12 post free

 RADIO AMATEUR OPERATOR'S HANDBOOK

 The opportunity has been taken of bringing this edition—the twelfthmistic operator of incorporating extensive revisions. The book covers in detail the Potofice regulations governing the issue of transmitting licences.

 The purpose of this Handbook is to provide all the information which the operator of a radio station may need about such matters as Country Prefixes, Call Sign Areas, Frequency Allocations, Standard Frequency Transmissions, Time Factors, Distance Tables, and so on.

 For the newcomer, this manual enables him to find the basic answers and to obtain the maximum pleasure from his hobby.

 S3p post free

TRANSISTOR FUNDAMENTALS Vol. 1 This book is a carefully planned programmed introduction to semi-conductors and the basic electrical circuits. It begins with a brief description of transistors and later devotes an entire chapter to an explanation of transistor principles. Sandwiched between these chapters are explanations of voltage, current, and resistance: and the all-important Ohm's Law and Kirchhoff's laws. The book also looks at the more complicated nature of inductance, capacitance, and resistance in AC circuits.

£1.92

TRANSISTOR FUNDAMENTALS Vol. 2 This volume describes transistors and how they are used in semi-conductor circuits. Simple circuits illustrate the basic principles involved, and the more complicated circuits found in amplifiers and oscillators help to show how the basic operations are applied. Later, some recent semi-conductor developments are discussed. Detailed descriptions of four new transistor devices are given and how they are being used.

£1.92

KNOW YOUR OSCILLOSCOPE By Paul C. Smith The oscilloscope provides you with a "third eye" which lets you see what is actually happening in electronic circuits. But you must know something of the nature of this valuable instrument, and how to use it, before it will serve you. This book presents complete information on the circuitry, functions, and applications of the oscilloscope in easy-to-understand language. Worthwhile reading for anyone who uses an oscilloscope ..., a "must" for service technicians and students.

£1.80

PRACTICAL INTEGRATED CIRCUITS This is the first British book to be published on micro-electronics for the amateur experimenter. With circuit diagrams, layouts and easy instructions, it shows how to construct ten practical radio and electronic devices using integrated circuits (IC's) which are now available at low cost from many component stores. Micro-electronics—the big develop-ment in electronics since the transistor—involve complex circuits in the form of tiny "chips", incorporating several circuit elements, to which it is only necessary to make connections. Various kinds of micro-circuits are already available to amateurs, with new ones regularly coming on to the market. In this book the authors provide, in addition to practical projects, an introduction which shows clearly the present state of the art and a summary of the items available commercially. The davent of the integrated circuit (IC) opens up a fascinating new field for the electronics student, constructor and experimenter. This book shows how to get started and produce some really interesting and worthwhile equipment. **£1.01** posf free

£1.01 post free

HANDBOOK OF TRANSISTOR CIRCUITS By Allan Lytel Here is a collection of more than 200 practical transistorised circuits for use in counters, power controls, timers, indicators, photoelectric devices, power regulators, amplifiers, power supplies, oscillators, power converters, and other applications. Schematic diagrams, parts lists and descriptions of operation are included for each circuit. Planned as a supplement and companion volume to author Lytel's previous book, *Transistor Circuit Manual*, many of the circuits employ such specialised semi-conductor devices as silicon-controlled rectifiers, photocells, zener diodes, and tunnel diodes, in addition to standard diodes and transistors. This book is a handy source of information on the design, opera-tion, and application of a wide variety of transistorised circuits. Engineers, technicains, students, and hobbyists will all find the circuits of interest and the macierial of value in research, development, experiment, and general studies of circuity.

£2.35 post free

PRACTICAL WIRELESS CIRCUITS There are more than 50 different circuits detailed in this book. Transistor receivers, 22 in all, range from an ultra-simple crystal diode circuit to a very sophisticated 10 transistor communications Rx. Valve receivers cover MW. SW and FM. Transistor and valve amplifiers include preamplifier, PA and Stereo. There is a chapter on transmitters and transceivers, and another on transmitter and receiver circuits for Model Control. Circuits for a extensive range of Test Gear cover everything from a simple Transistor Tester to a Comprehensive Multimeter, including a Pocket Signal Tracer (RF, AF and IF), also FM, Square-Wave and Noise Generator.

Signal Tracer (RF, AF and IF), also FF, source meter for tape Generators, the special circuits are a recording level meter for tape ecorders, an electronic photographic timer and a solar cell receiver. The first few simple circuits are accompanied by step-by-step instruc-tions to enable the absolute beginner to gain enough experience with circuitry building to tackle the more complicated work. **£1.34** post free

49 EASY TRANSISTOR PROJECTS This book is for the electronic hobbyist who is interested in developing projects that can be fun as well as useful. Most projects can be constructed in one evening using only a few inexpensive parts. Many of the parts can be salvaged from old radio and television chassis. Each project is presented in an easy-to-understand way, with a parts list and a schematic diagram. Many value substitutions can be made in resistors and capacitors without affecting the end result, providing that the proper transistors, coils, and transformers are used. Projects in this book, which include an AM radio, an FM receiver, light relay controls, audio amplifiers, code practice oscillators and test equipment—each designed with only two transistor types.

£1.01 post free

III SEMICONDUCTOR PROJECTS
Due to the rapid advances in semiconductor technology, many engineers and certainly most amateurs have found it impossible to keep track of the new devices that become available because of lack of readable information. This book introduces the reader to such outstandingly useful new devices as the field-effect transistor, unijunction transistors, silicon controlled-rectifiers, silicon planar transistors and integrated circuits; giving their properties and methods do operation, with full constructional details of many exceptionally useful circuits. Of particular interest to the amateur are simple amplifiers, lamp and relay driving circuits, electronic switches—operated by light, sound or contact with water—and delay circuits ranging from a fraction of a second to 35 minutes. Among the many circuits which will be of a sign as 500 megohims, voltage and current regulators, waveform generators, nalogue-to-digital converters and logic circuits. All circuits are designed around internationally available semiconductors.
124 pages, including 110 illustrations

£1.37 post free

Most Books described here are American in origin.

The above prices include postage & packing.

Delivery is from stock.

SHORT WAVE MAGAZINE Available from Publications Dept., 55 Victoria St., London S.W.1. 01-222 5341 (Counter Service, 9.30-5.15, Mon. to Fri.) (Nearest Station: St. James's Park)

(GIRO A/C. No. 547 6151)

62

RADIO AND ELECTRONIC HANDBOOK by G. R. Wilding Technicians and service engineers in the Radio and Electronics

industry require a considerable amount of data which is spread over many books. It is often difficult and time consuming to locate in a hurry. Students, however, who may have to study a whole series of course-books will find a condensation of such informa-tion, which gets down to the essentials, extremely useful. Radio & Electronic Handbook has been designed to provide, on the one hand, a reference book and, on the other, a revision guide.

The intention has been to summarise basic electronics into four separate, easily assimilated sections, which will provide rapid reference to important principles, formulae and applications. These four main sections are : Direct current theory ; Alternating current theory ; Valve theory and applications; and Transistor theory and applications. Practical worked examples and circuits

diagrams have also been utilised whenever necessary. The concise presentation, which covers all the relevant ground, makes for easy learning and the book should prove invaluable for both practical and examination requirements, **£1-28** £1.28 149 pages including 84 diagrams.

QUESTIONS AND ANSWERS ON RADIO AND TV 3rd Edition

PREFACE

Curiosity is the keystone of learning. The man who "wants to know" has a far better chance of digesting and retaining information than he who ploughs through a set subject simply because it has been put before him. Hence the "Question and Answer" form of this little book.

Wherever possible, the questions have been arranged to follow the growth pattern of information. Questions arise from the previous answers. This means that the book differs from a standard textgrowth pattern of interview of the book differs from a standard text-book in that subjects are not cajoled nearly into place; except that main chapter headings give a guide to the line of questioning, the reader can treat these pages as bedside or benchside reading. Mathematics and unwieldly formulae have been avoided. Circuits and other diagrams give the basic information and confusing frills omitted.

are omitted. There are many textbooks to which the reader who wishes to augment the information given here can resort. These chapters will whet his curiosity 83p

PRINCIPLES OF AERIAL DESIGN

PRINCIPLES OF AERIAL DESIGN by H. Pope The principles involved in the design of aerials are by no means easy for the student to assimilate because they require a knowledge of field theory, which involves more difficult concepts than the more familiar circuit theory. In an endeavour to be precise and ex-haustive it is all too easy to complicate the treatment, and so become involved in a welter of abstruse mathematics. On the other hand, if the subject is over-simolified the treatment can easily behand, if the subject is over-simplified the treatment can easily come purely descriptive, at the expense of an understanding of the principles involved.

come purely descriptive, at the expense of an understanding of the principles involved. In this book-which is not exclusively of amateur-band interest but more on Aerial Theory for the general reader—the author attempts to steer a middle course between these two extremes. The theory of aerials is developed from first principles, but where approximations are necessary in order to avoid mathematical complication the reasons are given and the significance of the approximations indicated. By this means the reader is given a succinct introduction to the more important aspects of the theory of aerials while the practical forms used in the frequency bands up to 30 MHz are also briefly described. It opens with a exposition of the laws governing electric and magnetic phenomena upon the basis of field theory, and the fundamental concepts and quantities are introduced and defined. The theory and practical applications of Maxwell's electro-magnetic wave equations are next dealt with (and there is an appendix which gives the derivation of the vector formulae employed). The next chapter is concerned mainly with the two important characteristics of an aerial for transmission or reception—the adaition pattern and the impedance—while the final chapter describes the practical forms which aerials take for particular uses and the various techniques employed to batin the best effect.

and the various techniques employed to obtain the best effect. The author has been employed for many years in the Research Department of the British Broadcasting Corporation; he also gives a post-graduate course of lectures on Aerials and Propagation in the Electrical Engineering Department of Imperial College, London. His book is as much for the seriously interested amateur as for the professional. 172 pages, including 96 text diagrams, plus 6 pages of art places. 6 pages of art plates. £2.60

DICTIONARY OF ELECTRONICS

by Harley Carter, M.I.E.E. The field of electronics has widened to such an extent that, with the new terms introduced in specific branches of the subject, the student and even the scientist find it difficult to keep up with new developments. Many engineers trained in alternative fields of technology are nowadays having to apply their knowledge to electronics. It is with these points in mind that this illustrated divisions: is presented. dictionary is presented.

Priority has been given to the inclusion of fundamental facts and terms, and the other entries to a large extent follow on from these. Also listed are familiar terms and descriptions of many electronic instruments. Much supplementary material is given as an Appendix, including circuit symbols, abbreviations, colour codes, conversion tables and valve bases.

The concise but explanatory definitions from many branches of electronics out explanator, demittons non many oralicies on electronics—including radio, television, communications, radar, electronic instrumentation and industrial electronics—should prove of use to engineers, students, technicians, apprentices and to all those whose work or interest requires them to understand modern electronic terminology. £1-88 Second Edition

INTEGRATED CIRCUIT POCKET BOOK

IN IEGRATED CIRCUIT FOCKET BOOK by R. G. Hibberd This book is a logical companion to the Authors' previous book— The Transistor Pocket Book, and is intended primarily for tech-nicians and students whose courses include semi-conductors devices, but it will also be of interest to all those who are con-cerned with integrated circuits and their applications.

£2.60 (post free)

DICTIONARY OF TELECOMMUNICATIONS R. A. Bones, B.Sc., Ph.D., ACIS, CEng., MIEE, Ainst P. Economic growth throughout the world is closely linked with the development and growth of telecommunication systems. Modern industry demands ever-improving facilities for its executives to be able to repeak to each other for any approximation of the system. able to speak to each other from opposite sides of the globe; to be able to transmit drawings, documents and pictures rapidly over large distances; and now to be able to send data accurately and quickly from computer to computer.

Telecommunications is an industry with a high growth rate and, like all technologically based industries, a new language has deve-loped : a language which grows daily as new materials, techniques and systems are developing. This dictionary is an attempt to document that language.

The wide range of definitions, including many reproduced from, or based on, British Standards recommendations, is supplemented by appendices including units and abbreviations, wavelengths and frequency bands, and signal reporting codes. The concise explanations of the terms in use should prove

valuable to engineers, students, technicians, and to all whose work or interest requires them to understand modern telecommunications terminology. £2.35

MICROPHONES

A general treatment, in twelve chapters with appendices £1-40

WIRE ANTENNAS FOR RADIO AMATEURS

by W. I. Orr What this Handbook contains :--How to build tested wire antennae (for two metres to 160m.—Top Band) that really get out—hori-zontals, verticals, beams, trap antennae, ground planes, etc. "Invisible" aerials for amateurs in flats and other locations where radio and TV antennae are "prohibited." Exact dimensions in feet and inches—also in metres and centimetres for every astrone described

Exact dimensions in feet and inches—also in metres and centimetres —for every antenna described—no guesswork ! How to build two "all-purpose" aerial tuners with 100 uses ! The truth about baluns. How to build an efficient, inexpensive balun for optimum antenna performance and accurate SWR readings The construction of 2, 3, 4 and 5-band trap dipoles. How to make your own efficient traps and save real money. Three-band dipole for 80, 40 and 15 metres—only one feedline ! Ground plane aerials for VHF and 10, 15, 20 and 40 metres. High-gain beam antennae especially suited for VHF FM. The efficient "folded Marconi" antenna for 40, 80 or 160 metres. Clear explanations of resonance, radiation resistance, impedance, standing wave ratio (SWR), balanced and unbalance aerials. **Plus**—radial wire ground systems ; lightning protection ; wood masts ; counterweights ; the easy way to use coax connectors—and much more !

much more !

This book is an American publication by a well-known author in the field of Amateur Radio. £1.72

Available from SHORT WAVE MAGAZINE Publication Dept., 55 Victoria St., London SW1H 0HF 01-222 5341 (Counter Service. 9.30-5.15. Mon. to Fri.)

(GIRO A/C. No. 547 6151)

(Nearest Station: St. James's Park)

March, 1973

A limited number of these titles specially imported from the States—please order your copy early. It may not be possible to repeat some of these.

ABC'S OF SHORT-WAVE LISTENING

Have you ever listened to a radio and thought how enjoyable it would be to hear broadcasts from faraway places, such as Toronto, Berlin, and Tokyo, as well as signals from ships at sea and satellites in space. All these broadcasts can be at your fingertips, offering a

fascinating hobby. ABC's of Short-Wave Listening a non-technical guide, will help ABC's of Short-Wave Listening a non-technical guide, will neipy you get started, or give you added pointers if you are now engaged in the hobby. The mysteries of radio waves are revealed in a manner that anyone can understand, providing priceless know-ledge about the ever-expanding world of short-wave radio. £1-60

BUILDING YOUR AMATEUR RADIO NOVICE STATION

This book is the first "completely detailed" construction manual for building an amateur novice radio station. Nothing is overlooked in building the station from scratch to the actual on-the-air operation. The transmitter and receiver are distinctly professional in performance quality and appearance.

The book is primarily directed to the novice radio ham, it contains many novel and valuable construction hints and tips for amateurs in any licence class. As a finished touch to the projects a complete "rollaway" ham shack for hams with limited space (apartment dwellers, etc.) is featured and fully described. By W7OE

£1.90

HAM ANTENNA CONSTRUCTION PROJECTS

Besides full details on many useful and interesting types of aerials, Ham Antenna Construction Projects includes complete information on long-lasting construction methods, as well as how to position your antenna to achieve maximum distance with a given radiation pattern. In addition, much easy-to-understand technical informa-tion on tuning antennas and the use of test equipment is presented. £2.10

SWL ANTENNA CONSTRUCTIONAL PROJECTS

SWL ANTERNA CONSTRUCTIONAL PROJECTS Two chapters cover the basic principles of antennae and the knowledge necessary for construction of the projects which are given in the following pages. The antenna projects themselves are divided into six classes. First are the dipole aerials such as segmented and inverted types. Following them are the vertical antennae, including array and beam types. Then horizontal beam systems (Yagis) are considered. Various low- and high-band and multihand triangle antennae are also discussed. The next section multiband triangle antennae are also discussed. The next section deals with long-wire antennae, such as vee beams and rhombics, for those SWL'ers with a sizeable plot of land available. For SWL'ers without land, indoor antennas, which are included in the final section, may be a solution. Three useful appendices are provided at the end of the book.

£1.60

TRANSISTOR FUNDAMENTALS-Vol. III

Covers circuits used in radio, audio and television equipment. It also introduces you to logical troubleshooting procedures used in locating defective parts or faulty adjustments in these circuits. This book will help you learn to repair many transistor circuits used in audio amplifiers, radio and television receivers.

£2.40

RADIO CIRCUITS By Thomas M. Adams

This volume goes into great detail in explaining the action of the various circuits used in radio receivers—also voltage analysis and signal substitution methods for servicing typical valve and transistor receivers.

£1.80

The above prices include postage and packing

Available from SHORT WAVE MAGAZINE **Publication Dept.**,

55 Victoria St., London SW1H OHF Telephone 01-222 5341

(Counter Service 9.30-5.15 Monday to Friday) (Nearest Station: St. James's Park) GIRO A/C. No. 547 6151)

CALL BOOKS

INTERNATIONAL:

RADIO AMATEUR	2	CA	ᄔ	B	00	KS	(1973)
"DX Listings"							£2.95
"U.S. Listings"							£3•75
"G's" only 1973.							70p

MAPS

AMATEUR RADIO MAP OF WORLD Mercator Projection — Much DX Information — in colour. Second	65 -
Edition	65p
DX ZONE MAP (GREAT CIRCLE) In colour with Country/Prefix Supplement Revised to January	
1972	85p
RADIO AMATEUR MAP OF THE U.S.A. AND NORTH AMERICA State boundaries and prefixes, size 24" by 30", paper	60p
RADIO AMATEUR'S WORLD ATLAS	
In booklet form, Mercator projec- tion, for desk use. Gives Zones and Prefixes (New Edition).	£1.10

LOG BOOKS

Standard Log (New Gloss	sy (Cov	er)	•	55 p
Receiving Station Log					45p

(The above prices include postage and packing).

MORSE COURSES

G3HSC Rhythm Method of Morse Tuition

*Complete Course with three 3 speed L.P. records with books	£4.50
*Beginner's Course with two 3 speed L.P. records with book .	£3.30
Single 12″ L.P. Beginner's with book .	£2•75
Single, 12″ L.P. Advanced with book.	£2·75
Three speed simulated GPO test. 7″ d.s. E.P. record	85p
Prices include postage, packing and in	nsurance

Available from SHORT WAVE MAGAZINE Publications Dept., 55 Victoria Street, London, SW1H OHF 01-222 5341 (Counter Service, 9.30-5.15, Mon. to Fri.) (Nearest Station: St. James's Park) (GIRO A/C No. 547 6151)

in U.K. only *Overseas orders + £1.00,

Technical Books and Manuals (ENGLISH AND

AERIAL INFORMATION

ABC of Antennas						90 p
Aerials (By D. Sjobbema)						880
Aerial Handbook (Briggs)						870
Amateur Radio Antennas	(Hoot	ton)			£	1 87
Antenna Handbook, Volur	ne 1	. '			. £	1.77
Antenna Round-Up, Volur	ne 1		- 1		. £	1-47
Antenna Round-Up, Volur					. £	1.77
Antenna Handbook, 12th E					. £	1 • 40
Beam Antenna Handbook		ditio	n.		. £	2.10
Quad Antennae, 2nd Editio			•	•	. £	1.80
Simple Low Cost Wire An	itenna	IS	•	•	. £	1.72
S9 Signals	•		•	•	. (O/P
73 Vertical, Beam and 1	Friang	le A	nteni	nas		
(by E. M. Noll)		•				2 • 40
73 Dipole and Long-Wire A	nten	nas (t	by E. N	/I.No	11) £	2.20

BOOKS FOR THE BEGINNER

Amateur Radio (Rayer)		. £1.60
Beginners Guide to Radio (7th Edition).		. £1.12
Beginners Guide to Electronics (N.E.).	-	£1.10
Beginners Guide to Transistors .		. £1.12
Beginners Guide to Colour TV .		. 820
Better Short Wave Reception, 2nd Edition		£1.80
Course in Radio Fundamentals (N.E.).		£1.15
Foundations of Wireless and Electronics		£2.02
Guide to Amateur Radio (N.E.) .	•	. 890
Ham Radio (A beginner's Guide) by R. H. W	Iarrin	
How to Become a Radio Amateur	ansig	
	•	. 59p
Learning the RT Code		. 27p
Morse Code for the Radio Amateur		. 15p
Radio, by D. Gibson		. 85p
Radio Amateur Examination Manual (N.E.)		890
Simple Short Wave Receivers (Data) .		. 890
Understanding Amateur Radio		£1.37
	-	

GENERAL

ABC of Electronics (by Farl J.	Wate	re)		.£1·20	
		,	·	£1.35	
ARRL Calculator, Type A	•	•	•		
ARRL Calculator, Type B	•			. O/P	
Easibinder (to hold 12 copie		Shart			
Magazine together)		•	•	. 90p	
FET Circuits (by Rufus P. Turr			•	. £1·52	
FET Principles, Experiments ar				. £2·15	
Guide to Broadcasting Station	-			. 60p	
Having Fun with Transistors		. •		. £1·59	
How to Listen to the World-7				. £1•90	
Know Your Oscilloscope (by P	aul C	. Smith	1)	.£1∙80	
Microphones				.£1.65	
Practical Integrated Circuits					
(Newnes-Butterworth)				. £1.01	1
Practical Transistor Theory				. £1.10	
Practical Wireless Circuits .				. £1.34	-
Prefix List of Countries	-			. 23p	
Radio Engineers Pocket Book (Newn	es) (N	.E.)	£1.26	
RCA Designer's Handbook (S					-
Circuits)				£3.50	
RCA Receiving Tubes Manual		•	•	. £1.77	-
RCA Transistor Thyristor and				. £1.75	
	•	•		. £1·35	
Shop and Shack Shortcuts		•	•	.£1∙75	
Single Sideband: Theory & Pra	ctice			· · · · ·	1
(by H. D. Hooton)	•	•	•	.£3∙47	
O/P (out of print)	The	above	e prid	es include	p p

AMERICAN)	
Telecommunications Pocket Book (T. L. Squir World Radio and TV Handbook 1973 Edition 110 Integrated Circuit Projects for the Ho	£3.00
Constructor	. O/P
49 Easy Transistor Projects 110 Semi-Conductors Projects for the Ho	. £1·01 me
Constructor (Iliffe)	. £1·37
HANDBOOKS AND MANUALS Amateur Radio DX Handbook	00.47
Electronic Circuit Handbook, Vol. 1	. £2·17 . £1·42
Electronic Circuit Handbook, Vol. 2 Mobile Handbook, CQ	.£1·42 . O/P
Mobile Manual, ARRL	. O/P
Radio Amateur Handbook 1972 (ARRL)	.£1·80 . O/P
Radio Amateur Handbook 1972 (ARRL) (Ha	ard O/P
Radio & Electronic Handbook	£1.32
Radio Amateur Operators Handbook, 12th Edit Radio Communication Handbook (<i>RSGB</i>)	ion 53pp .£4∙10
Rtty A-Z (CQ Tech. Series) Surplus Conversion Handbook	. £2∙25 . £1•37
Television Interference Manual (G3JGO)	. 90p
Transistor Substitution Handbook No. 10 .	. £1∙12
USEFUL REFERENCE BOOKS Amateur Radio SSB Guide	C4 E0
Amateur Radio Techniques—4th Edition Amateur Radio Construction Projects	.£1∙59 .£1∙80
Amateur Radio Construction Projects Amateur Radio Circuit Book	. O/P . O/P
Care & Feeding of Power Grid Tubes (Elmac Division of Varian)	-
Engineers' Pocket Book—6th Edition	. £1•60 . £1•48
Guide to Amateur Radio	. 50p . 70p
Hams' Interpreter	. 63p
Hints and Kinks, Vol. 8 (ARRL)	. 62p . O/P
Radio Amateur Examination Manual (N.E.) Radio Data Reference Book (3rd Edition)	. 89p £1.00
Radio, Valve and Transistor Data (Iliffe),	
9th Edition Service Valve and Semiconductors Equivalents	. 89p . 35p
Single Sideband for the Radio Amateur (ARR 5th Edition	L), .£1•67
Single Sideband (Theory & Practice)	
by H. D. Hooton Sun, Earth and Radio by J. A. Ratcliffe	.£3∙47 . 91p
Surplus Schematics (CQ) . Transistor Pocket Book	£1 · 22
	. £1•57
TRANSISTOR MANUALS ABC of Transistors	. £1-33
Having Fun with Transistors Handbook of Transistor Circuits	.£1∙59
Transistor Audio & Radio Circuits (Mullard)	. £2∙35 . £1∙96
Transistor Fundamentals: Basic Semi-Conduct and Circuit Principles, Vol. 1	or .£1.92
Transistor Fundamentals:	
Basic Transistor Circuits, Vol. 2 Transistor Substitution Handbook, No. 12 .	. £1∙92 . £1∙50
VHF PUBLICATIONS	
VHF Handbook, Wm. I. Orr. VHF Manual (ARRL)	. £1.79
VHF /UHF Manual (<i>ARAL</i>)	.£1∙37 .£1∙80
postage and packing.	
HORT WAVE MAGAZ	
don SW1H OHF . 01-222	2 5341

Publication Dept., 55 Victoria St., Lond (Counter Service. 9.30-5.15. Mon. to Fri.)

Available from


(Nearest Station: St. James's Park) (GIRO A/C. No. 547 6151)

S

Many of these Titles are

P. & P. DEVELOPMENTS		
Havant 72657WE SPECIALISE INShop HoursFOR THE PROFESSION		Cosham 74695 Evenings, Weekends
 MURPHY 821. High band AM TX/RX QQV03-10 final and driver stages, easily converted to 2m £9, carr. 75p MURPHY 820. Mid-band dash version of the 821, good condition will convert to 2 or 4 with circuit £6, carr. 75p MURPHY 807. High power AM mobiles for 2 or 4 less QQV03-20A but otherwise complete	audio board multi-programme as radio alarm PYE MARINE TX. Runs 2 x control on 8 channels or VFO In good condition complete or PSU's for above Tx less valves b PYE BASE STATIONS. High QQVO3-20A. Ideal for conve HF VFO/PA. Contains 2 x condition	5B254M's in final AM/CW/MCW xtal in 1:5-16 MHz continuous coverage. 10, car. £1:50 but with control unit, £4, buyer collects n or Low band units complete except tring. Separate p.s.u. for Tx and Rx. £10, carr. £1:50 4X150A's chimney and blower, good £1, carr. 75p ERIALS. Ideal for cutting to $\frac{1}{2}$ wars, paid trimmers 0-6pf 14p, 0-12pf, 19p ea. t 425v. and 125 watts output. New. 07 3 for £1.25, carr. 10p vrbon 50p each, carr. 10p

Subscription rate to Short Wave Magazine is £3.00 (First Class) £2.75 (Second Class) for twelve issues.



CREATE YOUR OWN REFERENCE LIBRARY

The "EASIBINDER" is designed to bind 12 copies of the Magazine as you receive them month by month, eventually providing a handsomely bound volume for the bookshelf.

No need to wait until twelve copies are assembled. As each copy is received, it is quickly and simply inserted into the binder. Whether partially or completely filled, the binder is equally effective, giving the appearance of a book, with each page opening flat.

Strongly made with stiff covers and attractively bound in maroon Leathercloth and Milskin, the binders have only the title gold blocked on the spine.

Price 90p post free.

PUBLICATIONS DEPARTMENT SHORT WAVE MAGAZINE 55 VICTORIA STREET LONDON, SWIH OHF

Printed by The Courier Printing Co. Ltd., Tunbridge Wells for the Proprietors and Publishers, The Short Wave Magazine Ltd., 55 Victoria Street, London, S.W.1. The Short Wave Magazine is obtainable abroad through the following: Continental Publishers & Distributors Ltd., William Dawson & Son Ltd.; AUSTRALLA AND NEW ZEALAND — Gordon & Gotch, Ltd.; AMERICA—International News Company, 131 Varick Street, NEW YORK. Registered for transmission to Canada by Magazine Post. March, 1973.