




# RADIO & TELEVISION

FORMERLY  
**S**HORT WAVE & TELEVISION



TELEVISION TUBE  
PARADE



*In This Issue —*

Planning Programs for N.B.C. Television

—Thomas H. Hutchinson

How Giant Television Image Tubes are Made

Mechanical Scanning for Television

—William H. Priess

Television Course

Ham Transmitter Construction

International Radio Review

Building a Television Receiver

Short-Wave Station Directory

**25¢**  
IN U.S. AND  
CANADA

**HUGO  
GERNSBACK**  
EDITOR

**RADIO EXPERIMENTING  
AMATEUR RADIO**


**JULY  
1939**

# Prepare for Greater Profits

IN RADIO AND TELEVISION



WITH  
**CORNELL-DUBILIER**  
*Capacitor*  
**ANALYZER, BRIDGE AND  
DECADE BOXES**



**FOR  
LIMITED TIME  
ONLY!**

Convenient coupon below is worth \$1.00 to YOU. Present it to your local C-D jobber and he will allow you \$1.00 toward the purchase price of any single instrument. NOW . . . while reading this ad —clip coupon and present to your jobber. Don't miss this opportunity. Offer expires Aug. 1, 1939. If this coupon is sent to factory it will be returned to you with the address of your nearest C-D distributor.

Cornell-Dubilier's new line of Capacitor Test Instruments are precision built — laboratory tested and designed with the experience gained in filling the capacitor requirements of engineers, servicemen and amateurs for twenty-nine years.

**TAKE ADVANTAGE OF  
THE LONGEST CAPACITOR  
EXPERIENCE**

**IN THE INDUSTRY!**

Now YOU can equip yourself, economically and efficiently, for the greater profits in radio and television with the new C-D line of test equipment.

For other features of this outstanding line of Capacitor Test Instruments write for Catalog No. 167A. Use Coupon.

### CAPACITOR ANALYZER

The Analyzer will accurately measure all important characteristics of all type capacitors between .00001 and 240 mfd. Power-factor 0—50%. Readings not affected by line voltage variations. Insulation resistance to 1,500 megohms. Magic eye leakage indicator. Direct reading linear color-coded scale. Push button switching. Adjustable D.C. voltage supply. The Analyzer Model BF-50 is supplied in attractive walnut cabinet, with removable hinged cover. List, less tubes, \$41.50 Net \$24.90.

### CAPACITOR BRIDGE

Will accurately check capacities .00001 to 50 mfd. of all type capacitors. Indicates power-factor of electrolytics. Tests for open, shorts, high power-factor and high and low capacity. Can be used as continuity meter. Direct reading ranges with all markings directly in microfarads. The C-D Capacitor Bridge is the most compact and useful instrument of its type, ever offered to the radio industry. Model BN list, less tubes, \$16.50. Net \$9.90.

### CAPACITOR DECADES

The C-D Decades are the first inexpensive, practical capacitor decades ever developed. Ideally suited for experimental circuits, filter design, bridge measurements, etc. Capacity range between .0001 and 11.1 mfd. available in three units. Decades can be used continuously on 220 V.A.C. or 600 V.D.C. Encased in completely insulated Bakelite cases 3 1/2" x 5" x 3". Model CDA-5, .011 mfd. in .0001 mfd. steps. List \$9.00. Net \$5.40. Model CDB-5, 1.1 mfd. in .01 mfd. steps, list \$9.00. Net \$5.40. Model CDC-5 11.1 mfd. in 1. mfd. steps, list \$16.00. Net \$9.60.

**CORNELL-DUBILIER ELECTRIC CORPORATION,  
SOUTH PLAINFIELD, NEW JERSEY**

Please rush me the following catalog material.

- Catalog No. 167A on Capacitor Instruments.
- Catalog No. 165A on complete line of C-D capacitors.
- Catalog No. 166A on Quietone Interference Filters.
- Place me on your mailing list for FREE C-D House Organ.
- Direct me to your nearest authorized distributor.

Name \_\_\_\_\_

Address \_\_\_\_\_

**CORNELL-DUBILIER  
ELECTRIC CORPORATION**

1027 Hamilton Boulevard, South Plainfield, New Jersey

Cable Address: "CORDU"

# What Are Your Chances of Getting a Job in Television?

## Let's Be Frank

WHEN I started training men for Radio 25 years ago, Radio was regarded only as means of long-distance communication. Since then, I have seen Radio expand in many different directions—into broadcasting, aviation, police, transatlantic telephone service, direction-finding, loudspeaker systems, automobile Radio, industrial electronic devices, and now Television is Radio's newest development.

Many sensational claims have been made for Television—so many that I feel a frank discussion of Television and how to get ready for the opportunities it offers, is advisable.

### Are There Opportunities in Television Today?

Yes! There are opportunities in the large manufacturing plants which make television transmitters and other video equipment. There are opportunities in some stations planning to broadcast Television programs. There are opportunities in companies now making or planning to make Television receivers. There are opportunities installing and servicing Television receivers in New York and a few other cities where Television programs are now being broadcast. But there are *not many of these opportunities today* and they are going to men with long technical training and experience. However, this DOES NOT MEAN THAT TELEVISION IS NOT CREATING OPPORTUNITIES EVEN NOW. It is—for trained men qualified to take over the Radio jobs formerly held by the men who have gone and are going into Television.

### When Will Television Offer More Opportunities?

Very soon, most informed persons believe. Just as soon as Television transmissions start in any city—opportunities will come in that city. There will be opportunities in the Television transmitting Stations—opportunities for installing, servicing, repairing and adjusting Television receivers. These opportunities will continue to grow but nobody knows how far or how fast Television will develop. It's almost a certainty, however, that it will eventually reach tremendous proportions.

### Who Will Benefit from These Television Opportunities?

Only men with good, sound Radio Training and experience. Many of the men who will get the early good jobs in Television will be men now in Radio. Others will be men who have Radio Training and experience—plus special training in Television. It is safe to say that a MAN WHO DOES NOT KNOW RADIO will not get into Television. Television after all is a DEVELOPMENT OF RADIO, far more complicated and far more technical than Radio, but still a DEVELOPMENT of it. When men now in Radio shift into Television, that will MAKE OPPORTUNITIES IN RADIO—opportunities which may later lead to opportunities in Television.

### What Can You Do NOW to Get Ready for Television?

First—you must Train for Radio. You'll need a working knowledge of fundamental Radio principles to understand Television. Second you'll need SPECIALIZED TRAINING IN TELEVISION, over and above your

*I have been training men for Radio for twenty-five years. I am proud of the records being made by N. R. I. graduates. They are in every major branch of Radio. I am prepared to train men for Television, so I believe my discussion on this page should interest every man who is considering getting into Radio's newest branch—Television.*



J. E. SMITH, Pres.  
National Radio Institute

knowledge of Radio to grasp Television's opportunities. To prepare for Television—the sensible thing to do is to START TRAINING FOR RADIO NOW.

### How I Train You for Radio and Television

For more than 25 years I've been training men for Radio. Men I trained have enjoyed success and good pay in practically every branch of Radio—in nearly every country in the world. The N. R. I. Course has included training in Television principles FOR MORE THAN FIVE YEARS. Yes, for more than five years I have been preparing men for Television insofar as technical information available at the time would permit.

### My Course Contains Up-to-Date Television Information

My training gives you the fundamentals of Radio you must have to get into either Radio or Television. These fundamentals are treated specially for Television in every instance. My text on superheterodynes has contained information about the wider frequency circuits needed for Television reception for many years now—and my training in sweep circuits, synchronizing, cathode ray tubes is just as complete. My texts have just been revised to include up-to-date information on today's Television developments, as well as developments in ALL BRANCHES OF RADIO.

### Many Men I Trained Make \$30, \$50 and More a Week in Radio Now

My Training covers all you need to know to get a good job in Radio RIGHT NOW—the type of position which can LEAD RIGHT INTO TELEVISION when Television develops further. Best of all, you DO NOT HAVE TO WAIT for Television TO MAKE MONEY through my Training. Broadcasting Stations, Radio Repair Work, Radio factories, automobile Radio, commercial, aviation, police Radio, Loudspeaker systems ALL OFFER OPPORTUNITIES TO WELL TRAINED MEN—opportunities for good jobs—opportunities which may soon lead you into Television.

### Many Make \$5, \$10, \$15 a Week Extra in Spare Time While Learning

The day you enroll I start sending you Extra Money Job Sheets. They show you how to do Radio repair jobs, how to cash in quickly. They show you how to start making money quickly—and to continue MAKING MONEY UNTIL TELEVISION OFFERS BETTER OPPORTUNITIES in the future.

### I Give You This Professional Servicing Instrument



Here is the type of instrument every Radio expert needs—an All-Wave, All-Purpose Set Servicing Instrument. It contains everything necessary to measure A.C. and D.C. voltages and currents; to compare tubes; check resistances, adjust or align any set old or new and make modern

dynamic receiver analysis. It satisfies your need for professional servicing after you graduate—can help you make extra money servicing sets while training.

### Mail Coupon for Television Lesson and 64-page Book Free

Act Today. Mail the coupon now for Sample Lesson "Essential Circuits in a Television Receiver" and 64-page book "Rich Rewards in Radio." They're free to you if you are over 16. They point out Radio's spare time and full time opportunities and those coming in Television; tell about my training in Radio and Television; show you letters from men I trained, telling what they are doing and earning. Find out what Radio offers YOU! MAIL COUPON in an envelope, or paste on a postcard—NOW!

J. E. SMITH, President  
National Radio Institute, Dept. 9GB3  
Washington, D. C.

J. E. SMITH, President, National Radio Institute.  
Dept. 9GB3, Washington, D. C.

Without obligating me, please send sample Television lesson "Essential Circuits in a Television Receiver" and your 64-page book which points out the spare time and full time opportunities in Radio and those coming in Television, and explains your method of training at home for them. (Please write plainly.)

Name ..... Age .....

Address .....

City ..... State ..... 59RH-1

Please say you saw it in RADIO & TELEVISION

# RADIO & TELEVISION

*The Popular Radio Magazine*

July — 1939  
Vol. X No. 3

HUGO GERNSBACK, Editor  
H. WINFIELD SECOR, Manag. Editor  
ROBERT EICHBERG, Assoc. Editor

**TELEVISION**  
at the  
**NEW YORK**  
**WORLD'S FAIR**  
See Page 135

## In This Issue

### GENERAL FEATURES

Planning Programs for Television—Thomas H. Hutchinson, NBC .....	133
Theater Television .....	134
Television at the New York World's Fair .....	135
How Giant Television Tubes Are Made—H. Winfield Secor .....	136
World-Wide Radio Digest .....	138
Mechanical Scanning—William H. Priess .....	141
International Radio Review .....	142

### CONSTRUCTION

Television Set Built in 24 Hours—Robert Eichberg .....	146
A 17-Tube Television Kit .....	148
"Beam Power 3" Transmitter—Part 3—H. G. McEntee, W2FHP .....	158
70-Watt Modulator—Harry D. Hooton, W8KPX .....	160
How to Build a 275-Watt Diathermy Machine—C. C. Long .....	164
4-Tube All-Wave Receiver .....	166

### CONDENSED FEATURES

Stereoscopic Television .....	138
Aviation Radio .....	138
Radio Farm .....	138
Co-Axial Cable for English Television .....	139
Robot Radio Cop .....	139
Television Over Telephone Circuits .....	140
New U.H.F. Tube .....	140
2½ Meter Transmitter .....	142
Vacuum Tube Voltmeter .....	143
Simple Inductance Meter .....	143

Stereoscopic Television .....	138
Television Demonstration in Cincinnati .....	139
Television Over Telephone Circuits .....	140
Mechanical Scanning with Mirrors—Wm. H. Priess .....	141
Home-Made Co-Axial Cable .....	142
Television Simply Explained .....	142
Television Course Lesson .....	144
Flexible Television Antennas .....	145
Television Set Built in 24 Hours .....	146
17-Tube Television Kit Diagram .....	148
New Television Parts .....	174

### INSTRUCTION

Electronic Television Course—Henry Townsend .....	144
Getting Started in Amateur Radio—C. W. Palmer, E.E. Ex-W2BV .....	149
Question Box .....	162
Radio Test-Quiz .....	163

### TELEVISION

Planning Television Programs .....	133
Theater Television .....	134
Television at the New York World's Fair .....	135
How Giant Television Image Tubes Are Made .....	136

### MISCELLANEOUS

Radio Kinks .....	145
World Short Wave Station "Directory" .....	150
Let's Listen In With Joe Miller .....	151
I Cover the Pacific Coast! .....	151
Silver Trophy Award for Best "Ham" Station Photo .....	153
"DX" on The HAM Bands —Elmer R. Fuller .....	155
What Do YOU Think? .....	157
Question Box .....	162
New "Noise Reduction" Circuits .....	164
Newest Radio Apparatus .....	165, 166, 171
Book Review .....	192

Cover composition by H. Gernsback and Thomas D. Pentz. Three photos with figures, courtesy Allen B. Du Mont Labs.; two C-R tubes, top center, National Union Radio Corp.; large image projector tube, at center, RCA.

RADIO & TELEVISION—Published monthly on the tenth of the month. Entered as second-class matter Feb. 15, 1938, at the post office at Springfield, Mass., under the act of March 3, 1879. Trademarks and copyrights by permission of H. Gernsback. Text and illustrations are copyright and may not be reproduced without permission. Subscription price \$2.50 a year in the United States and possessions and Canada, \$3.00 in foreign countries. Make all subscription checks payable to Popular Book Corporation.

Published by Popular Book Corporation. Publication Office—29 Worthington St., Springfield, Mass. Editorial and Executive Offices—99 Hudson St., New York, N.Y. HUGO GERNSBACK, President; H. W. SECOR, Vice-President; EMIL GROSSMAN, Director of Advertising. European Agents: Atlas Publishing and Distributing Co., Ltd., 18 Bride Lane, Fleet St., London, England; Brentano's—London and Paris. Australian Agents: McGill's Agency, 179 Elizabeth St., Melbourne.

Copyright 1939 by H. Gernsback

## In the August Issue

Portable 2-Band Receiver — Covers "broadcast" and "short wave"—C. W. Palmer, E.E.

1-Tube Television Sound Converter—Herman Yellin, W2AJL

"Ham" Antennas

How to Make Your Own "Mike" for Ham and "P.A." Work

Audio Frequency Amplifiers—Martin Clifford, W2CDV

How To Build A 2-Inch Oscilloscope

A Transmitter-Receiver for the "Ham" Beginner—D. L. Warner, W9IBC

Building and Using a Wheatstone Bridge

### Certified Circuits



When you see this seal on a set it is a guarantee that it has been tested and certified in our laboratories, as well as privately in different parts of the country. Only constructional—experimental sets are certified.

You need not hesitate to spend money on parts because the set and circuit are bona fide.

This is the only magazine that renders such a service.

# LIST OF TELEVISION BROADCAST STATIONS

as of February 1, 1939 (Revised to date)

FEDERAL COMMUNICATIONS COMMISSION  
WASHINGTON, D. C.

Licenses and Location	Call Letters	Frequency (mc.) or Group	Visual Power	Aural Power
National Broadcasting Co., Inc. New York, N. Y. (Tues., Thur.:—11 a.m.—4 p.m.; Wed., Fri. & Sat.:—4 p.m.—9:30 p.m.)	W2XBS	42 to 56 mc. 60 to 86 mc.	12 kw	15 kw
National Broadcasting Co., Inc. Portable (Camden, N. J., and New York, N. Y.)	W2XBT	92 and 175 to 180 mc.	400 w	100 w
Columbia Broadcasting System, Inc. New York, N. Y.	W2XAX	42 to 56 mc. 60 to 86 mc.	50 w C.P. 7½ kw	7½ kw
Radio Pictures, Inc. Long Island City, N. Y.	W2XDR	42 to 56 mc. 60 to 86 mc.	1 kw	500 w
Don Lee Broadcasting System Los Angeles, California	W6XAO	42 to 56 mc. 60 to 86 mc.	1 kw	150 w
Farnsworth Television Incorporated of Pennsylvania Springfield, Penna.	W3XPF	42 to 56 mc. 60 to 86 mc.	250 w	1 kw
Philco Radio and Television Corp. Philadelphia, Penna. (Irregular)	W3XE	42 to 56 mc. 60 to 86 mc.	10 kw	10 kw
Philco Radio & Television Corp. Philadelphia, Penna.	W3XP	204 to 210 mc.	15 w	
Allen B. Du Mont Laboratories, Inc. Passaic, New Jersey (Irregular; 12 mid.-3 a.m.; 8-10 a.m.)	W2XVT	42 to 56 mc.	50 w	50 w
General Television Corporation Boston, Mass.	W1NG	42 to 56 mc. 60 to 86 mc.	500 w	
RCA Manufacturing Co., Inc. Portable (Camden, N. J.)	W3XAD	124 to 130 mc.	500 w	500 w
RCA Manufacturing Co., Inc. Camden, N. J.	W3XEP	42 to 56 mc. 60 to 86 mc.	30 kw	30 kw
RCA Manufacturing Co., Inc. Portable-Mobile Camden, N. J.	W1ONX	42 to 56 mc. 60 to 80 mc.	50 w	50 w
General Electric Company Bridgeport, Conn.	W1XA	60 to 86 mc.	10 kw	3 kw
General Electric Company Albany, N. Y.	W2XB	60 to 86 mc.	10 kw	3 kw
General Electric Company Schenectady, N. Y.	W2XD	156 to 162 mc.	40 w	
General Electric Company Schenectady, N. Y.	W2XH	42 to 56 mc.	40 w	
First National Television, Inc. Kansas City, Mo.	W9XAL	42 to 56 mc. 60 to 86 mc.	300 w	150 w
University of Iowa Iowa City, Iowa	W9XUI	42 to 56 mc. 60 to 86 mc.	100 w	
Zenith Radio Corporation Chicago, Ill. (Irregular)	W9XZV	42 to 56 mc. 60 to 86 mc.	1 kw	1 kw
Kansas State College of Agriculture and Applied Science Manhattan, Kansas (60-line images now; expect change to high definition in autumn)	W9XAK	2 to 2.1 mc.	125 w	125 w
Purdue University West Lafayette, Ind.	W9XG	2 to 2.1 mc.	1½ kw	
University of Iowa Iowa City, Iowa	W9XK	2 to 2.1 mc.	100 w	

## Seldes Discloses CBS Television Plans

● RECENTLY returned from a trip to England, Gilbert Seldes, Television Program Director of the Columbia Broadcasting System, has many ideas for air presentations. The CBS transmissions, which are now scheduled to start "some-time in mid-summer", will probably use many of the ideas that have proven popular in England. Among these are: "Tonight In Town", a theater pick-up; sports events from the outside; and interviews with visiting celebrities.

Although the British programs are presented approximately two to three hours daily and Sundays, no such schedule is planned as yet for the CBS broadcasts. These will probably go on sporadically at first and be increased as techniques develop.

Mr. Seldes disclosed that he has already discussed the possibility of televising Broadway shows with various theater managers, and that they seemed enthusiastic. He thinks they will be glad to make such material available without charge to the broadcasters; for the experience of the British managers has been that televising their shows has resulted in increased attendance. The problem of financing television programs

is, of course, a major one. Although the F.C.C. does not yet permit sponsorship of television broadcasts, Mr. Seldes says, "I think the Government should make some funds available for this purpose—possibly through the Reconstruction Finance Corporation. After all, the Government has spent many millions of dollars in aiding the railroads, and I believe that they would do well to encourage this new and growing industry."

Technically, the RCA equipment with which CBS engineers are working is providing good results, but Mr. Seldes would like to see the sensitivity of the iconoscope increased. This will permit using a smaller diaphragm opening in the lens of the pick-up and thus increase the focal depth. At present, using a 16.5 cm. f:2.7 lens, the portion of the stage which is within focus is only about 5 feet deep. This limits action, and Mr. Seldes feels that a focal depth of 10 feet is necessary for adequate flexibility of action. He is convinced that the engineers of RCA and CBS are making excellent progress and that the iconoscope will continue to be improved until it reaches and passes this point.

## QUICKER, EASIER WAY To TRAIN For **ELECTRICITY** 12 Weeks Practical WORK IN MY CHICAGO SHOPS



### WANT TO EARN MORE MONEY?

Of course you'd like a good-pay job. But wishing won't get it for you. Dreaming won't do it. Doing can! And I'm ready to help you on your way to a start.

I'm ready to make it easy for you to get 12 weeks of real shop training in **ELECTRICITY**—training that can help you toward a better job.

This is no correspondence course I'm talking about. You do actual work right in my Chicago shops—real work on real generators, motors and dynamos. You do house wiring and wind armatures. You work in many other branches of electricity. And right now I'm including valuable instruction in Diesel, Electric Refrigeration and Air Conditioning. Also, I'm including an extra 4 weeks course in Radio at no extra tuition cost.



**HOUSE WIRING**  
only one of the many branches you "Learn By Doing"



Coyne has first class instructors to teach you the simplest things to start with and they have the equipment to show you these things as you advance.  
Ben Rickman, 5 Car

AN EXTRA  
**4 WEEKS**  
COURSE IN  
**RADIO**  
INCLUDED



### I'LL FINANCE YOUR TRAINING

You can get this training first—then pay for most of it later in 12 easy monthly payments, starting 60 days after your 12 weeks training period is over.

If you need part-time work to help out with expenses while training in my shops, my employment department will assist you. And after graduation, you'll get lifetime employment service. Mail the coupon today and I'll send you my big free book filled with interesting facts and pictures of students at work—doing the same things you will do. I'll also tell you about my "Pay After Graduation" Plan and how many of my students earn while learning. Fill in, clip, and mail the coupon today.

H. C. LEWIS, President

**COYNE**  
ELECTRICAL SCHOOL  
500 S. Paulina St. Dept. B9-81 Chicago

**MAIL THIS COUPON NOW**


H. C. Lewis, President  
COYNE ELECTRICAL SCHOOL  
500 S. Paulina St., Dept. B9-81 Chicago, Ill.  
Please send me free your big catalog and full particulars of your "Pay After Graduation Plan"—also other facts, including offer of extra 4 weeks Radio Course at no extra tuition cost.

NAME.....

ADDRESS.....

CITY.....STATE.....

1939 Edition Just Off the Press!



Your Money Back—

IF THE **RADIO AMATEUR COURSE** DOES NOT REPRESENT THE GREATEST BOOK VALUE EVER OFFERED TO THE RADIO "FANS" FOR **50c**

**T**O convince you that there isn't a better book buy today, the publishers of the **RADIO AMATEUR COURSE** make the sensational offer of a money-back guarantee on such a low-priced book. Stop in at any of the many dealers listed at the right and examine this volume. See for yourself if the **RADIO AMATEUR COURSE** isn't just the book you've always wanted.

Printed on the finest coated paper—well illustrated attractive 4-color cover—complete with radio information you must have. It contains a step-by-step program for obtaining a short-wave radio education.

Written by George W. Stuart, W2AMN,  
foremost short-wave authority

**148 PAGES**

6¼ x 9½ INCHES

**OVER 150 RADIO DIAGRAMS  
and TECHNICAL PHOTOGRAPHS**

**RADIO AND TELEVISION**

99 Hudson Street, New York, N. Y.

All Prominent **RADIO DEALERS**  
Ready to Show You This Big Book!

- ARIZONA**  
Sam's Cigar Store, 127 N. First Ave., Phoenix.
- CALIFORNIA**  
Scott Wholesale Radio Co., 344 E. Fourth Street, Long Beach.  
Offenbach Electric Co., Ltd., 1452 Market Street, San Francisco.  
Zack Radio Supply Co., 1426 Market Street, San Francisco.
- COLORADO**  
Auto Equipment Co., 14th at Lawrence, Denver.
- CONNECTICUT**  
Radio Inspection Service Co., 237 Asylum Street, Hartford.  
Stern Wholesale Parts, Inc., 210 Chapel St., Hartford.
- GEORGIA**  
Wholesale Radio Service Co., Inc., 130 W. Peachtree St., N. W., Atlanta.
- ILLINOIS**  
Allied Radio Corporation, 628 West Jackson Blvd., Chicago.  
Newark Electric Company, 226 W. Madison Street, Chicago.  
Wholesale Radio Service Co., Inc., 901 W. Jackson Blvd., Chicago.
- INDIANA**  
Van Sickle Radio, Inc., 94 West Ohio Street, Indianapolis.
- MASSACHUSETTS**  
Greater Boston Distributors, 40 Waltham St., Boston.  
H. Jappe Co., 46 Cornhill, Boston.  
Wholesale Radio Service Co., Inc., 110 Federal Street, Boston.  
Springfield Radio Co., 397 Dwight Street, Springfield.  
H. Jappe Co., 37 Mechanic Street, Worcester.
- MICHIGAN**  
Risi Brothers, Inc., 5027 Hamilton Ave., Detroit.  
Risi Brothers, Inc., 443 S. Division St., Detroit.
- MISSOURI**  
Modern Radio Company, 409 No. Third Street, Hannibal.  
Burstein-Applebee Co., 1012-14 McGee Street, Kansas City.  
Van Sickle Radio Co., 1113 Pine Street, St. Louis.
- NEBRASKA**  
Radio Accessories Company, 2566 Farnam Street, Omaha.
- NEW JERSEY**  
Arco Radio Co., 227 Central Avenue, Newark.  
Wholesale Radio Service Co., Inc., 219 Central Avenue, Newark.
- NEW YORK**  
Wholesale Radio Service Co., Inc., 542 E. Fordham Rd., Bronx.  
Wholesale Radio Service Co., Inc., 90-08 166th Street, Jamaica, L. I.  
Blair, The Radio Man, Inc., 64 Dey Street, New York City.  
Radio Radio Co., 84 Cortlandt Street, New York City.  
Federated Purchaser, Inc., 25 Park Place, New York City.  
Harrison Radio Co., 12 West Broadway, New York City.  
Sun Radio Co., 212 Fulton Street, New York City.  
Terminal Radio Corp., 80 Cortlandt Street, New York City.  
Thor Radio Corp., 60 Dey St., New York City.  
Try-Me Radio Co., Inc., 85 Cortlandt Street, New York City.  
Wholesale Radio Service Co., Inc., 100 Sixth Avenue, New York City.
- NEW YORK**  
Radio Parts & Equipment Co., 244 Clinton Avenue No., Rochester.  
M. Schwartz & Son, 710-712 Broadway, Schenectady.
- NEW HAMPSHIRE**  
Radio Service Laboratory, 1187 Elm Street, Manchester.
- OHIO**  
News Exchange, 51 So. Main Street, Akron.  
Canton Radio & Supply Co., 1140 Tuscarawas Street, W., Canton.  
United Radio, Inc., 1103 Vine Street, Cincinnati.  
The Hughes-Peters Electric Corp., 178-180 N. Third Street, Columbus.  
Standard Radio Parts Co., 185 East Second Street, Dayton.
- OREGON**  
Portland Radio Supply Co., 1300 W. Burnside Street, Portland.
- PENNSYLVANIA**  
Radio Distributing Co., 1124-26 Market Street, Harrisburg.  
M. & H. Sporting Goods Co., 512 Market Street, Philadelphia.  
Cameradio Co., 963 Liberty Ave., Pittsburgh.
- RHODE ISLAND**  
W. H. Edwards Co., 32 Broadway, Providence, R. I.
- TEXAS**  
Amarillo Electric Co., 111 East 8th Avenue, Amarillo.
- UTAH**  
O'Loughlin's Wholesale Radio Supply, 315 South Main Street, Salt Lake City.  
Radio Supply, Inc., 46 Exchange Place, Salt Lake City.
- WASHINGTON**  
Spokane Radio Co., Inc., 611 First Avenue, Spokane.
- WISCONSIN**  
Radio Parts Co., Inc., 536-538 W. State Street, Milwaukee.
- AUSTRALIA**  
McGill's Agency, 183-184 Elizabeth Street, Melbourne.
- CANADA**  
The T. Eaton Co., Ltd., Winnipeg, Manitoba.  
Canadian Electrical Supply Co., Limited, 285 Craig Street W., Montreal, Que.  
Metropolitan News Agency, 1248 Peel Street, Montreal, Que.
- CUBA**  
The Diamond News Co., Palacio Asturiano, Por San Jose, Habana.
- ENGLAND**  
Gorrinco's American News Agency, 9a, Green Street, Leicester Square, London, W.C.2.
- HOLLAND**  
Radio Peeters, Van Wovstraat, Amsterdam, Z.
- INDIA**  
Empire Book Mart, Box 631, Bombay.
- MEXICO**  
American Book Store, S. A., Avenida Madero 25, Mexico City.  
Central De Publicaciones, Avenida Juarez, 4, Apartado 2430, Mexico, D. F.
- NEW ZEALAND**  
Te Aro Book Depot, Ltd., 64 Courtenay Place, Wellington.
- SOUTH AFRICA**  
Technical Book Co., 5, Strand Street, Cape Town.

If this book is not at your dealer's, send your order directly to us. We will credit your dealer with the sale of this book. To order your copy of **RADIO AMATEUR COURSE**, fill in coupon below and mail.

**RADIO AND TELEVISION**, 99 Hudson St., New York, N. Y.

Gentlemen: I enclose herewith my remittance of Fifty Cents (50c) for which please send me **POSTPAID**, my copy of the **RADIO AMATEUR COURSE**. (Remit by check or money order; register letter if you send cash or unused U. S. Postage Stamps.)

Name .....

Address .....

City ..... State ..... R&T-7-39

## Planning Programs for TELEVISION

By Thomas H. Hutchinson

Manager, Television Program Division,  
The National Broadcasting Company

● THE air is full of cheers for the new scientific miracle of television. The moment the National Broadcasting Company flashed its first air picture of President Roosevelt opening the New York World's Fair of 1939, a tumultuous welcome of "Television Is Here!" arose from the press of the nation.

It certainly is true that television is here. The engineers have brought the science to an amazing degree of perfection in the decade or more they have been working on it. None can deny that the steady, brilliant raster is a major engineering achievement. But that still leaves unsolved the perplexing problems facing the *program director*. We directors have to fill that frame with interesting program material.

The television staff of the National Broadcasting Company has been tussling with the new art's basic problem for three years. We have learned and unlearned. What apparently was clearly established in one show, was frequently just as decisively disproved in the next. Nevertheless we have much to show for our three years of research and experiment. We know that some program material does not readily lend itself to television, that other material does. We know the reaction of the iconoscope to different colors and fabrics, we know something about the construction and design of sets and we are acutely aware of the problems of lighting and camera technique. All these things are tremendously valuable. Anyone who goes into television programming will have to acquire similar experience in exactly the same way we did at NBC.

This experience, however, has not supplied the answer to television's fundamental program problem. Briefly stated, this problem is to get the right material and present it in the right way. By the "right material" I mean program subject matter that will hold the interest of a man and his family gathered in front of a home receiver. That program may be dramatic, slapstick comedy, a musical number, an educational program. More exactly, the viewer may want "Sherlock Holmes," a fashion show, Jane Froman or Marcy Wescott or Helen Morgan. He may demand Fred Waring and His



Thomas H. Hutchinson, the Ziegfeld of NBC television, who plans the programs for "lookers-in."

Pennsylvanians, "Fats" Waller, Sheila Barrett or Gertrude Lawrence. Perhaps a program revealing the microscopic jungle in a drop of water, one bringing ordinary Americans on the screen to tell of their attitudes on various problems, or "special event" coverage of outside news happenings will be the most popular item on the program schedule. All these people and things, and many more, have been televised by NBC. They may partially answer the problem of the "right material." It is up to us to find out.

The obvious thing to do is to take proven acts and personalities from the stage and motion pictures and place them before the Iconoscope camera. We have done a lot of that at Radio City. Success in any already established medium, however, is no guarantee of even the slightest success in television. Time and again we have brought in sure-fire material from the stage and vaudeville only to watch it die miserably on the television screen. Personalities who carried

their audiences along by continuous and violent expression of seemingly limitless energy have fared particularly badly in television. At the other extreme, acts and personalities relying almost entirely on technical perfection have scored no tremendous hits with the NBC audience. Were I to hazard a guess, I should say that a happy mean here is the thing to strive for. One of our early successes was a girl violinist, whose ingenuous youthful charm immediately captivated all who saw her in the television screen. This one quality—*personality*—expressed in a smooth, easy manner, is at present one of the most important elements in television success, as far as the performer is concerned.


News, news while it is still happening, is one of the "musts" of television. However limited we may have been in televising the President at the New York World's Fair, it was a tremendous success. So will many other similar events be successful in the future. The problem here is to fit camera technique to situations over which we have no control. We cannot ask the President to accommodate himself to the demands of the Iconoscope to the disadvantage of newsreel cameras, microphones and the present visible audience. We have to fit our cameras into the general scheme of things, supply them with lenses that will pick up *close-ups* and *long shots* of the event. We will have to deploy a battery of Iconoscope cameras to get different angles of the televised subject. When our mobile unit goes to cover football and baseball games, tennis matches, races, military manoeuvres and other outdoor events these will be the requirements of the job.

At their best, outdoor light conditions are ideal for television. The "catch" is that light seldom remains stable for any length of time on most days when we want to televise outdoor events. Those who witnessed NBC's inaugural telecast were certainly aware of the handicaps a fickle sun can lay on television. To offset this, of course, we may have in the near future new Iconoscopes of far greater sensitivity than any we have yet used.

(Continued on page 167)

Twenty-ninth of a series of  
"Guest" Editorials

# THEATER TELEVISION




Left—Large image projector and screen, as installed by the Baird Company in a London theater. High intensity cathode-ray tubes are used.

Right—Front view of the Baird television projector in a London theater.

Below—Interior view of the theater television projector, showing the control switch-board and the high voltage cathode-ray tubes. (One is a spare.)

in New York to demonstrate large size television images. How soon American theaters may adopt large television screens can only be answered



when we really have more television transmitters installed and in regular daily operation in such cities as Chicago, Philadelphia, etc.

The success of the Baird television projector is based on the production of an intensely brilliant image on the end of a 16-inch cathode-ray tube, the image being built up on a fluorescent screen measuring 4.4 by 5.5 inches. This screen is mounted inside the C-R tube in such a manner that its front face is scanned obliquely by the electron beam, and any distortion is compensated for electrically.

(Continued on page 180)

● ACCORDING to reports, a number of theaters in England are being fitted with giant image television apparatus, whereby sporting events and "spot news" can be flashed on the theater screen. The latest advice from London is to the effect that the Gaumont-British New Victoria Theater in London has been equipped with the world's largest television screen, measuring 15 by 20 feet. The previous theater installations employed a screen 12 by 15 feet.

The television apparatus itself is built in dual fashion, as the accompanying photo shows, one of the cathode-ray tubes being a spare. As will be seen, the Baird projector is placed in the center of the main floor, some of the seats being removed to provide space for the apparatus. Loud-speakers for the television sound are placed on either side of the stage.

Engineers of the English Baird Company are now

## TELEVISION SHOWS FASHIONS THROUGHOUT STORE



● A LARGE New York department store (Bloomingdale Bros.) recently had the distinction of presenting the first television fashion show in a store. The complete television installation was made by the American Television Corporation, including a studio with television camera, lights and sound pickup. In this way, the models, wearing the latest style hats, moved before the television camera, and the customers in various parts of the store could see these styles projected on special cathode-ray tube receivers known as "kinets."

Scene in television studio of New York Department Store, showing model on rolling platform. After announcer's description of hat, model steps off platform, puts on another bonnet and mounts other end of platform. The American Television Corp. equipped the studio with camera, lights and micro-phones.

Tomorrow television may find a tremendous field for application in stores, hospitals and other similar institutions where it is desirable to project images at various locations throughout a building or plant.

A customer purchasing, let us say, a pair of shoes, may watch the latest millinery styles on one of these television projectors installed in the shoe department, and before she leaves the store, she may buy a new



(Continued on page 180)



# TELEVISION

## at the New York World's Fair

The G.E. Co.'s television exhibit at the New York World's Fair. Photo at right shows William Mulvey interviewing a Fair visitor in the television studio. The public gets a big kick out of these demonstrations, as they see the images of their friends on the screens of the television receivers shown at the left of the picture below. The television amplifiers appear in the small picture below at right.



Above—Radio equipment in the Living Room of Tomorrow at the New York World's Fair. This was designed by John Vassos for the RCA exhibit. "A" is the Television and "broadcast" sound receiver; "C" is the home movie projector which flashes pictures on the opposite wall; "B" is the facsimile receiver.

● SO popular are the television exhibits at the New York World's Fair that extra guards frequently have to be called to handle the crowds. The popularity of television is due apparently to the fact that the public is surprised at the greatly improved images seen with the modern television system. In all television exhibits at the Fair, including those staged by RCA, General Electric and Westinghouse, the studio transmitter is connected by means of a wire or cable to several receivers. In the G.E. demonstration, the person being interviewed before the television camera may be seen by the public through a glass partition, and the televised image can be viewed on the battery of receivers at the opposite side of the room, as the pictures here-with show.

Great interest is manifested by the public as to where they can purchase television receivers, the cost of the different size receivers, what programs are on the air and when, etc.




Above—Transparent RCA television receiver at the World's Fair. Set has 12-inch tube.







Left — Television image of David Sarnoff, President of RCA, as seen on receivers in Radio City, New York, after being flashed from the television antenna at the N. Y. World's Fair.

Right — Mr. Sarnoff being televised by the portable RCA television camera at the RCA Building at the Fair. Images picked up by the mobile truck are flashed 8-miles, from the Fair to New York City.



# HOW GIANT *Image Tubes*

H. Winfield



● RECENTLY the writer had a very interesting visit at the Du Mont Television Laboratories, Palisades Park, N. J., where he witnessed excellent reception of the NBC television broadcast at 11:00 a. m.

Even though the Du Mont Laboratories are located 10 miles from the NBC transmitter atop the Empire State Building in New York City, the images—picked up on

the new Du Mont console receiver, equipped with a 14" cathode-ray tube—were clear and steady. This particular model was also fitted with an all-wave broadcast receiver.

The Du Mont plant is very busy producing television receivers and, at present, has orders far in advance of production. They are concentrating on the large 14" tube television receivers but expect later to build models with smaller size cathode-ray tubes. An 8" x 10" image is obtained with this 14" tube, and the sound reproduction is of excellent quality.

While watching the image on the 14" tube receiver, it was interesting to note that no frequent readjustment of any of the sweep or tuning controls was necessary, and the image remained very steady on the face of the tube. The image and sound were picked up on horizontal doublet aerials placed on the roof of the factory, the doublets being about 20 feet above the roof of the three-story building. There is plenty


of rolling country in between the receiving and transmitting antennas, but it is possible to see the top of the Empire State Building on a clear day. However reception is reported in locations behind hills.

The manufacture of the large cathode-ray tube proved very interesting. A surprising fact is that all the metal parts, such as the deflecting plates, electron gun, electrodes, etc., are made of pure nickel (due to its high ductility, etc.), the only other metal being the Dumet alloy wires passing through the glass wall. On such large cathode-ray tubes, the atmospheric force reaches the astonishing figure of 5 tons.

A heavy plate glass window is placed in front of the C-R tubes in the receiver to protect the viewers in the event that a tube should happen to collapse, but so far none have. The wall in these 14" tubes is about 1/4" thick and is made of pyrex glass.

One of the first manufacturing steps is to thoroughly clean the hand-blown glass bulb, both inside and out. Next, the fluorescent chemical coating is placed inside the tube by a spraying process; and the tube is then baked. A coat of aquadag (graphite) is placed on the inner wall of the cone-

Fig. 5 shows glass expert fusing electron "gun" unit into position. 6—Heating internal metal units with high frequency currents.



# TELEVISION

## Are Made

Secor

Among other novel ideas devised by Du Mont engineers are a new system of interlaced scanning and a method of transmitting the sweep pulses with the image signal — all on the same wave.

shaped section; this is later used as a grounded electrode. In another section of the tube assembly department, experts mount all of the nickel deflecting plates, electron gun, etc., in the glass stem, which is later to be welded to the small end of the pear-shaped glass bulb. All of the electrodes in the stem have to be mounted accurately in line by means of jigs. An expert glass worker next takes one of the completed stems with its nickel electrode assembly (which also include the cathode heater) and proceeds to fuse this glass stem or base onto the smaller end of the large 14" C-R tube, with the aid of several extremely hot gas flames. It takes about three hours to put one of these giant image tubes through its manufacturing stages, including the exhausting process.

The assembly of metal and glass parts is mounted on a glass envelope which is generally funnel shaped, and sealed in place. A glass tube, giving access to the inside of the glass bulb, serves for pumping the air out of the glass envelope. While the pumping operation is being conducted, the glass envelope is subjected part of the time to bak-

ing in an oven which is part of the exhaust equipment, at a temperature of approximately 750° F. This baking drives off moisture which might otherwise remain inside the tube. An interesting point in passing is that while the tube is being exhausted, an image from a laboratory transmitter is flashed on the chemical (fluorescent) screen of the tube, so that if there is any defect in the tube, it can be detected at this stage, instead of having to waste further manufacturing time on a defective tube.

While the tube is passing through the exhausting stage, any occluded gases (gas trapped in between molecules) in the metal electrodes, or in the surface of the glass, are driven off by heating and carried out through the exhaust pump. The metal parts within the tube are heated by high frequency induction coils, placed on either side of the neck of the tube.

The metal parts attain temperatures up to 1850° F. during bombardment. The bombardment serves to free metal parts of gases. The construction and assembly of the cathode-ray tube calls for exceptional accuracy. The parts must be very accurately positioned and spaced, since such details affect the quality of finished tube. Also, the metal parts must be imbedded in the glass, which again calls for great skill on the part of workers familiar with glass working. The cathode-ray tube plant must have skilled glass applicators to take care

(Continued on page 181)

The illustration at the right shows progressive steps in the manufacture of a 14" Television image tube.




Fig. 7—The Du Mont television tubes are tested at high pressure in compressed air tanks. 8—The finished 14" cathode ray image tube in a receiver.


Photos courtesy Du Mont and Int. Nickel Co.




# WORLD WIDE RADIO DIGEST

“**S**TEREOSCOPIC television is a problem comparatively easy of solution,” says Arthur R. Coussens, writing in *World-Radio*. Mr. Coussens believes that it will not be necessary to have two receivers, or even two pick-ups. He feels that a split image at the pick-up and dual projection on a single tube, super-imposed but of complementary colors, such as red and green, could be used. Similarly colored spectacles used by the viewer would solve the problem quite simply, he believes. The publication, however, points out that it would be necessary to use two separate channels to transmit the images. *R. & T.*, on the other hand, feels that separate channels might not be necessary, for each picture could well contain half the usual number of picture elements.

Another means of achieving stereoscopic television is through the use of two 1-inch cathode ray tubes, mounted in a pair of oversize spectacles, so that each eye views the image projected for it.



**A VIATION RADIO:** The map reproduced above tells the story of a radio telephone system recently installed by Western Electric Co. for the Glenn L. Martin Company to enable pilots and aeronautical engineers to converse while giant Martin flying boats soar above Chesapeake Bay during test flights. The miniature inter-communicating system, the most comprehensive of its type ever built, simultaneously links the Martin plant with the aircraft, two surface vessels, the U. S. Coast Guard, and telephone systems on land. It is intended primarily to increase the safety of the men testing the planes.



**WILSON E. BURGESS,** of Westerly, R. I., is smiling, and no wonder! He was selected as the winner of the annual William S. Paley amateur radio award for 1939 (insert, left) because of the heroic work he performed during the great New England hurricane of 1938.

Burgess, who works for Montgomery Ward in Westerly, assembled all available batteries and took them to his home when he foresaw


that an emergency might arise. When the power lines went out, he established the only communication between his city and the outside world. For 46 hours, with trees and houses falling about him, he kept his transmitter working to handle rescue messages for the Red Cross. The award, shown in the insert, is a small replica of the silver trophy.

**TWO YEARS** in jail is the penalty for repeating to others any information gathered from foreign broadcasts considered harmful to the welfare of the Nazi party, if you live in Germany. Five years may be the penalty if, instead of whispering such information to one friend, you circulate it publicly. But if a group of people gets together and listens to a broadcast from Moscow—ah! that is high treason and the headsman's gleaming axe awaits you. All this is on the authority of *Deutsche Justiz*, the official German organ, which certainly should know!

**WHAT PERCENTAGE** of the public reads the radio gossip and programs in the daily newspapers? That is the question which *Fortune Magazine* asked a representative group of American newspaper readers. According to the survey, reproduced with the magazine's permission, 31.7% are habitual readers, 33.5% are occasional readers, and 34.8% do not read such material. Of those who habitually read the radio columns of the papers, 53% find them helpful in choosing their programs, 25.9% find them helpful only occasionally, and 21.2% do not find them useful.

**RADIO FARM:** According to the exhibit of the United States Steel Corporation at the New York World's Fair, radio beams will direct every activity from sowing to shipping on the farm of the future.

Walter Dorwin Teague designed the exhibit to illustrate how steel might function in future farming. The heart of this conception is the radio control tower (shown below) from which the futuristic farmer sends wireless impulses to the machines which sow, cultivate, irrigate, reap, can or freeze, pack and ship the products of his broad, shining acres.



**T**HE BELGIAN National Broadcasting Institute has a new home with 21 studios. Adjacent to all studios are the necessary control rooms, and the whole building is protected from cellar to roof with a Faraday cage.

**M**AGIC EYE is the name given to a new device to help airplane pilots pierce the fog. Developed by John Logie Baird, noted television pioneer, this apparatus will enable planes to see from 50 to 100 miles in any direction. It picks up the image of the terrain and projects it onto a ground glass screen in the control panel. Although it has been tried out extensively over London, the secret of its operation is being closely guarded because of its potential value in time of war. It has also been tried out on boats and has been found capable of penetrating fog—a characteristic of great value in and around London.

**R**ADIO ENGINEERS of the Norsk Riksringskasting, Norwegian State Broadcasting of Oslo, Norway, made a tour of the United States to record the folk life of our Norwegian citizens, using Fairchild sound recording equipment. They prepared transcriptions which will be broadcast over radio stations in Norway some time in the future. The purpose of the series will be to build a better understanding between the two nations.



quency response of 40 to 10,000 cycles. Its efficiency is said to be extremely high. In the photograph above, E. W. Petersen, of the Norwegian group, is shown operating the recorders.

**C**O-AXIAL CABLE will be used to transmit television programs from the London Coliseum to Alexandra Palace, according to *Television and Short-Wave World*. This indicates that the cable is satisfactory for carrying the high frequency video signals, even though it has not as yet been used for extreme distances, says the magazine.

Television pick-ups have been installed at the side of the orchestra, about half-way back in the Coliseum, to give comprehensive long shots. The use of telephoto lenses will provide close-ups of all actors on the stage when desirable.


(In the United States, both the NBC and the CBS plan to televise theater stages.)

There is also a new 150-foot television receiving aerial erected at Swain's Lane, Highgate, 400 feet above sea level. This runs next to the cable linking Alexandra Palace and Broadcasting House. *World-Radio* states that this new receiver will be used for nearly all outside broadcasts requiring a radio link.

**C**INCINNATI has already been tested as a location for television transmission. The Crosley Corporation has installed its experimental television broadcasting apparatus in the Carew Tower, 574 feet tall, and demonstrated a pick-up to the press. Although there have been no programs as yet, Crosley engineers using telephoto lenses have televised buildings and landscapes in Ohio and Kentucky. The Corporation has announced that although a number of television receivers have been constructed in its laboratory, no definite plans for production, marketing or pricing are as yet ready. These plans will depend upon the general public's acceptance of television.

**M**ANY British receivers are now being made with loud speaker jacks to permit the installation of remote loud speakers—an idea that American manufacturers might well copy.

# WORLD WIDE RADIO DIGEST



**R**OBOT RADIO COP: Last month *RADIO & TELEVISION* made mention of a new radio highway safety device. This apparatus is shown in the photograph above.

It incorporates a magnetic tape sound recorder, amplifier and loud speaker, which can shout a traffic bulletin or safety message to pedestrians or motorists. In addition, there is a miniature low-powered transmitter to be operated on an unoccupied frequency at the lower end of the broadcast band. This will feed its signals into a wave-guide cable, laid in or next to the highway, to transmit messages to be picked up on the auto radios of passing cars. Attention of motorists will be called to these transmissions by means of highly visible signs.

A telephone line may link the units to a control headquarters. This will enable an operator to change the message recorded on the steel tape by remote control.

(Continued on next page)

**T**RANS-ATLANTIC CLIPPER: Shown at the right, through the courtesy of Pan American Airways, is the radio room of Yankee Clipper No. 17, from which the Columbia Broadcasting System plans to transmit during an ocean flight. The transmitter to be used in this history-making event is WCBN, a 100-watt job, with a frequency range from 1600 kc. to 23 mc. It has been licensed to use eight special frequencies within that band.

This transmitter weighs less than 1000 pounds.





(Continued from preceding page)


## Television Truck ▲

SO popular is television in England that a leading service engineer has equipped his truck especially for television servicing, as shown in the picture above. On the roof of the car is an extension ladder to which is affixed an antenna for making quick tests of new installations. In the interior of the truck is all the necessary equipment for demonstrating television images and for checking the receivers. With this mobile unit, the television installation man is ready to climb the roof of any ordinary dwelling in perfect safety to erect the antenna necessary for securing satisfactory reception. All tools are contained in compartments within the truck's body.

## U.H.F. Tube

A NEW vacuum tube, described in the *Bell Laboratories Record*, is for use in the ultra high frequency range of 30 to 300 mc. Recently developed by the Laboratories, it has a plate dissipation of 50 watts; as an oscillator it will deliver as much as 75 watts. It may be used in a standard 4-terminal socket, as its terminals are brought out through a lavite plate with standard prongs.

It is interesting to note that one of the prongs is a center-tap on the filament. The fifth terminal is a cap on top of the molded glass envelope of the tube.



## Dowd Wins ➤

OWEN J. DOWD, W2JHB, Brooklyn, N. Y., is the winner of the Hiram Percy Maxim Award for outstanding activity in the amateur field for 1938. The award, pictured at the right, is a miniature replica of the "Wouff-Hong," revered emblem of the radio amateurs. Dowd, a red-headed youth of 21, is a teletype operator for the Union Pacific Railroad and uses home-made radio equipment almost exclusively. Dowd is not married, but he has a YL and she's learning the code.

He was selected by his fellow Hams as the 1938 winner for many reasons, among them his volunteer work in helping the "QSL Bureau" at Helmetta, N. J., distribute veri cards. He is also known for his interest in helping SWL's learn the code, secure their licenses, build their equipment and install their antennas.

In addition to the trophy, each year's winner of the award, who incidentally must be under 21 years old, receives \$100 cash prize.

## Pilotless Airplanes

THE United States will be by no means behind in the air if we do have a war. Inventor W. L. Maxson has devised a means for radio-control of airplanes, and two experimental models are being built by the Brewster Aeronautical Corporation, according to the *New York Times*.

Military experts see the possibility of using such planes in flying mass formation for bombing attacks, without risking the lives of pilots.

## Television Transmitted on Telephone Lines

THE greatest advance in television technique to be made in recent years was the transmission of the Six-Day Bicycle race from Madison Square Garden by RCA and NBC.

Heretofore, costly co-axial cable or expensive radio relay stations have been necessary to link a remote point with a transmitter. Now, through the efforts of Bell Telephone engineers working with those of the manufacturing and broadcasting company, there has been devised a way of making the hook-up by means of inexpensive telephone circuits.

Alfred H. Morton, NBC Vice-President in Charge of Television, says, "This first test is of tremendous significance. Essentially, it means that New York City will be turned into one vast outdoor theatre for television pick-ups."

Even more important is the possibility of intercity telephone line linkage for television. Although the circuit, which employed new amplifiers and equalizers, was only approximately 1 1/3 miles long, it may be possible to increase this distance greatly. If this were done, television networks, similar to present radio networks, may soon span the United States, bringing television to persons in both town and country.

## Awards of Honor

THE Lawrence Sperry award for 1938 was given to Russell C. Newhouse, Western Electric Engineer, by the Institute of Aeronautical Sciences. The award was made for Mr. Newhouse's development of the *terrain clearance indicator*, described in a previous issue of RADIO & TELEVISION.

The Sylvanus Albert Reed award was presented to Professor A. V. de Forest of M.I.T., for his development of a method for magnetically testing airplane structural materials.



# Mechanical Scanning— It's Done With Mirrors

William H. Priess

Electronic scanning is being widely used today—but proponents of mechanical scanning (by mirror or similar optical systems) believe they will be able to provide larger images at less cost. A novel system of scanning by means of an oscillating mirror is here explained by its inventor.



The author, William H. Priess, well-known radio engineer and exponent of mechanical scanning. He promises "large image" home televisions at lower cost.


● H. I. PHILIPS in his column in the *New York Sun* frequently sums his solution of a complex problem with the terse remark, "It's done with mirrors." And yet that seriously may be the answer to many of the technical headaches of television.

A mirror is an extremely simple device. It can control a multiplicity of beams of light simultaneously without introducing interference of one beam with another. It doubles the angle of motion of a beam of light. If it is moved at the same time in two directions, it will produce a projected area of light that can cover a screen of any desired dimension. It operates equally well on low and high light intensities. It does not separate out light with frequency discrimination as does a lens. Its efficiency is high and fairly flat with respect to light frequency. It can be shaped to suit a desired focus; it is cheap and it is durable. These are but a few of its properties.

Basically, television is concerned with an accurate and repeated high speed motion of a beam of light. At the studio, the beam is usually reflected point by point from the subject matter. At the receiver the image is recreated by a modulated moving beam of light.

It does therefore seem that the mirror has a place in the television art, for its properties make it ideal as an element for efficiently effecting the motion of one or

more beams of light. Modulation at both the transmitter and the receiver is a comparatively simple problem and therefore can be dropped for a moment in this discussion. This then reduces our analysis to the mechanics of the moving mirror, and the additional prime condition that the solution shall provide for an exact synchrony



One model of Mr. Priess' oscillating mirror scanner. The magnet poles are just behind the mirror.

in phase as well as frequency, of the motions of the respective beams of light at the studio and at the receiver.


Possibly it is well to examine the systems of television using one or more mirrors as the essential scanning elements, by analyzing the most modern of the equipment using this principle. Roughly, the mirror art

divides into the *rotary* and the *vibratory* schools. The former goes back to Nipkow's scanner of 1884, the latter to the early oscilloscope, for their basic conception.

## ROTARY MIRROR SCANNER:

The most highly developed *rotary scanner* design is that produced by the British Scophony Co. In this design two mirror drums are employed. The drums are arranged with their axes of rotation at right-angles to one another. One multi-mirrored drum rotates at 30,375 revolutions per minute and scans the line. The second drum mounts twelve long mirrors and scans the frame. It rotates at 250 revolutions per minute. The standard design reproduces a picture comprising 405 lines per frame, and 50 frames per second. The set employs 39 tubes, including the sound (six tubes), and the rectifiers. Its source of light is a 300 watt pressure mercury lamp modulated by a special oscillating crystal device. The size of the received picture is


The Scophony mechanical "mirror" scanning system. Here the rotating mirror principle is employed, with a light valve to modulate the beam, as shown below.









Schematic diagram of the Priess mechanical scanning system, in which a metal mirror is vibrated by magnets. The light beam is modulated by a Kerr cell type of light valve.

twenty by twenty-four inches, or many times the size of any home television picture produced by the cathode-ray principle. Unfortunately the cost of this home receiver has been \$1,100, and this very materially restricts its market.

The Scophony design is an experienced compromise aimed at an attempt to balance  
(Continued on page 168)





### Twin-Triode 2 1/2 Meter Xmitter

**1** USING a twin-triode oscillator of low impedance, 10 to 15 watts of carrier power may be used from 112 mc. with the simplest equipment, according to *Television and Short-Wave World* (London). The apparatus described in that publication makes use of a wooden base-board 16" long by 3" wide. There are two .001 mf. fixed condensers, C1 and C2 on the diagram, and two .0005 mf. fixed condensers, C3 and C4. The copper tubes used are 12" long and 1/4"-1/2" in diameter, spaced 1 1/2" apart (centers) and supported on stand-off insulators. The resistances are a 15,000 ohm 4-watt resistor at R-1, a 200-ohm 8-watt resistor at R-2, and the usual humbucking resistor at R-3.

The tube employed was a Mullard TV03-10, the characteristics of which are: heater voltage, 6.3; heater current, .8 amp.; amplification factor, 13; maximum plate dissipation, 10 watts; maximum d.c. plate current, 80 ma.; maximum d.c. grid current, 25 ma. However, if the transmitter is correctly constructed, the input can be raised to 25 watts with only 300 volts "B".

The constructor suggests the tube be mounted horizontally to keep the grid leads short. In this way, also, the plates can feed directly into the two copper tubes. A semi-fixed shorting bar tunes the tubes. The grid coil L1 is wound with No. 16 tinned copper wire and consists of 7 turns, 1/2" in diameter, spaced to cover a distance of 1 1/4". With these specifications, the job should tune to 112 mc. The positions for attaching condensers C3 and C4 to the rods are found by experiment, different points being tried until maximum output is obtained.




### Home-Made Co-axial Cable

**2** R. L. FELLOWS, writing in *Practical and Amateur Wireless* (English), suggests a simple and easily made co-axial cable for home use. Mr. Fellows needed three feet of such cable, so he got a couple of hundred glass beads. He strung these on No. 18 wire and forced a piece of rubber tubing over them. This he slipped inside of a piece of braided copper shielding. Drops of solder on the wire prevented it from shifting through the beads, and tape over the end of the braided shielding prevented fraying. The shape of the beads permitted considerable bending of the co-axial cable.

### Television Explanation

**3** A SIMPLIFIED course in television is currently being written by E. Aisberg in *Television*, a French publication.

In Fig. 3A, the French writer shows how the lens in the human eye projects an image of an object (the arrow at left) to the retina. In Fig. 3B, he shows how an image may be projected by a lens onto the screen of a mosaic tube. His illustration indicates that if connection were made from this transmitting tube to a receiving tube, the various picture elements would reproduce the image. In Fig. 3C, he shows how, instead of a large number of connecting wires, one wire might be used, synchronized switches keeping the picture elements of the transmitter in step with those of the receiver. This is virtually what is done in television, the moving switch, however, being replaced by a moving beam of electrons, and the modulated carrier wave replacing the connecting wire. Fig. 3D gives a rough idea of how scanning is accomplished. Fig. 3E shows a more detailed illustration of what occurs in a simplified transmitter, and Fig. 3F shows the simplified receiver, using a mechanical system.



### Overcoming Harmanic Radiation

**4** MEANS of overcoming harmonic radiation are described by A. G. Chambers, G5NO, in *Wireless World* (English). In Fig. 4A, the author illustrates a simple Window or end-fed aerial system using a single-wire feeder. In Fig. 4B, he shows a Zepp feeder. The matching impedance section in the former system may be of a variety of couplers. He suggests that it be coupled into the PA by a low impedance line of the order of 80 ohms. This link may consist of standard twisted pair with coupling coils of one or two turns. Grounding the mid-point of the link at the PA side will form a Faraday screen that will not affect the output of the transmitter but will aid in the suppression of harmonics. A similar grounding system is also shown in Fig. 4B. The author suggests the use of current-fed aerials to decrease the radiation of even harmonics. He also lists three "don'ts": Don't use tubes in parallel, use them in push-pull; don't use a doubler for the final; don't use any more bias or excitation than necessary for efficiency.





### Airplane Antennas

**5** A PAPER read by N. F. S. Hecht at the Institution of Electrical Engineers of Britain, was reported in *Practical and Amateur Wireless* (English). In this paper, Mr. Hecht brought out a number of interesting antenna systems for airplanes. Fig. 5A represents a wingtip-to-tail aerial; 5B, a fore-and-aft single wire; 5C, the broad arrow type; 5D, the "Y" type; and 5E, a recent type which can be used on medium waves by connecting the dipoles as the two legs of a "T" antenna, the feeders then acting as parallel vertical radiators. Fig. 5F shows an early form of aerial using a weighted end. Frequently a snapping motion of the antenna broke it, thus reducing its efficiency. Subsequently, instead of using one heavy weight, a number of lighter units were used to distribute the weight and thereby decrease the chances of breaking the wire. This is shown in 5D. In America, however, the system in 5H has long been in use and has proven satisfactory.

### Vacuum Tube Voltmeter

**6** A SIMPLE vacuum tube voltmeter is described in *Popular Radio* of Denmark. It is interesting to note that the apparatus gives voltage indications *without the use of any meter whatsoever*. It uses a magic eye tube, whose voltage is controlled by the variable resistance R8 and by the input voltage. R8 is calibrated and its setting indicates the input voltage. The rest of the required parts are as follows: Resistors, R1—10 meg.; R2—2 meg.; R3—1 meg.; R4—5 meg.; R5—0.1 meg.; R6—50,000 ohm; R7—1 meg.; R8—50,000 ohm; R9—2 meg. Choke D.30henries. Condensers: C1—50 mf.; C2—8 mf.; C3—100 mmf.; C4—100 mmf.; C5—0.1 mf.; C6—25 mf.; C7—8 mf.; C8—8 mf. The tubes used in this circuit were made by Philips and were: V1—EBC-3, V2—EM1; V3—EB-4.

### Britain's "Wired Wireless"

**7** A "WIRED wireless" system for war-time use in Britain is described in that nation's *Wireless World*. As shown in Fig. 7, the apparatus will employ the 172, 216, 252.5 and 280 kc. channels. The purpose is primarily to avoid interference from hostile stations when information must be sent throughout the country.

### Simple Inductance Meter

**8** THE circuit shown in Fig. 8, taken from *Practical and Amateur Wireless* (English), shows a simple and inexpensive inductance calculator. While not highly accurate, it will at least show whether an unmarked iron core choke is 20 or 40 henries. The parts used are: A step-down transformer, a low-reading milliammeter, a pair of potentiometers, and a single-pole double-throw switch. Potentiometer R1 is 2000 ohms and adjusts the A.C. supply to the unit under test at X. R2 is 25,000 ohms for inductances up to 100 henries. The transformer should supply approximately

40 volts on its secondary and is most easily wound at home. Taps should be taken every 10 volts from the secondary winding, which may be wound with No. 30 enameled wire. To operate, R1 is connected to the lowest volt tap on the transformer and is set at a minimum, then adjusted until 1 ma. flows, as shown on the meter. Other taps are used if insufficient current flows. Then, with R2 at a maximum, the switch is thrown over to bring it into the circuit, and R2 is adjusted until 1 ma. flows again. The resistance of R2 is then measured with a voltmeter by the application of Ohm's Law. The inductance is found from the formula  $Z=2\pi fL$  where Z is the reactance of the component in ohms, f is the frequency of the A.C. supply and L the inductance in henries. Assuming the current supply to be 50 cycles, a reference to the following formulas will make the operation clear.

Suppose the voltage measured across R2 with 1 milliampere flowing was 12.5 volts. Thus the resistance:






$$E \times 1000 \quad 12.5 \times 1000 \\ = \frac{\quad}{\quad} = 12500 \\ \text{milliamps} \quad 1$$

From the above the inductance is calculated:

$$Z=2\pi fL=12500=2\pi \times 50 \times L \\ \text{Therefore inductance} \\ L = \frac{12500}{2\pi \times 50} = \frac{12500}{314} = 40H$$

### Radio Speed Indicator

**9** THE principle which states that if a source of waves moves relatively to an observer an apparent change of frequency (Continued on page 168)






### First Prize

#### Home-Made Co-Axial

Recently when I changed my QRA, I found that the only practical place at which to fasten the end of my antenna was on



the corner of the house about two feet from the window of my shack. I was immediately puzzled as to how to feed the antenna. Zepp feeders were obviously impractical because of the short length and the fact that they would have to make a sharp bend to go through the window. I could easily have made it end fed, with a single wire feeder, but I wanted a non-radiating feeder, so the answer was concentric cable. But boy, how that stuff costs! When I did finally buy the cable, all went well until I tried to bend it, then it cracked. Now comes the kink. The answer to my problem was 3/8" copper soft-drawn tubing with No. 14 insulated wire running through it. It is quite flexible, very cheap, and very ef-

fective. I located a Pi-tuning network under the eaves, and coupled the cable to the final tank by means of 2 turns around the cold end of the tank. This cable has an impedance of about 176 ohms with the tubing grounded.—*W8GCD*.

#### Pilot Lights for Tuned Circuits

Unless properly tuned, the buffer or amplifier stages of the transmitter will draw excessive current and damage the tube, unless battery bias is used. As my rig has cheap meters which can't be used in the circuit while the transmitter is in operation, I had to devise another system.


I bought a number of pilot light sockets with panel jewels and mounted them on the panel. I connected one in the crystal circuit of the oscillator and placed a 60 ma. bulb in the socket. Another one was connected in the positive B lead to the final stage and a Christmas tree bulb put into the socket. When the amplifier is correctly tuned, this bulb hardly glows, but if excitation fails or if the tank is detuned the bulb glows brightly, calling immediate attention to the trouble. By putting a bulb in every stage, tuning may be done with complete satisfaction. Christmas tree bulbs work best for tubes such as 10's, 801's or their equivalents. I have been using this method successfully for some time.—*Operator, Station W8QKA*.

# Radio Kinks

Each month the Editor will award a 2 years' subscription for the best kink submitted. All other kinks published will be awarded eight months' subscriptions to RADIO & TELEVISION. Read these kinks; they will be of real use to you, besides indicating what is wanted. Send a typewritten or ink description with sketch of your favorite to the Kink Editor

#### Inter-Office Communicator

A simple one-tube inter-office communicator can be made using only a 33 pentode tube at each




station. The accompanying illustration shows the circuit. The transformer can be purchased, or may be made by winding about 250 to 300 turns of No. 32 enameled copper wire over the secondary of an ordinary audio transformer. The metal chassis is used as a common ground. Plenty of volume and good clear output are secured with 90 to

135 volts of "B" battery. The microphone is of the single-button carbon type.—*Paul F. Hatten*.

#### Emergency Output Transformer

An old power transformer can be used as an output transformer in case of emergency. It will



match dynamic speaker voice coils or magnetic speaker windings to push-pull outputs. The various windings are shown in the accompanying sketch.—*H. H. Bloom*.

## NEW TELEVISION ANTENNA VERY FLEXIBLE

● ONE of the newest television receiver antennas of the doublet type, shown in the accompanying drawings, was designed by the engineers of Taco. As will be seen, it is very flexible, and the doublet can be moved to any desired angle, either horizontally or vertically. This is a very desirable feature for television receiving antennas, especially where they are to be erected in badly congested districts, such as in cities, where reflected waves may cause peculiar reception conditions. The aerial, in many cases, may have to be tilted to a certain angle in order to receive the best television signal.


A twisted pair transmission line or a co-axial cable may be used to connect the doublet with the television receiver. One of the drawings shows the clever double-swivel arrangement provided for the flexible support of doublet antenna and also the reflector. The reflector is mounted one-quarter wave length behind the antenna on a wooden cross-arm. A piece of iron pipe may be used to support the antenna array 15 to 20 feet above the roof or—better—a wooden pole may be employed for the purpose.

It is best to treat any wooden antenna parts with creosote or tar paint so that they

will withstand changing climatic conditions. If a twisted pair of rubber covered wires is used to connect the antenna to the television receiver, the wires should be kept away from

any grounded metal pipes, metal building structures, roofs, etc. The twisted pair should be supported with small sticks or insulators wherever necessary.


Fig. A—Swivel head; B—Flat mounting; C—Sidewall mounting; D—Reflector.



# TELEVISION


*Writer Tells How He Assembled*

## Part 2




Completed receiver, showing position of tubes, speaker and brackets.

Assembly Stage 4 is finished; all resistors are connected.



All the wiring has been done when the condensers are in, as shown below in the view of Stage 5.



● IN last month's RADIO & TELEVISION, the writer told his experiences in wiring up the first three stages of assembly of the Andrea KT-5-E television receiver kit. (For sight and sound—using 5 inch cathode ray tube for 3 x 4 inch image.)

In this article, the wiring of the final two assembly stages, alignment and antenna installation, and a few hints to builders, will be given.

Perhaps the simplest part of the job was Stage No. 4 and, oddly enough, it took far longer than any other part of the work.

There are some 70-odd resistors to be mounted in this stage, and one or two wires to be connected. The simplest way to do the work is first to sort the resistors, for the instructions are coded. For example, the sheet says, "Connect Resistor A to 6 of Socket B to 1 on Terminal strip I." The chart at the left-hand side of the instruction sheet tells you that there are two resistors of the "A" type. These are  $\frac{1}{4}$  watt resistors, the color coding of which is brown, black, green. It is very convenient to have all the resistors of the same wattage and of the same resistance value together, so that they may be picked out easily while you are working. Otherwise the job was handled in the same manner as the three preceding stages.

One instruction required a resistor to be connected from the mid-tap of the Horizontal Centering Control to an adjacent terminal strip, and stated that varnished tubing be placed over this resistor's leads to insulate it from the Picture Width Control. As the Picture Width Control is on the opposite side of the chassis, it was assumed that the insulation was to keep the leads away from the case of the Horizontal Centering Control. This assumption was correct.

In connecting a batch of resistors to a socket for a 6F8G (socket "G" on the instruction sheet), the writer found that by changing the order of the assembly, it was much easier to get at the socket terminals.

After completing the wiring of this stage, he made two checks. First, to see that all resistors were connected between the correct points and, second, to see that all were of the correct value. He found that he had made two errors in wiring and rectified them before proceeding to Stage No. 5.

Incidentally, while Stage 4 was one of the simplest jobs in constructing the receiver, it took  $6\frac{1}{2}$  hours to select the resistors, wire them up, double-check the circuit, and correct errors.

The fifth stage consisted of putting in the tubular condensers. This went like clock-work and required only 3 hours, 15 minutes. This time includes not only the wiring and double-checking of connections, polarity and values, but also includes mounting the panel supports and tube bracket on the chassis, and mounting the speaker and tube mask on the panel, attaching the panel to the chassis, and putting control knobs on. Finally the writer and a friend took two hours off and re-checked the entire chassis. When this was finished, the writer inserted the National Union tubes in their sockets, took two 5-foot lengths of bell wire and connected them directly to the antenna post of the receiver and grounded it at the proper post.

# IN 24 HOURS

a 16-Tube "Sight-and-Sound" Kit

**It Works—  
and HOW!**

## Robert Eichberg

### We See Our First Image!

Then, with a little fear and trembling, the receiver was plugged into the light socket and the switch turned on. It was the writer's good fortune that there was a test transmission on the air at the time. What he saw looked like a jittery design for a snake-skin rug. He then adjusted the controls and trimmers, as suggested in the final instruction sheet supplied with the kit. The design took form—with the NBC-RCA test pattern clearly visible. A few more turns of the controls and it assumed its proper proportions (the circles were round), but it could not be expanded to more than 2 x 3" without going out of synchronization. Later it was found that this was due entirely to the extremely sour antenna being used at the time. *When the writer put the Andrea Teleceptor on the roof of the house and dropped 150 ft. of their special lead-in cable down to the set, the image could be enlarged to greater than the area within the mask.*

At first he was able to get nothing but a rather unpleasant 60 cycle hum on the sound channel.

What to do?

Ah! He grabbed an insulated screw-driver and went to town on the audio trimmers. No results. Then he remembered—he was the bright boy who had given a spin to the Sound Separator Control when he first unpacked the set. He took the insulated screw-driver and fiddled around with this little trimmer for a few moments. Sound was heard, and a little more adjustment of the audio trimmers brought in the sound with clarity unequalled by any radio receiver he had ever owned before.


Still, with all that, results were slightly less than perfect. He had not yet learned to balance the contrast, brightness and focus controls against each other. He found out that by going up on the roof and turning the antenna, he was able to improve the picture at least 100%. There was an iron support for a water tank some distance from the antenna, and this apparently was setting up a reflection which caused ghosts in the images. However, when the antenna was correctly set in position, these disappeared.

Correct setting and operation of the panel controls, as well as those on the back of the chassis, is extremely important. It is possible to get a highly distorted image by misuse of the height and width controls, or to get a drifting image by improperly adjusting the vertical or horizontal hold controls. The writer deliberately made some experiments with these, as well as with the centering controls, to learn just what to avoid in setting up the apparatus for most efficient reception. *It is imperative that the image be well centered in the mask.* While the mask will be filled if the image, off center, is expanded to greater than normal size, such an image will not give faithful reproduction of what is taking place in the studio.

The writer found it desirable to set the height and width controls for an image considerably smaller than the opening in the mask and to center it accurately, before expanding it to the correct size. It is necessary to readjust the hold controls after changing the image size, but when satisfactory adjustment has been made, these do not need to be reset. In this way, perfect centering was assured.

As to the front panel controls, there is always a tendency to build up contrast to


(Continued on page 167)



▲ Above, top, the antenna is erected perpendicular to the beam from the transmitter. Detail of antenna construction appears in the panel.

▼ Below is an actual-size unretouched photograph of an image received with the assembled kit, taken by the author on "vest pocket" film.





Two views of Meissner Kit 17-tube Receiver.

# For the Home Set-Builder

## A 17-Tube Television Kit

If you like to "wire your own," here's a Television Sight and Sound Receiver using a 5-inch C-R tube.


● FOR the television enthusiast, a new kit has recently been made available, and the appearance of the completed television receiver is illustrated herewith. It provides a 3" by 4" image on a 5" cathode-ray tube.


A single dipole antenna feeds the *image* and *sound* signals into a common mixer tube. The tuning is greatly simplified as a common oscillator (6J5) is also supplied, so that the sound and television signals are tuned in all in one operation. The stations are selected by means of a switch, and the tuning inductances are pre-set by means of trimmer condensers.

After the image and sound signals leave the 1852 mixer tube, the sound component is shunted off into a *sound* amplifier, as the diagram shows. The image signal is filtered through a specially tuned output transformer and passes into the first picture i.f. amplifier employing an 1852 tube. The image signal is then passed through a second i.f. stage using another 1852 tube. Next the picture signal passes into the second detector, a 6H6, from which point part of the image signal passes into a 6F6 video amplifier, and then

(Continued on page 175)

Complete wiring diagram of 17-tube Television "Sight-and-Sound" receiver. It provides images 3x4 inches.





Above is illustrated the difference between half, full wave and bridge type rectifiers, and at the right—two different types of filters.

# Getting Started in Amateur Radio

C. W. Palmer, E.E., Ex. -W2BV

Fourth Article

● IN Part 2 of this series, details for the construction of a good beginner's ham radio station were given, including the crystal-controlled oscillator, and the power amplifier to operate on four of the amateur frequency bands. This constructional article also included a suitable power supply unit for the filaments and plates of the tubes.

This power supply unit was very similar in design and appearance to the units used in radio receivers and requires no detailed description in this series on amateur radio. However, in X-mitters of a larger size than our beginner's unit, where higher voltages and larger currents are required, the power supply design and construction are not so simple. It is for this reason that some consideration of the power requirements of modern Ham units is given here.

At this time, we might digress for a moment from the power supply question and think once again about the code test that must be passed before any radio transmitter can be "put on the air". It must be remembered that it requires constant atten-

tion to increase the keying speed and especially the copying speed to the required 13-a-minute. Lagging interest after a few months has caused many a would-be Ham to flunk the code test or even to give up the idea of owning an amateur station.

A renewed interest in copying either from a code machine, a helpful amateur with time to spare, or the slow transmissions on the air, at this time will cut down the "learning" time considerably and put your rig on the air that much sooner. Go to it, fellows!

### Rectifier Action


And now to return to *power supply* equipment. Practically all amateur transmitting equipment, with the exception of portable stations and some ultra-high frequency equipment which uses batteries, depends on the a.c. electric light lines for the source of power.

Vacuum tube rectifiers of either the *hard* or mercury-vapor types are used to convert this alternating current to direct current for the plate supply.

Do you know the difference between half wave, full wave and bridge rectifiers? The difference between condenser and choke input filters? What the action of a swinging choke is? These questions and others on Power Supplies are answered in this article.

Just how this conversion takes place can be understood from a study of the sketches in Fig. 1. At A is a visual representation of the a.c. wave form as it would be seen on an oscillograph. It will be seen that the polarity of the voltage goes through continuous reversals—first *positive*, then *negative*. The object of rectification is to transform this into a current which does not reverse but flows in only one direction. At B we see the secondary winding of a power transformer connected to a rectifier, the rectifier in this case being a vacuum tube containing a filament and a plate. This type of tube will pass current *in one direction*—from the filament to the plate—but will not carry current in the opposite direction. At the right of Fig. B we see the result of connecting this rectifier to the transformer. When current flows in the transformer in one direction, it can pass through the rectifier, but when it flows in the *reverse* direction, the rectifier prevents its flow. Since only half the pulses of current shown in A are used, this type of rectifier is called  
(Continued on page 182)

Below—Use of resistors across condensers to equalize the load on each (Fig. 3); Fig. 4 shows two types of full wave power supply units.



# World Short Wave Stations

*Revised Monthly*

Complete List of SW  
Broadcast Stations

Reports on station changes are appreciated.

Mc.	Call	
33.600	W3XEF	BALTIMORE, MD., 8.93 m. Operates Daytime. No schedule known. Poss. connected with W3XEY.
31.600	W1XKA	BOSTON, MASS., 9.494 m. Addr. Westinghouse Co. Daily 6 am.-1 am., Sun. 8 am.-1 am. Relays WBZ.
31.600	W1XKB	SPRINGFIELD, MASS., 9.494 m. Addr. Westinghouse Co. Daily 5 am.-12 m., Sun. 7 am.-12 m. Relays WBZ.
31.600	W3XEY	BALTIMORE, MD., 9.494 m., Relays WFBR 4 pm.-12 m.
31.600	W2XDY	NEW YORK CITY, 9.494 m. Addr. Col. Broad. System, 485 Madison Ave. Daily 5-10 pm.; Sat and Sun. 12.30-5, 6-9 pm.
31.600	W9XHW	MINNEAPOLIS, MINN., 9.494 m. Relays WCCO 9 am.-12.30 am.
31.600	W3XKA	PHILADELPHIA, PA., 9.494 m. Addr. NBC. Relays KYW 8 am.-9 pm.
31.600	W5XAU	OKLAHOMA CITY, 9.494 m., Sun. 12 n.-1 pm. 6-7 pm. Irregular other times.
31.600	W0XUY	OMAHA, NEBR. No sked. known.
31.600	W4XCA	MEMPHIS, TENN., 9.494 m. Addr. Memphis Commercial Appeal. Relays WMC. 10 am.-6 pm.
31.600	W6XAI	ROCHESTER, N. Y., 9.494 m. Addr. Stromberg Carlson Co. Relays WHAM 7.30-12.05 am.
31.600	W8XWJ	DETROIT, MICH., 9.494 m. Addr. Evening News Ass'n. Relays WWJ 5 am.-11.30 pm. Sun. 7 am.-11 pm.
31.600	W9XPD	ST. LOUIS, MO., 9.494 m. Addr. Pulitzer Pub. Co. Relays KSD.
31.600	W5XD	DALLAS, TEXAS. 11.30 am.-1.30 pm. Ex. Sat.-Su.
26.550	W2XGU	NEW YORK CITY, 11.3 m. Relays WMCA.
26.550	W2XQO	NEW YORK CITY, N. Y. 11.3 m. Noon-9 pm.
26.500	W9XTA	HARRISBURG, ILL., 11.32 m. 2-4 pm.
26.450	W9XA	KANSAS CITY, MO., 11.33 m. Addr. Commercial Radio Eap't. Co. 10 am.-1 pm., 3-7 pm.
26.400	W9XAZ	MILWAUKEE, WIS., 11.36 m. Addr. The Journal Co. Relays WTMJ from 1 pm. to midnite.
26.300	W2XJI	NEW YORK, N. Y., 11.4 m. Addr. Bamberger Broad. Service, 1440 Broadway. Relays WOR 11 am.-5 pm.
26.150	W9XUP	ST. PAUL, MINN. 11.47 m. Rel. KSTP 8 am.-1 am.
26.100	W9XJL	SUPERIOR, WIS., 11.49 m. Relays WEBC daily. 10 am.-8 pm.
26.050	W9XTC	MINNEAPOLIS, MINN., 11.51 m. Relays WCTN 10 am.-9 pm.
26.050	W9XH	SOUTH BEND, IND., 11.51 m. Addr. South Bend Tribune. Relays WSBT-WFAM 2.30-6.30 pm. exc. Sat. and Sun.
25.950	W6XKG	LOS ANGELES, CAL., 11.56 m. Addr. B. S. McGlashan, Wash. Blvd. at Oak St. Relays KGFJ 24 hours daily. DX tips Mon., Wed. and Fri. 2:15 pm.
25.950	W8XNU	CINCINNATI, OHIO. 7 am.-1 am. Sun. 8 am.-1 am.
21.640	GRZ	DAVENTRY, ENG., 13.86 m. Addr. B.B.C., London. Unused at present.
21.630	W3XAL	BOUND BROOK, N. J., 13.8 m. Addr. N.B.C., N. Y. C. 8 am.-5 pm.
21.570	W2XE	NEW YORK CITY, 13.91 m. Addr. CBS, 485 Madison Ave. Irregular.
21.565	DJJ	BERLIN, GERMANY, 13.92 m. Addr. Broadcasting House. Irreg.

Mc.	Call	
21.550	GST	DAVENTRY, ENG., 13.92 m. Addr. (B.B.C., London) Irregular at present.
21.540	W8XK	PITTSBURGH, PA., 13.93 m. Addr. Grant Bldg. Relays KDKA 5:30-8 am.
21.530	GSJ	DAVENTRY, ENG., 13.93 m. Addr. (See 21.550 mc.) 5.45-8.50-9-10.30 am.
21.520	W3XAU	PHILA., PA., 13.94 m. Addr. Col. Broad. Syst., 485 Madison Ave., N. Y. C. Irregular.
21.500	W2XAD	SCHENECTADY, N. Y., 13.95 m., General Electric Co., 7-10 am.
21.480	PCJ	HUIZEN, HOLLAND, 13.96 m. Addr. N. V. Philips, Hilversum. Irregular.
21.470	GSH	DAVENTRY, ENG., 13.97 m. (See 21.550 mc.). 5.45-8.50, 9 am.-noon. To Africa.
21.460	W1XAL	BOSTON, MASS., 13.98 m. Addr. University Club. Tues., Thurs., Sat., 10-11 am.
21.450	DJS	BERLIN, GERMANY, 13.99 m. Addr. Broadcasting House. 12.05-7.50 am.
19.020	HS6PJ	BANGKOK, SIAM, 15.77 m. Mondays 8-10 am. See 15.23 mc.
18.480	HBH	GENEVA, SWITZERLAND, 16.23 m. Addr. Radio Nations. Sun., 10.45-11.30 am.

## 16 Met. Broadcast Band

17.850	TPB3	PARIS, FRANCE, 16.8 m. Addr. (See 15.245 mc.) 5:30-10 am.
17.845	DJG	BERLIN, GERMANY, 16.81 m., 12.05-7.50, 8-9, 9:15-11 am.
17.840	HVJ	VATICAN CITY, 16.82 m. Heard 12 n. on Wednesday.
17.840	—	MOYDRUM, ATHLONE, EIRE, 16.82 m. Addr. Radio Eireann. 8.30-10 am. 12.30-4.30 pm. irreg.
17.830	W2XE	NEW YORK CITY, 16.81 m. (Addr. CBS, 485 Madison Ave., N. Y. C. Daily 6.30-9 am., 12 n.-5 pm. Sat. Sun. 7-11 am., 11.30 am.-5 pm.)
17.820	2RO8	ROME, ITALY, 16.84 m. Addr. (See 2RO, 11.81 mc.) 4.30-8.45 am. Sun. 10 am.-7.25 pm.
17.810	65V	DAVENTRY, ENGLAND, 16.84 m., 5.45-11 am. to Far East.
17.800	OIH	LAHTI, FINLAND, 16.85 meters, 4-9 am.
17.800	XGOX	CHUNGKING CHINA, 16.85 m., 9.30-11.30 pm. Mar. 21-Sept. 21 to No. America.
17.790	6SG	DAVENTRY, ENG., 16.86 m. Addr. B.B.C., London. 5.45 am.-12 n., 12.20-4 pm.
17.785	JZL	TOKYO, JAPAN, 16.86 m., 4.30-5.30 pm. to S.A., 8-8.30 pm. to Eastern U. S.
17.780	W3XL	BOUND BROOK, N. J., 16.87 m. Addr. Nat'l. Broad. Co., 8 am.-5 pm. to Europe, 5-9 pm. to So. Amer.
17.770	PHI2	HUIZEN, HOLLAND, 16.88 m. Addr. (See PHI, 11.730 mc.) Daily 7.10-8.15 am. Mon. & Thurs. 7.10-8.30 am. Sun. 6.10-9.35 am.
17.760	DJE	BERLIN, GERMANY, 16.89 m. Addr. Broadcasting House. 12.05-11 am., 4.50-9 pm. Also Sun. 11.10 am.-12.25 pm.
17.755	ZBW5	HONGKONG, CHINA, 16.9 m. Addr. P.O. Box 200. Dly. 11.30 pm.-1.15 am., 5-10 am. Sat. 9 pm.-1.30 am. Sun. 5-9.30 am. Operates irreg.

End of Broadcast Band

Mc.	Call	
17.310	W2XGB	HICKSVILLE, L. I., N. Y., 17.33 m. Addr. Press Wireless, Box 296. Tests 9.30-11.30 am, except Sat. and Sun.
17.280	FZEB	DJIBOUTI, FRENCH SOMALILAND, 17.36 m. Test XMSN 1st Thurs. each month 8-8.30 am. Next B.C.S. May 4 & June 1.
15.550	CO9XX	TUINICU, ORIENTE, CUBA, 19.29 m. Addr. Frank Jones, Central Tuinicu, Tuinicu, Santa Clara. Broadcasts irregularly evenings.
15.510	XOZ	CHENG TU, CHINA, 19.34 m. Daily 9.45-10.30 am.
15.370	HAS3	BUDAPEST, HUNGARY, 19.52 m. Addr. Radiolabor, Gyalai Ut 22. Sun. 9-10 am.
15.360	DZG	ZEESEN, GERMANY, 19.53 m. Addr. Reichspostzentralamt. Tests irregularly.
15.360	—	BERNE, SWITZERLAND. 19.53 m. Irreg. 6.45-7.45 pm.

## 19 Met. Broadcast Band

15.340	DJR	BERLIN, GERMANY, 19.56 m., Addr. Broadcast'g House, 4.50-10.50 pm. to C.A.
15.330	W2XAD	SCHENECTADY, N. Y., 19.56 m. Addr. General Electric Co. Relays WGY, 10.15 am.-5 pm.
15.330	W6XBE	SAN FRANCISCO, CALIF., 19.56 m. Addr. General Electric Co. 6.30-10 pm. to So. Amer., 7-10 am. to Orient. Radiates 20 kw. on each program. Golden Gate Exposition Station.
15.320	OZH	SKAMLEBAK, DENMARK, 19.58 m., Sun. 8 am.-1:30 pm.
15.310	GSP	DAVENTRY, ENG., 19.6 m. Addr. (See 17.79 mc.) 4.20-6, 6.20-8.30 pm., 12.25-4 pm.
15.300	YDB	SOERABAJA, JAVA, N. E. I. 19.61 m. Addr. NIROM. 10 pm.-2 am.
15.300	XEBM	MAZATLAN, SIN., MEX., 19.61 m. Addr. Box 78, "El Pregonero del Pacifico." Irregularly 9-10 am., 1-2, 8-10 pm.
15.300	2RO6	ROME, ITALY, 19.61 m. Addr. (See 2RO, 11.81 mc.) 4.15-4.55, 10 am.-12.04 pm., 3-5.30, 6-9 pm.
15.290	VUD3	DELHI, INDIA, 19.62 m. Addr. All India Radio. 9.30-11.30 pm., 1.30-3.30 am., 7.30 am.-12.30 pm.
15.290	LRU	BUENOS AIRES, ARG., 19.62 m. Addr. El Mundo. Relays LRI, 7-9 am.
15.280	DJQ	BERLIN, GERMANY, 19.63 m. Addr. Broadcasting House. 12.05-11 am., 4.50-10.50 pm.
15.270	H13X	CIUDAD TRUJILLO, D. R., 19.65 m. Relays H1X Sun. 7.40-9.40 am. Tues. and Fri. 8.10-10.10 pm.
15.270	W3XAU	PHILA., PA., 19.65 m. (Addr. See 21.52 mc.) Dly. 10.45-11.45 am. 12.30-5.15 pm. Sat. 10.45-11.45 am. Noon-5.15 pm. Sun. Noon-5 pm.
15.270	W2XE	NEW YORK CITY, 19.65 m. Addr. (See 21.570 mc.) 5.30-7.30 pm.
15.260	GSI	DAVENTRY, ENG., 19.66 m. Addr. (See 17.79 mc.) Mid. to 2.15 am. to Oceania. 12.25-1.30 pm.
15.250	W1XAL	BOSTON, MASS., 19.67 m. Addr. University Club. 2-3.30, or 4 cm., ex. Sat. and Sun.
15.245	TPA2	PARIS, FRANCE, 19.68 m. Addr. 98 Bis. Blvd. Haussmann. "Paris Mondial" 5-10 am. to Asia.
15.240	CR7BB	LOURENCO MARQUES, MOZAMBIQUE. 19.68 m. Testing 1-4 pm. Irreg.

(Continued on page 152)

All Schedules Eastern Standard Time



# Let's Listen In With Joe Miller

"DX" Editor

● HERE goes for DX:

## CHINA

XPSA, 7.01 mc., Kweiyang, has QSL'd to Gail T. Beyer, Chicago, with a form letter from a Mr. Tung, which states sked is 5:30-11 a.m., freq. is 6.97 mc., slightly off their actual reading, and 10 kw. power is used. Mr. Tung desires reports, the more detailed, the better. QRA (address) is simply: XPSA, Kweiyang, Kweichow Province, China.

XGOX, 17.80 mc., and XGOY, 11.90 mc., are now on from Chungking, these being the summer freqs. XGOX is on 9-11:30 p.m., and XGOY from 7-10:30 a.m. On XGOY, woman announces in English on the quarter hour. This data from printed sked sent here from Chungking. Power used by these Xmters is 35 kw. Reported by G. C. Gallagher, W6, Murray and Jack Buitekant, Ralph Gozen and "Y. T."

## TURKEY

TAP-TAQ, the Ankara broadcasters, have sent full data to Fred W. Alfred, VE2, concerning their station. These stations relay the local 120 kw. TAK, and each uses 20 kw. Daily skeds, which don't seem to be adhered to strictly, are: TAQ, 15.195 mc., 5:30-7 a.m., and TAP, 9.465 mc., 11:30 a.m.-5 p.m.

Reports should be sent to Correspondence Dept., Radio Ankara, Ankara, Turkey, and it is requested all reports be made out in G.M.T. We've heard that Ankara has already sent out some QSL's, so it may explain why none of us has heard from them as yet, when it is also reported that they have just lately arranged for the reply of the thousands of reports rec'd.

## IRAQ

HNF, 9.70 mc., Baghdad, has been heard, though not too well, and to us it seems that this station will afford quite a number of DXers their best chance of "cleaning up" this rare country. Also reported by Jack and Murray Buitekant, W2. However, we've heard that this station has yet to honor a report with confirmation.

## ALBANIA

ZAA, 7.85 mc., Tirana, has been reported heard at 7:30 a.m. recently by Murray Buitekant, W2, and his brother Jack, so perhaps it is still permitted to operate regularly, as we certainly hope. Its schedule was 6:30-7:30 a.m. daily, 6:30-8:30 a.m. Sundays.

## ANGOLA

CR6RC, 11.74 mc., at Luanda, on a schedule of Tues., Thurs. and Sat., 2:30-3 p.m., has been reported by Ralph Gozen, W2, near latter time. Reports may be sent to Radio Club of Angola at Luanda. A nice catch, and easily the best opportunity to add Angola to one's list of countries. Go to it!

## MOZAMBIQUE

CR7BB, 15.24 mc., Lourenco Marques, is

going to help quite a few tuners to add this real DX country to their list this summer, as their schedule is 1-4 p.m. on this fine frequency for good reception, even from Mozambique. The QRA is Caixa Postal 594, this being the same as for CR7AA, CR7BH, possibly the very same transmitter on new frequency.


## JAPAN

JLG3, 11.705 mc., and JZK, 15.16 mc., are listed in May Japanese schedule as on from 2:30-4 p.m. JZL, 17.785 mc., and JLT2, 9.645 mc., from 4:30-5:30 p.m. JZL will also be on 8-8:30 p.m. for Eastern U. S., as will JZK, 15.16 mc., from 7-7:30 p.m. A new one is JLU3, 15.135 mc., 8-9:30 a.m. One can earn some Asiatic veries easily by "cleaning up" these powerful stations, which promptly QSL with attractive photo cards, when reports are sent to: Broadcasting Corp. of Japan, at Tokyo, Japan.

G. C. Gallagher, W6, reports JIB, 10.53 mc., Formosa, at 10 a.m., phoning, and JVE, at 9 p.m., ditto.

## BURMA AND INDIA

VVS, 12.87 mc., Mingaladon, has been heard phoning VVN recently, with the latter at Fort Madras, India, being on 13.26 mc., and the usual contact time around 7 a.m. These are nice




Veri card received from Burma S-W station.

DX catches, especially VVS, Burma being a rare country to verify, but VVS can't be missed when heard, usually R6 or better, ditto VVN, and both will QSL all reports promptly.

VWY2, 17.48 mc., at Poona, using inverted speech also, as do VVN-S, phoned England at 8 a.m. once, with a powerful R8 signal here.

## BRIEFS

COKG, 8.96 mc., Santiago, Cuba, offers Cuban cigars for reports, so we're certainly going to send at least a coupla good 'uns, as we sure do go



The author received this card from J3EM.

for the better "ropes" in a big way, as our friends will regretfully testify, hi! Schedule is 5-6, 9:30-10:30 p.m. So—have a cigar!

K7GSC, Juneau, Alaska, sends us his request that we notify all U. S. DXers not to send him reply coupons, a 3c stamp being OK, as these U. S. coupons cannot be redeemed by him, Alaska being part of the U. S., and not a foreign country. Glad to oblige, Jerry.

From the Postmaster-General's office at Berbera, British Somaliland, we have received word that there are no radiophone stations in existence, neither commercial nor amateur, but only the government "wireless" service. Surprising, when one remembers that French and Italian Somaliland long have had gov't radiophone stations in operation, and heard all over the world.

VU2EU, Bill Metcalfe, India, a FB OB, asks that we notify SWL's that he can't possibly swap QSL's and photos, as has recently been mistakenly published. Bill got some 120 letters in one mail alone, and, being a radio officer, has very little time of his own, so cannot possibly handle such mail. Thanks for everything, Bill, you've been mighty swell!



Some DX has been reported, but as yet it has not been up to expectations, due to the unusual weather and other conditions prevailing.

BELGIAN CONGO—OQ5ZZ, 14350, heard with fair signal at 4:25 p.m. here, also reported by Jack Buitekant, W2.

INDIA—VU2L, 14370; VU2JK, 14030; VU2CA, 14254; VU2FQ, 14078, all heard, with Murray Buitekant reporting 2 CA.

JAVA—PK1VY, 14100; PK2DF, 14040; PK2JN, 14320; PK1SK, 14070; PK1VX, 14070, all in Java, and PK4VR, 14375; PK4JD, 14100, in Sumatra, heard during early a.m.

JAPAN—J2MK, 14080; J2K1, 14250, in Japan, and J8CA, 14260; J8CG, 14400 approximate, heard during early a.m., 3-4 a.m. best. Gail Beyer, W9, reports a FB QSL from J8CG. Very nice to get one of these, as J8 is Korea, now Chosen.

CHINA—XU3AA, 14075; XU8HW, 14080; XU8JR, 14130; XU8ET, 14060; XU6TL, 14050; XU8MT, 14030, all in early a.m.

Also VS1AF, 14060; VS1AB, 14250, in Straits Settlements. VS2AR, 14310, in Fed. Malay States. VS5AC, 14370, reported from Sarawak, a rare catch.

VS6AF, 14300, Hong Kong. VS7RF, 14336; (Continued on page 189)

## I COVER THE PACIFIC COAST

By Lyle M. Nelson

(All times are P.S.T.)  
● ONE of the strongest European short wave signals ever heard here was reported this spring when the powerful Moscow transmitter RAL, came on the air. RAL has been reported by many listeners as testing on 15.18 mc. irregularly from 4 to 6 p.m. Several listeners have also reported the station in the early afternoon and morning.

Another station on the "coming-in-fine" list for the past month has been ZRK on 9.606 mc. The signals from Cape Town, South Africa, over this station have been very well received from 8:45 to 9:45 each night. T. C. Turley of Portland reports good reception from ZRK from 6 to 8:45 a.m.

The correct schedule for the Norwegian short wave stations, according to information on their QSL card received by Bert Wolfe of Oakland, California, is as follows: LKJ (9.61 mc.) from noon to 11 p.m. LKQ (11.73 mc.) from 11 p.m. to 3:40 a.m. and from 7 a.m. to noon. LKU (15.17 mc.) from 3:40 to 7 a.m., and LKJ2 (6.13 mc.) from 8 to 11 p.m.

A new Chinese station announcing as XMHA has been reported with fair volume here. XMHA broadcasts on 11.94 mc. from 6 to 8 a.m. according to John Cavanagh of Oregon City. Announcements

indicate that the station is run by the Japanese. The QRA is given as: 445 Racecourse Road, Shanghai.

A new station in Papua, British Guinea, has been heard here on 7.31 mc. The station is very weak near 5 a.m.

JZK, on 15.16 mc. in Tokyo, continues to carry the popular "overseas program" for the Pacific Coast from 9:30 to 10:30 each night. Reception is very good during the entire program. JVH on 14.60 mc. has been heard on several occasions broadcasting the Japanese baseball games on Saturday night.

According to recent announcements from Finland, OFE on 11.79 mc., and OFE on 15.19 mc., are now operating from 10 p.m. to 8 a.m. daily. Both stations are received here from 10 to 12 p.m. Frequent announcements are given in English.

Also heard with good volume during the late evenings have been VUM2 on 11.87 mc. and VUC2 on 9.53 mc. VUM2 is located in Madras, India, and comes on the air at 12:30 a.m., signing off at 1 a.m. VUC2 of Calcutta sends programs consisting of native music with announcements in English during the same time.

The new Treasure Island short wave stations are now operating regular schedules on 15.33 and

9.53 mcs. Programs for South America are broadcast on 15.33 mc. from 4 to 7 p.m. and programs for Asia and the Far East are sent out from 4 to 7 a.m. on 9.53 mc.

Despite reports that the station is off the air, ZIIP, on 9.69 in Singapore, continues to reach here daily from 1:40 to 6:40 a.m. Best reception is around 6 a.m., with the station gradually fading out after that time.

Round 'n' About—VUD4 on 15.29 mc. in Delhi is now heard nightly from 6:30 to 8:30 . . . Bert Wolfe says call of Norway station on 10.71 mc. is LCN . . . Radio Tirana on 6.085 mc. is a new station in Albania . . . SBP of Motala, Sweden, is received with fair volume on 11.71 mc. Wednesday and Saturday from 5 to 6 p.m. Station no longer verifies reports . . .


"Radio Leopoldville" in Belgian Congo is on the air from 4 to 5:30 a.m. daily . . . XGOY is on 11.90 mc. daily from 2 to 8 a.m. . . . New Taikoku station on 9.69 mc. relays JFAK in early mornings . . . A new powerful short wave transmitter is being constructed in Bucharest, Rumania. Will have 50,000 watts power.

VPD2 on 9.54 in Suva, Fiji, is excellent during early morning hours. New address for VLR and VLR3 is P.O. Box 1686, Melbourne.

Mc.	Call	Mc.	Call	Mc.	Call		
15.230	HS6PJ	BANGKOK, SIAM, 19.7 m. Irregularly Mon. 8-10 am.	14.420	HCIJB	QUITO, ECUADOR, 20.80 m. 7-8.15, 11.30 am.-2.30, 4.45 pm.-10.15 pm. Exc. Mon.		
15.230	OLR5A	PRAGUE, BOHEMIA, 19.7 m. Addr. (See OLR4A, 11.84) Daily 4.55-8.15 am.	14.166	PIIJ	DORDRECHT, HOLLAND, 21.15 m., Addr. (See 7.088 mc.) Sat. 12 n.-12.30 pm.		
15.220	PCJ2	HUIZEN, HOLLAND, 19.71 m., Addr. N. V. Philips' Radio Hilversum, Wed. 9.30-11.30 am. Sun. 6.10-9.35 am. Daily 7.10-8.15 am. Mon., Thurs. 7.10-8.30 am.	13.997	EA9AH	TETUAN, SPANISH MOROCCO, 21.43 m. Apartado 124. 5.15-6.15 pm., 6.30-7.30 pm., 9-10 pm. Relays Salamanca from 5.40 pm.		
15.210	W8XK	PITTSBURGH, PA., 19.72 m., Addr. (See 21.540 mc.) 8 am-1 pm.	13.635	SPW	WARSAW, POLAND, 22 m. Daily 6-8 pm. Sat. & Sun. 6-9 pm.		
15.200	DJ8	BERLIN, GERMANY, 19.74 m., Addr. (See 15.280 mc.) 12.05-11 am., 4.50-10.50 pm. Also Sun. 11.10 am.-12.25 pm.	12.862	W9XDH	ELGIN, ILL., 23.32 m. Press Wireless, Tests 2-5 pm.		
15.195	TAQ	ANKARA, TURKEY, 19.74 m., 5.30-7 am.	12.486	HIIN	TRUJILLO CITY, DOM. REP., 24.03 m. 6.40-10.40 am., 5.10-10.10 pm.		
15.190	OIE	LAHTI, FINLAND, 19.75 m. Addr. (See OFD, 9.5 mc.) 1.05-4 am., 9 am.-5 pm.	12.460	HC2J8	QUITO, ECUADOR, 24.08 m. Daily exc. Mon. 7-8.15, 11.30 am.-2.30, 4.45-10.15 pm.		
15.190	ZBW4	HONGKONG, CHINA, 19.75 m., Addr. P. O. Box 200. Irregular. 11.30 pm. to 1.15 am., 3-10 am.	12.310	VOF8	ST. JOHNS, NEWFOUNDLAND, 24.37 m. 5.30-7.30 pm.		
15.180	GSO	DAVENTRY, ENG., 19.76 m., Addr. (See 17.79 mc.) 4.20-6, 6.20-8.45 pm.	12.235	TFJ	REYKJAVIK, ICELAND, 24.52 m. Works Europe mornings. Broadcasts Sun. 1.40-2.30 pm.		
15.180	RW96	MOSCOW, U.S.S.R., 19.76 m., Daily 1-2, 3-4 am. Mon., Wed., Thurs. 7-9.15 pm.	12.230	COCE	HAVANA, CUBA, 24.53 m. 8 am.-11.30 pm. Sun. noon-11.30 pm.		
15.170	TGWA	GUATEMALA CITY, GUAT., 19.77 m., Addr. Ministre de Fomento. Daily 12.45-1.45 pm.; Sun. 12.45-5.15 pm.	12.200	—	TRUJILLO, PERU, 25 m., "Rancho Grande." Address Hacienda Chiclin. Irregular.		
15.166	LKV	OSLO, NORWAY, 19.78 m. 6.40-10 am.	12.000	RNE	MOSCOW, U.S.S.R., 25 m. 6-6.30, 10-10.30 am., 1-1.30, 3-5.30, 8.30-10 pm., Sun. 6-10 am., 1-6, 9-10 pm.		
15.160	JZK	TOKYO, JAPAN, 19.79 m. 12.30-1.30 am. to Canada & Hawaii, and Pacific U.S. 7-7.30 am. to Eastern U.S. 8-9.30 am. to China and 2.30-4 pm. to Europe.	11.970	CB1180	SANTIAGO, CHILE, 25.06 m. 7-11 pm.		
15.160	XEWV	MEXICO CITY, MEXICO, 19.79 m., 12 n.-12 m., irregular.	11.970	H12X	CIUDAD TRUJILLO, D. R., 25.07 m., Addr. La Voz de Hispaniola. Relays HIX Tue. and Fri. 8.10-10.10 pm. Sun. 7.40-9.40 am.		
15.155	SM5SX	STOCKHOLM, SWEDEN, 19.79 m., Daily 11 am.-5 pm., Sun. 9 am.-5 pm.	<b>25 Met. Broadcast Band</b>		11.940	T12XD	SAN JOSE, COSTA RICA, 25.13 m. La Voz del Pilot. Apartado 1729. 7.30 am.-noon, 4-10 pm.
15.150	YDC	BANDONG, JAVA, 19.8 m., Addr. N. I. R. O. M. 6-7.30 pm., 10.30 pm.-2 am., Sat. 7.30 pm.-2 am., daily 4.30-10.30 am.	11.940	XMHA	SHANGHAI, CHINA, 25.13 m. 5-11 am.		
15.140	GSF	DAVENTRY, ENG., 19.82 m., Addr. (See 17.79 mc.) 5.45 am.-12 n. 4.20-6 pm.	11.910	CD1190	VALDIVIA, CHILE, 25.19 m., P. O. Box 642. Relays CB69 10 am.-1 pm., 3-6, 7-10 pm.		
15.135	JLU3	TOKYO, JAPAN, 19.82 m., 8-9.30 am. to China.	11.910	—	HANOI, FRENCH INDO-CHINA, 25.19 m. "Radio Hanoi", Addr. Radio Club de l'Indochine, 3.45-4.15 am., 7-9.30 am., 150 watts.		
15.130	TP86	PARIS, FRANCE, 19.83 m., Addr. "Paris Mondial," 98 Bis Blvd. Haussmann, 1-4 am.	11.900	XEW1	MEXICO CITY, MEXICO, 25.21 m., Addr. P. O. Box 2874. Mon., Wed., Fri. 3-4 pm., 9 pm.-12 m. Tues. and Thur. 7.30 pm.-12 m. Sat. 9 pm.-12 m., Sun. 12.30-2 pm.		
15.130	WIXAR	BOSTON, MASS., 19.83 m., Addr. World-Wide B'cast'g Foundation. University Club. Sun. 11 am.-12.30 pm. Wklys. 3.30-6 pm.	11.900	XGOY	CHUNGKING, CHINA, 25.21 m., 5.30-7.10 am. to North Asia, 7.15-7.55 am. to Japan, 8-10.30 am. to South Asia, 11-11.30 am. to U.S.S.R. 4-6.30 pm. to Europe. Mar. 21-Sept. 21-35 kw.		
15.120	SP19	WARSAW, POLAND, 19.84 m., 6-9 pm.	11.895	2RO13	ROME, ITALY, 25.23 m. Irregular 6-9 pm.		
15.120	HVJ	VATICAN CITY, 19.83 m., 10.30-10.45 am., Tues., Suns. 1-1.30 pm.	11.885	TPA3	PARIS, FRANCE, 25.24 m., 10.15 am.-5 pm. 1-4 am.		
15.120	CSW4	LISBON, PORTUGAL, 19.83 m., 6-8 am., irreg.	11.885	TPB7	PARIS, FRANCE, 25.24 m. (See 15.245 mc.) 6-8.15, 8.30-11 pm.		
15.110	DJL	BERLIN, GERMANY, 19.85 m., Addr. (See 15.280 mc.) 12.05-2, 8-9 am., 10.40 am.-4.25 pm.	11.880	VLR3	MELBOURNE, AUST., 25.25 m., 3.30-7.15 pm., 9 pm.-3 am. weekdays. Suns. mid.-3 am.		
15.100	CB1510	VALPARAISO, CHILE, 19.87 m. Testing near 7.30 am.	11.870	W8XK	PITTSBURGH, PA., 25.26 m., Addr. (See 21.540 mc.) 1-10 pm.		
15.100	2RO12	ROME, ITALY, 19.87 m. Testing irreg.	11.870	VUM2	MADRAS, INDIA, 25.26 m. M.W.F. 3.30-4 am. Irregular.		
15.083	RK1	MOSCOW, U.S.S.R., 19.89 m. Works Tashkent near 7 am. Broadcasts Sun. 12.15-2.30 pm. Daily 7-9.15 pm.	11.865	—	BERNE, SWITZERLAND, 25.28 m. Irreg. 8-9 pm. to No. Amer.		
<b>End of Broadcast Band</b>			11.860	GSE	DAVENTRY, ENG., 25.30 m., Addr. (See 11.75 mc.) 5.45 am.-12 n., 6.20-8.30 pm.		
14.960	—	MOSCOW U.S.S.R., 20.25 m., 1st of month, 6 pm. Dutch program.	11.855	DJP	BERLIN, GERMANY, 25.31 m., Addr. (See 15.280 mc.) Irregular.		
14.930	PSE	RIO DE JANEIRO, BRAZIL, 20.09 m. Broadcasts 6-7 pm.	11.850	CB1185	SANTIAGO, CHILE, 25.32 m. Sat. 6-11 pm. and irreg.		
14.920	KQH	KAHUKU, HAWAII, 20.11 m. Sats. 1-1.30 am., 11-11.30 pm. Fri. 9-10 pm.	11.850	OAX2A	TRUJILLO, PERU, 25.32 m. Testing on this freq. (See 12.200).		
14.795	IQA	ROME, ITALY, 20.28 m. 4.30-5 am. In Arabic.	11.840	KZRM	MANILA, P. I., 25.35 m. Addr. Erlanger & Gallinger, Box 283. 9 pm.-10 am. Irregular.		
14.600	JVH	NAZAKI, JAPAN, 20.55 m. Works Europe 4-8 am. Rel. JOAK 10-10.30 pm.	11.840	CSW	LISBON, PORT., 25.35 m. Nat'l Broad. Station. 11.30 am.-1.30 pm. Irregular.		
14.535	HBJ	GENEVA, SWITZERLAND, 20.64 m. Addr. Radio Nations. Broadcasts Sun. 10.45-11.30 am., Mon. 4-4.15 am.					
14.440	—	RADIO MALAGA, SPAIN, 20.78 m. Relays Salamanca 5.45-7.30 pm. Sometimes 2-4 pm.					
11.840	OLR4A	PRAGUE, BOHEMIA, 25.34 m., Addr. Czech Shortwave Sta., Praha XII, Fochova 16. Daily 12.45-6.30, 7.55-11.20 pm. Sun. Also 8.25-10.05 am.					
11.830	W9XAA	CHICAGO, ILL., 25.36 m., Addr. Chicago Federation of Labor. Irregular 7 am.-6 pm.					
11.830	W2XE	NEW YORK CITY, 25.36 m., Addr. Col. Broad. System, 485 Madison Av., N.Y.C. 8-10.30 pm.					
11.826	XEBR	HERMOSILLA, SON., MEX., 25.37 m., Addr. Box 68. Relays XEBH. 9.30-11 am., 1-4 pm., 9 pm.-12 m.					
11.810	2RO4	ROME, ITALY, 25.4 m., Addr. E.I.A.R., Via Montello 5. Daily 4.30-8.45 am., 10 am.-2.30 pm., 6-9 pm.					
11.805	OZG	SKAMLEBAK, DENMARK, 25.41 m. Addr. Statsradiofonien. Irreg.					
11.801	DJZ	BERLIN, GERMANY, 25.42 m. 4.50-10.50 pm. to N. A.					
11.800	COGF	MATANZAS, CUBA, 25.42 m., Addr. Gen. Betancourt 51. Relays CMGF. 2-3, 4-5, 6 pm.-Mid.					
11.800	JZJ	TOKYO, JAPAN, 25.42 m., Addr. Broadcasting Co. of Japan, Overseas Division 7-7.30, 8-9.30 am. Irreg.					
11.795	DJO	BERLIN, GERMANY, 25.42 m. 4.50-10.50 pm. (See 15.280 mc.) Irreg.					
11.790	WIXAL	BOSTON, MASS., 25.45 m., Addr. (See 15.250 mc.) 3.30-6.30 pm. Sat., 2-6.30 pm.					
11.780	HP5G	PANAMA CITY, PAN., 25.47 m., Addr. Box 1121. Noon-1 pm., 6-10 pm.					
11.780	OFE	LAHTI, FINLAND, 25.47 m. Addr. (See OFD, 9.5 mc.) 1.05-3 am., 5-6.20, 10 am.-12.30 pm.					
11.770	DJD	BERLIN, GERMANY, 25.49 m., Addr. (See 15.280 mc.) 11.30 am.-4.25 pm., 4.50-10.50 pm.					
11.760	TGWA	GUATEMALA CITY, GUAT., 25.51 m. (See 17.8 mc.) Irregular 10-11.30 pm. Sun. 6-11.30 pm., irregular.					
11.760	XETA	MONTEREY, MEX. 25.51 m., Addr. Box 203. Relays XET, n.-3.30 pm. and evenings.					
11.760	OLR48	PRAGUE, BOHEMIA, 25.51 m. Addr. (See 11.840 mc.) Daily exc. Sun. 8.25-10.05 am.					
11.750	GSD	DAVENTRY, ENG., 25.53 m., Addr. B.B.C., London, 12-2.15 am., 12.25-4, 4.20-6, 6.20-8.30, 9.20-11.30 pm.					
11.740	SP25	WARSAW, POLAND, 25.55 m., 6-9 pm.					
11.740	HVJ	VATICAN CITY, 25.55 m. Tues. 8.30-9 am.					
11.740	CR6RC	LOANDA, ANGOLA, 25.55 m., Tues., Thurs., Sat. 2-3.30 pm.					
11.735	COCX	HAVANA, CUBA, 25.57 m. P. O. Box 32. Daily 8 am.-1 am. Sun. 8 am.-1 am. Relays CMX.					
11.735	LKQ	OSLO, NORWAY, 25.57 m. 2-6.40, 10 am.-3 pm.					
11.730	PHI	HUIZEN, HOLLAND, 25.57 m., Addr. N. V. Philips' Radio.					
11.730	WIXAR	BOSTON, MASS., 25.58 m., Addr. World-Wide B'cast'g Foundation. University Club. Daily 7 or 7.30-9, 9.15-11 pm. Sat.-Sun. 2.30-5 pm.					
11.720	CJRX	WINNIPEG, CANADA, 25.6 m., Addr. James Richardson & Sons, Ltd. Daily 6 pm.-12 m., Sat. 6 pm.-Sun. 4 am.					
11.720	ZP14	VILLARICA, PARAGUAY, 25.60 m. 5.30-7.55 pm. irreg.					
11.718	CR78H	LAURENCO MARQUES, PORTUGUESE E. AFRICA, 25.6 m. Daily 12.05-1, 4.30-6.30, 9.30-11 am., 12.05-4 pm., Sun. 5-7 am., 10 am.-2 pm.					
11.715	TPA4	PARIS, FRANCE, 25.61 m., (See 15.245 mc.) 6-8.15, 8.30-11 pm. to No. America.					
11.710	YSM	SAN SALVADOR, EL SALVADOR, 25.63 m., Addr. (See 7.894 mc.) 1-2.30 pm.					
11.710	—	SAIGON, FRENCH INDO-CHINA, 25.62 m., Addr. Boy-Landry, 17 Place A Foray. 7.30-9.15 am.					
11.705	JLG3	TOKYO, JAPAN, 25.63 m. 2.30-4 pm.—Irreg. 4.30-5.30 pm.					
11.705	SBP	MOTALA, SWEDEN, 25.63 m., 1-4.15 pm. Sun. 3 am.-4.15 pm. Wed and Sat. 8-9 pm.					

(Continued on page 154)

All Schedules Eastern Standard Time



Operating desk of Station VK6WS, owned and operated by William Schofield of Peppermint Grove, Western Australia; known affectionately to his friends on the air as "Skipper."

This beautiful silver trophy stands 11¾" high and one is awarded monthly by RADIO & TELEVISION magazine for the best photo of a Ham station. The silver statue stands on a handsome bakelite base on which is a silver plate. The name of the winner will be engraved on this plate before the trophy is sent to him.

*Editor,*

Herewith photos of my "Ham" station VK6WS and one of myself. In business I am an estate (real estate) agent and obtained my amateur ticket (license) four years ago when I was 61 years of age.

I have made all my "gear" at home ex-



# 13th Silver Trophy Award

For Best HAM Station Photo  
of the Month


Awarded to  
*William Schofield*  
("Skipper"—VK6WS)

Peppermint Grove  
Western Australia

Well, boys, here's "Skipper"—otherwise William Schofield, VK6WS, of Western Australia.



"Skipper's" station certainly steps out. Look at the beautiful array of QSL cards in the photo below.



cept my receiver. My shack is only 6 feet by 6 feet, 6 inches—there is, therefore, no waste space. The photo of the cards and part of the transmitter was taken through the window with two exposures and the prints joined together.

The transmitter is mounted on casters; it comprises an 8-stage rack and panel. Stages Nos. 1, 2 and 3—for power packs and grid bias; No. 4—modulator for phone, music and C.W., 2—37's, and a 250; No. 5—80-meter C.C. transmitting unit (tri-tet) 59 and 46; No. 6—40-, 20- and 10-meter transmitting unit (Jones) 3—6A6's; No. 7—final amplifier T-20; No. 8—aerial tuning panel. Meters Ferranti and Triplett. Power, 45 watts input to final; plate modulation and Ericsson carbon mike. Receiver—National FBXA, with pre-selector and Jensen speaker. Aerials—(1) 20 meter (2 half waves in phase) with reflectors, directional USA; (2) ½ wave, 40 ft. single wire fed Hertz (all receiving is done on this as well as transmitting); (3) 45 ft. lattice tower erected for W8JK beam—not yet completed. Other gear is a wave-

(Continued on page 183)

Mc.	Call	
11.700	HP5A	PANAMA CITY, PAN., 25.64 m. Addr. Radio Teatro, Apartado 954. 10 am.-1 pm., 5-10 pm. Sun. 6-10 pm. 7-8.30 am.
11.700	C81170	SANTIAGO, CHILE, 25.65 m. Addr. P.O. Box 706. Relays C889 10 am.-2 pm., 3.30-11 pm.
<b>End of Broadcast Band</b>		
11.676	IQY	ROME, ITALY, 25.7 m. 5.20-5.40 am. ex. Sun., Daily 12.07-12.56, 1.50-2.30 pm.
11.535	SPD	WARSAW, POLAND, 26.01 m., Addr. 5 Mazowiecka St. 6-9 pm.
11.402	HBO	GENEVA, SWITZERLAND, 26.31 m., Addr. Radio Nations. Sun. 7-7.45, 8-8.45 pm. 1.45-2.30 pm. Mon. 3.30-3.45 am.
11.380	XTS	CHUNGKING, CHINA, 26.36 m. 1-1.30, 8.8.35 am., 6.45-7.30 pm.
11.040	CSW5	LISBON, PORTUGAL, 27.17 m., Addr. Nat. Broad Sta. 11 am.-4.30 pm. Sun. 10 am.-4.30 pm.
11.000	PLP	BANDOENG, JAVA, 27.27 m. Relays YDB. 6-7.30 pm., 10.30 pm.-2 am., 4.30-10.30 or 11 am. Sat. until 11.30 am.
10.950	—	TANANARIVE, MADAGASCAR, 27.40 m., Addr. (See 9.38 mc.) 12.30-45, 10-11 am., 2.30-4 am., 1-2.30 am. Sun. to 10.15 am.
10.670	CEC	SANTIAGO, CHILE, 28.12 m. Irregular.
10.660	JVN	NAZAKI, JAPAN, 28.14 m. Broadcasts daily 1.50-7.40 am. Works Europe irregularly at other times.
10.535	JIB	TAIHOKU, TAIWAN, 28.48 m. Works Japan around 6.25 am. Broadcasts, relaying JFAK 9-9.55 am., 1-2.30 am. Sun. to 10.15 am.
10.400	YSP	SAN SALVADOR, EL SALVADOR, 28.85 m., 1-3, 6.30-11 pm.
10.360	EAJ43	TENERIFE, CANARY ISL., 28.96 m., 3-4.30, 5-7, 7.45-8.45, 9-10 pm.
10.350	LSX	BUENOS AIRES, ARG., 28.98 m., Addr. Transradio International. Tests irregularly.
10.330	ORK	RUYSELEDE, BELGIUM, 29.04 m. Broadcasts 12.30-2 pm. Works OPM 1-3 am., 3-5 pm.
10.260	PMN	BANDOENG, JAVA, 29.24 m. Relays YDB 6-7.30 pm., 10.30 pm.-2 am., 4.30-10.30 or 11 am., Sat. to 11.30 am.
10.220	PSH	RIO DE JANEIRO, BRAZIL, 29.35 m., Addr. Box 709. Broadcasts 6-7 pm., Irreg.
10.100	—	DEUTSCHE FREIHEITS SENDER, 29.70 m., loc. in Germany, under cover. 4-5 pm.
10.050	TIEMT	SAN JOSE, COSTA RICA, 29.85 m., 4.30-8 pm.
10.050	DZC	ZEESEN, GERMANY, 29.16 m., Addr. (See 15.360 mc.) Irregular.
10.042	DZB	ZEESEN, GERMANY, 29.87 m., Addr. Reichspostzentramt. Irregular.
9.995	COBC	HAVANA, CUBA, 30.02 m., Addr. P. O. Box 132. Relays CMBC 6.55 am.-1 am.
9.920	JDY	DAIREN, MANCHUKUO, 30.24 m. Relays JOAK daily 7-8 am. Works Tokyo occasionally in early am.
9.892	CPI	SUCRE, BOLIVIA, 30.33 m., 11 am.-n., 7-9 pm.
9.855	EAQ	MADRID, SPAIN, 30.45 m., Addr. P. O. Box 951. 7.30-8, 8.40-9 pm. 3.45-4.05, 4.45-5.05 am., also.
9.830	IRF	ROME, ITALY, 30.52 m. Works Egypt afternoons. Relays ZRO. 12-12.25 pm. Thurs. Daily 12.40-1, 1.37-3.35, 6-9 pm.
9.805	COCM	HAVANA, CUBA, 30.60 m. Addr. Transradio Columbia, P. O. Box 33. 8-1 am. Relays CMCM.
9.770	HH3W	PORT-AU-PRINCE, HAITI, 30.71 m., Addr. P. O. Box A117. 1-2, 7-9.15 pm.
9.753	ZRO	DURBAN, SOUTH AFRICA, 30.75 m. Addr. S. A. Broadcasting Corp., P. O. Box 4559, Johannesburg. Daily exc. Sat. 11.45 pm.-12.50 am. Daily exc. Sun. 3.30-7.30, 9 am.-12.30 pm., Sun. 5.30-7, 9 am.-12.30 pm., also 4-5 am. on 3rd Sun. of month.
9.735	CSW7	LISBON, PORTUGAL, 30.82 m. Addr. Nat. Broad. Sta. n.-2 pm., 6-9 pm. for No. Amer.

Mc.	Call	
9.730	CB970	VALPARAISO, CHILE, 30.83 m., 6.30-11.30 pm., or mid.
9.708	COCQ	HAVANA, CUBA, 30.90 m. Addr. 25 No. 445, Vedado, Havana, 7-1 am. Sun. 6.55 am.-1 am.

### 31 Met. Broadcast Band

9.705	—	FORT DE FRANCE, MARTINIQUE, 30.92 m., Addr. P. O. Box 136. 6-8.10 pm.
9.700	—	SAIGON, INDO-CHINA, 30.93 m., Addr. 17, Place A. Foray, "Radio Boy-Landry." 7.30-9.45 am. Irreg.
9.700	HNF	BAGHDAD, IRAQ, 30.93 m., 10 am.-3 pm. S.O. before or after 3 pm.
9.690	TI4NRH	HEREDIA, COSTA RICA, 30.94 m., Addr. Armento C. Marin, Apartado 40, Sun. 7-8 am., Tues., Thurs., Sat. 9-10 pm.
9.690	LRAI	BUENOS AIRES, ARG., 30.94 m., 6-9 pm. Mon-Thu., 4-9 pm. Fri., 7-9 pm. Sat.
9.690	—	TANANARIVE, MADAGASCAR, 30.96 m., 10-11 am.
9.690	ZHP	SINGAPORE, MALAYA, 30.96 m. Sun. 5.40-9.40 am., Wed. 12.40-1.40 am., Mon.-Fri. 4.40-9.40 am., Sat. 12.25-1.40 am., 4.40-9.40 am., 10.40 pm.-1.10 am. (Sun.)
9.690	GRX	DAVENTRY, ENGLAND, 30.96 m., Addr. See GSC, 9.58 mc., 5.45 am.-12 n., 12.25-4, 4.45-6 pm.
9.685	TGWA	GUATEMALA CITY, GUAT., 30.96 m. Daily 10-11.30 pm.; Sun. 7-10.45 pm.
9.675	DJX	BERLIN, GERMANY, 31.01 m., Addr. (DJD, 11.77 mc.) 10.40 am.-4.25 pm.
9.670	W3XAL	BOUND BROOK, N. J., 31.03 m. Addr. NBC, N. Y. C. 5 pm.-12 m.
9.665	ZRO9	ROME, ITALY, 31.04 m. 12.40-1, 1.37-5.30 pm. Irreg. 6-9 pm.
9.660	LRX	BUENOS AIRES, ARG., 31.06 m., Addr. El Mundo. Relays LRI, 6-6.45 am.-9.15 am.-10 pm.
9.660	HVJ	VATICAN CITY, 31.06 m. Sun. 5-5.30 am.
9.650	W2XE	NEW YORK CITY, 31.09 m. (See 21.570 mc. for addr.) Irregular.
9.650	CS2WA	LISBON, PORTUGAL, 31.09 m., Addr. Radio Colonial. Tues., Thurs. and Sat. 4-7 pm.
9.650	IABA	ADDIS ABABA, ETHIOPIA, 31.09 m., 3.55-4.05, 4.15-4.45, 11 am.-noon, 1-3 pm. Suns. 3.30-3.55 am.
9.645	JLT2	TOKYO, JAPAN, 31.10 m., 2.30-4 pm. to Europe.
9.640	CXA8	COLONIA, URUGUAY, 31.12 m., Addr. Belgrano 1841, Buenos Aires, Argentina. Relays LR3. Buenos Aires 5 am.-10.45 pm. Sat. 1 am.
9.636	JFO	TAIHOKU, TAIWAN, 31.13 m. Relays JFAK irreg. 4-10.30 am.
9.635	ZRO3	ROME, ITALY, 31.13 m., Addr. (See 11.810 mc.) 12.07-3 pm., 5.30-9 pm., also Mon. 3.50-4.05 pm., Fri. and Sat. 4-4.20 pm.
9.620	CXA6	MONTEVIDEO, URUGUAY, 31.19 m., Rel. CX 6 to 9 pm.
9.618	HJ1ABP	CARTAGENA, COL., 31.20 m., Addr. P. O. Box 37. Daily 9 am.-1.30 pm., 7-10.15 pm., Sun. 4.30-9 pm.
9.610	LLG	OSLO, NORWAY, 31.22 m., 3-6, 8-9, 11 pm.-mid.
9.606	ZRL	KLIPHEUVAL, SOUTH AFRICA, 31.23 m., Addr. P. O. Box 4559, Johannesburg. Daily, exc. Sat. 11.45 pm.-12.50 am. Daily exc. Sun. 3.20-7.20, 9-11.45 am., Sun. 3.30-4.30 or 4-5, 5.30-7, 9-11.45 am.
9.600	RAL	MOSCOW, U.S.S.R., 31.25 m. Daily exc. Sun. 6-10 pm. Sun. 6-7, 9.15-10 pm.
9.600	CB960	SANTIAGO, CHILE, 31.25 m., 8-11.30 pm.
9.600	GRY	DAVENTRY, ENG., 31.25 m., Addr. See GSC, 9.58 mc., Irreg. 12.25-6 pm.
9.595	—	MOYDRUM, ATHLONE, EIRE, 31.27 m., Radio Eireann. 12.30-4.30 pm. Irreg.
9.595	HBL	GENEVA, SWITZERLAND, 31.27 m., Addr. Radio Nations. Irregular.

Mc.	Call	
9.590	HP5J	PANAMA CITY, PANAMA, 31.28 m. Addr. Apartado 867. 12 n. to 1.30 pm., 6-10.30 pm.
9.590	VUD2	DELHI, INDIA, 31.28 m. Addr. All India Radio, 1.30-3.30 am., 7.30 am.-12.30 pm., 8.30-10.30 pm.
9.590	PCJ	HUIZEN, HOLLAND, 31.28 m., Addr. (See 15.220 mc.) Sun. 2-3, 7.15-9.25 pm. Tues. 1.45-3.30, 7-8.30, 8.45-10.15 pm., Wed. 7.15-8.40 pm., Fri. 8-9 pm.
9.590	VK6ME	PERTH, W. AUSTRALIA, 31.28 m., Addr. Amalgamated Wireless of Australasia, Ltd. 6-8 am. exc. Sun.
9.590	VK2ME	SYDNEY, AUSTRALIA, 31.28 m., Addr. Amalgamated Wireless of Australasia, Ltd., 47 York St., Sun. 1-3 am.; 5-9, 10.30 am.-12.30 pm.
9.590	W3XAU	PHILADELPHIA, PA., 31.28 m. (Addr. See 21.52 mc.) Mon. & Thurs. 5.30-6.15, 6.30-10.30 pm., 11 pm.-Mid. Sat. 5.30-6, 6.30-10.30 pm.
9.580	GSC	DAVENTRY, ENGLAND, 31.32 m., Addr. B. B. C., Portland Pl., London, W. 1., 12.25-4, 4.20-6, 9.20-11.30 pm.
9.580	VLR	MELBOURNE, AUSTRALIA, 31.32 m. Addr. Box 1686, G. P. O. Daily 3.30-8.30 am. (Sat. till 9 am.) Sun. 12.01-7.30 am. Also daily exc. Sat. 9.25 pm.-2 or 2.15 am. Sat. 5-10.30 pm.
9.570	KZRM	MANILA, P. I., 31.35 m., Addr. Erlanger & Galinger, Box 283. Wkds. 4.30-6 pm. m. tof. 5-9 am., Sat. 5-10 am., Sun. 4-10 am.
9.570	W1XK	BOSTON, MASS., 31.35 m., Addr. Westinghouse Electric & Mfg. Co. 6 am.-12 m. Sun. 7 am.-12 m.
9.566	OAX4T	LIMA, PERU, 31.38 m., 7-8, 11.30 am.-1.30 pm.
9.560	XGAP	PEKING, CHINA, 31.38 m., 4-9 am.
9.560	DJA	BERLIN, GERMANY, 31.38 m., Addr. Broadcasting House. 6.30-10.50 pm.
9.550	HVJ	VATICAN CITY, 31.41 m., Sun. 5-5.30 am., Wed. 2.30-3 pm.
9.550	TPB11	PARIS, FRANCE, 31.41 m. Addr. (See 15.245 mc.) 11.15 am.-7 pm., 9.30 pm.-mid. Irreg.
9.550	W2XAD	SCHENECTADY, N. Y., 31.41 m., General Electric Co., 5.15-8.15 pm. to So. Amer.
9.550	OLR3A	PRAGUE, BOHEMIA, 31.41 m. (See 11.640 mc.) Irreg. 4.40-5.10 pm.
9.550	XEFT	VERA CRUZ, MEX., 31.41 m. 10.30 am.-4.30 pm., 10.30 pm.-12.30 am.
9.550	YDB	SOERABAJA, JAVA, 31.41 m., Addr. N.I.R.O.M. Daily exc. Sat. 6-7.30 pm., 10.30 pm.-2 am.-4.30-10.30 am. Sat. 7 pm.-2 am.
9.550	VUB2	BOMBAY, INDIA, 31.41 m., Addr. All India Radio. 9.30-10.30 pm., 1-3.30 am. 5-6 am. also.
9.540	DJN	BERLIN, GERMANY, 31.45 m., Addr. (See 9.560 mc.) 12.05-11 am. 4.50-10.50 pm. to So. Amer.
9.538	VPD2	SUVA, FIJI ISLANDS, 31.46 m., Addr. Amalgamated Wireless of Australasia, Ltd. 5.30-7 am., exc. Sun.
9.535	—	SCHWARZENBURG, SWITZERLAND, 31.46 m., 1-2 pm. 6.45-7.45, 8-9 pm.
9.530	W6XBE	SAN FRANCISCO, CAL., 31.41 m., Addr. Gen. Elec. Co., 7-10 am.
9.530	W2XAF	SCHENECTADY, N. Y., 31.48 m., Addr. General Electric Co. 3-11 pm.
9.530	VUC2	CALCUTTA, INDIA, 31.48 m. Addr. All India Radio. 2.06-4.06 am. 10 pm.-2 am.
9.526	XEDQ	GUADALAJARA, GAL., MEXICO, 31.49 m., n.-4.30 pm., 8-11.30 pm.
9.526	ZBW3	HONGKONG, CHINA, 31.49 m., Addr. P. O. Box 200, 5-10 am., 11.30 pm.-1.15 am. Sun 5-9.30 am.
9.525	LKC	JELOY, NORWAY, 31.49 m., 4.30-10.30 am., Sun. 2.30-10.30 am.
9.523	ZRG	ROBERTS HEIGHTS, S. AFRICA, 31.5 m., Addr. (See ZRK, 9.606 mc.) Daily exc. Sun. 5-7.30 am.; Sun. 5.30-7 am.
9.520	OZF	SKAMLEBOAER, DENMARK, 31.51 m., Addr. Statsradiofonien, Heibergsgade 7, Copenhagen, 8-9.30, 9.30-11 pm. to No. Amer.

(Continued on page 156)

All Schedules Eastern Standard Time

# The Short Wave League

## DX on the Ham Bands



(with the "Listening Post" Observers)

Edited by Elmer R. Fuller

### HONORARY MEMBERS

Dr. Lee de Forest  
D. E. Replogle  
John L. Reinartz  
Manfred von Ardenie  
E. T. Somerset  
Hollis Baird  
Hugo Gernsback, Executive Secretary

● FN1C will give a special broadcast for dx purposes on June 29th and July 2nd on a frequency of 14.084 mc. The time will be 1400 to 1410 and 1800 to 1810 GMT, on both days. One hundred watts power will be used, and all reports will be verified if correct. A special quotation will be broadcast, and this will act as the check for verification. Send your report to FN1C, D. Patterson, Gongalpara, Chandernagore, Bengal, French India, and inclose a postal reply coupon.

W6USA, the voice of the Golden Gate Exposition at San Francisco, has been reported on the air. The frequency used is said to be about 14.18. The power is not known.

Vernon Gabriel, Observer for Michigan, reports hearing Experimental Car Number 37, of the Mexican Border Patrol. The frequency used was 14.14, and was heard R5 and S8.

Another unknown ZX station has been reported by Observer Gabriel. This month it is ZX4M on 14.07 megacycles. If anyone knows the QRA of this station or of ZX9AM, which was reported last month, please let us have it.

UK3AH is a new station on the air, and is located in Moscow, according to the report of Kenneth Spencer, Observer for England. His exact QRA was not given.

We wish to extend our congratulations to the amateurs who helped in relaying the message, in regard to the landing of the Moscow to New York airship in the Gulf of St. Lawrence. The skip distance on twenty meters was very long that night, and it was impossible for the two Canadian amateurs to get in touch with any Americans in the eastern part of the country, so the message was sent to every listener's friend, IH2B in Port-au-Prince, Haiti. Gertrude and Eric Bleo, the operators, sent it back to W2IXY, and from there it was telephoned to WOR. The two Canadian amateurs taking part were VE1BB and VE1SQ. This information was reported by Charles H. Fuller, Observer for New York.

Some of our newer listeners seem to have difficulty with the system now used by American and other hams for reporting readability and signal strength. The readability table is as follows:—  
R-1 Unreadable  
R-2 Barely readable  
R-3 Readable with considerable difficulty  
R-4 Readable with little difficulty  
R-5 Perfectly readable

The S or signal strength is indicated by the following numbers:—  
S-1 Very faint, barely perceptible  
S-2 Very weak signals  
S-3 Weak signals  
S-4 Fair signals  
S-5 Fairly good signals  
S-6 Good signals  
S-7 Moderately strong signals  
S-8 Strong signals  
S-9 Extremely strong signals

The T or tone report is not used except for CW notes.

Starting with the August issue, our style of giving reports will be changed. It is intended to use the ten best dx stations heard by each observer. These will be listed in the usual manner, as in the

A nice Veri card received by Robt. E. Hatcher, Richmond, Va., from a Japanese Ham.

past. At the top of our page, there will be a special box containing the ten best dx stations reported by our observers. Dx will be based on the distance from the observer to the station heard, the strength of the signal, and the popularity of the call, or prefix.

This may limit the reports to 10 and 20 meter amateurs, but it has been some time since anyone has reported any good dx on 80 or 160 meters.

During the past month, much difficulty has been encountered due to the northern lights. They have been very active, and have had a decided effect upon the short wave bands. Ten meters has been experiencing a short skip effect, and this has greatly reduced the dx on this band. However, there are times when ten meters still produces some very good results.

Five meters is the same as it has been for several months, but it is expected to open up soon. Last summer some very fine dx was heard and it is hoped that this season will be even better.

**JARL IARU**

# 7CR

TO RADIO LISTENER Mr. Robert E. Hatcher, Jr.  
MANY THANKS FOR 690 UNREPORTED.  
ON JUNE 22, 1931 AT 6:15 P.M. JCT  
UR SIGS OGA - R - ONI - MC.  
XMT: CO FD FO GUP PA ZOW.  
RCVR: SUPERHET 7 TUBES.  
ANT: 2 SECTION FLAT TOP.

AKIRA SAGA  
8 OF 8 IRIFUNOCHO KUSHIRO  
HOKKAIDO

PSE QSL **NIPPON**

The Asiatics have all but disappeared from the eastern part of North America, and are being heard only rarely in the West. The following were reported being heard last month, April.

Call	Freq.	R	S	Where Heard
J2MI	14.1	5	6	Ore.
J2KN	28.0	4	6	Calif.
J3EI		3	5	Utah
J5CE		3	4	Utah
VS2AL	14.08	4	6	Wash.
VS7RA	14.18	5	6-8	W. Va., England
VU2CO	14.3	3	4	W. Va.
XU8AM	14.14	5	6-7	W. Va., Tex.

### AFRICANS

CN8DW	14.105	4	7	Mich.
CN8MI	14.31	5	6	W. Va., Que.
CN8AU	14.015	3	5	Mass.
CN8MB	14.105	4	5-6	Mass.
CT2BP	14.2	5	7	N. J.
EA8AC	14.155	4	7	Mass.
EA9AH	14.0	5	9	la.
EK1AS	14.1	5	9	Mich.
EK1AF	14.1	3-5	4-8	la., Que., W. Va., Mass., N. J., Tex.
SU1CH	28.38	4	5	W. Va., Mass.
SU1AM	14.095	5	7-8	Mass.
SU1AX	14.25	4	7	Mass.
SU1WM	14.205	3	4	Mass.
VQ2CM	14.2	5	8	England
ZE1JX	14.0	4	6	Kans.
ZS1BW	14.21	5	6-7	Fla., Ore.
ZS1BA		4	6	Utah
ZS2AD	14.1	4	7	Ariz.
ZS2AZ	14.035	4-5	4-9	Phil. Is., Utah, Ia., Tex.

**SOUTHERN RHODESIA**

RADIO (Am. Exp. Rec.) CONFIRMING QSO 14.25 MC QSO WITH 7CR  
OF THE 22-2-38 AT 2204 S.A.S.T. OR 888  
R. S. T. QRM QRM WX Hf

**A.R.R.L. ZE1JI WAC.**

THX FR REPORT

XMT: CO. FO. AMP. 500 WATTS. 775  
PWR. 50 VOLTS. YOUR CARD 5 R. POTTERTON.  
MT. 600 VOLTS. ANT. 33 FT. ZEPP. APPRECIATED. THX. BOX 424 BULAWAYO.

Veri from Bulawayo, Southern Rhodesia, sent to Robt. Hatcher.

For April reports were received from the following observers:  
Alabama ..... Wells, Jack  
Arizona ..... Fuller, Lester  
Arkansas ..... Henderson, Bill  
California ..... Rush, Richard A.  
Colorado ..... Wallen, Dan T.  
Connecticut ..... Kemp, Howard G.  
England ..... Spencer, Kenneth  
Florida ..... Lester, Major  
Iowa ..... Mannheimer, Dick

Kansas ..... Hegler, Burns E.  
Kentucky ..... Taglauer, Bob  
Massachusetts ..... Lendizioszek, Ed.  
Michigan ..... Gabriel, Vernon  
Missouri ..... Fleming, R. B.  
Nebraska ..... Noyes, W. Deen  
New Jersey ..... Fitzpatrick, John  
New York ..... Fuller, Chas. H.  
Oregon ..... Trueman, El. C.  
Pennsylvania ..... Hartzell, Clar.  
Jordan, Tom  
Philippines ..... Ruiz, J. M.  
So. Carolina ..... Halliday, Ray  
So. Dakota ..... Hutchinson, R.  
Texas ..... Slaughter, Ed. C.  
Utah ..... Parker, Robert  
W. Virginia ..... Deem, W. O.

ZS2SY	14.035	4	6	Utah
ZS2AK	14.035	4	5	la.
ZS2AV	14.07	5	6-7	W. Va., Kans., Tex.
ZS2X	14.325	3-5	4-7	Ore., Mass.
ZS2AF	14.1	5	6	Kans.
ZS2AO	14.05	4	5	Kans.
ZS2BZ	14.04	5	8	Kans.
ZS4M	14.115	3	5	Mich.
ZS4H	14.11	2-5	5-8	Utah, Kans., Mass.
ZS5Q	14.05	3-5	5-8	Tex., Mich., Ia., Calif., W. Va., Kans.
ZS5AW	14.08	5	9	So. Dak., Kans.
ZS5OO	14.2	4	5	W. Va.
ZS5BZ	14.0	4	6-7	Kans.
ZS6DV	14.06	5	8	Ariz.
ZS6DW	14.025	5	5-6	Utah, Ia., Tex., Ore., Kans.
ZS6AD	14.075	5	7	Ia.
ZS6CY	14.16	5	6	Ia.
ZS6W	28.3	5	7	Kans.
ZS6BW	28.15	2	5	Mass.

### NORTH AMERICA

CO2AG	14.065	5	7	Colo.
CO2LY	14.09	5	8	Colo.
CO2WN	14.121	5	8	S. D., Wash.
CO2RH	14.158	5	9	S. D.
CO2JJ	14.1	5	6-7	Wash., England
CO2GY	14.105	4	6	Wash.
CO5EO	14.0	5	8	Colo.
CO7AB	14.08	2-3	5	S. D.
CO7CX	14.05	5	8	England
H13N	14.1	5	9	England
HR5C	14.1	5	8	Quebec

(Continued on page 185)

QRA: Dr. Angel Mora Canalejas, 1, 2<sup>a</sup> MELILLA (Marruecos Español)

To Radio W4 Mr Jack Wells WKD on J-3 1931 at GMT;  
QRM, Mod. Comprensibilidad QRM Mc  
QRM - - QRM - QSS QSB - - -

# EA9AI

XMT: <sup>Spain</sup>Watts: 200 v Hf/600 v Ant: Zepp. Mod: <sup>Hearing</sup> Barton

RCVR: Nacional -HRO- Ant. doublet, independiente. DX Fone: N. Zelanda Graf: WAC

Remarks: Many thanks for your letter and support. We will call on you every Saturday. We shall give some english articles

HPE PSE QSL THX <sup>Best 73s DM</sup> <sup>A. Mora G.</sup>

QSO: num

Interesting Veri sent Jack Wells by EA9AI, Spain.

Mc.	Call	Mc.	Call	Mc.	Call
9.520	YSH	SAN SALVADOR, EL SALVADOR 31.51 m., Addr. (See 7.894 mc.) Irregular 6-10 pm.	8.841	HCJB	QUITO, ECUADOR, 33.5 m. 7-8.30 am., 11.45 am.-2.30 pm., 5-10 pm., except Mon. Sun. 12 n.-1.30 pm., 5.30-10 pm.
9.520	RV96	MOSCOW, U.S.S.R. 31.51 m., 1-3, 4-7 pm., and irr.	8.830	COCQ	HAYANA, CUBA, 33.98 m., 6.55 am-1 am.
9.510	GSB	DAVENTRY, ENGLAND, 31.55 m., Addr. (See 9.580 mc.—GSC) 12 m.-2.30 am., 6.20-8.45, 9.20-11.30 pm.	8.700	HKV	BOGOTA, COLOMBIA, 34.46 m. Tues. and Fri. 7-7.20 pm.
9.510	HJU	BUENAVENTURA, COLOMBIA, 31.55 m., Addr. National Railways. Mon., Wed. and Fri. 8-11 pm.	8.665	COJK	CAMAGUEY, CUBA, 34.64 m., Addr. Finlay No. 3 Altos. 5.30-6.30, 8-11 pm., daily except Sat. and Sun.
9.510	—	TANANARIVE, MADAGASCAR, 31.55 m. Addr. Le Directeur des PTT, Radio Tananarive, Administration PTT. 12.30-12.45, 10-11 am., 2.30-4 am.	8.665	W2XGB	HICKSVILLE, N. Y., 34.64 m., Addr. Press Wireless, Mon. to Fri. News at 9 am. and 5 pm.
9.510	H58PJ	BANGKOK, SIAM, 31.55 m. Thursday, 8-10 am.	8.652	HJ4DAU	MEDELLIN, COLOMBIA, 34.67 m., Wkdys. 7-10 pm.
9.510	—	HANOI, FRENCH INDO-CHINA. 31.55 m. "Radio Hanoi", Addr. Radio Club de L'Indochine. 12 m.-2 am., 6-10 am. 15 watts.	8.580	YNPR	MANAGUA, NICARAGUA, 34.92 m. Radiodifusora Pilot. 12.45-2.15, 6.45-10.15 pm.
9.503	XEWV	MEXICO CITY, MEX., 31.57 m. Addr. Apart. 2516. Relays XEW. 7:45 am.-12.30 am.	8.572	—	BUCHAREST, ROUMANIA, 35.02 m., 8.15-10.30 am., 4-7 pm.
9.501	PRF5	RIO DE JANEIRO, BRAZIL, 31.58 m., 4.45-5.55 pm. Ex. Suns.	7.894	YSD	SAN SALVADOR, EL SALVADOR, 37.99 m., Addr. Dir. Genl. Tel. & Tel. 7-10.30 pm.
9.500	VK3ME	MELBOURNE, AUSTRALIA, 31.58 m., Addr. Amalgamated Wireless of Australasia, 167 Queen St. Daily except Sun. 4-7 am.	7.870	HCIRB	QUITO, ECUADOR, 38.1 m. La Voz de Quito. 8.30-11.30 pm.
9.500	OFD	LAHTI, FINLAND, 31.58 m., Addr. Finnish Brct. Co., Helsinki. 12.15-5 pm.	7.854	HC2JSB	GUAYAQUIL, ECUADOR, 38.2 m. 11 am.-2, 4-11 pm.
9.497	KZ1B	MANILA PHIL. ISL., 31.59 m., 7-9.05 am.	7.797	H8P	GENEVA, SWITZERLAND, 38.48 m., Addr. Radio-Nations.
9.488	EAR	MADRID, SPAIN, 31.6 m., Addr. (See 9.860 mc.) Irreg.	7.614	CR6AA	LOBITO, ANGOLA, 39.39 m., Mon., Wed., Sats. 2.45-4.30 pm. Also 7.177.
<b>End of Broadcast Band</b>					
9.465	TAP	ANKARA, TURKEY, 31.70 m., 11.30 am.-5 pm.	7.520	KKH	KAHUKU, HAWAII, Fri. 9-10 pm., Sat. 1-1.30 am., 9.30-10 pm.
9.445	HCOD	GUAYAQUIL, ECUADOR, 31.77 m., 8.15-10.15 pm., exc. Sun.	7.490	EAJ43	TENERIFE, CANARY ISL., 40.05 m., 8-9.30 pm. and Irreg.
9.437	COCH	HAYANA, CUBA, 31.8 m., Addr. 2 B St., Vedado. 8 am.-9.30 pm. Sun. 8 am.-12 m.	7.450	T12RS	SAN JOSE, COSTA RICA. 40.27 m. "Radioemisora Athena". 7-11 pm.
9.390	OAX5C	ICA, PERU, 31.95 m., Radio Universal, 7-11.30 pm.	7.440	FG8AH	POINT - A - PITRE GUADELOUPE, F.W.I., 40.32 m., 6-7.10 pm., also 9-10.30 pm. Irreg. P. O. Box 125.
9.370	XOY	CHENG TU, CHINA, 32.02 m., 9.45-10.30 am.	7.410	HCJ84	QUITO, ECUADOR, 40.46 m., 7-9.30 pm. irregularly.
9.355	HC1ETC	QUITO, ECUADOR, 32.05 m., Addr. Teatro Bolivar, Thurs. until 9.30 pm. 8-11 pm. Sats.	7.410	YDA	TANDJONGPRIOK, JAVA. 40.46 m., Addr. N.I.R.O.M., Batavia, 10.30 pm.-2 am.; Sat. 7.30 pm.-2 am.
9.350	COCD	HAYANA, CUBA, 32.08 m., Addr. Box 2294. Relays CMCD 10 a.m.-11.30 pm. Sun. 10 am.-9 pm.	7.380	XECR	MEXICO CITY, MEX., 40.65 m., Addr. Foreign Office. Sun. 6-7 pm.
9.345	HBL	GENEVA, SWITZERLAND, 32.11 m., Addr. Radio Nations. Sun. 7-7.45, 8-8.45 pm. Mon. 6.50-8.15 pm.	7.310	VIG	PORT MORESBY, PAPUA, 41.01 m., June 10 & 24, 3-5 am.
9.340	OAX4J	LIMA, PERU, 32.12 m., Addr. Box 1166, "Radio Universal." 12 n.-3 pm., 5 pm.-1 am.	7.280	TPB12	PARIS, FRANCE, 41.21 m., 10.15 am.-5.15 pm.
9.295	HI2G	CIUDAD TRUJILLO, D. R., 32.28 m., 6.40-8.40 am., 11.40 am.-2.10 pm., 3.40-4.40 pm.	7.220	HKE	BOGOTA, COL., S. A., 41.55 m. Tues. and Sat. 8-9 pm. Mon. and Thurs. 6.30-7 pm.
9.280	LYR	KAUNAS, LITHUANIA, 32.33 m., 11 am.-1.25 pm. and Irreg.	7.220	YDX	MEDAN, SUMATRA, N. E. I., 41.55 m. Daily exc. Sat., 10.30 pm.-2 am. Sat. 7.30 pm.-1.30 am. Irreg. to 9 am.
9.200	ZMEF	SUNDAY ISLAND, 32.61 m., Conts. Z1L5, N.Z. 1.45-2.15 am. Irreg.	7.200	Y15KG	BAGHDAD, IRAQ, 41.67 m., 7.30 am.-4 pm.
9.200	COBX	HAYANA, CUBA, 32.61 m. Addr. San Miguel 194, Altos. Relays CM8X 8 am.-11.30 pm.	7.200	YNAM	MANAGUA, NICARAGUA, 41.67 m. Irregular at 9 pm.
9.188	HC2AB	ECUADOR, 32.65 m., nightly to 10 pm.	7.177	CR6AA	LOBITA, ANGOLA, PORT. WEST AFRICA. 41.75 m., Mon., Wed., and Sats. 2.45-4.30 pm. Also see 7.614 mc.
9.170	HCIGQ	QUITO, ECUADOR, 32.72 m., Mon., Wed., Sat. 9-9.55 pm.	7.128	YN3DG	LEON, NICARAGUA, 42.09 m., 2-2.30, 8.30-9.30 pm. ex. Suns.
9.135	HC2CW	GUAYAQUIL, ECUADOR, 32.84 m., 11 am.-1, 7-11 pm.	7.100	FOBAA	PAPEETE, TAHITI, 42.25 m., Addr. Radio Club Oceanien. Tues. and Fri. 11 pm.-12.30 am.
9.125	HAT4	BUDAPEST, HUNGARY, 32.88 m., Addr. "Radiolabor," Gyali-ut, 22. Daily 7-8 pm., Sat., 6-7 pm.	7.088	PIIJ	DORDRECHT, HOLLAND, 42.3 m., Addr. Dr. M. Hellingman, Technical College. Sat. 11.10-11.50 am.
9.100	COCA	HAYANA, CUBA, 32.61 m. Addr. Galiano No. 102. Relays CMCA Noon-12.15 am. Irreg. to 3 am.	7.010	XGSA	KWEIYANG, CHINA, 42.80 m., 5.30, or 6-11 am.
9.091	PJCI	CURACAO, D. W. INDIES, 33 m., 6.36-8.36 pm., Sun. 10.36 am.-12.36 pm.	6.990	XEME	MERIDA, YUCATAN, 42.89 m., Addr. Calle 59, No. 517, "La Voz de Yucatan desde Merida." Irregular.
9.030	COBZ	HAYANA, CUBA, 33.32 m., Radio Salas Addr. P. O. Box 866. 7.45 am.-1.15 am. Sun. 7.45 am.-12 m. Relays CM8Z.	6.977	XBA	TACUBAYA, D. F., MEX., 43 m. 9.30 am.-1 pm., 7-8.30 pm.
8.965	COKG	SANTIAGO, CUBA, 33.44 m. Addr. Box 137. 9-10 am., 11.30 am.-1.30 pm., 3-4.30, 5-6, 10-11 pm., 12 m.-2 am.	6.960	ZZB	WELLINGTON, N. Z., 43.10 m., Mid-7 am.
			6.880	XOJD	HANKOW, CHINA, 43.60 m., 6-8.30 am.
			6.805	HI7P	CIUDAD TRUJILLO, DOM. REP., 44.06 m., Addr. Emisoría Diaria de Comercio. Daily exc. Sat. and Sun. 12.40-1.40, 6.40-8.40 pm. Sat. 12.40-1.40 pm. Sun. 10.40 am.-11.40 am.
6.790	PZH	PARAMIRABO, SURINAM. 44.16 m., Addr. P. O. Box 18. Sun. 8.40-10.40 am. Tues. & Fri. 5.40-8.40 pm. 1st & 3rd Thurs. monthly 6.40-8.40 pm.	6.775	HIH	SAN PEDRO DE MACORIS, DOM. REP., 44.26 m. 7-9.40 pm. Sun. 5.20-6.40 pm.
6.730	HI3C	LA ROMANA, DOM. REP., 44.58 m., Addr. "La Voz de la Feria." 12.30-2 pm., 5-6 pm.	6.720	PMH	BANDOENG, JAVA, 44.64 m. Re-relays N.I.R.O.M. programs. 4.30-11 or 11.30 am. Also Sat. 9.30 pm.-1.30 am.
6.690	TIEP	SAN JOSE, COSTA RICA, 44.82 m., Addr. Apartado 257, La Voz del Tropico. Daily 7-11 pm.	6.675	HBQ	GENEVA, SWITZERLAND, 44.94 m. Addr. Radio-Nations. Sun. 1.45-2.45 pm.
6.660	HI5G	TRUJILLO CITY, D. R., 45.05 m., to 8.40 pm.	6.635	HC2RL	GUAYAQUIL, ECUADOR, S. A., 45.18 m., Addr. P. O. Box 759. Sun. 5.45-7.45 pm., Tues. 9.15-11.15 pm.
6.630	HIT	CIUDAD TRUJILLO, D. R., 45.25 m., Addr. "La Voz de la RCA Victor." Apartado 1105. Daily exc. Sun. 12.10-1.40 pm., 5.40-8.40 pm.; also Sat. 10.40 pm.-12.40 am.	6.625	PRADO	RIOBAMBA, ECUADOR, 45.28 m. Thurs. 9-11.45 pm.
6.600	HI6H	TRUJILLO CITY, D. R., 45.45 m., 7.40-8.40 pm.	6.610	YNLG	MANAGUA, NICARAGUA. 45.39 m. Emisora Ruben Dario. 1.30-2.30, 6-10.15 pm.
6.565	HI5P	PUERTO PLATA, D. R., 45.70 m., 5.40-7.40, 9.40-11.40 pm.	6.600	HI6H	TRUJILLO CITY, D. R., 45.45 m., 7.40-8.40 pm.
6.558	HI4D	CIUDAD TRUJILLO, D. R., 45.74 m. Addr. Apartado 623. 12.30-2, 6-8 or 9 pm. Except Suns.	6.555	X8C	VERA CRUZ, MEX., 45.8 m. 8.15-9 am.
6.516	YNIGG	MANAGUA, NICARAGUA, 46.02 m., Addr. "La Voz de las Lagos." 1-2.20, 8-10 pm. Except Sundays.	6.550	TIRCC	SAN JOSE, COSTA RICA, 45.8 m., Addr. Radioemisora Catolica Costarricense. Sun. 11 am.-2 pm., 6-7, 8-9 pm. Daily 12 n.-2 pm., 6-7 pm., Thurs. 6-11 pm.
6.490	TGWB	GUATEMALA CITY, GUAT., 46.2 m. La Voz de Guatemala. Daily 7.45-9 am. 12.45-3.45 pm., 7.30 pm.-12.15 am. Sun. 10.30 am.-5.15 pm., 7 pm.-12 m.	6.480	HIIL	SANTIAGO DE LOS CABALLEROS, D. R., 46.28 m., Addr. Box 356. 9.40-11.40 am., 7.40-9.40 pm.
6.470	YNLAT	GRANADA, NICARAGUA, 46.36 m., Addr. Leonidas Tenorio, "La Voz del Mombacho." Irregular.	6.470	YNLAT	GRANADA, NICARAGUA, 46.36 m., Addr. Leonidas Tenorio, "La Voz del Mombacho." Irregular.
6.455	HI4V	SAN FRANCISCO DE MACORIS, D. R., 46.44 m., 11.40 am.-1.40 pm., 5.10-9.40 pm.	6.455	HI4V	SAN FRANCISCO DE MACORIS, D. R., 46.44 m., 11.40 am.-1.40 pm., 5.10-9.40 pm.
6.420	HIIS	SANTIAGO, D. R., 46.73 m., 5.40-7.35 pm. Ex. Suns.	6.420	HIIS	SANTIAGO, D. R., 46.73 m., 5.40-7.35 pm. Ex. Suns.
6.400	TGQA	QUEZALTENANGO, GUATEMALA, 46.88 m., Mon.-Fri. 9-11 pm. Sat. 10 pm.-1 am. Sun. 1-3 pm.	6.388	HI9B	SANTIAGO, D. R., 46.8 m., Mon. & Fri. 8.10-8.40 pm.
6.384	ZIZ	BASSETERRE, ST. KITTS, W. INDIES, 46.99 m. 4-4.45 pm., Wed. 7-7.30 pm.	6.384	ZIZ	BASSETERRE, ST. KITTS, W. INDIES, 46.99 m. 4-4.45 pm., Wed. 7-7.30 pm.
6.357	HRPI	SAN PEDRO SULA, HONDURAS, 47.20 m., 6-7.30 am., 2-4 pm. & Irreg. to 10 pm.	6.357	HRPI	SAN PEDRO SULA, HONDURAS, 47.20 m., 6-7.30 am., 2-4 pm. & Irreg. to 10 pm.
6.340	HIIX	CIUDAD TRUJILLO, D. R., 47.32 m. Sun. 7.40-10.40 am., daily 12.10-1.10 pm., Tues. and Fri. 8.10-10.10 pm.	6.340	HIIX	CIUDAD TRUJILLO, D. R., 47.32 m. Sun. 7.40-10.40 am., daily 12.10-1.10 pm., Tues. and Fri. 8.10-10.10 pm.
6.335	OAXIA	ICA, PERU, 47.33 m., Addr. La Voz de Chiclayo, Casilla No. 9. 8-11 pm.	6.335	OAXIA	ICA, PERU, 47.33 m., Addr. La Voz de Chiclayo, Casilla No. 9. 8-11 pm.
6.324	COCW	HAYANA, CUBA, 47.4 m., Addr. La Voz del Radio Philco, P. O. Box 130. 6.55 am.-12 m. Sun. 9.55 am.-10 pm.	6.324	COCW	HAYANA, CUBA, 47.4 m., Addr. La Voz del Radio Philco, P. O. Box 130. 6.55 am.-12 m. Sun. 9.55 am.-10 pm.
6.310	HIZ	CIUDAD TRUJILLO, D. R., 47.52 m. Daily except Sat. and Sun. 11.10 am.-2.25 pm., 5.10-8.40 pm. Sat. 5.10-11.10 pm. Sun. 11.40 am.-1.40 pm.	6.310	HIZ	CIUDAD TRUJILLO, D. R., 47.52 m. Daily except Sat. and Sun. 11.10 am.-2.25 pm., 5.10-8.40 pm. Sat. 5.10-11.10 pm. Sun. 11.40 am.-1.40 pm.
6.295	OAX49	LIMA, PERU, 47.63 m., Addr. Apartado 1242. Daily 7-10.30 pm.	6.295	OAX49	LIMA, PERU, 47.63 m., Addr. Apartado 1242. Daily 7-10.30 pm.

(Continued on page 187)

All Schedules Eastern Standard Time

# What Do YOU Think?

## A Shout from New Zealand

Editor,

First of all, let me tell you of my "outfit" here. The rig is built up from circuits published in *Short Wave Craft* and *RADIO & TELEVISION*. The Xmitter is the H.F.35 and I will say it has and still is doing its job well. The receiver is your "Band Switch 2" plus an R.F. and A.F. stage, and built-in power supply. Everything is in metal cabinets with crackle enamel finish.

I hear W's on 80 meter band, my latest being W7FP calling C.Q. Honolulu Q5 and R6 on speaker.

If there are any of the boys "over there" who feel inclined to drop me a line—O.K., shoot it along. About this matter of QSL-SWL; well, I always do answer 100%, for the reason that I was once a DXer and got a big kick out of receiving the cards. Usually a SWL honestly thinks his report covers what a station wants but just let me pass on a hint: When reporting, always give percentage of modulation and quality details.

Yours till the rig blows up,

R. E. McGRATH, ZL3KE,  
183 Richmond Terrace,  
New Brighton,  
Christ Church,  
New Zealand.

## He Wants More 3, 4 & 5 Tube Sets

Editor,

I'll second the motion that you should print more articles on construction of three-, four-, and five-tube sets and not the larger sets that have appeared in the past, as cash to be spent on radio is not any too plentiful around here. I am a high school student and the only time I have to get extra money is after school, when I like to work with the set, or sets.

FRED C. STUCKERT,  
6021 N. Kent Ave.,  
Milwaukee, Wis.

## A Lisbon Short Wave DXer

Editor,

The accompanying photo shows my



S-W Listening Post of Fernando Pereira, Lisbon, Portugal.

modest "Listening Post" in action.

I am very much interested in *short wave* work, and I thoroughly enjoy *RADIO & TELEVISION* each month.

My receiver is a "Philips."

I am a member of the *Short Wave League*, Liga dos Radio Escutas Portugueses, and Rede dos Emissores Portugueses of Lisbon.

I have recorded foreign stations very, very well and have verifications from: Portugal, Poland, Germany, Spain, Australia, China, U. S. A., Canada, Mexico, Colombia, Peru, Brazil, Argentina, Java, England, Belgium, Chile, Kenya, Siam, S. Africa, Venezuela, France, Fr. Somaliland, Hawaii, Japan, Holland, Guatemala, Costa Rica, Panama, Italy, Switzerland, Salvador, Nicaragua, Honduras, Iceland, Morocco, Burma, U. S. S. R., Bulgaria, Sweden, Czechoslovakia, Cuba, India, Republica Dominicana, Egypt, New Zealand, Fiji, Ecuador, Vatican City, Paraguay, Hungary, Uruguay, Tahiti, etc., etc.

I have been reading your magazine for a long time and think it is just about "tops."

FERNANDO PEREIRA,  
Ave. Visconde Valmor, 26-2°,  
Lisbon, Portugal.

## The Finest!

Editor,

As a regular reader of your magazine for three years, I would like to express my congratulations. It is the finest magazine in radio.

I have built many sets from *RADIO & TELEVISION* and all were excellent. I am now building the 4 metal tube beginner's superhet. from plans given in the May, 1938, issue.

I like all the departments of your magazine, but would like to see more constructional articles on low-power transmitters and superhet. receivers.

In my opinion, those silent Hams who do not send QSL cards are forgetting one important thing. The amateur is licensed to conduct conversations with his fellow Hams. The SWL is in reality an amateur without a license or transmitter. He cannot come right back with a radio call, so when he is inspired with an amateur's QSO, he must resort to the mail and his SWL card to say "nice going, OM," or vice versa.

Of course, one should be reasonable with the Hams. When the cost of the "rig," receiver and other instruments are added, it often knocks the QSL cards out of the pocketbook.

However, there are a few Hams who QSL. I would like to take this opportunity to thank the few Hams who answered my SWL card.

I would like to exchange SWL cards and chatter with any foreign SWL's.

Wishing best of luck to *RADIO & TELEVISION*.

GERALD B. CAPE,  
P.O. Box 163,  
Desloge, Mo.



Dan Hightower, of St. Petersburg, Florida, takes the prize for best S-W Listening Post photo this month—1 year's subscription to *RADIO & TELEVISION*.

## Watch Out! He's After Your "Veri"

Editor,

Enclosed please find a photo of myself and listening post for your contest (prize-subscription to your fb magazine).

The equipment consists of a Hallicrafter SX16 and a National NC-100. The antennas are a 40 ft. long, 20 ft. high inverted "L" and a 20 ft. long, 10 ft. high antenna of the same type.

I am just now concentrating on the occupation of "veri" soliciting.

DAN H. HIGHTOWER,  
2000 28th Ave., N.,  
St. Petersburg, Fla.

## Our "Advs" Pull!

Editor,

Very many thanks for printing my ad in the January issue of *RADIO & TELEVISION*. The number of replies already received gives some idea of how large the circulation of your admirable magazine must be. I am still willing to swap my SWL card with any ham or SWL in your country or in any other part of the world. I am definitely 100% QSL as many of my friends in America will assure you if you ask them! If any YL's or hams would like to correspond with me, I will be only too willing to do so.

Since starting listening on the amateur bands about 10 months ago, no less than 91 countries have been logged and veris have been received from 41. Receivers used are a ten tube all-wave superhet, an 0-v-2 for the short waves and a 5-tube superhet for the broadcast bands.

DENYS CRAMPTON,  
35 York Road,  
Southport, England.


## 100% Interesting

Editor,

Being a reader of your magazine, I must congratulate you for the way it is put together. It is 100% interesting. There is nothing in England to touch it, and the pity is I am always two months behind in issue—but do I digest it when I get it.

May I pass a few words on the contents? The following are top hole—*Short Wave Kinks*, *What Do YOU Think?*, *S. W. League*, *Let's Listen in with Joe Miller*, and *World S. W. Stations*.

I would be delighted to exchange cards or  
(Continued on page 180)



Front and rear views of complete De Luxe Transmitter.

● THIS third and final section will describe the complete speech equipment for use with the "Beam Power 3". There are two units, the speech amplifier with driver stage, and the modulator unit itself.

The speech amplifier is commercially available in *kit* form, and a completely punched chassis may be had. It is highly advisable to get the foundation kit for the unit, as it has been very carefully engineered and produces excellent results.

#### The Speech Amplifier

Complete directions are given in the *speech amplifier* foundation kit and they should be followed explicitly. As furnished, the

This third and final article covers the construction of the Speech Amplifier and Modulator. The instructions include a simple method for testing the speech amplifier and a means of testing the complete transmitter with a "dummy load" before putting it on the air.

#### Part 3—Conclusion


Howard G. McEntee, W2FHP

# De Luxe


amplifier uses a fixed bias output stage, the bias voltage coming from an 80 rectifier and a separate filter system. When this transmitter was originally laid out, a slightly different amplifier was drawn up in which the output stage was self-biased. The relay control system was made to accommodate a single circuit from the speech amplifier which was to open the center-tap for stand-by periods. This is not possible with the speech amplifier as shown, since the 80 still carries the load through the bias tap when the center tap of T3 is open. Rather than re-design the whole control circuit and install a new relay to open the bias circuit, the driver stage is simply run with self-bias. Resistor R17 is shorted by means of the sliding tap. The 80 rectifier is removed and a 700 ohm resistor is placed between the center tap of filament winding Y-Y on T3 and ground. These alterations change the driver to self-bias, with no noticeable difference in output quality, at least for voice work. The power output is more than will ever be needed for driving the Class B stage.

It is recommended, however, that the speech amplifier be made exactly as specified in the directions which come with it. The

Wiring diagram of the Speech Amplifier and Power Supply.








Top view of modulator.



Modulator as seen from the bottom.



# "Beam Power 3" HAM Transmitter

slight changes mentioned above then enable its use in this transmitter; but if higher output with less harmonic content is ever needed, the circuit may be changed to fixed bias with very little trouble.

The r.f. filters shown in mike input and in the lead from the peak rectifier were considered good insurance, although it is quite possible they will not be required for every installation.

All connections to the speech amplifier chassis are made by means of two 4-prong plugs, one of which connects with the control panel, and the other with the modulator chassis.

It is a good idea to get the amplifier going correctly before starting on the modulator. The direction sheet gives quite explicit details for this and should be followed, omitting, of course, the setting of R17. It was found that the resistor R5 should be set for about 150 V., after which R14 is adjusted to give 10 V. across R7 and R9. The former is about 9 to 10 per cent of the Class C voltage and was found to give more sure control of overmodulation, particularly on speech work. A pure sine-wave could be held down quite well with only 5 per cent, but we are naturally

interested only in *speech* work in this particular case.


A test of the speech amplifier may be made with a 50 W. wire-wound resistor of from 10,000 to 20,000 ohms or so connected to the output transformer, with a pair of headphones connected across a very small section of the resistor. This will not give any indication of the power output, but if the speech output sounds clean and voltages are correct, you may be reasonably sure that the amplifier will work when properly matched to the Class B tubes. The output transformer should be connected on the 4 to 1 taps.

### Modulator Simple to Build


The *modulator* is a simple task after the relatively complicated *speech amplifier*. Besides the modulator stage and its power supply, the peak rectifier tube, with its filament transformer, is placed on this chassis. An "on-off" switch is provided for the A.M.C. circuit, but is practically unnecessary after preliminary testing has been completed. It does serve, however, to give a very convincing demonstration to skeptical visiting hams who sometimes

(Continued on page 176)

### Hook-up of the Modulator, with Power Supply and Peak Rectifier.



### Rear and bottom views of Speech Amplifier.



Hams—Build This

# W8KPX 70-Watt MODULATOR

Harry D. Hooton, W8KPX


A high-quality, inexpensive audio unit which will 100 per cent modulate any final amplifier of 250 watts or less input.

● SINCE the publication of the 6L6, 15-watt modulator article in the October 1938 issue of RADIO & TELEVISION, the author has received a number of requests for constructional data on a more powerful model. In the majority of instances, the power input to the final R.F. amplifier ranged from 150 to 250 watts. In designing the 70-watt modulator to be described, we have endeavored to supply a good but not expensive audio unit which will 100% modulate any final amplifier running 250 watts or less input. The construction is standard throughout, the modulator and power supply being built on a 17 x 3 x 13


inch removable top chassis and a 19 x 10 1/2 inch black crackle finished steel panel. Incidentally, arrangements have been made for the modulator to be supplied in kit form with the panel and chassis already punched and drilled. This will eliminate most of the hard labor involved and simplify the construction of the unit considerably.

The circuit, as Fig. 1 shows, is more or less conventional, consisting of a 6J7 input from the crystal microphone resistance-capacity coupled to a 6C8G second audio amplifier-phase inverter. The output of the 6C8G is, in turn, fed to the grids of the 6B4 driver tubes which operate in push-


Fig. 1—Schematic diagram of the W8KPX 70-watt modulator. Note shielding on leads of 6J7, 6C8, and 6B4s.



● The completed modulator in actual service.



● Rear view of the 70-watt modulator—note the neat yet well-spaced line-up of parts.



● Bottom view of the completed modulator.

pull class A. The class B modulator uses a pair of Taylor TZ-20s which require only 1.8 watts driving power for the full 70 watts output. The rectifiers are a pair of 866 Jrs., which are very satisfactory for our purpose. The modulation transformer is of the universal type designed to match the TZ-20s to any R.F. load.

The 6J7 input circuit is very interesting in that no grid biasing arrangements are provided. The grid leak is of the unusually high value of 15 megohms and the tube receives its bias through the voltage drop across this resistor which occurs from the minute grid current in the tube. Experiments with this arrangement have shown that distortion is decreased and there is a greater uniformity of performance, regardless of tube changes, than when using the conventional method of supplying bias

(Continued on page 179)

# Radio Test-Quiz

Edited by Robert Eichberg

For each question answered fully, and correctly, credit yourself with 10 points; half right, 5 points; etc. A perfect score is 180; a good score is 120; below 60 is poor.

This month's Radio Test-Quiz was prepared with the cooperation of the Press Department of the National Broadcasting Company.

1. How far in the future can short-wave reception conditions, on the average, be accurately forecast?

- a. One day
- b. Three days
- c. Two weeks
- d. One month

2. Forecasts are based on


- a. weather
- b. sunspot activity
- c. state of the earth's magnetic field
- d. daylight-darkness distribution over the circuit path
- e. geographic location of the path

3. With what average degree of accuracy (approximate)?

- a. 5%
- b. 25%
- c. 50%
- d. 75%

4. What is the greatest distance a picture has ever been transmitted by modern high-definition electronic television?

- a. 50 miles
- b. 100 miles
- c. Around the world
- d. Transatlantic



WHAT FORMS A TELEVISION NETWORK?

5. A television network might be formed by

- a. film exchange
- b. live talent touring groups
- c. automatic radio relay
- d. coaxial cable

6. What is the width of the channel assigned by the Federal Communications Commission for television stations?

- a. 10 kilocycles
- b. 20 kilocycles
- c. 1 megacycle
- d. 6 megacycles

7. Spacing between the audio and video carriers, according to the RMA proposed standards, is

- a. 10 kc.
- b. 500 kc.
- c. 1 mc.
- d. 3.5 mc.
- e. 4.5 mc.

8. NBC's Beer Mug is the smallest practical, complete relay transmitter. Its approximate weight is

- a. 2 pounds
- b. 5 pounds
- c. 7 pounds
- d. 9 pounds
- e. 13 pounds
- f. 24 pounds

9. What is the new word for the partially suppressed sideband in television broadcasting?

- a. single sideband
- b. vestigial
- c. rudimentary
- d. atrophied

10. Which country has established the greatest frame frequency in television broadcasting?

- a. Great Britain
- b. France
- c. Germany
- d. United States

11. NBC's first television program (electronic television) was transmitted

- a. April 30, 1939
- b. February 10, 1938
- c. July 7, 1936
- d. January 1, 1937

12. The picture sent on that date was in

- a. 240 lines
- b. 180
- c. 343
- d. 441
- e. 500

13. What great American television inventor was a student under one of the following early experimenters?

- a. Berseilius
- b. Dr. Paul Nipkow
- c. Campbell-Swinton
- d. Boris Rosing
- e. Deacs von Mihaly

14. The final R.F. stage in American broadcasting transmitters uses what type of modulation?

- a. amplitude
- b. frequency
- c. phase
- d. 110 per cent

15. In crystal control oscillators what type of crystal provides the most accurate frequency control?


- a. tourmaline
- b. x-cut quartz
- c. Y-cut crystal
- d. AT-cut crystal

16. What is the single most irritating source of interference with the television signal?

- a. heat
- b. lightning
- c. automobile ignition systems
- d. diathermy apparatus
- e. power sub-stations

17. What kind of waves can be transmitted through pipes?

- a. centimeter waves
- b. ultra-short
- c. standard broadcast waves
- d. long waves



IN HOME TELEVISION REC. THE PICTURE APPEARS?

18. In electronic television (home receiver) the picture appears in or on

- a. Iconoscope
- b. Motion picture screen
- c. Kinescope
- d. A ground glass

## Answers

- 1. d
- 2. e
- 3. c
- 4. c
- 5. d
- 6. d
- 7. c
- 8. f
- 9. b
- 10. d
- 11. c
- 12. c
- 13. b
- 14. b
- 15. d
- 16. c
- 17. a
- 18. c

## BIG RESULTS AT LITTLE COST with RCA 809's

W3BES WINS 9th A.R.R.L. SWEEPSTAKES . . . TOTALS 84,001 POINTS

RCA-809

\$2.50

AMATEUR NET



Jerry Mathis of Philadelphia's Frankford Radio Club knows tubes—and he knows they don't have to be costly to bring real results.

For his 100-watt entry in the 1938 A.R.R.L. Sweepstakes, Jerry chose a pair of RCA 809's for the final amplifier stage and drove them with a third 809. These tubes had already seen two years of hard use. They had brought him second place in the 1937 Sweepstakes. At another time, during the DX Contests, he blushingly admits to having built them up temporarily to 500 watts input instead of their rated 150 watts input. Yet these hard-working old 809's continued to come through in their own big way.

Jerry's W3BES won first place in the 1938 Sweepstakes by working 502 stations, an average of more than 12.5 an hour. His total score was 84,001.25—a record that tells its own story of honest-roughness results from inexpensive equipment in the hands of an expert operator.

WIN, PLACE and SHOW with RCA'S

Here is the W3BES Sweepstakes Record 1936—Ran 3rd using RCA-852's with 1,000 watts.

1937—Ran 2nd using RCA-809's with 100 watts.


1938—First place—with the same 809's!



## Radio Tubes

First in Metal, Foremost in Glass, Finest in Performance

RCA Manufacturing Co., Inc., Camden, N. J. A Service of the Radio Corporation of America



Front and top views of short wave diathermy apparatus.

# How to Make Dollars from Diathermy

C. C. Long

Details for Building 275 Watt Output Unit

● SHORT wave diathermy is finding more and more duties to perform in the field of modern medicine. Almost all hospitals and physicians' offices boast of some form of therapy using radio waves.

Primarily the use of the short wave diathermy at present is in the creation of artificial fever. Nature, of course, has used

heat therapy for assisting the body in fighting off the ravages of disease since the creation of man. Until recently almost everyone, including physicians, regarded fever as a sort of "evil spirit" which aided the disease which caused it, in finishing off the unfortunate victim in a short time. However, modern physicians realize that fever is the process nature provides us with to fight off the disease. As considerable danger is involved in giving a treatment using a natural fever-producing disease, the use of radio waves has become widespread. In this way the patient can be given the fever either locally or generally in a pleasant and harmless manner. Fevers ranging from 103 degrees to 106 degrees can be produced in a few

minutes and will disappear a few minutes after treatment is stopped.

As short wave diathermy machines are nothing more nor less than radio frequency generators, there is no reason why the radio set constructor cannot derive some benefit from the sale and maintenance of these machines. However, the radio technician's activity should cease with the sale and maintenance of the machine; the application should be left to an experienced physician. Although indicated in a large number of conditions the careless use of the machine may result in disaster.

Other than the creation of artificial fever, short wave diathermy is also used for minor surgery such as cutting, coagulation, etc.

CONSTRUCTION: Diathermy machines are used in many different conditions, consequently there are a number of sizes used. Power output may range from slightly above 100 watts to 1000 watts. However,

(Continued on page 169)

## New "Noise Reduction" Circuits

Louis Mouroux

In this article the writer reviews the newest ideas and systems developed for the reduction of natural and man-made static noises interfering with radio reception.

sensitive to the damped waves of natural or man-made static.

Moreover, they are not affected by the currents induced in ordinary antennas by

changes in the earth's magnetic field or the ground noise currents usually intense in metal frame buildings, such as hotels, apart-

(Continued on page 184)

● THE problem of noise reduction has been somewhat neglected by most radio technicians who are convinced that it is either too difficult or too complicated, if not entirely a waste of time and effort.

However, when one considers the improvements needed for better radio reception, the suppression of noise gives great satisfaction to the listener.

During the last few years several methods have been employed with more or less success, some having distinct advantages. They are, in order of relative effectiveness:

A—Noise reduction antennas.

B—Shielded loops and balanced loop circuits.


C—Noise-to-noise bucking, or neutralization circuits.

D—Limiter circuits.

A—Noise reduction antennas, now commonly used, are well known and need not be discussed here.


B—The balanced and shielded loop circuits are probably the most efficient and the least complicated of all the systems ever designed. They have the advantage of having directional properties; they are easy to shield and balance; and they are not

An interesting group of "Noise-Reduction" Receiver Circuits.



# 100 Watt Transmitter with Band-Switching Exciter Unit

● NEAT, compact transmitters are becoming more popular every day. The 100 watt transmitter with four stage band switching exciter, described here, operates on all bands from 80 to 10 meters, inclusive,



Front and rear views of Band-Switching Exciter. Designed and built by Hammarlund.

and embodies the latest principle of construction and design. The exciter portion is built around a boxlike chassis measuring 17" long x 2 3/4" high x 3 1/2" deep. The four 6L6 tubes, as well as the four fixed tuned exciter tanks, are built along the rear edge

rather than on the top, as is the usual practice. The top of the chassis is used for the final amplifier. The entire transmitter, including everything but the power supplies, measures 17" long by 8" deep by 9 1/4" high and requires a 19" x 10 1/2" panel for rack or cabinet mounting. Band switching in the exciter portion is accomplished in a very simple manner. The switch breaks the cathode circuits of the stages not being used, and at the same time connects the link output circuit to the proper doubler stage. No high potential r.f. exists in the switch and all circuits remain in perfect alignment.


Meter switching is accomplished by connecting 100 ohm resistors in the circuits to be metered. The meter is connected across these resistors by means of a single four-point rotary switch for the exciter and a three-point dual switch for the 100 watt final amplifier.

The exciter plate coils are ready wound Hammarlund units about the size of an ordinary i.f. transformer. The coils in the final amplifier are of the plug-in variety, in order to maintain simplicity.

When the transmitter is completed, there are only two tuning controls to operate. All other adjustments are made when the transmitter is put into operation and then require no further attention. With the use of efficient beam type antennas having a power gain of three or four, a transmitter of this type will compete with the high power boys and still take up no more space than the average ham receiver.

## Facsimile Recording Tube

● W. G. H. FINCH, former Ass't Chief Engineer of the F.C.C. and now president of the Finch Telecommunications Laboratories, Inc., in New York City, has been awarded U. S. patent 2,123,721 on a



Top—Photograph of the Finch tube. Below—Sectional view of tube, and diagram showing its use.

new simplified and inexpensive gaseous type of facsimile recording tube.

Although the new tube was developed primarily for facsimile reproducing systems, it is also useful for sound recording and television. Earlier gas-filled tubes, says Mr. Finch, were not satisfactory for high quality facsimile reproduction work, due to the intensity of the cross-section of the resultant spot of light focused upon the record sheet, which resulted in "fringes" between the successive scanning lines, causing the line-by-line construction to be noticeable.

The new type of recording tube produces a beam of light with a predetermined shape and uniform cross-sectional intensity, maintaining a square beam for recording. By means of a lens system, this beam, varying in intensity in accordance with the picture signals, is sharply focused upon the film mounted upon the drum of the facsimile unit.

The tube produces this uniform glow across the square aperture so that the lens system may be focused directly upon the aperture in order that the image of the light is produced directly upon the film.

The electrodes consist of a flat plate anode containing the square aperture located directly above a cylindrical cathode. This cathode is set into supporting insulation material which is mounted upon the extension tube from the glass stem. The insulation member contains projecting fins used for cooling the electrode.



GUARDIAN A-100 & R-100 RELAYS

**RUGGED—COMPACT—  
INEXPENSIVE—SINGLE  
OR DOUBLE FEED**

- Insulated with **ALSIMAG 196**
- Rated at **1 KW, AF or RF, at 28 MC**
- Maximum contact capacity in Minimum space
- Guardian Built

Utilizing the highly efficient insulating qualities of ALSIMAG 196, the A-100 Antenna Relay affords greater flexibility for amateur transmission use, giving maximum contact capacity in minimum space and permitting economical construction of the most elaborate control circuits.

The A-100-C makes an excellent antenna relay for any transmitter up to, and including 1 KW. A single A-100-C is recommended for use in single wire fed antenna installations or two, in two wire open line systems. When used in pairs, they may be placed at any desired spacing to accommodate width of line used, avoiding possible mismatch caused by distorting the feed system to provide for relay installation.


R-100 series relays are designed for use in AF and RF circuits of kilowatt phone or CW transmitter operating on frequencies up to and including 28 megacycles and provide a simple, efficient method of remotely controlling receivers and transmitters; of band switching, crystal switching, high voltage keying and break-in.

MODEL	LIST PRICE
A-100 Double pole—double throw	\$5.95
A-100-C Single pole—double throw	3.30
R-100 Single pole—single throw, Norm. open	2.75
R-100-B Single pole—single throw, Norm. closed	2.75
R-100-C Single pole—double throw	3.30
R-100-G Double pole—double throw— Triplex insulated	5.00

Normally operates on 110V-60C. For coils operating on other than 110V-60C-AC add 10% to the above list prices.

Get complete details from your dealer or write direct for free bulletins and circuit diagrams.

**GUARDIAN ELECTRIC**  
1628 W. WALNUT STREET CHICAGO



Above—New 4-tube receiver; below—diagram of the receiver and its power-supply. ➤

# New 4-Tube Receiver

Has Range of 8 to 550 Meters

G. C. Crose

controlled and sharp-tuning bandspread is also provided.


A 456 kc. iron-core I.F. transformer couples the first stage to the regenerative second detector which employs a 6J7 tube. Additional regeneration is accomplished by inserting an R.F. coil of special design in the cathode circuit; the degree of regeneration is controlled by means of a shunting potentiometer.

A power output tube is used to supply plenty of kick to headphones or speaker. The operator may use phones or speaker at will; in either case excellent quality will be obtained.

The complete Super-Gainer may be operated from "B" batteries and (Continued on page 177)

● THE new improved model of the Knight Super-Gainer kit incorporates new features and offers higher efficiency without sacrificing any of the advantages of the original circuit. When properly constructed and operated, this four-tube receiver will give you the kind of performance ordinarily expected of seven- or eight-tube sets, say its sponsors.

In examining the circuit you will find that a regenerative 6L7 tube is used as the first detector with a type 6J5 tube serving as a separate oscillator. Volume level and regeneration are controlled by means of a voltage divider network, which varies the screen grid potential on the 6L7 tube. The regeneration action gives extremely sharp selectivity and sensitivity. Nevertheless, the set is very easily



A crystal-control combination "Send - 'Ceiver" which can be expanded whenever desired to make it a M.O.P.A.


# Beginner's Xmitter-Receiver

Makes an Ideal PORTABLE


McMurdo Silver

● IN the "Send-'Ceiver" the transmitter is a simple, fool-proof crystal-controlled 10-15 watt affair, so arranged that it can be added to as desired and, starting as a simple one-tube crystal oscillator, can grow to a two-tube, 15 watt m.o.-p.a. rig—to which can be added 1 or 2 tubes to convert it into a telephone transmitter—phone as well as c.w. telegraph transmission can be enjoyed as the beginner advances to such stages. It can be used as an "exciter" for much more powerful amplifiers, if, as the beginner grows up, he joins the "kilowatt parade."

The front panel carries all receiver controls at left and all transmitter controls at right. The small knob at the upper left is the receiver tuning condenser, or band-setting knob. In



Above—Two views of the Transmitter-Receiver, and at left—the hook-up, showing the "change-over" switch.



operation, it is set to the edge of any amateur band from 5 through 160 meters (or is used to tune regular and short-wave broadcast bands which the receiver also covers), after which stations in the desired band are tuned in on the large 5½" "vernier" band-spread dial, for easy tuning, even as low as 5 meters. The lower left knob is the master on-off switch and receiver volume-regeneration control. Set up to just below oscillation, as evidenced by a hiss in the headphones (with stations heard as a squeal), it provides for selective long-distance voice and broadcast reception. Set just above this point, or just beyond critical regeneration, c.w. telegraph stations the world over can be tuned in—with, actually, more effective selectivity than is (Continued on page 173)

## Planning Programs for Television

Thomas H. Hutchinson

(Continued from page 133)

In the studio, the necessity for mobility—mobility of cameras and lighting units—and the obvious requirement of continuous action lie at the bottom of most of our problems. We do have the advantage of controlled light conditions and three camera chains. But the light is still inferior to sunlight in brilliance, and considerably hotter. Our engineers, however, have recently perfected a lighting system of such efficiency and flexibility that I believe it will revolutionize all studio lighting. Ceiling lighting units, six lamps to each unit, are so arranged that each may be swung through nearly a complete circle and the units themselves tilted through a considerable angle. Each unit is remotely controlled so that the lighting set-up may be changed to follow studio action without interfering with camera movement.

As far as sets are concerned, our problem is to make them embody the impression we want to make on the viewer and yet keep set dimensions small enough for our studios. We have had as many as seven sets in one play; four or five are usually used. I must confess that sometimes a good deal of ingenuity is required in arranging these about the studio floor.

We are still up against the limitations imposed by cameras with lenses of long focal length. This has made us confine our dramatic action within rather narrow limits. This condition, however, is of temporary duration. New Iconoscopes in the process of development will permit us to use lenses of short focal length and gain a greater depth of focus in our images.

These are some of the limitations the program director faces today in presenting a television show. Some we shall overcome with greater experience. Solution to other problems awaits on the ingenuity of our friends in the RCA laboratories. Nevertheless, our immediate job is to build programs of such interest that the man who sees them will want to buy a receiver for his home. Regardless of the present limitations of television, the program director must somehow manage to please the viewer, the ultimate judge of its success or failure.


## Television in 24 Hours

(Continued from page 147)

too great an extent, especially when one wishes to photograph the image. A moderate degree of contrast, with the brilliance brought up to a point at which the image is bright enough to be comfortable but somewhat less than maximum, will be found to give most faithful reproduction of half-tone values. The too-contrasty image gives a sort of poster effect with large patches of blacks and whites and no intermediate shades of gray.

With these two controls well balanced, the focus control should be brought into use. It is possible to set this control so that horizontal black lines appear and, of course, this gives the greatest degree of detail. The writer, however, finds it pleasanter to look at a picture with somewhat less detail but with an absence of all the lines which have heretofore been considered characteristic of television images. Therefore, he adjusts the focus controls for a slightly larger scanning spot and succeeds in entirely eliminating these lines, as the photograph of the image illustrating this article shows.

## MARINE and COMMERCIAL-TYPE RECEIVERS



MODEL 51

- 13 Tube Performance (10 used)
- Isolantite Insulation
- Iron Core I.F.
- Band Spread
- C.W. Pitch Control
- R.F. and Det. Panel Trimmers
- Push-Pull Audio
- A.C.-D.C. Circuit
- Full Wave A.C. Rectification
- High voltage, oiled paper filter condensers—no electrolytics
- Both power lines filtered
- Shielded, moisture-proof bypasses

An AC-DC, communication-type superhet, built to highest standards. Continuous tuning range 9.7 to 3.750 meters in Model 51-MK covers time signals, weather and airplane beacons, 600 meters, broadcast, police, yacht phone, amateurs and short wave broadcast. Dial fully calibrated with all amateur, broadcast and ship bands marked. Regenerative input gives almost complete image rejection, brings up weak signals that are unreadable without it.

A rugged, dependable communication receiver afloat or ashore. A Rocketter for DX. ALWAYS IN ALIGNMENT. No need to depend upon line-up adjustments made in a factory thousands of miles away. R.F. and detector trimmers, on the panel, allow the operator to align the receiver perfectly for any frequency. Built of the best materials. No electrolytics or deteriorating parts except the tubes.

### MODEL 51 NET PRICES

Model 51-AK, 9.7-550 meters, 110 volts AC-DC net \$157.00  
 Model 51-MK, 9.7-3,750 meters, 110 volts AC-DC net \$175.00  
 Battery model also available.



MODEL 11 9.5 TO 20,000 METERS—

Continuous tuning from the ultra highs to the audio frequencies—the greatest tuning range of any advertised receiver. An exceptional CW receiver but good also for phone and broadcast. Designed for the operator whose interests are not confined to any one set of frequency bands. Flexible, quiet, easy to operate, ultra-sensitive. Employs tuned R.F. and regenerative detector circuit—believed by many to be most sensitive C.W. receiving circuit ever developed. Selectivity compares favorably with larger multi-tube sets.

Features: Model 11 has coil switch, band spread, calibrated dial, break-in switch, phone jack, built-in speaker and power supply. Ideal for the commercial operator's personal receiver. Available in any voltage and for A.C., D.C. or battery, in 3 tuning ranges. An accepted standard in this field since 1936.

### MODEL 11 NET PRICES

Net Prices—A.C. Models  
 Model 11-AA, 9.5-550 meters, .....\$52.00  
 Model 11-MA, 9.5-3750 meters, .....\$57.00  
 Model 11-UA, 9.5-20,000 meters, .....\$77.00  
 Immediate Delivery. Prices include power supply, speaker and RCA tubes.

**E. M. SARGENT CO.**

212 9th St. Oakland, Calif.

## BRUSH HIGH LEVELER SERIES MICROPHONES




Range in price from \$22.50 to \$32.50  
 NEW BRUSH HEADPHONES

Write for your Brush catalog today.

**THE BRUSH DEVELOPMENT CO.**

3326 PERKINS AVE. CLEVELAND, OHIO

## MORE DX LESS NOISE!



### WITH THE NEW BROWNING PRESELECTOR

This new Preselector is GUARANTEED to improve the performance of any Receiver. Available in kit form at \$13.50 or wired and tested with Filament Transformer \$16.50. Uses new 1852 tube in High-Gain circuit. Range from 5 to 160 meters bandswitching. Buy one today on money-back-if-not-satisfied basis at Your local Ham Supply House, or write direct. Free Bulletin upon request.

**BROWNING LABORATORIES INC.**  
 WINCHESTER, MASS.

## SERVICING SIMPLIFIED With A.T.A. INSTRUMENTS!

### 710-SELECT-O-TESTER

- Unbeatable for accuracy, reliability and cost. Makes use of sensitive 1000 ohm per volt D'Arsonval meter. Large easy to read scale. Needle type pointer.
- 0/2.5/10/25/50/100/250/500/1000/2500 volts D.C.
- 0/10/100/1000 D.C. Mills.
- 0/2500/25000/250000 Ohms.
- With battery and prods ..... \$5.85

### MODEL 720 A.C.-D.C. TESTER

- Similar in design but has the following A.C. ranges added—0/15/150/1500 Volts A.C. • 0/15/150/1500 Output. • -10 to plus 19/38/53 db. with battery and prods ..... \$7.85



### 740-GIANT ALL-TEST-METER

- Employs huge 9" 1000 ohm per volt D'Arsonval Meter—0/15/150/750 Volts D.C. • 0/15/150/750 Volts A.C. • 0/1/15/150/750 D.C. Ma. • 0/15/150/750 A.C. Ma. • .001/1 and .05/200 mfd. • 0/500 and 500/5 megohms. • 0/15/150/750 output ranges. • 1/7000 henries. • .006/600 Watts.
- With prods ..... \$18.95
- Complete ..... \$1.00

APPROVED TECHNICAL APPARATUS CO.

57 1/2 DEY ST., N. Y. C., N. Y.

SEND FOR NEW A.T.A. CATALOG

## BLILEY CRYSTALS

10-20-40-80-160 Meter Bands

Now \$3.35 up.

**Bliley Electric Co., Erie, Pa.**

## Your Inquiries Invited.

When you need amateur equipment it is to your advantage to write to me. You get personal attention; 6% terms financed by myself so you buy with less cost and more convenience; fair trade-in value for your equipment; ten day trial of all receivers; and my cooperation in every way to see that you are 100% satisfied. For any equipment, the latest information and technical help, write to W9ARA.

### Compare My Terms with Others

Model	Cash Price	Down Payment	12 Monthly Payments
Skyrider Defiant	\$69.50	\$13.90	\$4.91
Howard 460	79.95	15.99	5.64
HQ-120X & NC101X	129.00	25.80	9.11
RME-70	138.60	27.72	9.79
NC100A	120.00	24.00	8.48
NC80X & NC81X	99.00	19.80	6.99
SX-23	115.50	23.10	8.15
NC-44 & S20	49.50	9.90	3.49
Sky Buddy	29.50	5.90	2.08

AUTHORIZED FACTORY DISTRIBUTOR for all AMATEUR RECEIVERS

Similar terms on Hallicrafters, National, Harvey, RCA, RME, Temco transmitters and Thordarson, National, U.T.C., Utah, Kits.

All orders and inquiries attended to by Bob Henry, W9ARA; active amateur for 14 years; graduate M.I.T.E.E.; owner of Henry Radio Shop selling amateur supplies for ten years.

*Bob Henry*  
W9ARA

BUTLER, MISSOURI

## W8KPX 70-WATT MODULATOR

An efficient, high-quality modulator for the 100-250 watt ham rig using the economical Taylor TZ-20 tubes. The kit is furnished complete with PUNCHED and DRILLED chassis supplied at no extra cost.



Write for free blue prints, diagrams and prices.

### SIGMON RADIO SUPPLY

"Custom-Built Radio Headquarters"

104 Washington St., East. Charleston, W. Va.

## NOW! POLICE RADIO \$7.95

### NEW ABC SHORTWAVE CONVERTOR

Converts car radio to receive police signals without affecting broadcast band. Completely shielded from outside interference. Easily installed. Model 900 is designed for police signals covering 1500 to 2500 Kilocycles. Order today \$7.95 plus postage.



Write for literature completely describing seven models, including unit for foreign reception. Coverage 1G to 49 meter bands.

Jobbers and Dealers Wanted

ABC Radio Laboratories 3334 N. New Jersey St., Indianapolis, Ind., U.S.A.

## UNIVERSAL 5MM.

All purpose microphone including amateurs, p.a., schools, stage, etc. Beautiful in appearance. Small in size. Superlative in performance. High fidelity reproduction voice and music. Incl. locking plug and 25 ft. cable. Direct to grid or any desired impedance. In De Luxe package at your jobbers now.

UNIVERSAL MICROPHONE CO. Ltd.  
424 Warren Lane, Inglewood, Cal., U.S.A.

## Mechanical Scanning

(Continued from page 141)

factors to produce a minimum cost, and at the same time to achieve a satisfactory degree of reliability. Essentially it is a multi-mirrored design. A reduction in the number of its mirrors can only be attained by increasing the rotary speed of one or both motors. For example, doubling the speed of both motors would cut the total number of mirrors in half, but it is rather apparent that 30,375 revolutions per minute represents the upper limit of practicability for the design, and therefore little can be hoped for by increasing the speed of the line frequency motor.

### OSCILLATING MIRROR:

The oscillating mirror system of television replaces the multi-mirrored Nipkow rotary system with a single mirror, and it retains its single mirror, irrespective of the degree of detail that the art now requires or will require in the future. This principle is most encouraging. Like many such apparent short-cuts, it soon became evident that the power required to oscillate a mirror of appreciable size at speeds of say 10,000 swings a second over a sufficiently wide angle to produce a large picture, runs into values far above practical limits.

The answer to this problem was found in the use of mechanical resonance. This dropped the driving power by four orders of magnitude. However, reducing the power to a low value was of itself not a complete solution. The design had to be of such a nature that its exact duplication would be inexpensive, and its characteristics stable in the field, otherwise the vital rigid condition of exact synchrony in frequency and phase could not be attained. The photograph shows the scanner developed by the International Television Radio Corporation. Its frequency is constant over a large temperature range, due to a special design feature. In its zero position the device is in a state of zero strain. There is an entire absence of parasitic vibration in its operation. The cost is low and the design is stable and contains no wearing parts whatever.

Naturally there is a slight difference in natural period between the various scanners, but since all are driven by a component of the radio wave, they all are forced into, and maintained in exact step with one another. The only difference between them is their varying amplitudes of swing, which is adjusted by framing controls at the receiver. These controls adjust the amplitudes of the swings of the mirror by varying the input powers into the two sets of driving magnet coils.

Employing resonance, there is no practical upper limit to the detail that can be scanned with a single vibrating mirror.

### HARMONIC SCANNING PATTERN:

The patterns can be interlaced as in other systems. However, the scanning pattern is harmonic. Furthermore, the scanning spot is never interrupted, but, on the contrary, is continuously on the screen.

It has been suggested that because of this harmonic motion, the light would be piled up at the edges of the picture. Experience does not support this view, for to the eye, a screen scanned with unmodulated white light appears uniform except for a frame one dot wide about the entire picture. This framing dot is cut off by a diaphragm and therefore does not appear. If a non-uniform distribution of light did occur it could be compensated for at the transmitter.

Synchrony for such a system is elemen-

tary in its simplicity. The shape of the transmitted pulse can be of any desired form, for the increment of energy imparted to the vibrating element by each pulse is but a very small percentage of its stored energy. Man-made static therefore does not affect the scanning or the proper arrangement of the picture elements. The synchronizing pulses occupy an extremely narrow portion of the channel.

The resonant vibratory mirror system can produce a home picture two to three feet on a side, and the indications are that television receiving sets may be made to retail at about \$200.

July, 1939

## RADIO-CRAFT

\$4,000 Public Address Contest (3rd month)

Circuit of Commercial Teleceiver (RCA 9-in. and 12-in. Sets!)

How to Make and Use a Frequency Wobbler

An "Ideal" 6-Tube All-Purpose Battery Portable

Announcing—The Electronic Orchestra!

Modern Inexpensive All-Push-Pull Direct-Coupled 10-W. Amplifier (Cost? Under \$10!)

Circuit Features in Modern P.A. Amplifiers

### Correction Notice

● DUE to an editorial oversight, credit was omitted on the article, "Rotating Beam Loop," in the April issue. This article was written by W. F. Holford, G5NG, and appeared in the *T & R Bulletin of England*. The editors of RADIO & TELEVISION regret this omission and wish to give both the author and the original publisher full credit.

● ON page 36 of the May issue in the "Question Box," we incorrectly gave credit for the "Simple C.W. Transmitter Rig" to Louis Huffert. Credit should have been given to W. J. Hoffert, Port Arthur, Texas, who designed the apparatus.

## Radio Speed Indicator

(Continued from page 143)

occurs, is used in a new radio airplane speed indicator recently patented by The British Thomson-Houston Co., Ltd., and reported in *Wireless World* (London).

According to the invention, the plane carries a short-wave transmitter, T, and a short-wave receiver, R, mounted side by side in separate parabolic reflectors, as shown in Fig. 9. The transmitter radiates to the ground a clear-cut beam of energy which is reflected back, at least in part, toward the receiver, where it produces apparent change in frequency. The change is proportional to the speed of the machine relative to the point of reflection, and is measured by the beat-note produced by combining the returning wave with a fraction of the outgoing wave. A small ray is diverted directly from the transmitter into the receiver by a pair of small disc reflectors D, D1, placed just in front of the outgoing beam. An iris diaphragm, D2, serves to regulate the strength of the diverted ray.




## How to Make Dollars from Diathermy

(Continued from page 164)

the most popular range is between 200 and 500 watts. A machine having an output of 250 watts is generally satisfactory for office use. (The present design has.) In construction the experimenter should bear in mind that due to the varying load and the abuse received by the machine it should be made substantially, and under no condition should quality of parts be sacrificed for low cost.

In order to have a radio frequency circuit capable of producing under adverse



Assembled Diathermy Apparatus.

conditions, the component parts must be heavy enough to withstand a heavy overload without injury to themselves. Circuit design must be considered also, as stable operation must be maintained.

Diathermy machines are capable of producing much interference, so proper shielding and line filters must be used. In some cases it has been necessary to use the machine in a screened enclosure large enough to permit the treating table, the attendant, the patient and the machine, all to be enclosed. This is in extreme cases, however, and should not be necessary if the machine is properly constructed.

It should be remembered that the person using the apparatus seldom has any knowledge of the technical operation of equipment of this type and the machine should be so constructed that it will be foolproof and safe, even though the operator does not know what is inside.

Referring to the circuit diagram, it will be seen that in the power input circuit there is ample filtering action to prevent the R.F. from going into the power line. Ch. 1 and Ch. 2 are ordinary R.F. chokes, built to stand the necessary load. C1 and C2 are condensers, preferably of the mica type, to further aid in preventing R.F. from entering the power line. These precautions, as well as the shielding of the interior of the cabinet with copper wire screen should eliminate all possibility of interference.

As the mercury vapor 866 tubes are easily damaged by applying the plate voltage before the filaments are heated, it should be arranged so that there is the usual delay of 15 seconds between the time the filament transformers are switched on and the time the plate transformer is switched on. The ideal way, of course, is by using a time delay switch. In the circuit,

however, it is noted that a common tuning eye tube is used, to indicate when the plate voltage may be applied, for the sake of economy. This will easily remind the operator to wait for the interval before turning the plate voltage on and will also add "eye appeal" to the machine. S1 controls the filament; the plate voltage is applied by the switch in the timer. The duration of the treatment may be timed and after the end of the treatment the plate voltage is automatically shut off. The Mark Time switch incorporated in the circuit may also be set in a "Hold" position so as to not limit the time but to permit the machine to operate.

In the oscillator circuit several tubes were tried and the best results were obtained with the Gammatron 254. This tube has the following characteristics:

HK254	Maximum plate dissipation	100 watts
	Filament volts	5.1 volts
	Filament current	7.5 amps
	Maximum plate volts	3000 volts
	Maximum plate current	200 ma.
	Maximum d.c. grid current	40 ma.

In order to have a ripple-free current a 1 mf., 3000 volt (C3) condenser is used in the high voltage input. The tuning condenser C4 is a split stator, 35 mmf. per section, rated at 5000 volts. Condensers C5 and C6 are used to isolate the patient's circuit in order to prevent shocks. C7 is used for reduced power in conjunction with outlet P1. The terminals P1 and P2 give full current for fever treatments and the terminals P1 and P3 are used for coagulation, desiccation, cautery, etc. The strength of the special application outlets may be

(Continued on following page)

# Everything in Radio

## AT LOWEST PRICES!

**7 NEW PORTABLES**  
★  
**60 OTHER SETS**

**GET ALLIED'S SUMMER CATALOG**  
Send coupon now for ALLIED'S Free Summer Catalog. 164 pages of radio values! Over 14,000 parts; Sound Systems, 8 to 65 watts, at new low prices; radio's biggest line of record players, phonographs, recorders; latest test equipment; new Amateur gear; dozens of Kits; books, tools, etc.—and 62 new Knight Sets, as low as \$5.95—all types, new portables \$10.95! Everything in radio at lowest prices, in ALLIED'S catalogue! FREE—send coupon!

**NEW P.A.**  
**ALLIED BOOKS 10c**

**RADIO BUILDERS! P.A. MEN!**  
"Radio Builder's Handbook"—For beginners, tells how to select circuits, read diagrams, make chassis, etc.—only 10c!  
"Essentials of Recording"—Complete facts, tips on making records, reproducing, etc.—only 10c. send coupon.

**FREE CATALOG**

ALLIED Radio Corporation,  
Dept. 3-G-9,  
835 W. Jackson Blvd.,  
Chicago, Ill.

Send your Free Radio Catalog.  
 10c Enclosed. Send Builder's Handbook.  
 10c Enclosed. Send book on Recording.

Name .....

Address .....

# The 1 and ONLY

## SHORT WAVE COIL DATA BOOK

Every experimenter knows that the difference between a good and a poor radio set is usually found in the construction of short-wave coils. Coil winding information is vitally important and in the new coil book all "dope" appears. There're illustrations which give instructions on how to wind coils, dimensions, sizes of wire, curves and how to plot them. Every experimenter needs this book—it also contains complete data on all types of receiving coils, together with many suitable circuits using these coils. Also complete data on various types of transmitting coils with many transmitting circuits such as exciters and amplifiers using the various coils described.

**Contents Briefly Outlined**  
S-W Tuning Inductance Charts • Coil Data for T. R. F. Receivers • One Tube Oscillators • Two Tube Broadbander • The Mono-Coil • 2-Tube Old Reliable • 2-Tube Globe Trotter • 2 Winding Coils—10-500 Meters • Doerfler 3-Tube "Signal Grasper", Electrified • 3-Tube Broadbander for the Ham • General Coverage Coils on Ribbed Forms • Coil Data for Superhet or S-W Converter • Ultra S-W Coils • Switch Coils for S-W Superhets • Experimental Coils • S-W Antenna Tuner • Most Popular S-W Tuning Circuits • Self-Supporting Transmitting Circuits Employing Coils Described • All Band Antenna Tuner for Transmitting • Plug-in Coils for Exciters • Frequency-Wavelength Conversion Chart.

**PRICE 25c PREPAID**

For a copy of this handy book, send 25c in U.S. Coin or stamps to

**RADIO PUBLICATIONS**  
97 HUDSON STREET NEW YORK, N. Y.



# PERMEABILITY TUNING IS HERE

SEND FOR  
*Free Book!*

**Q CONTROL**  
TRADE-MARK

ALADDIN RADIO INDUSTRIES, INC.  
466 WEST SUPERIOR STREET  
DEPT. F.  
CHICAGO, ILLINOIS

Licensed under one or more of the following Johnson Laboratories, Inc. patents:  
1,940,228  
1,978,600  
1,982,689  
1,982,690  
2,018,626  
2,051,012  
2,113,603  
2,122,874  
Other patents issued and pending.

# LONG-LIVED



## Wire Wound Resistors

A new high in resistor values! Both fixed and adjustable types. Wound on ceramic tubes and protected by a baked cement coating which is non-hygroscopic and non-absorbent. Four ratings in each type cover nearly all service, replacement, and experimental requirements for amplifiers, receivers, and transmitters. Design of movable bands for adjustable units allows setting for exact resistance requirement. One or more bands may be used. **Ratings:** Fixed—5, 10, 20 and 50 watts. Adjustable—10, 25, 50 and 75 watts.

See Them at Your Parts Jobber's Today!

**CONSOLIDATED**  
WIRE AND ASSOCIATED  
**CORPORATIONS**

528 S. PEORIA ST. CHICAGO, ILL.

**EXTRA MONEY FOR YOU**

68 PAGES

**300 WAYS TO MAKE MONEY**

**CASH IN!**  
MAIL ORDER PLANS TESTED MONEY MAKERS BUSINESS SECRETS SUCCESS SCHEMES  
A MARVEL BOOK 40,000 WORDS in TEXT!  
In "CASH IN" you get ALL the real money-makers—dozens of profitable tested mail order plans, confidential business secrets, dozens of practical tested formulas, successful tested schemes—actual experiences of men who have started on a shoestring—with less than \$10 capital. Money-Back Guarantee.  
"CASH IN" contains only tested ideas covering every type of full- or spare-time enterprise—it's a "masterpiece" in business ventures.  
25 CENTS per copy. Sent POSTPAID anywhere upon receipt of 25 cents U.S. stamps or coin.

**NATIONAL PLANS INSTITUTE**  
246-T FIFTH AVENUE NEW YORK, N. Y.

**ALL THE LATEST COMMUNICATION RECEIVERS IN STOCK FOR IMMEDIATE SHIPMENT**

- R M E
- HOWARD
- NATIONAL
- HAMMARLUND
- HALLICRAFTERS

**CAMERADIO**

963 LIBERTY AVE. PITTSBURGH, PA. 30 TWELFTH ST., WHEELING, W. VA.

Established 1919

changed by varying the value of C7. (Note that in the photo the condenser shown is not of the split stator type. This conventional type condenser does not perform as well as the split stator type and is more dangerous to use because of possible shock as well. For this reason the author thought it wise to specify the split stator type. The test model was changed after the photo was made.) Condensers C8 and C9 should be of sufficiently high rating to prevent possible breakdown. R.F. current output is indicated by the meter in the patient's circuit. Since pads and surgical applicators cannot satisfactorily be made, it is suggested that they be purchased from a surgical supply house.

The plate tank circuit consists of 12 turns of No. 10 copper wire on a 2 3/4-inch diameter form. The machine should tune at about 16 meters. Care should be exercised when buying the pads to be sure they will resonate at the frequency used.

In addition to the use of outputs P1 and P3 for attenuation of the output, a High-Low switch is employed in the grid bias

## BUD RADIO


- 1—C4 No. 1581 35 mmf. per section dual condenser
- 4—No. 226 transmitting sockets
- 1—Tuning eye assembly
- 1—Heavy duty switch
- 1—Isotex transmitter tank form
- 1—No. 568 transmitting choke R.F. 2.2 m.h., 1000 ma.
- 2—No. 876 transmitting chokes, R.F. 2.5 m.h., 250 ma.
- 1—Pilot light assembly
- 3—Insulated jacks for pads

## I. R. C.

- 1—R1 3500 ohm, 50 watt resistor
- 1—R2 5000 ohm, 50 watt resistor
- 1—R3 1 megohm, 1 watt resistor
- 1—R4 5000 ohm, 1 watt resistor

## SANGAMO

- 2—Transmitting mica condensers, C5, C6, .002-mf., 5000 volts
- 1—Transmitting mica condenser, C7, .005-mf., 5000 volts
- 2—Transmitting mica condensers, C8, C9, .0001-mf., 5000 volts
- 1—Transmitting mica condenser, C10, .006-mf., 5000 volts



Hook-up of Short-Wave Diathermy Apparatus.

circuit, R1. A tuned grid circuit may be used if desired but it was found that the circuit shown did not go out of oscillation on overload as much as the tuned grid circuit.

The cabinet should be well ventilated and rigidly built. For added safety the panel should be of bakelite. Cabinet design will depend largely upon individual taste, but of the materials available, wood will be found cheapest and safest.

Approximate operating conditions for the Heintz and Kaufman 254 tubes in the oscillator circuit are as follows for a pair:

- Plate voltage—2000 volts.
- Plate current—200 M.A. loaded.  
120 M.A. idle.
- Grid current—80 M.A. maximum.
- Power output—275 watts approximately.

This tube is capable of greater output when used as a straight radio frequency Class C amplifier, but when used in diathermy it would not be wise to exceed the above approximate ratings, due to the varied load conditions.

## List of Parts for S-W Diathermy Machine SPRAGUE

- 1—C1 .006 mf. 600 volt condenser
- 1—C2 .006 mf. 600 volt condenser
- 1—C3 oil condenser, CR13, 1 mf., 3000 volts

## HEINTZ & KAUFMAN

- 2—HK 254 transmitting tubes

## RAYTHEON

- 2—866 rectifier tubes (half-wave)
- 1—6E5 cathode-ray tube

## HOYT

- 1—0.3 ampere hot wire ammeter

## OHMITE

- 2—A.C. line chokes Ch.1 and Ch.2 (Z22)

## STANCOR

- 1—Plate transformer, No. P6154 (T3) d.c. Vts. after filter—2,000; 300 ma.
- 1—Filament transformer, No. P3025 (T2)
- 1—Filament transformer, No. P4086 (T1)
- 1—Filament and plate transformer, No. P5058 (T4)—550 V. C.T.; 50 ma.; 6.3 V. C.T. and 2.5 amp.; 5 V. C.T. and 2 amp.

## MISCELLANEOUS

- 1—Mark Time timer and switch assembly
- 2—10 ampere line fuses
- 1—5 ampere line fuse
- 3—Fuse holders
- 1—Outlet receptacle for foot control
- 1—Bakelite panel to fit cabinet
- 1—Cabinet constructed as suggested in text
- 1—Pickup coil (see diagram)

# NEWEST RADIO APPARATUS

## New Skyrider 23

● HALLICRAFTERS have brought out a new 11-tube model, known as the Skyrider 23, which has a number of highly desirable features. For example, to secure greater frequency stability, con-




densers and coils are constructed of materials with temperature coefficients causing frequency changes that compensate for each other. Thus, when a coil producing a positive frequency change with an increase in temperature is used in conjunction with a condenser that has a negative frequency change for the same temperature variation, a zero frequency change results.

The tuning dial is made of metal, indirectly lighted, and the four general coverage dials are accurately calibrated in megacycles, while the band-spread dial is calibrated with an arbitrary scale for easy logging of stations. The "S" meter dial is calibrated in "S" units and "db." units. The band indicator has eight positions which provide continuous coverage from 8.8 to 556 meters (34 mc. to 540 kc.) and band-spread coverage over the full 330 degree dial of the 10, 20, 40 and 80 meter bands. It also includes an automatic noise limiter to minimize noise level on the higher frequencies. The switch of this unit is mounted directly adjacent to its tube, and is mechanically linked with the switch on the operating panel. Other features are a crystal filter, automatic noise limiter, amplified AVC, wide band-spread, variable selectivity, and separate speaker in matching cabinet.

## Tube & Set Tester

● THE Approved Technical Apparatus Company has announced its model 2000-C Portable combination Tube Tester and Set Analyzer. It has many features, among which are a 9" round




D'Arsonval type 1 ma. meter with 1000 ohms per volt sensitivity and 2% accuracy. It tests all tubes including the new OZ4, and other cold cathode rectifiers, as well as all metal, MG, spray shield and glass tubes. Among the tests it gives are hot interelement short and leakage between all individual elements, hot cathode leakage, and individual tests of each section of full-wave rectifiers, duo diodes and all multi-purpose tubes. Its D.C. voltage ranges are 0-10-50-500-1000; its A.C. voltages are 0-10-50-500-1000; while its current scales are: D.C. ma. 0-1-10-100-1000 and a.c. amp. 0-10. It also provides an ohm meter with ranges of 0 to 500 to 5000 ohms and 1 to 10 megohms. Its decibel ranges are =8+15, =15+29, =29+49, =32+55. It also gives inductance readings from 1 to 700 henries; wattages from .006 to 600, and four ranges of outputs. It may be used for making condenser leakage measurements, as well as for all other obvious tests. The unit comes complete with test leads and book of instructions, in a portable leatherette case.

## New Transmitter Relay

● THE new Type 400 Transmitter Relay of Advance Electric Co., employing Isolantite for the base and armature cross-arm, has exceptional sturdiness and high insulation throughout. The contact combination is DPDT, using 1/4" pure silver contacts, on which perfect "wiping" action is always present.

The unit permits quiet, chatter-free operation on A.C. as well as D.C., no "hum" to contend with, and without any loss of power or snap action.

Available for operation on all A.C. and D.C. voltages, the coils may be placed in continuous service without danger of overheating. For further details write Service Dept., RADIO & TELEVISION, requesting Relay Bulletin No. 400.



## New Recording Blanks

● JUST announced by the David Bogen Company, Inc., is a new type recording blank. More durable than acetate, flexible and noninflammable, it does not develop hard or dry spots, will not dehydrate. It is absolutely uniform in thickness, impervious to temperature, and is manufactured by the lamination process, with no dipping or spraying. Literature available upon request by writing to this magazine.



## Condenser Insulators

● THE Sprague Products Company, North Adams, Mass., has developed "Life-guard" Protective Caps as a new and exclusive feature of their transmitting condensers.

These hard rubber caps, which fit snugly over the condenser terminals, insulating them completely, are supplied free of charge with this company's High Voltage Transmitting Condensers in either the round or rectangular types, or may be had separately for use on old condensers at a nominal price.

As a further protective measure, all Sprague Transmitting Condensers are both filled and impregnated with Spencoil, a highly noninflammable oil having a flash point protection of 500 degrees F., and terminals are insulated from cans for at least twice the working voltages of the condensers.

## New Resistors

● A NEW line of wire-wound resistors has just been announced by Consolidated Wire & Associated Corps. Four sizes of adjustable resistors are offered—10-watt, 25-watt, 50-watt and 75-watt—of which the 10- and 25-watt sizes are shown with extra adjustable bands. There are also four sizes of wire-wound fixed resistors—5-, 10-, 20- and 50-watt.

Two mounting brackets are supplied on all but the 10-watt size in the adjustable resistors. All four have two tab terminals. All sizes of fixed resistance units have solder lugs and all but the 5-watt size have tinned copper leads as well.



## LAFAYETTE 5 TUBE 3-IN-1 PORTABLE

Plays Anywhere—No Aerial!

Take along Lafayette's Portable "Pal" on your vacation. Wherever you are—at the beach, picnic grounds, in canoe or hotel room, on boat or train—just turn it on and tune it in! No aerial needed, no ground—no wires at all to fuss with. And when at home you can plug into the nearest electrical outlet (AC or DC). New built-in Lafayette Aeroscope pulls stations right out of the air. Ample volume, excellent tone. Smartly styled airplane-luggage DROP-FRONT case. Simply attach check or money order to coupon. Complete with tubes and batteries.

Send Coupon Today! Have Fun on Your Vacation

**SATISFACTION GUARANTEED!**




**LAFAYETTE RADIO CORP.**  
Division of WHOLESALE RADIO SERVICE CO., INC.  
Dept. 4G9—100 SIXTH AVE., NEW YORK, N. Y.  
Enclosed is \$22.60. Please rush my "Portable Pal."  
CHECK  MONEY ORDER

NAME .....

ADDRESS .....

IF YOU PREFER YOU MAY SEND ORDER TO 901 W. JACKSON BLVD., CHICAGO, OR 265 PEACHTREE ST., ATLANTA, GA.

## CERAMIC SOCKETS




Circuits requiring very low loss construction will find this line of Glazed White Ceramic Sockets the perfect receptacles for tubes and plug-in coils. The contact springs are of a special design that assures a positive contact indefinitely on a large area of the pins, and these springs have heavy soldering terminals. Priced only 24c to 33c net at your BUD jobbers.

For NEW Catalog RT-79 write

**BUD RADIO, INC.**

5205 Cedar Ave., Cleveland, Ohio.





## Astonish YOUR FRIENDS!

Pass  
500,000 Vts.  
Thru the  
Body!  
Light  
Lamps, etc.

## DATAPRINTS SHOW YOU HOW!

20c Each in Order for 10

TESLA-UDIN HI-FREQ. COILS  
(Data and Drawings only)

- 38" Sp'k Tesla-Oudin Coil.....40c  
(1 K.W. Exc. Trf. Data included FREE!)
- 8" Sp'k Tesla-Oudin Coil.....40c  
(1/4 K.W. Exc. Trf. Data included FREE!)
- 3" Sp'k Oudin; 110 Vt. "Kick Coil" type.....40c
- 3" Sp'k Tesla Works on Ford Sp'k Coil.....40c
- 1" Sp'k Violetta Hi-Freq. Coil.....40c

FREE with order for \$1.00 or more—"20 Tricks with Hi-Freq. Coils" (40c separate)

Television Hook-ups—"Sight & Sound" . . 40c

20 ELECTRIC PARTY  
AND LODGE TRICKS!  
Loads of Fun!



How to Shock 'em!.....40c  
Order with other prints; see special price below and save.

Solenoid & Magnet Data—Get Our List!

20 Telephone Hook-ups—Build Your Own . . 40c

RADIO CONTROL  
FOR MODEL BOATS,  
PLANES, ETC.



Circuit data .....40c

S-W DIATHERMY  
(Artificial Fever)



Dataprint giving Constructional data for Small, Medium and Large size App. (All 3).....40c



Induction PIPE &  
ORE LOCATOR

Construction Data .....40c

You NEED these DATAPRINTS !!  
40c Each.


- 20 A.C. Problems and 20 Simple Bell Circuits, their Solutions. Welding Trans. 2 K.W.
- 1/2 Meter Transm. & Rec. Rewinding Armatures. Eindhoven String Galv.
- 20 Telephone Hook-ups. Wheatstone Bridge.
- 5 Meter Superhet.
- 100 Mechanical Movements. Model Ships—get list.
- 20 Motor Hook-ups.

Special Prices: 4 prints \$1.00; 10 for \$2.00; 40c each, single orders.

The DATAPRINT Co.

Lock Box 322A RAMSEY, N. J.

Greatest Slide Rule VALUES  
ever offered!



8 inch slide rule in case 25c

Eight inch, white wood, accurate slide rule with A, B, C, D, CI and K Scales, a 20-page Book of Instructions, How to Use a Slide Rule, a 36-page Book of 300 Examples and Answers, a two-toned Facsimile of the Declaration of Independence, suitable for framing, and an 8-page catalog illustrating and describing indoor games and many unusual items, all five prepaid anywhere in the United States and Canada for ..... 50c

10 inch enameled slide rule, only 35c

10 inch enameled slide rule, made of kiln dried genuine mahogany wood, has auxiliary removable magnifier with pins to fit (cursor) runner. This rule has inch, millimeter, sine, log and tangent scales. Packed in individual carrying case. This rule is equal in performance to a \$10.00 rule. Our special price, P.P. prepaid anywhere \$1.00

GOLD SHIELD PRODUCTS

Dept. RT-79 350 Greenwich St. New York

## Capacitor Test Equipment Line

● ENGINEERS at the Cornell-Dubilier Electric Corporation have released their new Capacitor Test Equipment Line. The first of these instruments will be the Capacitor Analyzer, Capacitor Bridge and complete line of Capacitor Decade Boxes. The Model BF 500 Capacitor Analyzer with



easy reading linear scales and push-button controls, will measure all the important characteristics of paper, mica, oil, wet and dry electrolytic and motor starting capacitors. It consists essentially of a Wien Bridge connected to a single stage of amplification which operates a "visual eye" detector. A built-in power supply provides adjustable 450 V. D.C. for leakage and insulation resistance measurements. A 12A7 tube is used as a rectifier and amplifier, while a 6E5 is used for bridge detector and leakage indicator.

The C-D Midget Capacitor Bridge will measure all types of capacitors between .00001 and 50 mf. It also employs a Wien Bridge circuit for all measurements, and contains a 12A7 as rectifier and a 6AF6-G for bridge detector. The Capacitor Bridge is completely self-contained, requires no head-phones or other accessories.

The C-D Capacitor Analyzer, Capacitor Bridge and Capacitor Decade Boxes are described and detailed in Catalog No. 167A.

## New Television Capacitors

● A NEW series of capacitors has been developed by Cornell-Dubilier engineers, which have been incorporated into the design of television receivers, engineered by several of the leading manufacturers. These new capacitors are furnished to required specifications. The type PC capacitors are impregnated and filled with Dykanol, the chlorinated-diphenyl impregnant of high dielectric characteristics, which is non-inflammable and non-explosive. Hermetically sealed in cylindrical containers the Type PC units are produced with Bakelite double-cone type insulators. The capacitor is mounted in an inverted position, with the terminals clearing the chassis. Aniple protection against possible electrical shock, and flash-over



between terminals caused by dust, is afforded by an insulating container. This capacitor series is available in single, dual and multiple capacities at voltages between 2,000 and 10,000 volts d.c.

## Dykanol Capacitors

● A COMPLETE line of Dykanol capacitors has been announced by the laboratories of the Cornell-Dubilier Electric Corporation. These new capacitors are designed specifically for oscillator and filter circuits in television transmitters and receivers. Company engineers state that Dykanol capacitors will remain extremely constant under all temperature and climatic conditions, and that the wide safety range of these units will enable them to take the heavy transient surge voltages that obtain in television circuits.

C-D Dykanol television capacitors are supplied with inverted mounting features and heavily insulated terminal structure.

This series will be available in tubular, cylindrical and rectangular shapes and sizes. Special designs will also be offered. Ratings will be from 1,000 to 10,000 volts D.C.

Several important additions have been made to the C-D capacitor line. These include exact duplicate capacitors for motor starting for refrigerators. Also available are electrolytic capacitors for both new equipment and replacement applications—standard shapes and sizes in a complete capacity range at voltages up to 220 V. A.C.

Catalog No. 162A contains complete information.

## Line-Voltage Regulator

● A COMPACT line-voltage regulator which permits maintaining the A.C. voltage supply constant within plus or minus 2 per cent of the normal required voltage even though the line voltage may drop to 95 or rise as high as 135 volts; or which may be used to boost or reduce normal line voltages in 5-volt steps when desired, has been introduced by the Lafayette Radio Corporation division of Wholesale Radio Service Co., Inc.

This Line-Voltage "Jogger" finds useful applications in providing constant operating voltage supply to calibrated oscillators, vacuum-tube voltmeters and other precision apparatus; to communications receivers in which the tuning calibration would otherwise vary with variations in line



voltage; to the exciter sections of "ham" transmitters which do not employ crystal oscillators; and to various types of equipment employed in photographic and other work.


The unit, rated to handle loads up to 240 watts and inclosed in a steel case only 5" x 4" x 3" in size, includes a direct reading 0-150 volt A.C. voltmeter in its output circuit which reads the voltage supplied to any device plugged into its receptacle. It is only necessary to adjust the transformer tap switch on the top of the case until the meter shows the desired value.

The "Jogger" is available in kit form with the case drilled, ready for mounting the parts, or in the form of a complete unit, wired and ready for use.

## New "2-in-1" Tubes

● TWO new "2-in-1" midget tubes, just pioneered by the engineering laboratory of the Arcturus Radio Tube Company, make possible the smallest and lowest priced sets for truly practical reception ever made.

According to the engineers who designed them, each of the two new tubes serves as two tubes in one. Both have been designed primarily for A.C.-D.C. receivers wherein very limited space is



available. Tube Type 32L7GT, for instance, may be used in conventional half-wave high-vacuum rectifier and beam power amplifier circuits. Type 12B8GT has both a pentode and triode section, the former being used as a conventional R.F. or I.F. amplifier and the latter as a biased or grid-leak detector. Neither tube is any larger in size than the conventional GT Midget tubes.

## A Universal Preselector

Range 5 to 185 Meters with Electrical Band-Spread  
By GENE TURNEY, W2APT

● THE number of communication receivers which employ little or no preselection before the converter tube makes it particularly desirable to have some type of preselector which will give a high image rejection ratio, increased gain, and a lowering of the noise level available for use ahead of such receivers.

After careful consideration, about the most reasonable thing was to construct a good pre-selector, but what kind of a preselector was it going to be?

In designing the complete preselector, it is advisable to start with tuned circuits which have a high  $Q$ , and the apparatus and tubes must all have good stability.

In looking over the available tubes, it would appear that the 1852 possessed very desirable characteristics inasmuch as the transconductance was 6000 or more; and a little experimental work


with a regenerative circuit showed that, with screen control regeneration, the tube was extremely stable even when the control was adjusted very close to the oscillation point. A few more calculations concerning gain with this apparatus showed that, if it was assumed that the impedance of the antenna input system of the receiver to which the preselector was to be connected had about 400 ohms, the 1852 alone would give a gain of two or more; that with regeneration on the tuned circuit, gains of 1000 or more in this circuit could be obtained. Thus the overall gain of a single regenerative stage would be several thousand.

The circuit finally evolved a 5-band coil switch to cover all bands from 5 to 185 meters. Generous overlap was available between bands as it was not difficult to cover the range of frequencies with as small a tuning condenser as 200 mmf., and an electrical band-spread condenser of 25 mmf.

In order to facilitate tuning, an antenna throw-over switch was incorporated so that the receiver could first be tuned to the signal whereupon the antenna throw-over switch can be operated placing the preselector between the antenna input system and the receiver.

The Browning preselector is easy to construct. The 5 to 185 meter Tuner available for this type of preselector is completely wired at the laboratory and it is only necessary to make three connections between the chassis and this Tuner. A laboratory type, vernier drive dial is available, which has an approximate frequency calibration for each of the bands, and is provided with an 0 to 100 scale on the outer rim for accurate frequency logging.

Amateurs and experimenters alike who are interested in DX reception, as well as those who are bothered with electrical images, will find the regenerative preselector to be an extremely welcome addition—especially those operators who live in metropolitan areas where the noise level is at all times a problem.



Universal Preselector.

## Beginner's Xmitter-Receiver

(Continued from page 166)

possible to any but a regenerative super-het, or one having a crystal filter. Like the regenerative super-het, this receiver gives "in between" selectivity so badly needed in amateur phone hands. At the upper left is the audio volume control. To the lower left of the dial is the head-phone jack, with loudspeaker terminals on the rear. At the top center is a hole for a milliammeter for the transmitter, when it can be afforded. This hole is ordinarily covered by a neat disc. Directly below is the six-band wave-change switch knob, and below and toward the left, the sending key jack and send-receive switch which shifts power from receiver to transmitter, and shifts antenna connections, too.

The microphone jack is at the extreme lower right, not used in the one-tube transmitter illustrated, but included for appearance.

To its left is the 3-position oscillator crystal circuit wave-change switch, with, to its upper left, the plate tuning condenser knob and dial scale. Each plate circuit switch position covers two out of six amateur bands, shifts from one to the other being accomplished simply by rotating the oscillator plate condenser knob. Just to the right is a blank dial scale (covered by a blank plate until the builder desires to expand the transmitter to two tube m.o.—p.a.), and below it the 3-position plate circuit switch (the crystal switch will also switch oscillator plate coils when the transmitter grows to two tubes, the right dial and switch then controlling both crystal and oscillator plate circuits). Any one of three crystals set in 10, 20, 40, 80 and 160 meter amateur bands can be instantly selected at will. In the one tube form, with three crystals plugged into their sockets, instant choice of three-band operation is had, while two additional bands can be covered simply by swapping crystals. In 2-tube form, when the

amplifier may also double the crystal frequency, six bands can be instantly covered by using one each 160, 40 and 10 meter crystals.

The receiver uses two of the newest tubes. The new 6SJ7 (single-ended 6J7) sharp-cut-off R.F. pentode functions as a high-sensitivity regenerative (autodyne) detector, followed by one of the new Loktal 7C5 (new version of 6V6 beam power tubes).

A three section, low-loss wave-change switch carries six individual coils mounted directly on its contacts. Coming as a complete factory-assembled and wired coil and switch system, it achieves connections as short and direct as with plug-in coils, plus the lower losses possible due to the better quality of insulation of the individual coil forms and wave-change switch. Each coil, consisting of antenna primary and separate secondary, is short-circuited to prevent absorption losses except for the one coil selected for reception. These coils are tuned by a new positive-single-bearing "band-set" tuning condenser of 165 mf. capacity, with "band-spread" provided by an identical but smaller 15 mmf. condenser. The six bands so provided tune from well above 600 meters for ship and distress calls right on down through the 5 meter amateur band.

For battery operation, use a 6-volt storage or "hot-shot" battery for tube filaments (more properly, heaters), with 90 to 250 volts of B battery connected, negative to chassis ground and positive to the wire marked "B+".

At the bottom of the diagram is the A.C. power supply unit for both transmitter and receiver. The filament or heater circuit of all tubes is also controlled by the send-receive switch, so that whether power be A.C. or batteries, control of either is complete at the front panel.

## RADIO <sup>at</sup> BEST



W  
I  
T  
H

HQ-120-X

THE "HQ-120-X" has become one of radio's most popular receivers. It includes everything that hams and fans have ever hoped for in a communications type receiver. Never before have so many new and outstanding features been built into a single unit. Many owners report that they are receiving and working stations that they never heard before. Such performance is due to the extremely high signal-to-noise ratio, ultra-sensitivity, and high selectivity. Among its many features are, calibrated band spread dial, improved noise limiter, variable selectivity crystal filter, improved "S" meter, antenna compensator and many others. For "radio at its best" use an "HQ-120-X." Write for 16-page booklet containing complete details.

Mail coupon today!

HAMMARLUND MFG. CO., RT-7  
424 West 33 St., N. Y. City  
( ) Send 16-Page booklet.

Name .....

Address .....

City .....

State .....



**HAMMARLUND**

Canadian Office: 41 W. Ave. No., Hamilton, Ont.

## WHILE THEY LAST MYSTERY WIRELESS RECORD PLAYER

NO CONNECTIONS WITH RADIO



\$9.37 ea.  
In lots of three \$8.88 ea.

Astatic Crystal Pickup.  
Self starting, direct drive,  
constant speed motor.  
Handsome Walnut Cabinet.  
Quantity limited. We cannot mention manufacturer's name at this low price.

Write for free bargain  
bulletin on radios,  
tubes and parts.

**NEW YORK RADIO SUPPLY CO.**  
152 W. 42 St., Dept. RT, N. Y. C.

## FLASH!

SEND FOR OUR CATALOG containing CIRCUIT DIAGRAMS, and complete information on over 25 different types of short wave receivers and transmitters from \$2.50 to \$32.50.

This catalog is chock full of schematic and picture diagrams, hook ups and short wave information. A book in itself. Well worth the dime, which will be refunded with your first order.

**OSCAR B. KUSTERMAN**

297 De Kalb Avenue, Brooklyn, N. Y.



## EVERYTHING IN RADIO!

A COMPLETE SOURCE FOR YOUR RADIO NEEDS  
Our immense stock of radio sets, parts and supplies enables you to purchase your entire needs on one order. You will find all your Nationally Known Favorites in this big book which is FREE for the asking. Practically every order is shipped the same day it is received. WRITE FOR BIG NEW CATALOG

**BURSTEIN-APPLEBEE CO.**

1012-14 McGee St. - Kansas City, Mo.

## RADIO INSTRUCTION

### It is EASY TO LEARN CODE the CANDLER WAY!

Learning code is not hard with the Candler System. It's exciting, for you first learn a few correct fundamentals and sound consciousness, then you progress with leaps and bounds. Candler has taken hundreds who have practically given up ever learning fast code, only to find themselves receiving and sending at a speed they never dreamed they could attain—and all without conscious effort—as easy as reading a newspaper.

That's because the Candler System is scientifically correct, based on principles that have been proved sound by years of successful application. Learn more about the Candler System—read the FREE "Book of Facts." It will tell you how Candler has made champions out of beginners and ordinary operators. Send for your copy today! There is no obligation, of course.



### CANDLER SYSTEM CO.

Dept. S-7, Box 331  
Asheville, N. C., U.S.A.  
and 121 Kingsway, London, W. C. 2

## RADIO plus TELEVISION

—mastered by  
pre-tested Training

These growing trades need trained men—not "green" hands. Quality for good pay jobs with National's pre-tested training. Complete, modern facilities. Actual shop-practice and studio instruction. Mail Coupon for FREE BOOK of details.

### NATIONAL SCHOOLS

NATIONAL SCHOOLS, Dept. 7-RT  
4900 So. Figueroa St., Los Angeles, Calif.  
Please send free Radio and Television Booklet.

NAME \_\_\_\_\_ AGE \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_

## TELEVISION CYCLOPEDIA

Defines and explains all television terms now used and gives actual applications. Covers in detail every phase of modern cathode-ray television. Every radio man, amateur, and student of television needs this new book. It will simplify TELEVISION for you. Compiled by M. N. Beltman. Only \$1.00, postpaid.

SUPREME PUBLICATIONS 3727 West 13th St.  
Chicago, Illinois

## RADIO ENGINEERING

RCA Institutes offer an intensive course of high standard embracing all phases of Radio and Television. Practical training with modern equipment at New York and Chicago schools. Also specialized courses and Home Study Courses under "No obligation" Plan. Catalog Dept. SW-39.

### RCA INSTITUTES, Inc.

A Radio Corporation of America Service  
75 Varlek St., New York, 1154 Merchandise Mart, Chicago

## RADIO ENGINEERING,


broadcasting, aviation and police radio, servicing, marine radio telegraphy and telephony, Morse telegraphy and railway accounting taught thoroughly, 48 weeks' Engineering course equivalent to 3 years of college radio work. All expenses low. Catalog free. School established 1874. Dodge's Institute, Turner St., Valparaiso, Ind.

## NEW TELEVISION PARTS

Arcturus has tubes for television applications. These include types 2Y2, 5X3, 6AD5G and 6R6G. The 2Y2 tube is a half-wave high-vacuum rectifier, with an a.c. plate voltage of 4400 max., RMS. The 5X3 is a full-wave high-vacuum rectifier, the a.c. voltage per plate being 1275 max., RMS. The 6AD5G is a high-mu triode, and the 6R6G is a remote cut-off pentode amplifier.



**A** Du Mont is producing two new ideas in C-R tubes. First is the egg-shaped envelope shown in the illustration, which is planned to provide much greater structural strength than previous straight-sided types. The other innovation is an intensifier type tube, which has one or two gold rings deposited on the inside wall adjacent to the screen. This is designed to provide an intensifier electrode to accelerate the electrons after deflection. According to Du Mont engineers, this affords a 60% increase in deflection sensitivity, thus potentially lowering the cost of television sets of given image size.



**A** Alden Products Company now has several specially designed connectors for use with television tubes heavy duty tube caps (C), plugs and connectors (D) for interlocks, sockets for high voltage rectifiers (B) and for C-R tubes (E). A line connector is seen at A.

### Review of Bulletin T-1 Solar Television Capacitors

This 6-page catalog contains specifications and descriptions of Solar's new condensers, designed specifically for television work. The catalog tells why special condensers are needed for television reception, gives general specifications of the line, and details on the tubular paper and oil-impregnated, oil-filled models. The rating of the condensers is two times the rated p.c. voltage plus 1000 volts from terminal to terminal or high voltage terminal to container, and the corona voltages will be greater than the working voltage plus 30% or plus 1000 volts p.c., whichever is higher.

The oil-filled capacitors come in several operating voltages from 1000 to 7500 volts, while the tubular capacitors may be had from 1500 to 3000 volts. They are made in the popular chassis mounting style, a ring being provided to hold the condenser fast in the round can models. Mounting brackets are provided for the tubular paper condensers which are oil-impregnated and oil-filled.


### Novel Crosley Set Features

● TWO novel developments are featured in certain new Crosley models. One is the newly discovered sound diffusion principle developed by Crosley engineers in Crosley laboratories, and the other is the Magnetune electric tuning system.

The *Acoustical Tone Director*, the mounting of the speaker and the baffle gives a new and more uniform diffusing effect which reduces directional tone and creates a feeling of higher fidelity in reproduction. The speaker is mounted face down on a panel at the top of the sounding board, which is curved like the bell of a horn.


The *Magnetune electric tuning system* utilizes solenoid operated push-buttons, which at the slightest touch actuate a powerful electro-magnet that automatically turns the knob and dial pointer to the wanted station. In construction, it is the utmost in simplicity, and the adjustment screw, which is readily accessible by flipping back the key, tunes the station and permanently sets it simultaneously.

The J. W. Miller Company, manufacturers of radio products, have a new 13.5 mc. television I.F. transformer, model No. 612-N. It is for use



with 3-stage I.F., using type 1851, 1852 or 1231 tubes. The primary circuit is tuned, while the secondary is to be shunted with a 1500 ohm resistor. The primary and secondary are both wound on a single iron core with No. 36 glass insulated enameled copper wire. The tuning condenser, adjustable from the top of the shield, is of the mica compression type.

The F. W. Sickles Company has also developed a new line of I.F. transformers especially designed for sight and sound. These are of the perm-trimmed



type with trap circuits to eliminate sound carrier interference from the picture channel. The unit may be mounted under the chassis but tuned from above the chassis.

Special items for television being produced by American Phenolic Corp. include C-R tube sockets, high voltage rectifier sockets, high voltage grid caps, ultra low loss bushings and insulating materials, and co-axial cables. The Amphenol Co. Axial Cable has a surge impedance of 72 ohms, and special cables with capacities as low as 5 mmf. per foot are available. The standard type, for receiver lead-in use, consists of No. 12 solid copper wire strung with low-loss insulating beads, shielded with tinned copper braid and covered with two cotton braids, heavily lacquered to prevent the entrance of moisture.

### Television Books in National Radio Institute Course

● IN line with its recognized policy of maintaining a complete and up-to-date course, the National Radio Institute announces that a new series of text books concerning Television theory and practice has been added to its course in radio and television.

The following titles of these text books give a general idea of the subjects covered: Requirements of a Television System; The Theory of Light; Geometric and Electronic Optics; Uses for Optics in Electronics and Television; Practical Electronic Control Equipment; Essential Circuits in a Television Receiver; Cathode-Ray Tubes for Television Receivers; Antennas, Preselectors, Frequency Converters and Sound Channels for Television Receivers; Video I.F. Amplifiers; Video Detectors and Automatic Gain Controls; Video Frequency Amplifiers and D.C. Restoring Circuits; Impulse Separators, Sweep Circuits and Power Supplies for Television Receivers; Servicing of Television Receivers; How Television Signals Are Produced at the Transmitter; Picture and R.F. Circuits in Television Transmitters.

Therefore, all students of the school now receive training in both radio and television.

### Correction Notice

In the article, "Television in 24 Hours," which appeared in the June issue of R. & T., a quotation from the Andrea instruction sheet was given as calling for the use of "ground" wire. This should have been *brown* wire. In the same article, reference was made to the *pre-tuned* r.f. unit in the sub-chassis views. This unit appears in the *lower* right-hand corner of the two small views, and in the *lower left-hand* corner of the large picture.

# 17-Tube Television Kit

(Continued from page 148)

into the control grid of the kinescope picture tube.

Part of the image signal is split off at the 6H6 second detector and passes into a special filter known as the synchronizing pulse signal separator. This circuit also employs an 1852 tube, and the amplified synchronizing pulses are then passed into the grids of the horizontal and vertical sweep oscillators. The synchronizing pulses, as they arrive from the transmitting station at the end of every scanning line, serve to lock the sweep oscillators in step with the transmitter. The vertical and horizontal sweep oscillators have amplifier tubes, 6F8G type, to boost the sweep pulses.

Two rectifier tubes and power transformers are used, one (5V4G) for the low voltage plate supply of all the amplifiers and detector tubes, etc.; and the other rectifier, an 879, to supply the extra high voltage a.c. for the cathode-ray tube.


The picture intermediate frequency used is 13 mc. and the i.f. frequency used in the sound channel is 8.25 mc. The sound amplifier sound channel uses 3 tubes, an 1853 i.f., a 6SQ7 second detector, and a 6V6G sound output amplifier.

The kinescope tube socket is mounted in a manner that permits a few degrees rotation about its long axis so that the edges of the picture may be made truly vertical and horizontal. Provision is also made at the tube socket to accommodate the commercial variation in the overall length of the tubes.

**Synchronizing Pulse Clipper:** Returning to the 6H6, the synchronizing circuit begins with the other diode plate, the cathode of which is connected to a resistance-capacity network.

**Synchronizing Separator Circuit:** Synchronizing pulses are separated from each other in the synchronizing circuit of the 1852 separator tube. Horizontal synchronizing pulses are taken off through the 5 mmf. condenser while vertical synchronizing pulses are taken off at the tap point between the 5,000 and 20,000 ohm plate circuit resistors.

**Sweep Circuits:** The sweep circuits are easily adjusted for sweep amplitude and frequency. The separated synchronizing pulses are applied to the control grids of the



Bottom View of Completed Meissner Television Receiver.

**High Frequency Coil Assembly:** The radio frequency and oscillator coil assembly consists of a rotary 4 channel switch assembly, upon which is mounted a four-section coil for each of the two low frequency television channels. Each of these four-section coils consists of an antenna primary, a preslector, the detector input, and oscillator. This arrangement permits the coupling between windings to be adjusted to optimum conditions for each television band.

**Picture I.F. Amplifier:** The picture i.f. amplifier makes use of capacitive coupling to facilitate adjustment of band width. Small movable iron cores tune the coils. A trap for the 8.25 megacycle sound i.f. is connected to the grid of the first i.f. tube.

**Second Detector:** The second detector consists of one diode—a 6H6.

**Video Amplifier:** The video amplifier consists of a 6F6 tube in a circuit which is a combination of series and shunt compensation to give a flat frequency response up to 3 mc.

6N7's through suitable coupling condensers. The sweep pulses are amplified through 6F8G tubes as shown.

**Sound Channel:** The sound channel consists of an 1853 i.f. amplifier, a 6SQ7 second detector, first audio and A.V.C., a 6V6G output tube, and a 6-inch electro-dynamic speaker, the field of which is a part of the low voltage filter. The same type of tuning and capacity coupling system used in the picture i.f. transformers is employed, although, of course, the pass band of this stage is far sharper and the amplification higher than in a picture i.f. stage. The sound i.f. should, however, be broad enough so that some adjustment of the oscillator frequency may be made (for best picture) without noticeably affecting the sound reproduction. The frequency to which the sound i.f. is tuned is 8.25 mc.

Opening the safety compartment operates a switch which disconnects all primary windings from the 110-volt supply and shorts the high voltage filter condensers after the power has been disconnected by the interlock switch, which is recessed to prevent its being accidentally operated.

**RADIO INSTRUCTION**

## Learn RADIO

with Ghirardi's Home-  
**Training Course**  
**COMPLETE**  
**IN 7 BIG BOOKS**

only  
\$4

Here is your BIG CHANCE to get into RADIO! This ONE handy volume gives you the complete basic theory and fundamentals of Radio, Electricity, Television, Sound and Cathode-Ray Tubes—the same course used by more radio schools and students than any other radio book in the world. Think of it!—for \$4 you too can thoroughly equip yourself for a lifetime radio career!

**EASY AS A. B. C.**

It's a pleasure to learn radio this easy way! Everything is made clear and simple—practical short-cuts speed your training. No math—no previous training necessary!

**36 Volumes in 1—972 pp.—508 illus.**

1. Radio Broadcasting System. 2. Sound, Speech, Music. 3. Electron Theory. Elec. Current. 4. Elec. Units; Ohm's Law; Resistance. 5. Elec. Circuits; Batteries. 6. Magnetism. 7. Electro-magnetism. 8. Electro-magnetic Induction. 9. Inductance. 10. Capacitance; Condensers. 11. A.C. Circuits. 12. Filters. 13. Measuring Instruments. 14. Radio Waves. 15. Broadcasting. 16. Receiving. 17. Vacuum Tube Principles. 18. Vacuum Tube Characteristics. 19. Vacuum Tube Construction. 20. Vacuum Tube Detector and Amplifier Action. 21. Radio Frequency Amplification. 22. Superheterodyne. 23. R.F. Amplifiers; Tuning Coils. 24. Audio Amplifiers. 25. Speakers. 26. Battery Operated Receivers. 27. Power-Supply Units. 28. Elec. Receivers. 29. Automobile and Aircraft Radio. 30. Picture Pickup; Sound Systems. 31. Short-Wave. 32. Photoelectric Cells; Cathode-Ray Tubes. 33. Television. 34. Antennas and Grounds. 35. Testing; Servicing. 36. Sound . . . 886 Self-Review Questions!

**USE IT 5 DAYS—OUR RISK!**

Yes, if you can part with the book after 5 days, return it and get your money back. No risk—no trouble—just clip the coupon—and mail it NOW!

**MAIL COUPON TODAY!**

Radio & Technical Publishing Co., R&T-79  
45 Astor Place, New York, Dept. R&T-79

Here is my \$4. Please send RADIO PHYSICS COURSE postpaid, with money-back guarantee.

NAME .....

ADDRESS .....

CITY ..... STATE .....

Send free descriptive literature.

**YOU CAN BECOME A MONEY-MAKING RADIO EXPERT**

WHICH THE  
**New SPRAYBERRY**  
*Personalized*  
**HOME TRAINING in**

**RADIO**  
and  
**TELEVISION**

**You Learn Easily in Your Spare Hours . . . .  
By Doing Many Experiments with Up-To-Date Equipment**

Here's a really fine, up-to-the-minute Radio and Television Training that's specially designed to give you quick results.

**TRAINING PREPARES YOU FOR GOOD RADIO JOBS . . . AT EXCELLENT PAY**

My training starts right at the beginning of Radio . . . unfolds each subject in a simplified, logical, understandable style. You easily learn Television, Electronics, Portable Radio, Radio Set Repair and Installation Work, etc.

**NO PREVIOUS EXPERIENCE NEEDED**  
It makes no difference what your education has been. I can fit you for a good-paying Radio job. Your success is my full responsibility.

**YOU GET PROFESSIONAL TEST EQUIPMENT PLUS EXPERIMENTAL OUTFITS**

. . . Includes 148 Radio Parts (to build complete Receiver), Tools, All-Wave, All-Purpose Analyzer, and Experimental Outfits for conducting actual experiments with your own hands.

**I Supply**

148 RADIO PARTS

RADIO TOOLS

**EARN WHILE YOU LEARN**  
My **BUSINESS BUILDERS** show you how to put your equipment to practical use in handling actual money-making Radio Service Jobs shortly after you begin training.

**SERVICEMEN**

I offer Advanced Training for those already in Radio. Get complete details in my FREE 52-page Book.

*The Sprayberry Course*  
is Sold Under a Money-back Agreement

**RUSH COUPON for BIG FREE BOOK**

**SPRAYBERRY ACADEMY OF RADIO**  
F. L. Sprayberry, Pres.  
245-G University Place, N.W.  
Washington, D. C.

Please send me FREE copy of  
"HOW TO MAKE MONEY IN RADIO."

Name .....

Address .....

City ..... State .....

Tear off this coupon, mail in envelope or paste on penny postcard. Servicemen—check here

# RADIO INSTRUCTION

## HOW TO LEARN CODE

Whether you wish to enter radio as a career or merely add another valuable and fascinating accomplishment to your achievements, the All Electric Master Telex Code Teaching Machine will show you how. Telex records your sending in visible dots and dashes on a specially prepared waxed paper tape and then sends back to you at any speed you desire. It does not merely show you code. It is code. No experience needed. While not designated as standard equipment, Telex is used at many U.S. Army Posts, Naval Training Stations as well as by the American Tel. & Tel. Also by practically every private school in the U.S. teaching the code; and many foreign governments. We furnish you complete course, including practice messages, the All Electric Master Telex, plus a personal service on a MONEY BACK GUARANTEE. Low cost. Easy terms. Without obligation write for booklet 'S'.



**TELEPLEX CO.** 67-69 Park Place, New York City

In Canada write: **CANADIAN ELECTRONIC INST., TORONTO, ONT.**

# RADIO ENGINEERING - DEGREE IN 2 YEARS

● Complete Radio Engineering Course in 96 weeks. Bachelor of Science Degree. Radio (television), talking pictures and the vast electronic field offers unusual opportunities for trained radio engineers. Courses also in Civil, Electrical, Mechanical, Chemical, Aeronautical Engineering; Business Administration and Accounting. Tuition, living costs low. World famous for technical two-year courses. Special preparatory department for those who lack required high school work. Students from all parts of the world. Enter September, January, March, June. Write for catalog. 2479 COLLEGE AVE. ANGOLA, IND.

## TRI-STATE COLLEGE

### EASY TO LEARN CODE

It is easy and pleasant work to learn the modern way with an INSTRUCTOGRAPH CODE TEACHER. Ideal for the beginner or advanced student. Many tapes available ranging from alphabet for beginners to typical messages on all subjects. Speed ranges 5 to 40 WPM. Always ready, no GULF beats having someone send to you.



**FOR SALE OR RENT**  
STANDARD with 10 tapes and book of instructions . . . \$20.25  
JUNIOR with 5 tapes and book of instructions (not rented) . . . \$12.00  
RENTAL Standard with 10 tapes and book of instructions \$3.00 first month, \$2.25 each additional month. All rental payments may be applied on the purchase price should you decide to buy the equipment.

Write for details today

### INSTRUCTOGRAPH COMPANY

Dept. SW, 912 Lakeside Place, Chicago, Ill.  
Representatives for Canada:  
Radio College of Canada, 863 Bay St., Toronto

## AMATEUR RADIO LICENSES

Day and evening classes in code and theory  
**Home Study Courses**

Hundreds of students now on the air.  
Results guaranteed. Reasonable, efficient and thorough.

**AMERICAN RADIO INSTITUTE**  
1123 BROADWAY NEW YORK, N. Y.

## BE A RADIO SERVICE EXPERT

Modern receivers require men with modern training for service work

### LEARN AT HOME

Our home instruction method and service equipment offer starts you earning money almost at once. Up to \$3 an hour easy in a short time. Write for free book.

Radio Training Ass'n of America  
Dept. RT-97  
4525 Ravenswood Ave., Chicago

## LEARN RADIO TELEVISION

500 LICENSED graduates placed in past 7 years in shipping, broadcasting, aviation, police, etc.; we also teach radio servicing and repairing; new beginners' class now forming; 60-page catalog free; oldest, largest and best equipped.

### MASS. RADIO SCHOOL

18 BOYLSTON ST., BOSTON Est. 1899

## "De Luxe Beam Power 3"

(Continued from page 159)

doubt that A.M.C. really works! Incidentally, an 879 seems to work better than an 866 as a peak rectifier, although the latter will do in a pinch.

The only other unusual item on this chassis is the relay which automatically shorts the modulation transformer secondary when c.w. is to be used. This relay has to be altered so that the contacts open when the relay operates. This is not much of a job and was considered preferable to having a special type made, as the unit specified is a standard item.

The leads from the 866 Jr. plates to the power transformer should be connected to the "Low" terminals, which will give a d.c. voltage of about 1000 on the plates of the TZ40's.

The plug connections should be self-explanatory. It will be seen that the 5-prong plug connects the modulator to the control panel, the 4-prong plug goes to the speech amplifier, and the plug labeled "meter" is connected in circuit to the modulator plate milliammeter.

The screen grid lead from the r.f. chassis runs to the modulation transformer through a high voltage condenser and a resistor. After the transmitter was finished, and the output was being checked with an oscilloscope and sine wave input, it was found that practically the same modulation could be had when the screen was fed no audio whatsoever. The percentage of modulation seemed about the same as with the connections shown. If this had been suspected when the transmitter was started, it is probable that no provision would have been made to modulate the screen, as the difference is hard to detect, either on the scope or on the air.

The connections to the modulation transformer are made by means of small plugs, the insert on the modulator diagram showing the actual arrangement. The numbers in the circles correspond to those found on the modulation transformer.

In the interests of safety, a new wrinkle has been used in the connections of the high voltage leads between chassis. The terminals are the usual feed-through insulators and the actual connecting links are of auto high tension cable. This latter material has also been used for all wiring carrying 1500 V. or more within the chassis. The real safety feature is in the use of the new insulated plate caps which are now available for the 9/16" cap size. Sections of 9/16" brass rod are cut to a length of about 3/8" and drilled and threaded to fit the rods in the feed-through insulators. These threaded sections are then screwed in place and the insulated caps snap over them, effectively covering all the ordinarily exposed high voltage terminals.

It is recommended that the insulated caps also be used in the positions they were intended for; that is, on the tube plate caps, although they had not been installed at the time the photos were taken.

The final touch for this transmitter is had in the De Luxe style case in which it is housed. The pictures really fail to convey the fine appearance afforded by the enclosed rack. A hinged back door is supplied with the rack, but was removed for photographing. Use of this door will be a big help in keeping the ever-present dust out of the works.

A copper strip 3/8" wide runs from the antenna tuning unit to the power supply chassis and is connected to every chassis between them. This affords a positive low impedance ground for the whole transmitter, and a good heavy connection should

be run from this strip to the best possible ground at the working location. The strip, which runs past the rear right corner of each chassis, was removed when the picture was taken.

The builder is urged to test this transmitter out thoroughly with a dummy load before trying it "on the air." A fair load may be made of a pair of 100 W. lamps in series connected directly to the swinging link. These bulbs should light at practically full brilliancy on 20 meters with a p.a. plate meter indication of around 180 ma. It must be borne in mind that this meter reads the total of plate, screen, and grid current, but the last two combined are always about 25 ma. under proper operating conditions.

c.w. operation is, of course, possible at 2000 V. and a plate meter total reading of about 210 ma. For this use, the leads on the p.a. power transformer may be connected to "high". This amount of input should never be used on phone, however.

### List of Parts

#### CORNELL-DUBILIER (Fixed Condensers)

- 2—100 mmf. mica condensers, No. 5W5T1, C1, C16
- 2—.1 mf. paper condensers, No. DT4P1, C2, C8
- 3—8 mf. 450 V. electrolytic condensers, No. JR508, C3, C6, C9
- 2—Dual 8 mf. 450 V. electrolytic condensers, No. EB8800, C7-C11, C12-C13
- 2—8 mf. 200 V. electrolytic condensers, No. JR208, C14, C15
- 1—10 mf. 25 V. electrolytic condenser, No. ED2100, C10
- 1—.5 mf. 200 V. paper condenser, DT4P5, C4
- 1—.5 mf. 400 V. paper condenser, DT4P5, C5
- 1—1mf. 2,000 V. paper condenser, TJU20010, C17
- 1—4 mf. 2,000 V. paper condenser, TJU20040, C18

#### INTERNATIONAL RESISTANCE COMPANY

##### (Resistors)

- 1—5 meg., 1/2 W. resistor, Type BT1/2, R1
- 2—.25 meg., 1 W. resistors, Type BT1, R2, R12
- 3—.5 meg., 1 W. resistor, Type BT1, R4, R6, R8
- 1—.1 meg., 1 W. resistor, Type BT1, R10
- 1—500 ohm, 1 W. resistor, Type BT1, R13
- 2—20,000 ohm, 1 W. resistors, Type BT1, R15, R16
- 1—350 ohm, 10 W. resistor, Type AB, R7
- 1—150 ohm, 10 W. resistor, Type AB, R9
- 1—4,000 ohm, 10 W. resistor, Type AB, R11
- 1—10,000 ohm, 25 W. resistor, Type DHA, R5
- 1—12,000 ohm, 25 W. resistor, Type DHA, R14
- 1—2500 ohm, 25 W. resistor, Type DHA, R17
- 1—.5 meg. variable resistor, Type 13,133, R3
- 1—100,000 ohm, 100 W. resistor, Type HA, R18
- 1—25,000 ohm, 20 W. resistor, Type DG, R19

#### NATIONAL

- 2—R100 r.f. chokes
- 3—Feed-through insulators
- 8—Insulated plate caps

#### THORDARSON (Transformers)

- 1—A.F. transformer, No. T15A74, T1
- 1—Output transformer, No. T15D79, T2
- 1—Power transformer, No. T15R05, T3
- 1—Power transformer, No. T19P59, T4
- 1—Filament transformer, No. T19F88, T5
- 1—Filament transformer, No. T54F66, T6
- 1—Modulation transformer, No. T11M76, T7
- 1—Filament transformer, No. T19F90, T8
- 1—Choke, No. T15C54, CH1
- 1—Choke, No. T75C49, CH2
- 1—Choke, No. T74C30, CH3
- 1—Choke, No. T63C15, CH4
- 1—Speech amplifier foundation unit

#### R.C.A. (Tubes)

- 1—879 tube
- 1—6F5 tube
- 1—6L7 tube
- 1—6C5 tube
- 2—2A3 tubes
- 1—5Z3 tube
- 1—80 tube

#### PAR-METAL

- 1—Gray finished DeLuxe Relay Rack, No. ER215
- 1—Gray finished 10 1/2" steel panel, No. G3605
- 1—Gray finished 12 1/2" steel panel, No. G3606
- 1—Chassis, 13" x 17" x 2", No. 15212
- 1—Set of brackets, No. SB713
- 1—Set of brackets, No. SB78



WARD LEONARD  
1—Relay, No. 507-533

AMPHENOL  
4—4-prong sockets—Clip type  
6—4-prong sockets—Molded type  
3—Octal sockets—Clip type  
3—Steatite 4-prong sockets  
1—5-prong molded socket  
4—4-prong plugs  
1—5-prong plug

DRAKE MANUFACTURING COMPANY  
1—Red pilot light (110 V.)  
1—Yellow pilot light (110 V.)  
1—Small size red pilot light (6 V.)

YAXLEY  
1—Grid bias cell and holder  
1—Shielded single circuit plug  
1—Midget single circuit jack

ASTATIC  
1—Model T3 microphone with E1 stand

GORDON  
1—1½" pointer knob  
1—doz. ½" grommets  
7—Name plates

TAYLOR (Tubes)  
2—TZ40 tubes  
2—866 Jr. tubes

MISCELLANEOUS  
2—Johnson 3" stand-off insulators  
2—Single pole toggle switches  
6 feet ¾" copper strip  
Connection cable and wire  
Hardware, etc.

## New 4-Tube Receiver

(Continued from page 166)

any source of 6-volt filament supply. Or, again, the set may be operated from 110 volts a.c. with the power-supply for which a separate diagram is included.

Assembling the set is a simple process, yet the finished receiver has a neat, professional appearance. The front panel and chassis base are supplied completely drilled and punched to match the requirements of this set. Layout of parts should be based on the pictorial diagram furnished with the outfit, but the wiring should follow the plan indicated in the schematic diagram.

For CW reception, set the non-critical i.f. regeneration knob controlling the 5,000 ohm potentiometer just below the point of oscillation. The other control (for volume and r.f. regeneration) should be set just above the point of oscillation. For phone reception, r.f. oscillation should be avoided, and the volume control should be set at the desired point.

Usually, the two larger condensers are tuned to about the same point on the band desired, and actual tuning is accomplished through the vernier dial which controls the *bandspread* condenser. The coils have sufficient overlap to offer complete coverage from 8 to 550 meters. As you change from band to band, replace the coils with the set that covers the desired frequencies.

The *bandspread* feature affords much more accurate tuning than is possible by any other method. Even in very crowded portions of any band you can usually pick out exactly the signal you want by means of the separate *bandspread* vernier dial. The technique of tuning, first with the larger condensers and then with the *bandspread* condenser, is easily learned.

The set-builder who lives in an area where 110 volts a.c. is available will find it advisable to construct the power-supply unit, thus eliminating the need for batteries.

All in all, the Super-Gainer has been designed to meet the needs of the Amateur or Short Wave Listener who wants an efficient, single-signal receiver at very low cost. It is well suited for keeping up DX contacts even where ordinary sets are bogged down in a maze of local QRM.

(This article has been prepared from data supplied by the Allied Radio Corporation.)

### Parts List of the Super Gainer Kit

(All parts numbers are Knight catalog numbers)

#### KNIGHT

1—Drilled panel, N2232  
1—Drilled chassis base, N2214  
1—"S" shield, N2215  
2—Dial plates, E5741  
2—Bar knobs, E6171  
2—Knobs, E5480  
1—Antenna trimmer condenser, E2949  
1—Condenser coupling, E4149

4—Octal sockets, E4031  
1—4-prong socket, E4524  
2—Grid clips, E6335

NATIONAL  
1—Dial, E1528

HAMMARLUND  
1—Dual 35 mmf. variable condenser, E5321  
2—100 mmf. variable condensers, E5331

EBY  
2—4-prong Isolantite sockets, E4015  
1—Twin binding post assembly, E4059

YAXLEY  
1—Tip jack, red, E6364  
1—Tip jack, black, E6365  
1—Variable resistor 50,000 ohms "R," E8625  
1—Variable resistor 5,000 ohms, E8606

MEISSNER  
1—Iron-core I.F. transformer 456 kc., E5801

CONDENSERS  
2—Condensers .0001 mf. mica, E7830  
3—Condensers .1 mf. 200 volt paper, E7910  
1—Condenser .002 mf. 600 volt paper, E7932  
3—Condensers .05 mf. 600 volt paper, E7941  
1—Condenser 10 mf. 35 volt electrolytic, E3791

RESISTORS  
1—Resistor 50,000 ohm ¼ watt, E4888  
1—Resistor 500 ohm 1 watt, E5058  
1—Resistor 400 ohm 1 watt, E5056  
2—Resistors 100,000 ohm ½ watt, E4991  
1—Resistor 2 meg. ¼ watt, E4903  
1—Resistor 50,000 ohm ¼ watt, E4888  
1—10,000 ohm 2-watt resistor R-2, E5179  
1—15,000 ohm 1-watt resistor R-1, E5081  
1—250,000 ohm 1-watt resistor, E5094

MISCELLANEOUS  
1—Roll of hook-up wire, E3560  
1—Set of 2 coils, 49-80 meters, N1155  
1—I.F. regeneration coil, N1156  
1—" piece of ¼" fibre rod, E4584  
1—Hardware kit, consisting of: 4 1/16" 6/32 machine screws; 12 5/16" 6/32 machine screws; 16 hexagon nuts; 6 soldering lugs; 3 rubber grommets; 4 3/8" brass bushings, N1601

#### ACCESSORIES

KNIGHT (Coils)  
1—Set of coils 160, 40, 20 and 10 meters, E9835  
1—Set of coils 200 to 550 meters, E9836

#### TUBES

1—Type 6J5 tube  
1—Type 6J7 tube  
1—Type 6P6 tube  
1—Type 6L7 tube

#### POWER SUPPLY KIT

KNIGHT  
1—Drilled chassis 7" x 4" x 2", N2213  
1—Power transformer, E6060  
1—Condenser block 8-8-8 mf. 550 volts, E3834  
2—Chokes, 30 henry, 50 ma., E12952  
1—A.C. switch, E5450  
1—A.C. line cord and plug, E3498  
1—4-prong bakelite socket, E4524  
1—4-prong wafer socket, E4026  
1—3-foot 4-wire cable, E3502  
1—4-prong plug, E1800  
1—Hardware kit, N1302, consisting of 3 rubber grommets; 6 5/16" 6/32 machine screws; 6 6/32 nuts.




## The "Send-Ceiver"

THE new GUTHMAN "Send-Ceiver" kit designed by McMurdo Silver is the answer to the urgent demand for a complete and efficient, but low cost, portable amateur transmitter-receiver, as well as for a complete amateur station for the beginner. To both fields it brings features associated with expensive apparatus. Only 17" long by 7" square it is a complete 5 thru 700 meter band-switching receiver of extreme sensitivity, excellent selectivity and plenty of band spread. In this one cabinet is a 1 to 4 tube, 7 to 12 watt crystal controlled transmitter, which, with instantaneous band-switching, covers the 6 amateur bands from 5 thru 160 meters. Yet the complete kit, easily assembled and wired in a few hours, including built-in a.c. power supply (with battery operation provided for) costs only \$29.37 net from any GUTHMAN jobber . . . which means any up-to-the-minute jobber.

Send for full details on this and other new GUTHMAN products—the "Silver Super", the new "Silver Portable Super", new 5-10 meter mobile transmitter, new pre-selector—and the "old reliable" U-10 precision frequency meter.



## Just Published . . . a NEW RADIO AND ELECTRONIC DICTIONARY Containing 3,800 Definitions . . . . .



THIS RADIO AND ELECTRONIC DICTIONARY, written by Harold P. Manly, explains the meaning of 3,800 words used in radio, electronics and other closely allied fields. It includes new terms used in radio transmission, sound in pictures, television, public address, aviation radio, navigation and industrial control, photo-electricity, photocell application, telephotography, etc. This dictionary permits learning every new expression whether you hear it or read it. Alphabetically arranged for quick reference. 550 illustrations augment definitions in the text.

The book is recommended for students, instructors, engineers, service men, experimenters, salesmen and everyone in any way associated with radio. ONLY

BOOK OF ITS KIND—HANDY—EASY TO USE—AND TIMELY. The RADIO AND ELECTRONIC DICTIONARY is new, authentic and printed in a single volume of 300 pages, size 5 x 9 inches. The book weighs two pounds and bound in durable cloth. SHIPPED ANYWHERE \$2.50 IN U. S. A. POSTPAID . . . Price

Mail remittance by check or money order to  
RADIO PUBLICATIONS  
99 HUDSON STREET NEW YORK, N. Y.

## PERSONAL SERVICE By Bill Harrison

It will pay you to visit or write to me whenever you want to buy anything in Radio or Photography—Communications Receivers, Transmitters, Test Equipment, Parts, Television receivers, cameras, enlargers, etc.  
Since 1925, more and more men in all parts of the world are being satisfied with my prompt Personal Service, and my low prices. You will be, too!

73,  
Bill Harrison, W2AVA  
TIME PAYMENTS  
LIBERAL TRADE-IN ALLOWANCES

**HARRISON RADIO CO.**  
12 WEST BROADWAY - NEW YORK CITY

(Continued from page 144)


the response curve of the I.F. transformers of the video I.F. section. Since the carriers for the picture and sound are spaced the same for all television channels, the sound receiver will always be tuned to 8.5 mc. and, once adjusted to this frequency, need not be changed when tuning from one picture channel to the other.

## Electronic Television Course

ideal response curve for the stage. The circuits illustrated were developed by the RCA Laboratory. The sound detector is usually a 6H6, of which only one section is used as the detector, in order to keep the capacity across the tuned circuit low. The second

The detector stage is followed by a video stage where a gain of 15 may be expected, while still maintaining the wide frequency response necessary. Fig. 5 illustrates a video frequency stage commonly used in present-day receivers. The plate circuit of this tube has an inductance in series with the plate resistor, which raises the high frequency response but still keeps the phase change


Fig. 3—Television R.F. stage. Fig. 4—Video I.F. stage and response curve. Fig. 5—Common V.F. amplifier stage.



**Intermediate Frequency Stages**  
The mixer tube is then followed by three or four I.F. stages where a gain of six to eight per stage may be expected with high transconductance tubes, such as the 18S2 and 18S3. A typical I.F. stage is schematically illustrated in Fig. 4 together with an

section is sometimes used either as a d.c. restorer or a bias tube on the cathode ray tube grid, biasing the grid high enough to keep the spot off the screen while the sweep circuit tubes are warming up, thus preventing a stationary spot from burning the fluorescent screen.

down to negligible proportions. Where a separate d.c. restorer is used, the plate of this video stage may be capacitively coupled to the grid of the cathode ray tube, but the preferable method is to couple it directly to the grid and provide for the proper bias (Continued on page 192)



## TELEVISION'S Stride Today Makes It Essential for You to Read—"ABC of TELEVISION"—

WITH important progress being made in Television every day—and with developments satisfactory to Television engineers that consistent programs will be broadcast shortly, it is important that principles be understood quite thoroughly. The publishers of RADIO AND TELEVISION give you the opportunity to add "ABC of TELEVISION" or two other books to your technical library. They make the offer even more attractive by giving these books to you absolutely FREE. A subscription to RADIO AND TELEVISION for seven months at the cost of One Dollar gives you a choice of either of the three books shown in this advertisement. For Two Dollars you receive RADIO AND TELEVISION for fourteen months and you receive any two books of your choice absolutely FREE. To get all three books FREE, enter your subscription for twenty-one months for only Three Dollars. ANOTHER SAVING FOR YOU—THE PUBLISHERS PAY POSTAGE ON THE BOOK OR BOOKS YOU CHOOSE.

### Partial Contents of ABC of Television

- CHAPTER 1—The simplest television receiver; how the eye sees; its likeness to television equipment.
- CHAPTER 2—Theory of scanning; the Nipkow disc and its relation to television; the photo-electric cell; neon lamps; brief description of several modern mechanical systems.
- CHAPTER 3—Need for a large number of picture elements; need for broad channel width in transmission of high-fidelity television signals.
- CHAPTER 4—The use of the cathode ray tube in television receivers; necessary associated equipment used in cathode-ray systems.
- CHAPTER 5—How a television station looks and how the various parts are operated.
- CHAPTER 6—The Iconoscope as used for television transmission in the RCA system.
- CHAPTER 7—The Farnsworth system of television transmission.
- CHAPTER 8—The future of television; probable cost of receivers; some expressions of opinion by prominent men; list of present television transmitters.

64 PAGES—100 ILLUSTRATIONS  
Stiff, Flexible Covers. 5 1/4 x 8 1/4 INCHES

Get One or All of These Books **FREE!!**

RADIO AND TELEVISION, 99 Hudson Street, New York, N. Y. R&T-7-39

Gentlemen: Enclosed you will find my remittance of \$..... for which enter my subscription to RADIO AND TELEVISION as checked below; also send me, postpaid, the book or books which I have marked below


ABC of TELEVISION  
 S.W. RADIO QUIZ BOOK AND KINKS  
 SHORT WAVE GUIDE

7 months—\$1.00—choice of any one of three (3) books. (Canadian and foreign—\$1.30)  
 14 months—\$2.00—choice of any two (2) of the three (3) books. (Canadian and foreign—\$2.60)  
 31 months—\$3.00—all three books. (Canadian and foreign—\$3.90)

If you are a subscriber now, we will extend your present subscription.  
 New subscriber  Old subscriber

Name..... Address.....  
City..... State.....

Send your remittance by check or money order. If you send cash or unused U.S. postage stamps, please be sure to register your letter for your own protection.



**SHORT WAVE GUIDE**  
Covers hundreds of short-wave questions and answers; illustrates popular short-wave kinks; gives explicit instructions for building simple short-wave receivers; instruction on the best type of antenna installation; diagram and construction details for building transmitters.



**S. W. RADIO QUIZ BOOK**  
This book covers questions and answers on transmitters, short-wave receivers, ultra short-wave receivers. Practical book-ups for experimenters; how to "hook-up" converters, noise silencers, power supplies, modulators, beat oscillators, antennas, pre-selectors and 5-meter receivers.

## Build This W8KPX Modulator

(Continued from page 160)

to the tube. In addition, the circuit is simplified by the omission of a cathode biasing-resistor and a by-pass condenser which, in spite of every precaution, sometimes permit hum and noise to enter the speech amplifier circuits. The tube life remains about the same as when the conventional method is used. The 2.5 millihenry R.F. choke and the .0001 mf. mica condenser form a filter to keep the R.F. currents from reaching the 6J7 grid. Although the Brush "HL" type of crystal microphone has a high internal impedance, the small mica condenser does not have any appreciable effect on the frequency response because of the characteristics of the microphone. Sometimes, if R.F. is still present, it is necessary to connect another .0001 mf. condenser from the grid of the second stage to ground in order to get rid of the trouble.

### Construction Simple

The actual construction of the modulator is quite simple and should present no difficulties to even a beginner. Mount the various parts on the chassis as shown in the photograph, making certain that the transformers and chokes are placed in the positions as indicated in Fig. 2B. Unless these precautions are observed, A.C. hum might be induced in the speech amplifier, due to intercoupling between the transformers and chokes. The filament transformers for the 866 Jrs., the TZ-20s and the 6.3 volt tubes are placed underneath the chassis and their leads enclosed in woven copper shielding which is suitably grounded to the chassis at several points. The by-pass condensers, both paper and electrolytic, and the fixed resistors are placed as close as possible to their particular circuits and are fastened securely to the chassis either by their own mounting lugs or by means of insulated mounting strips. All wiring which carries the high voltage should be covered with spaghetti in order to prevent any possible breakdown of the insulation. The 800 volt leads are placed on small porcelain stand-off insulators as an added precaution against breakdowns and short-circuits. The wiring indicated by the dotted lines must be shielded; use the usual braided copper tubing and ground it to the chassis at points not over two or three inches apart. Otherwise R.F. voltages may build up, especially when using the modulator in connection with a 28 or 56 megacycle R.F. amplifier, and get into the grids of the speech amplifier tubes through capacity effects from the shielding. Always have the modulator attached to a good ground when operating the transmitter on the higher frequencies.

The power transformer is designed to supply both 800 volts and 1,000 volts, after the filter, simultaneously. In this particular design the 1,000 volt taps are not used. However, sufficient space for the additional two 866 Jrs. has been left in case the constructor desires the use of the higher voltage. The 1,000 volt supply would be suitable for the operation of some final R.F. amplifier, such as the T-55 or RK-51, running 150-200 watts input. A transmitter of this type can be conveniently placed in a small two-panel size table-model cabinet, resulting in an unusually compact medium-powered phone rig.

It is hardly necessary to point out that extreme care must be exercised in adjusting the various voltages and in operating the modulator. *Be careful not to come in contact with the secondary terminals of the high voltage transformer or the 800 volts on the plates of the TZ-20s. The D.C. vol-*

*tage will give a painful shock and is plenty high enough to be fatal. Never attempt to operate the modulator without the proper load on the secondary of the modulation transformer; if no secondary load is presented, the excess energy generated in the primary may cause it to burn out, or the insulation to break down.*

If the instructions and diagrams have been carefully followed, no difficulty should be experienced. Should additional information or advice be required, however, the author will be glad to advise readers who enclose a 3-cent stamp for return postage. All letters should be sent to the author in care of RADIO & TELEVISION.

### Parts List, 50-70 Watt Modulator

#### CORNELL-DUBILIER (Condensers)

- 2—Paper dielectric condensers, 0.1 mf., 600 D.C. volts, DT-6P1
- 2—Paper dielectric condensers, 0.01 mf., 600 D.C. volts, DT-6S1
- 1—Cardboard case dry electrolytic, 8.0 mf., 450 w.v., JR-508
- 1—Tubular case dry electrolytic, 2.0 mf., 450 w.v., EDJ-9020
- 1—Cardboard case dry electrolytic, dual 8-8 mf., 450 w.v., JR-588
- 1—Tubular case dry electrolytic, 25 mf., 50 w.v., EDJ-3250
- 2 Oil impregnated transmitting condensers, 4 mf., 1,000 v., TJU-10040

#### I.R.C. (Resistors)

- 1—Fixed resistor, 1/2 watt, 15 megohms
- 1—Fixed resistor, 1 watt, 1 megohm
- 1—Fixed resistor, 1 watt, 1/4-megohm
- 1—Fixed resistor, 1/2 watt, 0.475 megohm (see text)
- 1—Fixed resistor, 1/2 watt, 0.5 megohm
- 1—Fixed resistor, 1 watt, 50,000 ohms
- 1—Fixed resistor, 2 watts, 1,500 ohms
- 2—Fixed resistors, 1 watt, 100,000 ohms
- 1—Fixed resistor, 1/2 watt, 25,000 ohms
- 1—Fixed resistor, 1 watt, 20,000 ohms
- 1—Wire-wound resistor, 25 watts, 800 ohms
- 1—Wire-wound resistor, 100 watts, 30,000 ohms
- 1—Volume ("gain") control, 500,000 ohms

#### BUD

- 1—Removable top chassis, 17" x 13" x 3". Plain.
- 1—Steel panel, 19" x 10 1/2". Black crackle finish.
- 2—Supporting brackets (see text)

#### TRIPLET

- 1—D.C. milliammeter, 0-250 ma. Square type

#### BRUSH

- 1—"HL" type crystal microphone. See text.

#### AMPHENOL (Sockets)

- 4—Spring mounting bakelite sockets, 8-prong octal type
- 4—Isolantite sockets, 4 prongs (for TZ-20s and 866 Jrs.)

#### STANCOR (Transformers)

- 1—Driver transformer, 6B4 plates to TZ-20 grids. Type A-4212
- 1—Modulation transformer, TZ-20 plates to universal R.F. load. Type A-2908
- 1—Plate supply transformer, 1,000 and 750 volts after filter at 250 ma. Type P-4030
- 1—Filament transformer, 2.5 volts, center-tapped. Type P-4083
- 1—Filament transformer, 6.3 volts at 3 amperes and 7.5 volts at 4 amperes, center-tapped. Type P-4090
- 1—Swinging choke, 300 milliamperes. Type C-1403
- 1—Filter choke, 300 milliamperes. Type C-1413

(Continued on following page)

# HERE IT IS....

## HAMS

### A New AC AND DC Pocket Volt-Ohm-Milliammeter

with Ranges to 5000 Volts Self-Contained.

**\$14.50**  
Net Price

Size: 3 1/16" x 5 7/8" x 2 1/2"

MODEL 666-H

Will handle all Amateur Requirements

**DANGER** You must make high voltage tests—but you can't afford to take chances. Insist on the protection afforded by Triplett's complete insulation. Molded panels and cases.


Look for the Model 666-H at the Chicago Radio Parts Trade Show, June 14-17. Also see the NEW MODULATION MONITOR designed especially for amateur requirements.

Model 666—uses same case as 666-H . . . . Reads to 1000 volts at 1000 ohms per volt. . . . Net Price **\$14.00**

WRITE FOR CATALOG!  
THE TRIPLET ELECTRICAL INSTRUMENT CO.  
Section 287 Harmon Ave., Bluffton, Ohio

## Westinghouse Power Generator

Manufactured for U. S. Signal Corps  
200 Watt. 110 V. AC



### A. C. ELECTRICAL POWER

from a Windmill, from available Waterpower, from your Automobile, from your Motorcycle, from your Bicycle, Foot-pedals or Handcrank (for transportable Radio Transmitters, Strong Floodlights, Advertising Signs); do you want to operate AC Itadio sets from 32 V. DC farm light systems; operate two generators in series to get 200 V. AC; obtain two phase and three phase AC, etc., etc.

#### There Are Over 25 Applications

Some of which are:

A.C. Dynamo Lighting from eight to ten 20 Watt 110 Volt lamps. Short Wave Transmitter supplying 110 Volts AC for operating "Ham" transmitter. Operating 110 V. AC 60 Cycle Radio Receiver in DC districts. Motor Generator, Public Address Systems, Electric Sirens on motor boats, yachts, etc. (Camp Lighting, Short Wave artificial "fever" apparatus, Television, Pelton Waterwheel for lighting or other purposes, Airplane: for lighting strong searchlights or electric signs, Laboratory work, etc., etc. 1/2 to 1/2 H.P. needed to run generator.

BLUE-PRINT 22 x 28 in. and Four-Page 8 1/2 x 12 in. INSTRUCTION SHEETS FREE with Generator.

Generator, as described, including four replacement carbon brushes, Blue-Print and Instructions **\$7.90**

Send \$2.00 deposit, balance C.O.D.  
Shipping weight 18 lbs.  
(Replacement carbon brushes bought separate \$1.50 per set of four. Set of Instructions bought separate \$1.00.)

MONEY-BACK GUARANTEE  
**WELLWORTH TRADING COMPANY**  
1915 S. State St., Dept. RT-739, Chicago, Ill.



# How Giant Television Tubes Are Made

(Continued from page 137)

of the more intricate details of glass working. Were it not for the availability of pure nickel and certain nickel alloys, the cathode-ray tube would not be a practical reality today. The metals used in such devices must possess a number of mechanical, electrical and chemical characteristics. The metal must be amenable to production processes which involve a wide variety of fabricating operations. Even in the softest temper, it must be sufficiently strong to avoid deformation during normal handling and use. It must also remain strong at high temperatures in order to preserve tube characteristics through evacuation and bombardment, and must permit strong spot welds while being rustproof and resistant to corrosion. It must resist warpage and distortion regardless of high temperatures during manufacture and use. (The position and clearance of the various parts are vital factors in maintaining the proper tube operation.) The metal must have the required electrical properties, especially proper electron emission characteristics, must be low in contained gas, and be readily de-gassed at moderate temperatures. Approximately 8 times as much nickel is used for the cathode-ray tube as for the conventional radio tube.

The exhaustion in one of these tubes is carried out to a very high degree—in fact, to 10<sup>-9</sup> millimeters (almost a perfect vacuum) of mercury. Special annealing appliances have been constructed to maintain any desired degree of heat on the tubes over a considerable period of time, so that they can be cooled slowly and thus avoid any undue strain in the glass. Interesting, too, is the fact that each tube is checked with a *polariscope*, which shows up any strain in the glass by variation in the light pattern on the screen.

The large 14" tube television receivers, designed and built at the Du Mont plant, use 5,500 volts on the anode, and as a safety feature, interlocking switches are mounted within the cabinet so that if any one opens the rear panel, the high voltage transformer is cut out of the circuit. Electrostatic scanning is employed on this large

image receiver, thus marking a departure from the usual practice of using electromagnetic scanning on tubes larger than 5" diameter. Twenty-two tubes are used in the television receiver for the 8" x 10" image. This includes the *sound* channel receiver.

For the large console receiver shown here with 14" C-R tube, and fitted with an all-wave broadcast receiver, 32 tubes are used.

## DU MONT SENDS SWEEP-PULSES WITH IMAGE SIGNAL


At the Du Mont plant, two television transmitters are installed, together with a studio. One of the transmitters sends out television image signals of the R. M. A. (Radio Manufacturers Association) type, such as is used by the NBC and other stations—while the second transmitter sends either sound or television signals based on the Du Mont invention, whereby all of the sweep signals are sent from the transmitter.

It is a very simple matter to build the television receiver so that it can pick up either the R. M. A. standard image signal, or the special composite Du Mont type signal which incorporates the vertical and horizontal sweep signals with television signal.

## NEW INTERLACED SCANNING SYSTEM

Another interesting demonstration was a new method of scanning by *quadruple* interlacing, which was demonstrated on an oscillograph, in comparison with the present *double* interlacing method. By this method, Dr. Goldsmith claimed that it would be possible to cut the present television image channel in half. In other words, instead of requiring six megacycles for the television channel, only three megacycles would be necessary and, at the same time, an improved quality of the image would result, Dr. Goldsmith said. Simply explained, the quadruple scanning would work out as follows: The first scan would be 1, 5, 9, etc.; second scan, 2, 6, 10, etc.; third scan, 3, 7, 11, etc.; fourth scan, 4, 8, 12, etc. Dr. Goldsmith stated that the average life of one of these C-R tubes is 2,000 to 3,000 hours.

## Correct Diagram for 5 & 10 Meter Converter



Those interested in the 5 & 10 meter converter described on page 102 of the last issue will find the correct diagram above.

# SPRAGUE ATOMS

"Mightiest Midgets of All"

## YOU SAVE 2 WAYS!

Sprague ATOMS (Midget Etched Foil Dry Electrolytic Condensers), save you a whale of a lot of money—and they save space, too! You'll find them far better than most of the big old-style electrolytics for which they are used as universal replacements. Not a "blow-out" in a carload. Unquestionably the highest quality midgets,—the smallest midgets—and the only midgets made in a full line of dual capacity combinations with common negative leads. Write for catalog. See your jobber today!

## HOW'S THIS FOR VALUE?

This dual 8-8 mfd. 450 V. ATOM is only 1" x 2 5/8" and lists at only \$1.00. A single 8 mfd. ATOM lists at 60c.



**SPRAGUE 450 VOLTS**

**SPRAGUE PRODUCTS CO.**  
North Adams, Mass.

OUR STOCK OF U.S. ARMY SIGNAL CORPS LAMPS IS RAPIDLY DEPLETING. EVEN AT \$3.95. COMPLETE WITH FITTINGS AND PACKED IN A WOODEN CARRYING CASE, THE SAVING IS NEARLY 90% FROM THE GOVERNMENT COST.



## U. S. ARMY SIGNAL CORPS LAMPS

The lamp of 100 uses

- Scout Signalling
- Night Bowling Alleys
- Trailer Lamp
- Night Motor Boat Races
- Auto, Truck and Trailer Camps
- Tractor Light
- Camp Light
- Barnyard Lighting
- Night Fishing
- Radio Shacks
- Bungalows
- Picnics, etc.



Scouts Signalling

Large size—12 1/2" wide, 5 3/4" deep, 15" high including socket, fitted with 10" silver plated reflector and glass, nothing to break. Packed in portable wooden carrying case, with hinged cover, hump and handles. Every case contains weatherproof extension cord and plug, 2 extra bulbs, telegraph signalling key and 16 page U.S. Army Instruction Manual. Shipping weight 18 lbs. Price (Cost the Government about \$25.00) **\$3.95** F.O.B. N. Y.


Same size lamp without wooden case or extra fittings **\$2.00**  
Small lamps, 8" **\$1.00**

Send for catalog containing full descriptions of this and many other interesting items.

## GOLD SHIELD PRODUCTS

Dept. RT-7-9 350 Greenwich St. New York

Radio Men Find This Book Handy



Here Is the Contents of the Book

1. Adhesives: Glues, Cements, Gums, Mucilagins, Lubricants. 2. Cleansing: Stain Removers, Paint Removers, Bleaches, Cleaning Fluids. 3. Metal Craft: Coloring, Oxidizing, Plating, Repairs, Welding, Polishes, Alloys, Solders, Amalgams. 4. Paints: Colors, Stains, Varnishes, Enamels, Luminous Paint, Washable Paint, Paint Removing, Waterproofing, Fireproofing. 5. Glass Working: Cutting, Drilling, Boring, Bending, Blowing, Etching, Engraving, Frosting, Silvering, etc. 6. Wood-craft: Fillers, Fireproofing, Acid-proofing, Waterproofing, Furniture Polishes, Finishes, etc. 7. Ink Recipes, Eradicators, Ink Stain Removers, Special Inks, Colored, Indelible, Sympathetic, Invisible, Hectograph. 8. Photography: Developers, Emulsions, Fixers, Sensitizing, Toning, Printing, Photographic Paper, Blueprint Paper. 9. Antidotes for Poisons, Remedies for Burns and Scalds, Disinfectants, First-Aid in Accidents, Emergency Remedies, Home Remedies. 10. Preparation, Manipulation, Handling, Mixing, Measuring, Weighing, Filtering, Straining Solutions; List of Technical Substances; Emulsifying; Use of Hydrometer, Use of Thermometer; Tables of Weights and Measures, Decimal Systems, Useful Tables.

**TECHNIFAX, Division RT-739**  
1917 South State St., Chicago, Illinois

TECHNIFAX, Division RT-739  
1917 South State St., Chicago, Illinois

Gentlemen: Enclosed please find 50¢ check, money order, coin or unused U.S. stamps accepted for which send me POSTAGE PREPAID One Copy of FORMULAS AND RECIPES For the Practical Man

Name .....  
Address .....  
City ..... State .....



**"JIFFY"**  
Magazine Binders

Sturdily built and covered with black fabricoid. Has two stamped metal ends with 12 spring wire separators. Magazines can be inserted and removed in a jiffy. No fuss—no lost time—no labor.

- No. 1. 12 1/2" x 9 1/2", with 3-inch back for E.&T., Radio-Craft, Radio News, etc. — \$1.00
- No. 2. 10 1/2" x 7 1/2", with 3-inch back for QST, Radio, Popular Mechanics, etc. — \$1.00
- No. 3. 8 1/2" x 6 1/2", with 3-inch back for Reader's Digest, etc. — \$1.00
- De Luxe Models, Above size — \$1.50

Send for catalog containing full descriptions or many other interesting items.

**GOLD SHIELD PRODUCTS**  
Dept. RT-7-9 350 Greenwich St. New York



**HEY FELLOWS! 6 BACK NUMBERS OF SHORT WAVE AND TELEVISION SENT ANYWHERE IN U.S. FOR 70¢**

For a limited time only, and as long as they last, we will send you six back numbers of SHORT WAVE & TELEVISION assorted, your choice, for 70 cents.

The usual price for six copies would be \$1.50, and most publishers charge a higher price for back numbers over one year old.

We can supply only the following back numbers: Dec., 1930; Feb., April, June, Sept., Oct., 1931; July, Oct., 1932; Jan., April, Oct., Nov., 1933; Jan., Feb., Mar., May, June, July, Aug., Sept., 1934; 1935—All issues except January, February and March; 1936, 1937, 1938—all issues; 1939—all issues to date.

If you do not specify copies, we will send assorted numbers to fill your order. Note, we cannot exchange the copies for ones that have been sent to you.

Every copy of SHORT WAVE & TELEVISION

contains information which you should have. Here is a chance to get those copies.

As only a small supply of back numbers on hand, this offer will be withdrawn as soon as they have been sold.

We accept U. S. stamps, U. S. coin, or money order. Rush your order today.

-----  
**RADIO & TELEVISION** 7-39  
 99-101 Hudson Street, New York, N. Y.  
 Gentlemen: I enclose herewith 70c, for which you are to send me six back number copies of SHORT  
**WAVE & TELEVISION** as follows:.....  
 .....  
 Name .....  
 Address .....  
 City ..... State .....

**Getting Started in Amateur Radio**

(Continued from page 149)

a half-wave rectifier by radio engineers.

**Full Wave Rectifiers**

As a means of using all the pulses of the alternating wave, two methods have been devised. The first of these shown at C is called a full wave rectifier. This really consists of two half-wave rectifiers connected in such a way that one rectifier operates on one set of current pulses and the second rectifier uses the second set. Since current can flow through the rectifier tube in only one direction, only one of the two rectifiers is working at any given time. In some cases—such as the rectifier used in the c.w. transmitter described in Part 2 of this series, two rectifiers are combined in one vacuum tube. In this way only one tube is needed for full wave rectifying. This combining of two tubes is not done in larger, higher voltage units, two separate tubes being needed.

The second method of using all of the alternating wave for the d.c. high-voltage supply is called the "bridge rectifier". This is shown in Fig. 1D, and it can be seen that four rectifiers are needed. The secondary winding of the power transformer does not have to be center-tapped as in the case of the full wave circuit.

**Bridge Rectifier**

The operation of the bridge rectifier is as follows: When the top end of the winding is positive, current flows through section 1 but cannot flow through sections 2 and 3 because it can pass only from cathode to plate in the tubes. It then passes through the load and then through section 4 to the lower end of the transformer winding. When the lower end of the winding is positive, current flows through section 3, then through the load and finally through section 2.

**Filtering**

Although the output of any of the above types of filters is direct current in the sense that it always flows in one direction, it is not uniform in voltage, but varies continually as we can see in the wave-forms in Figs. 1B, C and D. To be useful for the plates of the tubes in a transmitter, it must be continuous and entirely unvarying. It is the function of the filter to smooth out the variations from the rectifier.

Filters are made up of combinations of

inductance and capacity connected in such a way that they store energy to fill the points at which the voltage from the rectifier drops.

Two types of filters are shown in Fig. 2. The first (A) is called the condenser-input or "brute-force" filter. The characteristics of this type of filter are high voltage and high rectifier peak voltage. The latter means that the rectifier tube is subjected to unusually high voltages under certain circuit conditions; this must be considered in the selection of a rectifier tube when designing a power supply unit.

In addition, the "regulation" of this type of filter is comparatively poor. This means that the voltage varies as the amount of current drawn by the transmitter varies; this is a condition to be avoided if possible.

The second type of filter, shown at 2B, is the "choke-input" type, and differs from the first in that the choke follows directly after the rectifier. This type of filter has good regulation, a low rectifier tube peak voltage and a lower output voltage for a given rectifier voltage than the condenser input type. The first two characteristics are desirable and the last can be compensated for by proper selection of the transformer.

In spite of the above characteristics, it is common to find the brute-force filter in ham transmitters. This is perhaps due to the fact that this type of filter was the first to be used extensively in power-operated amateur stations.

Choke coils used in filter work are of two general types—smoothing chokes and swinging chokes. Smoothing chokes are made with a view to maintaining a high inductance (storing capacity) with a relatively low resistance. Swinging chokes are designed to vary in inductance as the load imposed by the transmitter varies, so that an optimum value of inductance is maintained in the filter, whether the key is depressed or open. Both types of chokes are available in suitable sizes for small and large size stations.

**The Bleeder**

To maintain the output voltage of the power supply at a constant value, it is necessary to have some load on the power unit always. If this were not done, the filter condensers will be charged to the peak value of the rectified A.C. wave (this is 1.4 times the rated transformer voltage) and may break down.

To supply a constant load, a "bleeder" or resistance is usually connected across the output of the power supply unit. This resistor is ordinarily sized so that about 10% of the output is fed through it. A resistor of about 15,000 to 30,000 ohms is customary for low voltage supplies, higher values being used for higher voltage units.

In making filter units for high voltage supplies, condensers having lower voltage ratings than the output voltage of the power supply can be used by connecting them in series. The condensers should have equal capacities and if two condensers are thus connected, the resulting filtering capacity will be half that of one condenser. As a precaution against one condenser taking more than half the applied voltage, resistors of about 500,000 ohms (1 or 2 watts) should be connected across the condensers, as shown in Fig. 3.

**Typical Power Units**

In Fig. 4 are shown two representative power supply units for X-mitter use. The first, at A, supplies 300 volts with a cur-

rent of about 100 milliamperes. This unit uses a single transformer to supply both filament and plate voltages. A single full wave rectifier tube converts the high voltage to pulsating d.c. A two-section choke input filter smooths the d.c. voltage and a bleeder of 15,000 ohms applies a load to the unit. A separate 2.5 volt filament winding heats the filaments of the transmitter tubes.

The second circuit, given at 4B, shows a 2000-volt, 200 milliamperes supply unit. This unit is also a full wave type using two half-wave tubes of the "66" type. Two transformers are used, one for the plate supply and the second for the filaments of the rectifiers, plus a winding for the transmitter tube filaments. This filament transformer must be carefully insulated, as the full voltage of the plate supply appears between the two filament windings.

The filter is a choke-input type of two sections. The input choke is a swinging type varying between 20 and 100 henries at no load and full load. The second section uses a 30 henry smoothing choke, rated at the full 200 milliamperes. Two 2 mf. high voltage condensers complete the filter. A 100,000-ohm bleeder applies the continuous load across the 2000-volt output.

A word of caution regarding power supply units will be desirable in closing this Part IV of the series. The power supply unit of even a low-powered transmitter is a potential lethal machine and as such should be handled with the greatest caution. A number of amateurs have been killed during the past few years and many more have been injured by the high voltages used—let a word to the wise be sufficient! Be certain that all power is off and all condensers discharged before touching any part of the power unit.

In Part V, next month, this series will be continued with hints on obtaining amateur licenses.

## Silver Trophy Award

(Continued from page 153)

meter, a 1-tube 5-meter transceiver, and a 3-tube 5-meter combined transmitter and receiver (not completed).

When seated at the operating table, the transmitter is just at my left hand. I have worked five continents, 41 of the 48 United States and about 600 stations.

I have a 34 ft. scagoing motor-boat and my radio friends and I have had many happy week-ends with 5-, 20- and 40-meter transmitting gear on board. At times a kite aerial is used with success.

RADIO & TELEVISION is popular here and each issue is eagerly awaited.

40 Irvine Street, Peppermint Grove, WILLIAM SCHOFIELD, Western Australia. "Skipper" VK6WS,

### Note These Important Rules

Photos of Ham stations must be sharp and clear, preferably not less than 5 x 7 inches. Accompany your station's photo with a picture of yourself and a description (not more than 300 words) of your station, including general line-up of apparatus, make if not home built, number and types of tubes, watts in antenna, type of antenna, etc. State number of continents worked, stations contacted and any other features of general interest. Contest for October, 1939, issue ends on August 1. If two or more entries tie, duplicate prizes will be awarded.

### New Radio Manufacturer

● JAMES MILLEN, well known in the radio field and particularly to the Ham fraternity, recently organized his own company, which will devote its activities to the design and manufacture of new type radio communication products, including component parts, receivers and transmitters. The name of the new company is the James Millen Manufacturing Co., Inc., 6 Pleasant Street, Malden, Mass.

# STOP—LOOK and BUY

## Rockbottom Prices on All Our Merchandise

When prices are low we buy! They're low now—LOWER THAN THEY EVER WILL BE—hence this sale. 100% satisfaction on each transaction or your money refunded. ORDER FROM THIS PAGE. Use the convenient coupon below. Be sure to include sufficient extra remittance for parcel post charges, else the order will be shipped express, charges collect. Any excess will be refunded. C.O.D. shipments require a 20% deposit. If full remittance accompanies order deduct 2% discount. Send money order—certified check—new U. S. stamps. No C.O.D. to foreign countries.

ORDER TODAY QUANTITIES LIMITED QUICK SHIPMENTS ASSURED

### VARIABLE SPEED UNIVERSAL MOTOR

FOR 110 VOLTS, A.C. OR D.C.

Made for Dictaphone machines by American Gramophone Co. Used, but in excellent condition. Special lever control permits variable speeds up to 3000 r.p.m. 1/4" shaft extends from both sides of motor. Measures 7 1/2" x 3 1/4" diam. Overall. Shp. Wt. 6 3/4 lbs.



ITEM NO. 11  
Your Price ..... \$2.55

### WELDING! BRAZING! SOLDERING!

3-IN-1 PORTABLE ELECTRIC TORCH

WORKS FROM 110 VOLTS A.C. OR D.C. LINE

This electric torch is not a gadget of a toy, but a thousand built outfit using the finest materials. With it you are able to do professional type of welding, brazing and soldering work, regardless of whether or not you've had previous experience. It will do a thousand and one jobs: fender welding, auto body repairs, bumpers, cylinders, tanks and industrial repairs—ideal for steel fitters, plumbers, sheet metal jobs, engravers, maintenance men, radio and bicycle repair men, etc. Works on aluminum, brass, copper, iron, steel and other metals.



The 3-in-1 electric torch is so simply constructed that even a boy can operate it after reading the simple and concise instructions furnished with the unit. Not necessary to know how to strike an arc! All you do is plug the torch into the light socket, adjust the carbons per instructions, and presto—you have an intense, blazing flame, ready for work. The outfit comes complete with power unit, electric cord, electrode holder, carbons, welding rods, brazing rods, solder flux, goggles, and instructions.

Save money! Do your own repairing. Earn money by doing repairing for others. Simple, practical, durable and safe to handle—that's why the price is amazingly low. Don't delay—order one today. Shp. Wt. 8 lbs.

ITEM NO. 50  
Your Price ..... \$6.95

### POWER JIG SAW

A trouble-proof powerful tool with self-contained power unit. Cuts 7200 strokes per minute, leaving smooth edges. An ideal machine for wood-crafters, model makers, handymen, etc. Has 10" square table and gray iron frame mounted on rubber to absorb vibration. Arm blade depth 13 1/2". Designed for 110-120 V. AC use. Measures 9 1/4" x 19 1/2". Adjustable guide and stroke. Sold complete with 8 ft. approved cord and plug, ready to use. Shp. Wt. 12 lbs.



ITEM NO. 45  
Your Price ..... \$9.96

### COMPLETE ELECTRIC SPRAYER OUTFIT

Consists of a sturdy compressor 110 V. 1/4 HP, 1750 R.P.M. Motor, 10 ft. hose, efficient spraying gun and all necessary mounting accessories. Costs only 2 cents per hour to operate. Delivers considerable air pressure. Positively will not pump oil. Few working parts to wear. Sprays practically anything. Shp. Wt. 40 lbs.



ITEM NO. 46  
Kit less motor, but with gun  
Your Price ..... \$6.36

ITEM NO. 47  
The complete kit including 1/4 HP motor  
Your Price ..... \$14.53



### NEW FUEL PUMPS

Brown & Sharpe pumps. Brand new, never been used. Can be used for gasoline, oil, kerosene, and other fuels. Not good for water. Takes standard thread 1/4" input and output pipes. Has 1/4" drive shaft. Measures 4 x 3 3/4 x 3 1/2" diam.

overall. Shp. Wt. 8 1/2 lbs.  
ITEM NO. 24 Your Price .... \$4.45

### SPERRY GYROSCOPE LIQUID COMPASS


Made for U.S. Signal Corps; sensitive and accurate. Quick readings easily made from top; accurate readings of graduations through focusing magnifying lens on side of instrument. Complete with level sights and russet leather carrying case. Excellent for boats, boy scouts, campers, hikers, etc. A few turns of wire around its case makes it usable as a galvanometer. Shp. Wt. 3 lbs.



ITEM NO. 12  
Your Price ..... \$1.85

### 1/75 HP AC MOTOR

Develops 1/75 HP at 3000 RPM. The entire motor is only 3 3/4 inches in diameter, 7 3/4" shaft. Inductor type motor with shaded pole for self starting. Speed can be varied with suitable rheostat. Complete with cord, plug and base, but less pulley. For use on 110 V. 60 cycle AC line. Shp. Wt. 8 lbs.



ITEM NO. 44  
Your Price ..... \$1.75

### 20,000 RPM HAND GRINDER

Save 50% on a tough little hand grinder that is extremely useful to radio servicemen, experimenters, jewelers, dental mechanics, etc. Develops 20,000 RPM. Fits solidly in the palm of the hand. Operates on 110 V. AC or D.C. 25 or 60 cycles. Its features are: high torque, oilless bearings, sturdy thrust, cool running, handy switch, collet chuck for 1/4" and 3/32" wheels, finger support for precision work. Shp. Wt. 6 lbs.



ITEM NO. 48  
Your Price ..... \$7.62

### VENTILATION FAN

Handy for eliminating kitchen odors. Installs on either window or flue on chimney. Can also be used as radiator fan for room circulation. Induction motor. Operates on 110 volts, 60 cycles A.C. only.



ITEM NO. 49  
Your Price ..... \$4.50

WE HAVE NO CATALOG. ORDER DIRECT FROM THIS PAGE.

HUDSON SPECIALTIES - 40-T West B'way - N.Y.C.

IT'S EASY TO ORDER—CLIP COUPON—MAIL NOW

HUDSON SPECIALTIES CO., 40-T West Broadway, New York, N.Y. RT-739

I have circled below the numbers of the items I'm ordering. My full remittance of \$..... (include shipping charges) is enclosed. \$..... is enclosed (20% required), ship order C.O.D. for balance. (New U.S. stamps, check or money order accepted.)

(Circle Item No. wanted: 11 12 24 44 45 46 47 48 49 50)

Name ..... Address .....

City ..... State .....

Send remittance by check, stamps or money order; register letter if you send cash or stamps.

# RADIO'S MANY NEW BOOKS HAVE BEEN ADDED TO MOST COMPLETE LOW-PRICED TECHNICAL LIBRARY



THE RADIO-CRAFT LIBRARY SERIES (each volume fifty cents)—a most complete and authentic set of Volumes—treats individually, important divisions of radio, refrigeration and air conditioning. Each book has been designed to give you the opportunity to learn one or more branches of the fields mentioned. The authors of the books are well-known to everyone. Each is an expert—an authority on the subject—each is thoroughly familiar with the field which he represents.

ALL BOOKS ARE UNIFORM—The volumes in the RADIO-CRAFT LIBRARY SERIES measure 6 x 9 inches. Each book contains on an average of 50 to 120 illustrations. The books are printed on an excellent grade of paper which makes the type easy reading.

## Here Are the Titles - - -

- |  |   |  |
|--|---|--|
| No. 2. MODERN VACUUM TUBES               | No. 12. PUBLIC ADDRESS INSTALLATION AND SERVICE | No. 17. SERVICING WITH SET ANALYZERS       |
| No. 3. THE SUPER-HETERODYNE BOOK         | No. 13. ABC OF AIR CONDITIONING                 | No. 18. POINT-TO-POINT RESISTANCE ANALYSIS |
| No. 4. BRINGING ELECTRIC SETS UP-TO-DATE | No. 14. POCKET RADIO GUIDE                      | No. 20. THE CATHODE-RAY OSCILLOSCOPE       |
| No. 9. AUTOMOBILE RADIO AND SERVICING    | No. 15. ABC OF REFRIGERATION                    | No. 21. BREAKING INTO RADIO SERVICING      |
| No. 10. HOME RECORDING AND ALL ABOUT IT  | No. 16. PRACTICAL RADIO CIRCUITS                |  |

RADIO PUBLICATIONS • R&T 7-39 • 99T Hudson Street, • New York, N. Y.

I have circled below the numbers of books in the RADIO-CRAFT LIBRARY SERIES which you are to send me. I have included my remittance in full, at the price of 50c each. (Stamps, checks or money orders accepted).

2 3 6 9 10 12 13 14 15 16 17 18 20 21

Name ..... Address .....

City ..... State .....

All books are sent postage prepaid

## NEW!

A NEW GERNSBACH PUBLICATION  
The Constructive Photo Magazine



ON ALL NEWSSTANDS

FOR serious-minded amateur photographers, here's a photo magazine. FOTO-CRAFT, vastly different from any you've read. It tells you how and why to do things—it's a constructive publication which shows what can be done with the equipment you have, and how to make handy, photographic accessories. FOTO-CRAFT, with its broad editorial features, covers such important branches of photography as—New Scientific Researches; Developing; Printing; Enlarging; Dodging; Cropping; Photomicrography; Color Photography; Amateur Movies; How to Make It Items.

A Few of the Articles in the Current Issue  
By such authorities as Herbert C. McKay; Habel and Mario Scacheri; Dr. E. Bade; Leonard Hyams; Carl Hjal, etc., the titles include: Plenty to Photograph Eight Under Your Nose—Soup Is Soup—It's All Greek; Alpha, Beta, Gamma, Delta—Photographic Designs Without a Camera—Noodle Titles—The Simplest Synchronizing Tester—Stereoscope Table Top—Home-made Synchronizing Flashgun—Super Cabinet for Enlarging—Tomorrow's Photography—International Photo Digest—Table Top Photo Contest—Watch the Birdie—Modern Style—Electric Photographs—Gas Reliefs Made by Treating Photographs—Movie Trick and Action Titles—Paper Negative Technique—Print It Yourself—Photo Hints and Kinks—What's News—Questions and Answers—Photo Quiz, etc.

BIG OPPORTUNITY!! Get a FOTO-CRAFT Press Card today—with it you can get permission to take photos which might be difficult to obtain. PRESS CARDS are sent FREE to subscribers of FOTO-CRAFT. Enter your subscription for Seven Months for \$1.00—and get your PRESS CARD immediately.

FOTO-CRAFT

99-T HUDSON STREET NEW YORK, N. Y.

## TELEVISION

Experimenters and Servicemen!

Check your television receiver installations with this beautiful Swiss compass.



Accurately indicates the Earth's magnetic field, thus permitting the television or short wave aerial to be quickly positioned in the home, office, store or factory.  
P.P. prepaid in U.S. and Canada  
\$1.50

GOLD SHIELD PRODUCTS

Dept. RT-7, 350 Greenwich St., New York

## Noise Reduction Circuits

(Continued from page 164)

ment houses, etc. When a loop is made, and particularly a shielded balanced circuit loop, static noises can be reduced to a minimum when the loop ceases to act as an antenna—that is, when it receives signals mostly through induction and least through capacity.

Fig. 1 shows the Marconi compensated loop, which has its capacity neutralized by C-1 and C-2, leaving only its inductance effective. It is claimed that this system gives good results.

Fig. 2 shows the Philips loop, a simplified form of the Marconi loop, where the distributed capacities of the two open end loops neutralize each other.

Fig. 3 illustrates the Viel loop, which uses inverse feed-back from the plate into the control grid through a neutralizing condenser (NC).

Fig. 4 shows the F.A.R. loop, in which the noise picked up by a short antenna is bucked against the noise impulses in the loop through condenser NC.

Fig. 5 represents a shielded loop, where the shield nullifies the distributed capacity of the loop. Signals are received through the unshielded portion of the loop. In this case, as little energy is received, the sensitivity of the receiver must be correspondingly higher.

In Fig. 6 the signal received by the loop is applied on both branches of a push-pull circuit, whereby the bucking of the noise in the plate circuits is greater than the bucking of the signal.

The antenna circuit in Fig. 7 has a primary coupled to two circuits operating in phase and tuned to resonance. One channel amplifies both the noise and the signal. The other channel is over-biased and amplifies only strong noise impulses, which are cancelled by the bucking fields in the plate primaries. The amplification of tube C must be much higher than that of tube A.

Noise elimination through de-phasing. In Fig. 8, a part of the amplified output voltages of tube D is applied to a tuned circuit coupled to the antenna 180 degrees out of phase. The coupling condenser or taps on the coil may be adjusted for minimum noise.


Noise elimination through frequency changing. In Fig. 9, channel Y-1 is an ordinary superheterodyne mixer circuit, receiving signals and noises from antenna A-1. In channel Y-2, the frequency is not changed. The noise received by antenna A-2 is amplified and opposes the noise impulses in M-1. The designer of this circuit claims to have obtained excellent results with this combination.

An aperiodic circuit, as in Fig. 10, is interesting on account of its simplicity. A-1 is a short antenna receiving maximum noise and connected to the cathode-resistor of the first amplifier stage. This resistor must not be by-passed and is shown as R-1. A longer antenna goes directly to the control grid at the grid resistor R-2.

By adjusting the values of R-1 and R-2 and the coupling neutralizing condenser (NC), a great deal of noise can be eliminated while the selectivity of the receiver is also improved. (Note: This circuit was designed independently by the translator over two years ago, and is recommended for its efficiency and ease of neutralization.)

In Fig. 11, the double-diode limiter circuit needs at least two stages of R.F. or I.F. amplification to operate the diodes. The diodes are biased by the potentials in R-1 and R-2. The system is simple and acts to neutralize any voltage higher than the average carrier wave intensity, provided that A.V.C. is used. When the diodes operate, the noise currents above carrier intensity are theoretically maximum in R-1. They are amplified separately by T and opposed in coil S through the dephasing action of T-2, thus suppressing another portion of the noise.

In Fig. 12, the double diode limiter uses the variable audio feed-back idea, where the upper diode section is negatively biased through R-1. When voltages are received exceeding the value of this bias, the diode draws current which flows in an opposite direction in the A.F. drop resistor, R-2, and thus cancels the excessive amplitudes.  
—L. MOUROUX. (Translated by H. F. Dalpayrat.)



Double diode noise-reduction circuit.



# FREE- REAL ELECTROPLATING OUTFIT



Now  
You Can **ELECTROPLATE**  
Easily with a **BRUSH!**

SOMETHING new for amateurs, fans, set builders—something which gives you the opportunity with which to experiment. Here's an **ELECTROPLATING KIT** amazingly simple to operate—you just Electroplate with a Brush! Requires only one single dry cell.

## NOT A TOY

You can electroplate for profit, hundreds of things in the household—ashtrays, fixtures, water faucets, worn brackets, door knobs, musical instruments, jewelry and silverware and other articles. It's an indispensable piece of equipment to you for plating articles in hotels, apartments, office buildings, medical and dental offices, factories, schools, laboratories, etc. Exactly the same outfit (but larger) is used professionally by electricians, radio service men, automobile repair shops, etc. And for radio work, you can electroplate tarnished receiver parts, chassis, contacts, worn radio parts and accessories.

Put this **REAL ELECTROPLATING KIT** to use immediately make it the most useful article in your lab or work bench. And, you can get it absolutely **FREE** (except for slight mailing cost).

Send your subscription today to **RADIO AND TELEVISION** for One Year (12 issues) and receive absolutely **FREE** one of these **REAL ELECTROPLATING KITS**—New subscribers are accepted or you may extend your present subscription another twelve months under this offer. Mail your remittance of \$2.50 (Plus 10c for shipping charges on kit) to the publishers of **RADIO AND TELEVISION**, (Canada and foreign \$2.85) You will promptly receive your **FREE REAL ELECTROPLATING OUTFIT** by return mail. Use the coupon below to order your subscription.

### RADIO AND TELEVISION

99 Hudson Street New York, N. Y.

### RADIO AND TELEVISION

99 HUDSON STREET, NEW YORK, N. Y.

Gentlemen: Enclosed you will find my remittance of \$2.50 for which enter my subscription to **RADIO AND TELEVISION** for One Year (12 issues). Send me promptly my **FREE REAL ELECTROPLATING OUTFIT**. (Canada and foreign \$2.85.) In U.S. add 10c additional to cover shipping charges on kit.

( ) NEW SUBSCRIBER  
( ) EXTEND PRESENT SUBSCRIPTION

Name .....

Address .....

City .....

State .....

(Send remittance by check, money order or unused U. S. Postage stamps. Register letter if you send cash or stamps.)

RT-7-39

## DX on the "Ham" Bands

(Continued from page 155)

Call	Fri.q.	R	S	Where Heard
K5AF	14.	5	8	W. Va.
K5AN	28.51	5	8	Ky.
K5AM	28.995	3	5	Mass.
K7EST		4	6	Utah
K7GSC	14.185	5	9	Utah, Ia.
K7BLC	14.205	5	6	Ia.
K7AU	14.275	2	6	Mass.
NY1AA	14.272	4-5	3-5	Colo., N. Y.
NY2AE	14.32	3	5	S. D.
NY2ME	14.211	3-4	7	S. D.
TG5JG	14.04	5	8-9	Colo., N. J., Mich., Ore., Wash.
TG9AA	14.075	5	7-8	Colo., Ore.
TG9BA	14.265	5	6-9	Colo., Conn., N. J., Mich.
T12RH	14.12	4	5	Colo.
T12AV	14.095	4	7	Conn.
T12RC	14.055	5	5-9	N. Y., Mich., Ore.
T12AB	14.115	5	9	Penna.
T15JJ	14.277	5	7-8	Penna., Quebec
VE1EJ				Scotland
VE1BK	14.14	5	8	Scotland, England
VE1CR	14.28	5	9	Scotland, England
VE1AW				Scotland
VE1DC	14.1	5	7	England
VE1EL	14.09	5	8	England
VE1GH	14.11	5	9	England
VE1DQ	14.1	5	7	England
VE2HS	14.1	5	9	England
VE2CP	14.11	5	8	England
VE3XO	14.108	5	8	England
VE3FO	14.11	5	6	England
VE4ACP	14.085	5	6	England
VE4FH	14.11	4	5-6	England
VO1Y	14.11	5	9	England
VOID	14.09	5	5-7	England
VP1BA	14.115	5	5-9	Colo., Penna., N. J., Conn., Mich.
VP1WB	28.19	5	8	Penna.
	14.07	5	6-7	Colo., Mich., Wash., Penna.
VP2LC	28.17	5	7	Ky.
VP2MY	14.115	3-5	6-9	Conn., Mich., Quebec
VP5BR	14.11	5	8	Quebec
VP5GM	14.125	4	7	Conn.
VP6YB	14.12	5	9	Penna.
	14.1	5	9	W. Va.
	28.12	4-5	8-9	Penna., N. J., Ky.
VP6FO	14.5	5	7	Ore.
VP6MY	14.135	4	7	N. J.
VP7NU	14.065	5	5-7	Colo., Ore.
VP7NS	14.1	4-5	7-8	Conn., Ky.
VP7NC	14.19	5	8	Fla.
VP9X	14.085	5	9	Quebec
W1AXA	14.1	-	-	Scotland
W1ADM	14.14	5	9	Scotland
W1AVK	14.22	5	8	Scotland, England
W1BQM	14.19	5	6	Scotland, England
W1CND	14.	-	-	Scotland
W1DQ	14.	-	-	Scotland
W1FMP	14.	-	-	Scotland
W1HKK	14.	-	-	Scotland
W1TS	14.	-	-	Scotland
W1HAZ	14.23	5	9	England
W1FG	14.19	5	9	England
W1FUY	14.19	5	8	England
W1JCX	14.21	5	9	England
W1ME	14.18	5	9	England
W1MW	14.3	5	9	England
W2AY		-	-	Scotland
W2AZ		-	-	Scotland
W2BYM		-	-	Scotland
W2FDB		-	-	Scotland
W2JKV		-	-	Scotland
W2HEM		-	-	Scotland
W2HCD		-	-	Scotland
W2GRG		-	-	Scotland
W2UK		-	-	Scotland
W2JT		-	-	Scotland
W2KFH		-	-	Scotland
W2CDV		-	-	Scotland
W2GIZ	14.27	5	9	England
W2IKY	14.15	5	8	England
W2BLV	14.2	5	9	England
W2BYD	14.2	5	9	England
W2AEB	14.2	5	9	England
W3BNC		-	-	Scotland
W3FQP		-	-	Scotland
W3PC		-	-	Scotland
W3CZY	14.2	5	8	England
W3ELM	14.21	4	8	England
W3BRX	14.21	5	9	England
W4DSY	14.15	5	9	Scotland, England
W4RMR		-	-	Scotland
W4DRZ	14.28	5	8	Scotland, England
W4TJ	14.15	5	7-8	England
W6GJL		-	-	Scotland
W81V	14.19	5	8-9	England
W8N1K	14.2	5	9	England
W8ACY	14.10	5	8	England
W8DMF	14.17	5	8	England
W81FE	14.2	5	9	England
W8DTJ	14.21	3	6	England
W8K1M	14.2	5	9	England
W9C1H	14.16	5	8-9	England
W9OOY	14.26	3	9	England
YN1IP	14.01	4-5	6-7	Mich., Utah, Penna.

### SOUTH AMERICA

CE1AO	14.035	3-5	5-6	Conn., Quebec
CE1AH	14.05	5	7	P. I.
CE1BD	14.24	5	6	Ore.

(Continued on following page)

## G.E. PHONOGRAPH MOTOR

Formerly Sold for \$15.00




Only \$4.95

**VARIABLE** speed induction type self-starting, 110 volt, 25 to 60 cycle, A.C. with speed control. Plus and cord. Speed range from 5 to 200 R.P.M. Can be installed in place of old-fashioned, hand-winding speed motor. Also ideal for display turn table, and a hundred other uses. These General Electric Motors are brand new, in original factory cartons. \$4.95 G. E. Electric Phonograph motor as described

Shipping Weight—12 lbs.

## MICROPHONE and RECEIVER



**THIS** Microphone and telephone headset outfit was built especially for the U. S. Navy Aviation Corps.

The Holzer-Cable Electric Company constructed the outfit to Government specifications.

The outfit consists of low-impedance carbon microphone (transmitter), securely fastened to a metal breastplate, and a set of heavy-duty, low-impedance earphones. A specially constructed switch on the back of the breastplate controls the microphone circuit. The earphones are U.S.N. Utah type, attached to adjustable headband. Twenty-eight feet of very heavy weather and waterproof conductor cable is furnished. Current of not more than 10 volts should be used. A storage battery is the most satisfactory current supply.

U. S. Navy Airplane-type Microphone and Receiver as described..... \$4.95

Shipping Weight—9 lbs.

We will forward Shipments by Express Collect if sufficient postage is not included.

## WELLWORTH TRADING COMPANY

1915 S. State Street Dept. RT-739 Chicago, Ill.

## Short-Wave fans need this WORLD-TIME CLOCK

The Only Clock for Universal Use Throughout the Entire World!

A REGULAR CLOCK with A.M. and P.M. divided dial

A WORLD-TIME CLOCK instantly indicating time in all 24 zones

INTERNATIONAL CLOCK with A.M. and P.M. 24 hour dial



Here is really the first new clock advancement in 200 years—three clocks in one, a world-time clock. It is revolutionary! It is years ahead! The Sky Pilot **WORLD-TIME CLOCK** is the only clock designed for use anywhere in the world. For short-wave fans this clock offers great convenience—it is educational and at the same time indicates world time differences. In a few seconds you can determine the correct time in London, Moscow, Hawaii, Tokyo, Buenos Aires, Halifax—anywhere. American made—it is exceptionally easy to operate. It carries a guarantee of ninety days against defects in material or workmanship. Its modernistic design, it is made of brushed brass—measures 5 1/4" high by 4 3/4" wide—and has convex crystal. Spring driven model..... \$4.95

Electric driven (for A. C. 110-120 volts, 60 cycles)..... \$5.95

Remit by check or money order; register letter if you send cash or unused U.S. postage stamps. Add 25c to cover postage and insurance in U.S.A., Canadian and foreign add 35c.

**RADIO AND TELEVISION Magazine**  
99-T HUDSON STREET NEW YORK, N. Y.

1939 Edition of the  
**RADIO AMATEUR COURSE**  
Just Out!

See Page 132

# COMMERCIAL NOTICES 10¢ A WORD

Under this heading only advertisements of a commercial nature are accepted. Remittance of 10c per word should accompany all orders. Copy should reach us not later than the 10th of the month for the second following month's issue.

## AGENTS WANTED

300% PROFIT SELLING GOLD Leaf Letters for Store Windows. Free samples. Metallic Co., 448 North Clark Chicago.

## CORRESPONDENCE COURSES

CORRESPONDENCE COURSES and educational books, slightly used. Sold, Rented, Exchanged. All subjects. Satisfaction guaranteed. Cash paid for used courses. Complete details and bargain catalog Free. Send name. Nelson Company, G-210 Manhattan Building, Chicago.

## INSTRUCTION

RADIO ENGINEERING. BROADCASTING, aviation and police radio, servicing, marine and Morse telegraphy taught thoroughly. All expenses low. Catalog free. Dodge's Institute, Coll St., Valparaiso, Ind.

## ALGEBRA PROBLEMS SIMPLIFIED

\$1.30; Low Voltage Transformer Construction \$0.60; Data on 500 to 20,000 Volt Step-up Transformer Construction \$1.35 (Prepaid). H. Ackerson, Box 322-D, Ramsey, N. J.

## METAL LOCATORS

RADIO METAL LOCATOR (TREASURY FINDER) custom-built to order. Guaranteed sensitivity of 10-foot penetration. More efficient, less expensive than many commercial instruments. Write for details and special offer. Not obligated to buy. A. J. Stuart, 1015 Wilson Ave., Teaneck, N. J.

## MISCELLANEOUS

7 MILLIAMMETER, HEAVY RUBBER insulation, high voltage lacquered cable, suitable for transmitter, 2c per foot. Gold Shield Products, 350 Greenwich St., New York City.

## PATENT ATTORNEYS

INVENTORS — PROTECT YOUR rights before disclosing your invention to anyone. Form "Evidence of Conception"; "Schedule of Government and Attorneys' Fees" and instructions sent free. Lancaster, Allwine & Bonnell, 436 Bowen Building, Washington, D. C.

## QSL-CARDS-SWL

QSL-SWL CARDS, 200 FOR \$1.00. Quality Printing. Send stamp for Free samples. Miller Printing Co., 399 Thirtieth Ave., Columbus, Ohio.

SWL'S QSL'S, 150 FOR 75c OR \$1.00. Any 2 colors, free samples. W3DEE, Maple Shade, N. J.

QSL, SWL, CARDS, SAMPLES Free. The Royal Press, Meriden, Conn.

# FOR SALE (NON COMMERCIAL) 3¢ A WORD

Under this heading we accept advertisements only when goods are offered for sale without profit. Remittance of 3c per word should accompany all orders. Copy should reach us not later than the 10th of the month for the second following month's issue.

RCA AMATEUR COMMUNICATIONS Transmitter (ACT-40) 40 watts output. Phone CW, 3 Racks in Cabinet, complete, ready to operate on 10, 20, 160 meters includes tubes, 3 sets coils 4 RCA and Billey xtals. Shure Bros. Xtal Mike. Was \$235.00 equipped for one band less Xtal and Mike. Will sell complete delivered anywhere in the U.S.A. for \$185.00 cash. (10% deposit if shipped C.O.D.) James R. Peek (W4EGA) Dade City, Fla.

RME-69s \$89.00; NC100s \$79.00; PR-15Ms \$79.00; SX-16 Super-Skyrider \$79.00; NORA \$69.00; Breyling 14s \$59.00; Breyling 12s \$49.00; S11 Super-Skyriders \$49.00; Sky Chiefs \$24.00; Sargent 8-34 \$19.00; FB7s \$19.00; Sky Buddies \$15.00; SW3s \$9.00. All sets shipped on ten day trial. Terms. List free. W9ARA, Butler, Missouri.

RECONDITIONED RECEIVERS. Have several good, reconditioned communication receivers. Send stamp for list. W2AVA, 12 West Broadway, New York.

RCA AMATEUR COMMUNICATIONS Receiver (A.C.R-175) complete, tubes and speaker. Covers all bands 3 through broadcast. Also home made 10, 20 meter Regenerative Preselector. Receiver alone costs \$125.00. Will sell for cash delivered anywhere in U.S.A. \$49.00. (10% deposit if shipped C.O.D.) James R. Peek (W4EGA), Dade City, Fla.

COLLECTION SUPERB FIRST day covers, cost over \$20 for \$5. Movieomatic camera, cost \$10 for \$3. Write first. Howard Benson, 737 Register Avenue, Baltimore, Maryland.

# BARTER AND EXCHANGE FREE!

## NO ADVERTISEMENT TO EXCEED 35 WORDS, INCLUDING NAME AND ADDRESS

Space in this department is not sold. It is intended solely for the benefit of our readers, who exchange anything in the Radio and Television fields for Radio and other merchandise. As we receive no money for these announcements, we cannot accept responsibility for any statements made by the readers. Use these columns freely. Only one advertisement can be copied should reach us not later than the 10th of the month for the second following month's issue.

accepted from any reader in any one issue. All dealings MUST be above board. Remember you are using the U. S. mail in all these transactions and therefore you are bound by the U. S. Postal Laws. Describe anything you offer men the way you wish to be treated. We welcome suggestions that will help to make this department helpful to our readers. Write your name and address on the back of the card for the second following month's issue.

HAVE 60 WATT EXCITER USING 6J5-6L6 to pr. 6L6s. final will swap for some transmitting equipment. Mainly interested in power supplies or tubes, variable condensers. Steve Vargo Jr., 2388 Riverview Ave., Dayton, Ohio.

HAVE STEVENS .22 REPEATER. 1/2 H.P. G.E. motor, 1750 R.P.M.; RCA auto radio, receiver parts, good books, chemistry, Erector sets, coins. Want portable typewriter, binoculars, small plate camera, Taxidermy course. W. J. Closson, 295 8th St., Troy, N. Y.

WANTED—ULTRA STRATOSPHERE 10, complete with coils. Write. Charles Burwell, Magnolia, Ohio.

HAVE A CW-PHONE MONITOR and Frequency Meter to swap for a Sky Buddy in good condition. Uses 2-56, 2A4 tubes, 100% condition. Prompt replies from Jack Hartley, 88 Diamond Bridge Ave., Hawthorne, N. J.

HAVE NATIONAL SW 3 WITH power pack, four coils, tubes, phones. Trade for electric guitar, two speed phonograph set cost me \$52.50 used two months. Anton Nugasars, 7044 Archer Ave., Chicago, Ill.

AMATEUR (BEGINNER) WOULD like to buy a complete station, transmitter, receiver, meters, etc. Will pay spot cash for good buy. Denis Madden, 513 E. 84th St., N. Y. C., N. Y.

WANT COMMUNICATIONS RECEIVER or Have 1-5 tube battery receiver, 1-5 tube auto receiver and 1 practically new 5 tube AC-DC receiver, all in A-1 condition, also Eliminator, George Pearl, E. R. 1, Seem Harbor, Mich.

WANT TO BUY OR RENT A SMALL portable pocket receiver or transmitter. Bend full description, size, aerial needed, etc. A. Juska, 1092 E. 67th St., Cleveland, Ohio.

WANTED: RADIO PARTS. 160 metal crystal, Sept. & Dec., '35, issues of SWC or? Have magazines, radio parts. Literary Digest Wonder Books, etc. B. E. Lloyd, Box 94, Portsmouth, Ohio.

WANT TO EXCHANGE DIAGRAMS and other data concerning simple radio circuits with anyone interested. Also 2 type '19 tubes for what have you? Franklin Pemberton, Riddle Blk. 4, Ravenna, Ohio.

HAVE NEW STANDARD MACKY bug and wish to swap for used "Vibroplex", W9QZV, Wentworth, Wisc.

HAVE UNDERWOOD TYPEWRITER, Falcon candid case F:45 lens, bicyclo motor, Savage .22 repeater rifle, 500 power microscope. Want saxophone, tenor, alto, Trumpeid, outdoor motor, Contax III or similar candid. Joseph Sciolti, 99-26 37th Ave., Corona, N. Y.

TRADE MY \$135 COLLECTION OF rare Confederate money for late model Sky Chief or RCA ACR-155 amateur receiver in good condition. Also want Rider's manuals and good typewriter. Write particulars. Bruce Caldwell, Sardis, Miss.

TRADE JEWELL AND WESTON meters, Thordarson transformers, National and Cardwell transmitting condensers, transmitting tubes, high voltage chokes and filter condensers. Want 35T or T55 tubes, "bug" key or what? E. Kammerling, 616 N. Central, Chicago.

WILL SWAP S.W. COILS, Condensers, stamps, etc., for 8 mm films or what have you? E. H. Barrow, Anasco, Puerto Rico.

WANTED: SKY BUDDY IN GOOD condition. Will swap Remington Junior typewriter which is slightly larger than portable model or willing to pay reasonable price for receiver, W2MBG—J. J. Braverman, 170 Nagle Avenue, N. Y. C.

HAVE SET OF FOUR HAMMARLUND three winding, 6 prong, SWK-6, coil kit. What have you? M. P. Wynne, 210 Hector Ave., New Orleans, La.

SWAP GHIRARDI RADIO FIELD Service Data manual, second edition, 600 power microscope. Want a good portable typewriter or? Also have two AC-DC radios to trade. What say? R. H. Miner, Oakdale, Iowa.

TRADE: JANETTE ROTARY CONVERTER \$2 to 110V—150 watt—32V power supply. Carter Genemotor, electric dry shaver, candid camera for what have you? C. J. Gates, 239 Main St., Jonesboro, Ark.

HAVE A SHORT WAVE SET Complete with tubes, coils and speaker and principal parts for power supply. Want photographic equipment. Ben Rhett, Jr., 2208 Byrd St., Raleigh, N. C.

WILL TRADE 15J, WALTHAM pocket and two one ladies Swiss 7 and 15 Jewel wrist watches for a good portable typewriter or? Also have two AC-DC radios to trade. What say? R. H. Miner, Oakdale, Iowa.

SWAP BANJO-UIKE, SHARP TUNER or dial, auto safety lighter, approval stamps, plate number block fours, 2 tube SW radio with tubes, coils, amplifier and speaker, Indian head pens. Want Printing press. Write Lewis, Griffithville, Arkansas.

TRADE: B.F.O., POPULAR RADIO tubes, 160-80 meter crystals, new radio bus, stamps. Wanted: 0-200 m. 3 1/2" meter, Billey 40 meter crystals, National NC800 condensers, 4-prong isolantite sockets. Dawson, 1308F The Dalles, Oregon.

TRADE: BOOK "DON STURDY Across the North Pole" by Appleton for X99 or V99 tube or for Mar. issue R&T and hook-up wire. B. Murray, Box 116, Ilion, N. Y.

WANT RANDSWITCHING PRE-SELECTOR covs 10 mt. Make trade offer. C. J. Burrell, 16 Third St., Judson Mills, Greenville, S. C.

HAVE S.M. RADIO, PHONO MOTOR, pickup, many books, sporting goods, violin, guitar, motors, tools, electric trains and equipment. Send your list for mine. M. Epstein, 2933 Ruckie, Indianapolis, Ind.

FOR SWAP—SEVERAL AUDIO transformers, 2-12" speakers, 3 sets of headphones, variable condensers, all kinds of meters, tubes, output transformers, phono-pickup, and lots more for what have you. Clifford Lockman, Medora, Ind.

Call	Freq.	R	S	Where Heard
CE3AM	14.035	3	5	Conn.
CE3AT	14.	5	6	P. I.
CX1CO	14.075	4-5	6-7	Conn., Mass.
CX1AA	28.6	5	8	Ark.
CX2CO	14.1	4	5-8	Conn., N. J., Quebec, Penna.
CX2UO	14.08	5	7	Mich.
HC1JB	14.42	5	5-9	Penna., Ia.
HC1FG	14.248	5	7	Conn.
HC1PZ	14.083	4	6-8	S. D., Ia., Wash.
HC2CC	14.24	4	6	Mich.

HK's were reported being heard by observers in Penna., Colo., Ia., Wash., N. Y., Conn., Ark., Mich., S. D., and Wash.

LU's were reported being heard by observers in Penna., Conn., Mich., Ia., Colo., Wash., England, Fla., Ark., Quebec and Ore.

OA4C 14.27 5 8-9 Penna., Mich., Ia.  
OA4AI 14.945 5 6 Ia.  
OA4R 14.09 5 7 Ia.

PY's were reported being heard by observers in Colo., Ia., Conn., Ky., Penna., Quebec, Mass., and England.

VP3AA 14.08 5 6 Colo.  
CP3CO 14.07 4-5 6-9 Conn., England, Ia., N. J., Quebec

VP3LF 14.07 5 7 Mich., Ia.  
YV's were reported being heard in S. C., Colo., England, Conn., Penna., Ia., N. J., England, Mich., Fla., Wash., N. Y., and Quebec.

## EUROPE

CP1BA	14.07	4	4	Ia.
CT1ZA	28.5	5	9	Penna.
CT1PK	14.3	5	7	P. I., Que.
CT1QA	14.105	5	7	Que.
CT1AY	14.135	4	8	Mass.
EA7BA	14.07	5	8	Conn.
EI2L	14.05	4	6-7	Conn. Tex.
EI3J	14.05	5	9	Mich.
EI9J	28.2	4	7	Mass.
F3KH	14.2	3	5	P. I.
F3OF	14.153	3	6	Mass.
F3HM	28.0	4	8	Mass.
F8LX	14.035	4-5	6-9	Conn., Mich.
F8NT	14.065	4-5	7	Conn., Ala., Mich., Que.
F8TU	14.02	3-5	4-7	Ala., P. I.
F8SI	14.09	5	6	Ala.
F8RV	14.13	5	7-8	Ala., Que.
F8UE	14.04	5	6	Ala.
F8VP	14.25	4	6	P. I.
F8JQ	14.3	5	6	P. I.
F8QD	14.095	5	8	Tex., Mass.
F8AI	28.16	5	9	Mass.

G's were reported being heard by observers in Penna., Conn., S. C., Ala., Mich., Fla., Nebr., Ia., W. Va., Calif., N. J., Ky., Tex., and Quebec.

GM's were reported from Conn., Ala., Mich., Ia., W. Va., N. J., and Tex.

GW3KY	14.09	4-5	7-8	Conn., Ala., W. Va.
GW5PH	14.017	4-5	5-8	Fla., W. Va., Que.
HA1K	14.255	3-5	4-7	Fla., W. Va.
HB9GA	14.0	5	7-8	Mass.
HB9BL	14.255	5	7-8	Mass.
I1TKM	14.056	3	7	Mass.
I1KN	28.215	4	8	Mass.
OH2QM	14.05	5	7	Tex.
OK4OA	14.355	5	9	Mass.
ON4UC	14.05	4	7	Fla.
ON4TO	14.06	4	7	Fla.
ON4RI	14.16	5	8	W. Va.
ON4HS	14.07	5	8	Tex.
ON4DJ	14.005	3-4	6-8	Mass.
ON4VP	28.186	4	7	Mass.
PA0WF	14.142	4	6	Conn.
PA0EH	14.075	4	5	Conn., Ark.
PA0ZN	14.075	4	7	Conn.
PA0MZ	14.005	4	8	Mass.
PA0OBE	28.215	3	7-8	Mass.
SM5ST	28.015	3	7-8	Mass.
UK3AH	14.08	5	7	England

## OCEANIA

KA1AP	14.145	5	9	Ariz., Tex.
KA1JM	14.265	5	6-8	Ariz., Utah, W. Va., Wash.
KA1ME	14.26	5	8	Ariz., Utah, Kans., Que.
KA1ER	14.12	4-5	7-8	Utah, Wash.
KA1CS	14.13	5	7-8	Utah, Wash.
KA1CW	14.14	5	8	Wash.
KA1F	14.2	4	8	Mass.
KA2OV	14.27	5	8	Ariz., Wash.
KA3KK	14.3	5	8	Wash.
KA4LH	14.135	3-4	5-7	Ariz., Ia.
KA7EF	14.13	5	7-8	Ariz., Kans., Utah, Tex., Ore., Wash.
PK1AF	14.105	4	6	Conn.
PK1RI	14.04	4-5	6-7	Utah, Wash.
PK2WI	—	4	7	Utah
PK2AY	14.05	4-5	5-9	Utah, W. Va., Kans.
PK2JK	—	5	7	Utah
PK4AY	14.05	5	8	Ariz.
PK4KS	14.04	4-5	6-7	Utah, Tex., Ark., Kans., Ia., W. Va., Wash.
PK6XX	14.04	3-5	4-8	Penna., Conn., Ia., Wash., Mich., Tex., Kans., Ark., W. Va., Mass.

(Continued on page 189)

# World S-W Stations

(Continued from page 156)

- Mc. Call
- 6.280 HIG TRUJILLO CITY, D. R., 47.77 m. 7.10-9.40 am., 11.40 am.-2.10 pm., 3.40-9.40 pm.
- 6.243 HIN CIUDAD TRUJILLO, D. R., 48 m., Addr. "La Voz del Partido Dominicano." 12 n.-2 pm., 6-10 pm.
- 6.235 HRD LA CEIBA, HONDURAS, 48.12 m., Addr. "La Voz de Atlafido." 8-11 pm.; Sat. 8 pm.-1 am.; Sun. 4-6 pm.
- 6.210 SAIGON, INDO-CHINA, 48.28 m., Addr. Radio Boy-Lendry, 17 Place A. Foray, 4.30 or 5.30-9.15 am. 11.45 pm.-1 am.
- 6.200 HIBQ CIUDAD TRUJILLO, D. R., 48.36 m., Irregular.
- 6.190 JLK TOKYO, JAPAN, 48.47 m. 8-9.30 am.
- 6.190 HVJ VATICAN CITY, 48.47 m., Mon., Wed., Thur., Sat. 2-3.30 pm., Tues., Fri. 2-3 pm. Thur. also 3-3.30 pm.
- 6.190 T6Z GUATEMALA CITY, GUAT., 48.47 m., Addr. Dir. Genl. of Electr. Commun. Relays TGI Mon.-Fri. 6-11 pm., Sat. 6 pm.-3 am. Sun. 7-11 am., 3-8 pm.
- 6.185 H11A SANTIAGO, D. R., 48.5 m., Addr. P. O. Box 423, 7 am.-5 pm.

## 49 Met. Broadcast Band

- 6.170 W2XE NEW YORK CITY, 48.62 m., Addr. Col. B'cast System, 485 Madison Ave., 11 pm.-12 m. Sat. & Sun. 10.30 pm.-Mid.
- 6.153 H15N MOCA CITY, D. R., 48.75 m. 6.40-9.10 pm.
- 6.150 HJ4DAE MEDELLIN, COLOMBIA, 48.78 m., 9.30 am.-1 pm., 5-11.30 pm.
- 6.150 VPB COLOMBO, CEYLON, 48.78 m., 7-11 am.
- 6.150 CJRO WINNIPEG, MAN., CANADA, 48.78 m., Addr. (See 11.720 mc.) Daily 6 pm.-12 m., Sun. 5-10 pm.
- 6.150 ZP14 VILLARRICA, PARAGUAY, 48.78 m. 4-6 pm.
- 6.148 ZTD DURBAN, SOUTH AFRICA, 48.8 m., Addr. (See ZRO, 9.753 mc.) Daily 12.40-3.45 pm., Sat. till 4 pm., Sun. till 3.20 pm.
- 6.147 ZEB BULAWAYO, RHODESIA, S. AFRICA, 48.8 m., Mon., Wed., and Fri. 1.15-3.15 pm.; Tues. 11 am.-12 n.; Thurs. 10 am.-12 n. Sun. 3.30-5 am.
- 6.140 WBXK PITTSBURGH, PA., 48.83 m., Addr. Westinghouse Electric & Mfg. Co. Relays KDKA 10 pm.-12 m.
- 6.140 SP48 WARSAW, POLAND, 48.83 m., 3-5.30 pm.
- 6.137 CR7AA LAURENCO MARQUES, PORT. E. AFRICA, 48.87 m., Daily 12.05-1, 4.30-6.30, 9.30-11 am., 12.05-4 pm., Sun. 5-7 am., 10 am.-2 pm.
- 6.133 XEXA MEXICO CITY, MEX., 48.93 m., Addr. Dept. of Education, Daily 8-11 am., 2.30-4 pm., 7.30 pm.-12.45 am. Sun. 1.30 pm.-12.45 am.
- 6.130 VP3BG GEORGETOWN, BRIT. GUIANA, 48.94 m., 9-10 am., 2.15-6.30 pm., Sun. 5.30-11.30 am., 3-5 pm.
- 6.130 TIEM SAN JOSE, COSTA RICA, 48.94 m., "El Mundo", Apartado 1049, 11 am.-11 pm., Sun. 10 am.-6 pm.
- 6.130 CHNX HALIFAX, N. S., CAN., 48.94 m., Addr. P. O. Box 998, 7 am.-11.15 pm. Sat. 8 am.-11.30 pm. Sun., Noon-11.15 pm. Relays CHNS.
- 6.130 LKJ JELOY, NORWAY, 48.94 m. Noon-6 pm.
- 6.125 CXA4 MONTEVIDEO, URUGUAY, 48.98 m., Addr. Radio Electrico de Montevideo, Mercedes 823, 8 am.-Noon, 2-10 pm.
- 6.122 HP5H PANAMA CITY, PAN., 49 m., Addr. Box 1045, 10 am.-1 pm., 5-11 pm.
- 6.122 FK8AA NOUMEA, NEW CALEDONIA, 49.00 m., Radio Noumea, Addr. Charles Gaveau, 44 Rue de l'Alma., Wed. & Sats. 2.30-3.30 am.
- 6.120 W2XE NEW YORK CITY, 49.01 m., Addr. See 6.170 mc., 11 pm.-12 m., Sat. & Sun. 10.30 pm.-12 m.

(Continued on following page)

# BARTER and EXCHANGE FREE ADS (continued)

- FOR 4-8 PRONG FREE POINTANALYZER** with adapters I'll give 33 Hirschbach 4" feeders, 12 tube chps. 5-tube. coil-cond.-chassis-cab. BGTIR kit. Want S.W. portable for J. Mueller, 1885 So. Blvd., Bronx, N.Y.
- HAVE RADIO NEWS, QST, RADIO** parts, used tubes, dynamic speakers, headphones, auto B. eliminator, etc. Newell Kelly, 208 Congress St., East Mekeepsport, Pa.
- WANTED—A SKY BUDDY** receiver for which I will exchange a Keystone 16MAT movie projector and two rolls of 50 ft. film in first class condition. Receiver must be in first class condition. Tomney Miller, 43 1/2 Elm Street, Newport, R. I.
- WANTED: 16M MOVIE FILMS AND** projector. Have to trade velocity mike, crystal mike, Weston meters, RCA test oscillator, 7 tube amateur set, mixing parts, etc. For big swap list write to S. J. Nicewicz, 79 Church St., Broad Brook, Conn.
- HAVE ALL TYPES BATTERY, A.C.,** A.C.-D.C. tubes, W.E., Baldwin phones, stamps, airmail covers, many radio parts. Want B.C. portable radio, ultra-high converter. Will answer all letters. Harry Gursb, 161 Sutter Ave., Brooklyn, N. Y.
- DO YOU WANT A SURPRISE?** I want to swap photos, S.W.L. post card views, and correspondence. All letters answered. QRA: Evello T. Torres, 24 de Febrero No. 76 Matanzas, Cuba.
- WANTED—LARGE COMPRESSOR** as used in soda fountain (with motor). Have radios, rifles and shotguns, also Butter-Kist popcorn machine. Paul D. Rath, Berrien Springs, Michigan.
- TRADE: SW3, 20, 80, 160 COILS,** power supply; Argus with filter, exposure meter, cable release; 11 tube 1 band radio; 15 jewel Waltham. For Howard, Hallcrafters, National communications receiver, Hue Diamond, Perkiomen School, Pottersburg, Pa.
- WANT DETROLA, U. H. F. CON-** verter. What can you use? What's wanted? Please write. QRA: J. Narky, Jr., 9610 Kennedy Ave., Cleveland, Ohio.
- SWAP \$10.00 GUITAR (NEW) AND** home study course for a 10 tube crystal, or what have you? Oldie Lee, 229 Adams St., Alpena, Mich.
- HAVE SHORTWAVE CONVERTER,** 4-band superhet kit, two power supply kits, P.P. trans, music stand, speaker cabinet and cash for service manuals, testers or? Wm. Covey, Box 842, St. John's Newfoundland.
- HAVE SKY CHAMPION IN A-1** condition, for what have you. All mail answered. WBKR, Seneca, Mo.
- WANTED—HALLCRAFTERS SKY** Champion or similar receiver. Have F/2-5 Poth Derby camera, eveready case, Instoscope exposure meter with case, Optochrom filter, sunshade, and cable release; also have 11" dynamic speaker. Louis Kelsey, Wilmington, Ohio.
- HAVE 10 INCH POLYPHASE DU-** plex slide rule with instruction book. This is a \$10.00 rule never used. Will swap for books or course on Radio or Television. What's your trade offer? Dan Chapman, Mars, Pa.
- WANTED: 19TH CENTURY U.S.A.** stamps, old pennies, good ham TRF receiver, Foreign stamps, foreign coins, receiver power supply, tubes, etc. W8SN, 305 Grant St., Greensburg, Penna.
- HAVE ARGUS CAMERA WITH AC-** cessory lenses. Handie grinder with 20 wheels. \$10.00 Electric Everglare, Schick Shaver, 100 National Geographics, 80 Popular Mechanics. Original cartoons by famous cartoonists. Want drawing books, Trankus, 349 Tenth St., Moline Ill.
- WILL TRADE AN UNDERWOOD** Standard No. 5 typewriter for a communication receiver or used radios. Peter A. Kay, 4 Plymouth Ave., Toronto, Ont., Canada.
- HAVE TUBE TESTER, TESTS 4, 5,** 6, 7 and octal tubes contains built in volt-ohm-milliammeter or will swap for S.W. receiver or radio parts. QRA: 100% Clarence Wilhelm, 3911 W. Schubert Ave., Chicago, Ill.
- SWAP "TARBELEE MAGIC"** Course, 56 lessons and 32 copies "Linking Ring" official organ International Brotherhood of Magicians. Want any kind S.W. receiver or transmitter parts. H. M. Waggoner, 143 1/2 Crescent St., Goshen, Ind.
- WANTED: VOLS. I AND II SHORT** Wave Craft; also other tube mags before 1930. Could use an Ellen 7C, AB or similar set. Send for my big swap list. It's free! Don R. Yocom, Bettsville, Ohio.
- HAVE NATIONAL AGS RECEIVER** complete, power pack, coils, 100A R.C.A. speaker in A-1 condition. Want 8 power binoculars, camera, flying equipment or what have you? Floyd Politt, 3131 Sands Place, Bronx, N.Y.C.
- TRADE: MILLER SHORT WAVE** preselector kit # 302 with chassis and range condenser. Parts not wired. Used. W9TME, 2901 N. Kilbourn Ave., Chicago, Ill.
- HAVE 8 CONDENSERS, TRANS-** formers, S.W. coils, etc. Want good camera. Will send list. Write make you have. H. Selligson, 2547 Aqueduct Ave., Bronx, N. Y. C.
- 1 WILL TRADE A TWO TUBE** Philmore battery radio with tubes and in good condition for a crystal micro phone. Richard Kershaw, 846 University St., Springfield, Mo.
- WANTED: 1938 ULTRA STRAT** aspheric "10" trans-receiver. Have commercial 2 tube short wave receiver and the have you. Write for list and trade details. Henry F. Heckert, 610 Coolbaugh St., Red Oak, Iowa.
- WANTED—GOOD SWING RECEI-** ver that goes to 10-200 mtrs. Sky Buddy, Sky Rider or Hallcrafters. Trade anything radio course, parts, plans. Radio's 1, 2, 3, 4, tubes. QSL 100%. George Locher, 8038 Logan Ave., Detroit, Mich.
- HAVE TABLE ATWATER-KENT** midget 4 tube needs alignment. Majestic power pack, parts, etc. Want photographers or radio test equip. John Nelsis, 317 W. King St., Lancaster, Penn.
- WANT TABLE MODEL RADIO,** Have 1,000 postmarks, Zealuis, toy tin cases, floor lamp, peanut vending machine and other articles. You list for mine. A Dupuis, 3 Cypress, Ludlow, Mass.
- WANT: BILLEY BC3 OR B5 6M** crystal, 1851, 1852 tubes, 8 power binoculars. Will give radio parts, cash. 49, 76, Leicues Manual, set, fuel plug, in coils. Leonard Makela, 1129-16th Ave. East, Hibbing, Minn.
- FACTORY BUILT HAM COMMUN-** ications receiver—6K7, 6K7, 6J5-G 25A6, 25Z5 in excellent condition for one Billey VFL or 20 meter B5, or three BC3, or two LD2. Jim Moulton, 4912 Quebec Street, N.W., Washington, D. C.
- WANTED FIVE METER TRANS** ceter, two if possible. Will swap a complete NRI course in radio servicing, or what you need. Phillip B. Clark, Box 111, Princeton, Maine.
- HAVE COMPLETE TATTOOING** outfit, value \$7.00, radios, mikers, radio parts. Want typewriter, printing press. Lavoyd Kunev, Fayette, Ohio.
- HAVE AN ULTRA STRATOSPHERE** "10" complete with tubes and coils. Used very little. Will exchange for 5 meter parts or 8mm projector or film subjects. Or what have you? S. Ordert, 3008 Fountain St., Phila., Pa.
- WANTED 2-100 MMF. VARIABLE** condensers, 2 4-prong ribbed coil forms, 1 set of short wave coils. J. Proulx, Daisy air rifle, no single shot. John H. Walker, 97-34 Alsteyne Ave., Corona, L. I., N. Y.
- HAVE ONE AND TWO TUBE BA-** ttery radios and parts. Want Currier & Ives prints, old books, chicken dishes, old penny banks. John Haynes, Doe Run, Missouri.
- HAVE APPROXIMATELY 15,000** stamps. Want short wave set in good running order. Please state no. of tube and make of set. J. Seco, 53 Pine St., Berkenfield, N. J.
- 1-15 WATT, 5 TUBE AMPLIFIER,** A-1 shaped, tubes, horn, mike. Easily converted into 30 watt transmitter, complete. Preampifier transformer, choke condensers, phono pickup. John Arnold, Bluffs, Ill.
- WILL EXCHANGE POST CARDS** with anyone, U. S. or foreign. Have new album 300 diff. stamps. What's offered in trade? W. G. Conley, Ozark, Arkansas, U.S.A.
- WANT ULTRA SKY ROVER, AC-** DC trans-receiver, Candler Junior code course. Have radio books, magazines, parts, tubes and stamps. John Vogel, 85 Gardner Ave., So. Attleboro, Mass.
- WANTED—TEST EQUIPMENT,** Hierns Manuals No. 1 to No. 9. Will swap radio parts, B eliminators, all kinds of mechanics and science magazines or pay cash. Send your list for mine. S. J. Battery, 35 Potter Pl., No. Adams, Miss.
- WILL EXCHANGE A \$12.50 ARGUS** model A/F candid camera with \$4.50 Ever ready case for a typewriter or what have you? John R. Skinner, 122 East Street, Williamstown, Pa.
- WANTED RIDER OR GERNSBACH** Manuals Vol. 1; also Radio News prior to 1923. Will trade radio parts or cash. R. C. Hanselman, 1753 W. Congress St., Chicago, Ill.
- SPRAY GIN AND COMPRESSOR—** 2-4 mfd. 1500 V.—2-1 mfd. 600 V.—30 Mfd. 200 m.a. choke—700 V. Hum 50 mfd. Variable Condenser. Need two T40 or 7 Jimmy Gwin, 935 W. 21 Anderson, Ind.
- EXCHANGE UNDERWOOD TYPE-** writer, alto saxophone, Vihroplex. Want tenor saxophone or what have you? E. H. Van Parton, Avoca, N. Y.
- HAVE THREE TUBE S.W. RE-** ceiver, chemistry set and electric train. Would swap for typewriter or what have you? Cliff Bennett, 94 Westfield Rd., Holbrook, Mass.
- WANT CODE MACHINE AND** tapes. Have Meissner 2 tube model (battery) with tubes and all coils to trade or what have you in radio. Kenzie Hightower, 2801 Scott, Fort Worth, Texas.
- HAVE 101 DETECTIVE MYSTERY,** etc., magazines (1934-1938) in fair condition. Cost \$10.75 when bought. Want radio magazines, etc. Also want Tesla or Oudin used high-frequency coil, etc. Verlyn Klein, Hortonville, Wis.
- HAVE 16MM \$27 DEARY PRO-** jector, assorted aviation magazines, Popular Science from October, '32, to present, 32 rifle. Want transmitter, good S.W. receiver, I.A. system, Master Telex, hircutograph, or Victor Osterly, Grand, Mich.
- HAVE OVER 40 RADIO MAGA-** zines that I want to trade for old fications catalogs. Also have 35 American Rifleman magazines, cartridges for collectors for guns. Frank Wheeler, Osburne, Kansas.
- WANT PHONE TRANSMITTER,** tube tester, mike, pick-up, phonograph, audio trans., amplifier, converters. Have plate camera, etc., meters, old radio, Radio Amateur Hand Book, variable condenser. Write John Grier, Burford, Ontario, Canada.
- WANTED WINDMILLER AND** SWL crds printed. I am willing to pay a reasonable price for them. Readers, what have you? All mail answered. Norman Borchers, R.R. No. 1, Vandalia, Ohio.
- SHORT WAVE SET, THREE TUBES** A-1, 6C9-41-80. Tubes and parts. Also 40-year old papers and mags. Want Maytag, Briggs Stratton motor, doughnut tires, 100% QSL. Hoy Harding, 926 Neesho St., Burlington, Kansas.
- HAVE AMPERITE VELOCITY MIK-** ing stand for dynamic or crystal mike or? Also have two Western Electric French style telephones (swal for portable use) with cradle Ray E. Murphy, 7311 Oeorgetown Road, Bethesda, Md.
- HAVE DANNY 2 1/2 METER XMIT-** ter C.W. and phone, complete with tubes and power supply for Sky Buddy or Sky Champion, in good condition. S. E. Probst, 26 1/2 North Ave., Sanford, Me.
- ALL AMATEUR RADIO OPS!** Would like to swap Q90's with you on 40 and 80 mtr C.W. You will find me on high freq. part of these bands, so wats? W8SEF, Kentock, Iowa.
- SWAP 50 WATT OTM-T 6L6 MOD-** ular, variable tap modulation transformer, Helay rack panel-meter and power supply. What have you? H. G. Gwinn, Anderson, Ind.
- WANTED RADIO SERVICE MAN-** uals as issued by radio mfrs., Atwater Kent, RCA, Colonial, Sparton. Must be in A-1 condition. All letters answered. Owen B. Olive, 7 Howard St., Cranston, R. I.
- HAVE SET OF RHODE ISLAND** Centennial half dollars, mint, for photo-electric meter. Also have set 4 mint China Clipper stamps. Trade SWL cards. B. Packsher, 208 East 227 St., Bronx, N. Y.
- WANTED—SKY BUDDY OR ANY** other small short wave receiver in good condition. State full price and full particulars in first letter. Must be reasonable. All letters answered. Clarence Glinther, Box 197, Oatman, Arizona.
- WILL TRADE CANDLE CODE** and Typink course for high power transmitter gear or CHF transmitter. W6RPH, San Pedro, California.
- WILL SWAP CHEMICAL EQUIP-** ment, value \$25, for Sky Buddy, or low power transmitter or what? W. R. Graham, 38 Wardman Road, Kenmore, N. Y.
- HAVE 2V STORAGE BATTERY,** radio magazine, parts, B supply, 1 tube 32V. receiver, tubes 15, 31, etc. 0-50 voltmeters, radio course, etc. Will trade for 8 tube receiver. Burdett B. Trine Sheridan, Oregon.
- LIN-O-WRITER TYPEWRITER** wanted. Will either trade Underwood or pay cash. Will trade radio parts for photo-engraving equipment. Lawrence Bakewell, Oak Street, East Natick, Mass.
- WILL BUY OR TRADE COMPLETE** phone transmitter, about fifty watts. Correspondence wanted with young people from all over world who write English language. Answer all letters. Kenneth Bry, Marvel, North Dakota.
- SWAP: 53 SYLVANIA TUBE (NEW)** old radio fundamental course, books, 100 valuable formulas, U. S. Signal Corps, radio book "Safe Council," "Tricks, with Coins," "Revealing Health," SWL cards appreciated. Wm. Schroeder, 803 Wisconsin, Peoria, Ill.

(Continued on following page)

# BARTER AND EXCHANGE FREE ADS (continued)

**WILL SWAP 165MM PROJECTOR.** film, Hawaiian guitar, cassette books, sheet music and small camera for wireless equipment. Gerald Engleka, Box 262, Grant Town, W. Va.

**WANTED: ONE 50 WATT PHONE** transmitter that operates off a battery power supply. Pay cash. Floyd Howard, Quitman, La.

**SWAP COLLECTION OF 2500** stamps in album, including U. S. mint blocks, 222 different countries. Catalog value \$60.00. Also 2315 doubles. Want candid camera, radio parts. Joseph Malasky, 3101 Ave. I, Brooklyn, N. Y.

**WOULD LIKE CORRESPONDENCE** with stamp collectors, interested in trading stamp duplicates. I have a Lionel train set, camera, old radio, transformer, to trade for what have you. Walker Monk, 51 Vineyard St., Providence, R. I.

**WANTED - USED AIRPLANE** model motors. Will pay cash or trade for radio parts. I also want small washing machine or other similar motors. D. Carlson, 217-08 38 Ave., Bayside, N. Y.

**SWAP FOR MIMEOGRAPH.** Motorcycle motor (must run), photo pickup or 7 Your list for mine. James E. Windsor, Jr., Burlington, Kan.

**OLD PHONOGRAPH RECORDS** wanted. Will trade or buy. Have Beagle Smith's, Mound City Blue Beltons, many others. Send list. E. B. Rubin, 1329 E. 53rd St., Chicago, Ill.

**WANTED: SHORT WAVE TRANS-** ceiver set with hand-mike, dry-cell batteries and headphones. Have copies of National Geographic, microscope, etc. Julius Hughes, 12 North Main, Green, S. C.

**SWAP-REM. 29 REPEATER.** SKY Buddy, new and used tubes, and cash. Want-Sig.-Gen. Riders, Nos. 1, 3, 4, 5, motorcycle 45 or 37 cu. in. A. C. Chick, 284 Oakland Ave., Manchester, N. H.

**SWAP: BOOKS, MAGS., MOTORS.** A.C. radios, meters, speakers, radio parts. Wanted: Test equipment, typewriter, candid camera, electric shaver, jig saw or what have you? Your list for mine. Wm. Wallenbecker, 28 Washington, LaGrange, Ill.

**HAVE EILEN RN-5, EILEN 7C** tubes, airplane dials, speakers and parts. Want photographic equipment or ham equipment. Will exchange SWL cards. Gerald Sangofsky, 213 So. 3rd St., Brooklyn, N. Y.

**WANTED TELEPLEX OR SIMILAR** instruments in good shape; also two 19 tubes. Will trade small Remington .32 rifle, shoots shorts, longrifle shells, or cash. Good condition. Eugene Wright, P.O. Box 1794, Vernon, Texas.

**FISHING EQUIPMENT.** HIGH quality, flies, plugs, lures, lines, reels, etc. for portable radio sets, good sleeping bag, binoculars, .22 rifle. Waltz, 1211 Transverse, Carlick, Pittsburg, Pa.

**WILL SWAP ACCORDION: THREE** pair carphones, or typewriter and brand new Lionel remote control whistle train set. Also four 28 tube tubes. Donald Nelson, 138 Johnson Ave., Dumont, N. J.

**WILL SWAP AN 8 1/2-IN. UTAH** A.C. dynamic speaker for a 2 tube short wave receiver that operates on 110 volts A.C. Urban Fischer, North Mill St., Jasper, Ind.

**HAVE ALL KINDS OF HAM** equipment, 30 issues of QST, 50 issues of other radio magazines, 30-X telescopes, 1/2 H.P. motor, swap for 8mm movie equipment or what have you? Clarence George, Palmerton, Pa.

**WANTED RIDER'S MANUALS.** ANY or all volumes. Will pay cash. Also want all wave signal generator. Must be in good condition. Paul K. Ort, 551 River St., Newcomerstown, Ohio.

**WANTED: 160 AND 10 METER** coils for an F.B.T. Jensen 10" P.M. speaker, crystal or what have you? Several articles to trade or pay cash if reasonable. H. S. Lair, Vineyard Haven, Mass.

**SWAP LEEDS AND NORTHRUP** Wheatstone bridge (worth over \$100.00) for a 16mm motion picture camera and projector, or short wave and television equipment or what have you? William M. Dailley, 7332 Florence St., Swissvale, Pa.

**HAVE NINE TUBE PHILCO** chassis, speakers, RCA tubes in sealed cartons, key transformers, DeForest electrical engineering course, pick-ups. Trade for heavy duty phono motor or what have you? Jay Berker, 1001 Avenue H, Brooklyn, N. Y.

**WANTED-LOW POWER C.W. OR** one transmitter, also 3- to 8-tube ham receiver with broadcast. Both must be able to operate from 6V. battery. Send details and price wanted. Arch. Bursey, Burlington, N.H.

**SWAP KIT GRADE A PARTS TO** build 5-tube regenerative superhet, with B.F.O. for microscope, chemical or electrical apparatus, etc. Write anything. State grade in first letter. J. A. Czarnicki, 33 Akron St., Meriden, Conn.

**I HAVE A LATE MODEL A.C.** SW-5, complete with tubes and five sets of coils. New condition. Will trade. What have you? W3NOO, Oglesby, Ill.

**TRADE: COMPLETE N.R.I. RADIO &** Television course, cost \$110. Want A.C. SW3 or what have you? All letters answered. John J. Oskay, R.F.D. 1, Box 179, New Brunswick, N. J.

**WANTED: ONE SHORT WAVE RE-** ceiver as Howard 430 or Sky Buddy. Will swap 211Es, Riders Manuals, Jewell ohmmeter or what you want. Want 5 meter transceiver. Answer all letters. Phillip Clark, WIBKN, Box 111, Princeton, Mo.

**SWAP 5 METER REC. WITH TUBES** and speaker. Sargent compression door-stops, small furnace blower with G.E. motor, photo cells. Want small radio, what have you? L. W. Morris, Williamstown, Pa.

**WANT HAMMARLUND "HQ-190-X"** receiver, Savage 22 auto. rifle, Savage 410 single shotgun, Smith Kit-gun, Ithaca 16 pump shotgun, Remington 38/40 or 44/40 rifle. R. Welker, 406 No. Harvey, Oak Park, Ill.

**WANTED 20 OR 40 METER CRYST-** al, 7.175 or 14.350. What do you need? SWL's. I swap cards 100%. All cards will be answered. Victor Samardza, 1044 Longfellow Ave., Bronx, N. Y., U.S.A.

**WANTED: LOOSE COUPLER OR** double slide tuning coil and 45 volt B eliminator. Have 12" dynamic speaker, two 24-A and one 245 tube and telephone microphone. Billy Price, Route 1, Box 99A, Kannapolis, North Carolina.

**WANTED-MOTORCYCLE, MOTOR** scooter, midget auto racer. Have Daytrad tube tester No. 381 (worth \$30), coyote skin (worth \$15), bear skin (worth \$7), both mounted. What do you want? QSY 100%. Bob Bailey, 21101 Orchard, Idaho.

**SWAP: TUBES, MOSTLY METAL** RCA, 1/2 HP motor, Singer sewing machine motor, flatiron all 39V, Silver Beauty battery charger, Corbin motorcycle speedometer, 0-5 Weston D.C. voltmeter. Want: Handbook, Callbook, Sky Buddy, Howard 430, 211E, Walter Blumer, Jefferson, Wis.

**WILL SWAP M & M GAS MODEL** motor, Super Clipper receiver, regulation boxing gloves, or new 20 gauge shotgun for portable typewriter, .22 pump repeating rifle. Ray Cecil, Winters Lane, Cold Spring, Ky.

**SWAP: HAMMARLUND SUPER** PRO, xtal. 15-550 model complete. All condition. Want HRO or RME 69 model DB20. Wm. Quigley, 102 Avenue "S", Brooklyn, N. Y.

**BRAND NEW GILBERT A.C. ELEC-** tric drill, air cooled motor, takes up to 3/4" drills, value \$15.00. Want good short wave receiver, 10 meter phone transmitter or Sam Schecker, 326 E. 46th St., Brooklyn, N. Y.

**WANTED USED MARCO 4" DIAL** or National "B" vernier. Will trade used Premier "B" magnetic speaker in good condition. John W. Creamer, 423 Third St., Chillicothe, Missouri.

**SWAP COMPLETE PHONE RIG 15** watts, complete with tubes, xtal, mike, etc., using 57, 6L6, 6L6, 80 for what have you? W2HAP, 804 Langt Ave., Far Rockaway, L. I., N. Y.

**WANT TO BUY A GOOD 2 1/2 TO 10** meter converter, pair phones. Exchange view post cards for World's Fair view post cards. 1 tube set, back issues radio mags. Charles Holstein, 246 E. 148 St., Bronx, N. Y.

**TRADE-SUPER SKYRIDER AND** radio parts for small metal turning lathe or what have you? S. Schultz, 1149 W. Chicago Ave., Chicago, Ill.

**HAVE MICROSCOPE TURRET TYPE** with 4 lenses 200 to 1000 power in case, little used. Want Teleplex master SW super or what have you? John Taylor, Box 8, Sparks, Nevada.

**WILL SWAP JEWELL 3 1/2" AM-** meter 20-0-20 D.C. lite new for receiver or microphone. What have you? Jos. Hasquin, Gillespie, Ill.

**SWAP-6.3 VOLT FIL TRANS.** slightly used. Potentiometer, antennae trimmers, sockets, resistors, 2-6J5's, -80 (Sylvania) almost new. (List.) Want-Sig. or 4 tube 2-volt battery receiver, good cond. QR-C, Ducey, 514 N. 7th Street, Philadelphia, Pa.

**TRADE THREE TURE A.C.-D.C.** S.W. receiver (coils, phones) and 6-tube table "Automatic" and cash if needed for used Sky Buddy or Howard 430. More details furnished. George Sadró, 52 Ridge, Manchester, Conn.

**WANTED - MORSE AND CON-** tinental Morse code tapes for International Morse code, also Vibroplex bug, and 6 volt battery radio. Will pay cash for above articles. E. G. Semenchuk, 255 Valparaiso St. S., Valparaiso, Indiana.

**WANTED IN GOOD CONDITION:** Set of 3 Aero short wave receiving coils on market about 13 years ago) or one of No. L.W.T. 125. Also standard broadcast coil. Norman Lehde, Gardenville, N. Y.

**WANTED: A.C. GENERATOR, 6** or 32 volt Generator, trans. tubes, parts. coils, transformers, will trade stamps, 1400 or different, or will buy. Wilmer H. Deck, Hopkins, Neb.

**REGISTERED SCOTTIE FEMALE** pup, many champions in two generations. Trade for meters, radio xmitter parts or W5HVX, Box 936, Wink, Texas.

**TRADE TRIPLETT SIGNAL GEN-** erator model 1232, 110 volt, 60 cycle, A.C., for model 1231 battery operation. Write to John F. Sullivan, 99 Aldrich St., Roslindale, Mass.

**HAVE ICE SKATES, SIZE 9,** phones (perfect) box of old radio parts including condensers, resistors, tube-sockets, chassis, twenty-six good tubes. Want good S.W. set, Argus camera. H. Birkdale, 44 E. 208 St., Bronx, N. Y.

**WILL TRADE GARDINER LEVER-** ing automatic order for a McElroy key (de luzar model) or a Vibroplex key. Robert Sachtleben, W2LHX, Clifton, N. J.

**SWAP NATIONAL A.C.-SWS AND** 4 sets coils 13 to 70 and 115 to 200 meters, all first class condition. Want Argus speed camera, Model C2, James A. Dalton, Sr., 141 S. Loganwood Avenue, Glenside, Pa.

**HAVE RAO SUPER CLIPPER** radio, radio parts, magazines to trade. Want auto radio, Argus candid camera model C, radio books. Jeff Rice, Jr., 706 West Central Avenue, Bentonville, Arkansas.

**WANTED: A GOOD USED 807.** Must be in perfect condition. What do you want for it? Write: Elmer R. Fuller, Listening Post Editor, 32 Madison Street, Cortland, New York.

**WANTED: LONG DISTANCE SUPER** sensitive crystal set, Czech and U. S. stamps, coins, obsolete auto radiator name plates. Have auto radio, spotlight, coffee grinder, etc. Exchange lists Rudolph Zak, 2509 East 89th, Woodland, Ohio.

**WILL SWAP 125 COPIES 1934** through 1938 issues of Short Wave & Television, Radio Index, All Wave Radio and Radio News for a phonograph pick-up or what have you. Robert Seaward, 4516 Polaris St., Jacksonville, Florida.

**HAVE 1-TUBE BATTERY RADIO.** Tunes amateurs, police calls, short wave, broadcast bands, etc. Wanted, radio magazines or what have you? W. A. Ozle, R.F.D. 2, Green City, Missouri.

**WILL SWAP 8MM CANDID CAM-** era with carrying case and cable release. Would like a S.W. recvr., or what have you? Will also swap SWL cards, ORA-Victor Charis, 14 Union Street, Methuen, Mass.

**WANT TO BUY-USED LOW** power phone transmitter-80 meters. Keith A. Boss, 798 Middle St., Portsmouth, N. H.

**WESTON NO. 537 SET ANALYZER,** will exchange for a sedan in good condition or a set of Riders or Gernsback's Servicing Manuals, or candid, reflex and motion picture cameras and projectors. Write only. Harry Perkins, 403 Christopher Ave., Brooklyn, N. Y.

**SWAP ALL-STAR JR. RECEIVER** complete except speaker, coils 13 to 465 meters. Was used as station equipment by several Cleveland hams. For movie camera and projector, binoculars, Elwood Brooks, 1636 East 36th St., Cleveland, O.

**INSTRUCTOGRAPH OR TELEPLEX** code practice machine wanted. Must be cheap. Will pay cash. Please give full description and price. Martin Gasperlick, 618 Sixth Avenue, Lyndhurst, N. J.

**WANTED: OSCILLOSCOPE, FRE-** quency modulator, Solar condenser analyzer, 8- or 9-inch v.o.m. meter, Perflex camera. Will swap radio parts, magazines, books, stamps, etc. Write to T. Wojciechowski, 2880 Fulton St., Brooklyn, N. Y.

**HAVE RIDERS 4-5-6 MANUAL,** Riders Servicing by Resistances, Modern & Field Servicing by Ghirardi, 2 B eliminators, 3 pair carphones. Want Hallcrafters receiver. Jensen, 211 East 20th St., Bronx, N. Y.

**HAVE 100 ASSORTED CUNNING-** ham tubes, brand new in unsealed cartons, 56s, 57s, 58s, 82s, large stock used audio transformers, parts, etc. Swap, what have you, no Junk. Geo. Olson, Carrington, N. Dak.

**HAVE TWO TUBE 110 V. A.C.-D.C.** all-wave set with four diode coils with pair Western Electric headphones. Swap for emission tube tester with good and bad meter. Marcel Lachance, 26 Howard, Lewiston, Maine.

**WANT GOOD PHONO PICKUP.** motor, turntable. Swap for Atwater Kent 40 with tubes, new tuning condensers, vernier dials, power packs, RCA 39 and 44, dynamic speakers, some 6 V. D.C. Gifford N. Hartwell, 38 Charlemont St., Newton Highlands, Mass.

(Continued on opposite page)

- | Mc.   | Call   |   |
|-------|--------|---|
| 6.117 | XBUZ   | MEXICO CITY, MEX., 49.03 m., Addr. 5 de Mayo 21. Relays KEFO 9 am.-1 pm., 7 pm.-2 am.   |
| 6.116 | —      | SAIGON, FR. INDO-CHINA, 49.05 m., 6 or 7 to 9.30 am., 11-11.30 pm.  |
| 6.115 | OLR2C  | PRAGUE, BOHEMIA, 49.05 m. (See 11.40 mc.)   |
| 6.110 | XEGW   | MEXICO CITY, MEX., 49.1 m., Addr. La Voz de Aguila Azteca desde Mex., Apartado 8403. Relays XEJW 11 pm.-1 am.   |
| 6.105 | HJ6FAB | MANIZALES, COL., 49.14 m., Addr. P. O. Box 175, Diy. 5.30-10 pm. Sat. to 11 pm. Sun. 2.30-5 pm.   |
| 6.100 | YUA    | BELGRADE, JUGOSLAVIA, 49.18 m. 1-3, 6.30-8.30 am., Noon-6.30 pm.  |
| 6.100 | W9XF   | CHICAGO, ILL., 49.18 m., 4-6.50 pm. (Sat. to 5.30 pm.) 1-2 am.  |
| 6.100 | W3XL   | BOUND BROOK, N. J., 49.18 m., Addr. Natl. Broad. Co. 9 pm.-12 m.  |
| 6.097 | ZRK    | KLIPHEUVEL, S. AFRICA, 49.2 m., Addr. S. African Broad. Co., Johannesburg. Daily 12 n.-4 pm., Sun. 12 n.-3.20 pm.   |
| 6.097 | ZRJ    | JOHANNESBURG, S. AFRICA, 49.2 m., Addr. S. African Broad. Co., Daily exc. Sat. 11.45 pm.-12.50 am.; Daily exc. Sun. 3.15-7.30, 9.11-30 am. (Sat. 8.30-11.30 am.) Sun. 3.30-4.30 or 4-5 am., 5.30-7, 9-11.30 am. |
| 6.095 | JZH    | TOKYO, JAPAN, 49.22 m., Addr. (See 11.800 mc., UZJ.) Irregular.   |
| 6.090 | ZNS    | NASSAU, BAHAMAS, 49.26 m., Addr. Dir. of Tel. East St., Nassau. 1.30-2, 8-9 pm.   |
| 6.090 | CRCX   | TORONTO, CAN., 49.26 m., Addr. Can. Broadcasting Corp. Daily 6.45 am.-4 pm., Sun. 9.30 am.-11 pm.   |
| 6.090 | ZBW2   | HONGKONG, CHINA, 49.26 m., Addr. P. O. Box 200. Irregular.  |
| 6.083 | VQ7LO  | NAIROBI, KENYA, AFRICA, 49.31 m., Addr. Cable and Wireless, Ltd. Mon., Fri. 5.30-6 am., 11.15 am.-2.15 pm., also Tues. and Thurs. 8.15-9.15 am.; Sat. 11.15 am.-3.15 pm.; Sun. 10.45 am.-1.45 pm.               |
| 6.080 | W9XAA  | CHICAGO, ILL., 49.34 m., Addr. Chicago Fed. of Labor. Relays WCFL irregular.  |
| 6.080 | CRY9   | MACAO, MACAO, 49.34 m., Mons. 8.30-10 am.   |
| 6.080 | HP5F   | COLON, PAN., 49.34 m., Addr. Carlton Hotel. 7-9 pm.   |
| 6.079 | DJM    | BERLIN, GERMANY, 49.34 m., Addr., Broadcasting House. Irregular.  |
| 6.077 | OAX4Z  | LIMA, PERU, 49.35 m. Radio National 7 pm.-1.30 am. Except Sun.  |
| 6.075 | VP3MR  | GEORGETOWN, BRI, GIANA, 49.35 m. Sun. 7.45-10.15 am.; Daily 4.45-8.45 pm.   |
| 6.070 | CFRX   | TORONTO, CAN., 49.42 m. Relays CFRB 6.30 am.-11 pm., Sun. 9 am.-11 pm.  |
| 6.070 | VE9CS  | VANCOUVER, B. C., CAN., 49.42 m. Sun. 1.45-9 pm., 10.30 pm.-1 am.; Tues. 6.30-3 pm., 11.30 pm.-1.30 am. Daily 6-7.30 pm.  |
| 6.069 | —      | TANANARIVE, MADAGASCAR, 49.42 m., Addr. (See 9.53 mc.) 12.30-12.45, 3.30-4.30, 10-11 am., Sun 2.30-4.30 am.   |
| 6.065 | SBO    | MOTALA, SWEDEN, 49.46 m. Relays Stockholm 4.15-5 pm.  |
| 6.060 | —      | TANANARIVE, MADAGASCAR, 49.5 m., 12.30-12.45, 3.30-4.30, 10-11 am.  |
| 6.060 | YDD    | BANDOENG, JAVA, 49.5 m., 5.30 am. on.   |
| 6.060 | W8XAL  | CINCINNATI, OHIO, 49.5 m., Addr. Crosley Radio Corp. Relays WLW Sun. 7 am.-6.30 pm., Mon., Tues., Thur. 5.45-11 pm., Sat. to 10 pm. Other days 10.30 pm.  |
| 6.060 | W3XAU  | PHILADELPHIA, PA., 49.5 m. Tues., Wed., Fri. 5.30-6.15, 6.30-11 pm. Sat. 11 pm.-4 am. Sun. 6.30-11 pm.  |
| 6.057 | ZJH    | PENANG, FED. MALAY STATES, 49.53 m. 6.40-8.40 am., except Sun., also Sat. 11 pm.-1 am.  |
| 6.050 | GSA    | DAVENTRY, ENGLAND, 49.59 m., 12.25-4, 4.20-6 pm.  |
| 6.045 | XETW   | TAMPICO, MEXICO, 49.6 m. Irregular 7-11 pm.   |
| 6.040 | W4XB   | MIAMI BEACH, FLA., 49.65 m. 1-3 pm., 9 pm.-2 am., Sun. 4-6 pm. Relays WIOD.   |

# BARTER and EXCHANGE FREE ADS (continued)

Mc. Call  
6.040 WIXAL BOSTON, MASS., 49.65 m., Addr. University Club, 7-9 pm. exc. Sat. & Sun. Sun. 2.30-6 pm.

6.033 HPSB PANAMA CITY, PAN., 49.75 m., Addr. P. O. Box 910. 10.30 am.-2, 6-10 pm.

6.030 CFVP CALGARY, ALTA, CAN., 49.75 m. Thur., 9 am.-1 am.; Sun. 12 n.-12 m.

6.030 RW96 MOSCOW, U.S.S.R., 49.75 m. 1-3, 4-7 pm.

6.030 OLR2B PRAGUE, BOHEMIA, 49.75 m. (See 11.875 mc.) Off the air at present.

6.023 XEUW VERA CRUZ, MEX., 49.82 m., Addr. Av., Independencia 98. 10 pm.-1 am.

6.020 DJC BERLIN, GERMANY, 49.83 m., Addr. (See 6.079 mc.) 11.30 am.-4.30 pm.

6.020 HJ3CAX BOGOTA, COL., 49.83 m., Addr. Apartado 26-65, 12 n.-2 pm., 5.30-11 pm., Sun. 6-11 pm.

6.017 H13U SANTIAGO DE LOS CABALLEROS D. R., 49.84 m. 7.30-9 am., 12 n.-2 pm., 5-7 pm., 8-9.30 pm.; Sun. 12.30-2, 5-6 pm.

6.015 PRA8 PERNAMBUCO, BRAZIL, 49.85 m., Radio Club of Pernambuco, 4-9 pm.

6.010 OLR2A PRAGUE, BOHEMIA, 49.92 m., Addr. (See OLR, 11.84 mc.) Irreg.

6.010 COCO HAVANA, CUBA, 49.92 m., Addr. P. O. Box 98. Daily 7.55 am.-12 m., Sun. until 11 pm.

6.010 VK9MI S. S. KANIMBLA, 49.92 m. (Travels between Australia and New Zealand). Sun., Wed., Thurs. 6.30-7.30 am.

6.010 CJCX SYDNEY, NOVA SCOTIA, 49.92 m. Relays CJCB 7 am., 1.30, 4-8.30 pm.

6.007 XYZ RANGOON, BURMA, 49.94 m., 6.30-10 am., 9-11 pm., Sat. 9.30-11 pm.

6.007 ZRH ROBERTS HEIGHTS, S. AFRICA, 49.94 m., Addr. (See ZRK, 9.606 mc.) Daily exc. Sun. 9.30 am.-3.30 pm.; Sun. 9 am.-12 n., 12.15-3.15 pm. Daily exc. Sat. 11.45 pm.-12.50 am.

6.005 HP8K COLON, PAN., 49.96 m., Addr. Box 33, La Voz de la Victor. 7-9 am., 10.30 am.-1 pm., 5-11 pm.

6.005 CFCX MONTREAL CAN., 49.96 m. Can. Marconi Co. Relays CFCF 6.45 am.-12 m.; Sun. 8 am.-10.15 pm.

6.005 VE9DN DRUMMONDVILLE, QUE., CAN., 49.96 m., Addr. Canadian Marconi Co.

6.002 CXAZ MONTEVIDEO, URUGUAY, 49.98 m. Addr. Rio Negro 1631. Relays LS2, Radio Priefo, Buenos Aires. 5.30-10.30 pm.

6.000 XEBT MEXICO CITY, MEX., 50 m., Addr. P. O. Box 79.44. 10 am.-1.45 am.

5.990 ZEA SALISBURY, RHODESIA, S. AFRICA, 50.08 m. (See 6.147 mc., ZEB.) Also Sun. 3.30-5 am.

## End of Broadcast Band

5.977 CS2WD LISBON, PORTUGAL, 50.15 m., Addr. Rua Capelo 5. 3.30-6 pm.

5.975 OAX4P HUANCAYO, PERU, 50.16 m. La Voz del Centro del Peru. 9-11 pm.

5.968 HVJ VATICAN CITY, 50.27 m. Off the air at present.

5.950 HH2S PORT-AU-PRINCE, HAITI, 50.37 m., Addr. P. O. Box A103. 7-9.45 pm.

5.940 OAX2A TRUJILLO, PERU, 50.51 m., Tue., Thu., Sat., Sun. 7-10 pm.

5.900 ZNB MAFEKING, BRI. BECHUANALAND S. AFRICA, 50.84 m. Addr. The Govt. Engineer, P. O. Box 106. 6-7 am. 1-2.30 pm. Ex. Suns.

5.900 TILS SAN JOSE, COSTA RICA, 50.85 m. 6-10 pm.

5.885 H19B SANTIAGO, D. R., 50.95 m. Irregular 6-11 pm.

5.875 HRN TEGUCIGALPA, HONDURAS, 51.06 m. 1.15-2.16, 8.30-10 pm.; Sun. 3.30-5.30, 8.30-9.30 pm.

5.855 H11J SAN PEDRO DE MACORIS, D. R., 51.25 m., Addr. Box 204. 11.40 am.-1.40 pm., 6.10-8.40 pm.

5.825 TIGPH SAN JOSE, COSTA RICA, 51.5 m., Addr. Alma Tica, Apartado 800. 11 am.-1 pm., 6-10 pm. Relays TIX 9-10 pm.

5.813 TIGPH2 SAN JOSE, COSTA RICA, 51.59 m., Addr. Senor Gonzalo Pinto, H.

(Continued on page 191)

TRADE A UTAH 80 WATT TRANSMITTER complete except 1 meter for an amateur receiver. Howard Goodside, 2510 Lincoln St., Saginaw, S.S., Mich.

SWAP FOR 3 OR 4 A.C. S.W. recvr., a Weston model 674 tube checker and/or model H-40 G.E. auto recvr. 807 East Van Buren Street, Columbia City, Ind.

HAVE 12,000 VOLT INDUCTION coil, G.E. tungar charger, 6 volt generator, 5-inch dynamic speaker, to trade for gas motor, radio or parts, camera, or? Ralph Baber, 107 S. Albion Ave., Atlantic City, N. J.

HAVE A NEW RCA FREQUENCY modulator in factory sealed carton. Would like to trade for good television. Nick Denato, 8148 102 Ave., Ozone Park, N. Y.

WANTED SLY HEDDY, SW3 National electrified late model, exchange for Airline 6-tube pushbutton thirty-nine and two-tube regenerator. Harry Pearsall, Room No. 218, St. Francis Sanatorium, Colorado Springs, Colo.

WANT RADIO PARTS. TRANSMITTER delivering 400 to 600 volts each side of CT. or? Have rifle, books, banjo, stamps, etc. Robert E. Lloyd, Box 94, Portsmouth, Ohio.

HAVE SHORT WAVE EQUIPMENT, stamps, tools, books and number of other things. Am willing to swap for any kind of phonograph equipment. Want good pickup. A. M. Bird, Jr., 118 Broad St., Glassboro, N. J.

HAVE ALL KINDS OF MAGAZINES, including radio, science fiction, photography and all kinds of pulps to trade for any transmitting equipment, tubes, meters, condensers, coils, etc. William Craigs, 1023 Washington Blvd., Venice, Calif.

HAVE DE AND TRANSFORMER: Thordarson mod. transformer 200 ohm line to plate and screen of pr. 807; Pre. amp 6RS-6S; Haynes Rite checker; OSA; other items. What have you? WROIG, Woodside, O.

SWAP 2 RCA 955 ACORN TUBES, brand new, boxed, also new transmitting condensers, television tuners, trimmers, etc. for good analyzer. meters, microphone, or what? Bill Osborne, 213 Davis St., Sarnia, Ontario, Canada.

## SWL EXCHANGE

### UNITED STATES

LEWIS NEUMAN, P.O. Box 8363, Pittsburgh (18), Pa.  
NOBLE SHEATSKY, JR., Walkerton, Ind.  
MILES H. MOTT, 61 Grace Street, Rhode Island.  
W. E. TIEZT, 615 7th Street, Watertown, Wis.  
PAUL FRANSUICH, Route 1, Box 120, Florin, Calif.  
FRANK VON PUTZ, 8612 55 Road, Elmhurst, Long Island, N. Y.  
MEYER SUBSMAN, P.O. Box 2182, Paterson, New Jersey.  
MIKE HOYCHUK, 5547 Saxon Dr., Garfield Hts., Ohio.  
MAURICE WYNNE, 210 Hector Avenue, New Orleans, La.  
N. E. BROOKS, 1344 W. 41st Street, Baltimore, Md.  
JAMES NELSON, 1838 N. Eric St., Toledo, Ohio.  
ROBERT J. ELLIS, 3539 17th St., San Francisco, Calif.  
LUTHER SCHNAKE, 1608 Campbell Ave., Des Plaines, Ill.  
CHARLES COLMARK, 1426 24th Ave., Moline, Illinois.  
GEORGE CRYDER, R.D. No. 3, Delaware, Ohio.  
E. F. DIEHL, JR., 309 So. 17th St., Camp Hill, Pa.  
JOSEPH COHEE, General Delivery, Frankfort, Ind.  
WM. ANDERSON, 9142 Fairview Ave., Brookfield, Illinois.  
STEVE MEOSELI, 34 St. John Place, Stamford, Conn.  
BOB FORMAN, Box 127, Monmouth, Illinois.  
A. E. PERRY, Eddyville, Iowa.  
JOHN L. BALLIN, 40 East 66 St., New York, N. Y.  
GLENN WEHRMANN, 1289 Keeney Avenue, Des Plaines, Ill.  
NORM WHITON, Green St., Greenwood, Mass.  
PAUL BARR, Marion, Indiana.  
CARL ANDERSON, 5024 W. Ohio St., Chicago, Ill.  
MIGUEL ANGELO, W28WL, 247 East 62nd St., New York City.  
WILLIAM C. BREWER, 852 East 169 St., Bronx, N. Y. C. N. Y.  
TOM SCHRECKENGOOST, 6020 Graf-ton St., Pittsburgh, Pa.

A. H. JONES, 4017 Cold Spring La., Baltimore, Md.  
VERNON LOCKETT, 229 S. Bonner Ave., Tyler, Texas.  
HENSLEY MOREEN, 66 Curtis Street, San Francisco, Calif.  
JIMMY WRATHI, 1147 White St., Des Plaines, Ill.  
STANLEY PAWLKOWSKI, Jr., 11 Clinton St., Easthampton, Mass.  
LOYALL MUMBY, 36 Burr Ave., Middletown, Conn.  
DONALD CHARLES JOHNS, 1342 (Campbell Ave., Des Plaines, Ill.)  
JAMES COLLINS, Hilltop Rd., Catons, Maryland.  
P. WYNNE, 210 Hector. New Orleans, La.  
ED. J. BRAUN, 111 Maltby Street, Rochester, N. Y.  
WILLIAM E. SIMMONS, 3430 Dickens Ave., Chicago, Illinois.  
G. F. HARRON, 1517 Ruan St., Fkd., Philadelphia, Pa.

### AUSTRALIA

F. DURBO, City Road, Beenleigh, Queensland.  
VIVIAN HAMPSON, "Brookville" 146 Jellicoe St., Toowoomba, Queensland.  
EINNEST JONES, Sutherland St., Teneriffe, N.I. Brisbane, Queensland.

### CANADA

GEORGE FERGUSON, 70 Cameron Ave., Hamilton, Ontario.  
HOWARD F. DIXON, 23 Guelph St., Stratford, Ontario.  
STAN CLARKE, 468 Bourgeois St., Montreal.

### ENGLAND

ANDREW ROBERTSON, 5, York Road, Southampton, Lancashire.  
DENYS CRAFTON, 5, York Road, Southampton, Lancashire.  
A. F. JACKMAN, 32 North, Denes Road, Gt. Yarmouth, Norfolk.  
JIM BALL, 3 Waterworks Cottages, Southworth Road, Newton-Le-Willows, Lancs.  
GEORGE MILLS, 13 Critchley St., Ilkeston, Derbyshire.

### HAWAII

TOKIO MUJAZONO, 2838 Church Lane, Honolulu.

### SOUTH AFRICA

BASIL GREEN, % 5 Falkinghurst Road, Parktown West, Johannesburg.  
MURRAY B. GUNN, "Farm Rome," Somerset West, Cape Province.

### SWITZERLAND

R. R. LONGYEAR, Genthod, Geneva.

## Let's Listen In With Joe Miller

(Continued from page 151)

### Review of Hammarlund HQ-120

This is a fine set, for ours, or any one else's money. That's the opinion of all the DXers who've heard the HQ-120 at our DX shack. We could have no other belief after the FB results obtained, in a side-by-side test with several other receivers.

The HQ-120 will "bring in" any stations any other set will; is very sensitive on all bands, including "10"; calibrates in true Hammarlund precision, and, of interest to all Hams and amateur DXers, has a band-spread for all the amateur bands with accurately calibrated scales (in MC.) which permits direct reading of frequencies right off the band-spread dial, something all the boys wanted. And each band is spread over the whole dial, making tuning a pleasure.

A fine feature is the antenna compensating control, with which one can adjust circuit peak when changing bands, so effective that very often, when just tuning inside one amateur band (10 or 20 M.), a slight turn will very noticeably improve the signal received.

The HQ-120 Noise Limiter proved itself of considerable value in diminishing the usual QRM evident on the higher frequencies, often being the difference as to whether or not we got some weaker station's call.

The crystal circuit is a fine one, and we usually preferred to keep the crystal in, in its first position, meeting various QRM conditions by readjustment of the indispensable phasing control. We could go on and on, but will ORT with these words, to cover everything—Hammarlund really built class into the HQ-120.

JOE MILLER.

## DX on the "Ham" Bands

(Continued from page 186)


The season for the VK's is certainly here, with several hundred reported. One observer alone reported that he had heard over seventy-five of them during April. The Aussies were heard in Colo., P. I., Ala., Mich., Nebr., S. D., Utah, Ariz., Conn., Ia., W. Va., Calif., Ore., Wash., Kan., Penna., and England.

Call	Freq.	R	S	Where Heard
ZK2RE	28.42	5	8	Calif.
ZL1HY	28.15	5	9	Ariz.
ZL1GZ	28.38	5	8-9	Ariz., Calif.

Call	Freq.	R	S	Where Heard
ZL1KW	28.42	5	9	Ariz.
ZL2BE	14.22	3	7	Ala., Kans.
	28.45	5	8	Ala., Ark.
ZL2KX	28.4	5	6	Ark.
ZL3VE	28.42	5	9	Ariz.
ZL3KZ	28.45	5	9	Ariz., Ark.
ZL31J	28.26	5	7	Calif.
ZL31F	28.45	4	6	Calif.
ZL4SW	28.4	4-5	5-9	Ariz., Calif.
ZL4AF	28.35	5	8	Ariz.
ZL4AL	28.34	4	8	Ariz.
ZL4BK	28.27	5	7	Calif.

# ..... THESE OUTSTANDING SHORT WAVE BOOKS ARE Now Available AT YOUR DEALER!

YOU buy parts, tubes, kits, accessories from your local radio dealer—that's what countless thousands of short-wave fans do. Now through a nation-wide distribution service our numerous books are available at your favorite radio dealer—right where you buy other radio equipment. It's more convenient, saves time and you can inspect the books before you buy. Ask your dealer to show you all the books advertised on this page—they're always in stock.



### 101 SHORT WAVE HOOK-UPS

Compiled by the Editors of RADIO & TELEVISION

Here is a worthwhile book that every short wave listener, every short wave fan, and every short wave amateur has wanted for a long time. It gives you the 101 best short wave hook-ups which have appeared heretofore.

100 Illustrations  
72 Pages

50c

### HOW TO BUILD AND OPERATE SHORT WAVE RECEIVERS

This is the best and most up-to-date book on the subject. It is edited and prepared by the editors of RADIO & TELEVISION and contains a wealth of material on the building and operation, not only of typical short wave receivers, but short wave converters as well.

150 Illustrations  
72 Pages

50c




### TEN MOST POPULAR SHORT WAVE RECEIVERS

HOW TO MAKE AND WORK THEM

The editors of RADIO & TELEVISION have selected ten outstanding short wave receivers and these are described in the new volume. Each receiver is fully illustrated with a complete layout, pictorial representation, photographs of the set complete, hook-up and all worthwhile specifications.

75 Illustrations  
40 Pages

25c




### HOW TO GET BEST SHORT WAVE RECEPTION

M. HARVEY GERNSBACK tells you everything you have ever wanted to know about short wave reception. The author, a professional radio listener and radio fan for many years, gives you his long experience in radio reception and all that goes with it.

40 Illustrations  
72 Pages

50c




### HOW TO BECOME AN AMATEUR RADIO OPERATOR

By Lieut. Myron F. Eddy, whose experience in the amateur field has made him pre-eminent in this line.

If you intend to become a licensed set operator, if you wish to take up phone work eventually—this is the book you must get.

150 Illustrations  
72 Pages

50c




### THE SHORT WAVE BEGINNER'S BOOK

Here is a book that solves your short wave problems—leading you in easy stages from the simplest fundamentals to the present stage of the art as it is known today. It is the only low-priced reference book on short waves for the beginner.

75 Illustrations  
40 Pages

25c



## LOOK FOR YOUR NEAREST DEALER

For convenience the publishers list below dealers in all parts of the world where our books are available. On your next shopping trip be certain to examine these volumes. You're sure to want them for your technical library.

- ALABAMA**  
Walther Bros., Montgomery
- ARIZONA**  
Sam's Cigar Store, Phoenix
- CALIFORNIA**  
Electric Supply Co., Oakland  
Radio Supply Company, Los Angeles  
Radio Television Supply Co., Los Angeles  
Pacifica Radio Exchange, Inc., Los Angeles  
Western Auto Supply, Los Angeles  
Zack Radio Supply Co., Los Angeles  
Vroman's Book Store, Pasadena  
Western Radio & Elec. Co., San Diego  
Offenbach Electric Co., San Francisco  
Technical Book Co., San Francisco  
Zack Radio Supply Co., San Francisco  
Radio Specialties Co., San Jose
- COLORADO**  
Auto Equipment Co., Denver  
Interstate Radio Supply, Denver
- CONNECTICUT**  
The Edward P. Judd Co., New Haven
- DELAWARE**  
Wilmington Elec. Spec. Co., Inc., Wilmington
- FLORIDA**  
Radio Accessories Co., Orlando
- GEORGIA**  
Wholesale Radio Service Co., Inc., Atlanta
- ILLINOIS**  
Allied Radio Corporation, Chicago  
Walter C. Braun, Inc., Chicago  
Chicago Radio Apparatus Co., Chicago  
A. C. McClurg & Co., Chicago  
Midwest Radio Mart, Chicago  
Newark Electric Co., Chicago  
Sears, Roebuck & Co., Chicago  
Max Stein & Co., Chicago  
Montgomery Ward & Co., Chicago  
Wholesale Radio Service Co., Inc., Chicago

- INDIANA**  
Van Sickle Radio, Indianapolis
- MASSACHUSETTS**  
DeWolfe & Pike Co., Boston  
The Personal Book Shop, Boston  
Wholesale Radio Service Co., Inc., Boston  
Library Book House, Springfield  
Tremont Elec. Supply Co., Boston
- MICHIGAN**  
Rissal Brothers, Detroit
- MINNESOTA**  
St. Paul Book & Stat. Co., St. Paul
- MISSOURI**  
Bursstein-Applebee Co., Kansas City  
Radio Labs., Kansas City  
Walter Ashe Radio Co., St. Louis  
Van Sickle Radio Co., St. Louis
- NEW JERSEY**  
Radio Apparatus Co., Newark  
United Radio Co., Newark  
Wholesale Radio Service Co., Inc., Newark
- NEW YORK**  
Fort Orange Radio Co., Albany  
Wholesale Radio Service Co., Inc., Bronx  
Wholesale Radio Service Co., Inc., Harrison Radio Co., New York City  
City  
American News Co., New York City  
Baker & Taylor Co., New York City  
Blind, the Radio Man, New York City  
David Bogen & Co., New York City  
Federated Purchaser, Inc., New York City  
Sun Radio Co., New York City  
G. P. Stechert & Co., New York City  
The Stelzer Co., New York City  
Thor Radio Corp., New York City  
Try-Me Radio Co., New York City  
Van Riemsdyck Book Stores, New York City  
Wholesale Radio Service Co., Inc., New York City  
H. W. Wilson Co., New York City  
Radio Parts & Equipment Co., Rochester  
M. Schwartz & Son, Schenectady

- OHIO**  
College Book Exchange, Toledo
- OREGON**  
J. K. Gill Co., Portland
- PENNSYLVANIA**  
Radio Electric Service Co., Philadelphia  
Cameradio Co., Pittsburgh
- WASHINGTON**  
Seattle Radio Supply Co., Seattle  
Wedel Co., Inc., Seattle  
Spokane Radio Co., Spokane
- WISCONSIN**  
Radio Parts Co., Milwaukee  
Wedel Co., Inc., Milwaukee
- ARGENTINA**  
Radio Revista, Buenos Aires
- AUSTRALIA**  
McGill's Authorized Agency, Melbourne
- BELGIUM**  
Emil Arens, Brussels
- CANADA**  
T. Eaton & Co., Winnipeg, Man.  
Electrical Supplies, Ltd., Winnipeg, Man.  
Wholesale Radio Supply, Winnipeg, Man.  
Canadian Electrical Supply Co., Ltd., Toronto, Ont.  
Radio Trade Supply Co., Ltd., Toronto, Ont.  
Canadian Electrical Supply Co., Ltd., Montreal, P. Q.
- BRAZIL**  
Agencia Soave, Sao Paulo
- CHINA**  
China News Co., Shanghai  
International Booksellers, Ltd., Shanghai
- CUBA**  
Diamond News Co., Havana
- ENGLAND**  
Gorrings's Amer. News Agency, London
- FRANCE**  
Toute La Radio, Paris
- GERMANY**  
Rehr G.M.B.H. SW15, Berlin NW No. 7

- HOLLAND**  
Radio Peeters, Amsterdam, Z.
- INDIA**  
Empire Book Mart, Bombay
- MEXICO**  
American Book Store, Mexico, D. F.  
Central De Publicaciones, S. A., Mexico, D. F.  
Jaques Salvo, Mexico, D. F.
- NEW ZEALAND**  
Johns, Ltd., Auckland  
James Johnson, Ltd., Dunedin  
Te Aro Book Depot, Ltd., Wellington
- SOUTH AFRICA**  
Technical Book Co., Cape Town  
Central News Agency, Johannesburg  
International House, Johannesburg  
South African Radio Publications, Johannesburg
- IF YOUR DEALER DOES NOT CARRY THESE BOOKS, ORDER DIRECT FROM US. FILL OUT COUPON BELOW. SHIPMENT WILL BE MADE IMMEDIATELY.

POPULAR BOOK CORP. R&T-7-39  
99 Hudson Street, New York City.

Gentlemen: I enclose herewith my remittance for \_\_\_\_\_ for which please send me the following books:

.....

Name .....

Address .....

City .....

State .....

(Send remittance in form of check or money order. If letter contains cash or unused U. S. postage stamps, register it.)

POPULAR BOOK CORPORATION • Publishers • 99 HUDSON STREET • NEW YORK, N. Y.

# World S-W Stations

(Continued from page 189)

Mc.	Call	
5.790	TGS	GUATEMALA CITY, GUAT., 51.75 m. Casa Presidencial, Senor J. M. Cobaleroz. Irregular.
5.735	HCIPM	QUITO, ECUADOR, 52.28 m. Irregular 10 pm.-12 m.
5.460	YNOP	MANAGUA, NICARAGUA, 52.40 m., 8.30-9.30 pm. Sun. 2-3 pm.
5.300	ZIK3	BELIZE, BRIT. HONDURAS, 56.6 m., Tue., Thurs., Sat. 1.30-2, 8.30-9 pm.
5.145	OKIMPT	PRAGUE, BOHEMIA, 58.31 m., Addr., (See OLR, 11.84 mc.) Irregular.
5.145	PMY	BANDOENG, JAVA, 58.31 m. 5.30-11 am.
5.040	YV5RN	CARACAS, VENEZUELA, 59.52 m., 4-11.30 pm., Sun. 8.30-11.30 pm., 3.30-10 pm.
5.020	YV4RQ	PUERTO CABELLO, VENEZ., 59.76 m., testing nightly. Off 9.20 pm.
5.010	YV5RM	CARACAS, VENEZ., 59.88 m., 3.30-10 pm., Sun. 8 am.-10.30 pm.
4.990	YV3RX	BARQUISIMETO, VENEZ., 60.12 m., 10 am.-11 pm.
4.970	YVIRJ	CORO, VENEZ., 60.36 m., Irreg.
4.960	VUD2	DELHI, INDIA, 60.48 m., Addr. All India Radio, 7.30 am.-12.35 pm.
4.960	YV5RS	CARACAS, VENEZ., 60.48 m., Irreg.
4.950	YV4RO	VALENCIA, VENEZ., 60.61 m., Noon-1, 6-10 pm.
4.940	YV5RO	CARACAS, VENEZ., 60.73 m.
4.930	YV4RP	VALENCIA, VENEZ., 60.85 m., Irreg.
4.920	YV5RU	CARACAS, VENEZ., 60.98 m., 6.30-7.30, 10.30 am.-1, 3.30-10 pm.
4.920	VUM2	MADRAS, INDIA, 60.98 m. Addr. All India Radio, 6.30 am.-12.10 pm.
4.910	YVIRY	CORO, VENEZ., 61.10 m., 6.30-9.30 pm., ex. Sundays.
4.905	HJ1ABG	BARRANQUILLA, COLOM., 61.16 m., 11 am.-11 pm., Sun. 11 am.-8 pm.
4.900	YV6RT	BOLIVAR, VENEZ., 61.22 m., Signs-off at 9.30 pm.
4.900	HJ3CAH	BOGOTA, COLOM., 61.22 m., 11.30 am.-2, 6-11 pm.
4.890	YV1RX	MARACAIBO, VENEZ., 61.35 m., 10.30 am.-1.30, 4.30-10.30 pm.
4.890	HJ7GAD	BUGARAMANGA, COL., 61.35 m., 5.45-6.30, 11.30 am.-1 pm., 6-11 pm.
4.885	HJ4DAP	MEDELLIN, COLOM., 61.42 m., 8 am.-2, 6-11 pm.
4.880	VU82	BOMBAY, INDIA, 61.48 m. Addr. All India Radio, 7.30 am.-12.30 pm.
4.880	YV6RU	BOLIVAR, VENEZ., 61.48 m., 6.30-9.30 pm. except. Sundays.
4.875	HJ6FAH	ARMENIA, COLOM., 61.54 m., 8-11 am., 6-10 pm.
4.865	HJ2BAJ	SANTA MARTA, COLOM., 61.67 m., 5.30-10.30 pm.
4.860	YV1RL	MARACAIBO, VENEZ., 61.73 m., 11 am.-1 pm., 4.30-10.30 pm.
4.855	HJ3CAF	BOGOTA, COLOM., 61.80 m., 7 pm.-mid. ex. Sundays.
4.850	YV1RZ	VALERA, VENEZ., 61.88 m., 11.30 am.-1, 5.45-8.45 pm.
4.845	HJ3CAD	BOGOTA, COLOM., 61.92 m., 6-11.30 pm.
4.840	VUC2	CALCUTTA, INDIA, 61.98 m. Addr. All India Radio, 6.30 am.-12 n.
4.840	YV4RX	MARACAY, VENEZ., 61.98 m., 6-11 pm., ex. Sundays.
4.835	HJ1ABE	CARTAGENA, COLOM., 62.05 m., 7 am.-6, 7-11 pm.
4.830	YV5RH	CARACAS, VENEZ., 62.11 m., 5-9.30 pm. (Sun. to 10.30 pm.)
4.825	HJ5EAD	CALI, COLOM., 62.17 m., 7-11 pm., ex. Sundays.
4.820	YV3RN	BARQUISIMETO, VENEZ., 62.24 m., 11.30 am.-1.30, 5.30-9.30 pm.
4.815	HJ2BAC	CUCUTA, COLOMBIA, 62.31 m.
4.810	YV1RU	MARACAIBO, VENEZ., 62.38 m., 10.45 am.-12.45 pm., 4.30-10.30 pm.
4.800	YV1RV	MARACAIBO, VENEZ., 62.50 m., 10.45 am.-12.45 pm., 4.30-10.30 pm.
4.795	HJ6FAC	PEREIRA, COLOM., 62.57 m., 9 am.-noon, 6.30-10.30 pm. ex. Sun.
4.790	YV5RY	CARACAS, VENEZUELA, 62.63 m., 5.30-8 pm.
4.785	HJ1ABB	BARRANQUILLA, COLOM., 62.69 m., 4.30-10.30 pm. ex. Sundays.
4.772	HJ7GAB	BUGARAMANGA, COLOM., 62.87 m., Nightly to 10.45 or 11 pm.
4.560	HC2ET	GUAYAQUIL, ECUADOR, 65.79 m., Wed. & Sat. 8-10 pm.

# FREE CATALOGS and INFORMATION

By carefully reading the advertising columns, you will find many offers to furnish literature containing valuable technical information that will help you in your work. Use this list freely.

Firm	Business	Offer	No.	Cost	Ado. Page
ABC Radio Laboratories Aladdin Radio Industries, Inc. Allied Radio Corp.	Set Mfr.	Literature		Free	168
	Parts Mfr.	Book		Free	169
	Mail Order	Radio Catalog Builder's Handbook Recording Book Booklet		Free 10c 10c	169
American Radio Institute Andrea Radio Corp. Approved Tech. Apparatus Bliley Electric Co.	Radio School			Free	176
	Television Kit Mfr.	Literature		Free	B.C.
	Test Equipment Parts Mfr.	General Catalog Engineering Bulletin Circular	E-6 A-6	Free 10c	167
Browning Laboratories, Inc. Brush Development Co. Bud Radio, Inc.	Kit & Parts Mfr.	Bulletin		Free	167
	Parts Mfr.	Catalog		Free	167
	Parts Mfr.	Catalog Station Log & Data Bk.	RT-79	Free 10c	171
Burstein-Applebee Co. Cameradio Co. Candler System Co. Consolidated Wire & Associated Corporations Cornell-Dubilier Elec. Corp.	Mail Order	Catalog		Free	173
	Mail Order	1939 Catalog		Free	170
	Code Course Parts Mfr.	Book of Facts Information		Free	174 170
Coyne Electrical School	Parts Mfr.	Catalog Catalog Catalog	165-A 166-A 167-A	Free Free Free	I.F.C.
	Trade School	House Organ Electrical Catalog Radio Catalog		Free Free	131
	Radio School Mail Order	Catalog Catalog		Free Free	174 172, 181 182, 184
Dodge's Institute Gold Shield Products	Parts Mfr.	Bulletins & Circuit Diagrams		Free	165
	Set & Parts Mfr.	Information		Free	177
	Set & Parts Mfr.	1939 Catalog 16 page Booklet Information		Free Free Free	173 177 168
Harrison Radio Co. Henry, Bob Howard Radio Company	Mail Order	Information		Free	177
	Mail Order	Information		Free	168
	Set Mfr.	Circuit Diagram & Technical Details		Free	161
Instructograph Company Kusterman, Oscar B. Lafayette Radio Corp. Mass. Radio School National Company, Inc. National Radio Institute National Schools New York Radio Supply Co.	Code Machine	Information		Free	176
	Set & Kit Mfr.	Catalog		10c	173
	Set Mfr.	Radio Catalog	76	Free	171
RCA Manufacturing Co., Inc. Remington Rand, Inc. Sargent, E. M., Co. Sigmon Radio Supply Solar Mfg. Corp.	Radio School	60-page Catalog		Free	176
	Set & Parts Mfr.	Receiver Group Booklets		Free	I.B.C.
	Radio School	64-page Book		Free	129
Sprague Products Co. Sprayberry Acad. of Radio Supreme Publications Telex Co. Triplett Electrical Inst. Co. Tri-State College Universal Microphone Co. Wholesale Radio Service Co.	Radio School	Radio & Television Bklt.		Free	174
	Dealer	Bargain Bulletin		Free	173
	Radio Textbooks	Circulars on each Book		Free	175
RCA Institutes, Inc. RCA Manufacturing Co., Inc. Remington Rand, Inc. Sargent, E. M., Co. Sigmon Radio Supply Solar Mfg. Corp.	Radio School	Book		Free	176
	Radio School	Catalog		Free	174
	Set & Parts Mfr.	Literature		Free	163
Sprague Products Co. Sprayberry Acad. of Radio Supreme Publications Telex Co. Triplett Electrical Inst. Co. Tri-State College Universal Microphone Co. Wholesale Radio Service Co.	Typewriter Mfr.	Catalog		Free	192
	Set Mfr.	Information		Free	167
	Set Mfr.	Blue Prints & Diagrams		Free	168
Sprague Products Co. Sprayberry Acad. of Radio Supreme Publications Telex Co. Triplett Electrical Inst. Co. Tri-State College Universal Microphone Co. Wholesale Radio Service Co.	Parts Mfr.	General Parts Catalog	9S	Free	171
	Radio School	Transmitting Catalog	2X	Free	
	Publisher	Condenser Testers Cat.	CBCC-1	Free	
Sprague Products Co. Sprayberry Acad. of Radio Supreme Publications Telex Co. Triplett Electrical Inst. Co. Tri-State College Universal Microphone Co. Wholesale Radio Service Co.	Parts Mfr.	Condenser Catalog		Free	181
	Radio School	52-page Book		Free	175
	Information	Information		Free	174
Sprague Products Co. Sprayberry Acad. of Radio Supreme Publications Telex Co. Triplett Electrical Inst. Co. Tri-State College Universal Microphone Co. Wholesale Radio Service Co.	Code Machine	Booklet	S-7	Free	176
	Parts Mfr.	Catalog		Free	179
	Radio School	Catalog		Free	176
Sprague Products Co. Sprayberry Acad. of Radio Supreme Publications Telex Co. Triplett Electrical Inst. Co. Tri-State College Universal Microphone Co. Wholesale Radio Service Co.	Parts Mfr.	Information		Free	168
	Mail Order	Radio Catalog	76	Free	171

# GREATEST BARGAIN

in 10 years



as little as

**Remington NOISELESS Portable**  
NOW AS LITTLE AS 10c a day

**10c A DAY**

Imagine a typewriter that speaks in a whisper. You can write in a library, a sick room, a Pullman berth, without disturbing others. And superb performance that literally makes words flow from the machine. The Remington Noiseless Portable is equipped with all attachments that make for complete writing equipment—it manifolds and cuts stencils perfectly. Furnished in black with chromium fittings.

### SPECIFICATIONS

Standard keyboard. Takes paper 9.5 inches wide. Standard size, 12 yard ribbon. Makes up to 7 legible carbons. Back spacer. Paper fingers. Roller type. Black key cards with white letters. Double shift key and shift lock. Right and left carriage release. Right and left cylinder knobs. Large cushion rubber feet. Single or double space adjustment. A brand new NOISELESS typewriter, right off the assembly line.

### 10-DAY FREE TRIAL

For the first time in history you can own a genuine Remington Noiseless Portable for as little as 10c a day or \$3.00 a month. Think of it! The finest Remington Portable ever built at the lowest terms we have ever offered. And you don't risk a penny! We will send this brand new Remington Noiseless Portable for a TEN DAYS' FREE TRIAL! If you are not satisfied, send it back. We pay all shipping charges.

### FREE TYPING COURSE

With your Remington Noiseless Portable—absolutely free—a 19-page course in typing teaching you the Touch System, always used by experts. With the help of this course you will find typing the most enjoyable way you ever wrote.



### SPECIAL CARRYING CASE

Carrying Case, handsomely covered in DuPont fabric is included with your purchase. The case makes it easy to take your machine anywhere. You can use it on trains, or on your knees at home. Don't delay. Mail the coupon.



### MAIL NOW

Remington Rand Inc. Dept. 300-7  
465 Washington St., Buffalo, N. Y.

Tell me, without obligation, how to get a Free Trial of a new Remington Noiseless Portable, including Carrying Case and Free Typing Course for as little as 10c a day Send Catalog.

Name.....  
Address.....  
City..... State.....

## BOOK REVIEWS

**HELLO AMERICA!** Cesar Saerchinger. Size 5 1/2" x 8 1/2", 393 pages, illustrated. Published by Houghton Mifflin Co., Boston, Mass.

In a light, fascinating style, this famous European-contact man of the Columbia Broadcasting System tells of the growth of broadcasting from abroad, enlivening his work with many amusing and thrilling anecdotes. He gives, for example, the inside story of Mr. Windsor's abdication for the love of Bessie Wallace Warfield Spencer Simpson. He tells of Shaw's first broadcast, putting the Pope on the air, an interview with Ghandi, and many other topics of interest, in 25 chapters which are illustrated with 20 pages of photographs. There is a detailed index which enables the reader to find any subject covered in the book.

**SOUND,** Arthur Taber Jones. Size 5 1/2" x 8 1/2", 450 pages, illustrated. Published by D. Van Nostrand Co., Inc., New York City.

In this book, which emphasizes both the fundamental principles and the more important phenomena of sound, the author—who is Professor of Physics at Smith College—is careful to include the more recent discoveries and points of view. In graphic manner, he shows the progress of acoustic science, and details how a large part of the new knowledge can be mastered and acquired. He presents the rather abstruse ideas in language which is not only clear, but even fascinating. His 12 chapters deal with: Preliminary Ideas; The Production of Various Noises; Vibratory Motion; Simple Tones and Combinations of Tones; Musical Scales; Transmission of Sound; Free Vibration; Forced Vibration and Maintained Vibration; Hearing; Musical Instruments; Speech and Sound; and Technical Applications. There are 7 appendices and an index. The book is thoroughly documented, nearly 2 pages being devoted to a partial bibliography covering but three of the innumerable points by the erudite author.

**THE RADIO NOISE REDUCTION HANDBOOK,** size 6" x 9", 44 pages, paper covers, illustrated. Published by Radio, Ltd., Los Angeles, Calif.

This is a handbook which really gives the experimenter, who wishes to conduct research into "noise suppression," some real usable information. The noise limiters described in one chapter range all the way from the simple neon bulb connected across the speaker to the Dickerts system which, though fairly complex, has long been a favorite of workers in this field. Other chapters deal with the suppression of noise at the source, means of analyzing the causes of noise, balancing systems, new circuits, etc. This book is a "must" for every radio enthusiast who finds the QRN over-riding the signals.

**THE FUNDAMENTALS OF WIRELESS AND TELEGRAPHY FOR BEGINNERS,** size 5 1/2" x 7 1/2", 32 pages, paper cover, illustrated. Published by Signal Electric Mfg. Co., Menominee, Mich.

This booklet explains in simple terms the functions of telegraph keys, sounders, relays and batteries, giving some simple circuits for two-way communication. It also gives the code and a series of lessons to enable the aspiring operator to practice in the most effective way. A few pages at the back of the book are devoted to advertising.

## Electronic Television Course

(Continued from page 178)

of the video and cathode ray tubes by means of the power supplies. It will be noticed that the cathode of the cathode ray tube is not at or near ground potential but several hundred volts above, as explained in the second paragraphs of this chapter.

Another method of restoring the d.c. background level is of course a manual one, in which a resistance changes the bias of the cathode ray tube grid. When this method is used it will be necessary to change the bias with the pedestal level as it changes with the transmitted scene, thus necessitating frequent adjustment of the background control.

Circuits covering electrostatic deflection type tubes will be described in the following chapter. These tubes are less expensive than electro-magnetic deflection types but usually suffer somewhat in the detail obtainable. Circuits of the antennas as well as the R.F. type of receiver will also be described for the reception of television pictures, where the receiving point is located within fairly close proximity to the transmitter.

## Index to Advertisers

<b>A</b>	
ABC Radio Laboratories.....	168
Aladdin Radio Industries, Inc.....	169
Allied Radio Corporation.....	169
American Radio Institute.....	176
Andrea Radio Corp.....	Back Cover
Approved Technical Apparatus Co.....	167
<b>B</b>	
Barter & Exchange Free Ads.....	186-189
Bliley Electric Co.....	167
Browning Laboratories, Inc.....	167
Brush Development Co., The.....	167
Bud Radio, Inc.....	171
Burstein-Applebee Co.....	173
<b>C</b>	
Cameradio Co.....	170
Candler System Co.....	174
Commercial Notices.....	186
Consolidated Wire & Associated Corporations.....	170
Cornell-Dubilier Electric Corp.....	Inside Front Cover
Coyne Electrical School.....	131
<b>D</b>	
Dataprint Company.....	172
Dodge's Institute.....	174
<b>F</b>	
For Sale Ads.....	186
Foto-Craft.....	184
<b>G</b>	
Gold Shield Products.....	172, 181, 182, 184
Guardian Electric Mfg. Co.....	165
Guthman, Edwin I., & Co., Inc.....	177
<b>H</b>	
Hammarlund Manufacturing Co., Inc.....	173
Harrison Radio Co.....	177
Henry, Bob.....	168
Howard Radio Company.....	161
Hudson Specialties Company.....	183
<b>I</b>	
Instructograph Company.....	176
<b>K</b>	
Kusterman, Oscar B.....	173
<b>L</b>	
Lafayette Radio Corp.....	171
<b>M</b>	
Mass. Radio School.....	176
<b>N</b>	
National Company, Inc.....	Inside Back Cover
National Plans Institute.....	170
National Radio Institute.....	129
National Schools.....	174
New York Radio Supply Co.....	173
<b>R</b>	
Radio Amateur Course.....	132
Radio & Technical Publ. Co.....	175
Radio Publications.....	169, 177, 180, 184
Radio Training Assn. of America.....	176
RCA Institutes, Inc.....	174
RCA Manufacturing Co., Inc.....	163
Remington Rand, Inc.....	192
<b>S</b>	
Sargent, E. M., Co.....	167
Sigmon Radio Supply.....	168
Solar Mfg. Corp.....	171
Sprague Products Co.....	181
Sprayberry Academy of Radio.....	175
Supreme Publications.....	174
<b>T</b>	
Technifax.....	182
Telex Co.....	176
Triplett Electrical Instrument Co.....	179
Tri-State College.....	176
<b>U</b>	
Universal Microphone Co., Ltd.....	168
<b>W</b>	
Wellworth Trading Company.....	179, 185
Wholesale Radio Service Co., Inc.....	171

(While every precaution is taken to insure accuracy, we cannot guarantee against the possibility of an occasional change or omission in the preparation of this index.)





The  
**NC-100XA**  
RECEIVER

## **HIGH PERFORMANCE**

National Receivers are designed with the single aim of producing maximum performance, long life, and rugged dependability. You will find them wherever maintenance of communication is vital, and wherever fine receivers are appreciated.

The receiver illustrated above, the Type NC-100XA, is representative. Its design includes a number of unique details, among them a range changing system in which the required coils are moved into position adjacent to the coils and the condensers, and there connected into the circuit. Such a mechanism, with its heavy cast aluminum coil shield sliding on a smoothly fitted track by rack and pinion drive, is far more machinery than one usually finds in a radio receiver. But its use permits short, direct wiring, ample space for the coils in use, and complete circuit shielding. The gain in performance is unmistakable. This is but one of the refinements that make the NC-100XA so outstanding.

A set of free booklets describing the NC-100XA and other National receivers will be mailed free on request. Though primarily instruction booklets, they contain a wealth of general information on receiver design and operation that will be of real value to anyone interested in fine instruments. Just ask for "Receiver Group Booklets." They will be mailed promptly, postpaid.



National builds a complete line of communication receivers, ranging from the Type HRO, in which cost is a secondary consideration, to the Type NC-44, designed for the lowest price which good performance permits.

**NATIONAL COMPANY, INC., MALDEN, MASS.**

# Build your own Sight and Sound Receiver for



**F. A. D. ANDREA**—Pioneer in Radio and Television

Andrea led the way with radio kits in 1923. Thousands will remember his famous Neutrodyne kits. Behind the Andrea Television Kit are long years of experience that assure successful assembly and "Sharp-Focus" television reception from the finished receiver.

# TELEVISION

## SET BUILDERS, STUDENTS, EXPERIMENTERS and SERVICE MEN

The Andrea Television Kit gives you factory-built performance at rock-bottom cost—plus the fun and satisfaction of building your own. Already, set builders are reporting enthusiastically about results from their assembled KT-E-5 kits:

In the N. Y. Sun, April 15th, E. L. Bragdon, Radio Editor, said: "In the writer's

opinion, gained through the actual assembly of the (Andrea) kit, the plan of instructions devised by the manufacturer sets a new high point in that field of radio.—The individual steps in the formation of this televisior have been so clearly outlined that the only excuse for failure is carelessness on the part of the builder."

### FROM TELEVISION HEADQUARTERS:


**ANDREA RADIO CORP.** is the only television manufacturer whose factory and laboratories are located right in New York City. Thus ANDREA engineers have not been limited to laboratory receiving tests from miniature, experimental transmitters. No, indeed! Every step in the perfection of ANDREA "Sharp-Focus" sets and kits has been checked on actual reception from the New York transmitters which are setting the standards of television technique in the U. S. A.

**FINISHED, COMMERCIAL DESIGN:** ANDREA is the only manufacturer of television receivers who is making a standard, commercial set available in construction kit form for experimenters, students,

and service men. Because the ANDREA KT-E-5 kit is actually comprised of the parts of the factory-built model 1-F-5 receiver, the kit, when assembled in accordance with the instructions provided, will give you sight and sound reception equal to the factory-built set.

**SUCCESS ASSURED:** You need only a soldering iron, screwdriver, and pliers. No testing instruments are necessary, for the R.F. circuits are assembled, wired and precision pre-tuned to the 44-50 and 50-56 mc. channels. You'll be delighted to see how every last detail has been planned to assure your success.

**BE THE FIRST IN YOUR NEIGHBORHOOD TO OWN AN ANDREA TELEVISION RECEIVER!**



Andrea Television Kit, rear view, assembled.

**\$79<sup>95</sup>** less tubes

At right: A complete, factory-built table model television receiver, if you prefer it. Andrea "Sharp-Focus" receiver MOD. EL 1-F-5, complete with tubes.

**\$189<sup>50</sup>**

Andrea Teleceptor Antenna specially designed for television reception **\$9<sup>50</sup>**

- Complete Wiring Diagrams and Step-by-Step Instructions supplied free with every Andrea KT-E-5 Kit. Or send \$1 for diagrams and instructions alone—authoritative, detailed profusely illustrated.

- **DISTRIBUTORS:** A limited number of territories are still open. Write for full information.



### IMMEDIATE DELIVERY:

Leading dealers are now displaying and demonstrating Andrea sets and kits. Write for the Andrea Television literature and name of your nearest dealer.

# Andrea Radio

**"SHARP-FOCUS" TELEVISION**

**ANDREA RADIO CORP. • 48-35 48th Ave., Woodside, L. I., N. Y. • Telephone: Stillwell 4-4754**