
This article was downloaded by: [Moskow State Univ Bibliote]

On: 15 April 2012, At: 00:06 Publisher: Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House,

37-41 Mortimer Street, London W1T 3JH, UK



Supramolecular Chemistry

Publication details, including instructions for authors and subscription information: http://www.tandfonline.com/loi/gsch20

Index Abstracts

Available online: 03 Apr 2012

To cite this article: (2012): Index Abstracts, Supramolecular Chemistry, 24:2, i-v

To link to this article: http://dx.doi.org/10.1080/10610278.2012.679066


PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.tandfonline.com/page/terms-and-conditions

This article may be used for research, teaching, and private study purposes. Any substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing, systematic supply, or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae, and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand, or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.


Index Abstracts



Philip G. Young, Jack K. Clegg and Katrina A. Jolliffe


Neutral cryptand-like cyclic peptide—thiourea receptors for selective recognition of sulphate anions in aqueous solvents

77-87



Yongjing Hao, Chuandong Jia, Shaoguang Li, Xiaojuan Huang, Xiao-Juan Yang, Christoph Janiak and Biao Wu


Sulphate binding by a quinolinyl-functionalised tripodal tris-urea receptor



Claudia Caltagirone, Carla Bazzicalupi, Andrea Bencini, Francesco Isaia, Alessandra Garau and Vito Lippolis

Anion recognition properties of pyridine-2,6-dicarboxamide and isophthalamide derivatives containing L-tryptophan moieties

95-100




Eric S. Silver, Brett M. Rambo, Christopher W. Bielawski and Jonathan L. Sessler

Poly(methyl methacrylate) copolymers containing dipyrrolylquinoxaline receptors for the colorimetric detection of halide anion salts

Zdeněk Kejík, Robert Kaplánek, Tomáš Bříza, Jarmila Králová, Pavel Martásek and Vladimír Král


Supramolecular approach for target transport of photodynamic anticancer agents



Gareth W. Bates, James E. Davidson, Ross S. Forgan, Philip A. Gale, David K. Henderson, Michael G. King, Mark E. Light, Stephen J. Moore, Peter A. Tasker and Christine C. Tong


A dual host approach to NiSO₄ extraction

117-126



Martin Havlík, Bohumil Dolenský, Jiří Kessler, Ivana Císařová and Vladimír Král


A new synthetic strategy to prepare throne and calix diastereoisomers of parallel tris-Tröger's bases



David J. Lewis, Federica Moretta and Zoe Pikramenou

Controlled assembly of heterometallic lanthanide(III) macrocycles: incorporation of photoactive and highly paramagnetic metal centres within a single complex

135-142



Lauren T. Gallagher, Jae Seok Heo, Matthew A. Lopez, Brenton M. Ray, Jennifer Xiao, Alona P. Umali, Anna Zhang, Sunanda Dharmarajan, Hildegarde Heymann and Eric V. Anslyn

Pattern-based discrimination of organic acids and red wine varietals by arrays of synthetic receptors