

# Volume Contents 1998

## NUMBER 1

### Contents

A. K. Ghosh, P. Mathivanan and J. Cappiello

K. K. Schumacher, J. Jiang and M. M. Joullié

C. Rosini, R. Ruzziconi, S. Superchi, F. Fringuelli and O. Piermatti

Y. Lin and L.-C. Chien

K. Tanaka and H. Sawanishi

B. Grüner, I. Cisařová, A. Franken and J. Plešek

S. Geresh, T. J. Valiyaveettil, Y. Lavie and A. Shani

A. Ikeda, Y. Suzuki and S. Shinkai

A. Fishman and M. Zviely

G. Porzi, S. Sandri and P. Verrocchio

J. T. Wasicak and W. A. Donaldson

H. Y. Zhang, H. W. Yu, L. T. Ma, J. M. Min and L. H. Zhang

L. Carrillo, D. Badía, E. Domínguez, F. Ortega and I. Tellitu

M. Node, T. Inoue, M. Araki, D. Nakamura and K. Nishide

T. Laib, J. Ouazzani and J. Zhu

- v Tetrahedron prize for creativity in organic chemistry  
vii Contributors to this issue  
ix Graphical abstracts
- TETRAHEDRON: ASYMMETRY REPORT NUMBER 32**  
1 *C<sub>2</sub>-Symmetric chiral bis(oxazoline)-metal complexes in catalytic asymmetric synthesis*
- ARTICLES**
- 47 Synthetic studies towards astins A, B and C. Efficient syntheses of *cis*-3,4-dihydroxyprolines and (−)-(3*S*,4*R*)-dichloroproline esters
- 55 Circular dichroism spectra (350–185 nm) of a new series of 4-substituted [2.2]paracyclophanes: A quantitative analysis within the DeVoe polarizability model
- 63 Two methods for the resolution of 10,10'-dihydroxy-9,9'-biphenanthryl
- 71 An efficient and stereospecific synthesis of (2*S*,4*S*)-2,4-diaminoglutaric acid
- 79 Resolution of the [6,6'-μ-(CH<sub>2</sub>)<sub>5</sub>P-(1,7-(C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>)<sub>2</sub>)-2-Co] bridged cobalta-carborane to enantiomers pure by chiral HPLC, circular dichroism spectra and absolute configurations by X-ray diffraction
- 89 Chemoenzymatic synthesis of (*R*)-(+) -2-methylbutan-1-ol, a chiral synthon for the preparation of optically active pheromones
- 97 Chiral cage molecules generated by regioselective *O*-alkylation of a doubly-bridged calix[8]arene
- 107 Chemo-enzymatic synthesis of (*S*)-α-cyano-3-phenoxybenzyl alcohol
- 119 Stereoselective synthesis of sterically constrained dipeptides. Part 2
- 133 Studies on the preparation of protomycinolide IV: Enantioselective synthesis of the C3-C9 segment
- 141 Synthesis of 2-C-(4-aminocarbonyl-2-thiazoyl)-1,4-anhydro-L-xylitols and their fluoro derivatives
- 151 A contribution to the asymmetric synthesis of isoquinolines: Concise stereoselective approach to (3*S*,4*S*)-6,7-dimethoxy-4-hydroxy-3-phenyl-1,2,3,4-tetrahydroisoquinoline
- 157 Lipase-catalyzed asymmetric demethoxycarbonylation: Formal syntheses of (+)-carbacyclin, (−)-ajmalicine, and (−)-tetrahydroalstonine
- 169 Horse liver esterase catalyzed enantioselective hydrolysis of *N,O*-diacetyl-2-amino-1-arylethanol
- A1 Stereochemistry abstracts
- I Instructions to contributors
- VII Cumulative author index

# NUMBER 2

## Contents

N. Maezaki, A. Sakamoto, T. Tanaka  
and C. Iwata

T. Morimoto, N. Suzuki and  
K. Achiwa

S. Otten, R. Fröhlich and G. Haufe

C. Pasquier, S. Naili, L. Pelinski,  
J. Brocard, A. Mortreux and  
F. Agbossou

G. Prestat, A. Marchand, J. Lebreton,  
A. Guingant and J.-P. Pradère

L. A. Noecker, J. A. Martino,  
P. J. Foley, D. M. Rush,  
R. M. Giuliano and F. J. Villani Jr.

S. Lavaire, R. Plantier-Royon and  
C. Portella

M. Tichý, L. Ridvan, P. Holý,  
J. Závada, I. Číšářová and J. Podlaha

H.-J. Gais, H. Eichelmann,  
N. Spalhoff, F. Gerhards, M. Frank  
and G. Raabe

M. T. Bartolomé, F. L. Buenadicha,  
C. Avendaño and M. Söllhuber

B. Malézieux, M. Gruselle,  
L. Troitskaya and V. Sokolov

G. Egri, A. Kolbert, J. Bálint,  
E. Fogassy, L. Novák and L. Poppe

L. Antolini, A. Forni, P. Davoli,  
I. Moretti and F. Prati

R. Rico, J. Zapico, F. Bermejo,  
S. B. Sanni and S. García-Granda

A. Fadel and A. Khesrani

S. D. Bull, S. G. Davies and  
W. O. Moss

R. Kadyrov, D. Heller and R. Seike

C. Chiappe, A. Cordoni, G. Lo Moro  
and C. D. Palese

W. Adam, M. Lazarus,  
C. R. Saha-Möller and P. Schreier

- v Tetrahedron prize for creativity in organic chemistry  
vii Contributors to this issue  
ix Graphical abstracts
- COMMUNICATIONS**
- 179 Asymmetric desymmetrization of *meso*-cyclopentitol using a *C*<sub>2</sub>-symmetric bis-sulfoxide: A synthesis of (–)-allosamizoline
- 183 Enantioselective synthesis of (*S*)-calycotomine employing catalytic asymmetric hydrogenation with an iridium(I)–(R)-BINAP–phthalimide complex
- 189 Synthesis and structural characterization of enantiopure (2*R*,5*R*)-(+)2,5-dimethylthiolane
- 193 Synthesis and application in enantioselective hydrogenation of new free and chromium complexed aminophosphine–phosphinite ligands
- 197 <sup>1</sup>H NMR evaluation of the enantiomeric purity of a series of heterocyclic β-dimethylamino esters and amides by using (*S*)-mandelic acid derivatives as chiral solvating agents
- ARTICLES**
- 203 Synthesis of amicetose by three enantioselective methods
- 213 Stereoselectivity of the nucleophilic F-alkylation of carbonylated carbohydrates
- 227 Axially chiral dilactams. Synthesis, racemization barriers and crystal structures
- 235 Pd-catalyzed asymmetric synthesis of allylic *tert*-butyl sulfones and sulfides: Kinetic resolution of the allylic substrate by a chiral Pd-complex
- 249 Stereochemical course of acylation and aldol condensation in (4*S*)-4-methyl-2-benzyl-2,4-dihydro-1*H*-pyrazino[2,1-*b*]quinazoline-3,6-diones
- 259 Enantiospecific synthesis of 4-(4'-methoxyphenyl)-hexan-3-one as precursor for optically active (*pS*) or (*pR*) isomer of (*Z*) or (*E*)-3-(2'-(*N,N*-dimethylamino)methylferrocenyl)-4-(4"-methoxyphenyl)-hex-3-ene
- 271 Baker's yeast mediated stereoselective biotransformation of 1-acetoxy-3-aryloxypropan-2-ones
- 285 Stereoselective synthesis and absolute configuration of (1'*R*,3*R*,4*R*)-4-acetoxy-3-(2',2',2'-trifluoro-1'-hydroxyethyl)azetidin-2-one
- 293 Novel stereocontrolled synthesis of the tricyclic lactone (1*R*,3*R*,6*R*,9*S*)-6,9-dimethyl-8-oxo-7-oxatricyclo[4.3.0.0<sup>3,9</sup>]nonane
- 305 A straightforward synthesis of both enantiomers of *allo*-norcoronamic acids and *allo*-coronamic acids, by asymmetric Strecker reaction from alkylcyclopropanone acetals
- 321 Practical synthesis of Schöllkopf's bis-lactim ether chiral auxiliary: (3*S*)-3,6-dihydro-2,5-dimethoxy-3-isopropyl-pyrazine
- 329 New carbohydrate bisphosphites as chiral ligands
- 341 Deracemization of (±)-*cis*-dialkyl substituted oxides via enantioconvergent hydrolysis catalysed by microsomal epoxide hydrolase
- 351 Quantitative transformation of racemic 2-hydroxy acids into (*R*)-2-hydroxy acids by enantioselective oxidation with glycolate oxidase and subsequent reduction of 2-keto acids with D-lactate dehydrogenase

A21	Stereochemistry abstracts
I	Instructions to contributors
VII	Cumulative author index

## NUMBER 3

### Contents

**S. G. Nelson**

**S. Gladiali, S. Pulacchini, D. Fabbri,  
M. Manassero and M. Sansoni**

**W. Adam, R. T. Fell,  
C. R. Saha-Möller and C.-G. Zhao**

**F. Schieweck and H.-J. Altenbach**

**H. Brunner, R. Störko and B. Nuber**

**S.-K. Loh, J. J. Vittal and P.-H. Leung**

**W. A. J. Starmans, R. G. Doppen,  
L. Thijs and B. Zwanenburg**

**A. Laaziri, J. Uziel and S. Jugé**

**E. Román, M. Baños, F. J. Higes and  
J. A. Serrano**

**J. H. Lutje Speelberg, R. Rink,  
R. M. Kellogg and D. B. Janssen**

**C. A. G. M. Weijers, A. L. Botes,  
M. S. van Dyk and J. A. M. de Bont**

**S. Lange, K. Wittmann, B. Gabor,  
R. Mynott and W. Leitner**

**F. L. Buenadicha, M. T. Bartolomé,  
M. J. Aguirre, C. Avendaño and  
M. Söllhuber**

**A. Ritzén, B. Basu,  
S. K. Chattopadhyay, F. Dossa and  
T. Frejd**

**E. Forró, L. T. Kanerva and F. Fülöp**

**S.-W. Chang, C.-Y. Hung, H.-H. Liu  
and B.-J. Uang**

v	Tetrahedron prize for creativity in organic chemistry
vii	Contributors to this issue
ix	Graphical abstracts
357	<b>TETRAHEDRON: ASYMMETRY REPORT NUMBER 33</b> Catalyzed enantioselective aldol additions of latent enolate equivalents
391	<b>COMMUNICATIONS</b> 2-Diphenylphosphino-2'-diphenylphosphinyl-1,1'-binaphthalene (BINAPO), an axially chiral heterobidentate ligand for enantioselective catalysis
397	Synthesis of optically active $\alpha$ -hydroxy ketones by enantioselective oxidation of silyl enol ethers with a fructose-derived dioxirane
403	Preparation of <i>S</i> ( $-$ )-2-acetoxymethyl-2,5-dihydrofuran and <i>S</i> ( $-$ )- <i>N</i> -Boc-2-hydroxymethyl-2,5-dihydropyrrole by enzymatic resolution
407	<b>ARTICLES</b> Enantioselective catalysis. Part 119: New chiral 2-(2-pyridinyl)oxazoline ligands containing an additional optically active substituent in the pyridine system
423	1-Methyl-2-vinylpyrrole and 1-phenyl-3,4-dimethylphosphole: their coordination chemistries and reactivities in a chiral palladium complex promoted asymmetric Diels–Alder reaction
429	Enzymatic resolution of methyl <i>N</i> -alkyl-azetidine-2-carboxylates by <i>Candida antarctica</i> lipase-mediated ammoniolysis
437	Electrophilic ring opening of oxazolines derived from serine and threonine: A practical entry to <i>N</i> ( $N$ )-protected $\beta$ -halogeno $\alpha$ -aminoesters
449	Enantioselective synthesis of 1-nitrotricyclo[5.2.2.0 <sup>2,6</sup> ]undeca-3,8-dienes via tandem consecutive asymmetric Diels–Alder reaction–Cope rearrangement
459	Enantioselectivity of a recombinant epoxide hydrolase from <i>Agrobacterium radiobacter</i>
467	Enantioselective hydrolysis of unbranched aliphatic 1,2-epoxides by <i>Rhodotorula glutinis</i>
475	Chiral discrimination at the $\eta^3$ -allyl units of rhodium ( $\text{I}^0$ ) $\eta$ -cyclooctenyl complexes containing chiral bidentate phosphanes
483	New findings in the alkylation and <i>N</i> -deprotection of (4 <i>S</i> )-4-methyl-2-benzyl-2,4-dihydro-1 <i>H</i> -pyrazino[2,1- <i>b</i> ]quinazoline-3,6-diones
503	Synthesis of optically active arylene bis-alanine derivatives carrying orthogonal protecting groups
513	Lipase-catalysed resolution of 2-dialkylaminomethylcyclohexanols
521	Enantioselective synthesis of $\gamma$ -lactones from thioglycolic acid: Syntheses of ( $-$ )-muricatacin and 5- <i>epi</i> ( $-$ )-muricatacin
A55	Stereochemistry abstracts
I	Instructions to contributors
VII	Cumulative author index

# NUMBER 4

## Contents

G. Chelucci, G. A. Pinna and A. Saba	v	Contributors to this issue
H. L. Holland and F. M. Brown	vii	Graphical abstracts
P. J. Pye and K. Rossen		<b>COMMUNICATIONS</b>
S. D. Pastor and S. P. Shum	531	Enantioselective palladium catalyzed allylic substitution with 2,2'-bipyridine ligands
T. Wirth, S. Häuptli and M. Leuenberger	535	Biocatalytic and chemical preparation of all four diastereomers of methionine sulfoxide
R. C. Lloyd, M. Dickman and J. B. Jones	539	A potential ambiguity in the stereochemical description of complex paracyclophanes
K. Naemura, K. Nishioka, K. Ogasahara, Y. Nishikawa, K. Hirose and Y. Tobe	543	Novel sterically congested chiral tripodal phosphite ligands: catalytic asymmetric hydrosilylation of ketones with a Rh(I)-TRISPHOS catalyst
D. Ma and J. Jiang	547	Catalytic asymmetric oxyselenenylation-elimination reactions using chiral selenium compounds
M. Ranchoux, J.-M. Brunel, G. Iacazio and G. Buono		<b>ARTICLES</b>
W. Adam, M. T. Díaz and C. R. Saha-Möller	551	Probing the specificity of the S <sub>i'</sub> , leaving group, site of subtilisin <i>Bacillus lenthus</i> using an enzyme catalyzed transesterification reaction
J. M. Gardiner, J. H. Chughtai and I. H. Sadler	563	Preparation and temperature-dependent enantioselectivities of homochiral phenolic crown ethers having aryl chiral barriers: thermodynamic parameters for enantioselective complexation with chiral amines
R. Villard, F. Fotiadu and G. Buono	575	Polyfunctionalized pyrrolidinones via the coupling of N,N-disubstituted β-amino esters with ethyl glyoxalate
J. I. Padrón and J. T. Vázquez	581	Enzymatic desymmetrization of prochiral 2,3-bis(acetoxymethyl)bicyclo[2.2.1]hepta-2,5-diene and 2,3-bis(hydroxymethyl)bicyclo[2.2.1]hepta-2,5-diene
P. Merino, A. Lanaspa, F. L. Merchan and T. Tejero	589	Lipase-catalyzed kinetic resolution of <i>threo</i> -configured 1,2-diols: a comparative study of transesterification versus hydrolysis
O. Bortolini, E. Casanova, G. Fantin, A. Medici, S. Poli and S. Hanau	599	Synthesis and proof of stereostructure of a new (+)-isomenthone-derived homochiral 1,3-diol
V. Rozenberg, N. Dubrovina, E. Sergeeva, D. Antonov and Y. Belokon'	607	Highly diastereoselective synthesis of two analogues of dihydrophingosine
P. Conti, C. Dallanoce, M. De Amici, C. De Michelis, G. Carrea and F. Zambianchi	613	Stereochemical study of the CD spectral differences between anomers of alkyl glucopyranosides
G. Bringmann and M. Breunig	629	Totally stereocontrolled synthesis of α,β-diamino acids by addition of Grignard reagents to nitrones derived from L-serine
K. Sørbye, C. Tautermann, P. Carlsen and A. Fiksdahl	647	Kinetic resolution of <i>vic</i> -diols by <i>Bacillus stearothermophilus</i> diacetyl reductase
G. Giffels, J. Beliczey, M. Felder and U. Kragl	653	An improved synthesis of ( <i>S</i> )-(+) and ( <i>R</i> )-(−)-[2.2]paracyclophane-4-carboxylic acid
	657	Chemoenzymatic synthesis of the enantiomers of desoxymuscarine
	667	Enantioselective addition of diethylzinc to aldehydes using novel axially chiral 2-aminomethyl-1-(2'-hydroxyphenyl)naphthalene catalysts
	681	<i>N,N</i> -1,2-Benzenedisulfonylimide, a new cyclic leaving group for the stereoselective nucleophilic substitution of amines
	691	Polymer enlarged oxazaborolidines in a membrane reactor: enhancing effectiveness by retention of the homogeneous catalyst

<b>M. Franck-Neumann, D. Martina and D. Neff</b>	697 Amplification of chirality by transition metal coordination: synthesis of chiral allenes and allene manganese complexes of high enantiomeric purity. Synthesis of methyl ( <i>R,E</i> )-(–)-(2,4,5-tetradecatrienoate (pheromone of <i>Acanthoscelides obtectus</i> (say)))
<b>M. D. Millan and J. H. Davis Jr.</b>	709 Hydroboration of (1 <i>R</i> )-(+)- $\alpha$ -pinene and (1 <i>S</i> )-(–)- $\beta$ -pinene with $B_{10}H_{12}(SMe_2)_2$ : a straightforward approach to the preparation of optically active 6-(alkyl)- <i>nido</i> - $B_{10}H_{13}$ derivatives
	A79 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 5

### Contents

**E. Juaristi, J. Escalante,  
J. L. León-Romo and A. Reyes**

**A. Saitoh, K. Achiwa and  
T. Morimoto**

**G. Cravotto, G. B. Giovenzana,  
R. Pagliarin, G. Palmisano and  
M. Sisti**

**M. E. Humphries, B. P. Clark and  
J. M. J. Williams**

**J. C. Anderson, D. S. James and  
J. P. Mathias**

**J. M. Torres-Valencia,  
C. M. Cerdá-García-Rojas and  
P. Joseph-Nathan**

**T. Ziegler, F. Bien and C. Jurisch**

**F. Bien and T. Ziegler**

**W. Adam, M. T. Díaz and  
C. R. Saha-Möller**

**I. Baussanne, C. Travers and  
J. Royer**

**J. Syed, S. Förster and  
F. Effenberger**

**F. Effenberger and J. Syed**

**H. B. Mereyala and R. R. Gadikota**

**P. Camps, J. Contreras,  
M. Font-Bardia, J. Morral,  
D. Muñoz-Torrero and X. Solans**

v Contributors to this issue

vii Graphical abstracts

713 Corrigendum

#### TETRAHEDRON: ASYMMETRY REPORT NUMBER 34

715 Recent applications of  $\alpha$ -phenylethylamine ( $\alpha$ -PEA) in the preparation of enantiopure compounds. Part 1: Incorporation in chiral catalysts. Part 2:  $\alpha$ -PEA and derivatives as resolving agents

#### COMMUNICATIONS

741 Enantioselective allylic substitutions using ketene silyl acetals catalyzed by a palladium–chiral amidine complex

745 A straightforward entry into enantiomerically enriched  $\beta$ -amino- $\alpha$ -hydroxy-phosphonic acid derivatives

749  $\alpha$ -Amino esters as nucleophiles in diastereoselective palladium catalysed allylic substitution reactions

753 Sulfur–imine mixed donor chelate ligands for asymmetric catalysis: enantioselective allylic alkylation

#### ARTICLES

757 Enantioselective preparation of (2*R,3R*)-(+) and (2*S,3S*)-(–)-2,3-epoxy-2-methylbutanoic acids and some derivatives

765 Chemoenzymatic synthesis of enantiomerically pure alkene 1,2-diols and glycosides thereof

781 Chemoenzymatic synthesis of glycosylated enantiomerically pure 4-pentene 1,2- and 1,3-diol derivatives

791 Lipase-catalyzed kinetic resolution of  $\alpha,\beta$ -unsaturated  $\alpha'$ -acetoxy ketones

797 Asymmetric synthesis of 3-substituted pyrrolidones via  $\alpha$ -alkylation of a chiral non-racemic  $\gamma$ -lactam

805 Application of the Blaise reaction: stereoselective synthesis of (4*R*)-*tert*-butyl 3-amino-4-trimethylsilyloxy-2-alkenoates from (*R*)-cyanohydrins

817 Stereoselective synthesis of biologically active tetronic acids

827 Transformation of D-glucose to 1-deoxy-1-[4'-methoxyphenyl]-2*R,3R,4R*-pentitol template: synthesis of Karalicin analogues

835 Enantioselective synthesis of tacrine–huperzine A hybrids. Preparative chiral MPLC separation of their racemic mixtures and absolute configuration assignments by X-ray diffraction analysis

<b>Y. N. Belokon', K. A. Kochetkov, T. D. Churkina, N. S. Ikonnikov, A. A. Chesnokov, O. V. Larionov, V. S. Parmár, R. Kumar and H. B. Kagan</b>	851 Asymmetric PTC <i>C</i> -alkylation mediated by TADDOL—novel route to enantiomerically enriched $\alpha$ -alkyl- $\alpha$ -amino acids
<b>M. M. Cifuentes García, J. L. García Ruano, A. M. Martín Castro, J. H. Rodríguez Ramos and I. Fernández</b>	859 Highly stereoselective hydrocyanation of optically pure $\alpha$ -sulfinylaldehydes
<b>R. Ponsinet, G. Chassaing and S. Lavielle</b>	865 Asymmetric synthesis of Boc- $\beta^2$ -homophenylglycine
<b>M. A. Brimble and C. K. Y. Lee</b>	873 Asymmetric azo-ene reactions using the chiral azo-enophile di-( <i>–</i> )-(1 <i>R</i> ,2 <i>S</i> )-2-phenyl-1-cyclohexyl diazenedicarboxylate
<b>O. Parve, M. Aidnik, Ü. Lille, I. Martin, I. Vallikivi, L. Vares and T. Pehk</b>	885 The tetrahydropyranyl-protected mandelic acid: a novel versatile chiral derivatising agent
	A109 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 6

### Contents

<b>E. Breysse, C. Pinel and M. Lemaire</b>	v Contributors to this issue
<b>G. B. Jones, M. Guzel and B. J. Chapman</b>	vii Graphical abstracts
<b>H. Kajiro, S. Mitamura, A. Mori and T. Hiyama</b>	<b>COMMUNICATIONS</b>
<b>K. Kato, H. Suzuki, H. Tanaka and T. Miyasaka</b>	897 Use of heterogenized-dialdimine ligands in asymmetric transfer hydrogenation
<b>R. B. Greenwald, A. Pendri and H. Zhao</b>	901 Refined enantioselective methylation catalysts: improved routes to bifunctional C5 synthons
<b>P. Ceccherelli, M. Curini, F. Epifano, M. C. Marcotullio and O. Rosati</b>	907 Enantioselective synthesis of 2-hydroxy-1-indanone, a key precursor of enantiomerically pure 1-amino-2-indanol
<b>G. H. P. Roos and S. Balasubramaniam</b>	911 Enantio- and diastereoselective synthesis of 4'- $\alpha$ -substituted carbocyclic nucleosides
<b>I. C. F. Vasconcelos, G. K. Anderson, N. P. Rath and C. D. Spilling</b>	915 Stereoselective acylation of 20-( <i>S</i> )-camptothecin with amino acid derivatives using scandium triflate/DMAP
<b>I. C. F. Vasconcelos, N. P. Rath and C. D. Spilling</b>	919 Influence of a hydroxy group in the asymmetric reduction of selenides: enantioselective synthesis of naturally occurring monoterpenes
<b>J. Dupont and A. J. Donato</b>	923 Enhanced reactivity of tuned imidazolidin-2-one chiral auxiliaries in Diels–Alder reactions
<b>C. García-Martínez, Y. Taguchi, A. Oishi and K. Hayamizu</b>	<b>ARTICLES</b>
<b>E. Caballero, C. Avendaño and J. C. Menéndez</b>	927 Preparation and structure of new homochiral diazaphosphole ligands and their platinum(II) chloride complexes
	937 New homochiral amino-phosphine ligands: application in asymmetric palladium catalyzed allylic alkylation
	949 A concise synthesis of ( <i>S</i> )-(+)5,6-2 <i>H</i> -pyran-2-one via hydrozirconation–carbonylation–demetallation of <i>O</i> -benzyl ( <i>S</i> )-(–)-4-pentyn-2-ol
	955 Ring current effects of phenyl and naphthyl groups: internal probes for determining the absolute configuration of chiral azetidin-2-ones by $^1\text{H}$ NMR
	967 Stereochemical issues related to the synthesis and reactivity of pyrazino[2',1'-5,1]pyrrolo[2,3- <i>b</i> ]indole-1,4-diones

C. E. Song, S. W. Lee, E. J. Roh, S. Lee and W.-K. Lee	983 A new synthetic route to (3 <i>R</i> ,4 <i>S</i> )-3-hydroxy-4-phenylazetidin-2-one as a taxol side chain precursor
Z. Szakonyi, F. Fülop, G. Bernáth, G. Török and A. Péter	993 Preparation of cycloalkane-fused dihydropyrimidin-4(3 <i>H</i> )-one enantiomers
P. Phukan and A. Sudalai	1001 OsO <sub>4</sub> -catalyzed amination of silyl enol ethers: enantioselective synthesis of $\alpha$ -amino ketones
T. Sugimura, H. Iguchi, R. Tsuchida, A. Tai, N. Nishiyama and T. Hakushi	1007 Diastereoface-differentiating oxidation of 1-cyclohexenyl ether using a 2,4-pentanediol tether
I. Izquierdo, M. T. Plaza, R. Robles and A. J. Mota	1015 A new and highly stereoselective synthesis of polyhydroxyindolizidines from 4-octulose derivatives
L. Canali, C. E. Song and D. C. Sherrington	1029 Polymer-supported bis-cinchona alkaloid ligands for asymmetric dihydroxylation of alkenes—a cautionary tale
A. S. Demir, C. Tanyeli, A. Cagir, M. N. Tahir and D. Ulku	1035 Novel enantioselective synthesis of <i>trans</i> - $\alpha$ -(2-carboxycycloprop-1-yl)-glycines: conformationally constrained L-glutamate analogues
J. Roos, U. Stelzer and F. Effenberger	1043 Synthesis of (1 <i>R</i> , <i>cis</i> , $\alpha$ <i>S</i> )-cypermethrine via lipase catalyzed kinetic resolution of racemic <i>m</i> -phenoxybenzaldehyde cyanohydrin acetate
H. M. R. Hoffmann and O. Schrake	1051 Acylation and O-sulfonylation of Quincorine® and Quincordine®. Efficient intramolecular catalysis
M. E. Tran Huu Dau, C. Riche, F. Dumas and J. d'Angelo	1059 The origin of the stereoselectivity in the asymmetric Michael reaction using chiral imines/secondary enamines under neutral conditions: a computational investigation
Y. Uozumi, K. Kato and T. Hayashi	1065 Asymmetric aza-Claisen rearrangement of allyl imides catalyzed by homochiral cationic palladium(II) complexes
M. Bourghida and M. Widhalm	1073 Steric hindrance versus asymmetric induction: new PN-ligands for carbon–carbon coupling reactions
	A127 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 7

### Contents

X. Borde, C. Nugier-Chauvin, N. Noiret and H. Patin	v Contributors to this issue
Z. Shen, W. Huang, J. Feng and Y. Zhang	vii Graphical abstracts
K. Matoishi, A. Sano, N. Imai, T. Yamazaki, M. Yokoyama, T. Sugai and H. Ohta	1085 Corrigendum
H. Frauenrath, S. Reim and A. Wiesner	1087 <b>COMMUNICATIONS</b> ( <i>R</i> )- and ( <i>S</i> )- $\alpha$ -Methoxy-(1-naphthyl) acetic acids: resolution by fractional crystallization and use for the NMR stereochemical analysis of alkylsulfoxides
C. S. Ashvar, P. J. Stephens, T. Eggiman and H. Wieser	1091 Chiral oxazaborolidines bearing a 1- or 2-naphthylmethyl group as catalysts for the enantioselective borane reduction of ketones: experimental and quantum chemical calculations
	1097 <i>Rhodococcus rhodochrous</i> IFO 15564-mediated hydrolysis of alicyclic nitriles and amides: stereoselectivity and use for kinetic resolution and asymmetrization
	1103 Asymmetric double-bond isomerization of cyclic allyl acetals by using diop and chiraphos modified nickel complexes
	1107 Vibrational circular dichroism spectroscopy of chiral pheromones: frontalin (1,5-dimethyl-6,8-dioxabicyclo[3.2.1]octane)

<b>M. Shaharuzzaman, J. Braddock-Wilking, J. S. Chickos, C. N. Tam, R. A. G. D. Silva and T. A. Keiderling</b>	1111 The regiochemistry of reduction of mono-ethyl fumarate and maleate using a ruthenium BINAP catalyst
<b>M. Breznik, A. Mrcina and D. Kikelj</b>	1115 Enantioselective synthesis of ( <i>R</i> )- and ( <i>S</i> )-2-methyl-3-oxo-3,4-dihydro-2 <i>H</i> -1,4-benzoxazine-2-carboxamides
<b>M. Carda, E. Castillo, S. Rodríguez, J. Murga and J. A. Marco</b>	1117 Stereoselective indium-mediated allylation of erythrulose derivatives in aqueous media
<b>W. Adam, R. T. Fell, A. Léval, T. Patonay, K. Peters, A. Simon and G. Tóth</b>	1121 Enantioselective epoxidation of isoflavones by Jacobsen's Mn(III)salen catalysts and dimethyldioxirane oxygen-atom source
<b>G. Guillena and C. Nájera</b>	1125 ( <i>4R,5S</i> )-1,5-Dimethyl-4-phenylimidazolidin-2-one as a chiral auxiliary for the diastereoselective alkylation of a new iminic glycine derivative: practical asymmetric synthesis of $\alpha$ -amino acids
<b>V. Atlan, S. Racouchot, M. Rubin, C. Bremer, J. Ollivier, A. de Melijere and J. Salaün</b>	1131 Diastereoselective palladium(0)-catalyzed azidation of 1-alkenylcyclopropyl esters: asymmetric synthesis of ( <i>–</i> )-(1 <i>R,2S</i> )-norcoronamic acid
<b>ARTICLES</b>	
<b>D. Ma and J. Jiang</b>	1137 Pd/Cu-catalyzed couplings of $\beta$ -amino esters with aryl bromides. Synthesis of chiral 1,2,3,4-tetrahydro-4-oxo-2-alkyl-1-quinolines
<b>L. Schwink, T. Ireland, K. Püntener and P. Knochel</b>	1143 New $C_2$ -symmetrical ferrocenyl diamines as ligands for ruthenium catalyzed transfer hydrogenation
<b>H. Nishikori, K. Ito and T. Katsuki</b>	1165 A short-step synthesis of <i>trans</i> -whisky lactone by an asymmetric Michael reaction
<b>J. Drabowicz, B. Dudziński, M. Mikolajczyk, M. W. Wieczorek and W. R. Majzner</b>	1171 Crystal and molecular structure of the levorotatory (1 <i>R,2S</i> )-ephedrinium ( <i>S</i> )- <i>t</i> -butylsulfinylacetate: a definitive proof of the absolute configuration of enantiomeric <i>t</i> -butyl methyl sulfoxides
<b>F.-Y. Zhang and A. S. C. Chan</b>	1179 Enantioselective conjugate addition of diethylzinc to cyclic enones catalyzed by chiral copper complexes containing a new phosphorus ligand with an H <sub>8</sub> -binaphthoxy moiety
<b>P. Kremminger and K. Undheim</b>	1183 Synthesis of orthogonally protected hydroxylated azalkene- $\alpha,\alpha'$ -bridged bis( $\alpha$ -glycine) and dihydroxylysine derivatives
<b>G. Varadharaj, K. Hazell and C. D. Reeve</b>	1191 An efficient preparative scale resolution of 3-phenylbutyric acid by lipase from <i>Burkholderia cepacia</i> (Chirazyme L1)
<b>J. You, X. Yu, X. Li, Q. Yan and R. Xie</b>	1197 Enantioselective hydrolysis of long chain $\alpha$ -amino acid esters by chiral sulfur-containing macrocyclic metallomicelles
<b>G. Colombo, G. Ottolina, G. Carrea, A. Bernardi and C. Scolastico</b>	1205 Application of structure-based thermodynamic calculations to the rationalization of the enantioselectivity of subtilisin in organic solvents
<b>S. S. Kinderman and B. L. Feringa</b>	1215 Asymmetric synthesis of acetomyycin
<b>A. Z.-Q. Khan, R. W. de Groot, P. I. Arvidsson and Ö. Davidsson</b>	1223 A new chiral lithium amide based on ( <i>S</i> )-2-[1-(3,3-dimethyl)pyrrolidinylmethyl]pyrrolidine—synthesis, NMR studies and use in the enantioselective deprotonation of cyclohexene oxide
<b>K. Woydowski, B. Ziemer and J. Liebscher</b>	1231 Optically active $\alpha$ -hydroxy- $\alpha$ -(tetrahydroquinoxalin-3-on-2-yl)esters by ring transformation of ( <i>R,R</i> )-diethyl oxirane-2,3-dicarboxylate
<b>M. A. Brimble, J. F. McEwan and P. Turner</b>	1239 Asymmetric Diels–Alder addition of cyclopentadiene to chiral naphthoquinones
<b>M. A. Brimble, J. F. McEwan and P. Turner</b>	1257 Asymmetric Michael addition of 2-trimethylsilyloxyfuran to chiral naphthoquinones
<b>P. A. Zunszain and O. Varela</b>	1269 Straightforward synthesis of a derivative of pururosamine C from D-galactose
	A153 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

# NUMBER 8

## Contents

- v Contributors to this issue  
vii Graphical abstracts  
1277 Corrigendum
- O. I. Kolodiazhnyi**
- N. Langlois**
- B.-C. Chen, S. L. Quinlan, J. G. Reid, P. A. Jass, T. P. Robinson, W. A. Early, E. J. Delaney, M. J. Humora, G. D. Madding, J. Venit and W. J. Winter**
- N. Sewald and V. Wendisch**
- S. Sankaranarayanan and S. Chattopadhyay**
- M. Furuyama and I. Shimizu**
- C. André, J. Bolte and C. Demuynck**
- J. Harren, A. Sobanski, M. Nieger, C. Yamamoto, Y. Okamoto and F. Vögtle**
- W. Gu, X. She, X. Pan and T.-K. Yang**
- G. Fontana, P. Manitto, G. Speranza and S. Zanzola**
- F. Molinari, E. G. Occhiato, F. Aragozzini and A. Guarna**
- A. T. Ung and S. G. Pyne**
- M. Kossenjans and J. Martens**
- M. Falorni, G. Dettori and G. Giacomelli**
- J. Clayden, C. McCarthy and J. G. Cumming**
- W. Wu and Y. Zhang**
- T. Morita, T. Arai, H. Sasai and M. Shibasaki**
- T. Taniguchi, M. Takeuchi and K. Ogasawara**
- TETRAHEDRON: ASYMMETRY REPORT NUMBER 35**  
1279 Asymmetric synthesis of organophosphorus compounds
- COMMUNICATIONS**  
1333 Synthesis of the nonproteinogenic amino acid (2S,3S,4S)-3-hydroxy-4-methylproline, a constituent of echinocandins
- 1337 Regio- and stereoselective ring opening of epoxide with cyanoguanidine dianions, a facile synthesis of the  $K_{ATP}$  opener BMS-180448
- 1341 Enantioselective copper(I) catalyzed 1,4-addition of diethylzinc to nitroolefins
- ARTICLES**  
1345 Asymmetric synthesis of a cytotoxic amide of *Telesto riisei*
- 1351 A short enantioselective synthesis of a component of cryptophycin A and arenastatin A
- 1359 Syntheses of L-threose and D-erythrose analogues modified at position 2
- 1369 A triple layered helical chiral cyclophane—one-pot synthesis, enantiomer separation and chiroptical properties
- 1377 Enantioselective syntheses of (S)- and (R)-8,9-dihydroxydihydromagnolol
- 1381 Enantioselectivity in the reduction of tricyclic hydroaromatic ketones by baker's yeast
- 1389 Microbial biotransformations in water/organic solvent system. Enantioselective reduction of aromatic  $\beta$ - and  $\gamma$ -nitroketones
- 1395 Asymmetric synthesis of (1*R*,2*S*,3*R*)-2-acetyl-4-(1,2,3,4-tetrahydroxybutyl)-thiazole
- 1409 Synthesis of  $C_2$ -symmetrical bis- $\beta$ -amino alcohols from (R)-cysteine and their application in enantioselective catalysis
- 1419 Synthesis of new oxazole-containing peptidomimetics
- 1427 (S)-2-(Dibenzylamino)-3-phenylpropanal as a chiral auxiliary: a new strategy for the asymmetric synthesis of 2-substituted alcohols
- 1441 Enantioselective synthesis of  $\alpha$ -amino acids in chiral reverse micelles
- 1445 Utilization of heterobimetallic complexes as Lewis acids
- 1451 A furan route to (–)-*exo*-isobrevicomin
- A177 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

# NUMBER 9

## Contents

L. Pu	v	Contributors to this issue
	vii	Graphical abstracts
A. Mandoli, D. Pini, S. Orlandi, F. Mazzini and P. Salvadori	1457	<b>TETRAHEDRON: ASYMMETRY REPORT NUMBER 36</b> Recent developments in asymmetric catalysis using synthetic polymers with main chain chirality
S. D. Bull, S. G. Davies, D. J. Fox and T. G. R. Sellers	1479	<b>COMMUNICATIONS</b> A first example of macromolecular Ti(IV) Lewis acid in the catalytic enantioselective Mukaiyama reaction
B. T. Cho and Y. S. Chun	1483	Chiral relay effects influence the facial selectivity of <i>N</i> -alkylated 5-phenylmorpholin-2-one enolates
M. Tabcheh, C. Guibourdenche, L. Pappalardo, M.-L. Roumestant and P. Vialefont	1489	Enantioselective addition of diethylzinc to aldehydes catalyzed by a new chiral $\beta$ -amino alcohol derived from D-mannitol
C. Baldoli, P. Del Buttero, S. Maiorana, G. Ottolina and S. Riva	1493	Diastereoselective protonation of enolates of chiral Schiff bases
K. Beck-Piotraschke and H.-D. Jakubke	1497	<b>ARTICLES</b> Studies on enantiotopic differentiation in the horse liver alcohol dehydrogenase catalysed reduction of chiral tricarbonyl( $\eta^6$ -benzaldehyde)-chromium complexes
H.-J. Altenbach and G. Blanda	1505	Protease-catalysed synthesis of peptides containing histidine and lysine
Z. Xiong, G. Zhou, J. Yang, Y. Chen and Y. Li	1519	A novel building block for the synthesis of isofagomim analogues
J.-D. Charrier, A. Reliquet and J. C. Meslin	1525	An efficient stereocontrolled synthesis of ( $-$ )-10- <i>epi</i> -5 $\beta$ ,11-dihydroxy-eudesmane and ( $-$ )-4,10- <i>epi</i> -5 $\beta$ ,11-dihydroxyeudesmane
P. Moussou, A. Archelas, J. Baratti and R. Furstoss	1531	Diastereoselective synthesis of 3,6-dihydro-2 <i>H</i> -1,3,4-thiadiazines
M. Hartl and H.-U. Humpf	1539	Microbiological transformations. Part 39: Determination of the regioselectivity occurring during oxirane ring opening by epoxide hydrolases: a theoretical analysis and a new method for its determination
G. Zhao, Q.-G. Wang and T. C. W. Mak	1549	Assigning the absolute configuration of fumonisins by the circular dichroism exciton chirality method
J. K. Karjalainen, O. E. O. Hormi and D. C. Sherrington	1557	Isolation and absolute configurations of diastereomers of a dimeric chloro-bridged planar chiral cyclopalladated derivative of ferrocene
M. C. Aversa, A. Barattucci, P. Bonaccorsi, P. Giannetto, M. Panzalorto and S. Rizzo	1563	Highly efficient heterogeneous polymer-supported Sharpless alkene epoxidation catalysts
J. Aleu, G. Fronza, C. Fuganti, V. Perozzo and S. Serra	1577	Diels–Alder reactions of ( <i>R</i> <sub>s</sub> )-3-[ <i>(1S)</i> -isoborneol-10-sulfinyl]-1-methoxybuta-1,3-dienes with electron-deficient carbodienophiles. The effects of Lewis acid catalysis
S. Nazabadioko, R. J. Pérez, R. Brieva and V. Gotor	1589	On the baker's yeast mediated transformation of $\alpha$ -bromoenones. Synthesis of ( <i>1S,2R</i> )-2-bromoindan-1-ol and ( <i>2S,3S</i> )-3-bromo-4-phenylbutan-2-ol
E. Brown, C. Deroye and J. Touet	1597	Chemoenzymatic synthesis of ( <i>S</i> )-2-cyanopiperidine, a key intermediate in the route to ( <i>S</i> )-pipecolic acid and 2-substituted piperidine alkaloids
M. D. Rozwadowska	1605	Synthesis of versatile chiral intermediates by enantioselective conjugate addition of alkenyl Grignard reagents to enamides deriving from ( <i>R</i> )- $(--)$ or ( <i>S</i> )- $(+)$ -2-aminobutan-1-ol
J.-M. Devaux, J. Goré and J.-M. Vatèle	1615	A concise synthesis of ( <i>R</i> )- $(+)$ -phenylalaninol from ( <i>1S,2S</i> )- $(+)$ -thiomicamine
Z. Łotowski, J. W. Morzycki and R. R. Siciński	1619	Enantioselective synthesis of 2-allyl and 2-(3-trimethylsilylpropargyl)-2-hydroxycyclohexanone using osmium-catalyzed asymmetric dihydroxylation
	1627	Preparation of 7 $\alpha$ - and 7 $\beta$ -methylcholestane derivatives by kinetic separation of the diastereomeric mixture

A201	Stereochemistry abstracts
I	Instructions to contributors
V	Cumulative author index

## NUMBER 10

### Contents

**H.-L. Huang, L. T. Liu, S.-F. Chen and H. Ku**

**B.-C. Chen, M. S. Bednarz, O. R. Kocy and J. E. Sundeen**

**O. I. Kolodiazhnyi, E. V. Grishkun, S. Sheiko, O. Demchuk, H. Thoennessen, P. G. Jones and R. Schmutzler**

**F. Xu, R. D. Tillyer, D. M. Tschaen, E. J. J. Grabowski and P. J. Reider**

**M. Amadji, D. Cahard, J.-D. Moriggi, L. Toupet and J.-C. Plaquevent**

**A. Flores-Parra, P. Suárez-Moreno, S. A. Sánchez-Ruiz, M. Tlahuextl, J. Jaen-Gaspar, H. Tlahuextl, R. Salas-Coronado, A. Cruz, H. Nöth and R. Contreras**

**A. S. Demir, H. Hamamci, C. Tanyeli, I. M. Akhmedov and F. Doganel**

**J. A. Marco, M. Carda, J. Murga, S. Rodríguez, E. Falomir and M. Oliva**

**M. Carda, J. Murga, S. Rodríguez, F. González, E. Castillo and J. A. Marco**

**S. Yamada, K. Morimatsu, R. Yoshioka, Y. Ozaki and H. Seko**

**J. E. Oliver and W. F. Schmidt**

**T. Isobe, K. Fukuda and T. Ishikawa**

**A. García Martínez, E. Teso Vilar, A. García Fralle, S. de la Moya Cerero and P. Martínez Ruiz**

**X.-L. Hou, J. Wu, L.-X. Dai, L.-J. Xia and M.-H. Tang**

**L. Lecomte, V. Rolland-Fulcrand, M. L. Roumestant, Ph. Viallefond and J. Martinez**

**P. Merino, E. Castillo, S. Franco, F. L. Merchan and T. Tejero**

v	Contributors to this issue
vii	Graphical abstracts
1635	Corrigendum
<b>COMMUNICATIONS</b>	
1637	The synthesis of a chiral fluoxetine intermediate by catalytic enantioselective hydrogenation of benzoylacetamide
1641	A new highly enantioselective synthesis of both ( <i>R</i> )- and ( <i>S</i> )-2-mercaptop-succinic acids
1645	Chiral symmetric phosphoric acid esters as sources of optically active organophosphorus compounds
<b>ARTICLES</b>	
1651	Enantioselective 1,4-addition of aryllithium reagents to $\alpha,\beta$ -unsaturated <i>tert</i> -butyl esters in the presence of chiral additives
1657	Chirons in the 1,3-dioxane series: stereospecific cross-coupling reactions and chirality transfers
1661	Chlorination reactions of ephedrines revisited. Stereochemistry and functional groups effect on the reaction mechanisms
1673	Synthesis and <i>Rhizopus oryzae</i> mediated enantioselective hydrolysis of $\alpha$ -acetoxy aryl alkyl ketones
1679	Diastereoselectivity of the reactions of organolithium reagents with protected erythrulose oximes
1703	Stereoselective synthesis of $\alpha$ -substituted serines from protected erythrulose oximes
1713	First practical resolution of a 3-(4-methoxyphenyl)glycidic acid ester by preferential crystallization and synthesis of diltiazem
1723	Chiral 3-(hydroxymethyl)oxiranecarboxylic acids via the Jovic reaction
1729	Simple preparation of chiral 1,3-dimethyl-2-iminoimidazolidines (monocyclic guanidines) and applications to asymmetric alkylative esterification
1737	Synthesis of enantiopure norbornane derivatives. Effect of bridgehead substituent on the $\pi$ -facial selectivity of the reduction of 2-norbornanones and their oximes
1747	Desymmetric ring-opening of <i>meso</i> -epoxides with anilines: a simple way to chiral $\beta$ -amino alcohols
1753	Chemoenzymatic synthesis of the two enantiomers of 7-azatryptophan
1759	Ready access to enantiopure 5-substituted-3-pyrrolin-2-ones from <i>N</i> -benzyl-2,3- <i>O</i> -isopropylidene-D-glyceraldehyde nitronate (BIGN)

<b>D. T. Gryko, P. Piątek, P. Sałarński and J. Jurczak</b>	1771	The use of the Mitsunobu reaction in preparation of chiral synthons for macrocyclic frameworks
<b>M. Ogasawara, K. Yoshida, H. Kamei, K. Kato, Y. Uozumi and T. Hayashi</b>	1779	Synthesis and application of novel chiral phosphino-oxazoline ligands with 1,1'-binaphthyl skeleton
<b>H. Akita, M. Nozawa and H. Shimizu</b>	1789	Synthesis of decalin type chiral synthons based on enzymatic functionalisation and their application to the synthesis of (−)-ambrox and (+)-zonanol
<b>V. K. Aggarwal, J. G. Ford, R. V. H. Jones and R. Fieldhouse</b>	1801	Camphor derived 1,4-oxathianes for carbonyl epoxidation
<b>L. Carrillo, D. Badía, E. Domínguez, I. Tellitu and J. L. Vicario</b>	1809	Stereochemical studies on the synthesis of 1,2,3,4-tetrahydroisoquinolin-4-ols
<b>L. Palombi, F. Bonadies, A. Pazienza and A. Scettri</b>	1817	A convenient approach to chiral sulfoxides by enantioselective oxidation with a steroid furylhydroperoxide
<b>D. Gardette, Y. Gelas-Mialhe, J.-C. Gramain, B. Perrin and R. Remuson</b>	1823	Enantioselective synthesis of the quinolizidine alkaloids (+)-myrtine and (−)-epimyrtine
	A225	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

## NUMBER 11

### Contents

<b>N. I. Bowers, D. R. Boyd, N. D. Sharma, M. A. Kennedy, G. N. Sheldrake and H. Dalton</b>	v	Contributors to this issue
<b>S. Han, G. Lin and Z. Li</b>	vii	Graphical abstracts
<b>M. Cleij, A. Archelas and R. Furstoss</b>	1829	Corrigendum
<b>P. S. Savile, M. J. Lamoreaux, J. F. Berry and R. D. Gandour</b>	1831	<b>COMMUNICATIONS</b> Stereoselective <i>cis</i> -dihydroxylation of azulene and related non-aromatic polyenes
<b>S. Jamal Aboulhoda, I. Reiners, J. Wilken, F. Hénin, J. Martens and J. Muzart</b>	1835	Synthesis of ( <i>R</i> )-cyanohydrins by crude ( <i>R</i> )-oxynitrilase-catalyzed reactions in micro-aqueous medium
<b>H. Koshima, S. I. Khan and M. A. Garcia-Garibay</b>	1839	Microbiological transformations. Part 42: A two-liquid-phase preparative scale process for an epoxide hydrolase catalysed resolution of <i>para</i> -bromo- $\alpha$ -methyl styrene oxide. Occurrence of a surprising enantioselectivity enhancement
<b>J. J. Wen and C. M. Crews</b>	1843	A convenient resolution of long-chain alkyl epoxides with Jacobsen's salen(Co)III(OAc) catalysts
<b>G. Guanti, E. Narisano and R. Riva</b>	1847	$\beta$ -Amino tertiary cycloalkanols for the enantioselective protonation of enolic species produced by a palladium-induced cascade reaction
<b>M. Hayashi, Y. Hashimoto, H. Takezaki, Y. Watanabe and K. Saigo</b>	1851	Chiral crystalline salts from achiral biphenylcarboxylic acids and tryptamine
<b>U. Englert, A. Salzer and D. Vasen</b>	1855	Synthesis of 9-fluorenylmethoxycarbonyl-protected amino aldehydes
	1859	Lipase mediated preparation of differently protected homochiral 2-aryl-2-fluoro-1,3-propanediols
	1863	A novel optically active bisphosphine ligand CDP, derived from an anti head-to-head coumarin dimer: synthesis and application to the rhodium-catalyzed asymmetric hydrogenation of arlenamides
	1867	Enantiospecific nucleophilic substitution of the dimethylamino group in ( <i>R</i> )-tricarbonyl[-((1-dimethylamino)ethyl]- $\eta^6$ -benzene]chromium

	<b>ARTICLES</b>
P. Lesot, D. Merlet, A. Loewenstein and J. Courtieu	1871 Enantiomeric visualization using proton-decoupled natural abundance deuterium NMR in poly( $\gamma$ -benzyl-L-glutamate) liquid crystalline solutions
M. A. Hena, S. Terauchi, C.-S. Kim, M. Horike and S. Kiyooka	1883 Highly enantioselective synthesis of <i>syn</i> - and <i>anti</i> -propionate aldols without diastereoselection in the chiral oxazaborolidinone-promoted aldol reaction with a silyl ketene acetal derived from ethyl 2-(methylthio)propionate
Z. Hameršak, A. Selestrin, A. Lesac and V. Šunjić	1891 Conformational study of $\alpha$ -arylethylamides of (–)-camphanic acid
J. Beecher and A. Willetts	1899 Biotransformation of organic sulfides. Predictive active site models for sulfoxidation catalysed by 2,5-diketocamphane 1,2-monoxygenase and 3,6-diketocamphane 1,6-monoxygenase, enantiocomplementary enzymes from <i>Pseudomonas putida</i> NCIMB 10007
V. V. Dunina, L. G. Kuz'mina, A. G. Parfyonov and Yu. K. Grishin	1917 Stereospecific co-crystallization of reactant and palladium complex in the resolution of stilbendiamine using N*-chiral <i>ortho</i> -palladated matrix
Y. Chen, Z. Xiong, G. Zhou, L. Liu and Y. Li	1923 Total synthesis and stereochemistry of 13-hydroxy- $\alpha$ -eudesmol
C. Botuha, M. Haddad and M. Larchevêque	1929 Synthesis of <i>R</i> -(–)-2-phenylpropanal: a potentially new route towards chiral 2-phenylalkanals
G. Chelucci, D. Berta, D. Fabbri, G. A. Pinna, A. Saba and F. Uligheri	1933 Enantioselective addition of diethylzinc to benzaldehyde in the presence of sulfur-containing pyridine ligands
J.-M. Brunel, T. O. Luukas and H. B. Kagan	1941 Nonlinear effects as 'indicators' in the tuning of asymmetric catalysts
A. Cawley, J. P. Duxbury and T. P. Kee	1947 NMR determination of enantiopurity via chiral derivatisation. $de_{(measured)} = ee_{(substrate)}$ ?
F. Sánchez-Sancho and B. Herradón	1951 Short syntheses of ( <i>S</i> )-pipecolic acid, ( <i>R</i> )-coniine, and ( <i>S</i> )- $\delta$ -coniceine using biocatalytically-generated chiral building blocks
A. López and R. Pleixats	1967 Highly diastereoselective monoalkylation and Michael addition of <i>N</i> -(diphenylmethylene)glycinesultam under solid–liquid phase-transfer catalysis conditions using potassium carbonate as base
H. Ito, A. Saito and T. Taguchi	1979 Asymmetric Diels–Alder reactions of 2-fluoroacrylic acid derivatives. Part 1: The construction of fluorine substituted chiral tertiary carbon
H. Ito, A. Saito and T. Taguchi	1989 Asymmetric Diels–Alder reactions of 2-fluoroacrylic acid derivatives. Part 2: A remarkable effect of fluorine substituent on the diastereoselectivity
J. E. H. Buston, I. Coldham and K. R. Mulholland	1995 Studies into the asymmetric Meisenheimer rearrangement
	A269 Stereochemistry abstracts
	I Tetrahedron: <i>Asymmetry</i> reports
	III Instructions to contributors
	IX Cumulative author index

## NUMBER 12

### Contents

L. E. Brammer Jr. and T. Hudlicky	v Contributors to this issue
D. J. Bayston, C. B. Travers and M. E. C. Polywka	vii Graphical abstracts
	<b>COMMUNICATIONS</b>
	2011 Inositol synthesis: concise preparation of <i>L</i> - <i>chiro</i> -inositol and <i>muco</i> -inositol from a common intermediate
	2015 Synthesis and evaluation of a chiral heterogeneous transfer hydrogenation catalyst

J. K. Karjalainen, O. E. O. Hormi and D. C. Sherrington	2019 Heterogeneous asymmetric epoxidation of <i>cis</i> -allylic alcohols: use of polymer-supported Ti(IV)-catalyst
G. B. Jones and M. Guzel	2023 Enantioselective cycloadditions catalyzed by face resolved arene chromium carbonyl complexes
D. Gnecco, C. Marazano, R. G. Enríquez, J. L. Terán, M. del Rayo Sánchez S. and A. Galindo	<b>ARTICLES</b>
S. Pinheiro, F. M. C. de Farias, A. S. Saraiva and M. P. A. Campos	2027 Oxidation of chiral non-racemic pyridinium salts to enantiopure 2-pyridone and 3-alkyl-2-pyridones
H. Mahmoud, Y. Han, B. M. Segal and L. Cai	2031 A short asymmetric synthesis of 4,4-disubstituted- $\gamma$ -butyrolactones from racemic 2-methylcyclohexanone in multigram scale
D. W. Armstrong, J. T. Lee and L. W. Chang	2035 Chiral enrichment of 2-amino-2'-hydroxy-1,1'-binaphthyl
P. Camps, F. Pérez and N. Soldevilla	2043 Enantiomeric impurities in chiral catalysts, auxiliaries and synthons used in enantioselective synthesis
W. G. Jary and J. Baumgartner	2065 ( <i>R</i> )- and ( <i>S</i> )-3-Hydroxy-4,4-dimethyl-1-phenyl-2-pyrrolidinone as chiral auxiliaries in the enantioselective preparation of $\alpha$ -aryloxypropanoic acid herbicides and $\alpha$ -chlorocarboxylic acids
M. Murakata, T. Jono and O. Hoshino	2081 Asymmetric dihydroxylation reactions leading to novel chiral ferrocene derivatives
C. Anaya de Parrodi, G. E. Moreno, L. Quintero and E. Juaristi	2087 Enantioselective radical-mediated allylation of $\alpha$ -iododihydrocoumarins using Lewis acids generated from chiral sulfonamides
H. Tamiaki, M. Kouraba, K. Takeda, S. Kondo and R. Tanikaga	2093 Application of phosphorylated reagents derived from <i>N,N</i> '-di-[ <i>(S</i> )- $\alpha$ -phenylethyl]-cyclohexane-1,2-diamines in the determination of the enantiomeric purity of chiral alcohols
D. Colombo, F. Ronchetti, A. Scala and L. Toma	2101 Asymmetric synthesis of methyl bacteriopheophorbide- <i>d</i> and analogues by stereoselective reduction of the 3-acetyl to the 3-(1-hydroxyethyl) group
S. Collet, P. Bauchat, R. Danion-Bougot and D. Danion	2113 Bioactive glycoglycerolipid analogues: an expeditious enzymatic approach to mono- and diesters of 2-O- $\beta$ -D-galactosylglycerol
M. Prashad, D. Har, O. Repic, T. J. Blacklock and P. Giannousis	2121 Stereoselective, nonracemic synthesis of $\omega$ -borono- $\alpha$ -amino acids
J. C. Estevez, J. W. Burton, R. J. Estevez, H. Ardron, M. R. Wormald, R. A. Dwek, D. Brown and G. W. J. Fleet	2133 Enzymatic resolution of ( $\pm$ )- <i>threo</i> -methylphenidate
D. Enders, R. Maaßen and J. Rumsink	2137 Spirodiketopiperazines of mannofuranose: carbopeptoid $\alpha$ -amino acid esters at the anomeric position of mannofuranose
P. Bataille, M. Paterne and E. Brown	2155 First asymmetric nucleophilic displacement reactions on chiral $\alpha$ -substituted aldehyde hydrazones
	2181 Enantioselective syntheses of $\alpha$ -phenylalkanamines via intermediate addition of Grignard reagents to chiral hydrazones derived from ( <i>R</i> )-(-)-2-amino-1-ol
	A297 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 13

### Contents

- v Contributors to this issue
- vii Graphical abstracts

	<b>COMMUNICATIONS</b>
<b>P. Ferraboschi, S. Rezaelahi, E. Verza and E. Santaniello</b>	2193 Lipase-catalyzed resolution of stereogenic centers in steroid side chains by transesterification in organic solvents: the case of a 26-hydroxycholesterol
<b>A. Soriente, M. De Rosa, P. Dovinola, G. Sodano and A. Scettri</b>	2197 An easy approach to chiral non-racemic 6-(furan-3-yl)-5,6-dihydro-pyran-2-ones
<b>T. Balasubramanian and A. Hassner</b>	2201 Asymmetric synthesis of functionalized piperidine derivatives: synthesis of ( <i>S</i> )-anatabine
<b>S. Malfait, L. Pélinski and J. Brocard</b>	2207 Highly chemo- and diastereoselective addition of diethylzinc through intramolecular autoactivation of enantiopure 2-acyl-1-formylferrocene: application to the synthesis of optically pure 1,2-diacylferrocenes
<b>T. Abellán, C. Nájera and J. M. Sansano</b>	2211 New chiral alanine template with a 1,2,3,6-tetrahydro-2-pyrazinone structure for the asymmetric synthesis of $\alpha$ -methyl $\alpha$ -amino acids
<b>T. Sugahara and K. Ogasawara</b>	2215 A new stereocontrolled route to (+)-cucuphenol, a phenolic sesquiterpene from the marine sponge <i>Didiscus flavus</i>
<b>K. Kinbara, Y. Harada and K. Saigo</b>	2219 (2-Naphthyl)glycolic acid: a tailored resolving agent for <i>p</i> -substituted 1-arylethylamines
<b>R. Chinchilla, L. R. Falvello, N. Galindo and C. Nájera</b>	2223 Asymmetric synthesis of substituted 1-aminocyclopropane-1-carboxylic acids from a new chiral glycine equivalent with 3,6-dihydro-2 <i>H</i> -1,4-oxazin-2-one structure
<b>S. Conde, M. Fierros, M. I. Rodríguez-Franco and C. Puig</b>	2229 Resolution of 1-(4-amino-3-chloro-5-cyanophenyl)-2-bromo-1-ethanol by lipase mediated enantioselective alcoholysis, hydrolysis and acylation
<b>A. Hercouet, N. Godbert and M. Le Corre</b>	2233 Enantiospecific synthesis of norcoronamic acids
	<b>ARTICLES</b>
<b>E. V. Dehmlow, R. Klauck, S. Düttmann, B. Neumann and H.-G. Stammier</b>	2235 Revisiting optically active quaternary derivatives made from prolinol as phase transfer catalysts
<b>A. R. Katritzky, D. C. Aslan and D. C. Oniciu</b>	2245 Stereoselective synthesis of 2-( $\alpha$ -hydroxyalkyl)benzimidazoles
<b>G. Zhao, Q.-G. Wang and T. C. W. Mak</b>	2253 Synthesis of optically-active planar chiral derivatives of ferrocene. Crystal structures of alkyne insertion products
<b>G. Surpateanu, F. Agbossou, J.-F. Carpentier and A. Mortreux</b>	2259 Rhodium dihydride complexes as models for the theoretical analysis of enantioselective hydrogenation reactions
<b>L.-S. Li, Y. Wu, Y.-J. Hu, L.-J. Xia and Y.-L. Wu</b>	2271 Asymmetric hetero-Diels–Alder reaction of 1-alkyl-3-silyloxy-1,3-dienes with ethyl glyoxylate catalyzed by a chiral (salen)cobalt(II) complex
<b>P. Le Gendre, M. Offenbecher, C. Bruneau and P. H. Dixneuf</b>	2279 New optically active amido-phosphinite ligand and ruthenium complexes
<b>A. Imura, M. Itoh and A. Miyadera</b>	2285 Enantioselective synthesis of 20( <i>S</i> )-camptothecin using an enzyme-catalyzed resolution
<b>A. Bigi, A. Mordini, A. Thurner, F. Faigl, G. Poli and L. Tóke</b>	2293 Kinetic resolution of racemic alkoxy oxiranes by chiral lithium amides
<b>F.-R. Alexandre and F. Huet</b>	2301 Asymmetrication of meso-1,3-diols utilising <i>Pseudomonas fluorescens</i> lipase
<b>S. Sengupta, D. Sen Sarma and S. Mondal</b>	2311 $\gamma$ -Chiral $\beta$ -ketosulfones in asymmetric synthesis: a unified synthetic strategy for enantiopure $\gamma$ -amino and $\gamma$ -hydroxy vinyl sulfones
<b>M. Fogagnolo, P. P. Giovannini, A. Guerrini, A. Medici, P. Pedrini and N. Colombi</b>	2317 Homochiral ( <i>R</i> )- and ( <i>S</i> )-1-heteraryl- and 1-aryl-2-propanols via microbial redox
<b>S. Hannour, M.-L. Roumestant, P. Viallefond, C. Riche, J. Martinez, A. El Hallaoui and F. Ouazzani</b>	2329 Asymmetric synthesis of (2 <i>S</i> ,3 <i>R</i> ,4 <i>R</i> )-ethoxycarbonylcyclopropyl phosphonoglycine
<b>A. H. Fauq, C. Ziani-Cherif and E. Richelson</b>	2333 Synthesis of ( <i>S</i> )- and ( <i>R</i> )-enantiomers of <i>p</i> -(4-hydroxybenzoyl)phenylalanine, useful photoaffinity labeling probes for peptide–protein binding sites
<b>M. Péter, J. Van der Eycken, G. Bernáth and F. Fülöp</b>	2339 Enzymatic resolution of alicyclic 1,3-amino alcohols in organic media
<b>J. Christoffers and U. Rößler</b>	2349 Novel synthesis of chiral, enantiomerically pure thiodiglycols and diglycols

<b>K. Hammer and K. Undheim</b>	2359 Hydroxymethylated cyclic $\alpha$ -amino acid dipeptides by ruthenium ring closing metathesis
<b>S. Mahboobi, A. Popp, T. Burgemeister and D. Schollmeyer</b>	2369 Diastereoselective synthesis of ( $-$ )-1-methyl-( <i>3S,4R</i> )-3,4-bis( <i>(2S)</i> - <i>N</i> -( <i>tert</i> -butyloxycarbonyl)pyrrolidin-2-yl)-2-pyrrolidinone by an asymmetric Michael reaction
	A319 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 14

### Contents

<b>C. J. Richards and A. J. Locke</b>	v Contributors to this issue
	vii Graphical abstracts
	<b>TETRAHEDRON: ASYMMETRY REPORT NUMBER 37</b>
<b>E. Keller, J. Maurer, R. Naasz, T. Schader, A. Meetsma and B. L. Feringa</b>	2377 Recent advances in the generation of non-racemic ferrocene derivatives and their application to asymmetric synthesis
	<b>COMMUNICATIONS</b>
<b>G. Zhu and X. Zhang</b>	2409 Unexpected enhancement of enantioselectivity in copper(II) catalyzed conjugate addition of diethylzinc to cyclic enones with novel TADDOL phosphorus amidite ligands
<b>M. Amat, J. Hidalgo, N. Llor and J. Bosch</b>	2415 Additive effects in Ir-BICP catalyzed asymmetric hydrogenation of imines
<b>D. S. Matteson and J. Lu</b>	2419 Enantioselective synthesis of the <i>trans</i> -2,6-dialkylpiperidine alkaloids ( <i>2R,6R</i> )-lupetidine and ( <i>2R,6R</i> )-solenopsin A
	<b>ARTICLES</b>
<b>J. L. García Ruano, A. Lorente and J. H. Rodríguez Ramos</b>	2423 Asymmetric synthesis of 1-acyl-3,4-disubstituted pyrrolidine-2-boronic acid derivatives
<b>Y.-M. Zhang, A. Brodzky and P. Sinaÿ</b>	2437 Synthesis of enantiomerically pure acyclic $\alpha$ -sulfinyl ketimines
<b>K. Burgess and A. M. Porte</b>	2451 Synthesis of mono-, di- and trisulfated Lewis x trisaccharides
<b>R. Lenz, S. V. Ley, D. R. Owen and S. L. Warriner</b>	2465 Application of novel phosphine oxazoline ligands in asymmetric allylations of 4-acyloxy-2-pentene derivatives
<b>L. Banfi, G. Guanti, A. Mugnoli and R. Riva</b>	2471 Stereoelectronic effects in the reactions of conformationally restricted, substituted cyclohexane-1,2-diones with 1,2-diols
<b>J. M. Andrés and R. Pedrosa</b>	2481 Lipase catalyzed asymmetric resolution of quinolyl substituted 1,3-propanediols
<b>T. Kanger, P. Niidas, A.-M. Müürisepp, T. Pehk and M. Lopp</b>	2493 A facile stereodivergent synthesis of <i>threo</i> - and <i>erythro</i> - <i>N,N</i> -dibenzyl sphingosines from ( <i>S</i> )- <i>N,N</i> -dibenzyl- <i>O</i> -TBDMS-serinal
<b>L. Prat, L. Mojovic, V. Levacher, G. Dupas, G. Quéguiner and J. Bourguignon</b>	2499 Synthesis of chiral epoxyalkynes
<b>J. Fuentes, J. L. Molina and M. A. Pradera</b>	2509 Deracemization of diarylmethanes via lateral lithiation–protonation sequences by means of sparteine
<b>R. K. Duke, R. D. Allan, M. Chebib, J. R. Greenwood and G. A. R. Johnston</b>	2517 Reactions of per- <i>O</i> -acetylglucosyl isothiocyanate with carbon bases. A new method for the stereocontrolled syntheses of nucleosides and glucosyl-aminothiophenes
	2533 Resolution and conformational analysis of diastereoisomeric esters of <i>cis</i> - and <i>trans</i> -2-(aminomethyl)-1-carboxycyclopropanes

**M. R. Wormald, R. J. Nash,  
P. Hrnciar, J. D. White,  
R. J. Molyneux and G. W. J. Fleet**

- 2549 Configurational and conformational analysis of highly oxygenated pyrrolizidines: definitive identification of some naturally occurring 7a-epi-alexines  
A357 Stereochemistry abstracts  
I Instructions to contributors  
VII Cumulative author index

## NUMBER 15

### Contents

**C. Bonini, L. Chiummiento,  
M. Funicello, L. Marconi and G. Righi**

**A. Ariffin, A. J. Blake, R. A. Ewin and  
N. S. Simpkins**

**T. Nishi, K. Nakajima, Y. Iio,  
K. Ishibashi and T. Fukazawa**

**H. Nakamura, M. Takahashi and  
A. Murai**

**G. Chelucci and A. Saba**

**V. E. U. Costa, J. Alifantes and  
J. E. D. Martins**

**P.-J. Colson, C. A. Przybyla,  
B. E. Wise, K. A. Babiaik,  
L. M. Seaney and D. E. Korte**

**S. Maifait, L. Pélinski and J. Brocard**

**M. Majewski and P. Nowak**

**A. Lattanzi, F. Bonadies, A. Schiavo  
and A. Scettri**

**S. Sankaranarayanan and  
S. Chattopadhyay**

**A. Sharma and S. Chattopadhyay**

**P. Kielbasiński, P. Góralczyk,  
M. Mikołajczyk, M. W. Wieczorek and  
W. R. Majzner**

**C. R. Ramanathan and M. Periasamy**

**K. Satoh, M. Inenaga and K. Kanai**

**T. Honda and T. Ogino**

- v Tetrahedron prize for creativity in organic chemistry 1998  
vii Contributors to this issue  
ix Graphical abstracts  
**COMMUNICATIONS**  
2559 Chiral polypropionate subunit by a chemoenzymatic approach  
2563 Use of a bis-lithium amide base in asymmetric metallation of tricarbonyl-(η<sup>6</sup>-1,3-dihydroisobenzothiophene)chromium(0)  
2567 Practical methods for the preparation of spiro[benzo[c]thiophene-1(3H),4'-piperidine]-2S-oxide by resolution and asymmetric sulfoxidation  
2571 Synthesis and absolute configuration of an exomethylene portion of zoxanthellatoxin-A  
2575 New 1,10-phenanthroline ligands for asymmetric catalysis: enantioselective palladium catalyzed allylic substitution  
**ARTICLES**  
2579 Evaluation of lipase from *Candida rugosa* in the resolution of *endo*-(±)-1,8,9,10,11,11-hexachloropentacyclo[6.2.1.1<sup>3,6</sup>.0<sup>2,7</sup>.0<sup>5,8</sup>]dodecan-4-alcohol  
2587 An efficient asymmetric synthesis of (3S)-3-amino-1-(4-cyanophenyl)-2-oxopyrrolidine hydrochloride salt  
2595 Enantioselective synthesis and use in catalytic asymmetric addition of diethylzinc to benzaldehyde of new chiral cyclic hydroxamino ferrocene and chromium complexes: influence of the complexation on the enantioselectivity  
2611 Stereoselective synthesis of (+)-frontalin  
2619 Alternative approach to the synthesis of optically active β-keto sulfoxides by furylhydroperoxides enantioselective oxidations  
2627 Enantiospecific synthesis of 6-methylheptadec-(9E)-enoic acid enantiomers, the antimicrobial principles of *Sporothrix* species  
2635 Chemoenzymatic synthesis of (*S*)-eicos-(4*E*)-en-1-yn-3-ol, the cytotoxic principle of the marine sponge, *Cribrochalin vasculum*  
2641 Enzyme-promoted kinetic resolution of racemic, P-chiral phosphonyl and phosphorylacetates  
2651 Resolution of *C*<sub>2</sub>-symmetric 9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboxylic acid and 2,3-diphenylsuccinic acid using (*S*)-proline  
2657 Synthesis of a key intermediate of levofloxacin via enantioselective hydrogenation catalyzed by iridium(I) complexes  
2663 Enantiodivergent synthesis of the key intermediate for a marine natural furanoterpenes by chemoenzymatic process

<b>M. L. G. Ferreira, S. Pinheiro, C. C. Perrone, P. R. R. Costa and V. F. Ferreira</b>	2671 New carbohydrate-based chiral auxiliaries in Diels–Alder reaction
<b>J.-N. Cui, T. Ema, T. Sakai and M. Utaka</b>	2681 Control of enantioselectivity in the baker's yeast asymmetric reduction of $\gamma$ -chloro $\beta$ -diketones to $\gamma$ -chloro ( <i>S</i> )- $\beta$ -hydroxy ketones
<b>V. S. Enev, J. Mohr, M. Harre and K. Nickisch</b>	2693 The first Lewis acid mediated asymmetric Torgov cyclisation
<b>J.-P. Mazaleyrat, A. Boutboul, Y. Lebars, A. Gaucher and M. Wakselman</b>	2701 Practical resolution of an atropoisomeric $\alpha,\alpha$ -disubstituted glycine with L-phenylalanine cyclohexylamide as chiral auxiliary
<b>A. Chattopadhyay and B. Dhotare</b>	2715 Facile approach towards the synthesis of homochiral functionalised alcohols from 4- <i>O</i> -[( <i>tert</i> )-butyldimethylsilyl]-2,3- <i>O</i> -cyclohexylidene-L-threose of (L)-(+)- tartaric acid origin
<b>D. H. Dao, M. Okamura, T. Akasaka, Y. Kawai, K. Hida and A. Ohno</b>	2725 Stereochemical control in microbial reduction. Part 31: Reduction of alkyl 2-oxo-4-arylbutyrates by baker's yeast under selected reaction conditions
<b>J. T. Lundquist IV, E. E. Bülesbach and T. A. Dix</b>	2739 Synthesis of protected $\omega$ -mercapto amino acids: precursors for incorporation of elongated cysteines into peptides
<b>E. Ebbers, G. J. A. Ariaans, B. Zwanenburg and A. Bruggink</b>	2745 Controlled design of resolutions. Prediction of the efficiency of resolutions based on samples of arbitrary composition
	A377 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 16

### Contents

vii	Contributors to this issue
ix	Graphical abstracts
2755	Corrigendum
	<b>COMMUNICATIONS</b>
2757	An efficient and general enantioselective synthesis of some isoxazole-containing analogues of the neuroexcitant glutamic acid
2761	Photochemical desulfurization of L-cysteine derivatives
2765	New one pot synthesis of a chiral $\alpha$ -hydroxy- $\gamma$ -butyrolactone via sequential asymmetric hydrogenation of an $\alpha,\gamma$ -diketoester
2769	Asymmetric synthesis of ( <i>S</i> )- $\alpha$ -methyl $\alpha$ -amino acids by alkylation of chiral 3,6-dihydro-2 <i>H</i> -1,4-oxazin-2-ones using unactivated alkyl halides and organic bases
2773	Asymmetric hydrogenation of ( <i>E</i> )- $\alpha,\beta$ -bis( <i>N</i> -acylamino)acrylates catalyzed by a rhodium complex with <i>trans</i> -chelating chiral diphosphine ligand
2777	Intramolecular aminolysis of trichloroethyl esters: a mild macrocyclization protocol for the preparation of cryptophycin derivatives
2783	Practical synthesis of a differentially protected <i>myo</i> -inositol
2787	Determination of the absolute configuration of an unexpectedly stable <i>N</i> -silylated isomer isolated en route to the trinem antibiotic GV129606
2791	Efficient asymmetric synthesis of ABT-594; a potent, orally effective analgesic

<b>S. D. Bull, S. G. Davies, S. W. Epstein and J. V. A. Ouzman</b>	2795	Deracemisation of $\alpha$ -amino acids — ( <i>R</i> )- and ( <i>S</i> )-phenylalanine from the same enantiomer of a homochiral auxiliary
<b>ARTICLES</b>		
<b>C.-S. Chang, S.-W. Tsai and C.-N. Lin</b>	2799	Enzymatic resolution of ( <i>RS</i> )-2-arylpropionic acid thioesters by <i>Candida rugosa</i> lipase-catalyzed thiotransesterification or hydrolysis in organic solvents
<b>C. Sanfilippo, A. Patti, M. Piattelli and G. Niccolosi</b>	2809	Convenient access to both enantiomers of new azido- and aminoinsolts via a chemoenzymatic route
<b>G. Delogu, D. Fabbri and M. A. Dettori</b>	2819	Preparation and resolution of 2,2'-dimercapto-6,6'-dimethoxy-1,1'-biphenyl: a $C_2$ -symmetric sulfur building block
<b>R. Chênevert and Y. S. Rose</b>	2827	A chemoenzymatic synthesis of both enantiomers of a <i>cis</i> -lignan lactone
<b>S. Schneider, M. G. Wubbolts, D. Sanglard and B. Witholt</b>	2833	Production of chiral hydroxy long chain fatty acids by whole cell biocatalysis of pentadecanoic acid with an <i>E. coli</i> recombinant containing cytochrome P450 <sub>BM-3</sub> monooxygenase
<b>M. Calmes and F. Escale</b>	2845	New synthesis of enantiomerically pure ( <i>S</i> )-3-amino-2-phenyl propanoic acid via the asymmetric transformation of its racemic <i>N</i> -phthaloyl derivative
<b>K. Lundhaug, P. L. A. Overbeeke, J. A. Jongejan and T. Anthonsen</b>	2851	Organic co-solvents restore the inherently high enantiomeric ratio of lipase B from <i>Candida antarctica</i> in hydrolytic resolution by relieving the enantiospecific inhibition of product alcohol
<b>A. Barco, S. Benetti, C. De Risi, P. Marchetti, G. P. Pollini and V. Zanirato</b>	2857	Enantioselective formal synthesis of (–)-ovalicin using quinic acid as a chiral template
<b>H. Nishiyama, N. Soeda, T. Naito and Y. Motoyama</b>	2865	Single-chiral bis(oxazolinyl)pyridine (pybox). Efficiency in asymmetric catalytic cyclopropanation
<b>S. Arseniyadis, J. Quilez del Moral, R. Brondi Alves, P. Potier and L. Toupet</b>	2871	A convenient preparation of taxoid right-half building blocks
<b>H.-J. Zhu, B.-T. Zhao, W.-M. Dai, J. Zhou and X.-J. Hao</b>	2879	Chiral ligands derived from abrine. Part 5: Substituent effects on asymmetric induction in enantioselective addition of diethylzinc to benzaldehyde catalyzed by chiral oxazolidines possessing an indole moiety
<b>K. Iseki, Y. Kuroki and Y. Kobayashi</b>	2889	Asymmetric allenylation of aliphatic aldehydes catalyzed by a chiral formamide
<b>F. Elekes, Z. Kovári, A. Mravík, Z. Bőcskei and E. Fogassy</b>	2895	New access to enantiopure <i>O,O'</i> -dibenzoyltartaric acid: resolution of the mixed calcium methoxyacetate by preferential crystallization
<b>W. Kroutil and K. Faber</b>	2901	Deracemization of compounds possessing a sec-alcohol or -amino group through a cyclic oxidation–reduction sequence: a kinetic treatment
<b>P. Allevi, P. Ciuffreda, A. Longo and M. Anastasia</b>	2915	Lipase-catalysed chemoselective monoacetylation of hydroxyalkylphenols and chemoselective removal of a single acetyl group from their diacetates
<b>A. A. Smith</b>	2925	Calculation of the efficiency of purification by crystallization of ideal multicomponent stereoisomeric mixtures
<b>S. Caccamese and G. Principato</b>	2939	Resolution of the enantiomers of tetrahydrozoline by chiral HPLC. The racemization of the enantiomers via an imine–enamine tautomerism
<b>B. G. Davis, A. Hull, C. Smith, R. J. Nash, A. A. Watson, D. A. Winkler, R. C. Griffiths and G. W. J. Fleet</b>	2947	5- <i>epi</i> -Deoxyrhamnoinirimycin is a potent inhibitor of an $\alpha$ -L-rhamnosidase; 5- <i>epi</i> -deoxymannojirimycin is not a potent inhibitor of an $\alpha$ -D-mannosidase

A413 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

# NUMBER 17

## Contents

P.-H. Leung, H. Lang, A. J. P. White and D. J. Williams	v	Contributors to this issue
M. C. Carreño, S. García-Cerrada, A. Urbano and C. Di Vitta	vii	Graphical abstracts
K. Everaere, J.-F. Carpenter, A. Mortreux and M. Bulliard		<b>COMMUNICATIONS</b>
C. G. Francisco, E. I. León, P. Moreno and E. Suárez	2961	Molecular recognition in the palladium complex promoted asymmetric synthesis of a keto-ester heterofunctionalized P-chiral phosphine
B. F. Bonini, M. Comes-Franchini, M. Fochi, G. Mazzanti, A. Ricci and G. Varchi	2965	Enantioselective Diels–Alder reactions of chiral racemic acyclic dienes with (SS)-2-( <i>p</i> -tolylsulfinyl)-1,4-naphthoquinone
M. Widhalm, K. Mereiter and M. Bourghida	2971	Ruthenium catalyzed asymmetric transfer hydrogenation of $\beta$ -ketoesters
A. Carloni, G. Porzi and S. Sandri	2975	Synthesis and radical fragmentation of carbohydrate anomeric nitrates. Formation of convenient chiral synthetic intermediates
E. Bertounesque, F. Millal, P. Meresse and C. Monneret	2979	New chiral allylaminosilanes and their use in asymmetric Sakurai reactions
M. J. Milewska, M. Gdaniec, H. Małuszynska and T. Połoński	2983	A new aminophosphine ligand containing axial and planar chiral elements
E. Caballero, C. Avendaño and J. C. Menéndez		<b>ARTICLES</b>
M. Falorni, G. Giacomelli and A. M. Spanedda	2987	Stereoselective synthesis of uncommon $\alpha,\alpha'$ -dialkyl- $\alpha$ -aminoacids. Part 1
M. Laspéras, N. Bellocq, D. Brunel and P. Moreau	2999	Synthesis of a highly functionalized $\gamma$ -lactone as a precursor of 9-pentyl anthracyclines
R. Alvarez and A. R. de Lera	3011	Chiroptical spectra and molecular geometry of bicyclic dithioimides
A. Imura, M. Itoh and A. Miyadera	3025	On the fate of the tryptophan stereocenter during the synthesis of hexacyclic analogues of <i>N</i> -acetylardeemin
A. Patti, D. Lambusta, M. Piattelli and G. Nicolosi	3039	Synthesis of chiral pyrazoles and isoxazoles as constrained amino acids
G. Solladié, F. Colobert and D. Denni	3047	Resolution of <i>cis</i> -2-fluorocyclopropanecarboxylic acid by a microbial enantioselective hydrolysis
C. Vergne, J.-P. Bouillon, J. Chastanet, M. Bois-Choussy and J. Zhu	3053	Chiral mesoporous templated silicas as heterogeneous inorganic–organic catalysts in the enantioselective alkylation of benzaldehyde
C. Andreu, J.-P. Villarroya, A. García-Gastaldi, M. Medio-Simón, J. Server-Carrió and T. Varea	3065	Synthesis of haminol-A and haminol-B, polyenic alarm pheromones of cephalaspidean molluscs
A. Madrigal, M. Grande and C. Avendaño	3073	Lipase-mediated resolution of 2-hydroxymethyl-1-iodoferrocene: synthesis of ferrocenes and bi-ferrocenes with planar chirality
N. Kise, T. Urai and J. Yoshida	3081	Enantioselective synthesis of $C_2$ -symmetric hexols from $\beta,\delta$ -diketosulfoxides
A. Jégou and A. Veyrières	3095	Asymmetric synthesis of 3,5-bis(isopropoxy)-4-methoxyphenyl glycine by way of a diastereoselective Strecker reaction and an Evans electrophilic amination reaction
	3105	Enzymatic esterification of bicyclic <i>meso</i> -diols derived from 1,4-bis(hydroxymethyl)furan. An enantioselective Diels–Alder reaction equivalent
	3115	Stereochemical issues related to the synthesis of 7,10-dimethyl-7,10,16,16a-tetrahydro-11 <i>H</i> -quinazolino[2',3':3,4]pyrazino[1,2- <i>b</i> ]β-carboline-5,8-diones
	3125	Formation and reaction of 2-metalated <i>N</i> -Boc-4,4-dimethyl-1,3-oxazolidines in the presence of (–)-sparteine: new chiral formyl anion equivalents
	3129	Nucleophilic addition of 2-(trimethylsilyloxy)furan to a D-glucopyranose oxocarbenium ion

<b>S. Cserépi-Szűcs, I. Tóth, L. Párkányi and J. Bakos</b>	3135 Asymmetric hydroformylation of styrene using rhodium and platinum complexes of diphosphites containing chiral chelate backbones and chiral 1,3,2-dioxaphosphorinane moieties
	A437 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 18

### Contents

<b>G. A. Sulikowski, K. L. Cha and M. M. Sulikowski</b>	v Contributors to this issue
	vii Graphical abstracts
	3143 Corrigendum
	<b>TETRAHEDRON: ASYMMETRY REPORT NUMBER 38</b>
	3145 Stereoselective intramolecular carbon–hydrogen insertion reactions of metal carbenes
<b>W. Iwanek</b>	<b>COMMUNICATIONS</b>
	3171 Chiral calixarenes derived from resorcinol. Part 3: Functionalization of octaester derivatives with chiral amines and amino alcohols
<b>T. Mori, K. Kosaka, Y. Nakagawa, Y. Nagaoka and K. Tomioka</b>	3175 Enantioselective conjugate addition of diethylzinc to cyclohexenone catalyzed by a chiral aminophosphine–copper(II) triflate
<b>J.-I. K. Almstead, T. P. Demuth Jr. and B. Ledoussal</b>	3179 An investigation into the total synthesis of clerocidin: stereoselective synthesis of a clerodane intermediate
<b>Y. Jiang, S. Xue, Z. Li, J. Deng, A. Mi and A. S. C. Chan</b>	<b>ARTICLES</b>
<b>M. D. Fryzuk, L. Jafarpour and S. J. Rettig</b>	3185 Asymmetric synthesis. Part 29: Asymmetric hydroformylation of styrene catalyzed by chiral spiro diphosphite–rhodium(I) complexes
<b>H. Kotsuki, H. Hayakawa, H. Tateishi, M. Wakao and M. Shiro</b>	3191 Mixed donor ligands based on $sp^2$ -hybridized nitrogen donors: asymmetric hydrosilylation catalyzed by rhodium complexes that contain the 2-(2-oxazolin-2-ylmethyl)pyridine system
<b>F. Cohen and L. E. Overman</b>	3203 Synthesis of novel chiral oligopyridine derivative ligands for the enantioselective addition of diethylzinc to benzaldehyde
<b>H. Brunner, B. Nuber and M. Prommesberger</b>	3213 Planar-chiral cyclopalladated ferrocenyl amines and imines as enantioselective catalysts for allylic imidate rearrangements
<b>H. Brunner and M. Prommesberger</b>	3223 Optically active transition metal complexes. Part 117: Synthesis, crystal structure and properties of chiral ( $\eta^6$ -arene)ruthenium(II) complexes with $N,O$ - and $N,N$ -ligands
<b>W. Hu, C. C. Pai, C. C. Chen, G. Xue and A. S. C. Chan</b>	3231 Asymmetric catalysis: Part 127: Enantioselective desymmetrization of 2- <i>n</i> -butyl-4,7-dihydro-1,3-dioxepin with ( $\eta^6$ -arene)ruthenium(II) half-sandwich complexes
<b>C. A. Maryanoff, L. Scott, R. D. Shah and F. J. Villani Jr.</b>	3241 Synthesis of a chiral pyridylphosphine ligand and a comparison of its rhodium complex with the structurally similar arylphosphine rhodium catalysts in the asymmetric hydrogenation of 2-(6'-methoxy-2'-naphthyl)propenoic acid
<b>T. Nishi, K. Ishibashi, K. Nakajima, Y. Ito and T. Fukazawa</b>	3247 A crystallization-induced asymmetric transformation to prepare ( <i>R</i> )-4-chlorophenylalanine methyl ester
<b>C. Bit, A. A. Mitrochkine, G. Gil, M. Pierrot and M. Réglier</b>	3251 An efficient synthesis of enantiomerically pure 2-[(2 <i>R</i> )-aryl]morpholin-2-yl]ethanols, key intermediates of tachykinin receptor antagonist
<b>K. Tanaka and M. Yasuda</b>	3263 Synthesis of enantiomerically pure <i>cis</i> - and <i>trans</i> -1,2-diaminoindanes
<b>P. Kiełbasiński, J. Omelańczuk and M. Mikołajczyk</b>	3275 A practical synthesis of ( <i>R</i> )-3-chlorostyrene oxide starting from 3-chloroethylbenzene
	3283 Lipase-promoted kinetic resolution of racemic, P-chiral hydroxymethyl-phosphonates and phosphinates

H. Takahata, M. Kubota, K. Ihara, N. Okamoto, T. Momose, N. Azer, A. T. Eldefrawi and M. E. Eldefrawi	3289 New synthesis of all the four stereoisomers of indolizidine 209D and their affinity for nicotinic acetylcholine receptor
J. Zhang, S. Takahashi, S. Saito and T. Koizumi	3303 First synthesis and stereochemistry of enantiomerically pure spiroselenurene and spirotellurane using the 2-exo-hydroxy-10-bornyl group as a chiral ligand
K. J. Kise Jr. and B. E. Bowler	3319 Enantioselective synthesis of an unnatural bipyridyl amino acid and its incorporation into a peptide
N. Yoshida, T. Kamikubo and K. Ogasawara	3325 Lipase-mediated kinetic resolution of a synthetic equivalent of 2-hydroxy-methylcyclopentadien-5-ol
	A471 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 19

### Contents

M. A. Yurovskaya and A. V. Karchava	v Contributors to this issue
M. Frank and H.-J. Gais	vii Graphical abstracts
A. Agócs, A. Bényei, L. Somogyi and P. Herczegh	<b>TETRAHEDRON: ASYMMETRY REPORT NUMBER 39</b>
K. Manju and S. Trehan	3331 Stereoselective reduction of endocyclic carbon–nitrogen double bond: application to the synthesis of biomolecules
W. Zhang, Y. Yoneda, T. Kida, Y. Nakatsuji and I. Ikeda	<b>COMMUNICATIONS</b>
J. M. Padrón, G. Kokotos, T. Martín, T. Markidis, W. A. Gibbons and V. S. Martín	3353 Asymmetric synthesis of allylic sulfides via palladium-mediated allylation of thiols
S. Koul, S. C. Taneja, R. Parshad and G. N. Qazi	3359 Cycloaddition reactions of carbohydrate derivatives. Part 7: [3+2] Cycloadditions of chiral nitrilimines
G. Barbaro, A. Battaglia, A. Guerrini, C. Bertucci and S. Geremia	<b>ARTICLES</b>
G. Porzi and S. Sandri	3365 Asymmetric reduction of aromatic ketones: importance of the conformation of the aromatic group
S. Naili, A. Mortreux and F. Agbossou	3371 Novel chiral P,N-ferrocene ligands in palladium-catalyzed asymmetric allylic alkylations
J. Wu, X.-L. Hou, L.-X. Dai, L.-J. Xia and M.-H. Tang	3381 Enantiospecific synthesis of $\alpha$ -amino acid semialdehydes: a key step for the synthesis of unnatural unsaturated and saturated $\alpha$ -amino acids
U. Bremberg, F. Rahm and C. Moberg	3395 Enantioselective hydrolysis of alkyl esters of substituted 1-phenyl ethanol using newly isolated strain of <i>Arthrobacter</i> sp.: a comparative study with known commercial lipases
J. L. García Ruano, D. Barros, M. C. Maestro, A. Alcidia and I. Fernández	3401 Assessment of the absolute configuration of a series of (3 <i>R</i> )-3-hydroxy-3-alkyl- $\beta$ -lactams
J.-P. Picard and F. Fortis	3411 A new stereoselective synthesis of sterically constrained uncommon $\alpha,\alpha'$ -dialkylated $\alpha$ -amino acids. Part 2
	3421 New chiral aminophosphine carboxyphosphinite ligands (AMPCP). Synthesis and application in asymmetric hydrogenation and hydroformylation
	3431 Enantioselective ring opening of <i>meso</i> -epoxides with thiols catalyzed by a chiral (salen)Ti(IV) complex
	3437 Palladium-catalyzed allylic alkylation using pyridino-oxazolines and quinolino-oxazolines as ligands—Influence of steric factors
	3445 Synthesis of enantiomerically pure ( <i>R</i> )- and ( <i>S</i> )-2-ethoxycarbonylmethyl-2-hydroxy-cyclohexanones
	3455 First enantioselective synthesis of a 1-(trimethylsilyl)alkylamine

J. C. Anderson, R. Cubbon, M. Harding and D. S. James	3461 Concepts for ligand design in asymmetric catalysis: a study of chiral amino thiol ligands
A. Ritzén, B. Basu, A. Wållberg and T. Frejd	3491 Phenyltrisalanine: a new, $C_3$ -symmetric, trifunctional amino acid
M. Tichý, J. Holanová and J. Závada	3497 $\omega$ -Amino acids and lactams with chiral biaryl axis
J. P. Shilcock, R. J. Nash, J. D. Lloyd, A. L. Winters, N. Asano and G. W. J. Fleet	3505 Intermediates for incorporation of tetrahydroxypipeolic acid analogues of $\alpha$ - and $\beta$ -D-mannopyranose into combinatorial libraries: unexpected nanomolar-range hexosaminidase inhibitors. Synthesis of $\alpha$ - and $\beta$ -homomannojirimycin
	A493 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 20

### Contents

C. Cativiela and M. D. Diaz-de-Villegas	v Contributors to this issue
K. S. Kim and Y. H. Ahn	vii Graphical abstracts
Y.-Y. Yan and M. Widhalm	<b>TETRAHEDRON: ASYMMETRY REPORT NUMBER 40</b>
S. Sano, M. Takebayashi, T. Miwa, T. Ishii and Y. Nagao	3517 Stereoselective synthesis of quaternary $\alpha$ -amino acids. Part 1: Acyclic compounds
S. Sano, T. Miwa, X.-K. Liu, T. Ishii, T. Takehisa, M. Shiro and Y. Nagao	<b>COMMUNICATIONS</b>
J. D. Moseley and J. Staunton	3601 Synthesis of the diazepanone-nucleoside portion of liposidomycins by aldol reaction of the enolate of diazepanone with a nucleoside 5'-aldehyde
C. Santi, G. Fragale and T. Wirth	3607 Synthesis and application of macrocyclic binaphthyl ligands with extended chiral bias
M. Kuttenberger, M. Frieser, M. Hofweber and A. Manschreck	3611 Diastereoselective alkylation of a newly designed bislactim ether towards the asymmetric synthesis of $\alpha$ -alkylated serines
J.-C. Flaud, F. Mazé and H. B. Kagan	3615 Tin- or magnesium-mediated diastereoselective aldol-type reactions for the asymmetric synthesis of $\alpha$ -substituted serines
M. Rejzek, Z. Wimmer, M. Zarevúčka, J. Kuldová, D. Šaman and M. Vacek	3619 Influence of ester chain length on lipase catalysed hydrolyses of <i>meso</i> -oxiranediethanol esters
C. Cardelluccio, G. Ciccarella, F. Naso, E. Schingaro and F. Scordari	3625 Synthesis of a new chiral nitrogen containing diselenide as a precursor for selenium electrophiles
C. de Bellefon and N. Tanchoux	<b>ARTICLES</b>
A. K. Ghosh, H. Cho and J. Cappiello	3629 Axially chiral thioamides of acrylic acid: correlated and uncorrelated internal rotations
Y. Meng, W. T. Slaven IV, D. Wang, T.-J. Liu, H.-F. Chow and C.-J. Li	3647 Chiral hydroxythiols as catalysts for enantioselective borane ketone reductions
	3657 Optically active juvenoids derived from 2-substituted cyclopentanol and their biological activity on <i>Tenebrio molitor</i>
	3667 The Betti base: absolute configuration and routes to a family of related chiral nonracemic bases
	3677 Effect of non-linear kinetics on the enantioselectivity in the H-transfer asymmetric homogeneous reduction of arylketones with a rhodium diamine catalyst
	3687 Bis(oxazoline) derived cationic aqua complexes: highly effective catalysts for enantioselective Diels–Alder reactions
	3693 Stepwise synthesis and characterization of oligomers based on 1,1'-binaphthol with 3,3'-acetylene spacer

<b>D. Enders, C. Poiesz and R. Joseph</b>	3709 Enantioselective synthesis of protected $\alpha$ -aminoketones via electrophilic amination of $\alpha$ -silylketones with an oxaziridine
<b>O. Schrake, W. Braje, H. M. R. Hoffmann and R. Wartchow</b>	3717 Synthesis of 10,11-didehydro- and 10,11-dihydro-Quincorine and of the Quincoridine analogs: functionalized and enantiopure 1-azabicyclo[2.2.2]-octanes with four stereogenic centers
<b>C. J. Martin, D. J. Rawson and J. M. J. Williams</b>	3723 The preparation of enantiomerically enriched $\gamma$ -amino acids (GABAs) using palladium catalysed allylic substitution
	A521 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 21

### Contents

**P. Bravo, E. Corradi, C. Pesenti,  
B. Vergani, F. Viani, A. Volonterio  
and M. Zanda**

**C. André, J. Bolte and C. Demuynck**

**J. Lopez, E. A. Mintz, F.-L. Hsu and  
X. R. Bu**

**W. C. Frank**

**S. Y. Cho and M. Shibasaki**

**Z. Liu, J. Lan and Y. Li**

**H. Brunner, B. Nuber and T. Tracht**

**H. Brunner and T. Tracht**

**B. Dasgupta and W. A. Donaldson**

**P. Z. Wang, Y. Q. Tu, L. Yang,  
C. Z. Dong and W. Kitching**

**K. Hiroi, Y. Suzuki, I. Abe,  
Y. Hasegawa and K. Suzuki**

**T. Koga, Y. Aoki, T. Hirose and  
H. Nohira**

**N. Hayashi, K. Yanagihara and  
S. Tsuboi**

**J. P. Cahill, F. M. Bohnen,  
R. Goddard, C. Krüger and  
P. J. Guiry**

**S. V. Andurkar, J. P. Stables and  
H. Kohn**

v Contributors to this issue	
vii Graphical abstracts	
<b>COMMUNICATIONS</b>	
3731 Stereocontrolled approaches to (+)- and (-)- $\gamma$ -trifluoromethyl-GABOB, a new hydroxymethylene (statine) dipeptide isostere	
3737 Syntheses of 4-deoxy-D-fructose and enzymatic affinity study	
3741 Novel unsymmetric chiral Schiff bases possessing two different donor moieties: unique tetradentate ligands from combination of salicylaldehyde and acetylacetone units	
3745 Surprising stereoselectivity in the Payne epoxidation of terpinen-4-ol with acetonitrile/hydrogen peroxide	
3751 The asymmetric synthesis of cyclopentane derivatives by palladium-catalyzed coupling of prochiral alkylboron compounds	
<b>ARTICLES</b>	
3755 Facile one-pot transformation of 2,3-epoxy alcohols into allylic alcohols: first total synthesis of (-)-4- <i>O</i> -(6'-hydroxy-7'(9')-dehydro-6',7'-dihydrogeranyl)-coniferol	
3763 Optically active transition metal complexes. Part 119: New rhodium(I) complexes containing two different types of optically active ligands	
3773 Asymmetric catalysis. Part 128: Diastereomeric rhodium(I) complexes in the enantioselective hydrogenation of ketopantolactone	
3781 Synthetic studies directed toward streptanol D: enantioselective preparation of the 3,5-diacetoxy-6 <i>E</i> ,8 <i>E</i> -decadiene segment	
3789 Synthetic studies of didemnaketal analogue—construction of the (+)- and (-)-5,6-dihydroxy-3,7-dimethyl-octanal intermediates	
3797 Chiral sulfoxide ligands bearing nitrogen atoms as stereocontrollable coordinating elements in palladium-catalyzed asymmetric allylic alkylations	
3819 Resolution of sclareolide as a key intermediate for the synthesis of Ambrox®	
3825 Lipase-catalyzed kinetic resolution of Baylis–Hillman products	
3831 The preparation of <i>trans</i> -2,5-dialkylpyrrolidinylbenzylidiphenylphosphines: new phosphinamine ligands for asymmetric catalysis	
3841 Synthesis and anticonvulsant activities of ( <i>R</i> )-(O)-methylserine derivatives	

<b>V. Helaine and J. Bolte</b>	3855 Chemo-enzymatic synthesis of the four stereoisomers of 4-hydroxy-4-methyl-glutamic acid
<b>A. K. Kar and D. A. Lightner</b>	3863 Circular dichroism of distorted helices. C(10)-Adamantyl and C(10)- <i>tert</i> -butyl biliverdins
<b>E. Juaristi, M. Balderas and Y. Ramírez-Quiros</b>	3881 Enantioselective synthesis of $\beta$ -amino acids. Part 9: Preparation of enantiopure $\alpha,\alpha$ -disubstituted $\beta$ -amino acids from 1-benzoyl-2( <i>S</i> )- <i>tert</i> -butyl-3-methylperhydropyrimidin-4-one
<b>M. Chavarot, J. J. Byrne, P. Y. Chavant, J. Pardillo-Guindet and Y. Vallée</b>	3889 Self-organization of ligands in multi-component titanium catalysts for the enantioselective ene reaction of glyoxylates
<b>J. K. Karjalainen, O. E. O. Hormi and D. C. Sherrington</b>	3895 An improved heterogeneous asymmetric epoxidation of homoallylic alcohols using polymer-supported Ti(IV) catalysts
<b>G. Pioda and A. Togni</b>	3903 Highly enantioselective palladium-catalyzed hydrosilylation of norbornene with trichlorosilane using ferrocenyl ligands
<b>P. Collomb and A. von Zelewsky</b>	3911 Synthesis of new chiral catalysts, pyridyl- and bipyridylalcohols, for the enantioselective addition of diethylzinc to benzaldehyde
	A535 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 22

### Contents

<b>M. Adamczyk and R. E. Reddy</b>	v Contributors to this issue
<b>G. Guanti, S. Perrozzi and R. Riva</b>	vii Graphical abstracts
<b>H. Ohno, A. Toda, N. Fujii and T. Ibuka</b>	<b>COMMUNICATIONS</b>
<b>G. Guillena and C. Nájera</b>	3919 A stereoselective synthesis of bis- $\beta$ -amino acids
<b>T. Soler, A. Bachki, L. R. Falvello, F. Foubelo and M. Yus</b>	3923 Remote control by protecting groups in the diastereoselective addition of acetylides to 2-(4-quinolyl)propanol
<b>P. Merino, S. Franco, F. L. Merchan and T. Tejero</b>	3929 A convenient synthesis of activated enantiomerically pure 2-ethynylaziridines
<b>C. Barloy-Da Silva and P. Pale</b>	3935 PTC and organic bases–LiCl assisted alkylation of imidazolidinone–glycine iminic derivatives for the asymmetric synthesis of $\alpha$ -amino acids
<b>C. Agami, F. Amiot, F. Couty, L. Dechoux, C. Kaminsky and O. Venier</b>	3939 Branched-chain functionalised carbohydrates via $\beta$ -functionalised organolithium compounds
<b>D. Enders, L. Kramps and J. Zhu</b>	3945 Synthesis of isoxazolidin-5-ones via stereocontrolled Michael additions of benzylhydroxylamine to L-serine derived $\alpha,\beta$ -unsaturated esters
<b>D. Delorme, C. Berthelette, R. Lavoie and E. Roberts</b>	3951 A chiron approach to the cyclopropyl lactone oxylipins
<b>R. M. Savizky, N. Suzuki and J. L. Bové</b>	3955 Chiral oxazolidinones from $\alpha$ -hydroxy oxazolidines: a new access to 1,2-amino alcohols
<b>Q. Wang, F. Yang, H. Du, M. M. Hossain, D. Bennett and D. S. Grubisha</b>	3959 Zinc-mediated asymmetric epoxidation of nitro alkenes with oxygen
	3963 Asymmetric synthesis of diarylmethylamines: preparation of selective opioid delta receptor ligands
	3967 The use of sonochemistry in the asymmetric epoxidation of substituted chalcones with sodium perborate tetrahydrate
	<b>ARTICLES</b>
	3971 The synthesis of <i>S</i> -(+)-2,2-dimethylcyclopropane carboxylic acid: a precursor for cilastatin

<b>C.-D. Hwang and B.-J. Uang</b>	3979	Enantioselective addition of diethylzinc to aldehydes induced by a new chiral Ti(IV) catalyst
<b>Z. Shan, Y. Xiong, W. Li and D. Zhao</b>	3985	A simple, convenient preparation for enantiomerically pure 1,1'-bi-2-naphthoils
<b>A. Cruz, E. Geníz and R. Contreras</b>	3991	1,3-Heterazolidin-2-ones as starting materials for optically active 1,3,2-oxazaborolines and 1,3,2-diazaboroline derived from ephedrines
<b>J. M. Fraile, J. I. García, J. A. Mayoral and T. Tarnai</b>	3997	Clay-supported bis(oxazoline)-copper complexes as heterogeneous catalysts of enantioselective cyclopropanation reactions
<b>M. Knollmüller, M. Ferencic, P. Gärtner, K. Mereiter and C. R. Noe</b>	4009	New camphor derived chiral ligands for asymmetric synthesis
<b>P. D'Arrigo, M. Lattanzio, G. Pedrocchi Fantoni and S. Servi</b>	4021	Chemo-enzymatic synthesis of the active enantiomer of the anoressant 2-benzylmorpholine
<b>P. Bisel, G. Laukien, E. Weckert and A. W. Frahm</b>	4027	Diastereoselective $\alpha$ -iminoamine rearrangement: asymmetric synthesis of ( <i>R</i> )-(–)- and ( <i>S</i> )-(+)-2-benzyl-2-hydroxycyclohexanone
<b>Y.-J. Wu, L. Ding, W.-L. Wang and C.-X. Du</b>	4035	Resolution of cycloplatinated ferrocenylketimines
<b>E. A. Broger, W. Burkart, M. Hennig, M. Scalone and R. Schmid</b>	4043	New amidophosphine-phosphinites (tLANOPs) as chiral ligands for asymmetric hydrogenation reactions
<b>S. Arseniyadis, M. del Rosario Rico Ferreira, J. Quílez del Moral, J. I. Martín Hernando, P. Potier and L. Toupet</b>	4055	Studies towards the total synthesis of taxoids: a rapid entry into bicyclo[6.4.0]dodecane ring system. Part 1
<b>G. Asensio, P. Alemán, A. Cuenca, J. Gil and M. Medio-Simón</b>	4073	Efficient asymmetric protonation of enolates with readily accessible chiral $\alpha$ -sulfinyl alcohols
<b>C. Chiappe, P. Crotti, E. Menichetti and M. Pineschi</b>	4079	An efficient stereoselective synthesis of enantiomerically pure aziridine derivatives of allyl $\beta$ -D-glucopyranosides asymmetrically induced by a glucide moiety
<b>D. Hesek, Y. Inoue, S. R. L. Everitt, M. Kunieda, H. Ishida and M. G. B. Drew</b>	4089	High yield preparation of a novel tetrakis[ruthenium tris(bipyridine)]calix[6]-arene derivative with good diastereomeric purity
	A561	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

## NUMBER 23

### Contents

<b>M. Dickman, R. C. Lloyd and J. B. Jones</b>	v	Contributors to this issue
<b>H. Huang and Q. Chen</b>	vii	Graphical abstracts
<b>N. W. Fadnavis, R. L. Babu, S. K. Vadivel, A. A. Deshpande and U. T. Bhalerao</b>	4099	<b>COMMUNICATIONS</b> Chemically modified mutants of subtilisin <i>Bacillus lenthus</i> catalyze transesterification reactions better than wild type
<b>G. Huang and R. I. Hollingsworth</b>	4103	Synthesis of enantiomerically pure spiro-cyclopropane derivatives containing multichiral centers
<b>W. Adam, C. R. Saha-Möller and C.-G. Zhao</b>	4109	Lipase catalyzed regio- and stereospecific hydrolysis: chemoenzymatic synthesis of both ( <i>R</i> )- and ( <i>S</i> )-enantiomers of $\alpha$ -lipoic acid
	4113	An efficient synthesis of ( <i>R</i> )-3-hydroxytetradecanoic acid
	4117	Enantioselective oxidation of <i>vic</i> -diols to optically active $\alpha$ -hydroxy ketones by a fructose-derived dioxirane

<b>M. Kossenjans, H. Pennemann, J. Martens, O. Juanes, J. C. Rodriguez-Ubis and E. Brunet</b>	4123 New <i>N,O</i> -heterocycles derived from ( <i>R</i> )-cysteine as catalysts in the enantioselective diethylzinc addition
<b>A. H. Fauq, F. Hong, B. Cusack, B. M. Tyler, Y. Ping-Pang and E. Richelson</b>	<b>ARTICLES</b> 4127 Synthesis of (2 <i>S</i> )-2-amino-3-(1 <i>H</i> -4-indolyl)propanoic acid, a novel tryptophan analog for structural modification of bioactive peptides
<b>J. Balsells, L. Mejorado, M. Phillips, F. Ortega, G. Aguirre, R. Somanathan and P. J. Walsh</b>	4135 Synthesis of chiral sulfonamide/Schiff base ligands
<b>X.-Y. Wu, X.-H. Li and Q.-L. Zhou</b>	4143 Chiral quinolinyl-oxazolines as ligands for copper(I)-catalyzed asymmetric cyclopropanation
<b>E. Tálas, J. Margitfalvi, D. Machytka and M. Czugler</b>	4151 Synthesis and resolution of naphthyl-Tröger's base
<b>J. P. Shilcock, K. Y. Hsia, R. J. Nash, J. D. Lloyd, A. L. Winters, N. Asano and G. W. J. Fleet</b>	4157 Synthesis of an eight carbon homologue of $\alpha$ -homomannojirimycin via a bicyclic aminolactone
<b>M. Asami, H. Watanabe, K. Honda and S. Inoue</b>	4165 Enantioselective addition of dialkylzinc to aldehydes catalyzed by ( <i>S</i> )-2-( <i>N,N</i> -disubstituted aminomethyl)indoline
<b>A. Gong, Y. Chen, X. Zhang, C. Chen and F. Xi</b>	4175 Optically active cyclic poly(ether sulfone)s based on chiral 1,1'-bi-2-naphthol
<b>W. Hu, C.-C. Chen, G. Xue and A. S. C. Chan</b>	4183 Synthesis of (–)-(4 <i>R</i> ,5 <i>R</i> )-4,5-bis[di-3'-(2',6'-dimethoxypyridyl)phosphinomethyl]-2,2-dimethyl-1,3-dioxolane and its application in the Rh-catalyzed asymmetric hydrogenation reactions
<b>I. Grassert, U. Schmidt, S. Ziegler, C. Fischer and G. Oehme</b>	4193 Use of rhodium complexes with amphiphilic and nonamphiphilic ligands for the preparation of chiral $\alpha$ -aminophosphonic acid esters by hydrogenation in micellar media
<b>T. Murata, Y. Yanagisawa, M. Aoyama, H. Tushima, K. Totani, S. Ohba and K. Tadano</b>	4203 A chiral cyclohex-2-enone carrying a hexofuranosyl substituent which directs highly stereoselective 1,4-conjugate additions
<b>M. Benito, C. López, X. Solans and M. Font-Bardia</b>	4219 Palladium(II) compounds with planar chirality. X-Ray crystal structures of (+)-(–)( <i>R</i> )-[( $\eta^5$ -C <sub>5</sub> H <sub>4</sub> )–CH=N–CH(Me)–C <sub>10</sub> H <sub>7</sub> ]Fe( $\eta^5$ -C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> ] and (+)-(–)( <i>R</i> , <i>R</i> )-[Pd <sup>II</sup> [(Et–C=C–Et) <sub>2</sub> ( $\eta^5$ -C <sub>5</sub> H <sub>5</sub> )–CH=N–CH(Me)–C <sub>10</sub> H <sub>7</sub> ]Fe( $\eta^5$ -C <sub>5</sub> H <sub>5</sub> ) <sub>2</sub> ]Cl] <sub>2</sub>
<b>R. Salter, T. E. Pickett and C. J. Richards</b>	4239 2-Nitroferrocenyloxazolines: precursors to nitrofulvalenes and derivatives of (–), <i>S</i> - and (–), <i>R</i> -2-aminoferrocenecarboxylic acids
<b>Y. N. Belokon', V. I. Tararov, V. I. Maleev, T. F. Savel'eva and M. G. Ryzhov</b>	4249 Improved procedures for the synthesis of ( <i>S</i> )-2-[ <i>N</i> -( <i>N'</i> -benzylprolyl)-amino]benzophenone (BPB) and Ni(II) complexes of Schiff's bases derived from BPB and amino acids
<b>C. Garcia, Y. Pointud, G. Jeminet, D. Dugat, J. L. Beltran</b>	4253 Chiral macrocyclic polyethers incorporating a tetraoxaspiro[5.5]undecane or trioxa-azaspiro[5.5]undecane moiety
<b>G. Nadler, C. Dartois, D. S. Eggleston, R. C. Haltiwanger and M. Martin</b>	4267 Chromatographic resolution of antihypertensive benzopyrans by closed-loop recycling enantioselective high pressure preparative chromatography and their X-ray analysis
<b>F. L. Buenadicha, C. Avendaño and M. Söllhuber</b>	4275 Asymmetrically induced alkylation of 2-benzyl-4-isopropyl-2,4-dihydro-1 <i>H</i> -pyrazino[2,1- <i>b</i> ]quinazoline-3,6-dione
	A587 Stereochemistry abstracts
	I Instructions to contributors
	VII Cumulative author index

## NUMBER 24

### Contents

- v Contributors to this issue
- vii Graphical abstracts

	<b>COMMUNICATIONS</b>
<b>R. Chênevert, D. Goupl, Y. S. Rose and E. Bédard</b>	4285 Enzymatic desymmetrization of <i>meso cis,cis</i> -2,4,6-substituted tetrahydropyrans
<b>W. Iwanek</b>	4289 Chiral calixarene derived from resorcinol. Part 4: Diastereoselective closure of the oxazine ring
<b>M. Martín-Vilà, C. Minguillón and R. M. Ortúñoz</b>	4291 Stereoselective synthesis of (−)-(1 <i>R</i> ,2 <i>S</i> )-2-aminocyclobutane-1-carboxylic acid, a conformationally constrained β-amino acid
<b>S. Katayama, N. Ae and R. Nagata</b>	4295 Enzymatic resolution of 2-substituted tetrahydroquinolines. Convenient approaches to tricyclic quinoxalinediones as potent NMDA-glycine antagonists
<b>J. P. Cahill and P. J. Guiry</b>	4301 The application of Pd-complexes of <i>trans</i> -2,5-dialkylpyrrolidinylbenzylidiphenylphosphines to enantioselective allylic alkylation
	<b>ARTICLES</b>
<b>J. P. Cahill, A. P. Lightfoot, R. Goddard, J. Rust and P. J. Guiry</b>	4307 The application of Ir-complexes of <i>trans</i> -2,5-dialkylpyrrolidinylbenzylidiphenylphosphines to the enantioselective reduction of imines
<b>J. M. Takacs, M. R. Jaber, B. J. Swanson and S. J. Mehrman</b>	4313 Regio- and diastereoselective boron-mediated aldol reactions of chiral α,β,γ,δ-unsaturated <i>N</i> -acyloxazolidinones
<b>R. Chênevert, B. T. Ngatcha, Y. S. Rose and D. Goupl</b>	4325 Regio- and enantioselectivity of the enzyme-catalyzed hydrolysis of citric acid derivatives
<b>H. Akita, K. Kurashima, M. Nozawa, S. Yamamura, K. Seri and Y. Imamura</b>	4331 Determination of absolute configuration of a metabolite (−)-hydroxyhexamide from acetohexamide, syntheses of (−)- and (+)-hydroxyhexamides and (−)- and (+)-acetoxyhexamides
<b>M. Schulz, R. Kluge and F. Gadissa Gelalcha</b>	4341 Asymmetric peroxidation of prochiral allylic and benzylic compounds with <i>tert</i> -butyl hydroperoxide and chiral bisoxazoline–copper complexes
<b>P. Chalard, R. Remuson, Y. Gelas-Mialhe and J.-C. Gramain</b>	4361 Asymmetric synthesis of quinolizidine alkaloids (−)-lasubine I, (−)-lasubine II and (+)-subcosine II
<b>A. L. Gutman, M. Ettinger, G. Nisnevich and F. Polyak</b>	4369 Stereo- and regioselectivity in asymmetric synthesis of α-amino substituted benzocyclic compounds
<b>A. Patti, G. Nicolosi, J. A. S. Howell and K. Humphries</b>	4381 Synthesis of new ferrocenyl aminoalcohols and aminonitriles and catalytic properties of the aminoalcohols in the ethylation of benzaldehyde
<b>A. C. Dahl and J. Ø. Madsen</b>	4395 Baker's yeast: production of D- and L-3-hydroxy esters
<b>P. Müller and H. Imogaï</b>	4419 Rh(II)-catalyzed asymmetric cyclopropanation of propargyl derivatives; synthesis of cyclopropene- and <i>cis</i> -cyclopropane-amino acids
<b>K. Nakamura, K. Takenaka and A. Ohno</b>	4429 Lipase-catalyzed kinetic resolution of 3-butyn-2-ol
<b>P. Besse, T. Sokolchik and H. Veschambre</b>	4441 Chemoenzymatic synthesis of α-halogeno-3-octanol and 4- or 5-nonenols. Application to the preparation of chiral epoxides
<b>U. Lindemann, D. Wulff-Molder and P. Wessig</b>	4459 Synthesis of ornithine lactams via diastereoselective photocyclization of 2-amino-4-oxo-4-phenyl-butanoyl amines
<b>T. Kanger, K. Kriis, A. Paju, T. Pehk and M. Lopp</b>	4475 Asymmetric oxidation of cyclobutanones: modification of the Sharpless catalyst
<b>A. Luna, C. Astorga, F. Fülöp and V. Gotor</b>	4483 Enzymatic resolution of (±)- <i>cis</i> -2-aminocyclopentanol and (±)- <i>cis</i> -2-aminocyclohexanol
	A619 Stereochemistry abstracts
	I Instructions to contributors