

# Volume Contents 2002

## NUMBER 1

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- 1 Bridgehead-norbornane-derived  $\beta$ -amino alcohol catalysts: structural factors influencing the chirality transfer
- 5 Synthesis of the novel chiral 1,3-amino alcohol 8-*N,N*-bis(ferrocenylmethyl)amino-menthol and its use as catalyst in the enantioselective addition of diethylzinc to aldehydes
- 9 L-Valinol and L-phenylalaninol-derived 2-phenylamino-2-oxazolines as chiral auxiliaries in asymmetric alkylations
- 13 Chirality transfer from silicon to carbon via diastereoselective Simmons–Smith cyclopropanation of chiral alkenylsilanols
- 17 A new enantiospecific synthetic procedure to the taxoid-intermediate 10-methylenecamphor, and 10-methylenefenchone
- 21 Tetra-*n*-butylammonium fluoride: an efficient base for aza-Michael addition—synthesis of glycosyl  $\beta$ -amino acid esters
- ARTICLES**
- 25 An improved synthesis of enantiopure 2-azabicyclo[2.2.1]heptane-3-carboxylic acid
- 29 Lithiated camphor-derived oxazolidinone *S,N*-acetals as chiral formyl anion synthons in additions to aldehydes. Asymmetric synthesis of  $\alpha$ -hydroxy aldehydes and  $\alpha$ -hydroxy acids
- 37 Enantioselective catalysis. Part 143: Astonishingly high enantioselectivity in the transfer hydrogenation of acetophenone with 2-propanol using Ru complexes of the Schiff base derived from (*S*)-2-amino-2'-hydroxy-1,1'-binaphthyl (NOBIN) and 2-pyridinecarbaldehyde
- 43 A convenient method for synthesis of *trans*-4-cyclohexyl-L-proline
- 47 Asymmetric conversions of 10-bromo-10,11-dihydroquinines into 8-oxa-1-azabicyclo[4.3.0]nonane derivatives and related compounds
- 59 Resolution and enantioselective rearrangements of amino group-containing oxiranyl ethers
- 69 Enantioselective semi-preparative HPLC of two 2-arylpropionic acids on glycopeptides containing chiral stationary phases
- 77 Highly enantioselective diethylzinc addition to aldehydes catalyzed by D-glucosamine derivatives
- 83 Modular carbohydrate diphosphite and phosphite–phosphoramidite ligands for asymmetric Rh-catalyzed hydrosilylation of ketones

V. K. Aggarwal, F. Sandrinelli and  
J. P. H. Charmant

M.-L. Bennasar, E. Zulaica, Y. Alonso,  
B. Vidal, J. T. Vázquez and J. Bosch

87 Synthesis of new, highly hindered  $C_2$ -symmetric *trans*-(2*S*,5*S*)-disubstituted pyrrolidines

95 Addition of chiral enolates to *N*-alkyl-3-acylpyridinium salts. Total synthesis of (+)-16-epivinoxine and (–)-vinoxine

A1 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

## NUMBER 2

### Contents

v Contributors to this issue

vii Graphical abstracts

#### COMMUNICATIONS

107 First practical synthesis of enantiomerically pure (*R*)- and (*S*)-desmethylsibutramine (DMS) and unambiguous determination of their absolute configuration by single-crystal X-ray analysis

111 Synthesis of 6-deoxy-homoDMDP and its C(5)-epimer: absolute stereochemistry of natural products from *Hyacinthus orientalis*

115 Highly enantioselective hydrogenation of  $\alpha$ -dehydroamino acids by rhodium complex with H<sub>8</sub>-MonoPhos

119 Chiral tridentate versus bidentate pyridines as catalysts in the enantioselective alkylation of benzaldehyde with diethylzinc

#### ARTICLES

N. Kuhnert, C. Straßnig and  
A. M. Lopez-Periago 123 Synthesis of novel enantiomerically pure trianglimine and trianglamine macrocycles

L. Kondaveti, T. F. Al-Azemi and K. S. Bisht 129 Lipase-catalyzed solvent-free kinetic resolution of substituted racemic  $\epsilon$ -caprolactones

A. Figge, H. J. Altenbach, D. J. Brauer and  
P. Tielmann 137 Synthesis and resolution of 2-(2-diphenylphosphinyl-naphthalen-1-yl)-1-isopropyl-1*H*-benzimidazole; a new atropisomeric *P,N*-chelating ligand for asymmetric catalysis

Z. Li, Z. Zhou, L. Wang, Q. Zhou and C. Tang 145 Enantioselective reaction of secondary alcohols with phthalimide in the presence of a chiral tri-coordinate phosphorus reagent in Mitsunobu reaction

A. Gama, L. Z. Flores-López, G. Aguirre,  
M. Parra-Hake, R. Somanathan and  
P. J. Walsh 149 Steric effects in the design of chiral Schiff base–titanium complexes: new catalysts for asymmetric trimethylsilylcyanation of aldehydes

S. Jew, D.-Y. Lim, J.-Y. Kim, S. Kim, E. Roh,  
H.-J. Yi, J.-M. Ku, B. Park, B. Jeong and  
H. Park 155 Asymmetric synthesis of (*S*)-4-(2,2,4-trimethyl-1,3-dioxolan-4-yl)-1-butanol, a key intermediate for (1*S*,5*R*)-(–)-frontalin via asymmetric bromolactonization

Y.-Z. Zhu, Z.-P. Li, J.-A. Ma, F.-Y. Tang,  
L. Kang, Q.-L. Zhou and A. S. C. Chan 161 Synthesis of chiral bis(oxazolonyl)bipyridine ligands and related helical metal complexes

P. Merino, J. Revuelta, T. Tejero, U. Chiacchio,  
A. Rescifina, A. Piperno and G. Romeo 167 Enantioselective synthesis of 4-hydroxy-D-pyroglutamic acid derivatives by an asymmetric 1,3-dipolar cycloaddition

<b>P. Merino, J. A. Mates, J. Revuelta, T. Tejero, U. Chiacchio, G. Romeo, D. Iannazzo and R. Romeo</b>	173	Experimental and theoretical study of the 1,3-dipolar cycloaddition between D-glyceraldehyde nitrones and acrylates. Diastereoselective approach to 4-hydroxy pyroglutamic acid derivatives
<b>A. Arcelli, V. Cerè, F. Peri, S. Pollicino and A. Ricci</b>	191	Synthesis of new enantiopure thiepane derivatives and their evaluation as glycosidase inhibitors
<b>P. Dalla Croce and C. La Rosa</b>	197	Stereoselective synthesis of (1 <i>R</i> ,4 <i>R</i> )- <i>N</i> -acyl-2-oxa-5-aza-bicyclo[2.2.1]heptan-3-ones via mesoionic compounds. An improved synthesis of <i>cis</i> -4-hydroxy-D-proline
<b>T. Bakó, P. Bakó, Á. Szöllösy, M. Czugler, G. Keglevich and L. Töke</b>	203	Enantioselective Michael reaction of 2-nitropropane with substituted chalcones catalysed by chiral azacrown ethers derived from $\alpha$ -D-glucose
<b>M. Toşa, C. Paizs, C. Majdik, L. Novák, P. Kolonits, F.-D. Irimie and L. Poppe</b>	211	Synthesis of optically active 3-substituted-10-alkyl-10 <i>H</i> -phenothiazine-5-oxides by enantioselective biotransformations
	A17	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

## NUMBER 3

### Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		<b>COMMUNICATIONS</b>
<b>M. J. Arévalo, M. Avalos, R. Babiano, P. Cintas, M. B. Hursthouse, J. L. Jiménez, M. E. Light and J. C. Palacios</b>	223	Generation and fate of a novel homochiral mesoionic dipole: synthesis of C-nucleoside analogs
<b>J.-L. Vasse, V. Levacher, J. Bourguignon and G. Dupas</b>	227	Influence of the C(4)–C(3)–C=O dihedral angle of chiral NADH mimics on the stereoselectivity of reductions
<b>M. C. Fernández, J. M. Quintela, M. Ruiz and V. Ojea</b>	233	Diastereoselective synthesis of 4-substituted 2-amino-4-phosphonobutanoic acids
<b>P. Ciuffreda, A. Loseto and E. Santaniello</b>	239	Stereoselective deamination of (5' <i>RS</i> )-5'-methyl-2',3'-isopropylidene adenosine catalyzed by adenosine deaminase: preparation of diastereomerically pure 5'-methyl adenosine and inosine derivatives
		<b>ARTICLES</b>
<b>J. Zhang and F. Kong</b>	243	Efficient and practical syntheses of mannose tri-, tetra-, penta-, hexa-, hepta-, and octasaccharides existing in <i>N</i> -glycans
<b>F. Orsini, G. Sello, E. Travaini and P. Di Gennaro</b>	253	A chemoenzymatic synthesis of (2 <i>R</i> )-8-substituted-2-aminotetralins
<b>S. Chandrasekhar and Ch. R. Reddy</b>	261	Towards a synthesis of epothilone A: asymmetric synthesis of C(1)–C(6) and C(7)–C(15) fragments
<b>J. E. W. Scheuermann, G. Ilyashenko, D. V. Griffiths and M. Watkinson</b>	269	Solvent-mediated selective single and double ring-opening of <i>N</i> -tosyl-activated aziridines using benzylamine
<b>F. Zsila, Z. Bikádi and M. Simonyi</b>	273	Further insight into the molecular basis of carotenoid–albumin interactions: circular dichroism and electronic absorption study on different crocetin–albumin complexes

<b>D. Enders, B. Nolte, G. Raabe and J. Runsink</b>	285	Asymmetric synthesis and structural assignment of (–)- $\alpha$ -conhydrine
<b>M. Calmès, F. Escale and J. Martinez</b>	293	Synthesis of <i>N</i> -Boc-( <i>R</i> )- $\alpha$ -phenyl- $\gamma$ -aminobutyric acid using an in situ diastereoselective protonation strategy
<b>C. Agami, F. Couty and G. Evano</b>	297	A straightforward synthesis of enantiopure 2-cyano azetidines from $\beta$ -amino alcohols
<b>N. Plobeck and D. Powell</b>	303	Asymmetric synthesis of diarylmethylamines by diastereoselective addition of organometallic reagents to chiral <i>N</i> - <i>tert</i> -butanesulfinimines: switchover of diastereofacial selectivity
<b>S. Arrasate, E. Lete and N. Sotomayor</b>	311	Synthesis of enantiomerically enriched $\beta$ -amino alcohol derivatives via asymmetric lithiation of <i>O</i> -benzyl carbamates–imine addition using (–)-sparteine complexes
<b>P. J. Black, K. Jenkins and J. M. J. Williams</b>	317	Catalytic electronic activation: indirect Sharpless asymmetric epoxidation of enals
<b>J. W. Han and T. Hayashi</b>	325	Enhanced catalytic activity in asymmetric hydrosilylation of 1,3-dienes with a soluble palladium catalyst
	A45	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

## NUMBER 4

### Contents

v	Contributors to this issue
vii	Graphical abstracts

### COMMUNICATION

333	A soluble polymer-bound Evans' chiral auxiliary: synthesis, characterization and use in cycloaddition reactions
-----	---

### ARTICLES

<b>R. Chênevert and D. Caron</b>	339	Chemoenzymatic enantioselective synthesis of (1 <i>S</i> ,5 <i>R</i> )-(–)-frontalin
<b>J.-M. Lee, H.-S. Lim and S.-K. Chung</b>	343	A short and efficient stereoselective synthesis of all four diastereomers of sphingosine
<b>R. N. Patel, L. Chu, R. Chidambaram, J. Zhu and J. Kant</b>	349	Enantioselective microbial reduction of 2-oxo-2-(1',2',3',4'-tetrahydro-1',1',4',4'-tetramethyl-6'-naphthalenyl)acetic acid and its ethyl ester
<b>S. Abramson, M. Laspéras and D. Brunel</b>	357	Design of mesoporous aluminosilicates supported (1 <i>R</i> ,2 <i>S</i> )-(–)-ephedrine: evidence for the main factors influencing catalytic activity in the enantioselective alkylation of benzaldehyde with diethylzinc
<b>J. Skarzewski, E. Wojaczyńska and I. Turowska-Tyrk</b>	369	Sequential asymmetric dihydroxylation and sulfoxidation of homoallylic sulfides. Stereochemical aspects of the preparation of new trifunctional chiral building blocks
<b>K. Faber and W. Kroutil</b>	377	Stereoselectivity in biocatalytic enantioconvergent reactions and a computer program for its determination
<b>C.-G. Yang, J. Wang, X.-X. Tang and B. Jiang</b>	383	Asymmetric aminohydroxylation of vinyl indoles: a short enantioselective synthesis of the bisindole alkaloids dihydrohamacanthin A and dragmacidin A

- F. Wang, Y. Q. Tu, C. A. Fan, S. H. Wang and F. M. Zhang 395 Kinetic resolution via semipinacol rearrangement of  $\alpha$ -hydroxy epoxides: a new method for asymmetric synthesis of  $\alpha$ -hydroxy epoxides and  $\beta$ -hydroxy ketones containing an  $\alpha$ -quaternary carbon
- R. Robles, I. Izquierdo, C. Rodríguez, M. T. Plaza, A. J. Mota and L. Álvarez de Cienfuegos 399 Synthesis of nucleosides from 4-methylidene furanoses: a non-classical electrophilic addition
- A. Selouane, C. Vaccher, P. Villa, D. Postel and C. Len 407 Enantiomeric d4T analogues and their structural determination
- K. Nakamura and K. Takenaka 415 The effect of catechin derivatives on the enantioselectivity of lipase-catalyzed hydrolyses of alkynol benzoate esters
- S. Chandrasekhar, A. Raza and M. Takhi 423 Synthesis of unusual amino acids: *N*-(*tert*-butoxycarbonyl)-L-vinyl glycine and *N*-(*tert*-butoxycarbonyl)-L-homophenylalanine
- M. Tiecco, L. Testaferri, C. Santi, C. Tomassini, F. Marini, L. Bagnoli and A. Temperini 429 Asymmetric synthesis of thioamido selenides. A simple synthetic route to enantiopure thiazolines
- F. Busqué, P. de March, M. Figueredo, J. Font, T. Gallagher and S. Milán 437 Efficient synthesis of (*S*)-3,4-dihydro-2-pivaloyloxymethyl-2*H*-pyrrole 1-oxide
- J. K. Ekegren, S. A. Modin, D. A. Alonso and P. G. Andersson 447 Multigram scale synthesis of a useful aza-Diels–Alder adduct in a one-step procedure
- A73 Stereochemistry abstracts  
 I Instructions to contributors  
 V Cumulative author index

## NUMBER 5

### Contents

- v Contributors to this issue  
 vii Graphical abstracts

#### COMMUNICATIONS

- A. G. Moglioni, B. N. Brousse, A. Álvarez-Larena, G. Y. Moltrasio and R. M. Ortuño 451 Stereoselective synthesis of cyclobutyl GABA analogues and related compounds from (–)-(*S*)-verbenone
- M. Cantó, P. de March, M. Figueredo, J. Font, S. Rodríguez, A. Álvarez-Larena and J. F. Piniella 455 First synthesis of (+)-rengyolone and (+)- and (–)-menisdaurilide

#### ARTICLES

- X.-X. Shi, Q.-Q. Wu and X. Lu 461 A synthesis of (4*S*)-2-(acetoxymethyl)-4-(*tert*-butyl-diphenylsilyloxy)-2-cyclopenten-1-one
- A. Wolfson, S. Geresh, M. Gottlieb and M. Herskowitz 465 Heterogenization of Rh-MeDuPHOS by occlusion in polyvinyl alcohol films
- Y.-B. Zhou, F.-Y. Tang, H.-D. Xu, X.-Y. Wu, J.-A. Ma and Q.-L. Zhou 469 Chiral 1,2,3,4-tetrahydroquinolinyl-oxazoline ligands for Ru-catalyzed asymmetric transfer hydrogenation of ketones
- F. Felluga, M. Fermeiglia, M. Ferrone, G. Pitacco, S. Priol and E. Valentin 475 Computational studies on the enantioselectivity of  $\alpha$ -chymotrypsin towards  $\beta$ -carbomethoxy- $\gamma$ -lactams

- K. Kánai, B. Podányi, S. Bokotey,  
F. Hajdú and I. Hermezc 491 Stereoselective sulfoxide formation from a thioproline derivative
- F. Paradisi, F. Piccinelli, G. Porzi and  
S. Sandri 497 Enantioselective synthesis of 2,6-diaminopimelic acid derivatives. Part 3
- A.-M. Yim, Y. Vidal, P. Viallefont  
and J. Martinez 503 Diastereoselective radical addition to dehydroalanine derivatives of pantolactone
- S. S. Chimni, S. Singh, S. Kumar  
and S. Mahajan 511 Kinetic resolution of heteroaryl  $\beta$ -hydroxy sulfides catalyzed by *Humicola lanuginosa* lipase
- K. Okrasa, A. Falcimaigne,  
E. Guibé-Jampel and M. Therisod 519 Enantioselective synthesis of sulfoxides catalysed by an oxidase–peroxidase bienzymatic system
- S. F. Mayer, A. Steinreiber, M. Goriup,  
R. Saf and K. Faber 523 Chemoenzymatic asymmetric total syntheses of a constituent of Jamaican rum and of (+)-Pestalotin using an enantioconvergent enzyme-triggered cascade reaction
- S. Pilard, D. Riboul, V. Glaçon,  
N. Moitessier, Y. Chapleur, D. Postel  
and C. Len 529 Asymmetric dihydroxylation of chiral styrene derivatives: development of an analytical strategy for the determination of the diastereomeric excess
- M. Díaz, M. Ferrero, S. Fernández and  
V. Gotor 539 Novel chiral precursors of 6-*s-cis* locked 1 $\alpha$ ,25-dihydroxyvitamin D<sub>3</sub> analogues through selective enzymatic acylation
- T. V. Hansen 547 Synthesis of (*R*)-(-)-argentilactone
- P. Müller, G. Bernardinelli and P. Nury 551 Synthesis of bicyclo[3.2.2]nonadienones via enantioselective cyclopropanation of racemic cyclohexen-3-yl diazoacetate
- A95 Stereochemistry abstracts  
I Instructions to contributors  
V Cumulative author index

## NUMBER 6

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- 559 Diastereoselective reduction of  $\beta$ -ketophosphonates derived from amino acids. A new entry to enantiopure  $\beta$ -hydroxy- $\gamma$ -aminophosphonate derivatives
- 563 Use of  $\alpha$ -amino esters as chiral auxiliaries in the enantioselective Michael alkylation of chiral imines
- ARTICLES**
- 569 Synthesis and characterization of a new chiral phosphinothiol ligand and its palladium(II) complexes
- 579 Chemoenzymatic synthesis of enantiopure isopropyl (3*R*)- and (3*S*)-3-hydroxycyclohex-1-ene-1-carboxylates and their reduction to isomers of isopropyl 3-hydroxy-cyclohexane-1-carboxylate
- 587 Asymmetric synthesis of 2-substituted piperidin-3-ols
- M. Ordóñez, R. de la Cruz,  
M. Fernández-Zertuche and  
M.-Á. Muñoz-Hernández
- I. Jabin, G. Revial, M. Pfau and  
P. Netchitaïlo
- N. Brugat, J. Duran, A. Polo, J. Real,  
Á. Álvarez-Larena and J. F. Piniella
- L. Fonteneau, S. Rosa and D. Buisson
- D. Enders, B. Nolte and J. Runsink

- G. Reginato, A. Mordini, M. Valacchi and R. Piccardi 595 Synthesis of non-racemic  $\beta$ -branched  $\alpha$ -(aminoalkyl)-acrylates from naturally occurring amino acids
- A. S. Demir, F. Aydogan and I. M. Akhmedov 601 The synthesis of chiral 5-methylene pyrrol-2(*5H*)-ones via photooxygenation of homochiral 2-methylpyrrole derivatives
- P. Hesemann, J. J. E. Moreau and C. Yixiang 607 Hybrid silarylene polysiloxanes incorporating chiral BINOL entities: a new class of polymer with main chain chirality
- S. Chandrasekhar and G. Kulkarni 615 Chiral Mitsunobu reactions with (1*S*)-(+)-ketopinic acid: kinetic resolutions of secondary alcohols
- P. T. Baraldi, P. H. G. Zarbin, P. C. Vieira and A. G. Corrêa 621 Enantioselective synthesis of (*R*)- and (*S*)-2-methyl-4-octanol, the male-produced aggregation pheromone of Curculionidae species
- A. Avenzoza, J. I. Barriobero, J. H. Busto, C. Cativiela and J. M. Peregrina 625 Synthesis of enantiopure analogues of 3-hydroxyproline and derivatives
- E. Butkus, A. Žilinskas, S. Stončius, R. Rozenbergas, M. Urbanová, V. Setnička, P. Bouř and K. Volka 633 Synthesis and chiroptical properties of enantiopure tricyclo[4.3.0.0<sup>3,8</sup>]nonane-4,5-dione (twistbrendanedione)
- D. Díez, M. T. Beneitez, I. S. Marcos, N. M. Garrido, P. Basabe and J. G. Urones 639 Regio- and stereoselective ring opening of epoxides. Enantioselective synthesis of 2,3,4-trisubstituted five-membered heterocycles
- S. G. Davies, D. J. Dixon, G. J.-M. Doisneau, J. C. Prodder and H. J. Sanganee 647 Synthesis and utility of the 3,3-dimethyl-5-substituted-2-pyrrolidinone 'Quat' chiral auxiliary
- A.-S. Castanet, F. Colobert, P.-E. Broutin and M. Obringer 659 Asymmetric Suzuki cross-coupling reaction: chirality reversal depending on the palladium–chiral phosphine ratio
- A. S. Demir and O. Sesenoglu 667 A new and efficient chemoenzymatic access to both enantiomers of 4-hydroxycyclopent-2-en-1-one
- A113 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 7

### Contents

- v Contributors to this issue
- vii Graphical abstracts

### COMMUNICATION

- 671 (*S*)-Naproxen<sup>®</sup> and (*S*)-Ibuprofen<sup>®</sup> chlorides—convenient chemical derivatizing agents for the determination of the enantiomeric excess of hydroxy and aminophosphonates by <sup>31</sup>P NMR

### ARTICLES

- V. Guerlavais, P. J. Carroll and M. M. Joullié 675 Progress towards the total synthesis of callipeltin A. Asymmetric synthesis of (2*R*,3*R*,4*S*)-3-hydroxy-2,4,6-trimethylheptanoic acid
- A. Zampella, M. Sorgente and M. V. D'Auria 681 Synthetic studies on callipeltin A: stereoselective synthesis of (2*R*,3*R*,4*S*)-3-hydroxy-2,4,6-trimethylheptanoic acid

- G. V. M. Sharma, K. Raman Kumar, P. Sreenivas, P. Radha Krishna and M. S. Chorghade 687 Catalytic FeCl<sub>3</sub>- or Yb(OTf)<sub>3</sub>-mediated synthesis of substituted tetrahydrofurans and C-aryl glycosides from 1,4-diols
- Y.-C. Wang, T.-M. Lu, S. Elango, C.-K. Lin, C.-T. Tsai and T.-H. Yan 691 Switch in asymmetric induction sense in cycloadditions using camphor-based nitroso dienophiles
- B. T. Cho, O. K. Choi and D. J. Kim 697 Highly efficient synthesis of chiral β-hydroxy sulfides with high enantiomeric purity via CBS-oxazaborolidine-catalyzed borane reduction
- H. Nakamura, M. Ono, Y. Shida and H. Akita 705 New total syntheses of (+)-macrospinelides C, F and G
- S. Jew, D. Lim, S. Bae, H. Kim, J. Kim, J. Lee and H. Park 715 Enantioselective synthesis of (2*R*,3*S*)-(+)-catechin
- A. V. Bedekar, T. Watanabe, K. Tanaka and K. Fuji 721 Intramolecular asymmetric olefination of binaphthyl phosphonate derivatives of 1,3-diketones
- J. Yamazaki, A. V. Bedekar, T. Watanabe, K. Tanaka, J. Watanabe and K. Fuji 729 Asymmetric construction of novel bicyclo[4.4.0] and [4.3.0]ring systems via intramolecular Horner–Wadsworth–Emmons reactions
- P. Kielbasiński, M. Albrycht, J. Łuczak and M. Mikołajczyk 735 Enzymatic reactions in ionic liquids: lipase-catalysed kinetic resolution of racemic, *P*-chiral hydroxymethanephosphinates and hydroxymethylphosphine oxides
- Y.-X. Li, A. J. J. Straathof and U. Hanefeld 739 Enantioselective formation of mandelonitrile acetate—investigation of a dynamic kinetic resolution
- J. L. Vicario, D. Badía, L. Carrillo and E. Anakabe 745 Asymmetric synthesis of 1,2-diaryl-2-amino ethanols
- A. G. Csáky, M. B. Mula, M. Mba and J. Plumet 753 Asymmetric C–C bond formation by the mixed oxidative coupling of 1,1'-bi-2-naphthyl esters
- P. Camps, G. Colet, M. Font-Bardia, V. Muñoz-Torrero, X. Solans and S. Vázquez 759 Towards chiral non-racemic *cis*-1,3-disubstituted cyclopentane 1,4-diphosphines
- S. Chow and W. Kitching 779 Hydrolytic kinetic resolution of terminal mono- and bis-epoxides in the synthesis of insect pheromones: routes to (–)-(*R*)- and (+)-(*S*)-10-methyldecyl acetate, (–)-(*R*)-10-methyl-2-tridecanone, (–)-(*R*)-(*Z*)-undec-6-en-2-ol (Nostrenol), (–)-(1*R*,7*R*)-1,7-dimethylnonyl propanoate, (–)-(6*R*,12*R*)-6,12-dimethylpentadecan-2-one, (–)-(2*S*,11*S*)-2,11-diacetoxytridecane and (+)-(2*S*,12*S*)-2,12-diacetoxytridecane
- A139 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 8

### Contents

- v Contributors to this issue
- vii Graphical abstracts

#### COMMUNICATIONS

- M. Ruiz, V. Ojea, T. M. Ruanova and J. M. Quintela 795 Access to iminosugars by aldol additions of metalated bis-lactim ethers to L-erythrose derivatives



- Y. H. Choi, J. Y. Choi, H. Y. Yang and Y. H. Kim 801 Copper-catalyzed conjugate addition on macrocyclic, cyclic, and acyclic enones with a chiral phosphoramidite ligand having a  $C_2$ -symmetric amine moiety
- I. Sato, R. Kodaka, K. Hosoi and K. Soai 805 Highly enantioselective addition of dialkylzincs to aldehydes using dendritic chiral catalysts with flexible carbosilane backbones
- ARTICLES**
- G. Chen, X. Li, H. Zhang, L. Gong, A. Mi, X. Cui, Y. Jiang, M. C. K. Choi and A. S. C. Chan 809 Easily accessible chiral amino-phosphinite ligands for highly enantioselective palladium-mediated allylic alkylation
- A. Kamal, M. Sandbhor and K. V. Ramana 815 One-pot lipase-catalyzed synthesis of enantiopure secondary alcohols from carbonyl compounds: a new protocol for lipase-mediated resolution
- U. Grošelj, S. Rečnik, J. Svete, A. Meden and B. Stanovnik 821 Stereoselective synthesis of (1*R*,3*R*,4*R*)-3-(1,2,4-triazolo[4,3-*x*]azin-3-yl)-1,7,7-trimethylbicyclo[2.2.1]heptan-2-ones
- E. Hedenström, B.-V. Nguyen and L. A. Silks, III 835 Do enzymes recognise remotely located stereocentres? Highly enantioselective *Candida rugosa* lipase-catalysed esterification of the 2- to 8-methyldecanoic acids
- A. E. Wróblewski and K. B. Balcerzak 845 Synthesis of diethyl (1*R*,2*R*)- and (1*S*,2*R*)-3-acetamido-1,2-dihydroxypropylphosphonates
- K. C. Bhowmick, K. R. K. Prasad and N. N. Joshi 851 Synthesis and resolution of 2,2-dimethyl-1,3-diphenyl-1,3-propanediol, a new  $C_2$ -symmetric and conformationally rigid acyclic diol
- T. Kanger, K. Kriis, T. Pehk, A.-M. Müürisep and M. Lopp 857 Asymmetric synthesis of novel  $C_2$ -symmetric biphospholines
- F. Compostella, L. Franchini, G. B. Giovenzana, L. Panza, D. Proserpi and F. Ronchetti 867 Chemoenzymatic stereoconvergent synthesis of 3-*O*-benzoyl azidosphingosine
- S. Lochyński, B. Frąckowiak, T. Librowski, R. Czarnecki, J. Grochowski, P. Serda and M. Pasenkiewicz-Gierula 873 Stereochemistry of terpene derivatives. Part 3: Hydrolytic kinetic resolution as a convenient approach to chiral aminohydroxyiminocaranes with local anaesthetic activity
- A. Dijkman, J. M. Elzinga, Y.-X. Li, I. W. C. E. Arends and R. A. Sheldon 879 Efficient ruthenium-catalyzed racemization of secondary alcohols: application to dynamic kinetic resolution
- N. Baldovini and G. Solladié 885 Application of the asymmetric Diels–Alder reaction of a 2-substituted chiral maleate to the formal synthesis of (–)-β-santalene
- G. Delogu, D. Fabbri, C. de Candia, A. Patti and S. Pedotti 891 Stereoselective oxazaborolidine–borane reduction of biphenyl alkyl ketones
- A. Abate, E. Brenna, C. Dei Negri, C. Fuganti and S. Serra 899 Biocatalysed synthesis of the enantiomers of the floral odorant Florhydral®
- A165 Stereochemistry abstracts  
I Instructions to contributors  
V Cumulative author index

## NUMBER 9

### Contents

- v Contributors to this issue  
vii Graphical abstracts

### COMMUNICATIONS

- C. M. L. Delpiccolo and E. G. Mata 905 Stereoselective solid-phase synthesis of 3,4-substituted azetidiones as key intermediates for mono- and multicyclic β-lactam antibiotics and enzyme inhibitors

<b>T. Ziegler, D. Röseling and L. R. Subramanian</b>	911	Preparation of glycosyl amino acids as building blocks for the combinatorial synthesis of neoglycoconjugates
<b>I. Cristea, E. Kozma and C. Batiu</b>	915	Stereoselective <i>trans</i> -dihydroxylation of terpinen-4-ol: synthesis of some stereoisomers of <i>p</i> -menthane-1,2,4-triol
<b>J. M. Seco, E. Quiñoá and R. Riguera</b>	919	Incorrect procedure for the assignment of the absolute configuration of carbonucleosides by NMR: MPA must not be used with primary alcohols
<b>S. Karlsson and H.-E. Högberg</b>	923	Catalytic enantioselective 1,3-dipolar cycloaddition of nitrones to cyclopent-1-enecarbaldehyde
<b>R. Chinchilla, P. Mazón and C. Nájera</b>	927	New dimeric anthracenyl-derived <i>Cinchona</i> quaternary ammonium salts as phase-transfer catalysts for the asymmetric synthesis of $\alpha$ -amino acids
<b>ARTICLES</b>		
<b>A. R. Katritzky, H.-Y. He and A. K. Verma</b>	933	Stereoselective syntheses of chiral (3 <i>S</i> ,9 <i>bS</i> )-1,2,3,9 <i>b</i> -tetrahydro-5 <i>H</i> -imidazo[2,1- <i>a</i> ]isoindol-5-ones
<b>G. A. Reichard, J. Spitler, I. Mergelsberg, A. Miller, G. Wong, R. Raghavan, J. Jenkins, T. Gan and A. T. McPhail</b>	939	The asymmetric synthesis of (3 <i>R</i> )- <i>N</i> -methyl-2-oxo-[1,4'-bipiperidine]-3-acetamide in quantity
<b>Q. Xu, H. Yang, X. Pan and A. S. C. Chan</b>	945	<i>trans</i> -(1 <i>S</i> ,2 <i>S</i> )-1-Substituted-2-( <i>N,N</i> -dialkylamino)-1-indanol derivatives as chiral ligands in the catalytic enantioselective addition of diethylzinc to aldehydes
<b>Y. Kashima, J. Liu, S. Takenami and S. Niwayama</b>	953	Asymmetric desymmetrization of dialkyl bicyclo[2.2.1]hept-2,5-diene-2,3-dicarboxylates by a thermophilic esterase/lipase
<b>W. F. Kiesman and R. C. Petter</b>	957	Lewis-acid catalysis of the asymmetric Diels–Alder reaction of dimethyl fumarate and cyclopentadiene
<b>D. Ma, K. Ding, H. Tian, B. Wang and D. Cheng</b>	961	Asymmetric synthesis of ( <i>S</i> )-1-aminoindan-1,5-dicarboxylic acid and related analogues via intramolecular acylation of enantiopure $\alpha,\alpha$ -disubstituted amino acids
<b>T. Matsuda, Y. Nakajima, T. Harada and K. Nakamura</b>	971	Asymmetric reduction of simple aliphatic ketones with dried cells of <i>Geotrichum candidum</i>
<b>H. Boussac, J. Crassous, J.-P. Dutasta, L. Grosvalet and A. Thozet</b>	975	Resolution and absolute configuration of bromofluoroacetic acid
<b>L. Gibert, A. González, J. Granell and C. López</b>	983	Spontaneous macrocyclization of L-cysteine with malononitrile
<b>A. E. Wróblewski and I. E. Głowacka</b>	989	Synthesis of (1 <i>R</i> ,2 <i>S</i> )- and (1 <i>S</i> ,2 <i>S</i> )-3-azido-1,2-dihydroxypropylphosphonates
<b>J. Piró, P. Forns, J. Blanchet, M. Bonin, L. Micouin and A. Diez</b>	995	Asymmetric synthesis of $\beta$ -pseudopeptides from chiral 3,4-aziridinolactams
<b>M. Carda, F. González, R. Sánchez and J. A. Marco</b>	1005	Stereoselective synthesis of (–)-cytoxazone
	1011	Corrigendum
	A191	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

# NUMBER 10

## Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- T. F. Molinski, L. J. Brzezinski and J. W. Leahy 1013 Absolute configuration of phorboxazole A C32–C43 analogs by CD excitation-coupling of allylic 2-naphthoate esters
- K. M. Pietrusiewicz, M. Koprowski and Z. Pakulski 1017 Enantioselective desymmetrization of a phospholene *meso*-epoxide
- J. Biała, Z. Czarnocki and J. K. Maurin 1021 Diastereoselective synthesis of lortalamine analogs
- ARTICLES**
- A. C. Pinto, C. B. L. Freitas, A. G. Dias, V. L. P. Pereira, B. Tinant, J.-P. Declercq and P. R. R. Costa 1025 Selective conjugate addition of nitromethane to enoates derived from D-mannitol and L-tartaric acid
- Y. Jiang and D. Ma 1033 Synthesis of enantiopure substituted dihydrofurans via the reaction of (*S*)-glyceraldehyde acetonide- or Garner aldehyde acetonide-derived enones with sulfonium ylides
- S. Lee and Y. J. Zhang 1039 Rhodium-catalyzed asymmetric hydrogenations of electron deficient olefins using 1,4-diphosphine ligands bearing an imidazolidin-2-one backbone
- S. Honzawa, H. Okubo, K. Nakamura, S. Anzai, M. Yamaguchi and C. Kabuto 1043 Folding of dihelicenetriamines in water
- N. Prabakaran and G. Sundararajan 1053 Asymmetric Michael addition reactions using a chiral La–Na aminodiolate catalyst
- M. Kimura, A. Kuboki and T. Sugai 1059 Chemo-enzymatic synthesis of enantiomerically pure (*R*)-2-naphthyl-methoxyacetic acid
- D. Kihumbu, T. Stillger, W. Hummel and A. Liese 1069 Enzymatic synthesis of all stereoisomers of 1-phenylpropane-1,2-diol
- O. Azzolina, S. Collina, G. Brusotti, D. Rossi, A. Callegari, L. Linati, A. Barbieri and V. Ghislandi 1073 Chemical and biological profile of racemic and optically active dialkyl-aminoalkylnaphthalenes with analgesic activity
- J. H. Lutje Spelberg, L. Tang, M. van Gelder, R. M. Kellogg and D. B. Janssen 1083 Exploration of the biocatalytic potential of a halohydrin dehalogenase using chromogenic substrates
- M. I. Monterde, R. Brieva, V. M. Sánchez, M. Bayod and V. Gotor 1091 Enzymatic resolution of the chiral auxiliary 2-methoxy-2-phenylethanol
- J. Hydrio, M. Gouygou, F. Dallemer, J.-C. Daran and G. G. A. Balavoine 1097 New chiral phosphole ligands: their coordination behaviour and application in palladium-catalysed asymmetric allylic substitution
- D. Gryko, P. Prokopowicz and J. Jurczak 1103 The stereochemical course of addition of allyltrimethylsilane to protected L-alaninals and L-serinals in the presence of Lewis acids. Total synthesis of *cis*-(2*R*,3*S*)-3-hydroxyproline
- R. A. Dixon and S. Jones 1115 Efficient desymmetrisation of a *meso*-imide using a chiral oxazaborolidine catalyst
- A215 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

# NUMBER 11

## Contents

- v Publisher's announcement
- vii Contributors to this issue
- ix Graphical abstracts
- COMMUNICATIONS**
- E. V. Sergeeva, V. I. Rozenberg,  
D. Yu. Antonov, E. V. Vorontsov,  
Z. A. Starikova and H. Hopf 1121 First stereoselective pinacol coupling in the [2.2]paracyclophane series
- D. Basavaiah, G. Jayapal Reddy and  
V. Chandrashekar 1125 (2*S*,5*S*)-1,3-Diaza-2-phospha-2-oxo-2-chloro-3-phenylbicyclo[3.3.0]octane:  
a novel chiral source for borane-mediated catalytic chiral reductions
- ARTICLES**
- J. Xu 1129 A new and expeditious asymmetric synthesis of (*R*)- and (*S*)-2-amino-  
alkanesulfonic acids from chiral amino alcohols
- W.-P. Deng, K. A. Wong and K. L. Kirk 1135 Convenient syntheses of 2-, 5- and 6-fluoro- and 2,6-difluoro-L-DOPA
- C. Saluzzo, T. Lamouille, F. Le Guyader  
and M. Lemaire 1141 Synthesis and studies of 6,6'-BINAP derivatives for the heterogeneous  
asymmetric hydrogenation of methyl acetoacetate
- R. Tovar-Miranda, R. Cortés-García  
and P. Joseph-Nathan 1147 Synthesis and absolute configuration of the four possible stereoisomers of  
prandiol
- C. Wolf and B. T. Ghebremariam 1153 Dynamic stereochemistry of 1,8-bis(2,2'-disubstituted-4,4'-dipyridyl)-  
naphthalenes and their *N,N'*-dioxide derivatives
- S. Pinheiro, S. J. Greco, L. S. Veiga,  
F. M. C. de Farias and P. R. R. Costa 1157 Stereoselective Mannich reaction of camphor titanium enolate
- B. W. Day, C. O. Kangani and K. S. Avor 1161 Convenient syntheses of (2*R*,3*S*,4*R*)-3-(*tert*-butyldimethylsilyloxy)-2,4-  
dimethyl-5-oxopentanoic acid methoxymethylamide from methacrolein.  
Preparation of C1–C7 and C17–C24 fragments of (+)-discodermolide
- A. Ichikawa, H. Ono, S. Hiradate,  
M. Watanabe and N. Harada 1167 Absolute configurations of 2-methoxy-2-(1-naphthyl)propionic acid and  
2-methoxy-2-(2-naphthyl)propionic acid as determined by the phenylglycine  
methyl ester (PGME) method
- F. A. Luzzio and D. Y. Duveau 1173 Enzymatic resolution of the 1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane (1,8-  
cineole) system
- F. Ferioli, F. Piccinelli, G. Porzi and  
S. Sandri 1181 Stereoselective synthesis of bis( $\alpha$ -amino acid) derivatives isosteric with  
cysteine. Part 4
- H. R. Moon, W. J. Choi, H. O. Kim and  
L. S. Jeong 1189 Improved and alternative synthesis of D- and L-cyclopentenone derivatives,  
the versatile intermediates for the synthesis of carbocyclic nucleosides
- M. Shi and Y.-M. Xu 1195 Diastereoselective Baylis–Hillman type reactions of chiral non-racemic  
*N*-sulfinimines with cyclopent-2-en-1-one
- M. Ikunaka, J. Matsumoto and  
Y. Nishimoto 1201 A concise synthesis of (2*S*,3*S*)-BocAHPBA and (*R*)-BocDMTA, chiral  
building blocks for peptide-mimetic HIV protease inhibitors
- B. T. Cho, S. K. Kang and S. H. Shin 1209 Application of optically active 1,2-diol monotosylates for synthesis of  
 $\beta$ -azido and  $\beta$ -amino alcohols with very high enantiomeric purity. Synthesis  
of enantiopure (*R*)-octopamine, (*R*)-tembamide and (*R*)-aegeline
- L. Juhász, J. Visy, M. Simonyi, K. Krohn  
and S. Antus 1219 Lipase-catalyzed kinetic resolution of ( $\pm$ )-*trans*-2-(4-hydroxy-3-methoxy-  
phenyl)-3-hydroxymethyl-7-methoxy-2,3-dihydrobenzo[*b*]furan

T. Ema, M. Yoshii, T. Korenaga and  
T. Sakai

1223 Mechanism-based enzymatic method for reliable determination of absolute configuration of chiral 1-substituted ethanols: combination with NMR method

A233 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

## NUMBER 12

### Contents

v Contributors to this issue

vii Graphical abstracts

xi Publisher's announcement

#### COMMUNICATIONS

M. Sánchez-Aris, I. Maestre, T. Parella,  
C. Jaime, A. Virgili, A. Alvarez-Larena  
and J. F. Piniella

1231 Preparation, structural and conformational study of cyclobis[(*R,R*)- $\alpha,\alpha'$ -bis(trifluoromethyl)-9,10-anthracenedimethylsulphite]

A. Zampella and M. V. D'Auria

1237 Stereoselective synthesis of (*2R,3R,4R*)-3-hydroxy-2,4,6-trimethylheptanoic acid and determination of the absolute stereochemistry of the natural product from callipeltin A

T. Brunin, J. Cabou, S. Bastin, J. Brocard  
and L. Pélineski

1241 Chiral ferrocenyl amino alcohols as catalysts for the enantioselective borane reduction of ketones

#### ARTICLES

S. Beszant, E. Giannini, G. Zanoni and  
G. Vidari

1245 Enantioselective synthesis of both enantiomers of  $\gamma$ -ionone,  $\gamma$ -damascone, karahana lactone and karahana ether

L. Minuti, A. Taticchi, C. Rosini,  
D. Lanari, A. Marrocchi and S. Superchi

1257 Synthesis and absolute configuration of a new chiral [2.2]paracyclophane-based diene

A. Iuliano, I. Pieraccini, G. Félix and  
P. Salvadori

1265 Synthesis of four cholic acid-based CSPs containing 2-naphthyl carbamate and 3,5-dinitrophenylcarbamate moieties and their evaluation in the HPLC resolution of racemic compounds

A. Massa, F. R. Siniscalchi, V. Bugatti,  
A. Lattanzi and A. Scettri

1277 New procedures for the enantioselective oxidation of sulfides under stoichiometric and catalytic conditions

L. Garanti, G. Molteni and T. Pilati

1285 Diastereoselective cycloadditions of nitrilimines to enantiopure acrylamides

Y. Wang, X. Li and K. Ding

1291 Synthesis of a new type of chiral amino phosphine ligands for asymmetric catalysis

J. Rouden, A. Ragot, S. Gouault,  
D. Cahard, J.-C. Plaquevent and  
M.-C. Lasne

1299 Regio- and diastereoselective functionalization of (–)-cytosine: an unusual *N*-*C* acyl migration

F. Orsini and E. Di Teodoro

1307 New stereoselective synthesis of phosphono analogues of glycosyl phosphates

J. González-Sabín, V. Gotor and  
F. Rebolledo

1315 CAL-B-catalyzed resolution of some pharmacologically interesting  $\beta$ -substituted isopropylamines

- J. L. García Ruano,  
M. Á. Fernández-Ibáñez,  
A. M. Martín Castro,  
J. H. Rodríguez Ramos and  
A. C. Rubio Flamarique
- I. Neda, T. Kaukorat and C.-G. Hrib
- A. Taticchi, L. Minuti, A. Marrocchi,  
D. Lanari and E. Gacs-Baitz
- J. M. Palomo, G. Fernández-Lorente,  
C. Mateo, M. Fuentes,  
R. Fernández-Lafuente and J. M. Guisan
- 1321 Regio- and stereocontrolled hydrocyanation of chiral 2-alkylglycidamides with Et<sub>2</sub>AlCN: synthesis of enantiomerically pure mono- and disubstituted malic acid derivatives
- 1327 New hydrogenated and didehydrogenated 1,2-diamines of quincorine and quincoridine
- 1331 Synthesis of some new enantiopure [2.2]paracyclophanes bearing polycyclic aromatic subunits
- 1337 Modulation of the enantioselectivity of *Candida antarctica* B lipase via conformational engineering: kinetic resolution of (±)-α-hydroxy-phenylacetic acid derivatives
- A261 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 13

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- xiii Publisher's announcement

### COMMUNICATIONS

- C. E. Garrett, K. Prasad, O. Repič and  
T. J. Blacklock
- K. Hiroi, Y. Hiratsuka, K. Watanabe,  
I. Abe, F. Kato and M. Hiroi
- 1347 The enantioselective reduction of 2'-fluoroacetophenone utilizing a simplified CBS-reduction procedure
- 1351 A novel direct catalytic asymmetric synthesis of cyclic indole derivatives by intramolecular carbopalladation of allenes and subsequent intramolecular amination

### ARTICLES

- G. L. Lange, C. C. Humber and  
J. M. Manthorpe
- J.-H. Zhang, J. Liao, X. Cui, K.-B. Yu,  
J. Zhu, J.-G. Deng, S.-F. Zhu,  
L.-X. Wang, Q.-L. Zhou, L. W. Chung  
and T. Ye
- S. Easwar, S. B. Desai, N. P. Argade  
and K. N. Ganesh
- S. Sankaranarayanan, A. Sharma and  
S. Chattopadhyay
- 1355 [2+2] Photoadditions with chiral 2,5-cyclohexadienone synthons
- 1363 Highly efficient and practical resolution of 1,1'-spirobiindane-7,7'-diol by inclusion crystallization with *N*-benzylcinchonidinium chloride
- 1367 Enantioselective enzymatic approach to (+)- and (-)-2-acetoxy/hydroxy-cyclopentanones
- 1373 Synthesis of the 1,5-dimethyl chiron enantiomers, 3,7,11-trimethyldodec-10-en-1-ol: application to enantiomeric syntheses of tribolure and a marine fatty acid
- A. Ferrand, M. Bruno, M. L. Tommasino  
and M. Lemaire
- S. Superchi, E. Giorgio, P. Scafato and  
C. Rosini
- 1379 Hydrophilic diamine ligands for catalytic asymmetric hydrogenation of C=O bonds
- 1385 Rational design of chiral 1,1'-binaphthylazepine-based ligands for the enantioselective addition of ZnEt<sub>2</sub> to aromatic aldehydes

- L. Liang and A. S. C. Chan 1393 Copper-catalyzed highly enantioselective 1,4-conjugate addition of trimethylaluminum to 2-cyclohexenone
- T. C. Rosen and G. Haufe 1397 Synthesis of enantiopure monofluorinated phenylcyclopropanes by lipase-catalyzed kinetic resolution
- G. Cardillo, S. Fabbroni, L. Gentilucci, M. Gianotti, R. Perciaccante and A. Tolomelli 1407 Enantioselective synthesis of aziridine 2,2-dicarboxylates. Part 1: Copper(II)-bisoxazoline complex-catalysed Michael reaction on alkylidene malonates
- G. Cardillo, S. Fabbroni, L. Gentilucci, M. Gianotti, R. Perciaccante, S. Selva and A. Tolomelli 1411 Enantioselective synthesis of aziridine 2,2-dicarboxylates. Part 2: Determination of the absolute configuration
- I. Izquierdo, M. T. Plaza, R. Asenjo and A. Ramírez 1417 Thioanhydro sugars. Part 9: Enantiospecific synthesis of a polyhydroxythiolane, key intermediate for the preparation of glycosidase inhibitors bearing inner thiosulfonium salt
- H. Shi, H. Liu, R. Bloch and G. Mandville 1423 Enantioselective synthesis of the PAF antagonist MK-287
- E. Székely, B. Simándi, K. László, E. Fogassy, G. Pokol and I. Kmezc 1429 Effect of achiral support on the resolution of tetramisole by supercritical fluid extraction
- M. Pogorevc and K. Faber 1435 Enantioselective stereoinversion of *sec*-alkyl sulfates by an alkylsulfatase from *Rhodococcus ruber* DSM 44541
- M. Pogorevc, U. T. Strauss, T. Riermeier and K. Faber 1443 Selectivity-enhancement in enantioselective hydrolysis of *sec*-alkyl sulfates by an alkylsulfatase from *Rhodococcus ruber* DSM 44541
- D. Maillard, J. Bayardon, J. D. Kurichiparambil, C. Nguéfac-Fournier and D. Sinou 1449 Chiral perfluorinated analogues of MOP. Synthesis and applications in catalysis
- A287 Stereochemistry abstracts  
 I Instructions to contributors  
 V Cumulative author index

## NUMBER 14

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATION**
- A. García Martínez, E. Teso Vilar, A. García Fraile, S. de la Moya Cerero and P. Martínez-Ruiz 1457 The role of the substitution pattern on the catalytic activity of chiral bridgehead norbornane-derived  $\beta$ -amino alcohols
- ARTICLES**
- A. Chadha and B. Baskar 1461 Biocatalytic deracemisation of  $\alpha$ -hydroxy esters: high yield preparation of (*S*)-ethyl 2-hydroxy-4-phenylbutanoate from the racemate
- H. Villar, F. Guibé, C. Aroulanda and P. Lesot 1465 Investigation of SmI<sub>2</sub>-mediated cyclisation of  $\delta$ -iodo- $\alpha,\beta$ -unsaturated esters by deuterium 2D NMR in oriented solvents
- D. Steiner, S. G. Sethofer, C. T. Goralski and B. Singaram 1477 Asymmetric addition of diethylzinc to aldehydes catalyzed by  $\beta$ -amino alcohols derived from limonene oxide
- W.-L. Wong, W.-S. Lee and H.-L. Kwong 1485 Synthesis of new chiral terpyridine mono-*N*-oxide and di-*N*-oxide ligands and their applications in copper-catalyzed asymmetric cyclopropanation

- Y. Norimine, N. Yamamoto, Y. Suzuki, T. Kimura, K. Kawano, K. Ito, S. Nagato, Y. Iimura and M. Yonaga 1493 Enantioselective synthesis of (2*S*)-5-{4-[2-(4-fluorophenoxy)ethyl]piperazin-1-yl}-2-isopropyl-2-phenyl-pentanenitrile dihydrochloride (E2050) using enzyme-catalyzed kinetic resolution
- I. Izquierdo, M. T. Plaza and F. Franco 1503 Polyhydroxylated pyrrolidines. Part 2: Highly stereoselective synthesis of partially protected DMDP derivatives from D-fructose
- S. Nakamura, H. Yasuda and T. Toru 1509 Diastereoselective reaction of [1-(2,4,6-triisopropylphenylsulfinyl)-2-naphthyl]methanimines via diastereomeric rotamers
- H. Abe, T. Tsujino, K. Araki, Y. Takeuchi and T. Harayama 1519 Enantioselective construction of bicyclo[3.1.0]hexane derivatives through asymmetric deprotonation of *meso*-cyclic ketones
- A. Muñoz and A. Virgili 1529 Preparation and behavior of (*R*)- and (*S*)-2,2,2-trifluoro-1-(1-pyrenyl)ethanol as chiral solvating agents: study of the diastereomeric association by Job's plots, intermolecular NOE and binding constants
- M. Ruiz, V. Ojea and J. M. Quintela 1535 Amino acid based diastereoselective synthesis of fucosamines
- J. Clariana, J. Comelles, M. Moreno-Mañas and A. Vallribera 1551 2,2'-Isopropylidenebis[(4*R*)-(1-adamantyl)-2-oxazoline] (Adam-Box). A new enantiopure  $C_2$ -symmetrical ligand: enantioselective cyclopropanations, Diels–Alder reactions, and allylic oxidations
- S. G. Davies, S. W. Epstein, A. C. Garner, O. Ichihara and A. D. Smith 1555 Asymmetric synthesis of  $\alpha$ -amino carbonyl derivatives using lithium (*R*)-*N*-benzyl-*N*- $\alpha$ -methylbenzylamide
- Z. Hricóvniová 1567 Highly stereospecific Mo(VI)-mediated synthesis of D-*glycero*-L-*galacto*-octulose
- M. Yus, D. J. Ramón and O. Prieto 1573 Synthesis of  $C_2$ -symmetrical bis(1,2-hydroxy sulfonamide) ligands and application in the enantioselective addition of dialkylzinc to aldehydes
- I. Izquierdo, M. T. Plaza and F. Franco 1581 Polyhydroxylated pyrrolidines. Part 2: The first total synthesis of (+)-hyacinthacine A<sub>3</sub>
- A307 Stereochemistry abstracts  
 I Instructions to contributors  
 V Cumulative author index

## NUMBER 15

### Contents

- v Contributors to this issue  
 vii Graphical abstracts

### COMMUNICATION

- O. G. Bondarev, S. E. Lyubimov, A. A. Shiryayev, N. E. Kadilnikov, V. A. Davankov and K. N. Gavrillov 1587 An efficient chiral phosphitooxazoline ligand for Pd-catalyzed asymmetric allylic sulfonylation

### ARTICLES

- K. Lee, W. Zhou, L.-L. C. Kelley, C. Momany and C. K. Chu 1589 Synthesis of unsaturated fluoride containing D- and L-pyranosyl nucleosides
- G. V. M. Sharma, J. J. Reddy, M. H. V. R. Rao and N. Gallois 1599 Synthesis of spiro carbon linked deoxy disaccharides
- D. Vitharana, J. E. France, D. Scarpetti, G. W. Bonneville, P. Majer and T. Tsukamoto 1609 Synthesis and biological evaluation of (*R*)- and (*S*)-2-(phosphonomethyl)-pentanedioic acids as inhibitors of glutamate carboxypeptidase II



- I. V. Komarov, A. Monsees, R. Kadyrov, C. Fischer, U. Schmidt and A. Börner 1615 A new hydroxydiphosphine as a ligand for Rh(I)-catalyzed enantioselective hydrogenation
- A. Tárraga, P. Molina, D. Curiel and D. Bautista 1621 Asymmetric synthesis of ferrocenylazido alcohols and their derivatization to novel chiral ferrocenyl-thiazoline ligands with  $C_2$ -symmetry
- T. Tedeschi, R. Corradini, R. Marchelli, A. Puschl and P. E. Nielsen 1629 Racemization of chiral PNAs during solid-phase synthesis: effect of the coupling conditions on enantiomeric purity
- C. C. C. R. de Carvalho, F. van Keulen and M. M. R. da Fonseca 1637 Modelling the biokinetic resolution of diastereomers present in unequal initial amounts
- S. Fukuzawa, Y. Chino and T. Yokoyama 1645 Copper(II)-catalyzed kinetic resolution of ( $\pm$ )-2-arylpropionic acids with chiral *N*-trimethylsilyloxazolidin-2-one
- G. Desimoni, G. Faita, M. Guala and C. Pratelli 1651 The stereodivergent synthesis of chiral 4,5-disubstituted pybox ligands
- K. Omata, T. Fujiwara and K. Kabuto 1655 Use of a diamagnetic lanthanide complex for extending the scope of NMR determination of absolute configuration by the modified Mosher's method
- A. N. Skvortsov, D. A. de Vekki, A. I. Stash, V. K. Belsky, V. N. Spevak and N. K. Skvortsov 1663 Synthesis, crystal structures and optical activity of *cis*- and *trans*-(-)-dichloro[(*S*)-methyl *p*-tolylsulfoxide]pyridyl platinum(II) complexes
- G. De Coster, K. Vandyck, E. Van der Eycken, J. Van der Eycken, M. Elseviers and H. Röper 1673 D-Isomannide in synthesis: asymmetric Diels–Alder reactions with novel homochiral bis-imine  $Cu^{2+}$ -catalysts
- A. J. Bustillo, J. Aleu, R. Hernández-Galán and I. G. Collado 1681 Biocatalytically assisted preparation of antifungal chlorophenylpropanols
- X. Hu, H. Dai, X. Hu, H. Chen, J. Wang, C. Bai and Z. Zheng 1687 Ferrocenylphosphine–imine ligands for Pd-catalyzed asymmetric allylic alkylation
- M.-X. Wang and S.-M. Zhao 1695 Synthesis of enantiomerically enriched (*S*)-(+)-2-aryl-4-pentenoic acids and (*R*)-(-)-2-aryl-4-pentenamides via microbial hydrolysis of nitriles, a chemoenzymatic approach to stereoisomers of  $\alpha,\gamma$ -disubstituted  $\gamma$ -butyrolactones
- A337 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 16

### Contents

- v Contributors to this issue
- vii Graphical abstracts

### COMMUNICATIONS

- C. M. R. Ribeiro, E. de S. Santos, A. H. de O. Jardim, M. P. Maia, F. C. da Silva, A. P. D. Moreira and V. F. Ferreira 1703 Asymmetric Reformatsky reaction: application of mono- and dihydroxy carbohydrate derivatives as chiral ligands
- C. Taillefumier, Y. Lakhrissi, M. Lakhrissi and Y. Chapleur 1707 Facile synthesis of fused furanosyl  $\beta$ -amino acids from protected sugar lactones: incorporation into a peptide chain

- ARTICLES**
- C. Kashima, S. Mizuhara, Y. Miwa and Y. Yokoyama 1713 Resolution of secondary alcohols using 2-acyl-3-phenyl-*l*-menthopyrazoles as enantioselective acylating agents
- S. E. Boiadjev and D. A. Lightner 1721 Atropisomerism in monopyrroles
- C. Wolf, C. J. Francis, P. A. Hawes and M. Shah 1733 Enantioselective alkylation of aldehydes promoted by (*S*)-tyrosine-derived  $\beta$ -amino alcohols
- J. Fuentes, C. Gasch, D. Olano, M. Á. Pradera, G. Repetto and F. J. Sayago 1743 An easy route to seven-membered iminocyclitols from aldohexopyranosyl enamines
- F. D'Anna, S. Riela, P. Lo Meo, M. Gruttadauria and R. Noto 1755 The binary pyrene/heptakis-(6-amino-6-deoxy)- $\beta$ -cyclodextrin complex: a suitable chiral discriminator. Spectrofluorimetric study of the effect of some  $\alpha$ -amino acids and esters on the stability of the binary complex
- S. Lochyński, B. Frąckowiak, T. Olejniczak, Z. Ciunik and C. Wawrzeńczyk 1761 Lactones. Part 15: Synthesis of chiral spirolactones with a carane system—insect feeding deterrents
- K. Shibatomi and Y. Uozumi 1769 New homochiral phosphine ligands having a hexahydro-1*H*-pyrrolo[1,2-*c*]-imidazolone backbone: preparation and use for palladium-catalyzed asymmetric alkylation of cycloalkenyl carbonates
- R. Ballini, G. Bosica, M. V. Gil, E. Román and J. A. Serrano 1773 Preparation of enantiomerically pure 4-alkyl-5-formyl-4-nitrocyclohex-1-enes from 5-glyco-4-nitrocyclohex-1-enes
- V. Maggiotti, J.-B. Wong, R. Razet, A. R. Cowley and V. Gouverneur 1789 Asymmetric synthesis of aldol products derived from unsymmetrical ketones: assignment of the absolute configuration of antibody aldol products
- X. Ren, X. Chen, K. Peng, X. Xie, Y. Xia and X. Pan 1799 First enantioselective synthesis of daphneticin and its regioisomer
- A. Iuliano, E. Attolino and P. Salvadori 1805 Biselectors enantioselective stationary phases for HPLC: dependence of the chiral discrimination properties on stereochemistry and chemical nature of each unit of the chiral auxiliary
- F. Maienza, F. Santoro, F. Spindler, C. Malan and A. Mezzetti 1817 *P*-Stereogenic diphosphines in the ruthenium-catalysed asymmetric hydrogenation of C=C and C=O double bonds
- A. Battaglia, E. Baldelli, G. Barbaro, P. Giorgianni, A. Guerrini, M. Monari and S. Selva 1825 Synthesis and desilylation of (2*R*,3*S*)- $\alpha$ -methyl- $\alpha$ -silyl- $\alpha,\beta$ -2,3-dihydroxycarboxylic methyl esters
- V. P. Krasnov, G. L. Levit, V. N. Charushin, A. N. Grishakov, M. I. Kodess, V. N. Kalinin, V. A. OI'shevskaia and O. N. Chupakhin 1833 Enantiomers of 3-amino-1-methyl-1,2-dicarba-*closo*-dodecaborane
- A361 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 17

### Contents

- v Contributors to this issue
- vii Graphical abstracts

## COMMUNICATIONS

- A. García Martínez, E. Teso Vilar,  
A. García Fraile, S. de la Moya Cerero  
and B. Lora Maroto 1837 Synthesis of 7-*anti*-bromo-3,3-dimethyl-2-oxonorbornane-1-carboxylic acid:  
a new chiral source from the chiral pool
- K. Hiroi and K. Watanabe 1841 Highly enantioselective palladium-catalyzed asymmetric Diels–Alder reac-  
tions with chiral phosphino–oxazoline ligands
- N. Kise, A. Fujimoto and N. Ueda 1845 Stereoselective homocoupling of chiral 1-aroyleacetyl-2-imidazolidinones by  
oxidation with Br<sub>2</sub>

## ARTICLES

- M. D. Squire, A. Burwell, G. M. Ferrence  
and S. R. Hitchcock 1849 Enantiomerically enriched *vic*-amino alcohols from 2-iminobornanes
- J. Roos and F. Effenberger 1855 Stereoselective synthesis of β-amino-γ-butyrolactones
- M. Ruiz, V. Ojea and J. M. Quintela 1863 Computational study of the *syn,anti*-selective aldol additions of lithiated  
bis-lactim ether to 1,3-dioxolane-4-carboxaldehydes
- K. Sekimata, J. Uzawa, S.-Y. Han,  
K. Yoneyama, Y. Takeuchi, S. Yoshida and  
T. Asami 1875 Brz220 a novel brassinosteroid biosynthesis inhibitor: stereochemical struc-  
ture–activity relationship
- J. M. de la Fuente and S. Penadés 1879 Synthesis of Le<sup>x</sup>-neoglycoconjugate to study carbohydrate–carbohydrate  
associations and its intramolecular interaction
- C. Sanfilippo and G. Nicolosi 1889 Catalytic behaviour of chloroperoxidase from *Caldariomyces fumago* in the  
oxidation of cyclic conjugated dienes
- D. W. Barnett, M. J. Panigot and  
R. W. Curley, Jr. 1893 Stereoselective route to <sup>15</sup>N-labeled-β-deuterated amino acids: synthesis of  
(2*S*,3*R*)-[3-<sup>2</sup>H,<sup>15</sup>N]-phenylalanine
- P. Allevi, M. Galligani and M. Anastasia 1901 A simple and convenient transformation of L-lysine into pyridinoline and  
deoxy-pyridinoline, two collagen cross-links of biochemical interest
- V. P. Krasnov, G. L. Levit, I. M. Bukrina,  
A. M. Demin, O. N. Chupakhin and  
J. U. Yoo 1911 Efficient large (ca. 40 g) laboratory scale preparation of (*S*)- and (*R*)-valine  
*tert*-butyl esters
- U. Chiacchio, A. Corsaro, G. Gambera,  
A. Rescifina, A. Piperno, R. Romeo and  
G. Romeo 1915 Syntheses of new chiral bicyclic sultams and their use as auxiliaries in  
asymmetric conjugate addition of Grignard reagents
- M. Solymár, A. Liljebblad, L. Lázár,  
F. Fülöp and L. T. Kanerva 1923 Lipase-catalysed kinetic resolution in organic solvents: an approach to  
enantiopure α-methyl-β-alanine esters
- G. Dyker, K. Breitenstein and G. Henkel 1929 Synthesis of novel chiral ligands from amino acids by the Ugi reaction
- Z. Xin, C. Da, S. Dong, D. Liu, J. Wei  
and R. Wang 1937 A novel method for the synthesis of (*R*)-2,2'-dihydroxy-1,1'-binaphthyl-3,3'-  
dicarboxylic acid by asymmetric oxidative coupling of a chiral β-naphthol  
derivative catalyzed by CuCl
- M. Shi and J.-K. Jiang 1941 An exploration of asymmetric Baylis–Hillman reactions catalyzed by  
quinidine-derived chiral amines

A381 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

# NUMBER 18

## Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- R. Villano, M. De Rosa, C. Salerno, A. Soriente and A. Scettri 1949 Nonlinear effects and auto-induction in the asymmetric aldol condensation of synthetic equivalents of acetoacetic esters
- N. Berezina, V. Alphand and R. Furstoss 1953 Microbiological transformations. Part 51: The first example of a dynamic kinetic resolution process applied to a microbiological Baeyer–Villiger oxidation
- E. Risberg and P. Somfai 1957 Enantioselective addition of organolithium reagents to a 2*H*-azirine
- N. Maezaki, S. Yagi, S. Ohsawa, H. Ohishi and T. Tanaka 1961 Pd-catalyzed asymmetric sulfinylzincation of 1-alkynoates using 1-alkynyl sulfoxides bearing a chiral auxiliary
- C. Dufresne, D. Cretney, C. K. Lau, V. Mascitti and N. Tsou 1965 Progress towards the decalin portion of (+)-compactin
- M. C. Perry, X. Cui and K. Burgess 1969 A modular approach to *trans*-chelating, *N*-heterocyclic carbene ligand complexes
- ARTICLES**
- C. M. Schuch and R. A. Pilli 1973 Regio- and diastereoselective synthesis of 5-*trans*-substituted and 5,5-disubstituted 2-pyrrolidinones derived from (*S*)-malic acid
- S. W. Markowicz, K. Pokrzepowicz, J. Karolak-Wojciechowska, R. Czyłkowski, J. Omelańczuk and A. Sobczak 1981 Enantiomerically pure  $\alpha$ -pinene derivatives from material of 65% enantiomeric purity. Part 1: Di[3 $\alpha$ -(2 $\alpha$ -hydroxy)pinane]amine
- J. L. García Ruano, F. Bercial, G. González, A. M. Martín Castro and M. R. Martín 1993 Asymmetric 1,3-dipolar cycloadditions of diazoalkanes to (5*S*,*S*<sub>8</sub>)-5-[(1*R*)-menthyloxy]-4-phenylsulfinyl (and phenylsulfonyl)furan-2(5*H*)-ones
- J. L. García Ruano, L. González Gutiérrez, A. M. Martín Castro and F. Yuste 2003 Synthesis and dienophilic behavior of enantiomerically pure (*E*)-2-*p*-tolyl-sulfinylacrylonitrile derivatives
- C. Cimarelli, G. Palmieri and E. Volpini 2011 Synthesis of enantiopure 2-aminoalkylphenols by stereoselective addition of Grignard reagents to chiral 2-imidoylphenols
- J. Alifantes, A. G. Nichele and V. E. U. Costa 2019 Asymmetric synthesis of half-cage alcohol compounds
- P. Borrachero, F. Cabrera-Escribano, M<sup>a</sup> J. Diánez, M<sup>a</sup> D. Estrada, M. Gómez-Guillén, A. López Castro, S. Pérez-Garrido and M<sup>a</sup> I. Torres 2025 Higher glycosamino acid precursors: C<sub>7</sub> and C<sub>8</sub> aminodialdoses via regio- and stereoselective [3+2] cycloaddition of vinyl trimethylsilane to *C*-glycosyl nitrones
- A. Kamal, G. B. R. Khanna and R. Ramu 2039 Chemoenzymatic synthesis of both enantiomers of fluoxetine, tomoxetine and nisoxetine: lipase-catalyzed resolution of 3-aryl-3-hydroxypropanenitriles
- T. Zieliński, M. Achmatowicz and J. Jurczak 2053 A simple synthesis of chiral macrocyclic tetraamides derived from  $\alpha$ -amino acids
- A. Kulesza, A. Mieczkowski and J. Jurczak 2061 Diastereoselective allylation of chiral imines and a stereocontrolled route to 4-hydroxy-*N*-tosylpipercolic acid derivatives
- A397 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

# NUMBER 19

## Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- T. Caruso and A. Spinella 2071 First total synthesis of natural aplyolides C and E, ichthyotoxic macrolides isolated from the skin of the marine mollusc *Aplysia depilans*
- A. Krasieński and J. Jurczak 2075 The titanium-catalysed epoxidation of homoallylic  $\alpha$ -amino alcohols
- J. Drabowicz, J. Łuczak, M. Mikołajczyk, Y. Yamamoto, S. Matsukawa and K. Akiba 2079 The first enantiomerically pure,  $C_2$ -symmetric spiro-selenurane: 3,3,3',3'-tetramethyl-1,1'-spirobi[3*H*,2,1]-benzoxaselenole
- T. Arai, T. Sekiguti, Y. Iizuka, S. Takizawa, S. Sakamoto, K. Yamaguchi and H. Sasai 2083 A dendrimer-supported heterobimetallic asymmetric catalyst
- ARTICLES**
- A. Gaquere, S. Liang, F.-L. Hsu and X. R. Bu 2089 The readily available *tert*-pentyl group as a most effective simple directing group for asymmetric synthesis: a case study on Salen–Mn(III)-catalyzed epoxidation
- G. Zhao, J. Hu, Z. Qian and W. Yin 2095 Enantioselective reduction of  $\beta$ -keto sulfones using the  $\text{NaBH}_4/\text{Me}_3\text{SiCl}$  system catalyzed by polymer-supported chiral sulfonamide
- Ö. Dogan, I. Öner, D. Ülkü and C. Arici 2099 Diethylzinc-mediated 1,3-dipolar cycloaddition reaction of chiral azo-methine ylides: asymmetric synthesis of ferrocenyl-substituted pyrrolidine derivatives
- J. Skarzewski, R. Siedlecka, E. Wojaczyńska and M. Zielińska-Błajet 2105 A new and efficient route to homochiral  $\gamma$ -hydroxysulfoxides and  $\gamma$ -hydroxy-sulfones
- M. Panunzio, E. Bandini, E. Campana and P. Vicenati 2113 Enantioselective synthesis of protected D-serine from tetrahydrooxazin-4-one via a hetero Diels–Alder reaction
- A. Alexakis and F. Amiot 2117 Enantioselective addition of organolithium reagents on isoquinoline
- N. Shimizu, H. Akita and T. Kawamata 2123 Enzymatic resolution of *cis*- and *trans*-1,2,3,4,6,7,8,8a-octahydro-8a-methyl-6-*oxo*-naphthyl acetate derivatives
- E. Kobrzycka, D. Gryko and J. Jurczak 2133 Asymmetric addition of 2-methylfuran and its lithiated derivative to variously *N,N*-protected L-alaninals
- D. Chang, H.-J. Feiten, B. Witholt and Z. Li 2141 Regio- and stereoselective hydroxylation of *N*-substituted piperidin-2-ones with *Sphingomonas* sp. HXN-200
- J. M. Seco, L.-H. Tseng, M. Godejohann, E. Quiñoá and R. Riguera 2149 Simultaneous enantioresolution and assignment of absolute configuration of secondary alcohols by directly coupled HPLC–NMR of 9-AMA esters
- K. Ohe, K. Morioka, K. Yonehara and S. Uemura 2155 Asymmetric hydrogenation of enamides in aqueous media with a new water-soluble chiral rhodium- $\alpha,\alpha$ -trehalose-derived phosphine–phosphinite catalyst
- M. Shi and C.-J. Wang 2161 Axially dissymmetric binaphthylidene chiral Salen-type ligands for catalytic asymmetric addition of diethylzinc to aldehyde
- T. Hoshi, H. Shionoiri, M. Katano, T. Suzuki and H. Hagiwara 2167 Syntheses and reactions of (*R*)-(C<sub>10</sub>H<sub>6</sub>)<sub>2</sub>M<sub>2</sub> (M = SnMeCl<sub>2</sub>, SnMe<sub>2</sub>Cl, SnMe(OTf)<sub>2</sub>, SnMe<sub>2</sub>OTf, SiMe<sub>2</sub>I) as novel chiral 2,2'-bis-metallic-1,1'-binaphthyl catalysts

V. Garcia-Ruiz and S. Woodward

2177 On the absolute stereochemistry of (–)-4-alkylnonan-2-ones

A429 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

## NUMBER 20

### Contents

v Contributors to this issue

vii Graphical abstracts

#### COMMUNICATIONS

P. Mazón, R. Chinchilla, C. Nájera,  
G. Guillena, R. Kreiter,  
R. J. M. Klein Gebbink and  
G. van Koten

2181 Unexpected metal base-dependent inversion of the enantioselectivity in the asymmetric synthesis of  $\alpha$ -amino acids using phase-transfer catalysts derived from cinchonidine

W.-M. Dai, A. Wu and H. Wu

2187 Asymmetric Wittig reactions of chiral arsonium ylides. Part 3: Reversal of stereochemistry caused by metal cation in enantioselective olefination of 4-substituted cyclohexanones using a  $C_2$ -symmetric chiral arsine

A. Ciappa, U. Matteoli and A. Scrivanti

2193 Asymmetric catalysis in fragrance chemistry: a new synthesis of Galaxolide®

C. Neri and J. M. J. Williams

2197 Preparation of 2-oxazolidinones by enzymatic desymmetrisation

M. D. Garrett, R. Scott and  
G. N. Sheldrake

2201 Enantiocomplementary preparation of (*S*)- and (*R*)-1-pyridylalkanols via ketone reduction and alkane hydroxylation using whole cells of *Pseudomonas putida* UV4

K. P. Chiev, S. Roland and P. Mangeney

2205 Diastereoselective addition of organozinc reagents to chiral  $\alpha$ -imino esters

F. Segat-Dioury and L. A. Mulard

2211 Convergent synthesis of the methyl glycosides of a tetra- and a pentasaccharide fragment of the *Shigella flexneri* serotype 2a *O*-specific polysaccharide

S. Jarosz, K. Szewczyk, S. Skóra,  
Z. Ciunik and A. Pietrzak

2223 Stereochemistry of the Diels–Alder cyclization of sugar-derived dienes with active dienophiles

M. Amedjkouh and P. Ahlberg

2229 Synthesis of chiral diamines using novel 2-trichloromethyloxazolidin-4-one precursors derived from 5-*oxo*-proline and proline

J. Oxelbark and S. Claeson

2235 A comparison of silica and porous graphitic carbon as support materials for a chiral selector in HPLC

K. P. Pai Fondekar, F.-J. Volk,  
S. M. Khaliq-uz-Zaman, P. Bisel and  
A. W. Frahm

2241 Carbocyclic  $\alpha,\beta$ -diamino acids: asymmetric Strecker synthesis of stereomeric 1,2-diaminocyclohexanecarboxylic acids

Y. Zhong, X. Lei and G. Lin

2251 Amino alcohols with the bicyclo[3.3.0]octane scaffold as ligands for the catalytic enantioselective addition of diethylzinc to aldehydes

D. Ma, X. Pu and J. Wang

2257 Efficient formal synthesis of the dendrobatid alkaloid, indolizidine (–)-209B

M. Ramírez Osuna, G. Aguirre,  
R. Somanathan and E. Molins

2261 Asymmetric synthesis of amathamides A and B: novel alkaloids isolated from *Amathia wilsoni*

N. Tesson, B. Dorigneux and A. Fadel

2267 Synthesis of (1*S*,2*S*)- and (1*R*,2*R*)-1-amino-2-methylcyclopropane-phosphonic acids from racemic methylcyclopropanone acetal

- M. Pallavicini, C. Bolchi, L. Fumagalli,  
E. Valoti and L. Villa 2277 Highly efficient resolutions with isopropylidene glycerol 3-carboxy-2-naphthoate
- M. Kirihara, M. Kawasaki, H. Katsumata,  
H. Kakuda, M. Shiro and S. Kawabata 2283 Synthesis of optically active 2,2-difluorohomoallyl alcohols by lipase-catalyzed transesterification
- A445 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 21

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- M. Yus, D. J. Ramón and O. Prieto 2291 Highly enantioselective addition of dialkylzinc reagents to ketones promoted by titanium tetraisopropoxide
- A. Siwicka, K. Wojtasiewicz, A. Leniewski,  
J. K. Maurin and Z. Czarnocki 2295 Diastereoselective synthesis of some  $\beta$ -carboline derivatives from L-amino acids
- ARTICLES**
- W. K. Mączka and A. Mironowicz 2299 Enantioselective hydrolysis of 1-aryl ethyl acetates and reduction of aryl methyl ketones using carrot, celeriac and horseradish enzyme systems
- S. Löber, B. Ortner, L. Bettinetti,  
H. Hübner and P. Gmeiner 2303 Analogs of the dopamine D4 receptor ligand FAUC 113 with planar- and central-chirality
- L. Palombi, M. Feroci, M. Orsini and  
A. Inesi 2311 Electrochemically-initiated Michael addition of chiral acetoacetic derivatives to methyl vinyl ketone: stereocontrolled construction of quaternary carbon centers
- J. Murga, E. Falomir, M. Carda and  
J. A. Marco 2317 Erythrose derivatives as functionalized chiral  $d^3$  and  $d^4$  synthons
- M. D. Rozwadowska, A. Sulima and  
A. Gzella 2329 Synthesis, crystal structure and oxidation of (*R*)-(+)-8,9-dimethoxy-6,10b-dihydro-5*H*-thiazolo[2,3-*a*]isoquinolin-3-one
- F. Levrat, H. Stoeckli-Evans and  
N. Engel 2335 Enantiomeric excess determination of  $\alpha$ -amino acids by  $^{19}\text{F}$  NMR spectroscopy of their *N,N*-dimethyl-(2,2,2-trifluoro-1-phenylethyl)amine-*C,N*-palladium complexes
- R. Gandolfi, A. Borrometi, A. Romano,  
J. V. Sinisterra Gago and F. Molinari 2345 Enantioselective oxidation of ( $\pm$ )-2-phenyl-1-propanol to (*S*)-2-phenyl-1-propionic acid with *Acetobacter aceti*: influence of medium engineering and immobilization
- T. Katoh, K. Kakiya, T. Nakai,  
S. Nakamura, K. Nishide and M. Node 2351 A new divergent synthesis of (+)- and (-)-ferruginine utilizing PLE-catalyzed asymmetric dealkoxycarbonylation
- D. Steiner, L. Ivison, C. T. Goralski,  
R. B. Appell, J. R. Gojkovic and  
B. Singaram 2359 A facile and efficient method for the kinetic separation of commercially available *cis*- and *trans*-limonene epoxide
- A. Speicher and H. Roeser 2365 Enantioselective hydrolase type bioconversions of exogenous substrates using cell suspension cultures of bryophytes

- V. Langlois, J. Parisot, V. Bonnet and C. Rabiller 2369 Transfer activity of bovine liver  $\beta$ -glucuronidase: synthesis of disaccharides containing a  $\beta$ -D-glucopyranuronate unit
- J. M. Palomo, G. Fernández-Lorente, C. Mateo, R. Fernández-Lafuente and J. M. Guisan 2375 Enzymatic resolution of ( $\pm$ )-*trans*-4-(4'-fluorophenyl)-6-*oxo*-piperidin-3-ethyl carboxylate, an intermediate in the synthesis of (–)-Paroxetine
- M. Solymár, F. Fülöp and L. T. Kanerva 2383 *Candida antarctica* lipase A—a powerful catalyst for the resolution of heteroaromatic  $\beta$ -amino esters
- A. Sobolev, M. C. R. Franssen, J. Poikans, G. Duburs and A. de Groot 2389 Enantioselective lipase-catalysed kinetic resolution of acyloxymethyl and ethoxycarbonylmethyl esters of 1,4-dihydroisonicotinic acid derivatives
- A469 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 22

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- N. Monfort, A. Archelas and R. Furstoss 2399 Enzymatic transformations. Part 53: Epoxide hydrolase-catalysed resolution of key synthons for azole antifungal agents
- S. Izquierdo, M. Martín-Vilà, A. G. Moglioni, V. Branchadell and R. M. Ortuño 2403 Stereodivergent syntheses of the first bis(cyclobutane)  $\beta$ -dipeptides
- ARTICLES**
- A. Bayer, L. K. Hansen and O. R. Gautun 2407 Asymmetric Diels–Alder reactions of *N*-sulfinyl dienophiles using chiral Ti(IV) Lewis acids
- C. Cimarelli, G. Palmieri and E. Volpini 2417 A practical stereoselective synthesis of secondary and tertiary aminonaphthols: chiral ligands for enantioselective catalysts in the addition of diethylzinc to benzaldehyde
- W. Wang, W. Min, F. Bai, L. Sun, F. Yi, Z. Wang, C. Yan, Y. Ni and Z. Zhao 2427 Temperature-dependent magnetic susceptibilities study on parity-violating phase transition of D- and L-alanine crystals
- N. Imai, T. Nomura, S. Yamamoto, Y. Ninomiya and J. Nokami 2433 Preparation of highly optically active substituted 2,3-methanocinnamyl alcohols
- A. Paju, T. Kanger, T. Pehk, A.-M. Müürisep and M. Lopp 2439 Asymmetric oxidation of 3-alkyl-1,2-cyclopentanediones. Part 1: 3-Hydroxylation of 3-alkyl-1,2-cyclopentanediones
- M. Nakajima, M. Saito and S. Hashimoto 2449 Selective synthesis of optically active allenic and homopropargylic alcohols from propargyl chloride
- V. Schapiro, G. Cavalli, G. A. Seoane, R. Faccio and A. W. Mombrú 2453 Chemoenzymatic synthesis of chiral enones from aromatic compounds
- J. Frelek, A. Klimek and P. Ruškowska 2461 Optical activity of *vic*-amino alcohols in the presence of dimolybdenum tetracetate



- J. M. Vega-Pérez, J. I. Candela, E. Blanco and F. Iglesias-Guerra 2471 Stereoselective synthesis of epoxyalkyl glycoside precursors of glycosyl glycerol analogues from alkenyl glycosides of *N*-acetyl-D-glucosamine derivatives
- N. J. Alcock, I. Mann, P. Peach and M. Wills 2485 Dynamic kinetic resolution – asymmetric transfer hydrogenation of 1-aryl-substituted cyclic ketones
- G. Molteni, G. Brogini and T. Pilati 2491 Diastereoselective nitrilimine cycloaddition to the C=N bond of enantiopure 1,4-benzodiazepinones
- M. Chrzanowska 2497 Enantioselective addition of organometallic compounds to 3,4-dihydroisoquinoline in the presence of oxazoline derivatives: synthesis of (*R*)-(+)- and (*S*)-(–)-salsolidine
- Y. H. Kim, C. S. Cheong, S. H. Lee, S. J. Jun, K. S. Kim and H.-S. Cho 2501 Lipase-catalyzed resolution of 1,3-dioxolane derivatives: synthesis of a homochiral intermediate for antifungal agents
- A. E. Wróblewski and D. G. Piotrowska 2509 Enantiomerically pure *N*-Boc- and *N*-benzoyl-(*S*)-phenylglycinals
- A487 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 23

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATION**
- S. Pinheiro, S. F. Pedraza, M. A. Peralta, R. C. Teixeira, F. M. C. de Farias, V. F. Ferreira and P. R. R. Costa 2513 The 1,4-addition of organometallic reagents to enoates derived from pinanediol
- ARTICLES**
- R. Guo, T. T.-L. Au-Yeung, J. Wu, M. C. K. Choi and A. S. C. Chan 2519 Modified BINAPO ligands for Rh-catalysed enantioselective hydrogenation of acetamidoacrylic acids and esters
- M. R. Saidi and N. Azizi 2523 A new protocol for the one-pot preparation of highly diastereomerically enriched secondary amines and  $\beta$ -amino esters mediated by lithium perchlorate solution in diethyl ether
- K. Nakamura and R. Yamanaka 2529 Light-mediated regulation of asymmetric reduction of ketones by a cyanobacterium
- M. Desroses, F. Chéry, A. Tatibouët, O. De Lucchi and P. Rollin 2535 Sugar-based ethenyl ethers: stereoselective dipolar cycloadditions of nitrile oxides
- F. Palacios, A. M. Ochoa de Retana, J. I. Gil and J. M. Alonso 2541 Synthesis of optically active oxazoles from phosphorylated 2*H*-azirines and *N*-protected amino acids or peptides
- Y. Blériot, A. Giroult, J.-M. Mallet, E. Rodriguez, P. Vogel and P. Sinaÿ 2553 Synthesis of seven- and eight-membered carbasugar analogs via ring-closing metathesis and their inhibitory activities toward glycosidases
- K. Záruba and V. Král 2567 Quaternized brucine as a novel chiral selector
- M. Mikołajczyk, P. Łyżwa and J. Drabowicz 2571 A new efficient procedure for asymmetric synthesis of  $\alpha$ -aminophosphonic acids via addition of lithiated bis(diethylamino)phosphine borane complex to enantiopure sulfinimines

- L. F. Solares, M. Díaz, R. Brieva,  
V. M. Sánchez, M. Bayod and V. Gotor
- P. Ferraboschi, D. Colombo and  
S. Reza-Elahi
- F. Marr, R. Fröhlich and D. Hoppe
- O. Illa, E. Muray, D. Amsallem,  
A. G. Moglioni, H. Gornitzka,  
V. Branchadell, A. Baceiredo and  
R. M. Ortuño
- D. Šterk, M. S. Stephan and B. Mohar
- C. F. Morelli, A. Fornili, M. Sironi,  
L. Duri, G. Speranza and P. Manitto
- F. Couty and D. Prim
- 2577 Enzymatic resolution of new carbonate intermediates for the synthesis of (*S*)-(+)-zopiclone
- 2583 A practical chemoenzymatic approach to the synthesis of 3-hydroxy metabolites of tibolone
- 2587 Preparation of *meso*-1,3-diphenylallyllithium-(–)-sparteine—its crystal structure and reactions
- 2593 A comparative study on the 1,3-dipolar cycloadditions of diazomethane and bis(diisopropylamino)phosphinodiazomethane to chiral electron-deficient olefins: reactivity and diastereoselectivity
- 2605 New chiral *N*-(*N,N*-dialkylamino)sulfamoyl-1,2-diamine ligands for highly enantioselective transfer hydrogenation of ketones
- 2609 Regio- and diastereoselectivity in TiCl<sub>4</sub>-promoted reduction of 2-aryl-substituted *cis*-4-methyl-5-trifluoromethyl-1,3-dioxolanes
- 2619 Synthesis of enantiopure 2-acyl azetidines and the application of amino alcohols derived therefrom in enantioselective catalysis
- A517 Stereochemistry abstracts
- I Instructions to contributors
- V Cumulative author index

## NUMBER 24

### Contents

- v Contributors to this issue
- vii Graphical abstracts
- COMMUNICATIONS**
- H.-L. Wu and B.-J. Uang 2625 Asymmetric epoxidation of allylic alcohols catalyzed by new chiral vanadium(V) complexes
- M. Hensel, S. Lutz-Wahl and L. Fischer 2629 Stereoselective hydration of (*RS*)-phenylglycine nitrile by new whole cell biocatalysts
- ARTICLES**
- A. García Martínez, E. Teso Vilar,  
F. Moreno Jiménez, A. M. Álvarez García  
and P. Pinilla Rodríguez 2635 A novel and simple procedure for the enantiospecific synthesis of bridgehead norbornane thioethers and thiocyanates
- Y. Morimoto, T. Iwai, Y. Nishikawa  
and T. Kinoshita 2641 Stereospecific and biomimetic synthesis of C<sub>S</sub> and C<sub>2</sub> symmetric 2,5-disubstituted tetrahydrofuran rings as central building blocks of biogenetically intriguing oxasqualenoids
- H. Noda, K. Sakai and H. Murakami 2649 A new simple preparation of D-alloisoleucine suitable for large-scale manufacture
- J. M. Palomo, G. Fernández-Lorente,  
C. Mateo, M. Fuentes, J. M. Guisan  
and R. Fernández-Lafuente 2653 Enzymatic production of (3*S*,4*R*)-(–)-4-(4'-fluorophenyl)-6-*oxo*-piperidin-3-carboxylic acid using a commercial preparation of lipase A from *Candida antarctica*: the role of a contaminant esterase
- V. Setnička, M. Urbanová, S. Pataridis,  
V. Král and K. Volka 2661 Sol-gel phase transition of brucine-appended porphyrin gelator: a study by vibrational circular dichroism spectroscopy
- A. J. Stewart, R. M. Evans,  
A. C. Weymouth-Wilson, A. R. Cowley,  
D. J. Watkin and G. W. J. Fleet 2667 2-Deoxy-L-ribose from an *L-arabinono*-1,5-lactone

<b>E. Holder, G. Trapp, J. C. Grimm, V. Schurig and E. Lindner</b>	2673	Synthesis and rapid enantiomeric separation of the chiral mixed ligand [5-(4-hydroxybutyl)-5'-methyl-2,2'-bipyridine]-bis(1,10-phenanthroline)-ruthenium(II) complex by electrokinetic chromatography
<b>S. Singh, S. Kumar and S. S. Chimni</b>	2679	Chemoenzymatic synthesis of optically active heterocyclic homoallylic and homopropargylic alcohols
<b>Y. Yang, C. Zhang, G. Yue, P. Bie and X. Pan</b>	2689	Studies on the synthesis of biphenylneolignans. Part 1: Enantioselective synthesis of ( <i>S,S</i> )- and ( <i>R,R</i> )-2,2'-dimethoxy-4-(3-hydroxy-1-propenyl)-4'-(1,2,3-trihydroxypropyl)diphenyl ether
<b>S. Hari Krishna, M. Persson and U. T. Bornscheuer</b>	2693	Enantioselective transesterification of a tertiary alcohol by lipase A from <i>Candida antarctica</i>
<b>R. G. Kostyanovsky, K. A. Lyssenko, D. A. Lenev and I. A. Bronzova</b>	2697	Competitive H-bonding in bicyclic bis-lactams: self-assembly in nanotubes or in unbalanced chiral threefold interpenetrated diamondoid network
<b>G. Guanti, S. Perrozzi and R. Riva</b>	2703	<i>O</i> -Protecting groups as long-range stereocontrolling elements in the addition of acetylides to 4-substituted quinolines
<b>R. Annunziata, M. Benaglia, M. Caporale and L. Raimondi</b>	2727	Synthesis of enantiomerically pure $C_2$ -symmetric acyclic and cyclic 1,2-diamines via pinacol coupling of imines
<b>D. Heller, J. Holz, I. Komarov, H.-J. Drexler, J. You, K. Drauz and A. Börner</b>	2735	On the enantioselective hydrogenation of isomeric $\beta$ -acylamido $\beta$ -alkylacrylates with chiral Rh(I) complexes—comparison of phosphine ligands and substrates
	A547	Stereochemistry abstracts
	I	Instructions to contributors
	V	Author index 2002
	XIX	Volume contents 2002