


Contents


REPORT

Chiral catalysts in the stereoselective synthesis of pyrrolidine derivatives via metallo-azomethine ylides pp 2047–2061  
Suren Husinec and Vladimir Savic\*





COMMUNICATIONS

A versatile synthesis of phosphine–aminophosphine ligands for asymmetric catalysis pp 2063–2066  
Neil W. Boaz,\* James A. Ponasik, Jr. and Shannon E. Large



Synthesis of optically active (+)-2-benzyl-, (+)-2-octyl-, and (+)-2-tetradec-5'-enylcyclobutanones via metallated chiral imines or hydrazones pp 2067–2070  
Damien Hazelard and Antoine Fadel\*






## ARTICLES

### Synthesis of enantiopure 5.7-spirodiamines: (*S*)-1,7-diaza[4.6]undecane and related compounds

pp 2075–2080

Daniel Pettersen and Per Ahlberg\*




- 1a:** R<sub>1</sub> = H, R<sub>2</sub> = H > 99.8% ee
- b:** R<sub>1</sub> = H, R<sub>2</sub> = Me > 99.8% ee
- c:** R<sub>1</sub> = Me, R<sub>2</sub> = Me

### Enzymatic resolution of 1,1-dimethoxybut-3-en-2-ol and 1,1-dimethoxypent-4-en-2-ol, $\alpha$ -hydroxyaldehyde precursors for aldol-type reactions

pp 2081–2086


Robert Chênevert,\* Sébastien Gravil and Jean Bolte



### Lactones **23**: Synthesis of *cis*-fused bicyclic hydroxy lactones with a *p*-menthane system

pp 2087–2097


Iwona Dams,\* Agata Białońska, Zbigniew Ciunik and Czesław Wawrzeńczyk



**Influence of (*S*)-1-phenylethylamine *para* substitution on the resolution of ( $\pm$ )-1,4-benzodioxane-2-carboxylic acid: a crystallographic, theoretical and morphologic approach**

pp 2099–2106


Nicoletta Marchini, Gabriella Bombieri,\* Roberto Artali, Cristiano Bolchi, Marco Pallavicini and Ermanno Valoti



***N*-Functionalization of uracil derivatives: synthesis of chiral 2-(3-methyl-5-nitro-2,4-dioxo-3,4-dihydropyrimidin-1(2*H*)-yl)alkanoic acids and their methyl esters**

pp 2107–2112


Andrzej Gondela and Krzysztof Walczak\*



**Preparation of (*S*)-mandelic acids by enantioselective degradation of racemates with a new isolate *Pseudomonas putida* ECU1009**

pp 2113–2117


Han-Rong Huang, Jian-He Xu,\* Yi Xu, Jiang Pan and Xiang Liu



**Synthesis of new chiral crown ethers containing a (*p*-methoxyphenoxy)methyl moiety and their chiral recognition ability towards amino acid esters**

pp 2119–2124


Mehmet Karakaplan\* and Tarik Aral



Neutral zinc(II) and molybdenum(0) complexes with chiral guanidine ligands:  
synthesis, characterisation and applications

pp 2125–2131


Uwe Köhn, Martin Schulz, Helmar Görls and Ernst Anders\*



Polymer-supported chiral phosphinoxazolidine ligands for palladium-catalyzed asymmetric  
allylic alkylations and Diels–Alder reactions

pp 2133–2140


Hiroto Nakano,\* Kouichi Takahashi and Reiko Fujita



The natural alkaloid isoanabasine: synthesis from 2,3'-bipyridine, efficient resolution  
with BINOL, and assignment of absolute configuration by Mosher's method

pp 2141–2147


Chuan-Qing Kang, Yan-Qin Cheng, Hai-Quan Guo, Xue-Peng Qiu and Lian-Xun Gao\*



Lipase-catalyzed enantiomeric separation of 1-aryloxy-3-thiocyanatopropan-2-ols:  
an attempt to prepare optically active thiiranes

pp 2149–2156


Edyta Łukowska and Jan Pleniewicz\*



**Lipase-promoted dynamic kinetic resolution of racemic  $\beta$ -hydroxyalkyl sulfones**


pp 2157–2160

Piotr Kiełbasiński,\* Michał Rachwański, Marian Mikołajczyk, Marcel A. H. Moelands, Binne Zwanenburg and Floris P. J. T. Rutjes\*

**Thioether–phosphinite and diphosphinite ligands derived from D-xylose for the copper-catalyzed asymmetric 1,4-addition to 2-cyclohexenone**


pp 2161–2165

Eugeni Guimet, Montserrat Diéguez,\* Aurora Ruiz\* and Carmen Claver

**Stereodifferentiation in the fluorescence of naproxen–arginine salts in the solid state**


pp 2167–2171

Ignacio Vayá, M. Consuelo Jiménez\* and Miguel A. Miranda\*

**(*R*)-(4-(Benzyloxycarbonylphenyl)-3-hydroxy-4,4-dimethyl-2-pyrrolidinone) acrylate derivative as a chiral dienophile for the synthesis of enantiopure 2-aminocyclohexane carboxylic acids**

pp 2173–2178


Monique Calmès,\* Claude Didierjean, Jean Martinez and Olivier Songis



Asymmetric Baylis–Hillman reactions using (*R*)-4-(3-hydroxy-4,4-dimethyl-2-oxopyrrolidin-1-yl) benzoic acid acrylate derivatives in solution and on solid support

pp 2179–2185


Monique Calmès,\* Rhalid Akkari, Nicolas Barthes, Françoise Escale and Jean Martinez



Synthesis and reductions of (1*R*,4*E*,5*S*)-4-oximino-1,8,8-trimethyl-2-oxabicyclo[3.2.1]octan-3-one

pp 2187–2197

Uroš Grošelj, David Bevk, Renata Jakše, Anton Meden, Branko Stanovnik and Jurij Svete\*



OTHER CONTENTS

Stereochemistry abstracts  
Tetrahedron: *Asymmetry* reports  
Instructions to contributors  
Cumulative author index

pp A417–A445  
pp I–III  
pp V–VIII  
pp IX–XIII

\*Corresponding author



Full text of this journal is available, on-line from **ScienceDirect**. Visit [www.sciencedirect.com](http://www.sciencedirect.com) for more information.

Indexed/Abstracted in: Beilstein, BIOSIS Previews, Chemical Abstracts, Current Contents: Physical, Chemical and Earth Sciences, Derwent Biotechnology Abstracts, Derwent Drug File, Ei Compendex, EMBASE/Excerpta Medica, PASCAL, Research Alert, Science Citation Index, SciSearch



ISSN 0957-4166