


Contents

COMMUNICATIONS

- Trifluoromethylated amino alcohol as chiral auxiliary for highly diastereoselective and fast Simmons–Smith cyclopropanation of allylic amine**
Toshimasa Katagiri,* Naomi Iguchi, Tomomi Kawate, Satoshi Takahashi and Kenji Uneyama


pp 1157–1160



- Ferrocene-based aminophosphine ligands in the Ru(II)-catalysed asymmetric hydrogenation of ketones: assessment of the relative importance of planar versus carbon-centred chirality**

pp 1161–1164

Weiping Chen,* William Mbafor, Stanley M. Roberts and John Whittall




ARTICLES

- Enantioselective cyanosilylation of ketones catalyzed by Mn(salen)/ Ph_3PO**

pp 1165–1169


Sung Soo Kim,* Sang Hyuck Lee and Ju Myung Kwak



An improved synthesis of deuterated Schöllkopf's bis-lactim ether and its use for the asymmetric synthesis of (*R*)-[α -²H]-phenylalanine methyl esters

pp 1170–1178


Piers J. M. Taylor and Steven D. Bull*



Reduction of various ketones by red algae

pp 1179–1185

Takamitsu Utsukihara, Osami Misumi, Nakahide Kato, Tsuneyoshi Kuroiwa and C. Akira Horiuchi*




Microbial reduction of ethyl 2-oxo-4-phenylbutyrate. Searching for *R*-enantioselectivity.

pp 1186–1188

New access to the enalapril like ACE inhibitors


Paulo S. Bergo de Lacerda,* Joyce Benzaquem Ribeiro, Selma G. F. Leite, Maria Antonieta Ferrara, Ricardo B. Coelho, Elba P. S. Bon, Edson Luiz da Silva Lima and O. A. C. Antunes



Studies on epoxidation of enantiomerically pure 2,3-dideoxy hex-2-enitols: a convenient access to highly functionalized enantiomerically pure tetrahydrofuran derivatives

pp 1189–1198


Ram Sagar, L. Vijaya Raghava Reddy and Arun K. Shaw*



Carboxymethylated cyclodextrin derivatives as chiral NMR discriminating agents

pp 1199–1208


Catherine F. Dignam, Lauren A. Randall, René D. Blacken,
Patrick R. Cunningham, Shawna-Kaye G. Lester, Monique J. Brown,
Susan C. French, Stella E. Aniagyei and Thomas J. Wenzel*



Synthesis of both R_P and S_P enantiomers of unsymmetrical methylphosphonates based on a new approach utilizing a P-ester bond with α -hydroxyacids

pp 1209–1216


Piotr Bałczewski,* Aldona Szadowiak, Tomasz Białas, Wanda M. Wieczorek and Agnieszka Balińska



Stereoselective additions to the exocyclic C=C bond of some α -alkylidene-(+)-camphor derivatives

pp 1217–1237


Uroš Grošelj, David Bevk, Renata Jakše, Anton Meden, Branko Stanovnik and Jurij Svete*



Iridium-catalyzed cascade decarbonylation/highly enantioselective Pauson–Khand-type cyclization reactions

pp 1238–1252


Fuk Yee Kwong,* Hang Wai Lee, Wai Har Lam, Liqin Qiu and Albert S. C. Chan*



Asymmetric synthesis of 3,5-disubstituted indolizidines by intermolecular addition of an allylsilane on an *N*-acyliminium ion

pp 1253–1257


Elisabeth Conchon, Yvonne Gelas-Mialhe and Roland Remuson*



Synthesis and chiral recognition abilities of new calix[6]arenes bearing amino alcohol moieties

pp 1258–1263


Serkan Erdemir, Mustafa Tabakci and Mustafa Yilmaz*



Redesigning the mechanism of the lipase-catalysed aminolysis of esters

pp 1264–1274


Javier González-Sabín, Iván Lavandera, Francisca Rebolledo* and Vicente Gotor*



[9,9']Bi[naphtho(2,1-*b*)furanyl]-8,8'-diol, a furo-fused BINOL derivative: synthesis, resolution and determination of absolute configuration

pp 1275–1280


Anil V. Karnik,* Sunil P. Upadhyay and Manish G. Gangrade



Lipase-mediated resolution of 3-hydroxy-4-trityloxybutanenitrile: synthesis of 2-amino alcohols, oxazolidinones and GABOB

pp 1281–1289


Ahmed Kamal,* G. B. Ramesh Khanna, T. Krishnaji and R. Ramu



New chiral building blocks from acetovanillone using lipase A and B from *Candida antarctica*

pp 1290–1295


Erik Fuglseth, Thorleif Anthonsen and Bård Helge Hoff*



Synthesis of enantiomeric menthol derivatives for forming and probing chiral surfaces. X-ray crystal and molecular structures of (+)-(1*S*,2*R*,5*S*)-1-(2-tricyanovinyl-1*H*-pyrrol-1-yl-methoxy)-2-isopropyl-5-methylcyclohexane

pp 1296–1300

Fabrizio Cattaruzza, Vincenzo Fares,* Alberto Flamini* and Tommaso Prosperi





The product is both homochiral and electroactive showing a quasi-reversible cyclic voltammetry.

Catalytic asymmetric transfer hydrogenation of ketones using terpene-based chiral β -amino alcohols

pp 1301–1307

Cian Christopher Watts, Praveen Thoniyot, Frank Cappuccio, Joelle Verhagen, Brian Gallagher and Bakthan Singaram*





OTHER CONTENTS

- Corrigendum
Stereochemistry abstracts
Instructions to contributors
Cumulative author index

p 1318
pp A247–A279
pp I–IV
pp V–VIII

*Corresponding author



Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Indexed/Abstracted in: Beilstein, BIOSIS Previews, Chemical Abstracts, Current Contents: Physical, Chemical and Earth Sciences, Derwent Biotechnology Abstracts, Derwent Drug File, Ei Compendex, EMBASE/Excerpta Medica, PASCAL, Research Alert, Science Citation Index, SciSearch



ISSN 0957-4166