Subject Index 1989

Corrigenda

Corrigenda

de Jong J.C. and Feringa B.L. :30, 1699(1989): page number of last reference should be 3496, 7275

Kirchner J.J., Pratt D.V. and Hopkins P.B.: 29, 4229(1988): correct formulation of 16 given, 186

Lin I-Ze., Cordell G.A., Ni Ch-Zh. and Clardy J.: 30, 1177(1989): on p1180 two sentences in first paragraph have been corrected; on p1179 the molecular formula for 1 has been corrected and structures for 1,2,3 and 4 and molecular structure for 2 are given, 3354

Normant J.F., and Quirion J.Ch. :30, 1961(1989): structure of 6 corrected, 5954

Pelter A., Drake R. and Stewart M.J.: 30, 3085(1989); equation 5 has been corrected, 4746

Revial G.:30,4121 (1989):p.4123, 3rd line, please read:(+)-trans-8,10-dimethyl-1(9)-octalone-2 14; p.4124, reference 2 corrected, 7275

Acetals

α-hydroxy-, enantiomerically pure from aldehydes, 2971

β-haloacetals, extended scope of Grignard reaction, use of acyclic acetals, 3547

activated-, and organoborates, use in allylation, 2013

aryl aldehydes or their dimethyl acetals, intermolecular pinacol cross coupling with non-aryl aldehydes, 7177

bicyclic-, synthesis from glycal using radical cyclisation, 57

bicyclic-, unsaturated, and lactones, synthesis via Pdpromoted cyclisation of cyclic allylic alcohols, 2767

bicyclo[3.3.0]octan-3,7-dione monoacetals, enantioselective deprotonation, approach to asymmetric synthesis of chiral synthons for carbocyclins, 7221 conversion into monothicacetals,

conversion into monothicacetals, α-alkoxyazides and α-alkoxyalkyl thicacetates with magnesium bromide, 6697 cyclohexendione monoacetals, prep via reactions of α,β-unsaturated ketones with 2-acyl-1,3dithianes, 7235

hemiacetals, prep of glycosyl

halides, 3081 ketene bis(trimethylsily1)acetals, Mukaiyama reaction with α-halo acetals, 6109

O-silyl ketene-, molecular structure, 447

O-silylated ketene-, biomimetic synthesis of cis-8-lactams, 729 PPh,/CBr, induced cyclisation of-, synthesis of tetrahydropyrans, prep, application to synthesis

of rose oxide, 1971 silyl ketene-, addition to α,βacetylenic esters, catalytic action of clay montmorillonite, 6341

silyl ketene-, chiral, asymmetric induction and auxiliary structure in "Mukaiyama-aldol" reactions, 5163

silyl ketene-, clay montmorillonite-catalysed regioselective addition to pyridine derivs, synthesis of Nsilyldihydropyridines, 747

sugar pyruvic acid-, synthesis,

templates of-, use in diastereoselective aldol synthesis, 1825

Acetalisation

under mild conditions, rhodium catalysis, 6151

Acetoxylation

stereoselective-, of chiral phenylacetic esters, 327

Acetylation

selective-, of sterols in imidazole-functionalised surfactant vesicles, 5849

sequential acetalisationpyrolysis, of d-acetyl benzalacetones, generation of 6substituted 2-acetonaphthones,

Acidity

formamidines, competitive study to assess relative acidities, 43

Acridines

9-aryl-, photochemical synthesis,

subunits of-, basis for synthesis of triply bridged bisintercalands, macrobicyclic receptor molecules, 941

Acvlation

and N-alkylation of heterocycles, thermodynamic control of regioselectivity, anionic mechanism, 4013

complementary regioselective-, of sec OH groups by different lipases, 1703

lipases, 1703 direct-, of stannyl tetronates, prep of 0-methyl-3-acyl tetronic acids, 1001

electrophilic aromatic substitutions of homoazulene,

fluorocarboethoxymethylene tri-nbutylphosphorane and transformation into α-fluoro βketoesters, 6113

midazole-functionalised surfactants transfer acetyl groups from p-nitrophenyl acetate to cholesterol in vesicular coaggregates, 4905

intramolecular-, of α-sulphinyl
 carbanions, prep of 4-oxygenated
 spiro[4.n]alk-2-ene-1-ones, 1715

N-, of glycine Schiff bases, approach to 3,3-diphenylaziridine-2-carboxylates, 4717

organomanganese chlorides by carboxylic acid chlorides, prep

of ketones, 7369 regioselective photoinduced-, of furans at 3-position, 4421

regioselective-, of sugar moieties in nucleosides, lipasecatalysis, 3817

Acyloins

arcmatic-, esters, a-diketones, and epoxides, deoxidation/reduction to biberayl products via lithium 4,4'-di-tbutylbiphenyl radical anion, 4931

Adamantanes

2,8-didehydro-9-noradamantanone, synthesis, 3577

ii Tetrahedron Letters

Addition reactions see also Cycloaddition

- ,2-, Me,SiCl-assisted, of oarbonyl compds to organocuprates, 1975 1,2-, of aromatic aldehydes with
- boronic moiety with carbanions, synthesis of boron-10 containing nucleoside deriva for neutron capture therapy, 7191
- 1,4-, organomanganese chloride compds to conjugated ethylenic aldehydes, 7365
- 1,4-, organomanganese chlorides to conjugated enones, Cu-catalysed, 3541
- 2(benzyloxymethyl)-3-(bromozincmethyl)-1,3-butadiene to aldehydes, ketones and imines followed by Pd-catalysed cyclisation, prep of conjugated exception, prep of conjugated exception dienes, 5497 2°(phenoxymethyl)-2-propenyl-magnesium chloride to epoxides
- followed by Pd-catalysed cyclisation, synthesis of 3methylenetetrahydropyrans, 4863
- acetoacetate to terminal olefins, cobalt acetate promoted, stereoselective synthesis of 5alkyl-2-hydroxy-2-methyl-3-methoxycarbonyl tetrahydrofurans, 4701
- acrylonitrile to anionic transition metal hydrides, ionic model for homogeneous olefin processes, 1781
- aldehydes to crotylmolybdenum complexes, stereocontrol, 1769
- aldol-, iron complexes as catalysts, 6435 alkyl radicals to ketones, reversible cleavage of 5-
- cholest-3-enoxyl radicals, 3343 allylic propiolates,
- intramolecular cyclisation mediated by addition of stannyl radicals; new route to α methylene-Y-butyrolactones, 827 asymmetric 1,4-, to Y-
- menthyloxybutenolides, enantiospecific synthesis of
- chiral 1,4-butanediols, 5481 asymmetric Diels-Alder reactions With chiral alkoxycyclohexadienes, 6227
- asymmetric Diels-Alder-, to enoates, N-substituted hydroxysuccinimides from malic acid as new reagents, 5595
- asymmetric Michael-, simple chiral crown ethers complexed with t-BuOK as catalyst, 7229 asymmetric-, of diethylzinc to
- furanaldehydes, enantioselective synthesis of furylalcohols, 6427
- B-I-9-BBN-ethoxyethyne adduct, highly chemoselective reaction with aldehydes, new synthesis of a,8-unsaturated esters, 5153 carbonyl-, directed by metal exchange, use of 1-(p-toluenesulphonyl)-2-alkenyl
- carbamates, dichotomous achiral
- d¹ and chiral d³ reagents, 2915 chiral Michael-, of N-acetylaminomalonate to chalcone, improved by solid-liquid phase transfer catalysis without
- solvent, 333 conjugate-, cinnamic acid derivs to arylacetonitriles, case of diastereoselective asymmetric
- protonation, 4565 conjugate, Me,SiCl promoted, of organocuprates to base-sensitive cyclic α-(nitroalkyl)enones, 3685
- conjugate-, of dibutylcopperlithium with enones in presence or absence of

Me,SiCl, 7087 conjugate-, of thiol to initiate 1,4-diyl formation, synthetic studies of esperamicin/calicheamicin antibiotics, 1905

- conjugate-, trimethylaluminium promoted of dimethylphosphite to α,β-unsaturated esters and ketones, 4807
- cyanide to Schiff bases in presence of cyanide-modified hemin-copolymer, asymmetric syntheses of amino acids, 4535 cyclopropanone and 2-substituted
- cycloheptanone enolate adducts. rearrangement followed by retroaldol/re-aldo sequence to give conjugated hydrazulenones, 6837
- dialkylzinc-orthotitanate complex to benzaldehyde: asymmetric induction catalysed by conjugate bases of chiral proton acids as ligands, 1657
- diastereoselective-, of allylmagnesium bromide to (E)-1-(trimethylsilyl)-but-1-en-3-ol, reaction of C-Mg bond of intermediate adducts with electrophiles, 6753
- diene to thionitroscarenes, stereochemical outcome, 3835
- double Michael-, diastereo-
- selective synthesis of bicyclo[2,2,2]octanes, 547 electron-, of imidazole halogen derivs, 1409
- electrophilic-, to o-Arysubstituted phenylalkynes,
- highly selective cyclisation controlled by heteroatoms, 7445 enanticselective, of aldehydes to diethylzine, chiral oxazaborolidines as catalysts,
- ene-, of formaldehyde to 1,3diarylcyclopentenes, Lewis acid catalysed, synthesis of <u>trans</u>-2,5-diaryl-2-cyclopentene-1-methanols, 4757
- enclate anions to N-methoxycarbonylimines generated in situ from a-methoxy carbamates, diastereoselectivity, 1253 ESR study, electron capture by 5-bromo-5-nitro-1,3-dioxanes, 5949
- (ethoxycarbonyl)nitrene to siloxydienes, regiochemistry
- 5025 free radical addition-cyclisation of 1,6-dienes with sulphonyl
- chloride, 6369 Grignard reagents to 4-0-TPS pyrimidine nucleosides, synthesis of 6-substituted 5,6dihydropyrimidine nucleoside derivs, 1621
- hydrocarbons to C=C bonds, reactions of organic halides with olefins under Ni-catalysis,
- intramolecular asymmetric tandem-, to chiral naphthyl oxazolines, 1040
- intramolecular-, in heteroatom directed photoarylation, 795 intramolecular-, of α -diazoketone to acetylenic Pi bond,
- cycloalkenone formation, 2633 Michael-, fluoride catalysed, of α, β-unsaturated carbonyl compds
- to a-isocyanoesters, 1257 Michael-, of alkoxide anions to nitroolefins and subsequent nitroolefins and subsequent hydrogenation, diastereo-selective prep of anti-β-amino alcohols, 731 Michael-, of ketone enolates, generated by decarboxylation of ally1 β-keto carboxylates under

neutral conditions, 4829 nucleophilic-, of N-lithioamides to π-arenechromium tricarbonyl complexes, prep of aniline

- complexes, prep of anily derivs, 3373 nucleophilic, ylide-anion formation resulting from synthesis of trans-c-trifluoromethyl allylic alcohols, 7203
- nucleoside adducts of
- cyclopentaPAH, 3251 on olefins of trifluoromethyl radicals obtained by dissociative electron transfer between electrochemically generated aromatic anion radicals and trifluoromethyl bromide, 4961
- organometallic reagents to a silyl thione chiral at silicon, 2677 oxatricyclo adducts via intra-
- molecular Diels-Alder reactions of substituted furans under high pressure, 1045
- phenylthio radical catalysed-, of electron deficient alkynes to substituted vinylcyclopropanes, vinylcyclopentene synthesis, 5845
- radical chain-, of 1,1,1trichloroethane and 1,1dichloroethane to [1.1.1]propellane to give bicyclo[1.1.1]pentane derivs, 2087
- regioreversed-, of aldehydes to but-2-enyltributylstannane, Co mediated, 2421
- regioselective SN' allylic substitution vs 1,4-addition, synthesis of α-substituted β,Yunsaturated esters, 7399
- regioselective-, of silyl ketene acetals to pyridine derivs, use of clay montmorillonite catalysis, synthesis of Nsilyldihydropyridines, 747
- reversible conjugate-, basis for Cu catalysed hydrolysis of unactivated ester, 6951
- selective base-catalysed-, of nitromethane to levoglucosenone, 992
- silyl ketene acetals to α,β-acetylenic esters, catalytic action of clay montmorillonite, 6341
- specific Michael-, catalysis, example of acrylate acceptors, 3969
- stereoselective conjugate-, of
- benzyl sulphoxides to α,β-unsaturated esters, 6919 stereoselective-, of α-chloro allylic Cr reagents to aldenydes, 4389
- stereoselective-, of cyanide ion to chiral rhenium π-aldehyde complexes, new synthesis of optically active cyanohydrin derivs, 3931 sulphur dioxide adducts of
- benzobenzvalene, thermolysis, 1,3-dipolar behaviour of a
- sulphene, 2797 tandem-, of organometallics to N-methoxy-ureas and urethanes in prep of unsymmetrical and symmetrical ketones, 1773

Aggregation

premicellar-, kinetic demonstration in alkaline hydrolysis of N-hexadecyl-4-cyanopyridinium bromide, 1051

 (\pm) forsythide aglucone dimethyl ester, synthesis via application of masked o-benzoquinones, 2255

iii Tetrahedron Letters

- defugogilvocarcin M, new synthesis, 5093
- esperamicin/calichemicin-, related bicyclic core, synthesis and
- orystate core, synthesis and orystatlographic analysis, 3765 kijanolide-, diastereoselective synthesis of top half, 7309 ptaquiloside-, stereocontrolled synthesis of (±)-ptaquilosin, 1982

Al coholis

- 1-methylamino-3-picryloxy-2propanol-3-N-methyl-Npicrylamino-1,2-propandiol Smiles rearrangement via intermediate formation of two tautomeric Meisenheimer spiro
- complexes, 2273 1,2-azido-, via ring cleavage of exiranes with tributyltin azide,
- 2-alkyn-1-ols, allene synthesis, 5747
- 2,3-epoxy-cycloalkenols, intramolecular iodoetheri-fication involved in new synthesis of heterosubstituted tetrahydrofuran and tetrahydropyran systems, study directed towards microalga polyether macrolides, 3725
- 4,5-dimethylenetricyclo-[4,3.1.0° °]decane-1-ol, formation via dimethyl-oxosulphonium methylide, 3653
- α-allenic-, diastereoselective synthesis from propargylic epoxides, 2387
- α-methylcinnamyl-, protection of carboxyl groups as means of differentiation and activation, activation and application of thiostannanes, 2959
- allyl-, amination, transfer of chirality and sequential chirality transfer in intramolecular amidomercuration,
- allylic and homoallylic isoprenic-, prep, 6679
- allylic-, chiral acyclic derivs, diastereocontrol in Rh-catalysed hydroboration, 395 allylic-, complex stereochemical
- course of Mitsunobu "inversion",
- allylic-, Ni-catalysed regioselective allylation, 6409
- allylic-, self condensation mediated by TiCl, 1531 allylic-, via Meerwein-Ponndorf-Verley type reduction of $\alpha.\beta$ unsaturated ketones catalysed by MgO, 2705
- allylic-, with SnCl₂, Pd-catalysed allylation of benzaldehyde, solvation controlled diastereoselection, 3437
- a methallyl carbinol, fluorosulphuric acid induced cyclisation involving apparent 0
- migration, 5651 and amines, selective benzylation under mild conditions, 4759 and ketones, carboxylic acids,
- amides, esters and amines, dehydrodimerisation via mercury-photosensitisation, 5583
- and lactams and amines, silylated derivs, reaction with Meldrum's acid, prep of monofunctionalised malonic acid prep, 3073 "asymmetrised tris(hydroxy-
- methyl)methane", prep, enzymes as selective reagents, 2697
- by mild, neutral and anhydrous conversion of primary organic halides via Ag-assisted reactions of bis(tributy)-

tin)oxide, 279 C-terminal peptide-, prep by solid phase synthesis, 5045 chiral 2-furylearbinols, new

- access by enantioselective hydrolysis with penicillin
- acylase, 3057 chiral allylic-, and amines, catalysed and uncatalysed hydroborations, 5861 conversion to allyl ethers under
- neutral conditions via new system, allyl ethyl carbonate/Pd, 4669
- cyclic allylic-, Pd-promoted cyclisation, synthesis of unsaturated bicyclic lactones and acetals, 2767 cyclopentanol derivs, synthesis
- via Pd-catalysed cyclic allylmetallationdehydrometallation, 291
- cyclopentanols from an aldehyde or ketone connected to an alkene by
- a tether, 4939 deuteriated cyclopropylcarbinol, stereospecific nucleophilic ring-opening, 5017
- $(\underline{E})-1-(\text{trimethylsilyl})-\text{but}-1-\text{en}-3$ ol, diastereoselective addition of allylmagnesium bromide, reaction of C-Mg bond of intermediate adducts with electrophiles, 6753
- epoxyalcohols, two-step route to sulphonyllactones intermediate for synthesis of "MeBMT" and stereodefined cyclopropane derivs, 7029
- furyl-, enantioselective synthesis by catalytic asymmetric addition of diethylzinc to
- furanaldehydes, 6427 hindered sec-, absolute configuration by modified Horeau's method, 3629 homoallylic-, and 8-acetoxyesters, efficient route via Mn mediated
- Barbier and Reformatsky reactions, 7373
- homoallylic-, dl- and trisubstituted, stereoselective synthesis via Pd-catalysed nucleophilic opening of vinylic oxetanes, 3487
- homoallylic-, enantioselective synthesis, 3041
- homopropargyl-, silyl ethers, electrophilic condensation with aldehydes, regioselective synthesis of dihydropyrans, 4065
- hydroxy compds, phosphorylation, bis(allyloxy)diiso propylamino)phosphine as new
- phosphinylation reagent, 4219 iodination of-, and reductive iodination of carbonyl compds using N,N-diethylaniline-
- bornane-I, system, 5663 lactols, with α-chirality, asymmetric induction, 1563
- new protecting diethyl-isopropylsilyl group, 6413 non-allylic unsaturated-, Pdcatalysed coupling with aryl halides, synthesis of arylsubstituted aldehydes and ketones, 6629
- o-silylbenzyl-, intramolecular cyclisation with elimination of hydrocarbon via hypervalent silicon intermediate, effect of structure on selectivity for elimination, 725
- optically active sec-, prep, enantiospecific synthesis of (\underline{R}) and (\underline{S}) -sulcatol, 2707 optically pure propargylic-, synthesis, 7083
- prim-, and aldehydes, conversion to acid fluorides with caesium

fluoroxysulphate, 6095 propargylic, and carbon dioxide, phosphine catalysed synthesis of cyclic carbonates, 3981

propargylic-, isomerisation catalysed by iridium complex, 2109

propargylic-, oxygen substituents, stereochemical directing effect on intramolecular Diels-Alder reaction of diene-yne, 7157

reaction with halocarbenes, are carbocations intermediate? 5089
Ritter reaction, improved modification, 581
sec OH groups, complementary regional ective acylation by different light and 1200

different lipases, 1703 sec-, and deuterated prim-

sec-, conversion to alkyl halides, 3077.

sec-, improved radical deoxygenation, 2619 selective oxidation by mangamates, 2559

tert-, and tert-butylbenzene, reaction with anthraquinone triplet, C-C bond cleavage, 7467

tetrahydropyranylated-, direct conversion to corrresponding bromides, 557

via stereoselective conversion of tetraalkyltin, 6461 vicinal azido-, conversion to corresponding amino alcohol, 837

Alcohol halogen derivatives

trans-α-trifluoromethyl allylicsynthesis, ylide-anion formation resulting from nucleophilic addition, 7203

- 1-(trimethylsilylmethyl)cycloalkanecarboxaldehyde, onecarbon ring expansion mediated by Si-based nucleophiles, 6551
- 1-siloxycycloalkane carbox aldehyde, one-carbon ring expansion catalysed by Lewis acid, 4267
- 2,2-dimethylpropanal, Wittig reaction with tributylbutylidenephosphorane, NMR rate
- study, 1361 2,6-dialkylbenzaldehydes, prep via Pd-mediated 2,6-dialkylation of
- N-benzilidine imines, 4085 3-carbon homologation of , using 2acetylthiazole, application to synthesis of amino hexoses from
- L-serinal, 6063 4-chloro-2,5-dimethoxybenz-aldehyde, prep and conversion
- aidenyde, prep and conversion into 3-chlorojuglone, 1201 5-carbon homologation of-, to 6-hydroxy-1,4-(E)-dienals via (5,5-diethoxy-2-(E)-pentenyl)triphenylarsonium ylide a new equivalent of 8-formyl butadienyl anion, 6031
- 6-octen-1-als, cyclisation with cis-1,2-cyclohexanedioxy function at C-3 by Wilkinson complex to afford conformers due to cis-cyclohexanediol, look up, 4849
- 6-octen-1-als, diastereoselective cyclisation with Rh-complex, 1095
- 7-norborn-5-enyl and 7-norborna-2,5-dienylaldehydes and ketones, access to via 6-silyloxyfulvene cycloadditions, 2207
- α -alkoxy-, α -allyloxy- and α benzyloxy-aldehydes and ketones, prep via substitution of sulphinyl function in a-

iv Tetrahedron Letters

- sulphinylhydrazones, 2791 α-alkoxyallylstannane alkynals and their Co-complexes, stereoselective cyclisation, new route to cyclododecyne-1,2-diol derivs, 309
- α-cyclopropyl ketones and αcyclopropyl aldola, stereoselective reduction, stereodirecting effect by atrimethylsilyl group, 5447 a-hydroxyaldehydes, 4-ethoxy-2-
- oxazolines and oxazoles, syntheses, benzotriazol-1-ylmethyl isocyanide, a new synthon for CH.N=C transfer, 6657
- α,β-unsaturated-, and hydroxamic acids, comparison of reaction in soln or in an adsorbed state.
- α,β-unsaturated-, new synthesis,
- α,β-unsaturated-, regioselective conjugate reduction and reductive silylation using
- [(Ph,)CuH]*, 5677 acrolein, butadiene and vinylamine, charge density distribution, unimportance of dipolar resonance structures in deth of ground state charge distribution, 5981
- aliphatic-, alkene synthesis by boron-Wittig reaction, 5647 aliphatic-, ketone formation by
- variant of boron-Wittig reaction, 5643
- alkylidenemalonaldehydes, 2-(diformylmethylene)-1,3-dithiane and -1,3-dithiolane as well as (2,3-diphenylcyclopropen-1-ylidene)malonaldehydes,
- synthesis and structure, 3521 and ketones and enones, zirconium promoted methylenation, 3927
- and ketones and imines, addition of 2(benzyloxymethyl)-3-(bromozincmethyl)-1,3-butadiene followed by Pd-catalysed cyclisation, prep of conjugated exocyclic dienes, 5497
- and ketones, lanthanide induced intramolecular coupling with electron-deficient olefins, 1063
- and ketones, reaction with functional vinylic anions, leading after hydrolysis to polyenic aldehydes, 7377
- and ketones, tributyltin hydride cyclisation with alkenes, prep of cyclopentane rings and Y-lactones from O-stannyl ketyls, 4939
- aromatic-, oxidation to carboxylic acids, catalytic activity of cyclophanes, 2759
- aromatic-, predominately antistereoselective chiral metal directed aldol condensation, 5539
- aromatic-, stereoselective
- condensations with aromatic-, with boronic moiety, 1,2-addition with carbanions, synthesis of boron-10 containing nucleoside derivs for neutron capture therapy, 7191 aryl-, or their dimethyl acetals,
- intermolecular pinacol cross coupling with non-aryl
- aldehydes, 7177 aryl-substituted-, and ketones, synthesis via Pd-catalysed coupling of aryl halides and non-allylic unsaturated alcohols, 6629
- benzaldehyde and a functionalised diene, Lewis acid catalysed hetero Diels-Alder reaction, use of organocomplexes of ruthenium,

1189 benzaldehyde dimethyldioxirane oxidation mechanism 5567 benzaldehyde, ß-cyclodexrin

complexes, irradiation to optically active benzoin, 4641 benzaldehyde, electron transfer reaction with nonstabilised

- ylide, 7187 benzaldehyde, enantioselective addition of dialkylzinc-orthotitanate complex, asymmetric induction catalysed by conjugate bases of chiral proton acids as ligands, 1657
- benzaldehyde, Pd-catalysed allylation by allylic alcohols
- allylation by allylic alcohols with SnCl₂, solvation controlled diastereoselection, 3437 benzimidezole 2-carboxaldehyde, synthesis, vinyl moiety as protecting group, 1067 biphenyl-2-carboxaldehydes, prep of 9-alkylthiofluorenes, 6849
- chiral a-cyclopropyl ketones and α-cyclopropyl aldols, stereospecific 1,2-rearrangement of cyclopropyl groups, 5443
- chiral, diastereoselective nucleophilic alkenoylation, prep of enantiomerically pure a',8'difunctionalised a, &-enones, 2010
- Co mediated regioneversed addition of but-2-enyltributylstannane, 2421
- Co-complexed propynals, aldol reaction, strong E-enolate:threo/Z-enolate:erythro correlation, 5527 condensation with ethyl tricyclodedecadienone 2-
- carboxylate, synthesis of bridged[4.3.3]oxapropellanes, and their thermal conversion into lactone annelated cyclopentenones, 127
- conjugated ethylenic-, Cu-catalysed 1,4-addition of organomanganese chloride compds,
- conversion to terminal alkynes by one carbon homologation, 3655 Cr-complexed benzaldehyde derivs, highly erythro selective aldol reaction with cyclic silyl enol ethers, 7435
- dialdehydes, intramolecular titanium induced pinacol coupling, synthesis of 1, cycloalkanediols, 1169
- (E) and (Z)-5,6-dimethyl-8-trimethylsilyl-6-octenals, stereospecific cyclisation, 6397
- electrophilic condensation with silyl ethers of homopropargyl alcohols, regioselective synthesis of dihydropyrans, 4065
- enantioselective addition of diethylzine, chiral oxazaborolidines as catalysts, 5551
- enantioselective alkylation, catalysed by disulphonamide-Ti(O-i-Pr),-dialkyl zinc system,
- formaldehyde, Lewis acid catalysed stereoselective ene addition to 1,3-diarylcyclopentenes, synthesis of trans-2,5-diary1-2-cyclopentene-1-methanols, 4757
- formaldehyde, reaction with chromotropic acid, prep of water-soluble cyclic tetramer,
- furanaldehydes, asymmetric addition of diethylzinc, enantioselective synthesis offurylalcohols, 6427 glycolaldehyde monomer in organic

syntheses, 1149 gold catalysed reaction with (isocyanomethyl)phosphonates, asymmetric synthesis of phosphonic acid analogs of phenylalanine and β-alkylserines, 2247

hemicaronic-, new enanticselective synthesis, 3733

highly chemoselective reaction with B-I-9-BBN-ethoxyethyne adduct, new synthesis of α,β-unsaturated esters, 5153 homologation of , using (phenylthiomethylene) triphenylar-

sorane, selective prep of athiophenoxyepoxides and phenylthicenol ethers, 6023

methoxyselenation of-, reaction of diphenyl diselenide with peroxydisulphate ions in MeOH,

novel synthesis of aldols, reaction of α,β-epoxy sulphoxides with lithium dimethylcuprate giving enolates,

Pd-catalysed asymmetric allylations via (S)-proline allyl ester enamines, 1543 prep of enantiomerically pure α-

hydroxy acetals, 2971
prim-, and alcohols, conversion to
acid fluorides with caesium
fluoroxysulphate, 6095
propargyloxyenamines and 2-

morpholinopenta-3,4-dienal derivs via catalytic aminomercuration of dipropargyl

ethers, 5919 propynals, cobalt complexed with silyl enol ethers, erythro-selective aldol reaction, 5623

reaction with dimethyl diazomethylphosphonate anion,

alazomethy.phosphonate anion, synthesis of 14,15-dehydroforskolin, 1521 sterecontrol in additions with crotylmolybdenum complexes, 1769 sterecoelective addition of a-chloro allylic Cr reagents, 4389

stereoselective allylation ofand stereohomogeneous synthesis

of (\underline{E}) - and (\underline{Z}) -crotyltrifluorosilanes, 1099 synthesis from-, of 1,3,5-triselenanes and generation of

selenoaldehydes by fragmentation of 1.3.5-triselenames, 6047 unsaturated, photoreductive cyclisation, easy access to

spiranic molecules, 7361 unsaturated-, stereoselective prep of substituted N-acylpyrrolidines and piperidines, removable auxiliary for amidomercurations, 7321 via selective reduction of

aromatic nitriles by potassium 9-sec-amyl-9-boratabi-cyclo[3.3.1]nonane, 3677 Wittig reaction with iodo-

methylenetriphenylphosphorane, stereoselective synthesis of (Z)-1-iodo-1-alkenes, 2173

Aldimines

o-azidobenzaldimines and tert phosphines, formation of 2,3-diamino-2H-indazole derivs, 6237

Aldol reactions

"Mukaiyama-aldol" reactions of chiral silyl ketene acetals, asymmetric induction and auxiliary structure, 5163 additions, iron complexes as

catalysts, 6435 asymmetric-, of a-ketoesters with isocyanoacetate and isocyanoacetamide catalysed by chiral

Tetrahedron Letters

- ferrocenylphosphine-gold complex, 4681
- catalysed by immobilised acylneuraminate pyruvate lyase, scope and limitations, 2217
- chiral metal directed-, with aromatic aldehydes. predominately anti stereoselective 5539
- cobalt-complexed propynals, strong E-enolate:threo/Zenolate:erythro correlation, 5627
- diastereoselective-, of $(\pi^{6}$ xC_{sHs}COCH_s)Cr(CO)₂L complexes, 6383
- diastereoselective-, of cyclohexanone lithium enolate, 5681
- diastereoselective-, using acetal templates, 1825
- directed-, synthesis of higher
- erythro-selective, of cobalt complexed propynals with silyl enol ethers, 5623
- highly erythro selective, of Cr-complexed benzaldehyde derivs with cyclic silyl enol ethers, 7435
- in polypropionate synthesis, high π-face selectivity of enol borinates from a-chiral methyl and ethyl ketones under
- substrate control, 7121 intramolecular Mukaiyama-, prep of heterocyclic amino acids. synthesis of cycloleucine analog, 1181
- of ethyl ketones using chiral boron reagents, kinetic resolution, asymmetric synthesis of C_{1*} to C_{2*} segment of rifamycin S, 1293 reactions of methylketones using
- chiral boron reagents, reversal in aldehyde enantioface selectivity, 997 tandem aldolisation/-
- lactonisation/dyotropic rearrangement of a-amino aldehydes, 5421

Alizarin

derivs of -, synthesis, dichloroquinones as dienophiles, 5173

Alkaloids

- 14-membered cyclopeptide-, synthesis of cyclic precursor to
- nummularine-F, 7021 2-bromoleptoclinidinone, structure
- revision, 1069 8-(4-pentenyl)dihydroberberine, intramolecular oxidative cyclisation to give novel ring system, 7161
- (±)-12-desmethoxy quanzine, stereoselective synthesis, 4957
- (±)-6a-epipretazettine and related alkaloids, total synthesis, prep of functionalised hydroindol-3ols via tandem aza-Cope rearrangement-Mannich eyclisations, 647
- Amryllidaceae-, synthetic approach, 6223 (+)- and (-)-20-epi-ibophyllidine, enantiospecific synthesis via intramolecular Diels-Alder type cyclisation, 1959
- (+)- and (-)-norsecurinine, total synthesis, 7173 antineoplastic pyridine-, theonelladins A-D from <u>Theonella</u>
- swinhoei, 4833
- aragupetrosine A, new vasodilative macrocyclic quinolizidine alkaloid from <u>Xestospongia</u> <u>sp</u>,

4149

- 4149
 (±)-aspidosperma skeleton, synthesis of 21-epimer, 7105
 Aspidosperma, total synthesis of (±)-aspidofractinine, 3429
 (±)-aspidofractinine, rapid synthesis via cyclisation of oxidolic methyl ketones with
- acid, 1951 biologically active N-methylated-, photoóxidation to <u>sec</u> amines, 2927
- (±)-castanospermine,
 stereoselective total synthesis, 705
- cephalotaxine and histrionico-toxin-, direct access to, 3865 chilenine synthesis, construction of cyclic enamides, 2747
- cocaine, flash vacuum theromolysis, 5977
- (+)-conhydrine, optically active natural, enantiospecific synthesis from (S,S)-tartaric acid, 6395
- cularine-, new synthesis of key intermediate 10,11-dihydro-
- bibenbz(b,f)cxepin-10-ones, 6927 cystodytin-, ring system, synthetic studies towards cystodytin A, 5559
- cytotoxic carbazole-, structure of
- tubingsin B from Aspergillus tubingsis, 5965 (+)-decumbesine and (+)-epi-α-decumbesine are not α-hydroxybenzyltetrahydroisoguinolines,
- diastereoselectivity in ergoline synthesis, face selective epoxidation, 3935
- diplamine, cytotoxic polyaromatic alkaloid from <u>Diplosoma</u> sp, 4201 discorhabdin-, synthetic approach via hypervalent iodine oxidation of p-substituted phenol derivs to azacarbocyclic spirodienones,
- ellipticine, regiospecific synthesis via nitrene insertion, 297
- eudistomidin A, total synthesis by
- application of improved Fischer indolisation, 2099 eudistomins T,1 and M, syntheses, chemistry of vicinal tricarbonyl compds, 7117
- fumitremorgins, stereoselective entry, 6421 haliclamines A and B, cytotoxic
- macrocyclic alkaloids from
- Haliciona genus, 6891
 (*)-hapalindoles J and M, total synthesis, 1815
 harringtonine ring construction, application of SET-induced
- photospirocyclisation, 4185 hexacyclic indole-, related to vindolinine, synthesis by sonochemical cyclisation, 4513
- histrionicotoxin, asymmetric prep of novel spiropiperidine system by CN(R,S)method, 6323 huperzine A, synthesis of benzene isostere, 3291
- isostere, 3691
 imfne-epoxide rearrangement in
 formation of trans-2,6disubstituted piperidines,
 stereoselective synthesis of
 (1)-teneraic acid, 6077
 in Sceletium subvelutinum,
- biosynthesis, 141
- indole-, houmine type, synthesis of possible precursor N_a-methyl-Δ'*-isokoumidine, 3457 indolo[2,3-a]quinolizidine amino compds, rearrangement to E-
- azaaspidospermane derivs, 719 iscouincline-, chemistry of vicinal tricarbonyl compds, 869 isoquinoline-, new class,

- proaporphine-tryptamine dimers, structures, 1165 isoquinoline-, synthesis, stereochemical aspects of photoset induced diradical
- cyclisation as part of strategies used, 799 longitubine and latifolic acid,
- absolute configurations, 7153 magallanesine synthesis, DMF acetal mediated cyclodehydration of methyl ketone thioimide, 2743 manzamine C, total synthesis, 6549 manzamine, synthesis of
- "tricyclic heart", 1423
- manzamine-, synthesis of pyrrolo[2,3-i]isoquinoline substructure, 2611 maxonine, structure and isolation from Simira maxonii, 6199 morphinan series, unexpected rearrangement in azide-olefin
- cycloaddition, 3427 morphinan skeleton, approach using tandem intramolecular furan Diels-Alder/ radical cyclisation, 2585
- murrapanine, structure and synthesis, 6649
- (±)-myrtine, stereocontrolled synthesis prep of 1-(tsynthesis prep of 1-(t-butoxycarbonyl)-2,6-dialkyl-2,3-dihydro-4-pyridones, prep, 5053 N(10)-acetyleudistomin L, synthesis, 1041 (±)-nitramine, (±)-isonitramine
- and (±)-sibirine, synthesis via Diels-Alder reactions, 2301
- new cytotoxic acridine-, from Pachastrellidae, 4359 new 1ycopodium-, (+-)-huperzine A, total synthesis, 2089
- new sulphur containing insecticidal., structure and isolation of guinesine-A, -B and -C from Cassipourea guianensis, 3671
- new-, isosarain-1 from <u>Reni</u>era sarai, 133
 oxathiazepine containing
- eudistomin skeleton and carbaanalogs, concise route, 6809
- paraherquamide, synthetic studies, indole oxidation model, regioselectivity, 5575 (+)-pilocarpine analogs with a 2-
- oxazolidone structure, synthesis, 2145
- pumiloside and dcoxypumiloside from Ophiorrhiza pumila, plausible intermediates in camptothecin biosynthesis, 4991
- pyrrolidine-, synthesis of peripentadenine and dinorperipentadenine, 4879
- pyrrolizidine, 1-epiaustraline from Casttanospermum australe,
- pyrrolizidine-, antitumor, enantioselective synthesis of (+)-indicine N-oxide, 4985 pyrrolophenanthridone-, direct
- synthesis, 5807 pyrroloquinoline-, batzellines A,B and C from Batzella sp, 2517
- (\$)-camptothecin, asymmetric synthesis, 2639 (+)-(\$)-dihydroperiphylline, enantioselective total synthesis, 4539 secoalkaindole-, from Gelsemium
- elegans, structures of gelsemamide and 11-methoxygelsemamidem 1177
- steroidal-, pingbeinone having C-18 nor Cevane skeleton from
- Frittaria ussuriensis, 4981 <u>Strychnos-</u>, 19,20-dihydroakuammicine, total synthesis and MMR data, 2293 swainsonine stereoisomers, (-)-8-

Tetrahedron Letters vì

epi-, (-)-8a-epi- and (-)-8,8a-diepi-swainsonine, divergent syntheses, 5721 tetraponerine analog, synthesis via application of CN(R,S) method for prep of chiral 1,2-diamines, 5137

diamines, 5157 (i)-trikentrin B, total synthesis via allene intramolecular cycloaddition, 6559 vinblastine, new photoreactive deriv, synthesis of napavin,

vincamine-related, synthesis, application of vicinal tricarbonyl compds, 873 vindoline, new oxidative rearrangement, 7245

(±)-Z-isositsirikines via stereoselective isomerisation of ethylidene lactam, 2941

zoanthaminone, new alkaloid from marine zoanthid, 6825

Alkanes

1,1,1-triphenylalkanes, photolysis, 6709 CH insertion of singlet

pentafluorophenyl mitrene at room temp, polyfluorimated aryl azides as photoaffinity labelling reagents, 2199 methoxyethoxymethyl as protective

group for phenolic OH, unexpected difficulty, 6867 partially deuterated methanes,

proton chemical shifts, H-D coupling constants and deuterium isotope effects, 2755 via photodecarboxylation of

unmodified carboxylic acids using aza aromatic compds, 6733

Alkenes see also Olefins 1,2,3,4-pentatetraene

episulphides, synthesis and reactions, 4271

acetal-alkene cyclisation, prep of chloroanthracyclines, 4735

activated-, fluoride ion induced allylation, 3419

and acyclic enones, non-photochemical [2+2] cycloadditions, 1761

and alkynes and thiobenzophenones, reactions with 2,3-dihydro-2-phenyliodonium-3-oxo-benzo[b]thiolenide-1,1-dioxide,

bearing A nucleophilic substituent, new Pd-mediated cyclopentanation, 69

catalytic hydrogenation of-, bond isomerisation and

hyperstability, 6633
cis-, regioselective reaction with
singlet oxygen, 4875
cis-alkenes, a highly
regioselective reaction with

triazolinediones, 6903

cyclic-, improved procedures for Pd-catalysed intermolecular

arylation, 2603 E-alkenes with chiral substituents, synthesis by extension of Horner-Wittig reaction and stereocontrol by acyl transfer, 4581

electron-deficient-, photosilylation, use of disilanes via photoinduced electron transfer, 3689

electron transfer, 3009 equilibrating carbene-bridgehead alkene pair, 6969 ethylene, [1+2] cycloaddition to cyclopentadienylidene in argon matrix, direct IR observation,

ethylene, photocycloaddition to 2-naphthols in presence of Lewis acid, 6193

new oxidative and reductive arylation via aryl radicals from Cu oxidation of hydrazines, 4709

reaction with cyclopropylcarbene-Cr complexes, synthesis of cyclopropyleyclopropanes, 4771

stereoselective synthesis from aliphatic aldehydes by boron-Wittig reaction, 5647 substituted-, hydrodimerised on preparative scale in H₂

atmosphere by Hg vapor and light, 3389

sulphonation with sulphur trioxide, reversible stereospecific β-sultone formation, 5451 tributyltin hydride cyclisation

with aldehydes and ketones to give cyclopentane rings and Y-lactones from O-stannyl ketyls, 4939

trisubstituted, stereo- and regiospecific formation via silylcupration of alkynes, application to synthesis of yellow scale pheromone, 4913

Alkenoylation

diastereoselective nucleophilic-, of chiral aldehydes, prep of enantiomerically pure α',β' -difunctionalised α,β -enones,

Alkenyl halides

1-aryl-3,3,3-trifluoropropynes,

protonation, 1315 1-haloalkynes and acetylenic esters, reactivity towards highly functionalised Cu, Zn reagents, 4799

1.1-difluoro-1-alkenes and 1.1-difluoro-2-iodo-1-alkenes, symmetrically disubstituted, syntheses, reactions of 2.2-difluoroalkenylboranes with halogens, 6379

1,1-difluoroolefins, synthesis from 1,1,1-trifluoroethyl p toluenesulphonate via boronate

complex, 1641 1,2-dichloro-3,3-dialkylbut-2-en-1-ylidenes, substituent effects in generation and trapping, 2009

2-bromo-1-phenyl-1,3-butadiene, Ni catalysed conversion to a-ketc lactone, a double carbonylation of a halodiene, 2617 a,a-difluoroolefin, cis-trans isomerisation catalysed by Br,

alkenyl bromides, Pd-catalysed reaction with trialkylstannyl phenyl sulphides, diastereoselective synthesis of $(\underline{E})^{-1}$

alkenyl phenyl sulphides, 2699 and alkyl halides Pd-catalysed cross coupling with alkenyl-alkoxysilanes in presence of fluoride ion, 6051

chloroalkenes via reaction of phosphorus oxychloride with pyrrolo[2,1-c]benzodiazepine-2,5,11-triones, 6221

fluoroalkenes, synthesis by application of regiospecific ring opening of a, \$\beta\$-epoxysilanes with silicon tetrafluoride, 967

vinyl bromides and chlorides, stereospecific Ni and phase transfer catalysed

carbonylation, 2615 vinyl halides, reductive dimerisation in Ni/Pb/Al redox system, access to terphenyl derivs, 1261

(2)-1-iodo-1-alkenes, tereoselective synthesis via Wittig reaction of

iodomethylenetriphenyl-phosphorane with aldehydes, 2173

Alkoxides

a-amino-, directed N-methyl lithiation of N-methylindoles, 4337

phenoxide and naphthoxide anions, C-arylation by arylazo phenyl sulphides, synthesis of unsymmetrically substituted hydroxybiaryls, 6911

Alkyl halides

1-aryl-1-(trifluoromethyl)ethyl cation, gas phase stabilities. LArSR analysis of substituent effect, 2101

1,1,1-trichloroethane and 1,1dichloroethane, radical chain addition to[1.1.1]propellane to give bicyclo[1.1.1]pentane derivs, 2087

2-iodoalkanes, 1-perfluoroalkyl substituted, carbonylation catalysed by transition metal complexes, 4403

4,4,4-trifluoromethylbutyrylamide, prep and use for trifluoromethylated blocks, 109

α-bromoacylhalides, dehalogenation using nitrosyl tetracarbonyl chromium anion, generation of methylene and cyclopropyl ketenes at -100°, 5869 alkyl iodides bearing

perfluoroalkyl group, Pdcatalysed double carbonylation,

alkyl iodides, Pd-catalysed cross coupling with alkyl Grignard reagents, 4779 and alkenyl halides Pd-catalysed

cross coupling with alkenylalkoxysilanes in presence

of fluoride ion, 6051
dihalomethanes as C-H acids in
catalytic two-phase system, new
synthesis of gem-dichlorocyclopropanes, 4697
new trifluoromethyl building

block, trifluoroacetimidoyl chlorides for fluorinated N-heterocycles, 4821

organic-, electrochemical conversion into carbonyl compds

organic-, reactions with olefins under Ni-catalysis, addition of hydrocarbons to C-C double bonds, 689

perhalofluoroalkyl sulphinates mechanism of photocxidation,

prep via light induced halogenative decarboxylation of thiohydroxamic esters, 2461

primary organic-, mild, neutral and anhydrous conversion to alcohols via Ag-assisted reactions of

bis(tributyltin)oxide, 279 regioselective radical cyclisation to trifluoromethyl-substituted double bond, access to angular

CF, bicyclic compds, 2407 synthesis under neutral conditions, 3077 tetrachloromethane in argon, photolsomerisation, 4105

trifluoromethyl radicals (obtained by dissociative electron transfer between electrochemically generated aromatic anion radicals and trifluoromethyl bromide) addition to olefins, 4961

Tetrahedron Letters vii

Alkylation

- 2,6-dialkylation of N-benzilidine imines, Pd-mediated, prep of 2.6-dialkylbenzaldehydes, 4085 "enclates" generated from amino carbene complexes of chromium, 4061
- α- and bis-, of alkoxy substituted tetrahydroisoquinolines, use of formamidines derived from αmethoxymethylaniline, 47
- a-ethoxycarbamates with organo-Pb.-Zn and -Cu reagents, high cram selectivity and formal nonbasic alkylation of imines, 5611
- acetate-, on alumina or silica gel, or pinacol rearrangements on montmorillonite, activated by microwave irradiation, 945
- and generation of a-oxo carbanions, 5413
- and generation of lithium 1-halocyclopropylzincate, 6035 and lithiation of 4-(2'-alkenesulphiny1)-morpholines,
- route to substituted allylic sulphinamides, 1963
- and prep ofβ-sultam mono- and dianions, 2873 asymmetric-, of arylacetic acid, binaphthol as chiral auxiliary, 2825
- asymmetric-, of N-acylsultams, route to enantiomerically pure crystalline $C(\alpha,\alpha)$ -disubstituted
- carboxylic acid derivs, 5603 asymmetric-, or sultan-derived glycinate equivalent, prep of enantiomerically pure α-amino
- acids, 6009 a vinyl N-Boc-iminium ion derived from baikiain, stereoselective synthesis of A*-pipecolic acid,
- conjugate addition-enolate methylation of cyclopentenone containing an a-appended benzocyclobutane moiety, approach to Oppolzer-Kametani intermediate of (±)-estrone methyl ether,
- desilylative hydroxyalkylation of α-silyl sulphides, retention of configuration, 789
- diastereo-,regio- and enantioselective hydroxy-alkylation of enantiomerically enriched allylstannanes from chiral allyllithium derivs,
- enantioselective-, of aldehyde catalysed by disulphonamide- $Ti(0-i-Pr)_{*-dialkyl}$ zinc system, 7095
- enolates, multiple stereocontrol using organotransition metal
- templates, 5049 ester enclate-, and hydroxylation at C-22 of steroid side chain, 1579
- Friedel-Crafts-, regio- and diastereoselective, of phenols with a-amino aldehydes, synthesis of optically active ephedrine-like compds, 1121
- homolytic-, of protonated heteroaromatic bases, new method by carboxylic acids and iodosobenzene diacetate, 4569
- intramolecular N-, concomitant with [2,3]-sigmatropic rearrangement of allylic sulphilimines, synthesis of 2-vinyl substituted cyclic amines,
- lithiobisphenylselenomethane with chloromethyltrimethylsilane and iodomethyltrimethylstannane, 3333

- N-, and acylation of heterocycles, thermodynamic control of regioselectivity, anionic
- mechanism, 4013 N-, of 3-(2,4,6-trichlorophenoxyacetamido)pyridine (with TDAS-1 catalysis) yielded N-alkylated 3-(2,4,6-trichloro-phenylamino)pyridines via Smiles rearrangement, 931 N-benzyloxyureas and carbamates,
- N-methyl lithiation-alkylation of o-amino alkoxide, 4337
- radical cyclisation, introduction of angular Me groups, 3609 regiocontrolled-, of 1,4-
- benzodioxins, use of arenechromium complexes, 5519
- regioselective reductive, of 1,2,3-trimethoxybenzene, 1689
- regioselective-, of amine protected homochiral vinyl phosphine oxides, prep of optically active o.8-unsaturated phosphine oxides, 477 regioselective-, of cyclic 1,3-
- diketone diamions via their monodimethylhydrazones, synthesis of C-4 substituted cyclic 1,3-diketones, 1705 Sml,-promoted anion radical-, formation of intermolecular C-C
- bond, 2837
- stereoselective a-methylation of N-methyl benzylamine via a combination of chromium tricarbonvl and chiral formamidine methods, 5945
- trifluoromethylation of aryl chlorides, effect of charcoal using Burton's reagent, 2133 vinylstannylated-, agents, radioicdination, 3613

Alkynes

- 1-halo-, and acetylenic esters, reactivity towards highly functionalised Cu, Zn reagents, 4799
- 2-alkyn-1-ols, allene synthesis, 5747
- acetylene and nitriles. photoassisted cocyclisation catalysed by Co-complexes at ambient temp and normal press, 1229
- acetylenes, chemoselective semihydrogenation using homogeneous catalysis, 4657
- and alkenes and thiobenzophenones, reactions with 2,3-dihydro-2phenyliodonium-3-oxobenzo[b]thiolenide-1,1-dioxide, 6673
- carbocyclic enedignes, mediumsized non-conjugated, synthesis and properties, 7183
- chiral polyhydroxy acetylenes carbohydrates as source, 5455 conjugated acetylenes, selective reduction with Mg in MeOH and MeOH-D, 55
- conjugated dienynes, synthesis by Pd-mediated 3-component cross coupling, 2403
- cycloalkenone formation by intramolecular addition of αdiazoketone to acetylenic Pi bond 2633
- disubstituted acetylenes, Pdcatalysed stereoselective hydrovinylation, prep of functionalised 1,2,4-trisubstituted 1,3-dienes. 3"465 electron deficient-, phenylthio radical catalysed addition of
- substituted vinylcyclopropanes, vinylcyclopentene synthesis,

- o-Ary-substituted phenylalkynes, electrophilic addition, highly selective cyclisation controlled by heteroatoms, 7445
- phenylacetylene, reactions with Se and Te metals in three-phase catalytic systems, 613 phenylacetylene, reinvestigation
- of reaction with tellurium, 441 polyacetylenes, high molecular weight, from Petrosia
- ficiformis, structural analysis and biological activity, 3563
- reaction with cyclopropylcarbene-Cr complexes to give cyclopentadienones, 295
- reaction with I₂ on unactivated alumina, 2069
- rearranged acetylene via carbenoid somersaulting rearrangement,
- silylated pentynes via dehalogenation ring opening of 1,2-dichlorocyclopentene with sodium and chlorotrimethylsilane, 121
- Silylcupration to stereo- and regio-specific formation of trisubstituted alkenes, application to synthesis of
- yellow scale pheromone, 4913 terminal-, Cu and phase transfer catalysed allylic substitution,
- terminal-, via aldehyde conversion by one carbon homologation, 3655
- trifluoroacetyl acetylenes, prep of trifluoromethyl substituted pyrazoles and isoxazoles, 2049
- via hydrolytic desulphinylation of substituted 4-(1',2'alkadiensulphiny1)morpholines,
- (Z)-envnes and a-ketoacetylenes. synthesis, hydroboration of (trialkylsily1)-1,3-diynes, 6487

Allantoin

optically active 1,3-dimethylallantoins, synthesis via (-)-menthyl ethers of their bicyclic tautomers, 5021

Allenes

- 1-allyloxy-1-carbomethoxyallenes, Claisen rearrangement, 3345 acyclic encyne-allene system
- biradical formation, of related neocarzinostatin and esperamicin-calichemicin, 4995
- intramolecular cycloaddition, total synthsis of (±)-trikentrin в, 6559
- Pd-catalysed synthesis of dienic α-amino acids, 3963 synthesis from 2-alkyn-1-ols, 5747
- Allomones see also Phytoallexins defence-, new w-phenyl conjugated trienones lignarenone-A and -B from Scaphander lignarius, 5003

Allostery

allosteric systems, intramolecular spin exchange in model regulated by K ions via induced conformational modification, 6507

Allylation

- Ilylation
 asymmetric-, Pd-catalysed, of
 aldehydes via (S)-proline allyl
 ester enamines, 1543
 electroreductive "Barbier type"-,
 of imines with combination of
 Pb(0)Pb(11) redox mediator and
 sacrificial anode, 4161
- fluoride ion induced-, via activated alkenes, 3419 Pd-catalysed-, of benzaldehyde by allylic alcohols with SnCl₂,

viii Tetrahedron Letters

solvation controlled diastereoselection, 3437 regioselective-, of allylic alcohols, Ni-catalysed 6409 regioselective-, of polyketide system methyl 3,5dioxohexanoate, copper protection in Pd-catalysis, 3105 stereoselective-, of aldehydes and stereohomogeneous synthesis of (E)- and (Z)-crotyltri-fluorosilanes, 1099 using organoborates and activated acetals, 2013

Aluminium and compounds

bis(dimethylaluminium) selenide, use of in route to selenoketones from ketones, 2095 iodine, on unactivated alumina, reaction with alkynes, 2069 organo-Al promoted Claisen rearrangement of bisallyl vinyl ethers, 1265

Amidation

N-, electrophilic, via electron deficient complexes, action of ferric chloride on Nacetyloxyamides, 715 stereospecific syn-acylamidation of olefins, 1987

- α', α'-disilylated tert benzamides as both ortho- and a'-carbanion synthons, amide Peterson olefination routes to N-benzoyl enamines, isoquinolines and dibenzazocines, 5841
- α -hydroxyamides and α a-hydroxyanids, prep from cyanohydrins in presence of alkaline borates, 563 a'-silylated benzamides as both ortho- and a'-carbanion
- synthons, carbodesilylative routes to isoquinoline and dibenzoquinolizidine deriva, 5837
- α , β -unsaturated-, iron tetracarbonyl complexes, synthesis of Y-ketoamides via nucleophilic attack, 2285
- β(tri-N-butyltin)acrylamides as β-lithioacrylamide synthons, 2693 β,Y-unsaturasted-, synthesis via
- Pd-promoted coupling of organomercurials and vinylic β-lactams, 1897
- β -(tri-N-butyltin)acrylamides,
- prep, 2689
 acyclic tertiary vinylogous-,
 intramolecular photocycloaddition and retro-Mannich fragmentation, 5703
- alkenamides, intramolecular amidocarbonylation catalysed by
- Rh-complexes, new routes to N-heterocycles, 6283 amide-nitrogen-vinylic carbon ring closure, Cu-mediated, prep of carbocephems and 4-methylene-azetidin-2-ones, 337 and o-methylene esters from
- methacrylic derivs via tosylated intermediates, 3837
- and ketones, carboxylic acids, esters, alcohols and amines dehydrodimerisation via mercury-photosensitisation, 5583
- benzanilide and Nmethylbenzanilide
- metnyiDenzanilide, stereochemistry, 6177 by conversion of α-aminonitrile with oxygen in acidic media, 6761
- chiral acrylamides, asymmetric Diels-Alder reactions with 1,3disiloxycyclohexadiene, 5891

- diamides, intramolecular H-bonding, 3381
- (E)-N-isopropy1-3-tosylacrylamide, a new α-acylvinyl cation equivalent in synthesis of α-substituted acrylamides, 6085 electrochemical oxidation of-, in
- presence of monomethylated phenyl rings, relationship between chemoselectivity of oxidation and location of OMe substituent, 1213 fumaric acid bis ((S)-proline
- benzyl ester) amide, asymmetric Diels-Alder reactions, stereoselection enhanced by cooperation between chiral
- auxiliaries, 4227 heterocyclic olefinic-, and ureas, halocyclisation, 2045
- lithium silylated-, 2 equivs, reaction with dihalogenated phosphaalkene, synthesis of 1,2-\lambda^3-azaphosphiridine, 4813
- N, N-dimethyl acrylamide, Diels-Alder reactions with siloxydienes, stereochemical variations, effect of Lewis acid catalyst, 5887
- N-acetoxy-N-alkoxyamides, new class of nitrenium ion mutagenic precursors, 2649
- N-acetyloxyamides, action of ferric chloride, electrophilic N-amidation via electron deficient complexes, 715
- N-acyl-2-bromobenzamides, metalhalogen exchange with n-BuLi to N-acyl-2-lithiobenzamides which cyclise to 3-
- alkylidenephthalimidines, 275 N-lithicamides, nucleophilic addition to π -arenechromium tricarbonyl complexes, prep of
- aniline derivs, 3373 N-methylallyl-, remote lithiation, 2029
- new peptide mimetics incorporating eneamine units, tripeptides with a retroamide and reduced
- retroamide, synthesis, 6749 non-enclisable benzylated. carbanion-mediated oxidative deprotection, 451
- ortho-haloacryloylanilides with chiral auxiliary on N, cyclisation to oxindoles, 2657
- peptide C-terminal-, synthesis, comparison of acid labile linkage agents, 4645
- phthalides, silyl enol ethers and enol esters, epoxidation by dimethyldioxirane, 6497 (R,R)-tartaric acid amides and
- esters, conformational disparity, 6071
- synthesis from carboxylic acids and prim amines, 2771
- via hydrolysis of nitriles by catalysis of 2-mercaptoethanol in phosphate buffer, 7439

- a'-lithiopyrrolidine-, stereoselective condensations, 1909
- combination of chromium tricarbonyl and chiral formamidine methods, stereoselective a-methylation of N-methyl benzylamine, 5945
- formamidines, competitive study to assess relative acidities, 43 formamidines derived from omethoxymethylaniline, a- and bis-alkylation of alkoxy
- substituted tetrahydroisoquinolines, 47
- t-butylformamidine precursor, lithiation, prep of C5(bridge-head) substituted analogs of

(±)-5H-dibenzo[a,d]cyclohepten-5,10-imine, 911

Amidoalkylation Amido alkylation

Amidocarbonvlation intramolecular, of alkenamides catalysed by Rh-complexes, new routes to N-heterocycles, 6283

Amination

allyl acohol-, transfer of chirality and sequential chirality transfer in intramolecular amidomercuration.

Amines

- 1-phenylethylamines, oxygenated enantiomerically pure from acetophenones by reductive amination and regiospecific
- benzylic cleavage, 317 2-ethynyl aniline, Pd-catalysed coupling with aryl and vinyl triflates or halides, route to 2-substituted functionalised idoles, 2581
- a-amine radicals, generation by selective desilylation from aalkyl silylamine radical, intramolecular cyclisation to pyrrolidines and piperidines,
- α-lithicamine synthetic equivalents from dipole stabilised carbanions, t-BOC group as activator for alithiation of carbamates, 1197
- Btrifluoroacetylvinylamines, synthesis via O-N, S-N and N-N exchange reactions at olefinic C atoms, 6173
- Strifluoroacetylvinylamines, synthesis via O-N, S-N and N-N exchange reactions at olefinic C
- atoms, 6173 alicyclic tertiary-, GIF
- oxidation, 1381
 allylic derivs of -, catalysed and uncatalysed hydroborations, substrate controlled diastereoselectivity, 5857
- and alcohols, selective benzylation under mild conditions, 4759
- and ketohes, carboxylic acids, amides, esters and alcohols, dehydrodimerisation via mercuryphotosensitisation, 5583
- and lactams and alcohols, silylated derivs, reaction with Meldrum's acid, prep ofmono-functionalised malonic acid prep, 3073
- aniline derivs, prep via nucleophilic addition of Nlithicamides to π-arenechromium tricarbonyl complexes, 3373
- anilines, bromination, ortho/para ratio under surfactant control.
- arylation by aryllead triacetates using copper catalysis, 1377 chiral allylic-, and alcohols, catalysed and uncatalysed hydroborations, 5861 cyclic-, 2-vinyl substituted, synthesis via [2,3]-sigmatropic
- rearrangement of allylic sulphilimines concomitant with intramolecular N-alkylation, 4723
- diaminodithiol ligand, synthesis, technetium-99M labelling of proteins and small molecules, 1885
- efficient route to-, Mitsunobu reactions of N-alkyl and N-acyl sulphonamides, 5709

Tetrahedron Letters ix

- N-acetoxy-2-aminonaphthaline from carcinogenic 2-naphthylamine and its in vitro reaction with (bio)nucleophiles, 321
- N-acetyl-1-phenylethylamine asymmetric synthesis, 2967
- N-alkylputrescines, oxidation with diamine oxidases, 5167 (N-arylsulphonyloxy)amines and cyclic ketones, synthesis of N-substituted lactams, 4207 N1- and N*-monoacylated
- speridines, new regioselective synthesis, 1365
- N-benzylidene aniline, product distribution in Diels-Alder addition to encl ethers, 7237
- N-methyl benzylamine, stereoselective a-methylation via a combination of chromium tricarbonyl and chiral formamidine methods, 5945
- N,N-bis(trimethylsilyl)ynamines, synthesis, 6147
- N, N-diethylaniline-bornane-I, system, use in iodination of alcohols and reductive iodination of carbonyl compds,
- nucleophiles of-, catalysis of Michael addition to acrylates,
- photoreactions with 2-fluoro-4-nitroanisole, search for new biochemical photoprobes, 2427 prim aliphatic-, oxidation with
- prim aliphatic-, oxidation with sodium perborate, 6495 prim-, and earboxylic acids, synthesis of amides, 2771 prim-, prep, N-triphenyl-phosphorylidene-1-(benzotriazol-1-yl)methylamine, novel synthen equivalent to +CM2NH2, 3303 prim-, versatile synthesis via alkylation of 2-azaallyl anions, 5853
- protection via photolabile p-methoxyphenacyloxycarbonyl group, 1901
- reaction with oxiranes, use of tetraphenylstibonium triflate as
- regio- and chemoselective catalyst, 739
 sec amine R-CH₂-NH-R'(R'=CH₃ or alkyl) via conversion of organomagmesium compd RMgX, 7383
- TDA-1 catalysis in Smiles rearrangement of N-arylphenoxyamides, accelerating effect of 2,4,6-trichloro substitution,
- tert methyl-, photooxidation, electron transfer activation, effect of added salts, useful N-
- demethylation method, 3977 tert, photo N-demethylation, electron transfer activation, 2927
- vinylamine, acrolein and butadiene, charge density distribution, unimportance of dipolar resonance structures in detn of ground state charge distribution, 5981

Amino acids

- 2-amino-7,7-difluoro-7-
- phosphonoheptancic acid, synthesis if NMDA receptor binding, 7013 (25,48,55)-5-(N-BOC)-amino-6-cyclohexyl-4-hydroxy-2-isopropyl-hexanoic acid lactone, an hydroxyethylene dipeptide
- an hydroxyethylene dipeptide isostere precursor, 415 2,2-dialkyl-1-aminocyclopropane carboxylic acids, synthesis from α-chloroimines, 1863 2,2-dimethyl-1-aminocyclopropane carboxylic acid, synthesis from β-chloroimines, 5029

- 3-benzylglutamic acid, 4-configurational isomers and acvelic analogs of kainoids, synthesis and structure-activity relationship, 3799
- 9-fluorenylmethyloxycarbonylracemisation free attachment to peptide synthesis supports, 4341 a- or Y-amino acid derivs,
- α- or Famino acto derivs, regioselective synthesis via
 Li,Sn-masked and/or Ge-masked dienolates, 3445
 α-amino acids(Ε)-β,Y-enol ethers, new synthesis, 5121
- α-amino acids, decarboxylation by pyruvic acid and derivs, evidence for azomethine ylides in in vitro analogs of pyruvoyl enzymic processes, 2841
- a-fluoroglycines, protected asymmetric synthesis, 7457
- a-phenyl-a-substituted-, new route via
- β.β-difluoro-Y-keto-α-amino acids. potential inhibitor of kynureninase, synthesis, 3649
- β, Y-unsaturated α-amino acid δlactones, precursors for polyhydroxy amino acids, 1993 β, Y-unsaturated α-amino acids,
- optically pure, stereoselective synthesis in both L and D configurations, 1943
- β-hydroxy-α-amino acids, stereoselective approach from Dglucose, synthesis of MeBmt, 6769
- β-methylphenylalanine, asymmetric synthesis of optically pure isomers, 6841
- ß methyltyrosine, asymmetric synthesis of optically pure isomers, 6845
- acylnitroso dienophiles from L proline, asymmetric Diels-Alder cycloadditions, 7061
- ADDA an amino acid component of hepatotoxin cyanoviridin RR,
- absolute configuration of 8 and 9 carbons, 4245 ADDA, C-20 amino acid of cyanobacterial hepatotoxins, total synthesis, 4349 accomation biosynthesis
- aromatic-, biosynthesis, reactivity studies with shikimic acid series, 3711
- asymmetric 1-amino-2phenylcyclopropane carboxylic acids, synthesis by diastereoselective cyclopropanation of highly functionalised homochiral olefins, 3101
- asymmetric syntheses by addition of cyanide to Schiff bases in presence of cyanide-modified hemin-copolymer, 4535
- cis-a-(carboxycyclopropyl)glycines, new syntheses from L-glutamic acid, 3803 cyclosporin A, semi-synthetic
- approach to olefinic analogs of
- amino acid one, 4215 dienic α-amino acids, Pd-catalysed synthesis from allenes, 3963 DL-α-amino acids, new synthesis
- from t-butyl N(diphenyl methylene) oxamate, 3065 enantiomerically pure α-amino acids, prep via asymmetric alkylations of sultan-derived
- glycinate equivalent, 6009 enantiomerically pure, protected 8-aryl alanines, synthesis, 5941
 free-, resolution via new crown
 ethers derived fromn D-mannitol, 4231
- glutamate analogs, homolytic decarboxylation, 1799

- glycine deriv protected as benzophenone imine, selective monophenylation, 3909
- glycine Schiff bases, N-acylation, approach to 3,3diphenylaziridine-2-carboxylates, 4717
- glycosyl a-amino acids via stereocontrolled buildup of penaldie acid equivalent asymmetric synthesis of thymine polyoxin C, 5065
- heterocyclic-, prep via intramolecular Mukaiyama aldol condensation, synthesis of cycloleucine analog, 1181
- hydroxamic acids and a,8unsaturated aldehydes,
- unsaturated algenyaes, comparison of reaction in soln or in an adsorbed state, 117 hydroxy amipo acid molety of AI-77-B, chiral synthesis, 6503 isoserine and homoisoserine, prep and structure of indolo-1,3
- diazepin systems, 61 L,L-isodityrosine, synthesis, 2053 L-a-amino acids, 9-fluorenyl
- esters, prep, amino components in peptide synthesis, 3413 L-glutamic acid, conversion into ethyl N-dienyl pyroglutamate, 3295
- L-threonine, 8hydroxyphenylalanine and 8hydroxyleucine, synthesis via application of Sharpless asymmetric epoxidation, 6637
- "MeBMT" and stereodefined cyclopropane derivs, synthesis via two-step route to sulphonyllactones intermediate from epoxyalcohols, 7029
- methionine sulphoxide, reduction with sulphur trioxide/thiol system, 4411
- N-alkoxytryptamines, intramolecular Pictet-Spengler reaction, synthesis of (\pm) deamino-debromo-eudistomin L, 5009
- N-phenylation of derivs, 837 Na-9-fluorenylmethyloxycarbonyl amino acids, minimum racemisation coupling to alkoxy benzyl alcohol type resins, peptide synthesis by a
- combination of solid phase and soln methods, 6745 new thiol protecting trimethylacetamidomethyl group, synthesis of new porcine brain natriuretic peptide using Strimethylacetaminomethyl cysteine, 1979
- new-, protecting group removable with new UV light, 4241 O-benzyl-L-serine, common precursor for(2R) and (2S)-
- benzyl-2,3-epoxypropyl
- ether ,5505 optically pure tryptophans from serine derived aziridine-2-
- carboxylates, 4073 peptide synthesis by combination of solid phase and soln methods, resin derivs allowing minimum racemisation of N^X-protected amino acids, 6741
- phosphonic acid analogs of phenylalanine and β-alkylserines, asymmetric synthesis via gold catalysed reaction of (isocyanomethyl)phosphonates with aldehydes, 2247
- polyoxamic acid, enanticspecific synthesis from L-arabinose, 4527 proline, new analog, synthesis, 399
- pyroglutamic acids, decarboxylation with

Terrahedron Letters x

P_{2Os}/CH₃SO₃H, synthesis of 5-aryl-2-pyrrolidinones, 7057

- (S)-amino acids, enantiomerically pure via diastereoselective Ugi reaction using 2,3,4-tri-0pivaloy1-α-Darabinopyranosylamine as chiral template, 4109
- S,S-isodityrosine, synthesis; 4211
- tryptophan derivs, reaction with phenylsulphenyl chloride and phenylselenenyl bromide, 4307 tryptophan, reaction with trifluoroacetic anhydride, 4597
- two D-amino acid residues, enzymatic coupling in aqueous media, 583

Amino alcohols

- 1,3-, from 2-aza-1,3-dienes via reduction of 5,6-dihydro-2H-1,3oxazines, 2001
- 2-deoxy-2-aminobutose derivs, synthesis via application of new route to 4-oxygenated isoxazolines, 1185 4,4'-tetramethyldiamino-
- phenylmethanol from tetrabase with hemin in acetic acid, 957 β-amino alcohols, chiral synthons,
- prep, 3449 and homochiral aziridines,
- synthesis from homochiral 1,2cyclic sulphates, 2523
- anti-B-amino alcohols, diastereoselective prep via Michael addition of alkoxide anions to nitroolefins and subsequent hydrogenation, 731
- bis(aminoethane thiols) chelating agents with a gamma carboxylate, new synthesis, 4069 N-alkoxyamines, intramolecular
- cyclisations, formation of dialkyl substituted pyrrolidines and piperidines, 1327
- N-aryl-O-pivaloylhydroxyamines, mechanism of interaction with
- reducing metal ions, 1923 (±) nor-sedamine and its pyrrolidino analog,
- stereoselective synthesis, 1947 optically active amino-4pentenedicls, regiocontrol in synthesis via epoxy-4-pentenols, novel acyclic adenosine analogs,
- $(+)-(\underline{S})-N-methyl-1-phenyl$ ethanolamine, enantiospecific synthesis of (+)-(R)-1-phenyl-3methyl-1,2,4,5-tetrahydrobenz-
- methyl-1,2,4,5-tetranydrobenz-[d]azepine via arene chromium trlearbonyl method, 3581 synthesis by baker's yeast reduction of 1-acyloxy-3-azido-2-propanone, 3701 vicinal azido alcohol, conversion
- to corresponding amino alcohol, 837
- vicinal-, and derivs, formation, N-alkoxyaziridinium salts, anchimeric assistance, 1331
- vicinal-, stereocontrolled prep, removable auxiliary for amidomercuration, 1777

Amino aldehydes

1517

- α-, protective group tuning in stereoselective conversion into aminoalkyl epoxides, 5425
- $\alpha\text{--},$ regio- and diastereoselective Friedel-Crafts alkylation with phenols, synthesis of optically active ephedrine-like compds.
- α-, tandem aldolisation/lactonisation/dyotropic rearrangement, 5421

- Amino esters 2-hydroxyimino-2-phenylacetonitrile active esters, synthesis for peptide chain elongation, 4423
 - 2-methylidene-3-amino esters and ketones, phosphine mediated synthesis, 2731
 - 9-fluorenyl esters of L-a-amino acids, prep, amino-components in peptide synthesis, 3413
 - o-, imines, reactions with nitrosobenzene, 2477
 - a-, imines, Ti-mediated transesterification and regioand stereo-specific cycloaddition, 4727
 - acyclic activated ester from D-serine, cyclisation and stereoselective synthesis, 7021
 - isomeric unsaturated-, prep via (ethoxycarbonyl)nitrene addition to siloxydienes, regiochemistry
 - N-disubstituted α -, and imines, zinc enolates, synthesis of β -lactams, substituent and solvent effects, 765 N-acetylaminomalonate, improved
 - chiral Michael addition to chalcone by solid-liquid phase transfer catalysis without
 - solvent, 333 N-substituted-, asymmetric synthesis, 2975
 - phenylalanine and lysine ester analogs, inhibition of serine proteases, 6861
 - t-butyl esters of N-protected amino acids, synthesis via t-butyl fluorocarbonate, 6859

- 2-methylidene-3-amino esters and ketones, phosphine mediated
- synthesis, 2731 α -aminoacetophenone derivs, asymmetric hydrogenation leading to synthesis of (\underline{S}) -(-)levamisole, 363

Amino nitriles

α-, conversion to amide with oxygen in acidic media, 6761
 α-, reduction with sodium, 4203

Amino phosphonic acids

- 2-amino-7,7-difluoro-7phosphonohetanoic acid, synthesis and NMDA receptor binding, 7013 β-hydroxyα-aminophosphonic acid
- precursors, enantioselective synthesis, 1071

Amino sugars

- 2-deoxy-2-amino- and 3-deoxy-3-aminotetroses from malic acid, application to synthesis of C18ribo-phytosphingosine, 5507
- 2,3,6-trideoxy-3-aminohexose derivs, route via a
- dihydroisoxazole, 5969 2,4-deoxy-2-amino-L-threose and L-erythrose from (S) ethyl 8hydroxybutyrate, stereochemical course of their condensations with C-nucleophiles, 5511
- 3'-amino-3'-deoxynucleosides, high yield synthesis, conversion of adenosine into 3'-amino-3'-deoxyadenosine, 2329 6-glycosylamino-5-nitroso-
- pyrimidines, reaction with Vilsmeier-type reagents, synthesis of 8-amino-9-
- glycosylpurines, 2669 a C1-C1 2-amino disaccharide, prep via [4+2]cycloaddition of bis(trichloroethyl)azodicarboxyl

- ate with gylcals, 2889 amino hexoses, synthesis from L-serinal via application of 3carbon homologation of aldehydes using 2-acetylthiazole, 6063 isopropylamino sugar molety of
- esperamicins, stereochemistry and absolute configuration, 2469 lividosamine, and 3-deoxy-, 4-
- deoxy-hexose and derivs, synthesis via application of electron-releasing homoconjugated Co group, 7415
- N-formylamino sugars, glycosylations, new approach to 2'-deoxy-β-disaccharides, 2533

Ammonium salts

- bis-quaternaryas phase transfer catalysts, 1683
- ethylammonium nitrate as solvent for Diels-Alder reactions, 1785 tetra-n-butylammonium fluoride,
- catalysed cross coupling of alkenylalkoxysilanes with aryl and alkenyl halides in presence of fluoride ion, 6051

Anchimeric assistance

N-alkoxyaziridinium salts, formation of vicinal amino alcohols and derivs, 1331

Annelation

a,a-, of 1-benzyl-2,5-piperidinedione, isolation of cationic cyclopentannelation, dlxanthocidin synthesis, 2333

Annul attions

- aromatic hetero-, via ortho lithiation-cyclisation of Nacyl-2-bromobenzamides, 275
- aromatic rings on folded cis,syn,cis-triquinane backbone, prep of novel shapes to serve as potential hosts, 6895
- asymmetric spiro-, process, 6511 aza-Robinson-, application to synthesis of <u>iso-A58365A</u>, 3625
- bifunctional reagents, reaction with cyclic enol ethers, new route to fused cyclic ethers, 3555
- boron decalone-, and hydroboration with tetrasubstituted olefins strongly influenced by allyl silicon, 2187
- boron-, stereoselectivity and synthesis of (1)-helenalin, 523

 ois and trans-, Pd-catalysed of 1,3-cyclohexadiene and 1,3-
- cycloheptadiene, 617 cyclopentane-, radical cyclisation
- of exathiolanenes, 3283 radical-, based on allyl and vinyl
- radical-, based on allyl and viny stannanes, 2501 regiocontrolled [3+4] and [3+5] reactions, bis(trimethylailyl) enol ethers as 1,3-dianion equivalents, 2351 regiospecific 1,3-dicarboxy benzamulation, methyl propynoate sequential Michael-Michael-aldol-dehydration reactions with Michael donors. reactions with Michael donors, 3579
- stereoselective-, of dihydronaphthalene nucleus, 4049

Annulenes

18-pi electron diatropic condensed bridged annulene, synthesis and properties, 1557

Anthocyanins

acylated with 3 and 4 different organic acids, structure of lobelinin A and B, 6055

in scarlet, purple and blue Salvia, 6729

хi Tetrahedron Letters

Antibiotics

- 1,3-polyols, stereocontrolled synthesis of higher members, 6525
- 3'-amino-3'-deoxynucleosides, high yield synthesis, conversion of adenosine into 3'-amino-3'-deoxyadenosine, 2329
- (9-E)-9-deoxo-9hydroxyiminoerthromycin, reaction with alkaline N-
- bromosuccinimide, 605 (+)-(98)-dihydroerythronolide, stereoselective synthesis using macrocyclic stereocontrol, 7463
- (±)-11-deoxydaunomycinone and 4demethoxy analog, synthesis by sequential Diels-Alder cycloadditions, 83
- 11-deoxyanthracyclinone, asymmetric synthesis, 3319 14,14-difluoro-4-demethoxy-
- daunorubicin, synthesis and antitumor activity, 4259 14-membered macrolide-, synthesis of chiral synthon corresponding
- to C(1) to C(7) segment, 2083
- α-homomannojirimycin and 6-epi-homomannojirimycin, prep, mannosidase and fucosidase inhibition and synthesis of iminoheptitols as glycosidase inhibitors, 7257
- A-aryl glycosides, Friedel-Crafts approach, Cp_ZrCl2-AgClOe efficient promoter, 833 amphidinolide-A, synthesis of C10-
- C₁₉ portion, 4637 anthracycline glycosides, regio and stereoselective hydroxylation, 4857
- anthracyclinones, approach to rhodomycinones, 711 antitumor and antiretroviral-,
- synthesis of model depsipeptide segment of luzopeptins, 3027
- (-)-aristeromycin, 9-step enantiospecific synthesis from D-ribonic acid Y-lactone, 1453 (±)-aristeromycin, synthesis via
- Pd-assisted route to carbocyclic nucleosides, 6625
- avermectin B₁, synthesis of spiroketal fragment, 5993
- aztreonam, new synthesis, regio-and chemoselective epimerisation of cis-3-amino-β-lactams to trans isomers, 4837
- benzopyrrolizines related to mitomycin A, easy route via Cr carbene complexes, 1633 biomimetic conversion of Aenstein
- tripeptide analog into cis-β-
- lactams, 729 bleomycin-, micellar model, 2987 (+)-brefeldin C, synthesis, Lewis acid mediated cyclisation of
- epoxy-allylsilane, 4845 calcimycin (A 23187) with demethylated skeleton, synthesis of biomimetic model, 351
- calicheamicin, reactions of trisulphide moiety, 3033 calichemicins, new thio sugar
- methyl 2,6-dideoxy-4-thio-a-Dribo-hexopyranoside, 4505
- carbacephem-, synthesis via key intermediate, 4081 chloroanthracyclines, prep via
- acetal-alkene cyclisation, 4735 chlorothricolide, spirotetronic acid structure, synthesis, prep and use of methyl α-acyloxy-Ymethylene-β-tetronate as builing
- block, 2233 complestatin structure closely
- related to gylcopeptide antibiotic, 4987 concanamycin A, C₂₀-C₂₀ segment, enantiospecific synthesis, application of

- diethylisopropylsilyl protecting group, 6417 deepoxy-4,5-didehydromethyleno-
- mycin A and methylenomycin A methyl esters, synthesis, 3857 (+)-de oxoartemisinin and (-)-
- deoxodesoxyartemisinin. stereospecific synthesis, 5973 direct acylation of stannyl
- tetronates, prep of 0-methy1-3acytl tetronic acids, 1001
- dl-xanthocidin, synthesis, cationic cyclopentannelation, 2333
- esperamicin-calichemicin. synthesis of core enedigne structure, 851
- esperamicins, stereochemistry, absolute configuration of isopropylamino sugar moiety, 2469
- esperamicin/calicheamicin, synthetic studies, selenium dioxide oxidation of bridgehead trialkylsilyl enol ether, 3637
- esperamicin/calicheamicin-, synthetic studies via conjugate addition of thiol to initiate 1,4-diyl formation, 1905
- esperamicin/calichemicin, type 11 Diels-Alder route to bicyclic core, regiochemical misassignment: meta vs para
- selectivity, 433 esperamicins and calicheamicins, enediyne structure, synthetic approach to intermediates, 3499
- eudistomins I and T, syntheses, 3605
- FK-506, prep of C(1) to C(15) segment, 919
- FR900482, promising method to construct bicyclic hydroxylamine hemi-ketal ring system, 3397
- fredericamycin A, synthesis of basic C-framework, routes for spiro center construction of CD-ring system, 829
- fredericamycin, total synthesis, intermolecular alkyne-chromium carbene complex cyclisation approach to ABCDE ring system, 2037
- furaquinocins A and B, structures, 7427
- (+)-galantinic acid, total synthesis, 7103
- kijanolide aglycone, diastereoselective synthesis of top half, 7309
- macrolide patulolide C, enantioselective total synthesis, 2153
- metallo-bleomycin mediated degradation of deoxytetranucleotides, unusual C-4' hydroxylation at terminal cytidine, 7213
- mitomycin analogs, synthesis of dihydro- and tetrahydro-isoxazolo[3',4':3,4]pyrrolo[1,2a]indolesvia intramolecular cycloadditions, 1421
- mycalolides A-C, hybrid macrolides of ulapualides and halichondramide, structure and isolation from Mycale genus, 2809
- mycinamicins, biosynthesis, stereochemistry of proposed intermediates, 4001
- N-hydroxy-β-lactams, Pd-mediated reactions, 7009
- neocarzinostatin and esperamicincalichemicin, biradical formation from acyclic eneyne allene related system, 4995
- neocarzinostatin chromophore, synthesis of naphthalene moiety,

neocarzinostatin-mediated

- degradation of d(GCATGC), mechanism of spontaneous thymine release, 4263 nojirimycin, synthesis, 755 nystatin A₁, C-1 to C-10 fragment, synthesis and stereochemical assignment, 1217
- nystatin A., stereostructure, proton NMR study, 4521
- nystatin A, stereostructure, synthetic assignment of C1-C10
- fragment, 4517 optically pure natural <u>S(+)</u> or unnatural <u>R(-)</u> DABA, enantioselective synthesis, 6011
- oxazolomycin, enantioselective synthesis of α,α-dimethyl-β-hydroxy acid subunit, 5821
- pentacyclic compd, stereoselective synthesis, approach to FR900482,
- pyridomycin, total synthesis, 7419 quinocarcin, ABC-ring system, chiral synthesis, 7423
- rifamycin S, asymmetric synthesis of C₁₉ to C₂₇ segment, kinetic resolution in aldol reactions of ethyl ketones using chiral boron reagents, 1293
- roflamycoin, synthesis of C-12 to C-35 section in homochiral form, 15
- (±)-sarkomycin esters, short
- largescale synthesis, 7381 (±)-sarkomycin, new synthesis from B-ketophosphonate, 1143
- sarkomycin, stable precursor cyclosarkomycin, asymmetric Diels-Alder EPC-synthesis, 5599
- structure of sulphur rich
 metabolite, dysoxysulphone, from
 Dysoxylum richii, 4919
 tetronomycin, diastereoselective
 prep of tetrahydropynan ring,
- tetrahydropyran formation via controlled beta-hydride elimination, 4925 thymine polyoxin C, asymmetric
- synthesis, glycosyl α-amino acids via stereocontrolled buildup of penaldic acid
- equivalent, 5065 trans-3,4-disubstituted Y-lactone, α-oxygenation, comparative study, 1029
- trichomycin A from Streptomyces, structure, 3813 trospectomycin(6'-n-
- propylspectinomycin, U-63, 366F,
- from spectinomycin, 1469 vancomycin, synthesis of plausible active center, a macrocyclic tetrapeptide, 6043
- valinomycins, improved synthesis, 1695
- vineomycins, study of C-aryl glycoside sector via Cp₂HfCl₂-AgClO₄-promoted tactics, 6185

Antigens

Forssman-, total synthesis, 6713

Antimony and compounds

- carbonylation in HF-SAbF, of methylcyclopentane, temp controlled selectivity, 701 tetraphenylstibonium triflate as
- regio- and chemoselective catalyst, reaction of oxiranes with amines, 739

Arenes

- 1,1,3-triphenyl-2-indanone, photochemistry, spontaneous decay of o-xylyenes, 6851 1,2,3-trimethoxybenzene,
- regioselective reductive alkylation, 1689 2,4,5-trimethoxyallylbenzene, Y-asarone, electrosynthesis, 4037 alkylbenzenes, iodination with

xii Tetrahedron Letters

iodine and silver nitrate, 3769 annulation of aromatic rings on folded cis,syn,cis-triquinane backbone, prep of novel shapes to serve as potential hosts,

arvne intramolecular cycloaddition, approach to aristlactams, 5785

benzene, microbial oxidation prep of 6-deoxy, 6-deoxy-6-fluoro and 6-deoxy-6-methyl myoinositol 1,4,5-trisphosphate derivs, 3557 benzenes, photoreaction with

iodopyridines, pyridyl cation as reactive intermediate, 3433

benzylic methylene compds, oxidation to ketones with 2nitrobenzene peroxysulphonyl radical formed from its chloride and superoxide, 6357

benzynes, reaction with 2,5-dihydrothiophenes prep of 1phenylthio-1,3-dienes through fragmentation of sulphonium vlide intermediates, 847

electroactive benzenoidheteroaromatic polymers, chemical and electro syntheses, 3461

heteroaryl groups, gas-phase replacement of 00 substituent constants, 1699

meta-xylyene, EPR of diaza deriv,

exidation by Gifiv system, 6615 p,p'-dibenzenes, chemistry, prep of 3,4-tetramethylene deriv, 1205

photochemical route to inositol intermediates, oxidation of substituted <u>cis</u> cyclohexa-3,5-diene-1,2-diols, 3113 radical cations of 1,2,4,5-

tetrakis(dimethylamino)benzene and 2,3,6,7-tetrakis(dimethyl-amino)naphthalene, ESR and ENDOR study, 6161 reaction with 2,2,2-trifluoro-1-

phenylsulphenylethyl carbocation, 2265

ruthenium complex catalysed benzylation with benzyl formates, decarbonylation and decarboxylation of alkyl formates, 4137

silylene protecting dihydroxystyrene deriv, intramolecular [4+2] cycloaddition leading to linearly condensed <u>peri</u>-hydroxy aromatic compds, 3995 substituted allyl benzenes,

anomalous behaviour in Pd-catalysed reaction, 759

tert-butylbenzene and tert alcohols, reaction with

anthraquinone triplet, C-C bond cleavage, 7467 toluene, CH benzylic insertion, photolysis of 6-azido-4,5,7-trifluoroindole at -1960,6465

unsymmetrrically substituted hydroxybiaryls, synthesis via C-arylation of phenoxide and naphthoxide anions by arylazo phenyl sulphides, 6911

Argon [1+2] eyeloaddition of cyclopentadienylidene to ethylene in argon matrix, direct IR observation, 763 photoisomerisation of tetrachloromethane, 4105

Arsenic and compounds

(5,5-diethoxy-2-(E)-pentenyl)triphenylarsonium ylide a new equivalent of 6-formyl butadienyl anion, 5-carbon

homologation of aldehydes to 6-hydroxy-1,4-(\underline{E})-dienals, 6031 arsonium ylldes, use in synthesis of (\pm)-hepoxilin A-3, 25 \pm 0 dichloroarsines, functionalised,

prep as equivalents of arsaalkynes, 249

(phenylthiomethylene)triphenylarsorane, homologation of aldehydes, selective prep of a-thiophenoxyepoxides and phenylthicenol ethers, 6023

Aryl halides

1,4-dialky1-2,3,5,6tetrabromobenzenes, synthesis of 4,8-dialkylbenzo[1,2-d;4,5-4,0-dialkylerizo[1,2-d;4,5-d']bis[1,2,3]trithioles and 6,10-dialkyl[1,2,3]trithiolo-[5,4-h]benzopentathiepins, 3453
2-fluoro-4-nitroanisole, photoreactions with amines, search for new biochemical

photoprobes, 2427 2,6-di-t-buty1bromobenzene, prep, application to steric protection for organophosphorus compds in low coordination states, 5433

aryl and vinyl triflates or halides, Pd-catalysed coupling with 2-ethynyl aniline, route to functionalised 2-substituted idoles, 2581

aryl chlorides, trifluoro-methylation, effect of charcoal using Burton's reagent, 2133

aryl fluorides, synthesis via polymer supported amino-

polymer supported amino-pyridinium salts as versatile catalysts, 7199 aryl halides, Pd-catalysed coupling with non-allylic unsaturated alcohols, synthesis of aryl-substituted aldehydes and ketones, 6629 chloraromatics, photode-

chlorination by electron transfer from anionic sensitiser, 697 chlorobenzene, microbial

oxidation, enantiodivergent approach to D- and L-erythrose, 4053

heteroaryl halides, ultra-sound promoted coupling in presence of Li wire, formation of bipyridínes in Wurtz-type reaction, 3567

iodinated aromatic azides, photochemistry explored, 899

iodosobenzene diacetate and carboxylic acids, new method of homolytic alkylation of protonated heteroaromatic bases, 4569

polychloro(trifluoromethyl)benzenes and highly strained polychloro(trichloromethyl)benzenes, new synthesis,

Arylation

amines by aryllead triacetates use of copper catalysis, 1377

aromatic-, with α-azohydroperoxide, free radical reaction, 963

C-, of phenoxide and naphthoxide anions by arylazo phenyl sulphides, synthesis of unsymmetrrically substituted hydroxybiaryls, 6911 double Heck-, of cyclopentene, Pd-catalysed, 2877

intramolecular C-, product of tri-O-benzyl-&-D-ribofuranosyl fluoride, structural elucidation and reductive cleavage of ribofuranosyl ring C(1)-0 bond,

N-phenylation of amino acid

derivs, 837 new oxidative and reductive-, of alkenes via aryl radicals from Cu oxidation of hydrazines, 4709 Pd-catalysed intermolecular-, improved procedures for cyclic alkenes, 2603

phenylation, new route to aphenyl-α-substituted amino acids, 3913

photo-, heteroatom directed, intramolecular addition reactions, 795 ruthenium complex catalysed

benzylation of arenes with benzyl formates, decarbonylation and decarboxylation of alkyl

formates, 4137
selective monophenylation of
active methylene compd, 3909
selective-, of alcohols and amines under mild conditions, 4759

Asymmetric induction

1,2-, of lactols with a-chirality, 1563

and auxiliary structure in "Mukaiyama-aldol" reactions of chiral silyl ketene acetals, 5163

asymmetric Michael additions, simple chiral crown ethers

complexed with t-BuOK as catalyst, 7229 catalysed by conjugate bases of chiral proton acids as ligands: enantioselective addition of dialkylzinc-orthotitanate

complex to benzaldehyde, 1657 chiral-, in a biomimetic olefin cyclisation, 2267 in Pd-catalysed 3+2-cycloaddition of trimethylenemethane with

homochiral vinyl sulphoxides, 1803

reduction in benzoin by photolysis of benzaldehyde adsorbed in eyelodextrin eavities, 4641 via intramolecular T2-

sensitisation, photo-isomerisation of α -(9"anthranyl)ethyl spiro-[cyclopropane-1.9'-fluorene]-2carboxylates, 1091

Asymmetric reactions

1,4-additions to Ymenthyloxybutenolides, enantiospecific synthesis of chiral 1,4-butanediols, 5481

(3R)-alkanoyltetradecanoic acid components, synthesis, 4763 [3+2] cycloaddition of 2-(sulphonylmethyl)-2-propenyl carbonate catalysed by chiral ferrocenylphosphine-Pd complexes, 375

11-deoxyanthracyclinone, synthesis, 3319

(-)-absicisic acid, penultimate precursor of (-)-dehydrovomifoliol,

synthesis,.1741 addition of diethylzing to furanaldehydes, enantioselective synthesis of furylalcohols, 6427 aldol reaction of α-ketoesters

with isocyanoacetate and isocyanoacetamide catalysed by chiral ferrocenylphosphine-gold

complex, 4681 alkylation of arylacetic acid, binaphthol as chiral auxiliary,

alkylation of N-acylsultams, route to enantiomerically pure crystalline C(α,α)-disubstituted carboxylic acid derivs, 5603 alkylations of sultan-derived glycinate equivalent, prep of

ziii Tetrahedron Letters

- enantiomerically pure α-amino acids, 6009
- allylations of aldehydes, Pd-
- catalysed via (S)-proline allyl ester enamines, 1543 allylboration depends on rate and enantioselectivity of chiral auxiliary, 6457 amino acid syntheses by addition
- of cyanide to Schiff bases in presence of cyanide-modified
- hemin-copolyme, 4535 (+)- and (-)-pulo'upone, total synthesis, 1821 binaphthylcyclopentadiene, a C₂-
- symmetric annulated cyclopentadienyl ligand with
- axidal chirality, 3513
 C1. to C2. segment of rifamyoin S, synthesis, kinetic resolution in aldol reactions of ethyl ketones using chiral boron reagents,
- catalysis, enantioselective synthesis of siloxycyclopropanes and Y-oxocarboxylates, 2079
- catalytic dihydroxylation, scope, 2041
- chiral bicyclic lactams, synthesis, prep of cis-(15,3R)-deltamethrinic acid, 1745 chiral synthesis of ABC-ring
- system of quinocarcin, 7423
- cyclisation by Rh with chiral ligands, 6349 deprotonation of 4-tbutylcyclohexanone, chiral products using chiral lithium amide bases, 7241
- diastereoisomers of leukotriene B., antagonist U-75302, synthesis, 5081
- Diels-Alder reactions and synthesis of (S)-2-p-tolylsulphiny1-1,4-benzoquinone,
- 4003 Diels-Alder additions to enoates, N-substituted hydroxysuccinimides from malic
- acid as new reagents, 5595 Diels-Alder cycloadditions with acylnitroso dienophiles from L proline, 7061
- Diels-Alder reaction catalysed by chiral bases, 7403 Diels-Alder reaction of chiral
- α,β-unsaturated oxazolines, 1395
- Diels-Alder reaction of chiral alkoxy iminium salts, 1893
- Diels-Alder reactions of 1,3disiloxycyclohexadiene with chiral acrylamides, 5891 Diels-Alder reactions of chiral
- α,β-unsaturated lactams, 6973 Diels-Alder reactions with chiral alkoxycyclohexadienes, 6227
- Diels-Alder reactions, EPCsynthesis of stable sarkomycin precursor cyclosarkomycin, 5599
- enzymatic hydrolysis for chiral cyclopentanoid building blocks,
- facile generation of chiral azomethine ylids via CN(R,S) method, 5133
- (-)-geosmin and related natural compds as well as enant-(+)geosmin, enantioselective synthesis, 4121
- highly exo and diastereoface selective synthesis of chiral ketene equivalents, 2-alkyl-5methylene-1,3-dioxolan-4-ones and 2-alkyl-3-acyl-4-methylene-1,3-oxazolidine-5-ones, 7305 hydrogenation of α-
- aminoacetophenone derivs leading to synthesis of (S)-(-)-levamisole, 363 hydrogenation of itaconic acid

- derivs catalysed by modified DIOP-Rh complex, 735
- hydrolysis and conversion of d1-3~ (1-benzoyloxyethyl)-azetidiπone deriv to carbapenem, 2555
- intramolecular Diels-Alder reaction catalysed by chiral acyloxyborane complex, 7231
- intramolecular tandem additions to chiral naphthyl oxazolines, 4049 lipase catalysed synthesis of
- phase databased symmetrs of chiral 1,3-propanediols and application to prep of optically pure building blocks for renin inhibitors, 6185
- Michael additions, simple chiral crown ethers complexed with t-BuOK as catalyst, 7229
- Michael process involving chiral imines, diastereofacial differentiation aspect, 2645
- N-acetyl-1-phenylethylamine, synthesis,.2967
- N-substituted amino esters,
- synthesis, 2975 new optically pure(camphory)sulphonyl)oxaziridine derivs synthesis via (camphoryl-sulphonyl)imine dianion, 1613
- nor-leukotriene D. conformationally restricted
- analogs, synthesis, 3377 oxidation of prochiral ketone enolates to optically active α hydroxy ketones, effect of enclate geometry and structure on stereochemistry, 779 oxidation of thioethers,
- enantioselective synthesis of β-
- enantiosatective synthesis of hydroxysulphoxides by direct oxidation, 4859 oxidation of thioethers, optical resolution of [1,1'-binaphthalene]-2,2'-dithiol,
- phosphinates, phosphine oxides and phosphines synthesis by Michaelis Arbuzov rearrangement of chiral oxazaphospholidine,
- phosphonic acid analogs of phenylalanine and Balkylserines, synthesis via gold catalysed reaction of (isocyanomethyl)phosphonates
- with aldehydes, 2247 prep of chiral 1,2-diamines via CN(R,S) method, application to synthesis of analog of tetraponerine, 5137
- prep of novel spiropiperidine system by CN(R,S)method, 6323
- pyrrolizidinones, synthesis by radical cyclisation of N-allylic pyroglutamates, 3369
- (R)-(-)-phenylephrine hydrochloride, synthesis catalysed by (2R,4R)-MCCPM-Rh complex, 367 route to fused carbocyclic systems
- via Diels-Alder reactions of chiral α,β-unsaturated bicyclic lactams, 6977
- S)-camptothecin, synthesis, 2639 Sharpless epoxidation, application to synthesis of L-threonine, 8hydroxyphenylalanine and 8-
- hydroxyleucine, 6637 spiroannulation process, 6511 stereoselection enhanced by cooperation between chiral auxiliaries, asymmetric Diels-Alder reactions with fumaric acid bis((S)-proline benzylester) amide, 4227 syn-1,3- reduction, use in
- stereoselective synthesis of 1,3-syn-3,5-anti-triols, route to anti-1,3-polyols, 4383 synthesis and absolute configuration of 5,10-dideaza-

- 5,6,7,8-tetrahydropteroic acid and 5,10-dideaza-5,6,7,8tetrahydrofolic acid via
- esterification of 2-substituted 1,3-diols, 6291 synthesis of C(24)-C(34) fragment of FK-506, FR-900520 and FR-900523, 6963
- synthesis of chiral synthons for carbocyclins, approach via enanticselective deprotonation of bicyclo[3.3.0]octan-3,7-dione monoacetais, 7221 synthesis of optically pure isomers of β
- methylphenylalanine, 6841
- synthesis of optically pure isomers of β-methyltyrosine, 6845
- synthesis of protected αfluoroglycines, 7457 synthesis of thymine polyoxin C,
- glycosyl α-amino acids via stereocontrolled buildup of penaldic acid equivalent, 5065
- synthesis of trans-(2R,5R)-bis(benzyloxymethyl)pyrrolidine,
- triple asymmetric synthesis for fragment assembly, validity of approximate multiplicativity of the three diastereofacial
- selectivities, 7357 version of "Spac" reaction, stereoselective synthesis of Yhydroxy-α,β-unsaturated esters,

- 2-furylcarbinols, new access by enantioselective hydrolysis with
- penicillin acylase, 3057 5-deazaflavin with axial and planar chirality, new type, synthesis and reactions, 7431
- 14-crown-4 derivs, prep as selective ionophores for Li ions, 4559
- acyclic allylic alcohol derivs, diastereocontrol in Rh-catalysed hydroboration, 395
- aldehydes, diastereoselective nucleophilic alkenoylation, prep of enantiomerically pure α', β' difunctionalised α, β -enones, 2919
- asymmetric Diels-Alder reaction, 1395
- asymmetric dienes, ethyl N-dienyl pyroglutamates, 3295
- auxiliaries, camphor derived, 3449 binaphthylcyclopentadiene, a C2symmetric annulated
- cyclopentadienyl ligand with axidal chirality, 3513 chiral α,β-unsaturated lactams, asymmetric Diels-Alder reactions, 6973
- chiral α,β-unsaturated bicyclic lactams. Diels-Alder reactions, asymmetric route to fused
- carbocyclic systems, 6977 chiral 1,2-diamines, prep via CN(R,S) method, application to synthesis of tetraponerine, 5137
- chiral diamines, synthesis, 1679 chiral azomethine ylids, facile generation via CN(R,S) method, 5133
- chiral chemzyme catalysts for enantioselective synthesis of (+)-1(\underline{S}),5(\underline{R}),8(\underline{S})-8-phenyl-2-azabicyclo[$\overline{3}$.3.0]octan-8-ol N,0methylboronate and its enantiomer, 5547 chiral polyhydroxy acetylenes,
- carbohydrates as source, 5455 chiral synthesis of hydroxy amino acid molety of AI-77-B, 6503 chirality transfer in 1,5-hydride shift of 2-methyl-5(R)-

xiv Tetrahedron Letters

- trimethylstannyl-1-hexene having cationic center at δ -position, 4983
- cyclobutane derivs, synthesis from (+)-5-menthyloxy-2-[5H]-furanone
- and ethylene, 2637 diastereomeric dialkyl phosphites, NMR nonequivalence, 5469
- diastereoselectivity of di-πmethane photorearrangement in soln versus solid state, effect of placing a chiral handle at bridgehead or vinyl position of dibenzobarrelene, 6125 dichotomous achiral d'and chiral
- d³ reagents for carbonyl addition directed by metal exchange, synthesis and deprotonation of 1-(p-toluenesulphonyl)-2alkenyl carbamates, 2915
- E-alkenes with chiral substituents, synthesis by extension of Horner-Wittig reaction and stereocontrol by acyl transfer, 4581
- enantiomeric C-18 sphingosines, synthesis of two pairs, 7205
- synthesis of two pairs, 7209
 enentiomerically enriched
 allylstannanes from chiral
 allyllithium derivs and their
 regio- diasteroo- and
 enantioselective
- hydroxyalkylation, 7037 enantiomerically pure (S)-amino acids via diastereoselective Ugi reaction using 2,3,4-tri-0-pivaloyl- α -D-arabinopyranosyl-amine as chiral template, 4109
- enantioselective ketone reductions using tin organo systems from chiral piperazines, 3551
- enantioselective synthesis of nomoallylic alcohols, 3041 homochiral aziridines and amino alcohols, synthesis from homochiral 1,2-cyclic sulphates,
- 2523
- 2523
 homochiral dienophile, synthesis and application, 3061
 homochiral form of C-12 to C-35
 section of roflamycoin, synthesis, 15
 homochiral tetralins, prep via cycloaddition of isoquinolinium salts to dienophiles with chiral applications 1921 auxiliaries, 4921
- homochiral trans-disubstituted cyclopentanes, new route, 4767 intrinsic racemisation in chiral synthesis, accurate detn, enantiomer resolution of underivatised vicinal diols,
- 5109 asymmetric induction, 1563
 new auxiliary, use in diastereodifferentiation of Simmons-Smith
- reaction, 3807 nonracemic, isopropyl
- alkenylmethylphosphinates, synthesis via Pd route, 949 optical resolution of amine N-
- oxide by diastereomeric complex formation with optically active
- host compd, 1841 optically active 1H-aziridine-2carboxylic esters, synthesis,
- optically active 1,2-epoxides, chemoenzymatic access, chemoenzymatic access tp optically active 1,2-epoxides,
- optically active a,8-unsaturated phosphine oxides, prep via regioselective alkylation of amine protected homochiral vinyl
- phosphine oxides, 477 optically active amino-4-pentenediols, regiocontrol in

- synthesis via epoxy-4-pentenols, novel acyclic adenosine analogs, 1517
- optically active chloro alkanoic esters, synthesis, 4555
- optically active cyanohydrin derivs, new synthesis, stereoselective addition of cyanide ion to chiral rhenium π -
- aldehyde complexes, 3931 optically active D-myo-inositol 1,4,5-triphosphate, synthesis, 1617
- optically active forms of anucleic acid substituted
- propancic acids, synthesis, 51 optically active malonic acid ester, reverse chemoselective borane reduction, 6687
- optically active mevinic acid subunits via acetal initiated/vinylsilane terminated polyene cyclisations, 6299
- optically active oxetanes, formation from sugars by boron trifluoride catalysed 2+2 cycloaddition, 1571
 optically active polyunsaturated
- diacylgylcerols, synthesis, 3585
- glacylgylactive <u>sec</u> alcohols, prep, enantiospecific synthesis of (R)- and (S)-sulcatol, 2707 optically pure R, Y-unsaturated α-amino acids, stereoselective synthesis in both L and D
- configurations, 1943 optically pure cis- and trans-2,5-disubstituted pyrrolidines, new
- route, 2801 optically pure diterpenopids of C-208 series, synthesis, 4141
- optically pure Grignard reagent from reaction of Rieke Mg with (S)-(+)-1-bromo-1-methyl-2,2-
- diphenylcyclopropane, 7345 optically pure propargylic alcohols, synthesis, 7083
- optically pure tryptophans from serine derived aziridine-2carboxylates, 4073
- ortho-haloacryloylanilides with chiral auxiliary on N, cyclisation to oxindoles, 2657
- oxa-spiro compds, enantioselective synthesis, 345 P-chiral [170,180]-nucleoside phosphate diesters, phosphorus configuration, 170 MMR of diastereomeric 3',5'-cyclic thymidine phosphates, methylphosphonates and N.Ndimethylphosphoramidates, 1221
- phenylacetic esters, stereoselective acetoxylation, 327
- predominately antistereoselective chiral metal directed aldol condensation with aromatic aldehydes, 5539
- recognition in reaction of enclate derived from [(n⁵derived from [(n²-C₃H₃)Fe(CO)(PPh₃)COCH₂OCh₂Ph] with cis- and trans-2,3-epoxybutane, stereoselective synthesis of cis nd trans-gydisubstituted-Y-lactones, 587 sequential chirality transfer, intramolecular amidomercuration,
- 4775
- silyl thione chiral at silicon. addition of organometallic reagents, 2677
- stereoselection enhanced by cooperation between chiral auxiliaries, asymmetric Diels-Alder reactions with fumaric
- alder reactions with fumaric acid bis ((S)-proline benzyl ester) amide, 4227 synthesis of 3-alkylmalic acids via [2,3] Wittig rearrangement of tert α-(allyloxy)acetic acid

- systems on carbohydrate template, 4157 synthon corresponding to C(1) to C(7) segmentof 14-membered macrolide antibiotic, synthesis,
- t-butyl sulphoxides, efficient route, 3659
- three contiguous centers, stereocontrol via intramolecular ene approach, 357 three optically active segments of
- aplysiatoxins, synthesis, 6721

Aza compounds

- 1-azadienes, Diels-Alder reaction, effect of α-cyano substituent. 2481
- 1-thia-3-azabutadienes, [4+2] cycloaddition with electron-poor dienophiles, 6923
- 1,2-\(\alpha\) = azaphosphiridine, unexpected synthesis, 4813 2-aza-1,3-dienes, Diels-Alderreaction with diethyl ketomalonate a CO2 equivalent, 2685
- 2-vinyl-1-azadienes and divinyl ketones, one pot synthesis, 5493
- aminoazabutadienes, new prep of substituted 2H-1,2-thiazine-1,1- dioxides, 4705 aza-germacyclopentenes, synthesis.
- cycloaddition of 1-aza- and 1,4diazabutadienes with free singlet dimethyl germylene, 6669
- azadiphosphetines, by isomerisation of imino-
- phosphanes, 459 monofunctionalised triaza-crowns and cyclams with sec amine group on side chain, syntheses and Agion complex, 2897

Azetidinones

- (3R)-4-acetoxy-3-trimethylsily1-2azetidinone, conversion into optically pure benzyl
- penicillanate, 2349
 4-formyl-, mild 4-carbon
 homologation, 4081
 4-methylene-azetidin-2-ones and
- carbocephems by Cu-mediated amide-nitrogen-vinylic carbon ring closure, 337 dl 3-(1-benzoyloxyethyl)-, deriv,
- asymmetric hydrolysis and
- conversion to carbapenem, 2555 dl-3-acetyl-azetidinone derivs, microbial transformation, 1107

- 4-azido-2-iodo-3,5,6trifluorophenyl carbonyl derivs, new class of functionalised and iodinated perfluorophenyl azide
- photolabels, 5409 α-alkoxyazides, α-alkoxyalkyl thioacetates and monothioacetals via conversion of acetals with magnesium bromide, 6697
- alkyl-, new synthesis of water insoluble surfactants which micellise in formamide, 1245
- azide-olefin cycloaddition in morphinan series, unexpected rearrangement, 3427 azidodiaziridine intermediates in
- diazirine exchange with azide anions, 4901
- iodinated aromatic-, photochemistry explored, 899
- polyfluorinated aryl-, as photoaffinity labelling reagents, CH insertion of singlet pentafluorophenyl nitrene with alkanes at room temp, 2199
- sodium bis(trimethylsilyl)-, use in regio- and stereoselective prep of enclates from ketones,

Tetrahedron Letters

2779

tributyltin-, ring cleavage of oxiranes leading to 1,2-azido alcohol, 4153

vinyl-, aryl-substituted and aliphatic, intramolecular reaction with dienes, 1789

Azido acids and esters

azidodienes, heating formation of tricyclic 3-pyrrolines, approach to assembly of gephyrotoxin ring system, 6661

silylated azidohydrine via ring opening of epoxystyrene with MEasina, use of AL(O-iPr), or Ti(OliPr), 4673 Vicinal azido alcohol, conversion

to corresponding amino alcohol, 837

Z olefins bearing an w-azido group, stereospecific synthesis, 4953

Aziridines

3,3-diphenylaziridine-2carboxylates, approach via Nacylation of glycine Schiff

bases, 4717 aziridine-azirine tranformation by 1,2-elimination via aziridinvl carbanion intermediate, 2703

homochiral-, and amino alcohols, synthesis from homochiral 1,2-

cyclic sulphates, 2523
N-acyl-, reductive ring opening,
different outcomes of chemical
and electro reactions, 2271

N-phosphorylated-, and 1,3,2diazaphospholidines, prep and interconversion, 2141

Aziridinium salts

N-alkoxyaziridinium salts. anchimeric assistance, formation of vicinal amino alcohols and derivs, 1331

aziridine-azirine tranformation by 1,2-elimination via aziridinyl carbanion intermediate, 2703

Azo acids and esters

2-arylazophenylacetic acid, cyclisation, synthesis of 2-aryl-3-cinnolinones, 3715

Azo and azoxy compounds azo-quinone compd, multi-mode chemical transducer, photochromism and electrochromism. 5429

unsymmetrical azo aromatics inaccessible by diazo-coupling, novel synthesis, 7253

Azomethines

non-stabilised azomethine imidatemethylides, intramolecular [3+2] cycloadditions, 4443

Azulenes

-,2- and 6-azulenethiols synthesis, 6345 1-hydroxyazulene and 3hydroxyguaiazulene, synthesis and properties, 6693 (3aS,6R,8aR)methanohydroazulene via photo-rearrangement of 3,6-hexanooxepin-4,5-dicarboxylic acid esters, 6855 homoazulene, electrophilic

aromatic substitutions, 305

Barrelenes

dibenzo-, deriv, reactivity in solid state or in soln, 1601

Barium selective macrocyclic tetralactam with dimethyleneoxy moieties,

solute H-bond basicity scale. thermodynamically based, 2571

Benzazeoines

(+)-(R)-1-phenyl-3-methyl-1,2,4,5tetrahydrobenz[d]azepine, enantiospecific synthesis from (+)-(S)-N-methyl-1-phenyl ethanolamine via arene chromium tricarbonyl method, 3581

Benzazocines

dibenzazocines, N-benzoyl enamines and isoquinolines via amide Peterson olefination routes, α', α'-disilylated tert benzamides as both ortho- and α'-carbanion synthons, 5841

Benzimidazoles

and benzodiazepine derivs from o-phenylenediamine reaction with dehydracetic acid in various alcohols, 7069

Benzodiazepines

(2,3-dihydro-1,4-benzodiazepine), 7-membered ring and (2,3,9,10-dibenzo-1,5,8,12-tetra-azacyclotetradeca-4,11-diene) 14-membered ring, ring interconversion, 2979

derivs of-, and benzimidazoles from o-phenylenediamine reaction with dehydracetic acid in various alcohols, 7069

Benzodioxepins

,5-dihydro-3H-2,4-benzodioxepine, carbonyl protecting group, 4165

Benzodioxins

1,4-, regiocontrolled alkylation, use of arene-chromium complexes.

2-methylene-1,4-, C-3 functionalised, new route, 1637

Benzodithioles

2-lithio-1,3-benzodithiole, reactions with carbon disulphide, forth and back processes, 819

Benzofurans

2-substituted-, one-step versatile synthesis, 1597 2-substituted-, synthesis from 2-aryl-1-substituted ethane-1-ones by photoinduced SET reactions, 1867

and benzothiophenes, synthesis via Pd catalysed cyclocarbonylation of 3-furylallyl and 3thiemylallyl acetates, 95

Benzopyrans

3-(N,N-dimethlamino)~2H-1benzopyran-2-one, synthesis, 1709

trans 3 hydroxy-4-(2-oxopyrrolidin-1-yl)benzopyrans, inversion to cis-3-hydroxy-4-(2-oxopyrrolidin-1-yl)benzopyrans, 3349

Benzopyrenes

methylene-bridged-, synthesis, components of automobile exhausts, 6603

Benzoquinones

(S)-2-p-tolylsulphinyl-1,4-benzoquinone, asymmetric Diels Alder reactions and synthesis,

4003 alkyl-substituted p-benzoquinones, synthesis from phenols by H₂O₂/heteropoly acid system, 471 irisquinone, synthesis, 4783

masked o-benzoquinones, application to (±)forsythide aglucone dimethyl ester synthesis, 2255

trimethyl-p-benzoquinone via oxygenation of 2,3,6-trimethylphenol by dioxygen with copper chloride/amine hydrochloride

catalyst, 6691
via [N,N'-bis(2'pyridinecarboxamido)-1,2benzene]cobalt chelate catalysed oxidation of phenols with molecular oxygen, 5929

Benzothiophenes and benzofurans, synthesis via Pd catalysed cyclocarbonylation of 3-furylallyl and 3-thiemylallyl acetates, 95

Benzthiepins

derivs of-, conformational and steric requirements of side chain for sulphur participation, 4279

Benzvalenes

benzobenzvalene, thermolysis of sulphur dioxide adducts, 1,3dipolar behaviour of a sulphene,

Betaenones

(-)-betaenones, total synthesis, 4551

Bicyclic alicyclic compounds
1-alkynylbicyclo[1.1.1]pentanes, synthesis, 2087 7-norborn-5-enyl and 7-norborna-

2,5-dienylaldehydes and ketones, access to via 6-silyloxyfulvene

cycloadditions, 2207 bicyclo[2.2.1]heptan-2-one series, Beckmann rearrangements, 7233

bicyclononane derivs via intramolecular cyclisation of methylenecyclopropane, 7107 bicyclo[2.2.2]octanes,

diastereoselective synthesis by double Michael addition, 547 bicyclo[3.3.0]octanes, route via

transannular cyclisation of 1-trimethylsilyl cyclooctene under Friedel-Crafts condition, 7461

bicyclo[4.2.1]nonane, substituted, synthesis via anionic [1,3]sigmatropic shift, use of long range 2D hector and difference NOE in structure detn, 641

endo-2-phenyl-endo-6-tropyliobicyclo[2.2.2]octane, stereomutation to exo-6-tropylio isomer, intramolecular chargetransfer shown by steric repulsion between phenyl and tropylium rings, 99 halogen substituted 2,6-

dioxabicyclo[3.3.0]octanes derived from 1,4:3,6dianhydrohexitols, alkyllithium-

promoted ring fission, 6737 new bicyclo[2.2.1]hept-5-ene-7-ones, [1,3]rearrangement, 4665 norbornadienes, 7-substituted, cycloadditions to mesitonitrile oxide, stereoselectivities, 807

norbornadienes, alkyl- and aryl-substituted, prep via Diels-Alder cycloaddition-Grignard reaction-desulphonylation sequence, 1845

norbornane bridgehead derivs. reactivity, 1503

Tetrahedron Letters xvi

spiro[3,4-dihydro-2H-I-benzopyran-2,2'-bicyclo[3.1.1]heptane] framework, construction in homochiral form, 6653

- Bicyclic arcmatic compounds

 1,1,3-triphenv1-2-indanone. photochemistry, spontaneous decay of o-xylyenes, 6851
 - 1,4-dihydronaphthalene type compds from Cassia semicordata, 6203
 - 1-isopropylidene-2-indanone and related comps, aromatic hydroxylation during photooxygenation, 1625
 - 2-naphthols, photocycloaddition to ethylene in presence of Lewis
 - acid, 6193
 3-t-butoxy(and methoxy)-6,7benzobicyclo[3.2.1]octa-2,6dienes, photoxygenation, dioxetane-hydroperoxide rearrangement, 3339
 - (±)-geosmin, stereoselective
 - (2)-geosmin, stereosenective synthesis, structure and earthy odour, 2775 angular CFs bicyclic compds, access to via regioselective radical cyclisation to trifluoromethyl-substituted double bond, 2407
 - bibenzyl products via deoxidation/reduction of aromatic esters, a-diketones, acyloins and epoxides with lithium 4,4'-di-t-butylbiphenyl radical anion, 4931
 - bicyclic core related to esperamicin/calichemicin aglycones, synthesis and crystallographic analysis, 3765
 - biphenyl-2-carboxaldehydes, prep of 9-alkylthiofluorenes, 6849 chromotropic acid, reaction with
 - formaldehyde, formation of water soluble tetramer, 1005 cyclopropanenaphthalene, first
 - nitrogen analog, synthesis of 4-aza-2,7-dimethyl-[1-H]cyclopropa[b]naphthalene, 1507
 - esperamicin/calichemicin, type 11 Diels-Alder route to bicyclic core, regiochemical misassignment: meta vs para
 - solectivity, 433 homochiral tetralins, prep via cycloaddition of isoquinolinium salts to dienophiles with chiral
 - auxiliaries, 4921
 lithium 4,4'-di-t-butylbiphenyl
 radical anion, electron transfer
 of aliphatic esters to aliphatic
 ketones, 4935
 octakis(aryloxy)naphthalenes, new

 - class of host molecules, 5787 p,p'-dibenzenes, chemistry, prep of 3,4-tetramethylene deriv, 1205
 - spiro and bicyclic nucleosides from ribose nitrile oxide reaction with acetylene-
 - dicarboxylate, 3675 tetrahydrobenz[cd]indoles, prep from 1-tetralones, 4017
 - [3.1.0]bicyclic system, formation via homologous Ferrier reaction, use of 2',3'-dideoxycytidine cyclopropano analog,

Bicyclic heterocyclic compounds

- 1-phosphabicyclo[3.2.0]hept-4-enes, substituted, prep, 577 1H-pyrrolo[1.2-c]-[1.3]thiazine, new S-N heterocycle, synthesis,
- (+)-1(S),5(R),8(S)-8-phenyl-2-azabicyclo[3.3.0]octan-8-ol N,0-methylboronate and its enantiomer, chiral chemzyme catalysts for their own enantioselective synthesis, 5547

- 2-azabicyclo[2.2.1]hetan-3-ones, stereospecific synthesis of carbocyclic nucleosides via sodium borohydride mediated C-N bond cleavage, 1645 2-azabicylco[3.3.1]nonan-3,7-
- diones, synthesis and Fischer indolisation, 3841 2,2'-bipyridyl, formation by
- ligand coupling on the P atom, 6365
- 3,5-disubstituted 1-azabicyclic systems, synthesis as ligands for novel muscarinic ligands,
- 3,7,9-trithiabicyclo[3.3.1]nonane, new cyclic tris sulphide, transannular S-S interaction, quest for intrabridged dithia dication, 4399
- 4- and 9-ethyl-2-azabicyclo-[3.3.1]nonan-7-ones, stereocontrolled synthesis via
- 2-cyanopiperidines, 5655 4-aza-2,7-dimethyl-[1-H]cyclo-propa[b]naphthalene, synthesis of first nitrogen analog of cyclopropanenaphthalene, 1507 (5R) (E)-6-[(1-methyl-1,2,3-
- triazol-4-yl)methylene]-7-oxo-1-azabicyclo[3.2.0]hept-2-ene-2carboxylic acid, synthesis of
- carbapenem deriv, 3117 6-aza-bicyclo[3.2.2]nonane
- o-aza-oloyclo[3,2,2]nonane skeleton, synthesis, 1789 6,7-dihydro[5H]pyrrolo[1,2-a]imidazoles, C-7 functional-isation, activation by quaternisation with MEMC1, 6599 7-oxabicyclo[2,2,1]hept-5-en-2-ols
- and organolithium reagents, regio- and stereospecific synthesis of substituted cyclohexenediols, 6437
- azabicyclic adduct as stable hydrate, isolation from α,α'-annelation of 1-benzyl-2,5-piperidine-dione, 1861 B-iodo-9-borabicyclo[3.3.1]nonanes
- haloboration adduct via reaction with ethoxyethyme, reaction with aldehydes, 5153
- bentazone, photoisomerisation,
- bicyclic Y-lactam analog of 1oxapenams, synthesis, 4019 bicyclic lactams, chiral α,8-unsaturated, Diels-Alder reactions, asymmetric route to
- fused carbocyclic systems, 6977 bicyclic hydroxylamine hemi-ketal
- ring system, construction, 3397 bicyclic pyrazolidinone analogs of carbapenems with either ethyl or hydroxyethyl side chain at C-7,
- prep, 1889 bipyridines, formation in Wurtztype reaction, ultra-sound promoted coupling of heteroaryl halides in presence of Li wire, 3567
- bipyridyl derivs, prep via alithiation of pyridyl phenyl sulphoxides, substitution with electrophiles and cross coupling
- with Grignard reagents, 7091 dihydrofurano[2,3-b]thiopyrans, thiepins and thiophenes. synthesis, 6607
- GABAA receptor, convulsant binding site, syntheses of trioxabicyclocotane probes, diazocyclohexadienones as photoaffinity ligands, 823 indoloquinones from azomethine ylides via 4-oxazoline route,
- 2627
- macrobicyclic cryptates with bithiazole, bisimidazole and bipyrimidine binding subunits, synthesis, 2209

migration vs decomposition on phenylazo radical generated from phenylazo 1-naphthyl ether in solvent cage, coupling of radicals at aromatic C to give 4-phenylazo-1-naphthol, 1811

optically active 1,3-dimethylallantoins, synthesis via (-)-menthyl ethers of their bicyclic tautomers, 5021

oxableyelic compd, ring opening reactions with cuprates, 6817 pyrrolo[2,3-b]furans and pyrans

- via intramolecular [3+2] cycloadditions of non-stabilised azomethine imidate-methylides. 4443
- trans-azocumene, transient phenomena in photochemistry, 4633
- trans-zirconabicyclo[3.3.0]octanes, and ciszirconabicyclo[4.3.0]nonanes via zirconocene-promoted stereoselective bicyclisation of 1,6-and 1,7-dienes, 5105

Binding

- "Metaphit", synthesis, potential use in MMDA/PCP receptor isolation, 4613
- lithium selective [14]~0, macrocycles, synthesis, binding properties and use in lithium ion-selective electrode, 4559
- organic phosphates in protic solvents to linear ditopic anion host compds, 4493
- photoresponsive complexing stilbene, a,a'-disubstituted by ethylene dioxy sidearms, synthesis, 4509

Biogenesis

- biomimetic conversion of Aenstein tripeptide analog into cis-β-lactams, 729 biomimetic synthesis and
- stereostructure of K-13 inhibitor, angiotensin 1 converting enzyme, 379
- diphenyl-p-menthane deriv, hydrallmanol A of mixed biogenetic origin from Hydrallmania falcata, 1487 precursor of trichothecenes,
- synthesis of (±)-trichodiene,
- probable precursors of thapsanes, stereospecific synthesis of thaps-7(15)-ene abd thaps-6-ene,
- triterpene quinones with rearranged netzahualcoyene skeleton, 863

- Biologically active compounds

 (-)-1L-1-deoxy-1-fluoromyoinositol, simplified route to
 phosphatidylinositol cascade
 inhibitor, 3365

 1,2,3-trithiane deriv from

 - Ascisian aplidium, 3703
 2-alkyl- and 2-aryl-5-amino-4cyano-1,3-oxazoles, prep, 2631
 2-azapodophyllotoxin, synthesis,

 - 2-deoxy-2-hydroxymethyl-6-Derythrofuranosyl nucleosides, synthesis from 9-(2-deoxy-1hydroxymethyl-β-Derythrooxetanosyl)adenine by ring expansion and transglycosidation, 2269
 - 2'-deoxy-β-disaccharides, synthesis, 2529
 - 2'-deoxynucleosides stereoselective radical reactions, synthesis of an isostere of 3'-azido-3'-

Tetrahedron Letters xvii

- deoxythymidine-5'-monophosphate, 4969
- 3-deoxy-D-manno-2-oculosonic acid derivs, route via 1,4-cyclic sulphate approach, 5477
- 4-carbomethoxy-1,2-thiazetidine-1,1-dioxides, prep, 2869
- 4,4,4-trifluoromethylbutyrylamide,
- prep and use for trifluoromethylated blocks, 109 5-substituted-2-(5H)-furanones, synthesis via hypervalent iodine oxidation using iodosobenzene, 3019
- (5,6)diHETE isomers, stereospecific total synthesis, 4947
- 6-glycosylamino-5-nitroso-pyrimidines, reaction wioth Vilsmeier-type reagents, synthesis of 8-amino-9glycosylpurines, 2669
- 6a-(N-substituted
- formamido)penicillins and derivs, 2433 (7E,9E,11Z,13E)-(5S,6E,15S)-trihydroxyeicosatetraenoic acid(6R-Lipoxin A), synthesis,
- 10-(R,S)-C₃. botyrococcene and botyrococcane, total synthesis and new synthesis of general intermediate to botryococcene family, 4867 α-2-deoxy-disaccharides, synthesis
- of L-oleandrosyl-L-oleandrose from glucose, 4287
- α-aminoacetophenone derivs, asymmetric hydrogenation leading to synthesis of (5)-(-)-levamisole, 363
- a-linked disaccharides, synthesis, 4283
- α-mannoside synthesis from tetra-O-benzyl-D-mannosyl fluoride, new selective reagent Cp_ZrCl,
- AgBF, in benzene, 6879
 8-hydroxya-aminophosphonic acid
 precursors, enantioselective
 synthesis, 1071
- aglycones, defugogilvocarcin M, new synthesis, 5093 ascidiatrienolides A-C, lactonised
- eicosanoids from Didemnum candidum, 2735
- Aspidosperma alkaloids, total synthesis of (±)aspidofractinine, 3429
- bacterial lipopolysaccharides asymmetric synthesis of (3R)alkanoyltetradecanoic acid
- components, 4763 bakkanes, direct approach, synthesis of (±)-homogynolide-B,
- bicyclic Y-lactam analog of 1oxapenams, synthesis, 4019 biogenesis of triterpene quinones with rearranged netzahualcoyene skeleton, 863
- biologically active N-methylated alkaloids, photooxidation to see amines, 2927
- bracken carcinogen, stereocontrolled synthesis of (±)-ptaquilosin aglycone of ptaquiloside, 1983
- bromobeckerelide, total synthesis,
- calcimycin (A 23187) with demethylated skeleton, synthesis of biomimetic model, 351
- cephalosporin series via new approach to synthesis of amino imidazoles, 2379 chiral bicyclic lactams,
- asymmetric synthesis of cis-(1S,3R)-deltamethrinic acid,
- cis-trikentrin A and transtrikentrin A, absolute

- structures via synthesis of their enantiomers, 5771
- cystodytin alkaloids, ring system. synthetic studies towards cystodytin A, 5559
- cytidine diphosphate-D-quinovose, synthesis, 35
- synthesis, 35
 cytotoxic carbazole alkaloid,
 structure of tubingsin B from
 Aspergillus tubigais, 5965
 diastereochemically pure
 dithymidine phosphormorpholidate
- derivs, synthesis, isolation and characterisation, 5899
- diterpenoids, secospatane-type, structures with antifeeding acivity from Dilophus okamurai, 1567
- (±)-duryne, synthesis, 1991 enantiomeric C-18 sphingosines, synthesis of two pairs, 7205
- entry to 5,6-dialkylated uridine derivs, 7005
- ethyl α-fluoroalkanoates, prep, 3641
- fecapentaene-12, biological precursor plasmalopentaene-12, isolation and structure, 6665 FK-506, stereoselective synthesis
- of C₁₀-C_{2*} fragment, 6611 forskolin precursor, simple access, 6331 functionalised oligonucleoside methylphosphonate suitable for
- non-radioactive label
- attachment, 7025 ginkgolide B, simple analogs, highly active antagonists of platelet activating factor, 6959
- Gymnena sylvestre, structure studies of new antisweet constituents, 1103 (+) hepoxilin A-3, synthesis using
- arsonium ylides, 2545 iminoheptitols as glucosidase inhibitors, synthesis of and specific q-L-fucosidase inhibition by 8-L-homofucono-jirimycin and 1-8-C-substituted
- deoxymannojirimycins, 4439 ins(1,4,5)P₃, synthesis of fluorinated analogs, 5401 isocyanide dihalides, new
- cephalosporin synthons, use for introduction of amino heterocycles at C-7, new route to synthesis of amino imidazoles, 2375
- keratan sulphate, approach via synthesis of trisulphated glycotetraose, 4547
- kynureninase, potential inhibitor, synthesis of β,β-difluoro-Y-keto-α-amino acids, 3649 labelling with short lived
- isotopes, 6473
- LHRH receptor purification, prep and use of biotinylated ligands, 1401
- manzamine C, total synthesis, 6549 manzamines, synthesis of "tricyclic heart", 1423 marine cembranoids, C-3,C-4
- oxygenated, by conversion of trans, trans-farnesol, 3749 monocyclic moiety of ageline A, total synthesis, 6401 (±)-myoinositol-1-phosphonate, synthesis, 3869
- N'- and N°-monoacylated speridines, new regioselective synthesis, 1365
- N-acetoxy-2-aminonaphthaline from carcinogenic 2-naphthylamine and its in vitro reaction with (bio)nucleophiles, 321
- new cytotoxic acridine alkaloids from Pachastrellidae, 4359 new fluoro-substituted HMG-COA reductase inhibitor, enantio-selective synthesis, 5115

- new peptide mimetics incorporating ensamine units, tripeptides with a retroamide and reduced retroamide, synthesis, 6749 new route to a-phenyl-a-
- substituted amino acids, 3913 new thiol protecting trimethylacetamidomethyl group, synthesis of new porcine brain natriuretic peptide using S-trimethylacetaminomethyl-
- cysteine, 1979 (±) nor-sedamine and its pyrrolidino analog, stereoselective synthesis, 1947
- (±)-neplanooin F, total synthesis,
- nyctinastic plants, circadium rhythm, syntheses of bioactive substances potassium lespedezate and potassium isolespedezate, 6389
- O-geranyl (1-thio)diphosphate,
- synthesis, 7333 optically active D-myo-inositol 1,4,5-triphosphate, synthesis, 1617
- pancreatic lipase inhibitor, synthesis of (-)-tetrahydrolipstatin, 1833
- Para-Forssman glycolipid isolated from human erythrocyte membrane, synthesis, 5619 phospholipid head groups,
- trimethylsilyl triflate mediated introduction, 915
- phosphonylphosphinyl diamion for prep of blologically interesting phosphonylphosphinyl(P-C-P-C-)compds, 411
- photoreactions of 2-fluoro-4nitroanisole with amines search for new biochemical photoprobes, 2427
- phytoellexin elicitor isolated from soybean cell wall, synthesis of galactododecaosiduronie acid, 87
- podophyllotoxin az-analogs, synthesis and antitumour activity, 2953
- polyacetylenes, high molecular weight, from Petrosia ficiformis, structural analysis and biological activity, 3563
- protease activity of complement of human complement system, structure of very strong
- inhibitor complestatin, 4987 pyrrolophenanthridone alkaloids, direct synthesis, 5807
- retroinverso endothionopeptides and synthesis of di- and tripeptide variants, 1997
- S.S-isodityrosine, synthesis, 4211 secosterol, astrogorgiadiol. diterpene ophirin and related
- astrogorgin, inhibitors of cell devision, isolation from Astrogorgia sp. 7079 sesquiterpenoids, (±)-silphinene, synthesis using electrochemical method as key step, 3797
- sesquiterpenoids, apotrichothecene rearrangement with verrucarin A,
- sesquiterpenoids, periplanon D, and D₂ identification and isolation from Periplaneta americana, 2367
- americana, 250/ spiroacetals, new route and construction of model for synthesis of phyllanthocin, 7115 steganacin aza-analogs, design, synthesis and antitomour activity, 2949
- stereoselective synthesis of (9Z,15Z)-(11S,12S,13S)-11-hydroxy-12,13-epoxy octadecadienoic acid, constituent of rice plant

Tetrahedron Letters **vviii**

infected with rice blast disease, 1669

- substituted cyclohexane as conformationally restricted analogs of peptido-leukotrienes,
- sugar pyruvic acid acetals. synthesis, 1399
- superoxide reactivity, potent oxidant generated in situ from
- superoxide and CO₂ 4133 swinholide A structure of cytotoxic macrolide from Theonella swinhoei, 2963
- talaromycins A,B,C and E, synthesis via unsaturated spiroacetals, 985 technetium-99M labelling of proteins and small molecules,
- synthesis of a novel diaminodithiol ligand, 1885
- tilivalline, stereoselective synthesis, 1871 trans- and cis-2,9-disubstituted oxonanes, synthetic methodology, 6081
- trans-2,6-disubstituted quinuclidines, short stereospecific route, 5825 ubiquitin, solid phase synthesis, 2149
- unsaturated trihydroxy C, a fatty acids, synthesis, 4235 vinylstannylated alkylating
- agents, radiolodination, 3613 yeast reductions, stereochemical control, synthesis of $R-(+)-l\alpha$ -
- lippic acid, 5705
 (Z)-7,7-difluoro-8-dodecenyl acetate of oriental fruit moth, synthesis and pheromonal properties, 3243

Biosynthesis

- alkaloids in <u>Sceletium</u> subvelutinum, biosynthesis, 141 azadirachtin-, isolation of 1,3-diacety1-11,19-deoxa-11-oxomeliacarpin precursor from
- azadirachta indica, 1797 benzodihydro-pyrans and furans via biomimetic radical cyclisations, 4731
- (-)-betaenones, total synthesis,
- camptothecin-, plausible intermediates pumiloside and deoxypumiloside from Ophiorrhiza
- pumila, 4991 diterpenoids, (±)-nimbidiol synthesis, 1499
- mycinamicins, stereochemistry of proposed intermediates, 4001 secondary metabolite, rhizochalin of mixed biosynthesis from
- Rhizochalina incrustata, 6581 shikimic acid series, reactivity atudies, 3711

Bismuth and compounds

thermally stable hypervalent bismuth ate complex(12-Bi-6) with two bidentate ligands. synthesis and structure, 953

Bonds

- baker's yeast reduction of cyanoacetone, C-C bond formation, 3811
- C-C, formation in carbohydrates by radical cyclisation, prep of C(1)-glycosides, 6307 C-C, formation under aqueous
- reaction conditions using sulphonium and selenonium salt electrophiles, 7293
- C-C, stereoselective formation in carbohydrates by radical eyelisation, application to synthesis of α -C(1)-glucosides,

- C-H, activation towards carbene by capto-dative substituents, 6353 C-Si, oxidative cleavage by
- dioxygen/hydroquinone system, 6533 cyclobutane-, relative strengths in molecules with various
- fluorine substitution patterns, 4055
- intermolecular C-C, formation via SmI2-promoted anion radical alkylation, 2837 isomerisation and hyperstability,
- catalytic hydrogenation of heterocyclic compds, 6633
- N-N, formation by thermolysis of 5-(2-dimethylaminoethyl)-5Hindolo[2,3;b]quinoxaline, 1837

Boron and compounds

- 2,2-difluoroalkenylboranes reactions with halogens. syntheses symmetrically disubstituted 1,1-difluoro-1alkenes and 1,1-difluoro-2-iodo-1-al-kenes, 6379 2,2-difluoroalkenylboranes,
- synthesis of difluoromethyl ketones from 2,2,2trifluoroethyl p-toluenesulphonate, 5437
- aldol reactions in polypropionate synthesis, high π -face selectivity of enol borinates from α -chiral methyl and ethyl ketones under substrate control, 7121
- alkaline solns of boric acid salts, hydration of
- cyanohydrins, 563
 annulation of -, stereoselectivity
 and synthesis of (±)-helenalin, 523
- aromatic aldehydes with boronic moiety, 1,2-addition with carbanions, synthesis of boron-10 containing nucleoside derivs for neutron capture therapy,
- asymmetric allylboration, rate and enanticselectivity depends on chiral auxiliary, 6457 bis[2,6-dimethyl-4-methoxy-
- phenyl]boron, a new readily solvolysed carbanion stablising group, 3085 boron ate complex, synthesis of
- 1,1-difluoroclefins from 1,1,1trifluoroethyl p-toluene-sulphonate, 1641
- boron trifluoride catalysed 2+2 cycloaddition, formation of optically active oxetanes from sugars, 1571
- boron-Wittig reaction, stereoselective synthesis of alkenes from aliphatic aldehydes, 5647
- boronic esters of 1,2-diols, prep with lithium trialkyl-borohydrides and 1,2-glycols,
- catalysed and uncatalysed hydroborations of allylic amine derivs, substrate controlled diastereoselectivity, 5857
- catalysed and uncatalysed hydroborations of chiral allylic amines and alcohols, 5861
- catechol boron bromide and ferrocenium hexafluorophosphate as Lewis acid catalysts for Diels-Alder reaction, 1357
- chiral acylloxyborane complex, catalysed asymmetric intramolecular Diels-Alder reaction, 7231
- chiral reagents of -, use in aldol reactions of methylketones, reversal in aldehyde enantioface selectivity, 997

- chiral reagents of -, use in kinetic resolution in aldol reactions of ethyl ketones, asymmetric synthesis of C1, to C₂₇ segment of rifamycin S, 1293 cyclopropylboronates,
- stereoselective synthesis, 4815
 E-vinylboronates, 8-substituted by
 an electron withdrawing group, synthesis and Diels-Alder cycloaddition to 1,3-dienes, 2929
- [Fe,S,(SCsHs),]2 in presence of NaBH., deoxygenation of oxiran compds to olefins, 6387 haloboration adduct (via reaction
- of B-iodo-9borabicyclo[3.3.1]nonanes with ethoxyethyne), reaction with aldehydes, 5153
- haloboration, stereoselective synthesis of β-mono- and β,β-disubstituted α,β-unsaturated
- esters, 6555 hydroboration and boron decalone annulation with tetrasubstituted clefins strongly influenced by allyl silicon, 2187 hydroboration, diastereocontrolled
- nyarocoration, diastereocontroller Rh-catalysed, of chiral acyclic allylic alcohol derivs, 395 hydroborations of 1-(trialkylsilyl)-1,3-diynes, synthesis of (2)-enynes and α-ketoacetylenes, 6487
- Markovnikov vinylboranes via amethoxyvinyllithium, 3919
- N,N-diethylaniline-bornane-I₂ system, use in iodination of alcohols and reductive iodination of carbonyl compds,
- NaBH₃CN in CF₃COOH, reduction of natural flavanones, prep of either flavanes or 1,3-diaryl propanes, 7049
- organoboranes, efficient oxidation by sodium percarbonate, 5103 organoborates and activated
- acetals, use in allylation, 2013 phosphine boranes,
- methanesulphonate derivs, synthesis of organo-P compds containing linear P-B bond chain, 383 potassium 9-sec-amyl-9-boratabioyclo[3,3,1]nonane,
- selective reduction of aromatic
- nitriles to aldehydes, 3677 reverse chemoselective borane reduction of optically active malonic acid ester, 6687
- sodium cyanoborohydride in trifluoroacetic acid, reduction of N-(phenylsulphonyl)indoles, 6833
- sodium perborate, oxidation of
- prim aliphatic amines, 6495 trialkylboranes, oxidation by sodium perborate, 1483 variant of boron-Wittig reaction, ketone formation from aliphatic
- aldehydes, 5643
- (Z)-allylic boronates, new prep via catalytic 1,4-hydroboration of 1,3-dienes with catecholborane, 3789

10-(R,S)-C., botyrococcene and botyrococcane, total synthesis and new synthesis of general intermediate to botryococcene family, 4867

Calixarenes

16,28-dimethoxy-11,23-dinitrocalix[4]arene, crystal

Tetrahedron Letters xix

structure, 2681 conformations, "template effects"
via host-guest type interactions, 2563 double-, synthesis, 1391 selective functionalisation at upper rim, 2681

Carbanates

- 1-(p-toluenesulphonvl)-2-alkenvl-. synthesis and deprotonation, synthesis and deprotonation, dichotomous achiral d¹ and chiral d¹ reagents for carbonyl addition directed by metal exchange, 2915
 4-hydroxy-1-alkenyl-, synthesis of highly substituted
- diasteromerically and enantiomerically pure 3-acyl-tetrahydrofurans, 1233
- α-ethoxy-, alkylation with organo-Pb,-Zn and -Cu reagents, high cram selectivity and formal nonbasic alkylation of imines,
- α -lithiation of-, t-BOC group as activator,
- α-methoxy-, generated <u>in situ</u> enolate anions, addition to N-methoxycarbonylimines,diastereos-electivity, 1253
- and N-benzyloxyureas, alkylation, 31

Carbanions

- 1,2-addition of aromatic aldehydes with boronic moiety, synthesis of boron-10 containing nucleoside derivs for neutron capture therapy, 7191
- 1,3-diamion equivalents, bis(trimethylsilyl) enol ethers, regiocontrolled [3+4] and [3+5] annulation reactions, 2351 2-azaallyl anions, alkylation,
- versatile prim amine synthesis, 5853
- α -amino-, competitive study to assess relative acidities informamidines, 43
- α -oxo-, generation and alkylation, 5413
- α-sulphinyl-, intramolecular acylation, prep of 4-oxygenated spiro[4-n]alk-2-ene-1-ones, 1715
- δ-formyl butadienyl anion, a new equivalent of (5,5-diethoxy-2-(E)-pentenyl)triphenylarsonium ylide, 5-carbon homologation of aldehydes to 6-hydroxy-1,4-(E)dienals, 6031
- a new readily solvolysed-, stablising group, bis[2,6-dimethyl-4-methoxyphenyl]boron, 3085
- accelerated by-, Claisen rearrangements of allyl vinyl ethers, studies on stereocontrol with phosphorus-stabilised anions, 2469
- acyl-anion synthons, unmasked, electrochemical prep and reactions, 6371
- alkoxide anions, Michael addition to nitroolefins and subsequent hydrogenation. diastereoselective prep of anti-β-amino alcohols, azide anions, exchange with
- diazirine, 4901 azīridinyl intermediate of-, 1,2elimination in aziridine-azirine
- tranformation, 2703 (camphorylsulphonyl)imine dianion in synthesis of new optically pure(camphoryl-
- sulphonyl)oxaziridine derivs, 1613
- cyclic 1,3-diketone diamions, regioselective alkylation via their monodimethylhydrazones,

synthesis of C-4 substituted cyclic 1,3-diketones, 1705 dipole stabilised-, a-lithioamine synthetic equivalents, t-BOC group as activator for alithiation of carbamates, 1197

enolate anions to Nmethoxycarbonylimines generated in situ from a-methoxy carbamates, diastereoselectivity, 1253 first nitramine α-anion,

- desilylation of atrimethylsilyl nitramines, 6133
- functional vinylic anions, reaction with aldehydes and ketones leading after hydrolysis to polyenic aldehydes, 7377
- homochiral formyl anion equivalent, iron acyl complex R-(-)-[n⁵-C₅H₅)Fe(CO)(PPh₃)-
- (-)-In'-Lshs Fe(CO)(Pths)-COCH.pC([1R,2S,5R]methyl], 2971 linear ditopic anion host compds, binding of organic phosphates in protic solvents, 4493 lithium 4,4'-di-t-butylbiphenyl
- radical anion, deoxidation/ reduction of aromatic esters, α -diketones, acyloins and epoxides
- to give bibenzyl products, 4931 lithium 4,4'-di-t-butylbiphenyl radical anion, electron transfer of aliphatic esters to aliphatic ketones, 4935
- mediated oxidative deprotection of non-enolisable benzylated amides, 451
- monoanions of \$-dicarbonyl and \$cyanocarbonyl compds as nucleophiles, electrochemically induced SpN1 aromatic nucleophilic substitution, 1373
- nitronate anions as precursors of hydroxynitrilium ions equivalents in electrophilic aromatic substitution, route to oximes, 5763
- phosphonylphosphinyl diamion for prep of biologically interesting phosphonylphosphinyl(P-C-P-C-) compds, 411 silyl/sulphur-stabilised
- carbanions and oxiranes, prep of cyclopropanes, interplay of two reaction pathways, 7033
- vinyl anion, prep in flowing afterglow apparatus, reactivity with nitrous oxide, 3045

Carbapenass

- 1-8-methyl-, key intermediates, synthesis involving labile acyl auxiliary 4,4-dimethyl-1,3oxazolidine-2-thione, 1345
- 18-methyl-, key intermediate, synthesis using [2+2] cycloaddition of chlorosulphonyl isocyanate with a 4H-1,3-dioxin
- deriv, 5631 1β-methyl-, stereoselective route to key intermediate by chemicoenzymatic approach, 113
- 3-alkyl β-lactams as carbapenem building blocks, prep, use of alkyl(phenylthio)ketenes as equivalents of monoalkylketenes,
- bicyclic pyrazolidinone analogs of-, with either ethyl or hydroxyethyl side chain at C-7, prep, 1889
- by conversion and asymmetric hydrolysis of dl-3-(1-benzoyloxyethyl)-azetidinone deriv, 2555 deriv of , synthesis of (5R) (E)
- 6-[(1-methyl-1,2,3-triazol-4-yl)methylene]-7-oxo-1-azabicyclo[3,2.0]hept-2-ene-2-carboxylic acid, 3117

- Carbenes
 β-silyl-, migration to form
 - alkenes, 2493 activation of C-H bonds by captodative substituents, 6353
 - amino carbene complexes of chromium, generated "enclates", alkylations, 4061
 - and phosphaalkenes, new synthesis of 1-chloro-1H-phosphirenes. 3951
 - carbenoid somersaulting rearrangement to rearranged acetylene, 5467
 - cyclopropylcarbene-Cr complexes, reaction with alkenes, synthesis of cyclopropylcyclopropanes, 4771
 - cyclopropylmethoxychloro-, fragmentation, formation of cyclopropylcarbinyl/chloride ion pairs, 2473
 - dialkyl-, barrier to 1,2-hydrogen shift, 481
 - diazirines in carbenoid reactions catalysed by rhodium carboxylates, 3049
 - equilibrating carbene-bridgehead alkene pair, 6969 rhodium acetate stabilised
 - vinylcarbenoids, reaction with pyrroles, entry into tropane system, 4653
 - singlet methylene, solvent effect in reactions, 7169
 - via ring opening of cyclopropenes, effect of changing substituent at C-3 on rate and selectivity of trapping the carbenes, 2009
 - vinylcarbenoids, use in stereoselective cyclopropanation, 5057

Carbone halogen derivatives halo-, reaction with alcohols, are carbocations intermediate? 5089 phenylchloro-, activation parameters for reaction with pyridine, tri-n-butyltin hydride and triethylsilane; no need to invoke reversibly formed complexes in reaction of this carbene with olefins, 1335

Carbohydrates see also Amino sugars and Nitro Sugars

- 1,2,4,6-tetra-O-acetyl-β-Dglucopyranose, conversion into phenyi-2,4,6-tri-0-acetyl-3-0-trialkylsilyl-1-thio-β-D-glucopyranosides, 2179
- ,6-anhydro-D-glucose, access to chirons of lactonic moiety of mevinic acids, 6015
- 2'-deoxy-β-disaccharides, new approach via glycosylation of Nformylamino sugars, 2533
- 2'-deoxy-β-disaccharides, synthesis, 2529
- 2-deoxy-2-hydroxymethyl-β-Derythrofuranosyl nucleosides, synthesis from 9-(2-deoxy-1hydroxymethyl-8-Derythrooxetanosyl)adenine by ring expansion and
- transglycosidation, 2269 3-deoxy-, 4-deoxy-hexose, lividosamine and derivs, synthesis via application of electron-releasing
- homoconjugated Co group, 7415 3-deoxy-D-manno-2-oculosonic acid derivs, route via 1,4-cyclic sulphate approach, 5477 3A,6X-di-O-arenesulphonyl-a-

- 34,8-di-O-arenesulphonyl-d-cyclodextrins, synthesis and structure, 1285 (3<u>S</u>)- and (3<u>R</u>)-[3-²H,]paratose, stereospecific synthesis, 5729 3,4,6-tri-O-acetyl-D-glucal, synthesis of lactone precursor, hydroxyethylene dipeptide

Tetrahedron Letters хx

- isostere, 3669 5Å,5D-dicarboxy-β-cyclodextrin derivs, route for regioselectively difunctionalised permethyl-8cyclodextrin, 7225
- 6- and 1-substituted mannosyl phosphotriesters as lipophilic macrophage-targeted carriers of antiviral nucleosides, 6019 6-alkoxy-2,3-dihydro-6H-pyran-3-
- ones, synthesis and conversion into polyfunctionalised cyclopentenones, 4489
- cycloperictiones, 4409
 a-2-decy-disacoharides, synthesis
 of L-oleandrosyl-L-oleandrose
 from glucose, 4287
 a-D-glucosyl-D-glucoses, synthesis
 via stereospecific 1,2-cis-
- glycosylation, 5459
- a-cyclodextrin as a probe for heterolytic general basecatalysed photo-Smiles rearrangements, 6477 a-cyclodextrin, manno isomer
- $cyclo(+4)-\alpha, Man-(1+4)]_{s-\alpha}$ Man(1→), synthesis via stereoselective cycloglycosylation, 1273
- a-D-glucose, stereoselective construction of a homochiral pentasubstituted H-ring pyran intermediate total synthesis of halichondrins, 6279
- q-linked disaccharides, synthesis, 4283
- B-cyclodextrin complexes of benzaldehyde, irradiation to optically active benzoin, 4641 aldehydo-sugars, chain extension
- to higher nitro sugars, 6139
- aldoses, condesation with oxalacetic acid followed by Ni catalysed decarboxylation, synthesis of two 3-deoxyald-2-ulosonic acids, 2263
- as source of chiral polyhydroxy acetylenes, 5455
- carbon bridged C-disaccharides, synthesis, 3409
- cyclic iminoalditols, new synthesis of 5-imono-5-deoxy glucose with same absolute
- configuration, 755 cytidine diphosphate-D-quinovose, synthesis, 35
- D- and L-erythrose, enantiodivergent approach via
- microbial oxidation of chlorobenzene, 4053
 D-glucose, stereoselective approach to β-hydroxy-α-amino acids, synthesis of MeBmt, 6769 D-xylose, synthesis of leukotriene
- D. analogs, 6271 deriv of , tin-directed reaction with succinyl chloride, formation of macrocyclic
- tetralactones, 591 esterified or etherified sugars
- via selective modification of mono- and di-saccharides, 325 furancsides and pyranosides, derived from esters of lactic
- acid, chromatographic separation, 7145
- glucose based dienes, Diels-Alder reaction with in situ generated 2-methoxycarbonyl-p-quinone, new approach to forskolin, 1853

 Cymnena sylvestre, structure studies of new antisweet
- constituents, 1103
 halogen substituted 2,6dioxabicyclo[3.3.0]octanes
 derived from 1,4:3,6dianhydrohexitols, alkyllithium-promoted ring fission, 6737
- heptakis(2,6-di-0-methyl)-βcyclodextrin, reaction with 5,15-diphenylporphine to give

2:1 complex with hydrophobic groove circumscribing metal binding of porphyrin moiety, 7341

- higher carbon sugar, synthesis via directed aldol condensation. 2359
- iminoheptitols as glucosidase inhibitors, synthesis of and specific α-L-fucosidase inhibition by β-L-homofucono-jirimycin and 1-β-C-substituted deoxymannojirimycins, 4439
- keratan sulphate, approach via synthesis of trisulphated glycotetraose, 4547 "linear" C-disaccharides,
- stereoselective synthesis, 5713 L-2-spirocyclopropy1-2-
- deoxyarabinose, synthesis, 659 L-arabinose, enantiospecific synthesis of polyoxamic acid,
- levoglucosenone, selective base-catalysed additions to nitromethane, 992
- methyl 2,6-dideoxy-4-thio-α-Dribo-hexopyranoside, new thio
- sugar in callchemicins, 4505 methyl 4,5-dideoxy-D,L-hex-4-enos-2-ulopyranosid-3-ulose ethylene
- acetal, synthesis, 3829 methyl 5,6,7,8-tetra-O-acetyl-3-deoxy-3-diazo-D-arabino-oct-2,4diulosonate, synthesis and properties, 6641
- sec OH groups, complementary regioselective acylation by different lipases, 1703 stereoselective C-C bond formation
- by radical cyclisation, 57 stereoselective C-C bond formation
- by radical cyclisation, application to synthesis of a-
- C(1)-glucosides, 6311 stereoselective C-C bond formation by radical cyclisation, prep of C(1)-glycosides, 6307 sugar moieties of nucleosides,
- lipase-catalysed regioselective
- acylation, 3877
 sugar moiety of octosyl acids,
 synthesis, radical cyclisation
 of terminal-halogenofuranoses
 bearing a0-(2-alkoxycarbonylethenyl) group, 2829
- sugar pyruvic acid acetals, synthesis, 1399
- sygars, formation of optically active oxetanes by boron trifluoride catalysed (2+2) cycloaddition, 1571 tri-O-benzyl-B-D-ribofuranosyl
- fluoride, intramolecular C arylation product, structural elucidation and reductive cleavage of ribofuranosyl ring C(1)-0 bond, 1115

Carbonates

- 2-(sulphonylmethyl)-2-propenyl-, asymmetric [3+2] cycloaddition catalysed by chiral ferrocenylphosphine-Pd complexes, 375
- allyl ethyl carbonate/Pd, new system for conversion of
- alcohols to allyl ethers under neutral conditions, 4669 cyclic-, unsaturated, phosphine catalysed synthesis from carbon dioxide and propargylic alcohols, 3981
- t-butyl fluorocarbonate, synthesis
- of t-butyl esters of N-protected amino acids, 6859 trichloromethyl-, as phosgene source, application to synthesis of a-chloro chloroformates, 2033

Carbonium ions

- -(4-thiomethylphenyl)-2,2,2trifluoroethyl carbocation reduction by sodium sulphite, 23 1-aryl-1-(trifluoromethyl)ethyl cation, gas phase stabilities, LArSR analysis of substituent effect, 2101
 2,2,2-trifluoro-1-
- phenylsulphenylethyl carbocation, generation and reaction with aromatic compde, 2265
- (n-1-substituted-pentadieny1)(tri-carbony1)iron(+1) cations,
- reactivity with alkynyl nucleophiles, 1339 allosteric systems, intramolecular spin exchange in model regulated by K ions via induced conformational modification, 6507
- aryl cations, capture is diffusion controlled, dediazoniation of arenediazonium salts, selectivity toward halide ions
- as a function of viscosity, 7337 azuleno[1,2-d]bicyclo[5.4-1]-dodeca-1,4,6,8,9a-pentaen-3-one and its cationic species, synthesis, 1557
- carbodications, effect of substituents on stability, 2727 cations, calixarene conformations,
- "template effects" via host
- "template effects" via nost-guest type interactions, 2563 cistulynes, 'H-NMR and single crystal X-ray evidence for structure and cation encapsulation in a rigid, molecular channel system, 5099
- (E)-N-isopropyl-3-tosylacrylamide, a new α-acylvinyl cation equivalent in synthesis of a substituted acrylamides, 6085
- malonate ion, reaction with (η -1-methoxycarbonylpentadienyl)(tricarbonyl)iron(+)
- structural correction, 1343 new Na+ ion-selective ionophore, triazamaerocycle with pyridine-pendant arms, 3983
- nitronate anions as precursors of hydroxynitrilium ions equivalents in electrophilic aromatic substitution, route to
- oximes, 5763 photo-, by Fe-catalyst of N,N'dimethyl-2,7-diazapyrenium dication sensitised
- hydrocarbons, 2237 quest for intrabridged dithia dication, transannular S-S interaction of 3,7,9-trithiabicyclo[3.3.1]nonane a new
- cyclic tris sulphide, 4399
 selenium stabilised allylic
 carbocations, reactions with 1(trimethylsilyloxy)cyclohexene, 4433
- stabilised benzyl cations, initiated cationic cyclisation.
- vinylcyclopropane moiety as intramolecular trap for earbocations, formation of 11membered carbocyclic structures, 3275

Carbonylation

- -perfluoroalkyl substituted 2iodoalkanes, catalysed by transition metal complexes, 4403 cyclisations/carbonylations,
- "metallo-ene-type", diastereocontrolled Ni and Pd eatalysis, 5883
- double-, of a halodiene, 2-bromo-1-phenyl-1,3-butadiene, Ni catalysed conversion to a-keto lactone, 2617

Tetrahedron Letters xxi

- double-, of alkyl iodides bearing perfluoroalkyl group, Pd-catalysed 4407 in HF-SAbF, of
- methylcyclopentane, temp controlled selectivity, 701 stereospecific Ni and phase transfer catalysed, of vinyl bromides and chlorides, 2615

Carbonyl compounds

- 4-azido-2-iodo-3,5,6-trifluorophenyl carbonyl derivs, new class of functionalised and iodinated perfluorophenyl azide photolabels, 5409
- α,β-unsaturated-, fluoride catalysed Michael reaction with α-isocyanoesters, 1257
- α,β -unsaturated-, selective reduction using Al-NiCl₂ system. 6567
- α-chlorocarbonyl compds, one-pot synthesis of allylsilanes, 5927
- β-dicarbonyl and β-cyanocarbonyl compds as nucleophiles, electrochemically induced SRN1 aromatic nucleophilic substitution, 1373
- benzaldehyde and cyclohexanone, condensation with ethyl-4-(trin-butyltin)-3-methyl crotonate and ethyl 4(tri-n-butyltin)-3-methoxycrotonate, regio-and
- stereochemical control, 5533 by electrochemical conversion of organic halides, 6371
- organic halides, 6371
 carbonyl addition directed by
 metal exchange, dichotomous
 achiral d¹ and chiral d²
 reagents 1-(p-toluenesulphonyl)2alkenyl carbamates, 2915
 carbonyl directed epoxidation of
 Y,6-unsaturated acid derivs,
- 1309
- carbonyl initiated cyclisation of tetraalkylstannanes, 1473 conversion to nitriles,
- cyanophosphate an efficient intermediate, 3681 derivs of-, α,β-unsaturated, electro-reductive cyclisation,
- electron-releasing homoconjugated Co group, application to synthesis of 3-deoxy-, 4-deoxy-hexose, lividosamine and derivs,
- epoxyketones and epoxyaldehydes, route via electron transfer induced photoxygenations of 1-aryl substituted tricyclo-[4.1.0.0²,]heptanes, 4481
- FK-506 tricarbonyl system rearrangement, mechanistic study, synthesis of C.9 labelled FK-506, 6121
- Me,SiC1-assisted 1,2-addition of organocuprates, 1975 oxidative deprotonation by Fe
- salts, 1289 photolabile p-methoxyphenacyloxycarbonyl group for
- amine protection, 1901 protecting group for-, 1,5-dihydro-3H-2,4-benzodioxepine, 4165
- reductive iodination of-, and iodination of alcohols using N,N-diethylaniline-bornane-I,
- system, 5663 tricarbonyl system, benzilic acid rearrangement, macrolactone FK-
- two carbon homolgation to α, β unsaturated aldehydes, 3779 two carbonyl groups, transannular interaction in hexacyclo[6,6.0.02.6.03.13.-0.4.11.03.9]tetradeca-10,14-

dione, 1279

- via selective conversion of ketals, 4703 vicinal tricarbonyl compds,
- applications in synthesis of vincamine-related alkaloids, 873
- vicinal tricarbonyl compds, chemistry, 869
- vicinal tricarbonyl compds, syntheses of eudistomins T,I and
- vicinal tricarbonyls, total synthesis of prodigiosin, 1725
- vinyl tricarbonyl esters use in formation of 3-hydroxypyrrole-2carboxylates, 1721

Carboxylation

syn-selective directed hydrocarboxylation via trisubstituted olefin Rhcomplexes.539

Carboxylic acids

- (1-cyclohexenyl) acetic acid substituted derivs, regio-selective synthesis via ionisation/elimination of βlactones, 531
- 3-alkylmalic acids, chiral synthesis via [2,3] Wittig rearrangement of tert a-(allyloxy)acetic acid systems on carbohydrate template, 4157
- 3-butenyl esters as protecting groups, 7317
- 4-azaspiro[2.4]heptane carboxylic acid, new analog of proline, 399
- 4-chloro-3,5-dinitrobenzoic and 4-aminobenzoic acids, cocrystals, thermally activated aromatic substitution in solid state,
- (5R) (E)-6-[(1-methyl-1,2,3triazol-4-yl)methylene]-7-oxo-1azabicyclo[3.2.0]hept-2-ene-2-carboxylic acid, synthesis of
- carbapenem deriv, 3117 5,10-dideaza-5,6,7,8tetrahydropteroic acid and 5,10dideaza-5,6,7,8-tetrahydrfolic acid, asymmetric synthesis and
- absolute configuration, 6291 (9Z,15Z)-(11S,12S,13S)-11-hydroxy-12,13-epoxy octadecadienoic acid, constituent of rice plant infected with rice blast disease, stereoselective synthesis, 1669
- a-hydroxyacids and ahydroxyamides, prep from
- cyanohydrins in presence of alkaline borates, 563 a-mucleic acid substituted propanoic acids, synthesis of optically active forms, 51
- Δ'-pipecolic acid, stereoselective synthesis via alkylation of a vinyl N-Boc-iminium ion derived from baikiain, 5751 Y,ô-unsaturated acid derivs,
- carbonyl directed epoxidation,
- (-)-absicisic acid penultimate precursor, asymmetric synthesis of (-)-dehydrovomifcliol, 1741
- alkymoic acids, iodine-induced lactonisation prep of iodo enol lactones, structurally potential serine protease inactivators, 6701
- and ketones, amides, esters, alcohols and amines, dehydrodimerisation via mercuryphotosensitisation, 5583 and prim amines, synthesis of
- amides, 2771 aromatic acids, electron transfer reactions with either lithium 4,4'-di-t-butylbiphenyl radical anion or Li metal, synthesis of

- aromatic α -diketones, 6267 arylacetic acid, asymmetric alkylation, binaphthol as chiral auxiliary, 2825
- auricularic acid, stereostructural revision, synthesis of 4-epiauricularic acid, 4563
- benzoic acid, hydroxylation by hydrogen peroxide initiated by radiation and sensitised by methylene blue, photocatalytic effects of Fe compds, 2277
- bioactive potassium lespedezate and potassium isolespedezate, eireadium rhythm of nyctinastic plants, 6389
- carboxyl groups, protection with α-methylcinnamyl alcohol as means of differentiation and activation, activation and applications of thiostannanes, 2959
- carboxyl protection in peptide synthesis, 3-hydroxypropio-nitrile as new reagent, 3569 carboxylic acids and iodosobenzene
- diacetate, new method of homolytic alkylation of noncompatic aikylation of protonated heteroarcmatic bases, 4569
- cinnamic acid derivs, conjugate addition of arylacetonitriles, case of diastereoselective asymmetric protonation, 4565
- (+)-cis-pinonic acid, capture of radicals by decarboxylation, 3263
- cis-(1S,3R)-deltamethrinic acid, asymmetric synthesis, 1745, cyclohexyl spiro-fused a-hydroxy
- tetronic acid derivs, prep from vitamin C, 2505 dehydracetic acid reaction with o-
- phenylenediamine in various alcohols, prep of benzodiazepine derivs and benzimidazoles, 7069 enantiomerically pure crystalline $C(\alpha,\alpha)$ -disubstituted carboxylic acid derivs, route via
- asymmetric alkylation of Nacylsultams, 5603 glucuronic acid, new protected
- form for synthesis of 1-0-acyl-8-D-glucuronides, 3773
- glutaric acids, regio- and stereoselective prep from olefins via α,α dichlorocyclopentanones, 7065
- gymnemic acids, antisweet principle from Gymnema sylvestre leaves, purification and
- itaconic acid derivs, asymmetric hydrogenation catalysed by modified DIOP-Rh complex, 735 Kemp's triacid, Mg* convertion from chair to half chair
- conformation shown by NMR and MACROMODEL/molecular dynamics calculations, 6943
- malonic acid, new easy monofunctionalisation, 3073 O-methyl-3-acytl tetronic acids, prep via direct acylation of
- stannyl tetronates, 1001 oxalacetic acid, condesation with aldoses followed by Ni catalysed decarboxylation, synthesis of two 3-deoxyald-2-ulosonic acids, 2263
- oxamic acids, substituted, new synthesis of dehydrodipeptides, 3069
- pipecolic acid derivs. stereoselective synthesis using aza-Diels-Alder reactions, 6781 pipecolic acid, substituted, stereoselective synthesis, 515
- polyether-, with benzodioxinic subunit, synthesis, 1387 pyruvic acid and derive,

xxii Tetrahedron Letters

decarboxylation of $R-(+)-l\alpha$ -lipoic acid synthesis stereochemical control of yeast reductions, 5705 rhodium carboxylate and rhodium

carboxamide catalysed intramolecular carbenoid C-H insertion in diazo esters, highly selective syntheses of Y-lactones, 7001

(S,S)-tartarie acid, enantiospectic synthesis of opticaly active natural (+)-

conhydrine, 6395 synthesis of (3R)-alkanoyl-tetradecanoic acid components, bacterial lipopolysaccharides,

±) teneralc acid, stereoselective synthesis, imine-epoxide rearrangement in formation of trans-2,6-disubstituted piperidines, 6077 threo-3-ary1-2,3-

dinydroxypropanoic acid derivs, synthesis with high optical

purity, 5157 unmodified-, photodecarboxylation using aza aromatic compds, 6733 via oxidation of aromatic aldehydes, catalytic activity of cyclophanes, 2759

Carboxylic acid anhydrides

a-substituted cyclic acid-

regioselective ring opening catalysed by lipase, 1555 trifluoroacetic-, reaction with tryptophan, 4597

trypuopuan, 1997 xanthic-, radical chain reaction, intermediacy of alkoxy-thiocarbonyl radicals in Barton-McCombie reaction, 4367

Carboxylic acid halides

acid chlorides, acylation of organomanganese chlorides prep of ketones, 7369

acid chlorides, Pd- and Ptcatalysed reaction with siloxycyclopropanes, synthesis of 1,4-keto esters and 1,4-diketones, 6541 acid chlorides, reductive

couplings mediated by SmI2, 7407 aryloxyoxalylchlorides,

photolysis, unimolecular source of aryloxy radicals, 4473 succinyl chloride, tin-directed reaction with carbohydrate deriv, formation of macrocyclic tetralactones, 591

Carboxylic acid halogen derivatives

2-(trifluoromethyl)propenoic acid, Diels-Alder reaction with functionalised diene, synthesis of 16,16,16-trifluororetinal,

2-[6-(chlorophenoxy)hexyl]oxirane-2-carboxylic acid, synthesis of enantiomers, 885 alkaline N-bromosuccinimide,

reaction with (9-E)-9-deoxo-9hydroxyiminoerthromycin, 605 m-chloroperoxybenzoic acid.

epoxidation in water, 1427 new trifluoroacetimidoyl chlorides for fluorinated N-heterocycles, 4821

Carcinogens

bracken-, stereocontrolled synthesis of (±)-ptaquilosin aglycone of ptaquiloside, 1983 mechanism of interaction of Naryl-O-pivaloylhydroxyamines with reducing metal ions, 1923 methylene-bridged benzopyrenes, synthesis, components of

automobile exhausts, 6603 N-acetoxy-2-aminonaphthaline from carcinogenic 2-naphthylamine and its in vitro reaction with (bio)nucleophiles, 321
N-acetoxy-N-alkoxyamides, new

class of nitrenium ion mutagenic precursors, 2649

new teleocidin-related blastmycetin E from Streptoverticillium
Diastmyceticum, structuire, 2113

solvolysis of N-acetoxy-4acetylaminostilbene, irreversible formation of nitrenium ions, 1479

Carotenoids

claimed 6<u>R</u>/6<u>S</u> isomerisation is geometrical 9-<u>trans/9-cis</u> isomerisation, <u>2577</u>

new 7'-apocarotenoic acids, vitixanthin and dihydrovitixanthin from Cochlospermum vitifolium, 3059

Catalysis

2-mercaptoethanol in phosphate

2-mercaptoethanol in phosphate buffer-, hydrolysis of nitriles to amides, 7439 (2E,4B)-MCCPM-Rh complex-, asymmetric synthesis of (E)-(-)-phenylephrine hydrochloride, 367 aminomercuration of dipropargyl

ethers, synthesis of 2morpholinopenta-3,4-dienal derivs and propargyloxyenamines, 5919

by manganese carboxylate complexes, oxidation of hydrocarbons, 5689

catalysed and uncatalysed hydroborations of allylic amine derivs, substrate controlled

diastereoselectivity, 5857 catalysed and uncatalysed hydroborations of chiral allylic amines and alcohols, 5861 catalytic transfer hydrogenation,

mild hydrogenolysis, 1405

chiral acylloxyborane complexasymmetric intramolecular Diels-

Alder reaction, 7231 chiral bases, of asymmetric Diels-Alder reaction, 7403

chiral ferrocenylphosphine-gold complex-, asymmetric aldol reaction of α -ketoesters with isocyanoacetate and socyanoacetamide, 4681

chiral ferrocenylphosphine-Pd complex-, asymmetric [3+2] cycloaddition of 2-(sulphonylmethyl)-2-propenyl

carbonate 375 clay montmorilloniteregioselective addition of silyl ketene acetals to pyridine derivs, synthesis of Nsilyldihydropyridines, 747

cobalt Schiff base complex-,
 conversion of 2' hydroxychalcones to flavanones,

conjugate bases-, asymmetric induction of chiral proton acids as ligands, enantioselective addition of dialkylzing-orthottanate complex to benzaldehyde, 1657 Cu and phase transfer-, allylic

substitution by terminal alkynes, 2225

diastereocontrolled Ni and Pd-, "metallo-ene-type" cyclisations/carbonylations,

dihalomethanes as C-H acids in catalytic two-phase system, new synthesis of gem-dichlorocyclopropanes, 4697

disulphonamide-Ti(O-i-Pr),-dialkyl Zinc system, enantioselective alkylation of aldehyde, 7095 efficient procedure for epoxide

rearrangement, 5607

heterolytic general base-, photo-Smiles rearrangements, acyclodextrin as a probe, 6477

homogeneous, use in chemoselective semihydrogenation of acetylenes, 4657 iridium complex, isomerisation of

propargylic alcohols, 2109 iron complexes in aldel additions, 6435

0435 Lewis acid-, hetero Diels-Alder reaction, use of organocomplexes of ruthenium, 1189 Lewis acid-, of one-carbon ring expansion in 1-siloxycycloalkane carboxaldehyde, 4267

MgO-, α,β-unsaturated ketones, Meerwein-Ponndorf-Verley type reduction to allylic alcohols, 2705

Ni complex-, codimerisation of selective linear butadienefunctionalised dienes, 6515

[N,N'-bis(2'-pyridinecarboxamido)1,2-benzene]cobalt chelate-,.
oxidation of phenols with

molecular oxygen, 5929 of specific Michael addition. example of acrylate acceptors,

papain-, stereoselective synthesis of alafosfalin, 6917 Pd- and Pt-, reaction of siloxycyclopropanes with acid chlorides, synthesis of 1,4-keto esters and 1,4-diketones, 6541

Pd-, double carbonylation of alkyl iodides bearing perfluoroalkyl group, 4407

Pd-, reaction, anomalous behaviour of substituted allyl benzenes, 759

phenylthic radical-, addition of electron deficient alkymes to substituted vinylcyclopropanes, vinylcyclopentene synthesis, 5845

phosphine-, synthesis of /unsaturated cyclic carbonates from carbon dioxide and propargylic alcohols, 3981

propargyic account, s. Rr., isomerisation of siloxycyclopropanes leading to enol silyl ethers and allyl silyl ethers, 6887 Rh-acetate-, preferential insertion of diazo-carbonyl compde adiagent to ether

compds adjacent to ether oxygens, 1749

Rh-acetate-, reaction of 1diazoalkanediones, formation of cyclic carbonyl ylide, 301 Rh-carboxylate and Rh-carboxamide-

C-H insertion of N,Ndisubstituted diazoacetoacetamides, conformational and

electronic preferences, 5397 Rh-carboxylate and Rh-carboxamide-, intramolecular carbenoid C-H insertion in diazo esters, highly selective syntheses of Ylactones, 7001

Rh-carboxylate-, carbenoid reactions of diazirines, 3049 Rh-complex-, of intramolecular amidocarbonylation of

alkenamides, new routes to Nheterocycles, 6283

Ru-complex-, benzylation of arenes with benzyl formates, decrabonylation and decarboxylation of alkyl

formates, 4137 solid-liquid phase transfer-, without solvent, improved chiral

xxiii Tetrahedron Letters

- Michael addition of Nacetylaminomalonate to chalcone, 333
- stereospecific Ni and phase transfer-, carbonylation of vinyl bromides and chlorides, 2615
- TDAS-1-, of N-alkylation of 3-(2,4,6-trichlorophenoxyacetamido)pyridine yielded N-alkylated 3-(2,4,6-trichloro-phenylamino)pyridines via Smiles rearrangement, 931
- thiazolium macrocycle-, oxidation of aromatic aldehydes to
- carboxylic acids, 2759,. three-phase systems in reactions of phenylacetylene with Se and Te metals, 613
- transition metal complexcarbonylation of 1-perfluoro-alkyl substituted 2-iodoalkanes,

Catalysts

- action of clay montmorillonite in addition of silyl ketene acetals to α,β-acetylenic esters, 6341
- aminopyridinium salt-, for polymer supported synthesis of aryl fluorides, 7199 asymmetric Michael additions,
- simple chiral crown ethers complexed with t-BuOK as catalyst, 7229 chiral chemzyme-, for
- enantioselective synthesis of $(+)-1(\underline{S}),5(\underline{R}),8(\underline{S})-8$ -phenyl-2-azabicyclo[$\overline{3}.3.0$]octan-8-ol N,0methylboronate and its
- enantiomer, 5547 chiral oxazaborolidinesenantioselective addition of diethylzinc to aldehydes, 5551
- copper chloride/amine hydrochloride, use in oxygenation of 2,3,6-trimethylphenol to trimethyl-p-benzoquinone by dioxygen, 6691
- copper-, use of in anylation of amines by anyllead triacetates, 1377
- CpCoL₂-, synthesis of CpCo-complexed α-pyrans via intramolecular [2+2+2] eveloaddition, 2893
- cuprous cyanide-, synthesis of t-butyl substituted silanes from t-butyl magnesium chloride and chlorosilanes, 6393
- dependent mechanistic paths ofreactions of β-keto esters with ethyl diazoacetate, 4093
- Fe-, photooxidation of hydrocarbons sensitised by 2237
- Lewis acid-, effect on stereochemical variations in Diels-Alder reactions of siloxydienes with N,N-dimethyl acrylamide, 5887
- mixed Pd/silver nitrate-, in alcohols, oxidation of olefins
- by oxygen, 6319 neutral (25,45)-MCCPM-Rh complex for asymmetric hydrogenation of α-aminoacetophenone, 363
- new chiral-, use in synthesis of sec alcohols and deuterated prim alcohols via carbonyl enantioselective reduction, 6275
- new Lewis acid-, for Diels-Alder reaction, 1357 new Pd-, intramolecular carbametallations of enynes, 651 polyethylene-bound ruthenium-, for inter and intramolecular
- Kharasch reactions, 3915 PtL₂Cl₂-iron or tin-, unusual, for linear regioselective hydroformylation 5759
- Rh-, for acetalisation under mild

- conditions, 6151 Rh/oxazoline-, enantioselective hydrosilylation of acetophenone, 5141
- Ru-porphyrin-, epoxidation of olefins with pyridine N-oxides,
- tetraphenylstibonium triflate as regio- and chemoselective-, reaction of oxiranes with amines, 739
- tris(trimethylsilyl)silane-, for radical mediated reductions, 2733
- (Z)-allylic boronates, new prep via catalytic 1,4-hydroboration of 1,3-dienes with catecholborane, 3789

Cembranes

- (+)-α-2,7,11-cembratriene-4,6-diol(α-CBT), enantioselective
- diol(α-CBT), enantioselective total synthesis, 1055 cyctoxoic-, from Pseudopterogorgia bipinnata, 3491 marine-, C-3,C-4 oxygenated, by conversion of trans, transfarnesol, 3749 sarcophytol B, anticancer cembranid. synthesis and
- cembranoid, synthesis and stereochemistry, 1173

Cephalosporins

- 3-spiro-, formation by base catalysed rearrangement, 1931 loracarbef, enantioselective
- synthesis, 2321 new synthons of-, use of isocyanide dihalides for introduction of amino heterocycles at C-7, new route to synthesis of amino imidazoles, 2375
- series of , via new approach to synthesis of amino imidazoles, 2379
- vinyl-, cycloaddition with diazoalkanes, 2005

Cephens

carbocephems and 4-methyleneazetidin-2-ones by Cu-mediated amide-nitrogen-vinylic carbon ring closure, 337

Ceramides

globopentaosyl ceramide 1V³GalNAcaGb.Cer, total synthesis of Forssman glycolipid, 6713

Cerium and compounds

- ceric ammonium nitrate promoted cross coupling of trimethylsilyl
- enol ethers, synthesis of unsymmetrical 1,4-diketones, 3707 cerium ammonium nitrate, C-Si cleavage in oxidation of benzylic silanes, 3573

Cesium and compounds

caesium fluoroxysulphate, conversion of prim alcohols and aldehydes to acid fluorides, 6095

Chain extension

- aldehydo-sugars to higher nitro sugars, 6139
- methyl 5,6,7,8-tetra-0-acetyl-3-deoxy-3-diazo-D-arabino-oct-2,4-diulosonate, synthesis and properties, 6641

Chain reactions

radical-, of xanthic anhydrides, intermediacy of alkoxythiocarbonyl radicals in Barton-McCombie reaction, 4367

Chalcones 2'-hydroxy-, conversion to flavanones catalysed by cobalt Schiff base complex, 4145

chiral Michael addition of Nacetylaminomalonate, improved by solid-liquid phase transfer catalysis without solvent, 333

isombamichalcone and lophirochalcone, isolation of bi- and tetra-flavonoids from Lophira laceolata, 1807

Charge distribution

charge density distribution of acrolein, butadiene and vinylamine, unimportance of dipolar resonance structures in detn of ground state charge distribution, 5981

Charge transfer absorption

intramolecular, shown by steric repulsion between phenyl and tropylium rings,in stereomutation of endo-2phenyl-endo-6-tropylio-bicyclo[2.2.2]octane to exo-6tropylio isomer, 99

Chelation

- aromatic polyimine chelates, new family substituted with two diphenylphosphines, 463
- bis(aminoethane thiols) chelating agents with a gamma carboxylate, new synthesis, 4069 controlled addition to α-hydroxy
- ketene thioacetals, diastereoselective synthesis of α -alkyl- β -hydroxy thioacetals,
- [N,N'-bis(2'-pyridinecarboxamido)-1,2-benzene_cobalt chelate, catalysis, oxidation of phenols with molecular oxygen, 5929

Chemiluminescence

new nucleoside antiviral agent, SQ-32,829, synthesis, 6955

Chirality see Asymmetry

Chromatography

TLC enantiomeric solution of racemic imino acids via Cucomplex impregnation of RP 18-TLC plates, 7181

Chromium and compounds

- α-chloro allylic reagents of-, stereoselective addition to
- amino carbene complexes of-, generated "enolates",
- alkylations, 4061 arene chromium tricarbonyl method, enantiospecific synthesis of (+)-(R)-1-phnyl-3-methyl-1,2,4,5-tetrahydrobenz[d]azepine from (+)-(S)-N-methyl-1-phenyl ethanolamine, 3581 arene complexes of, use in regiocontrolled alkylation of
- 1,4-benzodioxins, 5519
- arene-tricarbonyl complexes ofstereoselective reactions with isocyanide, 2933
- carbene complexes of-, easy route to benzopyrrolizines related to
- mitomycin A, 1633 combination of chromium tricarbonyl and chiral formamidine methods, stereoselective a-methylation of N-methyl benzylamine, 5945 complexed benzaldehyde derivs of-,
- highly erythro selective aldol reaction with cyclic silyl enol ethers, 7435
- cyclopropylcarbene complexes of-, reaction with alkenes, synthesis

Tetrahedron Letters xxiv

- of cyclopropylcyclopropanes,
- cyclopropylcarbene complexes of-. reaction with alkynes to give
- cyclopentadienones, 295 nitrosyl tetracarbonyl chromium anion, dehalogenation of α bromoacylhalides, generation of methylene and cyclopropyl ketenes at -100°, 5869

Circular dichroism
detn of absolute configuration of chiral butadiene-tricarbonyl iron complexes, 3781

Cistulynes

H-NMR and single crystal X-ray evidence for structure and cation encapsulation in a rigid, molecular channel system, 5099

- Cleavage reactions 1,2,3,4,5,6,7-hexaazaace-naphthalene ring system, reductive ring opening, 3287 alkyllithium-promoted ring
 - fission, halogen substituted 2,6-dioxabicyclo[3.3.0]octanes
 - derived from 1,4:3,6-dianhydrohexitols, 6737 allylic anchor group and of its Pd-catalysed hydrostannolytic cleavage, use in solid phase synthesis of protected peptide fragments, use of 2641

anthracene photodimer incorporating tropylium ring and its retro[4+4]cleavage, 4689 benzylic-, and reductive amination

- of acetophenones, prep of oxygenated enantiomerically pure 1-phenylethylamines, 317
- C-C bond-, in reaction of anthraquinone triplet with tert alcohols and tert-butylbenzene,
- C-N bond-, mediated by sodium borohydride, stereospecific synthesis of carbocyclic nucleosides from 2-azabicyclo-[2.2.1]hetan-3-ones, 1645 C-Si-, by cerium ammonium nitrate
- in oxidation of benzylic silanes, 3573 cation enhanced a-, aryl alkyl
- ketones, photolysis in faujasite zeolites cages, 5829
- epoxystyrene, ring opening with MF.SIN: to silylated azidohydrine, use of AL(0-iPr), or Ti(0liPr), 4673 functionalised diphosphiranes,
- cationic ring opening, 74:1 intramolecular opening of a 158,168-methylene-17-oxo moiety with a 78-malonyl ester function, synthesis of pentacyclic 78,158-ethano-androstene derivs, 5877 intramolecular oxetanone ring
- opening, new approach to 2 substituted tetrahydrfurans,
- iodosobenzoate-functionalised surfactant vesicles, adjustable reactivity in reactive phosphate cleavage, 2071 nucleosidic oxetane with
- carbanions, synthesis of possible anti-HIV agent, a phosphonate isostere of AZT 5'phosphate, 2567
- oxabicyclic compd, ring opening reactions with cuprates, 6817
- oxidative Si-C bond-, of organotrifluorosilanes involving organic group migration from hypercoordinate Si to 0, 4375

oxidative-, of C-Si bonds by dioxygen/hydroquinone system,

- Pd-catalysed nucleophilic opening of vinvlic oxetanes. stereoselective synthesis of dland trisubstituted homoallylic
- alcohols, 3487 radical C-Se bond-, of selenonium salts with Grignard reagents or Mg salts, 981
 radical induced ring opening of 1-
- trialkylsilyl-2-vinyleyelo-
- propanes, stabilising effect of trialkylsilyl group, 4413 reductive, of ribofuranosyl ring C(1)-0 bond in intramolecular C-arylation product of tri-0benzyl-β-D-ribofuranosyl fluoride, 1115 reductive-, of tertahydrofuran and
- thermal cyclisation of 1,3-diene in davanone transformation, 1347 reductive-, of 1,2-dioxolanes,
- stereochemistry, application to synthesis of (±)-yashabushitriol, 6985 regiocontrol of methylating ring opening of oxiranes via metal-
- assisted chelating or nonchelating processes, 6563
- regioselective ring opening of α-substituted cyclic acid anhydrides catalysed by lipase, 1555
- regiospecific ring opening of α,β -epoxysilanes with silicon tetrafluoride and application to synthesis of fluoroalkenes,
- reversible-, of 5-cholest-3-enoxyl radicals, addition of alkyl radicals to ketones, 3343
- ring opening of deltacyclene epoxides, 4803
- ring opening of epoxides using aminolead compds as new reagent, 4255
- ring-, of oxiranes with tributyltin azide leading to 1,2-azido alcohol, 4153 selective P-S bond-, involved in
- nucleotidyl-peptide synthesis, 2117
- stereospecific nucleophilic ringopening of deuteriated cyclopropylearbinol, 5017 two C-C bonds in Wolff-Kishner reduction, 1353

Cobalt and compounds

- α-alkoxyallylstannane alkynals and their Co-complexes, stereoselective cyclisation, new route to cyclododecyme-1,2-diol derivs, 309
- acetate of -, promoted addition of acetoacetate to terminal olefins, stereoselective synthesis of 5-alkyl-2-hydroxy-2-methyl-3-methoxycarbonyl tetrahydrofurans, 4701
- alkyne-Co₂(CO), complexes, synthesis and use in Pauson-Khand cycloheptanone synthesis,
- complexed propynals of-, aldol reaction, strong E-enolate:threo/2-enolate:erythro correlation, 5627 complexed propynals of-, with
- silyl enol ethers, erythro-
- selective aldol reaction, 5623 complexes of-, catalysed photoassisted cocyclisation of acetylene and nitriles at ambient temp and normal press, 1229
- flavonolatocobalt complex, synthesis and characterisation as intermediate for model quercetinase reaction, 2257 mediated by-, aryl radical

cyclisations, 5485 mediated regioreversed addition of aldehydes to but-2-

enyltributylstannane, 2421 [N,N'-bis(2'-pyridinecarboxamido)-1,2-benzene]cobalt chelate catalysis, oxidation of phenols with molecular oxygen, 5929

Schiff base complex of-, catalysed conversion of 2'hydroxychalcones to flavanones,

- Coenzymes see also Flavins cytochrome P-450 hydroxylation mechanisms, free radical chlorination and one-electron oxidation of arylcyclopropanes, 3015
 - new fluoro-substituted HMG-COA reductase inhibitor,
 - enantioselective synthesis, 5115 PQQ, prep and characterisation of iminoquinone and aminophenol derivs, 6875

Complexation

- enantioselective-, with conformationally homogeneous C₂
- podand ionophore, 6947 flavins, molecular recognition and effect of compexation on their fluorescence and photo-redox
- properties, 5895 linear ditopic anion host compds, binding of organic phosphates in protic solvents, 4493 new class of powerful metal cation
- complexing agents and phase transfer catalysts. cyclophosphazenic polypodands, 5781
- photoresponsive complexing stilbene, a,a'-disubstituted by ethylene dioxy sidearms, synthesis, 4509

Complexes

- 1-methylthicalkyne-zirconocene-, direct synthesis and coupling
- direct synthesis and coupling reactions, generation of stabilised low-valent metallocene derivs, 3495 (2-stannylated butadiene)-tricarbonyl iron complexes, reagents for synthesis of 2-acyldienes, 2393
- 2:1-, with hydrophobic groove circumscribing metal binding of porphyrin molety from reaction of 5,15-diphenylporphine with heptakis(2,6-di-0-methyl)-βcyclodextrin, 7341
- 6-octen-1-als, cyclisation with cis-1,2-cyclohexanedicxy function at C-3 by Wilkinson complex to afford conformers due to cis-cyclohexanediol, look up, 4849
- w-arenechromium tricarbonyl-, nucleophilic addition of N-lithioamides, prep of aniline derivs, 3373 -n-allylpalladium-, electronic
- effects on regioselectivity of nucleophilic attacks, 3109
- (m⁶-xC₆H_{*}COCH₃)Cr(CO)₂L complexes, diastereoselective aldol reaction, 6383
- acyliron-, with allylstannanes, stereoselectivity in reactions, 5745
- alkyne-chromium carbeneintermolecular cyclisation approach to ABCDE ring system in total synthesis of fredericamycin, 2037
- alkyne-Co₂(CO)₆-, synthesis and use in Pauson-Khand cycloheptanone synthesis, 595 amino carbene-, of chromium,

Tetrahedron Letters ***

generated "enolates", alkylations, 4061

arene-chromium-, use in regiocontrolled alkylation of 1,4-benzodioxins, 5519

arene-chromium-tricarbonyl-. stereoselective reactions with isocyanide, 2933

boron ate-, synthesis of 1,1-difluoroolefins from 1,1,1trifluoroethyl p-toluene-sulphonate, 1641

chiral butadiene-tricarbonyl iron-, CD for detn of absolute

configuration, 3781 chiral ferrocenylphosphine-gold-, catalysis, asymmetric aldol reaction of α -ketoesters with isocyanoacetate and isocyanoacetamide, 4681

chiral ferrocenylphosphine-Pd-, catalysed asymmetric [3+2] cycloaddition of 2-(sulphonylmethyl)-2-propenyl carbonate 375

chiral rhenium π-aldehyde-, stereoselective addition of

cyanide ion, 3931 cobalt Schiff base-, catalysed conversion of 2'-hydroxy-chalcones to flavanones, 4145

CpCo-complexed α-pyrans, synthesis via intramolecular [2+2+2] cycloaddition, 2893

[CpFe(CO),], as mediator, generation and use with alkyl

radicals, 2907
Cr carbene-, easy route to benzopyrrolizines related to mitomycin A, 1633

crotylmolybdenum-, stereocontrol in additions to aldehydes, 1769 cyclooctatetraenyllanthanide-, new

synthesis, X-ray structure of

Synthesis, Aray Statestic C. Cel(C.H.)(THF)s, 3697 cyclopropylcarbene-Cr-, reaction with alkenes, synthesis of cyclopropylcyclopropanes, 4771 cyclopropylcarbene-Cr-, reaction

with alkynes to give cyclopentadienones, 295 dialkylboryltropolonate-,

photochemical reactions, 4395 dialkylzinc-orthotitanate-, enantioselective addition to benzaldehyde with high order

catalyst, 1657 electron deficient-, electrophilic N-amidation, action of ferric chloride on N-acetyloxyamides,

flavonolatocobalt-, synthesis and characterisation as intermediate for model quercetinase reaction,

formation with Ag ion, monofunctionalised triaza-crowns and cyclams with sec amine group

on side chain, 2897 iron acyl R-(-)-[n*-C_sH_s)Fe(CO)(PPn_s)-COCH₂O([1R,2S,5R]methyl] as homochiral formyl anion equivalent, 2971

iron tetracarbonyl-, of α,β-unsaturated amides, synthesis of Y-ketoamides via nucleophilic

attack, 2285 modified DIOP-Rh-, catalysed asymmetric hydrogenation of itaconic acid derivs, 735 new extended donors, 2,2'-(2,5-

dihydrothiophene-2,5divlidene)bis(1,3-benzodithiole)s and their electroconductive complexes with electron acceptors, 2091

new extended one-electron donors and their electroconductive complexes, 2,2'-(2,5-dihydrothiophene-2,5-

diylidene)bis(1,3-dithiole

derivs, 5903
Pd-phosphine-, catalysis for synthesis of new unsaturated esters, 2383

pseudo-sandwich-, formation from lariat ether, 2489

thermally stable hypervalent bismuth ate complex(12-Bi-6) with two bidentate ligands

synthesis and structure, 953 transition metal-, catalysed carbonylation of 1-perfluoro-alkyl substituted 2-iodoalkanes, 4403

tricarbony1(n5-2-arylcyclohexadienyl)iron(1+) salts, alkylation, new route to intermediates for prep of 5substituted 2-arylcyclo-hexadienes, 2607

two tautomeric Meisenheimer spiro-, intermediate formation in reversible double Smiles rearrangement, 2273

Conductions

A-, and B-, and dehydroconduritols from benzene, photooxidation of cis-cyclohexa-3,5-diene-1,2-diol, 1719

Configuration absolute and relative-, of diterpenoid, (-)-reiswigin A, 2465

absolute structures of gistrikentrin A and trans-trikentrin A, via synthesis of their enantiomers, 5771

absoluter, and asymmetric synthesis of 5,10-dideaza 5,6,7,8-tetrahydropteroic acid and 5,10-dideaza-5,6,7,8tetrahydrfolic acid via esterification of 2-substituted 1,3-diols, 6291

absolute-, and synthesis of felodipine enantiomers, 6423 absolute-, and synthesis of diterpenoid (+)-mayolide A, 5911

absolute-, and total synthesis of rhizobactin, 313

absolute-, longitubine and latifolic acid, 7153 absolute-, of new halogenated chamigrene isolated from

Laurencia intricata, 559 absolute-, of 8 and 9 carbons of Adda an amino acid component of hepatotoxin cyanoviridin RR, 4245

absolute-, of chiral butadiene-tricarbonyl iron complexes, detn by CD, 3781

absolute-, of four halohydrins by application of pseudo-enzymatic action of tri-o-thymoyide clathrates, 6677 absolute-, of hindered sec

alcohols by modified Horeau"s

method, 3629 absolute-, of isopropylamino sugar moiety of esperamicins, 2469

molety or esperamicins, 2409 nystatin A, stereostructure, synthetic assignment of C1-C10 fragment, 4517 phosphorus-, of P-chiral [170,140]-nucleoside phosphate diesters, 170 MMR of diasterecomeric 31,51-cyclic thymidine phosphates, methylinosphopates, and N Nmethylphosphonates and N.Ndimethylphosphoramidates, 1221 retention in desilylative

hydroxyalkylation of α -silyl sulphides, 789

Conformation

2,11-dithia[3.3]orthocyclophane and its diselena analog,

structures, 1551 7- and 8-membered 1,5-cycloalkane-fused semibullvalene derivs,

allosteric systems, intramolecular spin exchange in model regulated by K ions via induced conformational modification, 6507

and electronic preferences in rhodium carboxylate and rhodium carboxamide catalysed C-H insertion of N,N-disubstituted diazoacetoacetamides, 5397

and electronic preferences in rhodium carboxylate and rhodium carboxamide catalysed C-H insertion of N.N-disubstituted diazoacetoacetamides, 5397

and steric requirements of side chain for sulphur participation in benzthiepin derivs, 4279

calixarene-, "template effects" via host-guest type interactions, 2563 conformationally homogeneous C2

podand ionophore, enantioselective complexation,

disparity of (R,R)-tartaric acid esters and amides, 6071

energy and entropy differences of t-butoxy group and implications in stereochemistry and stereoelectronics, 6765

equilibrium of- isotope effects for H in cyclohexanones, 4589 equilibrium of , isotope effects of 1,3-dioxan derivs, 4585

equilinrium of-, isotope effects

for carbon, 4593 ion-induced changes in-, in Kemp's triacid, 6943

monodeuteriocyclohexane, deuteron integration at low temps,

conformational preference(A value) of D, 1059
non-chair-, P-containing ring of cyclic nucleotide model system for P(V) cAMP-substrate or cAMP

enzyme adducts, 2195 or stereoelectronic effects in

epoxidation, use of molecular modeling, 3973 peptide backbone-, of destruxin A,

restricted analogs of norleukotriene D₄, asymmetric synthesis 3377

solution-, and solid state structure of macrocyclic cyclophane, 7453

trans-cycloheptene, spectral characterisation and dynamic behaviour, 6805

Copper and compounds

and phase transfer catalysed allylic substitution by terminal alkynes, 2225

catalysed 1,4-addition of organomanganese chlorides to conjugated enones, 3541

catalysed coupling reactions of triflates with Grignard reagents, 1281 catalysed hydrolysis of

unactivated ester based on reversible conjigate addition,

catalysis, use of in anylation of amines by anyllead triacetates, 1377

cuprate reagent, generated in situ from (E)-bis-(tributylstannyl)ethylene, synthesis of 8-hydroxy-(E)-vinylstannanes, 27 cuprates, ring opening reactions of oxabicyclic compd, 6817 dibutylcopperlithium, conjugate addition with enones in presence

Tetrahedron Letters xxvi

or absence of Me_{3SiCl}, 7087 higher order cuprates, stereoselective conversion of vinylsilanes to Y-substituted allylsilanes, 5693 mediated amide-nitrogen-vinylic

carbon ring closure, prep of carbocephems and 4-methylene-azetidin-2-ones, 337 open-chain and cyclic 2-cyano Zn

and Cu organometallics, synthesis and reactivity, 5069 organo reagents, use in direct anomeric substituteion of tetrahydropyranyl 2,4-dimethoxybenzoate, 6027

organocuprates, Me₃SiCl promoted conjugate addition to basesensitive cyclic a-(nitroalkyl)enones, 3685

organocuprates, Me₃SiC1-assisted 1,2-addition of carbonyl compds,

[(Ph₃)CuH]. use in regioselective conjugate reduction and reductive silylation of a,8-unsaturated aldehydes, 5677 protection by-, in Pd-catalysed regioselective allylation of

polyketide system methyl 3,5-dioxohexanoate, 3105 trialkyltin cuprates, formation from tin hydrides which bypasses organo-Li intermediates, 2065

trimethylstannylcuprates, mixed, formation and use via transmetallation, prep and manipulation of Me, SnH from Me₃SnCl, 4617

Coumarins
3-aryl-4-hydroxycoumarins, synthesis, 1539

Coupling reactions

-component cross-, synthesis of conjugated dienynes, 2403 allylic cross-, of aryl halides and cyclic alkenes, improved procedure, 2603

bipyridyl derivs, prep via alithiation of pyridyl phenyl sulphoxides, substitution with electrophiles and cross coupling with Grignard reagents, 7091

ceric ammonium nitrate promoted cross-, of trimethylsilyl enol ethers, synthesis of unsymmetrical 1,4-diketones, 3707

Cu-catalysed-, reactions of triflates with Grignard reagents, 1281

desulphonylative-, Pd catalysed, of arylsulphonyl chlorides with acrylate esters under solid-

liquid phase transfer conditions, 975 electrooxidative, of phenols; product-selective synthesis of 2,2',6,6'-tetra-t-butyl-1,1'biphenol from 2,6-di-t-

butylphenol, 2105 enzymatic, of two D-amino acid residues in aqueous media, 583

glycosyl-aromatic-, promoted by CP_ZrCl_-AgClO., 833 glycosyl-aromatic-, promoted by CP_ZrCl_-AgClO., 833 intermolecular pinacol cross

coupling of aryl aldehydes or their dimethyl acetals with non-

aryl aldehydes, 7177
intramolecular titanium induced,
synthesis of 1,2-

cycloalkanediols, 1169 intramolecular-, of aldehydes and ketones lanthamide induced with electron-deficient olefins, 1063

ligand-, on P-atom, reaction of phosphine oxides with 2 or three

2-pyridyl groups with organometallies to give 2,2'-bipyridylk, 2-substituted

pyridines and pyridine, 567 ligand-, on P atom, formation of 2,2'-bipyridyl, 6365

ligand-, within the α-sulphurane formed as intermediate in reaction of sulphilimines with hydride to give sulphides, 1087 migration vs decomposition on

phenylazo radical generated from phenylazo 1-naphthyl ether in solvent cage, coupling of

solvent eage, doubting of radicals at aromatic C to give 4-phenylazo-1-naphthol, 1811 minimum racemisation-, of N-9-fluorenylmethyloxycarbonyl amino acids to alkoxy benzyl alcohol type resins, peptide synthesis by a combination of solid phase and soln methods, 6745

new phosphonylating and coupling agents, synthesis of oligoribonucleotides via Hphosphonate approach, 6375

new reagents for use in peptide chemistry, 1927 Pd-catalysed cross-, of

alkenylalkoxysilanes with aryl and alkenyl halides in presence of fluoride ion, 6051

Pd-catalysed cross-, of alkyl iodides with alkyl Grignard reagents, 4779

Pd-catalysed-, of (1bromovinyl)trimethylsilane,

abnormal products, 3735
Pd-catalysed-, of aryl and vinyl
triflates or halides with 2ethynyl aniline, route to functionalised 2-substituted idoles, 2581

Pd-catalysed-, of aryl halides and non-allylic unsaturated alcohols, synthesis of aryl-substituted aldehydes and ketones, 6629

Pd-promoted-, of organomercurials and vinylic β-lactams, synthesis of β, Y-unsaturasted amides, 1897

reactions of 1-methylthicalkynes with unsaturated organic

substrates, 3495 reactions of 1-tributylstannyi-1octen-3-ol catalysed by Pd, synthesis of PGB, and coriolic

acid, 3645

acid, 3045 reductive-, of acid chlorides mediated by SmI, 7407 stereoselective-, under mild specific conditions, prep of npentenyl 2-amino-2-deoxy glycosides, 2363

t-butyl substituted silanes, synthesis from t-butyl magnesium chloride and chlorosilanes catalysed by cuprous cyanide,

two-component process of

two-component process of , synthesis of natural PGE, and 5,6-dihydro-PGE, 4379 unsubstituted thiophenediazonium salts with β-naphthol, conclusive evidence, 2345

Crown ethers

(*)-(2R,3R,11R,12R)- and (-)-(2S,3S,11S,12S)-tetraphenyl-18-crown-6, synthesis and isolation, 3849

chiral 14-crown-4 derivs, prep as selective ionophores for Li ions, 4559

generated toluene radical anion from K metal and toluene, reductive removal of isocyano

groups, 845 lariat-, formation of a pseudosandwich complex, 2489

monofunctionalised triaza-crowns and cyclams with sec amine group on side chain, syntheses and Ag ion complex, 2897

N-[2-)2-hydroxyethoxy)ethyl]substituted polyaza-crown ethers and cyclams without need of

hydroxy blocking group, 803 new piperazino-, structure identification of deriv using "NA-NMR, 4333

new-, derived fromn D-mannitol, synthesis and immobilisation for resolution of free amino acids, 4231

simple chiral crown ethers, complexed with t-BuOK as catalyst, asymmetric Michael

additions, 7229 tetrathio-[18].[20] and [24]-crown ethers, synthesis via disodiumdicyanoethylenethiolate, 2903

Cryptands

macrobicyclic cryptates with bithiazole, bisimidazole and bipyrimidine binding subunits,

synthesis, 2209 octaaza-cryptand, synthesis and structure of its fluoride cryptate, 4125

Crystals

cocrystals of 4-chloro-3,5-dinitrobenzoic and 4-aminobenzoic acids, thermally activated aromatic substitution in solid state, 3617 keto acetate deriv, photo-

reactivity in isotropic liquid solns, pure crystalline phase and polymer matrix, 423

solid state photoreactivity and crystal structure of 2,5 dibenzylidenecyclopent-3-ene-i-one and its terachloro deriv, 3029

tetrahydronaphthoquinone deriv, photochemistry, comparative study in soln in crystalline phase and in polymer film, 419

Cubanes

iodocubanes, synthesis via decarboxylative iodination, 6967 methyl 4-iodocubane carboxylate, substitution via ligand exchange hypervalent iodine reagents, 791 methyl 4-iodocubane carboxylate, substitution via ligand exchange hypervalent iodine reagents, 791

Cyanides

addition to Schiff bases in presence of cyanide-modified hemin-copolymer, asymmetric syntheses of amino acids, 4535 ion of -, adsorbed onto hemincopolymer, reaction with abromoketones, steroselective synthesis of cis-cyanocxiranes,

Cyano compounds

2-cyanopiperidines, stereocontrolled synthesis of 4-and 9-ethyl-2azabicyclo[3.3.1]nonan-7-ones,

α-cyanoamines, TiCl,-induced iminium ion cyclisations, 4973 β-diearbonyl and β-cyanocarbonyl compds as nucleo philes, electrochemically induced Seni aromatic nucleophilic substitution, 1373

cyanoacetone, baker's yeast reduction, C-C bond formation,

Tetrahedron Letters xxvii

Cyanohydrins

- aromatic a-diketones, esters, acyloins and epoxides, deoxidation/reduction to bibenzyl products via lithium 4,4'-di-t-butylbiphenyl radical anion, 4931
- cyanophosphate an efficient intermediate, conversion of carbonyl compds to nitriles, 3681
- hydration in weakly alkaline solns of boric acid salts, 563 optically active derivs of-, new synthesis, stereoselective

addition of cyanide ion to chiral rhenium π-aldehyde

complexes, 3931
resolution of -, and synthesis of ethyl (R)-2-hydroxy-4phenylbutyrate and (S)propranolol via lipase-catalysed irreversible transesterification using enol esters, 1917

- and monofunctionalised triazacrowns with sec amine group on side chain, syntheses and Ag ion complex, 2897 and N-[2-)2-hydroxyethoxy)ethyl]-
- substituted polyaza-crown ethers without need of hydroxy blocking group, 803

Cyclic ketones

- 1,3-cyclohexanediones, 2,2-disubstituted, via reaction of ketals with 1,2-bis(trimethyl-siloxy)cyclopentene, 1021 2(1H)quinalzolinones and 1,3-
- benzoxazine-2(3H)-ones via cyclisation of N-allyl carbamoyl anthranilonitriles and Oallylcabamoyl salicylonitrile
- using catalase, 1133 2-acetonaphthones, 6-substituted, generation via sequential acetalisation-pyrolysis of a acetyl benzalacetones, 1457
- 2-aryl-3-cinnolinones, synthesis by cyclisation of diaryazo
- compds, 3715 2-azabicyleo[3.3.1]nonan-3,7-diones, synthesis and Fischer indolisation, 3841
- 2-cyclohexen-1-ones, 4zeroyatonexen-1-ones, 4-substituted, carboxylic thermal rearrangement, 4329 2-cyclopenten-1-ones, reaction with singlet oxygen, 903 2,5-disubstituted- and 4-
- substituted-2-cyclohexenones enantioselective routes, 7075
- 4- and 9-ethy1-2azabicyclo[3.3.1]nonan-7-ones, stereocontrolled synthesis via 2-cyanopiperidines, 5655
- 4-t-butyleyclohexanone, asymmetric deprotonation, chiral products using chiral lithium amide bases, 7241
- 5-methoxy-2,3,4,5-tetramethylcyclopent-2-enone, equivalent for 2,3,4,5tetramethylcyclopentadienone, application to synthesis of 1,2,3,4-tetramethylfulvene, 4811
- α-and β-ionone, derived allylsilanes, synthesis and reactivity with electrophiles,
- α-cyclopropyl ketones and α-cyclopropyl aldols, stereo-selective reduction, stereodirecting effect by α trimethylsilyl group, 5447
- α-methylene-β-substituted cyclopentanones, pathway to via stannyl radical mediated intramolecular cyclisation of

acetylenic homoallylic ketones,

- aromatic α -diketones, synthesis from electron transfer reactions of aromatic acids with either lithium 4,4'-di-t-butylbiphenyl radical anion or Li metal, 6267
- azacarbocyclic spirodienones via hypervalent iodine oxidation of p-substituted phenol derivs, synthetic approach to discorhabdin alkaloids, 1119
- azaspirocyclic ketones and compds with azaspiro[4.4]nonane and azaspiro[5.5]undecane structures, direct access via radical cyclisations, 3865 bicyclo[2.2.1]heptan-2-one series,
- Beckmann rearrangements, 7233 bicyclo[3.2.0]hept-2-en-6-one,
- bioconversion to chiral lactone via microbiological Baeyer-
- Villiger type reaction, 3663 bicyclo[3.3.0]octan-3,7-dione monoacetals, enantioselective deprotonation, approach to asymmetric synthesis of chiral synthons for carbocyclins, 7221
- boron cycloheptanone annulation synthesis of (±)helenalin, 523 bridged[4.3.3]oxapropellanes,
- synthesis by angular condensation of ethyl tricyclodedecadienone 2carboxylate and their thermal conversion into lactone annelated cyclopentenones, 127
- chiral a-cyclopropyl ketones and α-cyclopropyl aldols, stereospecific 1,2-rearrangement of cyclopropyl group, 5443
- cis,cis-cyclooctadienone, photochemically induced reactions,637
- cyclic 1,3-diketone diamions, regioselective alkylation via their monodimethylhydrazones, synthesis of C-4 substituted
- cyclic 1,3-diketones, 1705 cyclic-, and (N-arylsulphonyl oxy)amines synthesis of Nsubstituted lactams, 4207 cycloalkenone formation by
- intramolecular addition of α -diazoketone to acetylenic Pi bond, 2633
- cycloheptanone synthesis via Pauson-Khand reaction, use of alkyne-Co2(CO), complexes, 595
- cyclohexanone intermediates, prep for thromboxane antagonists, synthesis, 7125 cyclohexanone lithium enolate.
- diastereoselective aldol reaction, 5681
- cyclonexanones, conformational equilibrium isotope effects for
- cyclopentadienones via reaction of alkynes with cyclopropylcarbene-Cr complexes, 295 cyclopentenone containing an α-
- appended benzocyclobutane moiety, conjugate additionenolate methylation, approach to Oppolzer-Kametani intermediate of ±)-estrone methyl ether, 4999
- cyclopentenones, polyfunctionalised, via conversion of 6-alkoxy-2,3-dihydro-6H-pyran-3-ones, 4489 cyclopropanone and 2-substituted
- cycloheptanone enclate adducts, rearrangement followed by retroaldol/re-aldo sequence to give conjugated hydrazulenones, 6837
- densely functionalised cyclopentenones, models for marine prostanoid synthesis,

4629 di-9-anthrylethanedione,

- synthesis, 989
 dibenzyl ketone adsorbed onto
 zeolites, photolysis, magnetic
 isotope and magnetic field effects on product distribution. 3761
- GABAA receptor, convulsant binding site, syntheses of trioxabicyclooctane probes, diazocyclohexadienones as

diazocyclohexadienones as photoaffinity ligands, 823 hexacyclo[6,6.0.0², 6.0³, 13. - 0°, 11.0², 9]tetradeca-10,14-dione, transamular interactions, 1279 new bicyclo[2.2.1]hept-5-ene-7-ones, [1,3]rearrangement, 4665 optically active-p-tolylsulphinyl-2-cyclolekenoes

- 2-cycloalkenones, diastereoselective Diels-Alder reaction with cyclopentadiene, 3853
- p-anisyl α-methylbenzyl ketone. preferential spontaneous resolution, 6207
- p-anisyl a-methylbenzyl ketone, preferential spontaneous resolution, 6207
- rac 2-substituted cyclohexanones, kinetic resolution by enantioselective deprotonation,
- spiro[2,4]heptenone derivs, synthesis, 4021
- symmests, 402| sterically congested α-α-tolyl ketones, solid state photocyclisation despite 'poor' geometries for H-abstraction, 5389
- sterically congested a-o-tolyl ketones, solid state photocyclisation despite 'poor' geometries for H-abstraction,

Cyclisation

- 1,5-electro-, and synthesis of
- homophosphole, 3525 6-octen-1-als with <u>cis-1,2-</u> cyclohexanedioxy function at C-3 by Wilkinson complex to afford conformers due to cis-cyclohexanediol, look up, 4849 14-membered cyclopeptide
- alkaloids, synthesis of cyclic precursor to nummularine-F, 7021
- acetal initiated/vinylsilane terminated polyene-, synthesis of optically active mevinic acid subunits, 6299
- acetal-alkene-, prep of chloroanthracyclines, 4735
- addition of 2-(phenoxymethyl)-2propenylmagnesium chloride to epoxides followed by Pdcatalysed cyclisation, synthesis of 3-methylenetetrahydropyrans, 4863
- amide-nitrogen-vinylic carbon ring closure, Cu-mediated, prep of carbocephems and 4-methylene-
- azetidin-2-ones, 337
 amido-, stereocontrolled, with
 phenylthio migration, 5937
 and prep of 5-alkym-1-yllithiums,
- asymmetric-, by Rh with chiral ligands, 6349
- base-promoted-, of phosphoro-triamidates with N-(2-chloroethyl) substituent and interconversion of cyclic products, 2141
- biomimetic radical-, synthesis and biosynthesis of benzodihydropyrans and furans, 4731
- biomimetic-, of chiral perillene derivs, chiral induction, 2267 C-6 substituted uridine analog,

Tetrahedron Letters xxviii

- entry to 5,6-dialkylated uridine derivs, 7005
- carbonyl initiated-, of tetraalkylstannanes, 1473 cationic-, initiated by stabilised berzyl cations, 5741 Co-mediated aryl radical-, 5485
- controlled bisepoxide-, using a \$diketone group for polyether synthesis, 5799 cyclisations/carbonylations,
- "metallo-ene-type", diastereocontrolled Ni and Pd catalysis, 5883
- davanone transformation, reductive cleavage of tertahydrofuran and thermal cyclisation of 1,3diene, 1347
- diaryazo compds, prep of 2-aryl-3-cinnolinones, 3715 diastereoselective-, of 6-octen-1-
- olastereoselective-, or o-occen-in als with Rh-complex, 1095 (E)- and (Z)-5,6-dimethyl-8-trimethyl3ilyl-6-octenals, 6397 electro-, of extended dipoles, access to indolizine and
- quinolizine systems, 5591 electro-reductive-, of a,8unsaturated carbonyl derivs, 2175
- fluorosulphuric acid induced-, of a methallyl carbinol involving
- apparent 0 migration, 5651 free radical addition-cyclisation of 1,6-dienes with sulphonyl chloride, 6369
- halo-, of heterocyclic olefinic amides and ureas, 2045
- highly selective, controlled by heteroatoms in electrophilic addition to 0-Ary-substituted phenylalkynes, 7445 intermolecular alkyne-chromium
- carbene complex cyclisation approach to ABCDE ring system, total synthesis of
- total synthesis of fredericamycin, 2037 intramolecular Diels-Alder type-, enantiospecific synthesis of (+)- and (-)-20-epi-ibophyllidine, 1959 intramolecular free radical-, of acculonary models 2121.
- a-sulphenyl radical, 2121
- intramolecular oxidative-, of 8-(4-pentenyl)dihydroberberine to give novel ring system, 7161
- intramolecular tandem radical-, αsulphonyl radical initiated,
- intramolecular-, from N-alkoxyamines, formation of dialkyl substituted pyrrolidines
- and piperidines, 1327 intramolecular-, of acetylenic homoallylic ketones mediated by addition of stannyl radicals, pathway to α-methylene-βsubstituted cyclopentanones, 7219
- intramolecular-, of allylic propiolates mediated by addition of stannyl radicals; new route to α-methylene-Y-butyrolactones,
- intramolecular-, of methylenecyclopropane to bicyclononane derivs, 7107
- intramolecular-, of o-silylbenzyl alcohols with elimination of hydrocarbon via hypervalent silicon intermediate, effect of structure on selectivity for elimination, 725
- intramolecular, reactivity of para quinone methides, 1193 iodo-, of unsaturated thioureas, synthesis and elaboration of
- heterocycles, 4435 Lewis acid mediated, of epoxy-allylsilane, synthesis of (+)-brefeldin C, 4845

N-acyl-2-bromobenzamides, metal-halogen exchange with n-BuLi to N-acyl-2-lithiobenzamides which cyclise to 3-

- alkylidenephthalimidines, 275 N-allyl carbamoyl anthranilo-nitriles and O-allylcabamoyl salicylonitrile to 2(1H)quinalzolinones and 1,3benzoxazine-2(3H)-ones using catalase, 1133
- of electro-generated nitrogen radicals, synthesis of 11-substituted dibenzo[a.d]cycloheptenimines, 2191 of oxidolic methyl ketones with
- acid, rapid synthesis of (±)aspidofractinine, 1951
- ortho-pyrrolylphenyl heterocumulenes, prep and cyclisation to fused pyrroles,
- oxidative-, of mono-t-butyldimethylsilylated diols mediated
- by N-iodosuccinimide, 4791 Pd-promoted-, of cyclic allylic alcohols, synthesis of unsaturated bicyclic lactones and acetals, 2767
- photo-, of 2-styrylnaphtho[1,2pnoto-, of 2-styryInaphtho(1,2-a]quinolizium perchlorate, synthesis of 4a-azonia-phenanthro[3,4-c]phenanthrene perchlorate, 7217 photo-set induced diradical-, as part of isoquinoline alkaloid synthetic strategies,
- stereochemical aspects, 799 photoassisted co-, of acetylene and nitriles catalysed by Co-complexes at ambient temp and
- normal press, 1229
 photoreductive-, of unsaturated
 aldehydes, easy access ro
- spiranic molecules, 7361
 polyene-, sulphenium ion promoted,
 biomimetic-like synthesis of
 (±)-nimbidiol, 1499
- PPh,/CBr. induced-, of acetals, synthesis of tetrahydropyrans, application to synthesis of rose oxide, 1971
- radical macro-, new approach to mukulol and marine cenbranolide
- lactones, 621 radical-, C-C bond formation in
- carbohydrates, prep of C(1)-glycosides, 6307 radical-, chiral induction, 2657 radical-, direct access to azaspirocyclic ketones and compds with azaspiro[4,4]nonane and azaspiro[5,5]undecane structures, 3865 radical-, introduction of angular
- Me groups, 3609 radical, of 2,6-dinitroalkanes,
- radical-, of N,N-unsaturated dialkyl-β-oxamides by manganese acetate, new synthesis of
- lactams and spirolactams, 4531 radical-, of N-allylic pyroglutamates, asymmetric synthesis of pyrrolizidinones
- radical-, of oxathiolanones, cyclopentane synthesis and annulation, 3283 radical-, of terminal-
- halogenofuranoses bearing a 0-(2-alkoxycarbonylethenyl) group, synthesis of sugar molety of octosyl acids, 2829
- radical, stereoselective C-C bond formation in carbohydrates, application to synthesis of a-C(1)-glucosides, 6311
- radical-, total synthesis of
 sesquiterpenoids, (±)-laurene
 and epilaurene, 3561

- regioselective radical-, to trifluoromethyl-substituted double bond, access to angular
- CF, bicyclic compds, 2407 regiospecific Pd-catalysed tandem cyclisation-anion capture processes, prep of C-, N- and O-centred nucleophiles, 1139
- rhodium carboxylate induced-, of diazoimides, synthesis of aza substituted polycycles, 4077
- SET-induced photospiro-, for construction of harringtonine ring, 4185
- solid state photo-, of sterically congested a-c-tolyl ketones despite 'poor' geometries for Habstraction, 5389
- sonochemical-, synthesis of hexacyclic indole alkaloids related to vindolinine, 4513
- stereoselective-, of aalkoxyallylstannane alkynals and their Co-complexes, new route to cyclododecyne-1,2-diol derivs,
- synthesis of C₂ symmetric cis-2,5-dioxymethylpyrrolidine derivs,
- tandem aza-Cope rearrangement-Mannich cyclisations, prep of functionalised hydroindol-3-ols, total synthesis of (±)-6a-epipretazettine and related
- alkaloids, 647 tandem cyclisation-anion capture processes, regiospecific Pd-catalysed stereospecific group transfer using organozine and
- organoboron reagents, 1135 tandem intramolecular furan Diels-Alder/radical cyclisation, approach to morphinan skeleton, 2585
- TiCl,-induced iminium ion-, of a-cyanoamines, 4973 tranannular cyclisation of 1-
- trimethylsilyl cyclooctene under
- trimethylsilyl dyclooccene under Friedel-Crafts condition, route to bicyclo[3.3.0]cotanes, 7461 transannular, of radicals derived from cis and trans-6-iodo-methylcyclodecene, formation of 6-methylcyclodecene depends on
- alkene geometry, 4943 via tributyltin hydride of aldehydes and ketones with alkenes, prep of cyclopentane rings and Y-lactones from O-stannyl ketyls, 4939
- vinylsilane-mediated polyene-, enantioselective synthesis of nagilactone ring system, 6303 zirconocene-promoted
- stereoselective bicyclisation of 1,6- and 1,7-dienes to give trans-zirconabicyclo[3.3.0]octanes. and ciszirconabicyclo[4.3.0]nonanes,

- Cycloaddition reactions
 1-aza- and 1,4-diazabutadienes with free singlet dimethyl germylene, synthesis of azagermacyclopentenes, 6669 1,4-, of 1,3-diazabutadienes with
 - enamines. route to pyrimidine ring, 4573 1,8-bis(cyclopenta-
- dienyl)naphthalene, synthesis and reactions, 2881
- $2-((\underline{S})-1-phenylethyl)1,2$ thiazolin-3-on-(S)-1-oxide with 1-azadiene and cylcopentadiene,
- 2-alkyl-5-methylene-1,3-dioxolan-#-ones and 2-alkyl-3-acyl-4-methylene-1,3-oxazolidine-5-ones, synthesis of highly exo and diastereoface selective

Tetrahedron Letters xxix

- chiral ketene equivalents, 7305 [1+2]-, of cyclopentadienylidene to ethylene in argon matrix, direct IR observation, 763 [2+1]-, imino-phosphanes to
- phosphaalkyne and isomerisation to azadiphosphetines, synthesis of diphosphirenes, 459
- or diprosphirenes, 459
 [2+2]-, boron trifluoride
 catalysed, formation of
 optically active oxetanes from
 sugars, 1571
- [2+2]-, of chlorosulphonyl isocyanate with a 4H-1,3-dioxin deriv, use in synthesis of 18methylcarbapenem key intermediate, 5631 [2+2+2]-, of an olefin and
- homoconjugated diene. stereoselectivity at room temp,
- [3+2],[2+2+2] and [4+2]-, stereoselective access to basic skeleton of phyllocladane type diterpenoid, 2544 [3+2]-, in Pd-catalysed
- asymmetric induction of trimethylenemethane with homochiral vinyl sulphoxides. 1803
- [3+2]-, of cyclopropane with vinyl ether via photoinduced eletron transfer, 4685 [4+2]-, of 1-thia-3-azabutadienes
- with electron-poor dienophiles, 6923
- [4+2]-, of bis(trichloro-ethyl)azodicarboxylate with gylcals, prep of a C1-C1 2-amino disaccharide, 2889
- 6-silyloxyfulvenes, access to 7norborn-5-enyl and 7-norborna-2,5-dienylaldehydes and ketones, 2207
- β -substituted enones to bicyclic sydnone, facile hydrocarbon elimination, 4625 and generation of 2(N-acylamino)-
- 1-thia-1,3-dienes, 4449
- and generation of tetrahydrofuryl, pyranyl and oxepanyl-2-imminium
- methylides, 6573 asymmetric Diels-Alder-, with acylnitroso dienophiles from L proline, 7061 asymmetric [3+2]-, of 2-
- (sulphonylmethyl)-2-propenyl carbonate catalysed by chiral ferrocenylphosphine-Pd
- complexes, 375 azide-olefin-, unexpected rearrangement in morphinan series, 3427
- chiral cyclobutane derivs, synthesis from (+)-5-menthyloxy-2-[5H]-furamone and ethylene, 2637
- consecutive Diels-Alder- Michael addition-1,3-dipolar cycloaddition processes, 609
- dialkyl thicketone-S-methylides, 7045
- dialkyl thicketone-S-methylyides, 7041
- Diels-Alder addition of N-benzylidene aniline to enol ethers, product distribution, 7237
- Diels-Alder cycloaddition-Grignard reaction-desulphonylation sequence, prep of alkyl- and aryl-substituted norbornadienes,
- Diels-Alder-, of E-vinylboronates(B-substituted by an electron withdrawing group) to 1,3-dienes, 2929
- dipolar-, prep of isoxazolines and isoxazoles, synthesis from aldoximes using sodium bromite with organotin halide, 3987

- gen-acceptor, donor-disubstituted dienes in cycloaddition, [1,3]rearrangement of new bicyclo[2.2.1]hept-5-ene-7-ones. 4665
- indoles to 2-phenylsulphonyl 1,3-
- dienes, 2589 intermolecular Diels-Alder reactions, regioselective control, generation and reactivity of N-acylindole-2,3-quinodimethanes, 7289 intramolecular, [2+2] photo-,
- intramolecular, [2+2] photo-, mechanism, topological and steric effects, 4429 intramolecular [2+2] photo-, synthesis and properties of oxacyclophanes, 5439 intramolecular [2+2] photo-, trapping 1,4-diradical
- intermediate, 2661 intramolecular [3+2]-, of nonstabilised azomethine imidate-methylides, 4443 intramolecular [2+2+2]
- cycloaddition, synthesis of
- CpCo-complexed α-pyrans, intramolecular [4+2]-, of silylene protecting dihydroxystyrene deriv leading to linearly condensed peri-hydroxy aromatic compds, 3995
- intramolecular aryne-, approach to aristlactams, 5785
- intramolecular cycloadditionsigmatropic rearrangement approach to (±)-Gascardic acid,
- intramolecular dipolar-, of stabilised azomethine ylides, synthesis of polycyclic lactams,
- intramclecular enone-furan photo-, synthesis of pentacyclic model for ginkgolides A and B, 5997
- intramolecular oxime olefin-, prep of pyrrrolizidines, indolizidines and
- quinolizidines, 2289 intramolecular photo-, and retro-Mannich fragmentation of acyclic tertiary vinylogous amides, 5703
- intramolecular-, of allene, synthesis of (±)-trikentrin B,
- intramolecular-, synthesis of dihydro- and tetrahydro-isoxazolo[3',4':3,4]pyrrolo[1,2-a]indoles, 1421
- isoquinolinium salts to dienophiles with chiral auxiliaries, prep of homochiral tetralins, 4921
- mesitonitrile oxide to 7substituted norbornadienes, stereoselectivities, 807
- N-sulphonyl imines, in situ procedure for inter and intramolecular Diels-Alder reactions, 3037
- nitrile oxides with iron complexed trienes to give Δ^2 -isoxazolines,
- non-photochemical [2+2]-, of acyclic enones and alkenes, 1761 phosphaalkenes and carbenes, new synthesis of 1-chloro-1H-
- phosphirenes, 3951 photo-, of 2-naphthols to ethylene in presence of Lewis acid, 6193 regio- and stereo-specific-, and Ti-mediated transesterification
- of imines of a-amino esters,
- regio- and stereoselective intramolecular-, of furan to nitrile oxide, 5013 regiospecific intramolecular
- $[2\pi + 2\sigma]$ -, of methylenecyclopropanes, 7107 rhodium acetate catalysed-, of 1-

- diazo-2,5-hexanedione, synthesis of exo and endo brevicomin, 1491 route to 14-hydroxysteroids, 4497 sequential Diels-Alder-, synthesis of (±)-11-deoxydaunomycinone and 4-demethoxy analog, 83
- stereoselective cycloaddition of nitrile oxide with chiral iron
- nitrile oxide with chiral iron complexed triene, synthesis of 8-hydroxyketone (+)-(5)-[6]-gingerol, 6521 stereospoific intramolecular [3+2]-, of 2,3-dimethyl-3-(but-3-enyl)-indolium-N-methylide, prep of tetracyclic indoline ring system, MMN7 strategy of-, directed toward spiror ring system of
- spiro ring system of ginkgolides, 1495
- tandem nucleophilic substitution-1,3-dipolar cycloaddition of oximes with epoxides and
- dipolarophiles, 5489 tandem[3+2]-, [2,3]-sigmatropic rearrangement of allenyl sulphoxides, with nitrones, 663 vinylcephalosporins with diazoalkanes, 2005

- Cycloalkanes
 7- and 8-membered 1,5-cycloalkanefused semibullvalene derivs, dynamics, 6469
 - cycloalkyn-vinylidenecycloalkane rearrangement, 5873
 - derivs of-, of high enantiomeric purity, two approaches via enzymatic ester hydrolysis and synthesis, 1793
- mono- and dioxacycloalkanes with 5-,6- anf 7-membered rings, reactions with dinitrogen pentoxide, nitration by oxides of nitrogen, 6431

Cycloalkanols

- 1-alkenylcycloalkanols, episulphonium ion mediated ring expansion, 6181
- 1-alkenylcycloalkanols, episulphonium ion mediated ring expansion, 6181

Cycloalkynes cycloalkyn-vinylidenecycloalkane rearrangement, 5873

- Cyclobutanes
 1,2-dialkenylcyclobutanol behaviour, effect of stereochemistry, oxy-Cope vs retro-ene rearrangements, 2525 3,3-difluoromethylene cyclobutane,
 - degenerate thermal
 - rearrangement, 4055 chiral derivs of-, synthesis from (+)-5-menthyloxy-2-[5H]-furamone and ethylene, 2637
 - nucleoside of-, with antiviral activity, synthesis of SQ-33,054, 6453

Cyclodecanes

cis and trans-6-iodomethylcyclodecene, derived radicals, transannular cyclisation, formation of 6methylcyclodecene depends on alkene geometry, 4943

Cyclododecanes

carbocyclic enediynes, mediumsized non-conjugated, synthesis and properties, 7183

Cycloheptanes trans-cycloheptene, spectral characterisation and dynamic behaviour, 6805

XXX Tetrahedron Letters

Cyclohexanes

- 1-(trimethylsilyloxy)cyclohexene. reactions with selenium stabilised allylic carbocations, 4433
- 6-octen-1-als, cyclisation with cis-1,2-cyclohexanedioxy function at C-3 by Wilkinson complex to afford conformers due to cis-cyclohexanediol, look up, 4849
- a-hydroxy-orthoquinodimethane, thermal generation and reaction with fumarate, maleate and acrylate of S-methyl lactate,
- cyclohexenediols, substituted, regio- and stereospecific regio- and stereospecific synthesis from 7-oxabicyclo-[2.2.1]hept-5-en-2-ols and organolithium reagents, 6437 cyclohexenes, 4°cis-1,2-disubstituted, homoallylically
- controlled epoxidation, 1913
- diphenyl-p-menthane deriv, hydrallmanol A of mixed biogenetic origin from Hydrallmania falcata, 1487 monodeuteriocyclohexane, deuteron
- integration at low temps, conformational preference(A value) of D, 1059
- value) of 0, 1059 substituted-, as conformationally restricted analogs of peptido-leukotrienes, 5129 tricarbonyl(n°-2-arylcyclohexa-
- dienyl)iron(1+) salts, alkylation, new route to intermediates for prep of 5substituted 2-arylcyclo-hexadienes, 2607

Cyclooctanes

cyclooctanone, application of iterative indolisation-oxidation for construction of medium sized rings, 2937

Cyclopentanes

- 1,2-bis(trimethylsiloxy)cyclopentene, reaction with ketals, prep of 2,2-disubstituted 1,3cyclohexanediones, 1021
- 1,2-dichlorocyclopentene, dehalogenation ring opening with sodium and chlorotrimethylsilane to give silylated pentynes, 121 1,3-diarylcyclopentenes, Lewis
- acid catalysed stereoselective acid catalysed stereoselective ene addition to formaldehyde, synthesis of <u>trans</u>-2,5-diaryl-2-cyclopentene-1-methanols, 4757 1,5-annelated 4-methylene-cyclopentenes via intramolecular carbometallation of 3-(alk-m-
- yny1)-2-(methoxymethy1)-2propenylzine bromides, 4453
- 2,5-dibenzylidenecyclopent-3-ene-1-one and its terachloro deriv, solid state photoreactivity and crystal structure, 3029 binaphthylcyclopentadiene, a C₂-symmetric annulated
- cyclopentadienyl ligand with axidal chirality, 3513 cationic cyclopentannelation, dl-
- xanthocidin synthesis, 2333 chiral cyclopentanoid building blocks via asymmetric enzymatic
- hydrolysis, 3777 cyclopentene, Pd-catalysed double Heck arylation, 2877
- densely functionalised cyclopentenones, models for marine prostanoid synthesis,
- flexible 3-substituted cyclopentenes, osmylation, 7385 functionalised-, stereospecific synthesis, 5803

- homochiral trans-disubstituted-, new route, 4767
- methyl-, carbonylation in HF-SAbFs, temp controlled selectivity, 701
- racemic cyclopentenoic structure with chiral or prochiral center, new synthesis from 2trimethylsiloxy-2,3-butadiene,
- rings of-, and Y-lactones from.0stannyl ketyls via tributyltin hydride cyclisation of alkenes
- with aldehydes and ketones, 4939 synthesis and annulation, radical cyclisation of oxathiolanones,
- vinylcyclopentene synthesis via phenylthic radical catalysed addition of electron deficient alkynes to substituted vinylcyclopropanes, 5845

Cyclopentanation

- cationic cyclopentannelation of allene ethers, 923 new Pd-mediated-, of alkenes bearing & nucleophilic substituent, 69

Cyclophanes

- 2,11-dithia-[3.3]indanoorthocyclophane and 2,11-dithia-[3.3](5,6)indanocyclophane, synthesis, DMMR and X-ray analysis, 6005 2,11-dithia[3.3]orthocyclophane and its diselena analog,
- structures, 1551
- [7](3,6)pyridazinophane, structure and synthesis, 4649
- catalytic-, efficient model for pyruvate oxidase, 2759
- diaza[7,7]paracyclophanetetraene and diaza-[7,2,7,2]paracyclophanehexaene,
- synthesis, 6337
 macrocyclic-, solid state
 structure and solution
 conformation, 7453
- oxacyclophanes, synthesis and properties via intramolecular 2+2]photocycloaddition, 5439

Cyclopropanation

- diastereoselective-, of highly functionalised homochiral olefins, synthesis of asymmetric 1-amino-2-phenylcyclopropane carboxylic acids,
- stereoselective-, with vinylearbenoids, 5057

Cyclopropanes

- 1-(phenylsulphinyl)-1-(tributylstannyl)cyclopropane, destannylative Pummerer-type rearrangement, 6773
- 1-trialkylsilyl-2-vinyl-, radical induced ring opening, stabilising effect of
- trialkylsilyl group, 4413 [3+2] cycloaddition with vinyl ether via photoinduced eletron transfer, 4685
- 3,3-dimethylcyanocyclopropene, synthesis of (±)-hirsutene a natural linear triquinane, 3529
- aryl-, free radical chlorination and one-electron oxidation, designer probes for cytochrome P-450 hydroxylation mechanisms, 3015
- chiral a-cyclopropyl ketones and a-cyclopropyl aldols, stereospecific 1,2-rearrangement of cyclopropyl groupo, 5443 cyclopropanols via tandem one-
- carbon homolgation of esters,
- cyclopropene derivs, synthesis of

- 2,3-dihydro-illudine M, 3537 cyclopropylboronates, stereoselective synthesis, 4815
- deuteriated cyclopropylcarbinol.
- stereospecific nucleophilic ring-opening, 5017 from silyl/sulphur-stabilised carbanions and oxiranes, interplay of two reaction pathways, 7033 gem-dichlorocyclopropanes, new
- synthesis, dihalomethanes as C-H acids in catalytic two-phase system, 4697 gem-disubstituted-, stereoselective synthesis from
- gem-dibromogyclopropanes, 6039
- lithium 1-halocyclopropylzincate, generation and alkylation, 6035
- methylene-, as alkene component in Khand-Pauson reaction, 4021 methylenecyclopropanes, regiospecific intramolecular
 - [2π+2σ]eycloadditions, 7107
- siloxy-, and Y-oxocarboxylates, enantioselective synthesis by
- asymmetric catalysis, 2079 siloxy-, Pd- and Pt-catalysed reaction with acid chlorides, synthesis of 1,4-keto esters and 1,4-diketones, 6541
- siloxycyclopropanes Rh-catalysed isomerisation leading to enol silyl ethers and allyl silyl
- ethers, 6887 stereodefined-, derivs and "MeBMT", synthesis via two-step route to sulphonyllactones intermediate from epoxyalcohols,
- substituted vinyl-, phenylthio radical catalysed addition of electron deficient alkynes vinylcyclopentene synthesis, 5845
- vinyl-, moiety as intramolecular trap for earbocations, formation of 11-membered carbocyclic structures, 3275

Cyclosporins

cyclosporin A, semi-synthetic approach to olefinic analogs of amino acid one, 4215

Cycloreversion

8-bis(cyclopentadienyl)naphthalene, synthesis and reactions, 2881

- aqueous morpholine demethylation of 2-prenyl-1-hydroxy-3,5,8-trimethoxyxanthone, 7265
- N-demethylation method, photooxidation of tert methylamines, electron transfer activation, effect of added salts, 3977
- photo N-demethylation, of sec amines, electron transfer activation, 2927 selective reductive demethylation
- of quassin, 5985 unprecedented demethylation,
- reaction of bistrimethylsilylperoxide with 2-benzothiazolylalkyllithiums,

Deamination

nitrosative-, of 2'-deoxyguanosine under alkaline conditions, prep of 2'-deoxyxanthosine, 1467

Decarbonylation alkyl formates, ruthenium catalysed 6501 and decarboxylation of alkyl Tetrahedron Letters xxxi

formates, ruthenium complex catalysed benzylation of arenes with benzyl formates, 4137

Decarboxylation α -amino acids by pyruvic acid and derivs, evidence for azomethine ylides in <u>in vitro</u> analogs of pyruvoyl enzymic processes, 2841

aldoses, condesation with oxalacetic acid followed by Ni catalysed decarboxylation, synthesis of two 3-deoxyald-2-ulosonic acids, 2263 allyl β-keto carboxylates under

neautral conditions, generation of keto enclates, 4829

and decarbonylation of alkyl formates, ruthenium complex catalysed benzylation of arenes with benzyl formates, 4137

Barton radical-, of podocarpic acid, prep of steroid CDsythons, 7111

(+)-cis-pinonic acid, capture of radicals, 3263

decarboxylative iodination, synthesis of iodocubanes, 6967 halogenative-, of thiohydroxamic esters induced by light, 2461 homolytic-, of glutamate analogs,

oxidative, of macrolactone FK-506 rearranged in tricarbonyl system with hydroxide promoted benzilic acid, 671

photo-, of unmodified carboxylic acids using aza aromatic compds,

preferential-, of diazonium carboxylates in thiophene series, 2345

pyroglutamic acids with P₂O₅/CH₂SO₂H, synthesis of 5-aryl-2-pyrrolidinones, 7057

Decarcogenation

competitive photo-, of 1,2,5-thiadiselenole, 2955

Dehalogenation

2,2,2-trifluoro-1phenylsulphenylethyl carbocation, generation and reaction with aromatic compds, 2265

α-bromoacylhalides using nitrosyl tetracarbonyl chromium anion, generation of methylene and cyclopropyl ketenes at -100°, 5869

deiodination and isomerisation of iodoalkidene lactones, 5159

photodechlorination of chloraromatics by electron transfer from anionic sensitiser, 697 ring opening of 1,2-

dichlorocyclopentene with sodium and chlorotrimethylsilane to give silylated pentynes, 121

Dehydration

DMF acetal mediated cyclo-, of methyl ketone thioimide, magallanesine synthesis, 2743

Denitration

denitrohydrogenation by Na2S2O+-Et, SiH, 4819

Deoxygenation

a-oxygenated esters via SmI,induced electron transfer, 2945 carbonyl conjugated allylic ethers with iodotrimethylsilane 645 improved radical-, of sec alcohols, 2619 oxiran compds to olefins by [Fe,s,(SC,Hs),]2 in presence of NaBH., 6387

Deprotection alkylated N-benzyloxyureas, 31 carbanion-mediated oxidative-, of non-enclisable benzylated amides, 451

amines, 40 regioselective-, of pyrimidine nucleosides by lipase and esterase, 3819 selective-, of silyl ethers, 19 "sem"ethers, 7149

Deprotonation

and reduction of dithioacetals, new method, 1277 and synthesis of 1-(p-toluenesulphonyl)-2alkenyl carbamates, dichotomous achiral d' and chiral d' reagents for carbonyl addition directed by

metal exchange, 2915
asymmetric-, of 4-tbutylcyclohexanone, chiral
products using chiral lithium
amide bases, 7241

enantioselective-, kinetic resolution of rac 2-substituted cyclohexanones, 6537

enantioselective-, of bicyclo[3.3.0]octan-3,7-dione monoacetals, approach to asymmetric synthesis of chiral synthons for carbocyclins, 7221 oxidative-, by Fe salts of carbonyl compds, 1289

Desilvlation

atrimethylsilyl nitramines-, first nitramine α-anion, 6133

carbodesilylative routes to isoquinoline and dibenzoquinolizidine deriva via α'silvlated benzamides as both ortho- and \alpha'-carbanion synthons, 5837 desilylative hydroxyalkylation of

α-silyl sulphides, retention of configuration, 789

proto-, of an allylsilane, use in stereospecific synthesis of carbacyclin analog, 5777

Destannylation

destannylative Pummerer-type rarrange,ment of 1-(pheny)sulphinyl)-1-(tributylstannyl)cyclopropane, 6773

vinylstannylated alkylating agents, radiolodination, 3613

Dethioacetylation

simple method for thioacetals and thicketals, 287

Desulphinylation

hydrolytic-, of substituted 4-(1'.2'-alkadien-

sulphinyl)morpholines into alkynes, 4965 hydrolytic-, of substituted 4-(2'-alkenesulphinyl)-morpholines, stereoselective formation of

(E)-olefins, 1967
selective-, of 1,3-dithianes, oxathiolanes and -thiazolidines by tributyltin hydride, 7301

Desulphonylation

new method for8-keto phenylsulphones, 5579 Diels-Alder cycloaddition-Grignard reaction-desulphonylation sequence, prep of alkyl- and aryl-substituted norbornadienes, 1845

desulphurisation

aminium radical salt catalysed of thiiranes, prep of aryl substituted olefins, 4129

Diamines chiral 1,2-, prep via CN(R,S) method, application to synthesis of analog of tetraponerine, 5137 chiral 1,2-, synthesis, 1679
o-phenylenediamine, reaction with
dehydracetic acid in various
alcohols, prep of benzodiazepine derivs and benzimidazoles, 7069

Diastereocontrolled reactions

in Rh-catalysed hydroboration of chiral acyclic allylic alcohol derivs, 395 Ni and Pd catalysis, "metallo-ene-type" cyclisations/-

carbonylations, 5883

Diasterecmeric compounds
3',5'-cyclic thymidine phosphates, methylphosphonates and N,N-dimethylphosphoramidates, 170 NMR, phosphorus configuration of P-chiral [170,180]-nucleoside phosphate diesters, 1221

and enantiomerically pure 3-acyltetrahydrofurans, highly substituted, synthesis from 4-hydroxy-1-alkenyl-carbamates, 1233

of leukotriene B, antagonist, U-75302, asymmetric synthesis, 5081

optically active 1,3-dimethylallantoins, synthesis via (-)-menthyl ethers of their bicyclic tautomers, 5021

pure dithymidine phosphormorpholidate derivs, synthesis, isolation and characterisation, 5899

Diastereoselection 3(2H)-furanones, synthesis, total synthesis of (+)-muscarine, 1753 α-alkyl-β-hydroxy thicacetals synthesis by chelation controlled addition to a-hydroxy

ketene thioacetals, 977 α-allenic alcohols, synthesis from propargylic epoxides, 2387 π-facial-, in Diels-Alder

reactions of 2,5-dimethylthiophene oxide, 5077

addition of allylmagnesium bromide to (E)-1-(trimethylsilyl)-but-1en-3-ol, reaction of C-Mg bond of intermediate adducts with electrophiles, 6753 addition of enclate amions to N-

methoxycarbonylimines generated in situ from α-methoxy carbamates, 1253 aldol reaction of (π°-

 $xC_6H_4COCH_3)Cr(CO)_2L$ complexes, 6383

aldol reaction of cyclohexanone lithium enolate, 5681

aldol synthesis using acetal templates, 1825 and regio- and enantioselective

hydroxyalkylation of enantiomerically enriched allylstannanes from chiral allyllithium derivs.

and regioselective enol ether formation via 1,4-sigmatropic shifts of hydrogen in carbonyl ylides, 4089

and regioselective Friedel-Crafts alkylation of phenols with α-amino aldehydes, synthesis of optically active ephedrine-like compds, 1121

asymmetric protonation, conjugate addition of cinnamic acid derivs of arylacetonitriles, 4565 cyclisation of 6-octen-1-als with Rh-complex, 1095

cyclopropanation of highly functionalised homochiral xxxii Tetrahedron Letters

olefins, synthesis of asymmetric 1-amino-2-phenylcyclopropane carboxylic acids,

diastereoface selectivity, effect of dienophile polarity in Diels-Alder reaction of chiral dienes,

Diels-Alder reaction of optically active-p-tolylsulphinyl-2cycloalkenones with cyclopentadiene, 3853

dinucleoside methylphosphonate, one-pot Rp synthesis using methyldichlorophosphine, 5587

(E)-1-alkenyl phenyl sulphides, synthesis Pd-catalysed. reaction of trialkylstannyl phenyl sulphides with alkenyl

bromides, 2699 effect of placing a chiral handle at bridgehead or vinyl position of dibenzobarrelene in photorearrangement of di-#methane in soln versus solid state, 6125

formation of tetrahydropyran ring of tetronomycin, controlled beta-hydride elimination during tetranydropyran formation 4925

formyl trimethylenemethane (iron)tricarbonyl, reaction with organozine derivs to give iron stabilised TMM-alcohols. synthesis of (R)-(-)-ipsdienol,

high-, in [2,3] Wittig rearrangement of o-substituted benzyl chrome tricarbonyl allyl ethers, 2549

in ergoline synthesis, face selective epoxidation, 3935

isomerisation via an upper excited state, photoisomerisation of α-(9'-anthranyl)ethyl spiro[cyclo-propane-1.9'-fluorene]-2carboxylates, asymmetric induction via intramolecular T_2 sensitisation, 1091

nucleophilic alkenoylation of chiral aldehydes, prep of enantiomerically pure α',β'difunctionalised α,β-enones,

prep of anti-8-amino alcohols via Michael addition of alkoxide anions to nitroolefins and subsequent hydrogenation, 731

solvation controlled-, Pd-catalysed allylation ofbenzaldehyde by allylic

alcohols with SnCl₂, 3437 substrate controlled-, catalysed and uncatalysed hydroborations of allylic amine derivs, 5857 synthesis of bicyclo-

[2.2.2]octanes, diastereoselective by double Michael addition, 547 synthesis of top half of

kijanolide aglycone, 7309 (±)-trichodiene, synthesis, 4193

Ugi reaction, prep of enantio-merically pure (S)-amino acids using 2,3,4-tri-O-pivaloy1-α-Darabinopyranosylamine as chiral template, 4109

Diaza compounds

,3-diazabutadienes, 1,4cycloaddition with enamines, route to pyrimidine ring, 4573 diaza[7,7]paracyclophanetetraene

and diaza-[7,2,7,2]paracyclophanehexaene, synthesis, 6337 meta-xylyene, EPR of diaza deriv,

Diagiridines

azidodiaziridine intermediates in diazirine exchange with azide

anions, 4901

Diazirines

3-cyclopropylmethoxy-3chlorodiazirine, prep and decomp with formation of cyclopropylcarbinyl/chloride ion pairs, 2473

in carbenoid reactions catalysed by rhodium carboxylates, 3049

Diazo compounds

1-diazoalkanediones, Rh-acetate catalysed reaction to form cyclic carbonyl ylide, 301

1-diazo-2,5-hexanedione, rhodium acetate catalysed cycloaddition, synthesis of exo and endo

brevicomin, 1491 α-diazoketone, intramolecular addition to an acetylenic Pi bond, formation of cycloalkenone, 2633

diazo esters, intramolecular carbenoid C-H insertion in rhodium carboxylate and rhodium carboxamide catalysed reactions, highly selective syntheses of Ylactones, 7001

diazoacetoacetamides, N,Ndisubstituted, rhodium carboxylate and rhodium carboxamide catalysed C-H insertion, conformational and electronic preferences, 5397

diazoalkanes, cycloaddition with vinylcephalosporins, 2005

diazoimides, rhodium carboxylate induced cyclisation, synthesis of aza substituted polycycles, 4077

GABAA receptor, convulsant binding site, syntheses of trioxabicyclooctane probes, diazocyclohexadienones as

photoaffinity ligands, 823 insertion of diazo-carbonyl compds preferentially adjacent to ether oxygens when catalysed by rhodium acetate, 1749

methyl 5,6,7,8-tetra-0-acetyl-3deoxy-3-diazo-D-arabino-oct-2,4diulosonate, synthesis and properties, 6641

nitrodiazomethanes, synthesis of nitrocyclopropanes, 4197

Diazonium compounds

arenediazonium salts, dediazoniation, selectivity toward halide ions as a function of viscosity, capture of aryl cations is diffusion controlled, 7337

diazonium carboxylates in thiophene series, preferential decarboxylation, 2345

diazonium ions, reaction with 5alkyl-4,6-pyrimidinediols, pyrimidine to 1,2,4-triazine ring transformation, 3719

Dienamides

as versatile precursors of polycyclic pyridines and isoquinolines, 6865

Dienes see also Trienes

1-aza- and 1,4-diazabutadienes cycloaddition with free singlet dimethyl germylene, synthesis of aza-germacyclopentenes, 6669

aza germacyclopentadiene, cycloaddition with 2-((S)-1-phenylethyl)1,2-thiazolIn-3-on-(S)-1-oxide, 3061
1-azadienes, Diels-Alder reaction, effect of α-cyano substituent,

2481

1-thia-3-azabutadienes, [4+2] cycloaddition with electron-poor dienophiles, 6923
1,3-cyclohexadiene and 1,3-cyclohexadiene, Pd-catalysed cis and trans-annulations, 617
1,3-dienes 1,4-hydroboration with

catecholborane, new prep of (Z)-

cateonol Dorane, new prep or (2)-allylic boronates, 3789
1,3-dienes, Diels-Alder cycloaddition to E-vinyl-boronates, β-substituted by an electron withdrawing group, 2929

1,3-disiloxycyclohexadiene asymmetric Diels-Alder reactions with chiral acrylamides, 5891

1,6- and 1,7-dienes, zirconocenepromoted stereo selective bicyclisation to give <u>trans</u>-zirconabicyclo[3.3.0]octanes. and ciszirconabicyclo[4.3.0]nonanes, 5105

1,6-dienes, free radical additioncyclisation with sulphonyl chloride, 6369

2-acyldienes, synthesis, use of (2-stannylated butadiene)tricarbonyl iron complexes as reagents, 2393

2-aza-1,3-dienes, approach to 1,3amino alcohols via reduction of 5,6-dihydro-2H-1,3-oxazines, 2001

2-aza-1,3-dienes, Diels-Alderreaction with diethyl ketomalonate a CO2 equivalent,

2-bromo-1-phenyl-1,3-butadiene, Ni catalysed conversion to α-keto lactone, a double carbonylation of a halodiene, 2617 2-carbomethoxy-1,3-butadiene,

route via methyl-2-(ωiodoalkyl)propenoates, 5653 2-phenylsulphonyl 1,3-dienes,

cycloaddition to indoles, 2589 trimethylsiloxy-2,3-butadiene, new synthesis of racemic cyclopentenoic structure with

chiral or prochiral center, 3657 2-viny1-1-azadienes and diviny1 ketones, one-pot synthesis, 5493

3-methoxy-1-trimethylsily1-1,3dienes, prep via Wittig-Horner reaction, 1691

3-morpholino-1,4-pentadienes and β-hydroxyvinylketones. regioselective prep using 2morpholinobutadienes as synthon, 5923

3-substituted 2(ptoluenesulphonyl)-1,3-dienes, new prep, 6481

5-substituted 2-aryleyelohexadienes, prep, new route to intermediates for via alkylation by tricarbonyl(η^5 -2arylcyclohexadienyl)iron(1+) salts, 2607

acyclic chiral alkoxy-, Diels-Alder reactions, oxygen vs sulphur as allylic directing group, 3897

additions to thionitrosoarenes, stereochemical outcome, 3835 aminoazabutadienes, new prep of substituted 2H-1,2-thiazine-1,1-dioxides, 4705 asymmetric-, ethyl N-dienyl

pyroglutamates, 3295 azidodienes, heating formation of tricyclic 3-pyrrolines, approach to assembly of gephyrotoxin ring system, 6661 binaphthylcyclopentadiene, a C₂-

symmetric annulated cyclopentadienyl ligand with

axidal chirality, 3513 bis(phenylsulphonyl) substituted dienes, ungatalysed Diels-Alder reaction with imines, 3259 bis(trichloroethyl)-

azodicarboxylate, [4+2] cycloaddition with gylcals, prep of a C1-C1 2-amino disaccharide, 2889

butadiene, acrolein and vinylamine, charge density distribution, unimportance of dipolar resonance structures in detn of ground state charge distribution, 5981

chiral alkoxycyclohexadienes. asymmetric Diels-Alder reactions, 6227

chiral-, Diels-Alder reaction, effect of dienophile polarity on diastereoface selectivity, 6405

conjugated exocyclic-, by addition of 2(benzyloxymethyl)-3-(bromozinomethyl)-1,3-butadiene to aldehydes, ketones and imines followed by Pd-catalysed cyclisation, 5497

cyclopentadiene, diastereoselective Diels-Alder reaction with optically active-p-tolyl-sulphinyl-2-cycloalkenones, 3853 cyclopentadiene, [4+2] thermal

adducts with chiral allenic esters, detn of diastereo-

isomeric excess via NMR signal

integration, 4117 cyclopentadienylidene, [1+2] cycloaddition to ethylene in argon matrix, direct IR observation, 763

diene-yne, intramolecular Diels-Alder reaction, directing effect of oxygen substituents of

propargylic alcohol, 7157 dienophiles with chiral emophizes with diffat auxiliaries, cycloaddition of isoquinolinium salts, prep of homochiral tetralins, 4921

functionalised 1,2,4-trisubstituted 1,3-dienes, prep via Pd-catalysed stereoselective hydrovinylation of disubstituted acetylenes, 3465

functionalised diene and benzaldehyde, Lewis acid catalysed hetero Diels-Alder reaction, use of organocomplexes of ruthenium, 1189

furandiene, intramolecular Diels-Alder reaction effect of side chain substituents, synthesis of (\pm) -1,4-epoxycadinane, 1349

gem-acceptor, donor-disubstituted-in cycloaddition, [1,3]rearrangement of new bicyclo[2.2.1]hept-5-ene-7-ones, 4665

glucose based-, Diels-Alder reaction with in <u>situ</u> generated 2-methoxycarbonyl-p-quinone, new approach to forskolin, 1853 intramolecular reaction with aryl-substituted and aliphatic

vinylazides, 1789

norbornadienes, alkyl- and arylsubstituted, prep via Diels-Alder cycloaddition-Grignard reaction-desulphonylation

sequence, 1845 phosphorus dienic-like systems,

prep, 6869 selective linear butadienefunctionalised dienes, codimerisation catalysed by Ni-complexes, 6515 siloxydienes, addition to

(ethoxycarbonyl)nitrene regiochemistry, 5025

siloxydienes, stereochemical varaiations in Diels-Alder reactions with N,N-dimethyl acrylamide, effect of Lewis acid catalyst, 5887

Dienols 1,3-oxidative rearrangement, 1033

cis, cis-cyclooctadienone. photochemically induced reactions,637

Diepoxides

vicinal-, stereospecific construction from 2,3-epoxy-1,4diols, (+)-spatol synthesis,

Dimerisation

co-, of selective linear butadiene-functionalised dienes catalysed by Ni-complexes, 6515 dehydro-, of ketones, carboxylic acids, amides, esters, alcohols and amines via mercury-photosensitisation, 5583 hydro-, of unsaturated alcohols, esters, nitriles, ketones, amines, silanes, epoxides and fluorocarbons by Hgphotosensitisation, 3389

reductive-, of vinyl halides in Ni/Pb/Al redox system, access to terphenyl derivs, 1261

Dimers

anthracene photodimer incorporating tropylium ring and its retro[4+4]cleavage, 4689

Diols and Triols 1,2-cycloalkanediols, synthesis by intramolecular titanium induced coupling, 1169 1,2-diol boronic esters, prep with

lithium trialkylborohydrides and ,2-glycols, 597

1,3-diol derivs, stereoselective synthesis, approach via acid-catalysed rearrangement of pyran derivs, 2885 1,3-syn-3,5-anti-triols, stereoselective synthesis using

syn-1,3-asymmetric reduction,

route to anti-1,3-polyols, 4383 2,3-epoxy-1,4-diols, stereospecific construction of vicinal diepoxides, (+)-spatol synthesis, 4621

synthesis, 4021
4-cyclopentene-1,3-diol,
vinylpalladation, synthesis of
prostaglandin E₂, 5737
chiral 1,3-propanediols, lipase

catalysed asymmetric synthesis and application to prep of optically pure building blocks for remin inhibitors, 6185

chiral 1,4-butanediols, enantiospecific synthesis, asymmetric 1,4-additions to Y-

menthyloxybutenolides, 5481 cis cyclohexa-3,5-diene-1,2-diois, substituted, oxidation, 1719

cis vicinal diols by conversion of clefins, "slow addition" enhanced catalytic asymmetric osmylation, 2041 cis-cyclohexa-3,5-diene-1,2-diol,

photooxidation,

cis-diols, prep of strained oxiranes, 6797

cyclododecyme-1,2-dial derivs, new route to via stereoselective cyclisation of aalkoxyallylstammane alkymals and their Co-complexes, 309

mono-t-butyldimethylsilylated diols. N-iodosuccinimide mediated oxidative cyclisation,

underivatised vicinal-, enantiomer resolution, accurate detn of intrinsic racemisation in chiral synthesis, 5109

with acid sensitive groups, prep

of cyclic sulphates and chemoselective hydrolysis of sulphate esters, 655

1,3-dioxan derivs, conformational equilibrium isotope effects,

6-hydroxy-3-methoxy-1,2-dioxane, X-ray analysis and anomeric effect: ozonolysis of (1-methy)-2-propenyl)-pulegol; intramolecular trapping of "Criegee intermediate", 461 electron addition, 5949

Dioxetanes

1,2-, and phenothiazines, direct observation of electron transfer, 6315

1,2-, synthesis via 9,10-dicyanoanthracene-sensitised chain electron-transfer photocxygenations, 485 dioxetane-hydroperoxide

rearrangement, photooxygenation of 3-t-butoxy(and methoxy)-6,7-benzobicyclo[3.2.1]octa-2,6dienes, 3339

a 4H-1,3-dioxin deriv, [2+2] cycloaddition with chlorosulphonyl isocyanate, use in synthesis of 18methylcarbapenem key intermediate, 5631

enantioselective oxidation of sulphides in presence of bovine serum albumin, 6233

Dioxolanes

1,2-, formation in singlet oxygenation of Si-Si abond, peroximium ion intermediate, 6705

1,2-, prep and reductive cleavage, stereochemistry, application to synthesis of (\pm)

synthesis or (+)*
yashabushitriol, 6985
2-alkyl-5-methylene=1,3-dioxolan=
4-ones and 2-alkyl-3-acyl-4methylene=1,3-oxazolidine=5ones, highly exo and diastereoface selective chiral ketene equivalents, synthesis and Diels-Alder reactions, 7305

Disulphides and Trisulphides carbon disulphide, reactions with 2-lithio-1,3-benzodithiole, forth and back processes, 819 unsymmetrical-, and trisulphides, isolation as by-products in electro-reduction of dithiole-thiones, 815

Dithianes

,3-dithianes, -oxathiolanes and thiazolidines, selective desulphurisation by tributyltin hydride, 7301 2-acyl-1,3-dithianes, reactions

with α,β-unsaturated ketones, prep of cyclohexendione monoacetals, 7235

Dithiocins

new double bond bridged dibenzodithiccin, prep, characterisatiuon and transannular pπ-(>S+-S+<) interaction, 2805

Dithiolane

2-substituted 1,3-dithiolane, photosensitised electron transfer oxidation to 1,3dithiolane-1-oxide, 4007

Tetrahedron Letters xxxiv

Dithiols

[1,1'-binaphthalene]-2,2'-dithiol. optical resolution, asymmetric oxidation of thioethers, 2575 diaminodithiol ligand, synthesis, technetium-99M labelling of proteins and small molecules,

new extended donors, 2,2'-(2,5dihydrothiophene-2,5diylidene)bis(1,3benzodithiole)s and their electroconductive complexes with electron acceptors, 2091

Donor molecules

new extended one-electron-, and their electroconductive complexes, 2,2'-(2,5dihydrothiophene-2,5-diylidene)bis(1,3-dithiole derivs, 5903 new extended-, 2,2'-(2,5-dihydrothiophene-2,5-diylidene)bis(1,3-benzodithiole) and its di- and tetra- Me derivs,

electron acceptors, 2091 Drugs see also Pharmacologically

active compounds
(-)-1L-1-deoxy-1-fluoromyoinositol, simplified route to phosphatidylinositol cascade inhibitor, 3365 3'-substituted-2',3'-

electroconductive complexes with

dideoxynucleoside analogs as potential anti-aids drugs, 1955 anti-HIV agents, new class,

anti-fiv agents, new class, synthesis of iso-ddA, 6259 antimalarial arteether, framework, unsuccessful approach, 1125 antiviral nucleosides, 6- and 1-substituted mannosyl Phosphotriesters as lipophilic macrophage-targeted carriers,

(+)-cassiol, antiulcerogenic compd, total synthesis, 723
(*)-altholactone, total synthesis, 5915

cyanoguanidines, synthesis from thioureas, 7313 deepoxy-4,5-didehydromethyleno-

mycin A and methylenomycin A methyl esters and anthelmintic drug diospyrol, synthesis, 385?

diospyrol from Diospyros mollis, synthesis, 3861 felodipine enantiomers, synthesis and absolute configuration, 6423 FK506, enantioselective synthesis

of C(10) to C(23) backbone, 1037 FK-506, FR-900520 and FR-900523, asymmetric synthesis of C(24)-C(34) fragment, 6963

ginkgolide B, simple analogs, highly active antagonists of

ngary active antagonists of platelet activating factor, 6959 hydroxy amino acid moiety of AI-77-B, chiral synthesis, 6503 iminoheptitols as glycosidase inhibitors, synthesis and mannosidase and fucosidase inhibition by, prep of α homomannojirimycin and 6-epi-

homomannojirimycin, 7257 lacrimin A, synthesis, 1675 N-cyclopropylcarbonyl-nordihydrodesoxy-codeine, prep of 10-keto deriv, 5725 new 2',3'-dideoxynucleoside

prototype with in vitro activity against HIV, 6263 octapptides, lyciumins A and B isolation from lycii radicis cortex as anti-ACE and -renin

substances, structures, 6041
optically active ephedrine-like
compds, synthesis via regioand diastereoselective Friedel-

Crafts alkylation of phenols with α -amino aldehydes, 1121 optically pure $(\underline{S},\underline{S})$ -norpseudoephedrine, synthesis, 929

phyllanthocin, augmented phyllanthocin, augmented
 spiroketalisation tactic for
 total synthesis, 7325
podophyllotoxin az-analogs,
 synthesis and antitumour
 activity, 2953
potent thromboxane A₂/prosta glandin endoperoxide recepto
 parameter archeoia 2200

antagonist, synthesis, 2399

potential prodrugs of antiviral agent trisodium phosphono-formate, synthesis of acyloxyalkyl acylphosphonates, 7141

(R)-(-)-phenylephrine hydrochloride, asymmetric synthesis catalysed by (2R,4R)-MCCPM-Rh complex, 367 robustadial ring system,

stereoselective construction, 6653

sarcophytol 8, anticancer cembranoid, synthesis and

stereochemistry, 1173 steganacin aza-analoga, design, synthesis and antitomour activity, 2949 strophanthidin, synthesis, 4295

Dyes see also Pigments
4,4'-tetramethyldiaminophenylmethanol from tetrabase with hemin in acetic acid, 957 monosubstituted and an unsymmetrical tetrasubstituted phthalocyanine, synthesis using binuclear phthalocyanines, 5555

Electrochemical reactions

1,5-electrocyclisation and synthesis of homophosphole, 3525 anodic oxidation in trimethyl orthoformate, generation of

positive iodine species for aromatic iodination, 1649 anodic oxidation of 1,5-dimethyl-2-pyrrolocarbonitrile, 925

chemical and electro reactions, different outcomes in reductive ring opening of N-acyl-aziridines, 2271

electro-active benzenoid-heteroarcmatic polymers, chemical and electro syntheses,

electro-chemical amide oxidation in presence of monomethylated phenyl rings, relationship between chemoselectivity of oxidation and location of OMe substituent, 1213 electro-chemical method as key

step in synthesis of sesqui terpenoid (±)-silphinene, 3797

electro-chromism and photochromism of azo-quinone compd, 5429 electro-conductive complexes with

electron acceptors of new extended donors, 2,2'-(2,5dihydrothiophene-2,5-diylidene)bis(1,3-benzodithiole) and its di- and tetra- Me derivs, 2091

electro-cyclisation of extended dipoles, access to indolizine and quinolizine systems, 5591

and quinolizine systems, 59% electro-induced SRNI aromatic nucleophilic substitution; monoanions of 8-dicarbonyl and 8-cyanocarbonyl compds as nucleophiles, 1373

electro-oxidative coupling of phenols; product-selective synthesis of 2,2',6,6'-tetra-t-butyl-1,1'-biphenol from 2,6-dit-butylphenol, 2105 electro-reductive cyclisation of a, \(\text{\$\begin{subarray}{c} \text{\$\alpha\$} \nu \text{\$\alpha\$} \nu

lithium ion-selective electrode, use and binding properties of lithium selective [14]-0. macrocycles, 4559 prep and reactions of unmasked

acyl-anion synthons, 6371 reduction of dithiole-thiones, isolation of unsymmetrical disulphidea and trisulphides as

by-products, 815
reductive "Barbier type"
allylation of imines with
combination of Pb(0)Pb(11) redox mediator and sacraficial anode,

selective cathodic reduction of β-chlorovinylimines in N,N'-dimethylfornamide, 1711 synthesis of 2,2', 5,6'-tetraaryl 4,4-bipyrannylidenes with 8

flexible chains, 1383

synthesis of Y-asarone from methyl eugenol, 4037

Electron spin resonance and ENDOR study of radical cations of 1,2,4,5-tetrakis-(dimethylamino)benzene and 2,3,6,7-tetrakis(dimethylamino)-naphthalene, 6161 cation radical from 2,6-

dimethoxypyridine, in situ radiolysis ESR, 1849 study, electron capture by 5-

bromo-5-nitro-1,3-dioxanes, 5949

Electron transfer

9,10-dicyanoanthracene-sensitised chain electron-transfer photooxygenations, synthesis of 1,2-dioxetanes, 485

activation by-, hydroperoxide intermediates in benzylic oxidations, 4677

aliphatic esters to aliphatic
 ketones by lithium 4,4*-di-t butylbiphenyl radical anion, 493Š

chain isomerisation by-, of epoxides induced by one-electron oxidising agents, 3097

direct observation of-, in phenothiazines and 1,2dioxetanes, 6315 from anionic sensitiser

photodechlorination of chloraromatics, 697

induced conversion of enol ethers

to ketones, 489 new amino acid protecting group removable with new UV light,

photoinduced-, prep of disilanes, use in photosilylation of electron-deficient alkenes, 3689 photoinduced-, [3+2] cycloaddition of cyclopropane with vinyl

ether, 4685 photocxygenations induced by-, of 1-aryl substituted tricyclo-[4.1.0.02,7]heptanes, route to epoxyketones and epoxyaldehydes, 4481

reaction of benzaldehyde with nonstabilised ylide, 7187 reactions of aromatic acids with either lithium 4.4'-di-tbutylbiphenyl radical anion or Li metal, synthesis of aromatic a-diketones, 6267

Electronic spectra

furaquinocins A and B, structures,

trans-cycloheptene, spectral characterisation and dynamic behaviour, 6805

XXXV Tetrahedron Letters

UV spectra of homologous series of thieno-acenes, synthesis of tetratieno-acene and pentathieno-acene, 3315

Electrophiles

bipyridyl derivs, prep via α-lithiation of pyridyl phenyl sulphoxides, substitution with electrophiles and cross coupling with Grignard reagents, 7091 reactivity with allylsilanes derived from α -and β -ionone, 6067

various-, reaction with mixed Cu, Zn benzylic organometallics,

Elimination reactions

,1- and 1,2-, of lithiobisphenyl-selenomethane with chloromethyltrimethylsilane and iodomethyltrimethylstannane, 3333 1,2-, via aziridinyi carbanion

intermediate in aziridineazirine tranformation, 2703

controlled beta-hydride-, during tetrahydropyran formation, diastereoselective formation of tetrahydropyran ring of tetronomycin, 4925

facile hydrocarbon-, cycloaddition of B-substituted enones to bicyclic sydnone, 4625 intramolecular cyclisation of o-

silylbenzyl alcohols with elimination of hydrocarbon via hypervalent silicon intermediate, effect of structure on selectivity for elimination, 725

ionisation/elimination of 8lactones, regioselective synthesis of substituted (1-cyclohexenyl) acetic acid derivs, 531

cyclic-, construction, chilenine synthesis, 2747 photochemical synthesis of 9-arylacridines, 4009

1,4-cycloaddition of 1,3diazabutadienes, route to pyrimidine ring, 4573 of (S)-proline allyl ester, Pd-catalysed asymmetric allylations of aldehydes, 1543 propargyloxyenamines and 2morpholinopenta-3,4-dienal derivs via catalytic aminomercuration of dipropargyl ethers, 5919

Enantiomeric purity and

enantiomers

and chiral sn-myo-inosital-1,4,5-trisphosphate, total synthesis, 5125

and diasteromerically and pure 3acyl-tetrahydrofurans, highly substituted, synthesis from 4hydroxy-1-alkenyl-carbamates,

cycloalkane derivs of high enantiomeric purity, two approaches via enzymatic ester

hydrolysis and synthesis, 1793 felodipine enantiomers, synthesis and absolute configuration, 6423

new optically pure(camphoryl-sulphonyl)oxaziridine deriva, synthesis via (camphory)sulphonyl)imine diamion, 1613

of 2-[6-(chlorophenoxy)hexyl]-oxirane-2-carboxylic acid. synthesis, 885 pure 2,3-disubstituted

isoxazolidin-5-ones, synthesis,

pure $\alpha^{\dagger}, \beta^{\dagger}$ -diffunctionalised α, β enones via diastereoselective nucleophilic alkenoylation of chiral aldehydes, 2919

pure α-hydroxy acetals from aldehydes, 2971 pure crystalline C(α,α)-

disubstituted carboxylic acid derivs, route via asymmetric alkylation of N-acylsultams, 5603

pure oxygenated 1-

phenylethylamines from acetophenones by reductive amination and regiospecific benzylic cleavage, 317

substrate analogs, design and synthesis for dehydroquinate synthase inhibition, 1461

Enantiomeric selection

β-hydroxyα-aminophosphonic acid, synthesis of precursors, 1071 β-hydroxysulphoxides, synthesis by direct oxidation of thioethers, 4859

addition of dialkylzineorthotitanate complex to benzaldehyde, asymmetric induction catalysed by conjugate bases of chiral proton acids as ligands, 1657

addition of diethylzinc to aldehydes, chiral oxaza-

borolidines as catalysts, 5551 aldol reactions of methylketones using chiral boron reagents, reversal in aldehyde enantioface

selectivity, 997 alkylation of aldehyde catalysed by disulphonamide-Ti(O-i-Pr),-

dialkyl zinc system, 7095 and regio- and diatereo- selective hydroxyalkylation of enantiomerically enriched allylstannanes from chiral allyllithium derivs,

carbonyl reduction, synthesis of sec alcohols and deuterated prim alcohols using new chiral catalyst, 6275

chiral chemzyme catalysts for synthesis of $(+)^{-1}(\underline{S}), 5(\underline{R}), 8(\underline{S})^{-1}$ 8-phenyl-2-azabicyclo[3.3.0]octan-8-ol N,0methylboronate and its enantiomer, 5547 complexation with conformationally

homogeneous C2 podand ionophore,

enantioselectivity and rate of asymmetric allylboration depends

on chiral auxiliary, 6457 FX506, synthesis of C(10) to C(23)

backbone, 1037 furylalcohols, synthesis by catalytic asymmetric addition of diethylzinc to furanaldehydes, 6427

homoallylic alcohols,

synthesis, 3041 hydrolysis with penicillin acylase, new access to chiral 2-

furylcarbinols, 3057 hydrosilylation of acetophenone with Rh/oxazoline catalysts, 5141

ketone reductions using tin organo systems from chiral piperazines,

loracarbef, synthesis, 2321 microbiological Baeyer-Villiger type reaction, synthesis of pivotal prostaglandin chiral synthon, 3663

new synthesis of hemicaronic aldehyde, 3733

optically pure natural S(+) or unnatural R(-) DABA, synthesis, 6011 oxa-spiro compds, synthesis, 345 oxazolomycin antibiotics,

oxazoLomycin antiblotics,
synthesis of α,α-dimethyl-βhydroxy acid subunit, 5821
oxidation of sulphides by
dioxiranes in presence of bovine
serum albumin, 6233
(+)-pioasin B¹, total synthesis, 5989

prep of "asymmetrised tris(hydroxymethyl)methane", enzymes as selective reagents, 2691

resolution of rac 2-substituted cyclohexanones by deprotonation,

route to key intermediate for forskolin synthesis, 7297

routes to 2,5-disubstituted- and 4-substituted-2-cyclohexenones, 7075

synthesis by asymmetric catalysis of siloxycyclopropanes and Y-oxocarboxylates, 2079

synthesis of (+)-indicine N-oxide an antitumor pyrrolizidine alkaloid, 4985 synthesis of nagilactone ring system via vinylsilane-mediated

polyene cyclisation, 6303 synthesis of new fluoro-

substituted EMG-COA reductase inhibitor, 5115 total synthesis of (+)- α -2,7,11-cembratriene-4,6-diol(α -CBT), 1055

total synthesis of macrolide patulolide C, 2153 total synthesis of (+)-(S)dihydroperiphylline, 4539

Enantiospecific reactions

9-step synthesis of (-)-aristeromycin, from D-ribonic acid Y-lactone, 1453

(-)-(5R,6S)-6-acetoxy-5hexadecanolide, mosquito oviposition attractant
pheromone, synthesis, 743
(+)- and (-)-20-epi-ibophyllidine,
synthesis via intramolecular

Diels-Alder type cyclisation,

cyclisation of (E)- and (Z)-5,6dimethyl-8-trimethylsily1-6octenals, 6397

polyoxamic acid, synthesis from L-arabinose, 4527 (<u>R</u>)- and (<u>S</u>)-sulcatol synthesis, prep of optically active <u>sec</u> alcohols, 2707

alconols, 2707

(+)-(R)-1-phenyl-3-methyl-1,2,4,5tetrahydrobenz[d]azepine,
synthesis from (+)-(S)-N-methyl1-phenyl ethanolamine via arene chromium tricarbonyl method,

synthesis of C20-C20 segment of concanamycin A, application of diethylisopropylsilyl protecting group, 6417

synthesis of opticaly active natural (+)-conhydrine from (S,S)-tartaric acid, 6395

5-annelated 4-methylenecyclopentenes via intramolecular carbometallation of 3-(alk-mvnv1)-2-(methoxymethy1)-2propenylzinc bromides, 4453

a highly regioselective reaction of triazolinediones with cis-

of triagonineurones with a alkenes, 6903 and Diels-Alder reactions of nitrosyl hydride with nitrosoformaldehyde, 3255 intramolecular approach,

stereocontrol of three contiguous chiral centers, 357 xxxvi Tetrahedron Letters

masked-, vinylogous Comia rearrangement, 4329 N-benzoyl enamines, isoquinolines and dibenzazocines, via amide Peterson olefination routes, α',α'-disilylated tert benzamides as both <u>ortho</u>- and α'-carbanion synthons, 5841 stereoselective addition of formaldehyde to 1,3diarylcyclopentenes, Lewis acid catalysed, synthesis of trans-2,5-diary1-2-cyclopentene-1-methanols, 4757

- 2-substituted cycloheptanone enolate adducts with cyclo propanone, rearrangement followed by retroaldol/re-aldo sequence to give conjugated hydrazulenones, 6837 α,β-epoxy sulphoxides with lithium
- α,β-epoxy sulphoxides with lithium dimethylcuprate, novel synthesis of aldols, 1083 alkylation of-, multiple sterecontrol using organotransition metal templates, 5049 cis nd trans-βY-disubstituted-Y-lactones, 587 (Voluberanne Lithium enclate
- cyclohexanone lithium enolate,
- diastereoselective aldol reaction, 5681 ester- and ketone-, trapping of glycoaldehyde monmer, 1149
- ketone-, generated by decarboxylation of allyl β-keto carboxylates under neutral conditions, Pd-catalysed Michael addition, 4829 prochiral ketone-, asymmetric
- oxidation to optically active a-hydroxy ketones, effect of enolate geometry and structure
- on stereochemistry, 779 regio- and stereoselective prep from ketones, use of sodium
- bis(trimethylsilyl)-azide, 2779 strong E-enclate: threo/Zenolate:erythro correlation in aldol reaction of cobalt-complexed propynals, 5627

α-amino acids(E)-β, Y-enol ethers, new synthesis, 5121

- α', β' -difunctionalised α, β -enones, enantiomerically pure, prep via diastereoselective nucleophilic alkenoylation of chiral aldehydes, 2919
- B-substituted-, cycloaddition to bicyclic sydnone, facile
- hydrocarbon elimination, 4625 acyclic-, and alkenes, non-photochemical [2+2] cycloadditions, 1761 and aldehydes and ketones,
- zirconium promoted methylenation, 3927
- and hindered diphenylphosphinoyl (Ph₂PO-) ketones, reversed sterecontrol in regioselective reduction, 601
- base-sensitive cyclic a-(nitroalkyl)enones, Me_{3SiCl} promoted conjugate addition to
- organocuprates, 3685 conjugate addition dibutylcopperlithium in presence
- or absence of Me,SiC1, 7087 conjugated, Cu-catalysed 1,4-addition to organomanganese chlorides, 3541
- cyclic 3-(trimethlsilyl-mcthyl)enones, two types, regioselective synthesis, 3327 function, coexisting with a, 8-

epoxy ketone moiety, selective reduction, 1819

- acyclic eneyne-allene system biradical formation, of related neocarzinostatin and esperamicin-calichemicin, 4995
- and enedignes, versatile precursors for synthesis, 6997
- E, E conjugated dienyne, improved stereoselective reduction prep of E,E,Z conjugated triene, 4951 intramolecular carbametallations,
- new Pd catalyst, 651
 (Z)-envnes and q-ketoacetylenes.
- synthesis, hydroboration of 1-(trialkylsilyl)-1,3-diynes, 6487

- Enzymes see also Coenzymes α-amino acids, decarboxylation by pyruvic acid and derivs, evidence for azomethine ylides in <u>in vitro</u> analogs of pyruvoyl enzymic processes, 2841
 - angiotensin I converting enzyme, biomimetic synthesis and stereostructure of K-13
 - inhibitor, 379
 angiotensin-converting inhibitor
 A58365A, total synthesis, use of pyroglutamate as chiral educt, 3621

 - anti-HIV agents, new class, synthesis of iso-ddA, 6259 anticholinesterase, synthesis of benzene isostere of huperzine A,
 - as selective reagents. enantioselective prep of "asymmetrised tris-(hydroxymethyl)methane", 2697
 - asymmetric hydrolysis for chiral cyclopentanoid building blocks,
 - aza-Robinson annulation, application to synthesis of iso-A58365A, 3625
 - Baker's yeast reduction of \$-keto esters immobilised by magnesium alginate, 2245
 - biocatalytic resolution of long-chain 3-hydroxyalkanoic esters,
 - catalase, cyclisation of N-allyl carbamoyl anthranilonitriles and O-allylcabamoyl salicylonitrile o-allyloamings and 1,3-benzoxazine-2(3H)-ones, 1133 chamo-enzymatic access to optically active 1,2-epoxides, 7165

 - chemo-enzymatic approach to key intermediate of 18methylcarbapenems,
- stereoselective route 113 chemomenyzymatic syntheses of selectively protected derivs of deoxy-inositols, 811
- chymotrypsin, small molecule mimic, evaluation, 4357
- dehydroquinate synthase inhibition, design and synthesis
- of substrate analogs, 1461 diamine oxidases, oxidation of N-alkylputrescines, 5167 different lipases, complementary
- regioselective acylation of sec OH groups, 1703 enzymatic coupling of two D-amino
- acid residues in aqueous media,
- enzymatic peptide synthesis in organic solvent mediated by modified o-chymotrypsin, 2787
- ester hydrolysis and synthesis, two approaches to cycloalkane derivs of high enantiomeric purity, 1793
- esterification of 1-ferrocenylethanol, approach to chiral

- ferrocenyl bisphosphines, 2061 flavoenzyme model, synthesis of 5-deazaflavin with axial and planar chirality, 7431
- glycosidase inhibitors, synthesis of carbon bridged C-
- disaccharides, 3409 horse liver esterase, resolution of racemic bicyclic lactones, 67 iminoheptitols as glucosidase
- inhibitors, synthesis of and specific α-L-fucosidase inhibition by β-L-homofucono-jirimycin and 1-β-C-substituted
- deoxymannojirimyoins, 4439 iminoheptitols as glycosicase inhibitors, synthesis and mannosidase and fucosidase inhibition by, prep of a-homomannojirimyoin and 6-epi-homomannojirimyoin, 7257 immobilised acylneuraminate pyruvate lyase catalysed aldol
- condensation; scope and limitations, 2217
- iodo enol lactones via iodineinduced lactonisation of alkynoic acids, structurally potential serine protease inactivators, 6701
- kynureninase, potential inhibitor, synthesis of β,β-difluoro-Yketo-α-amino acida, 3649
- lipase and esterase, regioselectiove deprotection of 3',5'-0-acylated pyrimidine nucleosides, 3819 lipase catalysed asymmetric
- synthesis of chiral 1,3propanediols and application to prep of optically pure building blocks for remin inhibitors, 6185
- lipase catalysed interesterification, prep of tri-glycerides enriched with ω-3polyunsaturated fatty acids, 1671
- lipase-catalysed irreversible pase-catalysed Irreversible transesterification using enol esters, resolution of cyanohydrins and synthesis of ethyl (R)-2-hydroxy-4-phenylbutyrate
- and (S)-propranolol, 1917 lipase-catalysed regioselective acylation of sugar moieties in nucleosides, 3817
- lipase catalysed regioselective ring opening of a-substituted cyclic acid anhydrides catalysed
- by lipase, 1555
 mannosidase inhibitors, synthesis
 of swainsonine and 1,4-dideoxy-,4-imino-D-mannitol and ring contracted swainsonines, 7261
- model quercetinase reaction, intermediate for, synthesis and characterisation of
- flavonolatocobalt complex, 2257 new fluoro-substituted HMG-COA reductase inhibitor,
- enantioselective synthesis, 5115 pancreatic lipase inhibitor,
- synthesis of (-)-tetrahydrolipstatin, 1833 papain catalysed stereoselective synthesis of alafosfalin, 6917
- penicillin acylase, enantioselective hydrolysis, new
- access to chiral 2-furylcarbinols, 3057 pig liver esterase, kinetic resolution of racemic β,Y-epoxy esters, 2513
- pig live esterase, stereoselective hydrolysis of dimethyl 4,5-
- epoxy-1,2-cis-cyclohexanedicarboxylates, 693 potent aldose reductase inhibitor, structure of epalrestat(ono-2235) and isomerisation of its

Tetrahedron Letters XXXVII

double bonds, 959 prolyl 4-hydroxylase, inhibitor and mechanistic probe, synthesis of new analog of proline, 399 protease activity of complement of

human complement system, structure of very strong inhibitor complestatin, 4987 pseudo-enzymatic action of tri-o-thymoyide clathrates,

application to detn of absolute configurations of four halohydrins, 6677

purported chymotrypsin model reexamination, synthesis of substituted inidazoles, 4353 pyruvate oxidase, efficient model,

catalytic cyclophanes, 2759 resolution of methyl 2-alkyl-2-

arylacetates, 7053 serine proteases, synthesis of new phosphonate inhibitors, 6861 synthesis of labelled geranyl pyrophosphate, 813

Epimerisation

(±)-aspidosperma skeleton, synthesis of 21-epimer, 7105 regio- and chemoselective-, of cis-3-amino-β-lactams to trans isomers, new synthesis of aztreonam, 4837

Epoxidation

(-methylene-Y-butyrolactones by dimethyldioxirane, 4223

conformational or stereoelectronic effects in-, use of molecular modeling, 3973 face selective-, diastereo-

selectivity in ergoline synthesis, 3935

homoallylically controlled-, of <u>A*cis-1,2-disubstituted</u> cyclohexenes, 1913

m-chloroperoxybenzoic acid in water, 1427

microbial-, stereocontrol of tertiary OH group, synthesis of prostaglandin w-chains, 1583

olefins with pyridine N-oxides catalysed by ruthenium porphyrins, 6545

regio and stereoselective-, of methyl 3,4-dihydrobenzoate, 3711 Sharpless asymmetric-, application to synthesis of L-threonine, 8hydroxyphenylalanine and ß hydroxyleucine, 6637

Sharpless chiral-, under kinetic control, use in synthesis of AF-lla, AF-llc and AK-ll host specific plant toxins, 4303 silyl enol ethers, phthalides and

enol esters with dimethyldioxirane, 6497

- α-amino aldehydes, protective group tuning in stereoselective conversion into aminoalkyl epoxides, 5425
- a-thiophenoxyepoxides and phenylthioenol ethers, selective prep via homolgation of aldehydes using (phenyl-thiomethylene)triphenylarsorane,
- α, β -epoxy ketone moiety coexisting a,p-epoxy ketone molety coexisting with enone function, selective reduction, 1819 addition of 2-(phenoxymethyl)-2-propenylmagnesium chloride
- followed by Pd-catalysed cyclisation, synthesis of 3methylenetetrahydropyrans, 4863
- and dipolarophiles, tandem nucleophilic substitution-1,3dipolar cycloaddition of oximes,
- aromatic-, esters, a-diketones

and acyloins, deoxidation/-reduction to bibenzyl products with lithium 4,4'-di-tbutylbiphenyl radical anion. 4931

chiral recognition in reaction of enclate derived from [(n5-CsHs)Fe(CO)(PPhs)COCH2OCh2Ph] with cis- and trans-2,3-epoxybutane, stereoselective synthesis of

controlled bisepoxide cyclisation using a \$-diketone group for polyether synthesis, 5799

deltacyclene-, ring opening, 4803 electron transfer chain isomerisation induced by oneelectron oxidising agents, 3097

epoxyalcohols, two-step route to sulphonyllactones intermediate for synthesis of "MeBMT" and stereodefined cyclopropane derivs, 7029

epoxyketones and epoxyaldehydes, route via electron transfer induced photooxygenations of 1aryl substituted tricyclo-[4.1.0.02,7]heptanes, 4481

epoxystyrene, ring opening with ME,SiN, to silylated azidohydrine, use of AL(0-1Pr),

or Ti(OliPr),, 4673 optically active 1,2-epoxides, chemoenzymatic access, 7165

propargylic-, Cu catalysed reductive metallation to allenyl

lithium reagent, 2391 propargylic-, diastereoselective synthesis of α-allenic alcohols,

racemic-, kinetic resolution by a chiral lithium amide, 2125 rearrangement of-, efficient catalytic procedure, 5607

regioselective ring opening, aminolead compds as new reagent,

strained-, photooxygenation, 6801 titanium amide catalysed rearrangement of -, partial synthesis of 14-hydroxy-

gibberellin esters, 6899 vinyl-, mechanism of Pd-catalysed formation of oxazolidin-2-ones,

Esters and halogen derivatives

1-(1-methyl-2-pyrrolyl)-2,2,2trifluoroethyl p-nitrobenzoate, solvolytic recativity, 1319

1-haloalkynes and acetylenic esters, reactivity towards highly functionalised Cu, Zn

reagents, 4799 1-0-acyl-8-D-glucuronides, synthesis via new protected form

of glucuronic acid, 3773 1H-aziridine-2-carboxylic esters, optically active, synthesis,

(2E,4E)-dienoic-, synthesis via stereoselective isomerisation of 2-ynoic esters, 843 3-furylallyl and 3-thiemylallyl

acetates, Pd catalysed cyclocarbonylation, synthesis of benzofurans and benzothiophenes,

3-hydroxybutyric acid ester, umbraculumin-B from Umbraculum mediterraneum, 1147 3,5-hexanooxepin-4,5-dicarboxylic

acid esters, photo-rearrangement to (3a5,6R,8aR)methano-nydroazulene, 6855

4-aryl-1,4-dihydro-2,6-dimethyl-3,5-pyridinedicarboxylic esters, metallation at NH and C-2 Me positions via two equivalents of n-BuLi, 3393

a-(9'-anthranyl)ethyl

spiro[cyclopropane-1.9'-fluorene]-2-carboxylates. photoisomerisation, asymmetric induction via intramolecular T,sensitisation, 1091

a-chloro chloroformates. synthesis, application of trichloromethyl carbonate as

phosgene source, 2033 α-fluoroβ-ketoesters, expedient synthesis, 6113 a-ketoesters, asymmetric aldol

reaction with isocyanoacetate and isocyanoacetamide catalysed by chiral ferrocenylphosphine-gold complex, 4681 α-methylene esters and amides from

methacrylic derivs via tosylated intermediates, 3837

oxygenated-, deoxygenation via SmI2-induced electron transfer, 2945

α-substituted β, Y-unsaturated-, synthesis, regioselective SN' allylic substitution vs 1,4addition, 7399

α,β-acetylenic-, addition tosilyl ketene acetals, catalytic action of clay montmorillonite, 6341

α,β-unsaturated-, and ketones, trimethylaluminium promoted conjugate additions to dimethylphosphite, 4807

α, β-unsaturated-, new synthesis by highly chemoselective reaction of B-I-9-BBN-ethoxyethyne adduct

with aldehydes, 5153 α,β-unsaturated-, stereoselective conjugate addition of benzyl sulphoxides, 6919

β, Y-epoxy-, racemic, kinetic resolution with pig liver esterase, 2513

8-acetoxyesters and homoallylic alcohols, efficient route via Mn mediated Barbier and Reformatsky reactions, 7373

β-keto-, reactions with ethyl diazoacetate, catalyst dependent mechanistic paths, 4093

β-keto-, reduction with Baker's yeast immobilised by magnesium

alginate, 2245 β -mono- and β , β -disubstituted α , β -unsaturated esters, stereoselective synthesis by haloboration, 6555

Y-hydroxy-α,β-unsaturated -, stereoselective synthesis, asymmetric version of "Spac" reaction, #325 acetoacetate, cobalt acetate promoted addition to terminal

olefins, stereoselective synthesis of 5-alkyl-2-hydroxy-2-methyl-3-methoxycarbonyl

tetrahydrofurans, 4701 acrylate-, Pd catalysed desulphonylative coupling of arylsulphonyl chlorides under solid-liquid phase transfer conditions, 975

acyclic and cyclic a, 8unsaturated-, with tethered mesylate leaving groups, electro reduction to mono- and bi-cyclic esters, 2175

aliphatic propynoic-, improved prep, 4525

aliphatic-, electron transfer reactions to aliphatic ketones by lithium 4,4'-di-tbutylbiphenyl radical anion,

alkyl formates, ruthenium catalysed decarbonylation, 6501 alkvl tellurocarboxylates, isolation and characterisation,

allylic propiolates,

Tetrahedron Letters xxxviii

- intramolecular cyclisation mediated by addition of stannyl radicals; new route to α-
- methylene-Y-butyrolactones, 827 allylic, of acetoacetic and malonic acids, Mn-mediated radical 1-actonisation, 331 and benzenethiol esters, new
- synthesis by activation of pyridine-2-thiol or benzothiazol-2-thiol esters by MeI. 6089
- aromatic-, α-diketones, acyloins and epoxides, deoxidation/-reduction to bibenzyl products via lithium 4,4'-di-tbutylbiphenyl radical anion,
- benzyl formates, ruthenium complex catalysed benzylation of arenes, decarbonylation and decarboxylation of alkyl
- formates, 4137 bridged[4.3.3]oxapropellanes, synthesis by angular condensation of ethyl tricyclodedecadienone 2carboxylate and their thermal conversion into lactone annelated cyclopentenones, 127 chiral allenic-, [4+2] thermal adducts with cyclopentadiene,
- diastereoisomeric excess detn via NMR signal integration, 4117
- chiral phenylacetic-, stereoselective acetoxylation,
- diethyl D-tartrate, new synthesis of (+)-exo-brevicomin via C-C bond formation of triflates, 3999
- diethyl ketomalonate, CO, equivalent, Diels-Alder reaction with 2-aza-1,3-dienes, 2685 dimethyl 4,5-epoxy-1,2-cis-cyclohexanedicarboxylates,
- stereoselective hydrolysis with pig liver esterase, 693
- enol-, silyl enol ethers and phthalides epoxidation by
- dimethyldioxirane, 6497 enclate anions to N-methoxy-carbonylimines generated <u>in situ</u> from α-methoxy carbamates.
- diastereoselectivity, 1253 enzymatic hydrolysis of-, and synthesis, two approaches to cycloalkane derivs of high enantiomeric purity, 1793 ethyl (R)-2-hydroxy-4-
- phenylbutyrate and (S)-propranolol, synthesis and resolution of cyanohydrins via lipase-catalysed irreversible transesterification using enol esters, 1917
- ethyl α-fluoroalkanoates, prep. 3641
- ethyl acrylate, short largescale synthesis of (±)-sarkomycin esters, 7381
- ethyl-4-(tri-n-butyltin)-3-methyl crotonate and ethyl 4(tri-n-butyltin)-3-methoxycrotonate, condensation with benzaldehyde and cyclohexanone, regio-and
- stereochemical control, 5533 homolgation of-, prep of α -fluoroα,8-unsaturated esters, 5571 keto acetate deriv, photo-reactivity in isotropic liquid
- solns, pure crystalline phase and polymer matrix, 423
- Li,Sn-masked and/or Ge-masked dienolates, regioselective synthesis of either a- or Y-
- amino acid derivs, 3445 long-chain 3-hydroxyalkanoic-, biocatalytic resolution, 551 methyl 2-alkyl-2-arylacetates,

enzymatic resolution, 7053 methyl 3,4-dihydrobenzoate, regio and stereoselective epoxidation,

- methyl 4-iodocubane carboxylate, substitution via ligand exchange hypervalent iodine reagents, 791 methyl α-acyloxy-Y-methylene-β-
- tetronate as builing block for spirotetronic acid structure of chlorothricolide, 2233
- methyl α-arylalkanoates, prep by tranformation of alkyl aryl ketones by anodic exidation in presence of iodine or iodo compds, 371 methyl propynoate sequential Michael-Michael-aldol-
- dehydration reactions with Michael donors, regiospecific 1,3-dicarboxy benzannulation, 3579
- methyl trans-communate, selective ozonolysis, synthesis of drimanes, 5515
- methyl trans-communate, selective
- methyl trans-communate, selective ozonolysis, synthesis of drimanes, 5515 methyl-2-(w-lodoalkyl)propenoates, route to 2-carbomethoxy-1,3-butadiene, 5653 N-allylic pyroglutamates, radical cyclisation, asymmetric synthesis of pyrrolizidinones, 2360
- 3509
 new unsaturated, synthesis
 catalysed by palladium-phosphine
 complexes, 2383
 optically active chloro alkanoic,
 synthesis, 4555
 optically active malonic acid
 ester, reverse chemoselective
 borane reduction, 6687
 nentrophenyl, budgolysis

- p-nitrophenyl-, hudrolysis, Pd-catalysed Michael addition of ketone enclates, generated by decarboxylation of allyl 8-keto carboxylates under neutral conditions, 4829 penicillanate ester,
- stereocontrolled synthesis, 2349
- phenyl acetate, para-selective Fries rearrangement in presence of zeolite molecular sieves, 2281
- pichierenyl acetate and isopichierenyl acetate from roots of Picris hieracioides 6873
- polyketide system methyl 3,5dioxohexanoate, copper protection in Pd-catalysed regioselective allylation, 3105
- (R,R)-tartaric acid esters and amides, conformational
- disparity, 6071
 (S) ethyl ß-hydroxybutyrate, prep of 2,4-deoxy-2-amino-L-threose and -L-erythrose, stereochemical course of their condensations with C-nucleophiles, 5511
- S-methyl lactate, fumarate, maleate and acrylate, reaction with a-hydroxy-<u>ortho</u>-quinodimethane, 3279 siloxycyclopropanes and Y-
- oxocarboxylates, enantioselective synthesis by
- asymmetric catalysis, 2079 spiro and bicyclic nucleosides from ribose nitrile oxide reaction with acetylenedicarboxylate, 3675
- t-butyl and isopropyl heteroarylcarboxylate-, gas-phase replacements of so substituent constants, 1699
- t-butyl N(diphenylmethylene) examate, new synthesis of $DL-\alpha$ -amino acids, 3065

- tandem one-carbon homolgation to cyclopropanols, 5149 tetrahydropyranyl 2,4-dimethoxybenzoate, direct anomeric substituteion using organo-Cu reagents, 6027
- organistic reagency, 6027
 unactivated-, Cu catalysed
 hydrolysis based on reversible
 conjigate addition, 6951
 vinyl tricarbonyl-, use in
 formation of 3-hydroxypyrrole-2carboxylates, 1721
- (Z)-2,3-dibromopropenoate, prep of enynes and enedignes, 6997

- Esterification
 enzymatic-, of 1-ferrocenylethanol, approach to chiral ferrocenyl bisphosphines, 2061 inter-, lipase catalysed, prep of triglycerides enriched with w-3polyunsaturated fatty acids, 1671
 - partially protected peptide fragments, synthesis of free Leu¹⁵-gastrin, 3947 Ti-mediated transesterification
- and regio- and stereo-specific cycloaddition of imines of α amino esters, 4727
- trans-, lipase-catalysed irreversible, using enol esters, resolution of dyanohydrins and synthesis of ethyl (R)-2hydroxy-4-phenylbutyrate and (S)-propranolol, 1917

- Ethers
 "sem"ethers, deprotection, 7149
 (2R) and (2S)-benzyl-2,3epoxypropyl ether from common precursor O-benzyl-L-serine,
- (2R) and (2S)-benzyl-2,3epoxypropyl ether from common precursor O-benzyl-L-serine,
- α -amino acids(E)- β , Y-enol ethers,
- new synthesis, 5121 a-keto triflates, direct synthesis via hypervalent iodine oxidation of trimethylsilyl enol ethers of ketones, 667
- B-trifluoroacetylvinyl ethers, reaction with amines, 6173 β-trifluoroacetylvinyl ethers,
- reaction with amines, 6173
- alkenyl and alkynyl-, synthesis,
- allene-, for cationic cyclopentannelation, 923 allyl-, via conversion of
- alcohols under neutral conditions in new system, allyl ethyl carbonate/Pd, 4669
- allyl vinyl-, carbanion-accelerated Claisen rearrangements, studies on stereocontrol with phosphorus-stabilised anions, 2469 bis(trimethylsily1) enol-, as 1,3-
- dianion equivalents, regiocontrolled [3+4] and [3+5] annulation reactions, 2351
- bisallyl vinyl-, organo-Al promoted Claisen rearrangement, 1265
- bridgehead trialkylsilyl enol ether, selenium dioxide oxidation, synthetic studies on esperamicin/calicheamicin antibiotics, 3637
- carbonyl conjugated allylic ethers, iodotrimethylsilane
- deoxygenation, 645 cyclic silyl enol-, highly erythro selective aldol reaction with Cr-complexed benzaldehyde derivs, 7435
- dipropargyl-, catalytic aminomercuration, synthesis of

Tetrahedron Letters XXXIX

- 2-morpholinopenta-3,4-dienal derivs and propargyloxyenamines, 5919
- enol silyl-, and allyl silyl ethers via Rh-catalysed isomerisation of siloxycyclopropanes, 6887
- enol silyl-, double hydroxylation, single-step synthesis of a.adihydroxyketones, 3323
- enol-, electron transfer induced conversion to ketones, 489 enol-, product distribution in
- Diels-Alder addition of Nbenzylidene aniline, 7237
- enol-, regio- and diastereo-selective formation via 1,4sigmatropic shifts of hydrogen in carbonyl ylides, 4089 fused cyclic-, new route, reaction
- of bifunctional annulating reagents with cyclic enol ethers, 3555
- insertion of diazo-carbonyl compds preferentially adjacent to ether oxygens when catalysed by
- rhodium acetate, 1749 o-substituted-, [2,3] Wittig rearrangement with high diastereoselection, 2549
- polyether carboxylic acids with benzodioxinic subunit, synthesis, 1387 (R)- and)S)-benzylglycidyl ether,
- two-step synthesis, 2751
- (±)-shonanyl methyl ether and (±)ferruginyl methyl ether, synthesis, 3469
- silyl enol-, cobalt complexed with propymals, erythro-selective aldol reaction, 5623 silyl enol-, derivs, synthesis and
- reactivity, synthetic equivalent of regiospecific tetrahydropyran-3-one enolate,
- 2437 silyl enol-, phthalides and enol esters, epoxidation by dimethyldioxirane, 6497
- silyl-, of homopropargyl alcohols, electrophilic condensation with aldehydes, regioselective synthesis of dihydropyrans, 4065
- silyl-, selective deprotection, 19 sugar vinyl ethers and isocyanates, synthesis of β -
- lactams, 5171 telluro-, and tellurolactones,
- reduction of tellurium-carbon bonds, 1209
- tetrahydropyranyl-, conversion into benzyl and α-methoxy-ethoxymethyl ethers, benzoates tosylates and aldehydes, 1665
- trimethylsilyl enol-, ceric ammonium nitrate promoted crosscoupling, synthesis of unsymmetrical 1,4-diketones, 3707
- trimethylsilyl enol-, formed by imino Diels-Alder reaction,
- mechanism, 2795 vinyl-, [3+2] cycloaddition with cyclopropane via photoinduced eletron transfer, 4685
- (Z) enol methyldiophenylsilyl-, regio and stereoselective synthesis, 283

Ether halogen derivatives

lauroxolanes from Laurencia majuscula, 1757
new bromo-, laureoxolane from Laurencia nipponica, 3665

Etherification

intramolecular iodoetherification of 2,3-epoxy-cycloalkenols, involved in new synthesis of heterosubstituted tetrahydrofuran and

- tetrahydropyran systems, study directed towards microalga polyether macrolides, 3725 Mitsunobu-, of dicyclopentadienols
- yields inversion and retention products, 6645

Eumelanins see also Pigments

catalysed intramolecular oxazole Diels-Alder reactions, prep of benzopyrano[4,3-b]pyridines and benzo[h]-1,6-naphthyridines,

Exchange reactions

- diazirine , with azide anions, azidodiaziridine intermediates, 4901
- metal-halogen-, in N-acyl-2-bromobenzamides with n-BuLi to N-acyl-2-lithiobenzamides which cyclise to 3-alkylidene-phthalimidines, 275
- methyl 4-iodocubane carboxylate, substitution via ligand exchange with hypervalent iodine reagents, 791
- O-N, S-N and N-N-, at olefinic C atoms, synthesis of Strifluoroacetylvinylamines, 6173

Extrusion reactions

S-, of new type of quadruply orthobridged biphenyl compds with disulphide linkage in conc H₂SO, and photochemical condition, 7441

Ferrocenes

- 1-ferrocenylethanol, enzymatic esterification, approach to chiral ferrocenyl bisphosphines,
- 1,2'-bis(methoxymethyl)ferrocene, stereochemistry of directed lithiation, 5085
- catechol boron bromide and ferrocenium hexafluorophosphate as Lewis acid catalysts for Diels-Alder reaction, 1357

Flavanoids

sombamichalcone and lophirochalcone, isolation of bi- and tetra-flavonoids from Lophira laceolata, 1807 quercetin, synthesis of carbocyclic analog via Barbier

Flavanones

reaction, 5563

- natural-, reduction with NaBH,CN in CF₃COOH, prep of either flavanes or 1,3-diaryl propanes,
- via conversion of 2'-hydroxy chalcones catalysed by cobalt Schiff base complex, 4145

Flavins see

also Coenzymes

- 5-deazaflavin with axial and planar chirality, new type, synthesis and reactions, 7431
- molecular recognition and effect of compexation on their fluorescence and photo-redox properties, 5895

Fluorenylidenes

triplet-, spin polarisation, indirect observation at room temp, 4469

Fluorescence

and photo-redox properties of flavins, effect of compexation, 5895

labelling by-, of carboxyl-terminal peptides using solid phase peptide synthesis, 39

Formylation

unusual-, linear regioselective hydroformylation on PtL,Cl,-iron or tin catalysts, 5759 use of ozonolysate of oxazole,

Fragmentation see also Cleavage reactions

- 1,3,5-triselenanes-, generation of selenoaldehydes, 6047 B-, of unsaturated lactols to spiro compds, use of hypervalent organoiodine reagents, 5501
- Beckmann-, vs Beckmann rearrangement, dehydronorcamphor
- oxime, 4041 iodotrimethylsilane mediated, use in podophyllotoxin analog, synthesis, 5537
- pinenes using DMSO activated by phenyl dichlorophosphate or POC1, and conversion to carvone, 5097
- radical-, of isipulegol to 8-chloro-citronellal and 6-chloroisocitronellal, 2213
- retro-Mannich-, and intramolecular photocycloaddition of acyclic tertiary vinylogous amides, 5703

Full venes and

Ful val enes

- 1,2,3,4-tetramethylfulvene, synthesis, use of 5-methoxy-2,3,4,5-tetramethylcyclopent-2enone, equivalent for 2,3,4,5tetramethylcyclopentadienone, 4尺11
- 6-silyloxyfulvenes, cycloadditions, access to 7-norborn-5-enyl and 7-norborna-2,5-dienyl aldehydes and ketones, 2207

- Furanones 2-(5H)-furanones, 5-substituted, synthesis via hypervalent iodine oxidation using iodosobenzene, 3019
 - 3(2H)-furanones, diastereo selective synthesis, total
 - synthesis of (+)-muscarine, 1753 (+)-5-menthyloxy-2-[5H]-furanone and ethylene, synthesis chiral cyclobutane derivs, 2637

Furans

- 2-imino tetrahydrofurans, pyrans and oxepans, prep, 6571
- 2-methylfuran, synthesis of furanether B, 5865 2-substituted tetrahydro-, new
- approach to prep with alpha-selectivity, 6829 2,3'-bis-tetrahydrofuran moiety in
- new oxolane C_{13} metabolite, 1757 3-acyl-tetrahydrofurans, highly substituted diasteromerically and enantiomerically pure, synthesis from 4-hydroxy-1
- alkenyl-carbamates, 1233 5-alkyl-2-hydroxy-2-methyl-3methoxycarbonyl tetrahydrofurans, stereoselective synthesis via cobalt acetate promoted addition of acetoacetate to terminal olefins, 4701
- and benzodihydro-pyrans, synthesis and biosynthesis, biomimetic radical cyclisations, 4731 nd thiophene systems, 1,40+0
- and thiophene systems, silyl migrations, 1765 cis-a,a'-dialkylated tetrahydrofuran subunit,

synthesis via transannular ring expansion of cyclic trans-1,2epoxy-4(E)-ene system, study directed towards microalga polyether macrolides, 3729

furofuranic model of natural

antifeeding substances, synthesis, 341 furylalcohols, enantioselective synthesis by catalytic asymmetric addition of diethylzine to furanaldehydes,

regio- and stereoselective intramolecular cycloaddition of nitrile oxide, 5013

regioselective photoinduced acylation at 3-position, 4421 substituted-, intramolecular Diels-Alder reactions under high pressure to give oxatricyclo adducts, 1045

tetrahydrofuran and tetrahydrou uran and tetrahydropyran systems, heterosubstituted, new synthesis involving intramolecular iodo-etherification of 2,3-epoxy-cycloalkenols, 3725

tetrahydrofurans, and pyrrolidines, syntheses via use of acyl deriv of N-hydroxy-2-

thiopyridone, 2983 tetrahydrofuryl, pyranyl and oxepanyl-2-imminium methylides, generation and cycloaddition, 6573

Geological data

C-31 and C-32 15,17butanoporphyrins from oil shales, total synthesis, 5697

Geometry

alkene-, determines formation of 6-methylcyclodecene via transannular cyclisation of radicals derived from cis and $\frac{\text{trans-6-iodomethylcyclodecene,}}{4943}$ and transition state enegles

computed for Norrish type 11 reactions, 527

enolate-, and structure, effect on stereochemistry of asymmetric oxidation of prochiral ketone enolates to optically active α-hydroxy ketones, 779 solid state photocyclisation of

sterically congested a-o-tolyl ketones despite 'poor' geometries for H-abstraction, 5389

Germanium and compounds

aza-germacyclopentenes, synthesis, cycloaddition of 1-aza- and 1,4diazabutadienes with free singlet dimethyl germylene, 6669

Gibberellins

4-hydroxy-gibberellin esters, partial synthesis, titanium amide catalysed rearrangement of epoxides, 6899

(±)-gibberellic acid, total synthesis, 971

[4+2] cycloaddition with bis(trichloroethyl)azodicarboxyl ate, prep of a C1-C1 2 amino disaccharide, 2889 core glycoheptaose of "bisected"

complex type glycan of glycoprotein, stereoselective synthesis using stereoselective glycosylation, 4417

keratan sulphate-, approach via synthesis of trisulphated

glycotetraose, 4547 substituted pyranoid-, synthesis from thiophenyl glycosides and glycosyl phenylsulphones, 2537 synthesis of bicyclic acetals using radical cyclisation, 57

Glvcerol

diacyl-, optically active polyunsaturated, synthesis, 3585 polyenol ether of-, solvolysis,

Glycerides

triglycerides enriched with ω-3-polyunsaturated fatty acids via lipase catalysed interesterification, 1671

Glycols

Forssman glycolipid, total synthesis, 6713

Glycosidation

improved metallocene-promoted-. enhanced reactivity by use of 1:2 ratio of Cp2HfCl2-AgClO4,

G1 veosides

α-C(1)-glucosides, synthesis by application of stereoselective C-C bond formation in carbohydrates by radical cyclisation, 631

α-mannoside, synthesis from tetra-O-benzyl-D-mannosyl fluoride,

O-benzy1-D-mannosy1 incorne, new selective reagent Cp₂ZrCl₂-AgBF, in benzene, 6879 B-2-deoxyglycosides, selective synthesis via Se-mediated glycosidations, 75

β-glucoside synthesis without resort to neighboring group assistance, 4845 A-aryl-, Friedel-Crafts approach,

Cp₂ZrCl₂-AgClO₄ efficient promoter, 833

anthracycline-, regio- and stereoselective hydroxylation, 4857

benzyl-, prep of glycosyl bromides, dibromination of

benzyloxy groups, 4721 C(1)-, prep via C-C bond formation in carbohydrates by radical cyclisation, 6307

C-, stereochemical detn, use of 'JC', H'values, 407 glycosyl halides, prep under neutral conditions, 3081

n-pentenyl 2-amino-2-deoxy glycosides, stereoselective coupling under mild specific conditions, 2363 (+)-phyllanthocindiol and (+)-

phyllanthostatin 3, total synthesis, 1465

Glycosylation reactions of N-formylamino sugars, new approach to 2'-decxy-βdisaccharides, 2533 stereoselective-, use in

stereoselective synthesis of glycoprotein core glycoheptaose of "bisected" complex type

glycans, 4417 stereospecific 1,2-cis-, synthesis of α-D-glucosyl-D-glucoses, 5459

Gold and compounds catalysed reaction of (isocyanomethyl)phosphonates with aldehydes, asymmetric synthesis of phosphonice acid analogs of phenylalanine and β-alkylserines, 2247

Grignard reactions and reagents alkyl reagents, Pd-catalysed cross coupling with alkyl iodides,

bipyridyl derivs, prep via α-lithiation of pyridyl phenyl sulphoxides, substitution with electrophiles and cross coupling with Grignard reagents, 7091

bis(bromomagnesio)bis(trimethylsilyl)methane, prep and reactivity, 6195 Diels-Alder cycloaddition-Grignard

reaction-desulphonylation sequence, prep of alkyl- and aryl-substituted norbornadienes, 1845

reagents from β-haloacetals, extended scope, use of acyclic acetals, 3547

reagents or Mg salts, radical C-Se bond cleavage of selenonium salts, 981

reagents, addition to 4-0-TPS pyrimidine nucleosides, synthesis of 6-substituted 5,6dihydropyrimidine nucleoside

dinydropyrimidine nucleoside derivs, 1621 reagents, Cu-catalysed coupling reactions with triflates, 1281 Rieke Mg, reaction with (5)-(+)-1-bromo-1-methyl-2,2diphenylcyclopropane to give 33-34% optically pure Grignard reagent, 7345

t-butyl magnesium chloride and chlorosilanes, synthesis of tbutyl substituted silanes catalysed by cuprous cyanide,

vinyl reagents, reaction with 2-substituted nitroarenes, new approach to 7-substituted indoles, 2129

Guanidines

oyanoguanidines, synthesis from thioureas, 7313

Halogen acids

3-carbon-, of aldehydes using 2-acetylthiazole application to synthesis of amino hexoses from L-serinal, 6063

Halogenation allylic chlorination of olefins with an ispropenyl or isopropylidenyl moiety with sulphuryl chloride, 5767

aromatic iodination by positive iodine active species generated

by anodic exidation in trimethyl orthoformate, 1649 bromination of anilines ortho/para ratio under surfactant control,

decarboxylative iodination,

synthesis of iodocubanes, 6967 dibromination of benzyloxy groups, prep of glycosyl bromides from benzyl glycosides, 4721 fluorinating agent, use of freeze-dried KF, 1271

fluorination with HF/THF, solvolysis of N-tosy1-0-phenylhydroxylamine, 4929 free radical chlorination and one-

electron oxidation of arylcyclopropanes, designer probes for cytochrome P-450 hydroxylation mechanisms, 3015

iodination of alcohols and reductive iodination of carbonyl compds using N,N-diethylanilinebornane-I₂ system, 5663 iodination of alkylbenzenes with

iodine and silver nitrate, 3769 methoxybromination and

xli Terrahedron Letters

methoxyselenation of chiral 3acyl-2-oxazolones with PhSeCl/MeOH and Br₂/MeC(QMe); formation of chiral synthons for β-amino alcohols with opposite m-facial selectivity, 3449
radical chlorination to both C-9
and C-17 of steroid directed by
3-a-cholestanyl esters of bipyridine acids, 535 radioiodination, use of vinylstannylated alkylating agents, 3613

- Halogens 2,3-dihydro-2-phenyliodonium-3oxo-benzo[b]thiolenide-1,1dioxide, reactions with alkenes, alkynes and thiobenzophenones, 6673
 - fluoride catalysed Michael reaction of α,β-unsaturated carbonyl compds with a-
- isocyanoesters, 1257 fluoride ion induced allylation via activated alkenes, 3419 halogenotropic rearrangement of P-halogenoylides to a'-
- halogenoalkylphosphines, halogenotropy in P-C diad, 2445 hypervalent iodine oxidation of p-
- substituted phenol derivs to azacarbocyclic spirodienones, synthetic approach to discornabdin alkaloids, 1119
- hypervalent iodine oxidation of trimethylsilyl enol ethers of ketones, direct synthesis of a-keto triflates, 667
- hypervalent iodine oxidation using iodosobenzene, synthesis of 5-substituted-2-(5H)-furanones,
- hypervalent iodine reagents, substitution via ligand exchange in methyl 4-iodocubane carboxylate, 791
- iodine and silver nitrate, iodination of alkylbenzenes,
- iodine or iodo compds, use in anodic oxidation of alkyl aryl ketones to methyl α-arylalkanoates, 371 iodine, on unactivated alumina,
- reaction with alkynes, 2069
- iodo enol lactones via iodineinduced lactonisation of alkynoic acids, structurally potential serine protease inactivators, 6701 reaction with 2,2-
- difluoroalkenylboranes syntheses of symmetrically disubstituted 1.1-difluoro-1-alkenes and 1.1difluoro-2-iodo-1-al-kenes, 6379

Halohydrins

four halohydrins, absolute configurations by application of pseudo-enzymatic action of trio-thymoyide clathrates, 6677

Heterocyclic compdounds

- 5- and 7-membered-, via highly selective cyclisation controlled by heteroatoms in electrophilic addition to o-Ary-substituted phenylalkynes, 7445
- 6-and 7-membered heterocycles via free radical ring expansion,
- fluorinated N-heterocycles via new triflucroacetimidoyl chlorides,
- new routes to N-heterocycles, intramolecular amido-carbonylation of alkenamides catalysed by Rh-complexes, 6283 synthesis, use of mixed Cu, Zn 2amino benzylic organometallics

as reagents, 4795 trifluoromethyl substituted-, synthesis, 2049

Homolgation

- 5-carbon-, of aldehydes to 6-hydroxy-1,4-(<u>E</u>)-dienals via (5,5-diethoxy-2-(<u>E</u>)pentenyl)triphenylarsonium ylide a new equivalent of &-formyl butadienyl anion, 6031
- aldehyde-, using (phenylthiomethylene)triphenylar sorane, selective prep of α-thiophenoxyepoxides and phenylthioenol ethers, 6023
- mild 4-carbon-, of 4-formyl azetidinones, 4081
- of esters, prep of α-fluoro-α,β-unsaturated esters, 5571 one carbon-, conversion of aldehydes to terminal alkynes,
- tandem one-carbon homolgation of
- esters to cyclopropanols, 5149 two carbon-, of carbonyl compds to α.β-unsaturated aldehydes, 3779

- 2,2-dialkyl-1-aminocyclopropane carboxylic acids, synthesis from a-chloroimines, 1863
- (-)-absicisic acid penultimate precursor, asymmetric synthesis of (-)-dehydrovomifoliol, 1741
- (±)-gibberellic acid, total synthesis, 971
- LHRH receptor purification, prep and use of biotinylated ligands,
- N°-substituted adenines with acetylenic side chain, potential cytokinins, prep via acetals of 4-amino-2-butynal, 3967 plant growth regulator, synthesis of 2,2-dimethyl-1-aminocyclo-
- propane carboxylic acid from βchloroimines, 5029
- water mold sex-, oogoniol, total synthesis, 2075

Host molecules

- calixarene conformations, "template effects" via host-guest type interactions, 2563
- guest type interactions, 2003 linear ditopic anion-, binding of organic phosphates in protic solvents, 4493 new class of-, octakis(aryloxy)-naphthalenes, 5787 photoresponsive complexing
- stilbene, a,a'-disubstituted by ethylene dioxy sidearms, synthesis, 4509

Hydration

cyanohydrins in weakly alkaline solns of boric acid salts, 563

Hydrazines

Cu oxidation of-, prep of aryl radicals, new oxidative and reductive arylation of alkenes, 4709

Hydrazones

α-sulphinyl-, substitution of sulphinyl function, prep of

Hydrindanes
bakkanes, diect approach,
synthesis of (±)-homogynolide-B,

hyrocarbons

- 7- and 8-membered 1,5-cycloalkane-fused semibullvalene derivs, dynamics, 6469
- addition to C-C bonds, reaction of organic halides with olefins under Ni-catalysis, 689

facile elimination of -, cycloaddition of β-substituted enones to bicyclic sydnone, 4625 oxidation catalysed by manganese carboxylate complexes, 5689 polycyclic aromatic-, synthesis of diarene oxides, 123 sensitised by N,N'-dimethyl-2,7-

diazapyrenium dication, photoexidation by Fe-catalyst,

three new skeletal-, isolated from Polypodiodes niponica, 7209

Hydrogenation

- asymmetric-, of a-aminoacetophenone derivs leading to synthesis of (S)-(-)-levamisole, 363
- asymmetric-, of itaconic acid derivs catalysed by modified DIOP-Rh complex, 735
- catalytic transfer-, mild hydrogenolysis, 1405 catalytic-, of heterocyclic compds, bond isomerisation and hyperstability, 6633

Hydrogenbonding

intramolecular-, of diamides, 3381 solute-, basicity scale, thermodynamically based, 2571

Hydrogenolysis

mild-, by catalytic transfer hydrogenation, 1405

Hydrolysis

- alkaline-, of N-hexadecyl-4cyanopyridinium bromide, kinetic demonstration of premicellar aggregation, 1051 alaline-, of S,S-diphenyl-N-halosulphilimines, formation of S,S-diphenyl-S-methoxythiazyne,
- 6339
- asymmetric enzymatic-, for chiral cyclopentanoid building blocks,
- asymmetric-, and conversion of dl-3-(1-benzoyloxyethyl)azetidinone deriv to carbapenem,
- 2555 chemoselective-, of sulphate esters and cyclic sulphates
- with acid sensitive groups, 655 Cu catalysed-, of unactivated ester based on reversible conjugate addition, 6951
- enantioselective-, with penicillin acylase, new access to chiral 2furylearbinols, 3057
- enzymatic ester, and synthesis, two approaches to cycloalkane derivs of high enantiomeric purity, '1793 nitriles to amides by catalysis of
- 2-mercaptoethanol in phosphate buffer, 7439
- p-nitrophenylesters, behaviour of hydrophobic benzimidazole-methanethiol in micellar system,
- stereoselective-, of dimethyl 4,5-epoxy-1,2-cis-cyclohexane-dicarboxylates with pig liver esterase 693

Hydroxamic acid

acyl derivs of-, as source of carbon radicals, 2341

Hydroxy Lamines

bicyclic hydroxylamine hemi-ketal ring system, construction, 3397 N-tosyl-O-phenylhydroxylamine, solvolysis, HF/THF fluorination, 4929

Hydroxylation

a-, of trans-α,β-dibenzyl-Y-butyrolactones, 2227 and ester enolate alkylation, at

C-22 of steroid side chain, 1579 aromatic-, of 1-isopropylidene-2indanone and related comps

during photoopxygenation, 1625 benzoic acid by hydrogen peroxide initiated by radiation and sensitised by methylene blue. photocatalytic effects of Fe compds, 2277

C-4'-, at terminal cytidine, metallo-bleomycin mediated degradation of

deoxytetranucleotides, 7213 catalytic asymmetric

dihydroxylation, scope, 2041 cytochrome P-450-, mechanisms, free radical chlorination and one-electron oxidation of arylcyclopropanes, 3015

double-, of enol silyl ethers, single-step synthesis of α, α dihydroxyketones, 3323

regio- and stereoselective-, of anthracycline glycosides, 4857 stereoselective-, of a peptide side chain, synthesis of echinocandin right-half equivalent, 2251

Imidazoles

amino-, new approach to synthesis, application tocephalosporin series, 2379

amino-, new route to synthesis, use of isocvanide dihalides as new cephalosporin synthons for introduction of amino heterocycles at C-7, 2375

conversion to quaternary imidazolinium salts, 6599 dihydro-, and dihydrothiazoles via iodocyclisation of unsaturated

thioureas, 4435 functionalised surfactants of-, transfer acetyl groups from pnitrophenyl acetate to

cholesterol in vesicular coaggregates, 4905 halogen derivs of-, electron

additions, 1409 poly-, synthesis as biomimetic

ligands for metalloprotein active site modelling, 6169 substituted-, synthesis, reexamination of purported chymotrypsin model, 4353

Inides

alkaline N-bromosuccinimide, reaction with (9-E)-9-deoxo-9hydroxyiminoerthromycin, 605

N-iodosuccinimide mediated oxidative cyclisation of mono-t-butyldimethylsilylated diols,

N-substituted thiophosphory1 carbonyl mixed-, rearrangement,

2-imino tetrahydrofurans, pyrans and oxepans, prep, 6571 (±)-5H-dibenzo[a,d]cyclohepten-

5,10-imine, prep of C5(bridgehead) substituted analogs via lithiation of t-

butylformamidine precursor, 911 α-amino ester-, reactions with nitrosobenzene, 2477

a-chloroimines, synthesis of 2,2-

dialkyl-1-aminocyclopropane carboxylic acids, 1863 β chloro-, synthesis of 2,2-dimethyl-1-aminocyclopropane carboxylic acid, 5029

β-chlorovinyl-, selective cathodic reduction in N,N'-dimethylformamide, 1711

and aldehydes and ketones, addition of 2(benzyloxymethyl)-3-(bromozincmethyl)-1.3butadiene followed by Pd catalysed cyclisation, prep of conjugated exocyclic dienes, 5497

arylidene imine deriv of monoalkyl amino acid, selective phenylation, prep of α-phenyl-αsubstituted amino acids, 3913

benzophenone-, protected glycine deriv, selective monphenylation, 3909

chiral-, involved in asymmetric Michael process, diastereofacial differentiation aspect, 2645 electroreductive "barbier type"-,

allylation with combination of Pb(0)Pb(11) redox mediator and sacraficial anode, 4161 high cram selectivity and formal

nonbasic alkylation of -, alkylation of α-ethoxycarbamates with organo-Pb, -Zn and -Cu reagents, 5611

imino-phosphanes, [2+1] cycloaddition to phosphaalkyne and isomerisation to azadiphosphetines, synthesis of diphosphirenes, 469 N-benzilidine-, 2,6-dialkylation,

prep of 2,6-

dialkylbenzaldehydes, 4085 N-methoxycarbonyl-, generated in situ from α-methoxy carbamates, addition to enclate anions,

diastereoselectivity, 1253 N-sulphonyl-, in <u>situ</u> procedure for inter and intramolecular Diels-Alder reactions, 3037

of α-amino esters, Ti-mediated transesterification and regio-

and stereo-specific cycloaddition, 4727 racemic imino acids, TLC enantiomeric solution via Cucomplex impregnation of RP 18-TLC plates, 7181

uncatalysed Diels-Alder reaction with bis(phenylsulphonyl) substituted dienes, 3259

Iminium salts

chiral alkoxy iminium salts, asymmetric Diels-Alder reaction, 1893

iminium ion, TiCl,-induced cyclisations of α -cyanoamines, 4973

tetrahydrofuryl, pyranyl and oxepanyl-2-imminium methylides, generation and cycloaddition,

Immunology

swainsonine stereoisomers, (-)-8-epi-, (-)-8a-epi- and (-)-8,8a-diepi-swainsonine, divergent syntheses, 5721

Immunosuppressive compounds anti-HIV agents, new class, synthesis of iso-ddA, 6259 FK506, enantioselective synthesis of C(10) to C(23) backbone, 1037 FK-506, FR-900520 and FR-900523, asymmetric synthesis of C(20)

asymmetric synthesis of C(24)-C(34) fragment, 6963 FK-506, prep of C(1) to C(15) segment, 919

FK-506, stereoselective synthesis of C_{1.5}-C_{2.5} fragment, 6611 new 2',3'-dideoxynucleoside prototype with in vitro activity against HIV, 6263

Indanones

-isopropylidene-2-indanone and related comps, aromatic hydroxylation during photoopxygenation, 1625

Indazoles

2,3-diamino-2H-indazole derivs, formation via o-azidobenzaldimines and tert phosphines, 6237

Indoles

2-(1,3-dithian-2-yl)indoles, synthetic applications, synthesis of 1-methyl-15hydroxy-20-deethyldasycarpidone, 6761

2-substituted-, functionalised, route via Pd-catalysed coupling of aryl and vinyl triflates or halides with 2-ethynyl aniline,

2-vinyl-, synthesis, 2509 6-azido-4,5,7-trifluoroindole in toluene, new reagent for photoaffinity labelling, 6465 (fluoromethyl)indole and 6-(difluoromethyl)indole,

synthesis and reactivity, 6117

7-oxygenated-, improved synthesis by Fischer indolisation and application to total synthesis of eudistomidin A, 2099

7-substituted-, new approach via reaction of vinyl Grignard reagents with 2-substituted nitroarenes, 2129

acetoxyindoles, regioselectivity of photo-Fries rearrangement, 6483

cis-trikentrin A and transtrikentrin A, absolute structures via synthesis of their enantiomers, 5771

cycloaddition to 2-phenylsulphonyl 1,3-dienes, 2589 hydroindol-3-ols, functionalised, prep of via tandem aza-Cope rearrangement-Mannich cyclisations, total synthesis of (±)-6a-epipretazettine and related alkaloids, 647

N-acylindole-2,3-quinodimethanes, generation, reactivity and regioselective control of intermolecular Diels-Alder reactions, 7289

N-(phenylsulphonyl)indoles, reduction with sodium cyanoborohydride in

trifluoroacetic acid, 6833 N-methyl-, N-methyl lithiation directed by α-amino alkoxides,

various substituted-, construction of optically pure tryptophans derivsfrom serine derived aziridine-2-carboxylates, 4073

tetracyclic ring system of-, via stereospcific intramolecular [3+2] cycloaddition of 2,3dimethyl-3-(but-3-enyl)-indolium-N-methylide, 4447

Indolisation

Fischer-, and synthesis of 2azabicylco[3.3.1]nonan-3,7diones, 3841 iterative indolisation-oxidation

for construction of medium sized

Indolizidines and pyrrrolizidines and quinolizidines via intramolecular oxime olefin cycladditions, 2289

rings, application to cyclooctanone, 2937

xliii Tetrahedron Letters

Indolizines

and quinolizine systems, access via electrocyclisation of extended dipoles, 5591

Infra red spectra

direct observation, [1+2] cycloaddition of cyclopentadienylidene to ethylene in argon matrix, 763 furaquinocins A and B, structures,

Inositol

(-)-1L-1-deoxy-1-fluoromyoinositol, simplified route to phosphatidylinositol cascade phosphatidylinositol cascade inhibitor, 3365 6-deoxy, 6-deoxy-6-fluoro and 6-deoxy-6-methyl myolnositol 1,4,5-trisphosphate derivs via microbial oxidation from benzene, 3557

chiral sn-myo-inosital-1,4,5-trisphosphate and enatiomer, total synthesis, 5125

deoxy-, selectively protected

derivs, chemo-enyzymatic syntheses, 811 ins(1,4,5)P, synthesis of fluorinated analogs, 5401 intermediates of-, photochemical

route via oxidation of substituted cis cyclohexa-3,5-diene-1,2-diols, 3113

(±)-myoinositol-1-phosphonate, synthesis, 3869 optically active D-myo-inositol 1,4,5-triphosphate, synthesis,

Insecicides

chiral bicyclic lactams, asymmetric synthesis of cis-(15,3R)-deltamethrinic acid, 1745

hemicaronic aldehyde, new enantioselective synthesis, 3733

natural-, 2,5-dialklylpyrrolines, reduction a key step in synthesis, 1081 new sulphur containing-, structure and isolation of guinesine-A, -B and -C from Cassipourea guianensis, 3671

phosphate esters from phosphites, 1687

Insects

antifeedants from Scutellaria woronowii, new clerodane diterpenoids jodrellin A and B, 4737

Insertion reactions

carbene-, activation of C-H bonds by capto-dative substituents,

by Capto-dative substituting, 6353 CH-, of alkanes with singlet pentafluorophenyl nitrene at room temp, poly-fluorinated aryl azides as photoaffinity labelling reagents, 2199 CH-, of N,N-disubstituted dispacetospetamides, rhodium

diazoacetoacetamides, rhodium carboxylate and rhodium carboxamide catalysed, conformational and electronic

conformational and electronic preferences, 5397
CH benzylic-, of toluene, photolysis of 6-azido-4,5,7-trifluoroindole at -196°,6465 intramolecular carbenoid C-H

insertion in rhodium carboxylate and rhodium carboxamide catalysed reactions of diazo esters, highly selective syntheses of Y-lactones, 7001 nitrene-, regiospecific synthesis

of ellipticine, 297

Inversion reactions and retention products produced by Mitsuncbu esterification of dicyolopentadienols, 6645 trans-3-hydroxy-4-(2oxopyrrolidin-1-yl)benzopyrans to cis-3-hydroxy-4-(2oxopyrrolidin-1-yl)benzopyrans,

Ionisation

chemical-, for prep of vinyl anions, 3045 ionisation/elimination of βlactones, regioselective synthesis of substituted (1-cyclohexenyl) acetic acid derivs, 531

Iridium and compounds

complex of- catalysed isomerisation of propargylic alcohols, 2109

Iridoids

(±)forsythide aglucone dimethyl ester, synthesis, applicationm of masked o-benzoquinones, 2255 precursors of-, short access, 4113

Iron and compounds see also Ferrocenes

(n -1-methoxycarbonylpentadienyl)(tricarbonyl)iron(+) reaction with malonate ion, structural correction, 1343

(n-1-substituted-pentadienyl) (tricarbonyl)iron(+1) cations, recativity with alkynyl nucleophiles, 1339 acyl complex of -, R-(-)-[n⁵-

(2H₅)Fe(CO)(PPh₅)-COCH₂O-([1R,2S,5R]methyl] as homochiral formyl anion equivalent, 2971

chiral butadiene-tricarbonyl iron complexes, CD for detn of absolute configuration, 3781 chiral butadiene-tricarbonyliron

complex, synthesis of key intermediate epoxytriene in prep of AF toxin 11c, 6683

complexed trienes of-, cycloaddition of nitrile oxides to give Δ^2 -isoxazolines, 6517 complexes of-, as catalysts in aldol additions, 6435

[CpFe(CO)₂]₂ as mediator, generation and use with alkyl radicals, 2907

ferric chloride, action on N-acetyloxyamides, electrophilic N-amidation via electron deficient complexes, 715

formyl trimethylenemethane (iron)tricarbonyl, diastereoselective reaction with organozinc derivs to give iron stabilised TMM-alcohols, synthesis of (R)-(-)-ipsdienol,

salts of-, oxidative deprotonation of carbonyl compds, 1289

Isobenzofurans
 4,5,7-tri-t-butyl-, synthesis and
 photo-reactions, 103

a-isocyanoesters, fluoride catalysed Michael reaction with α,β-unsaturated carbonyl compds, 1257

and sugar vinyl ethers, synthesis of B-lactams, 5171

aryl and chlorosulphonyl-, reaction with guanine nucleosides, 467 chlorosulphonyl-, [2+2] cycloaddition with a 4H-1,3dioxin deriv, use in synthesis of 18-methylcarbapenem key

intermediate, 5631 isocyano groups, reductive removal via crown ether generated toluene radical anion from K metal and toluene, 845 isocyanoacetate and isocyanoacetamide, asymmetric aldol reaction with α-ketoesters catalysed by chiral ferrocenylphosphine-gold

Isocyanides

complex, 4681

benzotriazol-1-ylmethyl-, a new synthon for CH.N=C transfer. syntheses of a-hydroxyaldehydes, 4-ethoxy-2-oxazolines and oxazoles, 6657

dihalides of-, new cephalosporin synthons, use for introduction of amino heterocycles at C-7, new route to synthesis of amino imidazoles, 2375 stereoselective reactions with

arene-chromium-tricarbonyl complexes, 2933

vinyl-, facile route, 3335

Isomerisation

1,3-, of nonracemic α- (alkoxy)allylstannanes, 7349 and deiodination, of iodoalkidene lactones, 5159

bond-, and hyperstability, catalytic hydrogenation of

catalytic hydrogenation of heterocyclic compds, 6633 cis-trans-, of a,a-difluoro-olefincatalysed by Br, 3247 claimed 6R/6S-, of carotenoids is geometrical 9-trans/9-cis isomerisation, 2577

diastereoselective-, via an upper excited state, photo-isomerisation of a-(9"anthranyl)ethyl spiro[cyclo-propane-1.9'-fluorene]-2-

carboxylates, asymmetric induction via intramolecular T,-

electron transfer chain-, of epoxides induced by one-electron oxidising agents, 3097 imino-phosphanes, [2+1] cycloaddition to phosphaalkyne

and isomerisation to azadiphosphetines, synthesis of diphosphirenes, 459 of the double bonds and structure

of potent aldose reductase inhibitor epalrestat(ono-2235),

photo-, of tetrachloromethane in argon, 4105

propargylic alcohols catalysed by iridium complex, 2109 Rh-catalysed-, of

siloxycyclopropanes leading to enol silyl ethers and allyl silyl ethers, 6887

stereo-, of radicals, aliphatic nucleophilic substitutions, 493

stereoselective-, of 2-ynoic esters, synthesis of (2E,4E)-dienoic esters, 843 stereoselective-, of ethylidene

lactam for synthesis of (±)-Z-

isositsirikines, 2941

syn/anti-, of Z,Z-9,10bis(styryl)anthracene, DNMR

study,1429

thermal-, of sec vinylphosphine

into phosphaalkene, 2397 transient phenomena in photochemistry of <u>trans</u>-azocumene, 4633

Leoquinolines

a-hydroxybenzyltetrahydroisoquinolines are not (+)-decumbesine and (+)-epi-qdecumbesine 6215

and dibenzoquinolizidine derivs, via carbodesilylative routes. a'-silylated benzamides as both ortho- and u'-carbanion synthons, 5837 and N-benzoyl enamines and

dibenzazocines via amide Peterson olefination routes, a',a'-disilylated tert benzamides as both ortho- and a'-carbanion synthons, 5841 cis-hydro-, functionalised, Diels-Alder approach, 4309

Isoquinolinium salts

cycloaddition to dienophiles with chiral auxiliaries, prep of homochiral tetralins, 4921

Isotopic effects

conformational equilibrium-, for carbon, 4593 conformational equilibrium-, for H in cyclohexanones, 4589 conformational equilibrium-, of 1,3-dioxan derivs, 4585 partially deuterated methanes. proton chemical shifts, H-D coupling constants and deuterium isotope effects, 2755

Isopic labelling see also Labelling (38)- and (38)-[3-24,]paratose, stereospecific synthesis, 5729 biologically active compds, labelling with short lived isotopes, 6473
C.9 labelled FK-506, FK-506, synthesis, mechanistic study of tricarbonyl system

rearrangement, 6121

deuteriated cyclopropylcarbinol, stereospecific_nucleophilic ring-opening, 5017 labelled geranyl pyrophosphate,

enzymatic synthesis, 813 monodeuteriocyclohexane, deuteron integration at low temps, conformational preference(A value) of D, 1059
new class of functionalised and

iodinated perfluorophenyl azide photolabels, 4-azido-2-iodo-3,5,6-trifluorophenyl carbonyl derivs, 5409

nonradioactive molecules, oligonucleotide labelling by bathophenanthroline-Ru complexes, 1513

technetium-99M labelling of proteins and small molecules, synthesis of a novel diaminodithiol ligand, 1885

Isoxazoles

 3.5-dialkyl-, (E) unsaturated and derived Teukotriene analogs, regiospecific synthesis using phosphine oxides, 877

5-(tributylstannyl)-, synthesis and reactions, 4249

and isoxazolines, synthesis from aldoximes via dipolar cycloaddition using sodium bromite with organotin halide,

and pyrazoles, trifluoromethyl substituted, from trifluoroacetyl acetylenes, 2049 dihydroisoxazole, route to 2,3,6trideoxy-3-aminohexose derivs, 5969

Isoxazol idines

hydroxy-, synthesis on adsorbents,

Teorescol ines

4-oxygenated-, new route, application to synthesis of 2deoxy-2-aminobutose derivs, 1185 Δ^{2} -, via cycloaddition of nitrile oxides with iron complexed trienes, 6517

and isoxazoles, synthesis from aldoximes via dipolar cycloaddition using sodium bromite with organotin halide,

intermediates of -, prep of nitrogen-containing macrocycles,

Kainoide

3-benzylglutamic acid, 4-configurational isomers and acyclic analogs of kainoids. synthesis and structure-activity relationship, 3799

Ketals

acid-catalysed reaction with 1,2bis(trimethylsiloxy)cyclopentene, reexamined, 1021 augmented spiroketalisation tactic for total synthesis of phyllanthocin, 7325 selective conversion to carbonyl compds, 4703

alkyl(phenylthio)-, as equivalents of mnoalkylketenes, use in prep of 3-alkyl β-lactams as carbapenem building blocks, 4577

methylene and cyclopropyl-, generated at -100° by dehalogenation of abromoacylhalides using nitrosyl tetracarbonyl chrmonium anion,

Ketoaldehydes

β-keto benzyl esters, controlled synthesis of α-(E)-1-alkenyl ketones, 7195

and 1,4-keto esters and 1,4diketones, synthesis by Pd- and Pt-catalysed reaction of siloxycyclopropanes with acid chlorides, 6541

Ketones see aslo Cyclic ketones

1-acyloxy-3-azido-2-propanone, baker's yeast reduction, synthesis of amino alcohol, 3701

1-diazoalkanediones, Rh-acetate catalysed reaction to form cyclic carbonyl ylide, 301

1,3- and 1,4-diketones, divergent synthesis from 8-methoxy-Yphenylthio ketones via phenylthio migration of aldehyde adducts with methoxy(phenylthio)methane, 91

,4-diketones and i,4-keto esters, synthesis by Pd- and Ptcatalysed reaction of siloxycyclopropanes with acid chlorides, 6541 2-aryl-1-substituted ethane-1-

ones, photoinduced SET reactions, synthesis of 2substituted benzofurans, 1867

7-norborn-5-enyl and 7-norborna-2,5-dienylaldehydes and ketones, access to via 6-silyloxyfulvene cycloadditions, 2207

a,a-dihydroxy-, single-step synthesis by double hydroxylation of enol silyl ethers,

α,β-unsaturated-, and esters, trimethylaluminium promoted conjugate additions to dimethylphosphite, 4807

α,β-unsaturated-, Meerwein-Ponndorf-Verley type reduction to allylic alcohols catalysed by MgO, 2705

α,β-unsaturated-, reactions with 2-acyl-1,3-dithianes, prep of cyclohexendione monoacetals.

 $\alpha^{(2)}$ alkenyl-, controlled synthesis from β -keto benzyl

esters, 7195 α-alkoxy-, α-allyloxy- and αbenzyloxy-aldehydes and ketones. prep via substitution of sulphinyl function in α-sulphinylhydrazones, 2791 α-alkyl dibenzyl ketones, photobehaviour in faujasite

zeolites cages, role of cations in controlling of behavior of generated radicals, 5833

a-chloro-a-ohenylselenyl-, and α,α-dichloro-α-phenylselenyl ketones, synthesis via Pummerer-like reaction, 2665

a-halo-, reaction with tetraazapentalene derivs. synthesis of N-substituted oxazoline-2-thione derive, 2259

α-keto triflates, direct synthesis via hypervalent iodine oxidation of trimethylsilyl enol ethers of ketones, 667

 α -ketoacetylenes and (Z)-enynes synthesis, hydroboration of 1 (trialkylsilyl)-1,3-diynes, 6487 a-phenoxy-p-methoxyacetophenone,

photochemistry, 443 β-diketone group, use in controlled bisepoxide cyclisation for polyether synthesis, 5799

β-halo-α,β-unsaturated-, prep from β-diketones using Vilsmeier reagents, 3753

 β -hydroxyketone (+)-(\underline{S})-[6]-gingerol synthesis via stereoselective cycloaddition of nitrile oxide with chiral iron complexed triene, 6521 B-hydroxyvinylketones and 3-

morpholino-1,4-pentadienes regioselective prep using 2morpholinobutadienes as synthon, 5923

acetophenone, enantioselective hydrosilylation with Rh/oxazoline catalysts, 5141

acetophenones, prep of oxygenated enantiomerically pure 1phenylethylamines by reductive amination and regiospecific benzylic cleavage, 317

acetylenic homoallylicintramolecular cyclisation mediated by addition of stannyl radicals, pathway to αmethylene-β-substituted cyclopentanones, 7219 addition of alkyl radicals,

addition of aikyl radicals, reversible cleavage of 5-cholest-3-enoxyl radicals, 3343 aldol reactions in polypropionate synthesis, high m-face selectivity of enol borinates from a-chiral methyl and ethyl ketones under substrate control,

aliphatic-, by electron transfer of aliphatic esters, via lithium 4,4'-di-t-butylbiphenyl radical anion, 4935

alkyl aryl-, tranformation to methyl α-arylalkanoates by anodic oxidation in presence of indine or indo compds. 371

and aldehydes and enones, zirconium promoted

methylenation, 3927 and aldehydes and imines, addition of 2(benzyloxymethyl)-3-(bromozinomethyl)-1,3-butadiene followed by Pd-catalysed cyclisation, prep of conjugated exocyclic dienes, 5497

- and aldehydes, lanthanide induced intramolecular coupling with electron-deficient olefins, 1063 and aldehydes, reaction with functional vinylic anions, leading after hydrolysis to polyenic aldehydes, 7377
- and aldehydes, tributyltin hydride cyclisation with alkenes, prep of cyclopentane rings and Y-lactones from O-stannyl ketyls,
- and carboxylic acids, amides, esters, alcohols and amines dehydrodimerisation via mercury-
- photosensitisation, 5583 aryl alkyl-, cation enhanced αcleavage, photolysis in
- faujasite zeolites cages, 5829 aryl-substituted-, and aldehydes synthesis via Pd-catalysed coupling of aryl halides and non-allylic unsaturated alcohols, 6629
- by isomerisation of epoxides, 3097 direct a-eximation using t-butyl
- thionitrate, 2833 divinyl-, and 2-vinyl-1-azadienes, one-pot synthesis, 5493 divinyl-, simple synthesis, 1413
- enantioselective reductions using tin organo systems from chiral
- piperazines, 3551 enolate anions to N-methoxycarbonylimines generated in situ from a-methoxy carbamates, diastereo-selectivity, 1253 ethyl-, kinetic resolution in
- aldol reactions using chiral boron reagents, asymmetric
- synthesis of C₁, to C₂? segment of rifamycin S, 1293 formation by SmI₂, mediated reductive couplings of acid chlorides, 7407
- formation from aliphatic aldehydes by variant of boron-Wittig reaction, 5643 hindered diphenylphosphinoyl
- (Ph_PO-) ketones and enones, reversed stereocontrol in regioselective reduction, 601
- methyl-, aldol reactions using chiral boron reagents, reversal in aldehyde enantioface
- selectivity, 997
 oxindolic methyl-, cyclisation
 with acid, rapid synthesis of
 (±)-aspidofractinine, 1951 prep via acylation of
- organomanganese chlorides by carboxylic acid chlorides, 7369 prochiral enclates of -, asymmetric oxidation to optically active α -
- hydroxy ketones, effect of enolate geometry and structure on stereochemistry, 779 regio- and stereoselective prep of enolates, use of sodium
- bis(trimethylsilyl)-azide, 2779 selenoketones, route by use of bis(dimethylaluminium) selenide,
- unsymmetrical 1,4-diketones, synthesis by ceric ammonium nitrate promoted cross-coupling of trimethylsilyl enol ethers,
- unsymmetrical and symmetrical-, via tandem organometallic additions to N-methoxy-ureas and urethanes, 1773
- via electron transfer induced conversion of enol ethers, 489 via oxidation of benylic methylene compds with 2-nitrobenzene
- peroxysulphonyl radical, 6357 via oxidation of ethylbenzene, diphenylmethane and benzyl-cyclopropane by Gif^{iv} system,

6615 via rearrangement of βhydroxyalkylselenides to ketones, 575

Ketone Halogen derivatives

- α-bromo-, reaction with cvanide ion adsorbed onto hemincopolymer, steroselective synthesis of cis-cyanooxiranes, 651
- diflucromethyl-, synthesis from 2,2,2-triflucroethyl p-toluenesulphonate via 2,2difluoroalkenylboranes, 5437

Kinetica

- differential behaviour in thermal dyotropic rearrangement of compds with cyclohexa-1,3-diene ring as 2H donor held proximate to variously substituted norbornene element as acceptor, X-ray structure analysis and molecular mechanics calculations, 5005
- kinetic demonstration of premicellar aggregation in alkaline hydrolysis of Nhexadecyl-4-cyanopyridinium bromide, 1051 reduction of 1-(4-
- thiomethylphenyl)-2,2,2trifluoroethyl carbocation by
- sodium sulphite, 23 resolution of racemic epoxides by a chiral lithium amide, 2125 solvolysis of N-acetoxy-4acetylaminostilbene, irreversible formation of

Labelling see also Isotopic labels

nitrenium ions, 1479

- biotin-, in a single step using solid phase method for
- oligodeoxyribonucleotides, 3089 fluorescent-, of carboxyl-terminal peptides using solid phase peptide synthesis, 39
- functionalised oligonucleoside methylphosphonate suitable for non-radioactive label
- non-radioactive label attachment, 7025 photoaffinity labelling at low remp, prep of new reagent, 6-azido-45,7-trifluoroindole in toluene, 6465
- polyfluorinated aryl azides as photoaffinity labelling reagents, CH insertion of singlet pentafluorophenyl nitrene with alkanes at room temp, 2199

Lactams

- 3-alkyl B-, as carbapenem building blocks, prep, use of alkyl(phenylthio)ketenes as equivalents of mnoalkylketenes,
- 6-, synthesis from sugar vinvl ethers and isocyanates, 5171
- β-, synthesis from zinc enolates of N.N-disubstituted α -amino acid esters and imines, substituent and solvent effects, 765
- β-, synthesis via generation of enolisable Ntrimethylsilylaldimines, 4275
- and amines and alcohols, silylated derivs, reaction with Meldrum's
- acid, prep of monofunctionalised malonic acid prep, 3073 and spirolactams. new synthesis, radical cyclisation of N,Nunsaturated dialkyl-ß-oxamides by manganese acetate, 4531 aristlactams, approach via

- intramolecular aryne cycloaddition, 5785
- barium selective macrocyclic tetralactam with dimethyleneoxy
- moieties, 1369 bicyclic Y-, analog of 1-oxapenams, synthesis, 4019 chiral α,β-unsaturated bicyclic-,
- Diels-Alder reactions, asymmetric route to fused carbocyclic systems, 6977 chiral a.8-unsaturated-.
- asymmetric Diels-Alder reactions, 6973
- chiral bicyclic-, asymmetric synthesis of <u>ois-(15,3R)-</u> deltamethrinic acid, 1745
- cis-3-amino-β-, regio- and chemoselective epimerisation to trans isomers, new synthesis of aztreonam, 4837 cis-β-, via biomimetic conversion
- of Arnstein tripeptide analog, 729.
- ethylidene-, stereoselective isomerisation for synthesis of (±)-Z-isositsirikines, 2941
- etoposide-, synthesis via
 Mitsunobu reaction sequence, 3299
- microbial transformation of d1-3-acetyl-azetidinone derivs, 1107
- N-hydroxy-β-, Pd-mediated reactions, 7009 N-substituted-, synthesis from (N-
- arylsulphonyloxy)amines and cyclic ketones, 4207 polycyclic-, synthesis via
- intramolecular dipolar cycloadditions of stabilised azomethine ylides, 7017 vinylic β-, Pd-promoted coupling
- with organomercurials, synthesis of β, Y-unsaturasted amides, 1897

unsaturated-, B-fragmentation, to spiro compds, use of hypervalent organoiodine reagents, 5501

- (25,45,55)-5-(N-BOC)-amino-6-cyclohexyl-4-hydroxy-2cyclonexy1-4-hydroxy-2-isopropy1-hexanoic acid lactone, an hydroxyethylene dipeptide isostere precursor, 415 14-hydroxymethyl-3-oxo-19-nor-17a-pregn-4-ene-21,17-carbolactone, synthesis via intramolecular
- condensation of steroidal 17aformy1-178-acetates, 6907
- α,β-unsaturated lactones and dilactones, medium sized, synthesis via intramolecular Wittig reactions, 7393
- α-keto-, via Ni catalysed conversion of 2-bromo-1-phenyl-1,3-butadiene, double carbonylation of a halodiene,
- α -methylene-Y-butyrolactones, new route to, intramolecular cyclisation of allylic propiolates mediated by addition of stannyl radicals,
- β, Y-unsaturated α-amino acid δlactones, precursors for
- polyhydroxy amino acids, 1993 β -, ionisation/elimination β -lactone moiety of (-)-
- tetrahydrpilstatin, key step in synthesis, 1833
- δ-, α-methylene monosubstituted, synthesis from aphosphonolactones, new Wittig-Horner compds, 675 δ-, of (2<u>Z</u>,5<u>S</u>,7<u>S</u>,9<u>R</u>,11<u>R</u>)-
- tetrahydroxyhexacos-2-enoic acid and 4,6,8,10,12,14,16,18,20-all-

- syn-normethoxy-1-pentacosene, synthesis, 6529
- Y-, and cyclopentane rings from.0stannyl ketyls via tributyltin hydride cyclisation of alkenes with aldehydes and ketones, 4939
- Y-, corresponding to hydroxyethylene dipeptide isoster, prep using stereoselective bromolactonisation of chiral acyloxazolidinone, 3845
- Y-lactone, highly selective syntheses by intramolecular carbenoid C-H insertion in rhodium carboxylate and rhodium carboxamide catalysed reactions of diazo esters, 7001
- Y-menthyloxybutenolides, asymmetric 1,4-additions, enantiospecific synthesis of chiral 1,4-butanediols, 5481
- Y-methylene-Y-butyrolactones, epoxidation by dimethyldioxirane, 4223
- (+)-altholactone, total synthesis, 5915
- ascidiatrienolides A-C, lactonised eicosanoids from Didemnum candidum, 2735 bakkanes, diect approach,
- synthesis of (±)-homogynolide-B, 565
- breynolide sulphone, synthesis,
- bromobeckerelide, total synthesis,
- butenolide synthesis via Mukaiyama reaction of ketene bis(trimethylsilyl)acetals with α-halo acetals, 6109 butyrolactone, direct production using tin hydride, 4363
- butyrolactones, contiguously substituted, stereoselective synthesis based on cyclic allylsulphonium ylide rearrangement, 1575 chiral-, via bioconversion of
- bicyclo[3.2.0]hept-2-en-6-one,
- cis nd trans-βY-disubstituted-Y-, stereoselective synthesis, chiral recognition in reaction of enolate derived from [(n5-C_{sHs})Fe(CO)(PPns)COCH₂OCh₂Ph) with <u>cis-</u> and <u>trans-</u>2,3-epoxybutane, 587
- cyclobutane α-sulphonyl lactones, "accordion" rearrangements, 7329 D-ribonic acid Y-, 9-step
- enantiospecific synthesis of (-)-aristeromycin, 1453 elemanolides (±)-zempoalin A and
- B, total synthesis, 685 etoposide lactam, synthesis via Mitsunobu reaction sequence,
- (±)-galanolactone, total
- synthesis, 553
 ginkgolides A and B, synthesis of
 pentacyclic model via
 intramolecular enone-furan
 photocycloadditions, 5997
 ginkgolide B, simple analogs,
- highly active antagonists of platelet activating factor, 6959
- ginkgolides, spire ring system of via cycloaddition strategy, 1495 iodo enol-, via iodine-induced lactonisation of alkynoic acids,
- structurally potential serine protease inactivators, 6701
- iodoalkidene-, deiodination and isomerisation, 5159
- lactone annelated cyclopentenones via thermal conversion of bridged[4.3.3]oxapropellanes, synthesised by angular condensation of ethyl tricyclodedecadienone 2-

- carboxylate, 127
 macrocyclic tetralactones,
 formation via tin-directed
 reaction of carbohydrate deriv
 with succinyl chloride, 591
- macrolide patulolide C. enantioselective total synthesis, 2153
- mukulol and marine cenbranolide-, new approach via radical macrocyclisations, 621
- nagilactone ring system, enantioselective synthesis via vinylsilane-mediated polyene cyclisation, 6303
- naturally occurring-, 3β-hydroxy lupan-28, 13β-olide, photochemical synthesis, 2855
- new type of humulane-related, aquatolide from <u>Asteriscus</u> aquaticus, 2851 norditerpenoid dilactones,
- stereoselective synthesis of ring AB podocarpate system, 6993 prostaglandin-1,15-lactones, isolation from Tethys fimbria,
- 3589
- racemie bicyclic-, enzymatic resolution by horse liver esterase, 67
- swinholide A structure of cytotoxic macrolide from Theonella swinhoei, 2963 telluro-, and telluroethers, reduction of tellurium-carbon
- bonds, 1209 trans-3,4-disubstituted Y-, α-
- oxygenation, comparative study.
- trans-α,β-dibenzyl-Ybutyrolactones, a-hydroxylation,
- unsaturated bicyclic-, and acetals, synthesis via Pdpromoted cyclisation of cyclic allylic alcohols, 2767
- unsaturated macrodilactones, synthesis, 7397

Lactonisation

- radical-, Mn-mediated of allylic esters of acetoacetic and malonic acids, 331
- stereocontrolled-, via Pd-
- catalysis, 137
 stereoselective bromo-, of chiral
 acyloxazolidinone, prep of Ylactone corresponding to
 hydroxyethylene dipeptide isoster, 3845
- tandem aldolisation/lactonisation/dyotropic rearrangement of a-amino aldehydes, 5421

Lanthanum and compounds

- cyclooctatetraenyllanthanide complexes, new synthesis, X-ray structure of Cel(CaHa)(THF)a,
- lanthanide induced intramolecular coupling of aldehydes and ketones, with electron-deficient olefins, 1063

Lead and compounds

- aminolead compds as new reagent for regioselective ring opening of epoxides, 4255
- aryllead triacetate, arylation of amines, use of copper catalysis,
- combination of Pb(0)Pb(11) redox mediator and sacraficial anode, electroreductive "Barbier type" allylation of imines, 4161

Leukotrienes

B-4 metabolites, synthesis of $5(\underline{S}),12(\underline{S})$ and $5(\underline{S}),12(\underline{R})$ dihydroxyeicosa- $6(\overline{Z}),8(\underline{E}),14(\underline{Z})$ - trienoic acids, 429 leukotriene B. antagonist, U-75302, asymmetric synthesis of diastereoisomers, 5081

leukotriene B., synthesis, 6335 leukotriene D. analogs, synthesis from D-xylose, 6271

- nor D. conformationally restricted analogs, asymmetric synthesis, 3377
- peptido-leukotrienes, substituted cyclohexane as conformationally restricted analogs, 5129
- potent LTB, receptor partial agonist, furodysinin lactone thioacetate from <u>Dysidea</u> genus, 2725
- regiospecific synthesis of (E) unsaturated 3,5-dialkyl-isoxazoles and derived leukotriene analogs using phosphine oxides, 877

- "retrolignan"(-)-a-conidendrin, total synthesis, 4371 (-)-trachelogenin, (-)-nortrachelogenin and (+)-
- wikstromol, total syntheses, 2221
- novel neurotrophic neolignans from
- Magnolia obovata, 5907 steganacin aza-analogs, design, synthesis and antitomour activity, 2949

azadiradione, synthesis, 3023

- (5,6)diHETE isomers. stereospecific total synthesis,
- (7E,9E,11Z,13E)-(5S,6R,15S)trihydroxyeicosatetraenoic acid(6R-Lipoxin A), synthesis,
- 12(S)- and 12(R)-hydroxyeicosa-5(Z),8(Z),14(Z)-triencic acids prep of natural compound D, 3923
- 12(S)-HETIG. stereochemistry of conversion to 12-HPETE, 2817 ascidiatrienolides A-C, lactonised
- eicosanoids from Didemnum candidum, 2735 leukotriene B-4 metabolites.
- synthesis of $5(\underline{S})$,12(\underline{S})- and $5(\underline{S})$,12(\underline{R})-dihydroxyeloosa- $6(\overline{Z})$,8(\underline{E}),14(\underline{Z})-trienoic acids, 429
- Para-Forssman glycolipid isolated from human erythrocyte membrane, synthesis, 5619
- triglycerides enriched with ω-3-polyumsaturated fatty acids via lipase catalysed
- interesterification, 1671 unsaturated trihydroxy C₁₀ fatty acids, synthesis, 4235

Lipopolysaccharides

bacterial-, asymmetric synthesis of (3R)-alkanoyltetradecanoic acid components, 4763

Lipoproteins

new alkylfluorolipopeptides, non-ionic surfactants, synthesis,

Lithiation

- α-, of carbanions, t-BOC group as activator,
- amine-directed-, in aliphatic organo-P systems, 477 and alkylation of 4-(2'-
- alkenesulphinyl)-morpholines, route to substituted allylic sulphinamides, 1963
- bipyridyl derivs, prep via α-lithiation of pyridyl phenyl

Tetrahedron Letters xlvii

- sulphoxides, substitution with electrophiles and cross coupling
- with Grignard reagents, 7091 directed-, of 1,2'-bis(methoxymethyl)ferrocene, stereochemistry, 5085 N-methyl-, of N-methylindoles directed by a-amino alkoxides,
- 4337
- of t-butylformamidine precursor, prep of C5(bridgehead)
 substituted analogs of (±)-5Hdibenzo[a,d]cyclohepten-5,10-imine, 911
- regioselective-, of 2-deoxyuridine, synthesis of 5substituted nucleosides, 2057 remote-, of N-methylallyl amides, 2029

Lithium and compounds

- 1-seleno-4-t-butyl cyclohexyllithiums, stereoselective synthesis and reactions, 5635
- 2-benzothiazolylalkyllithiums, reaction with bistrimethylsilylperoxide, an unprecedented demethylation, 3721
- 2-lithio-1,3-benzodithiole, reactions with carbon
- disulphide, forth and back processes, 819 2-lithiotetrahydropyrans, prep, kinetic and thermodynamic generation of alkyllithium
- reagents, 3011 5-alkyn-1-yllithiums, cyclisation
- and prep, 3901 α'-lithiopyrrolidine amidines, stereoselective condensations,
- α-methoxyvinyllithium, prep of Markovnikov vinylboranes,3919
- alkyllithium-promoted ring fission, halogen substituted 2,6-dioxabicyclo[3.3.0]octanes derived from 1,4:3,6-
- dianhydrohexitols, 6737 allenyl reagent of , via Cu catalysed reductive metallation of propargylic epoxide, 2391
- chiral lithium amide bases, use in asymmetric deprotonation of 4-t-butyleyclohexanone, formation of chiral products, 7241
- chiral lithium amide, kinetic resolution of racemic epoxides,
- enantiomerically enriched allylstannanes from chiral allyllithium derivs and their regio- diatereo- and enantioselective hydroxyalkylation, 7037 lithium 4,4'-di-t-butylbiphenyl
- radical anion or Li metal, electron transfer reactions with aromatic acids, synthesis of aromatic a-diketones, 6267
- lithium 4,4'-di-t-butylbiphenyl radical anion, deoxidation/ reduction of aromatic esters, diketones, acyloins and epoxides
- to give bibenzyl products, 4931 lithium 4,4'-di-t-butylbiphenyl radical anion, electron transfer of aliphatic esters to aliphatic ketones, 4935
- lithium trialkylborohydrides and 1,2-glycois, prep of boronic esters of 1,2-diols, 597 metal-halogen exchange in N-acyl-
- 2-bromobenzamides with n-Buli to N-acyl-2-lithiobenzamides which cyclise to 3-
- alkylidenephthalimidines, 275 organolithium and 7-oxabicyclo[2.2.1]hept-5-en-2-ol reagents, regio- and

stereospecific synthesis of substituted cyclohexenediols, 6437

- selective [14]-0. macrocycles of, synthesis, binding properties and use in lithium ion-selective electrode, 4559
- simple alkyl- and aryl-lithium compds, spectral editing, 13C spin-echo NMR with gated bli
- decoupling, 6155
 vinyllithiums from butyl-vinyl
 tellurides and bis-vinyl
 tellurides, 7353

Lumi nescence

preferential-, of diazo-carbonyl compds adjacent to ether oxygens when catalysed by rhodium acetate, 1749

Macroevel es

- 7-membered ring and (2,3,9,10-dibenzo-1,5,8,12-tetraazacyclotetradeca-4,11-diene) 14-membered ring, ring interconversion, 2979
- 23-membered-, found in didemnins stereocontrolled synthesis, 3757
- anion receptor molecules, synthesis of octaaza-cryptand and structure of its fluoride cryptate, 4125
- aragupetrosine A, new vasodilative macrocyclic quinolizidine alkaloid from Xestospongia sp, 11119
- bicyclic cryptates with bithiazole, bisimidazole and bipyrimidine binding subunits, synthesis, 2209
- bicyclic receptor molecules, synthesis of triply bridged bis-intercalands based on acridine
- subunits, 941 containing tin, ditopic, tricyclic, Lewis acidic hosts with 4 binding sites, 3501
- cyclic stereocontrol, use in stereoselective synthesis of +)-(9S)-dihydroerythronol ide, 7463
- cyclic tetralactones, formation via tin-directed reaction of carbohydrate deriv with succinyl chloride, 591
- cyclic tetrapeptide, synthesis of plausible active center in vancomycin, 6043 cyclisation, unusual effects of
- remote substituents on rate total synthesis of OF4949-111 and OF49491V, 5061
- cyclophane, solid state structure and solution conformation, 7453 double calixarenes, synthesis,
- formaldehyde, reaction with chromotropic acid, prep of water-soluble cyclic tetramer, 1005
- haliclamines A and B, cytotoxic macrocyclic alkaloids from <u>Haliclona</u> genus, 6891 lithium selective [14]-0,-,
- synthesis, binding properties and use in lithium ion-selective electrode, 4559 lactone FK-506, benzilic acid rearrangement of tricarbonyl
- system, 671
- N-substituted polyazamacrocycles, unsymmetrical, synthetic stategy, 1323
- nitrogen-containing macrocycles from isoxazoline intermediates,
- radical macrocyclisations, new

- approach to mukulol and marine cehbranolide lactones, 621 tetrathio-[18].[20] and [24]-crown ethers, synthesis via disodium-dicyanoethylenethiolate, 2903
- triazamacrocycle with pyridine-pendant arms as new Na+ ionselective ionophore, 3983 trichothecene derivs,
- apotrichothecene rearrangement, 6001
- tripeptide K-13, synthesis of thioether analog, 5405 unsaturated macrodilactones, synthesis, 7397
- water-soluble cyclic tetramer, prep via reaction of formaldehyde with chromotropic acid, 1005
- with five covalently linked porphyrin units, synthesis of meso-tetra(meso)tetraphenylporphyrinyl)porphyrin, prep,

Magnesium and compounds

- 2-(phenoxymethyl)-2propenylmagnesium chloride, addition to epoxides followed by addition to epoximes followed to Pd-catalysed cyclisation, synthesis of 3-methylene-tetrahydropyrans, 4863 allylmagnesium bromide, diastereoselective addition to
- (E)-1-(trimethylsilyl)-but-1-en-3-ol, reaction of C-Mg bond of intermediate adducts with
- electrophiles, 6753 Grignard reagents or Mg salts, radical C-Se bond cleavage of selenonium salts, 981
- magnesium alginate immobilised Baker's yeast, reduction of β-keto esters, 2245
- magnesium bromide, conversion of acetals into monothicacetals, α-alkoxyazides and α-alkoxyalkyl thioacetates, 6697 Mg in MeOH and MeOH-D, selective
- reduction of conjugated acetylenes, 55
- MgO catalysed Meerwein-Ponndorf-Verley type reduction of α,βunsaturated ketones to allylic alcohols, 2705 organomagnesium compd RMgX,
- conversion into sec amine R-CH2-NH-R'(R'=CH, or alkyl), 7383

Magnetic fields

magnetic isotope and magnetic field effects on product distribution, photolysis of dibenzyl ketone adsorbed onto zeolites, 3761

Manganese and compounds carboxylate complexes of -,

- catalysed oxidation of hydrocarbons, 5689
- manganates, selective oxidation of alcohols, 2559
- manganese acetate, radical cyclisation of N,N-unsaturated dialkyl-β-oxamides, new synthesis of lactams and spirolactams, 4531
- Mn mediated Barbier and Reformatsky reactions, efficient route to homoallylic alcohols and β-acetoxyesters, 7373 Mn-mediated radical lactonisation
- of allylic esters of acetoacetic and malonic acids, 331
- organomanganese bromide compds, prep in ether, alternative use for organomanganese iodide in synthesis, 3545 organomanganese chloride compds,
- Cu-catalysed 1,4-addition to

xlviii Tetrahedron Letters

conjugated ethylenic aldehydes,

organomanganese chlorides acylation by carboxylic acid chlorides, prep of ketones, 7369 organomanganese chlorides, Cucatalysed 1,4-addition to conjugated enones, 3541

Mass spectra

FAB-, identification of C-linked oligomer of hematoporphyrin deriv and photofrin, 6211 phytoxin tagetitoxin, revised structure, 501

sex pheromone of Hyphantria cunea, identification of (32,62)-1,3,6,9,10-epoxyheneicosatriene and (3Z,6Z)-1,3,6,9,10epoxyeicosatriene, 3405

Merhani sms

and scope, rearrangement of 4,6dialkoxy-2-pyrones, 3509 anionic-, for thermodynamic control of regioselectivity in N-alkylation and acylation of heterocycles, 4013 catalyst dependent paths,

reactions of B-keto esters with ethyl diazoacetate, 4093 cytochrome P-450 hydroxylation,

free radical chlorination and one-electron oxidation of aryleyclopropanes, 3015

dehydroquinate synthase inhibition, design and synthesis of substrate analogs, 1461 diazirine exchange with azide

anion, N-azidodiaziridine intermediates, 4901

dimethyldioxirane, oxidation of benzaldehyde 5567 dual pathway for regioselective nucleophilic aromatic phtotsubstitution of 4-

nitroanisole, 2423 FK-506 tricarbonyl system

rearrangement, synthesis of 0.9 labelled FK-506, 6121 interaction of N-aryl-0pivaloylhydroxyamines with

reducing metal ions, 1923 of intramolecular, [2+2] eycloaddition, topological and

steric effects, 4429 of spontaneous thymine release,

neogarzinostatin-mediated degradation of d(GCATGC), 4263 oxidation of α -methylpyrroles to α-formylpyrroles by thallium nitrate on clay, 2673 Pd-catalysed formation of

oxazolidin-2-ones from vinyl epoxides, 3893

phenyl(phenylazo)methyl hydroperoxide, stability and decomp, 5773

photo-Smiles rearrangements, heterolytic general basecatalysed, a-cyclodextrin as a probe, 6477

photooxidation of perhalofluoroalkyl sulphinates, 6717

rearrangement of βhydroxyalkylselenides to ketones, 575

spiro-heterocyclic systems, detection and mechanistic impication of dynamic equilibrium, 6777 strained epoxides,

photooxygenation, 6801 trimethylsilyl enol ethers formed by imino Diels-Alder reaction, 2795

as solid supports for peptide synthesis, 4345

human erythrocyte-, isolation and synthesis of Para-Forssman glycolipid, 5619

liquid-, selective transport of ribonucleosides, 2325

Mercury and compounds

amidomercuration, removable auxiliary in stereocontrolled prep of vicinal amino alcohols,

amidomercurations, removable auxiliary, stereoselective prep of substituted N-

acylpyrrolidines and piperidines from unsaturated aldehydes, 7321 catalytic aminomercuration of dipropargyl ethers, synthesis of 2-morpholinopenta-3,4-dienal derivs and propargyloxyenamines, 5919

intramolecular amidomercuration, sequential chirality transfer,

organomercurials, Pd-promoted coupling with vinylic β-lactams, synthesis 8,Y-unsaturasted amides, 1897 photosensitisation by-,

dehydrodimerisation of ketones, carboxylic acids, amides, esters, alcohols and amines, 5583

photosensitisation by-,, hydro-dimerisation of unsaturated alcohols, esters, nitriles, ketones, amines, silanes, epoxides and fluorocarbons, 3389

Metabolites

(+)- and (-)-pulo'upone, asymmetric total synthesis, 1821 antifungal-, etzionin, new from

Red sea tunicate, 4291 curvularin-type-, of hybrid strain ME 0005 derived from Penicillium eitreo-viride, stereostructures of IFO 6200 and 4692, 2241

dihydrocompactin, acetal initiated/vinylsilane terminated polyene cyclisation, synthesis of optically active mevinic acid subunits, 6299

(±)-duryne, synthesis, 1991 fatty acid-, halicholactone and neohalicholactore from

Halichondria okadai, 4543 fungal-, cortal cerone, total synthesis of protected form, 3829

3829
(±)-hepoxilin A-3, synthesis using arsonium ylides, 2545
leukotriene B-4-, synthesis of 5(S),12(S)- and 5(S),12(R)-dihydroxyeicosa-6(\overline{Z}),8(\overline{E}),14(\overline{Z})-triencic acids, 429
naturally occurring (+)-methyl

3,4-anhydroshikimate, structure and synthesis of pure compd,

new oxolane C,, metabolite with 2,3'-bis-tetrahydrofuran moiety,

new polyketide-, obionin A from Leptosphaeris obiones, 3483 new w-phenyl conjugated trienones

lignarenone-A and -B from Scaphander lignarius, 5003

Scaphander ligharius, 5003
proinflammatory arachidonate,
prep of natural compound D, 3923
secondary-, rhizochalin of mixed
biosynthesis from Rhizochalina
incrustata, 6581
(+)-spatol, synthesis,

stereospecific construction of vicinal diepoxides from 2,3-epoxy-1,4-diols, 4621 sulphur rich-, structure of dysoxysulphone from Dysoxylum

richii, 4919 tilivalline, stereoselective synthesis, 1871

Metallation

at NH and C-2 Me positions of 4aryl-1,4-dihydro-2,6-dimethyl-3,5-pyridinedicarboxylic esters via two equivalents of n-BuLi, 3393

cyclic allylmetallationdehydrometallation, Pdcatalysed, prep of cyclopentanol derivs, 291

cytropendand derives, 291 intramolecular carbametallations of enymes, new Pd catalyst, 651 reductive-, Cu catalysed, of propargylic epoxide to allenyl lithium reagent, 2391 regiocontrolled-, of diethyl β-

dialkylaminovinylphosphonates, new synthesis of substituted β -ketophosphonates, 4787

Metals see also specific metals

acyliron complexes with allylstannanes, stereoselectivity in reactions, 5745 Al-NiCl, system, use in selective reduction of α,β-unsaturated carbonyl compds, 6567

allylic organobismetallic reagents, access to highly functionalised vinyl zinc

reagents, 3955 allylic organobismetallic reagents, prep of cyclic trismetallic species, 3959

crown ether generated toluene radical anion from K metal and toluene, reductive removal of

diastereocontrolled Ni and Pd catalysis, "metallo-ene-type" cyclisations/carbonylations, 5883

highly functionalised Cu,Zn reagents, reactivity towards 1-haloalkynes and acetylenic esters, 4799

Li.Sn-masked and/or Ge-masked dienolates, regioselective synthesis of either a- or Yamino acid derivs, 3445

metal hydride promoted [1,3] sigmatropic rearrangement 3833
metalloprotein active site
modelling, synthesis of
polyimidazoles as biomimetic

ligands, 6169 mixed Cu, Zn 2-amino benzylic organometallics as reagents for

synthesis of heterocycles, 4795 new class of powerful metal cation complexing agents and phase transfer catalysts, cyclophosphazenic polypodands, 5781

5701 Ni/Pb/Al redox system, reductive dimerisation of vinyl halides, access to terphenyl derivs, 1261 open-chain and cyclic 2-cyano Zn and Cu organometallics, synthesis and reactivity, 5069

organo-Pb, -Zn and -Cu reagents,

alkylation of aethoxycarbamates, high cram selectivity and formal nonbasic alkylation of imines, 5611 organometallic methodology, entry

into oxygen-bridged lactaranes, short synthesis of sesquiterpenoid furanether B..5865

organometallic tandem additions to N-methoxy-ureas and urethanes in prep of unsymmetrical and symmetrical ketones, 1773

organometallics, reaction with phosphine oxides with 2 or three 2-pyridyl groups to give 2,2'-bipyridylk, 2-substituted pyridines and pyridine, ligand

coupling on P-atom, 567 predominately antistereoselective chiral metal directed aldol condensation with aromatic aldehydes, 5539 reducing metal ions, mechanism of interaction with N-aryl-Opivaloylhydroxyamines, 1923

alkyl azides, new synthesis of water insoluble surfactants which micellise in formamide.

micellar model for bleomycin antibiotics, 2987

micellar system, behaviour in of hydrophobic benzimidazolemethanethiol, hydrolysis of p-

nitrophenylesters, 79 premicellar aggregation, kinetic demonstration in alkaline hydrolysis of N-hexadecyl-4cyanopyridinium bromide, 1051

Microorganism rections
bacterium Eriwinia quercina,
isolation, structure and
synthesis of lateral root inducing compds, 5699

baker's yeast reduction of 1acyloxy-3-azido-2-propanone, synthesis of amino alcohol, 3701 baker's yeast reduction of

cyanoacetone, C-C bond formation, 3811

enantioselective microbiological Baeyer-Villiger type reaction, synthesis of pivotal prostaglandin chiral synthon, 3663

epoxidation by-, stereocontrol of tertiary OH group, synthesis of

prostaglandin ω -chains, 1583 oxidation by-, of chlorobenzene enantiodivergent approach to D-

and L-erythrose, 4053
oxidation by-, prep of 6-deoxy, 6deoxy-6-fluoro and 6-deoxy-6methyl myoinositol 1,4,5trisphosphate derivs from benzene, 3557

transformation of d1-3-acety1azetidinone derivs, 1107 yeast reductions, stereochemical control, synthesis of R-(+)-la-lipoic acid, 5705

Microwave activation

irradiation activated organic reactions, developed with inorganic solids in "dry media", 945

Migration reactions 1,40+0 sily1-, of furan and thiophene systems, 1765 2,4,4-trisphenylthicbutancls, [1,4]phenylthic shifts, 5933 chirality transfer in 1,5-hydride shift of 2-methyl-5(R)-trimethylstannyl-1-hexene having cationic center at \(\delta\)-position,

dialkyl carbenes, barrier to 1,2-hydrogen shift, 481

organic group-, from hypercoordinate Si to 0, oxidative Si-C bond cleavage of

organotrifluorosilanes, 4375 phenylthio-, of aldehyde adducts with methoxy(phenylthio)methane, divergent synthesis of 1,3- and

1,4-diketones from β-methoxy-Y-phenylthio ketones, 91 phenylthio-, with stereocontrolled amidocyclisations, 5937 stereospecific anti[1,3]-stannyl-, synthesis of nonracemic Y alkoxyallylstannanes, 2183

ys decomposition on phenylazo radical generated from phenylazo 1-naphthyl ether in solvent cage, coupling of radicals at aromatic C to give 4-phenylazo-1-naphthol, 1811

allosteric systems, intramolecular spin exchange in model regulated by K ions via induced conformational modification, 6507

biomimetic-, synthesis of calcimycin (A 23187) with demethylated skeleton, 351

chymotrypsin, small molecule mimic, evaluation, 4357

efficient-, for pyruvate oxidase,

catalytic cyclophanes, 2759 flavoenzyme-, synthesis of 5-deazaflavin with axial and planar chirality, 7431

furofuranic-, for azadirachtin synthesis, 341

ionic-, for homogeneous olefin processes, addition of acrylonitrile to anionic transition metal hydrides, 1781

metalloprotein active site modelling, synthesis of polyimidazoles as biomimetic

porphilidacies as commineed ligands, 6169 micellar, for bleomycin antibiotics, 2987 purported chymotrypsin-, reexamination, synthesis of substituted inidazoles, 4353

quercetinase reaction-, intermediate for, synthesis and characterisation of flavonolatocobalt complex, 2257

spiroacetals, new route and construction of model for synthesis of phyllanthocin, 7115

synthetic-, of metalloproteins, synthesis of NgO ligands capable of binding to facial coordination sites of an octahedron, 1609 type 11 8-turn structural model,

synthesis of cyclic peptide disulphide, 2441

Molybdenum and compounds

crotylmolybdenum complexes, stereocontrol in additions to

aldehydes, 1769
resin-bound peroxomolybdate,
generation of singlet oxygen or its synthetic equivalent, 783

recapentaene-12 formation of 10-methoxy-2,4,6,8-dodecatetraenal(MeOH/water) or Ohydroxy-2,4,6,8dodecatetraenal (THF/water), 5639

fecapentaene-12, biological precursor plasmalopentaene-12, isolation and structure, 6665

Named reactions

1,2-dialkenylcyclobutanol effect of stereochemistry on behaviour, oxy-Cope vs retro-ene rearrangements, 2525

2-alkyl-5-methylene-1,3*dioxolan-4-ones and 2-alkyl-3-acyl-4-methylene-1,3-oxazolidine-5ones, highly exo and diastereoface selective chiral ketene equivalents, synthesis

and Diels-Alder reactions, 7305 2-azabicylco[3.3.1]nonan-3,7diones, synthesis and Fischer indolisation, 3841

2,2-dimethylpropanal, Wittig reaction with tributylbutylidenephosphorane, NMR rate study, 1361

z li z

2'.3'-dideoxycytidine,

cyclopropano analog, stereoselective formation of a [3.1.0]bicyclic system via homologous Ferrier reaction,

3-alkylmalic acids, chiral synthesis via [2,3] Wittig rearrangement of tert a-(allyloxy)acetic acid systems on carbohydrate template, 4157

3-methoxy-1-trimethylsilyl-1,3dienes, prep via Wittig-Horner reaction, 1691 (±)-6a-epipretazettine and related

alkaloids, total synthesis, prep of functionalised hydroindol-3ols via tandem aza-Cope

rearrangement—Mannich
cyclisations, 647
7-oxygenated indoles, improved
synthesis by Fischer indolisation and application to total synthesis of eudistomidin A.

(±)-11-deoxydaunomycinone and 4demethoxy analog, synthesis by sequential <u>Diels-Alder</u> cycloadditions, 83 a',a'-disilylated tert benzamides

as both ortho- and a -carbanion synthons, amide <u>Peterson</u> olefination routes to N-benzoyl enamines, isoquinclines and

dibenzazocines, 5841 α,β-unsaturated carbonyl compds, fluoride catalysed <u>Michael</u> reaction with α-isocyanoesters,

α,β-unsaturated ketones, Meerwein-Ponndorf-Verley type reduction to allylic alcohols catalysed by MgO, 2705

α,β-unsaturated lactones and dilactones, medium sized, synthesis via intramolecular Wittig reactions, 7393

α-chloro-α-ohenylselenyl ketones and a,a-dichloro-a-phenylselenyl ketones, synthesis via <u>Pummerer</u>-like reaction, 2665 α-methylene monosubstituted δ-

lactones, synthesis from αphosphonolactones, new Wittig-Horner compds, 675

a-oxoketene dithicacetals, Simmons-Smith reaction new route to 3,4-substituted and annelated thiophenes, 3093 β-halo-α,β-unsaturated ketones,

prep from β-diketones using Vilsmeier reagents, 3753 Y-hydroxy-α,β-unsaturated esters,

Y-hydroxy-a,p-unsaturated escers, stereoselective synthesis, asymmetric version of "Spac" reaction, 4325 m-facial diastereoselectivity in <u>Diels-Alder</u> reactions of 2,5-dimethylthiophene oxide, 5077

A-aryl glycosides, Friedel-Crafts

approach, Cp_2rcl_2-AgclO. efficient promoter, 833 AF-1la, AF-1lc and AK-11 nost specific plant toxins, synthesis using Sharpless chiral epoxidation under kinetic

control, 4303
alkenes, stereoselective synthesis
from aliphatic aldehydes by
boron-Wittig reaction, 5647
alkyl- and aryl-substituted

norbornadienes, prep via Diels-Alder cycloaddition-Grignard reaction-desulphonylation sequence, 1845

alkyne-Co₂(CO) complexes,

- synthesis and use in Pauson-Khand cycloheptanone synthesis,
- allyl vinyl ethers, carbanion accelerated <u>Claisen</u> rearrangements, studies on stereocontrol with phosphorus-stabilised anions. 2469
- allylic alcohols, complex stereochemical course of Mitsunobu "inversion", 6645 analogs of vinylogous Reformatsky
- reaction, regio-and stereochemical considerations,
- analysis of Norrish type ll reactions by molecular mechanics methodology, 527
 (+)- and (-)-20-epi-ibophyllidine,
- enantiospecific synthesis via intramolecular <u>Diels-Alder</u> type cyclisation, 1959 aryl chlorides, trifluoro-
- methylation, effect of charcoal using Burton's reagent, 2133
- asymmetric Diels Alder reactions and synthesis of (S)-2-p-tolylsulphinyl-1,4-benzoquinone,
- asymmetric <u>Diels-Alder</u> additions to enoates, N-substituted hydroxysuccinimides from malic acid as new reagents, 5595
- asymmetric Diels-Alder reaction catalysed by chiral bases, 703 asymmetric <u>Diels-Alder</u> reaction of chiral a,8-unsaturated oxazolines, 1395
- asymmetric Diels-Alder reaction of chiral alkoxy iminium salts,
- asymmetric Diels-Alder reactions of 1,3-disiloxycyclohexadiene with chiral acrylamides, 5891
- asymmetric <u>Diels-Alder</u> reactions with chiral
- alkoxycyclohexadienes, 6227 asymmetric <u>Diels Alder</u> reactions, EPC-synthesis of stable sarkomycin precursor eyclosarkomycin, 5599
- asymmetric induction and auxiliary structure in "Mukaiyama-aldol" reactions of chiral silyl ketene acetals, 5163 asymmetric intramolecular Diels-
- Alder reaction catalysed by chiral acylloxyborane complex,
- asymmetric Michael additions, simple chiral crown etners complexed with t-BuOK as
- catalyst, 7229
 asymmetric Michael process
 involving chiral imines, diastereofacial differentiation aspect, 2645
- asymmetric synthesis of phosphinates, phosphine oxides and phosphines by <u>Michaelis</u> <u>Arbuzov</u> rearrangement of chira; oxazaphospholidine, 2783
- aza-Robinson annulation, application to synthesis of iso A58365A, 3625
 Barton radical decarboxylation of
- podocarpic acid, prep of steroid CD-sythons, 7111
- Beckmann fragmentation vs Beckmann rearrangement in
- dehydronorcamphor derivs, 4041 benzopyrano[4,3-b]pyridines and benzo[h]-1,6-naphthyridines via europium catalysed intra
- molecular oxazole <u>Diels-Alder</u> reactions, 2355

 <u>Bergman</u> type cyclisation of acyclic conjugated encyne-allene system related to formation of biradical, 4995 bicyclo[2.2.1]heptan-2-one series,

Beckmann rearrangements, 7233 bicyclo[2.2.2]octanes, diastereoselective synthesis by

- double Michael addition, 547 bicyclo[3.3.0]octanes, route via tranannular cyclisation of 1trimethylsilyl cyclooctene under <u>Friedel-Crafts</u> condition, 7461 bis(phenylsulpnonyl) substituted
- dienes, uncatalysed Diels-Alder reaction with imines, 3259
- bisallyl vinyl ethers, organo-Al promoted Claisen rearrangement,
- catalysis of specific Michael addition, example of acrylate acceptors, 3969
- chiral a, B-unsaturated bicyclic lactams. Diels-Alder reactions, asymmetric route to fused carbocyclic systems, 6977 chiral α,β-unsaturated lactams,
- asymmetric Diels-Alder reactions, 6973
- chiral dienes, <u>Diels-Alder</u> reaction, effect of dienophile polarity on diastereoface
- selectivity, 6405 Claisen rearrangement of 1allyloxy-1-carbomethoxyallenes,
- cleavage of two C-C bonds in Wolff-Kishner reduction, 1353 consecutive Diels-Alder- Michael addition-1,3-dipolar
- cycloaddition processes, 609 destannylative <u>Pummerer-type</u> rearrangement of 1-(phenyl-sulphinyl)-1-(tributylstannyl)cyclopropane, 6773
- diastereoselective Diels-Alder reaction of optically active-preactive of optically active protolylsulphinyl-2-dycloalkennes with cyclopentadiene, 3853

 <u>Diels-Alder</u> reaction of 1azadienes, effect of a-cyano substituent, 2481
- Diels-Alder reaction of in situ generated 2-methoxycarbonyl-pquinone with glucose based dienes, new approach to forskolin, 1853 Diels-Alder reactions in
- ethylammonium nitrate as
- solvent, 1785 Diels-Alder reactions of acyclic chiral alkoxy dienes, oxygen <u>vs</u> sulphur as allylic directing group, 3897
- Diels-Alder reactions, trifluorothicacetaldehyde synthesis, 4111
- diethyl ketomalonate, CO2 equivalent, <u>Diels-Alder</u> reaction with 2-aza-1,3-dienes, 2685
- E-alkenes with chiral
- E-alkenes with chiral substituents, synthesis by extension of Horner-Wittig reaction and stereocontrol by acyl transfer, 4581 electroreductive "Barbier type" allylation of imines with combination of Pb(0)Pb(11) redox mediator and sacraficial anode, 1164 4161
- enantiomerically pure (S)-amino acids via diastereoselective Ugi acids via diastereoselective <u>og</u>, reaction using 2,3,4-tri-O-pivaloyl-a-D-arabinopyranosyl-amine as chiral template, 4109 enol ethers, product distribution in <u>Diels-Alder</u> addition of N-benzylidene aniline, 7237 esperanicin/calichemicin, type 11 <u>Diels-Alder</u> neutra to biquelia
- Diels-Alder route to bicyclic core, regiochemical misassignment: meta vs para selectivity, 433
- (±)-estrone methyl ether, approach to Oppolzer-Kametani intermediate using conjugate

- addition-enclate methylation of cyclopentenone containing an $\alpha\textsubscript{-}$ appendedbenzocyclobutane moiety,
- etoposide lactam, synthesis via <u>Mitsunobu</u> reaction sequence, 3299
- functionalised <u>cis-</u> hydroisoquinolines, Diels-Alder approach, 4309
- hetero Diels-Alder reaction, Lewis acid catalysed, use of organocomp (±)-nitramine, (±)-isonitramine and (±)-sibirine, synthesis via <u>Diels-Alder</u>
- reactions, 2301
 heterocyclic amino acids, prep via intramolecular Mukaiyama aldol condensation, synthesis of
- cycloleucine alalog, 1181 hindered sec alcohols, absolute configuration by modified Horeau's method, 3629
- homo Diels-Alder reaction, nomo <u>otels-Atter</u> reaction, stereoselectivity, 6813 homoallylic alcohols and β-acetoxyesters, efficient route via Mn mediated <u>Barbier</u> and <u>Reformatsky</u> reactions, 7373 intramolecular photocycloaddition
- and retro-<u>Mannich</u> fragmentation of acyclic tertiary vinylogous amides, 5703
- Karplus equation, extension of multiparametric, 4251 ketene bis(trimethylsily1)acetals,
- Mukaiyama reaction with α-halo acetals, 6109
- ketone formation from aliphatic aldehydes by variant of boron-Wittig reaction, 5643
- L-threonine, 8hydroxyphenylalanine and β-hydroxyleucine, synthesis via application of Sharpless asymmetric epoxidation, 6637
- Mannich reactions of oxazolidines,
- Markovnikov vinylboranes via αmethoxyvinyllithium, 3919 methyl propynoate sequential
 Michael-Michael-aldoldehydration reactions with
- Michael donors, regiospecific 1,3-dicarboxy benzannulation, 3579
- methylenecyclopropane as alkene component in <u>Khand-Pauson</u> reaction, 4021
- Nitsunobu reactions of N-alkyl and N-acyl sulphonamides, efficient route to amines, 5709
- monovinylporphyrins, transformation to benzoporphyrins via Diels-Alder adducts, 6135
 morphinan skeleton, approach using
- tandem intramolecular furan Diels-Alder/radical cyclisation,
- N-acylindole-2,3-quinodimethanes, generation, reactivity and regioselective control of intermolecular Diels-Alder reactions, 7289
- N-alkoxytryptamines, intramolecular <u>Pictet-Spengler</u> reaction, synthesis of (±)-deamino-debromo-eudistomin L,
- N-sulphonyl imines, in situ procedure for inter and
- intramolecular Diels-Alder reactions, 3037 new Lewis acid catalysts for Diels-Alder reaction, 1357 new regiocontrol element for
- Diels-Alder reactions, 1907 nitrosyl hydride, Diels-Alder and ene reactions with nitrosoformaldehyde, 3255

- o-substituted benzyl chrome tricarbonyl allyl ethers, [2,3] Wittig rearrangement with high diastereoselection, 2549
- organopmetallic complexes of ruthenium, use in Lewis acid catalysed hetero <u>Diels-Alder</u> reaction, 1189
- Para-Forssman glycolipid isolated from human erythrocyte membrane, synthesis, 5619
- para-selective <u>Fries</u> rearrangement of in presence of zeolite molecular sieves, 2281
- Pd-catalysed double <u>Heck</u> arylation of cyclopentene, 2877 Pd-catalysed <u>Michael</u> addition of
- ketone enclates, generated by decarboxylation of allyl β-keto carboxylates under neautral conditions, 4829
- <u>Persoons'</u> periplanone A, synthesis of tricyclic <u>cis</u>-selinane-type
- compds from germagrene D, 3693 Persoons's periplanone-A, clarification of structure of artifact derived from
- Hauptmann's periplanine-A, 7447 phenois, regio- and diastereo-selective Friedel-Crafts alkylation with α-amino aldehydes, synthesis of optically active ephedrine-like compds, 1121 phosphorothicate diesters,
- approach to synthesis via Schonberg reaction, 6757
- photo-Smiles rearrangements, heterolytic general basecatalysed, a-cyclodextrin as a probe, 6477
- pipecolic acid derivs, stereoselective synthesis using aza-Diels-Alder reactions, 6781
- pivotal prostaglandin chiral synthon, synthesis via enantioselective microbiological Baeyer-Villiger type reaction,
- polyethylene-bound ruthenium catalyst for inter and intramolecular Kharasch reactions, 3915
- potential steroid intermediate, synthesis by anionic oxyCope rearrangement, 4427
- propargylic alcohol, oxygen substituents, stereochemical directing effect on intramolecular Diels-Alder reaction of diene-yne , 7157
- reaction of deneryne, 1757 protected peptide fragments, prepusing <u>Kaiser</u> oxime resin, 4915 quercetin, synthesis of carbocyclic analog via <u>Barbier</u> reaction, 5563 quinazolinones, new route via intramplecular aza-<u>Wittig</u>
- reaction, 3313
- radical chain reaction of xanthic anhydrides, intermediacy of annyorioes, intermediacy of alkoxy-thiocarbonyl radicals in Barton-McCombie reaction, 4367 Ramberg-Backlund reaction, isolation of episulphone intermediate, 3267 regioselectivity of photo-Fries representation accommission
- rearrangement in acetoxyindoles,
- reversible double <u>Smiles</u> rearrangement via intermediate formation of two tautomeric Meisenheimer spiro-complexes,
- Ritter reaction, improved modification, 581
- secondary metabolite, rhizochalin of mixed biosynthesis from Rhizochalina incrustata, 6581 sesquiterpenes (±)-aplysin and
- (±)-filiformin, synthesis,

- Sheradsky rearrangement of α,α' -disubstituted cyclopentanone aryloximes, 2229
- side chain substituents, effect on intramolecular Diels-Alder reaction of furandiene, synthesis of (±)-1,4-epoxycadinane, 1349
- siloxydienes, stereochemical varaiations in <u>Diels-Alder</u> reactions with <u>N.N-dimethyl</u> acrylamide, effect of Lewis acid
- catalyst, 5887
 Simmons-Smith reaction, diastereodifferentiation using new chiral
- auxiliary, 3807 solid-liquid phase transfer catalysis without solvent, improved chiral Michael addition of N-acetylaminomalonate to chalcone, 333
- stereoselection enhanced by cooperation between chiral auxiliaries, asymmetric Diels-Alder reactions with fumaric acid bis ((S)-proline benzyl ester) amide, 4227 stereoselective ketene-Claisen
- rearrangement of chiral
- allylthicethers, 3517 substituted furans, intramolecular Diels-Alder reactions under high pressure to give oxatricyclo adducts, 1045
- sulphone mediated Rupe and Raphael rearrangements, 7389 sym-Mitsunobu reaction, strained
- oxiranes from cis-diols, 6797
 TDA-1 catalysis in Smiles
 rearrangement of N-arylphenoxyamides, accelerating effect of 2,4,6-trichloro substitution, 931
- trimethylsilyl enol ethers formed by imino Diels-Alder reaction, mechanism, 2795
- ultra-sound promoted coupling of heteroaryl halides in presence of Li wire, formation of bipyridines in <u>Wurtz</u>-type reaction, 3567 Vinylogous <u>Conia</u> rearrangement, a
- masked ene reaction, 4329
- (Z)-1-iodo-1-alkenes stereoselective synthesis via Wittig reaction of iodomethylenetriphenylphosphorane with aldehydes, 2173

Natural products

- ,4-dihydronaphthalene type compds from <u>Cassia semicordata</u>, 6203 1,4-dihydronaphthalene type compde
- from Cassia semicordata, 6203
- 2.5-dialklylpyrrolines, reduction, key step in synthesis of natural insecticides, 1081 3-hydroxybutyric acid ester,
- umbraculumin-B from Umbraculum mediterraneum, 1147 3,4-seco-triterpenoids, espinendiols A and B,
- espinenoxide and trisnorisoespinenoxide from Euphorbia
- supina, 1661
 10-(R,S)-C₃₀ botyrococcene and botyrococcane, total synthesis and new synthesis of general intermediate to botryocccene family, 4867
- Tamily, 4007
 Il-exotetrodotoxin, isolation from Arothron nigropunctatus, 4393
 (+)-α-2.7, 11-cembratriene-4,6-diol(α-CBT), enantioselective total synthesis, 1055
 Δ*-pipecolic acid, stereoselective
- synthesis via alkylation of a vinyl N-Boc-iminium ion derived from baikiain, 5751
- ADDA, C-20 amino acid of

- cyanobacterial hepatotoxins, total synthesis, 4349 alkaloids in Seeletium subvelutinum, biosynthesis, 141 (+)—and (-)—pulo'upone, asymmetric total synthesis, 1821 anthocyanins in scarlet, purple
- and blue <u>Salvia</u>, 6729 antifungal metabolite etzionin. new from Red sea tunicate, 4291
- antimicrobial tetrastilbene kobophenol, structure and isolation from <u>Carex</u> kobomugi,
- antineoplastic pyridine alkaloids, theonelladins A-D from Theonella swinhoei, 4833
- aragupetrosine A, new vasodilative macrocyclic quinolizidine alkaloid from <u>Xestospongia</u> sp,
- ascidiatrienolides A-C, lactonised elcosanoids from Didemnum candidum, 2735
- asymmetric enzymatic hydrolysis for chiral cyclopentanoid building blocks, 3777 azabicyclic adduct as stable
- hydrate, isolation from α,α'annelation of 1-benzyl-2,5piperidine-dione, 1861
- prperfurne-dione, 1801 azadirachtin biosynthesis, isolation of 1,3-diacetyl-11,19-deoxa-11-oxo-meliacarpin precursor from azadirachta
- indica, 1797 azadirachtin, furofuranic model, synthesis, 341
- azadiradione, synthesis, 3023 bacterial lipopolysaccharides asymmetric synthesis of (3R)-
- alkanoyltetradecanoic acid components, 4763 bacterium <u>Eriwinia quercina</u>, isolation, structure and synthesis of lateral root
- inducing compds, 5699 biologically active 1,2,3-trithiane deriv from Ascisian aplidium, 3703 breynolide sulphone, synthesis,
- camptothecin biosynthesis, plausible intermediates pumiloside and deoxypumiloside from Ophiorrhiza pumila, 4991
- ciguatoxin from Cymnothorax javanicus, probable partial structure, 3793 (+)-conhydrine, opticaly active
- natural, enantiospecific synthesis from (S,S)-tartaric acid, 6395
- acia, 6399 corallistine, a new polynitrogen compd from <u>Corallistes</u> fulvodesmus, 1535 curvularin-type-, of hybrid strain ME 0005 derived from <u>Penicillium</u>
- citreo-viride, stereostructures of IFO 6200 and 4692, 2241
- cyctotoxic cembranoids from Pseudopterogorgia bipinnata,
- cytotoxic carbazole alkaloid, structure of tubingsin B from Aspergillus tubigsis, 5965 davanone transformation, reductive
- cleavage of tertahydrofuran and thermal cyclisation of 1,3-diene, 1347 diastereoselective synthesis of
- 3(2H)-furanones, total synthesis of (+)-muscarine, 1753
- diospyrol from Diospyros mollis, synthesis, 3861 diphenyl-p-menthane deriv, hydrallmanol A of mixed biogenetic origin from Hydrallmania falcata, 1487
- diplamine, cytotoxic polyaromatic alkaloid from Diplosoma sp, 4201

- diterpenoids, degraded with new carbon skeleton, glaciolide from Cadlina luteomareginata and Aplysilla Glacialis, 5717 diterpenoids, lassiccarpine C20
- alkaloid from Aconitum kojimae <u>ohwi</u>, 3441
- diterpenoids, monocyclic moiety of ageline A, total synthesis, 6401 diterpenoids, new class, dactylomelol from Aplysia dactylomela 6219
- diterpenoids, new clerodane, structure of jodrellin A and B, insect antifeedants from
- Soutellaria woronowii, 4737 diterpenoids, quinonemethide isobharangin, biogenetically significant, isolation from Pygmacopremna herbacea, 867 diterpenoids, secospatane-type.
- structures with antifeeding acivity from Dilophus okamurai,
- diterpenoids. new eunicellin-based from Cladiella sp, 3331
- electrochemical amide oxidation in presence of monomethylated phenyl rings, relationship between chemoselectivity of oxidation and location of OMe substituent, 1213 fatty acid metabolites.
- halicholactone and neohalicholactone from
- Halichondria okadai, 4543 functionalised <u>cis-</u> hydroisoquinolines, <u>Diels-Alder</u>
- approach, 4309 furodysinin lactone thioacetate, potent LTB. receptor partial agonist from <u>Dysidea</u> genus, 2725 gymnemic acids, antisweet principle from <u>Gymnema</u> sylvestre
- leaves, purification and structure, 1547
- Gymnena sylvestre, structure studies of new antisweet constituents, 1103
- gymnrmagenin and deacylgymnemic acid structures, 361 haliclamines A and B, cytotoxic
- macrocyclic alkaloids from Haliclona genus, 6891 hepatotoxin cyanoviridin RR, Adda
- an amino acid component, absolute configuration of 8 and 9 carbons, 4245
- isombamichalcone and lophirochalcone, isolation of bi- and tetra-flavonoids from
- Lophira laceolata, 1807 isoquinoline alkaloids, new class, proaporphine-tryptamine dimers from Roemeria hybrida, structures, 1165
- isosarain-1 new alkaloid from
- Reniera sarai, 133 lauroxolanes from Laurencia
- majuscula, 1757 marine cembranoids, C-3,C-4 oxygenated, by conversion of trans, trans-farnesol, 3749
 maxonine, structure and isolation
- from Simira maxonii, 6199
- maxonine, structure and isolation from Simira maxonii, 6199 murrapanine from Murraya
- paniculata, structure and synthesis, 6649 mycalolides A-C, hybrid macrolides of ulapualides and halichondramide, structure and isolation from Mycale genus,
- natural linear triquinane, synthesis of (±)-hirsutene from 3,3-dimethylcyanocyclopropene,
- naturally occurring (+)-methyl 3.4-anhydroshikimate, structure

and synthesis of pure compd, 6257

- naturally occurring lactone 38-hydroxy lupan-28, 138-olide, photochemical synthesis, 2855 neocarzinostatin chromophore.
- synthesis of naphthalene moiety,
- (±-neplanocin F, total synthesis. 4909
- neurotoxic Nephila spider venoms, synthesis, 2337 new 7'-apocarotenoic acids,
- vitixanthin and dihydro-vitixanthin from Cochlospermum vitifolium, 3059
 new bromo ether laureoxolane from
- Laurencia nipponica, 3665 new cytotoxic acridine alkaloids
- from Pachastrellidae, 4359 new polyketide metabolite, obionin A from Leptosphaeris obiones, 3483
- new sulphur containing insecticidal alkaloids, structure and isolation of guinesine-A, -B and -C from
- Cassipourea guianensis, 3671 w teleocidin-related blastmycetin E from Streptoverticillium blastmyceticum, structure, 2113
- new trihydroxylated tertahydroanthraquinones from genus rmocybe, 7269
- norsesquiterpenelactone, synthesis of first anti-Huckel oxepin deriv, (±)-senoxepin, 1241
- nyctinastic plants, circadium rhythm, bioactive potassium lespedezate and isolespedezate
- from <u>Lespezeza cuneata</u>. 3991 O-geranyl (1-thio)diphosphate, synthesis. 7333
- octapeptides, lyciumins A and B isolation from <u>lycii radicis</u> <u>cortex</u> as anti-ACE and <u>renin</u> substances, structures, 6041
- optically pure natural <u>S(+)</u> or unnatural <u>R(-)</u> DABA, enantioselective synthesis, 6011 Persoons' periplanone A, synthesis
- of tricyclic cis-selinane-type compds from germagrene D, 3693
- Persoons's periplanone-A, clarification of structure of artifact derived from
- Hauptmann's periplanine-A, 7447 phytoellexin elicitor isolated from soybean cell wall, synthesis of galactododeca-osiduronic acid, 87
- polyacetylenes, high molecular weight, from Petrosia ficiformis, structural analysis and biological activity, 3563 potential alarm pheromones from
- Scaphander lignarius, 5003 prostaglandin-1,15-lactones, isolation from Tethys fimbria,
- pyrrolizidine alkaloid, 1-
- epiaustraline from Casttanospermum australe, 5685 pyrroloquinoline alkaloids,
- batzellines A,B and C from
- Datzellines a, p and c from Batzella Sp. 2517
 "retrolignan"(-)-α-conidendrin, total synthesis, 4371 saponin from Solidago gigantea, structure via modern NMR techniques, 4097
- secoalkaindole alkaloids from Gelsemium elegans, structures of gelsemamide and 11methoxygelsemamidem 1177
- secosterol, astrogorgiadiol.
 diterpene ophirin and related astrogorgin, inhibitors of cell devision, isolation from Astrogorgia sp, 7079

sesquiterpene, tricyclic amide, pinthunamide produced by Ampulliferina sp, structure,

- sesquiterpenoids, (\pm) silphiperfol-5-en-3-ol, total synthesis, 2371
- sesquiterpenoids, new halogenated chamigrene, absolute configuration and isolation from Laurencia intricata, 559
 sesquiterpenoids, new skeletal
- type, structure of anislactone A from Illicium anisatum, 7451 sesquiterpenoids, new type of
- humulane-related lactonc aquatolide from <u>Asteriscus</u> aquaticus, 2851
- sesquiterpencids, periplanon D, and D₂ identification and isolation from <u>Periplaneta</u> americana, 2367
- sex pheromone components of Ectomyelois ceratoniae, isolation, identification and synthesis, 2901
- sex pheromone of Hyphantria cunea, identification of (32,62)-1,3,6,9,10-epoxyheneicosatriene and (3Z,6Z)-1,3,6,9,10-
- epoxyeicosatriene, 3405 sex pheromone of <u>Samia cynthia</u> <u>ricini</u>, identification and <u>synthesis</u>, 2911 stereoselective synthesis of
- (9Z,15Z)-(11S,12S,13S)-11-hydroxy-12,13-epoxy octadecadienoic acid, constituent of rice plant infected with rice blast disease, 1669
- steroidal alkaloid, pingbeinone having C-18 nor Cevane skeleton from Frittaria ussuriensis, 4981 strobilurin B, total synthesis,
- strobilurin B, total synthesis, 5417
- Strychnos alkaloid 19,20dihydroakuammicine, total synthesis and NMR data, 2293 sulphur rich metabolite, structure
- of dysoxysulphone from Dysoxylum richii, 4919
- Swietenia mahogani, isolation of antagonists of platelet activating factor, 1111 swinholide A structure of
- cytotoxic macrolide from Theonella swinhoei, 2963
- tetrahydrofurobenzofuranoxanthones from Psorospermum febrifugum, 3385
- tilivalline, stereoselective synthesis, 1871 trichomycin A from <u>Streptomyces</u>, structure, 3813
- trisnorditerpenoids, norasperenals A-D from Eunicea sp, 6821
- triterpenoids, moncyclic, achilleol A, new from Achillea odorata, 3351
- triterpenoids, new cycloartanoid, isolation from Lansium domesticum, inhibitor of skin tumors, 5615
- triterpenoids, new migrated gammacerane from roots of Picris hieracioides, 6873
- triterpenoids, structure of three gammacer-6-ene derivs from
- Picris hieracioides, 4977 triterpenoids, three new skeletal hydrocarbons isolated from Polypodiodes niponica, 7209 vicinal tricarbonyls, total synthesis of prodigiosin, 1725
- with 1,3-all-syn-polyol, synthesis of δ-lactone of (2Z,5S,7S,9R,11R)tetrahydroxyhexacos-2-enoic acid

- and 4,6,8,10,12,14,16,18,20-allsyn-nonmethoxy-1-pentacosene,
- (±)-yashabushitriol, synthesis via application of prep and reductive cleavage of 1,2-
- dioxolanes, 6985
 (Z)-7,7-difluoro-8-dodecenyl acetate of oriental fruit moth, synthesis and pheromonal
- properties, 3243 zoanthaminone, new alkaloid from marine zoanthid, 6825

Nickel and compounds

- and phase transfer catalysed carbonylation of vinyl bromides
- and chlorides, 2615 catalysed conversion of 2-bromo-1-phenyl-1.3-butadiene to a-keto lactone, a double carbonylation of a halodiene, 2617
- catalysed regioselective allylation allylic alcohols, 6409
- catalysis, reactions of organic halides with olefins, addition of hydrocarbons to C=C bonds, 689
- complexes of-, catalysed codimerisation of selective linear butadiene-functionalised dienes, 8515

atrimethylsilyl-, desilylation, first nitramine a-anion, 6133

Nitration

by exides of nitrogen, reactions of mono- and dioxacycloalkanes with 5-,6- anf 7-membered rings, with dinitrogen pentoxide, 6431

- (ethoxycarbonyl)nitrone addition to siloxydienes, regiochemistry, 5025
- insertion of-, regiospecific
 synthesis of ellipticine, 297
 singlet pentafluorophenyl nitrene, CH insertion with alkanes at room temp, polyfluorinated aryl azides as photoaffinity labelling reagents, 2199

Nitrenium salts

nitrenium ions, irreversible formation via solvelysis of Nacetoxy-4-acetylaminostilbene, 1479

Nitriles

- 1,5-dimethyl-2-pyrrolocarbonitrile, anodic oxidation, 925
 3-hydroxypropionitrile, new reagent for carboxyl protection in peptide synthesis, 3569
 acrylonitrile, addition to anionic
- transition metal hydrides, ionic
- model for homogeneous olefin processes, 1781 and acetylene, photoassisted cocyclisation catalysed by Cocomplexes at ambient temp and
- normal press, 1229 aromatic-, selective reduction to aldehydes by potassium 9-sec-
- amy1-9-boratabicyclo-[3.3.1]nonane, 3677 arylacetonitriles, conjugate addition of einnamic acid derivs, case of diastereoselective asymmetric
- protonation, 4565 hydrolysis to amides by catalysis of 2-mercaptoethanol in phosphate buffer, 7439
- N-allyl carbamoyl anthranilo-nitriles and O-allylcabamoyl salicylonitrile, cyclisation to

- 2(1H)quinalzolinones and 1,3-benzoxazine-2(3H)-ones using catalase, 1133
- nitrile oxide, regio- and stereoselective intramolecular cycloaddition of furan, 5013
- mitrile oxide, stereoselective cycloaddition with chiral iron complexed triene, synthesis of 3-hydroxyketone (+)-(S)-[6]gingerol, 6521 nitrile oxides, cycloaddition with
- iron complexed trienes to give Δ²-isoxazolines, 6517
- ribose nitrile oxide, reaction with acetylenedicarboxylate, prep of spiro and bicyclic nucleosides, 3675 Ritter reaction, improved modification, 581
- via carbonyl compds, cyanophosphate an efficient intermediate, 3681

- Nitro compounds 2-(2,4-dinitrobenzyl)pyridine, imine-enamine and aci-nitro tautomerism, 4885
 - 2-fluoro-4-nitroanisole, photoreactions with amines, search for new biochemical photoprobes, 2427 2,6-dinitroalkanes, radical

 - cyclisation, 1857
 4-nitroanisole, regioselective nucleophilic aromatic photosubstitution, cual
 - mechanistic pathway, 2423 α-nitroketones, replacement of NO₂ by Na₂S₂O₄-F',SiH, 4819 syclic α-(nitroalkyl)enones,
 - regioselective replacement of nitro group by nucleophiles, 2413
 - internucleotide linkages,
 - oxidative and monooxidative formation, 6621 nitroarenes, 2-substituted, reaction with vinyl Grignard reagents, new approach to 7substituted indoles, 2129
 - nitrocyclopropanes, synthesis from
 - nitrodiazomethanes, 4197 nitromethane, selective base-catalysed additions to
 - levoglucosenone, 992 tert-nitroalkanes, formation of nitrones, 5119

Nitro sugars

- higher, via chain extension of aldehydo-sugars, 6139 nitro sugar derived silyl nitronates, synthesis and reactivity, 6143

Nitrones

- formation from tert-nitroalkanes, 5119
- tandem[3+2] cycloaddition with allenyl sulphoxides, [2,3]-sigmatropic rearrangement, 663

Nitronic acid and derivatives

nitro sugar derived sily! nitronates, synthesis and reactivity, 6143

Nitroso compounds

- acylnitroso dienophiles from L
- acylintoso proline, asymmetric Diels-Alder cycloadditions, 7061 C-nitroso compds via sodium perborate oxidation of prim aliphatic amines, 6495
- nitrosobenzene, reactions with a-
- amino ester imines, 2477 nitrosoformaldehyde, Diels-Alder and ene reactions with nitrosyl hydride, 3255

Nitrosyl salts nitrosyl hydride, Diels-Alder and ene reactions with nitrosoformaldehyde, 3255

Nitroxides

stable-, with amino groups and F atoms at a-carbon of radical center, synthesis, 751

N-oxides

- +)-indicine N-oxide an antitumor pyrrolizidine alkaloid,
- enantioselective synthesis, 4985 amine N-oxide, optical resolution by diastereomeric complex formation with optically active host compd, 1841
- mesitonitrile oxide cycloadditions to 7-substituted norbornadienes,
- to 7-substituted notochadenes, stereoselectivities, 807 nitration by oxides of nitrogen, reactions of mono- and dioxacycloalkanes with 5-,6- anf 7-membered rings, with dinitrogen pentoxide, 6431
- nitrile oxide, regio- and stereoselective intramolecular cycloaddition of furan, 5013
- pyridine N-oxides, epoxidation of olefins catalysed by ruthenium porphyrins, 6545

Nuclear magnetic resonance

- 2-bromoleptoclinidinone, structure revision, 1069 2-D MMR, isolation of antagonists of platelet activating factor
- 2D MMR, lassiocarpine C₂₀ alkaloid from <u>Aconitum kojimae ohwi</u>, 3441 2D MMR, maxonine structure, 6199
- 2D NMR, maxonine structure, 6199 6-hydroxy-3-methoxy-1,2-dioxane,
- X-ray analysis and anomeric effect: ozonolysis of (1-methyl-2-propenyl)-pulegol; intramolecular trapping of
- "Criegee intermediate", 461 'H MR, 7- and 8-membered 1,5-cycloalkane-fused semibullvalene derivs, 6469
- 'H NMR and single crystal X-ray evidence for structure and cation encapsulation of cistulynes in a rigid, molecular channel system, 5099
- 1H NMR characterisation of iminoquinone and aminophenol derivs of coenzyme PQC, 6875 H MMR, inisquinone, 4783 E MMR, macrocyclic cyclophane, solid state structure and
- solution conformation, 7453
- 'H NMR, non-chair conformation of P-containing ring of cyclic nucleotide model system for P(V) cAMP-substrate or cAMP enzyme adducts, 2195 'H NMR nuclear Overhauser, 1-
- epiaustraline from Casttano-spermum australe, 5685 'H NMR, partially deuterated
- methanes, proton chemical shifts, H-D coupling constants and deuterium isotope effects, 2755
- 'H and '3C NMR., benzanilide and N-
- ¹H and ¹³C NMR, benzanilide and N-methylbenzanilide, stereochemistry, 6177

 ¹H and ¹³C NMR, antifeedants from Scutellaria woronowii, structure of new clerodane diverpencids jodrellin A and B, 4737

 ¹H and ¹³C NMR, assignment of chemical shifts tomeso-phenyl protons and carbons of tetrakis-5,10,15,20 (α,β,α,β-ortho-amidophenyl) porphyrins, 2923

 ¹H and ¹³C NMR, dactylomelol from

- Aplysia dactylomela, 6219 ¹H and ¹³C MMR, didemnin B and nordidewmnin B, spectral
- assignment, 3053

 'H and 'aC NMR, fatty acid metabolites, halicholactone and neohalicholactone from
- Halichondria okadai, 4543 H and 15 MMR, mycalolides A-C, hybrid macrolides of ulapualides and halichondramide, structure and isolation from Mycale genus,
- 1H NMR, 13C NMR and NOE, tetrahydrofurobenzofuranoxanthones from Psorospermum febrifugum, 3385

 13 C MMR, auricularic acid,
 stereostructural revision,
- synthesis of 4-epi-auricularic acid, 4963

 1°F NMR, synthesis of fluorinated analogs of ins(1,4,5)Ps, 5401

 1°F NMR, synthesis of fluorinated analogs of ins(1,4,5)P, 5401

 2°NA NMR, identification of new
- piperazino crown ether deriv,
- 1'O NMR of diastereomeric 3',5'cyclic thymidine phosphates, methylphosphonates and N.Ndimethylphosphoramidates, phosphorus configuration of P-chiral ['70,180]-nucleoside phosphate diesters, 1221
- 7'Se NMR. bis(diisobutylselenccarbamoyl)triselenide, structure and intramolecular dynamics.
- and MACROMODEL/molecular dynamics calculations show that Mg converts Kemp's triacid from chair to half chair conformation, 6943
- antifungal metabolite etzionin, new from Red sea tunicate, 4291 antimicrobial tetrastilbene kobophenol, structure and isolation from Carex kobomugi,
- eiguatoxin from Gymnothorax

3785

- javanicus, probable partial structure, 3793 cycloaddition strategy directed toward spiro ring system of ginkgolides, 1495
- diamides, intramolecular Hbonding, 3381
- dianthrylbenzene and dianthrylbiphenyl, different redox activity, 1629 diterpenoid (+)-mayolide A,
- synthesis and absolute
- configuration, 5911 diterpenoids, quinonemethide isobharangin, biogenetically significant, isolation from Pygmacopremna herbacea, 867
- diterpenoids, revised structures of antheliolides A and B, 3363 DNMR and X-ray analysis of 2,11-dithia-[3,3]indano-orthocyclophane and 2,11-dithia-[3.3](5,6)indanocyclophane, 6005
- DNMR study of syn/anti-isomerisation of 2,2-9,10-
- bis(styryl)anthracene, 1429 ESR and ENDOR study of radical cations of 1,2,4,5-tetrakis-(dimethylamino)benzene and 2,3,6,7-tetrakis(dimethyl-
- amino)naphthalene, 6161 hexacyclo[6.6.0.0², 6.0³, 1². -0⁴, 1¹.0⁵, 2]tetradeca-10,14dione, transannular
- interactions, 1279
 higher carbon sugar, synthesis via
 directed aldol condensation,
- long range 2D hector and difference NOE, use of in

- structure detn of substituted bicycle[4.2.1]nonane, synthesis via anionic[1,3]sigmatropic shift, 641
- monodeuteriocyclohexane, deuteron integration at low temps, conformational preference(A value) of D, 1059
 nonequivalence of diastereomeric
- dialkyl phosphites, 5469 nonequivalence of diastereomeric
- dialkyl phosphites, 5469 nystatin A., stereostructure, proton NMR study, 4521
- nystatin A₁, stereostructure, synthetic assignment of C1-C10 fragment, 4517
- peptide backbone conformation of destruxin A, 4189
- Persoons' periplanone A, synthesis of tricyclic cis-selinane-type
- on tricyance gis-settinane-type compds from germagrene D, 3693 photochemically induced reactions of cis,cis-cyclocotadienone, 637 phytoxin tagetitoxin, revised structure, 501 rate study. Wittig reaction of
- 2,2-dimethylpropanal with tributylbutylidenephosphorane,
- selective INEPT and NMR, obionin A from Leptosphaeris obiones, 3483 selective INEPT, homonuclear decoupling, structure of tubingsin B from Aspergillus
- tubigsis, 5965 signal integration, detn of
- diastereoisomeric excess, thermal adducts of chiral [4+2] allenic esters with cyclopentadiene, 4117 simple 2-dimentional NMR protocol,
- ¹J_{C¹,H¹} values for stereochemical deth of 3-glycosides, 407
- spectral editing of simple alkyl-and aryl-lithium compds via 13C spin-echo NMR with gated 5Li
- decoupling, 6155 spiro-heterocyclic systems, detection and mechanistic
- implication of dynamic equilibrium, 6777
 Strychnos alkaloid 19,20dihydroakuammicine, total synthesis and data, 2293
- thermally stable hypervalent bismuth ate complex(12-Bi-6) with two bidentate ligands, synthesis and structure, 953
- trans-cyclcheptene, spectral characterisation and dynamic
- behaviour, 6805 trichomycin A from <u>Streptomyces</u>, structure, 3813
- triplet fluorenylidene, spin polarisation, indirect observation at room temp, 4469
- trisnorditerpenoids, norasperenals A-D from Eunicea sp, 6821

Mucleophiles

- alkynyl-, recativity with (n-1substituted-pentadienyl) (tricarbonyl)iron(+1) cations, 1339
- attacks by-, regioselectivity, elecronic effects of m-
- allylpalladium complexes, 3109 bio-, in vitro reaction with N-acetoxy-2-aminonaphthaline from carcinogenic 2-naphthylamine, 321
- C-, stereochemical course of condensation, with 2,4-deoxy-2amino-L-threose and -L-erythrose, 5511
- C-, stereochemical course of condensation, with 2,4-deoxy-2amino-L-threose and -Lerythrose, 5511

regioselective replacement of nitro group in cyclic a-(nitroalkyl)enones, 2413

sesquiterpenoids, novel neurotrophic neolignans from Magnolia obovata, 5907

Mucleosides

- hydrogenphosphonthicate diester synthesis, 2157 2-seco and 1,2-seco 2-nor
- pyrimidine and purine nucleosides, synthesis, 6165
- 2'-deoxynucleosides, stereoselective radical reactions, synthesis of an isostere of 3'-azido-3'-deoxythymidine-5'-monophosphate, 4969
- 2'-deoxyxanthosine, prep by nitrosative deamination of 2'deoxyguanosine under alkaline conditions, 1467 2-deoxy-2-hydroxymethyl-β-D-
- erythrofuranosyl-, eynthonis from 9-(2-deoxy-1-hydroxymethyl-β-D-erythrooxetanosyl)adenine by ring expansion and trans-glycosidation, 2269 2',3'-dideoxycytidine,
- eyclopropano analog, stereoselective formation of a [3.1.0]bicyclic system via homologous Ferrier reaction, 2203
- 2',3'-dideoxynucleoside analogs, 3'-substituted, as potential anti-aids drugs, 1955 3'-amino-3'-deoxynucleosides, high
- 3'-amino-3'-deoxynucleosides, hig yield synthesis, conversion of adenosine into 3'-amino-3'-deoxyadenosine, 2329 -substituted-, synthesis via regioselective lithiation of 2-deoxyuridine, 2057
- 5,6-dihydropyrimidine-, derivs, 6substituted, synthesis via addition of Grignard reagents to 4-0-TPS pyrimidine nucleosides,
- adducts of cyclopentaPAH, 3251 anti-HIV agents, new class.
- synthesis of iso-ddA, 6259 antiviral-, 6- and 1-substituted mannosyl phosphotriesters as lipophilic macrophage-targeted carriers, 6019
- (-)-aristeromycin, 9-step enantiospecific synthesis from D-ribonic acid Y-lactone, 1453
- boron-10 containing nucleoside derivs for neutron capture therapy, synthesis via 1,2addition of carbanions with aromatic aldehydes with boronic moiety, 7191
- carbocyclic-, Pd-assisted route, synthesis of (±)-aristeromycin, 6625
- carbocyclic-, stereospecific synthesis from 2-azabicyclo-[2.2.1]hetan-3-ones via sodium borohydride mediated C-N bond cleavage, 1645
- chiral 2-substituted carbocyclic 5'-N-ethyl-carboxamidoadenosine, efficient route, 5543
- cyclobutane-, with antiviral activity, synthesis of SQ-33,054, 6453
- dinucleoside methylphosphonate,
- onc-pot R_p diastereoselective synthesis using methyldichlorophosphine, 5587 functionalised oligonucleoside methylphosphonate suitable for non-radioactive label attachment, 7025
- guanine-, reaction with aryl and chlorosulphonyl isocyanates, 467 lipase-catalysed regioselective

acylation of sugar moieties, 3817

new 2'.3'-dideoxynucleoside prototype with in vitro activity against HIV, 6263

new antiviral agent, SQ-32,829, synthesis, 6955

novel acyclic adenosine analogs, regiocontrol in synthesis of optically active amino-4-

pentenediols via epoxy-4-pentenols, 1517 nucleosidic oxetane, cleavage with carbanions, synthesis of possible anti-HIV agent, a phosphonate isostere of

phosphotate, 2567 P-chiral [''0,1'0]-nucleoside phosphate diesters, phosphorus configuration, ''0 MMR of diastereomeric 3',5'-cyclic thymidine phosphates, methylphosphonates and N,Ndimethylphosphoramidates, 1221

phosphonodithioate-, in prep of dinucleoside phosphorodithicates

and phosphorothicates, 4713 pyrimidine-, 3',5'-0-acylated, regioselectiove deprotection by lipase and esterase, 3619 ribo-, selective transport through

liquid membrane, 2325 spiro and bicyclic, from ribose nitrile oxide reaction with acetylenedicarboxylate, 3675

Nucleotides

5'-biotinylated oligonucleotides, automated solid phase synthesis using phosphoramidite reagent, 6287

"branched" trinuclectide, synthesis using H-phosphonate chemistry, 881

branched oligonucleotides, automated solid phase synthesis,

cyclic-, model system for P(V) cAMP-substrate or cAMP enzyme adducts, non-chair conformation of P-containing ring, 2195

d(GCATGC), neocarzinostatinmediated degradation, mechanism of spontaneous thymine release, 4263

deoxycytidine oligomers with phosphorodithioate linkages, synthesis, 543

deoxytetranucleotides, metallobleomycin mediated degradation, unusual C-4' hydroxylation at terminal cytidine, 7213

diastereochemically pure dithymidine phosphormorpholidate derivs, synthesis, isolation and characterisation, 5899

glycinamide ribonucleotide, improved synthesis, 1599 nucleotidyl-peptide, synthesis

involving selective P-S bond cleavage, 2117 oligo-, containing 3'thiothymidine, solid phase synthesis, 4693 oligo-, labelling by

bathophenanthroline-Ru complexes, 1513

oligo-, with an acridine or

athiophosphate group at 3' end, solid phase synthesis, 2521 oligodeoxyribo, labelling with biotin in a single step using solid phase method, 3089

oligoribo-, synthesis, use of labile base protecting groups,

oligoribo-, synthesis via H-phosphonate approach, use of new phosphonylating and coupling agents, 6375

oligoribo-, synthesis, 1-(2-

chloroethoxy)ethyl group for 2'-OH group protection, 6361

Olefins
[1+2] cycloaddition of cyclopentadienylidene to ethylene in argon matrix, direct IR observation, 763

addition of aminium radicals, 2191 addition of trifluoromethyl radicals obtained by dissociative electron transfer between electrochemically generated aromatic anion radicals and trifluoromethyl bromide, 4961

allylic chlorination with an ispropenyl or isopropylidenyl moiety with sulphuryl chloride, 5767

amide Peterson olefination routes to N-benzoyl enamines, isoquinolines and dibenz-azocines, a',a'-disilylated tert benzamides as both ortho- and a'-carbanion synthons, 5841

aryl substituted-, prep via aminium radical salt catalysed desulphurisation of thiiranes, 4129

azide-olefin cycloaddition in morphinan series, unexpected

rearrangement, 3427 chiral perillene derivs, chiral

onical perfilere derivs, chiral induction of biomimetic cyclisation, 2267 conversion to cis vicinal diels via "slow addition" enhanced catalytic asymmetric osmylation, 2041

(E)-, stereoselective formation via hydrolytic desulphinylation of substituted 4-(21-alkene-sulphinyl)-morpholines, 1967 electron-deficient-, lanthanide induced intramolecular coupling

with aldehydes and ketones, 1063

epoxidation with pyridine N-oxides catalysed by ruthenium porphyrins, 6545

highly functionalised homochiral-, diastereoselective cyclopropanation, synthesis of asymmetric 1-amino-2phenylcyclopropane carboxylic acids, 3101

homogeneous processes of-, ionic

nomogeneous processes of, fonce model, addition of acrylonitrile to anionic transition metal hydrides, 1781 iodo isocyanation, 3335 nitro-, Michael addition of alkoxide anions and subsequent hydrogenation,

diastereoselective prep of anti-β-amino alcohols, 731 oxidation by oxygen with mixed

Pd/silver nitrate catalyst in alcohols, 6319 reactions with organic halides

under Ni-catalysis, addition of hydrocarbons to C=C bonds, 689 regio- and stereoselective prep of

glutaric acids, 7065 stereospecific syn-acylamidation, 1987

terminal-, cobalt acetate promoted addition of acetoacetate, stereoselective synthesis of 5alky1-2-hydroxy-2-methy1-3methoxycarbonyl

tetrahydrofurans, 4701 tetrasubstituted-, hydroboration and boron decalone annulation, strongly influenced by allyl silicon, 2187

trisubstituted-, Rh-complexes, syn-selective directed hydrocarboxylation, 539

via deoxygenation of oxiran compds by [Fe.S.(SCeHs).]2 in presence of NaBH., 6387 via oxidation of sulphides by

potent oxidant generated in situ from superoxide and CO_2 , 4133 Z olefins bearing an ω -azido

group, stereospecific synthesis, 4953

Oxathiolanes

1,3-oxathiolanes, -dithianes and thiazolidines, selective desulphurisation by tributyltin

hydride, 7301
oxathiolanones, radical
cyclisations, cyclopentane
synthesis and annulation, 3283

Oxathioles

2-alkylidene-1,3-oxathiol isomer, reactions and equilibrium with di-t-butylthioketene Sbis(alkoxycarbonyl)methylide,

Oxazines

3-phenyl-5,6-dihydro-(4H)-1,2oxazine, reaction with KOH/DMSO at 100°gave 2-phenylpyrrole, 3471

#-(2'-alkenesulphinyl)morpholines, lithiation and
alkylation, route to substituted

allylic sulphinamides, 1963 4-(2'-alkenesulphinyl)morpholines, substituted, hydrolytic desulphinylation, stereoselective formation of (E)-olefins, 1967

4H-1,3-oxazines, new synthesis via reductive tranformations with trimethylsilyl chloride-NaI, 4741

5,6-dihydro-2H-1,3-oxazines, reduction, approach to 1,3-amino alcohols from 2-aza-1,3-dienes.

Oxaziridines

new optically pure(camphory)sulphonyl)oxaziridine derivs, synthesis via (camphorylsulphonyl)imine diamion, 1613

Oxazoles

2-alkyl- and 2-aryl-5-amino-4cyano-1,3-oxazoles, prep, 2631 and a-hydroxyaldehydes and 4ethoxy-2-oxazolines, syntheses, benzotriazol-1-ylmethyl isocyanide, a new synthon for CH.N-C transfer, 6657

intramolecular Diels-Alder reactions of -, europium catalysed, prep of benzopyrano-[4,3-b]pyridines and benzo[h]-1,6-naphthyridines, 2355

ozonolysate of . use in formylation, 1561

Oxazolidinones

azolidinones

2-alkyl-3-acyl-4-methylene-1,3oxazolidine-5-ones and 2-alkyl5-methylene-1,3-dioxolan-4-ones,
highly exo and diastereoface
selective chiral ketene
equivalento, synthesis and
Diels-Alder reactions, 7305

2 ziezzolidin-5-ones 2,3-isoxazolidin-5-ones,

disubstituted enantiomerically pure, synthesis, 1527 chiral acyloxazolidinone,

stereoselective bromolactonisation, prep of Y-lactone corresponding to hydroxyethylene dipeptide isoster, 3845 Mannich reactions, 1433 oxaolidin-2-ones, mechanism of

Pd-catalysed formation from

vinyl epoxides, 3893

Oxazolines

4-ethoxy-2-oxazolines, αhydroxyaldehydes and oxazoles, syntheses, benzotriazol-1 ylmethyl isocyanide, a new synthon for CH.N=C transfer,

4-oxazoline route for indoloquinones from azomethine vlides 2627

chiral a.8-unsaturated-, asymmetric Diels-Alder reaction,

chiral naphthyl-, intramolecular asymmetric tandem additions,

Oxazolones

3-acyl-2-oxazolones, methoxyselenation and methoxybromination, new camphor derived auxiliaries with opposite diastereofacial selectivity, prep of β-amino alcohol chiral synthons, 3449

2-imino tetrahydrofurans, pyrans and oxepans, prep, 6571 generation and cycloaddition of tetrahydrofuryl, pyranyl and oxepanyl-2-imminium methylides,

Oxenins

(±)-senoxepin, synthesis of first anti-Huckel oxepin deriv, 1241

Oxetans

intramolecular oxetanone ring opening, new approach to 2-substituted tetrahydrfurans,

nucleosidic-, cleavage with carbanions, synthesis of possible anti-HIV agent, a phosphonate isostere of AZT 5 phosphate, 2567

optically active-, formation from sugars by boron trifluoride catalysed 2+2 cycloaddition,

spiro-, with tetrahalogenated 1,4benzoquinone moieties, stereospecific thermolysis, 3443

vinylic-, Pd-catalysed nucleophilic opening, stereoselective synthesis of <u>dl</u>-and trisubstituted homoallylic alcohols, 3487

Oxidation

1,3-oxidative rearrangement of dienols, 1033

a-methylpyrroles to aa-methylpyrroles to αformylpyrroles by thallium
nitrate on clay, mechanism, 2673
α-oxygenation of trans-3,4disubstituted Y-lactone,
comparative study, 1029
alkyl-substituted p-benzoquinones,
synthesis from phenols by

H₂O₂/heteropoly acid system, 47 alkylalokoxysilanes, cleavage of C-Si bonds by dioxygen/-hydroquinone system, 6533 anodic, in presence of iodine or iodo compds, tranformation of

alkyl aryl ketones to methyl a-

arylalkanoates, 371 anodic-, in trimethyl orthoformate generated iuodine species for aromatiuc iodination, 1649 anodic-, of 1,5-dimethyl-2-

pyrrolocarbonitrile, 925 asymmetric-, of prochiral ketone enolates to optically active αhydroxy ketones, effect of

enolate geometry and structure on stereochemistry, 779 asymmetric-, of thioethers, enantioselective synthesis of βhydroxysulphoxides by direct oxidation, 4859

asymmetric-, of thioethers. optical resolution of [1,1'-binaphthalene]-2,2'-dithiol,

benylic methylene compds to ketones with 2-nitrobenzene peroxysulphonyl radical formed from its chloride and superoxide, 6357 benzylic silanes, C-Si cleavage by

oerium ammonium nitrate, 3573 benzylic-, by Gif^{iv} system, 6615 benzylic-, hydroperoxide intermediates and electron

transfer activation, 4677

bis(thiodimethylene)tetrathiafulvalene, new πelectron donor with relevant oxidation properties, 7249 cyclisation of mono-t-

butyldimethylsilylated diols mediated by N-iodosuccinimide.

deprotonation of carbonyl compds by Fe salts, 1289 efficient-, of organoboranes by

sodium percarbonate, 5103 electrochemical amide-, in presence of monomethylated phenyl rings, relationship between chemoselectivity of oxidation and location of OMe substituent, 1213 enantioselective-, of sulphides by

dioxiranes in presence of bovine serum albumin, 6233 GIF-, of alicyclic tertiary

amines, 1381 hydrocarbons catalysed by manganese carboxylate complexes, 5689

hypervalent iodine-, of p-substituted phenol derivs to azacarbocyclic spirodienones, synthetic approach to discornabdin alkaloids, 1119

hypervalent iodine-, of trimethylsilyl enol ethers of ketones, direct synthesis of α-keto triflates, 667

hypervalent iodine-, using iodosobenzene, synthesis of 5-substituted-2-(5H)-furanones, 3019

isomerisation of epoxides to

ketones, 3097 iterative indolisation-oxidation for construction of medium sized rings, application to cyclooctanone, 2937

microbial-, of chlorobenzene,

enantiodivergent approach to D-and L-erythrose, 4053 microbial-, prep of 6-deoxy, 6-deoxy-6-fluoro and 6-deoxy-6methyl myoinositol 1,4,5trisphosphate derivs from benzene, 3557

N-alkylputrescines by diamine oxidases, 5167 olefins by oxygen with mixed Pd/silver nitrate catalyst in alcohols, 6319

one-electron-, amd free radical chlorination of aryleyclopropanes, designer probes for cytochrome P-450 hydroxylation mechanisms, 3015

oxidative and monooxidative formation of internucleotide linkages, 6621

oxygenation of 2,3,6-trimethylphenol to trimethyl-p-benzoquinone by dioxygen with copper chloride/amine

hydrochloride catalyst, 6691 phenols with molecular oxygen catalysed by [N,N'-bis(2'pyridinecarboxamido)-1,2benzene]cobalt chelate, 5929

benzene]cobalt cnelate, 5929 photo-, of cis-cyclohexa-3,5-diene-1,2-diol, condumitols A and B and dehydrocondumitols from benzene, 1719

photo-, of perhalofluoroalkyl sulphinates, mechanism, 6717 photoxygenation, aromatic hydroxylation of 1-isopropylidene-2-indanone and related comps, 1625 photoxygenation of 1-aryl

substituted tricyclo-[4.1.0.02,7]heptanes, electron transfer induced, route to epoxyketones and epoxyaldehydes, 4481

9401
photoxygenation, regio- and stereoselective, of (+)-11,12diacetoxydcim-8-ene, synthesis for key intermediate of drimanerelated sesquiterpenes, 859

photosensitised electron transfer-, of 2-substituted 1,3-dithiolane to 1,3-dithiolane-1oxide, 4007

prim aliphatic amines, with sodium perborate, 6495

selective-, of alcohols by manganates, 2559 selective-, of anthracene to

anthraquinone in acetic acid with air in presence of nitric acid, 2417

selenium dioxide-, of bridgehead trialkylsilyl enol ether, synthetic studies on esperamicin/calicheamicin

esperamicin/calinneamicin antibioticis, 3637 singlet oxygenation of Si-Si obond, formation of 1,2-dioxolane, peroximium ion intermediate, 6705 substituted cis cyclohexa-3,5-diene-1,2-diols, photochemical route to inositol intermediates, 3113

superoxide reactivity, potent oxidant generated in situ from superoxide and CO₂, 4133 trialkylboranes by sodium perborate, 1483

Oximes

aldoximes, synthesis of isoxazolines and isoxazoles. via dipolar cycloaddition using sodium bromite with organotin halide, 3987

cyclopentanone aryl-, a,a'disubstituted, Sheradsky rearrangement, synthesis of (±)-aplysin and (±)-filiformin, 2229

dehydronorcamphor-, Beckmann fragmentation vs Beckmann rearrangement, 4041

route to-, nitronate anions as precursors of hydroxynitrilium ions equivalents in

lons equivalents in electrophilic aromatic substitution, 5763 tandem nucleophilic substitution 1,3-dipolar cycloaddition with epoxides and dipolarophiles, 5489

Oximation

direct a-oximation of ketones using t-butyl thionitrate, 2833

and silyl/sulphur-stabilised carbanions, prep of cyclopropanes, interplay of two reaction pathways, 7033 cis-cyano-, steroselective

- synthesis via reaction of deoxygenation to olefins by

 [Fe.S.(SC.Hs).]² in presence of NaBH₄, 6387 dimethyldioxirane, epoxidation of
- Y-methylene-Y-butyrolactones.
- dtmethyldioxirane, epoxidation of silyl enol ethers, phthalides and enol esters, by 6497 dimethyldioxirane, mechanism of benzaldehyde oxidation, 5567
- reaction with amines, tetraphenylstibonium triflate as
- regio- and chemoselective catalyst, 739
 regiocontrol of methylating ring
- opening via metal-assisted chelating or non-chelating processes, 6563
- ring cleavage with tributyltin azide leading to 1,2-azido alcohol, 4153 strained-, from cis-diols, 6797

trans- and cis-2,9-disubstituted-, synthetic methodology, 6081

Ozonides

nucleophilic substitutions, 1511

Ozonol vais

selective-. of methyl <u>trans</u>-communate, synthesis of drimanes, 5515

Palladium and compounds

- n-allylpalladium complexes, elecronic effects on regiosclectivity of nucleophilic attacks, 3109
- allyl ethyl carbonate/Pd, new system for conversion of alcohols to allyl ethers under neutral conditions, 4669
- catalysed asymmetric allylations of aldehydes via (\underline{S}) -proline allyl ester enamines, 1543
- catalysed <u>cis</u> and <u>trans</u>-annulations of 1,3-cyclohexadiene and 1,3cylcoheptadiene, 617
- catalysed coupling of (1-bromovinyl)trimethylsilane, abnormal products, 3735 catalysed coupling of aryl and
- vinyl triflates or halides with 2-ethynyl aniline, route to functionalised, 2-substituted
- functional sec. 2-substituted idoles, 2581 catalysed coupling reactions of 1-tributylstannyl-1-octen-3-ol synthesis of PGB, and coriolic aicd, 3645 catalysed cross coupling of
- alkenylalkoxysilanes with aryl and alkenyl halides in presence of fluoride ion, 6051
- catalysed cross coupling of alkyl iodides with alkyl Grignard reagents, 4779
- catalysed cyclic allylmetallationdehydrometallation, prep of cyclopentanol derivs, 291 catalysed cyclocarbonylation of 3-
- furylallyl and 3-thiemylallyl acetates, synthesis of benzofurans and benzothiophenes,
- catalysed desulphonylative coupling of arylsulphonyl chlorides with acrylate esters under solid-liquid phase transfer conditions, 975
- catalysed double carbonylation of alkyl iodides bearing perfluoroalkyl group, 4407 catalysed double Heck arylation of

cyclopentene, 2877 catalysed formation of oxazolidin-2-ones from vinyl epoxides, mechanism, 3893

catalysed intermolecular arylation, improved procedures for cyclic alkenes, 2603

- catalysed nucleophilic opening of vinylic oxetanes, stereoselective synthesis of d1and trisubstituted homoallylic alcohols, 3487
- catalysed phosphorylation of alkenyl triflates, 5393 catalysed phosphorylation of
- alkenyl triflates, 5393 catalysed reaction of trialkylstannyl phenyl sulphides with alkenyl bromides. diastereoselective synthesis of (E)-1-alkenyl phenyl sulphides, 2699
- catalysed reaction, anomalous behaviour of substituted allyl
- benzenes, 759
 catalysed synthesis of dienic a-amino acids from allenes, 396 catalysed [3+2] cycloaddition of trimethylenemethane with
- homochiral vinyl sulphoxides, 1803
- catalysis, stereocontrolled
- lactonisation, 137 mediated 2,6-dialkylation of N-benzilidine imines, prep of 2,6-dialkylbenzaldehydes, 4085
- mediated 3-component cross coupling, synthesis of conjugated dienynes, 2403
- mediated reactions of N-hydroxy-8-
- lactams, 7009 new catalyst, intramolecular carbametallations of enymes, 651 new mediated cyclopentanation of alkenes bearing Δ nucleophilic
- substituent, 69 palladium diacetate, various
- forms, 4661 phosphine complex of-, catalysis for synthesis of new unsaturated esters, 2383
- promoted coupling of organo-mercurials and vinylic β-lactams, synthesis of β, Y-unsaturasted amides, 1897
- regiospecific catalysed tandem cyclisation-anion capture processes, prep of C-,N- and Ocentred nucleophiles, 1139
 regiospecific catalysed tandem
- cyclisation-anion capture processes, use of organozinc and organoboron reagents in stereospecific group transfer,
- route via, synthesis of chiral nonracemic isopropyl alkenylmethylphosphinates, 949 vinylpalladation of 4cyclopentene-1,3-diol, synthesis of prostaglandin E2, 5737

Penams

1-oxapenams, synthesis of bicyclic Y-lactam analog, 4019 benzimidazole-penam alcohol synthesis, vinyl protecting group for benzimidazole N, 1067

Penicillins

6α-(N-substituted formamido)-, and derivs, 2433 6α-fluoroalkyl-, prep, 5791 (pivaloyloxy)methyl 6,6-dihalopenicillanates, stereoselective reduction by trineophyltin hydride, selective synthesis of 68dihalopenicillanates, 3905

- Peptides
 14-membered cyclopeptide alkaloids, synthesis of cyclic precursor to nummularine-F, 7021 aspartimide-, formation in Asp-Gly sequences, 497
- backbone conformation of destruxin A, 4189
- C-terminal amide of-, synthesis, comparison of acid labile
- linkage agents, 4645 C-terminal peptide alcohols, prep by solid phase synthesis, 5045 chain elongation, synthesis of 2-hydroxyimino-2-phenylacetonitrile active esters, 4423
- chemistry, new coupling reagents, 1927
- cyclic depsipeptide viscosin with antibacterial and antiviral properties, solid-phase synthesis, 519
- cyclic peptide disulphide, synthesis, type 11 β-turn structural model, 2441
- D-Ala-D-Ala containing tripeptide, formation, 583 dehydrodipeptides, new synthesis from substituted oxamic acids,
- 3069
- depsipeptides, synthetic studies of didemnins,3757
- didemnin B and nordidewmnin B, spectral assignment, 3053 enzymatic synthesis in organic solvent mediated by modified o
- chymotrypsin, 2787 hydroxyethylene dipeptide isostere precursor, (25,45,55)-5-(N-BOC)-amino-6-cyclohexyl-4-hydroxy-2isopropyl-hexanoic acid lactone,
- hydroxyethylene dipeptide isostere, lactone precursor, synthesis from 3,4,6-tri-0-
- acetyl-D-glucal, 3669 macrocyclic tetrapeptide, synthesis of plausible active
- center in vancomycin, 6043 macrocyclic tripeptide K-13, synthesis of thioether analog, 5405
- macrocyclic tripeptide K-13, synthesis of thioether analog,
- Merrifield solid phase synthesis, incorporation of β-turn prosthetic units, 2317
- model depsipeptide segment of luzopeptins, synthesis, 3027 new alkylfluorolipo-, non-ionic
- surfactants, synthesis, 5755 new peptide mimetics incorporating eneamine units, tripeptides with
- a retroamide and reduced retroamide, synthesis, 6749 new porcine brain natriuretic-, synthesis via new thiol protecting trimethylacetamidomethyl group using Strimethylacetaminomethyl-
- cysteine, 1979 new sulphur-containing dipeptide analog, synthesis, 2653 nucleotidyl-, synthesis involving selective P-S bond cleavage,
- 2117
- O-phosphotyrosine containing tridecapeptide, PMOC-polyamide solid phase synthesis, 6229
- O-phosphotyrosine-containing tridecapeptide, PMOC-polyamide solid phase synthesis, 6229 octapeptides, lyciumins A and B isolation from <u>lycii radicis</u> cortex as anti-ACE and -renin substances, structures, 6041 0F4949-111 and 0F49491V, total
 - synthesis, unusual effects of remote substituents on rate of macrocyclisation, 5061

partially protected fragments of-, esterification, synthesis of free Leu¹⁵-gastrin, 3947 protected fragments of-.

synthesis, use of substituted triphenylmethyl(trityl) resins.

protected fragments, prep using Kaiser oxime resin, 4915

protected-, fragments, solid phase synthesis, use of allylic anchor group and of its Pd-catalysed hydrostannolytic cleavage, 2641

retroinverso endothionopeptides and synthesis of di- and tripeptide variants, 1997

solid phase synthesis, use in methods for carboxyl-terminal fluorescent labelling, 39

synthesis by a combination of solid phase and soln methods, minimum racemisation coupling of N_-9-fluorenylmethyloxycarbonyl amino acids to alkoxy benzyl alcohol type resins, 6745

synthesis by combination of solid phase and soln methods, resin derivs allowing minimum racemisation of Na-protected amino acids, 6741

synthesis of-, via amino-components, prep of 9-fluorenyl esters of L-a-amino acids, 3413

synthesis supports, racemisation free attachment of 9fluorenylmethyloxycarbonyl amino acids, 4341

synthesis, 3-hydroxypropionitrile, new reagent for carboxyl protection, 3569

synthesis, membranes as solid supports, 4345

synthesis, trialkylsilane scavengers for trifluoroacetic acid deblocking of protecting groups, 2739

ubiquitin, solid phase synthesis, 2149

valinomycins, improved synthesis,

Peraci da

sodium percarbonate, efficient oxidation of organoboranes, 5103

davanone transformation, reductive cleavage of tertahydrofuran and thermal cyclisation of 1,3-diene, 1347

rose oxide, synthesis via application of prep of tetra-hydropyrans by PPh,/CBr, induced cyclisation of acetals, 1971 sesquiterpenoids, (±)-silphiperfol-5-en-3-ol, total synthesis, 2371

Peroxides

a-azohydro-, aromatic arylation via free radical reaction, 963 aryloxyoxalyl t-butyl-,

photolysis, new unimolecular source of aryloxy radicals, 4477 bistrimethylsilyl-, reaction with

2-benzothiazolylalkyllithiums, an unprecedented demethylation,

dimethyldioxirane, mechanism of benzaldehyde oxidation, 5567 hydroperoxide intermediates and electron transfer activation in benzylic oxidations, 4677 phenyl(phenylazo)methyl

hydroperoxide, stability and decomp, 5773

resin-bound peroxomolybdate, generation of singlet oxygen or its synthetic equivalent, 783 sodium perborate, oxidation of

trialkylboranes, 1483

Pharmacologically active compounds 1,6-anhydro-D-glucose, access to chirons of lactonic moiety of

mevinic acids, 6015 2-azapodophyllotoxin, synthesis, 907,3877

2-bromoleptoclinidinone, structure revision, 1069 -methylene-1,4-benzodioxans, C-3

functionalised, new route, 1637

3-benzylglutamic acid, 4configurational isomers and acyclic analogs of kainoids, synthesis and structure-activity relationship, 3799

3A,6X-di-O-arenesulphonyl-αcyclodextrins, synthesis and structure, 1285

4-aryl-1,4-dihydro-2,6-dimethyl-3,5-pyridinedicarboxylic esters, metallation at NH and C-2 Me positions via two equivalents of n-BuLi, 3393 4-benzoylthioazetidinones,

synthesis, 6619

4-desoxy-2-azapodophyllotoxins, synthesis, 3873

4,4,4-trifluoromethylbutyrylamide, prep and use for trifluoromethylated blocks, 109 6α-fluoroalkyl penicillins, prep,

5791 7-oxygenated indoles, improved synthesis by Fischer indol-isation and application to total synthesis of eudistomidin A, 2099

9-(3-azido-2,3-dideoxy-β-D erthyro-pentofuranosyl)-2,6-

diaminopurine, synthesis, 855

12(S)- and 12(R)-hydroxyeicosa5(Z),8(Z),14(Z)-trienoic acids,
prep of natural compound D, 3923

14,14-difluoro-4-demethoxydaunorubicin, synthesis and antitumor activity, 4259 (+)- and (-)-norsecurinine, total

synthesis, 7173

angiotensin-converting enzyme inhibitor A58365A, total synthesis, use of pyroglutamate as chiral educt, 3621

anthracyclinones, approach to rhodomycinones, 711

anti-HIV agents, new class, synthesis of iso-ddA, 6259

antineoplastic pyridine alkaloids, theonelladins A-D from Theonella swinhoei, 4833 antitumor pyrrolizidine alkaloid,

enantioselective synthesis of (+)-indicine N-oxide, 4985

aplysiatoxins, synthesis of 3-deoxydebromoaplysiatoxin, 6775 aplysiatoxins, synthesis of three optically active segments, 6721

aragupetrosine A, new vasodilative macrocyclic quinolizidine alkaloid from Xestospongia sp. 11119

aromatic aldehydes with boronic moiety, 1,2-addition with carbanions, synthesis of boron-10 containing nucleoside derivs for neutron capture therapy, 7191

asymmetric prep of novel spiropiperidine system by CN(R,S)method, 6323

asymmetric synthesis and absolute configuration of 5,10-dideaza-5,6,7,8-tetrahydropteroic acid and 5,10-dideaza-5,6,7,8tetrahydrfolic acid via esterification of 2-substituted 1,3-diols, 6291

avermectin B, synthesis of spiroketal fragment, 5993 bicyclic pyrazolidinone analogs of carbapenems with either ethyl or hydroxyethyl side chain at C-7, prep, 1889

biogenesis of triterpene quinones with rearranged netzahualcoyene skeleton, 863

breynolide sulphone, synthesis,

bromobeckerelide, total synthesis, 1237

bruceantin, synthesis, 355 carbocyclic nucleosides. Pdassisted route, synthesis of (±)-aristeromycin, 6625 (+)-cassiol, antiulogrogenic

compd, total synthesis, 723

(±)-castanospermine, stereoselective total synthesis, 705

chaparrinone and related compds, construction of C(8).C(11) bridged hemiketal ring system,

chiral 2-substituted carbocyclic 5'-N-ethyl-carboxamido-

adenosine, efficient route, 5543 cis-a-(carboxycyclo-propyl)glycines, new syntheses from L-glutamic acid, 3803 cyclic depsipeptide viscosin with

antibacterial and antiviral

antibacterial and antiviral properties, solid-phase synthesis, 519 cyclobutane nucleoside with antiviral activity, synthesis of SQ-33,054, 6453 cyclopropene derivs, synthesis of

2,3-dihydro-illudine M, 3537 cystodytin alkaloids, ring system,

synthetic studies towards cystodytin A, 5559 (+)-de oxoartemisinin and (-)deoxodesoxyartemisinin,

stereospecific synthesis, 5973 deoxycytidine oligomers with phosphorodithicate linkages,

synthesis, 543 didemnin B and nordidewmnin B,

spectral assignment, 3053 dihydrofurano[2,3-b]thiopyrans, thiepins and thiophenes,

synthesis, 6607
diterpenoids, (-)-reiswigin A,
synthesis and absolute and relative configutations, 2465

diterpenoids, tigliane ring system, stereoselective construction, 5073

FK506, enantioselective synthesis of C(10) to C(23) backbone, 1037 formation of a [3,1.0]bicyclic system via homologous Ferrier reaction, use of 2',3'dideoxycytidine cyclopropano analog,

forskolin synthesis, enantioselective route to key intermediate, 7297 (±)-galanolactone, total

synthesis, 553 ginkgolide B, simple analogs

highly active antagonists of platelet activating factor, 6959

ginkgolides A and B, synthesis of pentacyclic model via intramolecular enone-furan photocycloadditions, 5997 (±)-hapalindoles J and M, total

synthesis, 1815 huperzine A, synthesis of benzene isostere, 3291

nsostere, 3271 hydroxy amino acid moiety of AI-77-B, chiral synthesis, 6503 iloprost-11-iloprostester and iloprost-15-iloprostester, synthesis, 4101 internucleotide linkages,

oxidative and monooxidative formation, 6621 lacrimin A, synthesis, 1675 mannosidase inhibitors, synthesis

- of swainsonine and 1,4-dideoxy-1,4-imino-D-mannitol and ring contracted swainsonines, 7261 monocyclic moiety of ageline A, total synthesis, 6401 N-alkoxytryptamines, intramolecular Pictet-Spengler reaction, synthesis of (±)deamino-debromo-eudistomin L,
- 5009 N-cyclopropylcarbonyl-nordihydrodesoxy-codeine, prep
- of 10-keto deriv, 5725 (±-neplanocin F, total synthesis.
- new 2',3'-dideoxynucleoside prototype with in vitro activity against HIV, 6263
- new 7'-apocarotenoic acids, new (+-apocarotenoic acids, vitixanthin and dihydro-vitixanthin from <u>Cochlospermum</u> <u>vitifolium</u>, 3059 new lycopodium alkaloid (+-)-huperzine A, total synthesis,

- new nucleoside antiviral agent, SQ-32,829, synthesis, 6955 nucleosidic oxetane, cleavage with carbanions, synthesis of possible anti-HIV agent, a phosphonate isostere of AZT 5'phosphate, 2567 oligonucleotides containing 3'-
- thiothymidine, solid phase synthesis, 4693
- oligonucleotides with an acridine or athiophosphate group at 3' end, solid phase synthesis, 2521 optically pure $(\underline{S},\underline{S})$ -
- norpseudoephedrine, synthesis, 929
- oxathiazepine containing eudistomin skeleton and carbaanalogs, concise route, 6809
- phospholipid head groups,
- prosproitiple nead groups,
 trimethylsily1 triflate mediated
 introduction, 915
 (+)-phyllanthocindiol and (+) phyllanthociatin 3, total
 aynthesis, 1465
 picrasin B and Δ²-picrasin B¹,
- partial synthesis, 5985
- (+)-picrasin B', enantioselective
- total synthesis, 5989
 (+)-pilocarpine analogs with a 2-oxazolidone structure, synthesis, 2145
- potent aldose reductase inhibitor, structure of epalrestat(ono-2235) and isomerisation of its double bonds, 959
- potent thromboxane A₂/prosta-glandin endoperoxide recepto antagonist, synthesis, 2399 potential prodrugs of antiviral agent trisodium phosphono-
- formate, synthesis of acyloxy-
- alkyl acylphosphonates, 7141 quercetin, synthesis of carbocyclic analog via Barbier
- reaction, 5563
 (R)-(-)-phenylephrine
 hydrochloride, asymmetric
 synthesis catalysed by (2R,4R)-MCCPM-Rh complex, 367
- sarcophytol B, anticancer cembranoid, synthesis and stereochemistry, 1173 sesquiterpenoids, novel
- neurotrophic neolignans from Magnolia obovata, 5907
- sesquiterpenoids, synthesis of tricyclic arteannuin-like compds, 4485 spiroacetals, new route and
- construction of model for synthesis of phyllanthocin, 7115 strobilurin B, total synthesis,
- strobilurin B, total synthesis, 5417

- tetrahydrobenz[cd]indoles, prep from 1-tetralones, 4017 tetrahydrofurobenzofuranoxanthones
- from Psorospermum febrifugum, 3385
- threo-3-ary1-2,3dihydroxypropanoic acid derivs, synthesis with high optical
- purity, 5157 triterpencids, new cycloartanoid, isolation from <u>Lansium</u> domesticum, inhibitor of skin tumors, 5615
- vinblastine, new photoreactive deriv, synthesis of napavin,

Phase transfer catalysis

- bis-quaternary ammonium salts, 1683
- Cu and phase transfer catalysed allylic substitution by terminal alkynes, 2225
- new class of powerful metal cation complexing agents and phase transfer catalysts, cyclophosphazenic polypodands,

Phenols

- 2,3,6-trimethylphenol, oxygenation to trimethyl-p-benzoquinone by dioxygen with copper chloride/amine hydrochloride catalyst, 6691
- elecrooxidative coupling of-; product-selective synthesis of 2,2',6,6'-tetra-t-butyl-1,1'-biphenol from 2,6-di-t-butylphenol, 2105
- oxidation with molecular oxygen catalysed by [N,N'-bis(2'pyridinecarboxamido)-1,2benzeelcobalt chelate, 5929
- p-substituted derivs ofhypervalent iodine oxidation to azacarbocyclic spirodienones,
- synthetic approach to discorhabdin alkaloids, 1119 phenolic OH, MEM as protective group, unexpected difficulty, 6867
- regio- and diastereoselective regio and diastereosatective Friedel-Crafts alkylation with α-amino aldehydes, synthesis of optically active ephedrine-like compds, 1121 synthesis of alkyl-substituted p-
- benzoquinones by H₂O₂/heteropoly acid system, 471
- unstable compds used as new precursors for quinone methides for alkylations, 1939

Phenothiazines

and 1,2-dioxetanes, direct observation of electron transfer, 6315

- (+)-disparlure synthesis, reaction or 6-methylheptyl phenyl sulphone with trimethylsilyl ethylene oxide and asymmetric epoxidation, 2845
- (+)-exo-brevicomin, new synthesis via C-C bond formation of triflates, 3999

 exo and endo brevicomin, synthesis
- via rhodium acetate catalysed cycloaddition of 1-diazo-2,5-hexanedione, 1491
- mosquito oviposition attractant enantiospecific synthesis of (-)-(58,65)-6-acetoxy-5hexadecanolide, 743
- peroplanone A, rearrangement, synthetic confirmation of structure, 5145 Persoons' periplanone A, synthesis
- of tricyclic cis-selinane-type

- compds from germagrene D, 3693 Persoons's periplanone-A, clarification of structure of artifact derived from Hauptmann's periplanine-A, 7447 potential alarm-, from Scaphander lignarius, 5003 sex-, components of Ectomyelois
- ceratoniae, isolation, identification and synthesis,
- sex-, of <u>Hyphantria</u> cunea, identification of (32,62)-1,3,6,9,10-epoxyheneicosatriene and (3Z,6Z)-1,3,6,9,10-epoxyeicosatriene, 3405
- sex-, of Samia cynthia ricini, identification and synthesis,
- yellow scale-, synthesis, application of silylcupration of alkynes to stereo- and regiospecific formation of trisubstituted alkenes, 4913 (2)-7,7-difluoro-8-dodecenyl
- acetate of oriental fruit moth, synthesis and properties, 3243

source of-, trichloromethyl carbonate, application to synthesis of a-chloro chloroformates, 2033

Phosphaal kenes

- ,2-bis(phosphaallenyl)cyclobutane and phosphabutatriene, prep,
- and carbenes, new synthesis of 1chloro-1H-phosphirenes, 3951
- dihalogenated-, reaction with 2 equivs of lithium silylated amides, synthesis of $1,2-\lambda^3$ azaphosphiridine, 4813
- phosphatriafulvenes-phosphaalkenes with inverse electron density, 5111
- via thermal isomerisation of sec vinylphosphine, 2397

Phosphalkynes

[2+1] cycloaddition to iminophosphanes and isomerisation to azadiphosphetines, synthesis of diphosphirenes, 459

Phosphaal Lenes

-phospha- and 1,3-diphosphaallenes, formation, new method for introducing 2-(2,4,6-tri-tbutylphenyl)-2-phosphavinylidene group, 839

Phosphanes

1,3-butadienyl-, one-pot synthesis, 6327

Phosphapentafulvenes dibenzo- and benzophospha-

- pentafulvene and phosphapentafulvene derivs, synthesis,
- phosphatriafulvenes-phosphaalkenes with inverse electron density, 5111

Phosphenes

- and phosphinates and phosphines, asymmetric synthesis by Michaelis Arbuzov rearrangement of chiral oxazaphospholidine,
- triaryl-, dichotomous reaction pathways with Meerwein's salt, 475
- use in regiospecific synthesis of (E) unsaturated 3,5-dialkylisoxazoles and derived leukotriene analogs, 877 with 2 or three 2-pyridyl groups,

reaction with organometallics to give 2,2'-bipyridyl, 2-Substituted pyridines and pyridine, ligand coupling on P-atom, 567

Phosphines

α'-halogenoalkyl-, via halogenotropic rearrangement of P-halogenoylides, halogenotropy in P-C diad, 2445

and phosphinates and phosphine oxides, asymmetric synthesis by Michaelis Arbuzov rearrangement of chiral oxazaphospholidine,

bis(allyloxy)diisopropylamino)phosphine, new phosphinylation reagent. phosphorylation of hydroxy compds, 4219

chiral ferrocenyl bisphosphines, approach via enzymatic esterification of 1-

ferrocenylethanol, 2061 diphenyl-, two substituted into aromatic polyimine chelates, 463 methyldichlorophosphine, use in one-pot R_p diastereoselective synthesis of dinucleoside

methylphosphonate, 5587 optically active a, 8-unsaturated, prep via regioselective alkylation of amine protected homochiral vinyl phosphine oxides, 477

sec vinylphosphine, thermal isomerisation into phosphaalkene, 2397

tert-, and o-azidobenzaldimines formation of 2,3-diamino-2Hindazole derivs, 6237

Phosphinic acid and derivatives

isopropyl alkenylmethylphosphinates, chiral nonracemic, synthesis via Pd route, 949 phosphinates, phosphine oxides and phosphines, asymmetric synthesis by Michaelis Arbuzov rearrangement of chiral oxazaphospholidine, 2783 prep from alkenyl triflates, 5393

Phosphi renes

1-chloro-1H-phosphirenes, new synthesis from phosphaalkenes and carbenes, 3951

diphosphirenes, synthesis, [2+1] cycloaddition of iminophosphanes, phosphaalkyne and isomerisation to azadiphosphetines, 459

functionalised diphosphiranes, cationic ring opening, 7411

Phosphinines

2-chlorophosphinines, simple synthesis, 817

Phosphiranes

2-chlor-1-thia-2-phosphiranes synthesis and reactions, 4501

Phosphites
diastereomeric dialkyl-, NMR nonequivalence, 5469

dimethyl-, trimethylaluminium promoted conjugate additions to α,β-unsaturated esters and ketones, 4807 synthesis of phosphate esters,

1687

Phospholes

homophosphole, 1.5electrocyclisation and synthesis, 3525

Phospholipids
 ethanolamin-, new class, isolation and structure of plasmalopentaene-12, 6665 head groups of-, trimethylsilyl triflate mediated introduction.

Phosphonic acid and derivatives

β-keto-, new synthesis, 3307 β-ketophosphonate, new synthesis of (±)-sarkomycin, 1143

a phosphonate isostere of AZT 5 phosphate, prep by cleavage of nucleosidic oxetane with carbanions, synthesis of

possible anti-HIV agent, 2567 diatereomerie 3',5'-cyclic thymidine phosphates, thymidine phosphates, methylphosphonates and N,Ndimethylphosphoramidates, MR, phosphorus configuration of P-chiral [170,180]-nucleoside phosphate diesters, 1221

diethyl ß-dialkylaminovinylphosphonates, regiocontrolled metallation, new synthesis of substituted B-ketophosphonates,

dimethyl diazomethylphosphonate anion, reaction with an aldehyde, synthesis of 14,15dehydroforskolin, 1521

H-phosphonate chemistry, use in "branched" trinucleotide synthesis, 881

(±)-myoinositol-1-phosphonate. synthesis, 3869

new phosphonate inhibitors of serine proteases, synthesis, 6861

phosphonic acid analogs of phenylalanine and 8alkylserines, asymmetric synthesis via gold catalysed reaction of (isocyanomethyl)phosphonates with aldehydes, 2247

prep from alkenyl triflates, 5393 prep from alkenyl triflates, 5393 trisodium phosphonoformate, antiviral agent, potential prodrug, synthesis of acyloxy-alkyl acylphosphonates, 7141

Phosphonium salts

ethoxytriphenylphosphonium tetrafluoroborate by addition of triphenylphosphine oxide to trethyloxonium tetrafluoro-borate, inverse addition yields oxygen bridged diphosphosium salt, 475

Phosphonopeptides

alafosfalin, stereoselective synthesis via papain catalysis 6917

Phosphonthicates

hydrogenphosphonthicate diester nucleoside, synthesis, 2157 nucleoside phosphonodithioates in prep of dinucleoside phosphorodithicates and phosphorothioates, 4713

Phosphonyl compounds

biologically interesting phosphonylphosphinyl(P-C-P-C-)compds, prep via phosphonyl-phosphinyl diamion, 411

Phosphonylation

new and versarile phosphonylation approach, 5473

new phosphonylating and coupling agents, synthesis of oligoribonucleotides via Hphosphonate approach, 6375

Phosphoramidates N,N-dimethylphosphoramidates, diatereomeric 3',5'-cyclic thymidine phosphates and methylphosphonates, 170 NMR, phosphorus configuration of P-chiral ['70,'*0]-nucleoside phosphate diesters, 1221

phosphare dresters, 1221 phosphoramidite reagent, use in automated solid phase synthesis of 5'-biotinylated cligonucleotides, 6287 phosphorotriamidates, base-

promoted cyclisation with N-(2chloroethyl) substituent and interconversion of cyclic products, 2141

Phosphoranes

iodomethylenetriphenyl-, Wittig
reaction with aldehydes, stereoselective synthesis of (Z)-1-iodo-1-alkenes, 2173

tributylbutylidene-, Wittig reaction with 2,2-

reaction with 2,2-dimethylpropanal, NMR rate study, 1361 ω-aldehydo-, intramolecular Wittig reactions, formation of medium sized α,β-unsaturated lactones and dilactones, 7393

Phorphoric acid and derivatives

allyl diphenyl phosphate, photorearrangement via possible type-11 reaction and phosphoranyl 1,3-biradicals, 4059

iodosobenzoate-functionalised surfactant vesicles, adjustable reactivity in reactive phosphate cleavage, 2071 organic phosphates in protic

solvents, binding to linear

solvents, binding to linear ditopic anion host compds, 4493 P-chiral [1'0,'0]-nucleoside phosphate diesters, phosphorus configuration, ''O NMR, 1221 phosphate esters from phosphites, 1687

Phosphorothicic acid and derivatives

phosphorodithicate linked deoxycytidine oligomers, synthesis, 543

phosphorothicate diesters, approach to synthesis via Schonberg reaction, 6757

Phosphorus compounds

chiral oxazaphospholidine, Michaelis Arbuzov rearrangement, asymmetric synthesis of phosphinates, phosphine oxides and phosphines, 2783 cyclophosphazenic polypodands, new class of powerful metal cation

complexing agents and phase transfer catalysts, 5781

ligand coupling on the P atom, formation of 2,2 bipyridyl, 6365

organo compds containing linear P-B bond chain, synthesis, 383 organophosphorus compds in low coordination states, steric protection via prep of 2,6-di-t-butylbromobenzene, 5433 phosphorus dienic-like systems,

prep, 6869

tereochemistry at phosphorus photorearrangements of benzyl phosphites, 1025

Phosphorus halogen compounds

phosphorus oxychloride, reaction with pyrrolo[2,1c]benzodiazepine-2,5,11-triones,

Phosphorylation

of hydroxy compds, bis(allyloxy)-dlisopropylamino)phosphine as new phosphinylation reagent, 4219

Pd-catalysed-, of alkenyl triflates, 5393

Phosphotriesters

6- and 1-substituted mannosyl-, as lipophilic macrophage-targeted carriers of antiviral nucleosides, 6019

Photochemistry

- 1,1,1-triphenylalkanes, photolysis, 6709
 1,1,3-triphenyl-2-indanone.
- spontaneous decay of o-xylyenes,
- 2,5-dibenzylidenecyclopent-3-enei-one and its terachloro deriv, solid state photoreactivity and crystal structure, 3029
- 2-cyclopenten-1-ones, reaction with singlet oxygen, 903 4,5,7-tri-t-butylisobenzofuran,
- synthesis and reactions, 103
- 9,10-dicyanoanthracene-sensitised chain electron-transfer photooxygenations, synthesis of 1,2-dioxetanes, 485 α-phenoxy-p-methoxyacetophenone,
- β-cyclodexrin complexes of benzaldehyde, irradiation to
- optically active benzoin, 4641 and thermal reactions of 9-diazo-4,5-diazafluorene, 4,5diazafluorenylidene synthesis, 1935
- aromatic hydroxylation of 1-isopropylidene-2-indanone and related comps during oxygenation, 1625
- arylation, heteroatom directed, intramolecular addition reactions, 795
- assisted cocyclisation of acetylene and nitriles catalysed
- by Co-complexes at ambient temp and normal press, 1229 behaviour of d-alkyl dibenzyl ketones in faujasite zeolites cages, role of cations in controlling of behavior of generated radicals, 5833
- bentazone isomerisation, 6159 biologically active N-methylated-, photooxidation to sec amines, 2927
- C-C bond cleavage in reaction of anthraquinone triplet with tert alcohols and tert-butylbenzene, 7467
- chemically induced reactions of cis,cis-cyclooctadienone, 637 chemistry of iodinated aromatic azides explored, 899
- chiral cyclobutane derivs, synthesis from (+)-5-menthyloxy-2-[5H]-furanone and ethylene, 2637
- cis-alkenes, regioselective reaction with singlet oxygen, 4875
- competitive decarcogenation of
- 1,2,5-thiadiselenole, 2955 cycloaddition of 2-naphthols to ethylene in presence of Lewis acid, 6193
- cycloaddition of 2-naphthols to ethylene in presence of Lewis acid, 6193
- decarboxylation of unmodified carboxylic acids using aza aromatic compds, 6733 dechlorination of chloraromatics
- by electron transfer from anionic sensitiser, 697 electron transfer-, new amino acid

protecting group removable with new UV light, 4241 faujasite zeolites cages,

- photolysis of aryl alkyl ketones, cation enhanced αcleavage, 5829
- fluorescence and photo-redox properties of flavins, molecular recognition and effect of
- compexation, 5895 hydrodimerisation of unsaturated alcohols, esters, nitriles, ketones, amines, silanes, epoxides and fluorocarbons by Hg-photosensitisation, 3389
- induced electron transfer, [3+2] cycloaddition of cyclopropane with vinyl ether, 4685
- induced SET reactions of 2-aryl-1-substituted ethane-1-ones, synthesis of 2-substituted benzofurans, 1867
- intramolecular cycloaddition and retro-Mannich fragmentation of acyclic tertiary vinylogous amides, 5703
- intramolecular enone-furan cycloadditions, synthesis of pentacyclic model for ginkgolides A and B, 5997 intramolecular [2+2]
- cycloaddition, trapping 1 diradical intermediate, 2661
- intramolecular [2+2]cycloaddition, synthesis and properties of oxacyclophanes, 5439 intramolecular, [2+2] cycloaddition mechanism,
- topological and steric effects, 4429
- isomerisation of α-(9"anthranyl)ethyl spiro[cyclopropane-1.9'-fluorene]-2-carboxylates, diastereoselective isomerisation via an upper excited state, asymmetric induction via intramolecular T2-sensitisation,
- 1091 isomerisation of tetrachloromethane in argon, 4105 labels, new class of
- functionalised and iodinated perfluorophenyl azides, 4-azido-2-iodo-3,5,6-trifluorophenyl carbonyl derivs, 5409
- mercury-photosensitisation, dehydrodimerisation of ketones, carboxylic acids, amides, esters, alcohols and amines, 5583
- new type of quadruply orthobridged biphenyl compds with disulphide linkage and its S extrusion in cone H_2SO_4 and photochemical condition, 7441
- nucleophilic aromatic substitution of 4-nitroanisole, regioselectivity, dual
- mechanistic psthway, 2423 of <u>trans</u>-azocumenes, transient phenomena, 4633
- organic rearrangement, comparative study in soln, in pure crystalline phase and in polymer film, 419
- oxidation by Fe-catalyst of hydrocarbons sensitised by N,N'-dimethyl-2,7-diazapyrenium
- dication, 2237 oxidation of <u>cis</u>-cyclohexa-3,5-diene-1,2-diol, conduritols A and B and dehydroconduritols from benzene, 1719
- oxidation of tert methylamines, electron transfer activation, effect of added salts, useful N-demethylation method, 3977 oxygenation of 3-t-butoxy(and methoxy)-6,7-benzobicyclo-
- [3.2.1]octa-2,6-dienes,

dioxetane-hydroperoxide rearrangement, 3339 perhalofluoroalkyl sulphinates mechanism of oxidation, 6717 photo-set induced diradical cyclisation as part of isoquinoline alkaloid synthetic strategies, stereochemical aspects, 799

- photoaffinity labelling at low remp, prep of new reagent, 6-azido-4,5,7-trifluoroindole in toluene, 6465
- photocatalytic effects of Fe compds on hydroxylation of benzoic acid by hydrogen peroxide initiated by radiation and sensitised by methylene blue, 2277
- photochromism and electrochromism of azo-quinone compd, 5429 photolabile p-methoxy-phenacyloxycarbonyl group for amine protection, 1901
- photolysis aryloxyoxalyl t butylperoxides, new unimolecular source of aryloxy radicals, 4477
- photolysis of aryloxyoxalylchlorides, unimolecular source of aryloxy radicals, 4473 photolysis of dibenzyl ketone
- adsorbed onto zeolites, magnetic isotope and magnetic field effects on product distribution, 3761
- photooxygenations of of 1-aryl substituted tricyclo-[4.1.0.0²,⁷]heptanes, electron transfer induced, route to epoxyketones and epoxyaldehydes, 4481
- photoresponsive complexing stilbene, α, α -disubstituted by ethylene dioxy sidearms, synthesis, 4509
- radical chain reaction of xanthic anhydrides, intermediacy of alkoxy-thiocarbonyl radicals in Barton-McCombie reaction, 4367 reaction of benzenes with iodopyridines, pyridyl cation as
- reactive intermediate, 3433 reactions of 2-fluoro-4-nitroanisole with amines search
- for new biochemical photoprobes, 2427 reactions of dialkylboryltropolonate complexes, 4395 rearrangement and formation of
- carbon-oxygen linked anthracenes, 2137 rearrangement of 3,6-hexanooxepin-4,5-dicarboxylic acid esters to (3aS,6R,8aR)methanohydroazulene, 6855
- rearrangement of allyl diphenyl phosphate via possible type-11 reaction and phosphoranyl 1,3-biradicals, 4059 rearrangement of di-π-methane in
- soln versus solid state, effect of placing a chiral handle at bridgehead or vinyl position of dibenzobarrelene on diastereoselectivity, 6125
- rearrangement unique to polymer matrix. 423
- rearrangements of benzyl phosphites, stereochemistry at phosphorus, 1025 reductive cyclisation of
- unsaturated aldehydes, easy access ro spiranic molecules, 7361
- regio- and stereoselective regio- and streedsheet live oxygenation of (+)-11,12- diacetoxydrim-8-ene, synthesis for key intermediate of drimanerelated sesquiterpenes, 859 regioselective induced acylation of furans at 3-position, 4421

- regioselectivity of Fries rearrangement in acetoxyindoles.
- route to inositol intermediates, oxidation of substituted cis cyclohexa-3,5-diene-1,2-diols.
- sensitised electron transfer oxidation of 2-substituted 1,3dithiolane to 1,3-dithiolane-1-
- oxide, 4007 SET-induced spirocyclisation for construction of harringtonine ring, 4185
- silylation of electron-deficient alkenes, use of disilanes via induced electron transfer, 3689 singlet methylene, solvent effect in reactions, 7169
- solid state cyclisation of sterically congested α -o-tolyl ketones despite 'poor' geometries for H-abstraction, 5389
- solid state cyclisation of sterically congested a-o-tolyl ketones despite 'poor' geometries for H-abstraction.
- strained epoxides, oxygenation, 6801
- synthesis of 9-arylacridines, 4009 synthesis of naturally occurring lactone 38-hydroxy lupan-28, 13β-olide, 2855
- triplet fluorenylidene, spin polarisation, indirect observation at room temp, 4469 vinblastine, new reactive deriv, synthesis of napavin, 5881

Photosynthesis

macrocycle with five covalently linked porphyrin units, synthesis of meso-tetra(meso)tetraphenylporphyrinyl)porphyrin , prep, 1129

Phthalocyanins

monosubstituted and an unsymmetrical tetrasubstituted phthalocyanine, synthesis using binuclear phthalocyanines, 5555

Physical studies

arenediazonium salts, dediazoniation, selectivity toward halide ions as a function of viscosity, capture of aryl cations is diffusion controlled,

Phytoalexins see also Allomones

phytoellexin elicitor isolated from soybean cell wall, synthesis of galactododecaosiduronie acid, 87

Pigments

- anthocyanins acylated with 3 and 4 different organic acids, structure of lobelinin A and B, 6055
- new pigments, 1,4dihydronaphthalene type compds from <u>Cassia semicordata</u>, 6203 new pigments, 1,4-
- dihydronaphthalene type compds from Cassia semicordata. 6203 new trihydroxylated tertahydroanthraquinones from genus <u>rmocybe</u>, 7269

Piperazines

chiral-, tin organo systems from, use in enantioselective ketone reductions 3551

Piperidines

-benzyl-2,5-piperidine-dione, q.q'-annelation, isolation of

- azabicyclic adduct as stable hydrate. 1861
- hydrate, 1861 and pyrrolidines, dialkyl substituted, formation,
- intramolecular cyclisations from N-alkoxyamines, 1327 and pyrrolidines, synthesis, 6059 N-acylpiperidines, substituted, and pyrriolidines, stereoselective prep from unsaturated aldehydes, removable auxiliary for amidomercurations, 7321
- trans-2,6-disubstituted-, formation via imine-epoxide rearrangement, stereoselective synthesis of (±)-teneraic acid,

Plants

- AF-lla, AF-llc and AK-ll host specific toxins, synthesis using Sharpless chiral epoxidation under kinetic control, 4303 AK-11, AF-11e and AF-11a host-
- selective toxins, synthetic intermediates via hydrzirconation and hydrostannation and Pd catalysed oupling used to make (2E,4E,6Z)-tetraenol stems, 4299 anthocyanins in scarlet, purple and blue Salvia, 6729 lateral root inducing compds,
- structure, synthesis and isolation from bacterium Eriwinia quercina, 5699
- Nº -substituted adenines with acetylenic side chain, potential cytokinins, prep via acetals of 4-amino-2-butynal, 3967 nyetinastic-, circadium rhythm,
- bioactive potassium lespedezate and isolespedezate from Lespezeza cuneata, 3991
- nyctinastic-, circadium rhythm, synthesis of bioactive substances potassium lespedezate and potassium isolespedezate, 6389
- rice plant infected with rice blast disease, stereoselective synthesis of (9Z,15Z)-(11S,12S,13S)-11-hydroxy-12,13epoxy octadecadienoic acid, 1669
- unsaturated trihydroxy C, a fatty acids, synthesis, 4235

Polyamines

N-alkylputrescines, oxidation with diamine oxidases, 5167

Polycyclic aromatic compounds

- -aryl substituted tricyclo-[4.1.0.0²,]heptanes, electron transfer induced photooxygenations, route to epoxyketones and epoxyaldehydes, 111121
- 1,8-bis(cyclopentadienyl)-naphthalene, synthesis and reactions, 2881
- (±)-5H-dibenzo[a,d]cyclohepten-5,10-imine, prep of C5(bridgehead) substituted analogs via lithiation of tbutylformamidine precursor, 917
- 9-alkylthiofluorenes, prep from biphenyl-2-carboxaldehydes, 5849 acenaphthalene and aceanthrylene,
- cyclopenta-ring activation, synthesis of expected N°-adenosine adducts, 3251 anthracene photodimer
- incorporating tropylium ring and its retro[4+4]cleavage, 4689
- anthracene, selective oxidation to anthraquinone in acetic acid with air in presence of nitric acid, 2417

- antimicrobial tetrastilbene kobophenol, structure and isolation from Carex kobomugi, 3785
- azuleno[1,2-d]bicyclo[5.4.1]dodeca-1,4,6,8,9a-pentaen-3-one and its cationic species,
- synthesis, 1557 bathophenanthroline-Ru complexes, labelling of nonradioactive oligonucleotide, 1513 carbon-oxygen linked anthracenes.
- formation and photorearrangement, 2137
- deltacyclene epoxides, ring opening, 4803 di-9-anthrylethanedione, synthesis, 989
- dianthrylbenzene and dianthrylbiphenyl, different redox activity, 1629 diarene oxides of polycyclic
- aromatic hydrocarbons, synthesis, 123
- dibenzo[a.d]cycloheptenimines, 11-substituted, synthesis via cyclisation of elecro-generated nitrogen radicals, 2191
- flavanes or 1,3-diaryl propanes, prep of either via reduction of natural flavanones with NaBH,CN
- in CF₃COOH, 7049 four halohydrins, absolute configurations by application of pseudo-enzymatic action of trio-thymoyide clathrates, 6677
- gymnemic acids, antisweet principle from Gymnema sylvestre leaves, purification and
- structure, 1547 methylene-bridged benzopyrenes, synthesis, components of automobile exhausts, 6603
- podand tetraether ionophore, conformationally homogeneous, enantioselective complexation,
- regiospecific Pd-catalysed tandem cyclisation-anion capture processes, prep of C-, N- and O-centred nucleophiles, 1139
- sesquiterpenoids, synthesis of tricyclic arteannuin-like compds, 4485
- terphenyl derivs, access to via reductive dimerisation of vinyl halides in Ni/Pb/Al redox system, 1261
- tetrahydronaphthoquinone deriv, photochemistry, comparative study in soln in crystalline
- phase and in polymer film, 419 triquinane, synthesis of (±)-hirsutene from 3,3-dimethylcyanocyclopropene, 3529 2,Z-9,10-bis(styryl)anthracene,
- DNMR study of syn/anti-isomerisation, 1429

Polycyclic cycloalkanes

and 8-membered 1,5-cycloalkane-fused semibullvalene derivs, dynamics,.6469

polycyelic heterocyclic compounds

- 1,2,3,4,5,6,7-hexaazaacenaphthalene ring system, reductive ring opening, 3287 [1,2,5]thiadiazolo[3,4-
- b]quinoxaline, N-methyl derivs and the selenium analogs, prep and properties, 7071
- 2-deoxy-2-hydroxymethyl-β-Derythrofuranosyl nucleosides, synthesis from 9-(2-deoxy-1-hydroxymethyl-β-Derythrooxetanosyl)adenine by ring expansion and transglycosidation, 2269
- 2,2'-(2,5-dihydrothiophene-2,5diylidene)bis(1,3-dithicle

lviii Tetrahedron Letters

- derivs, new extended oneelectron donors and their electroconductive complexes,
- #a-azoniaphenanthro[3,4-c]phenanthrene perchlorate, synthesis by photo-cyclisation of 2-styrylnaphtho[1,2alquinolizium perchlorate, 7217
- ajqlinolizium perculorate, (2: 4,5-diazafluorenylidene, synthesis, photo- and thermal reactions of 9-diazo-4,5-diazafluorene, 1935 4,7-dihydro-1H-dipyrrolo[3,2-b:2',3'-d]pyrrole and 4,7-dihydro-4H-thieno[3,2-
- b]pyrrolo[2,3-d]pyrrole systems. synthesis, 1655 4,8-dialkylbenzo[1,2-d;4,5-d']bis[1,2,3]trithioles and 6,10-dialkyl[1,2,3]trithiolo[5,4-h]benzopentathiepins, synthesis from 1,4-dialkyl-
- 2,3,5,6-tetrabromobenzenes, 3453 5-(2-dimethylaminoethyl)-5H-indolo[2,3;b]quinoxaline, formation of N-N bonds by thermolysis, 1837
- 6-glycosylamino-5-nitrosopyrimidines, reaction wioth Vilsmeier-type reagents, synthesis of 8-amino-9glycosylpurines, 2669
- 8-chloro-1-methyl-6-phenyl-4H-s-triazolo[4,3-a][1,4]benzodiazepine, rapid synthesis,
- 10,11-dinydrobibenbz(b,f)oxepin-10-ones, key intermediate of cularine alkaloids, new
- synthesis, 6927 12-substituted dibenz[c,f]-[1,5]azastibocine and dibenz-[c,f][1,5]azabismocine derivs,
- [c,f][1,5]azabismocine derivs,
 synthesis and properties,
 evidence of 10-Pn-4 type
 hypervalent interaction, 4841
 aromatic polyimine chelates, new
 family substituted with two
 diphenylphosphines, 463
 aza substituted polycycles,
- synthesis via rhodium carboxylate induced cyclisation of diazoimides, 4077
- azadirachtin biosynthesis, isolation of 1,3-diacetyl-11,19-deoxa-11-oxo-meliacarpin precursor from azadirachta indica, 1797
- azaspirocyclic ketones and compds with azaspiro[4.4]nonane and with azaspiro[5.5]undecane azaspiro[5.5]undecane structures, direct access via radical cyclisations, 3865 benzopyrano[4,3-5]pyridines and benzo[h]-1,6-naphthyridines via
- europium catalysed intramolecular oxazole Diels-Alder reactions, 2355
- benzopyrrolizines related to mitomycin A, easy route via Cr carbene complexes, 1633 chiral 2,3-diphenyl- and
- 2,3,11,12-tetraphenyl-1,4,7,10,13,16-hexaoxacyelooctadecanes, prep and conversion to 18-crown-6 derivs, 3849 corallistine, a new polynitrogen compd from Corallistes
- fulvodesmus, 1535 dasycarpidan-type compds,
- sterecoontrolled access, total synthesis of <u>Strychnos</u> indole alkaloids of <u>strychnan-type</u>,
- dibenzo- and benzophosphapentafulvene and phosphapentafulvene derivs, synthesis, 1077
- dihydro- and tetrahydro-isoxazolo[3',4':3,4]pyrrolo[1,2-

a]indoles, synthesis via intramolecular cycloadditions, 1 1121

- indolo-1,3-diazepin systems, synthesis of homoseroline, 61 manzamine alkaloids, synthesis of pyrrolo[2,3-i]isoquinoline
- substructure, 2611 N-acylindole-2,3-quinodimethanes, generation, reactivity and regioselective control of intermolecular Diels-Alder
- reactions, 7289
 N-substituted polyazamacrocycles, unsymmetrical, synthetic
- stategy, 1323 (±-neplanocin F, total synthesis, 4909
- new class of 11H-indolizino[8.7b]indole heterocycles, entry into via β-carboline azomethine ylides from trimethylsilylmethyl trifluoromethane sulphonate quarternisations, 3423
- new double bond bridged dibenzodithicoin, prep, characterisatiuon and transannular pm-(>S+-S+<) interaction, 2805
- new type of quadruply orthobridged biphenyl compds with disulphide linkage and its S extrusion in conc H₂SO, and photochemical condition, 7441
- novel ring system via intramolecular oxidative cyclisation of 8-(4-
- eyellsation of o-(4-pentenyl)dihydroberberine, 7161 ortho-pyrrolylphenyl heterocumulenes, prep and cyclisation to fused pyrroles, 2847
- oxathiazepine containing eudistomin skeleton and carbaanalogs, concise route, 6809
- oxatricyclo adducts via intramolecular Diels-Alder reactions of substituted furans
- under high pressure, 1045 polycyclic pyridines and isoquinolines, dienamides as versatile precursors, 6865
- prodigiosin, total synthesis via vicinal tricarbonyls, 1725 pyrrolo[2,1-c]benzodiazepine-2,5,11-triones, reaction with
- phosphorus oxychloride, 6221 regiospecific Pd-catalysed tandem cyclisation-anion capture
- processes, prep of C-, N- and O-centred nucleophiles, 1139 spirochromenes, synthesis, 2297 synthesis of 1-methyl-15-hydroxy-20-deethyldasycarpidone, 6761
- tetraazapentalene derivs, reaction with a-haloketones, synthesis of N-substituted oxazoline-2thione derivs, 2259
- tetracyclic indoline ring system via stereospcific intramolecular [3+2] cycloaddition of 2,3-dimethyl-3-(but-3-enyl)indolium-N-methylide, 4447
- tetranydrobenz[cd]indoles, prep from 1-tetralones, 4017
- tetratieno-acene and pentathieno-acene, synthesis, UV spectra of homologous series of thieno-acenes, 3315 tricyclic 3-pyrrolines produced by
- heating azidodienes, approach to assembly of gephyrotoxin ring system, 6661

Polyenes

cyclisation of -, acetal initiated/vinylsilane terminated, synthesis of optically active mevinic acid subunits, 6299 cyclisation of-, vinylsilane-

- mediated, enantioselective synthesis of nagilactone ring system, 6303 polyenic aldehydes via reaction of
- functional vinylic anions with aldehydes and ketones and subsequent hydrolysis, .7377

Polyethers

- halichondrins, total synthesis via stereoselective construction of a homochiral pentasubstituted Hring pyran intermediate from α-D-glucose, 6279 synthesis of-, controlled
- bisepoxide cyclisation using a β-diketone group, 5799

Polymers

- amino acids, asymmetric syntheses by addition of cyanide to Schiff bases in presence of cyanide-modified hemin-copolymer, 4535 electroactive benzenoid-
- heteroaromatic polymers, chemical and electro syntheses, 3461
- photorearrangement unique to polymer matrix, 423 polyacetylenes, high molecular weight, from <u>Petrosia</u> ficiformis, structural analysis and biological activity, 3563
- tetrahydronaphthoquinone deriv, photochemistry, comparative study in soln in crystalline phase and in polymer film, 419

Pol vols

- 1,3-all-<u>syn-polyol</u> natural products, synthesis of δ-lactone of (2<u>Z,5S,7S,9R,11R</u>)tetrahydroxyhexacos-2-enoic acid and 4,6,8,10,12,14,16,18,20-all-syn-normethoxy-1-pentacosene, 6529
- 1,3-polyols, stereocontrolled synthesis of higher members,
- 1,3-polyols, stereodivergent synthesis, 4387 anti-1,3-polyols, route via

Porphyrins

- 5.15-diarylporphyrins, high yield synthesis, 6989
- 5,15-diphenylporphine, reaction with heptakis(2,6-di-0-methyl)ecomplex with hydrophobic groove circumscribing metal binding of porphyrin moiety, 7341
- C-31 and C-32-15,17butanoporphyrins from cil shales, total synthesis, 5697
- cofacially oriented metalloporphyrins in aqueous media, interaction, acidolytic properties of amphiphilic iron porphyrin μ-oxo dimer carrying poly(oxyethylene)side chains, 6883
- hematoporphyrin deriv and photofrin, identification of Clinked oligomer, 6211 meso-substituted-, new route, 2411 meso-tetra(meso)tetraphenyl-
- porphyrinyl)porphyrin, macrocycle with five covalently linked porphyrin units, synthesis, 1129 monovinylporphyrins,
- transformation to benzoporphyrins via Diels-Alder adducts, 6135 tetrakis-5,10,15,20 (α,β,α,β-
- ortho-amidophenyl) porphyrins, meso-phenyl protons and carbons, assignment of chemical shifts,

Potassium and compounds

allosteric systems, intramolecular spin exchange in model regulated by K ions via induced conformational modification, 6507

bioactive potassium lespedezate and isolespedezate from
Lespezeza cuneata, circadium
rhythm of nyctinastic plants,

bioactive potassium lespedezate and potassium isolespedezate, circadium rhythm of nyctinastic plants, 6389

freeze-dried KF, use as fluorinating agent, 1271

Propellanes

[1.1.1]-, radical chain addition of 1,1,1-trichloroethane and 1,1-dichloroethane to give bicyclo[1.1.1]pentane derivs, 2087

[3.3.1]-propellane-2,8-dione, first synthesis, 1921 [3.3.3]propellanic systems,

cationic rearrangements. substituent induced fine-tuning,

bridged[4.3.3]oxapropellanes, synthesis by angular condensation of ethyl tricyclodedecadienone 2carboxylate and their thermal conversion into lactone annelated cyclopentenones, 127

Prostacyclins

carbacyclin analog, stereospecific synthesis using protodesilylation of an

allylsilane, 5777 carbocyclins, chiral synthons, approach to asymmetric synthesis via enantioselective deprotonation of bicyclo[3.3.0]octan-3,7-dione monoacetals, 7221

iloprost-11-iloprostester and iloprost-15-iloprostester, synthesis, 4101

Prostaglandins

natural PGE, and 5,6-dihydro-PGEs, synthesis via two-component coupling process, 4379

PGB, and coriolic acid, synthesis via coupling reactions of 1-tributy1stanny1-1-octen-3-ol

catalysed by Pd, 3645 pivotal chiral synthon ofsynthesis via enantioselective microbiological Baeyer-Villiger type reaction, 3663

potent thromboxane A₂/prostaglandin endoperoxide receptor antagonist, synthesis,

prostaglandin E2, synthesis via vinylpalladation of 4cyclopentene-1.3-diol, 5737

prostaglandin w-chains, synthesis, stereocontrol of tertiary OH group via microbial epoxidation, 1583

prostaglandin-1,15-lactones, isolation from Tethys fimbria, 3589

prostanoids, new pathways for prep of cyclopentenone intermediates, 13

Prostanoids

marine-, synthesis, densely functionalised cyclopentenones as models, 4629

Protecting groups

2-nitrobenzyl group as new S protection, use in synthesis of (R_p , R_p)- and (S_p , S_p)-thymidylyl(3',5')thymidylyl(3',5')thymidine di(0,0-

phosphorothicate, 3821 3-butenyl esters as protecting groups for carboxylic acids,

amine protection via photolabile p-methoxyphenacyloxycarbonyl

group, 1901 by 1-(2-chloroethoxy)ethyl group for 2'-OH group in oligoribonuclectides synthesis,

carbonyl protecting group, 1,5dihydro-3H-2,4-benzodioxepine, 4165

carboxyl protection in peptide synthesis, 3-hydroxypropio-nitrile as new reagent, 3569 diethylisopropylsilyl group,

application to enantiospecific synthesis of C20-C28 segment of concanamycin A, 6417

labile base protecting groups, use in oligoribonucleotide synthesis, 71

modification of OH function under protection, activation and synthetic applications of thiostannanes, 1665

new diethylisopropylsilyl group for alcohols, 6413

new group for amino acids removable with new UV light,

new protected form of glucuronic acid for synthesis of 1-0-acylβ-D-glucuronides, 3773

new thiol protecting trimethylacetamidomethyl group, synthesis of new porcine brain natriuretic peptide using Strimetnylacetaminomethylcysteine, 1979

of carboxyl groups with αmethylcinnamyl alcohol as means of differentiation and activation, activation and applications of thiostannanes, 2050

phenolic OH, MEM as protective group, unexpected difficulty, 6867

protective group tuning in stereoselective conversion of αamino aldehydes, into aminoalkyl epoxides, 5425

protective group tuning in stereoselective conversion of aamino aldehydes, into aminoalkyl epoxides, 5425

t-butyl esters of N-protected amino acids, synthesis via t-butyl fluorocarbonate, 6859

trialkylsilane scavengers for trifluoroacetic acid deblocking

in peptide synthesis, 2739 vinyl group for benzimidazole N in synthesis of benzimidazole-penam alcohol, 1067

Proteins

and small molecules, technetium-99M labelling, synthesis of a novel diaminodithiol ligand.

glycoprotein core glycoheptaose of "bisected" complex type glycans stereoselective synthesis using stereoselective glycosylation, 4417

metalloprotein active site modelling, synthesis of polyimidazoles as biomimetic ligands, 6169

metalloproteins, synthesis of N_2 ligands capable of binding to facial coordination sites of an octahedron, 1609

Protonation
1-aryl-3,3,3-trifluoropropynes,
1315 diastereoselective asymmetric-, conjugate addition of arylacetonitriles to cinnamic

1,2-seco and 1,2-seco 2-nor pyrimidine and purine

acid derivs, 4565

nucleosides, synthesis, 6165 9-(3-azido-2,3-dideoxy-β-D-erthyro-pentofuranosy1)-2,6-diaminopurine, synthesis, 855

Nº-substituted adenines with acetylenic side chain, potential cytokinins, prep via acetals of 4-amino-2-butynal, 3967 uric acid receptors, cautionary observation, 2485

Pyranones

6-alkoxy-2,3-dihydro-6H-pyran-3ones, synthesis and conversion into polyfunctionalised cyclopentenones, 4489

2-imino tetrahydrofurans, pyrans and oxepans, prep, 6571

2-lithiotetrahydropyrans, prep, kinetic and thermodynamic generation of alkyllithium

reagents, 3011
3-methylenetetrahydropyrans,
synthesis, addition of 2(phenoxymethyl)-2propenylmagnesium chloride to epoxides followed by Pd-

catalysed cyclisation, 4863 3,4-dihydro-(2H)-pyrans, conversion into 5,6-dihydro-2-(2H)-pyranones, 2429 a-pyrans, CpCo-complexed,

synthesis via intramolecular [2+2+2]cycloaddition, 2893 benzodihydro-pyrans and furans,

synthesis and biosynthesis, biomimetic radical cyclisations,

derivs of-, acid-catalysed rearrangement, approach to stereoselective synthesis of 1,3-diol derivs, 2885

dinydropyrans, regioselective synthesis via electrophilic condensation of silyl ethers of homopropargyl alcohols with aldehydes, 4065 heterosubstituted tetrahydrofuran

and tetrahydropyran systems, new synthesis involving intramolecular iodoetherification of 2,3-epoxycycloalkenols, study directed towards microalga polyether macrolides, 3725

homochiral pentasubstituted H-ring pyran intermediate, stereoselective construction from α-D-glucose, total synthesis of halichondrins, 6279

regiospecific tetrahydropyran-3-one enolate, synthetic equivalent, synthesis and reactivity of silyl enol ether derivs, 2437

tetrahydrofuryl, pyranyl and oxepanyl-2-imminium methylides, generation and cycloaddition, 6573

tetrahydropyran, controlled beta-hydride elimination, diastereoselective formation of tetrahydropyran ring of tetronomycin, 4925

tetrahydropyrans, synthesis by PPh./CBr. induced cyclisation of acetals, application to synthesis of rose oxide, 1971

tetrahydropyranyl 2,4dimethoxybenzoate, direct anomeric substitution using organo-Cu reagents, 6027 tetrahydropyranylated alcohols, direct conversion to corrresponding bromides, 557

Pyrazoles

and isoxazoles, trifluoromethyl
 substituted, from
 trifluoroacetyl acetylenes, 2049

Pyrazolidinones

bicyclic-, analogs of carbapenems with either ethyl or hydroxyethyl side chain at C-7, prep, 1889

Pyridazines

moiety of a tricyclic heterocycle, reductive cleavage, 3287

- 2,2'-bipyridyl, 2-substituted pyridines and pyridine via reaction of phosphine oxides with 2 or three 2-pyridyl groups with organometallies, ligand coupling on P-atom, 567
- 2-(2,4-dimitrobenzyl)pyridine, imine-enamine and aci-nitro tautomerism, 4885
- 2,6-dimethoxypyridine cation radical, in situ radiolysis ESR,
- 3-(2,4,6-trichlorophenoxyacet-amido)pyridine, N-alkylation with TDAS-1 catalysis yielded Nalkylated 3-(2,4,6trichlorophenylamino)pyridines via Smiles rearrangement, 931
- and tri-n-butyltin hydride and triethylsilane, activation parameters for reaction with phenylchlorocarbene; no need to
- invoke reversibly formed complexes in reaction of this carbene with olefins, 1335 derivs of-, clay montmorillonite-catalysed regioselective addition to silyl ketene acetals, synthesis of N-silyldihydropyridines, 747
- iodopyridines, photoreaction with benzenes, pyridyl cation as reactive intermediate, 3433
- triazamacrocycle with pyridine-bendant arms as new Na+ ionselective ionophore, 3983

Pyridinium salts

- aminopyridinium salts as versatile catalysts, polymer supported synthesis of aryl fluorides,
- N-hexadecyl-4-cyanopyridinium bromide, alkaline hydrolysis, kinetic demonstration of premicellar aggregation, 1051

- 1-(t-butoxycarbonyl)-2,6-dialkyl-2,3-dihydro-4-pyridones, prep, stereocontrolled synthesis of
- (±)-myrtine, 5053
 dihydro-Y-pyridones, prep
 application to synthesis of iso-A58365A, 3625

- 1,2-seco and 1,2-seco 2-nor pyrimidine and purine nucleosides, synthesis, 6165 mechanism of spontaneous thymine
- release, neocarzinostatin-mediated degradation of d(GCATGC), 4263
- ring of-, route via 1,4-cycloaddition of 1,3diazabutadienes with enamines.

4573 transformation.to 1,2,4-triazine ring, reaction of diazonium ions with 5-alkvl-4.6pyrimidinediols, 3719

generation of 6-substituted 2acetonaphthones via sequential acetalisation-pyrolysis of αacetyl benzalacetones, 1457

Pyrophoaphates

labelled geranyl pyrophosphate, enzymatic synthesis, 813

4,6-dialkoxy-2-pyrones, rearrangement, scope and mechanism, 3509 4,6-dimethoxy-2-pyrones, scrambling reaction with 5-methyl isomer, 3505

a-methylpyrroles, mechanism of oxidation to α-formylpyrroles by thallium nitrate on clay, 2673 fused-, prep via ortho-pyrrolylphenyl heterocumulene cyclisation, 2847 phenylpyrroles, formation via

novel pathways, 3471

reaction with rhodium acetate stabilised vinylcarbenoids, entry into tropane system, 4653

Pyrol Lidines

a'-lithiopyrrolidine amidines, stereoselective condensations,

and piperidines, synthesis, 6059 and piperidines, dialkyl substituted, formation, intramolecular cyclisations from N-alkoxyamines, 1327

and tetrahydrofurans, syntheses via use of acyl deriv of Nnydroxy-2-thiopyridone, 2983

cis-2,5-dioxymethylpyrrolidine derivs, C₂ symmetric, synthesis by novel cyclisation, 3805 optically pure cis- and trans-2,5-disubstituted pyrrolidines, new route, 2801

substituted N-acylpyrrolidines and piperidines, stereoselective prep from unsaturated aldehydes, removable auxiliary for amidomercurations, 7321

trans-(2R.5R)bis(benzyloxymethyl)pyrrolidine, asymmetric synthesis, 6075

Pyrrolidinones

5-aryl-2-pyrrolidinones, synthesis via decarboxylation of pyroglutamic acids with P₂O₅/CH₃SO₃H, 7057

Pyrrolines

2,5-dialklylpyrrolines, reduction, key step in synthesis of natural insecticides, 1081

Pyrrolizidines

and indolizidines and quinolizidines via intramolecular oxime olefin cycladditions, 2289

mannosidase inhibitors, synthesis of swainsonine and 1,4-dideoxy-1,4-imino-D-mannitol and ring contracted swainsonines, 7261

pyrrolizidinones, asymmetric synthesis by radical cyclisation of N-allylic pyroglutamates, 3369

Pyrylium salts 2.6-diarylpyrylium salts, electro-reduction, 1383

Quinassinoids

bruceantin, synthesis, 355 chaparrinone and related compds. construction of C(8),C(11) bridged hemiketal ring system,

picrasin B and Δ^2 -picrasin B^1 , partial synthesis, 5985 (+)-picasin B', enantioselective total synthesis, 5989

Quaternisation

trimethylsilylmethyl trifluoromethane sulphonate-, prep of β-carboline azomethine ylides, entry into new class of 11H-indolizino[8,7-b]indole heterocycles, 3423

Quinazolinones

2(1H)quinazolinones and 1,3benzoxazine-2(3H)-ones via cyclisation of N-allyl carbamoyl anthranilonitriles and Oallylcabamoyl salicylonitrile using catalase, 1133 new route via intramolecular aza-Wittig reaction, 3313

Duinolizidines

and pyrrrolizidines and indolizidines via intramolecular oxime olefin cycladditions, 2289 dibenzoquinolizidine and isoquinoline derivs via carbodesilylative routes, a'silylated benzamides as both ortho- and q'-carbanion synthons, 5837

Ouinolizines

and indolizine systems, access via electrocyclisation of extended dipoles, 5591

Quinones

3-chlorojuglone, by conversion and prep of 4-chloro-2,5dimethoxybenzaldehyde, 1201

anthraquinone triplet, reaction with tert alcohols and tertbutylbenzene, C-C bond cleavage, 7467

anthraquinone via selective oxidation of anthracene in acetic acid with air in presence of nitric acid, 2417 dichloroquinones as dienophiles in

synthesis of alizarin derivs, 5173

in situ generated 2methoxycarbonyl-p-quinone, Diels-Alder reaction with glucose based dienes, new approach to forskolin, 1853 new trihydroxylated tertahydroanthraquinones from

genus <u>rmocybe</u>, 7269 quinone <u>methides</u>, reactivity of new precursors, 1939

Quinuclidines

trans-2,6-disubstituted quinuclidines, short steteospecific route, 5825

Racemisation

free attachment of 9fluorenylmethyloxycarbonyl amino acids to peptide synthesis supports, 4341 intrinsic-, in chiral synthesis,

accurate detn, enantiomer

resolution of underivatised vicinal diols, 5109

Radicals

- 1,4-diradical intermediate trapping in intramolecular [2+2] photocycloaddition, 2661
- 2-nitrobenzene peroxysulphonyl-, oxidation of benylic methylene compds to ketones, 6357
- 5-cholest-3-enoxyl-, reversible cleavage, addition of alkyl radicals to ketones, 3343 a-amine-, generation by selective
- desilylation from α-alkyl silylamine radical, intramolecular cyclisation to pyrrolidines and piperidines,
- α-sulphonyl-, initiated intramolecular tandem radical cyclisation, 6913
- alkoxy-thiocarbonyl-, intermediacy of in Barton-McCombie chain reaction of xanthic anhydrides.
- alkyl, generation and use with [CpFe(CO),]2 as mediator, 2907 aryl radical cyclisations, Comediated 5485 aryl-, from Cu oxidation of hydracines provide the and
- hydrazines, new oxidative and reductive arylation of alkenes,
- aryloxy-, new unimolecular source, photolysis aryloxyoxalyl tbutylperoxides, 4477
- aryloxy-, unimolecular source, photolysis of
- aryloxyoxalylchlorides, 4473 biomimetic, cyclisations, synthesis and biosynthesis of benzodihydro-pyrans and furans, 4731
- biradical formation of neocarzinostatin and esperamicin-calichemicin from acyclic eneyne-allene related
- system, 4995
 capture by decarboxylation of (+)-cis-pinonic acid, 3263 carbon-, acyl derivs of hydroxamic
- acid as source, 2341 cation-, from 2,6-
- dimethoxypyridine, in situ radiolysis ESR, 1849 cations of 1,2,4,5
 - tetrakis(dimethylamino)benzene and 2,3,6,7-tetrakis(dimethylamino)naphthalene, ESR and ENDOR study, 6161
- cations of 1,2,4,5-tetrakis(dimethylamino)benzene and 2,3,6,7-tetrakis(dimethyl-amino)naphthalene, ESR and ENDOR study, 6161 cumyl-, formation, transient
- phenomena in photochemistry of cyclisation by-, direct access to azaspirocyclic ketones and compds with azaspiro[4.4]nonane and azaspiro[5.5]undecane structures, 3865
- structures, 3005 cyclisation by-, total synthesis of sesquiterpenoids, (±)-laurene and epilaurene, 3561 cyclisation of 2,6-dinitroalkanes,
- 1857
- derived from cis and trans-6iodomethylcyclodecene, trans-annular cyclisation, formation of 6-methylcyclodecene depends
- on alkene geometry, 4943 di-t-alkylketyl and 1-adamantyl-, thermally generated, H-transfer, 707 faujasite zeolites cages,
- photobehaviour of α-alkyl dibenzyl ketones, role of cations in controlling of behavior of generated radicals,

5833 free-, addition-cyclisation of 1,6-dienes with sulphonyl chloride, 6369

- free-, aromatic arylation with αazohydroperoxide, 963
- free-, chlorination and oneelectron oxidation of arylcyclopropanes, designer probes for cytochrome P-450 hydroxylation mechanisms, 3015
- free-, ring expansion to 6-and 7membered heterocycles, 6129 improved radical deoxygenation of sec alcohols, 2619
- in organic synthesis, tris(tri-methylsilyl)silane as mediator.
- induced ring opening of 1-trialkylsilyl-2-vinyleyclopropanes, stabilising effect of
- trialkylsilyl group, 4413 intramolecular free-, cyclisation of α-sulphenyl radical, 2121
- mediated by-, reductions, tris(trimethylsilyl)silane as catalyst, 2733
- nitrogen-, electro-generated, cyclisation, synthesis of substituted dibenzo[a.d]cycloheptenimines, 2191
- phenylazo-, (generated from phenylazo 1-naphthyl ether in solvent cage), migration vs decomposition, coupling of radicals at aromatic C to give 4-phenylazo-1-naphthol, 1811
- phosphoranyl 1,3-biradicals and possible type-11 reaction, photorearrangement of allyl
- diphenyl phosphate, 4059 regioselective cyclisation to trifluoromethyl-substitued double bond, access to angular
- CF, bicyclic compds, 2407 stereoisomerisation of -, aliphatic nucleophilic substitutions, 493
- stereoselective reactions of-, of 2'-deoxynucleosides, synthesis of an isostere of 3'-azido-3'-deoxythymidine-5'-monophosphate,
- trifluoromethyl-, (obtained by dissociative electron transfer between electrochemically generated aromatic anion radicals and trifluoromethyl bromide) addition to olefins,
- triphenylmethyl-, ENDOR investigation on capto-dative stabilisation, 63

Reagents

- 1:2 ratio of Cp_HfCl_-AgClO-, use for enhanced reactivity in metallocene-promoted
- glycosidation, 4853 2-acetylthiazole, use in 3-carbon homolgation of aldehydes, application to synthesis of amino hexoses from L-serinal, 6063
- (2-stannylated butadiene)tricarbonyl iron complexes for
- tricarbonyl from complexes for synthesis of 2-acyldienes, 2393 33-34% optically pure Grignard-, from reaction of Rieke Mg with (S)-(+)-1-bromo-1-methyl-2,2-diphenylcyclopropane, 7345 4-azido-2-iodo-3,5,6-trifluoro-
- phenyl carbonyl derivs, new class of functionalised and iodinated perfluorophenyl azide
- photolabels, 5409 7-oxabicyclo[2.2.1]hept-5-en-2-ols and organolithium-, regio- and stereospecific synthesis of substituted cyclohexenediols, 6437
- a-chloro allylic Cr-,

stereoselective addition to a-nitroketones, replacement of NO,

- by Na₂S₂O₄-Et₃SiH, 4819 acid labile linkage agents, comparison, synthesis of peptide C-terminal amides, 4645
- action of clay montmorillonite in addition of silyl ketene acetals to α,β-acetylenic esters, 6341
- alkyllithium-, kinetic and thermodynamic generation, prep of 2-lithiotetrahydropyrans, 3011
- allenyl lithium-, via Cu catalysed reductive metallation of propargylic epoxide, 2391
- bifunctional annulating-, reaction with cyclic enol ethers, new route to fused cyclic ethers, 3555
- biotinylated-, prep and conjugation to LHRH analogs. 1401
- bis(bromomagnesio)-
- bis(trimethylsilyl)methane, prep and reactivity, 6195 bis-quaternary ammonium salts as phase transfer catalysts, 1683 Burton's-, use, effect of charcoal on trifluoromethylation of aryl
- chlorides, 2133
- chiral boron-, use in aldol reactions of methylketones reversal in aldehyde enantioface
- selectivity, 997 chiral boron-, use in kinetic resolution in aldol reactions of ethyl ketones. asymmetric synthesis of C₁₉ to C₂₇ segment of rifamycin S, 1293
- Cp_Zrcl_-Agcllo efficient promoter of Friedel-Crafts approach to A-aryl glycosides, 833 cuprate-, generated <u>in situ</u> from (E)-bis-(tributylstannyl)-
- ethylene, synthesis of β-hydroxy-(E)-vinylstannanes, 27 dichotomous achiral d¹ and chiral
- enotomous acritral of and entra d³-, for carbonyl addition directed by metal exchange, synthesis and deprotonation of 1-(p-toluenesulphonyl)-2alkenyl carbamates, 2915
- carbamates, 2915
 electron transfer-, lithium
 dimethylcuprate, 1083
 [Fe.S.(SC.H.S.)]² in presence of
 NaBH., deoxygenation of oxiran
 compds to olefins, 6387
 freeze-dried KF, use as
 fluorinating agent, 1271
- highly functionalised Cu, Znreactivity towards 1-haloalkynes and acetylenic esters, 4799
- hypervalent iodine-, substitution via ligand exchange in methyl 4-iodocubane carboxylate, 791 hypervalent organoiodine-, use in
- β-fragmentation of unsaturated lactols to spiro compds, 5501
- mixed Cu, Zn 2-amino benzylic organometallics for synthesis of heterocycles, 4795 N-triphenylphosphorylidene-1-(benzotriazol-1-yl)methylamine,
- novel synthon equivalent to +CH₂NH₂, prep of prim amines, 3303
- new-, aminolead compds for regioselective ring opening of epoxides, 4255
- new-, for carboxyl protection in peptide synthesis, 3hydroxypropionitrile,3569
- new-, N-substituted hydroxysuccinimides from malic acid for asymmetric Diels-Alder additions to enoates, 5595
- new chiral catalyst, use in synthesis of sec alcohols and deuterated prim alcohols.via

Tetrahedron Letters lxvii

carbonyl enantioselective reduction, 6275 new coupling-, in peptide chemistry, 1927 new phosphinylation-,

bis(allyloxy)diisopropylamino)ph osphine phosphorylation of hydroxy compds, 4219

new phosphonylating and coupling-, synthesis of

oligoribonucleotides, via H-phosphonate approach, 6375 new selective-, Cp₂CrCla-AgBF4 in benzene, a-mannoside synthesis from tetra-O-benzyl-D-mannosyl fluoride, 6879

new trifluoroacetimidoyl chlorides for fluorinated N-heterocycles, 4821

organo-Cu-, use in direct anomeric substituteion of tetrahydropyranyl 2.4-

dimethoxybenzoate, 6027 organo-Pb,-Zn and -Cu reagents, alkylation of aethoxycarbamates, high cram selectivity and formal nonbasic alkylation of imines, 5611 organomanganese bromide compds,

prep in ether, alternative use for organomanganese lodide in synthesis, 3545

organometallic-, addition to a silyl thione chiral at silicon,

organozine and organoboron-, stereospecific group transfer, regiospecific Pd-catalysed tandem cyclisation-anion capture processes, 1135

phosphoramidite-, use in automated solid phase synthesis of 5'biotinylated oligonucleotides,

polyfluorinated aryl azides as photoaffinity labelling-, CH insertion of singlet pentafluorophenyl nitrene with

alkanes at room temp, 2199 potassium 9-sec-amyl-9-boratabicyclo[3.3.1]nonane, selective reduction of aromatic nitriles to aldehydes, 3677

resin-bound peroxomolybdate, generation of singlet oxygen or its synthetic equivalent, 783

selective-, enzymes for enantioselective prep of "asymmetrised tris-(hydroxymethyl)methane", 2697 sodium perborate, oxidation of

trialkylboranes, 1483 substituted vinyl titanium triisopeopoxides, stability and reactivity, 3271

tandem organometallic additions to N-methoxy-ureas and urethanes in prep of unsymmetrical and symmetrical ketones, 1773

Vilsmeier-, prep of β-halo-α,β-unsaturated ketones from βdiketones, 3753

Vilsmeier-type-, reaction with 6-glycosylamino-5-nitroso-pyrimidines, synthesis of 8-amino-9-glycosylpurines, 2669 vinyl zino-, highly functionalised, access via

allylic organobismetallic reagents, 3955

Rearrangements

1,3,5,8-tetraoxygenated xanthones in hot aqueous morpholine, 7265 1,3-oxidative-, of dienols, 1033 1,3-oxidative-, of tends, 1055
[1,3] sigmatropio-, promoted by metal hydride, 3833
[2,3] Wittig-, of tent α-(allyloxy)acetic acid systems on carbohydrate template, chiral synthesis of 3-alkylmalic acids, 4157 [2,3] Wittig-, with high diastereoselection of osubstituted benzyl chrome

tricarbonyl allyl ethers, 2549 [2,3]-sigmatropic-, of allylic sulphilimines concomitant with intramolecular N-alkylation, synthesis of 2-vinyl substituted cyclic amines, 4723

4,6-dialkoxy-2-pyrones, scope and mechanism, 3509

4,6-dimethoxy-2-pyrones, scrambling reaction with 5methyl isomer, 3505 β-hydroxyalkylselenides to

B-hydroxyalkylsetenides to ketones, mechanism, 575 "accordion"-, of cyclobutane α-sulphonyl lactones, 7329 acid catalysed-, of forskolin, prep of spiroforskolin, 131 acid-catalysed-, of pyran derivs, approach to stereoselective synthesis of 1,3-diol derivs, 2885

alkene to carbene-, equilibrating carbene-bridgehead alkene pair,.6969 anionic oxyCope-, synthesis of

potential steroid intermediate,

4427
apotrichothecene-, 6001
base catalysed-, 3-spiro
cephalosporin formation, 1931
Beckmann-, of bicyclo[2.2.1]heptan-2-one series, 7233
Beckmann-, vs Beckmann
fragmentation, dehydronorcamphor

oxime, 4041

benzilic acid-, of tricarbonyl system, macrolactone FK-506, 671 carbenoid somersaulting-, to rearranged acetylene, 5467 cationic-, in [3.3.3]propellanic systems, substituent induced

fine-tuning, 2709

Claisen-, carbanion-accelerated, of allyl vinyl ethers, studies on stereocontrol with phosphorus-stabilised anions, 2469

Claisen-, of 1-allyloxy-1-carbomethoxyallenes, 3345 Claisen-, organo-Al promoted, of bisallyl vinyl ethers, 1265

cyclic allylsulphonium ylidebasis for stereoselective synthesis of contiguously

substituted butyrolactones, 1575 cyclic trismetallic species, prep via allylic organobismetallic reagents, 3959

cycloalkyn-vinylidenecycloalkane-, 5873

degenerate thermal-, of 3,3difluoromethylene cyclobutane,

destannylative Pummerer-type-, of 1-(phenylsulphinyl)-1-(tributylstannyl)cyclopropane,

 $di-\pi$ -methane photo-, in soln versus solid state, diastereoselectivity, effect of placing a chiral handle at bridgehead or viny1 position of dibenzobarrelene, 6125

dioxetane-hydroperoxidephotooxygenation of 3-t-butoxy(and methoxy)-6,7-benzobicyclo[3.2.1]octa-2,6dienes, 3339 epoxide-, efficient catalytic

procedure, 5607 FK-506 tricarbonyl system-,

mechanistic study, synthesis of C.9 labelled FK-506, 6121 FK-506 tricarbonyl system, mechanistic study, synthesis of C.9 labelled FK-506, 6121 gem-acceptor, donor-disubstituted dienes in cycloaddition, [1,3]rearrangement of new bicyclo[2.2.1]hept-5-ene-7-ones, 4665

halogenotropic-, of P-halogenoylides to α'halogenoalkylphosphines, halogenotropy in P-C diad, 2445 imine-epoxide-, in formation of

trans-2,6-disubstituted piperidines, stereoselective synthesis of (±)-teneraic acid, 6077

indolo[2,3-a]quinolizidine amino compds to E-azaaspidospermane derivs, 719

intramolecular cycloadditionsigmatropic rearrangement approach to (±)-Gascardic acid,

Michaelis Arbuzov-, of chiral oxazaphospholidine, asymmetric synthesis of phosphinates, phosphine oxides and phosphines, 2783

N-substituted thiophosphory carbonyl mixed imides, 1047 new oxidative-, of vindoline, 7245 organic photo-, comparative study in soln, in pure crystalline phase and in polymer film, 419 para-selective Fries-, of phenyl acetate in presence of zeolite

molecular sieves, 2281
peroplanone A, synthetic
confirmation of structure, 5145
photo-, and formation of carbon-

oxygen linked anthracenes, 2137 photo-, of 3,6-hexanooxepin-4,5dicarboxylic acid esters to (3aS,6R,8aR)methanohydroazulene, 6855

photo-, of allyl diphenyl phosphate via possible type-ll reaction and phosphoranyl 1,3biradicals, 4059

photo-, unique to polymer matrix, 423

photo-Fries-, in acetoxyindoles, regioselectivity, 6483 photo-Smiles-, heterolytic general base-catalysed, a-cyclodextrin as a probe, 6477 pinacol-, (on montmorillonite) or

acetate alkylation (on alumina or silica gel), activated by microwave irradiation, 945

retro-ene-, vs oxy-Cope rearrangements of 1,2dialkenylcyclobutanol, effect of stereochemistry, 2525

Rupe and Raphael-, sulphone mediated, 7389

Sheradsky-, of a,a'-disubstituted cyclopentanone aryloximes, synthesis of (±)-aplysin and (±)-filiformin, 2229 Smiles-, N-alkylation of 3-(2,4,6-trichlorophenoxyacet-

amido)pyridine (with TDAS-1 catalysis) yielded N-alkylated 3-(2,4,6-trichloro-

phenylamino)pyridines, 931 Smiles-, reversible double via intermediate formation of two tautomeric Meisenheimer spirocomplexes, 2273

stereoselective ketene-Claisen-

of chiral allylthioethers, 3517 stereospecific 1,2-, of cyclopropyl group, prep of chiral α-cyclopropyl ketones and α-cyclopropyl aldols, 5443 tandem aldolisation/-

lactonisation/dyotropic rearrangement of α -amino

rearrangement or α-amino aldehydes, 5421 tandem[3+2] cycloaddition [2,3]-sigmatropic rearrangement of allenyl sulphoxides, with hittorics (542) nitrones, 663

lxviii Tetrahedron Letters

- thermal dyotropic-, of compds with cyclohexa-1,3-diene ring as 2H donor held proximate to variously substituted norbornene element as acceptor, X-ray structure analysis and molecular mechanics calculations, 5005
- titanium amide catalysed rearrangement of epoxides, partial synthesis of 14-hydroxy-gibberellin esters, 6899
- unexpected-, involving azideolefin cycloaddition in morphinan series, 3427 vinylogous Conia-, a masked ene
- reaction, 4329

Receptor binding

NMDA-, and synthesis of 2-amino-7.7-difluoro-7-phosphonohetanoic

Receptors

- (±)-5H-dibenzo[a,d]cyclohepten-5.10-imine, prep of C5(bridgehead) substituted analogs via lithiation of tbutylformamidine precursor, 911
- anion molecules, synthesis of octazza-cryptand and structure of its fluoride cryptate, 4125 annulation of aromatic rings on
- folded cis, syn, cis-triquinane backbone, prep of novel shapes to serve as potential hosts, 6895
- antagonist of -, synthesis of potent thromboxane A₂/prosta-glandin endoperoxide 2399
- Biotin conjugate of PCP analog "Metaphit", potential use in NMDA/PCP receptor isolation, 4613
- cistulynes, ¹H MMR and single crystal X-ray evidence for structure and cation encapsulation in a rigid, molecular channel system, 5099
- for uric acids, cautionary observation, 2485
- GABAA-, convulsant binding site, syntheses of trioxabicyclooctane probes, diazocyclohexadienones as photoaffinity ligands, 823
- LHRH-, purification, prep and use of biotinylated ligands, 1401 macrobicyclic molecules, synthesis
- of triply bridged bisintercalands based on acridine subunits, 941
- NMDA/PCP-, isolation, potential use of biotin conjugate of PCP analog "Metaphit", 4613
- potent LTB.-, partial agonist, furodysinin lactone thioacetate from <u>Dysidea</u> genus, 2725

Reduction

- 1-(4-thiomethylphenyl)-2,2,2-
- trifluoroethyl carbocation by sodium sulphite, 23
 2,5-dialklylpyrrolines, key step in synthesis of natural insecticides, 1081
 5,6-dihydro-2H-1,3-oxazines,
- 5,0-dinydro-zn-1,3-dazines, approach to 1,3-amino alcohols from 2-aza-1,3-dienes, 2001 c-aminonitriles with sodium, 4203 and deprotection of dithioacetals, new method, 1277 asymmetric-, in benzoin by
- photolysis of benzaldehyde adsorbed in cyclodextrin cavities, 4641
- Baker's yeast-, (immobilised by magnesium alginate), of β-keto esters, 2245
- baker's yeast-, of 1-acyloxy-3azido-2-propanone, synthesis of amino alcohol, 3701 baker's yeast-, of cyanoacetone,

- C-C bond formation, 3811 carbonyl enantioselectivesynthesis of sec alcohols and deuterated prim alcohols using new chiral catalyst, 6275
- chemoselective semihydrogenation of acetylenes using homogeneous catalysis, 4657 deoxidation/reduction of aromatic
- esters, a-diketones, acyloins and epoxides to bibenzyl products via lithium 4,4'-di-tbutylbiphenyl radical anion,
- electro- of dithiole-thiones, isolation of unsymmetrical disulphidea and trisulphides as by-products, 815
- electro-, of 2,6-diarylpyrylium salts, 1383
- electro-reductive cyclisation of α,β -unsaturated carbonyl derivs,
- enantioselective ketone-, using tin organo systems from chiral piperazines, 3551
- improved stereoselective-, of E,E conjugated dienyne, prep of
- E,E,Z conjugated triene, 4951 LAH-, of steroidal vinyl iodide, single electron transfer, 2999 Meerwein-Ponndorf-Verley type-, of α,β-unsaturated ketones to allylic alcohols catalysed by
- MgO, 2705 methionine sulphoxide with sulphur trioxide/thiol system, 4411
- N-(phenylsulphonyl)indoles with sodium cyanoborohydride in
- trifluoroacetic acid, 6833 natural flavanones with NaBH₃CN in
- oF, COOH, prep of either flavanes or 1,3-diaryl propanes, 7049 photoreductive cyclisation of unsaturated aldehydes, easy access ro spiranic molecules, 7361
- radical mediated-, tris(trimethylsilyl)silane as
- catalyst, 2733 redox activity different for dianthrylbenzene and
- dianthrylbiphenyl, 1629 reducing metal ions, mechanism of interaction with N-aryl-0pivaloylhydroxyamines, 1923 reductive dimerisation of vinyl
- halides in Ni/Pb/Al redox system, access to terphenyl derivs, 1261
- reductive ring opening of Nacylaziridines, different outcomes of chemical and elector reactions, 2271
- regioselective conjugate-, and reductive silylation of α,βunsaturated aldehydes using
- [(Ph,)CuH], 5677 regioselective, of hindered diphenylphosphinoyl (Ph_POketones and enones, reversed stereocontrol, 601
- removal of isocyano groups via crown ether generated toluene radical anion from K metal and toluene, 845
- toluene, 845 reverse chemoselective borane reduction of optically active malonic acid ester, 6687 selective cathodic-, of β-chlorovinylimines in N,N'-dimethylformamide, 1711 selective-, of α,β-epoxy ketone moiety coexisting with enone function 1819
- function, 1819 selective, of α,β-unsaturated carbonyl compds, using Al-NiCl,
- system, 6567 selective-, of aromatic nitriles to aldehydes by potassium 9-sec-

- amy1-9-boratabicyclo-[3.3.1]nonane, 3677 selective-, of conjugated acetylenes with Mg in MeOH and
- stereoselective-, (pivaloyloxy)methyl 6,6-dihalopenicillanates
- metry1 0,0-dialopemicilianates by trineophyltin hydride, selective synthesis of 6β-dihalopenicillanates, 3905 stereoselective-, of α-cyclopropyl ketones and α-cyclopropyl aldols, stereo-directing effect
- by α-trimethylsilyl group, 5447 syn-1,3-asymmetric-, use in stereoselective synthesis of 1,3-syn-3,5-anti-triols, route to anti-1,3-polyols, 4383
- tellurium-carbon bonds of tellurolactones and telluroethers, 1209
- trimethylsilyl chloride-NaI, reductive tranformations, new synthesis of 4H-1,3-oxazines,
- Wolff-Kishner-, cleavage of two C-C bonds, 1353
- yeast-, stereochemical control, synthesis of \underline{R} -(+)-la-lipoic acid, 5705

- Regeocontrolled reactions [3+4] and [3+5] annulation reactions, bis(trimethylsilyl) enol ethers as 1,3-diamion equivalents, 2351
- and stereochemical control, condensation of benzaldehyde and cyclohexanone with ethyl-4-(tri-n-butyltin)-3-methyl crotonate and ethyl 4(tri-n-butyltin)-3methoxycrotonate, 5533
- in synthesis of optically active amino-4-pentenediols via epoxy-4-pentenols, novel acyclic adenosine analogs, 1517
- methylating ring opening of oxiranes via metal-assisted chelating or non-chelating processes, 6563
- new-, for Diels-Alder reactions, 1907
- of intermolecular Diels-Alder reactions, generation and reactivity of N-acylindole-2,3-quinodimethanes, 7289

Regioselection

- 2-cyclopenten-1-ones, reaction with singlet oxygen, 903
 3-morpholino-1,4-pentadienes and
- β-hydroxyvinylketones, prep using 2-morpholinobutadienes as synthon, 15923 acylation of sugar moieties in
- nucleosides, lipase-catalysis, 3817
- addition of silyl ketene acetals to pyridine derivs, use of clay montmorillonite-catalysis, synthesis of N-silyldihydro-pyridines, 747 alkylation of 1,4-benzodioxins,
- use of arene-chromium complexes,
- alkylation of cyclic 1,3-diketone dianions via their monodimethylhydrazones, synthesis of C-4 substituted cyclic 1,3-diketones, 1705 allylation of allylic alcohols,
- Ni-catalysed 6409 allylation of polyketide system methyl 3,5-dioxohexanoate,
- copper protection in Pd-catalysis, 3105 and chemoselective epimerisation of cis-3-amino-8-lactams to trans isomers, new synthesis of aztreonam, 4837

- and diastereoselective enol ether formation via 1,4-sigmatropic shifts of hydrogen in carbonyl ylides, 4089
- and diastereoselective Friedel-Crafts alkylation of phenols with a ramino aldehydes, synthesis of optically active ephedrine-like compats, 1121 and stereoselective intramolecular cycloaddition of nitrile oxide
- to furan, 5013
- and stereoselective photo-oxygenation of (+)-11,12diacetoxydrim-8-ene, synthesis for key intermediate of drimane-related sesquiterpenes, 859 and stereoselective prep of enolates from ketones, use of
- sodium bis(trimethylsilyl)azide, 2779
- and stereoselective prep of glutaric acids from olefins via a,a-dichlorocyclopentanones, 7065
- and stereoselective synthesis of (Z) encl methyldiophenylsilyl ethers, 283
- and stereoselective-. of anthracycline glycosides, 4857
- complementary acylation of sec OH groups by different lipases, 1703
- deprotection of 3',5'-0-acylated pyrimidine nucleosides by lipase and esterase, 3819 in N-alkylation and acvlation of
- heterocycles, anionic mechanism for thermodynamic control, 4013
- metallation of diethyl βdialkylaminovinylphosphonates, new synthesis of substituted β-ketophosphonates, 4787 new synthesis of N³- and N³-
- monoacylated speridines, 1365
- nucleophilic aromatic phtotsubstitution of 4nitroanisole, dual mechanistic psthway, 2423
- of nucleophilic attacks, electronic effects of ηallylpalladium complexes, 3109
- paraherquamide, synthetic studies, indole oxidation model, 5575
- photo-Fries rearrangement in acetoxyindoles, 6483 photoinduced acylation of furans
- at 3-position, 4421 radical cyclisation to trifluoromethyl-substitued
- double bond, access to angular CF, bicyclic compds, 2407 reaction of cis-alkenes with singlet oxygen, 4875 reaction of triazolinediones with
- cis-alkenes, 6903
- reduction, reversed stereocontrol in hindered diphenylphosphinoyl
- (Pn.2Po-) ketones and enones, 601 reductive alkylation of 1,2,3- trimethoxybenzene, 1689 regioselectively difunctionalised
- permethyl-β-cyclodextrin, route to via 5A,5D-dicarboxy-β-cyclodextrin derivs, 7225 replacement of nitro group by
- nucleophiles in cyclic a-(nitroalkyl)enones, 2413
- ring opening of epoxides using aminolead compds as new reagent, 4255
- synthesis of dihydropyrans via electrophilic condensation of silyl ethers of homopropargyl
- alcohols with aldehydes, 4065 synthesis of either a- or Y-amino acid derivs via Li,Sn-masked and/or Ge-masked dienolates,
- synthesis of substituted (1-

- cyclohexenyl) acetic acid derivs via ionisation/elimination of β lactones, 531 synthesis of two types of cyclic
- 3-(trimethlsilylmethyl)enones, 3327
- unusual, linear hydroformylation on PtL₂Cl₂-iron or tin catalysts, 5759

Regiospecific reactions

- 1,3-dicarboxy benzannulation, methyl propynoate sequential Michael-Michael-aldoldehydration reactions with Michael donors, 3579 and stereo-specific cycloaddition
- and transesterification mediated by Ti, imines of a-amino esters, 4727
- and stereospecific synthesis of substituted cyclohexenedicls via 7-oxabicyclo[2.2.1]hept-5-en-2ols and organolithium reagents. 6437
- benzylic cleavage and reductive amination of acetophenones, prep of oxygenated enantiomerically pure 1-phenylethylamines, 317
- ellipticine synthesis via nitrene insertion, 297
- intramolecular [2π+2σ]-, of
- methylenecyclopropanes, 7107 Pd-catalysed tandem cyclisationanion capture processes, prep of C-, N- and O-centred nucleophiles, 1139
- Pd-catalysed tandem cyclisationanion capture processes, use of organozine and organoboron reagents in Stereospecific group transfer, 1135
- ring opening of α,β-epoxysilanes with silicon tetrafluoride and application to synthesis of
- fluoroalkenes, 967 synthesis of (E) unsaturated 3,5dialkyl-isoxazoles and derived leukotriene analogs using phosphine oxides, 877

Resins

- alkoxy benzyl alcohol typeminimum racemisation coupling to N_-9-fluorenylmethyloxycarbonyl amino acids, peptide synthesis
- by a combination of solid phase and soin methods, 6745 derivs of-, allowing minimum racemisation of Na protected amino acids, peptide synthesis by combination of solid phase
- and soln methods, 6741 Kaiser oxime-, use in prep of protected peptide fragments,
- substituted triphenylmethyl-(trityl)-, use in synthesis of protected peptide fragments,

Resolution

- biocatalytic-, of long-chain 3-hydroxyalkanoic esters, 551 enantiomer-, of underivatised vicinal diols, accurate deth of intrinsic racemisation in chiral synthesis, 5109
- enzymatic-, of methyl 2-alkyl-2-arylacetates, 7053 enzymatic-, of racemic bicyclic lactones by horse liver esterase, 67 kinetic- with pig liver esterase
- of racemic β, Y-epoxy esters, 2513
- kinetic-, in aldol reactions of ethyl ketones using chiral boron reagents, asymmetric synthesis of C_1 , to C_{27} segment of rifamycin S, 1293

kinetic-, of racemic epoxides by a chiral lithium amide, 2125 of cyanohydrins and synthesis of

- ethyl (R)-2-hydroxy-4-phenylbutyrate and (S)propranolol via lipase-catalysed irreversible transesterification using enol eaters, 1917
- of free amino acids via new crown ethers derived fromm D-mannitol, 4231
- optical-, of amine N-oxide by diastereomeric complex formation with optically active host
- will optically active host compd, 1841 optical, of [1,1'-binaphthalene]-2,2'-dithiol, asymmetric oxidation of thioethers, 2575 preferential spontaneous, of p-
- anisyl a-methylbenzyl ketone. 6207
- preferential spontaneous-, of panisyl a-methylbenzyl ketone, 6207
- rac 2-substituted cyclohexanones by enantioselective
- deprotonation, 6537 TLC enantiomeric solution of racemic imino acids via Cucomplex impregnation of RP 18-TLC plates, 7181

Rhenium and compounds

chiral w-aldehyde complexes of-, stereoselective addition of cyanide ion, new synthesis of optically active cyanohydrin derivs, 3931

- Rhodium and compounds (28,48)-MCCPM-Rh complex catalysis, asymmetric synthesis of (R)-(-)-phenylephrine hydrochloride, 367
- acetate of -, catalysed cycloaddition of 1-diazo-2,5hexanedione, synthesis of exo
- and endo brevicomin, 1491 acetate of-, catalysed preferential insertion of diazocarbonyl compds adjacent to
- ether oxygens, 1749
- ether oxygens, (149
 acetate of-, catalysed reaction of
 1-diazoalkanediones, formation
 of cyclic carbonyl ylide, 301
 acetate of-, stabilised
 vinylcarbenoids, reaction with
 pyrroles, entry into tropane
 system, 4653
- carboxylate of-, catalysed carbenoid reactions of diazirines, 3049
- catalysed hydroboration, diastereccontrolled, of chiral acyclic allylic alcohol derivs,
- catalysed isomerisation of siloxycyclopropanes leading to enol silyl ethers and allyl silyl ethers, 6887 catalyst for acetalisation under
- mild conditions, 6151
- complex of-, diastereoselective cyclisation of 6-octen-1-als, 1095
- complexes of-, catalysis of intramolecular amido carbonylation of alkenamides, new routes to N-heterocycles, 6283
- complexes of trisubstituted olefins, syn-selective directed hydrocarboxylation, 539 modified DIOP-Rh complex,
- catalysed asymmetric hydrogenation of itaconic acid
- derivs, 735 neutral (25,45)-MCCPM-Rh complex, catalyst for asymmetric hydrogenation of aaminoacetophenone, 363

Rh with chiral ligands, asymmetric cyclisation, 6349

rhodium carboxylate and rhodium carboxamide catalysed intramolecular carbenoid C-H insertion in diazo esters, highly selective syntheses of Y-lactones, 7001

rhodium carboxylate induced-, of diazoimides, synthesis of aza substituted polycycles, 4077

Ring expansion

2-deoxy-2-hydroxymethyl-β-Derythrofuranosyl nucleosides, synthesis from 9-(2-deoxy-1-hydroxymethyl-8-Derythrooxetanosyl)adenine by ring expansion and transglycosidation, 2269 benzthiepin derivs, conformational

and steric requirements of side chain for sulphur participation,

cyclobutane α-sulphonyl lactones, "accordion" rearrangements, 7329

episulphonium ion mediated, of 1-alkenyloyoloalkanols, 6181 episulphonium ion mediated, of 1-

alkenylcycloalkanols, 6181 one-carbon-, of 1-(trimethylsilylmethyl)cycloalkanecarboxaldehyde , mediated by Si-based nucleophiles, 6551 one-carbon-, of 1-siloxy-

cycloalkane carboxaldehyde catalysed by Lewis acid, 4267 to 6-and 7-membered heterocycles via free radicals, 6129

Ruthenium and compounds

bathophenanthroline complexes of-, labelling of nonradioactive oligonucleotide, 1513

catalysed decarbonylation of alkyl

formates, 6501 complex of-, catalysed benzylation of arenes with benzyl formates, decarbonylation and decarboxylation of alkyl formates, 4137

organocomplexes of-, use in hetero Diels-Alder Lewis acid catalysed reaction, 1189 polyethylene-bound catalyst of-,

for inter and intramolecular

Kharasch reactions, 3915 ruthenium porphyrins, catalysed epoxidation of olefins with pyridine N-oxides, 6545

Samarium and compounds

SmI₂, mediated reductive couplings of acid chlorides, 7407

SmI₂-induced electron transfer, deoxygenation of α-oxygenated esters, 2945

SmI₂-promoted anion radical alkylation, formation of intermolecular C-C bond, 2837

Saponins and sapogenins

from Solidago gigantea, structure via modern NMR techniques, 4097 gymnrmagenin and deacylgymnemic acid structures, 361

Schiff bases

addition to cyanide in presence of cyanide-modified hemin-copolymer, asymmetric syntheses

of amino acids, 4535 glycine-, N-acylation, approach to 3,3-diphenylaziridine-2carboxylates, 4717

Selenium and compounds 1-seleno-4-t-butyl

cyclohexyllithiums. stereoselective synthesis and reactions, 5635

[1,2,5]thiadiazolo[3,4b]quinoxaline, N-methyl derivs and the selenium analogs, prep and properties, 7071

1,2,5-thiadiselenole, competitive photo decarcogenation, 2955

1,3,5-triselenanes, synthesis from aldehydes, and generation of selenoaldehydes by fragmentation

of 1,3,5-triselenanes, 6047 α-chloro-α-chenylselenyl ketones and α, α -dichloro- α -phenylselenyl ketones, synthesis via Pummererlike reaction, 2665 β-hydroxyalkylselenides, mechanism

of rearrangement to ketones, 575 and Te metals, reactions with phenylacetylene in three-phase catalytic systems, 613

bis(diisobutylselenocarbamoyl)triselenide, structure and intramolecular dynamics. ⁷Se **NM**R, 2813

diphenyl diselenide, reaction with peroxydisulphate ions in MeOH, methoxyselenation of aldehydes,

diselena analog of 2,11dithia[3.3]orthocyclophane, structure, 1551

methoxyselenation and methoxybromination of chiral 3acyl-2-oxazolones with PhSeCI/MeOH and Br₂/MeC(OMe), formation of chiral synthous for amino alcohols with opposite π-facial selectivity, 3449

organoselenium/organotin chemistry, 1,1- and 1,2-elimination, reactions of lithiobisphenylselenomethane with chloromethyltrimethylsilane and iodomethyltrimethylstannane, 3333

phenylselenenyl bromide and phenylsulphenyl chloride, reaction with tryptophan derivs,

radical C-Se bond cleavage of selenonium salts with Grignard reagents or Mg salts, 981

Se-mediated glycosidations, selective synthesis of 8-2-deoxyglycosides, 75

selenium dioxide oxidation of bridgehead trialkylsilyl enol ether, synthetic studies on esperamicin/calicheamicin

esperamicin/calinneamicin antibiotics, 3637 selenoketones, route from ketones by use of bis(dimethylaluminium) selenide, 2095 stabilised allylic carbocations

of-, reactions with 1-(trimethylsilyloxy)cyclohexene, 4433

sulphonium and selenonium salt electrophiles, use in C-C bond formation under aqueous reaction conditions, 7293

Siderophores

total synthesis and absolute configuration of rhizobactin,

Signatropic shift reactions
1,4-, of hydrogen in carbonyl
ylides, regio- and diastereoselective enol ether formation,
4089

anionic[1,3]-, synthesis and use of long range 20 hector and difference NOE in structure detn. substituted bicyclo[4.2.1]nonane, 641 intramolecular cycloadditionsigmatropic rearrangement approach to (±)-Gascardic acid,

Silicon and compounds (1-bromovinyl)trimethylsilane, Pdcatalysed coupling, abnormal products, 3735
1-(trimethylsilylmethyl)-

cycloalkanecarboxaldehyde, onecarbon ring expansion mediated by Si-based nucleophiles, 6551

1-(trimethylsilyloxy)cyclohexene, reactions with selenium stabilised allylic carbocations. 4433

1-trialkylsilyl-2-vinylcyclo-propanes, radical induced ring opening, stabilising effect of

trialkylsilyl group, 4413 1-trimethylsilyl cyclocotene, tranannular cyclisation under Friedel-Crafts condition, route to bicyclo[3.3.0]octanes, 7461

1,2-bis(trimethylsiloxy)cyclo-pentene, reexamination of acid-catalysed reaction with ketals, 1021

1,3-disiloxycyclohexadiene asymmetric Diels-Alder reactions with chiral acrylamides, 5891

1,4C+0 silyl migrations of furan and thiophene systems, 1765 α,β-epoxysilanes, regiospecific ring opening with silicon

tetrafluoride and application to synthesis of fluoroalkenes, 967 β-silyl carbenes, migration to form alkenes, 2493

acetal initiated/vinylsilane terminated polyene cyclisation, synthesis of optically active

synthesis of optically active mevinic acid subunits, 6299 alkenyl and alkynyl silyl ethers, synthesis, 6981 alkenylalkoxysilanes, Pd-catalysed cross coupling with aryl and alkenyl halides in presence of fluoride ion, 6051

alkylalokoxysilanes, oxidative cleavage of C-Si bonds by dloxygen/hydroquinone system, 6533

allyl silicon, strong influence on hydroboration and boron decalone annulation with tetrasubstituted olefins 2187

allyl vinyl silanes, prep of 12-(dimethylsila)squalene, 403

allylsilanes derived from a-and Bionone, synthesis and reactivity

with electrophiles, 6067 allylsilanes, one-pot synthesis from q-chlorocarbonyl compds, 5927

an allylsilane, protodesilylation, use in

stereospecific synthesis of carbacyclin analog, 5777 benzylic silanes, oxidation, C-Si cleavage by cerium ammonium nitrate, 3573

bistrimethylsilylperoxide, reaction with 2-benzothiazolyl-alkyllithiums, an unprecedented demethylation, 3721 chiral organosilicon compds, enantioselective synthesis of

homoallylic alcohols, 3041

chlorotrimethylsilane and sodium, dehalogenation ring opening of 1,2-dichlorocyclopentene to give silylated pentynes, 121 cyclic silyl enol ethers, highly

erythro selective aldol reaction with Cr-complexed benzaldehyde derivs, 7435

diethylisopropylsilyl protecting

- group, application to enantiospecific synthesis of $\frac{C_{2} \circ C_{2}}{A}$, 6417 segment of concanamycin (E)- and (Z)-5,6-dimethyl-8-
- trimethylsilyl-6-octenals, stereospecific cyclisation, 6397 (\underline{E}) - and (\underline{Z}) -crotyltrifluoro-

silanes, stereohomogeneous synthesis and stereoselective allylation of aldehydes, 1099 enantioselective hydrosilylation

of acetophenone with Rh/oxazoline catalysts, 5141

enolisable N-trimethyl-silylaldimines, β-lactam synthesis, 4275

epoxy-allylsilane, Lewis acid mediated cyclisation, synthesis of (+)-brefeldin C, 4845

iodotrimethylsilane deoxygenation of carbonyl conjugated allylic ethers. 645

iodotrimethylsilane mediated fragmentation, use in podophyllotoxin analog, synthesis, 5537

Me:SiCl, presence or absence in conjugate addition of dibutylcopperlithium with enones, 7087

enoises, roof ME_SIN, ring opening of epoxystyrene to silylated azidohydrine, use of AL(O-iPr), or Ti(OiPr), 4673 new protecting diethyl-

isopropylsilyl group for alcohols, 6413

O-silyl ketene acetal, molecular structure, 447 o-silylbenzyl alcohols,

intramolecular cyclisation with elimination of hydrocarbon via hypervalent silicon intermediate, effect of structure on selectivity for elimination, 725

organotrifluorosilanes, oxidative Si-C bond cleavage involving organic group migration from

hypercoordinate Si to 0, 4375 photosilylation of electron-deficient alkenes, use of disilanes via photoinduced electron transfer, 3689

regioselective reductive silylation and conjugate reduction of α,β-unsaturated aldehydes using [(Ph,)CuH]. 5677

Si-Si abond, singlet oxygenation, formation of 1,2-dioxolane, peroximium ion intermediate, 6705

silanes, t-butyl substituted, synthesis from t-butyl magnesium chloride and chlorosilanes catalysed by cuprous cyanide, 6393

siloxycyclopropanes and Yoxocarboxylates, enantioselective synthesis by asymmetric catalysis, 2079

siloxycyclopropanes Rh-catalysed isomerisation leading to enol silyl ethers and allyl silyl ethers, 6887

siloxycyclopropanes, Pd- and Pt-catalysed reaction with acid chlorides, synthesis of 1,4keto esters and 1,4-diketones,

siloxydienes, addition to (ethoxycarbonyl)nitrene regiochemistry, 5025 siloxydienes, stereochemical

varaiations in Diels-Alder reactions with N,N-dimethyl acrylamide, effect of Lewis acid catalyst, 5887

silyl thione chiral at silicon,

addition of organometallic reagents, 2677

silvlene protecting dihydroxystyrene deriv, intramolecular [4+2] cycloaddition leading to linearly condensed peri-hydroxy aromatic compds, 3995

silyl/sulphur-stabilised carbanions and oxiranes, prep of cyclopropanes, interplay of two reaction pathways, 7033

trialkylsilanes, scavengers for trifluoroacetic acid deblocking of protecting groups in peptide synthesis, 2739

triethylsilane, pyridine and trin-butyltin hydride, activation parameters for reaction with phenylchlorocarbene; no need to invoke reversibly formed complexes in reaction of this

carbene with olefins, 1335 trimethylsilyl chloride-NaI, reductive tranformations, new synthesis of 4H-1,3-oxazines, 4741

trimethylsilyl ethylene oxide, reaction with 6-methylheptyl phenyl sulphone, and asymmetric epoxidation, (+)-disparlure synthesis, 2845

trimethylsilyl triflate mediated introduction of phospholipid head groups, 915

tris(trimethylsilyl)silane as

mediator in organic synthesis via radicals, 681 tris(trimethylsityl)silane catalyst for radical mediated reductions, 2733

vinylsilane-mediated polyene cyclisation, enantioselective synthesis of nagilactone ring system, 6303

vinylsilanes, stereoselective conversion to Y-substituted allylsilanes via higher order cuprates, 5693

Silver and compounds

assisted reactions of bis(tributyltin)oxide, mild, neutral and anhydrous conversion of primary organic halides to alcohols, 279

Solid state synthesis

5'-biotinylated oligonucleotides, automated synthesis using phosphoramidite reagent, 6287

branched oligonucleotides automated synthesis, 6295

C-terminal peptide alcohols, 5045 macrocyclic cyclophane, structure and solution conformation, 7453

mechanism of oxidation of amethylpyrroles to a formylpyrroles by thallium nitrate on clay, 2673 Merrifield peptide-, incorporation

of 8-turn prosthetic units, 2317

O-phosphotyrosine-containing tridecapeptide, PMOC-polyamide synthesis, 6229 oligodeoxyribonucleotides,

labelling with biotin in a single step, 3089

organic chemistry, surface vs bulk reactivity, 1601

peptide-, by a combination of solid phase and soln methods minimum racemisation coupling of N-9-fluorenylmethyloxycarbonyl amino acids to alkoxy benzyl alcohol type resins, 6745 peptide-, by combination of solid phase and soln methods, resin

derivs allowing minimum racxemisation of No-protected amino acids, 6741 photoreactivity and crystal structure of 2,5-dibenzylidenecyclopent-3-ene-i-one and its terachloro deriv, 3029

synthesis of oligonucleotides with

synthesis of oligonuclectides with an acridine or athiophosphate group at 3' end, 2521 synthesis of cyclic depsipeptide viscosin with antibacterial and antiviral properties, 519 synthesis of oligonuclectides containing 3'-thiothymidine,

4693

synthesis of protected peptide fragments, use of allylic anchor group and of its Pd-catalysed hydrostannolytic cleavage, 2641 thermally activated arcmatic

substitution, cocrystals of 4chloro-3,5-dinitrobenzoic and 4aminobenzoic acids, 3617 ubiquitin synthesis, 2149

Solvents

and substituent effects in synthesis of \$-lactams from zine enolates of N,N-disubstituted αamino acid esters and imines, 765

effect in reactions of singlet methylene, 7169 ethylammonium nitrate as solvent

for Diels-Alder reactions, 1785

Solvolysis

2,2,3- and 2,3,3-trimethyl substituted 1-norbornyl triflates, 1503 gyleerol polyenol ether, 5639 N-acetoxy-4-acetylaminostilbene,

irreversible formation of nitrenium ions, 1479 N-tosyl-O-phenylhydroxylamine, HF/THF fluorination, 4929

reactivity of 1-(1-methyl-2-pyrrolyl)-2,2,2-trifluoroethyl p-nitrobenzoate, 1319

Spectroscopy

ENDOR investigation on captodative stabilisation of triphenylmethyl radicals, 63 EPR of diaza deriv of metaxylyene, 1225

Sphingolipids

enantiomeric C-18 sphingosines, synthesis of two pairs, 7205

Spiro compounds

asymmetric spiroannulation process, 6511

augmented spiroketalisation tactic for total synthesis of phyllanthocin, 7325

azacarbocyclic spirodienones via hypervalent iodine oxidation of p-substituted phenol derivs, synthetic approach to discornabdin alkaloids, 1119

cyclohexyl spiro-fused a-hydroxy tetronic acid derivs, prep from vitamin C, 2505 L-2-spirocyclopropyl-2-deoxyarabinose, synthesis, 659

novel spiropiperidine system,

asymmetric prep by CN(R,S)method, 6323 oxa-spiro compds, enantioselective

synthesis, 345 spiro[4.n]alk-2-ene-1-ones, 4oxygenated, prep via intra-molecular acylation, α-sulphinyl carbanions, 1715

spiro and bicyclic nucleosides from ribose nitrile oxide reaction with acetylene-

dicarboxylate, 3675 spiroacetals, new route and construction of model for

lxxii Tetrahedron Letters

synthesis of phyllanthocin, 7115 spiroacetals, unsaturated, use in synthesis of talaromycins A.B.C and E, 985

spirochromenes, synthesis, 2297 spiro[4.5]decane terpene skeleton via synthesis of substituted spiro[4.5]deca-3,6,9-triene-2,8diones, 1605

spiro-heterocyclic systems, detection and mechanistic impication of dynamic equilibrium, 6777

spirooxetanes with tetrahalogenated 1,4benzoquinone moieties, stereospecific thermolysis, 3443

spiro ring system of ginkgolides, prep via cycloaddition strategy, 1495

via β-fragmentation of unsaturated lactols, use of hypervalent organoiodine reagents, 5501

Staffanes 3,3(n-1)-bisacetylthio[n]staffanes, synthesis and properties, 455

Stereochemistry

1,2-dioxolanes, prep and reductive
 cleavage, application to
 synthesis of (±)yashabushitriol, 6985

3-hydroxybutyric acid ester, umbraculumin-B from Umbraculum mediterraneum, 1147 12(S)-HETE conversion to '2-HPETE,

2817

and sterecelectronics, implications, conformational energy and entropy differences of t-butoxy group, 6765 and synthesis C-1 to C-10 fragment

of nystatin A₁, 1217 and synthesis of sarcophytol B,

anticancer cembranoid, 1173 aspects of photo-set induced diradical cyclisation as part of

isoquinoline alkaloid synthetic strategies, 799

at phosphorus, photorearrangements of benzyl phosphites, 1025 auricularic acid, stereostructural revision, synthesis of 4-epi-auricularic acid, 4563 benzanilide and N-

methylbenzanilide, 6177 conformational anergy and entropy differences of t-butoxy group and implications in stereochemistry and

stereoelectronics, 6765 contribution of molecular modeling example in morphinic series, 3973

course of condensations of Cnucleophiles with 2,4-deoxy-2amino-L-threose and -L-

erythrose, 5511 directed lithiation of 1,2'bis(methoxymethyl)ferrocene,

directing effect of oxygen substituents of propargylic alcohol on intramolecular Diels-Alder reaction of diene-yne, 7157

diterpenoids, new eunicellin-based from <u>Cladiella</u> sp. 3331 diterpenoids, (-)-reiswigin A, synthesis and absolute and

relative configutations, 2465 effect on oxy-Cope vs retro-ene rearrangements of 1,2dialkenylcyclobutanol, 2525

nystatin A₁, stereostructure, synthetic assignment of C1-C10 fragment, 4517

of asymmetric oxidation of

prochiral ketone enolates to optically active α-hydroxy ketones, effect of enolate geometry and structure, 779 of esperamicins and absolute configuration of isopropylamino sugar moiety, 2469 of proposed intermediates,

biosynthesis of mycinamicins, 4001

regio-and stereochemical considerations, analogs of vinylogous Reformatsky reaction, 5533

sesquiterpenoids, new type of humulane-related lactone aquatolide from <u>Asteriscus</u> aquaticus, 2851

stereochemical outcome, diene additions to thionitroscarenes,

Stereocontrolled reactions

,3-polyols, synthesis of higher members, 6525

4- and 9-ethyl-2-azabicyclo[3.3.1]nonan-7-ones, synthesis via 2cyanopiperidines, 5655

aldehyde addition with crotylmolybdenum complexes, 1769 allyl vinyl ethers, carbanion-

accelerated rearrangements, studies on stereocontrol with phosphorus-stabilised anions, 2469

amidocyclisations with phenylthio

migration, 5937 avermectin B., synthesis of spiroketal pragment, 5993 buildup of penaldic acid equivalent for prep of glycosyl a-amino acids, asymmetric synthesis of thymine polyoxin C,

dasycarpidan-type compds, access, total synthesis of Strychnos indole alkaloids of strychnan-

type, 5659 E-alkenes with chiral substituents, synthesis by extension of Horner-Wittig reaction and stereocontrol by

acyl transfer, 4581 Forssman antigen, total synthesis,

hindered diphenylphosphinoyl (Ph₂PO-) ketones and enones, reversed stereocontrol in

regioselective reduction, 601 in yeast reductions, synthesis of $R^{-}(+)-1\alpha^{-}$ lippic acid, 5705 lactonisation via Pd-catalysis,

macrocyclic-, use in stereoselective synthesis of (+)-(9S)-dihydroerythronolide,

7463 multiple-, alkylation of enolates using organotransition metal templates, 5049

prep of vicinal amino alcohols,

prep or vicinal amino alcohols, removable auxiliary for amidomercuration, 1777 route to 23-membered macrocycle found in didemnins, 3757

synthesis of (\pm) -myrtine, prep of 1-(t-butoxycarbonyl)-2,6-dialkyl-2,3-dihydro-4-pyridones, 5053

synthesis of (±)-ptaquilosin aglycone of ptaquiloside, 1983 three contiguous chiral centers via intramolecular ene approach, 357

triple asymmetric synthesis for fragment assembly, validity of approximate multiplicativity of the three diastereofacial selectivities, 7357

Stereoisomers swainsonine-, (-)-8-<u>epi</u>-, (-)-8a-<u>epi</u>- and (-)-8,8a-<u>diepi</u>swainsonine, divergent syntheses, 5721

Stereoselection and synthesis 1,2-asymmetric induction of

lactols with a-chirality, 1563

1,3-diol derivs, synthesis, approach via acid-catalysed rearrangement of pyran derivs,

1,3-polyols, stereodivergent synthesis, 4387

1,3-syn-3,5-anti-triols,
synthesis, using syn-1,3asymmetric reduction, route to
anti-1,3-polyols, 4383
5-alkyl-2-hydroxy-2-methyl-3-

methoxycarbonyl tetrahydrofurans, synthesis, cobalt acetate promoted addition of acetoacetate to terminal

olefins, 4701
(+)-(98)-dihydroerythronolide, synthesis using macrocyclic

stereocontrol, 7463 (92,152)-(118,128,138)-11-hydroxy-12,13-epoxy octadecadienoic acid, constituent of rice plant infected with rice blast disease, synthesis, .1669

a-bromoketones, reaction with cyanide ion adsorbed onto hemincopolymer, steroselective synthesis of cis-cyanooxiranes, 1651

a-methylation of N-methyl benzylamine via a combination of chromium tricarbonyl and chiral formamidine methods, 5945

 α , β -unsaturated esters, conjugate addition of benzyl sulphoxides, 6919

β-hydroxy-α-amino acids, approach from D-glucose, synthesis of MeBmt, 6769

β-mono- and β,β-disubstituted α,βunsaturated esters, synthesis by haloboration, 6555

^*-pipecolic acid, synthesis via alkylation of a vinyl N-Boc-

iminium ion derived from baikiain, 5751 Y-hydroxy-α,β-unsaturated esters,

synthesis, asymmetric version of

synthesis, asymmetric version of "Spac" reaction, 4325 access to basic skeleton of phyllocladane type diterpenoids by [3+2],[2+2+2] and [4+2] cycloaddition, 2541 acetoxylation of chiral

phenylacetic esters, 327 addition of α-chloro allylic Cr

reagents to alchydes, 4389 addition of cyanide ion to chiral rhenium π-aldehyde complexes,

new synthesis of optically active cyanohydrin derivs, 3931 aldol reactions in polypropionate synthesis, high π -face selectivity of enol borinates from α -chiral methyl and ethyl ketones under substrate control,

allylation of aldehydes and sterechomogeneous synthesis of (\underline{E}) - and (\underline{Z}) -crotyltrifluoro-silanes, 1099

and regioselective intramolecular cycloaddition of nitrile oxide to furan, 5013 and regioselective photo-

oxygenation of (+)-11,12-diacetoxydrim-8-ene, synthesis for key intermediate of drimane-related sesquiterpenes, 859

and regioselective prep of enolates from ketones, use of sodium bis(trimethylsilyl)-

Tetrahedron Letters lxxiii

- azide, 2779 and regioselective prep of glutaric acids from olefins via a,a-dichlorocyclopentanones,
- and regional ective synthesis of (\underline{Z}) enol methyldiophenylsilyl ethers, 283
- ethers, 203
 and regioselective synthesis, of
 anthracycline glycosides, 4857
 and synthesis of (±)-helenalin,
 boron annulation, 523
- bicyclisation, zirconocene-promoted, of 1,6- and 1,7-dienes to give transzirconabicyclo[3.3.0]octanes. and ciszirconabicyclo[4.3.0]nonanes,
- 5105 bromolactonisation of chiral acyloxazolidinone, prep of Y-lactone corresponding to hydroxyethylene dipeptide
- isoster, 3845 carbohydrates, C-C bond formation by radical cyclisation, 57
- C₂ symmetric cis-synthesis of C₂ symmetric cis-2,5-dioxymethylpyrrolidine derivs,
- synthesis, 3805 C-C bond formation in o wond formation in carbohydrates by radical cyclisation application to synthesis of α -C(1)-glucosides, 6311
- C-C bond formation in carbohydrates by radical cyclisation, prep of C(1)-
- glycosides, 6307 cis and trans-BY-disubstituted-Y-lactones, synthesis, chiral recognition in reaction of enclate derived from [(n5-C_{sH_s})Fe(CO)(PPh_s)COCH₂OCh₂Ph] with cis- and trans-2,3-epoxybutane, 587 condensations of α'-lithio-
- pyrrolidine amidines, 1909 construction of a homochiral pentasubstituted H-ring pyran intermediate from a-D-glucose, total synthesis of
- halichondrins, 6279 construction of diterpenoid tigliane ring system, 5073 contiguously substituted butyrolactones, synthesis based
- on cyclic allylsulphonium ylide rearrangement, 1575 conversion of a-amino aldehydes into aminoalkyl epoxides, protective group tuning, 5425
- conversion of tetraalkyltin to alcohols, 6461 coupling under mild specific
- conditions, prep of n-pentenyl 2-amino-2-deoxy glycosides, 2363 cyclisation of a-alkoxyallyl-
- stanname alkymals and their Cocomplexes, new route to cyclododecyne-1,2-diol derivs. 309
- cycloglycosylation, synthesis of manno isomer of α -cyclo dextrin, cyclo(+4)- α ,Man-(1+4)]_{s- α}-Man(1+), 1273 cyclopropanation with
- vinylcarbenoids, 5057 cyclopropylboronates, synthesis, 4815
- dl- and trisubstituted homoallylic alcohols, synthesis via Pd-catalysed nucleophilic opening
- of vinylic oxetanes, 3487 disubstituted acetylenes, Pd-catalysed stereoselective hydrovinylation, prep of functionalised 1,2,4-trisubstituted 1,3-dienes, 3465 enhanced by cooperation between

chiral auxiliaries, asymmetric

Diels-Alder reactions with fumaric acid bis $((\underline{S})$ -proline benzyl ester) amide, 4227

- entry to fumitremorgins, 6421 ester enclate alkylation and ester englate alkylation and hydroxylation at C-22 of steroid side chain, 1579 FK-506, synthesis of C₁₀-C₂, fragment, 6611 formation of (E)-olefins via hydrolytic desulphinylation of
- substituted 4-(2'-alkene-
- sulphinyl)-morpholines, 1967 formation of a [3.1.0]bicyclic system via homologous Ferrier reaction, use of 2',3'-dideoxycytidine cyclopropano
- analog, 2203 gem-disubstituted cyclopropanes, synthesis from gem-
- dibromocyclopropanes, 6039 (±)-gibberellic acid, total
- synthesis, 971 homo Diels-Alder reaction, 6813 homoallylically controlled epoxidation of Δ*cia-1,2-
- disubstituted cyclohexenes, 1913 hydrolysis of dimethyl 4,5-epoxy-1,2-cis-cyclohexane-dicarboxylates with pig liver
- esterase, 693
- hydroxylation of a peptide side chain, synthesis of echinocandin right-half equivalent, 2251 imines of α-amino esters, Ti-
- mediated transesterification and regio- and stereo-specific cycloaddition, 4727
- improved reduction of E,E conjugated dienyne, prep of E,E,Z conjugated triene, 4951 in reactions of acyliron complexes with allylstannanes, 5745 isomerisation of 2-ymoic esters, synthesis of (2E,4E)-dienoic
- esters, 843
- isomerisation of ethylidene lactam for synthesis of (±)-Zisositsirikines, 2941
- ketene-Claisen rearrangement of chiral allylthicethers, 3517
- Lewis acid catalysed ene addition of formaldehyde to 1,3diarylcyclopentenes, synthesis of trans-2,5-diaryl-2-cyclopentene-1-methanols, 4757
- "linear" C-disaccharide synthesis,
- norditerpenoid dilactones, synthesis of ring AB podocarpate system, 6993
- of mesitonitrile oxide cycloadditions to 7-substituted norbornadienes, 807 papain catalysed synthesis of
- alafosfalin, 6917 penicillanate ester, synthesis,
- 2349 pipecolic acid derivs, synthesis using aza-Diels-Alder reactions,
- radical reactions of 2'deoxynucleosides, synthesis of an isostere of 3'-azido-3'-deoxythymidine-5';monophosphate, 4969
- reaction of isocyanide with arenechromium-tricarbonyl complexes,
- reduction of a-cyclopropyl ketones and α-cyclopropyl aldols, stereo-directing effect by α-trimethylsilyl group, 5447 reduction of (pivaloyloxy)methyl
- 6,6-dihalopenicillanates by o,o-dinalopenicilianates by trineophyltin hydride, selective synthesis of 68-dihalopenicillanates, 3905 robustadial ring system, construction, 6653 route to key intermediate of 18-

- methylcarbapenems by chemicoenzymatic approach, 113 substituted N-acylpyrrolidines and piperidines, prep from unsaturated aldehydes, removable auxiliary for amidomercurations,
- synthesis in both L and D configurations of optically pure B, Y-unsaturated a-amino acids, 1943
- synthesis of glycoprotein core glycoheptaose of "bisected" complex type glycans using stereoselective glycosylation,
- 4417
 substituted pipecolic acid,
 synthesis 515
 synthesis of ±)-12-desmethoxy
- cuanzine, 4957
- synthesis, structure and earthy odour of (±)-geosmin, 2775 tilivalline, synthesis, 1871
- teneraic acid, synthesis, f)-tenerato acid, synthesis, imine-epoxide rearrangement in formation of trans-2,6-disubstituted piperidines, 6077 total synthesis of (±)-castanospermine, 705 vinylsilanes, conversion to Y-substituted allylsilanes via highen order correctors 6602
- higher order cuprates, 5693
- (Z)-1-iodo-1-alkenes, synthesis via Wittig reaction of iodomethylenetriphenylphosphoran e with aldehydes, 2173

Stereospecific synthesis

- 1,2-cis-glycosylation, synthesis of a-D-glucosyl-D-glucoses, 5459 (3S)- and (3R)-[3-2H] paratose, synthesis, 5729 and regiospecific synthesis of
- substituted cyclohexenediols via 7-oxabicyclo[2.2.1]hept-5-en-2ols and organolithium reagents,
- 6437 anti[1,3]-stannyl migration, synthesis of nonracemic Yalkoxyallylstannanes, 2183
- C_{1s}-C_{1s} portion of amphidinolide-A, synthesis, 4637 carbacyclin analog, synthesis using protodesilylation of an allylsilane, 5777
- carbocyclic nucleosides, synthesis from 2-azabicyclo[2.2.1]hetan-3-
- ones via sodium borohydride mediated C-N bond cleavage, 1645 chiral α-cyclopropyl ketones and α-cyclopropyl aldols, stereospecific 1,2-rearrangement of cyclopropyl groupo, 5443
- chiral a-cyclopropyl ketones and a-cyclopropyl aldols,
- a-cyclopropyl alous, stereospecific 1,2-rearrangement of cyclopropyl groupo, 5443 construction of vicinal diepoxides from 2,3-epoxy-1,4-diols, synthesis of (+)-spatol, 4621 (+)-de oxoartemisinin and (-)-
- deoxodesoxyartemisinin, synthesis, 5973
- functionalised cyclopentanes, synthesis, 5803
- group transfer, use of organozine and organoboron reagents in regiospecific Pd-catalysed tandem cyclisation-anion capture processes, 135
- intramolecular [3+2] cycloaddition of 2,3-dimethyl-3-(but-3-enyl)-indolium-N-methylide, prep of tetracyclic indoline ring system, 4447
- Ni and phase transfer catalysed carbonylation of vinyl bromides and chlorides, 2615 nucleophilic ring-opening of
- deuteriated cyclopropylcarbinol,

reversible &-sultone formation, sulphonation of alkenes with sulphur trioxide, 5451

reversible B-sultone formation, sulphonation of alkenes with sulphur trioxide, 5451 route to trans-2,6-disubstituted

quinuclidines, short 5825 syn-acylamidation of olefins, 1987 thermolysis of spirooxetanes with

tetrahalogenated 1.4benzoquinone moieties, 3443 thaps-7(15)-ene and thaps-6-ene,

synthesis, probable biogenetic precursors of thapsanes, 5577 total synthesis of (5,6)diHETE isomers, 4947

Z olefins bearing an ω-azido group, synthesis, 4953

Steric effects

and conformational requirements of side chain for sulphur participation in benzthiepin derivs, 4279

and topological effects in intramolecular [2+2] photocycloaddition mechanism,

evaluation of-, new method by substituent, 3309

Steroids and sterois

5-cholest-3-enoxyl radicals, reversible cleavage, addition of alkyl radicals to ketones, 3343

14-hydroxysteroids via cycloaddition, 4497 adrenosterone, total synthesis of water mold sex hormone oogoniol,

cholestanol, double functionalisation directed by selective bifunctional templates, 535

(±)-estrone methyl ether, approach to Oppolzer-Kametani intermediate using conjugate addition-enolate methylation of cyclopentenone containing an aappended benzocyclobutane moiety, 4999

imidazole-functionalised surfactants transfer acetyl groups from p-nitrophenyl acetate to cholesterol in

vesicular coaggregates, 4905 pentacyclic 78,158-ethano-androstene derivs by intramolecular opening of a15β,16β-methylene-17-oxo moiety with a 78-malonyl ester

with a (p-maining) esset function, 5877 potential intermediate, synthesis by anionic oxyCope rearrangement, 4427 radical chiorination to both C-9 and C-17 of steroid directed by 3-a-chloestanyl esters of bipyridine acids, 535

secosterol, astrogorgiadiol. diterpene ophirin and related astrogorgin, inhibitors of cell devision, isolation from

devision, isolation from Astrogorgia sp. 7079 side chain of-, stereoselective ester enclate alkylation and hydroxylation at C-22, 1579 single-pot synthesis of 3,4-seco acid from 4,4-dimethyl-3-keto triterpenoid, 5463 steroid CD-suthons noen wis

steroid CD-sythons, prep via Barton radical decarboxylation of podocarpic acid, 7111 steroidal 17a-formyl-178-acetates,

intramolecular condensation, synthesis of 14-hydroxymethyl-3-oxo-19-nor-17g-pregn-4-ene-21,17-carbolactone, 6907

steroidal alkaloid, pingbeinone having C-18 nor Cevane skeleton from Frittaria ussuriensis, 4981

steroidal vinyl iodide, single electron transfer in LAH reduction, 2999

sterols, selective acetylation in imidazole-functionalised surfactant vesicles, 5849 strophanthidin, synthesis, 4295

epoxides, photooxygenation, 6801 oxiranes from cis-diols, 6797 polychloro(trifluoromethyl)benzenes and highly strained polychloro(trichloromethyl)benzenes, new synthesis,

Structure-Activity relationship 3-benzylglutamic acid, 4-configurational isomers and acyclic analogs of kainoids, 3799

6,7-dihydro[5H]pyrrolo[1,2a]imidazoles, C-7 functionalisation, activation by quaternisation with MEMC1, 6599

cis-a-(carboxycyclopropyl)glycines, new syntheses from L-glutamic acid, 3803

(±)-geosmin, structure and earthy odour, 2775

Substituent effects

1-(1-methyl-2-pyrrolyl)-2,2,2-trifluoroethyl p-nitrobenzoate, solvolytic reactivity, 1319 -aryl-3,3,3-trifluoropropynes,

protonation, 1315 a-cyano-, on Diels-Alder reaction of 1-azadienes,2481

and solvent effects in synthesis of β -lactams from zinc enclates of N,N-disubstituted α -amino acid esters and imines, 765

capto-dative substituents, activation of C-H bonds towards carbene, 6353

cationic rearrangements in [3.3.3]propellanic systems, substituent induced fine-tuning,

LArSR analysis of -, on gas phase stabilities of 1-aryl-1-(trifluoromethyl)ethyl cation, 2101

on generation and trapping of 1,2dichloro-3,3-dialkylbut-2-en-1-ylidenes, 2009

on stability of carbodications,

oxygen vs sulphur as allylic directing group in Diels-Alder reactions of acyclic chiral alkoxy dienes, 3897

polar-, effect on spin density in monosubstituted triphenylmeyhyl radicals, 63

radicals, 03
remote-, unusual effects on rate
of macrocyclisation, total
synthesis of OP4949-111 and
OF49491V, 5061
side chain-, effect on
intramolecular Diels-Alder

reaction of furandiene, synthesis of (±)-1,4-epoxycadinane, 1349 steric hindrance evaluation, new

method by substituent, 3309 substituted vinyl titanium

triisopeopoxides, stability and reactivity, 3271

t-butoxy group, conformational energy and entropy differences and implications in stereochemistry and stereoelectronics, 6765

Substitution reactions aliphatic nucleophilicstereoisomerisation of radicals,

allylic-, by terminal alkynes, Cu and phase transfer catalysed, 2225

bipyridyl derivs, prep via αlithiation of pyridyl phenyl sulphoxides, substitution with electrophiles and cross coupling with Grignard reagents, 7091

direct anomeric-, of tetrahydropyranyl 2,4dimethoxybenzoate using organo-

Cu reagents, 6027 electrophilic aromatic-, nitronate anions as precursors of hydroxynitrilium ions equivalents, route to oximes, 5763

electrophilic aromatic-, of

homoazulene, 305 electrophilic intramolecular-, reactivity of para-quinone methides, 1193

nucleophilic arcmatic photo-, of 4-nitroanisole, regioselectivity, dual mechanistic pathway, 2423

nucleophilic-, of ozonides, 1511 nucleophilic-, on $\pi(\text{arene})\text{chromium}$ tricarbonyl complex, formation of aniline derivs, 3373 of sulphinyl function in a-

sulphinylhydrazones, prep of α-alkoxy-, α-allyloxy- and αbenzyloxy-aldehydes and ketones,

regioselective replacement of

nitro group in cyclic a-(nitroalkyl)enones, 2413 regioselective SN' allylic substitution vo 1,4-addition, synthesis of a-substituted B,Yunsaturated esters, 7399

SRM aromatic nucleophilic, electrochemically induced; monoanions of β-dicarbonyl and β-cyanocarbonyl compds as nucleophiles, 1373

tandem nucleophilic substitution-1,3-dipolar cycloaddition of oximes with epoxides and dipolarophiles, 5489

thermally activated aromatic-, in solid state, cocrystals of 4-chloro-3,5-dinitrobenzoic and 4-aminobenzoic acids, 3617

via ligand exchange with hypoervalent lodine reagents in methyl 4-iodocubane carboxylate, 791

Sulphates

cyclic, with acid sensitive groups and chemoselective hydrolysis of sulphate esters, 655 homochiral 1,2-cyclic-, synthesis

of homochiral aziridines and amino alcohols, homochiral, 2523

Sulphenic acid and derivatives

a-sulphenyl radical, intramolecular free radical cyclisation,2121

Sulphides see also Disulphides

1,2,3,4-pentatetraene episulphides, synthesis and reactions, 4271 -silyl-, desilylative

a-siyl-, ossiylative hydroxyalkylation, retention of configuration, 789 allylic-, synthesis, versatile method, 2821 arylazo phenyl sulphides, C-arylation of phenoxide and

naphthoxide anions, synthesis of unsymmetrrically substituted

hydroxybiaryls, 6911 enantioselective oxidation by dioxiranes in presence of bovine serum albumin, 6233 new cyclic tris-, 3,7,9-trithiabicyclo[3,3.1]nonane, transannular S-S interaction, quest for intrabridged dithia dication, 4399

oxidation to olefins via, potent oxidant generated in situ from

superoxide and CO₂, 4133 symmetrical alkyl- or aryl-trisulphides, synthesis, 2991

trialkylstannyl phenyl-, Pd-catalysed reaction with alkenyl bromides, diastereoselective synthesis of (E)-1-alkenyl

phenyl sulphides, 2699 trisulphide moiety of calicheamicin, reactions, 3033

unsymmetrical alkyl and aryl disulphides, synthesis, 2995

via α-sulphurane (formed as intermediate) ligand coupling in reaction of sulphilimines with hydride, 1087

Sulphilimines

allylic-, [2,3]-sigmatropic rearrangement concomitant with intramolecular N-alkylation, synthesis of 2-vinyl substituted cyclic amines, 4723

reaction with hydride proceeds via ligand coupling within the or-sulphurane formed as intermediate to give sulphides, 1087 S,S-diphenyl-N-halosulphilimines,

alkaline hydrolysis, formation of S,S-diphenyl-Smethoxythiazyne, 6339

Sulphinamides

allylic-, substituted, route via lithiation and alkylation of 4-(2'-alkenesulphinyl)morpholines, 1963

Sulphinic acid and derivatives

hydroxyalkanesulphinate salts and sultines, prep, 2763

Sul phonanti des

N-alkyl and N-acyl-, Mitsunobu reactions, efficient route to amines, 5709

Sulphonation

alkenes with sulphur trioxide, reversible stereospecific 8sultone formation, 5451

methylheptyl phenyl-, reaction with trimethylsilyl ethylene oxide and asymmetric epoxidation, (+)-disparlure synthesis, 2845

Syndred 2. 2003 B-weto phemylsulphones, new method for desulphonylation, 5579 episulphone intermediate, isolation from Ramberg-Backlund reaction, 3267

geminal (pyridine-2-thiyl)phenyl-, novel transformations, 4237 mediated Rupe and Raphael rearrangements, 7389

Sulphonium salts

and selenonium salt electrophiles. C-C bond formation under aqueous reaction conditions, 7293 episulphonium ion mediated ring expansion of 1-alkenylcycloalkanols, 6181

Sulphonyl compounds

3-substituted 2(ptoluenesulphonyl)-1,3-dienes, new prep. 6481 a-sulphonyl radical initiated

intramolecular tandem radical cyclisation, 6913 arylsulphonyl chlorides, Pd catalysed desulphylative coupling with acrylate esters under solid-liquid phase transfer conditions, 975

N-aulphonyl imines, in situ procedure for inter and intramolecular Diels-Alder reactions, 3037

sulphonyl chloride, free radical addition-cyclisation with 1.6dienes, 6369

Sulphoxides

α,β-epoxy-, reaction with lithium dimethylcuprate giving enclates, novel synthesis of aldols, 1083

B-hydroxy-, enantioselective synthesis by direct oxidation of thioethers, 4859

allenyl-, tandem[3+2] cycloaddition [2,3]-sigmatropic rearrangement with nitrones, 663

benzyl-, stereoselective conjugate

addition to a,8-unsaturated esters, 5919
bipyridyl derivs, prep via a-lithiation of pyridyl phenyl sulphoxides, substitution with electrophiles and cross coupling with Grignard reagents, 7091 chiral t-butyl-, efficient route, 3659

homochiral vinyl-, [3+2]cycloaddition with trimethylenemethane, 1803 homochiral-, facile route, 3633 methionine-, reduction with sulphur trioxide/thiol system, 4411

N-alkyl thiazolidine-, syntheses and thermal transformations, 425

Sulphoximines

new-, synthesis, 437

Sulphuranes

sulphilimines, reaction with hydride via ligand coupling with the a-sulphurane formed as intermediate, prep of sulphides, 1087

Sulphur compounds

diethylaminosulphur trifluoride, inversion of trans-3-hydroxy-4-(2-oxopyrrolidin-)-(2-oxopyrrolidin-1-yl)benzopyrans to <u>cis--3-</u> nydroxy-4-(2-oxopyrrolidin-1-yl)benzopyrans, 3349 new sulphur-containing dipeptide analog, synthesis, 2653 silyl/sulphur-stabilised

carbanions and oxiranes, prep of cyclopropanes, interplay of two reaction pathways, 7033

Sulphur halogen derivatives 2,2,2-trifluoroethyl p-toluenesulphonate synthesis of difluoromethyl ketones via 2,2-

difluorometryl ketones via 2., difluoroalkenylborames, 5437 fluorosulphuric acid induced cyclisation of a methallyl carbinol involving apparent 0 migration, 5651 phenylsulphenyl chloride and

phenylselenenyl bromide, reaction with tryptophan derivs. 4307

sulphuryl chloride, allylic chlorination of olefins with an ispropenyl or isopropylidenyl moiety, 5767

Sultans
4-carbomethoxy 8-sultans, synthesis and reactions, 2869 Synthesis and reactions, copy
B-sultam mono- and dianions, prep
and alkylation, 2873
N-acylsultams, asymmetric
alkylation, route to
enantiomerically pure enantitumer reserve parts crystalline $C(\alpha,\alpha)$ -disubstituted carboxylic acid derivs, 5603

sultan-derived glycinate equivalent, asymmetric alkylations, prep of enantiomerically pure a-amino acids, 6009

Sultines

and hydroxyalkanesulphinate salts, prep, 2763

Sultones

reversible stereospecific 8-aultone formation, sulphonation of alkenes with sulphur trioxide, 5451

Surfactants control by-, of ortho/para ratio in bromination of anilines, 6209 imidazole-functionalised surfactant vesicles, selective acetylation of sterols, 5849 imidazole-functionalised-,

transfer acetyl groups from pritrophenyl acetate to cholesterol in vesicular coaggregates, 4905

iodosobenzoate-functionalisedvesicles, adjustable reactivity in reactive phosphate cleavage, 2071

non-ionic-, synthesis of new alkylfluorolipopeptides, 5755 water insoluble-, which micellise in formamide, new synthesis of alkyl azides, 1245

Sydnones

bicyclic-, cycloaddition of β-substituted enones, facile hydrocarbon elimination, 4625

Tautomeriam

imine-enamine and aci-nitro-, of 2-(2,4-dinitrobenzyl)pyridine,

Technitium

technetium-99M labelling of proteins and small molecules, synthesis of a novel diaminodithiol ligand, 1885

Teleocidins

new teleocidin-related blastmycetin E from Streptoverticillium blastmyceticum, structure, 2113

Tellurium and compounds

alkyl tellurocarboxylates isolation and characterisation, 1829

and Se metals, reactions with phenylacetylene in three-phase catalytic systems, 613 butyl-vinyl tellurides and bis-

butyl-vinyl tellurides, prep of vinyllithiums, 7353 reinvestigation of reaction with phenylacetylene, 441 Te-carbon bonds of tellurolactones

and telluroethers, reduction, 1209

Terpenoids

(t)-1.4-epoxycadinane synthesis, effect of side chain

lxxvi Tetrahedron Letters

- substituents on intramclecular Diels-Alder reaction of furandiene, 1349
- 3,4-seco-triterpencids. espinendiols A and B, espinenoxide and trisnorisoespinenoxide from Euphorbia Supina, 1661
- asymmetric induction in Pd-catalysed [3+2]-cycloaddition of trimethylenemethane with homochiral vinyl sulphoxides.
- bisnorditerpenoids dilactones, enanticselective synthesis of nagilactone ring system via vinylsilane-mediated polyene cyclisation, 6303
- di-triterpene, new quinone ethers, partial synthesis and synthesis of netzahualcoyene from pristimerin and DDQ, 863 diterpencids of C-20β series,
- optically pure, synthesis, 4141 diterpencids ophirin and related astrogorgin and secosterol,

astrogorgiadiol, inhibitors of

- cell devision, isolation from Astrogorgia sp. 7079 diterpenoids, 14,15-dehydroforskolin synthesis via dimethyl diazomethylphosphonate anion reaction with an aldehyde. 1521
- diterpenoids, (-)-reiswigin A, synthesis and absolute and relative configutations, 2465
- diterpenoids, (±)-nimbidiol
 synthesis, 1499
- diterpenoids, (+)-mayolide A, synthesis and absolute configuration, 5911
- diterpenoids, degraded with new carbon skeleton, glaciclide from Cadlina luteomareginata and
- Aplysilla Glacialis, 5717 diterpenoids, forskolin precursor, simple access, 6331 diterpenoids, forskolin synthesis,
- enantioselective route to key
- intermediate, 7297 diterpenoids, forskolin, new approach via Diels-Alder reaction of in situ generated 2methoxycarbonyl-p-quinone with glucose based dienes, 1853
- diterpenoids, ginkgolides A and B, synthesis of pentacyclic model via intramolecular enone-furan photocycloadditions, 5997
- diterpenoids, lassiocarpine C20 alkaloid from Aconitum kojimae <u>ohwi</u>, 3441
- diterpenoids, monocyclic moiety of ageline A, total synthesis, 6401
- diterpenoids, new class, dactylomelol from Aplysia dactylomela 6219
- diterpenoids, new clerodane, structure of jodrellin A and B, insect antifeedants from Scutellaria woronowii, 4737
- diterpenoids, phyllocladane type, stereoselective access to basic skeleton by [3+2],[2+2+2] and [4+2] cycloaddition, 2541
- diterpenoids, podocarpic acid, Barton radical decarboxylation, prep of steroid CD-sythons, 7111
- diterpenoids, quinonemethide isobharangin, biogenetically
- significant, isolation from Pygmacopremna herbacea, 867 diterpenoids, revised structures of antheliolides A and B, 3363
- diterpenoids, secospatane-type, structures with antifeeding acivity from Dilophus okamurai
- diterpenoids, spiroforskolin via acid catalysed rearrangement of

forskolin, 131 diterpenoids, tigliane ring system, stereoselective construction, 5073

- diterpenoids, tricyclic, total synthesis of (±)-shonanyl methyl ether and (±)-ferruginyl methyl ether,.3469
- diterpenoids, new eunicellin-based
- from Cladiella sp, 3331 elemanolides (±)-zempoalin A and B, total synthesis, 685 (±)-galanolactone, total synthesis, 553
- iridoid precursors, short access. 4113
- labelled geranyl pyrophosphate, enzymatic synthesis, 813
- monoterpenes, isipulegol, radical fragmentation to 8-chlorocitronellal and 6-chloroisocitronellal, 2213 new derivs, route to phytone, 2383
- norditerpenoid dilactones, stereoselective synthesis of
- ring AB podocarpate system, 6993 norsesquiterpenelactone, synthesis of first anti-Huckel oxepin
- deriv, (±)-senoxepin, 1241 optically pure compds, enantio-selective synthesis of (-)geosmin and related natural compds as well as enant-(+)-
- geosmin, 4121 pinenes, fragmentation using DMSO dichlorophosphate or POC1, and conversion to carvone, 5097
- sesquiterpenoids, (±)-aplysin and (±)-filiformin, synthesis, Sheradsky rearrangement of α,α'-disubstituted cyclopentanone
- aryloximes, 2229 sesquiterpenoids, (\pm) -laurene and epilaurene, total synthesis via radical cyclisation, 3561
- sesquiterpenoids, (±)-silphinene, synthesis using electrochemical
- method as key step, 379? sesquiterpenoids, (±)-silphiperfol-5-en-3-ol, total synthesis, 2371
- sesquiterpenoids, apotrichothecene rearrangement with verrucarin A, 6001
- sesquiterpenoids, drimane-related, key intermediate, regio- and stereoselective photo-oxygenation of (+)-11,12-diacetoxydrim-8-ene, 859 sesquiterpenoids, drimanes, synthesis, 5515
- sesquiterpenoids, drimanes,
- synthesis, 5515 sesquiterpenoids, furamether B, short synthesis, entry into oxygen-bridged lactaranes using organometallic methodology, 5865
- sesquiterpenoids, furodysinin lactone thioacetate, potent LTB, receptor partial agonist from Dysidea genus, 2725
- sesquiterpenoids, new halogenated chamigrene, absolute configuration and isolation from
- Laurencia intricata, 559
 sesquiterpenoids, new skeletal
 type, structure of anislactone A from Illicium anisatum, 7451
- sesquiterpenoids, new type of humulane-related lactone aquatolide from Asteriscus aquaticus, 2851
- sesquiterpenoids, novel neurotrophic neolignans from Magnolia obovata, 5907
- sesquiterpenoids, periplanon D₁ and D₂ identification and isolation from Periplaneta americana, 2367 sesquiterpenoids, stereospecific

- synthesis of thaps-7(15)-ene abd thaps-6-ene, probable biogenetic precursors of thapsanes, 6577 sesquiterpenoids, synthesis of tricyclic arteannuin-like compds, 4485
- sesquiterpenoids, tricyclic amide pinthunamide produced by Ampulliferina sp, structure
- sesterterpencids, intramolecular cycloaddition-sigmatropic rearrangement approach to (±)-Gascardic acid, 4945
- spiro[4.5]decane skeleton via synthesis of substituted spiro[4.5]deca-3,6,9-triene-2,8diones, 1605
- tetranortriterpenoids, isolation of antagonists of platelet activating factor from
- trisnorditerpenoids, norasperenals A-D from <u>Eunicea</u> sp, 6821
- triterpenoids, moncyclic, achilleol A, new from <u>Achillea</u> odorata, 3351
- triterpenoids, naturally occurring lactone 36-hydroxy lupan-28,
- lactone 38-nyarroxy lupan-28, 138-olide, photochemical synthesis, 2855 triterpenoids, new cycloartanoid, isolation from <u>Lansium</u> <u>domesticum</u>, inhibitor of skin tumors, 5615
- triterpenoids, new migrated gammacerane from roots of <u>Picris hieracioides</u>, 6873 triterpenoids, polyolefinic squalene, synthesis of 12-
- dimethylsila analog, 403 triterpenoids, saponin from
- Solidago gigantea, structure via modern NMR techniques, 4097 triterpenoids, single-pot synthesis of 3,4-seco acid from 4,4-dimethyl-3-keto triterpenoid, 5463
- triterpenoids, 5463 triterpenoids, single-pot synthesis of 3,4-seco acid from 4,4-dimethyl-3-keto triterpenoids, 5463 triterpenoids, structure of three gammacer-6-ene derivs from
- Picris hieracicides, 4977 triterpenoids, three new skeletal hydrocarbons isolated from Polypodiodes niponica, 7209

Thallium and compounds nitrate of -, on clay, mechanism of oxidation of α-methylpyrroles to a-formylpyrroles, 2673

Theoretical calculations

- Karplus equation, extension of multiparametric, 4251
 MACROMODEL/molecular dynamics and
- NMR, calculations show that Mg converts Kemp's triacid from chair to half chair conformation, 6943
- molecular mechanics methodology, analysis of Norrish type 11 reactions, 527 phosphatriafulvenes-phosphaalkenes
- with inverse electron density,

Thermochemistry see also Pyrolysis

- and photo reactions of 9-diazo-4,5-diazafluorene, 4,5diazafluorenylidene synthesis, 1935
- carboxylic rearrangement of 4substituted 2-cyclohexen-1-ones, 4329
- degenerate rearrangement of 3,3-difluoromethylene cyclobutane,
- flash vacuum theromolysis of cocaine, 5977

Tetrahedron Letters lxxvii

generation and reaction of ahydroxy-orthoquinodimethane with fumarate, maleate and acrylate of S-methyl lactate, 3279 light induced halogenative

decarboxylation of thiohydroxamic esters, 2461 stereospecific thermolysis of

spirooxetanes with tetrahalogenated 1,4benzoquinone moieties, 3443

thermally generated di-talkylketyl and 1-adamantyl radicals, H-transfer, 707

thermodynamic control of regioselectivity in N-alkylation and acylation of heterocycles, anionic mechanism, 4013

thermodynamically based, solute H-bond basicity scale. 2571

thermolysis of 5-(2dimethylaminoethyl)-5H-indolo[2,3;b]quinoxaline, formation of N-N bonds, 1837 thermolysis of sulphur dioxide

adducts of benzobenzvalene, 1,3dipolar behaviour of a sulphene,

transformations and syntheses of N-alkyl thiazolidine sulphoxides, 425

THiadienes

2(N-acylamino)-1-thia-1,3-dienes, generation and cycloadditions,

Thiafulvalenes

bis(thiodimethylene)-tetrathiafulvalene, new π-electron donor with relevant oxidation properties, 7249

Thianes

biologically active 1,2,3-trithiane deriv from Ascisian aplidium, 3703

Thiazetidines

1,2-thiazetidine-1,1-dioxides, 2unsubstituted, reaction with Bulli to give dianions which react with electrophiles, 2873 4-carbomethoxy-1,2-thiazetidine-1,1-dioxides, prep, 2869

Thiazines

substituted 2H-1,2-thiazine-1,1dioxides, new prep from aminoazabutadienes, 4705

Thiazoles

2-acetylthiazole, use in 3-carbon homolgation of aldehydes, application to synthesis of amino hexoses from L-serinal, 6063

dihydrothiazoles and dihydroimidazoles via iodocyclisation of unsaturated thioureas, 4435

1,3-thiazolidines, -oxathiolanes and -dithianes, selective desulphurisation by tributyltin hydride, 7301

Thiazolines

2-((S)-1-phenylethyl)1,2-thiazolin-3-on-(S)-1-oxide, cycloaddition with 1-azadiene and cylcopentadiene, 3061

Thiazynes

S,S-diphenyl-S-methoxythiazyne, formation via alkaline hydrolysis of S,S-diphenyl-Nhalosulphilimines, 6339

Thiranes
aminium radical salt of-. catalysed desulphurisation, prep of aryl substituted olefins,

Thioacetals

α-alkyl-β-hydroxy-, diastereo-selective synthesis by chelation controlled addition to a-hydroxy ketene thioacetals, 977

Simmons-Smith reaction new route to 3,4-substituted and annelated thiophenes, 3093

and thicketals via simple dethioacetylation, 287

dithioacetals, new method for deprotection and reduction, 1277 ketene dithioacetals, synthesis, use of phosphonodithioformates,

monothioacetals, α -alkoxyazides and a alkoxyalkyl thioacetates via conversion of acetals with magnesium bromide, 6697

Thicalcohols

2,4,4-trisphenylthiobutanols [1,4]phenylthic shifts, 5933

Thioalkynes

1-methylthioalkynes, coupling reactions with unsaturated organic substrates, 3495 2(N-acylamino)-1-thia-1.3-dienes,

generation and cycloadditions, <u>1</u>11140

Thioaryl compounds

thionitrosoarenes, diene additions, stereochemical outcome, 3835

Thioazetidinones

4-benzoylthicazetidinones, synthesis, 6619

Thiocarbonyl compounds

α,β-acetylenic dithic and thiono

esters, prep, 1073 α-alkoxyalkyl thioacetates, monothioacetals and αalkoxyazides via conversion of acetals with magnesium bromide,

β-methoxy-Y-phenylthic ketones, divergent synthesis of 1,3- and 1,4-diketones, phenylthio migration of aldehyde adducts with methoxy(phenylthio)methane,

alkoxy-thiocarbonyl radicals, intermediacy in Barton-McCombie reaction, radical chain reaction of xanthic anhydrides, 4367 arenecarbothicamides,

photoreaction with furans, 4421

di-t-butylthioketene Sbis(alkoxycarbonyl)methylide, formation, reactions and equilibrium with 2-alkylidene-1.3-oxathiol isomer, 1249

dialkyl thicketone-S-methylides, cycloadditions, 7045

dialkyl thioketone-S-methylyides, cycloadditions, 7041 methyl ketone thioimide, DMF acetal mediated cyclo-

dehydration, magallanesine synthesis, 2743 N-substituted thiophosphoryl

carbonyl mixed imides, rearrangement, 1047 phosphonodithioformates, use of in synthesis of ketene

dithioacetals, 3415
thiobenzophenones, alkenes and
alkynes, reactions with 2,3dihydro-2-phenyliodonium-3-oxobenzo[b]thiolenide-1,1-dioxide, 6673 thiohydroxamic esters light induced halogenative decarboxylation, 2461 thioureas, synthesis of cyanoguanidines, 7313 trifluorothioacetal dehyde, synthesis, 4111 unsaturated thioureas, iodocyclisation, synthesis and elaboration of heterocycles.

Thio-Crown ethers

4435

tetrathio-[18].[20] and [24]-crown ethers, synthesis via disodiumdicyanoethylenethiolate, 2903

Thiodienes

1-phenylthio-1,3-dienes, prep via reaction of 2,5-dihydro-thiophenes with benzyne through fragmentation of sulphonium ylide intermediates, 847

Thioethers

a-thiophenoxyepoxides and phenylthicenol ethers, selective prep via homolgation of aldehydes using (phenylthiomethylene)triphenylar sorane, 6023 analog of macrocyclic tripeptide

K-13, synthesis, 5405 asymmetric oxidation of-

enantioselective synthesis of βhydroxysulphoxides by direct oxidation, 4859

asymmetric oxidation of-, optical resolution of [1,1'-binaphthalene]-2,2'-dithiol,

chiral allyl-, stereoselective ketene-Claisen rearrangement, 3517

Thioglycosides

silylated-, synthesis, 2179 thiophenyl glycosides and glycosyl phenylsulphones, synthesis of substituted pyranoid glycals, 2537

1,4-butanedithiol, inhibited flavin-mediated photo-oxidation, 5895

1-,2- and 6-azulenethiols

in, and on-azutenecthicis synthesis, 6345 bis(aminoethane thicle) chelating agents with a gamma carboxylate, new synthesis, 4069 conjugate addition to initiate

1,4-diyl formation, synthetic studies of

esperanicin/calicheamicin antibiotics, 1905 hydrophobic benzimidazole-methanethiol, behaviour in micellar system, hydrolysis of p-nitrophenylesters, 79

new thiol protecting trimethylacetamidomethyl group, synthesis of new porcine brain natriuretic peptide using Strimethylacetaminomethyl-

cysteine, 1979 pyridine-2-thiol or benzothiazol-2-thicl esters, activation by MeI, new synthesis of esters and benzenethiol esters, 6089

Thiones

dithiole-thiones, electroreduction, isolation of unsymmetrical disulphidea and trisulphides, as by-products, 815

labile acyl auxiliary 4,4dimethyl-1,3-oxazolidine-2thione, synthesis of 1-8lxxviii Tetrahedron Letters

methylcarbapenem kev intermediates, 1345

- new 1,2,4-triazolinethiones, synthesis from tetrasubstituted triazolidinethiones, 2369 oxazoline-2-thione derivs, N-
- Substituted, synthesis, reaction of tetraazapentalene derivs with
- α-haloketones, 2259 silyl thione chiral at silicon, addition of organometallic reagents, 2677

Thiophenes

- 2,5-dihydrothiophenes, reaction with benzyme, prep of 1-phenylthio-1,3-dienes through fragmentation of sulphonium
- ylide intermediates, 847 2,5-dimethylthiophene oxide, πfacial diastereoselectivity in Diels-Alder reactions, 5077
- 3,4-substituted and annelated-, new route via Simmons-Smith reaction with α -oxoketene dithioacetals, 3093
- and furan systems, 1,4C+O silyl migrations, 1765 tetrathieno-acene and pentathieno-acene, synthesis, UV spectra of homologous series of thienoacenes, 3315
- thiophenediazonium salts, unsubstituted, coupling with \$-naphthol, conclusive evidence. 2345

Thiophosphates

O-geranyl (1-thio)diphosphate, synthesis, 7333

Thiopyridines

- geminal (pyridine-2-thiyl)phenylsulphones, novel transformations, 4237
- N-hydroxy-2-thiopyridone, acyl deriv, use in synthesis of pyrrolidines and tertahydrofurans, 2983

methyl 2,6-dideoxy-4-thio-α-D-ribo-hexopyranoside, new thio sugar in calichemicins, 4505

Thromboxanes

- antagonists, synthesis, prep of cyclohexanone intermediates, 7125
- potent thromboxane A2/prostaglandin endoperoxide receptor antagonist, synthesis, 2399

Tin and compounds

- 1-tributylstannyl-1-octen-3-ol, coupling reactions catalysed by Pd, synthesis of PGB, and coriolic acid, 3645
- 2-methyl-5(R)-trimethylstannyl-1hexene having cationic center at &-position, chirality transfer during 1,5-hydride shift, 4983 5-(tributylstannyl)isoxazoles,
- synthesis and reactions, 4249 α-alkoxyallylstannane alkynals and their Co-complexes,
- stereoselective cyclisation, new route to cyclododecyne-1,2-diol derivs, 309 β(tri-N-butyltin)acrylamides as β-
- lithioacrylamide synthons, 2693 B-(tri-N-butyltin)acrylamides, prep, 2689
- β -hydroxy- (\underline{E}) -vinylstannanes, synthesis via in situ generated cuprate reagent derived from (E)-bis-(tributylstannyl)ethylene, 27
- allyl and vinyl stannanes, radical

- annulations, 2501 allylic alcohols with SnCl₂, Pd-catalysed allylation of benzaldehyde, solvation controlled diastereoselection. 3437
- allylic anchor group and of its Pd-catalysed hydrostannolytic cleavage, use in solid phase synthesis of protected peptide fragments, use of 2641 allylic propiolates,
- intramolecular cyclisation mediated by addition of stannyl radicals; new route to α-
- methylene-Y-butyrolactones, 827 allylstannanes, enantiomerically enriched, from chiral allyllithium derivs and their regio- diatereo- and enantioselective
- hydroxyalkylation, 7037 bis(tributyltin)oxide, Ag-assisted mild, neutral and anhydrous conversion of primary organic halides to alcohols, 279
- but-2-enyltributylstannane, Co mediated regioreversed addition to aldehydes, 2421 containing macrocycles, ditopic,
- tricyclic, Lewis acidic hosts
- with 4 binding sites, 3501 destannylative Pummerer-type rearrangement of 1-(phenyl-sulphinyl)-1-(tributyl-
- stannyl)cyclopropane, 6773 nonracemic Y-alkoxyallylstannanes, synthesis via stereospecific anti[1,3]-stannyl migration, 2183
- nonracemic, α-(alkoxy)allylstannanes, 1,3isomerisation, 7349 O-stannyl ketyls, tributyltin
- hydride cyclisation of aldehydes and ketones with alkenes to give cyclopentane rings and Y lactones, 4939
- organoselenium/organotin chemistry, 1,1- and 1,2elimination, reactions of lithiobisphenylselenomethane with chloromethyltrimethylsilane and iodomethyltrimethylstannane, 3333
- thiostannane activation and applications, protection of carboxyl groups with amethylcinnamyl alcohol as means of differentiation and activation, 2959
- thiostannane activation and synthetic applications, modification of OH function under protection, 1665
- stannyl radicals, mediated intramolecular cyclisation of acetylenic homoallylic ketones, pathway to a-methylene-8substituted cyclopentanones,
- stannyl tetronates, direct acylation, prep of 0-methyl-3-acytl tetronic acids, 1001
- tetraalkylstannanes, carbonyl initiated cyclisation, 1473
- tetraalkyltin, stereoselective conversion to alcohols, 6461 tin hydride, direct production of butyrolactone, 4363
- tin organo systems from chiral piperazines, use in enantioselective ketone reductions, 3551 tin-directed reaction of
- carbohydrate deriv with succinyl chloride, formation of macrocyclic tetralactones, 591
- tri-n-butyltin hydride, pyridine and triethylsilane, activation parameters for reaction with

phenylchlorocarbene; no need to invoke reversibly formed complexes in reaction of this

- carbene with olefins, 1335 trialkylstannyl phenyl sulphides, Pd-catalysed reaction with alkenyl bromides. diastereoselective synthesis of (E)-1-alkenyl phenyl sulphides,
- trialkyltin cuprates, formation from tin hydrides which bypasses organo-Li intermediates, 2065 tributyltin hydride, selective desulphurisation of 1,3-
- dithianes, -oxathiolanes and thiazolidines, 7301
- trimethylstannylcuprates, mixed. formation and use via transmetallation, prep and manipulation of Me₃SnH from
- Me.SnCl, 4617 trineophyltin hydride, stereoselective reduction of (pivaloyloxy)methyl 6,6-dihalopenicillanates, selective synthesis of 68-
- dihalopenicillanates, 3905 vinylstannylated alkylating agents, radioiodination, 3613

Titanium and compounds

- intramolecular induced coupling by-, synthesis of 1,2-cycloalkanedicls, 1169
- mediated transesterification and regio- and stereo-specific cycloaddition of imines of α-amino esters, 4727
- substituted vinyl titanium triisopeopoxides, stability and reactivity, 3271
- TiCl., mediated self condensation of allylic alcohols, 1531
- TiCl,-induced iminium ion cyclisations of a-cyanoamines, 4973
- titanium amide catalysed rearrangement of epoxides, partial synthesis of 14-hydroxy-gibberellin esters, 6899

Toxins

- 2-azapodophyllotoxins, synthesis, 907,3877
- 4-desoxy-2-azapodophyllotoxins, synthesis, 3873
- 11-oxotetrodotoxin, isolation from
- Arothron nigropunetatus, 4393 ADDA, C-20 amino acid of cyanobacterial hepatotoxins, total synthesis, 4349 AF toxin lle prep, synthesis of key intermediate epoxytriene
- from chiral butadienetricarbonyliron complex, 6683 AF-11a, AF-11c and AK-11 host
- specific plant-, synthesis using Sharpless chiral epoxidation under kinetic control, 4303
- AK-11, AF-11c and AF-11a hostselective plant toxins, synthetic intermediates via hydrzirconation and hydrostannation and Pd catalysed coupling used to make (2E,4Z,6E)-, and (2E,4E,6Z)-tetraenol stems, 4299
- aplysiatoxins, synthesis of 3deoxydebromoaplysiatoxin, 6725 aplysiatoxins, synthesis of three optically active segments, 6721 (-)-betaenones, total synthesis,
- 4551 eiguatoxin from Gymnothorax javanicus, probable partial structure, 3793
- eyetotoxic cembranoids from Pseudopterogorgia bipinnata, 3491
- diplamine, cytotoxic polyaromatic

Tetrahedron Letters lxxix

alkaloid from Diplosoma sp, 4201 (±)-duryne, synthesis, 1991

fumitremorgins, stereoselective entry, 6421

gephyrotoxin ring system, assembly via tricyclic 3-pyrrolines produced by heating azidodienes,

hepatotoxin cyanoviridin RR, Adda an amino acid component, absolute configuration of 8 and 9 carbons, 4245

(+)-muscarine, total synthesis, diastereoselective synthesis of 3(2H)-furanones, 1753

mycalolides A-C, hybrid macrolides of ulapualides and halichondramide, structure and isolation from Mycale genus,

neurotoxic Nephila spider venoms, synthesis, 2337 new cytotoxic acridine alkaloids

from Pachastrellidae, 4359 phytoxin tagetitoxin, revised

structure, 501

podophyllotoxin analog, synthesis using iodotrimethylsilane mediated fragmentation, 5537 talaromycins A,B,C and E, synthesis via unsaturated spiroacetals, 985

Transannular reactions
pπ-(>S+-S+<) interaction, prep and characterisation of new double bond bridged dibenzodithiccin, 2805

Transducers

multi-mode chemical-, photochromism and electrochromism of azo-quinone compd, 5429

Transfer reactions
benzotriazol-1-ylmethyl
isocyanide, a new synthon for CH.N=C transfer, syntheses of a-hydroxyaldehydes, 4-ethoxy-2oxazolines and oxazoles, 6657

oxazolines and oxazoles, 000/ E-alkenes with chiral substituents, synthesis by extension of Horner-Wittig reaction and stereocontrol by acyl transfer, 4581 H-transfer in thermally generated di-t-alkyletyl and 1-adamantyl

radicals, 707

intermolecular hydride-,
 structures of transition states,
5733

stereospecific group transfer, use of organozine and organoboron reagents in regiospecific Pdcatalysed tandem cyclisationanion capture processes, 1135

Transition metals

anionic hydrides of -, addition of acrylonitrile, ionic model for homogeneous olefin processes,

complexes of -, catalysed carbonylation of 1perfluoroalkyl substituted 2-iodoalkanes, 4403

organo-, templates, use in multiple stereocontrol of alkylation of enclates, 5049

Transition states structures of-, of intermolecular hydride transfer reactions, 5733

Transmetallation

formation and use of mixed trimethylstannylcuprates, prep and manipulation of Me, SnH from MeaSnCl, 4617

Transport
 selective-, of ribonucleosides through liquid membrane, 2325 triazamacrocycle with pyridine-pendant arms as new Na+ ion-selective ionophore, 3983

Trapping reactions

and generation of 1,2-dichloro-3,3-dialkylbut-2-en-1-ylidenes, substituent effects, 2009 of 1,4-diradical intermediate, intramolecular [2+2] photocycloaddition, 2661

Triazines

1,2,4-triazine ring transformation via pyrimidine, reaction of diazonium ions with 5-alkyl-4,6-pyrimidinediols, 3719

Triazoles

1,2,4-triazole, anionic mechanism for thermodynamic control of regioselectivity in N-alkylation and acylation of heterocycles, 4013

1,2,4-triazolo systems, rapid incorporation of C-13 from CO. 6473

Triazolines

new 1,2,4-triazolinethiones, synthesis from tetrasubstituted triazolidinethiones, 2369 triazolinediones, reaction with cis-alkenes, a highly regioselective reaction, 6903

Tricbothecenes

(±)-trichodiene, diastereoselective synthesis, 4193

Trienes

AF toxin 11c prep, key intermediate epoxytriene synthesis from chiral butadienetricarbonyliron complex, 6683

chiral iron complexed triene, stereoselective cycloaddition with nitrile oxide, synthesis of 8-hydroxyketone (+)-(<u>S</u>)-[6]-gingerol 6521

E,E,Z conjugated-, via improved stereoselective reduction of E,E conjugated dienyne, 4951

iron complexed trienes, cycloaddition of nitrile oxides to give Δ^2 -isoxazolines, 6517

sex pheromone of <u>Hyphantria cunea</u>, identification of (3Z,6Z)-1,3,6,9,10-epoxyheneicosatriene and $(3\underline{Z},6\underline{Z})$ -1,3,6,9,10-epoxyeicosatriene, 3405

Trioxanes

sesquiterpenoids, synthesis of tricyclic arteannuin-like compds, 4485

Trioxolanes

3-acetoxy-3,5,5-trimethy1-1,2,4trioxolane, reactions to give ozonides, 1511

Troponoida

anthracene photodimer incorporating tropylium ring and its retro[4+4]cleavage, 4689 dialkylboryltropolonate complexes, photochemical reactions, 4395

tropane system, entry into via reaction of rhodium acetate stabilised vinylcarbenoids with pyrroles, 4653

Ultra sound

promoted coupling of heteroaryl halides in presence of Li wire,

formation of bipyridines in Wurtz-type reaction, 3567 sonochemical cyclisation, synthesis of hexacyclic indole alkaloids related to vindolinine, 4513

and heterocyclic olefinic amides, halocyclisation, 2045 N-benzyloxyureas and carbamates,

alkylation, 31 N-methoxy-ureas and urethanes, tandem organometallic additions in prep of unsymmetrical and symmetrical ketones, 1773

and N-methoxy-ureas, tandem organometallic additions in prep of unsymmetrical and symmetrical ketones, 1773

Uridines

2-deoxy-, regioselective lithiation, synthesis of 5-substituted nucleosides, 2057 C-6 substituted uridine analog, cyclisation, entry to 5,6dialkylated uridine derivs, 7005

Vinylation

stereoselective hydrovinylation of disubstituted acetylenes, Pdcatalysed, prep of functionalised 1,2,4-trisubstituted 1,3-dienes, 3465

Vitamins

16,16,16-trifluororetinal, synthesis, 571

25-oxo-25-phosphavitamin D₃ synthesis, 677

biotin conjugate of PCP analog
"Metaphit", potential use in NMDA/PCP receptor isolation, 4613

biotin, labelling in a single step using solid phase method for

oligodeoxyribonucleotides, 3089 vitamin C, prep of cyclohexyl spiro-fused a-hydroxy tetronic acid derivs, 2505 vitamin K dependent carboxylation,

homolytic decarboxylation of glutamate analogs, 1799

(+)-(2R,3R,11R,12R)- and (-)-(2S,3S,11S,12S)-tetrahenyl-18-crown-6, synthesis and isolation, 3849

6-hydroxy-3-methoxy-1,2-dioxane, X-ray analysis and anomeric effect: ozonolysis of (1-methyl-2-propenyl)-pulegol; intramolecular trapping of "Criegee intermediate", 461

[7](3,6)pyridazinophane, structure and synthesis, 4649

8-(4-pentenyl)dihydroberberine, intramolecular oxidative cyclisation to give novel ring system, 7161

a-fluoroglycines, protected, asymmetric synthesis, 7457

alkylidenemalonaldehydes, 2-(diformylmethylene)-1,3-dithiane and -1,3-dithiolane as well as (2,3-diphenylcyclopropen-1ylidene) malonal dehydes, synthesis and structure, 3521

anion receptor molecules, synthesis of octaaza-cryptand and structure of its fluoride cryptate, 4125 benzanilide and N-

methylbenzanilide. stereochemistry, 6177 bicyclic core related to esperamicin/calichemicin aglycones, synthesis and crystallographic analysis, 3765 chiral induction in a biomimetic olefin cyclisation, 2267 corallistine, a new polynitrogen compd from Corallistes fulvodesmus, 1535 crystal structure of 16,28-dimethoxy-11,23-dimitrocalix[4]arene, 2681 cyclooctatetraenyllanthanide complexes, new synthesis, X-ray structure of Cel(C,H,)(THF), cyctotoxic cembranoids from Pseudopterogorgia bipinnata, dactylomelol from <u>Aplysia</u> dactylomela 6219 diterpenoids, revised structures of antheliolides A and B, 3363 diterpenoids. new eunicellin-based from Cladiella sp, 3331 DNMR and X-ray analysis of 2,11-dithia-[3.3]indanoorthocyclophane and 2,11-dithia-[3.3](5,6)indanocyclophane, 6005

gymnrmagenin and deacylgymnemic acid structures, 361 heterosubstituted tetrahydrofuran and tetrahydropyran systems, new synthesis involving intramolecular iodoetherification of 2,3-epoxycycloalkenols, 3725 hexacyclo[6.6.0.02,6.03,13.-0.*,11.05,9]tetradeca-10,14dione, transannular interactions, 1279 longitubine and latifolic acid,

absolute configurations, 7153 monofunctionalised triaza-growns and cyclams with sec amine group on side chain, syntheses and Ag ion complex, 2897

new sulphur containing insecticidal alkaloids, structure and isolation of guinesine-A, -B and -C from Cassipourea guianensis, 3671 O-silyl ketene acetal, molecular structure, 447

palladium diacetate, various forms, 4661

peptide backbone conformation of destruxin A, 4189

photoresponsive complexing stilbene, α,α' -disubstituted by ethylene dioxy sidearms, synthesis, 4509

potent aldose reductase inhibitor, structure of epalrestat(ono-2235) and isomerisation of its double bonds, 959 pyrroloquinoline alkaloids,

batzellines A,B and C from

Batzella sp. 2517 secoalkaindole alkaloids from Gelsemium elegans, structures of gelsemamide and 11methoxygelsemamidem 1177

sesquiterpenoids, new skeletal type, structure of anislactone A from Illicium anisatum, 7451

steroidal alkaloid, pingbeinone having C-18 nor Cevane skeleton from Frittaria ussuriensis, 4981

structure analysis, differential behaviour in thermal dyotropic rearrangement of compds with cyclohexa-1,3-diene ring as 2H donor held proximate to variously substituted norbornene element as acceptor, .5005

sulphur rich metabolite, structure of dysoxysulphone from <u>Dysoxylum</u> richii, 4919 trimethylsilyl enol ethers formed

by imino Diels-Alder reaction, mechanism, 2795

triterpenoids, structure of three gammacer-6-ene derivs from Picris hieracioides, 4977 zoanthaminone, new alkaloid from marine zoanthid, 6825

Xanthones

rearrangement of 1,3,5,8tetraoxygenated xanthones in hot aqueous morpholine, 7265 tetrahydrofurobenzofuranoxanthones from Psorospermum febrifugum, 3385

Ylides

(5,5-diethoxy-2-(E)pentenyl)triphenylarsonium-, a penterlyTryPentyIarSoftum, a new equivalent of &-forum, butadienyl anion, 5-carbon homolgation of aldehydes to 6-hydroxy-1,4-(B)-dienals, 6031 β-carboline azomethine-, via

trimethylsilylmethyl trifluoromethane sulphonate quarternisations, entry into new class of 11H-indolizino[8,7-b]indole heterocycles, 3423

arsonium-, use in synthesis of

(±)-hepoxilin A-3, 2545 azomethine-, in <u>in vitro</u> analogs of pyruvoyl enzymic processes, evidence for via decarboxylation of α-amino acids by pyruvic acid

or a-amino acids by pyruvic acid and derivs, 284; azomethine-, prep of indoloquinones via 4-oxazoline route, 2627 carbonyl-, 1,4-sigmatropic shifts

of hydrogen, regio- and diastereoselective enol ether

formation, 4089 chiral azomethine ylids, facile generation via CN(R,S) method, 5133

cyclic allylsulphoniumrearrangement, basis for stereoselective synthesis of

contiguously substituted butyrolactones, 1575 cyclic carbonyl-, formation from Rh-acetate catalysed reaction of -diazoalkanediones, 301

dialkyl thioketone-S-methylides, cycloadditions, 7045

dialkyl thioketone-S-methylyides, cycloadditions, 7041 dimethyloxosulphonium methylide,

anomalous reaction, 3653 nonstabilised-, electron transfer

reaction with benzaldehyde, 7187 stabilised azomethine-, intramolecular dipolar cycloadditions, synthesis of polycyclic lactams, 7017

sulphonium-, intermediates. fragmentation in reaction of 2,5-dihydrothiophenes with benzyne, prep of 1-phenylthio-1,3-dienes, 847

ylide-anion formation resulting from nucleophilic addition, synthesis of <u>trans-α-</u> trifluoromethyl allylic

alcohols, 7203 **Zeolites**

faujasite-, cages, photobehaviour of a-alkyl dibenzyl ketones, role of cations in controlling of behavior of generated

radicals, 5833
faujasite-, cages, photolysis of aryl alkyl ketones, cation enhanced a-cleavage, 5829

photolysis of adsorbed dibenzyl ketone, magnetic isotope and magnetic field effects on product distribution, 3761

Zinc and compounds

3-(alk-m-ynyl)-2-(methoxymethyl)-2-propenylzinc bromides, intramolecular carbometallation, prep of 1,5-annelated 4methylenecyclopentenes, 4453 allylic organobismetallic

reagents, prep of cyclic trismetallic species, 3959 diethylzine, asymmetric addition

to furanaldehydes,

enatioselective synthesis of furylalcohols, 6427 diethylzing, enantioselective addition of aldehydes, chiral oxazaborolidines as catalysts,

disulphonamide-Ti(0-i-Pr),-dialkyl zinc system, enantioselective alkylation of aldehyde, .7095

lithium 1-halocyclopropylzincate, generation and alkylation, 6035 open-chain and cyclic 2-cyano Zn

and Cu organometallics, synthesis and reactivity, 5069 organo derivs reaction with formyl

trimethylenemethane (iron)tricarbonyl to give iron stabilised TMM-alcohols, synthesis of (R)-(-)-ipsdienol,

organo reagents reaction with aryl iodides under Pd catalysis to give enantiomericaly pure protected S-β-aryl alanine derivs, 5941

vinyl reagents of-, highly functionalised, access via allylic organobismetallic reagents, 3955

Zirconium and compounds

1-methylthicalkyne-zirconocene complexes, direct synthesis and coupling reactions, generation of stabilised low-valent metallocene derivs, 3495 hydrozireonation and

hydrostannation and Pd catalysed coupling used to make (2E,4Z,6E)-, and (2E,4E,6Z)-tetraenol stems, synthesis of intermediates for AK-11, AF-11c and AF-11a host-selective plant toxins, 4299

promoted methylenation of aldehydes, ketones and enones, 3927

zirconocene-promoted stereoselective bicyclisation of 1,6- and 1,7-dienes to give transzirconabicyclo[3.3.0]octanes. and ciszirconabicyclo[4.3.0]nonanes, 5105