



Sukirthalingam S.	6573	Veyron B.	6527
Sun Z.	6469	Walker D. G.	6481
Suzuki T.	6535	Wang G. T.	6493
Tanaka F.	6553	Westwood R.	6561
Thijs L.	6589	Wyvratt M. J.	6477
Thommen W.	6521	Yamaguchi H.	6547
Trivellone E.	6565	Yano Y.	6543
Uriz M. J.	6565	Yasumoto M.	6549
van Truong Ng.	6513	Zimmerman J. W.	6485
Velluz A.	6521	Zwanenburg B.	6589

CORRIGENDA

Y. Langlois, L. Konopski, N. V. Bac, A. Chiaroni and C. Riche, Synthesis of a pheromone of *Boarmia selenaria* via a Sila-Cope elimination. Stereochemical implications, *Tetrahedron Lett.*, 1990, 31, 1865



should read



Formulae 7,8,8',9,9',13

T. Itoh, T. Ohta and M. Sano, An efficient preparation of the optically active γ -hydroxy stannanes using lipase-catalyzed hydrolysis, *Tetrahedron Lett.*, 1990, 31, 6387

We noticed that an error had occurred in the name of lactone 6 in the above article. The correct name for lactone 6 should be (*R*)-4-dodecanolide. We apologise for any confusion caused.