




Corrigendum

Corrigendum to “Towards the synthesis of (+)-discodermolide”
[Tetrahedron Lett. 42 (2001) 4713–4716][†]J. S. Yadav,^{a,*} Sunny Abraham,^a M. Muralidhar Reddy,^a Gowravaram Sabitha,^a A. Ravi Sankar^b
and A. C. Kunwar^b^aDivision of Organic Chemistry, Indian Institute of Chemical Technology, Hyderabad 500 007, India^bCentre for Nuclear Magnetic Resonance, Indian Institute of Chemical Technology, Hyderabad, India

The authors regret that the structures of **14–17** in Scheme 3 have been drawn incorrectly. The corrected Scheme is shown below.



Scheme 3. (a) LAH, THF, 0°C–rt, 4 h; (b) TBDPS-Cl, imidazole, DCM, 0°C–rt, 2 h; (c) DEAD, TPP, *p*-NO₂C₆H₄-COOH, THF, 0°C–rt; (d) Dess–Martin periodinane, DCM, rt, 2 h; (e) NaBH₄, MeOH/THF, 0°C–rt, 1 h; (f) TBAF, THF, rt, 1.5 h; (g) IBX, DMSO/DCM, rt, 6 h; (h) NaCNBH₃, MeOH/AcOH, pH 5.5, rt, 1 h; (i) TBDMS-Cl, imidazole, DCM, 0°C–rt, 1.5 h; (j) 1% NaOH, THF, 3 h, H⁺, CH₃COONa, Ac₂O, warm, 5 min.

* Corresponding author. Fax: +91-040-7170512; e-mail: yadav@iict.ap.nic.in

[†] PII of original article: S0040-4039(01)00799-7