

Corrigendum


Corrigendum to “Synthesis of fused imidazo-pyridine and -azepine derivatives by sequential van Leusen/Heck reactions”
[Tetrahedron Lett. 47 (2006) 3225]

Xenia Beebe,* Vijaya Gracias and Stevan W. Djuric

*Scaffold-Oriented Synthesis, Medicinal Chemistry Technologies, Abbott Laboratories, R4CP, AP10, 100
Abbott Park Road, Abbott Park, IL 60064-6099, USA*










Available online 14 August 2006

An error occurred in which the structures of imidazoazepine products in [Scheme 1](#) and [Table 2](#) are incorrect with respect to the position of the exocyclic methylene and methyl groups. The corrected structures are shown below:



Scheme 1. General synthesis of imidazo[1,5-*a*]azepines.

Table 2. Imidazole and imidazo[1,5-*a*]azepine products obtained from the van Leusen/Heck reaction sequence

Entry	Aldehyde	van Leusen product	Yield (%)	Heck product(s)	Yield (%)
5			60		66
6			84		74 (1:2)
7			30		66 (1:2)

DOI of original article: [10.1016/j.tetlet.2006.03.056](https://doi.org/10.1016/j.tetlet.2006.03.056)

* Corresponding author. E-mail: xenia.b.searle@abbott.com