

## SUBJECT INDEX

- Acetamidomethylenesuccinic acid**, synthesis, L20, 7
- Acetic acid**, dissociation const. in  $H_2O-D_2O$  mixtures, 10, 207
- Acetoacetic acid**, dithioketals, prep., L11, 1
- Acetylaminodialkylthioamides**, reaction with ethyl bromopyruvate, L1, 23
- Acetylenic acids**, reactions in strong alkali, 8, 239
- Acid anhydrides** and isocyanates, reaction study with  $^{14}C$ , L2, 15
- Acidity**, hydrocarbon, LCAO treatment L6, 23
- Acidolysis** of ozonides, formation of peracids, L26, 34
- Acids**, behaviour in  $H_2O-D_2O$  mixtures, 10, 200
- carboxylic, pyrolytic decarboxylation study with  $^{14}C$ , L2, 19
- synthesis, C-alkylation of triphenylphosphine-carbomethoxymethylen, L4, 5
- cyclohexane carboxylic with axial and equatorial carboxyl groups, apparent pK values, L20, 18
- fatty, reactions in strong alkali, 8, 221, 239, 246
- unsaturated dihydroxy, reactions in strong alkali, 9, 246
- keto- and hydroxy-, fission in strong alkali, 8, 246
- $\alpha\beta$ -unsaturated, synthesis from, of iridolactone analogues, 9, 295
- Aconitine**, ring A constitution, L10, 1
- Actinomycin**, biosynthesis, C-methylation example, L25, 26
- Acylation**, of 5-aryltetrazaoles, 11, 241
- of  $\gamma$ -lysolecithins to "mixed acid" lecithins L22, 7
- Addition reactions**, 1,3-dipolar, to azomethinimine, L12, 5
- to nitrones, L12, 9
- Agroclavine**, biosynthesis, L7, 1
- Alantolactone**, configuration, 8, 187
- Alcohols**, allylic steroidal, oxidation to  $\alpha\beta$ -unsaturated ketones, L9, 14
- nimbosterol structure, 10, 45
- primary, catalytic oxidation to aldehydes or carboxylic acids, 9, 67
- reactions in strong alkali, 8, 246
- secondary, catalytic oxidation to ketones, 9, 67
- sesquiterpene, 8, 42
- Aldehydes**, heterocyclic, condensation with indole trimethincyanines, 9, 106
- prep., by formulation of condensed aromatic hydrocarbons, 8, 7
- long chain, 9, 67
- Alginic acid propionate**, reduction, L7, 22
- Allicyclic compds.**, conformational analysis, 9, 40
- molecular geometry and energy considerations, 9, 40
- Allicyclic-1,2-diol esters**, alkaline hydrolysis, L24, 22
- Alkali hydroxides**, organic reactions in, 8, 221, 239, 246
- Alkaloids**, aconitine, ring A constitution, L10, 1
- angustifoline structure, L19, 1
- Aspidosperma australe*, L1, 18
- calycanine synthesis, 8, 291
- delphinine, configuration, L15, 23
- structure, 9, 254
- dihydrotoxiferine structure, L26, 1
- echitamine, constitution, L10, 10
- criticism of proposed structures, L19, 36
- structure, L6, 1; L11, 25
- ergot, biosynthesis, L7, 1
- erythrinan, stereochemistry, L14, 5
- gelsemine degradation, 11, 148
- hydroxylycoctonine, chemistry and structure, 9, 284
- hyoscyne biogenesis in *Datura stramonium*, L22, 1
- lycodine structure, relationship to  $\beta$ -obscurine, L20, 9
- lycopodium biogenesis, L10, 34
- structure, stereochemistry and interrelationship, L20, 13
- neoline structure, L3, 17
- nomenclature, 8, 360
- $\alpha$ - and  $\beta$ -obscurine, structures, L10, 19
- papilionaceous, 11, 78
- pithecolobine structure, L16, 11
- sarpagine, carbon skeleton, detn. by mass spectrometry, L15, 9
- selagine structure, L10, 26
- proof, L12, 14
- solanocapsin, absolute configuration at C-25, L27, 9
- solanum, synthesis from 3 $\beta$ -acetoxy-5 $\alpha$ -pregn-16-en-20-one, L27, 5
- spermidine, from lunarine degradation, L18, 36
- strychnine-curare, biogenetical laboratory synthesis, L19, 30
- thelepogine, molecular structure and configuration of the methiodide, L26, 18
- tylophorine structure, 9, 53
- vasicine synthesis according to Schöpf-oechler scheme, L25, 44
- Zanthoxylum rhetsa* DC, 8, 293
- Alkavinone** structural relationship to pyromycinone, L8, 28
- Alkyl chlorides**,  $\alpha$ -elimination to cyclopropanes, 11, 266
- Alkyl groups**, effect on absorption spectra of pyrilium salts, 9, 167
- electrical effects on an aromatic ring, L15, 1

- Alkylation**, of triphenylphosphin-alkenes, ketone synthesis, **L4**, 7  
of triphenylphosphin-carbomethoxymethylen, acid synthesis, **L4**, 5
- Alkyl lithium derivatives**, for synthesis of dialkyls and condensed thiophenes, **L6**, 30
- Alkylmercuric compds.**, mechanism of isotope exchange reactions, **L19**, 7
- Allantoic acid**, fate and origin in plants, **L25**, 32
- Allantoin**, fate and origin in plants, **L25**, 32
- Allenes**, dissymmetric, configuration of (+)-3-methyl-3-t-butyl-1-chloroallene, **L8**, 16
- Allylic alcohols**, steroidal oxidation to  $\alpha\beta$ -unsaturated ketones, **L9**, 14
- Aloe-emodin**, synthesis, **L5**, 15
- Aluminium**, organometallic complexes, synthesis, **8**, 86
- Aluminium chloride**, catalysed reactions, **10**, 55  
-nitromethane system, electron attraction by, **L9**, 5
- 1-Amidine-3-alkylureas**, synthesis and reactions, **10**, 12
- 1-Amidine-3-arylureas**, synthesis and reactions, **10**, 12
- Amines**, primary or secondary, reaction with salts of amidineureas, **10**, 12  
reaction with dichlorocarbene, **11**, 1
- Amino acids**, configurations, quasi-racemate method, **8**, 129  
thiazole synthesis, **L1**, 23
- Amino groups**, terminal, effect on electronic spectra of conjugated hydrocarbon systems, **10**, 109
- Amino sugars**, glycosides and oligosaccharides, synthesis, **99**, 116
- $\alpha$ -Aminoacetophenone** syn-oximes, *cis*-elimination during fragmentation, **L26**, 22
- Aminoalkylsulphonic acids**, and peptide analogues, syntheses, **9**, 289
- 4-Aminoazobenzene** and derivatives, structures of mono-acid cations, **10**, 129
- $\gamma$ -Aminopropyl chlorides**, transitions during solvolysis, **L23**, 25
- Amylene**, acetylation with various catalysts, **L2**, 7
- Analgesics**, hydrogenated quinolines and isoquinolines, **8**, 296, 304; **10**, 175
- Androstane derivatives**, total synthesis, **L17**, 27
- Angustifoline**, structure, **L19**, 1
- Anionic bases**, kinetics of bimolecular substitution in alcohol-water mixtures, **L24**, 1
- Anisoles**, substituted, steric enhancement of resonance, **L25**, 21
- Annellation**, asymmetric, in dibenzacenes, **9**, 202
- Anthracene**, conversion to + ion, **L9**, 5  
derivatives, by reduction of anthraquinones, **L5**, 15  
9,10-dibromo-, ozonation, effect of solvent, **L13**, 14  
reaction with dichlorocarbene, **L7**, 27
- Anthranil**, MO-LCAO treatment, **10**, 81
- Anthraquinones**, action of diborane and of sodium borohydride-boron trifluoride-etherate, **L5**, 15
- Anthraquinones** (*continued*)  
nucleophilic displacement reactions, **8**, 107  
reduction to anthracene derivatives, **L5**, 15
- Antibiotics**, alkavinone, structural relationships to pyrromycinone, **L8**, 28  
identity of pyrromycinone and rutilantinone, **L8**, 25  
tetracycline, synthetic experiments, **11**, 52
- Antimetabolites**,  $\gamma$ -fluoroglutamic acid synthesis, **L14**, 21
- Antimony compds.**, geometrical isomers of stibinous and stibinic propenyls, **L8**, 23
- Antimony-pentaphenyl**, prep., **10**, 12
- Aromatic character**, of cyclopenta [c] thiapyran, **L2**, 11
- Aromatic compds.**, chlorination, effect of solvent on isomer distribution, **L13**, 9  
hydrocarbons, reduction to mono-olefins, **L16**, 1  
stability, significance of benzenoid rings, **10**, 171  
maleic anhydride addition, **L21**, 1  
polycyclic, ozonation, effect of solvent, **L13**, 14  
polyfluoro, **8**, 38  
prep. of + ions, **L9**, 5  
substitution, effect of substituents, **L15**, 1  
with 2 boron atoms, **L23**, 8
- Aromatic systems**, monohetero-, six-membered monocyclic, absorption spectra, **9**, 163  
non-benzenoid, MO calculations, **11**, 121  
prediction by Craig's rule, **11**, 121  
tropilium salts and benzene, interconversions, **8**, 33
- Artemisin**, correlation with santonin, **8**, 186
- 4-Arylcycloalk-2-en-1-one** series, experiments, **11**, 154
- Aryllithium derivatives**, for synthesis of diaryls, and condensed thiophenes, **L6**, 30
- Arynes**, structure, **9**, 29
- Aspidosperma australe**, alkaloids, **L1**, 18
- Asymmetric annellation effects** dibenzacenes, **9**, 202
- Asymmetric synthesis**, of sulphoxides, **L6**, 20
- Auranetin**, 5-hydroxy-, from *citrus aurantium*, **8**, 64
- 8-Aza-des-N-morphinan**, N-methyl, steric structure, **8**, 304  
synthesis, **8**, 296  
N-methyl-3-hydroxy-, synthesis, **10**, 175
- 1-Azo-bis-1-phenylethane**, thermal decomposition, acceleration by chloranil, **L23**, 18
- Azo compds.**, aromatic, reactions, absorption spectra and resonance structures, **9**, 194
- Azobenzene**, photocatalysed cyclization, **L9**, 12
- Azoferrocene**, prep. **L1**, 1
- Azoic coupling components**, constitution, **11**, 140
- Azomethin-imines**, 1,3-dipole additions, **L12**, 5  
zwitterion compds., **L12**, 1
- Azonium ion**, of 4-aminoazobenzene, **10**, 129
- Azulenes**, reactions with triphenylmethyl perchlorate, **L27**, 3

- Basicity of indoles, position, L21, 12**  
**Beckmann rearrangements, of *o*-alkylbenzophenones, 9, 210**  
**Benzene, chlorination, effect of solvent, L13, 9**  
conversion to tropylium cation, 8, 33  
derivatives, bond lengths, 8, 13  
maleic anhydride addition, L21, 1  
tetra-, penta- and hexa-fluoro-, prep., 9, 240  
**Benzenoid rings, significant for stability of aromatic hydrocarbons, 10, 171**  
**Benzilidene aniline, hydrolysis in presence of cationic detergent salt, L1, 7**  
**Benziminazole, mechanism of formation, 8, 79**  
**Benzisoxazoles, MO-LCAO treatment, 10, 81**  
**6,7-Benzocoumaran-2-ones, substituted, prep., 11, 158**  
**Benzoologues of peropyrene, 10, 26**  
**Benzophenone, photochemical interaction with isopropyl alcohol and nitric oxide, 8, 350**  
photosensitized, maleic anhydride addition to benzene and aromatic compds., L21, 1  
**Benzophenones, *o*-alkyl-, Schmidt reaction, oximation and Beckmann rearrangement to amides, 9, 210**  
**Benzoquinone, 2,3-dichloro-5,6-dicyano-, oxidation reagent for steroidal allylic alcohols, L9, 14**  
***p*-Benzoquinone, tetra- and tri-fluoro, prep., 8, 38**  
**Benzotriazoles, formation, 8, 79**  
**Benzoxazine derivatives, prep. and structure, 11, 133**  
**Benzyl chloride, reaction with N-butyllithium, L24, 26**  
**Benzyl ethers, copper salt catalysed reactions with *t*-butyl perbenzoate, L2, 4**  
**Benzyl ketones, Stobbe reaction, 11, 158**  
**Benzylaminoalkylsulfonic acids, syntheses, 9, 292**  
**Benzynes, formation from fluorobenzene, action of lithium piperidide, 9, 29**  
**Bicyclanes, part II, 9, 230**  
**Bicyclo [2.2.0]-hexane, photochemical synthesis, L21, 24**  
**Bicyclo [2,2,2] octane, prep. and halogenation, 9, 230**  
**Bicyclo [3,2,1] octene-2, structure, 9, 231**  
**Biguanides, alkyl or aryl, hydrolysis, 10, 12**  
**Biogenesis, concept for laboratory synthesis of cyclic compds., L12, 27**  
formation of sugiol and nimbiol, 10, 45  
hyoscyne in *Datura stramonium* L., L22, 1  
laboratory synthesis in strychnine-curare alkaloid series, L19, 30  
lycopodium alkaloids, L10, 34  
**Bisborazaro compds., formation, double cyclizations of diamines, L23, 8**  
**Bis-(trimethylene)-ferrocene, synthesis, L7, 4**  
**Bond energies, calculation for hydrocarbons, 11, 117**  
carbon-carbon, 9, 65  
**Bond lengths, butadiene, 11, 111**  
in benzene derivatives, 8, 13  
in conjugated systems, 11, 96  
**Bonds, C-H, with different dissociation energies, reaction with chlorine atoms, 8, 101**  
new C-C, biogenetic concept for formation in cyclic compds., L12, 27  
peptide, synthesis, L14, 9  
**Borepin, synthesis, L8, 14**  
**1-Boro-2,4,6-cycloheptatriene, see Borepin.**  
**Borohydride-boron trifluoride, action on anthraquinones, L5, 15**  
**Boron compds., with 2B atoms, L23, 8**  
**Boron trifluoride etherate, induced fission reactions of steroid 5,6-epoxides, 8, 116**  
**Bromination, of isoquinoline, mechanism 8, 23**  
**Bulnesol, structure, L11, 18**  
**Butadiene, bond lengths, 11, 111**  
**Butene, *cis* and *trans*, reaction with methyl diazoacetate, 10, 65**  
**(+) 3-*t*-Butyl-1-chloroallene, 3-methyl-, absolute configuration, L8, 16**  
***t*-Butyl hydroperoxide, deoxygenation with O<sub>2</sub>, L14, 1**  
***t*-Butyl perbenzoate, copper salt catalysed reactions with benzyl ethers, L4, 4**  
**N-Butyllithium, reaction with benzylchloride, L24, 26**  
**2-Butyne, addition of methylene and carbomethoxycarbene, 10, 65**  
**2-Butyn-1,4-diol-polymethylene ether, synthesis, L17, 5**  
**(±)-Cadinene dihydrochloride, synthesis, L27, 27**  
**Calycanine, synthesis, 8, 291**  
**Camphor, formation mechanism, from homocamphoric acid, L2, 19**  
reduction to isoborneol by metals L21, 16  
**DL-Canaline, amino-oxy peptide derivatives, L18, 28**  
**Cannabidiol, separation from hashish components, 10, 153**  
**Caranine, lycorine, pluvüene and lycorenine, configurational relationship, 11, 89**  
**Carbazoles, synthesis, 8, 73, 79; 10, 230**  
**Carbomethoxycarbene, addition to butyne-2, 10, 65**  
**Carbon 14, reaction study, of isocyanates and acid anhydrides, L2, 15**  
pyrolytic decarboxylation of acids, L2, 19  
**Carbon-carbon bond energies, 9, 65**  
**Carbon dioxide, reduction with <sup>60</sup>Co- $\gamma$ -radiation, L18, 17**  
**Carbon monoxide and N<sub>2</sub>, hybridization of *s* and *p $\sigma$*  orbitals, interpretation of chemical properties, 10, 212**  
reaction with cycloalkanes, 10, 55  
**Carbon tetrabromide, reaction with enol ethers of  $\Delta^4$ -3-ketosteroids, 9, 149**  
**Carbohydrates, carboxyl groups, diborane reduction, L7, 17**  
**Carbonium ions, homocyclopropenyl, an octahydrodimethanonaphthylcation, L25, 4**  
mesomeric, behaviour, L16, 17  
unsymmetrically substituted, apportionment of products, L16, 17

- Carbonium ions** (*continued*)  
 reactions, ionization-dissociation of chlorobenzhydryl chloride in acetone L2, 31  
 of ferrocene derivatives, role of Fe, L13, 1
- Carbonyl derivatives**, aliphatic, substituent and solvent effects on  $n \rightarrow \pi$  ('U'  $\rightarrow$  'A') transition, L2, 1
- Carboxyl groups**, carbohydrate, reduction with diborane, L7, 17
- Carcinogenesis**, by thiophene isoesters of polycyclic hydrocarbons, 9, 76
- Carissone**, configuration, 8, 183
- Carotol**, structure, 8, 271
- Casimiroa edulis** lave et ex, constituents, 9, 139
- Catalysis**, intramolecular alkaline hydrolysis of alicyclic 1,2-diol monoesters, L24, 22
- Catalysts**, copper salt, t-butyl perbenzoate reaction with benzyl ethers, L2, 4  
 platinum, oxidation of alcohols, 9, 67  
 various, in amylene acetylation, L2, 7  
 Ziegler-Natta, formation of isotactic polypropylene, L17, 17  
 reaction mechanism in ethylene polymerization, L17, 12
- Cations**, mono-acid, of 4-aminoazobenzene and derivatives, 10, 129
- Cetyltrimethylammonium bromide**, benzilidene aniline hydrolysis in presence of, L1, 7
- Cevine**, configuration, X-ray study, L7, 24
- Chloranil**, condensation with 3,4-dimethoxyphenol, 10, 135
- Chloride exchange**, in solvolysis of *p*-chlorobenzhydryl chloride, L22, 12
- Chlorination**, nuclear of perchlorostilbenes, 9, 156  
 of aromatics, effect of solvent on isomer distribution, L13, 9
- Chlorine atoms**, reactions of, separation of polar and resonance effects, 8, 101
- p*-Chlorobenzhydryl chloride**, racemization and radio-Cl exchange in acetone, L2, 31  
 solvolysis, ion pairs, racemization, chloride exchange and mass law effect, L22, 12
- Chloroisoretamine**, 11-chloro-(+)- $\alpha$ -isosparteine structure, 11, 78
- Chlororetamine**, 8-chloro-(+)-sparteine, 11, 78
- Chlorosilanes**, organic di- and tri-, synthesis of di- and tri-fluorosilanes, L5, 11
- 5 $\alpha$ -Cholestane derivatives**, contraction of ring A, 11, 199
- Chromanone** lichen acid, proposed structure, L4, 1
- Chromatography**, paper, identification of tetrahydrocannabinol, 10, 153  
 vapour phase, components of cigarette smoke, 11, 11
- Cigarette smoke**, chemistry, 11, 11
- Citral**, thermal isomerization, L11, 10
- Citreorsein**, synthesis, L5, 15
- D-Citronellal**, synthesis from, of iridolactone, analogues 9, 295
- Citrullus vulgaris**, isolation and structure of  $\alpha$ -amino- $\beta$ -(pyrazolyl-N)-propionic acid, 11, 231
- Citrus aurantium**, new components, 8, 64
- Cobalt**,  $^{60}\text{Co}$ - $\gamma$ -radiation, Co<sub>2</sub> reduction, L18, 17
- Codeine**, tyrosine incorporation, rate study, L27, 21
- Complexes**, molecular, absorption spectra, 10, 96  
 organometallic, of titanium and aluminium, syntheses, 8, 86
- Configuration**, estrogenic activity and non-planar structure of substituted ethylenes 8, 205  
 quasi-racemate method, 8, 126
- Conformation**, D-ring in D-homosteroids, 11, 213  
 of organic molecules, calculation, 9, 183
- Conjugated systems and resonance**, 11, 96
- Conjugation** in cyclooctadecanonaene, L11, 22
- Corticoids**, 16-methylene, synthesis, L16, 21
- Costumulide**, structure, 9, 275
- Craig's rule** for predicting aromaticity, 11, 121
- Cucurbitacin B**, ring A, NMR spectra, L15, 15  
 stereochemistry, L22, 23  
 structure, L14, 13
- Cucurbitacins**, stereochemistry, L22, 23
- Cumene**, autoxidation, termination mechanism, O<sup>18</sup> tracer evidence, L24, 30
- DL-Cuparene**, synthesis, L23, 14
- Cuprene**, isolation from *Thujopsis dolabrata*, L23, 14
- Cupressales**, sesquiterpenes, 9, 237
- Curare alkaloids**, biogenetic laboratory synthesis, L19, 30
- Cyanoguanidine**, reaction with alkyl or aryl amines, 10, 12
- Cyanuric chloride**, condensation with *o*-hydroxybenzanilide, 11, 133
- Cyclasteroids**, irradiation of 20-ketosteroids, L4, 10
- Cyclic compds.**, synthesis, biogenetic concept, L12, 27
- Cyclization**, double, from diamines, formation of bisborazaro compds., L23, 8  
 Finkelstein, dimerization, L24, 13  
 photocatysed, of azobenzene, L9, 12
- Cycloaliphatic ketones**, catalysed reactions with diazomethane, L13, 30
- Cycloalkanes**, conformational analysis, 9, 40  
 reaction with CO, 10, 55
- Cycloalkenes**, conformational analysis, 9, 40
- Cyclobutadiene silver nitrate**, I.R. spectrum, L26, 35
- Cyclobutane derivatives**, of maleic and fumaric acids, L3, 13
- Cyclobutane-1,2-dicarboxylic acid** photosynthesis of bicyclo [2.2.0]-hexane, L21, 24
- Cyclobutanol**, isomerization, 11, 171
- 3,8-Cyclodecadiyne**, 1,6-dioxa-, prep., L26, 25
- Cycloheptatriene**, formation from tropylium ion, hydride transfer reactions, L21, 20
- 7-Cycloheptatrienylmethyl ammonium iodide**, trimethyl, Hofmann elimination to heptafulvene, 11, 183
- 1,3-Cyclohexadiene**, condensation with ethylene, 9, 230

- Cyclohexadienone**, acid stable, L7, 12  
**Cyclohexane-2-acetic acid**, 1,3-dimethyl-1,3-dicarboxy-, synthesis, 11, 234  
**Cyclohexanecarboxylic acids**, prep., 10, 55  
 with equatorial and axial carboxyl groups, apparent pK values, L20, 18  
**Cyclohexyl methyl ketone**, prep., 10, 55  
**Cyclohydration**, of diphenyltrifluoromethylcarbinols, 11, 252  
**Cycloöctadecanonaene**, bond alternation in, L11, 22  
 molecular deformation, 11, 125  
**Cyclopentadienyltrimethyltitanium**, prep., L14, 19  
**Cyclopentane**, conformation, L1, 3  
 reaction with CO, 10, 55  
**Cyclopenta [c] thiapyran**, electrophilic substitution, aromatic character and structure evidence, L2, 11  
**Cyclopropanes**, from alkyl chlorides by  $\alpha$ -elimination, 11, 266, 272  
**Cyclopropenes**, from carbenes and acetylenes, 10, 65  
 rearrangements, L26, 42  
**Cyclopropylcarbinol**, isomerization, 11, 171  
**Cyclopropylcarbinyl chloride**, solvolysis, 11, 171  
**2,6,10-Cycloundecatriene-1-one**, 2,6,9,9-tetramethyl-, structure of zumbone, 8, 171  
**Cyperones**, configuration, 81 183  
**Cytopyrrolic acid**, synthesis, 8, 266
- Dacrydium biforme*, isopimaric acid from, 8, 356  
*Datura stramonium*, hyoscyne biogenesis in, L22, 1  
*Daucus carota*, carotol structure, 8, 271  
**Debromination**, of vic-dibromides with diaryltellurides, L15, 5  
**Decalin**, reaction with CO, 10, 55  
*trans-trans*-1-Decalin-carboxylic acid, prep., 10, 55  
 ( $\pm$ )-*trans*-Decalin-1,6-dione, 4-isopropyl, total synthesis, L27, 27  
**Dehydroabietic acid**, synthesis of 2 stereoisomers L23, 1  
**16-Dehydropregnes**, 12-keto-, conversion to 12-methyl hemiketals, 10, 238  
**Delphinine**, configuration, L15, 23  
 structure, 9, 254  
**2-Deoxy-D-glucose**, 2-(2',4'-dinitrophenyl)-amino, and derivatives, reactions, 9, 116  
**Deoxygenation**, t-butyl hydroperoxide reaction with O<sub>3</sub>, L14, 1  
**Desdimethylaminoterrarubein**, synthesis, 11, 52  
**Desmethylnobiletin**, isolation from orange peel, 8, 64  
**3-Desoxyequilenin**, pyrrolo analogues, attempted synthesis, 10, 230  
**Detergent salts**, cationic, benzilidene aniline hydrolysis in presence of, L1, 7  
**Deuterium**, effects, and mass sensitive amplitudes of vibration L6, 13  
 in aromatic halogenation of polyalkylbenzenes, L23, 30  
 in D<sub>2</sub>O-H<sub>2</sub>O-mixtures, 10, 200
- Deuterium (continued)**  
 in KMnO<sub>4</sub> oxidation of phenyltrifluoromethyl carbinols, L2, 28  
 structure difference between light and heavy water, 10, 182  
**Dialkyls**, synthesis, L6, 30  
**Diamond**, carbon-carbon bond energies, 9, 65  
**Diaryliodonium**, cation, reaction with dimedone, dibenzoyl- and tribenzoyl- methane, 8, 49  
**Diaryls**, synthesis, L6, 30  
**Diaryltellurides**, reaction with vic-dibromides, L15, 5  
 $\alpha$ -Diazoacetophenone, reactions with sodium methoxide and with pot. t-butoxide, L17, 22  
**Diazoacetophenones**, *p*-substituted, infra-red intensity measurements, 11, 285  
**Diazo-compounds**, aromatic, structure, 11, 30  
 infra-red intensity measurements, 11, 285  
**Diazohydrocarbons**, aromatic, infra-red intensity measurements, 11, 285  
**Diazomethane**, reaction with cycloaliphatic ketones, L13, 30  
 reaction with  $\alpha,\beta$ -unsaturated ketones, L5, 1  
**Dibenzacenes**, asymmetric annellation effects, 9, 202  
**Dibenzodiphenylene** and *cis*-isomer,  $\pi$  electron energies and bond orders, 10, 41  
**4,5:12,13-Dibenzoheptazethrene**, synthesis, 9, 96  
**Dibenzo [a,i] pyrene**, synthesis, 8, 1  
**Dibenzoylmethane**, phenylation, 8, 49  
**Diborane**, action on anthraquinones, L5, 15  
 reduction of carboxyl groups in carbohydrates, L7, 17  
**Dibromides**, vicinal, reaction with diaryltellurides, L15, 5  
**2,4-Dibromomenthone**, structure, 11, 219  
**2,6-Di-t-butylpyridine-3-sulphonic acid**, synthesis and structure, L1, 13  
**2,6-Di-t-butylpyridine-4-sulphonic acid**, synthesis and structure, L1, 13  
**Dichlorocarbene**, reaction with amines, 11, 1  
 reaction with anthracene, L7, 27  
**Dichlorodiphenylsilane**, reaction with Na and with Li, formation of dodecaphenylcyclohexasilane, L23, 5  
**Dicyclopentadiene series**, isomerizations, L11, 5  
**Dicyclopentadienyliron** *see* Ferrocene.  
**Diels-Alder**, 1,3-cyclohexadiene and ethylene condensation, 9, 231  
**Diethylenic acids**, fission in strong alkali, 8, 239  
**Dihydrocuparene**, *see* Cuprene  
**5,12-Dihydronaphthacene**, 2,4,6-trihydroxy-5-oxo-, synthesis, 11, 52  
**Dihydropentalenyl derivatives**, synthesis, L18, 31  
**Dihydrotoxiferine**, structure, L26, 1  
**Di-indolylmethenes**, condensation with homo- and hetero-cyclic aldehydes, 9, 111  
 formation from indoles, and synthesis, 9, 111  
**Dimedone**, phenylation, 8, 49  
**Dimerization**, in Finkelstein cyclizations, L24, 13  
 of N-methyl-2-pyridone, L25, 1  
**Dimers**, skatole, structure, L26, 13  
**Dimesityl disulphide**, photolysis, 10, 76

- 3,4-Dimethoxyphenol**, condensation with chloranil, **10**, 135
- cis*- and *trans*-**Di-*p*-methoxystilbene** structure and estrogenic activity, **8**, 205
- (-)-*trans*-**1,2-Dimethylcyclopropane**, absolute figuration, **11**, 272
- 1,2-Dimethylcyclopropene**, prep., **10**, 65
- 1,2-Dimethylcyclopropene-3-carboxylate**, prep., **10**, 65
- $\Delta^2$ -**3,10-Dimethyl-6-isopropylbicyclo-(0,3,5)-decen-6-ol**, carotol structure, **8**, 271
- 1,1-Dinitroalkane anions**, substituent effects in charge-resonance spectra, **L27**, 17
- 2,4-Dinitrobenzenesulphenyl chloride**, reaction with organic monosulphides, **9**, 58
- 2,4-Dinitrochlorobenzene**, condensation with *o*-hydroxyarylamides, **11**, 140
- Dioscorea tokoro*, kogagenin structure, **10**, 1
- Diphenyl *p*-nitro *p'*-amino derivatives**, electronic spectra and interpretation, **10**, 109
- Diphenylamine**, chromic acid oxidation, **8**, 322
- Diphenylamines**, conversion to 2- and 4- trifluoromethylcarbazoles, **8**, 79
- Diphenylcyclopropene carboxylic acid**, formation of 2,3,5-triphenylfuran from, **L26**, 42
- Diphenylenes**, substituted, stability, **10**, 41
- $\beta,\beta$ -Diphenylethyleneazobenzene**, indole ring formation from, **L7**, 33
- Diphenylethylenes**, unsymmetrical, estrogenic activity, **8**, 205
- Diphenylglycolaldehyde phenylhydrazone**, dehydration to  $\beta,\beta$ -diphenylethyleneazobenzene, **L7**, 33
- Diphenylmethane**, chromic acid oxidation, kinetics, **8**, 313
- Diphenyls**, conversion to 2- and 4- trifluoromethylcarbazoles, **8**, 73
- Diphenyltrifluoromethylcarbinols**, cyclohydration, **11**, 252
- Diquinones**, oosporein-tomichaedin degradation, **10**, 148
- Diskatole**, structure, **L26**, 13
- Dissociation constants**, apparent, of cyclohexane carboxylic acids with equatorial and axial positions of carboxyl group, **L20**, 18
- Dissociation**, triphenylchloromethane in nitrobenzene, **L18**, 10
- Disulphides**, aromatic, photolysis, **10**, 76
- Ditellurides**, halogenolysis, **11**, 15
- Diterpenoids**, ring C substitution in pimaric acids, **L25**, 37
- DNP-D-Glucosamine**, and derivatives, reactions, **9**, 116
- Dodecaphenylcyclohexasilane**, formation from dichlorodiphenylsilane, **L23**, 5
- Dyes**, cyanurated, **11**, 133
- trinuclear indole, synthesis, **9**, 106, 111
- Echitamine**, constitution, **L10**, 10
- 3 proposed structures, criticism, **L19**, 36
- structure, **L6**, 1; **L11**, 25
- Elatericin A and B**, stereochemistry, **L22**, 23
- Elaterin**, stereochemistry, **L22**, 23
- Electrons**, acceptors, Lewis acid-nitro compd. system, **L9**, 5
- correlation in conjugated molecules, **11**, 112
- donors and acceptors, absorption spectra of molecular complexes, **10**, 96
- Electrophilic substitution**, in cyclopenta [c] thiapyran, **L2**, 11
- isoquinoline, **8**, 23
- Elimination reactions**,  $E_{1c}$ , effect of leaving group on orientation, **L18**, 1
- $\alpha$ -**Elimination**, of alkyl chlorides to give cyclopropanes, **11**, 266
- Cis-Elimination**, during fragmentation of *syn*- $\alpha$ -aminoaceto-phenone oximes, **L26**, 22
- Elymoclavine**, biosynthesis, **L7**, 1
- Enantiomorphs**, steric correlation, quasi-racemate method, **8**, 129
- Energy**, and molecular geometry in alicyclic systems, **9**, 40
- for C-C bonds, **9**, 65
- interaction, of non-bonded atoms, detn. by molecular structural analysis, **9**, 183
- 16 $\alpha$** , **17 $\alpha$ -Epoxides**, steroidal, ring opening, **L17**, 34
- Equilenin** pyrrolo analogues, attempted synthesis, **10**, 230
- Equilibrium**, between thiocyanates and isothiocyanates, **L11**, 27
- cis-trans* of  $\alpha$ -hydrindanones, effect of structure, **L18**, 4
- Eremophilone**, stereochemistry, **8**, 203
- Ergosterol**, and photoisomers, emission spectra, **11**, 276
- Ergot alkaloids**, biosynthesis, **L7**, 1
- Erythrinan alkaloids**, stereochemistry, **L14**, 5
- Estrogenic activity**, and molecular structure, **8**, 205
- Estrogens**, molecular structure and activity, **8**, 150
- Estrone**, stereoselective synthesis, **L5**, 20
- Ethers**, introduction of benzoyloxy group, **L2**, 4
- Ethylene**, condensation with 1,3-cyclohexadiene, **9**, 230
- polymerization, **8**, 86
- reaction mechanism with Ziegler-Natta catalysts, **L17**, 12
- Ethylenes**, formation from *vic*-dibromides and diaryltellurides, **L15**, 5
- substituted, estrogenic, variation in planarity, **8**, 205
- Ethylenic acids**, fission, **8**, 221, 239, 246
- Eudesmane**, stereochemistry, **8**, 181
- Eudesmol**, configuration, **8**, 182
- Evodiamine**, isolation, **8**, 293
- Ferrocene derivatives**, carbonium ion reactions, role of Fe, **L13**, 1
- Ferrocenes** double bridged, synthesis, **L7**, 4
- Finkelstein cyclizations**, dimerizations, **L24**, 13
- Flavone**, 2',5,6-trimethoxy-, 2',5,6,7-tetramethoxy- and 5-hydroxy-2',6,7-trimethoxy-, from *Casimiroa edulis*, **9**, 139
- Flavonoids**, from *Casimiroa edulis*, **9**, 139
- 5-hydroxyauranetin from *Citrus aurantium*, **8**, 64
- nomenclature, **8**, 336

- Fluoradene**, acidity, LCAO treatment, **L6**, 23
- Fluorene derivatives**, formation, **11**, 252
- Fluorine**, *cis*-addition to steroid olefin, **L20**, 34
- Fluorine compds.**, 2- and 4-trifluoromethyl-carbazoles, syntheses, **8**, 73, 79
- organic, mevalolactone derivatives, **L8**, 20
- perfluorovinyl derivatives of tin and silicon, reaction with organolithium reagents, **L22**, 20
- polyfluoro-aromatic, **8**, 38
- tri- and tetra-fluoro-*p*-benzoquinone, **8**, 38
- tetra-, penta- and hexa-fluorobenzenes, prep., **9**, 240
- toxic with C-F link, **10**, 160
- trifluoroacetic acid and derived compds., **10**, 164
- 2-Fluoroethanol**, lability of the fluorine atom, **10**, 160
- $\gamma$ -**Fluoroglutaric acid**, synthesis, **L14**, 21
- Fluorosilanes**, organic di- and tri-, synthesis, **L5**, 11
- Formolysis**, of ozonides, formation of peracids, **L26**, 34
- Formylation**, condensed aromatic hydrocarbons, **8**, 7
- Free-radicals**, reactions involving sulphur compounds, **10**, 76
- reactions with atoms, solvent effects, **8**, 101
- Fumaric acid**, photodimerization to cyclobutene derivatives, **L3**, 13
- Fungi**, isolation of gibberellin A<sub>7</sub>, **L15**, 18
- pigments, part XII, **10**, 135
- $\alpha$ -**D-Galactopyranosiduronic acid**, reduction, **L7**, 19
- Galactosyl-lactose**, structure, **9**, 125
- Gelsemine**, degradation, **11**, 148
- Gentiopicroside**, structure, **L24**, 7
- Gentrogenin**, sidechain degradation, **10**, 238
- Gibberellin**, A<sub>8</sub>, structure, **11**, 60
- Gibberellin** A<sub>7</sub>, fungal gibberellin, **L15**, 18
- Gibberellin** A<sub>9</sub>, isolation and structure, **L23**, 22
- Gibberellins**, A<sub>1</sub> and A<sub>8</sub>, isolation from *Phaseolus multiflorus*, **11**, 60
- Glycerophosphatides**, synthesis of "mixed-acid"  $\alpha$ -lecithins, **L9**, 1
- Glycosides**, nitrogen, of substituted rhodanines, **L6**, 10
- of amino sugars, synthesis, **9**, 116
- turbicoryn from *Turbina corymbosa*, **L7**, 30
- Graphite**, carbon-carbon bond energies, **9**, 65
- Gross equation**, parameters in H<sub>2</sub>O-D<sub>2</sub>O mixtures, **10**, 211
- Guaiol**, absolute configuration, **L22**, 33
- stereochemistry, **L11**, 18
- Guatambuine**, see U-alkaloid C. **L1**, 18
- Halogen salts of thiapyrylium**, synthesis, **L23**, 11
- Halogenation**, aromatic, of polyalkylbenzenes, reaction selectivity, hydrogen isotope effect and steric hindrance, **L23**, 30
- of bicyclo [2,2,2] octane, **9**, 230
- Hammett equation**, application to theory of tautomeric equilibrium, **9**, 10
- Heats**, of formation, in conjugated systems, **11**, 96
- Hecogenin**, sidechain degradation, **10**, 238
- Hemiketals** 12-methyl-, from 12-keto-16-dehydro-pregnenes, **10**, 238
- Heptadecanoic acid**, 5-oxo-, alkali fusion, **8**, 251
- 10-oxo- alkali fusion, **8**, 250
- 1H-Heptafluorocyclohexa-1,4-diene**, reaction with oleum, **8**, 38
- Heptafulvene**, synthesis and hydrogenation to methylcyclo-heptane, **11**, 183
- Heterocyclic compds.**, five membered, molecular orbital treatment, **8**, 23
- formation from  $\alpha$ -diazoacetophenone, **L17**, 22
- oxygen, structure of sophorol, **L19**, 16
- steroids, synthesis, **10**, 215, 223, 230
- ten-membered diacetylene, synthesis, **L26**, 25
- Heterocyclic systems**, borepin synthesis, **L8**, 14
- Hexadecanoic acid**, 9,10,16-trihydroxy-, alkali fusion, **9**, 251
- trans*-Hexahydro- $\alpha$ -benzosuberone, prep., **10**, 55
- Hexahydroxynaphthaquinone**, spinochrome E structure, **L1**, 11
- Hofmann rule**, effect of leaving group on orientation in E<sub>2</sub> eliminations, **L18**, 1
- D-Homoannulation**, of 17-hydroxy-20-keto steroids, **11**, 163
- Homocamphoric acid**, mechanism of camphor formation, **L2**, 19
- D-Homoketolic systems**, equilibrium relationship, **11**, 163
- Homologous series**, cycloaliphatic ketones, syntheses, **L13**, 30
- hydrocarbons, direct nucleophilic substitution, **L12**, 18
- reaction of diazomethane with  $\alpha\beta$ -unsaturated ketones, **L5**, 1
- D-Homosteroids**, boat conformation of D-ring, **11**, 213
- contraction of 6- to 5-membered rings, **11**, 199
- Hormones**, 19-hydroxy-10-isotestosterone synthesis, **L22**, 38
- 8-isotestosterone total synthesis, **L12**, 23
- DL-18-nortestosterone synthesis, **L8**, 11
- plant, **11**, 60
- synthesis of 16-methylene corticoids and progesterones, **L16**, 21
- Humulene**, structure, **9**, 1
- Hybridization** in benzene derivatives, **8**, 13
- in conjugated systems, **11**, 96
- in CO, **10**, 212
- Hydration**, ionic, in D<sub>2</sub>O-H<sub>2</sub>O mixtures, **10**, 200
- in D<sub>2</sub>O and H<sub>2</sub>O, **10**, 188
- Hydride hyperconjugation**, in 1(3)-methazulenes, **L27**, 1
- Hydride transfer reactions**, **L21**, 20
- $\alpha$ -**Hydrindanones**, structural effects on *cis-trans* equilibrium **L18**, 4
- Hydroboration**, of  $\beta$ -pinene, **L21**, 9

- Hydrocarbon chains**, direct nucleophilic substitution, transmission of polar effects, L12, 18
- Hydrocarbons**, acidity, LCAO treatment, L6, 23  
 aromatic, condensed, formylation, 8, 7  
 formation of + ions, L9, 5  
 reduction to mono-olefins, L16, 1  
 conjugated, effect of terminal NO<sub>2</sub> and NH<sub>2</sub> groups on electronic spectra, 10, 109  
 heats of formation, 11, 107  
 non-benzenoid, synthesis of heptafulvene, 11, 183  
 polycyclic, carcinogenic thiophene isoesters, 9, 76  
 synthesis of tetradecahydro-octahydro- and dihydro-dibenzoheptazethrenes, 9, 96
- Hydrogen cyanide**, tetramer, structure, L6, 17
- Hydrolysis**, kinetics of bimolecular substitution by anionic bases in alcohol-water mixtures L24, 1
- Hydronium ions**, solution in H<sub>2</sub>O and D<sub>2</sub>O, 10, 197
- Hydroperoxides**, organic, reaction with ozone, L14, 1
- Hydroxide ions**, solution in H<sub>2</sub>O and D<sub>2</sub>O, 10, 197
- o*-Hydroxyarylamides**, condensation with 2,4-dinitrochlorobenzene, 11, 140
- o*-Hydroxybenzanilides**, condensation with cyanuric chloride, 11, 133
- $\alpha$ -Hydroxybutyraldehyde**,  $\gamma$ -amino-, synthesis, application to synthesis of vasicine, L25, 44
- cis*-10-Hydroxydec-2-enoic acid**, synthesis, L13, 34
- trans*-10-Hydroxy-dec-2-enoic acid**, synthesis, L4, 15
- 2-Hydroxyestradiol-17 $\beta$ '**, synthesis, 10, 144
- 8 $\alpha$ -Hydroxylabd-13-ene**, hydrogenolysis, 10, 71
- Hydroxylycoctonine**, structure and chemistry, 9, 284
- 4-Hydroxypiperidines**, conformation, L14, 23
- Hyoscyne**, biogenesis in *Datura stramonium* L., L22, 1
- Hyperconjugation**, hydride, in 1(3)-methazulenes, L27, 1  
 in excited states of molecules, L2, 1
- Humulinone**, structure, 9, 271
- Humulene**, correlation with zerumbone, 8, 171
- Iminoacetonitrile**, HCN tetramer structure, L6, 17
- Indole dyes**, 9, 106, 111  
 ring, formation from  $\beta,\beta$ -diphenylethyleneazobenzene, L7, 33
- Indole trimethincyanines**, condensation with heterocyclic aldehydes, 9, 106
- Indoles**, position of protonation and basicities, L21, 12
- Indoline derivatives**, new reactions, L26, 13
- Indolopyridone**, synthesis, L11, 15
- Indolopyrone**, synthesis, L11, 15
- Indoxazene**, MO-LCAO treatment, 10, 81
- Insecticides**, ryanodine, skeletal structure, L15, 31
- Ion pairs**, in bimolecular nucleophilic substitution L9, 24  
 in solvolysis of *p*-chlorobenzhydryl chloride, L22, 12
- Ionization**, tautomeric compds., application of Hammett equation, 9, 12  
 triphenylchloromethane derivatives in nitrobenzene, L18, 10
- Ionization-dissociation**, of chlorobenzhydryl chloride in acetone, L2, 31
- Ions**, hydration, in D<sub>2</sub>O and H<sub>2</sub>O, 10, 188  
 in D<sub>2</sub>O-H<sub>2</sub>O mixtures, 10, 200  
 monatomic, solutions in D<sub>2</sub>O and H<sub>2</sub>O, heat content, entropy and free energy, 10, 182  
 monovalent +, formation, L9, 5
- Iridolactones analogues**, synthesis, 9, 295
- Iridomyrmecins**, stereochemistry, L11, 18
- Irigenins**, synthesis, L5, 6; L20, 23
- Iron**, role, in carbonium ion reactions of ferrocene derivatives, L13, 1
- Isoborneol**, by metallic reduction of camphor, L21, 16
- Isobutyl chloride**,  $\alpha$ -elimination to methylcyclopropane, 11, 266
- Isocyanates and acid anhydrides**, reaction investigation with <sup>14</sup>C, L2, 15
- Isoflavanones**, structure of sophorol, L19, 16
- Isoflavone**, 5,7-dihydroxy-6-methoxy-derivatives, synthesis, L5, 6
- Isolongifolene**, prep., 8, 42
- Isomerism**, *cis-trans* of steroidal  $\Delta^{17(20)}$  enol acetates, 8, 145  
 geometrical of diaryl ketimine derivatives, interplay of steric and electronic factors, 9, 210
- Isomerization**, in dicyclopentadiene series, L11, 5  
 of cyclopropylcarbinol and cyclobutanol, 11, 171  
 photochemical, of provitamin D, 11, 276  
 thermal and, catalysed of chlorinated  $\alpha,\alpha'$ -dichlorostilbenes, 9, 156  
 thermal of citral, L11, 10  
 of thiocyanates and isothiocyanates, L11, 27
- Isomiropinic acid**, identification, 8, 356
- Isomyrtanol**, formation from  $\beta$ -pinene, L21, 9
- Isophyllacladene**, from mirene, L24, 18  
 reaction with Prevost reagent, L17, 9  
 structure, 8, 261
- Isoipimarinic acid**, identity of miropinic acid, 8, 356
- Isoquinoline**, molecular orbital treatment, 8, 23
- Isoquinolines**, hydrogenated, as analgesics, 8, 296, 304, 10, 175
- Isoretamine**, 8-hydroxy-(+)-sparteine epimer, 11, 78
- (+)- $\alpha$ -**Isoparteine**, 11-chloro-, chlorisoretamine structure, 11, 78
- 8-Isotestosterone**, total synthesis, L12, 23
- 10-Isotestosterone**, 19-hydroxy-, synthesis L22, 38
- Isothiocyanates and thiocyanates**, equilibrium, kinetics and isomerization mechanism, L11, 27



- Isotopes**, exchange reactions of alkylmercuric and dialkylmercury halides, L19, 7  
 $O^{18}$  tracer evidence, termination mechanism in autoxidation of cumene, L24, 30  
 secondary effects and mass sensitive amplitudes of vibration, L6, 13  
 solvent effects, for  $H_2O$ - $D_2O$  mixtures, 10, 200  
 of  $D_2O$  and  $H_2O$ , 10, 182
- Jacobine bromhydrin**, molecular structure and absolute configuration, L23, 35
- Jatamansone**, identity with valeranone, L3, 9
- Junipene**, identical with kuromatsuene and longifolene, 9, 237
- Juniperol**, identical with kuromatsuol, macrocarpol and longiborneol, 9, 237
- K-bands**, conjugated hydrocarbon systems, effect of terminal  $NO_2$  and  $NH_2$  groups, 10, 109  
 $p$ -polyphenyl series, effect of *para*-substituents, 10, 102  
 thiobenzophenone, effect of substituents, 10, 119
- Kaurene**, structure, L24, 18
- Ketimine derivatives**, diaryl, geometrical isomerism, interplay of steric and electronic factors, 9, 210
- 8-Ketodicyclopentadiene**, rearrangement, L22, 29
- Ketones**, cycloaliphatic, catalysed reactions with diazomethane, L13, 30  
 from catalytic oxidation of secondary alcohols, 9, 67  
 from phyllocladene, 11, 226  
 reactions in strong alkali, 8, 246  
 synthesis, C-alkylation of triphenyl-phosphin-alkenes, L4, 7  
 Schmidt reaction, mechanism, 9, 210  
 $\alpha,\beta$ -unsaturated, reaction with diazomethane, L5, 1
- Ketophenol**, nimbol structure, 10, 45
- 20-Ketopregnanes**, formation from, of *gem*-methoxy hydroperoxy compds., 9, 145
- $\Delta^4$ -Ketosteroids**, enolethers, reaction with polyhalomethanes, 9, 149  
 $6\alpha$ -methyl-, synthesis and biological activity, 9, 149
- 20-Ketosteroids**, photochemical reactions, L4, 10
- syn*-Ketoximes**,  $\alpha$ -aminoacetophenone, *cis*-elimination during fragmentation, L26, 22
- Kinetics**, chromic acid oxidation of diphenylmethane, 8, 331  
 controlled carbonium ion reactions, products formed, L16, 19  
 of benzilidene aniline hydrolysis in presence of cationic detergent salt, L1, 7  
 of bimolecular substitution by anionic bases in alcohol-water mixtures, L24, 1  
 thiocyanate and isothiocyanate isomerization, L11, 27
- Kuromatsuene**, identical with junipene and longifolene, 9, 237
- Kuromatsuol**, identical with juniperol, macrocarpol and longiborneol, 9, 237
- Lactams**,  $\alpha,\beta$ -unsaturated, photodimerization, L25, 1
- Lactose**, action of *Penicillium chrysogenum*, 9, 125
- Lariciresinols**, from *Picea excelsa*, configuration L20, 1
- LCAO treatment**, acidity of hydrocarbons, L6, 23
- $\alpha$ -Lecithin** "mixed acid" synthesis, L9, 1
- L- $\alpha$ -Lecithins**, "mixed acid," partial synthesis, L22, 7
- Lecithins**, synthetic, synthesis, L9, 1
- Lespieau reaction**, synthesis of heterocyclic diacetylenes, L26, 25
- Lewis acid-nitro compd.** system, strong electron acceptor, L9, 5
- Lichen acid**, siphulin, chromanone type, proposed structure, L4, 1
- Lignans**, of *Picea excelsa*, L20, 1
- Linoleic acid**, alkali fusion, 8, 239
- Lithium organic reagents**, reaction with perfluorovinyl derivatives of tin and silicon, L22, 20  
 reaction with dichlorodiphenylsilane, formation of dodecaphenylcyclohexasilane, L23, 5  
 solution in amines, reduction of aromatic hydrocarbons to mono-olefins, L16, 1
- Lithium hexaphenyl antimonide**, dissociation, 10, 37
- Lithium piperidide**, action in benzyne formation from fluorobenzene, 9, 29  
 and phenyllithium, efficiency in formation of arynes, 9, 29
- Longiborneol**, identical with juniperol, macrocarpol and kuromatsuol, 9, 237
- Longicamphor**, 8, 43
- Longifolene**, hydration, 8, 42  
 identical with junipene and kuromatsuene, 9, 237  
 NMR, 9, 1
- Lumisterol**, provitamin D, previtamin D and tachysterol, photochemical interconversions, 11, 276
- Lunarine**, degradation, isolation of spermadine, L18, 36
- Lycodine**, structure, L20, 9
- Lycopodium alkaloids**, biogenesis, L10, 34  
 structure, stereochemistry and interrelationship, L20, 13
- Lycorenine**, lycorine, caranine and pluviine, configurational relationship, 11, 89
- Lycorine**, caranine, pluviine and lycorenine, configurational relationship, 11, 89
- Lycotonine**, chemistry, 9, 284
- Lysolecithins**, acylation to "mixed acid"  $\alpha$ -lecithins, L9, 1
- $\gamma$ -Lysolecithins**, acylation to "mixed acid" lecithins, L22, 7
- Macrocarpol**, identical with juniperol, kuromatsuol and longiborneol, 9, 237
- Maleic acid**, photodimerization to cyclobutane derivatives, L3, 13

- Maleic anhydride**, addition to benzene and aromatic compds., L21, 1
- Manoyloxide**, stereochemistry, 10, 71
- Mass law effect**, in solvolysis of *p*-chlorobenzhydrylchloride, L22, 12
- Mass Spectrometry**, detn. of sarpagine carbon skeleton, L15, 9
- Mechanism**, autoxidation of cumene, O<sup>18</sup>tracer evidence, L24, 30  
bromination and mercuration in isoquinoline, 8, 23  
chromic acid oxidation of diphenylmethane, 8, 330  
formation of camphor from homocamphoric acid, L2, 19  
hydride transfer reactions, L21, 20  
isotope exchange reactions of dialkylmercury and alkylmercuric halides, L19, 7  
organic reactions in strong alkalis, 8, 221, 239, 246  
polymerization of ethylene with Ziegler-Natta catalysts, L17, 12  
thiocyanate and isothiocyanate isomerization, L11, 27  
warfarin formation from 4-hydroxycoumarin and  $\beta$ -anilinobenzylacetone, L13, 23  
Wittig reaction, 9, 130
- Melia azadirachta**, constituents, 10, 45  
nimbin structure investigation, 11, 67
- DL-Menthone**, bromination, 11, 219
- Mercuration**, of isoquinoline, new mechanism, 8, 23
- Mercuric compds**, organic, unsymmetrical, reaction with free radicals, L3, 25
- Mercuridesilatation**, application, electrical effects of alkyl groups on an aromatic ring, L15, 1
- Mercury compds.**, mechanism of isotope exchange reactions of dialkylmercury and alkylmercuric halides, L19, 7
- Mesquitic acid acetate**, reduction, L7, 20
- Metagenin**, structure, L3, 1
- Metalloocene reactions**, role of metal atom, L13, 1
- Metallorganic compds.**, cyclopentadienyltrimethyltitanium prep., L14, 19
- 4,7-Methanoinden-8-one**, 4,5,6,7-tetrachloro-3a,4,7,7a-tetrahydro-, isomerization, L11, 5
- Methyl diazoacetate**, reaction with *cis*- and *trans*-butene, 10, 65
- Methyl group**, intermolecular exchange, trimethylaluminium in cyclopentane, L27, 25
- Methyl transfer**, in biosynthesis of novobiocin and actinomycin, L25, 26
- 2-Methylalanine**, peptide synthesis from, 11, 39
- Methylation**, transannular, of 2-amino-4-hydroxypteridine, L25, 17
- 1(3)-Methylazulenes**, hydride hyperconjugation, L27, 1
- 2-Methylbutane**, 1-chloro-, (–)-*trans*-1,2-dimethylcyclopropane from, 11, 272
- Methylcarbazoles**, 2- and 4-trifluoro-, synthesis, 8, 73, 79
- Methylcyclohexane**, reaction with Co, 10, 55
- 2-Methylcyclohexanone**, prep., 10, 55
- Methylcyclopentane**, reaction with Co, 10, 55
- Methylcyclopropane**, from isobutyl chloride, 11, 266
- Methylene**, addition to butyne-2, 10, 65
- Methylenecycloheptatriene**, *see* Heptafulvene.
- Methylenecyclohexadienones**, *see* Quinone methides,
- Mevalolactone**, fluorine derivatives, L8, 20
- Michael reaction**, reactivity of Schiff base intermediates, L13, 23
- Mirene**, conversion to isophyllocladene, L24, 18  
structure, 11, 226; L24, 18
- Miropinic acid**, identification, 8, 356
- MO-CCAO**, semi-empirical, application to indoxazene and anthranil, 10, 81
- Molecular deformation**, in cyclooctadecanonaene, 11, 125
- Molecular orbital calculations**, non-classical aromatics, 11, 121
- Molecular orbital treatment**, of isoquinoline, 8, 23
- Molecular structural analysis**, as a means of determining interaction energy of non-bonded atoms, 9, 183
- Molecular structure**, and estrogenic activity of substituted ethylenes, 8, 205
- Molecules**, excited states, hyperconjugation in, L2, 1  
organic, electronic spectra and interpretation, 10, 102, 109, 118
- Monascorubrin**, proposed structure, L5, 24
- Morphine**, tyrosine incorporation, rate study, L27, 21
- Myristic acid**, from linoleic and stearolic acids, 8, 239
- Myrtanol**, formation from  $\beta$ -pinene, L21, 9
- Naphthalene**, 1,6-dibromo-2,7-dimethoxy-, oxidation, 11, 256
- Naphthalene-2,7-diol**, 1,6-dibromo-, transbromination, 11, 256  
structures of mono- and di-bromination products, 11, 256
- 1,4-Naphthaquinone-6-carboxylic acid**, 3-hydroxy-2-methyl-, structure for oosporein, 10, 148
- Naphthaquinones**, derivatives of naphthalene-2,7-diol, 11, 256
- Naphthol AS-KN**, constitution, 11, 143
- Naphthol AS-RS**, constitution, 11, 143
- Naphthol [2,3-a] pyrene**, homologues, synthesis, 8, 1  
1,2-Naphthylene, formation, 9, 29
- Neoline**, structure, L3, 17
- Neoquassin**, structure, L20, 25
- Neuroscogenin**, structure, L19, 25
- Nepetalinic acids**, stereochemistry, L11, 18
- Nimbin**, structure investigation, 11, 67
- Nimbiol**, from podocarpic acid, L9, 20  
structure, 10, 45; 11, 22
- Nimbiol methyl ether**, synthesis, L9, 16
- Nimboesterol**, identical with  $\beta$ -sitosterol, 10, 45

- Nitro comp.**—Lewis acid system, strong electron acceptor, L9, 5
- Nitro groups**, terminal, effect on electronic spectra of conjugated hydrocarbon systems, 10, 109
- Nitroanthraquinones**, halogen compds., nucleophilic reactions, 8, 107
- Nitrobenzene**, bond lengths, 8, 13  
ionization and dissociation of triphenylchloromethane in, L18, 10
- Nitrogen and Co**, hybridization of *s* and *pσ* orbitals, interpretation of chemical properties, 10, 212
- Nitromethane**—aluminium chloride system, electron attractions by, L9, 5
- Nitrones**, 1,3-dipolar addition, L12, 9
- Nomenclature**, flavonoid, 8, 336  
steroid, 8, 360
- β-Nor-6-aza-6-methylequilenin**, attempted synthesis, 10, 230
- A-Nor-5α-cholestan-1-one**, synthesis, 1, 199
- A-Nor-5α-cholestanes**, stereochemistry, 11, 199
- DL-B-Nor-6-oxaequilenin**, synthesis, 10, 223
- 18-Norsteroids**, DL-18-nortestosterone synthesis, L8, 11
- DL-18-Nortestosterone**, synthesis, L8, 11
- 19-Nortestosterone**, 2-hydroxyestradiol synthesis from, 10, 144
- Novobiocin**, biosynthesis, C-methylation example, L25, 26
- Nucleophilic localization energy**, isoquinoline, 8, 23
- Nucleophilic reactions**, attack on isoquinoline, 8, 29  
of halonitroanthraquinones, 8, 107  
stereochemistry of thiophenol addition to propionic acid and ethyl propionate, L4, 18
- Nucleophilic reagents**, reaction with 2-fluoroethanol, 10, 160  
reactivity with 2-aryl-4-methyl-4-chlorocarbonyloxymethyl-2-oxazolines, 9, 175
- Nucleophilicity** in bimolecular nucleophilic substitution, L9, 24
- Obacunone**, chemical constitution, L8, 1
- β-Obcurine**, relationship to lycodine, L20, 9
- α- and β- Obcurine**, structures, L10, 19
- Octadecanoic acid**, alkali fusion, 8, 227  
9, 10-dihydroxy-, alkali fusion, 9, 247  
10- and 12-hydroxy-, dehydrogenation, 8, 253  
10-oxo- and hydroxy-, alkali fusion, 8, 249  
12-oxo- and hydroxy-, alkali fusion, 8, 247  
9,10,12-trihydroxy-, alkali fusion, 9, 250
- Octafluorocyclohexa-1:4-diene**, reaction with oleum, 8, 38
- Octahydroanthracene**, symmetrical, prep., 8, 1
- Octahydrodimethanonaphthyl ion**, non-classical homocyclopropenyl cation formation, L25, 4
- 1,2,3,4,4a,5,6,7-Octahydronaphthoic acid**, 7-keto-methyl ester, prep., 8, 163
- Octahydrophenanthrene**, condensation with terephthalyl chloride, 9, 96
- α-Octyl-α-hydroxysebacic acid**, prep. and benzilic rearrangement, 9, 246
- Olefinic unsaturation**, detn. in mono- and poly-sulphides, 9, 58
- Olefins**, diacylation, prep. of pyrylium salts, L2, 7  
mono-, by reduction of aromatic hydrocarbons L16, 1  
proportions in E<sub>2</sub> eliminations, effect of leaving group, L18, 1  
steroid, *cis*-addition of fluorine, L20, 34
- α-Olefins**, polymerization, 8, 86
- Oleic acid**, alkali fusion, 8, 224
- Oligopeptides**, open chain, synthesis, 11, 39
- Oligosaccharides**, of amino sugars, synthesis, 9, 116
- Olivacine**, structure, L1, 18
- Oosporein**, degradation to tomichaedin, 10, 148
- Optically active compds.**, steric correlations by quasi-racemate method, 8, 126
- Organolithium reagents**, reaction with perfluorovinyl derivatives of tin and silicon, L22, 20
- Organometallic alkenyl compds.**, geometrical isomers of stibinous and stibinic propenyls L8, 23
- Orgels** parameters, use in MO-LCAO calculations, 10, 81
- 1,3,4-Oxadiazoles**, 2,5-disubstituted, synthesis, 11, 241  
synthesis, 11, 241
- 2-Oxazolines**, 2-aryl-4-methyl-4-chlorocarbonyloxymethyl-, chemical reactivity and I.R. Spectra, 9, 175
- Oxidation**, auto-, of cumene, mechanism, L24, 30  
catalytic, of primary and secondary alcohols, 9, 67  
chromic acid, of diphenylmethane, kinetics, 8, 331  
hydrogen-abstraction theory, 8, 350  
KmnO<sub>4</sub>, of aromatic trifluoromethyl alcohols, deuterium isotope effect, L2, 28  
organic sulphides with optically active peroxy acids, L6, 20  
perbenzoic acid, isomeric *p*-dimethylamino-phenylazopyridines, 9, 194  
processes, mechanisms, 8, 350  
steroidal allylic alcohols to αβ-unsaturated ketones, L9, 14
- Oximation**, of *o*-alkylbenzophenone, 9, 210
- Oxodicyclopentadienes**, rearrangements, L22, 29
- 9-Oxoheptadecanoic acid**, prep., 9, 246
- 13-Oxopodocarpene**, 8β-carbomethoxy-, stereospecific total synthesis, L17, 1  
8β-carboxy, from isophyllocladene, 8, 261
- 13-Oxopodocarp-8(14)-ene**, from isophyllocladene 8, 261
- Ozonation**, polycyclic aromatics, effect of solvent, L13, 14
- Ozone**, reaction with organic hydroperoxides, L14, 1
- Ozonides**, solvolysis, L26, 30
- Papilionaceae**, alkaloids, 11, 78

- Pectic acid acetate**, reduction, L7, 22
- Penicillium chrysogenum**, action on lactose, 9, 125
- Pent-2-ene**, *cis* or *trans*-2-methyl-2-(6'-methoxy-2'-naphthyl)- prep., 8, 150
- Pent-3-enoic acid**, 2-methyl-3-(6'-methoxy-2'-naphthyl)-*cis* or *trans* ethyl ester, prep., 8, 150
- Pentacenes**, synthesis, L1, 5
- Pentamethincyanines**, trinuclear, dyes, 9, 106
- Pentanoic acids**, *threo*- or *erythro*-2-methyl-3-(6'-methoxy-2'-naphthyl)-, prep., 8, 150
- Pentaphenyl antimony**, by dissociation of lithium hexaphenyl antimonide, 10, 37
- Peptides**, amino-oxy, DL-canaline derivatives, L18, 28  
from 2-methyl-alanine, 11, 39  
of amino alkyl sulphonic acids, synthesis, 9, 289  
synthesis, L14, 9
- Peracids**, formation by acidolysis of ozonides, L26, 34
- Perchlorostilbenes**, *cis*- and *trans*-, thermal stereomutation, 9, 156
- Peropyrene**, benzologues and other derivatives, 10, 26
- Peroxy acids**, optically active, oxidation of organic sulphides, L6, 20
- Peroxy compounds**, copper salt catalysed reactions of *t*-butyl perbenzoate with benzyl ethers, L2, 4
- Petroselenic acid**, alkali fusion, 8, 226
- Phaseolus multiflorus**, isolation of gibberellins A<sub>1</sub> and A<sub>2</sub>, 11, 60
- Phenanthro [2,3-a] pyrene**, formylation, 8, 7
- 9,10-Phenanthryne**, formation, 9, 29
- 6 $\beta$ -Phenoxypregnan-3 $\beta$ ,5 $\alpha$ -diol-20-one-3 acetate**, prep. and conversion to 6 $\alpha$ -phenoxyprogesterone, 8, 116
- 6 $\alpha$ -Phenoxyprogesterone**, prep., 8, 116
- Phenyl groups**, effect on absorption spectra of pyrilium salts, 9, 167
- Phenylalkyl series**, direct nucleophilic substitution, L12, 18
- Phenylation**, of dimedone, di- and tri-benzoyl-methane, 8, 49
- Phenylazopyridines**, isomeric *p*-dimethyl-, amino oxidation, 9, 194
- Phenylcarbene**, from benzyl chloride and *N*-butyllithium, L24, 26
- 4-Phenylcyclohepta-1,3-dione**, prep. and prop., 11, 154
- 2-Phenylcyclopentanone**, 2-acetyl-, prep. and prop., 11, 154
- Phenyllithium** and lithium piperidide, efficiency in formation of arynes, 9, 29  
by dissociation of lithium hexaphenyl antimonide, 10, 37
- Phenylpyrazoles**, substituted, formation from 2-diazoacetophenone, L17, 22
- 5-Phenyltetrazole**, condensation with *p*-cyanobenzoyl chloride, 11, 241
- Phenyltrifluoromethyl carbinols**, KMnO<sub>4</sub> oxidation, deuterium isotope effect, L2, 28
- Phosphonium fluorenylide**, trimethyl- and tri-n-butyl, prep., 9, 130
- Phosphorus compds.**, organic, application of Hammett equation, 9, 15
- Phosphorus thio-acids**, acidity and structure, 9, 10  
synthetic methods and ionization constants, 9, 17
- Photochemical reactions**, bicyclo [2.2.0]-hexane synthesis, L21, 24  
cyclization of azobenzene, L9, 12  
interconversions, of provitamin D, previtamin D, tachysterol and lumisterol, 11, 276  
of 20-ketosteroids, L4, 10  
maleic anhydride addition to benzene and other aromatic compds., L21, 1  
reduction of CO<sub>2</sub>, L18, 22
- Photochlorination**, of perchlorostilbenes, 9, 156
- Photodimerization**, of maleic and fumaric acid derivatives, L3, 13  
of *N*-methyl-2 piperidone, L25, 1  
of  $\alpha,\beta$ -unsaturated lactams, L25, 1
- Photolysis**, of aromatic disulphides, 10, 76
- Phyllocladene**, degradation product, total synthesis, L18, 24  
isomerization to isophyllocladene and reaction with Prevost reagent, L17, 9  
ketones from, 11, 226  
stereospecific total synthesis of DL-8 $\beta$ -carbomethoxy-13-oxo-podocarpene, L17, 1
- Picea excelsa**, lignans, L20, 1
- Picrotoxinin**, molecular structure and absolute configuration, L19, 21
- Pigments**, fungus, 10, 135  
spinochrome E structure, L1, 11  
DL-Pimaradiene, synthesis, L25, 37
- Pimaric acids**, ring C substitution pattern, L25, 37
- $\beta$ -Pinene**, hydroboration, L21, 9
- Pinoselinols**, absolute configuration, L20, 3  
from *Picea excelsa*, configuration, L20, 1
- Piperidones**, conformation of 4-hydroxy compds., L14, 23
- Pithecolobine**, structure, L16, 11
- Plants**, higher, ureide biosynthesis, L25, 32
- Pluviine**, lycorine, caranine and lycorenine, configurational relationship, 11, 89
- Podocarpaceae**, chemistry, part V, 8, 356  
( $\pm$ )-5,7,13(14)-Podocarpatriene, 6-methoxy-7-methyl-, synthesis, L9, 16
- Podocarpic acid**, conversion to nimbiol, 11, 22; L9, 20
- Podocarpus ferrugineus**, miropinic and isomiropinic acids from, 8, 356
- Polyalkylbenzenes**, aromatic halogenation, reaction selectivity, hydrogen isotope effect and steric hindrance, L23, 30
- Polyaryls**, synthesis, with alternating phenyl and 1,3,4-oxadiazole rings, 11, 241
- Polycyclic compds.**, aromatic, ozonation, effect of solvent, L13, 14
- Polyene**, cyclic, C<sub>18</sub>H<sub>18</sub>, molecular deformation, 11, 125
- Polyfluorocyclohex-anes, -enes and dienes**, defluorination, 9, 240

- Polyhatomethanes**, reaction with enolethers of A<sup>4</sup>-3-ketosteroids, 9, 149
- Polymerizations**, co-ordinated, anionic, 8, 96  
 ionic, stereospecificity, 8, 99  
 ethylene, reaction mechanism with Ziegler-Natta catalysts, L17, 12  
 HCN tetramer, structure, L6, 17  
 ionic, organometallic complexes as catalysts, 8, 86
- Polypropylene**, isotactic, formation with Ziegler-Natta catalysts, L17, 17
- Porphyrim**, NMR resonance spectra, L2, 23
- Porphyrim  $\alpha$** , position of formyl group, 8, 266
- 5,16-Pregadiene-20-one**,  $3\beta$ -acetoxy- $12\beta$ -hydroxy- $12\alpha$ -methoxy-, prep., 10, 238
- 5,16-Pregadiene-12,20-dione**,  $3\beta$ -acetoxy-, prep. from gentrogenin, 10, 238
- Pregnane derivatives**, total synthesis, L17, 27
- 5 $\alpha$ -Pregn-16-en-2-one**,  $3\beta$ -acetoxy-, synthesis of solanum alkaloids, L27, 5
- 5 $\alpha$ ,16-Pregnene-12,20-dione**,  $3\beta$ -acetoxy-, prep. from hecogenin, 10, 238
- 5 $\alpha$ ,16-Pregnene-20-one**,  $3\beta$ -acetoxy- $12\beta$ -hydroxy- $12\alpha$ -methoxy-, prep., 10, 238
- $\Delta^{16}$ Pregnenes**, 16-methyl, formation from of 16 $\alpha$ -methyl-17 $\alpha$ -hydroxy pregnane, 8, 217
- Pregnenolone acetate- $\alpha$ -epoxide**, fission with boron trifluoride etherate, 8, 116
- Previtamin D**, provitamin D, lumisterol and tachysterol, photochemical interconversions, 11, 276
- Prevost reaction**, action of silver iodobenzoate on isophyllocladene, L17, 9
- Progesterones**, 16-methylene, synthesis, L16, 21
- Propenyl compds.**, stibinous and stibinic, geometrical isomers, L8, 23
- Propiolic acid**, and ethyl ester, stereochemistry of nucleophilic addition of thiophenols, L4, 18
- Propionic acid**, 2(2'-hydroxy-4'-methylcyclohex-1'-yl)-synthesis of stereoisomeric lactones, 9, 295
- 1-Propionic acid**,  $\alpha$ -amino- $\beta$ -(pyrazoyl-N)-, synthesis, 11, 231
- 3-Propionic-2,4,5-pyrrolettricarboxylic acid**, by degradation of porphyrins, 8, 266
- Protonation**, of indoles, position, L21, 12
- Provitamin D**, lumisterol, provitamin D and tachysterol, photochemical interconversions, 11, 276
- Pschorr reaction**, prep. of carbazoles, 8, 79
- Pteridine**, 2-amino-4-hydroxy-, transannular methylation, L25, 17
- 2-Pyridone**, N-methyl-, photodimerization, L25, 1
- Pyrylium salts**, alkyl- and phenyl-, absorption spectra, 9, 163  
 prep. by olefin diacylation, L2, 7
- Pyromycinone**, identity with rutilantinone, L8, 25  
 position of carbomethoxy group, L8, 25
- Quabagenin**, from 1 $\alpha$ ,11 $\alpha$ -epoxy-steroids by transannular substitution, L27, 31
- Quasi-racemate method**, steric correlations of optically active compds., 8, 126
- Quassin**, structure, L20, 25
- Quinolines**, hydrogenated, analgesics, 8, 296, 304; 10, 175
- Quinone methides**, prep. and behaviour, L25, 9
- R-bands**, thiobenzophenone, effect of substituents, 10, 123
- Racemization**, in solvolysis of *p*-chlorobenzhydyl chloride, L22, 12  
 rate, of *p*-chlorobenzhydyl chloride in acetone, L2, 31
- Radiation**, <sup>60</sup>Co- $\gamma$ -, reduction of CO<sub>2</sub>, L18, 17
- Radical localization energy**, of isoquinoline, 8, 23
- Radicals**, free, and unsymmetrical organomercuric compds., reactions, L3, 25  
 effect of copper salts, L2, 4
- Radioactive chloride exchange** of *p*-chlorobenzhydyl chloride in acetone, L2, 31
- Radioactive diacyl compds.**, reaction of isocyanates and acid anhydrides with <sup>14</sup>C, L2, 15
- Reduction**, <sup>60</sup>Co- $\gamma$ -radiation, CO<sub>2</sub> in aqueous solution, L18, 17  
 diborane, of carboxyl groups in carbohydrates, L7, 17  
 selective, by lithium-amine systems, L16, 1  
 metallic, of camphor to isoborneol, L21, 16
- Resonance**, and conjugation, 11, 96  
 and polar effects, separation in reaction of chlorine atoms, 8, 101  
 energy, of dibenzodiphenylene and *cis*-isomer, 10, 41  
 in arylazopyridine systems, 9, 194  
 in benzene derivatives, 8, 13  
 steric enhancement, L25, 21  
 steric inhibition, to thermal stereomutation of *cis*- and *trans*-perchlorostilbenes, 9, 156  
 substituent and solvent effects on  $n \rightarrow \pi^*$  ( $U \leftarrow A$ ) transition in aliphatic carbonyl derivatives, L2, 1
- Retamine**, chemistry and stereochemistry, 11, 78
- Rhodanines**, substituted, N-glucosyl derivatives, L6, 10
- Ricinoleic acid**, fission in strong alkali, 8, 246
- Rimuene**, structure observations, L25, 37
- Royal jelly acid**, synthesis, L4, 15
- Rutilantinone**, identity with pyromycinone, L8, 25
- Ryanodine**, skeletal structure, L15, 31
- Samogenin** from metagenin, L3, 1
- DL-Sandaracopimaradiene**, synthesis, L25, 37
- Santonin**, configuration, 8, 193
- Sapogenins**, kogagenin, structure, 10, 1  
 metagenin structure, L3, 1  
 12-methyl hemiketals from 12-keto-16-dehydropregnenes, 10, 238  
 neoruscogenin, structure, L19, 25  
 nomenclature, 8, 360

- Sarpagine**, carbon skeleton, detn. by mass spectrometry, L15, 9
- Saussurea lappa**, sesquiterpene lactone, costunolide structure, 9, 275
- Schiff bases**, reactivity as intermediates in Michael reaction, L13, 23
- Schmidt reaction**, between hydrogen azide and ketones, mechanism, 9, 210
- Schöpf-ochler scheme** for vasicine synthesis, L25, 44
- Selagine**, structure, L10, 26  
proof, L12, 14
- Selinane**, *see* Eudesmane
- Sesamins**, absolute configuration, L20, 3
- Sesquiterpenes**, ( $\pm$ )-cadinene dihydrochloride synthesis, L27, 27  
carotol structure, 8, 271  
costunolide structure, 9, 275  
eudesmane, stereochemistry, 8, 181  
from cupressales, 9, 237  
proton magnetic resonance spectra, 9, 1  
studies—XVI, 8, 171  
studies—XVII, 8, 42  
valeranone constitution, L7, 9
- Silicon**, perfluorovinyl derivatives, reaction with organolithium reagents, L22, 20
- Siphulin**, lichen acid, chromanone type, proposed structure, L4, 1
- $\beta$ -Sitosterol**, identical with nimbosterol, 10, 45
- Skatole**, basicity relative to 2-methylindole, L21, 14  
dimer, structure, L26, 13
- Sodium**, reaction with dichlorodiphenylsilane, formation of dedecaphenylcyclohexasilane, L23, 5
- Solanocapsin**, absolute configuration at C-25, L27, 9
- Solanum** alkaloids, synthesis from 3 $\beta$ -acetoxy-5 $\alpha$ -pregn-16-en-20 one, L27, 5
- Solvents**, effects, reactions of free radicals and atoms, 8, 101  
isomer distribution in chlorination of aromatics, L13, 9  
ozonation of polycyclic aromatics, L13, 14  
 $n \rightarrow \pi^*(U \leftarrow A)$  transition in aliphatic carbonyl derivatives, L2, 1  
isotope effect, D<sub>2</sub>O and H<sub>2</sub>O, 10, 182  
H<sub>2</sub>O—D<sub>2</sub>O mixtures, 10, 200  
kinetics of bimolecular substitution by anionic bases in alcohol-water mixtures, L24, 1
- Solvolysis**, of  $\gamma$ -aminopropyl chlorides, L23, 25  
of *p*-chlorobenzhydryl chloride, ion pairs, racemization, chloride exchange and mass law effect, L22, 12  
of cyclopropylcarbonyl chloride, 11, 171  
of ozonides, L26, 30
- Sophorol**, structure, L19, 16
- Sparteine**, 8-hydroxy-, retamine and isoretamine epimers, 11, 78
- (+)-**Sparteine**, 8-chloro-, chlororetamine structure, 11, 78
- Spectra**, absorption, 4-aminoazobenzene and derivatives, 10, 130  
alkyl- and phenyl-substituted pyrylium salts, 9, 163  
isomeric *p*-dimethylamino-phenylazo-pyridines, 9, 194  
molecular complexes, 10, 96  
charge resonance, substituent effects in 1,1-dinitroalkane anions, L27, 17  
electronic, conjugated hydrocarbon systems, effect of terminal NO<sub>2</sub> and NH<sub>2</sub> groups, 10, 109  
organic molecules and their interpretation, 10, 102, 109, 118  
*p*-terphenyl and derivatives, 10, 102  
thiobenzophenone and derivatives, interpretation, 10, 118
- I.R.**, 1-amidine-3-aryleneas, 10, 15  
2-aryl-4-methyl-4-chlorocarbonyl-oxy-methyl-2-oxazolines, 9, 175  
cadinene dihydrochloride, L27, 29  
carotol, 8, 271  
costunolide, 9, 277  
cyclobutadiene silver nitrate, L26, 35  
fluorene derivatives, 11, 252  
humulene, 9, 8  
intensity measurements on diazocompounds, 11, 285  
ionic solutions, 10, 188  
3-methoxy-10-oxo-8-aza-des-N-morphinan, 10, 175  
12-methyl hemiketals, 10, 238  
N-methyl-8-aza-des-N-morphinan, 8, 299, 307  
quassin and neoquassin, L20, 25  
thelephoric acid, 10, 135  
verbenaal, L26, 7  
zerumbone, 8, 175
- NMR**, of C-dihydrotoxiferine, L26, 3  
18,20-cyclasteroids, L4, 13  
cyclopenta[c]thiapyran, 5,7-dichloro- and 5,7-dithiocyanocyclopenta[c]thiapyran, L2, 13  
humulone, 9, 272  
indoles, L21, 12  
longifolene, zerumbone, humulene and their hydroderivatives, 9, 1  
porphyrin, L2, 23  
quassin and neoquassin, L20, 25  
ring A structure of cucurbitacin B, L15, 15  
ruscogenin and neoruscogenin, L19, 25  
sesquiterpenes, 9, 1  
trimethylaluminium in dimethylcadmium, L27, 25
- U.V.**, and estrogenic activity in substituted ethylenes, 8, 205  
2,5-disubstituted 1,3,4-oxadiazoles, 11, 241  
ergosterol, 11, 281  
heptafulvene, 11, 188  
indoles, L21, 12  
lumisterol, tachysterol and ergosterol, 11, 281  
12-methyl hemiketals, 10, 238

- Spectra**, U. V. (*continued*)  
 N-methyl-2-pyridone dimer, **L25**, 1  
 quassin and nequassin, **L20**, 25  
 quinone methides, **L25**, 13
- Spermidine**, by degradation of lunarine, **L18**, 36
- Spinochrome E**, hexahydroxynaphthaquinone structure, **L1**, 11
- 25D-Spirostane-1 $\beta$** , **2 $\beta$** , **3 $\alpha$** , **5 $\beta$ -tetrol**, kogagenin structure, **10**, 1
- 25D,5 $\beta$ -Spirostane-2 $\beta$ ,3 $\beta$ ,11 $\alpha$ -triol**, metagenin structure, **L3**, 1
- Stearolic acid**, alkali fusion, **8**, 239
- Stereochemistry**, A-substituted A-nor-5 $\alpha$ -cholestanes, **11**, 199  
 absolute configuration of theleopogine methiodide, **L26**, 18  
*cis-trans* isomerism of steroidal  $\Delta^{17(20)}$  enol acetates, **8**, 145  
 configuration of (+)-3-methyl-3-t-butyl-1-chloroallene, **L8**, 16  
 conformational analysis of alicyclic compds., **9**, 40  
 cucurbitacins, **L22**, 23  
 dehydroabietic acid, synthesis of 2 stereoisomers, **L23**, 1  
 2,4-dibromomenthone, **11**, 219  
 erythrinan alkaloids, **L14**, 5  
 eudesmane sesquiterpenes, **8**, 181  
 geometrical isomers of stibinous and stibinic propenyl compds., **L8**, 23  
 guaiol, **L22**, 33  
 guaiol, hepatalinic acids and iridomyrmecins, **L11**, 18  
 jacobine bromhydrin, **L23**, 35  
 lycodine and  $\beta$ -obscurine, **L20**, 9  
 lycopodium alkaloids, **L20**, 13  
 manoyl oxide, **10**, 71  
 N-methyl-8-aza-des-N-morphinan, **8**, 304  
 nucleophilic addition of thiophenols to propiolic acid and ethyl propiolate, **L4**, 18  
 quasi-racemate method, **8**, 126  
 relations between lycorine, caranine, pluviine and lycorenine, **11**, 89  
 retamine, **11**, 78  
 role of metal atom in metallocene reactions, **L13**, 3  
 saponogens and alkaloids, **8**, 360  
 sesamins and pinoresinols, absolute configuration, **L20**, 3  
 solanocapsin, absolute configuration at C-25, **L27**, 9  
 total synthesis of DL-8 $\beta$ -carbomethoxy-13-oxopodocarpene, **L17**, 1  
 verbenalin, **L26**, 10
- Stereoselective synthesis**, of estrone, **L5**, 20
- Steric enhancement**, of resonance, **L25**, 21
- Steric hindrance**, in aromatic halogenation of polyalkylbenzenes, **L23**, 30  
 in thermal and catalysed isomerizations of chlorinated  $\alpha,\alpha'$ -dichlorostilbenes, **9**, 156
- Steroids**,  $\Delta^4$ -3 $\beta$ -alcohol, *cis*-addition of fluorine, **L20**, 34
- Steroids** (*continued*)  
 allylic alcohols, oxidation to  $\alpha\beta$ -unsaturated ketones, **L9**, 14  
 contraction of 6- to 5-membered rings, **11**, 199  
 $\Delta^{17(20)}$  enol acetates, *cis-trans* isomerism, **8**, 145  
 5,6-epoxides, fission reactions induced by boron trifluoride etherate, **8**, 116  
 16 $\alpha$ ,17 $\alpha$ -epoxides, ring opening, **L17**, 34  
 1 $\alpha$ ,11 $\alpha$ -epoxy-, transannular substitution to quabagenin, **L27**, 31  
*gem*-methoxy hydroperoxy, formation, **9**, 145  
 heterocyclic, synthesis, **10**, 215, 223, 230  
 19-hydroxy-10-isotestosterone synthesis, **L22**, 38  
 17-hydroxy-20-keto, D-homoannulation, **11**, 163  
 16 $\alpha$ -methyl-17 $\alpha$ -hydroxy, formation, **8**, 217  
 16-methylene, synthesis, **L16**, 21  
 6 $\alpha$ -methylsteroids, synthesis and biological activity, **9**, 149  
 nomenclature, **8**, 360  
 ring A formation, **8**, 163  
 total synthesis of pregnane and androstane derivatives, **L17**, 27
- Stilbene**, *p*-nitro *p'*-amino derivatives, electronic spectra and interpretation, **10**, 109
- Stilbenes**, thermal and catalysed isomerizations, **9**, 156
- Stobbe reaction**, of benzyl ketones, **11**, 158
- Strichnine bases**, biogenetic laboratory synthesis, **L19**, 30
- Structure**, effect on *cis-trans* equilibrium of  $\alpha$ -hydrindanones, **L18**, 4
- Substituents**, effects, in aromatic substitution, **L15**, 1  
 in charge-resonance spectra of 1,1-dinitroalkane anions, **L27**, 17  
 of OMe, OH, NMe<sub>2</sub> and charged O<sup>-</sup> atom on K- and R-bands of thiobenzophenone, **10**, 118  
 on  $n \rightarrow \pi^*(U \rightarrow 'A)$  transition in aliphatic carbonyl derivatives, **L2**, 1  
 on R- and K- bands of thiobenzophenone, **10**, 123  
*para*, effect on K-bands of a *p*-polyphenyl series, **10**, 102  
 terminal NO<sub>2</sub> and NH<sub>2</sub> groups, effect on K-bands of conjugated hydrocarbon systems, **10**, 109
- Substitution**, bimolecular, by anionic bases in alcohol-water mixtures, interpretation of kinetics, **L24**, 1  
 direct nucleophilic, in hydrocarbon chains, transition of polar effects, **L12**, 18  
 electrophilic, mechanism for isoquinoline, **8**, 23  
 nucleophilic bimolecular, ion pairs, nucleophilicity and salt effects, **L9**, 24  
 transannular, quabagenin from 1 $\alpha$ ,11 $\alpha$ -epoxy steroids, **L27**, 31
- Sugiol**, identity of isomiripinic acid, **8**, 356
- Sulphides**, organic, oxidation with optically active peroxy acids, **L6**, 20

- Sulphonic acids**, isomeric, of 2,6-di-*t*-butylpyridine, syntheses and structure, L1, 13
- Sulphoxides**, asymmetrical synthesis, L6, 20
- Sulphur compds.**, acetoacetic acid-dithioketals prep., L11, 1
- condensed thiophenes, synthesis, 9, 76
- involving free-radical reactions, 10, 76
- organic monosulphides, reaction with 2,4-dinitrobenzenesulphenyl chloride, 9, 58
- Tautomerism**, equilibrium, application of Hammett equation, 9, 10
- mono-acid cations of 4-aminoazobenzene and derivatives, 10, 129
- Tectorigenin**, synthesis, L5, 6
- Tellurium trihalides**, aryl, prep., 11, 15
- Terephthalonitrile**, synthesis of 9 ring polyaryls from, 11, 241
- Terephthalyl chloride**, condensation with octahydrophenanthrene, 9, 96
- Terminalia tomentosa*, new triterpene carboxylic acid from, L27, 12
- Terpenes**, steric relations, quasi-racemate method, 8, 137
- Terpenoids**, and related compds., 10, 45
- nimbin structure investigation, 11, 67
- part XXI, 9, 275
- p*-Terphenyl and derivatives, electronic spectra and interpretation, 10, 102
- 5,6:8,9:14,15:17,18-Tetrabenzoheptacene, synthesis, 9, 96
- Tetracyclines**, synthesis of related substances, 11, 52
- 2,3,8,9-Tetrahydroxybenzobis[1,2-b,4,5-b']benzofuran-6,12-quinone, structure of telephoric acid, 10, 135
- Tetrahydrocannabinol**, separation from hashish components, 10, 153
- 1,2,3,4-Tetrahydrodibenzofuran, synthesis of DL- $\beta$ -nor-6-oxaequilenin from, 10, 223
- 1,2,3,4-Tetrahydrodibenzothiophene, 3-cyano-7-methoxy-3-methyl-4-oxo- synthesis, 10, 512
- 2,3,6,7-Tetramethoxyphenanthrene-9,10-dicarbonylimide, synthesis, 9, 53
- Tetrazoles**, formation from  $\alpha$ -diazoacetophenone, L17, 22
- Thebaine**, tyrosine incorporation, rate study, L27, 21
- Telephoric acid**, structure, L16, 4
- structure and synthesis, 10, 135
- Telepogine methiodide**, molecular structure and absolute configuration, L26, 18
- Thiapyrans**, condensed, synthesis, 9, 76
- Thiapyrylium cation**, synthesis, L23, 11
- Thiazole amino acids**, synthesis, L1, 23
- Thioanisoles**, substituted, steric enhancement of resonance, L25, 21
- Thiobenzophenone** and derivatives, electronic spectra and interpretation, 10, 118
- Thiocyanates** and isothiocyanates, equilibrium, kinetics and isomerization mechanism, L11, 27
- Thione-Thiol equilibrium**, 9, 10
- Thiophene isoesters**, of polycyclic carcinogenic hydrocarbons, 9, 76
- Thiophenes**, condensed, synthesis, 9, 76; L6, 30
- Thiophenols**, stereochemistry of nucleophilic addition to propiolic acid and ethyl propiolate, L4, 18
- Thiophenoxytellurine**, prep., 11, 15
- Thiostrepton**, amino acids, synthesis, L1, 23
- Tin**, perfluorovinyl derivatives, reaction with organolithium reagents, L22, 20
- Titanium**, organometallic complexes, synthesis, 8, 86
- Titanium compds.**, cyclopentadienyltrimethyltitanium prep., L14, 19
- Toluene**, chlorination, effect of solvent on isomer distribution, L13, 9
- oxidation to benzyl chloride, mechanism, 8, 350
- p*-Toluenethiol, addition to ethyl propiolate, L4, 18
- Tomentosic acid**, new triterpene acid from *Termentalia tomentosa*, L27, 12
- Tomichaedin**, from oosporein, 10, 148
- Transbromination**, of 1,6-dibromonaphthalene-2,7-diol, 11, 256
- Transmethylation**, in novobiocin and actinomycin biosyntheses, L25, 26
- Trialkylphosphoniumfluorenylides**, prep., 9, 130
- Trianisylethylene**, structure and estrogenic activity, 8, 205
- Triazine ring fission**, 11, 133
- 1,3,5-Triazine derivatives, 11, 133
- Tribenzo[a,c,i]naphhtacene**, formylation, 8, 7
- Tribenzo[a,c,i]pyrene**, synthesis, 8, 1
- Tribenzotetracene**, synthesis, 10, 171
- Tribenzoylmethane**, phenylation, 8, 49
- $\alpha,\alpha,\beta$ -Trichloroethylmethylamine, prep., 11, 1
- Tricyclic compds.**, prep. of 6,7-Benzocoumaran-2-ones, 11, 158
- Trifluoroacetate ethyl ester**, condensation with diethyl succinate, 10, 164
- 5,5,5-Trifluorolaevalic acid, prep., 10, 164
- Trifluoromethyl alcohols**, aromatic, KMnO<sub>4</sub> oxidation, deuterium isotope effect, L2, 28
- 5,5,5-Trifluoropent-3-enoic acid lactone, 4-hydroxy-, prep. and reduction, 10, 164
- 5,5,5-Trifluoropenta-1,3-diene, prep., 10, 164
- 5,5,5-Trifluoropentane-1,4-diol, prep., 10, 164
- Trimethincyanines**, trinuclear, dyes, 9, 111
- unsymmetrical, prep., 9, 106
- Trimethylaluminium** in dimethylcadmium, intermolecular methyl exchange, L27, 25
- Trimethylethylene**, see Amylene.
- 2,4,6-Trimethylpyrylium salts, prep., L2, 7
- 4,5,6-Triphenyl-*v*-triazine, by 1-azido-1,2,3-triphenylcyclopropene rearrangement, L13, 19
- 1,2,3-Triphenylcyclopropene, 1-azido-, rearrangement to 4,5,6-triphenyl-*v*-triazine, L13, 19
- Triphenylchloromethane** derivatives, ionization and dissociation in nitrobenzene, L18, 10



- Triphenylcyclopropenyl azide**, rearrangement to triphenyltriazine, L26, 42
- Triphenylethylenes**, unsymmetrical, estrogenic activity, 8, 205
- Triphenylphosphin-alkenes**, alkylation, ketone synthesis, L4, 7
- Triphenylphosphin-carbomethoxymethylen**, C-alkylation, synthesis of acids, L4, 5
- Triptycen**, prep., 10, 37
- Triterpenes**, new carboxylic acid from *Terminalia tomentosa*, L27, 12
- Tropylium ion**, formation of cycloheptatriene, hydride transfer reactions, L21, 20
- Tropilium salts**, conversion to benzene, 8, 33
- Turbicoryn**, glycoside from *Turbina corymbosa*, L7, 30
- Tylophora asmatica*, chemical examination, 9, 53
- Tylophorine**, structure, 9, 53
- Tyrosine**, rate incorporation into morphine, codeine and thebaine, L27, 21
- U-alkaloid C**, structure, L1, 18
- Undec-10-enoic acid**, alkali fusion, 8, 228
- Undec-10-ynoic acid**, alkali fusion, 8, 243
- Unsaturation**, olefinic, detn. in mono- and polysulphides, 9, 58
- Ureas**, substituted, synthesis, 10, 12
- Ureide biosynthesis**, in higher plants, L25, 32
- Valence bond theory**, as interpretation of asymmetric annulation effects, 9, 202
- Valeranone**, constitution, L7, 9  
identity with jatamensone, L3, 9
- Varrentrapp reaction**, 8, 221, 239, 246
- Vasicine**, synthesis, realization of Schöpf-Oechler scheme, L25, 44
- Verbenalin**, structure, L26, 5
- Vibration amplitude** of deuterium, effect on substitution, L6, 13
- Vitamin D**, photochemical isomerizations, 11, 276
- Warfarin**, formation from 4-hydroxycoumarin and  $\beta$ -anilinobenzylacetone, L13, 23
- Water**, D<sub>2</sub>O and H<sub>2</sub>O, interpretation of isotope effects in mixtures, 10, 200  
structure difference, 10, 182
- Wittig reaction**, mechanism, 9, 130
- X-ray**, analysis, jacobin bromhydrin, L23, 35  
diffraction, absolute configuration of picrotoxinin, L19, 21  
study, cevine configuration, L7, 24
- Ylids**, chemistry, 9, 130
- Zanthoxylum shetsa* DC, alkaloids, 8, 293
- Zapotin**, structure, 9, 139
- Zapotinin**, structure, 9, 139
- Zerumbone**, monocyclic sesquiterpene ketone, 8, 171  
NMR, 9, 1
- Ziegler-Natta catalysts**, formation of polypropylene, L17, 17  
reaction mechanism in ethylene polymerization, L17, 12
- Zingiber zerumbet*, isolation of sesquiterpene, 8, 171
- Zwitterion compds.**, azomethin-imines, L12, 1, 5  
synthesis, L12, 1