

SUBJECT INDEX

Volume 23, 1967

- Acacia**
gums, structures, 193
karroo gum, structure, 1473
- Acerosin**, isolation, structure and synthesis, 3557
- Acetaldehyde**
Tischenko reaction with aluminium isopropoxide, 825
kinetics, 715
- Acetic acid**, trichloro- and tribromo-, reactions with imines and methylenebisamine derivs, 1713
- Acetoacetate**, ethyl, reaction with maleic anhydride, 4117
- Acetogenins**, model for the biosynthesis of aromatic natural products, synthesis from pyrones, 3435
- Acetolysis** of allylic bromide of Δ^3 -cyclohexene series, 2721
- Acetylacetone**, reaction with maleic anhydride, 4117
- Acetylation**
and trifluoroacetylation of steroids at C-16, 335
C—, reversibility in Friedel-Craft reaction, 841
of 4-hydroxy-3-bromoflavan, 341
of lamiol yields penta-O-acetyl-lamiol and hexa-O-acetyl-lamiol, 4713
of some furan and thiophene derivs, relative rates, 1739
study of the reversibility by means of ^{14}C —labelling, 841
- Acetylene**, bromo- and iodo-, steroidal derivs, prep, 4111
- Acetylenes**, stereospecific reduction, 4509
- Acetylenic alkoxy β -ketoesters**, conversion to substituted furan derivs, 3687
- Acid chlorides**, α,β -unsaturated, reaction with enamines, 3151
- Acidity** of cyclic acylals of substituted methylenemalononic acids, 2221
- Acrylonitrile**, halogenated derivs, reaction with arylsulphinated salts, 1145
- Acryloyl chloride**, reaction with enamines, 3151
- C-Acylation**, reversibility, 841
- Acyl migration**, O- to N-acetyl migration, 863
- Addition reactions**
cycloaddition, diphenylketene, with amidines, 957
1,3-dipolar, with formaldoxime, synthesis of isoxazolidines, 2641
1,4-dipolar, a new synthesis of 3,5-dithoxycarbonylpyridine, 2641
of dichlorocarbene, 1479
of alkyl halo ketenes, 4251
photoaddition of monochloramine to cyclohexene, 1509
- Adducts**, chemistry, 2159
- Alantolactone**, tetrahydro-, synthesis, 1985
- Alantolactones**, transformation products, 2469
- Alcohols**
acetylation with $\text{H}_2\text{SO}_4\text{-Ac}_2\text{O}$, 1647
containing Ph groups, reaction with lead tetraacetate, 3095
tertiary, lead tetraacetate oxidation, 3583
- Aldehydes**
aromatic, reaction with trialkyl phosphite, 2067
5-isoxazolepolyene, synthesis, 4697
 α,α -unsaturated, reactions with cyanohydrins, 1311
- Aldgarosides A and B** carbonate sugars from aldgamycin E. structure, 3893
- Alkaloids**
2-acylindole, biosynthesis, 1
akuamma, aspidodasycarpine, picaline, zinc-hydrochloric acid reduction, 1971
aporphine with two oxygen substituents in D ring, synthesis, 2683
argemonine, 4209
Buxus, 4563
cinchona, Hofmann degradation, 3253
Claviceps paspali, structure and prop, 11
Colletia spinosissima, 1139
corynantheidine-type, 365
evocarpine, 1873
Hunteria umbellata, structure and mass spectra, 3809
hydroxyskytanthines I and II, 3147
indole, configuration of paynantheine and hirsutine, 1043
from Gambir, 3129
methyl 2-(2-indolyl)-1-(4-[1-ethyl-3-ethylidene]-piperidyl)propionate, 1971
C-nor-D-homosteroid, syntheses and NMR spectra of 22,27-imino-17,23-oxidojervane derivs, 1591
- ORD**, 51
piperlongumine and piperlonguminine, 1769
4-quinazolone, 5 new compds, 3521
reserpine and deserpidine, C3 epimerization, 4053
Sarcococca pruniformis, 3829
Severina buxifolia, 4613
steroid verazine from *Veratrum album*, 167
thaliporphine and preocoteine, 2887
zapolidine, 239
- Alkanes**, $\text{C}_8\text{-C}_{13}$, synthesis, conformation and physical constants, 3375, 3393
- 1-Alkanols**, ω , phenyl, formation of cyclic ethers by means of lead tetraacetate, 3095
- Allenes**, formation from 1,1-dibromocyclopropane, derivs, 1107

- Alloxanthoxyletin**, synthesis, 4775
- Allylmalonate**, ethyl, Friedel-Craft condensation with anisole, 2481
- Allyl vinyl ethers**, negatively substituted, rearrangement, 4243
- Aluminium chloride**, aromatic complexes, 2571
- Ambident acids**, a new class of cyclic acylals of substituted methylene-malonic acids, 2221
- Ambrosia confertiflora**, new pseudoguaianolides, 2529
- Ambrosia peruviana**, peruvinin, isolation, 529
- Amide chloride**, reaction with unsaturated bonds, 2159
- Amides**, optically active, mesomerism, 4357
- Amidines**, cycloaddition with diphenylketene, 957
- α -Amido- β -lactams**, 4767
- Amination of *p*-cymene**, 3965, 3977
- Amine oxide**, dimethylneopentyl-, rearrangement, 37
- Amines**
 primary and secondary, oxidation by lead tetraacetate, 721
 primary, conversion to nitriles by means of lead tetraacetate, 721
 tertiary, oxidation with CrO₃ in pyridine, 4691
- Amino acids**
 NMR and mass spectra of derivs, 65
 sequence in peptides, determination by mass spectrometry, 3403
- α -Amino acids**
 β -aryl-, CD in 300 to 200 nm region, 3865
 N-methacryloyl and N-acryloyl, 3363
- Aminobiopterin**, 1387
- β -(β' -Aminocrotonylamino) crotonamide**. Structural assignment, 2965
- Aminoneopterin**, 1387
- ω -Aminoxy acids**, synthesis, 4441
- α -Amyrin** and α,β -amyrin methyl ethers, GLC retention times and mass spectra, 1283
- Andrographis wightiana***, flavones, 741
- 5 β -Androstan-3,17-dione**, 14 α -hydroxy-microbial prep, 2153
- 5 β -Androstan-17-one**
 3,14 α -dihydroxy-3 α , 9 α -oxido-, microbial prep, 2153
- Angelicin** from *Selinum vaginatum*, 1883
- Anil**, 2,6-dimethyl-*p*-benzoquinone-4-(2',4',6'-trimethyl)-, chemical and enzymic synthesis, 1335
- Aniline**
¹⁵N-derivs, NMR spectra, 1489
p-nitro-, HMO treatment, 1857
 N,N,2-trimethyl, oxidation by peroxidase, 1867
 N,N,4-trimethyl, oxidation by peroxidase, 1867
- Anions**, aromatic, 2941
- Anisotes sessiliflorus***, alkaloids, 3521
- Anisotropies**
 of the C—C and C—H bonds, 2339
 of the C—C double bond, 2357
- Anodic reaction**
 of cyanide ion in the presence of aromatic hydrocarbons, 2675
- Anodic reaction (continued)**
 of perchlorate ion in the presence of hydrocarbons, 2665
- Anthracene**
 9,10-dihydro-9,10-dibenzoxyloxy-9,10-diheptyl-, formation, 1783
 polysulphone, formation, 1783
- Anthraquinone**
 1,2,3,4-tetrafluoro- and some reactions of tetrafluorophthalic acid, 505
 tetrafluoro-, synthesis, 505
- Anthrene**, reaction with sulphur dioxide, 1783
- Anthronyl phenyl sulphone**, formation, 1783
- Antibiotics**
 chloromycin, 421
 quinoxaline, 1535
- Anticancer agents**, synthesis, 2437, 2443
- Aporphine**
 1-hydroxy-2,9,10-trimethoxy-, synthesis, 2563
 alkaloids, see Thaliporphine and Preocoteine.
- Aporphines**, 1,2,9,10-tetra-oxygenated, structures, 2563
- Arborinone**, 2 α ,bromo-, crystal structure, 131
- Argemonine**
 alkaloids, 4209
 CD and absolute configuration, 4087
- Aromatic character** of 1-substituted pyrroles, 4469
- Aromatic compds**
 dihydro, in Diels-Alder reaction, 87
 ORD and CD, a general survey, 3449
 polycyclic donor substituted, chemical shifts 2577
- Aromaticity**, 2941
- Arsenic (V) ion**, tris-catechyl-, CD and absolute configuration, 1919
- Arundoin**, GLC retention times, mass spectrum and occurrence in Cuban sugar cane wax, 1283
- Aryl group**, migration from P to C atom, reaction of triarylphosphines with phenylacetylene and water, 2795
- Arylpyrrolylmethenes**, synthesis and properties, 4499
- Aspergillus ochraceus** synthesis of 3,4-dehydro-3-methylisocoumarin metabolites, 4449
- Asperuloside**, 4635
- Asymmetric synthesis** of 3-hydroxy-3-phenylvaleric acid, 4271
- Atisine**, synthesis, model compds for, 87
- Autoxidation** of 3-methyl-2-piperidino-3*H*-indole, 1441
- 4-Azapentalenyl anion**, 2941
- Azasteroids**, mass spectra, 4587
- 8-Azasteroids**, 785
- Azetidin-2-one**
 4-amino, synthesis and hydrolysis, 957
 1-aryl-4-benzoyl, prep, 493
 1-aryl-4-carbonyl-thiourea, prep, 499
 1-aryl-4-carbonyl-urea, prep, 499
 1-aryl-4-(2'-carboxy) carbophenoxy, prep, 499
 3-azido-, and 3-amino- and 3-amido-, 4767

- Azetidin-2-one** (*continued*)
 1,4-diaryl-4'-carboxy, prep, 487
 1,4-diaryl-4'-carboxamido-, prep, 499
 1,4-diaryl-4'-carboxy, prep, 487
 ease of formation, 487
- Azide**, ethyl, photolysis in different solvents at 150°, 1747
- Azidoformate**, ethyl, photochemical reaction with cyclic ethers and acetals, 45
- α -Azido- β -lactams**, 4767
- Azo compounds**, Cotton effect, 4337
- "Azodichinyl"**, structure, 2735
- Azomethines**, MO calculations, 3651
- 1- Azoniaindane iodide** 1-methyl-6-[5-(1-methyl-1*H*-1-pyridinyl)], formation, prop, UV and visible spectra, 3601
- Barbaloin**, chemical examination, 515
- Barbaralone**, synthesis and reactions, 3943
- Baurenol** methyl ether, in Cuban sugar cane wax, GLC retention times, mass spectrum and prep, 1283
- Benzaldehyde**, kinetics of nitric acid oxidation, 1007
- Benzaldimines**, N-benzoyl-, 2869
- Benzamide** alkaloids from *Buxus sempervirens*, 4563
- Benzene**
 1-bromo-2,3,4,5-tetrafluoro-, prep and reactions, 4723
 1,3,5-trichloro-2,4,6-tricyano-, synthesis and vapour phase halogen exchange with KF to 1,3,5-trifluoro-compd, 1845
- Benzene ring**, optically active, 885
- Benzoyl peroxide**, alkaline perhydrolysis, formation of perbenzoic acid, 3327
- Benzhydryl phenyl sulphide**, from acid-catalyzed rearrangement, 3923
- Benzhydryl thioethers**, as precursors to bis-disulphides, 3923
- Benzisoxazolium cation**, mechanism of decomp, 2001
- Benzoate rule**, a note and application to chromomycinone derivs, 411
- 2,3-Benzocyclohepten-1,4-cis-diol** and diacetate, 279
- Benzofuran**, 2,3- substituted derivs, 1893
- Benzoic acid**
 2-benzoyl, condensation with phenylacetic and route to pentaphene, 1037
 2-bromo-, 2-amino-3,4,5,6-tetrafluoro- and 2,3,4,5-tetrafluoro-6-nitro-, synthesis, 4723
 oxidation of benzaldehyde with nitric acid, 1007
- Benzo [c] phenanthridine ring**, simple synthesis, 3161
- 1,2-Benzophenazine-3,4-quinone**, reaction with alkyl phosphites, 107
- Benzo (f) quinazolines**, synthesis, 2081
- Benzo (h) quinazolines**, synthesis, 2081
- p*-Benzoquinones**, by oxidation of phenols with chromyl chloride, 2817
- 2H-Benzo-1,4-thiazine**, 3,4-dihydro-2-ethoxy-carbonylmethylene-3-oxo-, 1911
- Benzotriazole**
 and derivs, reaction with 2,4-dinitrochlorobenzene and reaction with picryl chloride, 2863
 5-(2,4-dinitroanilino)-1-methyl-, prep and reduction and condensation with acetic anhydride, 2863
- 7:8- and 5:6-Benzoxanthenes**, -(3,4,2',3') α -methylfuran, synthesis, 4791
- Benzyl alcohol**
 as component in the Guerbet reaction, 1723
 oxidation by lead tetraacetate, 3095
- Benzyl**
 2,3-dibromo-4,5-dihydroxy- methyl ether, isolation from red alga, 1185
 isolation from *Rhodemela larix*, 1185
- Benzylbenzamides**, N- α -alkoxy-, 2869
- Benzylidenepyruvic acid** as intermediate in a Guerbet reaction, 1723
- Benzylidetriphenylphosphorane**, stereochemistry of reaction with aldehydes, 2709
- α -Benzylsulphonyl- α -benzenesulphonyltoluene**, formation, 639
- Benzylsulphonyl chloride** and fluoride, reaction with phenyllithium, 639
- Betanidin** derivs, 3111
- Betanin**, red pigment of beet, 3111
- Bicycles**, bridged, transannular hydride shift, 805
- Bicyclobutonium ion**, 661
- Bicyclo[2.2.1]hept-2-ene**, UV-light induced addition of N-chlorourethane, 3033
- Bicyclo[3.1.1]heptenones**, 4733
- Bicyclo[3.3.1]nonan-2, 9-diones**, prep and hydrolysis, 3151
- Bicyclo[3.3.1]nonan-2-ols**, epimeric, 299
- Bicyclo [3,3,1] nonan-2 β 3 β -oxide** and 7 β -methyl deriv, formolysis, 805
- cis* **Bicyclo[4.2.0]octane-7,8-diol** synthesis, 3875
- Bicyclo[3.2.1]oct-2-ene**, photohalogenation, 4549
- Bicyclo[3.2.1]octenones**, 4733
- Bicyclopropyl**, 2,2,2',2'-tetrabromo-derivs, reaction with methylolithium 1107
- Bicyclo[6.6.0]tetradecaheptaene**, see Octalene.
- Biogenesis**
 phenolic compounds from pyrones, 3545
 total synthesis of (\pm) chimonanthine and (\pm) calycanthine by oxidation of N-methyltryptamine, 4131
- Biosynthesis** of xanthenes, significance of maculurin, 2229
- Biphenyl**
 2,2'-disubstituted octafluoro-, 4723
 2'-hydroxy-2,3,4,5,6-pentafluoro-, 4041
- Bisbenzylisoquinoline alkaloids**, see Thalidezine, 2887
- Biscycloalceno[a.c]benzenes**, NMR studies, 3713
- 2,2 Bithienyl derivs**, absorption spectra and synthesis, 4419

Bond lengths

SCF-LCAO calculation in macrocyclic systems, 149

Bond orders, coupling constants and chemical shifts, 709

Bonds, double stereochemistry of protonation, 1621

Borane, energy surfaces, 1015

Boron trifluoride, catalysed rearrangement of 1,2-epoxy lupan-3-one, 3847

Boschniakia rossica Huff, 4635

Boschniakia, isolation, structure and synthesis, 4635

Boschnialactone, isolation, structure and synthesis, 4635

Boschnialinic acid, structure and stereoisomers and synthesis of stereoisomers, 4635

Bromination, of skatole with dioxan-dibromide in the presence of pyridine, 1441

Bullvalene, synthesis, 3943

Bullvalone synthesis and reactions, 3943

Burnamicine, dihydro-, partial synthesis, 1
cis-1H, 1H, 4H-Buta-1,3-diene ¹H and ¹⁸F spectra, 709

Butane-1-4-diol (+)2,3-,diveratrlyl, 1915

Butan-1,3-dione, 1-(1-methylcyclopentyl)-, prep from 2-methylcyclohexanone, 4143

Butanoic acid, 3-hydroxymethyl-4-hydroxy-4-(3,4-methylene-dioxyphenyl)-, prep and intraconversion of the isomeric lactone, 4197

Butan-2-ols, 1,2-diphenyl-4-dimethylamino-, studies of elimination, 633

2-Butene, addition of N-chloro- and N,N-dichlorourethane, 3039

trans-2-Butenes

1-aryloxy-4-chloro-, prep, 3533

1,4-diaryloxy-, Claisen rearrangement, 3205

1,4-diphenoxy-, 1893

dissymmetrical prep and Claisen rearrangement, 3533

t-Butylation reactions, 4001

Butylmalonate, ethyl ethoxymagnesium salt, 897

But-2-yne, 1,4-diphenoxy-, 1893

γ-Butyrolactone

2-carbamoylamino-, 2-phenylcarbamoylamino, 1557

β-(4,4'-dimethoxybenzhydrylidene)-, prep and reaction with *m*-chloroperbenzoic acid, 4197

Buxus alkaloids, 4563

Calarane, via pyrolysis of dihydrocalarenol-acetate, 1987

Calarene, from pyrolysis of calarenol acetate, 1987

Calarenol, from *Nardostachys jatamansi*, 1987

Calicene, electronic structure and spectrum, 2189

Calophyllum inophyllum, triterpenes, 1901

Calycanthine

biogenetic type of total synthesis, 4131
degradations, 2959

Camphor

and related compds, pyrolysis, 1791

pyrazoline synthesis and Cotton effect, 4337

DL-Canaline, synthesis, 4441

Cannabinol, tetrahydro-, analogs, 77

Canophyllic acid, structure, 1901

Canophyllol, structure, 1901

Carbazoles, N-acyl-hexahydro-, configuration of the amide bond by NMR, 1683

Carbene

dichloro-, addition to O-alkenyl esters and ethers, N-vinyl amides, and 1-haloalkenes, 1479

fluorochloro-, stereoselectivity, 2549

isopropylidene, 565

monohalo-, addition to norbornene, 4123

Carbon-carbon condensations, by means of phosphite esters, 2067

Carbop-hydrogen force constants in CH₃⁺ and H₂CO, 1015, 1029

Carbon oxide, new compel, synthesis, 3863

Carbonium ions

model systems, 1015, 1029

protonation of ψ-ionone, 3071

selectivity, 661

Carbonyl group, double bond, ionic hydrogenation, 2235

Carboxylic acids, conformational aspects, 4027

Carcinogenic hydrocarbons, reaction with iodine in pyridine, 3043

Cardenolides, 17 α -hydroxylation, 715

Carotatoxin, isolation and structure, 465

Carrot, carotatoxin in, 465

Carveol monoepoxide, prep, spectral data and LAH reduction, 1267

(+)-**Carvone**, dimerization during methylation, 2767

Casimiroa edulis Llave et Lex, 4607

Catalysis, general base, decomp of benzisoxazolium salts, 2001

D-Catechin, condensation with flavylum salts, 1057

Catena compounds, confirmation of structure by mass spectrometry, 3079

Cationoid displacements, selective, in substituted 4H-quinolizin-4-one, 3851

Cellobiose, kinetics and mechanism of oxidation, 1189

Cercospora melonis, tertiary hydroxylation of etiocholanolone, 2153

Chain shortening reactions, 1145

Chalkone, 2'-hydroxy substituted hydrazones, 4317

Chemical shifts

anisotropies of the C—C, and C—H bonds, 2339, 2357

in donor substituted polycyclic aromatics, 2577
NMR spectra of some diterpenes, 2375

- Chimonanthine**, biogenetic type of total synthesis, 4131
- Chiofrolactone**, synthesis, 2145
- Chlorobenzene** 2,4-dicyano- and 2,4,6-tricyano-, synthesis and conversion with KF to fluorobenzenes, 1353
- Chloroesters**, prep from hydroxyesters, 359
- Chlorofluorocarbene**, stereoselectivity, 2549
- Chloromycins**, A₂, A₃ and A₄, 421
- 5 β -Cholan-3,12-dione**, dipole moment, 1279
- 5 β -Cholan-12-one**, dipole moment, 1279
- Cholesteryl acetate**, 6-nitro, photochemistry, 1341
- Chromatography**
gas-liquid, structure detn. of Acacia gums, 193
structure detn of gum of Acacia karroo, 1473
- Δ^3 -Chromene**, 4-substituted derivs, 1893
- Chromenochromone**, 7-methoxy-, synthesis, 2505
- Chromium**
chloride, reduction of some nitro-steroids, 4105
oxychloride, kinetics of oxidation of substituted toluenes, 2803
sulphate, reduction of *gem*-dibromocyclopropanes, 3645
- Chromomycin A₂**, cancerostatic antibiotic, structure, 421
- Chromomycin A₃**, cancerostatic antibiotic, structure, 421
- Chromomycin A₄**, cancerostatic antibiotic, structure, 421
- Chromomycinone**, stereochemistry, 411
- Chromophores**
aromatic, optically active, 3865
interaction in ORD and CD of gliotoxin, 3881
- Chrysene**, 2,8-dimethyl-, synthesis and NMR spectrum, 985
- Cinchona** alkaloids, 51, 3253
- Cinchonine**, cinchonidine, rotatory dispersion, 51
- Cinnolines**, structure proof of benzof[*g*]naphtho [1,2-*c*]cinnoline-7,12,14(6*H*)-trione, 2911
- Circular dichroism**
and electronic spectrum of the tris-catechyl-arsenic(V) ion, 1919
 β -aryl carboxylic acids, 3865
of alkaloids, 51
of argemonine, 4087
of aromatic compds, 3449
of β -aryl carboxylic acids, 885
of azochromophore pyrazolines, steroids, pyrazolines, oxazolines, isoxazolines and camphor derivs, 4337
of gliotoxin and dethiogliotoxin, 3881
of N-nitroso and N-methyl-mercaptothiocarbonyl derivs of (–)- β -pipecoline and (+)-camphidine, 1841
- Cistus monspeliensis**, new flavone from, 2295
- Claisen rearrangement**, fluorinated allyl and propargyl vinyl ethers, 4243
- Clausena heptaphylla**, pyranocoumarins, 4783
- Clausenidin**, structure, 4783
- Clausenin**
synthesis, 4775
structure, 4783
- Cobalt (III) complexes** of asymmetric acids, 349
- Colletia spinosissima**, quaternary bases from D-(–)-colletine, isolation, structure and configuration D-(–)-magnocurarine, isolation, 1139
- Complexes of aromatic compounds**, 2571
- Configuration**
absolute, 4209
of argemonine, 4087
of paynantheine and hirsutine, 1043
of α - and β -phenylethylamines, 3573
C-17 in pregnene-3,20-dione series, 3683
C-25 in pimaricin, 3753
of pulegone oxide, 1953
- Conformation**
carboxylic acids and derivs, 4027
of a cycloheptane, 279
of cycloalkanes, calculations, 769
of 2,3-dimethyl-1,4-dioxane by NMR, 4385
of 6a, 11a,-dihydro-6*H*-benzofuro[3,2-*c*][1]benzopyran ring system, 1817
of D-glycero-pent-2-enopyranosyl derivs, 2375
of non-aromatic rings compds, 439
of steroids, use of dihedral angles, 439
relation of physical constants of alkanes, 3375, 3393
- Conformational analysis**
trans-1,2-dihalogeno-cyclohexanes, -pentanes and -hexanones; correlation between dipole moments and *vic*. PMR coupling constants, 2265
N-methylphenylhydrazones, 1097
oxime O-methyl ethers, 1079
ring A in 3-ketosteroids, 1279
- Conformational change**, in flavanone derivs, 3699
- Copper**, use in prep of arylphosphonates, 4677
- Corannulene**, SCF MO and strain energy calculations, 4257
- Coronene**, ethyl and methyl, syntheses and NMR spectra, 985
- Corticosteroids**, methyl, synthesis, 121
- Cortisone** side-chain, conversion of the cardenolide to, 715
- Corymbosin**, glucoside from *Turbina corymbosa*, 2557
- Corynantheidine-type alkaloids**
configurational and conformational analysis, 365
detn of absolute configuration by NMR, ORD/CD data, 375
- Corynantheine**, dihydro-derivs, C-D ring cleavage, 1
- Cotton effect**
azochromophore, pyrazolines, steroids, pyrazolines, oxazolines, isooxazolines and camphor derivs, 4337
in complex compounds, 349
of β -aryl carboxylic acids, 885

- Coumarin**
 4-alkyl-, new, 4161
 5,7-dimethoxy-8-(3'-methylbutyl)-, 4613
 5,7-dimethoxy-8-(3'-methyl-2'-oxobutyl)-, 4613
 4-phenoxyethyl-, 1893
 3-phenyl-4-hydroxy-, a novel synthesis, 2499
- Coumarins**
 natural, 1305
 new, from grapefruit peel oil, 2523
 furocoumarin from *Helietta longifoliata*, 1129
- Coumaritic acid** derivs, constitution, 1305
- Crithidia** test, 1387
- Crotonamide**, β -amino-, synthesis and structure of pyrolysed product, 2965
- Crusgallin**, GLC retention times, mass spectrum and occurrence in Cuban sugar cane wax, 1283
- Crystal structure** of 2 α -bromoarborinone, 131
- Cupressuflavone**, isolation, 397
- Cupressus torulosa* C. sempervirens, isolation of cupressuflavone, 397
- Curvularia siddiqui*, metabolites, 3801
- Curuvlal**, structure and stereochemistry, 3801
- Cyanogen bromide**, action on some 3-amino-1,1-diphenylpropanes, 4075
- Cyanohydrin esters**, formation, reactions and IR-spectra, 1311
- Cyanohydrins**, reactions with α,β -unsaturated aldehydes, 1311
- Cyclization**
 of ψ -iononehydrate and ψ -iononemethoxy-ether, 3071
 of 3-ureidopropionic acid, kinetics, 4307
- Cycloaddition**. See under Addition reactions.
- Cycloalkanes**, calculated conformations, intramolecular potential functions, strain energies, 769
- Cyclobutanecarboxylate**, methyl *cis* and *trans* 3-isopropyl-, 3321
- Cyclobutanes**
 NMR, 2747
 nonplanar, 3321
- Cyclobutyl esters**, pyrolysis, 2195
- Cyclobutylmethanesulphonate**, 1-methyl and 1-nethylcyclopropyl/methyl methanesulphonate, reaction with NaBH₄, 661
- Cycloheptene**, conformation, 279
- Cycloheptene carboxylic acids**, 4733
- Cyclohexane-1,4-dione**, 2-methyl-, prep, 1259
- Cyclohexanes**
 1*H*,2 chlorodecafluoro- and 1*H*,1,2-dichloro-nona-fluoro-, dehydrohalogenations with aqueous alkali, 4435
 1,1,4,4-tetramethyl-, conformational isomerization, 1575
 ring contraction, 4143
- 1*H*-**Cyclohexanes**, stereoisomeric 2-chlorodecafluoro- and 1,2-dichloro-nonafluoro-, 4435
- Cyclohexanone**, 4,4-ethylenedioxy-2-methyl-, prep, 1259
- Cyclohexanonedione dioximes**, Semmler-Wolff aromatization, Beckmann rearrangement and ring cleavage, 115
- Cyclohexene**, photochem, addn. of monochloramine, 1509
- Δ^3 -Cyclohexene**
 alkyl derivs, UV spectra, 2987
 derivs, reactivity of double bond, 2721
- Δ^5 -Cyclohexene-1,2-dione**, 4,4-dimethyl-, synthesis, 2683
- Cyclohexylamines**, N,N-dimethyl-, *cis*- and *trans*-2-alkyl-, synthesis and separation by VPC, 2421
- Cyclohexylmethanol**, component in the Guerbet reaction, 1723
- Cyclooctane**, *cis* and *trans* 1,2-dichloro-, dipole moments, 2051
- Cyclooctatetraene**, electrochemical oxidation, 3875
- Cyclooctene**, *cis* and *trans*, reaction with halogen, 2051
- 4-Cyclooctenylmethyltoluene-*p*-sulphonate**, acetolysis, 299
- Cyclopentadiene**, 1-diazo di, tri and tetraphenyl derivs, 2701
- Cyclopentadienes**, methyl-substituted, formation from 1,1-dibromocyclopropane derivs, 1107
- Cyclopentanecarboxylic acid**
 anhydride, 2-methyl-2-carboxymethyl-3-oxo-, in steroid synthesis, 3183
 dimethyl ester, 2-methyl-2-carboxymethyl-3-oxo-, in steroid synthesis, 3183
- Cyclopentanols**, 2-carboxy-, configuration and conformation by NMR, 4331
- Cyclopropane**
 amide ester from α -pinene, 4167
 1,1-dibromo-2-(1-alkenyl)- derivs, reaction with methyl lithium, 1107
 1,1 diphenyl-2-ethoxy-, 3631
 protonated, in deamination of 1-propylamine, 2539
 triisopropylidene, 565
gem-dibromo-, reduction with chromium(II) sulphate, 3645
gem-dichloro-alkoxy-, acyloxy-, phosphoryl-, halo-, and N-carboxamido-, 1479
- Cyclopropylcarbiny**l esters, pyrolysis, 2195
- Cyclopropylcyanide**, mechanism of base catalysed hydrogen exchange, 3763
- Cycloserine**, NMR and mass spectra of derivs, 65
- Cylindrin**, GLC retention times and mass spectrum, 1283
- p*-Cymene**
 amination, 3964, 3977
 8-amino from *p*-cymene, 3977
- Cyperotundone**, identification with ketones of *Cyperus* *Spp*, 2169

- Dalbergia lanceolaria*, isolation of lanceolarin from the root-bark, 405
- Decacyclene**, Huckel calculations, 4177
- Decalin**, *trans-cis*-2-hydroxyisopropyl-10-methyl-, synthesis, 1259
- 1-Decalone**, *trans-cis*-7-hydroxyisopropyl-10-methyl-, Huang-Minlon reduction, 1259
- trans*-2-Decalone
- 5 α - β -dimethyl-, synthesis, 1259
- 9-methyl-, prep, 1259
- Dec-2,4-en-1-10-oic acid**, 8-hydroxy-1,7-dimethyl-, structure, isolation from *Phaseolus multiflorus*, NMR and mass spectra, 2417
- Dehydration** of glycyrrhetic acid, 1633
- Dehydroelliptone**, synthesis, 2505
- Dehydrogenation**, enzymatic at C-1,2 in estr-4-ene-3,17-dione with *B. sphaericus*, stereochemistry, 535
- Dehydrohalogenations**, apparent simultaneous *anti*- and *syn*-, 4435
- Dehydronunduserone**, synthesis, 2505
- 5-Deoxyl-L-arabionose**, prep, 1387
- Deserpidine**, acid catalysed C3 epimerization, 4053
- Dethiogliotoxin**, CD and chirality of diene, 3881
- Deuterium**, incorporation in α - and β -ionone, 3757
- Diamond lattice**, superimposable with medium and large rings, 2105
- Diarylnitrogen**, free radicals, 4661
- 1,5-Diazacycloöctane-3,7-diols**, 1,5-disubstituted, 2123
- 1,7-Diazaheptamethine systems**
- free and protonated, 3111
- UV and NMR spectra, 3111
- Diazocyclopentadienes** by diazo group transfer, 2701
- Diazocyclopentadiene-triphenylphosphazines**, 2701
- Dibenzofurans**
- fluorinated, ¹H spectra, 4047
- 1,2,3,4-tetrafluoro-, 4041
- and nucleophilic replacement reactions, 4041
- Dibenzo[b,d]pyran**, 2-(3-methyl-2-octyl)-3-hydroxy-6,6,9-trimethyl-7,8,9,10-tetrahydro-, synthesis, 77
- Diels-Alder**
- adduct of β -*trans*-ocimene and maleic anhydride, 519
- reaction of dihydroaromatic compds, 87
- Diene rule** of ORD and CD, application to gliotoxin and dethiogliotoxin, 3881
- Digitanols**, partial synthesis of desacylkonduranogenin A, 249
- Dihedral angles**, use in describing conformations of steroids 439
- Diketene**, synthesis of β -aminocrotonamide, 2965
- β -Diketones, non-enolizable, photochemistry, 3993
- Dimerization** of bridged cyclo-aliphatic olefins, 3057
- 2,2'-Dinaphthoquinone**, reaction with hydrazine, 2911
- Dinitrogen tetroxide**, reactions with fluoro-olefins in presence of KF, 4291
- Diolefins**, conjugated reduction, 4509
- 1,3 Dioxanes**
- 5-alkyl-, conformational equilibria, 3417
- chain conformation, chemical shifts of oxial and equatorial protons, 4371
- 1,4-Dioxane**, *cis*-, *trans*- 2,3-dimethyl-, NMR spectra and steric structure, 4385
- 1,3,2-Dioxaphospholanes**
- cleavage by Grignard reagents, 283
- from reaction of aromatic aldehydes with phosphite esters, 2067
- reaction with Grignard reagents, 1701
- 1,3,2-Dioxaphosphorimanes**
- cleavage by Grignard reagents, 283
- reaction with Grignard reagents, 1701
- Diphenylketene**, cycloaddition with amidines, 957
- Diphenylmagnesium**, reaction with magnesium halides in THF, 4215
- ω -Diphenylmethylidene aminoxy acids, synthesis, 4441
- Dipolar ion**, intermediate, 965
- 1,5-Dipolar structure**, possibility of contribution in addition-cyclization of vinyl diazomethane, 2621
- Dipole moments**
- correlation with *vic* PMR coupling constants in conformational analysis, 2265
- of substituted 1-naphthoic acids and 1-naphthoates, 2633
- Disaccharides**, kinetics and mechanism of oxidation, 1189
- Disulphides**, rate of cleavage by acids, effect of *sec* phosphine oxide structure, 1065
- Diterpenes**
- incensole from frankincense, 1977
- NMR spectra, 2375
- relation of corymbosin, 2557
- synthesis of C₁₉- \rightarrow C₂₀ kaurane and kaurene lactones and functionalization of C₂₀ in kaurane, 4463
- Diterpenoids**
- phenols and derivs, oxidation, 4147
- tetracyclic, 493, 801
- Dithioacrylic acid**, 3-amino-, amides and esters, 3785
- Durlettone**, structure, 4741
- Durmillone**, structure, 4741
- Echloldinin**, synthesis, 741
- Edulline**, structure, spectra and stereochemistry, 2061
- Edultine**, structure, spectra and stereochemistry, 2061
- Electric dipole moment**, of esters in benzene, 4801
- Electron acceptors**, interaction with bases, 227

- Electron densities** in nitrogen heterocyclic molecules, effects of protonation, 2513
- Electron impact**
and molecular dissociation, 4425
fragmentation of pentacyclodecanes, 1225
- Electronic control** in ring enlargements, 2291
- Electronic structures**
of benzof[*g*]sesquifulvalene, 3613
of triafulvene, triafulvalene and calicene, 2189
- Electrophilic reactions**
on 1,2,3,4-tetrafluorobenzene, prep of amines and nitrocompds, 4723
substitutions in furan and thiophene derivs; a quantitative comparison of reactivity, 1739
- Elimination** of 4-aryl-3-methyl-4-piperidinols, influence of protonated nitrogen, 1405
- Ellagic acid**, 3,3'-*O*-dimethyl-, isolation; 4,4'-*O*-dimethyl-, UV; 3',3',4'-*O*-trimethyl- and 3',3',4',4'-*O*-tetramethyl-, 879
- Embelia ribes*, chemical examination, 801
- Enamines**
of cyclohexanone, reaction with phenyl vinyl sulphone, 1451
reaction with $\alpha\beta$ -unsaturated acid chlorides, 3151
- Enaminoketones**, formation, 785
- Entagenic acid**, constitution, 1499, 1505
- Epimerization equilibria** in 2, 5 dialkyl-1,3-dioxanes, 3417
- Epoxides**
12, 12' -epoxy derivs of 12-methylene-tigogenin, prep and reactions, 3511
from 1,3,2-dioxaphospholanes, 2067
in the presence of Raney nickel, 3621
reactions with Lewis acids, backbone rearrangements, 1811
- Epoxyketones**, rearrangement on electron impact, 2893
- 2,3-Epoxypropylamines**, alkyl-, cyclodimerization, synthesis and stability, 2123
- Esters**
chloro-, prep, 359
unsaturated, elimination of CO₂, 305
- Estrahexaene**, 3,6-dimethoxy-, carboxylic acid, reduction, 1807
- Estrapentaene**, 3,6-dimethoxy-, carboxylic acid, reductions, 1807
- Estr-4-ene-3,17-dione-1-³H**(83% β), synthesis from testosterone-1,2-³H, 535
- Ethers**, cyclic α -alkylated, prep by photoaddition to olefins, 3193
- Ethylene acetals**, mass spectra, 321
- Ethylene bond**, ionic hydrogenation, 2235
- Ethylenediamine** N- lithio-, base catalysed reactions, 1251
- Ethylene ketals**, mass spectra, 321
- Etiocolanolone**, microbial hydroxylation, 2153
- Eudesman-15-oic acid**, β -hydroxy-, lactone, 1985
- 5,7 α (H), 4,6,11 β (H) Eudesman-6:13-oxide**
1 α ,2 α -oxido-3-oxo-hydrazine, reduction, 1273
1-oxo-, prep, 1273
- Euryopsonol**, structure, 2431
- Evocarpine**, new alkaloid, 1873
- Evoxanthine**, synthesis, 1827
- Fagara tinguassoiba*, structure of aporphine from, 2563
- Favorskii rearrangement**
of epoxy ketones, 1953
of pulegone epoxides, 1119
- Fernenol methyl ether**, GLC retention times, mass spectrum and occurrence in Cuban sugar cane wax, 1283
- Ferriol**, 4161
- FG matrix**, method, 1029
- Fibraurin**, structure, 2649
- Fistucacidin**, chemical examination, 515
- Flavan**, 4-chloro-3-hydroxy-, 4-acetoxy-3-bromo-, 3,4-dibromo-, 3-hydroxy-, 3-acetoxy-, 4 α -ol, 3-hydroxy-4-methoxy-, synthesis reactions, and stereochemistry, 341
- Flavanoids**, stereochemistry, 341
- Flavanone hydrazone**
3-hydroxy- derivs, 3699
substituted, 4317
- Flavanone oxime**
3-hydroxy-*syn* and *anti* isomers, 3699
3-hydroxy- 5,7,3',4'-tetramethoxy-, 3699
- Flavellagic acid**
3',3'-*O*-dimethyl-, UV, 879
3,3',4,4',5-*O*-pentamethyl-, isolation, 879
3,4,3'-*O*-trimethyl-, isolation and UV, 879
3,3',4'-*O*-trimethyl-, synthesis and UV, 879
- Flav-2-ene**, 3,3',4,4',5,7-hexaacetoxy-, chromatography hydrolysis, isolation, NMR spectrum, 1963
- Flav-3-ene**, 3,3',4',5,7-pentaacetoxy-, chromatography, disproportionation reaction, hydrolysis isolation, NMR spectrum, 1963
- Flavone**
3',5-dihydroxy-3,4',5',7-tetramethoxy-, 2295
2',5,6,6'-tetramethoxy-, structure determination, 4607
2',5,6-trimethoxy-, synthesis and NMR spectrum, 4607
2',5,8-trimethoxy-, 4607
- Flavones**, from *Andrographis wightiana*, 741
- Flavylium salts**, condensation with *D*-catechin, 1057
- Fluorene**, dibromo-, reaction with alkyllithium, 3631
- Fluoride compds**
aromatic polyfluoro, 4041
reactions with nucleophiles, 1347
reactions of 1,2,3,4-tetrafluorobenzene, 4723
rearrangement of allyl and propargyl vinyl ethers, 4243

- Formaldoxime**, 1,3-dipolar cycloaddition, 2641
- Formazans**, triaryl isomeric, structure investigations, 2693
- Fragmentation** in zinc-hydrochloric acid reduction, 1971
- Frankincense**, isolation of incensole, 1977
- Free radicals**, 4661
diarylnitrogen, with donor and acceptor groups, 4661
- Friedel-Craft**, C-acetylations, reversibility, 841
- Fries rearrangement**
of hydroxytetrahydrodibenzopyran esters, 77
of hydroxytetrahydrodibenzopyrone esters, 77
- Fulvenes**, methyl-substituted, formation from 2,2,2',2'-tetrabromobicyclopropyl derivs, 1107
- Fumaronitrile**, dichloro-, conversion with KF to *cis*-1,2-dicyano-1,2-difluoroethylene, 1359
- Furan**
and thiophene derivs, relative rates of acetylation, 1739
2,5-dimethyl- and 2,5-diethyl-tetrahydro-, assignment of *cis-trans* configuration to stereoisomers, 215
3,3-diphenyltetrahydro-, PMR spectroscopy, 4075
(+)-3,4-diveratrlyl-tetrahydro-, 1915
cis and *trans* 2-ethyl-5-methyl-3,3-diphenyl-tetrahydro-, configuration, 4075
photoperoxides, 2583
substituted, formation from acetylenic alkoxy β -ketoesters, 3687
2,3,4-tricarboxylate, 5-methoxy-, methyl ester, 2:1-adduct with triphenylphosphine and reaction with Ph₃P=CHCO₂Et, 2973
- 7,8,2',3'-Furano-2'-carbomethoxymethoxy-4',5'-dimethoxyisoflavone**, synthesis, 2505
- Furano compounds**, 4691
synthesis of 7:8-benzo and 5:6-benzo(-3,4,2',3'-)-*a*-methylfuranoxanthenes, 4791
- Gambir**, indole alkaloids from, 3129
- Geigeria africana** Gries, constituent, 4153
- Genipin**, 4635
- Geometry** of perhydrophenanthrene skeleton in steroids, 439
- Geranyl formate**, electric dipole moment and *cis*-configuration, 4801
- Gibbane-1 α** , 10 β -dicarboxylic acid 1 \rightarrow 3-lactone 4095
- Gibb-4-ene-1 α** , 10 β -dicarboxylic acid 1 \rightarrow 3-lactone, 3 α -hydroxy-1 β -methyl-8-methylene, 4095
- Gibberella fujikuroi**
new metabolites, 733
metabolites, 4095
- Gibberellin**
AII, 4095
A₁₅, new metabolites of *Gibberella fujikuroi*, 733
- Gibberellin (continued)**
2,3-epoxy derivs, 4095
synthesis of kaurene compds with possible gibberellin-like behaviour, 4463
- Glaucentrine**, identity with corydine, 2563
- Glilotxin**
interpretation of CD, 3881
ORD in KBr matrix, 3881
- Glucosides** from *Turbina corymbosa*, 2557
- Glutaronitrile**
hydrogen halide salts, structure, 4517
cyclization, 4517
- D-Glycero-pent-2-enopyranosyl derivs**, structures, 2395
- Glyceryl triacetate**, electric dipole moment, 4801
- Glycofuranosyl chloride**, prep, 2789
- Glycol monophosphates**, new synthesis, 2067
- Glyconolactones**, reduction, 2789
- Glycosylation**, new method, 693
- Glycosylindoles**, synthesis, 4653
- Glycyrrhetic acid**, dehydration and solvolysis, 1633
- Grapefruit peel oil**, isolation of new coumarin, 2523
- Grignard reagents**
constitution and reaction between R₂Mg and MgX₂ in THF, 4215
reaction with cyclic phosphorus esters, 283
- Griseogenin**, 745, 761
new triterpenoid sapogenin, 745
- Guaiol**
and dihydro- deriv, dehydration, 1241
1,5 α - dihydro-, transformation to 1,5-hexahydro-dehydrocostus lactone, 1241
- Guerbet reaction**, mechanism, 1723
- Haladeima grisea*, sapogenins, 745, 761
- Harpagide**, 4-methyl-, see Lamiol and 4-methyl-8-*O* acetyl-, see Lamioside, 4713
- Helietta longifoliata*, new furocoumarin from heliottin, isolation and structure, 1129
- Hemiketalization**, of leucodrin, 2333
- trans*-1,10-Heptadecadiene-5,7-diyn-3-ol, in carrots, 465
- Heterocycles**
Hückel MO calculations, 1939
N, effect of protonation on electron density, 2513
NMR protonation study, 2927
- Hexahydroxybenzene tris oxalate**, synthesis, 3863
- 2-Hexanol**, (-)-2(R), lead tetraacetate oxidation, 215
- Hibaene**, from kaurene, 1175
- Hirsutic acid C**, structure, 4759
- L-Hisidine**, proton dissociation constant, 2855
- Holothurinogenin**, 22-25-oxido-, 761
- Homoalkyl esters**, pyrolysis, 2195
- Homoserine**, cyclization reactions of N-carbamoyl and N-acyl derivs, 1557
- Hückel** molecular orbitals, see Molecular orbital.

- Humic acid**
 ESR spectra, oxygen absorption, 1653
 hydrolysis, permanganate oxidation, zinc dust distillation, 1669
 structures, 1669
- Hunnemanine**, synthesis, 3265
- Hydantoin**
 5-(β -bromoethyl)-, 3-phenyl-5-(β -bromoethyl)-, 1557
 5-(β -hydroxyethyl)-; 3-phenyl-5-(β -hydroxyethyl)-, 1557
- Hydrazobenzenes**, 4,4'-substituted, rearrangement, 1317
- Hydrazo-compounds**
 properties and conversions of salts, 1317
 rearrangement, 1317
- Hydrazoic acid** (Azoimide), photolysis in different solvents at 150°, 1747
- Hydrazones**, monoacyl, reaction with acyl chlorides to 1,3,4-oxadiazolines or diacyl hydrazones, 1379
- Hydrindanic system**, *cis*-8-methyl-, steric and electronic controls in ring enlargement, 2291
- Hydrindan-1-one**, *cis*-8-methyl-, Baeyer-Villiger oxidation, 2285
- Hydrocarbons**
 C₂₀H₃₂ and C₂₀H₃₄ from sandaracopimarinol, 2215
 cycloaliphatic bridged, 3057, 3067
 Huckel calculations on decacyclene, 4177
 isoprenoid, isolation and identification of sediment, 2609
 polycyclic oxidation-mechanism by iodine and oxygen, 3043
- Hydrogen bonding**, 3245
 2-hydroxythiophenes, 871
- Hydrogen bonds**, intramolecular, in monocations of sparteine and α -isoparteine N-oxides, 1799
- Hydrogen peroxide**, formation of peracids by alkaline perhydrolysis, 3327
- Hydrogenation**
 of lamioside and of 8-O acetylharpagide, 4713
 of α -phenyl substituted olefins with cyclohexadiene-1,4 and iodine, 3029.
- Hydrogenolysis**
 of bicyclic monoterpenes, 3621
 of polychloro caged compds, 1211
- Hydrolysis** of dihydrouracil in HCl, kinetics, 4307
- Hydroxamic acids**
 and derivs, use in peptide synthesis, 4805, 4811
 reaction with dicyclohexyl carbodiimide, 1049
- Hydroxylation** of $\Delta^{1,4}$ -3-oxosteroids with OSO₄, 995
- Hydroxyskytanthines I and II**, 3147
- Hyperconjugation** 649
- Imidazole**, proton dissociation constant, 2855
- Imidazolidino [1.2c] pyrimidines**, formation, 1297
- Imidazo-[1.2-b]-pyridazines**
 and some tricyclic aza analogs, 387
 substituted, synthesis, 2739
- Imines**
 formation by photolysis of alkyl azides in soln, 1747
 in lead tetraacetate oxidation of primary and secondary amines, 721
 reaction with trihalogenoacetic acids, 1713
- Imperatovin**, 4613
- Incensole**, structure, 1977
- 1,3-Indandione**, 2-benzylidene-, reaction with diethyl phosphite, 99
- Indanones** substituted, NMR spectra of derivs, 3931
- 1,2,3-Indantrione**, reaction with dialkyl phosphites, 99
- Indazoles**
 3(2'-carbethoxyphenyl)-*1H*-benz[f]indazole-4,9-dione, syntheses, 2911
 proton dissociation constant, 2855
- Indole**
 alkaloids, from Gambir, 3139
 alkylation of indole sodium salt as ambifunctional nucleophilic system, 3771
 cyano and carboxy derivs, prep, 3823
- 3H-Indole**
 3-methyl-3-hydroxy-2-piperidino-, 1441
 3-methyl-2-piperidino, autoxidation, 1441
- Indoles**
 glycosyl, 4653
 proton dissociation constant, 2855
- Indolines N-acyl-**, configuration of the anode bond by NMR, 1683
 cyano and carboxy derivs, prep, 3823
 N-formyl-, solvent and temp dependence of NMR spectra, 4493
- 1-Iodoethane**, 1-phenyl-, intermediate formation in hydrogenation of styrene with cyclohexadiene-1,4 and iodine, 3029
- Ionic hydrogenation** of ethylene bond and double bond of carbonyl group, 2235
- Ionic mechanism** in pyrolysis reactions, 2195
- α -, γ - and ψ -**Ionone**, isomerizations, 3757
- ψ -**Ionone** (dihydro- ψ -ionone) acid-catalysed reactions in water and methanol, 3071
- Ions**, dipolar, 965
- Isatylideneacetaldehyde**, N-benzyl-*cis*- and *trans*-, 901
- Isatylideneacetic acid**, N-benzyl-*cis*- and *trans*-, 901
- Isoambreinolide**, stereochemistry, 3909
- Isoflavone**
 7-allyloxy-2',4',5'-trimethoxy-, synthesis, 2505
 norelliptol, synthesis, 2505
- Isoflavones**
 derivs, synthesis, 3221
 durlettone, durmillone and milldurone, 4745
- Isolongifolanol**, 919
- Isolongifolanolide**, 919
- Isolongifolanone**, 919
- Isolongifolanoxide**, 919

- Isolongifolol**, 919
- Isomerism *cis/trans*** of ψ -ionone and dihydrogeranylidene-acetone, 3071
- Isomerization**
cis-trans, of 12-membered cyclic olefins, 2173
 valence *via* a nonclassical octahydro-dimethanonaphthyl-homoallyl radical, 3057
- Isonitriles**, 14N NMR, 4299
- Isopimpinellin**, 4613
- Isoprenoid compds**, cyclization, 1621
- Isoquinolines**, 1,2-dihydro-, 3161
- α -Isosparteine N-oxides**, NMR studies of intramolecular hydrogen bond in monocations, 1799
- Isothianaphthene**, 1,3-dihydro-3,4,5,6-tetrafluoro-, synthesis, 505
- Isotope effect**
 investigations into a possible ^{14}C isotope effect in the photo-Fries reaction and in photodecarboxylation of *p*-nitrophenyl-acetic acid, 2281
 secondary deuterium, 649
- Isotope exchange** of H, D and T in cyclopropylcyanide by base, 3763
- Isoxazole-5-aldehydes**, synthesis and UV spectra 4701
- Isoxazole[4.5-d]pyrimidines**, synthesis, 675
- Isoxazoles**, mannich bases, 4409
- Isoxazolidines**, mass spectra and formation from formaldoxime and α,β -unsaturated compds, 2641
- 2-Isoxazoline**, 3-(4-piperidin-1'-yl-1,3-butadienyl)-, prep and MNR, 2775
- Isoxazolines**, steroidal, Cotton effect, 4337
- Isoxazolin-5-one**, 3,4-dimethyl-, prep and tautomerism, 675, 831
- Isoxazolinones**
 amino-, synthesis, alkylation and tautomerism, 4395
 synthesis, alkylation and tautomerism, 4395
- Isoxazolinopyridinium cation**, reaction with amines, 2775
- Isoxazolo[4.5-d]pyridazines**, synthesis, 681
- Isoxazolo[5.4-d]pyrimidines**
 4-hydroxy-, 4-chloro-4-amino-, 4-substituted amino-, syntheses, 3541
 synthesis, 687
- Iva acerosa***, acerosin from, 3557
- Jervane**
 22,27-imino-17,23-oxides-, synthesis and NMR spectra, 1591
- Juglones**, hydroxy and methoxy derivs, 3271
- (+)-Junenone**, dihydro-, from eudesmol, 1985
- Kaurene**, from hibaene, 1175
- (-)-Kaurene**, stereochemistry of some reactions, 801
- Kessul glycol**, structure and absolute configuration, 553
- α -Kessyl alcohol**, structure and absolute configuration, 553
- Ketenes**, halogenated, cyclo additions, 4251
- Keto acids**, methofuran structure and stereochemistry, 2601
- β -Keto adipic acid**
 diethyl ester, a new synthesis, 897
 dimethyl ester, synthesis, 897
 methyl ethyl ester, synthesis, 897
 synthesis, 897
- Keto-enol**, equilibria, 3245
- β -Ketoesters**
 acetylenic alkoxy-, conversion to substituted furan derivs, 3687
 low energy spectra, 4425
 mass spectra, 2807
- Ketoketenimines**, formation from benzisoxazolium salts, 2001
- Ketones**
 deacylation, 841
 6-ring unsaturated, introduction of an α -oxygen function, 2683
 stereospecific reductions, 3909
- Khellactone**, $-(\pm)$ -*cis*-4'-acetyl-, $-(\pm)$ -*cis*-4'-isovaleryl-, and $-(\pm)$ -*cis*-3'- α -methylbutyryl-, prep, 1235
- Khusinol oxide**, isolation, chemistry and spectral data, 1267
- Khusol monoepoxide**, prep and spectral data, 1267
- Kinetics**
 decomp of phosphorylated triazoline, 965
 of cyclization of 3-ureidopropionic acid in HCl and hydrolysis of dihydrouracil in HCl, 4307
 oxidation of disaccharides, 1189
 photolysis of hydrazoic acid, ethyl and methyl azide, 1747
 piperidino-dechlorination of 2- and 6-alkyl-4-chloropyrimidines, 813
 reduction of cyclohexanones with diborane, 205
 Tischenko reaction of acetaldehyde with aluminium isopropoxide, 715, 825
 triazoline formation and decomposition, 965
 vinyl interchange between vinyl acetate and benzoic acid, 1395
- Kondurangogenin A**, desacyl-, proof of the formula by partial synthesis, 249
- Kondurangogenins A and C**, 1462
- Lac resin**, structural investigations, 4795
- β -Lactams**
 β -amino-, synthesis and hydrolysis, 957
 derivs, 499
 substituted, synthesis, 487, 493, 499
- γ -Lactams** substituted, synthesis, 493
- Lactic acid**, as component in the Guerbet reaction, 1723
- Lactones**, oxygen alkyl fission with oxime salts, 4441

- Lactose**, kinetics and mechanism of oxidation, 1189
- Lamiol**, isolation from *Lamium amplexicaule*, 4713
- Lamioside**, glucoside, isolation from *Lamium amplexicaule*, 4713
- Lanceolarin**, biochanin-A 7-apioglucoside, occurrence, 405
- Laurelliptine**, structure, 2563
- LCAO-MO calculations**, on Verdazyls, 1939
- Lead tetra acetate**
oxidation, of a B-norsteroid, 3583
of optically active secondary aliphatic alcohols, 215
of primary and secondary amines, 721
reaction with some acyclic alcohols containing Ph groups, 3095
- Leucadendron adscendens*, leucodrin, isolation and structure, 1929
- L-Leucine**, ORD of glycol peptides containing N- and C-terminals, 4481
- Leucodrin**
chemistry, 2333
isolation and structure investigations, 1929
isopropylidene structure, 1929
- Linderalactone** in *Neolitsea zeylanica*, 261
- Linderane** in *Neolitsea zeylanica*, 261
- Lithium aluminium hydride**, stereochemical mode of addition to acetylenes, 4509
- Lomatin** from *Selinum vaginatum*, 1883
- Longispinogenin**, isolation and C₁₁-hydroxylated derivs, 3353
- Lupan-3-one**, 1,2-epoxy, BF₃ re-arrangement, 3847
- Lysergic acid**
 α -hydroxyethylamide, dihydro-, mechanism of epimerization, 11
structure and derivs, 11
- Maclurin** in xanthone biosynthesis, 2229
- Magnesium**, diethyl, reaction with magnesium halides in THF, 4215
- Maleic anhydride**, reactions with acetylacetone, ethyl acetoacetate and resorcinol, 4117
- Maltose**, kinetics and mechanism of oxidation, 1189
- Mangiferin**, constitution and isolation from *Mangifera indica*, 1367
- Mangostin**, dimethyl-, reaction with hydrochloric acid and "hydrochloride" structure, 3307
- Mannich bases** of isoxazoles and isoxazolinones, 4409
- Marrubin**, stereochemistry, 3909
- Marsdenia cundurango*, partial synthesis of desacylkondurangogenin A, 249
- Mechanisms**
cyclization of ψ -ionone with deuterated acids, 3757
nitrosyl fluoride addition to fluoro-olefins, 4291
of carbenoid reactions, 3631
- Meisenheimer-like compds**, PMR spectra, 227
- Melibiose**, kinetics and mechanism of oxidation, 1189
- p-Menthan-2-one**
1,3-dibromo-, reaction with zinc and alcohol, 3887
methoxy isomers, 3887
- p-Menthan-3-one**
2,4-dibromo-, reaction with zinc and alcohol, 3887
ethoxy isomers, 3887
methoxy isomers, 3887
- Menthofuran photoperoxide**, stereochemistry of derived keto acids, 2601
- Mesidine**, oxidation by peroxidase, 473, 1335
- Mesna ferrea* constituents, 243, 4161
- Mesuxanthone A and B**, isolation and structure, 243
- Metabolites** of Polyporaceae, 3427
- Methanal**, energy surfaces, 1015
- o-Methanesulfonamido-benzoate**, *p*-nitrophenyl-, intramolecular catalysis in hydrolysis, 19
- Methyl azide**, photolysis in different solvents at 150°, 1747
- Methyl cation**
energetics, 1029
energy surfaces, 1015
- Methylation** of polyhydroxyjuglones and polyhydroxynaphthazarins, 3271
- Methylcyclohexane**, conversion to 1-amino-1-methylcyclohexane, 3563
- Methylene-malonic acids**, substituted, acidity of cyclic acylals, 2221
- Microorganisms**, transformation of steroids, 2153
- Milldurone**, structure, 4745
- Millettia dura**, isoflavones and rotenoids, 4745
- Millettone**, structure, 4745
- Millettosin**, structure, 4745
- Mills Nixon effect**, 3713
- Mitraciliatine**, absolute configuration, 375
- Mitragynine**, absolute configuration, 375
- Molecular orbital**
calculations for 8-hydroxyquinoline and aza-analogues, 2879
Huckel calculations of decacyclene, 4177
computations, 845
treatment of the O-NO₂, N-NO₂ and C-NO₂ groups, 1857
theory, calculations on the corannulene system, 4257
qualitative rules, 845
studies, 745
of azomethines, 3651
- Monochloramine**, photochem addn to cyclohexene, 1509
- Monoterpenes**, biosynthesis, model reaction, VPC data, 3015, 3023.
- Morpholine methylenebisamine derivs**, reaction with trichloro- and tribromoacetic acids; reduction with formic acid, 1713

- Naphthalene**, 2,4a-ethanodecahydro-, 87
- Naphthalenes**, epimeric 1-ethynyl-1-hydroxy-6-oxo-8a-methyl-1,2,3,4,6,7,8,8a-octahydro- and their acetoxy derivs, hydration, 2453
- Naphthazarins**, hydroxy and methoxy derivs, 3271
- Naphth[1.2],[3.4]bisimidazole**, 2,5-dimethyl-3-oxo-oxo-, prep, 1863
- Naphth[1.2]imidazole**
5-acetylamino-2-methyl-, and its 3-oxo-deriv, syntheses, 1863
5-amino-2-methyl-3-oxo-, proof of structure, 1863
- Naphth[1.2]imidazole[3.4]triazole**, 2-methyl-3-oxo-, prep, 1863
- 1-Naphthoates**, substituted, dipole moments, 2633
- 1-Naphthoic acids**, substituted, dipole moments, 2633
- 1,4-Naphthoquinones**
reaction with hydrazine, 2911
hydroxy and methoxy derivs, 3271
- 2-Naphthylamine**, oxidation by peroxidase, 473
- Nardostachol**, tetrahydro-, tosylation and detosylation by LAH, 2491
- Nardostachone**
LAH reduction and hydrogenation, 2491
tetrahydro-, (tetrahydro-nootkatone) LAH reduction, 2491
- Neighbouring group participation** in 2-cyclohexyl-carbinyl tosylate-acetate systems, 4181
- Neobetandin** derivs, 3111
- Neolinderane**, structure, 267
- Neolitsa zeylanica**, sesquiterpenes, 261, 267, 273
- Neopentylamine oxide**, dimethyl, rearrangement, 37
- Nepetic acid**, 4635
- Nitric acid**, oxidation of benzaldehydes, kinetics, 1007
- Nitriles**
o-amino, synthesis of heterocyclics, 891, 2081
synthesis of fused pyrimidinethiones, 885
¹⁴NNMR, 4299
prep from primary amines by means of lead tetraacetate, 721
- Nitrobenzene**, HMO treatment, 1857
- Nitrobenzenes**, 2-substituted-tetrafluoro-, reactions with nucleophiles, 1347
- Nitrogen**
free radicals, 4661
heterocyclic molecules, effects of protonation on electron densities, 2513
- Nitroso compds**,
aromatic, PMR spectra, 1583
photochemical and thermal decomposition, 4021
perfluoro, manufacture, 4291
- Nitzosyl fluoride**, addition to fluoro-olefins, 4291
- Nonacyclo-tetra- and -hexacosane series**, 3057, 3067
- Nonclassical ions**, 649, 661
- Norbornene**, *syn*-7-bromo-7-methyl-, prep, 1107
- 24-Nor-5 α -cholan-23-oic acid** lactone, 3 β ,16 β -dihydroxy-6-oxo-, 2145
- Nor-dalbergin**, synthesis, 4775
- β -Norsteroid**, lead tetraacetate oxidation, 3583
- Nucleophilic reactions**
displacement of haogen substituents by various amines, 1353
substitution reactions, 1,2,3,4-tetrafluoroanthraquinone, 505
1,3,5,-trichloro-2,3,6-tricyanobenzene, 1845
1,2,3,4-tetrafluoro dibenzofuran, 4041
with *cis*-1,2-dicyano-1,2-difluoroethylene, 1359
with 2-substituted-tetra-fluoronitrobenzenes, 1347
- Nucleophilic reactivity**, 661
- Nucleophilic system**, ambifunctional, alkylation of indole sodium salt, 3771
- Nucleosides**, mannofuranosyl, synthesis, 2789
- Ochratoxins A and B**, total synthesis, 4449
- β -trans-Ocimene**
Diels-Alder adduct, 519
maleic anhydride adduct, application in synthesis towards valeric acid skeleton, 3215
- Octalene**, theoretical study of molecular structure and electronic spectrum, 1569
- 4⁴-Octalin derivs**, reactivity of double bond, 2721
- 3-Octanol**, (-)-3(R) and (+)-3(S), lead tetraacetate oxidation, 215
- Olefins**, fluorinated, reaction with nitrosyl fluoride and with N₂O₄ in presence of KF, 4291
- trans-Olefins**, prep, 4509
- Oligoribonucleotides**, synthesis, 2301, 2315
- α -Onocerin**
new route to key intermediate, 1411
total synthesis, key intermediate, 509
- Optically active aromatic chromophores**, CD of β -aryl-carboxylic acids, 3865
- Optical rotatory dispersion**
alkaloids, 51
amides, aminovinyl ketones and aminocrotates, 4357
argemone alkaloids, 4209
aromatic compds, 3449
trans-cyclohexane-1,2-dicarboxylic acid thionamide, 3237
gliotoxin in KBr pellet, 3881
gly-L-leu, gly₂-L-leu, gly₃-L-leu, gly₄-L-leu, L-leugly, L-leugly₂, L-leugly₃, L-leugly₄: effect of acid and alkali, 4481
keto acids derived from methofuran, 2601
 α - and β -phenylethylamines, 3573
(-) umbellulone and some related ketones, 4229
- Orosolol** from *Selinum vaginatum*, 1883
- Orthoesters**, synthesis, 693
- Oxazetidines**, perfluoro, manufacture, 4291

- Oxazines**, prep of derivs from methyl aryl ketoximes and EtMgBr, 3505
- Oxazoles**, 4-methyl-5-alkoxy-, Diels-Alder reactions yielding pyridoxine, 943
- Oxazolines**, steroidal, Cotton effect, 4337
- 2-Oxazolin-5-ones**, 2-vinyl-4-isopropyl- and 2-isopropenyl-4-isopropyl-, 3363
- 3-Oxazolin-5-ones**, 2-ethylidene-4-alkyl- and 2-isopropylidene-4-alkyl-, 3363
- Oxazolone**, peptide racemization, mechanism, 2031
- Oxazolones**, synthesis, 2017
- Oxidation**
 catalytic, of 4-aryloxyphenols, 2253
 of benzaldehydes with nitric acid, 1007
 of diterpenoid phenols and derivs, 4147
 of furans, 2583
- Oxido-diol** from *Zanthoxylum Rhetra*, isolation and structure, 2495
- Oxiranes**, NMR and prep, 3253
- Δ^1 -3-Oxosteroids**, 4 β ,5 β -dihydroxy-, 995
- Δ^4 -3-Oxosteroids**, 1 α ,2 α -dihydroxy-, 995
- $\Delta^1,4$ -3-Oxosteroids**, with C₁₁-substituents, 995
- Oxyyanin A**, 4607
- Paravallarine**, N-methyl-5 α -dihydro-, reaction of trifluoroacetic anhydride with N-oxide deriv, 4681
- Pentacyclo[5.3.0.0^{2,6}.0^{3,8}.0^{4,8}]decane** and derivs mass spectra, 1225
 synthesis and reactions, 1211
- Pentacyclo[5.3.0.0^{2,6}.0^{3,8}.0^{5,8}]decane** and derivs mass spectra, 1225
 synthesis and reactions, 1211
- Pentaphene** synthesis from 2-benzoylbenzoic and phenylacetic acid, 1037
- Pent-2-enopyranosyl derivs**, structures, conformations, and relative signs of long range proton coupling constants, 2395
- Peptide oxazolones**
 and related compds, synthesis, 2017
 racemization and mechanism, 2031
- Peptides**
 acylated esters, sequence determination by mass spectrometry, 3403
 synthesis, use of pivalohydroxamic acid esters, 4805, 4811
- Peracids**, formation by perhydrolysis with alkaline H₂O₂, 3327
- Perbenzoic acid**, formation by perhydrolysis with alkaline H₂O₂, 3327
- Peroxidase**
 oxidation of 2,6-dimethylphenol, 2,6-dimethoxyphenol, N,N,2-trimethyl-aniline, N,N,4-trimethylaniline, 1867
 oxidation of mesidine, 473, 1335
- Peruvinin**, structure, 529
- Phaseolus multiflorus**, isolation of 8-hydroxy-1,7-dimethyl- dec-1,4-en-1,10-dioic acid, 2417
- Phenanthrene**
 (+) and (-) 2,8-dimethyl-2-ethyl-1,2,3,4-tetrahydro-, 2215
 1-methyl-, and 2-methyl-, NMR spectra, 985
 9-methyl-, NMR spectrum, 985
- Phenethylamine**, rotary dispersion of derivs, 4357
- Phenol**, 2,6-dimethoxy-, oxidation by peroxidase, 1867
- Phenols**
 and phenoxytrichlorosilanes, oxidation with chromyl chloride, 2817
 new dibromo- from *Rhodemela larix*, 1185
- Phenolic compounds**
 biogenetic-type synthesis, 3545
 orientation by NMR substituent shielding values, 1691
- Phenylacetic acid**
 amyl ester, electric dipole moment and *trans*-configuration, 4801
 and esters, *p*-acyl and *p*-alkyl, 1735
 condensation with 2-benzoylbenzoic acid, and route to pentaphene, 1037
- Phenylacetylene**, reaction with triarylphosphines and water, 2795
- o*-Phenylenediamine**, 4-nitro-, reaction with 2,4-dinitrochlorobenzene, 2863
- Phenylenediamines**, formation, 115
- α - and β -Phenylethylamines**, ORD, 3573
- Phenylhydrazine**
 2,4-dinitro-, condensation with 2,4-dinitrochlorobenzene, 2863
p-nitro-, condensation with picryl chloride, 2863
- N-Phenylpyrroles**, conjugate acids, 745
- Phlebiarubrone**, structure of the basidiomycete, 3985
- Phosphine oxides**, secondary, effect of structure on acid strength and rates of disulphide cleavage, 1065
- Phosphines**, triaryl, reaction with phenylacetylene and water, 2795
- Phosphinic acids**, diaryl-, from cyclic phosphorous esters and Grignard reagents, 1701
- Phosphite esters**, reaction with aromatic aldehydes, 2067
- Phosphites**
 di- and trialkyl, reaction with 1,2-benzophenazine-3,4-quinone, 107
 reaction with 1, 2, 3-indantrione and 2-benzylidene-1, 3-indandione 99
 trialkyl, reaction with aromatic aldehydes, 2067
- Phosphonates**
 aryl, prep from arylhalides, 4677
 β,γ -unsaturated, prep of Stobbe condensation with diethyl β -carbethoxyethyl phosphonate, 1831
- Phosphonochloridothionate**, ethyl-, hydrolysis of optically active O-ethyl deriv, 1543
- Phosphorane**, pentaoxy, 2067
- Phosphoroamidites**, monoalkyl, prep, physical constants and IR spectra, 2243

- Phosphoroamidochloridites**, alkyl N,N-dialkyl-, prep and physical constants, 2243
- Phosphorothioate**, O,O-dimethyl-S(2,4-dinitrophenyl)-, 3007
- Phosphorous acid**, amides, 2243
- Phosphorus**
azides, addition to norbornylene, 965
chlorides, thioalkylation of reaction with xanthates, 3049
esters, cyclic, reaction with Grignard reagents, 283
pentacovalent, 2067
- Photochemical reactions**
addition of monochloramine to cyclohexene, 1509
a possible isotope effect in, 2281
between alkyl azides and hydrazoic acid in different solvents between +40° and 150°, 1747
ethyl azidoformate with cyclic ethers and acetals, 45
halogenation of bicyclo [3.2.1] oct-2-ene derivs, 4549
cis-trans isomerization of olefins, 2173
6-nitrocholesteryl acetate and related compds, 1341
of cyclic ethers with olefins, 3193
of non-enolizable β -diketones, 3993
5-phenyltropolone and its methyl ether, 1613
photolysis of nitroso compds, 4021
synthesis of diterpene δ -lactones, 4463
UV-light induced addition of N-chlorourthane to bicyclo [2.2.1] hept-2-ene, 3033
- Photoperoxide methofuran**, keto acids derived from, 2601
- Photosensitized oxygenation** of furans, 2583
- Phthalan** naturally occurring, 3801
- Phthalic anhydride**, *cis*-1,2,3,6-tetrahydro-3- ω , ω -dimethylallyl-4-methyl-, structure, stereochemistry and rearrangement, 519
- (+) **Phyllanthin**, absolute configuration, 1915
- Picraline**, zinc-hydrochloric acid reduction, 1971
- Picryl-aryl-nitrogen**, free radicals, 4661
- Pimaricin**, absolute configuration at C-25, 3753
- α -**Pinene**, conversion to ethyl (-)-2,2-dimethyl-3-ketocyclobutyl acetate and its reactions, 4167
- (-)- **β -Pipicoline**, absolute configuration, 1841
- Piperidines**, C-alkyl- and N-alkyl, PMR spectra, 291
- Piperlongumic acid**, degradation product of piperlongumine, synthesis, 1769
- Piperlongumine**, structure and partial synthesis, 1769
- Pivalohydroxamic acid** esters, use in peptide synthesis, 4805, 4811
- Pleiadene systems**, 4557
- Pleiadene**, 1-methyl-, 4557
- Podocarpaceae**, chemistry, 4147
- Podocarpic acid**, O-methyl-, oxidation with lead tetra-acetate, 927
- Podophyllotoxin analogues**, as insect chemosterilants and biological alkylators, 4197
- Polonovski reaction**, of trifluoroacetic anhydride on an amine oxide, 4681
- Polynitrophenyl-aryl-nitrogen**, free radicals, 4661
- Polyporenic acid A**, novel conjugates, 3427
- Polyprones**, 3435
- Polysulphone**, phenylmethylene formation, 639
- 5 α -Pregnane**, 3 α -dimethylamino-20- α -methylacetyl-amino-, 3829
- 11 α , 12 β -**Pregnanediol** derivs from Asclepiadaceae, 1461
- Pregn-5-ene**, 3- α -dimethylamino- 20- α -methylacetyl-amino, 3829
- Pregnene-3,20-dione** series, configuration at C-17, 3683
- Preocotene**, new aporphine alkaloid, 2887
- Prodigiosin**, mass spectra, 603
- β -Propiolactone**, reaction with N-hydroxysuccinimide, 4441
- Propiophenone**, condensation with acetates of optically active alcohols, 4271
- 2,2-d₂-1-**Propylamine**, 1-¹⁴C-, 1-t and 2,2-d₂ derivs, deamination, 2539
- Propylbutyrate** phenyl, electric dipole moment and *trans*-configuration, 4801
- Propylidetriphenylphosphorane**, stereochemistry of reaction with aldehydes, 2709
- Protocatechualdehyde**, 5,6-dibromo-, isolation from red alga, 1185
- Proton resonance shifts**, effect of nonbonded interactions in soln, 4065
- Protonated cyclopropanes**, mechanistic implications, 2539
- Protonation** of nitrogen heterocyclic molecules, effects of electron densities, 2513
- Proton coupling constants**, long range signs in D-glycero-pent-2-enopyranosyl derivs, 2395
- Pseudoguaianolides**, new, from *Ambrosia confertiflora*, 2529
- Pseudoxazolones**, 3363
- Pteridine**
2,4-diamino-6 (D-erythro-1,2,3-trihydroxypropyl)-, prep, UV and NMR data, 1387
2,4-diamino-6 (L-erythro-1,2-dihydroxypropyl)-, prep, UV and NMR data, 1387
- Pteridines**, separation of isomers, 1387
- Pterocarpan**
derivs, PMR spectra, 1817
7-hydroxy-8,4'-dimethoxy-, synthesis, 3221
7,8,4'-trimethoxy-, synthesis, 3221
- Pulegone**
exposides, rearrangement, 1119
oxide, Favorskii rearrangement, 1953
- Purines**, 6-(substituted amino)-, UV spectra, 479
- Pyrano(3,4-e)-(1,3)-oxazines**
7-amino-3,4-dihydro-2,4,5-trioxo-3-phenyl-2*H*,5*H*, formation from 7-chloro-3,4-dihydro-2,4,5-trioxo-3-phenyl-2*H*, 5*H*-pyrano(3,4-e)-(1,3)-oxazine, 199

- Pyrano(3,4-e)-(1,3)-oxazines (continued)**
7-arylamino-2,4,5-trioxo-3-phenyl-2*H*, 5*H*-formation from 7-chloro-2,4,5-trioxo-3-phenyl-2*H*, 5*H*-pyrano (3,4)-(1,3)-oxazine, 2461
- Pyranosides**
methyl 6-deoxy- α -L-hexopyranosides, selective benzylation, 1641
selective benzylation of some methyl α -D-hexopyranosides, 1369
- Pyrazole**, proton dissociation constant, 2855
- Pyrazoline**
3-*o*-hydroxyphenyl-1,5-diphenyl-, 4317
1-methyl-3-*o*-hydroxyphenyl-5-phenyl, 4317
1-thiocarbamyl-3-*o*-hydroxyphenyl-5-phenyl-, 4317
- Pyrazolines**, Cotton effect, 4337
- Pyrazolo[3,4-d]pyrimidines**, prep, 687
- Pyrene**
1,2-dimethyl- and 4,9-dimethyl-, NMR spectrum, 985
1,6-dimethyl-, synthesis, NMR spectrum, 985
3-methyl-, NMR spectrum and 1-methylpyrene, 985
- Pyridazines**
imidazo-[1,2-b], and some tricyclic aza analogues, 387
substituted, formation, 2739
- Pyridine**
aldehydes, synthesis, 2823
2-amino-6-halo-3,4-dihydro-, 4517
2-(*o*-hydroxy) styryl-, perchlorate, N-methyl-methosulfate and N-methyl perchlorate derivs, 3733
2-[1-vinyl-(2-hydroxy) naphthyl]-perchlorate, N-methyl-methosulfate, N-methyl-perchlorate derivs, 3733
- Pyridine-3-carboxyanilide**
4,6-dichloro-1-phenyl-, formation from 1,2-dihydro-4,6-dihydroxy-2-oxo-1-phenylpyridine-3-carboxyanilide, 199
4,6-dihydroxy-2-oxo-1-aryl-, formation from 7-arylamino-2, 4, 5-trioxo-3-phenyl-2*H*, 5*H*-pyrano[3,4-e]-[1,3]-oxazines, 2461
4,6-dihydroxy-1-substituted- formation from 7-amino-3, 4-dihydro-2, 4, 5-trioxo-3-phenyl-2*H*, 5*H*-pyrano[3,4-e]-[1,3]-oxazines, 199
4-hydroxy-6-methoxy-2-oxo-1-aryl-, formation from 4,6-dihydroxy-2-oxo-1-aryl-pyridine-3-carboxyanilides, 2461
6-hydroxy-4-phenoxy-2-oxo-1-substituted (alkyl or aryl), 1551
- Pyridinium bromide**, 1-(3-methyl-2-indolyl)-, and its catalytic hydrogenation, 1441
- Pyridinium salts**, new 3,5-disubstituted-N-methyl-, containing cyano groups, synthesis and reduction to corresponding dihydropyridines, 858
- Pyridone alkaloids**, piperlongumine from *Piper longum*, 1769
- Pyridoxine**, synthesis from 4-methyl-5-alkoxy oxazoles, 943
- Pyrimethamine**, synthesis of analogues, 2081
- Pyrimidines**
2- and 6-alkyl-4-chloro-, kinetics of the reaction with piperidine, 813
4,6-dimethyl-2-oxo-1,2-dihydro-derivs, reactions, dissociation constants, UV and IR spectra, 353
4-chloroethylamino-, 1297
4,6-dihydroxy-, PMR spectra and structure, 1197
5-halogeno-, NMR spectra, 2657
simple electron impact study, 1153
- Pyrimidinedithiones**
fused, synthesis of from *o*-aminonitriles, 891
synthesis from *o*-aminonitriles, 885
- 1-Pyridine**, synthesis from 2,4-dihydroxy-1-pyridine, reaction with Me I, 3601
- 1*H*-1-Pyridine**
1-methyl-7-aza, UV and visible spectra, 3601
1-methyl-, synthesis from 1-pyridine, prop UV, visible and NMR spectra, 3601
- 1-Pyridinium fluoroborate**, reaction with diazomethane, 3601
- Pyrogallols**, substituted oxidation, 2829
- Pyrolysis**
camphor and its related compds, 1791
cyclopropylcarbonyl-, cyclobutyl- and homoallyl-esters, 2195
- Pyrrrole**
2-ethoxycarbonyl-4-methoxy-, synthesis and 2,2'-dipyrrolylmethene deriv, 4499
oxidation with H₂O₂ in AcOH to 2,5-bis-(pyrrolidin-2-on-4-yl)pyrrole, 737
proton dissociation constant, 2855
- Pyrrroles**
2,4-diaryl, prep by reaction of oxazine derivs with HI, 3505
linear di tri and tetra compounds, mass spectra, 603
mass spectra in structural and stereochemical problems, 633
N-phenyl, protonation and basicities, 745
1-substituted, aromatic character, 4469
- 2-Pyrrolealdehydes**, deformylation mechanism and 2,2' dipyrrolylmethene, 4499
- Pyrrolidine**, methylenebisamine derivs, reaction with trichloro- and tribromoacetic acids; reduction with formic acid, 1713
- Pyrrolidin-2-one**
1-aryl-5-carboxy-5'-carbethoxy, prep, 493
1-aryl-5,5'-discarbethoxy, prep, 493
1,5-diaryl-5'-carbethoxy, prep, 493
3-carbamoylamino-; 1-phenyl-3-carbamoylamino-; 1-benzyl-3-carbamoylamino-, 1557
- Pyrones**, biogenetic-type synthesis of phenolic compds, 3545
- Pyrophosphate**, *sym*-diethyl, prep and reactions with secondary amines, 2243
- Pyrylium salts**, 4001

- Quantumchemical calculations**, 4323
on CH_3^+ , H_2CO and BH_3 , 1015
- Quinidine**, configuration at C-9, 3253
- Quinine**, configuration at C-9, 3253
- Quinine-quinidino**, rotatory dispersion, 51
- Quinoline**
8-hydroxy and aza analogues, hydrogen bonding in electron densities of molecular orbital calculations on π energies for basicity correlations, 2879
tetrahydro- and N-acyl-derivs, NMR data, 1683
- 4*H*-Quinolizin-4-one**, formylation, 3851
- o*-Quinone**
and its reaction with Ac_2O and NaOAc , 3985
dimerization, 2829
- P*-Quinolone**, 1-methyl-2-tridecyl derivs, 1873
- Quinone anils**, temp dependance of PMR spectra, 3723
- Quinoxaline antibiotics**, 1535
- Racemic mixtures**, composition of enantiomorphs calculated from heat of fusion, m.p. and lowering of m.p., 4009
- Racemization**, oxozolone, mechanistic studies, 2031
- [3]-Radialene**, structure of triisopropylidene-cyclopropane, 565
- Radical cations**, of hydrocarbons captured by pyridine, 3043
- Radicals**, see also Free radicals
aryl, reaction with trialkyl phosphites, 4677
bridged iodoalkyl, reaction of α -phenyl-substituted olefins with cyclohexadiene-1,4 and iodine, 3029
from $\text{N,N}'$ dithiodiamines, 1697
nitroxides, 4021
- Rapanone**, condensation reactions with aldehydes and nitroso compds, 801
- Rearrangement**
mechanism of hydrazo compds in presence of acids, 1317
of dimethylnepentylamine oxide, 37
X-ray induced, 4759
- Reductions of 3,6-dimethoxyestrappaene and 3,6-dimethoxyetrahexaene** carboxylic acids, 1807
- Reserpine**, acid catalysed C_3 epimerization, inversion of N_b in acetic acid; reductive cleavage of C_2 - C_3 bond and C_3 - N_b bond, 4053
- Resorcinol**, reaction with maleic anhydride, 4117
- Rhein**, chemical examination, 515
- Rhodamela larix***, isolation of new dibromophenols, 1185
- Rhoeadine alkaloids**, mass spectrometry, 2997
- 1-(D - β -Ribofuranosyl) indole**, synthesis, NMR spectra, oxidation, conformation, re-cyclization, 4653
- 1-(D - β -Ribofuzaosyl) indoline**, 5'-O trityl, 5'-O-trityl-2'3'-di-O-acetyl, dehydrogenation, 4653
- Ribonucleosides**
and 5'-O-acyl derivs, 2'(3')-monoacylation via orthoester exchange, 2315
2' (3') O-methoxymethylidene derivs, prep, 2301
monoacylation *via* orthoester exchange, 2315
- 5'-Ribonucleotides**, 2'(3')-O-methoxymethylidene derivs, 2301
- 1-(D - β -Ribopyranosyl) indole oxidation**, 4653
- Ring compounds**, small, from α -pinene, 4167
- Rings**
enlargements, 2285, 2291
medium and large superimposable with diamond lattice, 2105
- Rotation**, internal of the carboxyl group of the 1-naphthoic acids, 2633
- Rotenoids**
milletone and milletosin, 4745
synthesis, 2505
- Saccharum officinarum***, triterpene methyl ethers in, 1283
- Saikogenin A**, C and C structures, 3333
- Saikogenin B**, structure, 3353
- Salicylamide**, O-acetyl and N-acetyl, 863
- Sandaracopimaric acid**, reduction to sandaracopimarinol, 2215
- α -Santalene** and derivs, 4487
- α -Santalalic acid** and derivs, 4487
- Santanolide 'C'**, synthesis, 1985
- Santonins**, mass spectra and fragmentation scheme, 4623
- Sapogenins**
new triterpenoid, from *Entada phaseoloides*, 1499
griseogenin, 745
- Sawamilletin**, GLC retention times, mass spectrum and occurrence in Cuban sugar cane wax, 1283
- Schiff bases**, electronic structure, spectra and stereoisomerism, 3651
- Schleyer-Foote**, relationship, 1029
- Sea cucumber**, sapogenins, 761
- Securine**, total synthesis, 1165
- Selinidin** from *Selinum vaginatum*, 1883
- Selinum vaginatum***, isolation of angelicin, oroselol, lomatol, selinidin and vaginidin and comparison with *Nardostachys jatamansi*, 1883
- Seselin**, 4613
- Seselin**
(\pm)-3'-acetoxy-4'-keto-3', 4'-dihydro-, (\pm)-3'-hydroxy-4'-keto-3', 4'-dihydro-, (\pm)-3'-isovaleryloxy-4' keto-3', 4'-dihydro-, and (\pm)-3'- α -methylbutyryloxy-4'-keto-3',4'-dihydro-, prep, 1235
- Sesquifvalene**, benzo[g], electronic structure and spectrum, 3613
- Sesquiterpenes**
dilactone, vermeerin, 4153
euryopsonol, structure, 2431
lactones of *Zaluzania augusta*, 3903

- Sesquiterpenes** (*continued*)
 peruvinin, isolation and structure, 529
 stevin, a new pseudoguainanolide, 4265
 zaluzanins A and B structure, 29
- Sesquiterpenoids**, hirsutic acid C, 4759
- Severine palmitate**, isolation and structure, 4613
- Severinia buxifolia*, 4613
- Skatole**, bromination in the presence of pyridine, 1441
- Smoke city**, constituents, 2389
- Solanum** alkaloids, X-ray analysis of tomatidine hydroiodide, 3705
- Solvation**, steric hindrance to, in the reaction of 2- and 6-alkyl-4-chloropyrimidines with piperidine, 813
- Solvent effects**, in NMR spectroscopy, 3227
- Solvolysis**
 of glycyrrhetic acid, 1633
 rates, 1-methyl- d_3 -cyclopropyl carbinol, 1-methyl- d_3 -cyclobutanol, (2,2-dimethyl- d_6 -cyclopropyl) carbinol and 1-cyclopropyl-2- d_3 ethanol, 649
- Sparteine N-oxides**, NMR studies of intramolecular hydrogen bonds in monocations, 1799
- Speciocillatine**, absolute configuration, 375
- Speciogynine**, absolute configuration, 375
- Spectra**, absorption bands, optically active and overlapping, 885
 ^{15}N -H coupling constants, 1489
absorption, 2,2-bithienyl derivs, 4419
electron
 azomethines, 3651
 dihydropyridines, detn of double bond character compared with the values calculated from known bond lengths, 858
 octalene, 1569
 triafulvene, trifulvalene and calicene, 2189
 tris-catechyl-arsenic(V) ion, 1919
electron spin resonance
 nitroxides, 4021
 soil and coal humic acids, 1653
infra-red
 β and γ -lactams, 493, 499
 α -deuteriocyclopropylcyanide, 3763
 integral intensity of Δ^8 -cyclohexene derivs, 2987
- low energy**, β -keto esters, 4425
- mass**
 acylated peptide esters, 3403
 2-acylthiophenes, 2979
 2-aminopyrimidines, 1153
 arylsulphinylamines, 3743
 6-aza and 11-aza steroids, 4587
 bridged cycloaliphatic hydrocarbons, analyses and discussion, 3067
 carboalkoxyalkylphosphonates, 2181
 catena compds, 3079
 cycloserine derivs, 65
 α, β -epoxyketones, 2893
 β -keto esters, 2807
- Spectra, mass** (*continued*)
 linear di, tri and tetrapyrrolic compds, 603, 633
 pentacyclodecane derivs, 1225
 pentacyclodecanes, 1225
 picaline degradation products, 1971
 possible operation of tautomerism in some processes, 2095
 relative ease of loss of alkyl radicals, 321
 rhoeadine alkaloids, 2997
 santonins, 4623
 seed alkaloids of *hunterioa umbellata*, 3809
 steroid systems, 3667, 3683
 unsaturated esters, 305
 α, β -unsaturated esters and nitriles, 3173
- nuclear magnetic resonance**
 anisotropies of the C—C and C—H bond, 2339
 anisotropies of the C—C double bond, 2357
 N-benzylisatylideneacetaldehydes and isatylideneacetone, 901
 N-benzylisatylideneacetic acids and ethyl ester, 901
 2 carboxy-cyclopentanols and some derivs, 4331
 chelated 2-hydroxythiophenes, 871
 cyclobutanes, 2747
 cycloserine derivs, 65
 1,3-dioxanes, effect of substituents on chemical shifts of protons in different positions, 4371
 diterpenes, 2375
 euryopsonol, 2431
 flavanoids, 341
 N-formyl- and N-thioacetylindoline, 4493
 ^{19}F fluorinated dibenzofurans, 4047
 D-glycero-pent-2-enopyranosyl derivs, 2395
 hydrogen bonding, 3245
 hydrogen halide salts of glutaronitriles, 4517
 succinonitriles, 4539
 22,27-imino-17,23-oxide-jervane derivs, 1591
 incensole, 1977
 indanones and tetralones, substituted derivs, 3931
 ^{15}N -labelled, amidines, 1489
 compds, 1489
 β and γ -lactams, 493, 499
 N-methylphenylhydrazones, 1097
 ^{14}N nitriles and isonitriles, 4299
 oxime O-methyl ethers, 1079
 picaline degradation products, 1971
 protonation of N-heterocycles, 2927
 pyrimidines, solvent effects, 2657
 quinone aniles, temp dependence, 3723
 solvent effects, 3227
 studies on cycloalkeno-biscycloalkeno[a.c]-, and tricycloalkeno- benzenes, 3713
 substituted *cis*-stilbenes, 187
 substituted *trans*-stilbenes, 173
 TMS, methyl proton resonance measurement and soln effects, 4065

- Spectra, NMR (continued)**
cis 1*H*,1*H*,4*H*-trifluorobuta-1,3-diene, characterization, 709
 (—)umbellulone and some related ketones, 4229
 use in measuring conformational isomerization, 1575
 use of aromatic substituent shielding values for orientation, 1691
- Proton magnetic resonance**
 C-alkyl- and N-alkylpiperidines, 291
 aromatic nitroso compds, 1583
 4,6-dihydroxypyrimidines, 1197
cis and *trans*-2,3-dimethyl-dioxane-1,4, analysis of the spectra, 4385
 Meisenheim-like compds, 227
 pterocarpan derivs, 1817
 β,γ -unsaturated phosphonates, ^{31}P - ^1H spin-spin coupling constants, 1831
- Ultra violet**
 alkyl-cyclohexane derivs, 2987
 dihydropyridines, double bond discussed, 858
 5-isoxazolepolyene aldehydes, 4701
 quantum chemical calculations, 4323
- vibrational**
 methanal, 1029
- Spin coupling, ^{15}N -H, 3245**
- Spirobarbituric acid, 5', 4-1-phenyl-azetid-2-one, attempted synthesis, 499**
- Squalane, precursor to isoprenoid hydrocarbons, 2609**
- Stereochemistry**
 N-benzylisatylideneacetaldehydes and isatylideneacetone, 901
 N-benzylisatylideneacetic acids and ethyl ester, 901
 cinchona alkaloids, 3253
 C-1,2-dehydrogenation of estr-4-3,17-dione with *B. sphaericus*, 535
 distinction between the *cis*- and the *trans*-form of stilbenes by NMR spectra, 173
 edulitine and edulinine, 2061
 flavan derivs, 341
 hirsutic acid C, 4759
 14-hydroxysteroids, 3667
 isoprenoid cyclization and of protonation of double bond, 1621
 keto acids derived from methofuran, 2601
 3- and 5-methyl-4-aryl-1,2,5,6-tetrahydropyridines, 1405
 nucleophilic displacement reactions at thiophosphoryl centre, 1543
 pentacyclic steroid derivs, 1515
 reduction of cyclohexanones with diborane and dialkoxyboranes, 205
 (—) umbellulone and some related ketones, 4229
 β,γ -unsaturated phosphonates by PMR spectroscopy, 1831
- Stereoisomerism of 1,3,2-dioxaphospholanes, 2067**
- Stereoselectivity, of fluorochlorocarbene, 2549**
- Steric control in ring enlargements, 2281**
- Steric factors in nitrogen free radicals, 4661**
- Steric hindrance to solvation of the aza-groups, in the piperidino-dechlorination of 2- and 6-alkyl-4-chloropyrimidines, 813**
- Steroidal**
 16-formyl-17-ketones, condensation with methyl vinyl ketones, 1515
 tertiary amines, oxidation to corresponding formyl derivs, 4691
- Steroids**
 acetylation and trifluoroacetylation at C-16, 335
 6-aza and 11-aza, mass spectra, 4587
 17 α -bromoethynyl and 17 α -iodoethynyl derivs, prep, 4111
 C $_{21}$, desacylkondurangogenin, partial synthesis, 249
 ester glycosides, 1461
 12,12'-epoxy-derivs of 12-methylene-tigogenin, prep and reactions, 3511
 geometry of perhydrophenanthrene skeleton, 439
 heterocyclic, substituted, Cotton effect, 4337
 14-hydroxy-, stereochemistry, 3667
 3-keto-, conformation of ring A, 1279
 5 β -3-keto-, conformation of ring A, 1279
 methyl corticoid, synthesis, 121
 1 β ,2 β -methylene, synthesis, 2115
 nitro, reduction, 4105
 pentacyclic derivs, 1515
 syntheses with 2-methyl-2-carboxymethyl-3-oxocyclopentanecarboxylic acid derivs, 3183
- Steroid systems, mass spectrometry, 3667, 3683**
- Stevia rhombifolia*, constituent, 4265**
- Stilbenes**
 substituted *cis*-, NMR spectra, 187
 substituted *trans*- NMR spectra, 173
- Strachene series, stereochemical studies, 493**
- Structural problems, 4,6-dihydroxypyrimidines, PMR spectroscopy, 1197**
- Structure effect of *cis*-*trans*-isomerism on NMR spectra, 187**
- Substituent effects, 649, 4323**
 on NMR-spectra of substituted *cis*-stilbenes, 187
 on NMR-spectra of substituted *trans*-stilbenes, 173
- Succinic acid, (+) and (—)-2,3-diveratryl, 1915**
- Succinonitriles, cyclization, 4539**
 hydrogen halide salts, structure, 4539
- Sugar Cubans cane wax, triterpene methyl ethers in, 1283**
- Sugar esters, IV, chloroester prep, 359**
- Sugars**
 1,2-alkyl orthoesters, glycosylating agents, 693
 with antiviral activity, 2789
- Suksdorfin, -(±)-*cis*-, synthesis, 1235**
- Sulphinylamines, aryl-, mass spectra, 3743**

- Sulphene** intermediate, reaction with P-ylides, 2137
- Sulphinate salts**, aryl, reaction with halogenated acrylonitriles, 1145
- Sulphonamidobenzoate**, *p*-nitrophenyl O-methane-, catalysis in hydrolysis, 19
- Sulphones**
phenyl, formation, 639
phenyl vinyl, reaction with cyclohexanone enamines, 1451
- Sulphur compds**
bis-disulphides from benzhydryl thioethers, 3923
chlorides, reaction with *sec*-amines, S-S bond dissociation into radicals, 1697
dioxide, reaction with anthracene, 1783
ylides, prep and structural studies, 4279
sulphonium and oxosulphonium carb-alkoxymethylides, structure and reactions, 545
- Tanginol**, constitution, 3837
- Taraxerol**, methyl ether, GLC retention times, mass spectrum and occurrence in Cuban sugar wax, 1283
- Tauremisin**, synthesis, 1273
- Tautomerism**
4,6-dihydroxypyrimidine and its derivs, PMR spectra, 1197
3,4-dimethyl-isoxazolin-5-one, 675, 831
isoxazolinones, 4395
optically active aminovinyl ketones and aminocrotonates, 4357
possible operation in some mass spectrometric processes, 2095
- Terminalia paniculata*, chemistry, 879
- Terpenes**, structure of arborinol, 131
- Terpenoids**, 4487
alantolactones, transformation products, 2469
base catalysed reactions of N-lithioethylene-diamine, 1251
dehydration of guaicol and dehydro deriv, 1241
stereochemistry and optical rotatory dispersion curves of (–)-umbellulone and some related ketones, 4229
- Terpyrrole**, triox defn of structure as 2,5-bis-(pyrrolidin-2-on-5-yl) pyrrole, 737
- Tetralines**, substituted, NMR spectra of derivs, 3931
- Tetranortriterpenoids**, methyl-6-hydroxy and methyl-6-acetoxy-angolensates, 4035
- Tetraphene** by Robinson-Mannich reaction, 3859
- Thalictrum alkaloids**, thalidezine, thaliporphine and precocetine, 2887
- Thalidezine**, new bisbenzylisoquinoline alkaloid, 2887
- Thaliporphine**
new aporphine alkaloid, 2887
structure, 2563
- Thermodynamics**, weak molecular interactions by NMR technique, 3227
- 5-Thiacyclooctane-3,7-diols**, 1-aza-1-substituted, 2123
- m*-**Thiazines**
prep and rearrangement to pyrimidinedithi-ones, 891
rearrangement to pyrimidinethiones, 885
- N-Thioacetyl-indolines**,
NMR data, 1683
solvent and temp dependence of NMR spectra, 4493
- Thioalkylation** of phosphorus chlorides by reaction with xanthates, 3049
- Thiocarbonyl compounds**, 4323
- Thiocyanation** of Δ^8 -cyclohexene derivs, 2721
- 3-Thiolene-2-one**
5-bromo-, prep, rearrangements ABX spectra and rel. sign. of coupling constants, 3737
5-chloro-, prep, tautomeric prop, ABX spectrum and rel. sign. of coupling constants, 3737
- Thiophenes**
2-acyl, reactions, 2979
and furan derivs, relative rates of acetylation, 1739
2-*t*-butoxy 5-bromo- and 5-chloro-, prep and dealkylation, 3737
6-butoxy-, prep and dealkylation, 871
3-carbethoxy-2-hydroxy-, dimerization, 871
carboxylic acids, hydroxymethyl-, and related compds, synthesis, 2443
2-hydroxy-, prep, NMR, IR and hydrogen bonding studies, 871
substituted, synthesis, 2437
- Thiophenol**, 2-amino-, product of reaction with diethyl acetylenedicarboxylate, 1911
- Thiophosphate**, O,O-dimethyl-S(2,4-dinitrophenyl)-, 3007
- Thiophosphoryl centre**, stereochemistry of nucleophilic displacement reactions, 1543
- Thujane**, reinvestigation of a synthesis, 3887
- Toluenes**, substituted, kinetics of oxidation with chromyl chloride, 2803
- Tomatidine hydroiodide**, X-ray analysis, 3705
- Triafulvalene**, electronic structure and spectrum, 2189
- Triafulvene**, electronic structure and spectrum, 2189
- Triazoline**
formation, NMR evidence for stereochemistry, 965
phosphorylated, kinetics of decomp, 965
- 9H-Tribenzo[a.c.e.]cycloheptene**
9,9-dichloro-, reaction with alkylolithium, 3631
9-methylene-, 3631
- 9H-Tribenzo[a.c.e.]cycloheptene-9-ol**, 3631
- Trichloramine**, amination, 3965, 3977
- Trichloromethide**, addition to vinyl carboxylates, 1479
- Tricyclo[5.3.0.0.^{2,10}]deca-3,5-dien-9-one**, 3943
- Tricyclo[3.3.2.0.^{2,8}]deca-3,6,9-triene**, 3943

- Tricyclo-[6.2.2.0^{2,7}]-dodecana-5,9-dione**, 6,6',10,10'-tetramethyl-3,12-diisopropenyl- and its 6,10,10', trimethyl analogue, 2767
- Tricyclo [3.3.1.0^{2,8}] nona-3, 6-dien-9-one**, 3943
- Tricycloekasantallic acid** and derivs, 4487
- Tricycloekasantalol** and derivs, 4487
- Trifluoroacetylation** of steroids at C-16, 335
- Triphenylphosphin-tetraphenyl-cyclopentadienylene**, 2701
- Triscycloalkenobenzenes**, NMR studies, 3713
- Triterpenes**
 hexahydroxy-, 3837
 key intermediate in total synthesis of α -onocerin, 509
 methyl ethers, GLC retention times, mass spectra and occurrence in Cuban sugar cane wax, 1283
 new from *Barringtonia acutangula*, 3837
- Triterpenoids**
 entagenic acid, 1499
 constitution and mass spectrum, 1505
 from *Bupleurum falcatum* L., 3333, 3353
 sapogenin griseogenin, 745
 sapogenins of sea cucumber, 761
- Trithione** and alkyltrithonium salts reaction with amines, 3785
- Troger's base**, 4087
- Tropolone**, 5-phenyl-, and its methyl ether, photochemistry, 1613
- Tyramine**, N-benzoyl deriv, 4613
- L-Tryptophan**, proton dissociation constant, 2855
- Turbicoryn**, relation of corymbosin, 2557
- Turbina corymbosa*, glucoside from, 2557
- Uracil**, dihydro-, assay of pK_{AH+} and kinetics of acid hydrolysis, 4307
- Ureidopropionic acid**, 3- ω -N-phenyl equilibrium on cyclization to 3-phenyl-dihydrouracil, 4307
- 3-Ureidopropionic acid**, kinetics of cyclization in HCl, 4307
- Urethane**
 N-chloro-, addition to 2-butene, 3039
 UV-light induced addition to bicyclo [2.2.1]hept-2-ene, 3033
 N,N-dichloro-, addition to 2-butene, 3039
- Vaginidin** from *Selinum vaginatum*, 1883
- Valeric acid** skeleton, synthetic application of β -trans-ocimene-maleic anhydride adduct, 3215
- Veratrum album* subsp, lobelianum, structure of a new steroid alkaloid verazine, 167
- Verazine**, a novel veratrum alkaloid with 22,26-imino-cholestane skeleton, 167
- Verdozyls**, Huckel MO calculations, 1939
- Vermeerin**, constituent of *Geigeria africana*, structure, 4153
- Vinyl interchange** between vinyl acetate and benzoic acid, 1395
- Vinyldiazomethane**, addition-cyclization with unsaturated compds, 2621
- Vinylpyrazolines**, formation from vinyldiazomethane, 2621
- Virosecurinine**, total synthesis, 1165
- Visnadin**, -(±)-*cis*-, prep, 1235
- Westphalen rearrangement**, 3-substituted 5 α -hydroxy steroids, 159
- Wightin**, synthesis, 741
- Wittig reaction**, stereochemistry, 2709
- Xanthones**
 biosynthesis, significance of maclurin in, 2229
 1,5-dihydroxy-3-methoxy-, in *Mesua ferrea*, 243
 1,5,6-trihydroxy-, in *Mesua ferrea*, 243
 3,6,7-trimethoxy- and 1,3,6,7-tetramethoxy-derivs, 1367
- Xanthoxyletin**, synthesis, 4775
- Xanthyletin**, synthesis, 4775
- X-ray analysis** of tomatidine hydroiodide, 3705
- D-Xylose**, 5-deoxy-5-seleno-derivs, 2849
- P-Ylides**, reaction with sulphenes, 2137
- Zaluzania augusta*
 constituents, 3903
 isolation of two new sesquiterpene lactones, 29
- Zaluzanins A and B**, isolation and structure, 29
- Zapotidine**, synthesis, 239
- Zapotin**, 4607
 structure, 2413
- Zapotinin**, 4607
 structure, 2413
- Zeylanicine**, structure, 273
- Zeylanidine**, structure, 273
- Zeylanine**, structure, 273