

Subject Index 1984

Errata

- J.E.Baldwin, Sir Edward P.Abraham, R.A.Adlington, M.J.Crimmin, L.D.Field, G.S.Jayatilake, R.L.White and J.J.Usher, Vol 40, pp 1907-1918 (1984): three corrections, 3595
- K.G.Das, M.Mallalah, K.P.M.Udhanan and A.P.Bruins: Vol 38, 2285(1982). In view of remarks made by Dr A.P.Bruins, a clarification is given, 1091
- K.G.Das, M.Mallalah, K.P.Madhusudhanan and A.P.Bruins, Vol 38, 2285 (1982): Statement concerning the publication by K.G.Das, 2803
- K.K.Sharma and K.B.G.Torssell, Vol 40, 1085 (1984): Formulae 18 and 19 corrected, 3159
- M.M.Campbell, A.D.Kaye, M.Sainsbury and R. Yavarzadeh, Vol 13, pp 2461-2470: several corrections, 3595
- P.F.Scuda and M.R.Heimann, Vol 40, 2365 (1984): Complete version of article, 4159
- P.J.Krueger and A.O.Fulea: Vol 31, 1813(1975) Fig 4 should be disregarded, 267
- R.S.H.Liu, H.Matsumoto, A.Kini, A.E.Asato, M.Denny, A.Kropf and W.J.DeGrip, Vol 40, 473 (1984): Corrected list of names and addresses, 1632

Acetals

- carbocupration of acetylenic acetals and ketals, synthesis of manicone, geranial and 2,4-(E Z)-dianals, effect of solvent, 715
- dimethyl-, diethyl- and cyclic-, synthesis catalysed by amino-propylated silica gel.HCl, 1491
- new routes to α,β -unsaturated γ -ketoaldehyde and acetals, synthesis of cyclopentenones, 1085
- new, 1,2-dimethoxy-1-trimethylsiloxy-1,3-pentadiene, prep and use in regioselective synthesis of erythrolaccin and "7-hydroxy-erythrolaccin", 5039
- reaction of 2-butenal with ethylene glycol, 2-(1-propenyl)-1,3-dioxolane intermediate, 4893
- simple mixed vinylketene acetals

in annulation of quinones, 3455

Acylation

- acetolysis of 1-chloro-3-phenoxy-1-phenylthio-2-propanones, intramolecular trans-acetylation involving phenoxide anion as leaving group, 3709
- acetylation of 2-acylcycloalkanes, phase transfer catalysis, 1051
- cyclic enediol phosphoranes from trimethyl phosphite and α -diketones give very different acylation products, 2837
- organomanganous reagents, prep of ketones using acid chlorides, symmetrical acid anhydrides or mixed carboxylic-carbonic anhydrides, effect of solvent and ligands, 683

Adamantanes

- synthesis of 4a-, 4e-phenyladamantanones and 2,4-o-benzenoadamantane by π -route, 199

Addition reactions

- acid catalysed, of endo-tricyclo[3.2.1.0^{2,4}]oct-6-ene, orbital control of stereochemistry, 3137
- acyclic monoterpenes, functionalisation of isopropylidene terminus by benzenesulphenyl chloride addition, 3481
- acyclic stereocontrol, γ -alkylthio-allylboronates to aldehydes, 2219
- adducts of diastereomeric 1,4:3,6-dianhydrohexitols and lanthanide chelates, 2885
- aldehydes, reaction with N-methyl-N-trimethylsilyl-trifluoroacetamide to give E/Z-silylenol ethers and addition products to CO group, 5167
- chemistry of higher order organocuprates, Report, 5005
- cyclobuta[1]phenanthrene derivs from [2+2] photoadducts of chlorinated ethenes and phenanthrene, 5249
- daunonycinone precursor via Diels-Alder reactions with dichloronaphthazarins, 4561

dialkoalkanes, p-chlorobenzonitrile oxide and azomethine ylides to 2,3:6,7-dibenzoheptafulvenes to pyrazolines, isoxazolines and pyrrolidines, 5121

- Diels-Alder between 1,4-naphthoquinone and 2,3-dimethylbutadiene, kinetic study of solvent effect, 1611
- Diels-Alder reaction of 3-oxabicyclo[3.3.0]oct-1(5)-ene-2,4-dione with cyclopentadiene and related dienes, 5235
- dimethyl acetylenedicarboxylate and 1-substituted-1-(1-methyl-2-indolyl)ethenes, Michael addition and 4+2 cycloaddition reactions, 4837
- dimethyl bromomethylmalonate with vitamin B₁₂ unstable C-Co adduct, 3063
- effect of chelation on simple diastereoselectivity, aldol additions to α - and β -alkoxy aldehydes, 4327
- kinetically controlled nucleophilic addition to methyl 4,6-O-benzylidene-2,3-dideoxy-2-nitro- β -D-erythro-hex-2-enopyranoside, role of A⁺ strain, 1533
- maleic and fumaric acids and maleic anhydride cycloadducts, decarboxylation, Report, 2585
- nitronate adducts from RMgX and 1-methoxy-4-nitronaphthalene, reduction to oximes or amines by trivalent P reagents, 3437
- organometallic reagents to 2-(p-anisylsulphonyl)-2-cycloalkenones, asymmetric syntheses, 1401
- phenylium ions, reaction with gaseous methane, ethane and propane, 4865
- pthalic anhydrides, adducts with aryl Grignard reagents, conversion to daunonycinone and related anthracyclines, 4585
- radical chain and electrophilic reactions of substituted allenes, Report, 2805
- regio and stereo addition of preformed Mg and Li ketone enolates to α -enones, 4127
- regiochemistry in Diels-Alder reactions of substituted naphthazarins, synthesis of (\pm)dauno-

- mycinone, 4569
 stereoselective, carboxylic acid dianions and β -lactone substituted ester enolates, application to synthesis of racemic epi-blastmycinone, δ -multistriatine, paraconic esters and lignan type dilactones, 2211
 steric course, iodine halogenide to 1-methyl-4-t-butylcyclohexene, effect of iodinating species, 2183
 styryl sulphones to enamines from 4-substituted cyclohexanones, 977
 thiols to allenyl- and phenyl-propenyl-nitriles and formation of thiazolines and benzothiazoles, 2141
 trapping of formaldehyde adducts with adenine, cytosine and guanine by sec amines, 3997
- Alcohols**
 bis(2,2'-bipyridyl)copper(II)-permanganate, oxidant in organic syntheses, 5001
 crotyltrialkylstannanes, reaction with aldehydes in presence of $\text{BF}_3 \cdot \text{OEt}_2$ yields erythro homoallyl alcohols regardless of geometry of double bond, 2239
 EPC-syntheses of tertiary alcohols and thiols, 1313
 hydroxylation of bi- and tri-cyclic amides or lactams via Beauveria sulfurescens, absolute configuration of alcohols formed and topology of hydroxylating site, 355
 photoreduction of carbonyl compds by tributyl tin hydride, formation of tributyl tin ethers of derived alcohols and ethers of corresponding pinacols, 293
 propionates of (2R,8R)- and (2S,8R)-8-methyl-2-decanol, pheromone of Diabrotica virgifera, synthesis via chiral compds of microbial origin, 299
 protoanemonin, reactivity with propanethiolate, phenylmethanethiolate, S-nucleophiles and alkoxides, 3787
 Ru(III)-catalysis, oxidation of n-propanol and n-butanol by acidic solutions of bromamine-T, 5203
 stereo- and regioselectivity in iodo diol formation from acyclic allylic alcohols, 2297
 stereochemistry of osmium tetraoxide oxidation of allylic alcohol systems, 2247
 tertiary 1,5-hexadiene-3-ols, transformation into δ -ethylenic ketones, 3277
 tertiary furylcarbinols, substituted, conversion to 5-diarylmethylene-2(5H)-furanones, 3805
 topological, stereochemical and NMR line assignments by normalised NMR shifts induced by ytterbium, 1017
- Aldehydes**
 1-hydroxyphthalans 2-(hydroxy-ethyl)-benzaldehyde, effect of molecular structure on this equilibrium, 1667
 acyclic stereocontrol, addition of γ -alkylthio-allylboronates, 2219
 aldehydes, reaction with N-methyl-N-trimethylsilyl-trifluoroacetamide to give E/Z-solylenol ethers and addition products to CO group, 5167
 and ketones, derived enolates, reaction with α -halogenobenzylamines, new access to isoquinoline ring system, 311
 benzaldehyde and substituted derivs, formyl-deuteriated benzaldehydes by fast photo-reactions, 2651
 benzaldehyde gas phase negative ion chemistry via Fourier transform ion cyclotron resonance, 2789
 carbocupration of acetylenic acetals and ketals, synthesis of manicone, geranial and 2,4-(E,Z)-dienals, effect of solvent, 715
 conversion to dimethyl-, diethyl- and cyclic-acetals, synthesis catalysed by aminopropylated silica gel.HCl, 1491
 decarboxylation of phthalide-3-carboxylic acid in presence of aromatic aldehydes, 1517
 effect of chelation on simple diastereoselectivity, aldol additions to α - and β -alkoxy aldehydes, 4327
 enolisation of phenyl thio-propionate with ethylenechloroborate and t-amine and aldol condensation of boron enolates formed, 4065
 fluorinated analogs of dienic insect sex pheromones by reaction of β -fluorinated aldehydes with ω -functionalised ylides, 2871
 hydroformylation of 1-dodecene, olefin to aldehyde conversion, product ratio and comparative use of triphenyl group V ligands, 185
 indole alkaloid analogs from didrovaltratum via condensation of seco-aldehydes with N-benzyl-tryptophane-methyl ester, 4853
 malonitrile condenses with 2,5,5-trimethylhexa-2,3-dien-6-yl to 1-cyano-2-amino-3-(2-propenyl)-5,5-dimethyl-6-dicyanomethylcyclohexa-1,3-diene, 2829
 preparation of deuterioaldehydes via diisobutylaluminium deuteride, 3387
 preparation of stereochemically homogeneous (R)-(4-methylphenyl-sulphinyl)-ethyl N-methoxyacetimidate, chiral acetate equivalent in asymmetric condensations with aldehydes, 3769
 primary iodides from didrovaltratum, fragmentation to seco-aldehydes, 4843
 reaction of 2-butenal with ethylene glycol, 2-(1-propenyl)-1,3-dioxolane intermediate, 4893
 reaction of α -branched aldehydes with diethyl 1-carbomethoxyethyl phosphonate giving Z α -methyl α,β -unsaturated esters, 5153
 reaction with crotyltrialkylstannanes in presence of $\text{BF}_3 \cdot \text{OEt}_2$ yields erythro homoallyl alcohols regardless of geometry of double bond, 2239
 reaction with t-BuBr-Me₂SO to give α -bromo derivs, 2035
 reactivity of lithium ether derivs of benzaldehyde cyanhydrins, 635
 stereoselective aldol condensations via alkenyloxy dialkoxyboranes, 4051,4065
 stereoselective aldol condensations with enolstannanes, 2329
 trapping of formaldehyde adducts with adenine, cytosine and guanine by sec amines, 3997
 various oxazolidines, prep from ephedrine, use in stereoselective prep of β -alkyl aldehydes, 1803
- Alkaloids**
 ajmaline alkaloids, ¹³C NMR, 5255
 alkaloid content of leaves, twigs and stem bark of Tabernaemontana glandulosa, 737
 alkaloidal profile of Cocculus pendulus, 2513
 aristoserratenine and tasmanine, structures and absolute configurations, 4359
 biogenetic pathway for apoephinoid alkaloids, Report, 4795
 bridged indole, synthetic application of 2-cyano-piperidines, 1419
 homoerythrina-type, isolation from A.selaginoides and A.laxifolia, 2685
 homoerythrina-type (11), isolation from A.cruprussoides, 2677
 incorporation of dihydroreticuline and reticuline into (\pm)-, (+)- and (-)-tetrahydro-palmatines in Cocculus laurifolius and (R)- and (S)-reticulines into (R)- and (S)-tetrahydro-palmatines, 1591
 indole alkaloid analogs from didrovaltratum via condensation of seco-aldehydes with N-benzyl-tryptophane-methyl ester, 4853
 indole-2,3-quinodimethanes, synthesis of protected derivs of fused dimeric indole alkaloid staurosporinone, 2795
 isoindolobenzazepine from Cleistanthus berberis species, isolation, genesis and catabolism, 3957
 N-borane adducts of oxazolidines derived from ephedrine and pseudoephedrine, stereochemistry, 3829
 new dimeric apomorphine-benzyl-isoquinoline from Thalictrum faberi, 2133
 phthalideisoquinoline enol lactones via Hofmann elimination of α - and β -narcotine methiodide, 1971
 physoperuvine structure and synthesis; conformations of (\pm)-N-benzyl-3-methylaminocycloheptanone and (+)-N-benzoyl-4-methylaminocycloheptanone, 1661
 pipartine, synthesis and molecular structure, 171
 pyranquinolone alkaloids, flindersine, atanine and analogs, synthesis, 4041
 pyrimidopyrrolidines, synthesis, 4003
 pyrrolidine, synthesis by application of sulphide contraction, 2879
 sarpagine biosynthesis, characteristics of involved vellosimine reductase, 1691
Sedum acre, in soln, conformation, 2171
 synthesis of (\pm)- Δ^2 - α -lycooren-7-one, key intermediate for total synthesis of (\pm)-lycorine, 1783
 synthesis of (\pm)-lunacrine, (\pm)-lunasin and demethoxylunacrine, 3431
Thalictrum bisbenzylisoquinoline, enzymic control of stereochemistry, 1975
 thermal rearrangement of indole alkaloid derivs, 1067
 total synthesis of (+)-palcilavine, intramolecular nitrile oxide cycloaddition, formation of crucial C₅-C₁₀ bond, 2345
- Alkanes**
 cyclic oligomers from [4.3.3]-propellene-bis-imide and 1, ω -dibromoalkanes, 3325
 cyclisation of diaryl-1,2-ethanes to tricyclic phenanthrenones with angular Me group, 1983
 free phenylium cation, gas phase reactions with C₂H₂ hydrocarbons, 4873
 homoallylic substitution of lithium dialkyl cuprates with cyclopropylcarbinyl halides,

- mechanism, 1457
 manganese porphyrin as catalyst and sodium ascorbate as reducing agent, oxidation of alkanes to alcohols and ketones, 4297
 phenylium ions, reaction with gaseous methane, ethane and propane, 4865
 photoreduction of alkyl esters to alkanes, use of HMPT as solvent, 3635
- Alkenes**
 alkoxy hydroperoxides obtained by ozonising cycloalkenes, conversion to terminally differentiated products by action of metal salts, 1881
 aminomercuration of olefins, question of reversibility, 1199
 conjugated phenylazoalkenes, reaction with aliphatic amines to give *syn* and *anti*-phenylhydrazones derivs, effect of solvent, 5263
 diastereomer ratio for cycloaddition of benzenesulphonyl-carbonitrile oxide to (S)-vinyl-glycine derived alkenes, 601
 double bond migration in olefins with KOH suspended in DME, 3421
 free phenylium cation, gas phase reactions with C₃H₆ hydrocarbons, 4873
 hydroformylation of 1-dodecene, olefin to aldehyde conversion, product ratio and comparative use of triphenyl group V ligands, 185
 ligand effect in epoxidations by hydroperoxides using Mo(VI) catalyst, epoxidation of 3-carene, 983
 manganese porphyrin as catalyst and sodium ascorbate as reducing agent, oxidation of olefins to epoxides, 4297
 mercury(II)oxide/tetrafluoroboric acid promoted vicinal hydroxy- and alkoxylation of alkenes, 2563
 mono- and disubstituted, conversion to *trans*-vicinal diacetates via iron(II)/persulphate/acetic acid system, 1469
 olefin oxidation, regioselectivity, by iodobenzene, catalytic control by metalloporphyrins, 2847
 orthogonene structure, 2799
 oxidative coupling of benzene or furans with olefins using *t*-butylperbenzoate and Pd-salts, 2699
 Pd-assisted reactions of mono-olefins, Report, 2415
 photooxidation of citronellol sensitised by excimers and explexes, 999
 preparation of 11-deoxytetracyclic alkenes, application to total synthesis of (±)-auramycinone, 4743
 reaction of O-,N- and C-nucleophiles with π -olefinPd(II) complexes, Report, 2415
 reactivity of π - and σ -N-mercurated and C-mercurated amines as electrophiles towards olefins and aromatic amines, 5053
 rearrangements of 1,1,1-trichloro-2-hydroxy-4-methylpent-3-ene with inorganic acid chlorides, 4507
 stereoselective hydroboration of alkenes, computational study, 2257
 trichloroethylene, reaction with sec amines under phase transfer conditions, 2671
 trisubstituted bifunctional olefins via irradiation α -methyl, α -functionalised cyclopentanones, 613
- Alkylation**
 α -alkylation of α -hetero-substituted carboxylic acids without racemisation, 1313
 aminomethylated derivs of adenine, cytosine and guanine, isolation and characterisation, 3997
 and preparation of δ -ketoesters, characterisation of δ -lactones produced, mechanism of changes and substituent effects on stereoselection, 749
 bis-alkylation at N of [4.3.3]-propellene-bis-imide, 3329
 C-alkylation of nitroalkane anions by 1-substituted -2-*t*-butyl-4-phenyl- and -2,4-diphenyl-5,6-dihydrobenzo[h]quinolinium cations, 1501
 enantioselective α -alkylation of acyclic ketones, 1345
 enantioselective alkylation of α -amino carbanions, 1361
 of delocalised anions from metallation of N-phenyl thioimidoesters takes place on N with saturated thioimidoesters and on α -C with unsaturated thioimidoesters, 1573
 S-alkylation of sulphides by activated epimine under acid catalysis, formation of α -acetamido sulphides, structure-activity relationship of lincosycin, Report, 1633
 selective dialkylation of 1,3-dianion formed across sulphone of β -ketosulphone to 2-ketothiane-1,1-dioxide, 1135
 selective methylation of C-nucleoside, ψ -isocytidine and 2'-deoxy analog; synthesis of 1-methyl-, 3'-methyl- and 4-O-methyl derivs, 33
 stereoselective α -alkylation of chiral β -hydroxy esters and applications, 1269
 without solvent, *n*-octyl ethers from *n*-octyl halides and alkoxide prepared *in situ*, 2945
- Alkynes**
 acetylene equivalents in cycloadditions, Report, 2585
 Claisen rearrangement of 1,4-dialkyloxy-2-butyne to 11a-methylpterocarpan, 4473
 conjugated dienic insect sex pheromones, methodology for synthesis, 2741
 irradiation of cyclohexane soln of hexafluorobenzene and 1-phenyl-2-alkyl substituted acetylenes, formation of bicyclo[4.2.0]-octatriene derivs, 3795
 new C-15 acetylenes from Laurencia obtusa, 3443
 oxetanes, ring opening with lithium acetylides and BF₃-etherate to give γ -hydroxy-acetylenes, 4261
 reactions with organo-Li compds and Grignard reagents, Cu-catalysed, Report, 641
 structure and synthesis of chlorophenol derivs from Helichrysum coriaceum, 4987
- Allenes**
 preparation and barriers to topomerisation of 1,2-diamino substituted 2-azaallenium salts, 4019
 reactions with organo-Li compds and Grignard reagents, Cu-catalysed, Report, 641
 substituted, methods of preparation, additions, rearrangements and photo reactions, Report, 2805
- Allomonas**
 halimedatrical, defence adaptation in genus Halimeda, 3053
- Aluminium compounds**
 organoaluminium assisted rearrangements of 5-membered ring enol ethers with vinyl substituents, 4013
 preparation of deuterioaldehydes via diisobutylaluminium deuteride, 3387
- Amides**
 aldehydes, reaction with N-methyl-N-trimethylsilyl-trifluoroacetamide to give *E/Z*-silylenol ethers and addition products to CO group, 5167
 amide group intramolecular participation in formation of 1,3-dioxolan 2-ylum cation giving new tricyclic cation, 3399
 application of α -methoxy- or α -acetoxy-amides to synthesis, Report, 811
 aromatic enamides, photolysis to enamino ketones; thioenamides, photocyclisation to isoquinoline-thione derivs and their conversion to isoquinolones and tetrahydroisoquinolines, 1835
 asymmetric synthesis of β -hydroxyacetamides mediated by enantiomerically pure sulphinyl derivs, 3815
 bilirubin mono and bis-dimethylamides, synthesis and spectroscopy, 4253
 cesium fluoride, reaction with 2-acyloxy-3-chloro-2-chloromethylpropanamides and conversion of the 3-acyloxy-3-chloromethylazetidines into 1-oxa-4-oxo-5-azaspiro[2.3]hexanes, 3223
 electrooxidation, Report, 811
 hydroxylation of bi- and tri-cyclic amides or lactams via Beauveria sulfurescens, absolute configuration of alcohols formed and topology of hydroxylating site, 355
 neutral diamide ionophores for group 11A metal cations, prep and properties, 1009
 preparation of thiated synthons of amides, lactams and imides use of new P,S-containing reagents, 2047
 properties of monosulphonylmethylmelamine and Na salt, prep from melamine, formalin and Na₂(SO)₃, 1855
- Amination**
 covalent, of 1-alkyl- and 1-aryl-3-carbamoylpyridinium chlorides as "model" for enzymic activity of rabbit liver aldehyde oxidase, 433
- Amines**
 aliphatic and aromatic amines and derivs, electrooxidation, Report, 811
 amine and sulphide enhanced photo-induced degradation of chloro- and cyano-aromatic hydrocarbons, 4487
 anilines and annelated anilines, ¹³C NMR, 1157
 arenediazonium and anilinium cationariat ether complexes, intramolecular sidearm-macro-ring interaction, 3935
 colour and constitution of azo compds derived from diaminoazines, 5081
 conjugated phenylazoalkenes, reaction with aliphatic amines to give *syn* and *anti*-phenylhydrazones derivs, effect of solvent, 5263
 cyclic allylamine/enamine systems,

- 3339
inactivator of histidine decarboxylase, synthesis of α -ethynylhistamine, 1141
interaction of TeCl_4 with N-acetyldiallylamine gave zwitterionic 2-oxazolone, structure, 1607
N-acylated α -aminonitriles, conversion to 5-aminooxazole, 5(4H)-oxazolone and 4(5H)-imidazolone derivs, 2395
nitronate adducts from RMgX and 1-methoxy-4-nitronaphthalene, reduction to oximes or amines by trivalent P reagents, 3437
preparation and barriers to topomerisation of 1,2-diamino substitution 2-azaallium salts, 4019
reactivity of π - and σ -N-mercuroated and C-mercuroated amines as electrophiles towards olefins and aromatic amines, 5053
substituted 1-aminocyclopentenes from 2,3-diamino-1,3-butadienes and nitroalkenes, 3579
trichloroethylene, reaction with sec amines under phase transfer conditions, 2671
- Amino acids**
cis-2-hydroxycyclopentyl benzoyl-glycinate, n-butylaminolysis in MeCN faster than for cyclopentyl benzoylglycinate, 327
intramolecular peptide synthesis using oxalic acid derivs, 5143
isolation and structures of new ureido amino acids, lividine and grateloupine from Grateloupia livida and filicina, 235
isoxazolidin-5-ones, synthesis and conversion of benzyl derivs to β -amino acids, 4363
kinetics and catalytic effect of formaldehyde on oxidation of dietary important amino acids, 4929
kinetics of aminolysis for 1-thio- β -D-glucopyranosyl esters of N-acylalanines, 1047
mechanism of activation of tyrosine by tyrosyl-tRNA synthetase from Bacillus stearothermophilus, 113
mechanism of carbonyl activation by (S)-proline during asymmetric syntheses, 1031
N-acylated, activation by 4-dimethylamino pyridine leads to complete racemisation, 1995
new aminodiacyls by hydrolysis of aminodiacyls, 1151
new atropisomeric bis(triaryl)-phosphine, synthesis and use in Rh(I)-catalysed asymmetric hydrogenation of α -(acylamino)-acrylic acid, 1245
new carboxyl-protecting group, 2-(diphenylphosphino)ethyl, 3087
new poly- α -amino acids modified in C or N terminal groups, synthesis and asymmetric epoxidation of chalcone, 5207
nitrosation of peptide bonds by air-diluted nitrogen oxides, 3121
phenylalanine deriv, isolation from Praxelis clematidea, structure and synthesis, 2537
prebiotic syntheses, Report, 1093
scheme to prepare (R)(+)- δ -n-hexadecanolactone from L-glutamic acid, 1061
stereospecific synthesis of chiral precursors of thienamycin from L-threonine, 1795
syntheses of (\pm)methyl shikimate and (\pm)methyl epishikimate and structural variants, 2461
- Amino alcohols**
benzoxazole ring opening with Grignard reagents, synthesis of N-diallylalkyl- α -aminophenols, 5089
chiral, conversion into deriv of 1,2,3,4-tetrahydroisquinolines evaluated as chiral dipole stabilised anions and alkylation, 1361
revised stereochemistry of 3-aza-3-methyl-6-cycloalkylamino-bicyclo[3.3.1]nonan-9-ols, 4483
selective reduction of the erythro-isoxazoline yielded ribo-amino-polyols and DL- and D-lividosamines, 2199
various oxazolidines, prep from ephedrine, use in stereoselective prep of β -alkyl aldehydes, 1803
- Amino esters**
enantioselective synthesis of α -alkenyl glycine methyl esters and α -alkenylglycines, 1409
indole alkaloid analogs from didrovaltratum via condensation of seco-aldehydes with N-benzyl-tryptophane-methyl ester, 4853
new aminodiacyls by hydrolysis of aminodiacyls, 1151
- Aminolysis**
cis-2-hydroxycyclopentyl benzoyl-glycinate, n-butylaminolysis in MeCN faster than for cyclopentyl benzoylglycinate, 327
for 1-thio- β -D-glucopyranosyl esters of N-acylalanines, kinetics, 1047
- Amino sugars**
reduction of the erythro-isoxazoline yielded ribo-amino-polyols and DL- and D-lividosamines, 2199
- Annulations**
simple mixed vinylketene acetals in annulation of quinones, 3455
- Annulenes**
MCD of (4N+2)-electron [n]-annulenes, Report, 3845
- Antibiotics**
absolute configuration of natural anti tumour steganacin, 1303
annelative phenol synthesis, prep of 7-methyljuglone and 7,9,11-trideoxydaunomycinone, 4781
anthacycline intermediate, resolution by use of (2R,3R)-(+)- and (2S,3S)-(-)-1,4-bis(4-chlorobenzoyloxy)butane-2,3-diol, 4617
anthracycline biosynthesis, synthesis of autoregulator (4S,5R)-1+)-L-factor from 3,4,6-tri-O-acetyl-D-glucal, 1713
anthraquinone dye intermediates, precursors of aklavinone-type anthracyclines, 4767
asymmetric synthesis of (+)-aklavinone, aglycone of aclacinomycin, 4685
attachment of EDTA-Fe(II) to distamycin changes sequence specific DNA binding antibiotic into a sequence specific DNA cleaving molecule, 457
biosynthetic intermediates and synthetic analogs of bleomycin, metal binding, dioxygen activation and DNA cleavage, 501
conformation of carboacyclic nucleoside analogs of tubercidin by PMR, 709
convergent AB+CD synthesis of (\pm)-daunomycinone, (\pm)-7-epi-daunomycinone and (\pm)-deoxy-daunomycinone, 4597
- convergent regioselective synthesis of 9-alkyl-9-hydroxyanthracyclinones with aklavin and pyrromycin oxygenation patterns, 4711
convergent synthesis of (+)-4-demethoxydaunomycinone and (+)-daunomycinone via annelation of functionalised quinone monoketal with anion of 3-cyano-1(3H)isobenzofuranone, 4625
cycloaddition of homophthalic anhydrides to halo-1,4-naphthoquinone derivs, syntheses of daunomycinone, 4-methoxyl- and 11-deoxy-daunomycinone and 11-deoxy-carminomycinone, 4539
daunomycinone precursor via Diels-Alder reactions with dichloronaphthazarins, 4561
enantiocontrolled synthesis of (+)-4-demethoxydaunomycinone, 4657
interaction of vancomycin and ristocetin with peptides as model for protein binding, 569
ketoester cyclisation, synthesis of ζ -pyrromycinone, 7-deoxy-auramycinone and 7-deoxy-alkavinone, 3677
lankacidin synthesis with desired configuration at C-2 and C-3 using Δ^2 -isoxazolines as templates, 673
lincomycin, investigation of methods for introducing 7S-alkylthio substituents into the structure, synthesis of (7S)-7-deoxy-7-substituted-alkylthio-lincomycins, Report, 1633
lividomycin A and B, synthesis of D-lividosamine constituent, 2199
moenuronic acid moiety of moenomycin A, absolute configuration by partial synthesis from D-galactose, 3657
new analogs of antiviral pyrazofurin, synthesis of 5-carbox-amido-4-hydroxy-3-(β -D-ribofuranosyl)-thiophene derivs, 2479
new macrolide, prep of potential substrates, (8S)-8-fluoro-erythronolide A and B, 2177
optically active 4-demethoxy-anthracyclines bearing substituents at 9-position, synthesis, 4649
optically active 4-demethoxy-anthracyclines related to daunorubicin, synthesis from lactose and leucoquinizarin precursors, 4669
optically pure 4-demethoxydaunomycinone and 4-demethoxyadriamycinone, synthesis, 4617
phthalic anhydrides, adducts with aryl Grignard reagents, conversion to daunomycinone and related anthracyclines, 4585
preparation of 11-deoxytetracycline alkenes, application to total synthesis of (\pm)-auramycinone, 4743
protoanemonin derivs, new synthesis, 3805
protoanemonin, reactivity with propanethiolate, phenylmethanethiolate, S-nucleophiles and alkoxydes, 3787
racemic aklavinone, total synthesis, 4701
racemic feodomycinones A,C and D and new derivs of rhodomycinones via intramolecular version of Marschalk reaction, 4609
regiochemistry in Diels-Alder reactions of substituted naphthazarins, synthesis of (\pm)-daunomycinone, 4569
regioselective approach to 6-deoxy-anthracyclines, synthesis of 4-

- demethoxy-6-deoxydaunorubicin and 6-deoxydaunorubicin, 4677
- regiospecific synthesis of mono- and bicyclic 6-alkoxy-2-pyrone, use in prep of substituted aromatics, anthraquinones and tetraacyclic intermediates for 11-deoxyanthracycline synthesis, 4751
- regiospecific total synthesis of (+)-daunomycinone from 11-deoxydaunomycinone precursor, 4719
- rifamycin S, C19-C29 aliphatic segment, assembly from D-glucose as optically active precursor, 1289
- route to A/B ring synthon of daunomycinone, prep via benzamide directed ortho metallation, 4593
- stereocovergent synthesis of (+)-4-demethoxydaunomycin, 4643
- stereoselective synthesis of 3'-nor-1-oxacephem, convergent scheme, 3667
- stereospecific synthesis of chiral precursors of thienamycin from L-threonine, 1795
- stereospecific total synthesis of (+)-aklavinone, 4693
- structure-activity relationship, (7S)-7-deoxy-7-substituted alkyl-thiolincomycin, Report, 1633
- syntheses of (+)-aklavinones, application of stereocontrolled "zipper" bicyclic cyclisation, 4725
- synthesis of 2(R)-[3(S)-acylamino-2-oxo-1-azetidinyloxy]-acetic acids, 1039
- synthesis of 3- β -D-arabino-furanosylpyrazoles and D-arabino-furanosyl analog of formycin, 119
- synthesis of 4-demethoxy-7,9-bis-deoxydaunomycinone, 4579
- synthesis of 6,7,11-tri-O-methyl-4-demethoxy-12-sulphonodaunomycinone, 4789
- synthesis of 7,9-bisdeoxycarminomycinone and daunomycinone, 4579
- synthesis of (+)-ascoclorin, (+)-ascocofuranone and LL-21272a, 2711
- synthesis of (+) α -citromycinone and (+)4-demethoxy-6-deoxydaunomycinone, 4633
- synthesis of anthracyclines via Claisen-Diels-Alder sequence, 4777
- total synthesis of (+)-brefeldin A from (+)-mannitol and (+)-glutamic acid, 2935
- total synthesis of dl-coriolin via tricyclic intermediate from dicyclopentadiene, 241
- versatile synthesis of (+)-daunomycinone, 4549
- Aromaticity**
aromatisation of 3,4-dihydro- β -carboline-3-carboxylic acid and derivs via carbanion intermediate, 221
- Arylation**
benzylation of quinone methides to 4-benzylisoquinolines, 215
- Asymmetric induction and synthesis**
chiral boronic and borinic esters via asymmetric hydroboration-displacement; carbonylation of chiral borinic esters to enantiomeric pure acyclic ketones, 1325
- chiral oligopeptides, synthesis by hydrogenation of dehydropolypeptides, 1255
- chiral synthesis of (+)-pedamide via remote controlled reduction of ketone as key step, 2337
- enantioselective synthesis of (1)- α -allokainic acid by Lewis acid mediated intramolecular ene reaction, 1391
- formation of δ -lactones and mercuri-, phenylseleno-, and hydroxymethyl-lactonisation involving 1,3- and 1,4-induction, synthesis of serricornin, 2317
- hydrogenation of racemic AcAPheAlaOMe catalysed by rhodium-diop complex, 4275
- mechanism of carbonyl activation by (S)-proline during synthesis, 1031
- new atropisomeric bis(triaryl)-phosphine, synthesis and use in Rh(I)-catalysed hydrogenation of α -(acylamino)acrylic acid, 1245
- new nonenzymatic chiral induction into prochiral meso compds using 4(R)-methoxycarbonyl-1,3-thiazolidine-2-thione, 1215
- new poly- α -amino acids modified in C or N terminal groups, synthesis and asymmetric epoxidation of chalcone, 5207
- organometallic reagents, addition to 2-(p-anisylsulphonyl)-2-cycloalkenones, asymmetric synthesis, 1401
- preparation of stereochemically homogeneous (R)-(4-methylphenylsulphonyl)-ethyl N-methoxyacetimidate, chiral acetate equivalent in asymmetric condensations with aldehydes, 3769
- reactions based on 1,3-oxathianes, synthesis of secondary α -hydroxyacids and glycols, 1333
- reduction of propargyl ketones, synthesis of optically active compds, 1371
- selective induction, reduction of acyclic β -hydroxyketones to 1,3-diols via boron chelates, 2233
- stereoselective hydroboration of alkenes, computational study, 2257
- syntheses via metallated chiral hydrazones, 1345
- synthesis of (+)-aklavinone, aglycone of aclacinomycin, 4685
- total synthesis of natural(-)- and unnatural(+)-steganacin, 1303
- Aza compounds**
azadienamines, chemistry, Report, 2989
- Azetidines**
cesium fluoride, reaction with 2-acyloxy-3-chloro-2-chloromethylpropanamides and conversion of the 3-acyloxy-3-chloromethylazetidines into 1-oxa-4-oxo-5-azaspiro[2.3]hexanes, 3223
- synthesis of 2(R)-[3(S)-acylamino-2-oxo-1-azetidinyloxy]-acetic acids, 1039
- Azides**
arylazide and p-tosylazide, decomposition by THF/n-BuLi, new source of diazomethane, 1731
- azide anion, reactivity with pyrylium and thiopyrylium substituted cations, effect of heterocyclic cation substituents, 3539
- azide nucleophile, reaction with substituted chromylium salts to azido 2H- and 4H-chromenes, 3567
- azidopyrans and azidothiopyrans, rearrangement to 1,3-oxazepins and unstable thiazepins, 3559
- cycloadditions of mesityl-(diphenylmethylene)phosphine with azides, 991
- mechanism of conversion of vinylazides into 2H-azirines, ab initio MO calculations, 2095
- nitrilium salts, reaction with azides to yield alkyl or aryl-substituted tetrazolium salts, 4115
- pyrylium ions, reactivity with azide, EMD calculations, 3549
- reaction of 2'-hydroxychalcone dibromides and α -bromochalcones with azide ion, 2555
- Aziridines**
unsaturated cyclic sulphones, reactivity of double bond towards aziridine formation and epoxidation, 2487
- Azirines**
mechanism of conversion of vinylazides into 2H-azirines, ab initio MO calculations, 2095
- Azo (Azoxy) compounds**
colour and constitution of azo compds derived from diaminoazines, 5081
- conjugated phenylazoalkenes, reaction with aliphatic amines to give syn and anti-phenylhydrazones derivs, effect of solvent, 5263
- Azulenenes see polycyclic aromatic compounds**
- Benzene derivatives**
chlorination of aromatic compds in presence of tentacle molecules with pyridinium head groups, 785
- effect of acid catalysts on reactions of CsSO₄F with toluene, nitrobenzene and naphthalene, 189
- iodoxybenzene, remarkably close ozone equivalent, 3145
- perimeter model for molecules, Report, 3845
- photo reaction 1-and 2-naphthalenecarbonitrile with methylbenzenes, 2975
- potential σ -zwitterionic complexes formed between fluorobenzene and p- and o-nitrofluorobenzene with ammonia and amide ion, calculations, 4227
- pyrolysis of aryl cinnamates, entry into unsymmetrical stibenes, 1727
- Benzofurans**
1-hydroxyphthalans 2-(hydroxy-ethyl)-benzaldehyde, effect of molecular structure on this equilibrium, 1667
- synthesis of 2-acylbenzofurans via reaction of 2-(trimethylsilyl)-benzofuran with aliphatic carboxylic acid chlorides, 621
- Benzofuroxans and Benzofurazans see Benzoxadiazoles**
- Benzopyrans**
quinone methides via heating of isochroman-3-ones; synthesis of 1,2,3,4-tetrahydroisoquinolin-3-ones in presence of ureas, 4383
- Benzothiazepines**
ring expansion of the β -lactam derivs formed from 6,7-dialkoxy-2-aryl-4H-1,3-benzothiazines and chloroacetyl chloride to 1,4-benzothiazepine derivs, 4089
- Benzothiazines**
cycloaddition of 1,3-benzothiazine derivs with substituted acetyl chlorides, 4387
- ring expansion of the β -lactam derivs formed from 6,7-dialkoxy-2-aryl-4H-1,3-benzothiazines and

- chloroacetyl chloride to 1,4-benzothiazepine derivs, 4089
- Benzothiazoles**
reaction of 2-heterosubstituted benzothiazoles with allylic Grignard reagents, 4527
- Benzotriazoles**
autocatalytic inactivation of cytochrome P-450 and chloroperoxidase by 1-aminobenzotriazole and arylne precursors, 511
- Benzoxadiazoles**
reaction of benzofuroxans with dienamines, synthesis of quinoxaline N,N'-dioxide enamines, 1617
- Benzoxazines**
kinetics and synthesis of retro-diene decomp of methylene-bridged tetrahydro-4H-3,1-benzoxazin-4-ones and resulting 6H-1,3-oxazin-6-ones, 2385
- Benzoxazoles**
ring opening with Grignard reagents, synthesis of N-diallyl-alkyl-o-aminophenols, 5089
- Biogenesis**
alkaloidal profile of *Cocculus pendulus*, 2513
biogenetic pathway for apoephinoid alkaloids, Report, 4795
isindolobenzazepine alkaloids from Chilean *Berberis* species, isolation, genesis and catabolism, 3957
- Biologically active compounds**
and synthesis of γ -lactam analogs of penicillanic and carboapenicillanic acids and sodium periodate rearrangement of pyrrolidine-2,3-diones, 4513
apamin analogs differing in C-terminal region, synthesis via prep and purification of 1-12 sequence of apamin, 4313
approach to perhydroisindole system in cytochalasin B, 3331
bilirubin mono and bis-dimethylamides, synthesis and spectroscopy, 4253
bioactive terpenoids from chlorophyta *Penicillus* and *Udotea*, 2913
crystal structure and conformation of *three*-5-methylmethadone in relation to opioid receptor binding, 467
lincomycin, antibacterial activity and modification of structure at position 7 of side chain of carbohydrate fragment, Report, 1633
microbial products with gastro-protective activity, structures and chemical nature of AI-77s, 2519
modified polyoxyethylene derivs, reaction with haemoglobin, formation of soluble conjugates and good O₂-binding properties, 1581
new analogs of antiviral pyrazofurin, synthesis of 5-carboxamido-4-hydroxy-3-(β -D-ribofuranosyl)-thiophene derivs, 2479
new syntheses of biliverdin-LXa dimethyl ester and two related monovinyl-mono-ethyl isomers, 1749
nitrosation of peptide bonds by air-diluted nitrogen oxides, 3121
nonenzymatic model for coenzyme B₁₂-dependent isomerisation of methylmalonyl-CoA to succinyl-CoA, 3063
- olfactory receptor inactivation, chemically produced selective anosmia, 483
photoaffinity labelled synthetic retinals, synthesis and bound to bovine opsin, formation of visual pigment analogs, 493
synthetic studies by chemico-coenzymatic approach, synthesis of C- and N-nucleosides, 145
synthetic studies on verrucarol from D-glucose, 2083
total synthesis of (+)-brefeldin A from (+)-mannitol and (+)-glutamic acid, 2935
- Biosynthesis**
alternarian acid isolation from *Alternaria mali*, structure and biosynthetic route, 2451
anthracycoline, synthesis of auto-regulator (4S,5R)-(+)-L-factor from 3,4,6-tri-O-acetyl-D-glucal, 1713
botryodiplodine, mycotoxin of *Penicillium roqueforti*, biosynthesis using orsellinic acid as precursor, 1823
chlorophyll a in higher plants, 659
of (+)-, (-)- and (\pm)-tetrahydro-palmatines, 1591
penicillin, synthesis and reactions of a monocyclic β -lactam tripeptide putative intermediate, 1907
sarpagine, characteristics of involved vellosimine reductase, 1691
- Boron and compounds**
acyclic stereocontrol, addition of γ -alkylthio-allylboronates to aldehydes, 2219
alkenylloxy dialkoxyboranes, stereoselective aldol condensations, 4051,4059
boron trifluoride rearrangement of 2,2-di-t-butylloxirane to either 2,2,3,3,4,4-hexamethyltetrahydrofuran or 2-t-butyl-2,3-dimethyl-3-buten-1-ol, 3291
chiral boronic and borinic esters via asymmetric hydroboration-displacement; carbonoidation of chiral borinic esters to enantiomeric pure acyclic ketones, 1325
chiral oxazolines as boron enolates react with aldehydes to give erythro-selectivity and enantiomeric purity; achiral oxazolines react similarly to give β -hydroxy esters with *three* selectivity, 2309
diborane reduction of indole-1-carboxaldehydes to 1-methyl-indoles, di(indolylmethyl)ethers and indolylmethyl indolines, 4351
enolisation of ketones with ethylenechloroborate in presence of t-amine and aldol condensation of boron enolates formed, 4051
enolisation of phenyl thio-propionate with ethylenechloroborate and t-amine and aldol condensation of boron enolates formed, 4065
esters of boric acid and borate with dihydroxy compds in aqueous medium, stability dependent on pH, 2901
microemulsions containing NaBH₄, reduction of carbonyl compds and determination of reactive site, 2691
N-borane adducts of oxazolidines derived from ephedrine and pseudoephedrine, stereochemistry, 3829
- selective asymmetric induction, reduction of acyclic β -hydroxy-ketones to 1,3-diols via boron chelates, 2233
selective K-Selectride reduction of 3,7-diketosteroids, 851
stereoselective hydroboration of alkenes, computational study, 2257
- Cannabinoids**
cannabidiol, dynamic NMR and empirical force field studies, 2919
cannabinoid tosylhydrazones, reactions and stereochemistry, 3839
- Carbamates (Urethanes)**
electrooxidation, Report, 811
- Carbanions**
acetolysis of 1-chloro-3-phenoxy-1-phenylthio-2-propanones, intramolecular trans-acetylation involving phenoxide anion as leaving group, 3709
azide anion, reactivity with pyrylium and thiopyrylium substituted cations, effect of heterocyclic cation substituents, 3539
convergent synthesis of (+)-4-demethoxydaunomycinone and (+)-daunomycinone via annelation of functionalised quinone monoketal with anion of 3-cyano-1(3H)isobenzofuranone, 4625
cyolo-1,3-oxoiminium salts react regioselectively with functional carbanions, steric and substituent effects, 4947
cyclopropyl, from esters of 2-phenylcyclopropylcarboxylic acids, configurational stability and reaction with electrophiles, 5177
intermediacy of radical anions in reaction of oxiranes with alkali metals, 1629
nitroalkane anions, C-alkylation, 1501
reactions of Na and Li salts of ketyls and dianions derived from benzophenone and fluorenone with Ac₂O, ¹H and ¹³C CIDNP effects, 1885
reagent for 3-oxopropyl anion synthon, 2-(2-nitroethyl)-1,3-dioxolane, new route to jasmnoid and prostaglandin intermediates, 3809
reduction of pyrene with alkali metals yields dianion salts, effect of solvent, counterion and temp, 1701
selective dialkylation of 1,3-dianion formed across sulphone of β -ketosulphone to 2-ketothiane-1,1-dioxide, 1135
specific ortho orientation in vicarious substitution of H in aromatic nitro compds with carbanion of chloromethyl phenyl sulphone, 1863
syn-elimination of 8a-methyldecahydronaphthalene-4a-ols, conformational dynamics of ion-pair intermediates, 3503
- Carbazoles see Polycyclic heterocyclic compounds**
- Carbenes**
MNO investigation, 1,2-rearrangement of singlet carbenes and nitrenes, 2123

Carbenium ions

activation barriers for 1,2-shifts in carbenium ions calculated for different groups, MINDO/3, 377

Carbocations

multiply charged carbocations and related species in soln, Report, 4161

syn-elimination of 8a-methyldecahydronaphthalene-4a-ols, conformational dynamics of ion-pair intermediates, 3503

Carbodiimides see Heterocumulenes**Carbohydrates**

"annulated pyranosides" as chiral synthons for carbocycles, 1279
adducts of diastereomeric 1,4:3,6-dihydrohexitols and lanthanide chelates, 2885

anthracycoline biosynthesis, synthesis of autoregulator (4S,5R)-1+L-factor from 3,4,6-tri-O-acetyl-D-glucal, 1713
bulgecins, structures of bacterial metabolites with bulge-inducing activity, 3465

chiral diaza crown ethers with carbohydrate units, synthesis, 2967

chiral N,N'-dimethyl diaza crown ethers bearing functionalised sugar residues, conversion into [2.2.1]cryptands, 2971

digitoxosides with varying cyclic and acyclic C17,8-side groups, and the corresponding C3',C4'-acetones, conformational strain, 1121

effect of OH protecting groups at 3,4 and 6 positions of α -D-glucosyl- and α -D-manno-pyranosyl bromides on β -glycosidic bond formation in coupling reactions promoted by insoluble Ag-salts, 4097

enantioselective synthesis of C- and N-nucleosides, showdomycin, 6-azapseudouridine and cordycepin, 145

functionalised cyclodextrins as artificial receptors, 545

hexopyranose sugars, revised conformation, 2101

kinetically controlled nucleophilic addition to methyl 4,6-O-benzylidene-2,3-dideoxy-2-nitro- β -D-erythro-hex-2-enopyranoside, role of A^(1,3) strain, 1533

kinetics of aminolysis for 1-thio- β -D-glucopyranosyl esters of N-acylalanines, 1047

lincomycin, antibacterial activity and modification of structure at position 7 of side chain of carbohydrate fragment, Report, 1633

moenuronic acid moiety of moenomycin A, absolute configuration by partial synthesis from D-galactose, 3657

revised structure of acid catalysed rearrangement product of aucubigenin, 1191

rifamycin S, C19-C29 aliphatic segment, assembly from D-glucose as optically active precursor, 1289

selective protection and oxidation of ribonucleosides, synthesis of 2'- and 3'-ketonucleosides and arabino and xylo reduction products, 125

synthesis of 3- β -D-arabino-furanosylpyrazoles and D-arabino-furanosyl analog of formycin, 119

synthesis of D-(6R)- and D-(6S)- (6-³H)₂glucose, 2089

synthetic studies on verrucarol

from D-glucose, 2083
synthetic use of chiral intermediates from carbohydrates, Report, 3161

Carbonates

perfluoroalkyl iodides, in dissociating solvents, in presence of Zn-Cu give perfluoro compds which react with alkyl carbonates and pyrocarbonates to give perfluoro carboxylic acids and esters, 1541
synthesis of tetrahydroxy-1,4-benzoquinone biscarbonate, 4897

Carbocation ions

amide group intramolecular participation in formation of 1,3-dioxolan 2-ylum cation giving new tricyclic cation, 3399
arenediazonium and anilinium cationariat ether complexes, intramolecular sidearm - macro-ring interaction, 3935
azide anion, reactivity with pyrylium and thiopyrylium cations, effect of heterocyclic substituents, 3539

bridgehead N-heterocycles from 2,4,6-triphenylpyrylium cation and thiosemicarbazide or thio-carbohydrazone, 4901

C-alkylation of nitroalkane anions by 1-substituted -2-t-butyl-4-phenyl- and -2,4-diphenyl-5,6-dihydrobenzo[h]quinolinium cations, 1501

cycloaddition of 1-amino-2,4,6-triphenylpyridinium cations with α , β -unsaturated compds, synthesis of N-bridged pyrazo[1.5-a]pyridines, 1683
effect of side chains on complexation of cations by crown ethers, 793

free phenylium cation, gas phase reactions with C₂H₆ hydrocarbons, 4873
hindered rotation around N+(sp²)-C(sp³) single bond in 2,4,6-trimethyl-N-alkylpyridinium cation, ¹H DNMR, 2547

neutral diamide ionophores for group IIA metal cations, prep and properties, 1009

phenoxenium ions, intermediates in solvolysis of N-tosyl-O-aryl-hydroxylamines and in thermolysis of N-aryloxypyridinium salts, 4981

phenylium ions, reaction with gaseous methane, ethane and propane, 4865

pyrylium ions, reactivity with azide, EMO calculations, 3549
structure/reactivity correlations for electropolymerisation of pyrrole, reactive sites of oligomeric radical cations, 3963
syntheses of ions, Report, 4161
transformations of alkyl-thiophenium ions and new synthesis of 2-t-butylthiophene, 2471

Carboxylation

scope of electrochemical reactions, Report, 935

Carboxylic acids, anhydrides and derivatives

α -alkylation of α -hetero-substituted carboxylic acids without racemisation, 1313
aromatisation of 3,4-dihydro- β -carboline-3-carboxylic acid and derivs via carbanion intermediate, 221
asymmetric reactions based on 1,3-oxathianes, synthesis of

secondary α -hydroxyacids, 1333
Cu-salts of arylacetic acids, decarboxylation to hydrocarbons, 3229

cyclopropyl carbanions from esters of 2-phenylcyclopropylcarboxylic acids, configurational stability and reaction with electrophiles, 5177

decarboxylation of phthalide-3-carboxylic acid in presence of aromatic aldehydes, 1517
dithioesters from P,S-containing reagents and carboxylic acids and derivs, 2663

enantioselective synthesis of (1)- α -allokainic acid by asymmetric Lewis acid mediated intramolecular ene reaction, 1391
enantiospecific route to (+)- and (-)-chrysanthemum dicarboxylic acids, 1279

entry to α , β -unsaturated 2-hydroxyarylyketones including *o*-cinnamyl-, *o*-sorbyl- and *o*-propiolyl-phenols via reaction of metal phenolates with α , β -unsaturated acyl chlorides, 4081

epoxides of methyl 7-oxabicyclo[2.2.1]hept-3-ene 6-carboxylate and methyl bicyclo[2.2.1]hept-3-ene 6-carboxylate, intramolecular rearrangements, 2461

galvinoxyl, pK range within which an organic free radical exhibits normal behaviour, 5275

intramolecular peptide synthesis using oxalic acid derivs, 5143

ketones by acylation of organo-manganous reagents using acid chlorides, symmetrical acid anhydrides or mixed carboxylic-carbonic anhydrides, effect of solvent and ligands, 683

maleic and fumaric acids and maleic anhydride cycloadducts, decarboxylation, Report, 2585
model for rearrangement of methyl-itaconic acid to α -methylene-glutaric acid, coenzyme B₁₂ dependent, mechanism, 3069

new triterpenoid carboxylic acids from *Cyathus striatus* and *C. pygmaeus*, 2069

nonenzymatic chiral induction into meso-2,4-dimethylglutaric and meso-*cis*-5-norbornene-endo-2,3-diacetic acid, 1215

perfluoroalkyl iodides, in presence of Zn-Cu give perfluoro compds which react with alkyl carbonates and pyrocarbonates to give perfluoro carboxylic acids and esters, 1541

phthalic anhydrides, adducts with aryl Grignard reagents, conversion to daumocinone and related anthraquinones, 4585
primary alkyl and aromatic

Grignard reagents, reaction with bridged tricyclic dicarboxylic anhydrides to give dialkylated tricyclic lactones, 1809

reactions of Na and Li salts of ketyl and dianions derived from benzophenone and fluorenone with Ac₂O, ¹H and ¹³C CIDNP effects, 1885

revised structure of piperolein acids, guineensine and wisanine, UV and synthesis, 2541

stereoselective additions to carboxylic acid dianions and β -lactones substituted ester enolates, 2211

synthesis of 2-acylbenzofurans via reaction of 2-(trimethylsilyl)-benzofuran with aliphatic carboxylic acid chlorides, 621

unsaturated *cis* and *trans* dicarboxylates, reduction of

- olefinic bond under ammonia chemical ionisation, 4085
- Carotenoids**
prenyl residue introduced at C-9 of pseudonone, prep of "sesqui- β -ionone" *cis* and *trans* isomers, synthons for C₄₀ and C₄₀: carotenoids, 1545
- Catalysis see also Phase transfer catalysis**
acid, effect on reactions of CsSO₃F with toluene, nitrobenzene and naphthalene, 189
autocatalytic inactivation of cytochrome P-450 and chloroperoxidase by 1-aminobenzotriazole and arylene precursors, 511
by artificial enzymes, rate enhancement or activity development mechanism, Report, 269
dimethyl-, diethyl- and cyclic-acetals, synthesis catalysed by aminopropylated silica gel.HCl, 1491
halogenations of acetophenone and 1,3-diketones with polymer supported reagents, 2865
kinetics and catalytic effect of formaldehyde on oxidation of dietary important amino acids, 4929
Mn porphyrin as catalyst and sodium ascorbate as reducing agent, oxidation of olefins to epoxides and alkanes to alcohols and ketones, 4297
regioselectivity of olefin oxidation by iodobenzene, catalytic control by metallo-porphyrins, 2847
titanium complex catalysed [6+2] cycloadditions, 3295
- Cephalosporins**
route to ampicillin and cephalixin from penicillin G, 4153
stereoselective synthesis of 3'-nor-1-oxacephems, convergent scheme, 3667
- Cerium and compounds**
cerium-catalysed persulphate oxidation of poly cyclic aromatic hydrocarbons to polycyclic quinones, 4997
- Cesium and compounds**
cesium fluoride, reaction with 2-acyloxy-3-chloro-2-chloromethylpropanamides and conversion of the 3-acyloxy-3-chloromethylazetidines into 1-oxa-4-oxo-5-azaspiro[2.3]hexanes, 3223
- Chalcoones**
new poly- α -amino acids modified in C or N terminal groups, synthesis and asymmetric epoxidation of chalcone, 5207
reaction of 2'-hydroxychalcone di-bromides and α -bromochalcoones with azide ion, 2555
- Chelation**
adducts of diastereomeric 1,4:3,6-dianhydrohexitols and lanthanide chelates, 2885
effect on simple diastereoselectivity, aldol additions to α - and β -alkoxy aldehydes, 4327
- Chiral compounds**
acyclic ketones, stereoselective reduction, synthesis of diastereomers of a functionalised 1,3-dimethyl-2-hydroxy unit, 2225
amino alcohols conversion into deriv of 1,2,3,4-tetrahydroisoquinolines evaluated as chiral dipole stabilised anions and alkylation, 1361
diaza crown ethers with carbonyl hydrate units, synthesis, 2967
new nonenzymatic induction into prochiral meso compds using 4(R)-methoxycarbonyl-1,3-thiazolidine-2-thione, 1215
partial resolution through chiral synthesis using a racemic mixture, 4275
preparation of stereochemically homogeneous (R)-(-4-methylphenylsulphinyl)-ethyl N-methoxyacetimidate, chiral acetate equivalent in asymmetric condensations with aldehydes, 3769
stereoselective α -alkylation of chiral β -hydroxy esters and applications, 1269
synthetic control leading to chiral compds, 1381
synthetic use of chiral intermediates from carbohydrates, Report, 3161
total synthesis of 1 α ,25S,26-tri-hydroxycholecalciferol, 2283
- Chlorophyll**
structures of protochlorophyllide(E443 F625) and chlorophyllide A(E458 F625), 659
- Chromenes**
azide nucleophile, reaction with substituted chromylum salts to azido 2H- and 4H-chromenes, 3567
- Chromones**
chromone and 2-hydroxychromanone reaction with hydroxylamine, 413
- Chromium and compounds**
azide nucleophile, reaction with substituted chromylum salts to azido 2H- and 4H-chromenes, 3567
oxidation of organic sulphides by chromium(VI)oxide diperoxide, 2763
- Circular dichroism**
MCD spectroscopy of aromatic molecules derived from (4N+2)-electron perimeter by suitable perturbations (N=0,1,2...), Report, 3845
moenuronic acid moiety of moenomycin A, absolute configuration by partial synthesis from D-galactose, 3657
structure of 1(S)- α -carboxyethyl-3,3-bis(trifluoromethyl)-diaziridine and derivs, 2151
- Cleavage reactions**
alkoxy hydroperoxides obtained by ozonising cycloalkenes, conversion to terminally differentiated products by action of metal salts, 1881
and preparation of protected peptides, 4237
attachment of EDTA.Fe(II) to distamycin changes sequence specific DNA binding antibiotic into a sequence specific DNA cleaving molecule, 457
biosynthetic intermediates and synthetic analogs of bleomycin, metal binding, dioxygen activation and DNA cleavage, 501
bromine-silver salt reaction, route to α,α' -substituted tetrahydrofurans and specificities of δ -H abstraction, others obtained via α -cleavage, 2643
naturally occurring brassinosteroids, cleavage of 23,24-epoxides as key reactions in synthesis, 1767
nitrosated peptides by pyrrolidine and α -amino esters, 3121
pyrimidine and furazan rings in 5-aminofurazano[3,4-d]pyrimidines, 879
- Coenzymes see also Enzymes**
cyclopropane ring as probe, mechanism of H-transfer by 1,4-dihydropyridine derivs, 5185
enantioselective synthesis of showdomycin, 6-azapsseudouridine and cordycepin, 145
model for rearrangement of methylitaconic acid to α -methylene-glutaric acid, coenzyme B₁₂ dependent, mechanism, 3069
nonenzymatic model for coenzyme B₁₂-dependent isomerisation of methylmalonyl-SCoA to succinyl-SCoA, 3063
- Complexation**
Cu(II) complexation and synthesis of N,N'-diaryl-diaza-18-crown-6, 793
- Complexes**
alkenyl epoxides, conversion into π -allyliron carbonyliron lactone complexes either by THF solns of Fe₂(CO)₉ or in hydrocarbon solvent of Fe₂(CO)₉ under ultrasonification, 1737
arene diazonium and anilinium cation lariat ether complexes, intramolecular sidearm-macro-ring interaction, 3935
biosynthetic intermediates and synthetic analogs of bleomycin, metal binding, dioxygen activation and DNA cleavage, 501
cyclophane porphyrins and metal complexes, biomimetic study on receptor site of hemoprotein oxygen binding, 579
EDTA.Fe(II) attachment to distamycin changes DNA binding antibiotic to DNA cleaving molecule, 457
photooxidation of di-t-butyl sulphide and citronellol sensitised by excimers and exiplexes, 999
potential σ -zwitterionic, formed between fluorobenzene and *p*- and *o*-nitrofluorobenzene with ammonia and amide ion, calculations, 4227
pyrene with 2,4,6-trinitroanisole, association in soln and crystal structure of 1:1-complex, 1595
reaction of O-,N- and C-nucleophiles with π -olefinPd(II) complexes, Report, 2415
- Computations**
conformational analysis, micro-computer method for semi-quantitative evaluation of polycyclic systems with 5-,6- and 7-membered rings, 3717
stereoselective hydroboration of alkenes, 2257
- Configuration**
and conformation of 1,4,5,8-tetraacyl-1,4,5,8-tetraazadecalins as crystals and in soln, 257
antitumour natural steganacin, asymmetric total synthesis, 1303
aristoserratenine and tasmanine, structures and absolute configurations, 4359
cyclopropyl carbanions from esters of 2-phenylcyclopropylcarboxylic acids, configurational stability and reaction with electrophiles, 5177
diterpene (-)-biflora-4,10(19),15-triene from *Cubitermes umbratus*

- via synthesis of
(1R,6S,7S,11R(+)-isomer, 305
four possible isomers of 16-
hydroxymethyl-androst-5-ene-
3 β ,17-diol, conversion into 16-
methyl analogs, 1205
hydroxylation of bi- and tri-cyclic
amides or lactams via *Beauveria*
sulfurescens, absolute config-
uration of alcohols formed and
topology of hydroxylating site,
355
moenuronic acid moiety of
moenomycin A, absolute config-
uration by partial synthesis from
D-galactose, 3657
- Conformation**
and crystal structure of *threo*-5-
methylmethadone in relation to
opioid receptor binding, 467
and stability of DNA, effect of
purine 2-amino group, 3
axial preference of 2-dimethoxy-
phosphoryl substituent in 1,3,5-
trithiane, 4885
configuration of 1,4,5,8-tetra-
acyl-1,4,5,8-tetraazadecalins as
crystals and in soln, 257
controlled stereo- and regio-
selective synthesis of cyclo-
propane derivs of 8-hydroxy-
germacrene B, 4959
cyclic peptide disulphides,
synthesis and stabilisation of
 β -turn conformations in pro-X
sequences by disulphide bridging,
2577
diastereomeric 2-methylsulphinyl-
1,2-diphenylethanol and O-methyl
and O-acetyl derivs, 2023
diastereoselectivity and dominant
conformation in formation of
condensed skeleton 1,3-oxazines,
3587
digitoxosides with varying cyclic
and acyclic C17 β -side groups,
and the corresponding C3',C4'-
acetones, conformational
strain, 1121
five cyclic cystine peptides, 2577
hexaspiro[2.0.3.0.2.0.3.0.2.-
0.3.0.]heneicosane, synthesis,
structure and dynamics, 4337
hexopyranose sugars revised, 2101
in solution, *meso*-forms of
2,3,11,12-tetraphenyl-[18]crown-
6, 855
lactaran-5-olides, 2757
microcomputer method for semi-
quantitative evaluation of poly-
cyclic systems with 5-,6- and 7-
membered rings, 3717
monosulphoxides of 1,2-, 1,3- and
1,4-dithianes, conformational
preference of S=O bond, 1477
N-trityl dipeptide derivs, 1869
new diterpenes based on dolabel-
lane skeleton from *Dictyota*
species, 799
of 17 β -hydroxy-4,4,9-trimethyl-
9 β ,10 α -estr-5-en-3-one and
derived 2 α - and 2 β -bromo compds,
777
of 1-thio derivs of 3,3-dimethyl-
2-butanol and acetates, 4445
of 8.11-dihalo[5]metacyclophanes,
4401
physoperuvine structure and
synthesis; conformations of (\pm)-
N-benzoyl-3-methylamino-cyclo-
heptanone and (+)-N-benzoyl-4-
methylamino-cycloheptanone, 1661
Sedum acre alkaloids in soln, 2171
series of *trans*- and *cis*-2,3-
di(R)oxy-1,4-dioxanes and 2,5-
disubstituted analogs, 2011
syn-elimination of 8 α -methyldeca-
hydronaphthalene-4 α -ols,
conformational dynamics of ion-
pair intermediates, 3503
- Copper and compounds**
bis(2,2'-bipyridyl)copper(II)-
permanganate, oxidant in organic
syntheses, 5001
carbocupration of acetylenic
acetals and ketals, synthesis of
manicone, geranial and 2,4-(*E*/*Z*)-
dienals, effect of solvent, 715
catalysed reactions of organo-Li
compds and Grignard reagents with
carbonyl compds, epoxides,
allenes and acetylenes, Report,
641
chemistry of higher order organo-
cuprates, Report, 5005
conjugated dienic insect sex
pheromones, methodology for
synthesis, 2741
Cu(II) complexation and synthesis
of N,N'-diaryl-diaza-18-crown-6,
793
Cu assisted nucleophilic
substitution of aryl halogen,
Report, 1433
Cu-salts of arylacetic acids,
decarboxylation to hydrocarbons,
3229
- Coumarins**
celerin, structure revision by
synthesis, 5229
photodimerisation in micellar
media and microemulsions, effect
of interface on reactivity of
excited states, 2381
reactions of 1,4-bis(bromo-
magnesium)butane and 1,5-
bis(bromomagnesium)pentane with
coumarin and methylcoumarin, 865
structure of 5-methoxyseselin and
trachyphyllin and synthesis of
coumarrayin and xanthoxyletin,
3129
structure of clausarin, and
synthesis of precursor
nordentatin providing route to
dentatin; revised structure for
clausenidinaric acid, 3133
synthesis of coumarin benahorin
and revised structure marmelide,
5225
- Coupling reactions**
Cu-catalysed cross coupling of
organo-Li compds and Grignard
reagents, 641
effect of OH protecting groups at
3,4 and 6 positions of α -D-
gluco- and α -D-manno-pyranosyl
bromides on β -glycosidic bond
formation in coupling reactions
promoted by insoluble Ag-
salts, 4097
macrocyclic poly ethers, radical
dehydrodimerisation and bridged
dehydrodimerisation, 4395
oxidative, benzene or furans with
olefins using t-butyl perbenzoate
and Pd-salts, 2699
scope of electrochemical
reactions, Report, 935
tRNA ligase-mediated coupling of
2'(3')-O-(3-phenylpropionyl)-pCpA
and tRNA^{Phe}-OH, 87
- Crown ethers**
chiral N,N'-dimethyl diaza crown,
bearing functionalised sugar
residues, conversion into
[2.2.1]cryptands, 2971
Cu(II) complexation and synthesis
of N,N'-diaryl-diaza-18-crown-6,
793
crystal structure and solution
conformation of *meso*-forms of
2,3,11,12-tetraphenyl-[18]crown-
6, 855
macrocyclic poly ethers, radical
dehydrodimerisation and bridged
dehydrodimerisation, 4395
preparation of diazacrown and
tetraazacrown ethers, 1927
synthesis of 1,2-dialkyl-oxyace-
naphthalenes, dehydrogenation of
acenaphthalene derivs with high
potential quinones, prep of
2,3,11,12-bis(1,2-acenaphtho)-
[18]crown-6, 665
- Cryptands**
chiral N,N'-dimethyl diaza crown
ethers bearing functionalised
sugar residues, conversion into
[2.2.1]cryptands, 2971
- Cumulenes**
cycloaddition, heterocumulenes to
1,3-heterodienes, Me group
assistance, 4453
- Cyano compounds**
amine and sulphide enhanced photo-
induced degradation of cyano-
aromatic hydrocarbons, 4487
generation and trapping of 4-
cyano-2,2-dimethyl-, and 4-cyano-
2,2,5,5-tetramethyl-1,3-dioxolane
oxides, 177
possible role as condensing
agents, cyanamide, cyanate,
cyanogen, cyanoacetylene, Report,
1093
possible role in prebiotic
synthesis, Report, 1093
- Cyclisations**
acyclic furanoditerpene and its
epoxide, 3739
diene-conjugated diazo compds,
1,7-cyclisation to 3H-1,2-
diazepines and 1,5-cyclisation to
new rearrangement of 3H-
pyrazoles, 3095
intramolecular, of α ,8-epoxy-
artemesia ketone yielding tetra-
hydrofuran derivs or cyclo-
pentanones, 2435
intramolecular, of diazomethyl
ketones, synthesis of bridged
tricyclic systems related to
diterpenes, 757
ketoester cyclisation, synthesis
of ζ -pyrromycinone, 7-deoxy-
auramycinone and 7-deoxy-
alkavinone, 3677
ketols produced by proline induced
cyclisation of triketones, 1031
macrocycles via cyclisation of
simple acyclic starting compds
with auxiliary spacer, prep of
stereochemically complex acyclic
products, 2275
of 4-(indol-1- and -3-ylmethyl)-2-
cyanopiperidines to bridged
tricyclic indole systems, 1419
Pd-catalysed, of 2-substituted
halogenoarenes by dehydro-
halogenation, 1919
polycyclic molecules containing
 β -carboline units, synthesis via
photo-induced ring closure of
enamides, 1511
preparation of 1-benzyl-2,5-
piperidinedione and 4-substituted
derivs by Dieckmann cyclisation
of amido diester, 2505
syntheses of (\pm)-aklavinones,
application of stereocontrolled
"zipper" bicyclocyclisation, 4725
thermal, diene-conjugated diazo
compds, 3095
- Cycloaddition see also Addition reactions**
6,7-dialkoxy-3,4-dihydroiso-
quinolinium salts to
dipolarophiles of azomethin- and
alkene type, perturbation theory
study, 369
a [2+2] photocycloaddition of N=N
bond to C=C bond, 5269
acetylene equivalents in cyclo-

- additions, Report, 2585
diastereomer ratio for, benzene-sulphonylcarbonitrile oxide to (S)-vinylglycine derived alkenes, 601
dimethyl acetylenedicarboxylate and 1-substituted-1-(1-methyl-2-indolyl)ethenes, Michael addition and $4+2$ cycloaddition reactions, 4837
heterocumulenes to 1,3-heterodienes, Me group assistance, 4453
homophthalic anhydrides to halo-1,4-naphthoquinone derivs, syntheses of daumonycinone, 4-methoxyl- and 11-deoxy-daumonycinone and 11-deoxycarmino-mycinone, 4539
interaction of singlet oxygen with 2,5-dimethyl-2,4-hexadiene in polar and non-polar solvents, evidence for vinyllog ene-reaction, 3235
meta photo, of anisole to oxo- and dioxa-cyclopentenes and to ethyl vinyl ether, 5071
of 1-amino-2,4,6-triphenyl-pyridinium cations with α,β -unsaturated compds, synthesis of N-bridged pyrazol-1,5-apyridines, 1683
of nitrile oxides, directive effect of enol ethers and thio-enol ethers, 441
photo, of ω -anilinoalkyl *m*-nitro-phenyl ethers, mechanism, 1755
reactions of substituted allenes, Report, 2805
spiro-pyrazolines, synthesis by cycloaddition of 1,3-diphenyl-nitrilimine with fulvenes, 1585
titanium complex catalysed [6+2] cycloadditions, 3295
total synthesis of (+)-pali-clavine, intramolecular nitrile oxide cycloaddition, formation of crucial C₅-C₁₀ bond, 2345
- Cyclohexanes**
derivs, guest binding to bis-imidazolylcyclodextrin zinc, polar and coordination interactions, 545
Pd-catalysed rearrangement of 2-substituted 1-vinylcyclohexyl acetates (or benzoates) to 2-substituted (E)- β -acetoxy (or benzoyloxy)ethylidencyclohexanes, 1791
steric course of iodine halogenide addition to 1-methyl-4-*t*-butyl-cyclohexene, effect of iodinating species, 2183
- Cyclopentanes**
meta photocycloaddition of anisole to oxo- and dioxa-cyclopentenes and to ethyl vinyl ether, 5071
- Cyclopropanes**
allylic halides and acetates of methylenecyclopropane and cyclopropylmethanes, acid solvolysis, no ring opening if ethoxycarbonyl group on ring methylene, 315
conformational controlled stereo- and regio-selective synthesis of cyclopropane derivs of 8-hydroxy-germacrene B, 4959
cyclopropane ring as probe, mechanism of H-transfer by 1,4-dihydropyridine derivs, 5185
cyclopropyl carbanions from esters of 2-phenylcyclopropylcarboxylic acids, configurational stability and reaction with electrophiles, 5177
gem-difluorocyclopropane species, X-ray structure, 3945
stereochemistry of bis(dichloro-cyclopropanation) and -
- (epoxidation) of 1,4-diaryl-butadienes, 203
stereochemistry of methylenecyclopropane rearrangement, evidence against orthogonal-allylic intermediate, 5097
- Cytocines see under Pyrimidines**
- Decarboxylation**
Cu-salts of arylacetic acids, to hydrocarbons, 3229
phthalide-3-carboxylic acid, in presence of aldehydes, 1517
- Dehalogenation**
amine and sulphide enhanced photo-induced degradation of chloro- and cyano-aromatic hydrocarbons, 4487
Pd-catalysed cyclisation of 2-substituted halogenoarenes by dehydrohalogenation, 1919
- Dehydration**
asymmetric, (S)-proline catalysed of (\pm)- β -ketols leading to optically active enones, 1031
- Dehydrogenation**
acenaphthene derivs with high potential quinones, synthesis of 1,2-dialkoxyacenaphthalenes, 665
- Diastereomeric compounds**
diastereomer ratio for cyclo addition of benzenesulphonyl-carbonitrile oxide to (S)-vinylglycine-derived alkenes, 601
hexahydro-1(2H)-pentalenone derivs, by rearrangement of 1,2-oxazines N-oxide derivs, 2441
isomers of 2-methylsulphinyl-1,2-diphenylethanol and O-methyl and O-acetyl derivs, configuration, 2023
of a functionalised 1,3-dimethyl-2-hydroxy unit, based on stereoselective reduction of acyclic ketones, 2225
structure of adducts of three 1,4:3,6-dianhydrohexitols and lanthanide chelates, 2885
- Diastereoselection**
and dominant conformation, connection, in formation of condensed skeleton 1,3-oxazines, 3587
cross aldol reaction using divalent tin enolates formed from stannous trifluoromethanesulphonate and carbonyl compds, 1381
simple, effect of chelation, aldol additions to α - and β -alkoxy aldehydes, 4327
- Diazepines**
diene-conjugated diazo compds, 1,7-cyclisation to 3H-1,2-diazepines, 3095
- Diazo compounds**
addition of diazoalkanes to 2,3:6,7-dibenzo-heptafulvenes to pyrazolines, 5121
arylazide and *p*-tosylazide, decomposition by THF/*n*-BuLi, new source of diazomethane, 1731
catalytic decomposition of phenyl-diazomethane in Schiff bases, 2569
mechanism, formation and decay of reactive intermediates in decomposition of 3-chloro-3-benzylidiazirines, 887
photoreactions of $\alpha,\beta,\gamma,\delta$ -unsaturated diazo compds at low temp, 3113
- thermal cyclisation of diene-conjugated compds, 3095
- Diazonium compounds**
arenediazonium and anilinium cationariat ether complexes, intramolecular sidearm-macro-ring interaction, 3935
- Dienes and Trienes**
conjugated diazo compds, 1,7-cyclisation to 3H-1,2-diazepines and 1,5-cyclisation to new rearrangement of 3H-pyrazoles, 3095
cycloaddition, heterocumulenes to 1,3-heterodienes, Me group assistance, 4453
cycloadditions of mesityl-(diphenylmethylene)phosphine with dienes, 991
Diels-Alder reaction between 1,4-naphthoquinone and 2,3-dimethyl-butadiene, kinetic study of solvent effect, 1611
Diels-Alder reaction of 3-oxa-bicyclo[3.3.0]oct-1(5)-ene-2,4-dione with cyclopentadiene and related dienes, 5235
interaction of singlet oxygen with 2,5-dimethyl-2,4-hexadiene in polar and non-polar solvents, evidence for vinyllog ene-reaction, 3235
new routes to 1,1-dichloro-4-methyl-1,3-pentadiene, 4501
new, 1,2-dimethoxy-1-trimethyl-siloxy-1,3-pentadiene, prep and use in regiospecific synthesis of erythroliaccin and "7-hydroxy-erythroliaccin", 5039
reaction of 7,7-dichlorobenzo-cycloheptatrienes with metallated diazomethylcompds, metal elimination to 7-chloro-5-diazomethyl-benzocycloheptatriene, 5171
spirobicyclo[2.2.1]hept-2-ene[5,4'1'1',2',3'-triazole] derivs from cyclopentadiene and 5-amino-4-methylene-*v*-triazolines, 4025
stereochemistry of bis(dichloro-cyclopropanation) and - (epoxidation) of 1,4-diaryl-butadienes, 203
stereoselectivity in synthesis of 1,3-dienes by reaction of a Grignard reagent with α -allenic phosphate, 3645
substituted 1-aminocyclopentenes from 2,3-diamino-1,3-butadienes and nitroalkenes, 3579
synthesis of 4,8-mono-, di-, tri- and tetra-substituted homo-tropilidenes from cycloheptatrienes, 391
tertiary 1,5-hexadiene-3-ols, transformation into δ -ethylenic ketones, 3277
- Dimerisation**
hindered aromatic ketones, electro-reduction in DMF, Hg-pool cathode plus Cr(III)chloride, selective hydrodimerisation to α -glycol, 339
macrocyclic poly ethers, radical dehydrodimerisation and bridged dehydrodimerisation, 4395
- Diols**
anthacyclinone intermediate, resolution by use of (2R,3R)-(+)- and (2S,3S)-(-)-1,4-bis(4-chlorobenzoyloxy)butane-2,3-diol, 4617
esters of boric acid and borate with dihydroxy compds in aqueous medium, stability dependent on pH, 2901
Hg(II)oxide/tetrafluoroboric acid

- promoted vicinal hydroxy- and alkoxylation of alkenes, formation of diols, 2563
selective asymmetric induction, reduction of acyclic β -hydroxy-ketones to 1,3-diols via boron chelates, 2233
stereo- and regioselectivity in iodo diol formation from acyclic allylic alcohols, 2297
- Dioxanes**
conformation of series of *trans*- and *cis*-2,3-di(R)oxy-1,4-dioxanes and 2,5-disubstituted analogs, 2011
- Dioxolanes**
amide group intramolecular participation in formation of 1,3-dioxolan 2-ylum cation giving new tricyclic cation, 3399
effect of chloro substituents on kinetics of breakdown 1-hydroxy-2-chloromethyl- and 1-hydroxy-2-dichloromethyl-1,3-dioxolanes into ethylene glycol monochloroacetate and monodichloroacetate, 3625
erythro/*threo* mixtures of isoxalines by cycloaddition of nitrile oxides with 4-vinyl-dioxolanes, 2199
generation and trapping of 4-cyano-2,2-dimethyl-, and 4-cyano-2,2,5,5-tetramethyl-1,3-dioxolane oxides, 177
reaction of 2-butenal with ethylene glycol, 2-(1-propenyl)-1,3-dioxolane intermediate, 4893
reagent for 3-oxopropyl anion synthon, 2-(2-nitroethyl)-1,3-dioxolane, new route to jasmannoid and prostaglandin intermediates, 3809
- Disulphides and polysulphides**
cyclic peptide disulphides, synthesis and stabilisation of β -turn conformations in pro-X sequences by disulphide bridging, 2577
S-alkylation of sulphides by activated epimine under acid catalysis, formation of α -acet-amido sulphides, structure-activity relationship of lincomycin, Report, 1633
- Dithianes**
monosulphoxides of 1,2-, 1,3- and 1,4-dithianes, conformational preference of S=O bond, 1477
synthesis of 2,5-diaryl-1,4-dithians, 4941
- Dithiols**
reduction of mesoionic 2-amino-4-thio-1,3-dithiols, new route to 4-alkylthio-2-amino-1,3-dithiols, their conversion to 2-alkoxy-4-alkylthio-1,3-dithiols, 1817
- Drugs**
structure and conformation of *threo*-5-methylmethadone in relation to opiod receptor binding, 467
structure-activity, analogs of 1-aminobenzotriazole, 511
- Dyes**
anthraquinone dye intermediates, precursors of akilavone-type anthracyclines, 4767
colour and constitution of azo compds derived from diamino-azines, 5081
structure-colour relationship of new N-arylpyridinium hemicyanine dyes, 2061
- Electrochemical reactions**
developments in organic synthesis by electrolysis, 935, Report, 935
electroorganic chemistry in organic synthesis, Report, 811
structure/reactivity correlations for electropolymerisation of pyrrole, reactive sites of oligomeric radical cations, 3963
syntheses of ions, Report, 4161
- Electron spin resonance spectra**
photo-reaction of nitroalkanes with tetraphenylbiphosphine and tetraethylpyrophosphite, ESR, 4955
preparation and thermolysis of hexakis(perfluororganyl)-thio/seleno)ethanes, 4963
- Electronic spectra**
colour and constitution of azo compds derived from diamino-azines, 5081
effect of chloro substituents on kinetics of breakdown 1-hydroxy-2-chloromethyl- and 1-hydroxy-2-dichloromethyl-1,3-dioxolanes into ethylene glycol monochloroacetate and monodichloroacetate, 3625
electron transmission spectra of small molecules with C=C, C=N, C=O, C=S and N=N bonds, comparison of electron affinities, 3257
- Elimination reactions**
phthalideisoquinoline enol lactones via Hofmann elimination of α - and β -narcotine methiodide, 1971
reaction of 7,7-dichlorobenzo-cycloheptatrienes with metallated diazomethyl compds, metal elimination to 7-chloro-5-diazomethyl-benzocycloheptatriene, 5171
ring closure of substituted phosphoranes to 4-aryl-1,3,4-thiadiazoline-5-thiones with elimination of PPh₃, 971
syn-elimination of 8 α -methyldecahydronaphthalene-4 α -ols, conformational dynamics of ion-pair intermediates, 3503
- Enantiocontrol**
synthesis of (+)-4-demethoxy-daunomycinone, 4657
- Enantioselection**
 α -alkylation of cyclic ketones, 1345
(+)- α -allokainic acid by asymmetric Lewis acid-mediated intramolecular ene reaction, 1391
C- and N-nucleosides, showdomycin, 6-azapseudouridine and cordycepin, synthesis, 145
cross aldol reaction using chiral diamines derived from (S)-proline as ligands, 1381
(S)-1-alkyl-1,2,3,4-tetrahydroisoquinolines, synthesis, 1361
syntheses of α -alkenyl glycine methyl esters and α -alkenyl glycines, 1409
- Enantiospecific syntheses**
(R)-(+)- δ -n-hexadecanolactone prep from L-glutamic acid, 1061
route to (+) and (-) chrysanthemum dicarboxylic acids, 1279
- Enamines**
addition of styryl sulphones to enamines from 4-substituted cyclohexanones, 977
conjugated, recent advances, Report, 2989
- Enolates**
chiral oxazolines as boron enolates react with aldehydes to give *erythro*-selectivity and enantiomeric purity; achiral oxazolines react similarly to give β -hydroxy esters with *threo* selectivity, 2309
crystal structure of 2,2-diphenyl-ethyl 2,4,6-trimethylphenyl ketone, mechanism of stereo-specific enolisation with Grignard reagents, 4829
cyclic allylamine/enamine systems, 3339
enolisation of ketones with ethylenechloroboronate in presence of t-amine and aldol condensation of boron enolates formed, 4051
enolisation of phenyl thio-propionate with ethylenechloroboronate and t-amine and aldol condensation of boron enolates formed, 4065
regio and stereo addition of preformed Mg and Li ketone enolates to α -enones, 4127
S_N1 reaction between o-halogeno-benzylamines and enolates affords 1,2-dihydro-isoquinolines, 311
stereoselective additions to carboxylic acid dianions and β -lactone substituted ester enolates, 2211
- Enones see Ketones**
- Enzymes see also Coenzymes**
autocatalytic inactivation of cytochrome P-450 and chloro-peroxidase, 511
artificial, design and synthesis, Report, 269
covalent amination of 1-alkyl- and 1-aryl-3-carbamoylpyridinium chlorides as "model" for enzymic activity of rabbit liver aldehyde oxidase, 433
covalent binding of ketones as molecular mechanism in vertebrate olfactory receptors, 483
cyclohexane derivs, guest binding to bisimidazoylecyclodextrin zinc, polar and coordination interactions, 545
enantiomerically pure *cis*-2,3- and 2,4-dimethyl lactones via horse liver alcohol dehydrogenase-catalysed oxidations, 1235
inactivator of histidine decarboxylase, synthesis of α -ethynyl-histamine, 1141
induction of oxidases in mammals, 3597
mechanism of activation of tyrosine by tyrosyl-tRNA synthetase from *Bacillus stearothermophilus*, 113
modified (N-acetylamino)acyl-tRNA's, P-site tRNA donors in peptidyltransferase reaction, 87
nucleoside 5'-triphosphate analogs, inhibitory activity against *E. coli* RNA and DNA polymerase, 427
optimisation of enzyme catalysed peptide synthesis in "water-water-immiscible organic solvent", 4425
reactivity of high valent protohemin compd resulting from reaction of ("chelated protohemin and *m*-chloroperbenzoic acid, 553
sarpagine biosynthesis, characteristics of involved vellosimine reductase, 1691
Thalictrum bisbenzylisoquinoline alkaloids, enzymic control of stereochemistry, 1975

Epoxydation

ligand effect in epoxydations by hydroperoxides using Mo(VI) catalyst, epoxydation of 3-carene, 983
 new poly- α -amino acids modified in C or N terminal groups, synthesis and asymmetric epoxydation of chalcone, 5207
 stereochemistry of bis(dichloro-cyclo-propanation) and - (epoxydation) of 1,4-diaryl-butadienes, 203
 unsaturated cyclic sulphones, reactivity of double bond towards aziridine formation and epoxydation, 2487

Epoxides see Oxiranes**Esters**

all possible stereoisomers of 7-ethyl-2-methyl-1,6-dioxaspiro-[4.5]decane, synthesis, 3471
 allylic halides and acetates of methylenecyclopropane and cyclo-propylmethanes, acid solvolysis, no ring opening if ethoxycarbonyl group on ring methylene, 315
 arenediazonium and anilinium cationariat ether complexes, intramolecular sidearm - macro-ring interaction, 3935
 C-metalated Reformatsky intermediates from t-butyl- α acetate, isobutyrate and propionate, structure and reactivity, 2781
 chiral oxazolines as boron enolates react with aldehydes to give *erythro*-selectivity and enantiomeric purity; achiral oxazolines react similarly to give β -hydroxy esters with *three* selectivity, 2309
 diastereomeric hexahydro-1(2H)-pentalenone derivs, ring fission to 1-imino-2-nitroalkylated cyclopentane carboxylic esters, 2441
 dimethyl acetylenedicarboxylate and 1-substituted-1-(1-methyl-2-indolyl)ethenes, Michael addition and μ_2 2 cycloaddition reactions, 4837
 dimethyl bromomethylmalonate with vitamin B₁₂, unstable C-C adduct, 3063
 effect of chloro substituents on kinetics of breakdown 1-hydroxy-2-chloromethyl- and 1-hydroxy-2-dichloromethyl-1,3-dioxolanes into ethylene glycol monochloroacetate and monodichloroacetate, 3625
 improved synthesis of (\pm)-methyl shikimate, stereoselective *cis*-dihydroxylation of (\pm)-methyl 5 β -hydroxycyclohexa-1,3-dienoate under Pr⁺ conditions, 5063
 macrocyclic crown polyethers with side arms bearing pendant donor groups, prep, 3935
 mono- and disubstituted alkenes, conversion to *trans*-vicinal diacetates via iron(II)-/persulphate/acetic acid system, 1469
 new syntheses of biliverdin-1 α dimethyl ester and two related monovinyl-mono-ethyl isomers, 1749
 of boric acid and borate with dihydroxy compds in aqueous medium, stability dependent on pH, 2901
 Pd-catalysed rearrangement of 2-substituted 1-vinyl-cyclohexyl acetates (or benzoates) to 2-substituted (E)- β -acetoxy (or benzoyloxy)ethylidene-cyclohexanes, 1791

perfluoroalkyl iodides, in presence of Zn-Cu give perfluoro compds which react with alkyl carbonates and pyrocarbonates to give perfluoro carboxylic acids and esters, 1541
 photoreduction of alkyl esters to alkanes, use of HMPT as solvent, 3635
 preparation of stereochemically homogeneous (R)-(4-methylphenyl-sulphinyl)-ethyl N-methoxy-acetimidate, chiral acetate equivalent in asymmetric condensations with aldehydes, 3769
 preparation of tertiary alkyl esters under non-solvolytic conditions, 1623
 reaction of α -branched aldehydes with diethyl 1-carbomethoxyethyl phosphonate giving \underline{Z} α -methyl α , β -unsaturated esters, 5153
 stereoselective α -alkylation of chiral β -hydroxy esters and applications, 1269
 syntheses of (\pm)-methyl shikimate, (\pm)-methyl epishikimate and structural variants, 2461
 thermolysis of t-butyl-4-peroxy-pentenoate to 5-cyclohexyl-4-pentanolate, 3531
 transesterification kinetics of phenyl salicylate, 5217
 trispyridiniumalkyl triesters of benzene-1,3,5-tricarboxylic acid, reaction with aromatic substrates, 785
 unsymmetrical stilbenes by pyrolysis of aryl cinnamates, 1727
 Zn salts of carboxylic acids, phenols and alcohols react with tertiary alkyl halides to give esters, 1623

Ethers

aldehydes, reaction with N-methyl-N-trimethylsilyl-trifluoroacetamide to give E/Z-silylenol ethers and addition products to CO group, 5167
 alkylation without solvent, n-octyl ethers from n-octyl halides and alkoxide prepared *in situ*, 2945
 bromine-silver salt reaction, route to α , α' -substituted tetrahydrofurans and specificities of δ -H abstraction, ethers obtained via α -cleavage, 2643
 directive effect of enol ethers and thioenol ethers in cyclo-additions of nitrile oxides, 441
 mercury(II)oxide/tetrafluoroboric acid promoted vicinal hydroxy- and alkoxylation of alkenes, formation of diethers, 2563
meta photocycloaddition of anisole to oxa- and dioxo-cyclopentenes and to ethyl vinyl ether, 5071
 organo-Al assisted rearrangements of 5-membered ring enol ethers with vinyl substituents, 4013
 photocyclisation of ω -anilino-alkyl m-nitrophenyl ethers, mechanism, 1755
 photoreduction of carbonyl compds by tributyl tin hydride, formation of tributyl tin ethers of derived alcohols and ethers of corresponding pinacols, 293
 sesquiterpenoid spiro ether, synthesis of spiro ethers with 1-oxaspiro[4.5]decane skeleton, 3393
 sigmatropic [2.3]-Wittig rearrangement of (E)- and (Z)-crotyl propargyl ether system, tool for control of acyclic stereochemistry, 2303

Zn salts of carboxylic acids, phenols and alcohols react with tertiary alkyl halides to give ethers, 1623

Ferrocenes

hydrolysis of ferrocenyl arylmethyl acetates, 593

Flavones and Isoflavones

reaction of 2'-hydroxychalcone dibromides and α -bromochalcones with azide ion, 2555
 reaction of 3-mesyloxyflavanones with O- and S-nucleophiles, synthesis of 3-thiocyanato- and 3-acetylthiocyanato-flavanones, 3425

Fluorescence

intersystem crossing to naphthalene triplets by α , ω -dinaphthalenealkanes with intramolecular fluorescence quenching or intramolecular fluorescent excimer formation, 4497

Fragmentation reactions

alkaline degradation of C-18 castor oil, 1167
 primary iodides from didrovaltratum, fragmentation to seco-aldehydes, 4843

Fulvenes and Fulvalenes

addition of diazoalkanes, p-chlorobenzonitrile oxide and azomethine ylides to 2,3,6,7-dibenzo-heptafulvenes to pyrazolines, isoxazolines and pyrrolidines, 5121
 new dissymmetrically substituted tetrathiafulvalenes, precursors, 1817
 spiro-pyrazolines, synthesis by cycloaddition of 1,3-diphenyl-nitrilimine with fulvenes, 1585

Furans

boron trifluoride rearrangement of 2,2-di-t-butylloxirane to either 2,2,3,3,4,4-hexamethyltetrahydrofuran or 2-t-butyl-2,3-dimethyl-3-buten-1-ol, 3291
 bromine-silver salt reaction, route to α , α' -substituted tetrahydrofurans and specificities of δ -H abstraction, ethers obtained via α -cleavage, 2643
 intramolecular cyclisation of α , β -epoxy-artemesia ketone yielding tetrahydrofuran derivs, 2435
 oxidative coupling of furans with olefins using t-butyl perbenzoate and Pd-salts, 2699
 protoanemonin derivs, new synthesis, 3805
 protoanemonin, reactivity with propanethiolate, phenylmethanethiolate, S-nucleophiles and alkoxides, 3787
 structure of furan-2-one deriv obtained by benzoylation of D-glycero-D-gulo-heptono-1,4-lactone, 1425
 tertiary furylcarbinols, substituted, conversion to 5-diaryl-methylene-2(5H)-furanones, 3805

Furoxans see 1,2,5-Oxadiazoles**Gibberellins**

synthesis of all four stereoisomers of pestalotin, 2929

Glycols

reaction of 2-butenal with ethylene glycol, 2-(1-propenyl)-1,3-dioxolane intermediate, 4893

Glyoxalines see Imidazoles**Gold and compounds**

dithiaalkanes, selective and regioselective oxidation in gold(III) phase transfer process, 165

Grignard reactions and reagents

benzoxazolering opening, synthesis of N-diallylalkyl-*o*-aminophenols, 5089

Cu(I)-catalysed reactions of organoLi and Grignard reagents, Report, 641

crystal structure of 2,2-diphenyl-ethyl 2,4,6-trimethylphenyl ketone, mechanism of stereospecific enolisation with Grignard reagents, 4829

nitronate adducts from RMgX and 1-methoxy-4-nitronaphthalene, reduction to oximes or amines by trivalent P reagents, 3437

phthalic anhydrides, adducts with aryl Grignard reagents, conversion to daumocinone and related anthracyclinones, 4585

primary alkyl and aromatic reagents, reaction with bridged tricyclic dicarboxylic anhydrides to dialkylated tricyclic lactones, 1809

reaction of 2-heterosubstituted benzothiazoles with allylic Grignard reagents, 4527

reaction with 2-pyrones, correlation between structure of intermediates and final products, 1563

reaction with 2-pyrones, stability of 6-hydroxy-5,6-dihydro-2H-pyrans and tautomeric forms have no effect on reaction pathway, 1551

reaction with N-aminophthalimide, synthesis of 4-alkyl- or 4-aryl-phthalaz-1-ones, 2983

stereoselectivity in synthesis of 1,3-dienes by reaction of a Grignard reagent with α -allenic phosphate, 3645

Guanines see under Purines**Halides (alkenyl, alkyl, aryl,**

dihalides, metallic, vinyl etc)

alkylation without solvent, n-octyl ethers from n-octyl halides and alkoxide prepared *in situ*, 2945

allylic halides of methylenecyclopropanes and cyclopropylmethanes, solvolysis in acid, no ring opening if ethoxycarbonyl group is on methylene ring, 315

anthracyclinone intermediate, resolution by use of (2R,3R)-(+)- and (2S,3S)-(-)-1,4-bis(4-chlorobenzoyloxy)butane-2,3-diol, 4617

β -methyl-1- and 3-phenyl allyl chlorides, studies, 1195

cross-linked polymer supported aryliododichloride and aryliododifluoride, synthesis and properties, 1603

Cu assisted nucleophilic substitution of aryl halogen, Report, 1433

cyclic oligomers from [4.3.3]-propellene-bis-imide and 1, ω -dibromoalkanes, 3325

cyclobuta[1]phenanthrene derivs from [2+2] photoadducts of

chlorinated ethenes and phenanthrene, 5249

effect of acid catalysts on reactions of CaSO₄F with toluene, nitrobenzene and naphthalene, 189

gem-difluorocyclopropane species, X-ray structure, 3945

homoallylic substitution of lithium dialkyl cuprates with cyclopropylcarbinyl halides, mechanism, 1457

iodoxybenzene, remarkably close ozone equivalent, 3145

irradiation of cyclohexane soln of hexafluorobenzene and 1-phenyl-2-alkyl substituted acetylenes, formation of bicyclo[4.2.0]-octatriene derivs, 3795

Pd-catalysed cyclisation of 2-substituted halogenoarenes by dehydrohalogenation, 1919

perfluoroalkyl iodides, in presence of Zn-Cu give perfluoro compds which react with alkyl carbonates and pyrocarbonates to give perfluoro carboxylic acids and esters, 1541

potential σ -zwitterionic complexes formed between fluorobenzene and *p*- and *o*-nitrofluorobenzene with ammonia and amide ion, calculations, 4227

preparation and thermolysis of hexakis(perfluoroganylthio/seleno)ethanes, 4963

primary iodides from dihydrovaltratum, fragmentation to seco-aldehydes, 4843

reaction of 3-bromoindoles with indoles or pyrroles, synthesis of 2,3-biindolyls or 2,2'-indolylpyrroles, 3251

reaction of 7,7-dichlorobenzocycloheptatrienes with metallated diazomethyl compds, metal elimination to 7-chloro-5-diazomethyl-benzocycloheptatriene, 5171

rearrangements of 1,1,1-trichloro-2-hydroxy-4-methylpent-3-ene with inorganic acid chlorides, 4507

regioselectivity of olefin oxidation by idosobenzene, catalytic control by metalloporphyrins, 2847

stereochemistry of bis(dichlorocyclopropanation) and - (epoxidation) of 1,4-diarylbutadienes, 203

structure and synthesis of chlorophenol derivs from *Helichrysum coriaceum*, 4987

synthesis and conformation of 8,11-dihalo[5]metacyclophanes, 4401

trichloroethylene, reaction with sec amines, 2671

Zn salts of carboxylic acids, phenols and alcohols react with tertiary alkyl halides to give esters and ethers, 1623

Haloamines

Ru(III)-catalysis, oxidation of n-propanol and n-butanol by acidic solutions of bromamine-T, 5203

halo-carbonyl compounds

acetolysis of α -chloroketones and α' -phenylthio- α -chloroketones, 1893

acetolysis of 1-chloro-3-phenoxy-1-phenylthio-2-propanones, 3709

aldehydes, reaction with N-methyl-N-trimethylsilyl-trifluoroacetamide to give E/Z-*o*-lylenol ethers and addition products to CO group, 5167

fluorinated analogs of dienic insect sex pheromones by reaction

of β -fluorinated aldehydes with ω -functionalised ylides, 2871

Haloacetoxy acids and derivatives

cesium fluoride, reaction with 2-acyloxy-3-chloro-2-chloromethylpropanamides and conversion of the 3-acyloxy-3-chloromethylazetidines into 1-oxa-4-oxo-5-azaspiro[2.3]hexanes, 3223

cycloaddition of 1,3-benzothiazine derivs with substituted acetyl chlorides, 4387

kinetics and mechanism of oxidation of aliphatic ketones by N-bromoacetamide, 3321

Ni(II)chelates form with RCOCl, N',N'-diacylated thioureas and with SOCl₂, n-(amino-thio-carbonyl)benzimidazole chlorides, 405

Halogenation

acetophenone and 1,3-diketones with polymer supported reagents, 2865

aldoximes, conversion by N-chlorosuccinimide into hydroxamic acid chlorides, subsequent prep of 2-isoxazolines, 2985

characterisation and synthesis of bromoporphins, 2359

chlorination of aromatic compds in presence of tentacle molecules with pyridinium head groups, 785

chlorination of 1-phenyl-4-(2,6-dichlorophenyl)-1,3-butadiene, 211

iodo diol formation from acyclic allylic alcohols, 2297

new macrolide antibiotics, prep of potential substrates, (8S)-8-fluoroerythronolide A and B, 2177

new routes to 1,1-dichloro-4-methyl-1,3-pentadiene, 4501

photo-initiated bromination in formation of functionalised penicillins and cephalosporins, 4153

steric course of iodine halogenide addition to 1-methyl-4-t-butylcyclohexene, effect of iodinating species, 2183

Halogeno phosphorus compounds

mass spectrometry of 1-phenyl-1,2-dibromopropylphosphonic acid and its methyl esters, 2633

Halogeno sulphur compounds

acyclic monoterpenes, functionalisation of isopropylidene terminus by benzenesulphenyl chloride addition, 3481

synthesis of 2-alkylthio (or trifluoromethylthio)-2-halogenoethynyl derivs, 1523

Halogens

bromine-silver salt reaction, route to α,α' -substituted tetrahydrofurans and specificities of δ -H abstraction, ethers obtained via α -cleavage, 2643

Heterocumulenes

preparation and barriers to trimerisation of 1,2-diamino substituted 2-azaallenium salts, 4019

Hormones

fragments of anglerfish pre-proglucagon I and II, synthesis, 4415

insect juvenile hormone analogs bearing photolabile diazocarbonyl groups as labels for binding proteins, 529

insect juvenile mimics, synthesis of *cis*-hydrindane analogs of

- Cecropia hormone**, 1873
new plant growth steroids,
synthesis by ring opening 23,24-
epoxides from stigmaterol, 1767
sesquiterpene acids with juvenile
hormone activity from wood of
Cedrus deodara, 2961
- Hydrazones**
asymmetric syntheses via
metallated chiral hydrazones,
1345
cannabinoid tosylhydrazones,
reactions and stereochemistry,
3839
conjugated phenylazoalkenes,
reaction with aliphatic amines to
give syn and anti-phenylhydrazones
derivs, effect of solvent, 5263
photolysis of $\alpha,\beta,\gamma,\delta$ -unsaturated
tosylhydrazone Li-salts at -60 C
to vinylcyclopropenes and
[1,2]diazeto[1,4- α]pyrroles, 3113
reactions of α -alkenyl substituted
arylhydrazonyl chlorides with
triphenylphosphine,
stereochemical aspects, 2165
- Hydrindanes**
insect juvenile hormone mimics,
synthesis of cis-hydrindane
analogs of Cecropia hormone, 1873
- Hydrocarbons**
alternate and non-alternate, π -
bond energy evaluation by
connectivity index, 2859
amine and sulphide enhanced photo-
induced degradation of chloro- and
cyano-aromatic hydrocarbons, 4487
benzenoid, empirical atomic point
dipole (AFUDI) model allows
calculation of ring current
chemical shifts of ring protons
with accuracy, 1845
benzenoid, parameterised valence
bond calculations using Clar
structures, 3981
conjugated bi- and tri-cyclic, MNDO
study of bond orders, 4455
Cu-salts of arylacetic acids,
decarboxylation to hydrocarbons,
3229
free phenylium cation, gas phase
reactions with C₈H₆ hydro-
carbons, 4873
phenylium ions, reaction with
gaseous methane, ethane and
propane, 4865
- Hydrogenation**
chiral oligopeptides, synthesis by
asymmetric hydrogenation of
dehydropeptides, 1255
conversion of 3-nitro-4-alkyl (or
aryl)-aminopyridines to 3-acet-
amido-4-alkyl (or aryl)-amino(1H)-
pyridine-2-ones, 2457
new atropisomeric bis(triaryl)-
phosphine, synthesis and use in
Rh(1)-catalysed asymmetric
hydrogenation of α -(acylamino)-
acrylic acid, 1245
- Hydrolysis**
ferrocenyl carbocations,
hydrolysis of ferrocenyl aryl-
methyl acetates, 593
new aminodiacids by hydrolysis of
aminodieters, 1151
of 1-arenesulphonyl-imino-
1 λ^3 ,2,4,6-thiazatriazines,
formation of 1 λ^3 ,2,4,6-thia-
triazine-1-oxides, structure and
properties, 385
of β -methyl-1- and 3-phenylallyl
chlorides, effect of Me group on
mechanism, 1195
- Hydroperoxides**
alkoxy, obtained by ozonising
cycloalkenes, conversion to
terminally differentiated
products by action of metal
salts, 1881
ligand effect in epoxidations
using Mo-catalyst, epoxidation of
3-carene, 983
- Hydroquinones see under Phenols**
- Hydroxylamines**
phenoxenium ions, intermediates in
solvolysis of N-tosyl-O-aryl-
hydroxylamines and in thermolysis
of N-aryloxyppyridinium salts,
4981
reaction with chromone and 2-
hydroxychromanone, 413
torsional and inversions stereo-
chemistry in sulphen amides and
hydroxylamines, Report, 3345
- Hydroxylation**
estrene and acetate, reaction with
H₂O₂ in SbF₅-HF, 5135
improved synthesis of (\pm)-methyl
shikimate, stereoselective cis-
dihydroxylation of (\pm)-methyl
5 β -hydroxycyclohexa-1,3-dienoate
under Préost's conditions, 5063
lithocholic acid, 15 β -hydroxyl-
ation by Cunninghamella sp, 2843
mercury(11)oxide/tetrafluoroboric
acid promoted vicinal hydroxy-
and alkoxylation of alkenes, 2563
monoterpenes and sesquiterpenoids,
biohydroxylation in mammals, 3597
of bi- and tri-cyclic amides or
lactams via Beauveria
sulfurescens, absolute
configuration of alcohols formed
and topology of hydroxylating
site, 355
- Imidazoles**
N-acylated α -aminonitriles,
conversion into 4(5H)imidazo[4,1-
d]one derivs, 2395
- Imides**
C-substituted maleimides, mono-
thiation, effect of substituents,
3499
preparation of thiated synthons,
use of new P,S-containing
reagents, 2047
reaction of N-aminophthalimide
with Grignard reagents, synthesis
of 4-alkyl- or 4-aryl-phthalaz-1-
ones, 2983
- Ininium salts**
cyclo-1,3-oxoiminium salts react
regiospecifically with functional
carbanions, steric and
substituent effects, 4947
- Indoles**
approach to perhydroisindole
system in cytochalasin B, 3331
cyclisation of 4-(indol-1- and -3-
ylmethyl)-2-cyanopiperidines to
bridged tetracyclic indole
systems, 1419
diborane reduction of indole-1-
carboxaldehydes to 1-methyl-
indoles, di(indolylmethyl)ethers
and indolylmethyl indolines, 4351
dimethyl acetylenedicarboxylate
and 1-substituted-1-(1-methyl-2-
indolyl)ethenes, Michael addition
and 4+2 cycloaddition
reactions, 4837
reaction of 3-bromoindoles with
indoles or pyrroles, synthesis of
2,3-biindolyls or 2,2'-indolyl-
pyrroles, 3251
- reaction of 4-(indol-2-yl-
carbonyl)-4-(indol-3-ylcarbonyl
and 4-(indol-3-ylmethyl)-1,2,5,6-
tetrahydro-1-methylpyridines,
3339
- Infra red spectra**
malonitrile condenses with 2,5,5-
trimethylhexa-2,3-dien-6-al to 1-
cyano-2-amino-3-(2-propenyl)-5,5-
dimethyl-6-dicyanomethylcyclo-
hexa-1,3-diene, 2829
monohydroxypyridines, N- and O-acyl
derivs, ¹H, ¹³C NMR and IR
spectral features, 4067
- Insecticides**
gossypure and components, stereo-
selective synthesis, 3285
- Insertion reactions**
involving Pd(11)-assisted
reactions of olefins, Report,
2415
thioimidates by insertion of t-
butylisocyanide into C-S bond of
activated sulphides, 1075
- Iridoids**
intermediates for synthesis of
iridoids and secoiridoids, 695
- Iron and compounds**
attachment of EDTA.Fe(11) to
distamycin charges sequence
specific DNA binding antibiotic
into a sequence specific DNA
cleaving molecule, 457
alkene oxidation by Fe(11)/per-
sulphate/acetic acid system, 1469
- Isocyanides**
thioimidates by insertion of t-
butylisocyanide into C-S bond of
activated sulphides, 1075
- Isoflavones see under Flavones**
- Isomerisation**
mechanism of stereoisomerisation
of N-aryl ketenimines, 893
nonenzymatic model for coenzyme
B₁₂-dependent isomerisation of
methylmalonyl-SCoA to succinyl-
SCoA, 3063
photo, of polyenes in vitamin A
series, Report, 1931
- Isomers**
all possible stereoisomers of 7-
ethyl-2-methyl-1,6-dioxaspiro-
[4.5]decane, synthesis, 3471
stereoisomers of perhydro-
phenanthrene, synthesis and
crystal structure of deriv of
trans-syn-trans isomer, 3449
synthesis of all four stereo-
isomers of pestalotin, 2929
vitamin A, synthesis od 7-trans
stereoisomers, Report, 1931
- Isoquinolines**
aldehydes and ketones, derived
enolates, reaction with α -
halogenobenzylamines, new access
to isoquinoline ring system, 311
aromatic enamides, photolysis to
enaminoketones; thioenamides,
photocyclisation to iso-
quinolinethione derivs and their
conversion to isoquinolones and
terahydroisoquinolines, 1835
benzylation of quinone methides to
4-benzylisoquinolines, 215
chiral amino alcohols conversion
into deriv of 1,2,3,4-tetrahydro-
isoquinolines evaluated as chiral
dipole stabilised anions and
alkylation, 1361
quinone methides via heating of
isochroman-3-ones; synthesis of

- 1,2,3,4-tetrahydroisoquinolin-3-ones in presence of ureas, 4383
- Isoquinolinium salts**
cycloaddition of 6,7-dialkoxy-3,4-dihydroisoquinolinium salts to dipolarophiles of azomethin- and alkene-type, perturbation theory study, 369
- Isothiocyanates** see **Heterocumulenes**
- Isoxazoles**
erythro/threo mixtures of isoxazolines by cycloaddition of nitrile oxides with 4-vinyl-dioxolanes; selective reduction of the erythro compd yielded ribo-amino-polyols and Dl- and D-lividosamines, 2199
isoxazolidines, conversion into α,β -enones, 1901
isoxazoline conversion to γ -aminoalcohol, use in synthesis of (+)-palciclavine, 2345
- Isoxazolines**
improved prep of 2-isoxazolines, 2985
isoxazolidin-5-ones, synthesis and conversion of benzyl derivs to β -amino acids, 4363
lankacidin synthesis with desired configuration at C-2 and C-3 using δ^2 -isoxazolines as templates, 673
skeletal rearrangement of ionised N-aryl-3,4-diphenylisoxazol-5(2H)-one, 925
- Ketals**
acetylenic, carbocupration, 715
convergent synthesis of (+)-4-de-methoxydaunomycinone and (+)-daunomycinone via annelation of functionalised quinone monoketal with anion of 3-cyano-1(3H)isobenzofuranone, 4625
- Ketenimines**
stereoisomerisation of N-aryl ketenimines, 893
- Keto esters**
ketoester cyclisation, synthesis of τ -pyrromycinone, 7-deoxy-auramycinone and 7-deoxy-alkavinone, 3677
new routes to γ -ketoesters, β -hydroxy- δ -ketoesters, α,β -unsaturated γ -ketoaldehydes and acetals, synthesis of cyclopentenones, 1085
preparation and alkylation of δ -ketoesters, characterisation of δ -lactones produced, mechanism of changes and substituent effects on stereoselection, 749
- Ketols**
(S)-proline catalysed asymmetric dehydration of (\pm)- β -ketols to optically active enones, 1031
produced by proline induced cyclisation of triketones, 1031
- Ketones**
acyclic, stereoselective reduction, 2225
annelative phenol synthesis, prep of 7-methyljuglone and 7,9,11-trideoxydaunomycinone, 4781
asymmetric dehydration of (\pm)- β -ketols to optically active enones, 1031
asymmetric reduction of propargyl ketones, synthesis of optically active compds, 1371
by acylation of organomanganous reagents using acid chlorides, symmetrical acid anhydrides or mixed carboxylic-carbonic anhydrides, effect of solvent and ligands, 683
chiral boronic and borinic esters via asymmetric hydroboration-displacement; carbenoidation of chiral borinic esters to enantiomeric pure acyclic ketones, 1325
covalent binding as molecular mechanism in vertebrate olfactory receptors, 483
crystal structure of 2,2-diphenyl-ethyl 2,4,6-trimethylphenyl ketone, mechanism, of stereo-specific enolisation with Grignard reagents, 4829
Cu-catalysed reactions with organo-Li compds and Grignard reagents, Report, 641
cyclic enediol phosphoranes from trimethyl phosphite and α -diketones give very different acylation products, 2837
enantiomerically pure 2(p-anisyl-sulphonyl)2-cycloalkenones, use in asymmetric synthesis, 1401
enantioselective α -alkylation of acyclic ketones, 1345
enolisation of ketones with ethylenechloroboronate in presence of t-amine and aldol condensation of boron enolates formed, 4051
entry to α,β -unsaturated 2-hydroxyarylketoones via reaction of metal phenolates with α,β -unsaturated acyl chlorides, 4081
halogenations of acetophenone and 1,3-diketones with polymer supported reagents, 2865
hindered aromatic, electro-reduction in DMF, Hg-pool cathode plus Cr(III)chloride, selective hydrodimerisation to α -glycol, 339
intramolecular cyclisation of diazomethyl ketones, synthesis of bridged tetracyclic systems related to diterpenes, 757
intramolecular cyclisation of α,β -epoxy-artemisinone, 2435
isoxazolidines, conversion into α,β -enones, 1901
ketols produced by proline induced cyclisation of triketones, 1031
kinetics and mechanism of oxidation of aliphatic ketones by N-bromoacetamide, 3321
microemulsions containing NaBH₄, reduction of carbonyl compds and determination of reactive site, 2691
new routes to γ -ketoesters, β -hydroxy- δ -ketoesters, α,β -unsaturated γ -ketoaldehydes and acetals, synthesis of cyclopentenones, 1085
phase-transfer catalysis, acetylation of 2-acylcycloalkanones, 1051
prenyl residue introduced at C-9 of pseudoionone, prep of "sesqui- β -ionone" *cis* and *trans* isomers, synthons for C₁₅ and C₁₅ carotenoids, 1545
preparation of α -cyclic enones, 635
reaction with t-BuBr-Me₂SO to give α -bromo derivs, 2035
reactions of Na and Li salts of ketyls and dianions derived from benzophenone and fluorenone with Ac₂O, ¹H and ¹³C CIDNP effects, 1885
reactivity of bridgehead organo-Li compds with nonenolisable ketones, 5113
reagent for optical resolution of ketones, N,S-dimethyl-S-phenyl-sulphoximine, 1225
regio and stereo addition of preformed Mg and Li ketone enolates to α -enones, 4127
selective asymmetric induction, reduction of acyclic β -hydroxy-ketones to 1,3-diols via boron chelates, 2233
structural studies, 1,2-oxazines from 3-methylcyclohexanone, 2041
styryl sulphones to enamines from 4-substituted cyclohexanones, 977
substituent and structural effects on irradiations of bicyclic β,γ -unsaturated ketones, 3749
synthesis of γ -butyrolactones from two carbonyl compds and a α -amino-substituted phosphonate, 733
tertiary 1,5-hexadiene-3-ols, transformation into δ -ethylenic ketones, 3277
topological, stereochemical and NMR line assignments by normalised NMR shifts induced by ytterbium, 1017
transformations of beta(4-quin-azolinylthio)ketones to β -(beta ketolky)-4(3H)-quinazolone derivs, 4937
trisubstituted bifunctional olefins via irradiation α -methyl, α -functionalised cyclopentanones, 613
unquenchable ODFM reaction, irradiation of bicyclic β,γ -unsaturated ketones in soln and in vapour phase, an excited state other than T₁(π - π^*), 3759
use of catalysed reactions of ω -(4-pyrimidinyl)quinoxalinyldthio)acetaphenones in synthesis of 2-acetylonyl thiazoles and 2,5-diaryl-1,4-dithiins, 4941
utility of K-Selectride in reduction of diketones to diaxial alcohols, application to 7-keto- and 3,7-diketosteroids, 851
- Kinetics**
aminolysis of 1-thio- β -D-glucopyranosyl esters of N-acylalanines, 1047
and catalytic effect of form-aldehyde on oxidation of dietary important amino acids, 4929
catalysis by artificial enzymes, rate enhancement or activity development mechanism, Report, 269
cis-2-hydroxycyclopentyl benzoyl-glycinate, n-butylaminolysis in MeCN faster than for cyclopentyl benzoylglycinate, 327
Diels-Alder reaction between 1,4-naphthoquinone and 2,3-dimethyl-butadiene, kinetic study of solvent effect, 1611
effect of chloro substituents on kinetics of breakdown 1-hydroxy-2-chloromethyl- and 1-hydroxy-2-dichloromethyl-1,3-dioxolanes into ethylene glycol monochloroacetate and monodichloroacetate, 3625
effect of 4-substituent in pyridine ring on decomposition kinetics of benzoyl peroxide in 4-pyridine/benzene binary mixtures, 4911
ferrocenyl carbocations, hydrolysis of ferrocenyl aryl-methyl acetates, 593
kinetically controlled nucleophilic addition to methyl 4,6-O-benzylidene-2,3-dideoxy-2-nitro- β -D-erythro-hex-2-enopyranoside, role of A¹ strain, 1533
mechanism, formation and decay of reactive intermediates in decomposition of 3-chloro-3-

benzylidiazirines, 887
 oxidation of aliphatic ketones by N-bromoacetamide, 3321
 oxidation of DMSO by sodium N-bromobenzenesulphonamide or bromamine-B in HClO₄, HCl and NaOH, 1673
 retrodiene decom of methylene-bridged tetrahydro-4H-3,1-benzoxazin-4-ones and resulting 6H-1,3-oxazin-6-ones, 2385
 solvolyses of hindered secondary substrates, nucleophilic solvent assistance, k_s/k_c ratios, 4921
 solvolysis rates in methanol and hexafluoroisopropanol for four β-methyl and β-phenyl bicyclic tosylates, 2117
 transesterification kinetics of phenyl salicylate, 5217

Labelled compounds see also Isotope effects

formyl-deuteriated benzaldehydes by fast and efficient photo-reactions, 2651
 photoaffinity labelling of bovine rhodopsin, 493
 photoaffinity labels for insect juvenile hormone binding proteins, 529
 preparation of deuterioaldehydes via diisobutylaluminium deuteride, 3387

Lactams

hydroxylation of bi- or tricyclic lactams, 355
 ring expansion of the β-lactam derivs formed from 6,7-dialkoxy-2-aryl-4H-1,3-benzothiazines and chloroacetyl chloride to 1,4-benzothiazepine derivs, 4089
 stereoselective synthesis of 3'-nor-1-oxacephems, convergent scheme, 3667
 synthesis and biological activity of γ-lactam analogs of penicillanic acids and sodium periodate rearrangement of pyrrolidine-2,3-diones, 4513
 thiated synthons of lactams by use of new P,S-containing reagents, 2047

Lactones

alkenyl epoxides, conversion into corresponding π-allyltricarbonyliron lactone complexes, 1737
 dibenzocyclooctenolactone having *cis* lactone-ring junction, e.g. (±)-picrostegane and (±)-isopicrostegane, synthesis and transformation to (±)-iso-stegane, 3509
 enantiomerically pure *cis*-2,3- and 2,4-dimethyl lactones via horse liver alcohol dehydrogenase, 1235
 formation of δ-lactones and mercuri-, phenylseleno-, and hydroxymethyl-lactonisation involving 1,3- and 1,4-asymmetric induction, 2317
 lactaran-5-olides, conformation, 2757
 phthalideisoquinoline enol lactones via Hofmann elimination of α- and β-narcotine methiodide, 1971
 preparation and alkylation of δ-ketoesters, characterisation of δ-lactones produced, mechanism of changes and substituent effects on stereoselection, 749
 primary alkyl and aromatic Grignard reagents, reaction with bridged tricyclic dicarboxylic anhydrides to give dialkylated

tricyclic lactones and their conversion into 4,4-dialkylated butenolides, 1809
 (R)(+)-δ-n-hexadecanolactone prep from glutamic acid, 1061
 reactivity of 1-cyclopropene-1-lactones dependent of degree of substitution, 2003
 route to π-allyltricarbonyliron lactone complexes, 1737
 sesquiterpene lactones, total synthesis of (+)-temisin, (+)-melitensin and related elemanolides from (-)-artemisin, 5243
 sesquiterpene, route to 1-oxygenated eudesmanolides, 4371
 stereoselective additions to carboxylic acid dianions and β-lactone substituted ester enolates, application to synthesis of racemic epi-blast-mycinone, δ-multistriatine, paraconic esters and lignan type dilactones, 2211
 stereoselective synthesis of (±)-Prelog-Djerassi lactic acid and (-)-verucarinolactone, 2239
 structure of furan-2-one deriv obtained by benzoylation of D-glycero-D-gulo-heptono-1,4-lactone, 1425
 synthesis of γ-butyrolactones from two carbonyl compds and a α-amino-substituted phosphonate, 733
 thermolysis of t-butyl-4-peroxy-pentenoate to 5-cyclohexyl-4-pentanamide, 3531

Lanthanum and compounds

adducts of diastereomeric 1,4:3,6-dianhydrohexitols and lanthanide chelates, 2885

Lignans

asymmetric total synthesis of natural(-)- and unnatural(+)-steganacin, 1303
 dibenzocyclooctenolactone having *cis* lactone-ring junction, e.g. (±)-picrostegane and (±)-isopicrostegane, synthesis and transformation to (±)-iso-stegane, 3509
 konyanin from *Haplophyllum vulcanicum*, a 1,4-dihydroaryl-naphthalene lignan with lactone CO bonded to C-3, 1145
 sylvone, new furanoid lignan of *Piper sylvaticum*, 5047
 total synthesis of (±)-iso-β-peltatine and analogs, 2529

Lithium and compounds

Cu-catalysed cross coupling of organo-Li compds and Grignard reagents, Report, 641
 Cu-catalysed reactions of organo-Li compds and Grignard reagents with carbonyl compds, epoxides, allenes and acetylenes, 641
 reactivity of bridgehead organo-Li compds with nonenolisable ketones, 5113
 reactivity of lithium ether derivs of benzaldehyde cyanhydrins, 635

Macrocycles

approach to perhydroisoindole system in cytochalasin B, 3331
 synthetic studies on verrucarol from D-glucose, 2083
 via cyclisation of simple acyclic starting compds with auxiliary spacer, prep of stereochemically complex acyclic products, 2275

Mass spectra

divinyl structure of protochlorophyllide (E443 F625) and chlorophyllide A (E458 F674), 659
 gas phase negative ion chemistry of benzaldehyde, 2789
 gas phase thermal and cationic reactions of BPH₂, MBPH and DMBP all result in loss of Br₂ and group -P(O)(OR)(OR') from molecule or molecular radical cation, 2633
 naturally occurring alkyl porphyrins, analysis by hydrogen chemical ionisation, 3777
 triterpenes, new serratanes, structure and isolation from *Pinus monticola*, 4217
 unsaturated *cis* and *trans* dicarboxylates, reduction of olefinic bond under ammonia chemical ionisation, 4085

Mechanisms

activation of tyrosine by tyrosyl-tRNA synthetase from *Bacillus stearothermophilus*, 113
 arylazide and p-tosylazide, decomposition by THF/n-BuLi, new source of diazomethane, 1731
 benzaldehyde and substituted derivs, formyl-deuteriated benzaldehydes by fast photo-reactions, 2651
 catalysis by artificial enzymes, rate enhancement or activity development, Report, 269
 conversion of vinylazides into 2H-azirines, *ab initio* MO calculations, 2095
 covalent binding of ketones as molecular mechanism in vertebrate olfactory receptors, 483
 crystal structure of 2,2-diphenyl-ethyl 2,4,6-trimethylphenyl ketone, mechanism of stereospecific enolisation with Grignard reagents, 4829
 Cu assisted nucleophilic substitution of aryl halogen, Report, 1433
 cyclopropane ring as probe, mechanism of H-transfer by 1,4-dihydropyridine derivs, 5185
 deoxycholic acid, anaerobic degradation by *Pseudomonas sp.*, 421
 diborane reduction of indole-1-carboxaldehydes to 1-methyl-indoles, di(indolymethyl)ethers and indolymethyl indolines, 4351
 enolisation of ketones with ethylenechloroboronate in presence of t-amine and aldol condensation of boron enolates formed, 4051
 formation and decay of reactive intermediates in decomposition of 3-chloro-3-benzylidiazirines, 887
 homoallylic substitution of lithium dialkyl cuprates with cyclopropylcarbonyl halides, 1457
 hydrolysis of β-methyl-1- and 3-phenylallyl chlorides, effect of Me group, 1195
 intramolecular cyclisation of α,β-epoxy-artemesia ketone yielding tetrahydrofuran derivs or cyclopentanones, 2435
 kinetics of oxidation of DMSO by sodium N-bromobenzenesulphonamide or bromamine-B in HClO₄, HCl and NaOH, 1673
 model for rearrangement of methylitaconic acid to α-methylene-glutaric acid, coenzyme B₁₂ dependent, 3069
 nitrilium salts, reaction with azides to yield alkyl or aryl-substituted tetrazolium salts, 4115

- oxidation of aliphatic ketones by N-bromoacetamide, 3321
- oxidation of organic sulphides by chromium(VI)oxide diperoxide, 2763
- oxidative coupling of benzene or furans with olefins using t-butyl perbenzoate and Pd-salts, 2699
- photocyclisation of ω -anilino-alkyl *m*-nitrophenyl ethers, 1755
- photolysis of $\alpha,\beta,\gamma,\delta$ -unsaturated tosylhydrazones Li-salts at -60 C to vinylcyclopropanes and [1,2]diazeto[1.4-a]pyrroles, 3113
- photooxidation of di-t-butyl sulphide and citronellol sensitised by excimers and exiplexes, 999
- proline catalysed asymmetric Robinson cyclisation, new insights, 1031
- self condensation of HCN, dimers, aminomalononitrile, diaminomaleonitrile, diiminosuocinonitrile and higher oligomers(HCN)_n⁺, Report, 1093
- skeletal rearrangement of ionised N-aryl-3,4-diphenylisoxazol-5(2H)-one, 925
- solvolysis rates in MeOH and hexafluoroisopropanol for four β -methyl and β -phenyl bicyclic tosylates, 2117
- stereoisomerisation of N-aryl ketenimines, 893
- synthesis of 4^a,4^b-phenyl-adamantanones and 2,4- α -benzenoadamantane by π -route, 199
- thermal and alkaline degradation of C-18 castor oil, 1167
- thermolysis of t-butyl-4-peroxy-pentenoate to 5-cyclohexyl-4-pentanolide, 3531
- trichloroethylene, reaction with sec amines under phase transfer conditions, 2671
- unsymmetrical stilbenes by pyrolysis of aryl cinnamates, 1727
- Mercury and compounds**
- aminomercuration of olefins, question of reversibility, 1199
- formation of δ -lactones and mercuri-, phenylseleno-, and hydroxymethyl-lactonisation involving 1,3- and 1,4-asymmetric induction, synthesis of serricornin, 2317
- Hg(II)oxide/tetrafluoroboric acid promoted vicinal hydroxy- and alkoxylation of alkenes, 2563
- N-aryl-9-azabicyclo[4.2.1] and [3.3.1]nonanes, synthesis by aminomercuration of *cis-cis*-1,5-cyclooctadiene, 1199
- reactivity of π - and σ -N-mercurated and C-mercurated amines as electrophiles towards olefins and aromatic amines, 5053
- Mesoionic compounds**
- reduction of mesoionic 2-substituted 1-vinylcyclohexyl acetates, new route to 4-alkylthio-2-amino-1,3-dithiols, 1817
- Metabolites**
- alternaria acid isolation from *Alternaria mali*, structure and biosynthetic route, 2451
- balearene, new, of mixed biogenesis, isolation and structure from *Cystoseira balearica*, 1721
- bioactive diterpenes from genus *Halimeda*, 3053
- bulgecins, structures of bacterial metabolites with bulge-inducing activity, 3465
- Metalation**
- C-metalated Reformatsky intermediates from t-butyl- α acetate, isobutyrate and propionate, structure and reactivity, 2781
- intermediacy of radical anions in reaction of oxiranes with alkali metals, 1629
- of 4,4-dimethyl-2-(thienyl-2)-oxazoline, effect of solvent, 2107
- route to A/B ring synthon of daunomycinone, prep via benzamide directed ortho metalation, 4593
- Metallic and non-metallic compounds**
- alkoxy hydroperoxides obtained by ozonising cycloalkenes, conversion to terminally differentiated products by action of metal salts, 1881
- artificial enzymes mimicking elemental nonmetal and metallo reactions, Report, 269
- biosynthetic intermediates and synthetic analogs of bleomycin, metal binding, dioxygen activation and DNA cleavage, 501
- double bond migration in olefins with KOH suspended in DME, 3421
- effect of solvent, elimination of solid K in suspension, 3415
- entry to α,β -unsaturated 2-hydroxyaryketones including *o*-cinnamyl, *o*-corbyl and *o*-propioly-phenols via reaction of metal phenolates with α,β -unsaturated acyl chlorides, 4081
- higher order organocuprates from organometallic reagents, Report, 5005
- hydroformylation of 1-dodecene, olefin to aldehyde conversion, product ratio and comparative use of triphenyl group V ligands, 185
- metallated enamines, chemistry, Report, 2989
- neutral diamide ionophores for group IIA metal cations, prep and properties, 1009
- organometallic reagents to 2-(*p*-anisylsulphinyl)-2-cycloalkenones, asymmetric syntheses, 1401
- reaction of 7,7-dichlorobenzocycloheptatrienes with metallated diazomethyl compds, metal elimination to 7-chloro-5-diazomethyl-benzocycloheptatriene, 5171
- reduction of pyrene with alkali metals yields dianion salts, effect of solvent, counterion and temp, 1701
- regioselectivity of olefin oxidation by iodobenzene, catalytic control by metalloporphyrins, 2847
- Micelles**
- microemulsions containing NaBH₄, reduction of carbonyl compds and determination of reactive site, 2691
- photodimerisation of coumarin in micellar media and microemulsions, effect of interface on reactivity of excited states, 2381
- Migration reactions**
- double bond, in olefins with KOH suspended in DME, 3421
- rearrangement of thioimidates by 1,3-C to N migration of an alkoxy-carbonyl group, 1075
- rearrangements of 1,1,1-trichloro-2-hydroxy-4-methylpent-3-ene with inorganic acid chlorides, 4507
- Molecular orbital calculations**
- activation barriers for 1,2-shifts in carbenium ions calculated for ; different groups, MNDO/3, 377
- benzaldehyde and substituted derivs, formyl-deuterated benzaldehydes by fast photo-reactions, 2651
- benzenoid hydrocarbons, parameterised valence bond calculations using Clar structures, 3981
- cannabidiol, dynamic NMR and empirical force field studies, 2919
- conjugated bi- and tri-cyclic hydrocarbons, MNDO study of bond orders, 4455
- cycloaddition of 6,7-dialkoxy-3,4-dihydroisoquinolinium salts to dipolarophiles of azomethin- and alkene-type, perturbation theory study, 369
- exchange of cyanide with acetonitrile, test of theoretical calculations, 1487
- mechanism of conversion of vinylazides into 2H-azirines, *ab initio* MO calculations, 2095
- MNDO calculations, effects of substitution on antioxidant activity of phenols and vitamin E, 3383
- MNDO investigation, 1,2-rearrangement of singlet carbenes and nitrenes, 2123
- molecular mechanics of 5 α -androst-16-en-3-one, 3153
- orthogonene structure, 2799
- phosphite esters, Michaelis-Arbusov reactivity, 3215
- potential σ -zwitterionic complexes formed between fluorobenzene and *p*- and *o*-nitrofluorobenzene with ammonia and amide ion, calculations, 4227
- pyrylium ions, reactivity with azide, EMO calculations, 3549
- semiempirical calculations of MCD spectra of π -systems, Report, 3845
- stereochemistry of nucleophilic attack of H⁻ on bicyclobutane, *ab initio* calculations, 5213
- steric effects in buttressed methylpyridine species, 3971
- structure and synthesis of mesityl(diphenyl-methylene)-phosphine and 2,6-dimethylphenyl-(diphenyl-methylene)phosphine, 765
- structure/reactivity correlations for electropolymerisation of pyrrole, reactive sites of oligomeric radical cations, 3963
- unsaturated cyclic sulphones, reactivity of double bond towards aziridine formation and epoxidation, 2487
- Molybdenum and compounds**
- ligand effect in epoxidations by hydroperoxides using Mo(VI) catalyst, epoxidation of 3-carene, 983
- Named reactions**
- Claisen rearrangement of 1,4-diaryloxy-2-butenes to 11a-methylpterocarpan, 4473
- improved synthesis of (\pm)-methyl shikimate, stereoselective *cis*-dihydroxylation of (\pm)-methyl 58-hydroxycyclohexa-1,3-dienoate under Frost's conditions, 5063
- Pascoc procedure, phosphacarnegine synthesis, 2721
- phosphite esters, Michaelis-Arbusov reactivity, 3215

preparation of 1-benzyl-2,5-piperidinedione and 4-substituted derivs by Dieckmann cyclisation of amido diester, 2505
 racemic feudomycinones A, C and D and new derivs of rhodomycinones via intramolecular version of Marschalk reaction, 4609
 Reformatzky intermediates, C-metallated, structure and reactivity, 2781
 synthesis of anthracyclines via Claisen-Diels-Alder sequence, 4777

Natural products

alkaloidal profile of Cocculus pendulus, 2513
 alkaloids of Tabernaemontana glandulosa, 737
 alternarian acid isolation from Alternaria mali, structure and biosynthetic route, 2451
 alternarian acid, isolation from Alternaria mali, structure and biosynthetic route, 2451
 approach to perhydroisoindole system in cytochalasin B, 3331
 asymmetric total synthesis of natural (-)-steganacin, 1303
 balearene metabolite from Cystoseira balearica, 1721
 bioactive terpenoids from chlorophyta Penicillus and Udotea, 2913
 biosynthesis of chlorophyll a in higher plants, 659
 botryodiplodine, mycotoxin of Penicillium roqueforti, biosynthesis using orsellinic acid as precursor, 1823
 brominated terpenoids from Laurencia pinnatifida, 2751
 bulgecins, structures of bacterial metabolites with bulge-inducing activity, 3465
 celerin, structure revision by synthesis, 5229
 conjugated dienic insect sex pheromones, methodology for synthesis, 2741
 cytotoxic dendrodoine from Dendroda grossular, via addition between indolyl-3-carbonyl nitrile and N,N-dimethylamino-nitrile sulphide, 681
 deoxycholic acid, anaerobic degradation by Pseudomonas sp, 421
 dimeric naphthopyrones, fonsecinones A, B, C and D and auroseperones A and B, isolation from Aspergillus fonsecaeus, 3617
 diterpene (-)-biflora-4,10(19),15-triene from Cubitermes umbratus, absolute configuration via synthesis of (1R,6S,7S,11R(+))-isomer, 305
 diterpenes, bioactive metabolites from genus Halimeda, 3053
 diterpenes, new antimicrobial from Spongia officinalis, 4169
 diterpenes, taxane, key intermediate, X-ray structure, 4285
 eldanolide of male Eldana saccharina, isolation and structure, 3521
 enantiomers of 2,3-dihydro-2-isopropyl-2,5-dimethylfuran from female Hylecoetus dermestoides, 1761
 enantioselective synthesis of (1)- α -allokainic acid by asymmetric Lewis acid mediated intramolecular ene reaction, 1391
 fast and loose covalent binding of ketones as molecular mechanism in vertebrate olfactory receptors, 483
 fragments of anglerfish pre-proglucagon I and II, synthesis, 4415

gonyautoxin-VIII(new) and gonyautoxin-V and VI have carbamoyl N-sulphate conjugation and weak toxicity, 539
 gossypure and components, stereoselective synthesis, 3285
 homoerythrina-type alkaloids, isolation from A. selaginoides and A. laxifolia, 2685
 homoerythrina-type (11) alkaloids, isolation from A. cruprsoides, 2677
 improved synthesis of (\pm)-methyl shikimate, stereoselective cis-dihydroxylation of (\pm)-methyl 5 β -hydroxycyclohexa-1,3-dieneate under Preost's conditions, 5063
 insect juvenile hormone mimics, synthesis of cis-hydrindane analogs of Cecropia hormone, 1873
 isoindolobenzazepine alkaloids from Clilean Berberis species, isolation, genesis and catabolism, 3957
 isolation and structures of new ureido amino acids, lividine and grateloupine from Grateloupia livida and filiacea, 235
 konyanin from Haplophyllum vulcanicum, a 1,4-dihydroaryl-naphthalene lignan with lactone CO bonded to C-3, 1145
 lithocholic acid, 15 β -hydroxylation by Cunninghamella sp, 2843
 magnetic resonance spectral assignments and structures of pumiliotoxins A and B and related allpumiotoxins, 1183
 mechanism and synthetic applications of degradation of C-18 castor oil, 1167
 mechanism of activation of tyrosine by tyrosyl-tRNA synthetase from Bacillus stearothermophilus, 113
 microbial products with gastro-protective activity, structures and chemical nature of AI-77 β , 2519
 monoterpenes and sesquiterpenoids, bihydroxylation in mammals, 3597
 naturally occurring alkyl porphyrins, analysis by hydrogen chemical ionisation mass spectrometry, 3777
 new C-15 acetylenes from Laurencia obtusa, 3443
 new dimeric apomorphine-benzyl-isoquinoline alkaloids from Thalictrum faberi, 2133
 new diterpenes based on dolabellane skeleton from Dictyota species, structure and conformation, 799
 new dolabellane diterpenes from Dilophus fasciola, 4999
 new plant growth steroids, synthesis by ring opening, 23,24-epoxides from stigmastanol, 1767
 new sesquiterpene ester from Ferula tingitana, 5197
 new tri- and tetra-oxygenated D:A-friedo-oleanan triterpenes from Kokoona zeylanica, structures, 805
 new triterpenoid carboxylic acids from Cyathus striatus and C. pygmaeus, 2069
 new xenicin diterpenoids from Anthelia edmonsoni, 3823
 new, 1,2-dimethoxy-1-trimethylsiloxy-1,3-pentadiene, prep and use in regioselective synthesis of erythroloaccin and 7 β -hydroxy-erythroloaccin, 5039
 nonaribonucleotide which appears in 5'-terminal structure of bromemosaic virus mRNA No.4 filament, 153
 normalised ytterbium induced ^{13}C NMR shifts, structural and ^{13}C

signal assignments in multifunctional and natural compds, 1025
 nucleoside 5'-triphosphate analogs, inhibitory activity against E. coli RNA and DNA polymerase, 427
 pacharin, new dibenzo[2.3-6,7]-oxepin deriv from Bauhinia racemosa, 4245
 Pd-catalysed syntheses of 5-(3-buten-1-ynyl)-2,2-bithienyl and 2-phenyl-5-(3-buten-1-ynyl)-thiophene, 2773
 phenylalanine deriv, isolation from Praxelis clematidea, structure and synthesis, 2537
 porphyrins with a novel exocyclic ring system in an oil shale, 4033
 propionates of (2R,8R)- and (2S,8R)-8-methyl-2-decanol, pheromone of Diabrotica virgifera, synthesis via chiral compds of microbial origin, 299
 protoanemonin derivs, new synthesis, 3805
 pyranoquinolone alkaloids, flindersine, atanine and analogs, synthesis, 4041
 revised structure of piperolein acids, guineensine and wisanine, UV and synthesis, 2541
 route to A/B ring synthon of daumomycinone, prep via benzamide directed ortho metallation, 4593
 sarpagine biosynthesis, characteristics of involved vellosimine reductase, 1691
 scorpion and cobra venoms, study of membrane acetylcholine receptors, 521
Sedum acre alkaloids, solution conformation, 2171
 sesquiterpene acids with juvenile hormone activity from wood of Cedrus deodara, 2961
 sesquiterpene lactones, route to 1-oxygenated eudesmanolides, 4371
 sesquiterpene lactones, structures and stereochemistry of asteriscunolides A, B, C and D from Asteriscus aquaticus, 873
 sesquiterpene lactones, total synthesis of (+)-temisin, (+)-melitensin and related elemnolides from (-)-artemisin, 5243
 sesquiterpene acids from Leucanthenopsis pulverulenta, 2189
 structure and synthesis of chlorophenol derivs from Helichrysum coriaceum, 4987
 structure of 5-methoxyselelin and trachyphyllin and synthesis of coumarrayin and xanthoxyletin, 3129
 structure of clausarin, and synthesis of precursor nordenatin providing route to dentatin; revised structure for clausenidarinic acid, 3133
 sylvone, new furanoid lignan of Piper sylvaticum, 5047
 syntheses of (\pm)-methyl shikimate, (\pm)-methyl epishikimate and structural variants, 2461
 synthesis of 1,3,6-trioxygenated isopentenylated xanthones, 3303
 synthesis of (\pm)-ascochlorin, (+)-ascofuranone and LL-Z1272 α , 2711
 synthesis of all four stereoisomers of pestalotin, from Pestalotia cryptomeriaecola, 2929
 synthesis of coumarin benahorin and revised structure marmelide, 5225
 synthesis, X-ray structure and molecular mechanics of 5 α -androst-16-en-3-one, boar taint steroid, 3153

- tabtoxin, exotoxin from *Pseudomonas tabaci*, stereo-specific synthesis, 3695
- Thalictroid bisbenzylisoquinoline alkaloids**, enzymic control of stereochemistry, 1975
- total synthesis of (+)-iso- β -peltatine and analogs, 2529
- transformation of mertonin C into mertonins A and D proves structure and stereochemistry, 1743
- triterpenes, new serratanes, structure and isolation from *Pinus monticola*, 4217.
- Nicotinium salts**
- rearrangements of bicyclic 1,2-oxazine N-oxide derivs to functionalised hexahydro-1(2H)-pentalenone, 2441
- Nitrenes**
- MNDO investigation, 1,2-rearrangement of singlet carbenes and nitrenes, 2123
- Nitriles**
- addition of thiols to allenyl- and phenylpropenyl-nitriles and formation of thiazolines and benzothiazoles, 2141
- cytotoxic dendrodoine from *Dendroda grossulari*, via addition between indolyl-3-carbonyl nitrile and N,N-dimethylamino-nitrile sulphide, 681
- diastereomer ratio for cyclo-addition of benzenesulphonyl-carbonitrile oxide to (S)-vinylglycine derived alkenes, 601
- directive effect of enol ethers and thioenol ethers in cyclo-additions of nitrile oxides, 441
- dithiocarboxylation of benzoyl-acetonitrile, 381
- exchange of cyanide with acetonitrile, test of theoretical calculations, 1487
- malonitrile condenses with 2,5,5-trimethylhexa-2,3-dien-6-yl to 1-cyano-2-amino-3-(2-propenyl)-5,5-dimethyl-6-dicyanomethylcyclohexa-1,3-diene, 2829
- N-acylated α -aminonitriles, conversion to 5-aminooxazole, 5(4H)-oxazolone and 4(5H)-imidazolone derivs, 2395
- nitrilium salts, reaction with azides to yield alkyl or aryl-substituted tetrazolium salts, 4115
- photo reaction 1-and 2-naphthalenecarbonitrile with methylbenzenes, 2975
- self condensation of HCN, dimers, aminomalonitrile, diaminomaleonitrile, diiminosuccinonitrile and higher oligomers(HCN)_n⁺, Report, 1093
- total synthesis of (+)-pallavicine, intramolecular nitrile oxide cycloaddition, formation of crucial C₅-C₁₀ bond, 2345
- transformation of chrysanthemine nitrile skeleton by NaH and N,N-dimethylformamide, 4267
- Nitrilimines**
- spiro-pyrazolines, synthesis by cycloaddition of 1,3-diphenyl-nitrilimine with fulvenes, 1585
- Nitro compounds**
- C-alkylation of nitroalkane anions by 1-substituted -2-t-butyl-4-phenyl- and -2,4-diphenyl-5,6-dihydrobenzo[h]quinolinium cations, 1501
- complexes of pyrene with 2,4,6-trinitroanisole, association in soln and crystal structure of 1:1-complex, 1595
- conversion of 3-nitro-4-alkyl(or aryl)-aminopyridines to 3-acetamido-4-alkyl(or aryl)-amino(1H)-pyridine-2-ones, 2457
- halonitrobenzenes, reaction with nucleophiles, 4227
- nitronate adducts from RMgX and 1-methoxy-4-nitronaphthalene, reduction to oximes or amines by trivalent P reagents, 3437
- photoreaction of nitroalkanes with tetraphenylbiphosphine and tetraethylpyrophosphite, ESR, 4955
- specific ortho orientation in vicarious substitution of H in aromatic nitro compds with carbanion of chloromethyl phenyl sulphone, 1863
- substituted 1-aminocyclopentenes from 2,3-diamino-1,3-butadienes and nitroalkenes, 3579
- Nomenclature**
- condensed hydrocarbons, compact nomenclature, 2161
- Norbornanes see under Polycyclic cycloalkanes**
- N-oxides**
- addition of p-chlorobenzonitrile oxide to 2,3,6,7-dibenzoheptafulvenes to give isoxazolines, 5121
- nitrosation of peptide bonds by air-diluted nitrogen oxides, 3121
- Nuclear magnetic resonance**
- ajmalane alkaloids, ¹³C NMR, 5255
- anilines and annelated anilines, ¹³C NMR, 1157
- application of gel-phase ¹³C NMR to solid phase peptide synthesis on polystyrene-based resins, 4141
- aristoserratenine and tasmanine, structures and absolute configurations, 4359
- benzenoid hydrocarbons, empirical atomic point dipole (APUDI) model allows calculation of ring current chemical shifts of ring protons with accuracy, 1845
- benzylation of quinone methides to 4-benzylisoquinolines, 215
- bilirubin mono and bis-dimethylamides, synthesis and spectroscopy, 4253
- C-metallated Reformatsky intermediates from t-butyl α acetate, isobutyrate and propionate, structure and reactivity, 2781
- cannabidiol, dynamic NMR and empirical force field studies, 2919
- characterisation of bromoporphins, 2359
- Claisen rearrangement of 1,4-diaryloxy-2-butenes to 11a-methylpterocarpan, 4473
- configuration and conformation of 1,4,5,8-tetraacyl-1,4,5,8-tetraazadecalins as crystals and in soln, 257
- conformation of 17 β -hydroxy-4,4,9-trimethyl-9 β ,10 α -estr-5-en-3-one and derived 2 α - and 2 β -bromo compds, 777
- conformation of carbocyclic nucleoside analogs of tubercidin by PMR, 709
- diastereomeric 2-methylsulphinyl-1,2-diphenylethanol and O-methyl and O-acetyl derivs, 2023
- digitoxosides with varying cyclic and acyclic C17 β -side groups, and the corresponding C3',C4'-acetonides, conformational strain, 1121
- dimeric naphthopyrones, fonsecinones A,B,C and D and aurosperones A and B, isolation from *Aspergillus fonsecanus*, 3617
- diterpenes pleuromutillin, mutillin and related compds, detailed ¹³C NMR, 905
- diterpenes, new antimicrobial from *Spongia officinalis*, 4109
- enolisation of ketones with ethylenechloroboronate in presence of t-amine and aldol condensation of boron enolates formed, 4051
- enolisation of phenyl thio-propionate with ethylenechloroboronate and t-amine and aldol condensation of boron enolates formed, 4065
- esters of boric acid and borate with dihydroxy compds in aqueous medium, stability dependent on pH, 2901
- four possible isomers of 16-hydroxymethyl-androst-5-ene-3 β ,17-diol, conversion into 16-methyl analogs, configuration, 1205
- hindered rotation around N+(sp²)-C(sp³) single bond in 2,4,6-trimethyl-N-alkylpyridinium cation, ¹H NMR, 2547
- isolation and structures of new ureido amino acids, lividine and grateoloupine from *Grateloupia livida* and *fillicina*, 235
- lithocholic acid, 15 β -hydroxylation by *Cunninghamella* sp, 2843
- magnetic resonance spectral assignments and structures of pumiliotoxins A and B and related alloumpiliotoxins, 1183
- meso-substituent effects in neutral and protonated porphyrins, 3263
- methylenetriethylphosphorane, reaction with *cis* and *trans* mixtures of 1-t-butyl or 1-cyclohexyl-2-vinylphosphirane, new phosphino-substituted P-glyds, 3273
- monohydroxypyridines, N- and O-acyl derivs, ¹H, ¹³C NMR and IR spectral features, 4067
- monosulphoxides of 1,2-, 1,3- and 1,4-dithianes, conformational preferences of S-O bond, 1477
- new C-15 acetylenes from *Laurencia obtusa*, 3443
- new dolabellane diterpenes from *Dilophus fasciola*, 4999
- new xenicin diterpenoids from *Anthelia edmonsoni*, 3823
- normalised ytterbium induced ¹³C NMR shifts, structural and ¹³C signal assignments in multi-functional and natural compds, 1025
- of 8.11-dihalo[5]metacyclophanes, 4401
- phenylalanine deriv from *Praxelis clematidea*, 2537
- preparation and thermolysis of hexakis(perfluororganylthio/seleno)ethanes, 4963
- reaction of 3-bromoindoles with indoles or pyrroles, synthesis of 2,3-biindolyls or 2,2'-indolylpyrroles, 3251
- reactions of Na and Li salts of ketyl and dianions derived from benzophenone and fluorenone with Ac₂O, ¹H and ¹³C CIDNP effects, 1885
- Sedum acre* alkaloids in soln, conformation, 2171
- series of *trans*- and *cis*-2,3-di(R)oxy-1,4-dioxanes and 2,5-disubstituted analogs, 2011
- sesquiterpene lactones, structures and stereochemistry of asteracunolides A,B,C and D from

- Asteriscus aquaticus**, 873
 sesquiterpenic acids from Leucantheopsis pulverulenta, 2189
 spectroscopic properties of vitamin A isomers, Report, 1931
 structural studies on 1,2-oxazines derived from 3-methylcyclohexanone, 2041
 structure of furan-2-one deriv obtained by benzylation of D-glycero-D-gulo-heptono-1,4-lactone, 1425
 structures of protochlorophyllide (E443 F625) and chlorophyllide A (E458 F625), 659
 topological, stereochemical and NMR line assignments in alcohols and ketones by normalised NMR shifts induced by ytterbium, 1017
 transformation of chrysanthem nitrile skeleton by NaH and N,N-dimethylformamide, 4267
 tris-pyridiniumalkyl triesters of benzene-1,3,5-tricarboxylic acid, interaction with aromatic substrates, 785
 triterpenes, new serratanes, structure, 4217
- Nucleic acids**
 attachment of EDTA.Fe(II) to distamycin changes sequence specific DNA binding antibiotic into a sequence specific DNA cleaving molecule, 457
 biosynthetic intermediates and synthetic analogs of bleomycin, metal binding, dioxygen activation and DNA cleavage, 501
cis-2-hydroxycyclopentyl benzoylglycinate, (model for peptidyl-t-RNA)n-butylaminolysis in MeCN faster than for cyclopentyl benzoylglycinate, 327
 DNA conformation and stability, effect of purine 2-amino group, 3
 DNA fragments, synthesis by hydroxybenzotriazole phosphotriester approach, 73
 mechanism of activation of tyrosine by tyrosyl-tRNA synthetase from Bacillus stearothermophilus, 113
 modified (N-acetylamino)acyl-tRNA's, P-site tRNA donors in peptidyltransferase reaction, 87
 nonaribonucleotide which appears in 5' terminal structure of brom mosaic virus mRNA No.4 filament, 153
 preparation of 2'(3')-O-acyl-pCpA derivs as substrates for T₄ RNA ligase mediated "chemical aminoacylation", 87
 synthesis of two deoxyoligonucleotides corresponding to DNA binding site for cyclic AMP receptor protein, 95
 t₄RNA ligase-mediated coupling of 2'(3')-O-(3-phenylpropionyl)-pCpA and t RNA Phe₃C_{OH}, 87
 tritriacontanucleotide with sequence of 5'-half molecule of E. coli glycine tRNA₂, synthesis, p-anisidate protection of 3'-phosphate ends, 47
- Nucleosides**
 conformation of carbocyclic nucleoside analogs of tubercidin by FMR, 709
 enantioselective synthesis of C- and N-nucleosides, showdomyin, 6-azapseudouridine and cordycepin, 145
 isosteric phosphonate analogs of nucleoside 3'-phosphates, synthesis, 79
 key intermediates, stereospecific synthesis of 2'-deoxyribo-
- nucleoside cyclic 3',5'-phosphorothioates and dinucleoside(3'+5')phosphorothioates, 15
 N-protected deriv of 2-amino-2'-deoxyadenosine, synthesis from 2'-deoxyguanosine and modified nucleoside used for prep of oligodeoxynucleotides, 3
 new analogs of antiviral pyrazofurin, synthesis of 5-carboxamido-4-hydroxy-3-(β-D-ribofuranosyl)-thiophene derivs, 2479
 nucleoside 5'-triphosphates, synthesis of analogs, 427
 oligomerisation of (guanosine 5'-phosphor)-2-methylimidazolide on poly(C) template, effect of temp, 39
 selective protection and oxidation of ribonucleosides, synthesis of 2' and 3'-ketonucleosides and arabino and xylo reduction products, 125
 synthesis and structure of 5-substituted-2'-deoxyuridine 3',5'-cyclic monophosphate P-O-alkyl(aralkyl) esters and crystal structure of 5-iodo-2'-deoxyuridine 3',5'-cyclic monophosphate P-O-methyl ester with axial CMe group, 2405
 versatile new blocking group for phosphate and aglycone protection, 59
- Nucleotides**
 isosteric phosphonic acid analog of UpUpU, synthesis, 3949
 N-protected deriv of 2-amino-2'-deoxyadenosine, synthesis from 2'-deoxyguanosine and modified nucleoside used for prep of oligodeoxynucleotides, 3
 oligodeoxynucleotides, synthesis on pore glass using phosphate and new phosphite triester approach, 103
 oligonucleotides, developments in phosphite triester synthetic method, 137
 oligoribonucleotides, synthesis via S,S-diphenyl N-monomethoxytritylribonucleoside 3'-phosphorodithioates, 153
 preparation of 2'(3')-O-acyl-pCpA derivs as substrates for T₄ RNA ligase mediated "chemical aminoacylation", 87
 sequences in DNA cleavage by bleomycin-Fe(II) complexes, 501
 synthesis and characterisation of d[CGT(2-NH₂)ACG], d[CGU(2-NH₂)ACG] and d[CGT(2-NH₂)AT(2-NH₂)ACG], introduction and removal of O⁶ protecting groups, 3
 synthesis of two deoxyoligonucleotides corresponding to DNA binding site for cyclic AMP receptor protein, 95
 tritriacontanucleotide with sequence of 5'-half molecule of E. coli glycine tRNA₂, synthesis, p-anisidate protection of 3'-phosphate ends, 47
 versatile new blocking group for phosphate and aglycone protection, 59
- Oligomerisation**
 of (guanosine 5'-phosphor)-2-methylimidazolide on poly(C) template, 39
- Onium salts see under Pyrylium salts**
- Osmium and compounds**
 osmium tetroxide oxidation of allylic alcohol systems, stereochemistry, 2247
- Oxadiazines see Dioxazines**
- Oxadiazoles**
 cyclopentano[c]-s-triazoles by intramolecular ring transformation of 1,3,4-oxadiazoles, 2703
- Oxathianes**
 asymmetric reactions based on 1,3-oxathianes, 1333
- Oxazepines**
 azidopyrans and azidothiopyrans, rearrangement to 1,3-oxazepins and unstable thiazepins, 3559
 sodium ethylcyanoacetate, exclusive reaction at 2-position of trifluoromethane sulphonate 2-alkyl(aryl)1,3-oxazolinium salts, formation of 5-alkyl(aryl)-6-cyano-2,3-dihydro-1,4-oxazepine-7-ones, 349
- Oxazines**
 diastereoselectivity and dominant conformation in formation of condensed skeleton 1,3-oxazines,, 3587
 kinetics and synthesis of retrodiene decomp of methylene-bridged tetrahydro-4H-3,1-benzoxazin-4-ones and resulting 6H-1,3-oxazin-6-ones, 2385
 rearrangements of bicyclic 1,2-oxazine N-oxide derivs to functionalised hexahydro-1(2H)-pentalenone, 2441
 structural studies, 1,2-oxazines from 3-methylcyclohexanone, 2041
 synthesis of *cis*- and *trans*-N-methyl- and N-benzyl-4,5- and 5,6-tetramethylenetetrahydro-1,3-oxazines, 2053
- Oxazoles**
 N-acylated α-aminonitriles, conversion to 5-aminoxazole, 5(4H)-oxazolone and 4(5H)-imidazolone derivs, 2395
- Oxazolidines**
 N-borane adducts of oxazolidines derived from ephedrine and pseudoephedrine, stereochemistry, 3829
 preparation from ephedrine, 1803
- Oxazolines**
 chiral oxazolines as boron enolates react with aldehydes to give *erythro*-selectivity and enantiomeric purity; achiral oxazolines react similarly to give β-hydroxy esters with *threo* selectivity, 2309
 interaction of TeCl₄ with N-acetyldiallylamine gave zwitterionic 2-oxazoline, structure, 1607
 metallation of 4,4-dimethyl-2-(thienyl-2)oxazoline, effect of solvent, 2107
 sodium ethylcyanoacetate, exclusive reaction at 2-position of trifluoromethane sulphonate 2-alkyl(aryl)1,3-oxazolinium salts, formation of 5-alkyl(aryl)-6-cyano-2,3-dihydro-1,4-oxazepine-7-ones, 349
- Oxepines**
 pacharin, new dibenzo[2,3-6,7]-oxepin deriv from Bauhinia racemosa, 4245
 tetrahydro oxepine nucleus, photo-

- induced ring contraction, 1005
- Oxetans**
ring opening with lithium acetylides and BF₃-etherate to give γ -hydroxyacetylenes, 4261
- Oxidation**
and selective protection of ribonucleosides, synthesis of 2'- and 3'-keto-nucleosides and arabino and xylo reduction products, 125
bis(2,2'-bipyridyl)Cu(II)permanganate, oxidant in organic syntheses, 5001
bis(alkylthio)3-methylene camphor to epoxy-disulphones or vinylsulphoxides, 3951
cerium-catalysed persulphate oxidation of poly cyclic aromatic hydrocarbons to polycyclic quinones, 4997
dithiaalkanes, selective and regioselective oxidation in gold(III) phase transfer process, 165
electro, of aliphatic and aromatic amines, amides and carbamates and derivs, 811
enantiomerically pure *cis*-2,3- and 2,4-dimethyl lactones via horse liver alcohol dehydrogenase-catalysed oxidations, 1235
iodoxybenzene, remarkably close ozone equivalent, 3145
kinetics and catalytic effect of formaldehyde on oxidation of dietary important amino acids, 4929
kinetics and mechanism, oxidation of aliphatic ketones by N-bromoacetamide, 3321
manganese porphyrin as catalyst and sodium ascorbate as reducing agent, oxidation of olefins to epoxides and alkanes to alcohols and ketones, 4297
mono- and disubstituted alkenes, conversion to *trans*-vicinal diacetates via Fe(II)/persulphate/acetic acid system, 1469
of DMSO by sodium N-bromobenzene-sulphonamide or bromamine-B in HClO₄, HCl and NaOH, kinetics, 1673
olefin, by iodosobenzene, catalytic control by metallo-porphyrins, 2847
organic sulphides by Cr(VI)oxide diperoxide, 2763
Ru(III)-catalysis, oxidation of n-propanol and n-butanol by acidic solutions of bromamine-T, 5203
stereochemistry of osmium tetraoxide oxidation of allylic alcohol systems, 2247
using homomediatory, heteromediatory and double mediatory systems, 811
- Oximes**
aldoximes, conversion by N-chlorosuccinimide into hydroxamic acid chlorides, subsequent prep of 2-isoxazolines, 2985
nitronate adducts from RMgX and 1-methoxy-4-nitronaphthalene, reduction to oximes or amines by trivalent P reagents, 3437
- Oxiranes**
acyclic furanoditerpene and its epoxide, cyclisation studies, 3739
alkenyl epoxides, conversion into π -allyltricarboxyliron lactone complexes either by THF solns of Fe₂(CO)₉ or in hydrocarbon solvent of Fe₂(CO)₉ under ultrasonification, 1737
boron trifluoride rearrangement of 2,2-di-t-butylloxirane to either 2,2,3,3,4,4,4-hexamethyltetrahydrofuran or 2-t-butyl-2,3-dimethyl-3-buten-1-ol, 3291
epoxides of methyl 7-oxabicyclo[2.2.1]hept-3-ene 6-carboxylate and methyl bicyclo[2.2.1]hept-3-ene 6-carboxylate, intramolecular rearrangements, 2461
intermediacy of radical anions in reaction of oxiranes with alkali metals, 1629
naturally occurring brassinosteroids, cleavage of 23,24-epoxides as key reactions in synthesis, 1767
oxidation of bis(alkylthio)3-methylene camphor to epoxy-disulphones or vinylsulphoxides, 3951
reactions with organo-Li compds and Grignard reagents, Cu-catalysed, 641
- Palladium and compounds**
oxidative coupling of benzene or furans with olefins using t-butylperbenzoate and Pd-salts, 2699
Pd(II) catalysed allylic rearrangement, stereoselective synthesis of 2-substituted (E)- β -acetoxy(or benzyloxy)ethylidene-cyclohexanes, 1791
Pd catalysed syntheses of naturally occurring acetylenic thiophens and related compds, 2773
reaction of O-,N- and C-nucleophiles with π -olefin-Pd(II) complexes, Report, 2415
- Penicillins**
biosynthesis, synthesis and reactions of a monocyclic β -lactam tripeptide putative intermediate, 1907
route to ampicillin and cephalixin from penicillin G, 4153
synthesis and biological activity of γ -lactam analogs of penicillanic and carboapenicillanic acids and carbapenicillanic rearrangement of pyrrolidine-2,3-diones, 4513
- Peptides and polypeptides**
apamin analogs differing in C-terminal region, synthesis via prep and purification of 1-12 sequence of apamin, 4313
application of gel-phase ¹³C NMR to solid phase peptide synthesis on polystyrene-based resins, 4141
chiral oligopeptides, synthesis by asymmetric hydrogenation of dehydropeptides, 1255
cleavage of nitrosated peptides by pyrrolidine and α -amino esters, 3121
cyclic peptide disulphides, synthesis and stabilisation of β -turn conformations in pro-X sequences by disulphide bridging, 2577
diphenylphosphinic mixed anhydrides in solid-phase peptide synthesis, 627
five cyclic cystine peptides, conformation, 2577
fragments of anglerfish preproglucagon I and II, synthesis, 4415
interaction of vancomycin and ristocetin with peptides as model for protein binding, 569
intramolecular peptide synthesis using oxalic acid derivs, 5143
N-trityl dipeptide derivs, synthesis and conformation, 1869
- new carboxyl-protecting group, 2-(diphenylphosphino)ethyl, 3087
nitrosation of peptide bonds by air-diluted nitrogen oxides, 3121
optimisation of enzyme catalysed peptide synthesis in "water-water-immiscible organic solvent", 4425
penicillin biosynthesis, synthesis and reactions of a monocyclic β -lactam tripeptide putative intermediate, 1907
preparation and cleavage of protected peptides, 4237
synthesis, scope and limitation of 4-dimethylamino pyridine as additive to carbodiimides, 1995
- Peroxides and peracids**
oxidation of organic sulphides by chromium(VI)oxide diperoxide, 2763
oxidative coupling of benzene or furans with olefins using t-butylperbenzoate and Pd-salts, 2699
- Phanes**
introduction of ethano bridges into 4,5,7,8-tetramethyl[2_n-(1,4)cyclophane via sequence of formylation and carbene insertion, 4823
methylated multibridged[2_n]cyclophanes, synthesis of superphane, 4823
synthesis and conformation of 8.11-dihalo[5]metacyclophanes, 4401
- Phase transfer catalysis**
acetylation of 2-acylcycloalkanes, 1051
dithiaalkanes, selective and regioselective oxidation in gold(III) phase transfer process, 165
selective and regioselective oxidation of dithiaalkanes in gold(III) catalysis, 165
trichloroethylene, reaction with sec amines under phase transfer conditions, 2671
- Phenols**
annelative phenol synthesis, prep of 7-methyljuglone and 7,9,11-trideoxydaunomycinone, 4781
benzoxazole ring opening with Grignard reagents, synthesis of N-diallylalkyl *o*-aminophenols, 5089
entry to α,β -unsaturated 2-hydroxyarylketones including *o*-cinnamyl-, *o*-sorbyl- and *o*-propiolyl-phenols via reaction of metal phenolates with α,β -unsaturated acyl chlorides, 4081
meta photocycloaddition of anisole to oxa- and dioxo-cyclopentenes and to ethyl vinyl ether, 5071
MNDO calculations, effects of substitution on antioxidant activity of phenols and vitamin E, 3383
phenoxenium ions, intermediates in solvolysis of N-tosyl-O-aryl-hydroxylamines and in thermolysis of N-aryloxypyridinium salts, 4981
structure and synthesis of chlorophenol derivs from Helichrysum coriaceum, 4987
- Pheromones**
conjugated dienic insect sex, methodology for synthesis, 2741
eldanolide of male Eldana saccharina, isolation and structure, 3521
enantiomers of 2,3-dihydro-2-iso-propyl-2,5-dimethylfuran from

- female *Hylecoetus dermestoides*, 1761**
 fluorinated analogs of dienic insect sex pheromones by reaction of β -fluorinated aldehydes with ω -functionalised ylides, 2871
 gossypure and components, stereo-selective synthesis, 3285
 propionates of (2R,8R)- and (2S,8R)-8-methyl-2-decanol, pheromone of *Diabrotica virgifera*, synthesis via chiral compds of microbial origin, 299
- Phosgene see under Carbonic acids**
- Phosphaalkanes**
 improved synthesis of triaryl substituted phosphaalkenes, 765
- Phosphates**
 isosteres of natural phosphates, synthesis of phosphonic acid analog of oligonucleotide, 3949
 nucleoside 5'-triphosphates, synthesis of analogs, 427
 stereoselectivity in synthesis of 1,3-dienes by reaction of a Grignard reagent with α -allylic phosphate, 3645
- Phosphines**
 cycloadditions of mesityl-(diphenylmethylene)phosphine with dienes and with azides, 991
 new atropisomeric bis(triaryl)-phosphine, synthesis and use in Rh(I)-catalysed asymmetric hydrogenation of α -(acylamino)-acrylic acid, 1245
 new carboxyl-protecting group, 2-(diphenylphosphino)ethyl, for amino acids and peptides, 3087
 phosphocarnegine, synthesis, 2721
 photoreaction of nitroalkanes with tetraphenylbiphosphine and tetraethylpyrophosphite, ESR, 4955
 reactions of α -alkenyl substituted arylhydrazonyl chlorides with triphenylphosphine, stereochemical aspects, 2165
 structure and synthesis of mesityl(diphenylmethylene)-phosphine and 2,6-dimethylphenyl(diphenylmethylene)-phosphine, 765
- Phosphinic acid and derivatives**
 diphenylphosphinic mixed anhydrides in solid-phase peptide synthesis, 627
- Phosphites**
 oligodeoxynucleotides, synthesis on pore glass using phosphate and new phosphite triester approach, 103
 oligonucleotides, developments in phosphite triester synthetic method, 137
 phosphite esters, Michaelis-Arbusov reactivity, 3215
 photoreaction of nitroalkanes with tetraphenylbiphosphine and tetraethylpyrophosphite, ESR, 4955
- Phosphonamidites**
 intermediates in synthesis of two deoxyoligonucleotides corresponding to DNA binding site for cyclic AMP receptor protein, 95
- Phosphonic acid and derivatives**
 isosteric phosphonate analogs of nucleoside 3'-triphosphates, synthesis, 79
 mass spectrometry of 1-phenyl-1,2-dibromopropylphosphonic acid and its methyl esters, 2633
 reaction of α -branched aldehydes with diethyl 1-carbomethoxyethyl phosphonate giving Z α -methyl α,β -unsaturated esters, 5153
 synthesis of γ -butyrolactones from two carbonyl compds and a α -amino-substituted phosphonate, 733
- Phosphonic halides see under Halogeno phosphorus compounds**
- Phosphoranes**
 cyclic enediol phosphoranes from trimethyl phosphite and α -diketones give very different acylation products, 2837
 methylenetrimesitylphosphorane, reaction with *cis* and *trans* mixtures of 1-t-butyl or 1-cyclohexyl-2-vinylphosphirane, new phosphino-substituted P-ylids, 3273
 reactivity of arylazomethylene-triphenylphosphoranes towards electrophiles, reaction with CS_2 , 971
- Phosphorus compounds**
 dithioesters from P,S-containing reagents and carboxylic acids and derivs, 2663
- Phosphorus halides see under Halogeno phosphorus compounds**
- Phosphorus ylides**
 methylenetrimesitylphosphorane, reaction with *cis* and *trans* mixtures of 1-t-butyl or 1-cyclohexyl-2-vinylphosphirane, new phosphino-substituted P-ylids, 3273
- Phosphorylation**
 introduction of 3',5'-phosphotriester linkages between 5'-protected (4,4'-dimethoxytrityl)deoxynucleoside and deoxynucleoside with free OH group, 73
 of 5'-O-monomethoxytrityl-2'-deoxyribonucleosides with aryl phosphoranilidochloridates to diastereoisomers of 5'-O-monomethoxytrityl-2'-deoxyribonucleoside 3'-arylphosphoranilidates, conversion into 2'-deoxyribonucleoside cyclic 3',5'-phosphoranilidates, 15
- Phosphoryl halides see under Halogeno phosphorus compounds**
- Photochemistry**
 affinity labelled synthetic retinals, synthesis and bound to bovine opsin, formation of visual pigment analogs, 493
 amine and sulphide enhanced photo-induced degradation of chloro- and cyano-aromatic hydrocarbons, 4487
 aromatic enamides, photolysis to enamino ketones; thioenamides, photocycloisolation to isoquinoline-thione derivs and their conversion to isoquinolones and tetrahydroisoquinolones, 1835
 benzaldehyde and substituted derivs, formyl-deuteriated benzaldehydes by fast reactions, 2651
 cycloisolation of ω -anilinoalkyl *m*-nitrophenyl ethers, mechanism, 1755
 cyclobuta[1]phenanthrene derivs from [2+2] photoadducts of chlorinated ethenes and phenanthrene, 5249
 dimerisation of coumarin in micellar media and micro-emulsions, effect of interface on reactivity of excited states, 2381
- insect juvenile hormone analogs bearing photolabile diazocarbonyl groups as labels for binding proteins, 529
 interaction of singlet oxygen with 2,5-dimethyl-2,4-hexadiene in polar and non-polar solvents, evidence for vinyllog ene-reaction, 3235
 intersystem crossing to naphthalene triplets by α,ω -dinaphthalenealkanes with intramolecular fluorescence quenching or intramolecular fluorescent excimer formation, 4497
 irradiation of cyclohexane soln of hexafluorobenzene and 1-phenyl-2-alkyl substituted acetylenes, formation of bicyclo[4.2.0]-octatriene derivs, 3795
 isomerisation of polyenes in vitamin A series, Report, 1931
 mechanism, formation and decay of reactive intermediates in decomposition of 3-chloro-3-benzylidiazirines, 887
 metacycloaddition of anisole to oxa- and dioxo-cyclopentenes and to ethyl vinyl ether, 5071
 oxidation of di-t-butyl sulphide and citronellol sensitised by excimers and exiplexes, 999
 photo-initiated bromination in formation of functionalised penicillins and cephalosporins, 4153
 photolysis of $\alpha,\beta,\gamma,\delta$ -unsaturated tosylhydrazones Li-salts at -60 C to vinylcyclopropenes and [1,2]diazeto[1.4-a]pyrroles, 3113
 polycyclic molecules containing β -carboline units, synthesis via photo-induced ring closure of enamides, 1511
 reaction of 1- and 2-naphthalene-carbonitrile with methylbenzenes, 2975
 reaction of nitroalkanes with tetraphenylbiphosphine and tetraethylpyrophosphite, ESR, 4955
 reactions of $\alpha,\beta,\gamma,\delta$ -unsaturated diazo compds at low temp, 3113
 reactions of substituted allenes, Report, 2805
 rearrangement of mertonin C, induced ring contraction of tetrahydro-oxepine nucleus, structure and stereochemistry, 1005
 reduction of alkyl esters to alkanes, use of HMPT as solvent, 3635
 reduction of carbonyl compds by tributyl tin hydride, formation of tributyl tin ethers of derived alcohols and ethers of corresponding pinacols, 293
 substituent and structural effects on irradiations of bicyclic β,γ -unsaturated ketones, 3749
 trisubstituted bifunctional olefins via irradiation α -methyl, α -functionalised cyclopentanones, 613
 unquenchable ODPM reaction, irradiation of bicyclic β,γ -unsaturated ketones in soln and in vapour phase, an excited state other than $T_1(\pi-\pi^*)$, 3759
- Physical studies**
 effect of solvent, elimination of solid K in suspension, 3415
 heat of formation, molecular connectivity compared with IOC-technique, 2859
- Pigments see also Anthocyanins**
 bilirubin mono and bis-dimethylamides, synthesis and

- spectroscopy, 4253
 dimeric naphthopyrones, fonsecinones A,B,C and D and aurospirones A and B, isolation from *Aspergillus fonsecasus*, 3617
 interaction of seven new hindered isomeric rhodopsins with bovine opsin, 473
 new syntheses of biliverdin-1Xa dimethyl ester and two related monovinyl-mono-ethyl isomers, 1749
 photoaffinity labelled synthetic retinals, synthesis and bound to bovine opsin, formation of visual pigment analogs, 493
- Piperidines**
 cyclisation of 4-(indol-1- and 3-ylmethyl)-2-cyanopiperidines to bridged tetracyclic indole systems, 1419
 preparation of 1-benzyl-2,5-piperidinedione and 4-substituted derivs by Dieckmann cyclisation of amido diester, 2505
- Polycyclic aromatic compounds**
 benzenoid hydrocarbons, empirical atomic point dipole (APUDI) model allows calculation of ring current chemical shifts of ring protons with accuracy, 1845
 benzenoid hydrocarbons, parameterised valence bond calculations using Clar structures, 3981
 cerium-catalysed persulphate oxidation of poly cyclic aromatic hydrocarbons to polycyclic quinones, 4997
 complexes of pyrene with 2,4,6-trinitroanisole, association in soln and crystal structure of 1:1-complex, 1595
 condensed hydrocarbons, compact nomenclature, 2161
 conformational analysis, micro-computer method for semi-quantitative evaluation of polycyclic systems with 5-,6- and 7-membered rings, 3717
 conjugated bi- and tri-cyclic hydrocarbons, NMOO study of bond orders, 4455
 cyclisation of diaryl-1,2-ethanes to tricyclic phenanthrenones with angular Me group, 1983
 cycloaddition of homophthalic anhydrides to halo-1,4-naphthoquinone derivs, syntheses of daunomycinone, 4-methoxyl- and 11-deoxy-daunomycinone and 11-deoxy-carminomycinone, 4539
 cyclobuta[1]phenanthrene derivs from [2+2] photoadducts of chlorinated ethenes and phenanthrene, 5249
 daunomycinone precursor via Diels-Alder reactions with dichloronaphthazarins, 4561
 intersystem crossing to naphthalene triplets by α,ω -dinaphthalenealkanes with intramolecular fluorescence quenching or intramolecular fluorescent excimer formation, 4497
 new, 1,2-dimethoxy-1-trimethylsilyloxy-1,3-pentadiene, prep and use in regioselective synthesis of erythroloaccin and "7-hydroxy-erythroloaccin", 5039
 nitronate adducts from RMgX and 1-methoxy-4-nitronaphthalene, reduction to oximes or amines by trivalent P reagents, 3437
 optically active 4-demethoxy-anthracyclinones related to daunorubicin, synthesis from lactose and leucoquinizarin precursors, 4669
- reaction of 7,7-dichlorobenzo-cycloheptatrienes with metallated diazomethyl compds, metal elimination to 7-chloro-5-diazomethyl-benzocycloheptatriene, 5171
 reduction of pyrene with alkali metals yields dianion salts, effect of solvent, counterion and temp, 1701
 regiochemistry in Diels-Alder reactions of substituted naphthazarins, synthesis of (+)daunomycinone, 4569
 solvolysis rates in MeOH and hexafluoroisopropanol for four β -methyl and β -phenyl bicyclic tosylates, 2117
 syn-elimination of 8a-methyldecahydronaphthalene-4a-ols, conformational dynamics of ion-pair intermediates, 3503
 synthesis of 1,2-dialkyloxyacenaphthalenes, dehydrogenation of acenaphthalene derivs with high potential quinones, prep of 2,3,11,12-bis(1,2-acenaphtho)-[18]crown-6, 665
 synthesis of 7,9-disideoxycarminomycinone from 5-hydroxy-quinizarin, 4579
- Polycyclic cycloalkanes**
 acid catalysed additions of endo-tricyclo[3.2.1.0^{2,5}]oct-6-ene, orbital control of stereochemistry, 3137
 anti-4,4,8,8-tetrafluorotricyclo[5.1.0.0^{2,5}]octane, X-ray structure, 3945
 Diels-Alder reaction of 3-oxabicyclo[3.3.0]oct-1(5)-ene-2,4-dione with cyclopentadiene and related dienes, 5235
 epoxides of methyl 7-oxabicyclo[2.2.1]hept-3-ene 6-carboxylate and methyl bicyclo[2.2.1]hept-3-ene 6-carboxylate, intramolecular rearrangements, 2461
 hexaspiro[2.0.3.0.2.0.3.0.2.0.3.0]heneicosane, synthesis, structure and dynamics, 4337
 irradiation of cyclohexane soln of hexafluorobenzene and 1-phenyl-2-alkyl substituted acetylenes, formation of bicyclo[4.2.0]octatriene derivs, 3795
 prostaglandin synthon, synthesis of (1,5-cis-5,6-trans-6,7-trans)-2-oxa-3-methoxy-6-ethoxycarbonyl-7-benzoyloxy bicyclo[3.3.0]octane, 2893
 rearrangement of bicyclic 1,2-oxazine N-oxide derivs to functionalised hexahydro-1(2H)-pentalenone derivs, 2441
 stereochemistry of nucleophilic attack of H⁺ on bicyclobutane, ab initio calculations, 5213
 stereoisomers of perhydrophenanthrene, synthesis and crystal structure of deriv of trans-syn-trans isomer, 3449
 synthesis of racemic epi-blastomycinone, δ -multistriatin, paraoicic esters and lignan type dilactones, 2211
 syn- and anti-tricyclo[4.1.0.0^{2,5}]heptan-5-ones and related compds, synthesis, 761
 synthesis of 4,8-mono-, di-, tri- and tetra-substituted homotropilidenes from cycloheptatrienes, 391
 tautomerism of 2-methoxycarbonyl-3-oxo-4-methyl-8-oxabicyclo[3.2.1]octane effect of 4-Me group stereochemistry, 3611
 total synthesis of di-coriolin via tricyclic intermediate from di-cyclopentadiene, 241
- Polycyclic heterocyclic compounds**
 acenaphtho[1.2-b]quinolines, synthesis, 2959
 bis-alkylation at N of [4.3.3]-propellene-bis-imide, 3329
 bridgehead N-heterocycles from 2,4,6-triphenylpyrylium cation and thiosemicarbazide or thio-carbohydrazide, 4901
 conversion of the 3-acyloxy-3'-chloromethylazetidines into 1-oxa-4-oxo-5-azaspiro[2.3]hexanes, 3223
 configuration and conformation of 1,4,5,8-tetraacyl-1,4,5,8-tetraazadecalins as crystals and in soln, 257
 cyclic oligomers from [4.3.3]-propellene-bis-imide and 1, ω -dibromoalkanes, 3325
 cycloaddition of 1-amino-2,4,6-triphenylpyridinium cations with α,β -unsaturated compds, synthesis of N-bridged pyrazo-[1.5-a]pyridines, 1683
 cyclopentano[c]-s-triazoles by intramolecular ring transformation of 1,3,4-oxadiazoles, 2703
 dimeric naphthopyrones, fonsecinones A,B,C and D and aurospirones A and B, isolation from *Aspergillus fonsecasus*, 3617
 indole-2,3-quinodimethanes, synthesis of protected derivs of fused dimeric indole alkaloid staurosporinone, 2795
 mesityl(diphenylmethylene)-phosphine with dienes and with azides, 991
 N-aryl-9-azabicyclo[4.2.1] and [3.3.1]nonanes, synthesis by aminomercuration of cis-cis-1,5-cyclooctadiene, 1199
 polycyclic molecules containing β -carboline units, synthesis via photo-induced ring closure of enamides, 1511
 potentially tautomeric 1,2-dihydro-6H-pyrrolo[3.4-d]pyridazine-1-ones and 1,2,3,4-tetrahydro-6H-pyrrolo[3.4-d]pyridazine-1,4-diones, structures, 3979
 preparation of 5-amino-7(6H)-furazan[3.4-d]pyrimidinone an analog of pterin, 879
 preparation of diazacrown and tetraazacrown ethers, 1927
 pyrimidoacorphines, synthesis, 4003
 reaction of 3-bromoindoles with indoles or pyrroles, synthesis of 2,3-biindolyls or 2,2'-indolyl-pyrroles, 3251
 reaction of N-aminophthalimide with Grignard reagents, synthesis of 4-alkyl- or 4-aryl-phthalaz-1-ones, 2983
 rearrangement of bicyclic 1,2-oxazine N-oxide derivs to functionalised hexahydro-1(2H)-pentalenone derivs, 2441
 revised stereochemistry of 3-aza-3-methyl-6-cycloaminobicyclo[3,3,1]nonan-9-ols, 4483
 spiro[bicyclo[2.2.1]hept-2-ene-[5,4'¹]1',2',3'-triazole] derivs from cyclopentadiene and 5-amino-4-methylene-v-triazolines, 4025
 structure of 3,12-dihydro-3,3,6,12-tetramethyl-7H-pyrano-[2,3-c]acridin-7-one, 5181
 structure of (4RS,5RS)-4,5-(bis-methoxy-carbonyl)-3-(4RS)-2,2,5,5-tetramethyl-1,3-dioxolan-4-yl]-6⁴-isoxazoline, 177
 synthesis and structure of 3-hydroxy-1,10-dimethyl-9-acridone, 5181

Polynes

in vitamin A series, photo-isomerisation, Report, 1931
modified polyoxyethylene derivs, reaction with haemoglobin, formation of soluble conjugates and good O₂-binding properties, 1581

Polymers

application of gel-phase ¹³C NMR to solid phase peptide synthesis on polystyrene-based resins, 4141
conformational analysis, micro-computer method for semi-quantitative evaluation of polycyclic systems with 5-, 6- and 7-membered rings, 3717
cross-linked polymer supported aryl iododichloride and aryl iododifluoride, synthesis and properties, 1603
halogenations of acetophenone and 1,3-diketones with polymer supported reagents, 2865
oligodeoxynucleotides, synthesis on pore glass using phosphate and new phosphite triester approach, 103
orthogonal structure, 2799
steric effects in buttressed methylpyridine species, 3971

Polymerisation

structure/reactivity correlations for electropolymerisation of pyrrole, reactive sites for oligomeric radical cations, 3963

Polysulphides see under Disulphides**Porphyrins**

characterisation and synthesis of bromoporphyrins, 2359
cyclophane porphyrins and metal complexes, biomimetic study on receptor site of hemoprotein oxygen binding, 579
manganese porphyrin as catalyst and sodium ascorbate as reducing agent, oxidation of olefins to epoxides and alkanes to alcohols and ketones, 4297
meso-substituent effects in neutral and protonated porphyrins, 3263
naturally occurring alkyl porphyrins, analysis by hydrogen chemical ionisation mass spectrometry, 3777
porphyrins with a novel exocyclic ring system in an oil shale, 4033

Propellanes

a [2+2] photocycloaddition of N=N bond to C=C bond, 5269
bis-alkylation at N of [4.3.3]-propellane-bis-imide, 3329
cyclic oligomers from [4.3.3]propellane-bis-imide and 1,ω-dibromoalkanes, 3325
sodium borohydride reduction of 10-oxa[3.3.3]propellane-3,7-dione, 5273
stepwise reduction of [4.3.3]-propellane-8,11-dione, 5271

Prostaglandins

malonitrile condenses with 2,5,5-trimethylhexa-2,3-dien-6-al to 1-cyano-2-amino-3-(2-propenyl)-5,5-dimethyl-6-dicyanomethylcyclohexa-1,3-diene, 2829
prostaglandin synthon, synthesis of (1,5-*cis*-5,6-*trans*-6,7-*trans*)-2-oxa-3-methoxy-6-ethoxycarbonyl-7-benzoyloxy bicyclo[3.3.0]-octane, 2893
reagent for 3-oxopropyl anion synthon, 2-(2-nitroethyl)-1,3-dioxolane, new route to jasmannoid

and prostaglandin intermediates, 3809

Protecting groups

effect of OH protecting groups at 3,4 and 6 positions of α-D-gluco- and α-D-manno-pyranosyl bromides on β-glycosidic bond formation in coupling reactions, 4097
fragments of anglerfish proglucagon I and II, synthesis, 4415
indole-2,3-quinodimethanes, synthesis of protected derivs of fused dimeric indole alkaloid staurosporinone, 2795
introduction of 3',5'-phosphotriester linkages between 5'-protected (4,4'-dimethoxytrityl)deoxynucleoside and deoxynucleoside with free OH group, 73
new carboxyl-protecting group, 2-(diphenylphosphino)ethyl, for amino acids and peptides, 3087
phosphite triester synthesis of oligonucleotides, 1,1-dimethyl-2,2,2-trichloroethyl group for P-O protection, 137
preparation and cleavage of protected peptides, 4237
protected methyl deoxynucleotide-N-morpholino-phosphoamidites as new phosphorylating nucleotides, 103
selective protection and oxidation of ribonucleosides, synthesis of 2'- and 3'-ketonucleosides and arabino and xylo reduction products, 125
synthesis and characterisation of d[CGT(2-NH₂)ACG], d[CGU(2-NH₂)ACG] and d[CGT(2-NH₂)AT(2-NH₂)ACG], introduction and removal of O⁶ protecting groups, 3
tritriacontanucleotide with sequence of 5' half molecule of *E. coli* glycine tRNA_s, synthesis, *p*-anisidate protection of 3'-phosphate ends, 47
versatile new blocking group for phosphate and aglycone protection in nucleosides and nucleotides, 59

Proteins

algal biliproteins, biosynthetic studies, 1749
cyclophane porphyrins and metal complexes, biomimetic study on receptor site of hemoprotein oxygen binding, 579
insect juvenile hormone analogs bearing photolabile diazocarbonyl groups as labels for binding proteins, 529
interaction of vancomycin and ristocetin with peptides as model for protein binding, 569
monomethoxypolyoxyethylene-bound haemoglobin, synthesis, 1581
reactivity of high valent protohemin compd resulting from reaction of "chelated protohemin and *m*-chloroperbenzoic acid, 553
synthesis of two deoxyoligonucleotides corresponding to DNA binding site for cyclic AMP receptor protein, 95

Pteridines

preparation of 5-amino-7(6H)-furazano[3.4-d]pyrimidinone an analog of pterin, 879

Purines

aminomethylated derivs of adenine, cytosine and guanine, isolation and characterisation, 3997
DNA conformation and stability,

effect of purine 2-amino group, 3
prebiotic syntheses, Report, 1093

Pyrans

Grignard reagents, reaction with 2-pyrones, correlation between structure of intermediates and final products, 1563
Grignard reagents, reaction with 2-pyrones, stability of 6-hydroxy-5,6-dihydro-2H-pyrans and tautomeric forms have no effect on reaction pathway, 1551
regiospecific synthesis of mono- and bicyclic 6-alkoxy-2-pyrones, 4751
synthesis of cyclopenta[*c*]dihydro-3,4-pyrans from cyclohexadienylbutanols via formylation and aminoformylation, 695

Pyrazoles

diene-conjugated diazo compds, 1,5-cyclisation to new rearrangement of 3H-pyrazoles, 3095
synthesis of 3-β-D-arabino-furanosylpyrazoles and D-arabino-furanosyl analog of formycin, 119

Pyrazolines

spiro-pyrazolines, synthesis by cycloaddition of 1,3-diphenyl-nitrilimine with fulvenes, 1585

Pyrethroids

synthesis of 2-alkylthio- or trifluoromethylthio-2-halogeno-ethyl derivs, application in field of pyrethroids, 1523

Pyridines

conversion of 3-nitro-4-alkyl(or aryl)-aminopyridines to 3-acetamido-4-alkyl(or aryl)-amino(1H)pyridine-2-ones, 2457
effect of 4-substituent in pyridine ring on decomposition kinetics of benzoyl peroxide in 4-Xpyridine/benzene binary mixtures, 4911
monohydroxypyridines, N- and O-acyl derivs, ¹H, ¹³C NMR and IR spectral features, 4067
reaction of 4-(indol-2-yl-carbonyl)-4-(indol-3-yl-carbonyl) and 4-(indol-3-ylmethyl)-1,2,5,6-tetrahydro-1-methylpyridines, 3339
steric effects in buttressed methylpyridine species, 3971
use of 4-dimethylamino pyridine as additive to carbodiimides in peptide synthesis, comparison with use of N-hydroxybenzotriazole, 1995

Pyridinium salts

covalent amination of 1-alkyl- and 1-aryl-3-carbamoylpyridinium chlorides as "model" for enzymic activity of rabbit liver aldehyde oxidase, 433
hindered rotation around N+(sp²)-C(sp³) single bond in 2,4,6-trimethyl-N-alkylpyridinium cation, ¹H NMR, 2547
phenoxonium ions, intermediates in solvolysis of N-tosyl-O-aryl-hydroxylamines and in thermolysis of N-aryloxypyridinium salts, 4981
structure-colour relationship of new N-arylpyridinium hemicyanine dyes, 2061

Pyridones

piplartine, synthesis and molecular structure, 171

Pyrimidines

aminomethylated derivs of adenine, cytosine and guanine, isolation and characterisation, 3997
cleavage of pyrimidine and furazan rings in 5-aminofurazano[3,4-d]-pyrimidines, 879
prebiotic syntheses, Report, 1093
synthesis of 6-alkyl- and 5,6-dialkyl-2-methoxy-4(3H)-pyrimidinones and transformation into 6-alkyl- and 5,6-dialkyl-uracils; 6-alkyl- and 5,6-dialkyl-3-methyluracils and 6-alkyl- and 5,6-dialkyl-2-alkoxy-4(3H)-pyrimidinones, 3313

Pyrroles

reaction of 3-bromoindoles with indoles or pyrroles, synthesis of 2,3-biindolyls or 2,2'-indolyl-pyrroles, 3251
structure/reactivity correlations for electropolymerisation of pyrrole, reactive sites for oligomeric radical cations, 3963

Pyrrolidines

alkaloids, synthesis by application of sulphide contraction, 2879
cleavage of nitrosated peptides by pyrrolidine and α -amino esters, 3121
sodium periodate rearrangement of pyrrolidine-2,3-diones, 4513

Pyrrolidinium salts

tris-pyrrolidiniumalkyl triesters of benzene-1,3,5-tricarboxylic acid, interaction with aromatic substrates, 785

Pyrylium salts

azide anion, reactivity with pyrylium and thiopyrylium substituted cations, effect of heterocyclic cation substituents, 3539
bridgehead N-heterocycles from 2,4,6-triphenylpyrylium cation and thiosemicarbazide or thio-carbohydrazide, 4901
pyrylium ions, reactivity with azide, EMD calculations, 3549

Quinoxalines

transformations of beta(4-quinazolinylnthio)ketones to 3-(beta ketolalkyl)-4(3H)-quinazolone derivs, 4937

Quinolines

synthesis of 2-isopropylfuro[2,3-b]quinolines, 3431

Quinones

anthraquinone dye intermediates, precursors of aklavinone-type anthraquinones, 4767
cerium-catalysed persulphate oxidation of poly cyclic aromatic hydrocarbons to polycyclic quinones, 4997
Diels-Alder reactions between 1,4-naphthoquinone and 2,3-dimethyl-butadiene, solvent effect, kinetics, 16
quinone methides via heating of isochroman-3-ones; synthesis of 1,2,3,4-tetrahydroisochroman-3-ones in presence of ureas, 4383
regiospecific synthesis of mono- and bicyclic 6-alkoxy-2-pyrones, use in prep of, anthraquinones, 4751
simple mixed vinylketene acetals in annulation of quinones, 3455
synthesis of tetrahydroxy-1,4-

benzoquinone biscarbonate, 4897

Quinoxalines

reaction of benzofuroxans with dienamines, synthesis of quinoxaline N,N'-dioxide enamines, 1617

Racemisation

complete, of N-acylated amino acids by activation with DMAP, 1995

Radicals

galvinoxyl, pK range within which an organic free radical exhibits normal behaviour, 5275
intermediate radical-anions in reactions of oxiranes with alkali metals, 1629

Rearrangements

acid catalysed, aucubigenin, revised structure of product, 1191
azidopyrans and azidothiopyrans, rearrangement to 1,3-oxazepins and unstable thiazepins, 3559
bicyclic 1,2-oxazine N-oxide derivs, formation of polyfunctionalised hexahydro-1(2H)-pentalenones, 2441
boron trifluoride, of 2,2-di-t-butylloxirane to either 2,2,3,3,4,4-hexamethyltetrahydrofuran or 2-t-butyl-2,3-dimethyl-3-buten-1-ol, 3291
Claisen of 1,4-diaryloxy-2-butyne to 11a-methylpterocarpan, 4473
conversion of 3-nitro-4-alkyl(or aryl)-aminopyridines to 3-acet-amido-4-alkyl(or aryl)-amino(1H)-pyridine-2-ones, 2457
intramolecular, epoxides of methyl 7-oxabicyclo[2.2.1]hept-3-ene 6-carboxylate and methyl bicyclo-[2.2.1]hept-3-ene 6-carboxylate, 2461
MINDO investigation, 1,2-rearrangement of singlet carbenes and nitrenes, 2123
model, methylitaconic acid to α -methyleneglutaric acid, coenzyme B₁₂ dependent, mechanism, 3069
of 1,1,1-trichloro-2-hydroxy-4-methylpent-3-ene with inorganic acid chlorides, 4507
of methylenecyclopropane, evidence against orthogonal-allylic intermediate, 5097
of thioimides by 1,3-C to N migration of an alkoxy-carbonyl group, 1075
organoaluminium assisted, of 5-membered ring enol ethers with vinyl substituents, 4013
Pd-catalysed, of 2-substituted 1-vinylcyclohexyl acetates (or benzoates) to 2-substituted (E)- β -acetoxyl(or benzoyloxy)-ethylidenecyclohexanes, 1791
sigmatropic [2,3]-Wittig, of (E)- and (Z)-crotyl propargyl ether system, tool for control of acyclic stereochemistry, 2303
skeletal, of ionised N-aryl-3,4-diphenylisoxazol-5(2H)-one, 925
synthesis and biological activity of γ -lactam analogs of penicillanic and carboapenicillanic acids and sodium periodate rearrangement of pyrrolidine-2,3-diones, 4513
thermal reactions of substituted allenes, Report, 2805
thermal, of indole alkaloid derivs, 1067
unquenchable ODPM reaction, irradiation of bicyclic β,γ -

unsaturated ketones in soln and in vapour phase, an excited state other than T₁($\pi-\pi^*$), 3759

Receptor binding

crystal structure and conformation of threo-5-methylmethadone in relation to opiod receptor binding, 467
photoaffinity labelled synthetic retinals, synthesis and binding to bovine opsin, formation of visual pigment analogs, 493

Receptor sites

reexamination of stereospecificity of binding site of bovine opsin, hindered isomeric rhodopsins, 473

Receptors

functionalised cyclodextrins as artificial receptors, 545
hormone-receptor interaction, application of photoaffinity labelling, 529
olfactory receptor inactivation, chemically produced selective anosmia, 483
photoactivable derivs of neurotoxins in studying membrane receptors, 521

Reductions

asymmetric, of propargyl ketones, synthesis of optically active compds, 1371
diborane, indole-1-carboxaldehydes to 1-methylindoles, di(indolyl-methyl)ethers and indolylmethyl indolines, 4351
diketones to diaxial alcohols, use of K-Selectride and application to 7-keto- and 3,7-diketo-steroids, 851
electrochemical, hindered aromatic ketones, in DMF on Hg pool cathode but at a less negative potential than that of ketone, 339
manganese porphyrin as catalyst and sodium ascorbate as reducing agent, oxidation of olefins to epoxides and alkanes to alcohols and ketones, 4297
microemulsions containing NaBH₄, reduction of carbonyl compds and determination of reactive site, 2691
nitronate adducts from RMgX and 1-methoxy-4-nitronaphthalene, reduction to oximes or amines by trivalent P reagents, 3437
photo, of alkyl esters to alkanes, use of HMPT as solvent, 3635
photo, of carbonyl compds by tributyl tin hydride, formation of tributyl tin ethers of derived alcohols and ethers of corresponding pinacols, 293
pyrene with alkali metals yields dianion salts, effect of solvent, couterion and temp, 1701
selective asymmetric induction, reduction of acyclic β -hydroxy-ketones to 1,3-diols via boron chelates, 2233
selective, of erythro-isoxazoline yielded ribo-amino-polyols and DL- and D-lividiosamines, 2199
sodium borohydride of 10-oxa[3.3.3]propellane-3,7-dione, 5273
stepwise, of [4.3.3]propellane-8,11-dione, 5271
stereoselective, of acyclic ketones, synthesis of diastereomers of a functionalised 1,3-dimethyl-2-hydroxy unit, 2225
unsaturated *cis* and *trans* dicarboxylates, reduction of olefinic bond under ammonia

- chemical ionisation, 4085
- Regiocontrol**
of acyclic systems via Lewis acid-mediated reaction of allylic stannanes with aldehydes, 2239
- Regioselection**
in addition of preformed Mg and Li ketone enolates to α -enones, 4127
in iodo diol formation from acyclic allylic alcohols, 2297
olefin oxidation by iodobenzene, control by metalloporphyrin catalyst, 2847
synthesis of cyclopropane derivs of 8-hydroxygermacrene B, 4959
synthesis of daunomycinone and related anthracyclines, 4585
- Regiospecific syntheses**
acetylene photocycloadditions to fluoro-substituted benzenes, 3795
erythrolaccin and 7-hydroxy-erythrolaccin, 5039
oxidation of dithiaalkanes in gold(III) catalysed phase-transfer process, 165
synthesis of 6-deoxyanthracyclines, 4677
synthesis of (\pm)-daunomycinone, 4569
synthesis of mono- and bicyclic 6-alkoxy-2-pyrones, use in prep of substituted aromatics, 4751
total synthesis of (\pm)-daunomycinone from 11-deoxydaunomycinone precursor, 4719
- Resins**
properties of monosulphonylmethylmelamine and Na salt, prep from melamine, formalin and Na₂(SO)₃, 1855
- Resolution**
anthracyclonone intermediate, resolution by use of (2R,3R)-(+)- and (2S,3S)-(-)-1,4-bis(4-chlorobenzoyloxy)butane-2,3-diol, 4617
partial resolution through chiral synthesis using a racemic mixture, 4275
reagent for optical resolution of ketones, N,S-dimethyl-S-phenylsulphoximine, 1225
- Rotation**
hindered, around N+(sp²)-C(sp³) single bond in 2,4,6-trimethyl-N-alkylpyridinium cation, ¹H DNMR, 2547
internal, of cannabidiol and derivs, 2919
- Ruthenium and compounds**
Ru(III)-catalysis, oxidation of n-propanol and n-butanol by acidic solutions of bromamine-T, 5203
- Selenium and compounds**
isoselenazole and 3-and 5-substituted derivs, synthesis, 931
phenylselenolactonisation, kinetic control, 2317
preparation and thermolysis of hexakis(perfluororganylthio)selenoethanes, 4963
- Silicon and compounds**
aldehydes, reaction with N-methyl-N-trimethylsilyl-trifluoroacetamide to give E/Z-silylenol ethers and addition products to CO group, 5167
- Silver and compounds**
effect of OH protecting groups at 3,4 and 6 positions of α -D-glucosyl- and α -D-manno-pyranosyl bromides on β -glycosidic bond formation in coupling reactions promoted by insoluble Ag-salts, 4097
tetrahydrofuran formation from unactivated aliphatic alcohols by bromine-silver-salt reaction, 2643
- Solvent effects**
conjugated phenylazoalkenes, reaction with aliphatic amines to give *syn* and *anti*-phenylhydrazone derivs, effect of solvent, 5263
effect of solvent, elimination of solid K in suspension, 3415
in Diels-Alder reaction between 1,4-naphthoquinone and 2,3-dimethylbutadiene, kinetic study of solvent effect, 1611
interaction of singlet oxygen with 2,5-dimethyl-2,4-hexadiene in polar and non-polar solvents, evidence for vinyllog ene-reaction, 3235
on prep of ketones by acylation or organo-Mn reagents, 683
mechanism, formation and decay of reactive intermediates in decomposition of 3-chloro-3-benzylidiazirines, 887
on carbocuration of acetylenic acetals and ketals, synthesis of manicone, geranial and 2,4-(E,Z)-dienals, 715
on metallation of 4,4-dimethyl-2-(thienyl-2)oxazoline, 2107
photodimerisation of coumarin in micellar media and micro-emulsions, effect of interface on reactivity of excited states, 2381
reduction of pyrene with alkali metals yields dianion salts, effect of solvent, counterion and temp, 1801
solvolyses of hindered secondary substrates, nucleophilic solvent assistance, *k_s/k_c* ratios, 4921
solvolysis rates in MeOH and hexafluoroisopropanol for four β -methyl and β -phenyl bicyclic tosylates, 2117
- Spectroscopy**
electron transmission spectra of small molecules with C=C, C=N, C=O, C=S and N=N bonds, comparison of electron affinities, 3257
- Spiro compounds**
all possible stereoisomers of 7-ethyl-2-methyl-1,6-dioxaspiro[4.5]decane, synthesis, 3471
cesium fluoride, reaction with 2-acyloxy-3-chloro-2-chloromethylpropanamides and conversion of the 3-acyloxy-3-chloromethylazetidines into 1-oxa-4-oxo-5-azaspiro[2.3]hexanes, 3223
hexaspiro[2.0.3.0.2.0.3.0.2.0.3.0.]heneicosane, synthesis, structure and dynamics, 4337
sesquiterpenoid spiro ether, synthesis of spiro ethers with 1-oxaspiro[4.5]decane skeleton, 3393
spiro-pyrazolines, synthesis by cycloaddition of 1,3-diphenyl-nitrilimine with fulvenes, 1585
- Stereochemistry**
addition of styryl sulphones to enamines from 4-substituted cyclohexanones, 977
cannabinoid tosylhydrazones, 3839
chemistry of higher order organo-
- cuprates, Report, 5005
dammarane triterpenes, eichlerianic acid, cabraleone and oocillone, 419
lankacidin synthesis with desired configuration at C-2 and C-3 using Δ^2 -isoxazolines as templates, 673
macrocycles via cyclisation of simple acyclic starting compds with auxiliary spacer, prep of stereochemically complex acyclic products, 2275
N-borane adducts of oxazolidines derived from ephedrine and pseudoephedrine, 3829
of methylenecyclopropane rearrangement, evidence against orthogonal-allylic intermediate, 5097
of nucleophilic attack at H- on bicyclobutane, *ab initio* calculations, 5213
orbital control, acid catalysed additions of endo-tricyclo[3.2.1.0^{2,5}]oct-6-ene, 3137
osmium tetroxide oxidation of allylic alcohol systems, 2247
phosphite esters, Michaelis-Arbusov reactivity, 3215
photo-rearrangement of mertonin C, induced ring contraction of tetrahydro-oxepine nucleus, 1005
reactions of α -alkenyl substituted arylhydrazonyl chlorides with triphenylphosphine, 2165
revised, 3-aza-3-methyl-6-cycloalkylaminobicyclo[3.3.1]nonan-9-ols, 4483
sesquiterpene lactones, asteriscunolides A,B,C and D from *Asteriscus aquaticus*, 873
sesquiterpenic acids from *Leucanthemopsis pulverulenta*, 2189
sigmatropic [2.3]-Wittig rearrangement of (E)- and (Z)-crotyl propargyl ether system, tool for control of acyclic stereochemistry, 2303
tautomerism of 2-methoxycarbonyl-3-oxo-4-methyl-8-oxa-bicyclo[3.2.1]octane effect of Me group stereochemistry, 3611
Thalictrum bisbenzylisoquinoline alkaloids, enzymic control of stereochemistry, 1975
topological, stereochemical and NMR line assignments in alcohols and ketones by normalised NMR shifts induced by ytterbium, 1017
torsional and inversional stereochemistry in sulphen amides and hydroxylamines, Report, 3345
transformation of mertonin C into mertonins A and D proves structure, 1743
- Stereocontrol**
acyclic, chiral synthesis of (+)-pedamide, 2345
acyclic, in addition of γ -alkylthio-allylboronates to aldehydes, 2219
acyclic systems via Lewis acid-mediated reaction of allyl stannanes with aldehydes, 2239
- Stereoselection**
acyclic ketone reduction, synthesis of synthons with three consecutive chiral centers, 2225
additions to carboxylic acid dianions and β -lactone substituted ester enolates, 2211
aldol condensations of organotin reagents with aldehydes, 2329
aldol condensations via alkenyloxy dialkylboranes, 4059
 α -alkylation of chiral β -hydroxy esters, 1269

- conjugated dienes of α -allenic alcohols, 3645
in iodo diol formation from acyclic allylic alcohols, 2297
mechanism changes in alkylation reactions and substituent effects, δ -lactones from δ -keto-esters, 749
preparation of β -alkyl halides, 1803
reduction of β -hydroxyketones to 1,3-diols, 2233
synthesis of gossypure and components, 3285
synthesis of 3-nor-1-oxacephams, 3667
synthesis of 2-substituted (*E*)- β -acetoxy(or benzyloxy)ethylidene-cyclohexanes, 1791
theoretical studies of hydroborations, 2257
total synthesis of 1 α ,25 β ,26-tri-hydroxycholecalciferol, 2283
total synthesis of (+)-brefeldin A, 2935
total synthesis of (\pm)-torreyol, 3491
use of chiral and achiral oxazolines as boron azaenolates, 2309
- Stereospecific syntheses**
chiral precursors of thienamycin from L-threonine, 1795
stereospecificity of binding site of bovine opsin, reexamination, 473
synthesis of tabtoxin, 3695
total synthesis of aklavinone, 4685
- Steric effects**
cyclo-1,3-oximinium salts react regioselectively with functional carbanions, steric and substituent effects, 4947
in buttressed methylpyridine species, 3971
- Steroids and sterols**
conformation of 17 β -hydroxy-4,4,9-trimethyl- Δ^8 ,10 α -estr-5-en-3-one and derived 2 α - and 2 β -bromo compds, 777
deoxycholic acid, anaerobic degradation by *Pseudomonas* sp, 421
estrone and acetate, reaction with H₂O₂ in SbF₅-HF, 5135
lithocholic acid, 15 β -hydroxylation by *Cunninghamella* sp, 2843
naturally occurring brassinosteroids, cleavage of 23,24-epoxides as key reactions in synthesis, 1767
ring-C aromatic analog of 4-androstene-3,17-dione and its 11-hydroxylated(metoxylated) deriv, prep, 4973
synthesis, X-ray structure and molecular mechanics of 5 α -androst-16-en-3-one, 3153
utility of K-Selectride in reduction of diketones to diaxial alcohols, application to 7-keto- and 3,7-diketosteroids, 851
- Strain**
kinetically controlled nucleophilic addition to methyl 4,6-O-benzylidene-2,3-dideoxy-2-nitro- β -D-erythro-hex-2-enopyranoside, role of A(T,³) strain, 1533
- Structure-activity relationship**
analogs of 1-aminobenzotriazole, 511
(7*S*)-7-deoxy-7-substituted alkyl-thiolinomycins, Report, 1633
correlations for electropoly-
- merisation of pyrrole, reactive sites of oligomeric radical cations, 3963
- Substituent effects**
1-hydroxyphthalans 2-(hydroxy-ethyl)-benzaldehyde, effect of molecular structure on this equilibrium, 1667
allylic halides and acetates of methylenecyclopropane and cyclopropylmethanes, acid solvolysis, no ring opening if ethoxycarbonyl group on ring methylene, 315
and structural effects on irradiations of bicyclic β,γ -unsaturated ketones, 3749
azide anion, reactivity with pyrylium and thiopyrylium substituted cations, effect of heterocyclic cation substituents, 3539
C-substituted maleimides, mono-thiation, 3499
cis-2-hydroxycyclopentyl benzoyl-glycinate, n-butylaminolysis in MeCN faster than for cyclopentyl benzoylglycinate, 327
cyclo-1,3-oximinium salts react regioselectively with functional carbanions, steric and substituent effects, 4947
cycloaddition, heterocumulenes to 1,3-heterodienes, Me group assistance, 4453
diastereomer ratio for cycloaddition of benzenesulphonyl-carbonitrile oxide to (*S*)-vinylglycine derived alkenes, 601
effect of chloro substituents on kinetics of breakdown 1-hydroxy-2-chloromethyl- and 1-hydroxy-2-dichloromethyl-1,3-dioxolanes into ethylene glycol monochloroacetate and monodichloroacetate, 3625
effect of 4-substituent in pyridine ring on decomposition kinetics of benzoyl peroxide in 4-pyridine/benzene binary mixtures, 4911
ferrocenyl carbocations, hydrolysis of ferrocenyl arylmethyl acetates, 593
hydrolysis of β -methyl-1- and 3-phenylallyl chlorides, effect of Me group on mechanism, 1195
meso-substituent effects in neutral and protonated porphyrins, 3263
monohydroxypyridines, N- and O-acyl derivs, ¹H, ¹³C NMR and IR spectral features, 4067
on stereoselection, prep and alkylation of δ -ketoesters, characterisation of δ -lactones produced, 749
reactivity of 1-cyclopropene-1-lactones dependent of degree of substitution, 2003
regio and stereo addition of preformed Mg and Li ketone enolates to α -enones, 4127
solvolysis rates in MeOH and hexafluoroisopropanol for four β -methyl and β -phenyl bicyclic tosylates, 2117
stereochemistry of 4-Me group on tautomerism of 2-methoxycarbonyl-3-oxo-4-methyl-8-oxa-bicyclo[3.2.1]octane, 3611
structure-colour relationship of new N-arylpiperidinium hemicyanine dyes, 2061
- Substitution reactions**
acetylation of 1-chloro-3-phenoxy-1-phenylthio-2-propanones, intramolecular trans-acetylation involving phenoxide anion as leaving group, 3709
chemistry of higher order organocuprates, Report, 5005
Cu assisted nucleophilic substitution of aryl halogen, Report, 1433
homomallylic, of lithium dialkyl cuprates with cyclopropylcarbinyl halides, mechanism, 1457
MNDO calculations, effects of substitution on antioxidant activity of phenols and vitamin E, 3383
solvolyses of hindered secondary substrates, nucleophilic solvent assistance, *k_s/k_o* ratios, 4921
specific *ortho* orientation in vicarious substitution of H in aromatic nitro compds with carbanion of chloromethyl phenyl sulphone, 1863
- Sulphanoyl halides see under Halogeno sulphur compounds**
- Sulphenic acid and derivatives**
torsional and inversional stereochemistry in sulphenamides and hydroxylamines, Report, 3345
- Sulphenyl halides see under Halogeno sulphur compounds**
- Sulphides**
amine and sulphide enhanced photo-induced degradation of chloro- and cyano-aromatic hydrocarbons, 4487
organic, oxidation by Cr(VI)oxide diperoxide, 2763
photooxidation of di-*t*-butyl sulphide sensitised by excimers and exciplexes, 999
pyrrolidine alkaloids, synthesis by application of sulphide contraction, 2879
thioimidates by insertion of *t*-butylisocyanide into C-S bond of activated sulphides, 1075
- Sulphinic acid and derivatives**
asymmetric synthesis of β -hydroxyacetamides mediated by enantiomerically pure sulphinyl derivs, 3815
synthesis, isolation and conformation of diastereomeric 2-methylsulphinyl-1,2-diphenylethanol and O-methyl and O-acetyl derivs, 2023
- Sulphonamides**
kinetics of oxidation of DMSO by sodium N-bromobenzenesulphonamide or bromamine-B in HClO₄, HCl and NaOH, 1673
- Sulphones**
oxidation of bis(alkylthio)3-methylene camphor to epoxy-disulphones or vinylsulphoxides, 3951
selective dialkylation of 1,3-dianion formed across sulphone of β -ketosulphone to 2-ketothiane-1,1-dioxide, 1135
specific *ortho* orientation in vicarious substitution of H in aromatic nitro compds with carbanion of chloromethyl phenyl sulphone, 1863
styryl sulphones to enamines from 4-substituted cyclohexanones, 977
synthesis of 6,7,11-tri-O-methyl-4-demethoxy-12-sulphona-daunomycinone, 4789
unsaturated cyclic sulphones, reactivity of double bond towards aziridine formation and epoxidation, 2487

Sulphonyl halides see under Halogeno sulphur compounds

Sulphoxides

monosulphoxides of 1,2-, 1,3- and 1,4-dithianes, conformational preference of S=O bond, 1477
oxidation of bis(alkylthio)3-methylene camphor to epoxydisulphones or vinylsulphoxides, 3951
reaction of aldehydes and ketones with t-BuBr-Me₂SO to α-bromo derivs, 2035
reagent for optical resolution of ketones, N,S-dimethyl-S-phenylsulphoximine, 1225

Sulphur compounds

effect of acid catalysts on reactions of CsSO₄F with toluene, nitrobenzene and naphthalene, 189

Tautomerism

of 2-methoxycarbonyl-3-oxo-4-methyl-8-oxabicyclo[3.2.1]octane effect of 4-Me group stereochemistry, 3611
potentially tautomeric 1,2-dihydro-6H-pyrrolo[3.4-d]pyridazine-1-ones and 1,2,3,4-tetrahydro-6H-pyrrolo[3.4-d]pyridazine-1,4-diones, structures, 3979
ring-chain, 1-hydroxyphthalans, structural effects, 1667

Tellurium and compounds

interaction of TeCl₄ with N-acetylallylamine gave zwitterionic 2-oxazoline, structure, 1607

Terpenoids

acyclic furanoditerpene and its epoxide, cyclisation studies, 3739
acyclic monoterpenes, functionalisation of isopropylidene terminus by benzenesulphenyl chloride addition, 3481
balearone, new metabolite of mixed biogenesis, isolation and structure from *Cystoseira balearica*, 1721
bioactive, from chlorophyta *Penicillus* and *Udotea*, 2913
bridged tetracyclic systems related to diterpenes, synthesis, 757
conformational controlled stereo- and regio-selective synthesis of cyclopropane derivs of 8-hydroxygermacrene B, 4959
diterpene (-)-biflora-4,10(19),15-triene from *Cubitermes umbratus*, absolute configuration via synthesis of (1R,6S,7S,11R(+)-isomer, 305
diterpenes, bioactive metabolites from genus *Halimeda*, 3053
diterpenes, new antimicrobial from *Spongia officinalis*, 4109
diterpenes, taxane, key intermediate, X-ray structure, 4285
functionalisation of C-13 atoms by intramolecular nitrene insertion, synthesis of 14-[(3-amino-1,2,4-triazol-5-yl)thioacetyl]-13-amino-19,20-dihydro-mutilin.HCl, 919
monoterpenes and sesquiterpenoids, bihydroxylation in mammals, 3597
new diterpenes based on dolabellane skeleton from *Dictyota* species, structure and conformation, 799

new dolabellane diterpenes from *Dilophus fasciola*, 4999
new sesquiterpene ester from *Ferula tingitana*, 5197
new tri- and tetra-oxygenated DiA-friedo-oleanan triterpenes from *Kokoona zeylanica*, structures, 805
new xenicin diterpenoids from *Anthelia edmonsoni*, 3823
oxidation of bis(alkylthio)3-methylene camphor to epoxydisulphones or vinylsulphoxides, 3951
reagent for 3-oxopropyl anion synthon, 2-(2-nitroethyl)-1,3-dioxolane, new route to jasmanoid and prostaglandin intermediates, 3809
sesquiterpene acids with juvenile hormone activity from wood of *Cedrus deodara*, 2961
sesquiterpene lactones, route to 1-oxygenated eudesmanolides, 4371
sesquiterpene lactones, structures and stereochemistry of asteriscunolides A,B,C and D from *Asteriscus aquaticus*, 873
sesquiterpene lactones, total synthesis of (+)-temisin, (+)-melitensin and related elemanolides from (-)-artemisin, 5243
sesquiterpenes, lactarorufins D and E, structures, 2757
sesquiterpenes, synthesis of di-coriolin, 2365
sesquiterpenes, total synthesis of (±)-torreyol, 3491
sesquiterpenic acids from *Leucanthenopsis pulverulenta*, 2189
sesquiterpenoid spiro ether, synthesis of spiro ethers with 1-oxaspiro[4.5]decane skeleton, 3393
stereochemistry of eichlerianic acid, cabraleone and ocotillone, 419
syntheses of lavandulal, lavandulol and ar-curcumene, 1573
terpenoids from *Laurencia pinnatifida*, 2757
transformation of mertonin C into mertonins A and D proves structure and stereochemistry, 1743
triterpenes, new serratanes, structure and isolation from *Pinus monticola*, 4217

Tetrazoles

nitrilium salts, reaction with azides to yield alkyl or aryl-substituted tetrazolium salts, 4115
reduction or alkylation of tetrazolium salts to tri- and tetra-substituted tetrazoles, 4115

Thiaalkanes

dithiaalkanes, selective and regioselective oxidation in gold(III) phase transfer process, 165

Thiadiazoles

ring closure of substituted phosphoranes to 4-aryl-1,3,4-thiadiazoline-5-thiones with elimination of PPh₃, 971

Thiatriazines

hydrolysis of 1-arenesulphonylimino-1λ⁴,2,4,6-thiatriazines, formation of 1λ⁴,2,4,6-thiatriazine-1-oxides, structure and properties, 385

Thiazoles

use of catalysed reactions of ω-(4-pyrimidinyl)quinoxalinyli-thioacetaphenones in synthesis of 2-acetyl thiazoles and 2,5-diaryl-1,4-dithiins, 4941

Thiazolines

addition of thiols to allenyl- and phenylpropenyl-nitriles and formation of thiazolines and benzothiazoles, 2141
asymmetric induction into prochiral meso compds, use of 4(R)-methoxycarbonyl-1,3-thiazolidine-2-thione, 1215

Thio carbonyl compounds

acetylation of α-chloroketones, comparison with acetylation of α'-phenylthio-α-chloroketones, 1893
alkylation of delocalised anions from metallation of N-phenyl thioimidoesters takes place on N with saturated thioimidoesters and on α-C with unsaturated thioimidoesters, 1573
aromatic enamides, photolysis to enamino ketones; thioenamides, photocyclisation to isoquinolinethione derivs and their conversion to isoquinolones and tetrahydroisoquinolones, 1835
bridgehead N-heterocycylium from 2,4,6-triphenylpyrylium cation and thiosemicarbazide or thio-carbohydrazide, 4901
C-substituted maleimides, mono-thiation, effect of substituents, 3499
dithiocarboxylation of benzoyl-acetonitrile, 381
dithioesters from P,S-containing reagents and carboxylic acids and derivs, 2663
enolisation of phenyl thio-propionate with ethylenechloroboronate and t-amine and aldol condensation of boron enolates formed, 4065
preparation and thermolysis of hexakis(perfluorogargyl)-thio/selenoethanes, 4963
preparation of thiated synthons of amides, lactams and imides, use of new P,S-containing reagents, 2047
rearrangement of thioimides by 1,3-C to N migration of an alkoxy carbonyl group, 1075
synthesis and conformation of 1-thio derivs of 3,3-dimethyl-2-butanol and acetates, 4445
thioimides by insertion of t-butylisocyanide into C-S bond of activated sulphides, 1075
transformations of beta(4-quinazolinythio)ketones to 3-(beta ketoalkyl)-4(3H)-quinazolone derivs, 4937
use of catalysed reactions of ω-(4-pyrimidinyl)quinoxalinyli-thioacetaphenones in synthesis of 2-acetyl thiazoles and 2,5-diaryl-1,4-dithiins, 4941

Thiocyanates

reaction of 3-mesyloxyflavanones with O- and S-nucleophiles, synthesis of 3-thiocyanato- and 3-acetylthiocyanato-flavanones, 3425

Thiols see also Dithiols

addition of thiols to allenyl- and phenylpropenyl-nitriles and formation of thiazolines and benzothiazoles, 2141
EPC-syntheses of tertiary alcohols and thiols, 1313

- protoanemonin, reactivity with propanethiolate, phenylmethanethiolate, S-nucleophiles and alkoxides, 3787
synthesis and conformation of 1-thio derivs of 3,3-dimethyl-2-butanol and acetates, 4445
- Thiophenes**
new analogs of antiviral pyrazofurin, synthesis of 5-carboxamido-4-hydroxy-3-(¹-D-ribofuranosyl)-thiophene derivs, 2479
Pd-catalysed syntheses of 5-(3-buten-1-ynyl)-2,2-bithienyl and 2-phenyl-5-(3-buten-1-ynyl)-thiophene, 2773
transformations of alkyl-thiophenium ions and new synthesis of 2-t-butylthiophene, 2471
- Thiopyrans**
asymmetric reactions based on 1,3-oxathianes, synthesis of secondary ¹-hydroxy acids, 1333
azide anion, reactivity with pyrylium and thiopyrullium substituted cations, effect of heterocyclic cation substituents, 3539
azidopyrans and azidothiopyrans, rearrangement to 1,3-oxazepins and unstable thiazepins, 3559
selective dialkylation of 1,3-dianion formed across sulphone of ¹-ketosulphone to 2-ketothiane-1,1-dioxide, 1135
- Tin and compounds**
crotyltrialkylstannanes, reaction with aldehydes in presence of BF₃·OEt₂, yields erythro homo-allyl alcohols regardless of geometry of double bond, 2239
diastereo- and enantioselective aldol reaction of divalent tin enolates, 1381
photoreduction of carbonyl compds by tributyl tin hydride, formation of tributyl tin ethers of derived alcohols and ethers of corresponding pinacols, 293
stereoselective aldol condensations with enolstannanes, 2329
- Titanium and compounds**
titanium complex catalysed [6+2] cycloadditions, 3295
- Topology**
hydroxylation of bi- and tri-cyclic amides or lactams via *Beauveria sulfurescens*, absolute configuration of alcohols formed and topology of hydroxylating site, 355
- Toxins**
apamin analogs differing in C-terminal region, synthesis via prep and purification of 1-12 sequence of apamin, 4313
chiral synthesis of (+)-pedamide via remote controlled asymmetric reduction of ketone as key step, 2337
cytotoxic dendrodoine from *Dendroda grossularis*, via addition between indolyl-3-carbonyl nitrile and N,N-dimethylamino-nitrile sulphide, 681
gonyautoxin-VIII(new) and gonyautoxin-V and VI have carbamoyl N-sulphate conjugation and weak toxicity, 539
halimadrial, defence adaptation in genus *Halimada*, 3053
isolation of side chain sulphated saxitoxin analogs, 539
magnetic resonance spectral assignments and structures of pumiliotoxins A and B and related allopumiliotoxins, 1183
new triterpenoid carboxylic acids from *Cyathus striatus* and *C. pygmaeus*, 2069
photoactivable neurotoxins, study of membrane acetylcholine receptors, 521
tatoxin, exotoxin from *Pseudomonas tabaci*, stereo-specific synthesis, 3695
- Transfer reactions**
cyclopropane ring as probe, mechanism of H-transfer by 1,4-dihydropyridine derivs, 5185
- Triazolines**
spiro[bicyclo[2.2.1]hept-2-ene[5,4'1]1',2',3'-triazole] derivs from cyclopentadiene and 5-amino-4-methylene- ν -triazolines, 4025
- Trienes see under Dienes**
- Trithianes**
axial preference of 2-dimethoxy-phosphoryl substituent in 1,3,5-trithiane, 4885
- Ultrasound**
routes to β -allyltricarbonyliron lactone complexes, 1737
- Ureas**
molecular and crystal structure of N-benzoyl-N'-tosylguanidine, 385
Ni(II)chelates form with RCOCl, N',N'-diacylated thioureas and with SOCl₂, n-(amino-thio-carbonyl)benzimidide chlorides, 405
preparation and barriers to topomerisation of 1,2-diamino substituted 2-azaallenium salts, 4019
quinone methides via heating of isochroman-3-ones; synthesis of 1,2,3,4-tetrahydroisoquinolin-3-ones in presence of ureas, 4383
- Urethanes**
- Vitamins**
dimethyl bromomethylmalonate with vitamin B₆ as unstable C-Co adduct, 3063
MNDO calculations, effects of substitution on antioxidant activity of phenols and vitamin E, 3383
model for rearrangement of methylitaconic acid to ³-methylene-glutaric acid, coenzyme B₁₂ dependent, mechanism, 3069
photoaffinity labelled synthetic retinals, synthesis and bound to bovine opsin, formation of visual pigment analogs, 493
separation of vitamin A isomers, Report, 1931
total synthesis of 1³,25S,26-tri-hydroxycholecalciferol, 2283
- vitamin A isomers and related compds, synthesis of six 7-trans stereoisomers, Report, 1931
- X-Ray crystallography**
5³-androst-16-en-3-one, 3153
anti-4,4,8,8-tetrafluorotricyclo-[5.5.0.0_{2,6}]³octane, 3945
axial preference of 2-dimethoxy-phosphoryl substituent in 1,3,5-trithiane, 4885
conformational analysis in crystal and soln, 1,4,5,8-tetraacyl-1,4,5,8-tetraazadecalins, 257
crystal structure of 2,2-diphenylethyl 2,4,6-trimethylphenyl ketone, 4829
dammarane triterpenes, structure of methyl shoreate and stereochemistry of eichlerianic acid, cabraleone and ocotillone, 419
diterpenes, taxane, key intermediate, X-ray structure, 4285
gem-difluorocyclopropane species, structure, 3945
new sesquiterpene ester from *Ferula tingitana*, 5197
of 1-cyano-2-amino-3-(2-propenyl)-5,5-dimethyl-6-dicyanomethyl-cyclohexa-1,3-diene, 2829
pacharin, new dibenzo[2.3-6,7]-oxepin deriv from *Bauhinia racemosa*, 4245
physoperuvine structure and synthesis; conformations of (1)-N-benzoyl-3-methylaminocycloheptanone and (+)-N-benzoyl-4-methylaminocycloheptanone, 1661
piplartine, synthesis and molecular structure, 171
stereoisomers of perhydro-phenanthrene, synthesis and crystal structure of deriv of trans-syn-trans isomer, 3449
structure and synthesis of mesityl(diphenyl-methylene)-phosphine and 2,6-dimethylphenyl-(diphenyl-methylene)phosphine, 765
structure of 3,12-dihydro-3,3,6,12-tetramethyl-7H-pyrano[2.3-c]acridin-7-one, 5181
structure of (4RS,5RS)-4,5-bis-methoxy-carbonyl-3-(4RS)-2,2,5,5-tetramethyl-1,3-dioxolan-4-yl]- β -isoxazoline, 177
structure of alternarian acid, 2451
study of N-benzyl-cis-4,5-tetramethylenetetrahydro-1,3-oxazinium picrate, 2053
synthesis and structure of 3-hydroxy-1,10-dimethyl-9-acridone, 5181
- Xanthanes**
synthesis of 1,3,6-trioxygenated isopentenylated xanthones, 3303
- Ylides see also Phosphorus ylides**
addition of azomethine ylides to 2,3:6,7-dibenzo-heptafulvenes to give pyrrolidines, 5121
fluorinated analogs of dienic insect sex pheromones by reaction of ¹-fluorinated aldehydes with β -functionalised ylides, 2871