



Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Tetrahedron

Tetrahedron 62 (2006) 3455

Tetrahedron

Corrigendum

**Corrigendum to: ‘Photoinduced cycloadditions  
of *N*-methyl-1,8-naphthalenedicarboximides with alkynes’  
[Tetrahedron 62 (2006) 1131]**

Qing-Jian Liu,<sup>a</sup> Yong-Miao Shen,<sup>a</sup> Hui-Ying An,<sup>a</sup> Günter Grampp,<sup>b</sup>  
Stephan Landgraf<sup>b</sup> and Jian-Hua Xu<sup>a,\*</sup>

<sup>a</sup>Department of Chemistry, Nanjing University, Nanjing 210093, People’s Republic of China

<sup>b</sup>Institute of Physical and Theoretical Chemistry, Graz University of Technology, Technikerstrasse 4/I, A-8010 Graz, Austria

Available online 14 February 2006

In the experimental section, the X-ray structure analysis of compound **3b** should be as follows:

X-ray structure analysis: C<sub>21</sub>H<sub>14</sub>BrNO<sub>2</sub>,  $M=392.24$ . triclinic, space group  $P-1$ ,  $a=9.849(1)$  Å,  $b=12.677(2)$  Å,  $c=14.493(2)$  Å,  $\alpha=90.55(1)$ ,  $\beta=102.96(1)$ ,  $\gamma=107.09(1)$ °,  $V=1680.0(4)$  Å<sup>3</sup>,  $Z=4$ ,  $D_c=1.551$  g cm<sup>-3</sup>,  $F(000)=792$ , absorption coefficient 2.461 mm<sup>-1</sup>, scan range for data collection  $1.45 \leq \theta \leq 25.00$ °, 6514 measured reflections, 5848 independent reflections, 3555 reflections with  $I > 2\sigma(I)$ ,  $R_{int}=0.0098$ , 454 refinable parameters,  $R[F^2 > 2\sigma(F^2)]=0.0330$ ,  $wR_2(F^2)=0.0726$ .

In the X-ray structure analysis of compound **7e**, the cell parameter  $b$  should be replaced by  $b=10.465(2)$ .

DOI of original article: 10.1016/j.tet.2005.10.076

\* Corresponding author. Tel.: +86 25 3592709; fax: +86 25 3317761; e-mail: xujh@nju.edu.cn