


Contents

REPORT

Recent developments in asymmetric catalytic addition to C=N bonds

pp 2541–2569

Gregory K. Friestad* and Alex K. Mathies




ARTICLES

The first syntheses of single enantiomers of the major methoxymycolic acid of *Mycobacterium tuberculosis*

pp 2571–2592


Juma'a R. Al Dulayymi, Mark S. Baird,* Evan Roberts, Madrey Deysel and Jan Verschoor



Synthesis of the second generation photoaffinity probes of tautomycin

pp 2593–2603


Magne O. Sydnes and Minoru Isobe*



Development of chlorotriazine polymer dehydrocondensing reagents (Poly-Trzs)


pp 2604–2612

Munetaka Kunishima,* Kazuyoshi Yamamoto, Kazuhito Hioki, Tomohito Kondo, Masumi Hasegawa and Shohei Tani

**Towards the enantioselective synthesis of anti-HIV agents litseaverticillols C and K from D-glucose**


pp 2613–2621

Debendra K. Mohapatra,* Dhananjay Mondal and Mukund K. Gurjar

**Synthesis and conformational analysis of 3-hydroxypipercolic acid analogs via CSI-mediated stereoselective amination**


pp 2622–2633

In Su Kim, Joa Sub Oh, Ok Pyo Zee and Young Hoon Jung*

**Synthesis of 3'-O-phosphonomethyl nucleosides with an adenine base moiety**


pp 2634–2646

Dolores Viña, Tongfei Wu, Marleen Renders, Geneviève Laflamme and Piet Herdewijn*




One-pot synthesis of 3-hydroxymaleic anhydrides by cyclization of 1,1-bis(trimethylsilyloxy)ketene acetals with oxalyl chloride pp 2647–2656

Sven Rotzoll, Ehsan Ullah, Helmar Görls, Christine Fischer and Peter Langer*




Synthesis of biphenylamines via Suzuki–Miyaura cross-coupling reactions pp 2657–2663

Anna M. Maj, Lionel Delaude,* Albert Demonceau and Alfred F. Noels




A concise and efficient synthesis of isoindolin-1-ones. New synthetic approach to the polycyclic framework of vitedoamine A pp 2664–2669

Marc Lamblin, Axel Couture,* Eric Deniau and Pierre Grandclaude



Short synthesis of stenusine and norstenusine, two spreading alkaloids from *Stenus* beetles (Coleoptera: Staphylinidae) pp 2670–2674

Thomas Gedig, Konrad Dettner and Karlheinz Seifert*




The two-step syntheses of (+)-stenusine and norstenusine starting from 3-picoline could be achieved in high yields.

Studies on the reduction and reductive alkylation of amino acid-derived spirocyclic 2,6-dioxopiperazines


pp 2675–2683

Juan A. González-Vera, Pilar Ventosa-Andrés, Joanne Casey, M. Teresa García-López and Rosario Herranz*


Modular syntheses of isoxazoloazepinones and pyrazoloazepinones


pp 2684–2688

Mauro F. A. Adamo,* Eleanor F. Duffy, Donato Donati and Piero Sarti-Fantoni


Stereoselective synthesis of tarchonanthuslactone via the Prins cyclisation


pp 2689–2694

J. S. Yadav,* N. Niranjan Kumar, M. Sridhar Reddy and A. R. Prasad


Synthesis of 3-substituted indazoles and benzoisoxazoles via Pd-catalyzed cyclization reactions: application to the synthesis of nigellicine

pp 2695–2711


Kiyofumi Inamoto,* Mika Katsuno, Takashi Yoshino, Yukari Arai, Kou Hiroya* and Takao Sakamoto



Diastereoselective total synthesis of (+)-morusimic acid B, an amino acid from *Morus alba*


pp 2712–2723

Marc E. Bouillon and Hartmut H. Meyer*

**A facile and convenient one-pot synthesis of polysubstituted thiophenes from 1,3-dicarbonyl compounds in water**


pp 2724–2728

Yan Wang, Dewen Dong,* Yang Yang, Jie Huang, Yan Ouyang and Qun Liu*

**Hydroxyselanylation of acyloxycyclohex-3-enes**

pp 2729–2737


J. B. Sweeney,* Alan F. Haughan, J. R. Knight and Smita Thobhani



OTHER CONTENTS

Tetrahedron reports on organic chemistry	pp I–XX
Tetrahedron Perspectives	p XXI
Tetrahedron reports on organic chemistry order form	p XXII
Tetrahedron reports on organic chemistry author index	pp XXIII–XXX

*Corresponding author

+ Supplementary data available via ScienceDirect

COVER

1,1-Bis(trimethylsilyloxy)ketene acetals—electroneutral equivalents of carboxylic acid dianions (masked dianions)—represent important building blocks in one-pot reactions. The one-pot cyclization of 1,1-bis(trimethylsilyloxy)ketene acetals with oxalyl chloride provides a convenient approach to a variety of 3-hydroxymaleic anhydrides which represent important synthetic building blocks. *Tetrahedron* **2007**, *63*, 2647–2656.

© 2007 P. Langer. Published by Elsevier Ltd.



Full text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Abstracted/indexed in: AGRICOLA, Beilstein, BIOSIS Previews, CAB Abstracts, Chemical Abstracts, Current Contents: Life Sciences, Current Contents: Physical, Chemical and Earth Sciences, Current Contents Search, Derwent Drug File, Ei compendex, EMBASE/Excerpta Medica, Medline, PASCAL, Research Alert, Science Citation Index, SciSearch. Also covered in the abstract and citation database SCOPUS[®]. Full text available on ScienceDirect[®]



ISSN 0040-4020