



Tetrahedron Vol. 65, Issue 41, 2009


Contents

REPORT

Biotransformations on organic selenides and tellurides: synthetic applications

João V. Comassetto*, Rogério A. Gariani

pp 8447–8459




Chemical transformations promoted by enzymes in organic selenides and tellurides are reviewed.

ARTICLES

A greener enantioselective synthesis of the antiviral agent North-methanocarbathymidine (N-MCT) from 2-deoxy-D-ribose

Olaf R. Ludek, Victor E. Marquez*


pp 8461–8467



A Mitsunobu route to C-glycosides


Paolo Pasetto*, Matthew C. Walczak

pp 8468–8477

**Cycloaddition reactions of cross-conjugated enaminones**


Parvesh Singh*, Parul Sharma, Krishna Bisetty, Mohinder P. Mahajan

pp 8478–8485

**Use of Pd-catalyzed Suzuki–Miyaura coupling reaction in the rapid synthesis of 5-aryl-6-(phosphonomethoxy)uracils and evaluation of their inhibitory effect towards human thymidine phosphorylase**


Karel Pomeisl*, Antonín Holý, Radek Pohl, Květoslava Horská

pp 8486–8492

**Chemoselective hydrogenation of 17 α -hydroxy-6-methylen-pregna-4,9(11)-diene-3,20-dione. Synthesis of fluorometholone**

Andrés Marcos-Escribano, Francisco A. Bermejo*, Antonio Lorente Bonde-Larsen, Jesús Iglesias Retuerto


pp 8493–8496



Efficient synthesis of substituted thieno[3,2-e]indoles


Wim Van Snick, Wim Dehaen*

pp 8497–8501

**Development of a palladium catalyzed addition of boronic acids to alkynyl esters: synthesis of trisubstituted olefins as single isomers**


Alexander Graham Bush, Jojo Liu Jiang, Philippa R. Payne, William W. Ogilvie*

pp 8502–8506

**Recyclable catalytic synthesis of substituted quinolines: copper-catalyzed heterocyclization of 1-(2-aminoaryl)-2-yn-1-ols in ionic liquids**


Bartolo Gabriele*, Raffaella Mancuso, Elvira Lupinacci, Rosella Spina, Giuseppe Salerno, Lucia Veltri, Angela Dibenedetto

pp 8507–8512

**A convenient, high-yield synthesis of 1-substituted uracil and thymine derivatives**


Dominik Rejman*, Soňa Kovačková, Radek Pohl, Martin Dračínský, Pavel Fiedler, Ivan Rosenberg*

pp 8513–8523



A simple and convenient approach to the Friedländer synthesis of pyrano[2,3-*b*]pyridines
Nagarajan Panneer Selvam, Thelagathoti Hari Babu, Paramasivan T. Perumal*


pp 8524–8530



Diastereoselective schenck ene reaction of singlet oxygen with chiral allylic alcohols; access to enantiomerically enriched 1,2,4-trioxanes

pp 8531–8537


Sunil Sabbani, Louise La Pensée, John Bacsa, Erik Hedenström, Paul M. O'Neill*



The chiral antimalarial 1,2,4-trioxanes **1–8** were synthesised in high enantiomeric purities.

A highly efficient Pd-C catalytic hydrogenation of pyridine nucleus under mild conditions
Chuanjie Cheng, Jimin Xu, Rui Zhu, Lixin Xing, Xinyan Wang*, Yuefei Hu*

pp 8538–8541




Regioselective access to substituted oxindoles via rhodium-catalyzed carbene C–H insertion
Delphine Gauthier, Robert H. Dodd, Philippe Dauban*

pp 8542–8555




A tripodal receptor bearing catechol groups for the chromogenic sensing of F⁻ ions via frozen proton transfer
Vimal K. Bhardwaj, Maninder Singh Hundal*, Geeta Hundal*

pp 8556–8562




New efficient synthesis of 4-aminocarbonyl substituted 4H-3,1-benzoxazines by a Passerini 3CC/Staudinger/aza-Wittig sequence
Ping He, Jing Wu, Yi-Bo Nie, Ming-Wu Ding*

pp 8563–8570



Tosylated glycerol carbonate, a versatile bis-electrophile to access new functionalized glycidol derivatives
Jolanta Rousseau*, Cyril Rousseau, Benita Lynikaité, Algirdas Šačkus, Claudia de Leon, Patrick Rollin, Arnaud Tatibouët*


pp 8571–8581



Synthesis of structurally constrained 4-quinazolinone derivatives with a tetrahedral C-2 atom present in three rings

pp 8582–8586


Rustam T. Iminov, Anton V. Tverdokhlebov*, Andrey A. Tolmachev, Yulian M. Volovenko, Svetlana V. Shishkina, Oleg V. Shishkin



Highly stereoselective synthesis of new α -amino- β -hydroxy six-membered heterocyclic phosphonic acids, serine analogues

pp 8587–8595

Nicolas Louaisil, Nicolas Rabasso, Antoine Fadel*



*Corresponding author

(i)⁺ Supplementary data available via ScienceDirectFull text of this journal is available, on-line from **ScienceDirect**. Visit www.sciencedirect.com for more information.

Abstracted/indexed in: AGRICOLA, Beilstein, BIOSIS Previews, CAB Abstracts, Chemical Abstracts, Current Contents: Life Sciences, Current Contents: Physical, Chemical and Earth Sciences, Current Contents Search, Derwent Drug File, Ei Compendex, EMBASE/Excerpta Medica, Medline, PASCAL, Research Alert, Science Citation Index, SciSearch. Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®



ISSN 0040-4020