



Corrigendum

Corrigendum to ‘palladium-mediated fragmentation of *meta* photocycloadducts using carbon based electrophiles. Part 1’ [Tetrahedron 62 (14) (2006) 3423–3434]

Clive S. Penkett^{a,*}, Rupert O. Sims^a, Paul W. Byrne^b, Lee Kingston^c, Richard French^a, Lauriane Dray^a, Simon Berritt^a, Jason Lai^a, Anthony G. Avent^a, Peter B. Hitchcock^a

^aDepartment of Chemistry, University of Sussex, Brighton BN1 9QJ, UK

^bTocris-Cookson Ltd, Avonmouth, Bristol BS11 8TA, UK

^cAstraZeneca R&D Charnwood, Loughborough LE11 5RH, UK


ARTICLE INFO

Article history:

Available online 31 August 2010

The authors regret that there was an error in the reporting of experimental data for compound **12**. It should read as follows:

Compound 12



¹H NMR (500 MHz, toluene *d*₈) δ 1.71 (1H, ddd, *J* 1.2, 2.4, 8.4 Hz, H-12), 1.77 (1H, dd, *J* 6.3, 8.4 Hz, H-1), 2.07 (1H, ddd, *J* 1.6, 2.6, 5.7 Hz, H-9), 2.89 (1H, m, H-8b), 2.94 (1H, m, H-2b), 3.07 (3H, s, OCH₃), 3.20 (1H, dd, *J* 9.1, 12.5 Hz, H-7a), 3.51 (1H, ddd, *J* 0.4, 3.8, 12.0 Hz, H-3b), 3.58 (1H, dd, *J* 10.6, 12.0 Hz, H-3a), 3.65 (1H, dd, *J* 5.5, 12.5 Hz, H-7b), 4.22 (1H, d, *J* 6.3 Hz, H-5a), 4.93 (1H, d, *J* 6.3 Hz, H-5b), 5.42 (1H, ddd, *J* 0.4, 2.4, 5.8 Hz, H-11), 5.48 (1H, ddd, *J* 1.2, 2.6, 5.8 Hz, H-10); ¹³C NMR (125 MHz, CDCl₃) δ 35.3, 37.7, 47.6, 53.2, 54.2, 56.4, 70.3, 71.3, 92.0, 99.8, 130.9, 133.9; IR 1644, 2930, 3051 cm⁻¹; HRMS (EI) *m/z* calcd C₁₂H₁₇O₃ [M+H]⁺ 209.1178, found 209.1170.

The authors would like to apologise for any inconvenience this may have caused to the authors of this article and readers of the journal.