

Subject Index for Volume 62

(ACMG/ASHG) = American College of Medical Genetics/American Society of Human Genetics statement; (E) = editorial; (L) = letter to the editor; (R) = review article

- A15556 mutation, 27
Aborigines, 435
Absolute pitch, 221 (E), 224
American College of Medical Genetics, statement, 1243 (ACMG/ASHG)
Admixture, 703
Adrenal hypoplasia congenita, 855
Affected sib pair(s), 726 (L), 731 (L), 1228, 1561 (L)
 Statistics, 728 (L)
Affected sib triples, 1228
Affecteds-only analysis, 202 (L)
African Americans, 195 (L), 991 (L)
Agammaglobulinemia, 1034
Age at onset, 842
 Anticipation, 1212
Aging, 1003 (R), 1008 (R), 1015 (R), 1525
AIDS resistance, 1507
Alagille syndrome, 1361
Albinism, 593
Alkaptonuria, 765 (E), 776
Allele(s), 1180, 1260, 1180, 1260
 Age, 459
 Allelic association, 159, 1189
 Alopecia, 386
 α -N-acetylglucosaminidase, 64
 Alport syndrome, 253
 Alternative splicing, 1332
 Alzheimer disease, 70
 Amerindians, 1312
 Amino acid metabolism, 295
 Aminoglycosides ototoxicity, 27
 Amyloid precursor-like protein 1, 362
 Amyloidosis, 719 (L)
 Amyotrophic lateral sclerosis, 633
 Analysis frequency distributions, 1260
 Ancestral haplotype, 1507
 Ancient DNA, 1153
 Anemia, 1062
 Angelman syndrome, 1353
 Angiomyolipoma, 810
 Angiotensin-converting enzyme, 1525
 Anhaptoglobinemia, 245
 Antagonistic pleiotropy, 1525
 Anticipation, 610
 Antigens, 373
 Aortic, 627
 Apache, 136
 Adenomatous polyposis coli, 1516
Apolipoproteins, 406
Apoptosis, 503 (R), 514 (R), 509 (R)
Arylsulfatase E, 562
Ascertainment, 738, 739
 Bias, 1212
American Society of Human Genetics, statement, 1243 (ACMG/ASHG)
Asian Indians, 36
Association, 690, 703, 950, 1180
Ataxia, 301
 Ataxia-telangiectasia, 334, 551
 Mutations, 86
 Variants, 551
Athabascans, 136
Atherogenic lipoprotein phenotype, 406
Atherosclerosis, 20 (E)
ATM, 86, 551
 Mutations, 334
Attenuated adenomatous polyposis coli, 1290
Australia, 435
Autism, 1077
 Autosomal dominant periodic fever, 1446
 Autosomal recessive inheritance, 1452
Autozygosity mapping, 1070

B cells, 1034
Bacterial artificial-chromosome contig, 890
Balinese village, 904
Bartter syndrome, 355, 1332
Basement membrane, 253
Bayes's rule, 145
Bedouins, 1062
Behavior, 224
BIGH3, 320
Bilirubin, 585
Biological determinism, 979
7-Biopterin, 1302
Bipolar (affective) disorder, 916, 1084
Birth defects, 25 (E), 1262 (L)
Bivariate right truncation, 1212
Bjornstad syndrome, 1107
Blindness, 503 (R), 865
Body fat, 659
Bone cystosteodysplasia, 362
Books reviewed, author(s)/editor(s):
 Blum, K., 999
 Noble E. P., 999

- Raff, R. A., 208
 Sybert V. P., 998
 Books reviewed, title:
Genetic Skin Disorders, 998
Handbook of Psychiatric Genetics, 999
Shape of Life: Genes, Development, and the Evolution of Animal Form, The, 208
 Bootstrap, 159
 Bottleneck, 752
BRCA1, 145, 676, 713 (L), 1516, 1543 (L), 1544 (L)
BRCA1/2 heterozygote, 1543 (L)
BRCA2, 145, 676, 1381, 1543 (L), 1544 (L)
 Breakpoint, 253
 Breast cancer, 145, 334, 676, 713 (L), 1381, 1516, 1544 (L)
 British populations, 334
Btk, 1034
- C**
 C282Y, 1403
 CAG/CTG repeats, 1548 (L)
 Cancer, 1129, 1288
 Breast, 676, 1381, 1544 (L)
 Childhood, 20 (E), 45
 Colorectal, 736 (L)
 Ovarian, 676, 1381, 1544 (L)
 Prostate, 1416, 1425
 Candidate genes, 406, 962
 Carbinolamine dehydratase, 1302
 Carbohydrate-deficient glycoprotein syndrome type IB,
 hepatic-intestinal presentation, phosphomannose
 isomerase, 1535
 Cardiac, 627
 Cardiovascular disease, 1258
 Cartilage, 311
 CAS, 509 (R)
 Cataract, 520
 Zonular pulverulent, 526
 Causative relationship, 723 (L)
 Celiac disease, 669
 Cell cycle, 509 (R)
 Cell death, programmed, 514 (R)
 Cell selection, 1555 (L), 1557 (L)
 Cellular senescence, 1015 (R)
 Centenarians, 1525
 Central core disease, 599
 Cerebral palsy, 1070
CFTR, 1252 (L)
CFTR (see Cystic fibrosis, transmembrane conductance regulator)
 Charcot-Marie-Tooth disease, type 1A, 1023
 Chemotherapy, 45
 Childhood-cancer survivors, 45
 Childhood-onset schizophrenia, 1548 (L)
 Chimerism, 937
- Chondrodysplasia punctata, mutations, 562
 Chromosome 1, 355, 848
 Chromosome 1p, 1439
 Chromosome 1q, 526, 653, 1416
 Chromosome 2, 620, 1102
 Chromosome 2p, 876
 Chromosome 2p21, 573
 Chromosome 4q35, 1084
 Chromosome 6q, quantitative-trait locus, 1468
 Chromosome 8, 386
 Chromosome 9, 633, 1484
 Chromosome 10p, 136
 Deletion(s), 495 (L)
 Hereditary neuropathy with liability to pressure palsies (HNPP), 1023
 Chromosome 10p15-p14 region, 641
 Chromosome 11, 400
 Chromosome 11q25, 1123
 Chromosome 12, 890
 Chromosome 12p13, 884, 1446
 Chromosome 15, 1062, 1077
 Chromosome 16q, 987 (L)
 Chromosome 17, 391
 Chromosome 17p11.2, 904
 Chromosome 18 markers, 916
 Chromosome 18q– deletion syndrome, 1500
 Chromosome 19, 130, 362
 Chromosome 19q13.4, 1248 (L)
 Chromosome X, 122, 800, 865, 1092, 1493
 Inactivation, familial/skewed, 1555 (L), 1557 (L)
 Linkage, 122, 627, 865, 1320
 Rearrangements, 533
 Chromosome Y, 1171
 Polymorphisms, 420
 Chronic granulomatous disease, 1320
 Cleft lip, 1262 (L)
 Clinical signs, 301
CMT1A-REPs, 1023
 Coalescence of haplotypes, 1507
 Coalescent theory, 459
 Cockayne syndrome, 77
 Cohort study, 45
COL11A1, 816
COL11A2, 1460
COL4A5, 253
COL4A6, 253
 Collagen, 98
 Mutation, 816
 Colon cancer, 1516
 Colorectal cancer, 1129
 Complementation group, 1539 (L)
 Complex, 202 (L)
 Complex inheritance, 690
 Complex segregation analysis, 1425
 Complex trait, 703, 950

- Complex traits, 224
 Compound heterozygosity, 723 (L)
 Cone-rod dystrophy, 122
 Confidentiality, 474 (ASHG)
 Conformation-sensitive gel electrophoresis, 98
 Congenital central hypoventilation syndrome, 715 (L)
 Congenital dyserythropoietic anemia type 1, 1062
 Congenital muscular dystrophy, 1439
 Congenital profound hearing loss, 904
 Congenital microcoria, 1117
 Congenital sensorineural hearing loss, 1107
Connexin, 520, 792
Connexin50 gene, 526
 Consanguinity, 728 (L)
 Constrained likelihood-ratio test, 1228
 Copper, 484 (L)
 Corneal dystrophy, 320
 Coronary heart disease, 20 (E)
 Risk, 36
 Cowden syndrome, 1020 (E)
CpG dinucleotide, 320
 Craniofacial abnormalities, 1370
 Craniosynostosis, 1370
 Crigler-Najjar syndrome type 1, 585
 Cryptic rearrangement(s), 1500
Crystallin, 520
 CTG-repeat expansion, 278
CYP1B1, 325, 573
 Cystic fibrosis, 195 (L), 1252 (L), 1551 (L)
 Transmembrane conductance regulator, 195 (L)
Cytochrome b, 1320
Cytochrome C450B1 (CYP1B1), 325
Cytochrome P450B1, 573
 Cytogenetics, 937
CZP1, linkage to 1q, 526
- D-loop, 435
DAN sequence, 77
 Darier disease, 890
DAX1, mutations, 855
 De novo mutation, 717 (L)
 Deafness, 355, 792
 Progressive, 27
 Death, 514 (R)
 Deficiency, human complex I, 262
 Deletion, 245
Delta, 159
 Dementia, 362
 Denaturing gradient gel electrophoresis, 1341
 Denys-Drash syndrome, 824
 Determinism, genetic, 979
DFNB3, 904
 Diagnosis, 941
 Diagnostic PCR, 1312
- Diaphanous gene, 533
 Diffuse idiopathic skeletal hyperostosis, 1460
 DiGeorge syndrome, 495 (L)
 Disease
 Association, 450
 Late onset, 450
 Mapping, 690
 Disease
 Mutation, 816
 Disequilibrium mapping, 459
 Distal myopathy, 620
DMPK, 278
 DNA
 Methylation, 278
 Polymorphisms, 937
 Pooling, 1189
 Repair, 77
 Structure, 111
 Typing, 1558 (L), 1560 (L)
 Dodecamer-repeat expansion, 842
 Double heterozygote, 1543 (L)
 Double mutant, 1543 (L)
Drosophila, 10 (R), 514 (R)
 Dwarf, 311
- E6-AP*, 1353
 Early onset, 70, 1416
 Echogenic bowel, 195 (L)
 Ectodermal defects, 130
 Ectodermal dysplasia, 1102
 Ectrodactyly, 130
 Ectrodactyly, ectodermal dysplasia, cleft palate, and urogenital defects (EEC), 130
 Epilepsy, progressive myoclonus (EPM1), 842
 Erythropoietic protoporphyrina, 1341
 Essentialism, genetic, 979
 Ethics, 474 (ASHG)
 Genetics, 979
Ethiopia, 420
 Ethnic affiliation, 1558 (L), 1560 (L)
 Ethnic isolate, 391
 Ethnic populations, 86
 Etiology, 492, 1070
 European population(s), 488 (L), 491 (L)
 Origin, 1137
 Evolution, 1008 (R)
 Exclusion, 962
 Exon skipping, 269, 713 (L)
 Expanding-trinucleotide-repeat diseases, 1212
 Expectation-maximization logarithm, 969
EXT1, 346
EXT2, 346
 Extended pedigrees, 1198

- Eye development, 1113
- F cells, 1468
- Faisalabad histiocytosis, 1123
- Familial adenomatous polyposis, 1288, 1290
- Familial Hibernian fever, 1446
- Family history, 145
- Fat, body, 659
- Ferrochelatase, 1341
- Fetal allograft, 1 (R)
- Fetal DNA, 763, 768
- Fetal hemoglobin, 1468
- Fibroblast growth-factor receptor, 1370
- Fine-scale localization, 159
- Finland/Finnish population, 1171
- FISH, 1500
- 5' UTR, 484 (L)
- Folate, 1044
- Founder, 1254 (L)
- Effect, 192 (L), 1312
 - Mutation(s), 86, 834, 1544 (L)
- Frameshift mutation, 834
- Frequency microsatellites, 1260
- Friedreich ataxia, 111, 301
- G-banding, 1500
- GAA-triplet expansion, 111
- GABA (see Gamma-aminobutyric acid, receptors)
- Gametogenesis, 6 (R), 1269 (R)
- Gamma-aminobutyric acid, receptors, 1077, 1452
- Gastrointestinal, 1129
- Gene flow, 488 (L), 491 (L)
- Gene mapping, 159, 950, 962, 1102
- Gene mutation, 800
- Gene pool, 488 (L), 491 (L)
- Gene structure, 1312
- Gene therapy, 53
- Genetic analysis, 1516
- Genetic counseling, 610, 800
- Genetic discrimination, 736 (L)
- Genetic diseases/disorders, 77, 1535
- Genetic heterogeneity, 1052
- Genetic information, 474 (ASHG)
- Genetic linkage, 916, 1084, 1107
- Analysis, 181
- Genetic mapping, 633
- Genetic risk, 145
- Genetic-risk factors, 1258
- Genetic susceptibility, 723 (L)
- Genetics, 1070, 1113
- Genodermatosis, 1052
- Genome scan/scanning, 204 (L), 205 (L), 703, 994 (L)
- Genome screen/screening, 669, 996 (L)
- Genomewide linkage scan, 1561 (L)
- Genotype/genotyping, 205 (L)
- Relatives, 171
- Genotype-phenotype correlation/relationship, 53, 286, 551, 599, 824, 1052, 1290
- Genotyping, 205 (L)
- Germ-cell mutation/mutagenesis, 25 (E), 45
- Germ-line mosaicism, 717 (L)
- Gingival fibromatosis, 876
- GJA8* mutation, 526
- Glaucoma, primary congenital, 573
- GLC3A*, 325
- Glucose-6-phosphatase, 400
- Glycogen phosphorylase, 785
- Glycogen-storage disease, 785
- Type I, 400
 - Type II, 991 (L)
- GNDF*, 715 (L)
- Gompertz-Makeham, 1525
- Gonadal mosaicism, DAX1 mutations, 855
- Groenouw type 1, 320
- H63D, 1403
- Hair development, 386
- Hamartoma polyposis syndromes, 1020 (E)
- Haplotype, 1180, 1381
- Analysis, 192 (L), 386, 865, 1389
 - Mapping, 1468
 - Phylogeny, 1171
- Haptoglobin, 245
- Hayflick limit, 1003 (R), 1015 (R)
- Hb F (see Fetal hemoglobin)
- HDL, 406
- Hearing loss, 15 (E)
- Hemochromatosis, 1403
- Hepatic-intestinal presentation, 1535
- Hereditary neuropathy with liability to pressure palsies (HNPP), deletion 1023
- Hereditary nonpolyposis colorectal cancer, 736 (L)
- Hereditary renal cell carcinoma, 1475
- Hermansky-Pudlak syndrome, 593
- Hermaphrodite, 937
- Hers disease, 785
- Heterogeneity, 6 (R), 865
- HFE*, 1403
- Hibernian fever, 884, 1446
- High-pressure liquid chromatography, 585
- HLA, 1 (R), 215 (R), 669, 985 (L), 986 (L), 1403, 1460
- Class II genes, 373
- Hereditary nonpolyposis colorectal cancer, 736 (L)
- Homocysteine, 1044
- Homogentisate 1,2 dioxygenase, 765 (E), 776
- Homologous recombination, 1023
- Homology modeling, 573

- Homozygosity mapping, 1439, 1452
 Host defense, 1320
 Hot spot, 1023
HPS, 593
 Human chromosome 15, 925
 Human evolution, 1389
 Human mtDNA, 1137
 Huntington disease, 1243 (ACMG/ASHG)
 Hutterites, 985 (L), 986 (L)
 Hydroxymethylglutaryl CoA ketoacid lyase, 295
 Hyperostosis, 391
 Hyperphenylalaninemia, 1302
 Hypodontia, 987 (L)
 Hypohaptoglobinemia, 245
 Hypohidrotic ectodermal dysplasia, 1102
- Identity/identical by descent (IBD), 159, 325, 726 (L), 731 (L)
 Identity coefficients, 726 (L), 731 (L)
 Identity/identical by state, 181
 Identity state, 698
 Immotile cilia, 1551 (L)
 Immune response, 211 (R)
Drosophila, 10 (R)
 Immune system, 1003 (R)
 Immunity, innate, 6 (R)
 Immunodeficiency, 136, 1034
 Immunogenetics, 1 (R), 10 (R), 215 (R)
 Imprinting, 848, 969, 1353
 In vivo footprinting, 278
 Inactivation, nonrandom, 1555 (L), 1557 (L)
 Inborn errors, 295
 - Metabolism, 776
 Inbreeding, 698, 726 (L), 728 (L), 731 (L)
 Infection, 10 (R)
 Infertility, 6 (R), 1282 (R)
 Infinite alleles, 698
 Inherited retinal degeneration, 503 (R)
 Insects, 10 (R)
 Insurance, 736 (L)
 Interferon γ -receptor deficiency, 723 (L)
 Interleukin-1, 1180
 Intraallelic variation, 459
 Inverted duplications of chromosome 15, 925
 Iris-dilator disorder, 1117
 Iron metabolism, 1403
 Isoform(s), 1332
 Isolated diffuse mesangial sclerosis, 824
- Jaeken syndrome, 542
JAG1, 1361
Jagged1, 1361
 Joint contractures, 1123
 Juvenile, 1129
- Juvenile polyposis syndrome, 1020 (E)
- Kerato-epithelin, 320, 719 (L)
 Ketone bodies, 295
 Kinship, 698, 728 (L)
- Laboratory guidelines, 1243 (ACMG/ASHG)
 Lactic acidosis, 1312
 Lamellar ichthyosis, 1052
 Language, 488 (L), 491 (L)
 Lattice corneal dystrophy type IIIA, 719 (L)
 Lattice type 1, 320
 Least squares, 159
 Leber hereditary optic neuropathy, 196 (L), 492, 492
 Leigh syndrome, 717 (L)
 Leiomyomatosis, 253
 Leukemia, 334
 LHON (see Leber hereditary optic neuropathy)
 Ligand-binding domain, DAX1, 855
 Likelihood calculation, 739
 Limb malformations, 130
 Linkage, 204 (L), 325, 355, 620, 659, 669, 690, 876, 884, 962, 1129, 1416, 1446, 1452
 - Analysis, 122, 202 (L), 400, 633, 653, 676, 728 (L), 738, 994 (L), 1062, 1113
 - Disequilibrium, 159, 362, 450, 703, 950, 969, 1077, 1180, 1189, 1254 (L)
 - Test, 171
 Linkage mapping, 641
 Liver glycogenosis, 785
 LOD score, 202 (L)
 Log-linear model, 969
 Longevity, 1008 (R), 1525
 Loss of function, 111
 Loss of heterozygosity, 1475
 Lou Gehrig disease, 633
 Low-density lipoprotein, 406
 Lymphangiomyomatosis, 810
 Lymphoma, 334
 Lysosomal storage disease, 64
 Lysosomes, 53
- Macular dystrophy, 192 (L)
 Major histocompatibility complex, 985 (L), 986 (L)
 Male offspring, 1493
 Malignant hyperthermia susceptibility, 599
 Mannose-binding proteins, 6 (R)
 Mapping
 - Genetic, 1460
 - Refined, 890
 - mariner*-like element, 1023
 Marker(s), 1180
 - Chromosome, 925

- Mutations, 1260
- Marshall syndrome, 816
- Mate choice, 985 (L), 986 (L)
- Maternal-fetal circulation, 763
- Maternal-fetal compatibility, 1 (R)
- Maternal plasma, 768
- Maternal serum, 768
- Maximum likelihood, 459
 - Estimation, 969
- Means test, 1228
- Media, science, 979
- Mediterranean, 484 (L)
- Meiotic recombination, 1484
- Membranous lipodystrophy, 362
- MEN1 (see Multiple endocrine neoplasia type 1)
- Mennonites, 865
- Menopause, early, 533
- Mental retardation, 1092
- MERRF (see Myoclonic epilepsy with ragged red fibers)
- Metabolism
 - Disorders, 765 (E)
 - Mitochondrial energy, 262
 - Rate, 659
- Methylation, 1269 (R)
- Methylenetetrahydrofolate reductase, 1044, 1258
- MHC (see Major histocompatibility complex) 985 (L), 986 (L)
- Microcoria, congenital, 1117
- Microphthalmia, 1113
- Microsatellite(s), 1077, 1189, 1408
- Minimum efficient processing segments, 1023
- Mitochondrial disease, 196 (L), 745 (R), 752, 758 (R)
- Mitochondrial genetics, 15 (E), 196 (L), 492
- Mitochondrion, 435
- Mitosis, 509 (R)
- Mitral valve prolapse, 627
- Mode of inheritance, 202 (L)
- Molecular analysis, 1500
- Molecular complementation, 723 (L)
- Molecular cytogenetics, 925
- Mosaicism, 610, 937
- Motor-neuron disorders, 633
- Mouse, 1282 (R)
- MRXS8 (Renpenning syndrome), 1092
- mtDNA, 27, 196 (L), 435, 492, 717 (L), 752, 1153
 - Polymorphism(s), 420
 - Variation, 1137
- MTHFR (see Methylenetetrahydrofolate reductase)
- Mucopolysaccharidosis, 53
 - Type III, 64
- Multifactorial/threshold model, 1262 (L)
- Multiple endocrine neoplasia type 1, 232
- Multiple epiphyseal dysplasia, 311
- Multiple exostoses, 346
- Multiple sclerosis, 373, 994 (L), 996 (L)
- Multipoint methods, 1198
- Multistep tumorigenesis, 1475
- Muscular dystrophy, 941
 - Tibial, 620
- Mutagenesis, 1282 (R)
- Mutagenic treatment, 25 (E)
- Mutation(s), 77, 98, 192 (L), 286, 295, 301, 311, 715 (L), 765 (E), 776, 792, 1052, 1302, 1332, 1341, 1361, 1370, 1381, 1408
- Age, 1062
- Analysis, 53, 346, 593, 676, 785, 1353
 - DAX1*, 855
- Detection, rapid assays, 86
- Founder, 1544 (L)
- Mitochondrial, 15 (E), 745 (R)
- Origin, 1381
- Parental origin, 1034
- Screening, 1252 (L)
- Testing, 195 (L)
- Mycobacterial infection, 723 (L)
- Myoclonic epilepsy with ragged red fibers, 745 (R)
- Myopathy, mitochondrial, 262
- Myotonic dystrophy, 278, 1389
- N-glycosylation, 542
- NADPH oxidase, 1320
- NAGLU, mutations, 64
- Nasu-Hakola disease, 362
- Native Americans, 136, 1153
- Nature/nurture, 224
- Navajo, 136
- Neolithic gene flow, 488 (L), 491 (L)
- Neural networks, 941
- Neural-tube defects, 1044, 1258
- Neurocritopathy, 715 (L)
- Neurofibromatosis, 834
 - Type 1, 269, 834
- Neuronal apoptosis-inhibitory protein, 485, 486
- Neutropenia, 400
- NF1 (see Neurofibromatosis type 1)
- Night blindness, 865
- NKCC2, 1332
- Nonparametric-linkage analysis/test, 728 (L), 1228
- Nonparametric methods, 202 (L)
- Nonradioactive-mutation analysis, 542
- Nonsense mutation, 713 (L)
- Nonsyndromic neurosensory deafness, 792
- Normal-tension primary open-angle glaucoma, 641
- Notch signaling pathway, 1361
- Nuclear hormone receptor, *DAX1*, 855
- Nuclear transport, 509 (R)
- Null allele(s), 98

- Nutrient partitioning, 659
- Obesity, 659
Observed likelihood, 738
Ocular albinism, 800
Oligogenes, 690
Oocyte, 717 (L), 1269 (R)
Oogenesis, 533
Origin, Europeans, 1137
Ossification, posterior longitudinal ligament, 1460
Osteochondrodysplasia, 311
Osteogenesis imperfecta, 98
Ovarian cancer, 676, 713 (L), 1381, 1544 (L)
Ovarian dysgenesis, 533
Ovarian failure, 533
Ovarian function, 189 (L)
Oxidation hypothesis, 20 (E)
- P1 artificial chromosome contig, 890
Palatal defects, 130
Paleolithic gene flow, 488 (L), 491 (L)
Pancreas, 232
Paracentric inversion, 1484
Paraoxonase, 20 (E), 36
Parathyroids, 232
Parent-of-origin, 925
Effect, 916
Parental origin, 1493
Parkinson disease, 758 (R)
Parthenogenesis, 937
PCR method, 842
Pedigree(s)
Errors, 181
Pedigree structure, 739
Penetrance, 610
Perfect pitch, 221 (E), 224
Periodic fever, 884
Peripherin/RDS, 192 (L)
Permutable populations, 698
Permutation tests, 950
Peroxisome, 1539 (L)
Biogenesis disorder, 1539 (L)
Peutz-Jeghers syndrome, 1020 (E)
PEX, 1539 (L)
Phagocyte, 1320
Phenotype, 800
Genotype correlation, 834
Phenylalanine, 776
Phosphomannomutase, 542
Phosphomannose isomerase, 1535
Photoreceptor degeneration, 503 (R)
Phylogenetic analysis, 492, 1507
Pili torti, 1107
Pima Indians, 659
- Pitch perception, 221 (E)
Pituitary tumors, 232
Placental barrier, 763
Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy (PLO-SL), 362
Point mutation, 717 (L)
Polymorphism, 36, 484 (L), 776
Multiple sclerosis, 373
Polyposis, 1129
PON1, 36
PON2, 36
Population(s), 991 (L)
Finnish, 1171
Genetics, 776
Models, 726 (L), 731 (L)
Structure, 420
Substructure, 1171
Positional cloning, 950
Power, 205 (L), 1212
pre-mRNA secondary structure, 269
Pregnancy, 1 (R)
Premature-termination codon, 98
Prenatal diagnosis, 768, 800
Presenilin-1, 70
Primary congenital glaucoma, 325, 573
PRKCG, 1248 (L)
Programmed cell death, 514 (R)
Proliferative advantage, 1555 (L), 1557 (L)
Promoter, 484 (L)
Prostate cancer, 653, 1416, 1425
Protein kinase C, 1248 (L)
Protein-truncation mutation screening, 86
Pseudoachondroplasia, 311
Psychiatric disorder, 1084, 1548 (L)
PTEN, 1020 (E)
Pycnodysostosis, 848
Pyruvate carboxylase, 1312
- Quantitative PCR, 768
Quantitative-trait loci, 962
- Radioresistant DNA synthesis, 551
Radiosensitivity, 551
Radiotherapy, 45
Receptors, 373
Recessive deafness/hearing loss, 792, 904
Recessive disease, 542
Relative-pair methods, 728 (L)
Renpenning syndrome, 1092
RENS1, 1092
Repeat-expansion detection, 1548 (L)
Replicative senescence, 1003 (R)
Respiratory failure, 1439
Response, antibody, 215 (R)

- RET*, 715 (L)
 Signaling pathway, 715 (L)
Retina, 1248 (L)
 Degeneration, 192 (L)
Retinitis pigmentosa, 503 (R), 1248 (L), 1452
Retinoblastoma, 610
Rigid-spine syndrome, 1439
Risk factor, 1044
RP11, 1248 (L)
rRNA, 27
Ryanodine receptor, 599
RYR1, mutations, 599
- Saami*, 1137
Saethre-Chotzen syndrome, 1370
Sample size, 962
Sanfilippo syndrome, 53, 64
Saudi Arabia, 295, 325
Scottish BRCA1/2, 1543 (L)
Season of birth, 1262 (L)
Segregation analysis, 738
Senescence, 1003 (R), 1008 (R), 1015 (R)
Sensorineural deafness, 27, 355, 1123
7-Biopterin, 1302
Severe combined immunodeficiency disease, 136
Sex, 1262 (L)
 Reversal, 189 (L)
Sex-linked disorders, 768
shaker-2, 904
Short tandem repeat, 1408
 Polymorphism, 1507
Sib pair(s), 181, 204 (L), 406
 Affected, 205 (L)
 Linkage, 1460
 Statistics, 728 (L)
Sibship test, 450
Significance, 994 (L)
 Level(s), 690, 996 (L)
Simple tandem-repeat polymorphism, 1389
Simulation(s), 994 (L), 996 (L)
 Studies, 171
Single step, 1408
Single-strand conformational analysis, 286
Situs inversus, 1551 (L)
Skeletal dysplasia, 816
Slippage rate, 1408
Smooth-muscle cell, 253
Sperm, 1269 (R)
 Typing, 1484
Spermatogenesis, 6 (R)
Spinal muscular atrophy, 485, 486
Spinal neurofibromatosis, 834
Splice effectors, 269
Splice-site mutation(s), 70, 585
- SSCP*, 1034, 1361
Statistical genetics, 181
Statistical power, 202 (L), 1228
Statistics, 459
Sterility, 533
Stop mutations, 269
STRP (see *Simple tandem-repeat polymorphism*)
Sulfatases, 562
Survival motor neuron, 485, 486
- T cells*, 373, 1003 (R)
TAP, 215 (R)
Teeth, 987 (L)
Temperature sensitivity, 1539 (L)
Teratogenicity, 25 (E)
Testing, genetic, 736 (L)
Tetrahydrobiopterin, 1302
Threshold, 994 (L)
Tibial muscular dystrophy, 620
Tocopherol transfer protein, 301
Topoisomerase, 253
Transcript defect, 713 (L)
Transcription, 77
 Defective/deficient, 111, 713 (L)
Transcriptional coactivator DCoH, 1302
Transferrin, 542
Transglutaminase, 1052
Translocation, 1475
Transmission-ratio distortion, 1493
Transmission/disequilibrium test, 450, 703, 969
Triglyceride, 406
Trinucleotide expansions, 1548 (L)
True likelihood, 738
TSC1, 810
TSC2, 286, 810
Tuberous sclerosis complex, 286, 810
Turner syndrome, 533
Twins, 406
TWIST, 1370
Two-stage strategy, 205 (L)
Type I error, 202 (L)
 Rate, 1212
- UBE3A*, 1353
Ubiquitin, 1353
UDP-glucuronosyltransferase, 585
Uridinediphosphoglucuronate glucuronosyltransferase, 585
Uniparental disomy, 848, 1551 (L)
Urogenital defects, 130
Urogenital development, 824
- Vaccines*, 215 (R)

- Valvular dystrophy, 627
van Buchem disease, 391
Variance-component linkage analysis, 1198
Variegate porphyria, 1254 (L)
Virus resistance, 211 (R)
Vitamin E deficiency, 301
von Gierke disease, 400
von Hippel–Lindau disease, 1475

Wilson disease, 484 (L), 484 (L)
- WT1* mutations, 824
X chromosome, 122, 800, 865, 1092
 Inactivation, familial/skewed, 1555 (L), 1557 (L)
 Linkage, disease, 122, 627, 865, 1320
 Rearrangements, 533

Y chromosome, 1171
 Polymorphisms, 420
YAC contig, 890

Zonular pulverulent cataract, 526