

Erratum

Yukawa coupling corrections to the decay $H^+ \rightarrow W^+ A^0$

A. Akeroyd^{1,a}, A. Arhrib^{2,3,4,b}, E. Naimi^{3,4}

¹ Departamento de Física Teórica, IFIC/CSIC, Universidad de Valencia, Burjassot 46100, Valencia, Spain

² Departamento de Física-CENTRA, Instituto Superior Técnico Av Rovisco Pais 1, 1096 Lisboa Codex, Portugal

³ Département de Mathématiques, Faculté des Sciences et Techniques B.P 416, Tanger, Morocco

⁴ UFR-High Energy Physics, Physics Department, Faculty of Sciences PO Box 1014, Rabat-Morocco

Eur. Phys. J. C 12, 451–460 (2000)

Published online: 10 December 1999

Erratum published online: 14 April 2000 – © Springer-Verlag 2000

DOI 10.1007/s100529900266

Figure 3 erroneously showed that current measurements of the ρ parameter strongly favour $M_{H^\pm} \geq M_A$. The formula in the fortran code used to generate the figure was incorrectly input, and contained a sign error with respect

to that displayed in [28]. Redrawing the figure with the correct formula shows no preference for $M_{H^\pm} \geq M_A$, with $M_A \geq M_{H^\pm}$ being permitted even for mass splittings of up to 700 GeV. The main results of the paper are unaffected.

^a e-mail: akeroyd@ccthmail.kek.jp

^b e-mail: arhrib@fstt.ac.ma