

INDEX TO AUTHORS

A

- Abe, Keiko. See *Matsumoto, Emori, and Arai*, 464
 Abe, Koji. See *Tanaka, Akatsuka, Murakami, Ogoma, and Kondo*, 206
 Abe, T.K. See *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Ueda, Kuwano, Hikawa, Ichimura, Omata, and Horigome*, 881
 Abe, Y. See *Motoshima, Mine, Masumoto, Iwashita, Hashimoto, Chijiwa, Ueda, and Imoto*, 1076
 Abeliovich, A. See *Nejidat and Shmueli*, 957
 Abid, M.R., Sasaki, K., Titani, K., and Miyazaki, M. Biochemical and Immunological Characterization of Deoxyhypusine Synthase Purified from the Yeast *Saccharomyces carlsbergensis*, 769
 Abiru, N. See *Matsuba, Yano, Takino, Akazawa, Nagataki, and Yasukawa*, 20
 Aiba, K., Fang, H., Yamaguchi, N., Tanaka, Y., and Urushihara, H. Isoforms of gp138, a Cell-Fusion Related Protein in *Dictyostelium discoideum*, 238
 Aikawa, J. See *Park, Nishiyama, Horinouchi, and Beppu*, 118
 Aizawa, S. See *Kano, Watanabe, Takeda, and Akaike*, 677
 Akaike, T. See *Kano, Watanabe, Takeda, and Aizawa*, 677
 —. See *Park, Takei, Goto, Maruyama, Kobayashi, and Kobayashi*, 997
 Akamatsu, T. See *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Nagamune, and Matsuda*, 941
 Akatsuka, T. See *Tanaka, Murakami, Ogoma, Abe, and Kondo*, 206
 Akazawa, S. See *Matsuba, Yano, Abiru, Takino, Nagataki, and Yasukawa*, 20
 Akita, H. See *Imamura, Koga, Migita, Ryu, Otagiri, and Nozawa*, 705
 Amano, F. See *Noda*, 38
 Aoki, T., Koike, T., Nakano, T., Shibahara, K., Kondo, S., Kikuchi, H., and Honjo, T. Induction of Bip mRNA upon Programmed Cell Death of Differentiated PC12 Cells as Well as Rat Sympathetic Neurons, 122
 Aoyagi, M. See *Inoue and Arai*, 633
 Arai, H. See *Katai, Segawa, Haga, Morita, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, and Takeda*, 50
 Arai, K. See *Madoiwa, Ueda, Ishizuka, Mimuro, Asakura, Matsuda, and Sakata*, 278
 Arai, Shigeki. See *Sakoda, Suzuki, Imagawa, Nishikawa, and Nishihara*, 89
 Arai, Soichi. See *Matsumoto, Emori, and Abe*, 464
 —. See *Satsu, Watanabe, and Shimizu*, 1082
 Arai, Takao. See *Yanagisawa, Naito, Kuroiwa, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, and Tominaga*, 95
 Arai, Toshihiko. See *Inoue and Aoyagi*, 633
 Arakawa, T. See *Nakaguchi, Philo, Wen*,

Ishimoto, and Yamaguchi, 350

—. See *Horan, Martin, Simonet, and Philo*, 370

Araki, S. See *Miao, Kaji, and Hayashi*, 612
 Arata, Y., Hirabayashi, J., and Kasai, K. The Two Lectin Domains of the Tandem-Repeat 32-kDa Galectin of the Nematode *Caenorhabditis elegans* Have Different Binding Properties: Studies with Recombinant Protein, 1002

Ariga, H. See *Beppu, Imamura, Tashiro, Towatari, and Kido*, 309

Ariki, M., Tanabe, O., Usui, H., Hayashi, H., Inoue, R., Nishito, Y., Kagamiyama, H., and Takeda, M. Identification of Autophosphorylation Sites in c-Yes Purified from Rat Liver Plasma Membranes, 104

Asakura, S. See *Madoiwa, Arai, Ueda, Ishizuka, Mimuro, Matsuda, and Sakata*, 278

Asaoka, Y. See *Kadotani, Nishiuma, Nanhoshi, Tsujishita, Ogita, Nakamura, and Kikkawa*, 1047

Asazuma, N. See *Yatomi, Igarashi, Yang, Hisano, Qi, Satoh, Ozaki, and Kume*, 969

B

Bae, S.K. See *Kim and Kim*, 15

Baek, S.H. See *Woo, Lee, Yoo, Cho, Kang, and Chung*, 684

Bando, M., Ijuin, S., Hasegawa, S., and Horikoshi, M. The Involvement of the Histone Fold Motifs in the Mutual Interaction between Human TAF_{II}80 and TAF_{II}22, 591

Barone, G. See *Catanzano, Gambuti, and Graziano*, 568

Bauer, B.L. See *Jennemann and Wiegandt*, 150

Benelli, B. See *Ghelli and Esposti*, 746

Beppu, T. See *Park, Aikawa, Nishiyama, and Horinouchi*, 118

—. See *Ohnishi and Horinouchi*, 902

Beppu, Y., Imamura, Y., Tashiro, M., Towatari, T., Ariga, H., and Kido, H. Human Mucus Protease Inhibitor in Airway Fluids Is a Potential Defensive Compound against Infection with Influenza A and Sendai Viruses, 309

Buckley, S. See *Smolich, Vo, Plowman, and Papkoff*, 382

C

Catanzano, F., Gambuti, A., Graziano, G., and Barone, G. Interaction with D-Glucose and Thermal Denaturation of Yeast Hexokinase B: A DSC Study, 568

Chang, C.-C. See *Lin, Leu, and Chang*, 690

Chang, L.-S. See *Lin, Leu, and Chang*, 690

Chen, E.C.F. See *Tzen, Peng, Cheng, and Chiu*, 762

Cheng, D.-J. See *Tzen, Peng, Chen, and Chiu*, 762

Chi, C.-W. See *Luo and Lu*, 991

Chijiwa, Y. See *Motoshima, Mine, Masumoto, Abe, Iwashita, Hashimoto, Ueda*,

and Imoto, 1076

Chiu, J.M.H. See *Tzen, Peng, Cheng, and Chen*, 762

Cho, C.M. See *Woo, Baek, Lee, Yoo, Kang, and Chung*, 684

Chon, Y.-S. See *Maeda, Kandori, Yamazaki, Nishimura, Hatanaka, Sasaki, Needleman, and Lanyi*, 399

Chow, L.-P. See *Kawakami, Kamo, Takanoto, Miyazaki, Ueno, and Tsugita*, 68

Chung, C.H. See *Woo, Baek, Lee, Yoo, Cho, and Kang*, 684

Corso, G. See *Napoli, Mancini, Malorni, Crescenzi, Postiglione, and Palumbo*, 1096

Crescenzi, E. See *Napoli, Mancini, Corso, Malorni, Postiglione, and Palumbo*, 1096

D

Daimon, S. See *Osada, Ikeda, Nishihara, Yano, Yamasaki, and Imagawa*, 355

Dou, F. See *Zhou, Jiang, Zhu, and Xu*, 930

E

Ek, B. See *Janson and Ek*, 112

Ek, P. See *Janson and Ek*, 112

Ellouze, C., Piot, F., and Takahashi, M. Use of Fluorescein-Labeled Oligonucleotide for Analysis of Formation and Dissociation Kinetics of T:A:T Triple-Stranded DNA: Effect of Divalent Cations, 521

Ellouze, C., Nordén, B., and Takahashi, M. Dissociation of Non-Complementary Second DNA from RecA Filament without ATP Hydrolysis: Mechanism of Search for Homologous DNA, 1070

Emori, Y. See *Matsumoto, Abe, and Arai*, 464

Endo, Kazuyasu. See *Nagai, Harigae, Furuya, Munakata, Hayashi, Sassa, and Yamamoto*, 487

Endo, Keiji. See *Liu, Yoshimura, Esaki, and Soda*, 1155

Engel, J.D. See *Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rassoulzadegan, and Yamamoto*, 251

Enyjoji, K. See *Hagihara, Ômasa, Katakura, Suga, Igarashi, Matsuura, Kato, Yoshimura, and Goto*, 128

Ermler, U. See *Shima, Goubeaud, Vinzenz, and Thauer*, 829

Esaki, N. See *Liu, Yoshimura, Endo, and Soda*, 1155

Esposti, M.D. See *Ghelli and Benelli*, 746

F

Fang, H. See *Aiba, Yamaguchi, Tanaka, and Urushihara*, 238

Feng, Y. See *Liu, Nemoto, and Uemura*, 961

Fujii, T. See *Yamamoto, Hara, Tomoo, Ishida, Hata, Murata, and Kitamura*, 974

Fujii-Kuriyama, Y. See *Kojima, Kobayashi, Gotoh, Ohkuma, and Sogawa*, 389

Fujimoto, H. See *Umeshara, Kida, Hasegawa, and Horikoshi*, 598

Fujimoto, Z., Mizuno, H., Kuno, A., Yoshida,

F (cont'd)

- S., Kobayashi, H., and Kusakabe, I. Crystallization and Preliminary X-Ray Crystallographic Study of *Streptomyces olivaceo-viridis* E-86 β -Xylanase, 826
 Fujimura, Y. See Matsui, Kunishima, Hamako, Katayama, Kamiya, Naoe, Ozeki, and Titani, 376
 Fujisawa, H. See Okuno and Kitani, 155
 —. See Kitani and Okuno, 804
 Fujita, H. See Takahashi, Hara, Ogawa, Kimura, and Shibahara, 1162
 Fukai, F., Hasebe, S., Ueki, M., Mutoh, M., Ohgi, C., Takahashi, H., Takeda, K., and Katayama, T. Identification of the Anti-Adhesive Site Buried within the Heparin-Binding Domain of Fibronectin, 189
 Fukui, T. See Nakagawa, Okaya, Yatsunami, Tanaka, Ohtsu, Watanabe, and Ichikawa, 935
 Fukui, Y. See Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, and Takeda, 50
 Fukushima, K., Ohkura, T., and Yamashita, K. Synthesis of Lipid-Linked Oligosaccharides Is Dependent on the Cell Cycle in Rat 3Y1 Cells, 415
 Funasaki, N. See Neya, Hori, Imai, Kawamura-Konishi, Suzuki, Shiro, and Iizuka, 654
 Furukawa, Y. See Yanagisawa, Naito, Kuroiwa, Arai, Tomizuka, Miura, Kasahara, Tetsuka, and Tominaga, 95
 Furuyama, K. See Nagai, Harigae, Munakata, Hayashi, Endo, Sassa, and Yamamoto, 487
 Futai, M. See Nishi, Kubo, Hasebe, and Maeda, 922
 —. See Sambongi, Wakabayashi, Yoshimizu, Omote, and Oka, 1169

G

- Gambuti, A. See Catanzano, Graziano, and Barone, 568
 Geng, M. See Luo, Noujaim, and Madiyakan, 831
 Ghelli, A., Benelli, B., and Esposti, M.D. Measurement of the Membrane Potential Generated by Complex I in Submitochondrial Particles, 746
 Gohda, K., Matsuo, N., Oda, Y., Ikebara, M., and Uesugi, S. Effects of 2'-Substituents of the First Deoxyguanosine Residue in the Recognition Sequence on EcoRI Restriction Endonuclease Activity, 219
 Gohshi, T. See Kawahire, Takeuchi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, and Horigome, 881
 Goto, K., Yoshida, K., Suzuki, Y., Yamamoto, K., and Sinohara, H. Molecular Cloning and Sequencing of cDNA Encoding Plasma Countertrypsin, a Member of Mammalian Fetuin Family, from the Mongolian Gerbil, *Meriones unguiculatus*, 619
 Goto, M. See Park, Takei, Maruyama, Kobayashi, Kobayashi, and Akaike, 997
 Goto, Y. See Hagiwara, Enyoji, Ômasa, Katakura, Suga, Igarashi, Matsuura, Kato, and Yoshimura, 128
 Gotoh, O. See Kojima, Kobayashi, Ohkuma,

- Fujii-Kuriyama, and Sogawa, 389
 Goubeaud, M. See Shima, Vinzenz, Thauer, and Ermler, 829
 Graziano, G. See Catanzano, Gambuti, and Barone, 568
 Gu, L. See Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Rassoulzadegan, Engel, and Yamamoto, 251

H

- Haga, H. See Katai, Segawa, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, and Takeda, 50
 Hagiwara, Y., Enyoji, K., Ômasa, T., Katakura, Y., Suga, K., Igarashi, M., Matsuura, E., Kato, H., Yoshimura, T., and Goto, Y. Structure and Function of the Recombinant Fifth Domain of Human β_1 -Glycoprotein I: Effects of Specific Cleavage between Lys77 and Thr78, 128
 Hamako, J. See Matsui, Kunishima, Katayama, Kamiya, Naoe, Ozeki, Fujimura, and Titani, 376
 Hanzawa, H., Haruyama, H., Konishi, K., Watanabe, K., and Tsurufuji, S. Subunit Association and Monomer Structure of CINC/Gro Revealed by 1 H-NMR, 835
 Hara, A. See Taketomi, Uemura, Kurahashi, and Sugiyama, 264
 Hara, E. See Takahashi, Ogawa, Kimura, Fujita, and Shibahara, 1162
 Hara, M. See Hayashi, 978
 Hara, T. See Yamamoto, Tomoo, Ishida, Fujii, Hata, Murata, and Kitamura, 974
 Harada, K. See Irie, Ohgi, Iwama, Koizumi, Sasayama, Yano, Udagawa, and Kawasaki, 849
 Harada, S. See Kurisu, Kinoshita, Sugimoto, Nagara, Kai, and Kasai, 304
 Harada, Y., Tominaga, N., Watanabe, M., Shimokawa, R., Ishiguro, M., and Sakakibara, R. Inhibition of Fructose-6-Phosphate,2-Kinase by N-Bromoacetyl ethanolamine Phosphate *In Vitro* and *In Vivo*, 724
 Harashima, S. See Yamazaki, Sakaguchi, and Mihara, 8
 —. See Magbanua, Ogawa, and Oshima, 1182
 Harigae, H. See Nagai, Furuyama, Munakata, Hayashi, Endo, Sassa, and Yamamoto, 487
 Haruyama, H. See Hanzawa, Konishi, Watanabe, and Tsurufuji, 835
 Hasebe, M. See Nishi, Kubo, Maeda, and Futai, 922
 Hasebe, S. See Fukai, Ueki, Mutoh, Ohgi, Takahashi, Takeda, and Katayama, 189
 Hasegawa, S. See Bando, Ijuin, and Horikoshi, 591
 —. See Umehara, Kida, Fujimoto, and Horikoshi, 598
 Hashimoto, M., Yasuoka, J., Suda, Y., Tada, H., Yoshida, T., Kotani, S., and Kusumoto, S. Structural Feature of the Major but Not Cytokine-Inducing Molecular Species of Lipoteichoic Acid, 779
 Hashimoto, Sadamitsu. See Tanimoto, Onishi, and Kizaki, 542
 Hashimoto, Satoshi. See Takita, Ohkubo, Muto, Shimizu, Sukata, Inouye, Hiromi, and Tonomura, 244
 Hashimoto, T. See Jiang, Miyazawa, and

- Souri, 364
 —. See Jiang, Kurosawa, Sato, and Suzuki, 506
 Hashimoto, Y. See Motoshima, Mine, Masumoto, Abe, Iwashita, Chijiwa, Ueda, and Imoto, 1076
 Hata, Y. See Yamamoto, Hara, Tomoo, Ishida, Fujii, Murata, and Kitamura, 974
 Hatakeyama, T. See Oda, Tsuru, Nagatomo, Muramatsu, and Yamasaki, 560
 —, Miyamoto, Y., Nagatomo, H., Sallay, I., and Yamasaki, N. Carbohydrate-Binding Properties of the Hemolytic Lectin CEL-III from the Holothuroidea *Cucumaria echinata* as Analyzed Using Carbohydrate-Coated Microplate, 63
 Hatanaka, M. See Maeda, Kandori, Yamazaki, Nishimura, Chon, Sasaki, Needelman, and Lanyi, 399
 Hatori, K. See Honda, Tagami, and Matsuno, 47
 Hatsuzawa, K., Tagaya, M., and Mizushima, S. The Hydrophobic Region of Signal Peptides Is a Determinant for SRP Recognition and Protein Translocation across the ER Membrane, 270
 Hayashi, Hidenori, and Hara, M. 1-Alkenyl Group of Ethanolamine Plasmalogen Derives Mainly from *De Novo*-Synthesized Fatty Alcohol within Peroxisomes, but Not Extraperoxisomal Fatty Alcohol or Fatty Acid, 978
 Hayashi, Hideyuki. See Ariki, Tanabe, Usui, Inoue, Nishito, Kagamiyama, and Takeda, 104
 —. See Oue, Okamoto, Nakai, Nakahira, Shibatani, and Kagamiyama, 161
 —. See Nishino, Ishii, and Kagamiyama, 604
 —. See Okada, Hirotsu, Sato, and Kagamiyama, 637
 Hayashi, Hiroshi. See Miao, Kaji, and Araki, 612
 Hayashi, I., Yokogawa, T., Kawai, G., Ueda, T., Nishikawa, K., and Watanabe, K. Assignment of Imino Proton Signals of G-C Base Pairs and Magnesium Ion Binding: An NMR Study of Bovine Mitochondrial tRNA_{ser}^{CCU} Lacking the Entire D Arm, 1115
 Hayashi, K. See Mori, Kii, Tsuji, Nagahama, Imamaki, Akamatsu, Nagamune, and Matsuda, 941
 Hayashi, N. See Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Ito, Gu, Rassoulzadegan, Engel, and Yamamoto, 251
 —. See Nagai, Harigae, Furuyama, Munakata, Endo, Sassa, and Yamamoto, 487
 Hayashi, T. See Suda, Ogawa, Kashihara, Oikawa, Shimoyama, Tamura, and Kusumoto, 1129
 Hazekawa, I. See Tamaoki, Setoyama, Miura, Nishina, and Shiga, 1139
 —, Nishina, Y., Sato, K., Shichiri, M., Miura, R., and Shiga, K. A Raman Study on the C(4)=O Stretching Mode of Flavins in Flavoenzymes: Hydrogen Bonding at the C(4)-O Moiety, 1147
 Hazeki, O. See Tsujimoto, Kontani, Inoue, Hoshino, Malavasi, and Katada, 949
 Hemmi, H. See Ohnuma, Ohta, Nakane, and Nishino, 696
 Higaki, N. See Sha, Minakuchi, Sato, Oh-

- H (cont'd)
- tsuki, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, and Tanaka*, 842
- Higasa, T. See *Shirai, Tani, and Yasumoto*, 787
- Hikawa, A. See *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Ichimura, Omata, and Horigome*, 881
- Hirabayashi, J. See *Arata and Kasai*, 1002
- Hirabayashi, T. See *Watanabe, Takemasa, and Yonemura*, 212
- Hiraga, K. See *Seeram, Saji, Tashiro, and Oda*, 1088
- Hiramatsu, K., Miura, H., Sugimoto, K., Kamei, S., Iwasaki, K., and Kawakita, M. Preparation of Antibodies Highly Specific to *N¹,N⁸-Diacetylspermidine*, and Development of an Enzyme-Linked Immunosorbent Assay (ELISA) System for Its Sensitive and Specific Detection, 1134
- Hirochika, H. See *Matsumoto, Nakashima, Takase, and Mizuno*, 138
- Hiromi, K. See *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Sukata, Inouye, and Tonomura*, 244
- Hirotsu, K. See *Okada, Sato, Hayashi, and Kagamiyama*, 637
- Hisano, N. See *Yatomi, Igarashi, Yang, Qi, Asazuma, Satoh, Ozaki, and Kume*, 969
- Hisano, S. See *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Fukui, and Takeda*, 50
- Hisatomi, O. See *Mihara, Imamoto, Kataoka, and Tokunaga*, 876
- Homma, K. See *Ohtsuki, Kurata, and Natori*, 1176
- Honda, H., Tagami, N., Hatori, K., and Matsuno, K. Regulated Crosslinked Actin Filaments and the Decoupling between Their ATPase Activity and Sliding Motility, 47
- Honjo, T. See *Aoki, Koike, Nakano, Shibahara, Kondo, and Kikuchi*, 122
- Horan, T.P., Martin, F., Simonet, L., Ara-kawa, T., and Philo, J.S. Dimerization of Granulocyte-Colony Stimulating Factor Receptor: The Ig Plus CRH Construct of Granulocyte-Colony Stimulating Factor Receptor Forms a 2:2 Complex with a Ligand, 370
- Hori, H. See *Neya, Imai, Kawamura-Konishi, Suzuki, Shiro, Iizuka, and Funasaki*, 654
- Hori, N. See *Toda, Takeuchi, Ito, and Sato*, 1035
- Horigome, T. See *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, and Omata*, 881
- Horikoshi, K. See *Kato, Smorawinska, and Li*, 717
- Horikoshi, M. See *Bando, Ijuin, and Hasegawa*, 591
- . See *Umeshara, Kida, Hasegawa, and Fujimoto*, 598
- Horinouchi, S. See *Park, Aikawa, Nishiyama, and Beppu*, 118
- . See *Ohnishi and Beppu*, 902
- Horiuchi, M. See *Tomomura, Tomomura, Musa, Takiguchi, Mori, and Saeki*, 172
- Hoshino, S. See *Tsujimoto, Kontani, Inoue, Hazeki, Malavasi, and Katada*, 949
- Hosoya, H. See *Suzuki, Hosoya, Takahashi, and Kosaka*, 642
- Hosoya, N. See *Suzuki, Takahashi, Kosaka, and Hosoya*, 642
- Hung, P., Yamada, K., Lim, B.O., Mori, M., Yuki, T., and Sugano, M. Effect of Unsaturated Fatty Acids and α -Tocopherol on Immunoglobulin Levels in Culture Medium of Rat Mesenteric Lymph Node and Spleen Lymphocytes, 1054
- I
- Ichida, T. See *Takuma*, 1018
- Ichihara, K. See *Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, and Tanaka*, 842
- Ichihara-Tanaka, K. See *Nakanishi, Kadomatsu, Okamoto, Kojima, Saito, Tomoda, and Muramatsu*, 197
- Ichikawa, A. See *Nakagawa, Okaya, Yatsunaru, Tanaka, Ohtsu, Fukui, and Watanabe*, 935
- Ichikawa, K. See *Sakanoue, Nomura, and Tamura*, 29
- Ichimura, T. See *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Omata, and Horigome*, 881
- Igami, K. See *Yamaguchi and Kasai*, 432
- Igarashi, M. See *Haghara, Enyoji, Ômura, Katakura, Suga, Matsuura, Kato, Yoshimura, and Goto*, 128
- Igarashi, Y. See *Yatomi, Yang, Hisano, Qi, Asazuma, Satoh, Ozaki, and Kume*, 969
- Ihara, M. See *Ozaki, Ohwaki, Ishikawa, and Yano*, 440
- Ihara, Y. See *Yanagidani, Uozumi, Miyoshi, Yamaguchi, and Taniguchi*, 626
- Iizuka, T. See *Neya, Hori, Imai, Kawamura-Konishi, Suzuki, Shiro, and Funasaki*, 654
- Ijuin, S. See *Bando, Hasegawa, and Horikoshi*, 591
- Ikeda, K., Wachi, H., Seyama, Y., and Tajima, S. Effects of Monensin on Tropoelastin Metabolism in Vascular Smooth Muscle Cells: Monensin Causes Intracellular Degradation of Accumulated Tropoelastin, 5
- Ikeda, Takayuki. See *Osada, Daimon, Nishihara, Yano, Yamasaki, and Imagawa*, 355
- Ikeda, Toshitaro, Schmitt, B., Pouyssegur, J., Wakabayashi, S., and Shigekawa, M. Identification of Cytoplasmic Subdomains That Control pH-Sensing of the Na^+/H^+ Exchanger (NHE1): pH-Maintenance, ATP-Sensitive, and Flexible Loop Domains, 295
- Ikehara, M. See *Gohda, Matsuo, Oda, and Uesugi*, 219
- Imagawa, M. See *Sakoda, Suzuki, Arai, Nishikawa, and Nishihara*, 89
- . See *Osada, Daimon, Ikeda, Nishihara, Yano, and Yamasaki*, 355
- . See *Yamada, Tobita, Osada, and Nishihara*, 731
- Imahori, K. and Uchida, T. Physiology and Pathology of Tau Protein Kinases in Relation to Alzheimer's Disease, 179
- Imai, K. See *Neya, Hori, Kawamura-Konishi, Suzuki, Shiro, Iizuka, and Funasaki*, 654
- Imamaki, A. See *Mori, Kii, Tsuji, Nagahama, Hayashi, Akamatsu, Nagamune, and Matsuda*, 941
- Imamoto, Y. See *Mihara, Hisatomi, Kataoka, and Tokunaga*, 876
- Imamura, Yasuhiro. See *Beppu, Tashiro, Towatari, Ariga, and Kido*, 309
- Imamura, Yorishige, Koga, T., Migita, T., Ryu, A., Otagiri, M., Nozawa, M., and Akita, H. Characterization of Acetoxyhexamide Reductases Purified from Rabbit Liver, Kidney, and Heart: Structural Requirements for Substrates and Inhibitors, 705
- Imanishi, Y. See *Ito, Li, Takahashi, Okabayashi, Kido, and Kasuga*, 514
- Imoto, T. See *Motoshima, Mine, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, and Ueda*, 1076
- Inagaki, M., Inagaki, N., Takahashi, T., and Takai, Y. Phosphorylation-Dependent Control of Structures of Intermediate Filaments: A Novel Approach Using Site- and Phosphorylation State-Specific Antibodies, 407
- Inagaki, N. See *Inagaki, Takahashi, and Takai*, 407
- Inatome, R. See *Wang, Yanagi, Yang, and Yamamura*, 325
- Inoue, A. See *Nishita, Ojima, and Takahashi*, 419
- Inoue, H. See *Noumi, Sakurai, Tsuchiya, and Kanazawa*, 661
- Inoue, K., Arai, T., and Aoyagi, M. Real Time Observation of Binding of Herpes Simplex Virus Type 1 (HSV-1) to Vero Cells and Neutralization of HSV-1 by Sulfonated Human Immunoglobulin, 633
- Inoue, R. See *Ariki, Tanabe, Usui, Hayashi, Nishito, Kagamiyama, and Takeda*, 104
- Inoue, S. See *Tsujimoto, Kontani, Hoshino, Hazeki, Malavasi, and Katada*, 949
- Inouye, K. See *Lee and Tonomura*, 231
- . See *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Sukata, Hiromi, and Tonomura*, 244
- Irie, M., Ohgi, K., Iwama, M., Koizumi, M., Sasayama, E., Harada, K., Yano, Y., Udagawa, J., and Kawasaki, M. Role of Histidine 46 in the Hydrolysis and the Reverse Transphosphorylation Reaction of RNase Rh from *Rhizopus niveus*, 849
- Irimura, T. See *Yamamoto and Konami*, 756
- Isemura, S. and Saitoh, E. Nucleotide Sequence of Gene PBI Encoding a Protein Homologous to Salivary Proline-Rich Protein P-B, 1025
- Ishida, M. See *Suzuki, Tanaka, Ishizuka, Yamagishi, and Oshima*, 1031
- Ishida, T. See *Yamamoto, Hara, Tomoo, Fujii, Hata, Murata, and Kitamura*, 974
- Ishiguro, M. See *Harada, Tominaga, Watanabe, Shimokawa, and Sakakibara*, 724
- Ishihara, M., Kariya, Y., Kikuchi, H., Minamisawa, T., and Yoshida, K. Importance of 2-O-Sulfate Groups of Uronate Residues in Heparin for Activation of FGF-1 and FGF-2, 345
- Ishii, S. See *Nishino, Hayashi, and Kagamiyama*, 604
- Ishikawa, K. See *Ozaki, Ohwaki, Ihara, and Yano*, 440

- I (cont'd)
- Ishimoto, M. See Nakaguchi, Arakawa, Philo, Wen, and Yamaguchi, 350
- Ishino, H. See Itoga, Tsuchiya, and Shimoyama, 1041
- Ishiura, S. See Ono, Kinouchi, Sorimachi, and Suzuki, 585
- Ishizuka, Masahiro. See Madoiwa, Arai, Ueda, Mimuro, Asakura, Matsuda, and Sakata, 278
- Ishizuka, Morio. See Suzuki, Tanaka, Ishida, Yamagishi, and Oshima, 1031
- Isobe, T. See Takagi, Takada, and Saito, 914
- Ito, E. See Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Gu, Rassoulzadegan, Engel, and Yamamoto, 251
- Ito, K. See Toda, Takeuchi, Hori, and Sato, 1035
- Ito, Y., Li, J.-S., Takahashi, T., Imanishi, Y., Okabayashi, Y., Kido, Y., and Kasuga, M. Enhancement of the Mitogenic Effect by Artificial Juxtacrine Stimulation Using Immobilized EGF, 514
- Itoga, M., Tsuchiya, M., Ishino, H., and Shimoyama, M. Nitric Oxide-Induced Modification of Glyceraldehyde-3-Phosphate Dehydrogenase with NAD⁺ Is Not ADP-Ribosylation, 1041
- Itoh, H. See Tsuruga, Takita, Wakisaka, and Kuboki, 317
- Iwama, M. See Irie, Ohgi, Koizumi, Sasaki, Harada, Yano, Udagawa, and Kawasaki, 849
- Iwamatsu, A. See Kim, Tamanoue, Jeohn, Yokota, Kim, Takahashi, and Takahashi, 82
- Iwasaki, K. See Hiramatsu, Miura, Sugimoto, Kamei, and Kawakita, 1134
- Iwashita, H. See Motoshima, Mine, Masumoto, Abe, Hashimoto, Chijiwa, Ueda, and Imoto, 1076
- J
- Janson, I.M., Ek, B., and Ek, P. Phosphorylation of CaBP1 and CaBP2 by Protein Kinase CK2, 112
- Jennemann, R., Bauer, B.L., and Wiegandt, H. The Degradation of Glycosphingolipids by Air, 150
- Jeohn, G.-H. See Kim, Tamanoue, Iwamatsu, Yokota, Kim, Takahashi, and Takahashi, 82
- Jiang, L.L., Miyazawa, S., Souris, M., and Hashimoto, T. Structure of D-3-Hydroxyacyl-CoA Dehydratase/D-3-Hydroxyacyl-CoA Dehydrogenase Bifunctional Protein, 364
- Jiang, L.L., Kurosawa, T., Sato, M., Suzuki, Y., and Hashimoto, T. Physiological Role of D-3-Hydroxyacyl-CoA Dehydratase/D-3-Hydroxyacyl-CoA Dehydrogenase Bifunctional Protein, 506
- Jiang, X. See Zhou, Dou, Zhu, and Xu, 930
- K
- Kadomatsu, K. See Nakanishi, Okamoto, Ichihara-Tanaka, Kojima, Saito, Tomoda, and Muramatsu, 197
- Kadotani, M., Nishiuma, T., Nanahoshi, M., Tsujishita, Y., Ogita, K., Nakamura, S., Kikkawa, U., and Asaoka, Y. Characteriza-
- tion of Tyrosine-Phosphorylated δ Isoform of Protein Kinase C Isolated from Chinese Hamster Ovary Cells, 1047
- Kagamiyama, H. See Ariki, Tanabe, Usui, Hayashi, Inoue, Nishito, and Takeda, 104
- . See Oue, Okamoto, Nakai, Nakahira, Shibatani, and Hayashi, 161
- . See Nishino, Hayashi, and Ishii, 604
- . See Okada, Hirotsu, Sato, and Hayashi, 637
- Kageyama, T. See Narita, Oda, Moriyama, and Takenaka, 1010
- Kai, Y. See Kurisu, Kinoshita, Sugimoto, Nagara, Kasai, and Harada, 304
- Kaji, K. See Miao, Hayashi, and Araki, 612
- Kambayashi, Y., Yamashita, S., Niki, E., and Yamamoto, Y. Oxidation of Rat Liver Phospholipids: Comparison of Pathways in Homogeneous Solution, in Liposomal Suspension and in Whole Tissue Homogenates, 425
- Kamei, S. See Hiramatsu, Miura, Sugimoto, Iwasaki, and Kawakita, 1134
- Kamisaka, Y., Mishra, S., and Nakahara, T. Purification and Characterization of Diacylglycerol Acyltransferase from the Lipid Body Fraction of an Oleaginous Fungus, 1107
- Kamisato, S., Uemura, Y., Takami, N., and Okamoto, K. Involvement of Intracellular Cyclic GMP and Cyclic GMP-Dependent Protein Kinase in α-Elastin-Induced Macrophage Chemotaxis, 862
- Kamiya, T. See Matsui, Kunishima, Hamako, Katayama, Naoe, Ozeki, Fujimura, and Titani, 376
- Kamiya, Y. See Suzuki, Okada, Zhu, Nakagawa, Kawamukai, and Matsuda, 496
- Kamo, M. See Kawakami, Takamoto, Miyazaki, Chow, Ueno, and Tsugita, 68
- Kanazawa, H. See Noumi, Inoue, Sakurai, and Tsuchiya, 661
- Kanazawa, M., Terada, K., Kato, S., and Mori, M. HSDJ, a Human Homolog of DnaJ, Is Farnesylated and Is Involved in Protein Import into Mitochondria, 890
- Kandori, H. See Maeda, Yamazaki, Nishimura, Hatanaka, Chon, Sasaki, Needelman, and Lanyi, 399
- Kang, M.-S. See Woo, Baek, Lee, Yoo, Cho, and Chung, 684
- Kanno, T. See Nishijyo, Kawada, Shiraiwa, and Takahara, 868
- Kano, A., Watanabe, Y., Takeda, N., Aizawa, S., and Akaike, T. Analysis of IFN-γ-Induced Cell Cycle Arrest and Cell Death in Hepatocytes, 677
- Kariya, Y. See Ishihara, Kikuchi, Minamisawa, and Yoshida, 345
- Kasahara, T. See Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Tetsuka, and Tominaga, 95
- Kasai, K. See Arata and Hirabayashi, 1002
- Kasai, M. See Yamaguchi and Igami, 432
- Kasai, N. See Kurisu, Kinoshita, Sugimoto, Nagara, Kai, and Harada, 304
- Kashihara, W. See Suda, Ogawa, Oikawa, Shimoyama, Hayashi, Tamura, and Kusumoto, 1129
- Kasuga, M. See Ito, Li, Takahashi, Imanishi, Okabayashi, and Kido, 514
- Katada, T. See Tsujimoto, Kontani, Inoue,
- Hoshino, Hazeki, and Malavasi, 949
- Katahira, M. See Sakamoto, Kim, Kurihara, Sasaki, Noguchi, and Uesugi, 288
- . See Sakamoto, Tanaka, Kuwabara, Kim, Kurihara, and Uesugi, 1123
- Katai, K., Segawa, H., Haga, H., Morita, K., Arai, H., Tatsumi, S., Taketani, Y., Miyamoto, K., Hisano, S., Fukui, Y., and Takeda, E. Acute Regulation by Dietary Phosphate of the Sodium-Dependent Phosphate Transporter (NaPi-2) in Rat Kidney, 50
- Katakura, Y. See Hagihara, Enyoji, Ōmura, Suga, Igarashi, Matsuura, Kato, Yoshimura, and Goto, 128
- Kataoka, M. See Mihara, Hisatomi, Imamoto, and Tokunaga, 876
- Katayama, M. See Matsui, Kunishima, Hamako, Kamiya, Naoe, Ozeki, Fujimura, and Titani, 376
- Katayama, T. See Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takahashi, and Takeda, 189
- Kato, C., Smorawinska, M., Li, L., and Horikoshi, K. Comparison of the Gene Expression of Aspartate β-D-Semialdehyde Dehydrogenase at Elevated Hydrostatic Pressure in Deep-Sea Bacteria, 717
- Kato, H. See Hagihara, Enyoji, Ōmura, Katakura, Suga, Igarashi, Matsuura, Yoshimura, and Goto, 128
- Kato, S. See Kanazawa, Terada, and Mori, 890
- Katoh, T. See Masato, Numata, Morita, and Yazawa, 225
- and Morita, F. Conformation and Activity of Smooth Muscle Myosin Probed by Various Essential Light Chains, 56
- Katsumata, K. See Okazaki and Kuwajima, 534
- Kawada, A. See Nishijyo, Kanno, Shiraiwa, and Takahara, 868
- Kawahire, S., Takeuchi, M., Gohshi, T., Sasagawa, S., Shimada, M., Takahashi, M., Abe, T.K., Ueda, T., Kuwano, R., Hikawa, A., Ichimura, T., Omata, S., and Horigome, T. cDNA Cloning of Nuclear Localization Signal Binding Protein NBP60, a Rat Homologue of Lamin B Receptor, and Identification of Binding Sites of Human Lamin B Receptor for Nuclear Localization Signals and Chromatin, 881
- Kawai, G. See Hayashi, Yokogawa, Ueda, Nishikawa, and Watanabe, 1115
- Kawakami, T., Kamo, M., Takamoto, K., Miyazaki, K., Chow, L.-P., Ueno, Y., and Tsugita, A. Bond-Specific Chemical Cleavages of Peptides and Proteins with Perfluoric Acid Vapors: Novel Peptide Bond Cleavages of Glycyl-Threonine, the Amino Side of Serine Residues and the Carboxyl Side of Aspartic Acid Residues, 68
- Kawakita, M. See Hiramatsu, Miura, Sugimoto, Kamei, and Iwasaki, 1134
- Kawamukai, M. See Suzuki, Okada, Kamiya, Zhu, Nakagawa, and Matsuda, 496
- Kawamura, S., Tanaka, I., Yamasaki, N., and Kimura, M. Contribution of a Salt Bridge to the Thermostability of DNA Binding Protein HU from *Bacillus stearothermophilus* Determined by Site-Directed Mutagenesis, 448
- Kawamura-Konishi, Y. See Neya, Hori, Imai,

- K (cont'd)
- Suzuki, Shiro, Iizuka, and Funasaki, 654
 Kawasaki, M. See Irie, Ohgi, Iwama, Kozumi, Sasayama, Harada, Yano, and Udagawa, 849
 Kida, S. See Umebara, Hasegawa, Fujimoto, and Horikoshi, 598
 Kido, H. See Beppu, Imamura, Tashiro, Towatari, and Ariga, 309
 Kido, Y. See Ito, Li, Takahashi, Imanishi, Okabayashi, and Kasuga, 514
 Kii, S. See Mori, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, Nagamune, and Matsuda, 941
 Kikkawa, U. See Kadotani, Nishiuma, Nanhoshi, Tsujishita, Ogita, Nakamura, and Asaoka, 1047
 Kikuchi, Haruhiko. See Aoki, Koike, Nakano, Shibahara, Kondo, and Honjo, 122
 Kikuchi, Hiroshi. See Ishihara, Kariya, Minamisawa, and Yoshida, 345
 Kim, H.-J., Tamanoue, Y., Jeohn, G.-H., Iwamatsu, A., Yokota, A., Kim, Y.-T., Takahashi, T., and Takahashi, K. Purification and Characterization of an Extracellular Metalloprotease from *Pseudomonas fluorescens*, 82
 Kim, J.-C., Bae, S.K., and Kim, J.-D. Temperature-Sensitivity of Liposomal Lipid Bilayers Mixed with Poly(*N*-Isopropyl-acrylamide-co-Acrylic Acid), 15
 Kim, J.-D. See Kim and Bae, 15
 Kim, M.H. See Sakamoto, Kurihara, Sasaki, Noguchi, Katahira, and Uesugi, 288
 —. See Sakamoto, Tanaka, Kuwabara, Kurihara, Katahira, and Uesugi, 1123
 Kim, Y.-T. See Kim, Tamanoue, Jeohn, Iwamatsu, Yokota, Takahashi, and Takahashi, 82
 Kimata, Y. See Oka, Mori, and Kohno, 578
 Kimura, D. See Takahashi, Hara, Ogawa, Fujita, and Shibahara, 1162
 Kimura, M. See Kawamura, Tanaka, and Yamasaki, 448
 —. See Kouzuma and Yamasaki, 456
 Kinoshita, H. See Soga, Ueda, and Tanaka, 25
 Kinoshita, T. See Kurisu, Sugimoto, Nagara, Kai, Kasai, and Harada, 304
 Kinoshita, K., Jr. See Miyata and Marriott, 527
 Kinouchi, T. See Ono, Sorimachi, Ishiura, and Suzuki, 585
 Kitagawa, Y. See Niimi and Miki, 854
 Kitajima, T. See Tomita and Yoshizato, 1061
 Kitamura, K. See Yamamoto, Hara, Tomoo, Ishida, Fujii, Hata, and Murata, 974
 Kitani, T. See Okuno and Fujisawa, 155
 —. Okuno, S., and Fujisawa, H. Studies on the Site of Phosphorylation of Ca^{2+} /Calmodulin-Dependent Protein Kinase (CaM-Kinase) IV by CaM-Kinase Kinase, 804
 Kizaki, H. See Tanimoto, Onishi, and Hashimoto, 542
 Kobayashi, A. See Kojima, Gotoh, Ohkuma, Fujii-Kuriyama, and Sogawa, 389
 Kobayashi, A. See Park, Takei, Goto, Maruyama, Kobayashi, and Akaike, 997
 Kobayashi, H. See Fujimoto, Mizuno, Kuno, Yoshida, and Kusakabe, 826
 Kobayashi, K. See Park, Takei, Goto, Maru-
- yama, Kobayashi, and Akaike, 997
 Kobayashi, Y., Nagatake, H., Shimozato, O., and Watanabe, N. Interaction of the Pre-Domain of Interleukin-1 with the Mature Domain, 896
 Kochi, H. See Sato, Takahashi, Konishi, and Suzuki, 711
 Koga, T. See Imamura, Migita, Ryu, Otagiri, Nozawa, and Akita, 705
 Kohno, K. See Oka, Kimata, and Mori, 578
 Koike, T. See Aoki, Nakano, Shibahara, Kondo, Kikuchi, and Honjo, 122
 Koizumi, M. See Irie, Ohgi, Iwama, Sasayama, Harada, Yano, Udagawa, and Kawasaki, 849
 Kojima, S., Kobayashi, A., Gotoh, O., Ohkuma, Y., Fujii-Kuriyama, Y., and Sogawa, K. Transcriptional Activation Domain of Human BTEB2, a GC Box-Binding Factor, 389
 Kojima, T. See Nakanishi, Kadomatsu, Okamoto, Ichihara-Tanaka, Saito, Tomoda, and Muramatsu, 197
 Konami, Y. See Yamamoto and Irimura, 756
 Kondo, S. See Aoki, Koike, Nakano, Shibahara, Kikuchi, and Honjo, 122
 Kondo, Y. See Tanaka, Akatsuka, Murakami, Ogoma, and Abe, 206
 Konishi, Kazuhiko. See Sato, Takahashi, Suzuki, and Kochi, 711
 Konishi, Kiyoshi. See Hanzawa, Haruyama, Watanabe, and Tsurufuji, 835
 Kontani, K. See Tsujimoto, Inoue, Hoshino, Hazeki, Malavasi, and Katada, 949
 Kosaka, T. See Suzuki, Hosoya, Takahashi, and Hosoya, 642
 Kotani, S. See Hashimoto, Yasuoka, Suda, Takada, Yoshida, and Kusumoto, 779
 Kotaru, M. See Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Masumura, Ichihara, and Tanaka, 842
 Kouzuma, Y., Yamasaki, N., and Kimura, M. The Tissue-Type Plasminogen Activator Inhibitor ETIa from *Erythrina variegata*: Structural Basis for the Inhibitory Activity by Cloning, Expression, and Mutagenesis of the cDNA Encoding ETIa, 456
 Kubo, K. See Nishi, Hasebe, Maeda, and Futai, 922
 Kuboki, Y. See Tsuruga, Takita, Itoh, and Wakisaka, 317
 Kume, S. See Yatomi, Igarashi, Yang, Hisano, Qi, Asazuma, Sato, and Ozaki, 969
 Kunishima, S. See Matsui, Hamako, Katayama, Kamiya, Naoe, Ozeki, Fujimura, and Titani, 376
 Kuno, A. See Fujimoto, Mizuno, Yoshida, Kobayashi, and Kusakabe, 826
 Kurahashi, H. See Taketomi, Hara, Uemura, and Sugiyama, 264
 Kurata, A. See Sha, Minakuchi, Higaki, Sato, Ohtsuki, Yoshikawa, Kotaru, Masumura, Ichihara, and Tanaka, 842
 Kurata, S. See Ohtsuki, Homma, and Natori, 1176
 Kurihara, Y. See Sakamoto, Kim, Sasaki, Noguchi, Katahira, and Uesugi, 288
 —. See Sakamoto, Tanaka, Kuwabara, Kim, Katahira, and Uesugi, 1123
 Kurisu, G., Kinoshita, T., Sugimoto, A., Nagara, A., Kai, Y., Kasai, N., and Harada,
- S. Structure of the Zinc Endoprotease from *Streptomyces caespitosus*, 304
 Kuroiwa, K. See Yanagisawa, Naito, Arai, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, and Tominaga, 95
 Kurosawa, T. See Jiang, Sato, Suzuki, and Hashimoto, 506
 Kusakabe, I. See Fujimoto, Mizuno, Kuno, Yoshida, and Kobayashi, 826
 Kusumoto, S. See Hashimoto, Yasuoka, Suda, Takada, Yoshida, and Kotani, 779
 —. See Suda, Ogawa, Kashihara, Oikawa, Shimoyama, Hayashi, and Tamura, 1129
 Kuwabara, T. See Sakamoto, Tanaka, Kim, Kurihara, Katahira, and Uesugi, 1123
 Kuwajima, K. See Okazaki and Katsumata, 534
 Kuwano, R. See Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Hikawa, Ichimura, Omata, and Horigome, 881
- L
- Lanyi, J.K. See Maeda, Kandori, Yamazaki, Nishimura, Hatanaka, Chon, Sasaki, and Needelman, 399
 Lee, J.I. See Woo, Baek, Yoo, Cho, Kang, and Chung, 684
 Lee, S.-B., Inouye, K., and Tonomura, B. The States of Tyrosyl Residues in Thermolysin as Examined by Nitration and pH-Dependent Ionization, 231
 Lee, Y.C. Fluorescence Spectrometry in Studies of Carbohydrate-Protein Interactions, 818
 Leu, L.-F. See Lin, Chang, and Chang, 690
 Li, J.-S. See Ito, Takahashi, Imanishi, Okabayashi, Kido, and Kasuga, 514
 Li, L. See Kato, Smorawinska, and Horikoshi, 717
 Lim, B.O. See Hung, Yamada, Mori, Yuki, and Sugano, 1054
 Lin, S.-R., Leu, L.-F., Chang, L.-S., and Chang, C.-C. Amino Acid Sequence and Chemical Modification of a Novel α -Neurotoxin (Oh-5) from King Cobra (*Ophiophagus hannah*) Venom, 690
 Liu, L., Yoshimura, T., Endo, K., Esaki, N., and Soda, K. Cloning and Expression of the Glutamate Racemase Gene of *Bacillus pumilus*, 1155
 Liu, Y.K., Nemoto, A., Feng, Y., and Uemura, T. The Binding Ability to Matrix Proteins and the Inhibitory Effects on Cell Adhesion of Synthetic Peptides Derived from a Conserved Sequence of Integrins, 961
 Lu, W.-Y. See Luo and Chi, 991
 Luo, D., Geng, M., Noujaim, A.A., and Madiyalakan, R. An Engineered Bivalent Single-Chain Antibody Fragment That Increases Antigen Binding Activity, 831
 Luo, M.-J., Lu, W.-Y., and Chi, C.-W. Clarification of an Uncertain Intron within the cDNA Sequences of Arrowhead Proteinase Inhibitors A and B, 991
- M
- Madiyalakan, R. See Luo, Geng, and Noujaim, 831
 Madoiwa, S., Arai, K., Ueda, Y., Ishizuka, M., Mimuro, J., Asakura, S., Matsuda, M.,

M (cont'd)

- and Sakata, Y. A Battery of Monoclonal Antibodies That Induce Unique Conformations to Evolve Cryptic but Constitutive Functions of Plasminogen, 278
- Maeda, A., Kandori, H., Yamazaki, Y., Nishimura, S., Hatanaka, M., Chon, Y.-S., Sasaki, J., Needleman, R., and Lanyi, J.K. Intramembrane Signaling Mediated by Hydrogen-Bonding of Water and Carboxyl Groups in Bacteriorhodopsin and Rhodopsin, 399
- Maeda, M. See *Nishi, Kubo, Hasebe, and Futai*, 922
- Magbanua, J.P.V., Ogawa, N., Harashima, S., and Oshima, Y. The Transcriptional Activators of the *PHO* Regulon, Pho4p and Pho2p, Interact Directly with Each Other and with Components of the Basal Transcription Machinery in *Saccharomyces cerevisiae*, 1182
- Malavasi, F. See *Tsujimoto, Kontani, Inoue, Hoshino, Hazeki, and Katada*, 949
- Malorni, A. See *Napoli, Mancini, Corso, Crescenzi, Postiglione, and Palumbo*, 1096
- Mancini, F.P. See *Napoli, Corso, Malorni, Crescenzi, Postiglione, and Palumbo*, 1096
- Marriott, G. See *Miyata and Kinoshita*, 527
- Martin, F. See *Horan, Simonet, Arakawa, and Philo*, 370
- Maruyama, A. See *Park, Takei, Goto, Kobayashi, Kobayashi, and Akaike*, 997
- Masato, T., Numata, T., Katoh, T., Morita, F., and Yazawa, M. Crosslinking of Telokin to Chicken Gizzard Smooth Muscle Myosin, 225
- Masumoto, K. See *Motoshima, Mine, Abe, Iwashita, Hashimoto, Chijiwa, Ueda, and Imoto*, 1076
- Masumura, T. See *Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Ichihara, and Tanaka*, 842
- Matsuba, T., Yano, M., Abiru, N., Takino, H., Akazawa, S., Nagataki, S., and Yasukawa, K. Expression of Recombinant Human Glutamic Acid Decarboxylase (GAD) in Myeloma Cells and Enzyme-Linked Immunosorbent Assay (ELISA) for Autoantibodies to GAD, 20
- Matsuda, H. See *Suzuki, Okada, Kamiya, Zhu, Nakagawa, and Kawamukai*, 496
- Matsuda, M. See *Madoiwa, Arai, Ueda, Ishizuka, Mimuro, Asakura, and Sakata*, 278
- Matsuda, Y. See *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, and Nagamune*, 941
- Matsui, T., Kunishima, S., Hamako, J., Katayama, M., Kamiya, T., Naoe, T., Ozeki, Y., Fujimura, Y., and Titani, K. Interaction of von Willebrand Factor with the Extracellular Matrix and Glycocalcin under Static Conditions, 376
- Matsumoto, I., Emori, Y., Abe, K., and Arai, S. Characterization of a Gene Family Encoding Cysteine Proteinases of *Sitophilus zeamais* (Maize Weevil), and Analysis of the Protein Distribution in Various Tissues Including Alimentary Tract and Germ Cells, 464
- Matsumoto, T., Nakashima, N., Takase, K., Hirochika, H., and Mizuno, H. A Mutation Study of the DNA Binding Domain of Human Papillomavirus Type 11 E2 Protein, 138
- Matsuno, K. See *Honda, Tagami, and Hatori*, 47
- Matsuo, N. See *Gohda, Oda, Ikebara, and Uesugi*, 219
- Matsuura, A. See *Nakamura, Wada, and Ohsumi*, 338
- Matsuura, E. See *Hagiwara, Enyoyaji, Ōmasa, Katakura, Suga, Igarashi, Kato, Yoshimura, and Goto*, 128
- Miao, J.-Y., Kaji, K., Hayashi, H., and Araki, S. Inhibitors of Phospholipase Promote Apoptosis of Human Endothelial Cells, 612
- Migita, T. See *Imamura, Koga, Ryu, Otagiri, Nozawa, and Akita*, 705
- Mihara, Katsuyoshi. See *Yamazaki, Harashima, and Sakaguchi*, 8
- Mihara, Ken'ichi, Hisatomi, O., Imamoto, Y., Kataoka, M., and Tokunaga, F. Functional Expression and Site-Directed Mutagenesis of Photoactive Yellow Protein, 876
- Miki, K. See *Niimi and Kitagawa*, 854
- Mimuro, J. See *Madoiwa, Arai, Ueda, Ishizuka, Asakura, Matsuda, and Sakata*, 278
- Minakuchi, K. See *Sha, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, and Tanaka*, 842
- Minamisawa, T. See *Ishihara, Kariya, Kikuchi, and Yoshida*, 345
- Mine, S. See *Motoshima, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, Ueda, and Imoto*, 1076
- Mishra, S. See *Kamisaka and Nakahara*, 1107
- Miura, H. See *Hiramatsu, Sugimoto, Kamei, Iwasaki, and Kawakita*, 1134
- Miura, R. See *Setoyama*, 798
- . See *Tamaoki, Setoyama, Hazekawa, Nishina, and Shiga*, 1139
- Miura, R. See *Hazekawa, Nishina, Sato, Shichiri, and Shiga*, 1147
- Miura, Y. See *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Kasahara, Tetsuka, and Tominaga*, 95
- Miyamoto, K. See *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Hisano, Fukui, and Takeda*, 50
- Miyamoto, Y. See *Hatakeyama, Nagatomo, Sallay, and Yamasaki*, 63
- Miyata, H., Kinoshita, K., Jr., and Marriott, G. Cooperative Association of Actin Protomers and Crosslinked Actin Oligomers in Filaments at Low Ionic Strength, 527
- Miyazaki, Kenji. See *Kawakami, Kamo, Takamoto, Chow, Ueno, and Tsugita*, 68
- Miyazaki, Kentaro. See *Yaoi and Oshima*, 77
- Miyazaki, M. See *Abid, Sasaki, and Titani*, 769
- Miyazawa, S. See *Jiang, Souris, and Hashimoto*, 364
- Miyoshi, E. See *Yanagidani, Uozumi, Ihara, Yamaguchi, and Taniguchi*, 626
- Mizuno, H. See *Matsumoto, Nakashima, Takase, and Hirochika*, 138
- . See *Fujimoto, Kuno, Yoshida, Kobayashi, and Kusakabe*, 826
- Mizushima, S. See *Hatsuzawa and Tagaya*, 270
- Mori, Kazutoshi. See *Oka, Kimata, and Kohno*, 578
- Mori, Kenji, Kii, S., Tsuji, A., Nagahama, M., Imamaki, A., Hayashi, K., Akamatsu, T., Nagamune, H., and Matsuda, Y. A Novel Human PACE4 Isoform, PACE4 Is an Active Processing Protease Containing a Hydrophobic Cluster at the Carboxy Terminus, 941
- Mori, Masataka. See *Tomomura, Tomomura, Musa, Horiuchi, Takiguchi, and Saheki*, 172
- . See *Kanazawa, Terada, and Kato*, 890
- Mori, Mitsuo. See *Hung, Yamada, Lim, Yuki, and Sugano*, 1054
- Morita, F. See *Katoh*, 56
- . See *Masato, Numata, Katoh, and Yawata*, 225
- Morita, K. See *Katai, Segawa, Haga, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, and Takeda*, 50
- Moriyama, A. See *Narita, Oda, Takenaka, and Kageyama*, 1010
- Motoshima, H., Mine, S., Masumoto, K., Abe, Y., Iwashita, H., Hashimoto, Y., Chijiwa, Y., Ueda, T., and Imoto, T. Analysis of the Stabilization of Hen Lysozyme by Helix Macrodipole and Charged Side Chain Interaction, 1076
- Munakata, H. See *Nagai, Harigae, Furuya, Hayashi, Endo, Sassa, and Yamamoto*, 487
- Murakami, T. See *Tanaka, Akatsuka, Ogo-ma, Abe, and Kondo*, 206
- Muramatsu, Takashi. See *Nakanishi, Kadowatsu, Okamoto, Ichihara-Tanaka, Kojima, Saito, and Tomoda*, 197
- Muramatsu, Tsuyoshi. See *Oda, Tsuru, Hatakeyama, Nagatomo, and Yamasaki*, 560
- Muraosa, Y. See *Onodera, Yomogida, Suwabe, Takahashi, Hayashi, Ito, Gu, Rassoul-zadegan, Engel, and Yamamoto*, 251
- Murata, M. See *Yamamoto, Hara, Tomoo, Ishida, Fujii, Hata, and Kitamura*, 974
- Musa, D.A.A. See *Tomomura, Tomomura, Horiuchi, Takiguchi, Mori, and Saheki*, 172
- Muto, T. See *Takita, Hashimoto, Ohkubo, Shimizu, Sukata, Inouye, Hiromi, and Tonomura*, 244
- Mutoh, M. See *Fukai, Hasebe, Ueki, Ohgi, Takahashi, Takeda, and Katayama*, 189
- N
- Nagahama, M. See *Mori, Kii, Tsuji, Imamaki, Hayashi, Akamatsu, Nagamune, and Matsuda*, 941
- Nagai, T., Harigae, H., Furuya, K., Munakata, H., Hayashi, N., Endo, K., Sassa, S., and Yamamoto, M. 5-Amino-levulinic Synthase Expression and Hemoglobin Synthesis in a Human Myelogenous Leukemia Cell Line, 487
- Nagamune, H. See *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, and Matsuda*, 941
- Nagara, A. See *Kurisu, Kinoshita, Sugimoto, Kai, Kasai, and Harada*, 304
- Nagata, Y., Nakamura, J., and Yamamoto, T. Temperature Sensitivity of Proteoliposomes Reconstituted from a Mixture of Scallop and Rabbit Sarcoplasmic Reticulum

- N (cont'd)
- Ca²⁺-ATPases, 648
- Nagatake, H. See *Kobayashi, Shimozato, and Watanabe*, 896
- Nagataki, S. See *Matsuba, Yano, Abiru, Takino, Akazawa, and Yasukawa*, 20
- Nagatomo, H. See *Hatakeyama, Miyamoto, Sallay, and Yamasaki*, 63
- . See *Oda, Tsuru, Hatakeyama, Maramatsu, and Yamasaki*, 560
- Naito, Y. See *Yanagisawa, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, and Tominaga*, 95
- Nakagawa, S., Okaya, Y., Yatsunami, K., Tanaka, S., Ohtsu, H., Fukui, T., Watanabe, T., and Ichikawa, A. Identification of Multiple Regulatory Elements of Human L-Histidine Decarboxylase Gene, 935
- Nakagawa, T. See *Suzuki, Okada, Kamiya, Zhu, Kawamukai, and Matsuda*, 496
- Nakaguchi, T., Arakawa, T., Philo, J.S., Wen, J., Ishimoto, M., and Yamaguchi, H. Structural Characterization of an α -Amylase Inhibitor from a Wild Common Bean (*Phaseolus vulgaris*): Insight into the Common Structural Features of Leguminous α -Amylase Inhibitors, 350
- Nakahara, T. See *Kamisaka and Mishra*, 1107
- Nakahira, M. See *Oue, Okamoto, Nakai, Shubatani, Hayashi, and Kagamiyama*, 161
- Nakai, Y. See *Oue, Okamoto, Nakahira, Shubatani, Hayashi, and Kagamiyama*, 161
- Nakamura, J. See *Nagata and Yamamoto*, 648
- Nakamura, N., Matsuura, A., Wada, Y., and Ohsumi, Y. Acidification of Vacuoles Is Required for Autophagic Degradation in the Yeast, *Saccharomyces cerevisiae*, 338
- Nakamura, S. See *Kadotani, Nishiuma, Nanahoshi, Tsujishita, Ogita, Kikkawa, and Asaoka*, 1047
- Nakane, H. See *Ohnuma, Hemmi, Ohto, and Nishino*, 696
- Nakanishi, T., Kadomatsu, K., Okamoto, T., Ichihara-Tanaka, K., Kojima, T., Saito, H., Tomoda, Y., and Muramatsu, T. Expression of Syndecan-1 and -3 during Embryogenesis of the Central Nervous System in Relation to Binding with Midkine, 197
- Nakano, T. See *Aoki, Koike, Shibahara, Kondo, Kikuchi, and Honjo*, 122
- Nakashima, N. See *Matsumoto, Takase, Hirochika, and Mizuno*, 138
- Nanahoshi, M. See *Kadotani, Nishiuma, Tsujishita, Ogita, Nakamura, Kikkawa, and Asaoka*, 1047
- Naoe, T. See *Matsui, Kunishima, Hamako, Katayama, Kamiya, Ozeki, Fujimura, and Titani*, 376
- . See *Nozaki and Okazaki*, 550
- Napoli, C., Mancini, F.P., Corso, G., Malorni, A., Crescenzi, E., Postiglione, A., and Palumbo, G. A Simple and Rapid Purification Procedure Minimizes Spontaneous Oxidative Modifications of Low Density Lipoprotein and Lipoprotein (a), 1096
- Narita, Y., Oda, S., Moriyama, A., Takenaka, O., and Kageyama, T. Pepsinogens and Pepsins from House Musk Shrew, *Suncus murinus*: Purification, Characterization, Determination of the Amino-Acid Sequences of the Activation Segments, and Analysis of Proteolytic Specificities, 1010
- Natori, S. See *Otsuki, Homma, and Kurata*, 1176
- Navet, A.F. See *Tachikui and Ozawa*, 145
- Needleman, R. See *Maeda, Kandori, Yamazaki, Nishimura, Hatanaka, Chon, Sasaki, and Lanyi*, 399
- Nejidat, A., Shmuely, H., and Abeliovich, A. Effect of Ammonia Starvation on Hydroxylamine Oxidoreductase Activity of *Nitrosomonas europaea*, 957
- Nemoto, A. See *Liu, Feng, and Uemura*, 961
- Neya, S., Hori, H., Imai, K., Kawamurakonishi, Y., Suzuki, H., Shiro, Y., Iizuka, T., and Funasaki, N. Remarkable Functional Aspects of Myoglobin Induced by Diazaheme Prosthetic Group, 654
- Niimi, T., Miki, K., and Kitagawa, Y. Expression of the Long Arm Sequence of Mouse Laminin $\alpha 1$, $\beta 1$, or $\gamma 1$ Chain in COS1 Cells and Assembly of Monkey-Mouse Hybrid Laminin, 854
- Niki, E. See *Kambayashi, Yamashita, and Yamamoto*, 425
- Nishi, T., Kubo, K., Hasebe, M., Maeda, M., and Futai, M. Transcriptional Activation of H⁺/K⁺-ATPase Genes by Gastric GATA Binding Proteins, 922
- Nishihara, T. See *Sakoda, Suzuki, Arai, Imagawa, and Nishikawa*, 89
- . See *Osada, Daimon, Ikeda, Yano, Yamasaki, and Imagawa*, 355
- . See *Yamada, Tobita, Osada, and Imagawa*, 731
- Nishijyo, T., Kawada, A., Kanno, T., Shiraiwa, M., and Takahara, H. Isolation and Molecular Cloning of Epidermal- and Hair Follicle-Specific Peptidylarginine Deiminase (Type III) from Rat, 868
- Nishikawa, J. See *Sakoda, Suzuki, Arai, Imagawa, and Nishihara*, 89
- Nishikawa, K. See *Hayashi, Yokogawa, Kawai, Ueda, and Watanabe*, 1115
- Nishimura, S. See *Maeda, Kandori, Yamazaki, Hatanaka, Chon, Sasaki, Needleman, and Lanyi*, 399
- Nishina, Y. See *Sato and Shiga*, 477
- . See *Tamaoki, Setoyama, Miura, Hazekawa, and Shiga*, 1139
- . See *Hazekawa, Sato, Shichiri, Miura, and Shiga*, 1147
- Nishino, J., Hayashi, H., Ishii, S., and Kagamiyama, H. An Anomalous Side Reaction of the Lys303 Mutant Aromatic L-Amino Acid Decarboxylase Unravels the Role of the Residue in Catalysis, 604
- Nishino, T. See *Ohnuma, Hemmi, Ohto, and Nakane*, 696
- Nishita, K., Ojima, T., Takahashi, A., and Inoue, A. Troponin from Smooth Adductor Muscle of Ezo-Giant Scallop, 419
- Nishito, Y. See *Ariki, Tanabe, Usui, Hayashi, Inoue, Kagamiyama, and Takeada*, 104
- Nishiuma, T. See *Kadotani, Nanahoshi, Tsujishita, Ogita, Nakamura, Kikkawa, and Asaoka*, 1047
- Nishiyama, M. See *Park, Aikawa, Horino, uchi, and Beppu*, 118
- Noda, T. and Amano, F. Differences in Nitric Oxide Synthase Activity in a Macrophage-Like Cell Line, RAW264.7 Cells, Treated with Lipopolysaccharide (LPS) in the Presence or Absence of Interferon- γ (IFN- γ): Possible Heterogeneity of iNOS Activity, 38
- Noguchi, T. See *Sakamoto, Kim, Kurihara, Sasaki, Katahira, and Uesugi*, 288
- Nomura, Y. See *Sakanoue, Ichikawa, and Tamura*, 29
- Nordén, B. See *Ellouze and Takahashi*, 1070
- Noujaim, A.A. See *Luo, Geng, and Madiyalakan*, 831
- Noumi, T., Inoue, H., Sakurai, T., Tsuchiya, T., and Kanazawa, H. Identification and Characterization of Functional Residues in a Na⁺/H⁺ Antiporter (NhaA) from *Escherichia coli* by Random Mutagenesis, 661
- Nozaki, N., Naoe, T., and Okazaki, T. Immunoadsorption Purification and Characterization of CACGTG Sequence-Binding Proteins from Cultured Mammalian Cells Using an Anti c-Myc Monoclonal Antibody Recognizing the DNA-Binding Domain, 550
- Nozawa, M. See *Imamura, Koga, Migita, Ryu, Otagiri, and Akita*, 705
- Numata, T. See *Masato, Katoh, Morita, and Yazawa*, 225
- O
- Oda, K. See *Seeram, Hiraga, Saji, and Tashiro*, 1088
- Oda, S. See *Narita, Moriyama, Takenaka, and Kageyama*, 1010
- Oda, T., Tsuru, M., Hatakeyama, T., Nagatomo, H., Muramatsu, T., and Yamasaki, N. Temperature- and pH-Dependent Cytotoxic Effect of the Hemolytic Lectin CEL-III from the Marine Invertebrate *Cucumaria echinata* on Various Cell Lines, 560
- Oda, Y. See *Gohda, Matsuo, Ichihara, and Uesugi*, 219
- Ogawa, K. See *Takahashi, Hara, Kimura, Fujita, and Shibahara*, 1162
- Ogawa, N. See *Magbanua, Harashima, and Oshima*, 1182
- Ogawa, T. See *Suda, Kashihara, Oikawa, Shimoyama, Hayashi, Tamura, and Kusumoto*, 1129
- Ogita, K. See *Kadotani, Nishiuma, Nanahoshi, Tsujishita, Nakamura, Kikkawa, and Asaoka*, 1047
- Ogoma, Y. See *Tanaka, Akatsuka, Murakami, Abe, and Kondo*, 206
- Ohgi, C. See *Fukai, Hasebe, Ueki, Mutoh, Takahashi, Takeda, and Kajiyama*, 189
- Ohgi, K. See *Irie, Iwama, Koizumi, Sasayama, Harada, Yano, Udagawa, and Kawasaki*, 849
- Okubo, Y. See *Takita, Hashimoto, Muto, Shimizu, Sukata, Inouye, Hiromi, and Tonomura*, 244
- Okuma, Y. See *Kojima, Kobayashi, Gotoh, Fujii-Kuriyama, and Sogawa*, 389
- Ohkura, T. See *Fukushima and Yamashita*, 415
- Ohnishi, Y., Beppu, T., and Horinouchi, S. Two Genes Encoding Serine Protease Homologues in *Serratia marcescens* and Characterization of Their Products in

O (cont'd)

- Escherichia coli*, 902
- Ohnuma, S., Hemmi, H., Ohto, C., Nakane, H., and Nishino, T. Effects of Random Mutagenesis in a Putative Substrate-Binding Domain of Geranylgeranyl Diphosphate Synthase upon Intermediate Formation and Substrate Specificity, 696
- Ohsumi, Y. See Nakamura, Matsuura, and Wada, 338
- Ohta, A. See Tanaka, Terashima, and Sakamoto, 739
- Ohto, C. See Ohnuma, Hemmi, Nakane, and Nishino, 696
- Ohtsu, H. See Nakagawa, Okaya, Yatsunami, Tanaka, Fukui, Watanabe, and Ichikawa, 935
- Ohtsuki, K. See Sha, Minakuchi, Higaki, Sato, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, and Tanaka, 842
- Ohtsuki, S., Homma, K., Kurata, S., and Natori, S. Nuclear Localization and Involvement in DNA Synthesis of *Sarcophaga* Prolyl Endopeptidase, 1176
- Ohwaki, K. See Ozaki, Ihara, Ishikawa, and Yano, 440
- Oikawa, M. See Suda, Ogawa, Kashihara, Shimoyama, Hayashi, Tamura, and Kusumoto, 1129
- Ojima, T. See Nishita, Takahashi, and Inoue, 419
- Oka, M., Kimata, Y., Mori, K., and Kohno, K. *Saccharomyces cerevisiae* KAR2 (BiP) Gene Expression Is Induced by Loss of Cytosolic HSP70/Ssa1p through a Heat Shock Element-Mediated Pathway, 578
- Okai, T. See Sambongi, Wakabayashi, Yoshimizu, Omote, and Futai, 1169
- Okabayashi, Y. See Ito, Li, Takahashi, Imanishi, Kido, and Kasuga, 514
- Okada, Kazunori. See Suzuki, Kamiya, Zhu, Nakagawa, Kawamukai, and Matsuda, 496
- Okada, Kengo, Hirotsu, K., Sato, M., Hayashi, H., and Kagamiyama, H. Three-Dimensional Structure of *Escherichia coli* Branched-Chain Amino Acid Aminotransferase at 2.5 Å Resolution, 637
- Okada, M. See Tsuchiya, Ueda, and Yasukochi, 193
- Okamoto, A. See Oue, Nakai, Nakahira, Shibatani, Hayashi, and Kagamiyama, 161
- Okamoto, K. See Kanisato, Uemura, and Takami, 862
- Okamoto, T. See Nakanishi, Kadomatsu, Ichihara-Tanaka, Kojima, Saito, Tomoda, and Muramatsu, 197
- Okaya, Y. See Nakagawa, Yatsunami, Tanaka, Ohtsu, Fukui, Watanabe, and Ichikawa, 935
- Okazaki, A., Katsumata, K., and Kuwajima, K. Hydrogen-Exchange Kinetics of Reduced α -Lactalbumin Bound to the Chaperonin GroEL, 534
- Okazaki, T. See Nozaki and Naoe, 550
- Okuno, S. See Kitani and Fujisawa, 804
- , Kitani, T., and Fujisawa, H. Purification and Characterization of Ca^{2+} /Calmodulin-Dependent Protein Kinase Kinase β from Rat Cerebellum, 155
- Ōmasa, T. See Hagihara, Enjoji, Katakura, Suga, Igarashi, Matsuura, Kato, Yoshi-mura, and Goto, 128
- Omata, S. See Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, and Horigome, 881
- Omote, H. See Sambongi, Wakabayashi, Yoshimizu, Oka, and Futai, 1169
- Onishi, Y. See Tanimoto, Hashimoto, and Kizaki, 542
- Ono, Y., Kinouchi, T., Sorimachi, H., Ishiura, S., and Suzuki, K. Deletion of an Endosomal/Lysosomal Targeting Signal Promotes the Secretion of Alzheimer's Disease Amyloid Precursor Protein (APP), 585
- Onodera, K., Yomogida, K., Suwabe, N., Takahashi, S., Muraosa, Y., Hayashi, N., Ito, E., Gu, L., Rassoulzadegan, M., Engel, J.D., and Yamamoto, M. Conserved Structure, Regulatory Elements, and Transcriptional Regulation from the GATA-1 Gene Testis Promoter, 251
- Osada, S. See Yamada, Tobita, Nishihara, and Imagawa, 731
- , Daimon, S., Ikeda, T., Nishihara, T., Yano, K., Yamasaki, M., and Imagawa, M. Nuclear Factor 1 Family Proteins Bind to the Silencer Element in the Rat Glutathione Transferase P Gene, 355
- Oshima, T. See Yaoi and Miyazaki, 77
- . See Suzuki, Tanaka, Ishida, Ishizuka, and Yamagishi, 1031
- Oshima, Y. See Magbanua, Ogawa, and Harashima, 1182
- Otagiri, M. See Imamura, Koga, Migita, Ryu, Nozawa, and Akita, 705
- Oue, S., Okamoto, A., Nakai, Y., Nakahira, M., Shibatani, T., Hayashi, H., and Kagamiyama, H. *Paracoccus denitrificans* Aromatic Amino Acid Aminotransferase: A Model Enzyme for the Study of Dual Substrate Recognition Mechanism, 161
- Ozaki, S., Ohwaki, K., Ihara, M., Ishikawa, K., and Yano, M. Coexpression Studies with Endothelin Receptor Subtypes Indicate the Existence of Intracellular Cross-Talk between ET_A and ET_B Receptors, 440
- Ozaki, Y. See Yatomi, Igarashi, Yang, Hisano, Qi, Asazuma, Satoh, and Kume, 969
- Ozawa, M. See Tachikui and Navet, 145
- Ozeki, Y. See Matsui, Kunishima, Hamako, Katayama, Kamiya, Naoe, Fujimura, and Titani, 376
- P
- Palumbo, G. See Napoli, Mancini, Corso, Malorni, Crescenzi, and Postiglione, 1096
- Papkoff, J. See Smolich, Vo, Buckley, and Plowman, 382
- Park, K.-H., Takei, R., Goto, M., Maruyama, A., Kobayashi, A., Kobayashi, K., and Akaike, T. Specific Interaction between Erythrocytes and a Glucose-Carrying Polymer Mediated by the Type-1 Glucose Transporter (GLUT-1) on the Cell Membrane, 997
- Park, Y.-N., Aikawa, J., Nishiyama, M., Horinouchi, S., and Beppu, T. Site-Directed Mutagenesis of Conserved Trp39 in *Rhizomucor pusillus* Pepsin: Possible Role of Trp39 in Maintaining Tyr75 in the Correct Orientation for Maximizing Catalytic Activity, 118
- Peng, C.-C. See Tzen, Cheng, Chen, and Chiu, 762
- Philo, J.S. See Nakaguchi, Arakawa, Wen, Ishimoto, and Yamaguchi, 350
- . See Horan, Martin, Simonet, and Ara-kawa, 370
- Piot, F. See Ellouze and Takahashi, 521
- Plowman, G. See Smolich, Vo, Buckley, and Papkoff, 382
- Poovaiah, B.W. See Ramachandiran, Takezawa, and Wang, 984
- Postiglione, A. See Napoli, Mancini, Corso, Malorni, Crescenzi, and Palumbo, 1096
- Pouysségur, J. See Ikeda, Schmitt, Waka-bayashi, and Shigekawa, 295
- Q
- Qi, R. See Yatomi, Igarashi, Yang, Hisano, Asazuma, Satoh, Ozaki, and Kume, 969
- R
- Ramachandiran, S., Takezawa, D., Wang, W., and Poovaiah, B.W. Functional Domains of Plant Chimeric Calcium/Calmodulin-Dependent Protein Kinase: Regulation by Autoinhibitory and Visinin-Like Domains, 984
- Rassoulzadegan, M. See Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Engel, and Yamamoto, 251
- Ru, B. See Xiong, 1102
- Ryu, A. See Imamura, Koga, Migita, Otagiri, Nozawa, and Akita, 705
- S
- Saheki, T. See Tomomura, Tomomura, Musa, Horiuchi, Takiguchi, and Mori, 172
- Saito, H. See Nakanishi, Kadomatsu, Oka-moto, Ichihara-Tanaka, Kojima, Tomoda, and Muramatsu, 197
- Saito, Y. See Takagi, Isobe, and Takada, 914
- Saitoh, E. See Isemura, 1025
- Saji, A. See Seeram, Hiraga, Tashiro, and Oda, 1088
- Sakaguchi, M. See Yamazaki, Harashima, and Miura, 8
- Sakakibara, R. See Harada, Tominaga, Watanabe, Shimokawa, and Ishiguro, 724
- Sakamoto, H. See Tanaka, Ohta, and Tera-shima, 739
- Sakamoto, T., Kim, M.H., Kurihara, Y., Sasaki, N., Noguchi, T., Katahira, M., and Uesugi, S. Properties of a Hammerhead Ribozyme with Deletion of Stem II, 288
- Sakamoto, T., Tanaka, Y., Kuwabara, T., Kim, M.H., Kurihara, Y., Katahira, M., and Uesugi, S. Properties of Hepatitis Delta Virus Ribozyme, Which Consists of Three RNA Oligomer Strands, 1123
- Sakanoue, J., Ichikawa, K., Nomura, Y., and Tamura, M. Rhodamine 800 as a Probe of Energization of Cells and Tissues in the Near-Infrared Region: A Study with Isolated Rat Liver Mitochondria and Hepato-cytes, 29
- Sakata, Y. See Madoiwa, Arai, Ueda, Ishi-zuka, Mimuro, Asakura, and Matsuda, 278
- Sakoda, K., Suzuki, A., Arai, S., Imagawa, M., Nishikawa, J., and Nishihara, T. Iden-

- S (cont'd)
- tification of a Novel Vitamin D Response Element from the Rat Genome, 89
- Sakurai, T. See *Noumi, Inoue, Tsuchiya, and Kanazawa*, 661
- Sallay, I. See *Hatakeyama, Miyamoto, Nagatomo, and Yamasaki*, 63
- Sambongi, Y., Wakabayashi, T., Yoshimizu, T., Omote, H., Oka, T., and Futai, M. *Caenorhabditis elegans* cDNA for a Menkes/Wilson Disease Gene Homologue and Its Function in a Yeast CCC2 Gene Deletion Mutant, 1169
- Sasagawa, S. See *Kawahire, Takeuchi, Gohshi, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, and Horigome*, 881
- Sasaki, J. See *Maeda, Kandori, Yamazaki, Nishimura, Hatanaka, Chon, Needleman, and Lanyi*, 399
- Sasaki, K. See *Abid, Titani, and Miyazaki*, 769
- Sasaki, N. See *Sakamoto, Kim, Kurihara, Noguchi, Katahira, and Uesugi*, 288
- Sasayama, E. See *Irie, Ohgi, Iwama, Kozumi, Harada, Yano, Udagawa, and Kawasaki*, 849
- Sassa, S. See *Nagai, Harigae, Furuyama, Munakata, Hayashi, Endo, and Yamamoto*, 487
- Sato, A., Takahashi, H., Konishi, K., Suzuki, T., and Kochi, H. Nucleotide Sequence of the Promoter Region of Chicken Cytosolic Phosphoenolpyruvate Carboxykinase Gene, 711
- Sato, Kenji. See *Sha, Minakuchi, Higaki, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, and Tanaka*, 842
- Sato, Kenzo. See *Toda, Takeuchi, Hori, and Ito*, 1035
- Sato, Kyosuke. See *Hazekawa, Nishina, Shichiri, Miura, and Shiga*, 1147
- , Nishina, Y., and Shiga, K. *In Vitro* Assembly of FAD, AMP, and the Two Subunits of Electron-Transferring Flavoprotein: An Important Role of AMP Related with the Conformational Change of the Apoprotein, 477
- Sato, Mamoru. See *Okada, Hirotsu, Hayashi, and Kagamiyama*, 637
- Sato, Masahiro. See *Jiang, Kurosawa, Suzuki, and Hashimoto*, 506
- Sato, S. See *Yuasa, Yamamoto, and Takagi*, 671
- Satoh, K. See *Yatomi, Igarashi, Yang, Hisano, Qi, Asazuma, Ozaki, and Kume*, 969
- Satsu, H., Watanabe, H., Arai, S., and Shimizu, M. Characterization and Regulation of Taurine Transport in Caco-2, Human Intestinal Cells, 1082
- Schmitt, B. See *Ikeda, Pouyssegur, Wakabayashi, and Shigekawa*, 295
- Seeram, S.S., Hiraga, K., Saji, A., Tashiro, M., and Oda, K. Identification of Reactive Site of a Proteinaceous Metalloproteinase Inhibitor from *Streptomyces nigrescens* TK-23, 1088
- Segawa, H. See *Katai, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, and Takeda*, 50
- Sekiguchi, T. See *Toyoda and Takenaka*, 1
- Setoyama, C. See *Tamaoki, Miura, Hazekawa, Nishina, and Shiga*, 1139
- and Miura, R. Structural and Functional Characterization of the Human Brain D-Aspartate Oxidase, 798
- Seyama, Y. See *Ikeda, Wachi, and Tajima*, 5
- Sha, S., Minakuchi, K., Higaki, N., Sato, K., Ohtsuki, K., Kurata, A., Yoshikawa, H., Kotaru, M., Masumura, T., Ichihara, K., and Tanaka, K. Purification and Characterization of Glutaredoxin (Thioltransferase) from Rice (*Oryza sativa* L.), 842
- Shibahara, K. See *Aoki, Koike, Nakano, Kondo, Kikuchi, and Honjo*, 122
- Shibahara, S. See *Takahashi, Hara, Ogawa, Kimura, and Fujita*, 1162
- Shibatani, T. See *Oue, Okamoto, Nakai, Nakahira, Hayashi, and Kagamiyama*, 161
- Shichiri, M. See *Hazekawa, Nishina, Sato, Miura, and Shiga*, 1147
- Shiga, K. See *Sato and Nishina*, 477
- . See *Tamaoki, Setoyama, Miura, Hazekawa, and Nishina*, 1139
- . See *Hazekawa, Nishina, Sato, Shichiri, and Miura*, 1147
- Shigekawa, M. See *Ikeda, Schmitt, Pouyssegur, and Wakabayashi*, 295
- Shima, S., Goubeaud, M., Vinzenz, D., Thauer, R.K., and Ermler, U. Crystallization and Preliminary X-Ray Diffraction Studies of Methyl-Coenzyme M Reductase from *Methanobacterium thermoautotrophicum*, 829
- Shimada, M. See *Kawahire, Takeuchi, Gohshi, Sasagawa, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, and Horigome*, 881
- Shimizu, M. See *Satsu, Watanabe, and Arai*, 1082
- Shimizu, N. See *Takita, Hashimoto, Ohkubo, Muto, Sukata, Inouye, Hiromi, and Tonomura*, 244
- Shimokawa, R. See *Harada, Tominaga, Watanabe, Ishiguro, and Sakakibara*, 724
- Shimoyama, M. See *Itoga, Tsuchiya, and Ishino*, 1041
- Shimoyama, T. See *Suda, Ogawa, Kashihara, Oikawa, Hayashi, Tamura, and Kusumoto*, 1129
- Shimozato, O. See *Kobayashi, Nagatake, and Watanabe*, 896
- Shirai, N., Tani, F., Higasa, T., and Yasumoto, K. Linear Polymerization Caused by the Defective Folding of a Non-Inhibitory Serpin Ovalbumin, 787
- Shiraiwa, M. See *Nishijyo, Kawada, Kanno, and Takahara*, 868
- Shiro, Y. See *Neya, Hori, Imai, Kawamura-Konishi, Suzuki, Iizuka, and Funasaki*, 654
- Shmueli, H. See *Nejidat and Abeliovich*, 957
- Simonet, L. See *Horan, Martin, Arakawa, and Philo*, 370
- Sinohara, H. See *Goto, Yoshida, Suzuki, and Yamamoto*, 619
- Smolich, B., Vo, M., Buckley, S., Plowman, G., and Papkoff, J. Cloning and Biochemical Characterization of LIMK-2, a Protein Kinase Containing Two LIM Domains, 382
- Smorawinska, M. See *Kato, Li, and Horikoshi*, 717
- Soda, K. See *Liu, Yoshimura, Endo, and Esaki*, 1155
- Soga, O., Kinoshita, H., Ueda, M., and Tanaka, A. Evaluation of Peroxisomal Heme in Yeast, 25
- Sogawa, K. See *Kojima, Kobayashi, Gotoh, Ohkuma, and Fujii-Kuriyama*, 389
- Sorimachi, H. See *Ono, Kinouchi, Ishiura, and Suzuki*, 585
- Souri, M. See *Jiang, Miyazawa, and Hashimoto*, 364
- Suda, Y. See *Hashimoto, Yasuoka, Takada, Yoshida, Kotani, and Kusumoto*, 779
- , Ogawa, T., Kashihara, W., Oikawa, M., Shimoyama, T., Hayashi, T., Tamura, T., and Kusumoto, S. Chemical Structure of Lipid A from *Helicobacter pylori* Strain 206-1 Lipopolysaccharide, 1129
- Suga, K. See *Hagihara, Enyoyji, Ômasa, Kataura, Igarashi, Matsuura, Kato, Yoshimura, and Goto*, 128
- Sugano, M. See *Hüng, Yamada, Lim, Mori, and Yuki*, 1054
- Sugimoto, A. See *Kurisu, Kinoshita, Nagara, Kai, Kasai, and Harada*, 304
- Sugimoto, K. See *Hiramatsu, Miura, Kanei, Iwasaki, and Kawakita*, 1134
- Sugiyama, E. See *Taketomi, Hara, Uemura, and Kurahashi*, 264
- Sukata, T. See *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Inouye, Hiromi, and Tonomura*, 244
- Suwabe, N. See *Onodera, Yomogida, Takahashi, Muraosa, Hayashi, Ito, Gu, Rasoulzadegan, Engel, and Yamamoto*, 251
- Suzuki, A. See *Sakoda, Arai, Imagawa, Nishikawa, and Nishihara*, 89
- Suzuki, H. See *Neya, Hori, Imai, Kawamura-Konishi, Shiro, Iizuka, and Funasaki*, 654
- Suzuki, Kengo, Okada, K., Kamiya, Y., Zhu, X.F., Nakagawa, T., Kawamukai, M., and Matsuda, H. Analysis of the Decaprenyl Diphosphate Synthase (*dps*) Gene in Fission Yeast Suggests a Role of Ubiquinone as an Antioxidant, 496
- Suzuki, Koichi. See *Ono, Kinouchi, Sorimachi, and Ishiura*, 585
- Suzuki, K.-M., Hosoya, N., Takahashi, T., Kosaka, T., and Hosoya, H. Release of a Newly-Identified Cysteine Protease, Tetrain, from *Tetrahymena* into Culture Medium during the Cell Growth, 642
- Suzuki, Toshiharu, Tanaka, Y., Ishida, M., Ishizuka, M., Yamagishi, A., and Oshima, T. Screening of a Mutant Plasmid with High Expression Efficiency of GC-Rich *leuB* Gene of an Extreme Thermophile, *Thermus thermophilus*, in *Escherichia coli*, 1031
- Suzuki, Toshiyuki. See *Sato, Takahashi, Konishi, and Kochi*, 711
- Suzuki, Y. See *Jiang, Kurosawa, Sato, and Hashimoto*, 506
- Suzuki, Y. See *Goto, Yoshida, Yamamoto, and Sinohara*, 619

T

- Tachikui, H., Navet, A.F., and Ozawa, M. Identification of the Ca^{2+} -Binding Domains in Reticulocalbin, an Endoplasmic Reticulum Resident Ca^{2+} -Binding Protein with Multiple EF-Hand Motifs, 145

- T (cont'd)
- Tagami, N. See *Honda, Hatori, and Matsuno*, 47
- Tagaya, M. See *Hatsuzawa and Mizushima*, 270
- Tajima, S. See *Ikeda, Wachi, and Seyama*, 5
- Takada, H. See *Hashimoto, Yasuoka, Suda, Yoshida, Kotani, and Kusumoto*, 779
- Takada, Y. See *Takagi, Isobe, and Saito*, 914
- Takagi, J., Isobe, T., Takada, Y., and Saito, Y. Structural Interlock between Ligand-Binding Site and Stalk-Like Region of $\beta 1$ Integrin Revealed by a Monoclonal Antibody Recognizing Conformation-Dependent Epitope, 914
- Takagi, T. See *Yuasa, Sato, and Yamamoto*, 671
- Takahara, H. See *Nishijyo, Kawada, Kanno, and Shiraiwa*, 868
- Takahashi, A. See *Nishita, Ojima, and Inoue*, 419
- Takahashi, Hiroaki. See *Sato, Konishi, Suzuki, and Kochi*, 711
- Takahashi, Hiroshi. See *Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takeda, and Katayama*, 189
- Takahashi, Kazuhiro, Hara, E., Ogawa, K., Kimura, D., Fujita, H., and Shibahara, S. Possible Implications of the Induction of Human Heme Oxygenase-1 by Nitric Oxide Donors, 1162
- Takahashi, Kenji. See *Kim, Tamanoue, Jeohn, Iwamatsu, Yokota, Kim, and Takahashi*, 82
- Takahashi, Masayuki. See *Ellouze and Piot*, 521
-. See *Ellouze and Nordén*, 1070
- Takahashi, Minako. See *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, and Horigome*, 881
- Takahashi, S. See *Onodera, Yomogida, Suwabe, Muraosa, Hayashi, Ito, Gu, Ras-soulzadegan, Engel, and Yamamoto*, 251
- Takahashi, Tadao. See *Suzuki, Hosoya, Kosaka, and Hosoya*, 642
- Takahashi, Takashi. See *Ito, Li, Imanishi, Okabayashi, Kido, and Kasuga*, 514
- Takahashi, Takayuki. See *Kim, Tamanoue, Jeohn, Iwamatsu, Yokota, Kim, and Takahashi*, 82
- Takahashi, Toshitada. See *Inagaki, Inagaki, and Takai*, 407
- Takai, Y. See *Inagaki, Inagaki, and Takahashi*, 407
- Takami, N. See *Kamisato, Uemura, and Okamoto*, 862
- Takamoto, K. See *Kawakami, Kamo, Miyazaki, Chow, Ueno, and Tsugita*, 68
- Takase, K. See *Matsumoto, Nakashima, Hirochika, and Mizuno*, 138
- Takeda, E. See *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, and Fukui*, 50
- Takeda, K. See *Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takahashi, and Katayama*, 189
- Takeda, M. See *Ariki, Tanabe, Usui, Hayashi, Inoue, Nishito, and Kagamiyama*, 104
- Takeda, N. See *Kano, Watanabe, Aizawa, and Akaike*, 677
- Takei, R. See *Park, Goto, Maruyama, Ko-*
- bayashi, Kobayashi, and Akaike*, 997
- Takemasa, T. See *Watanabe, Yonemura, and Hirabayashi*, 212
- Takenaka, A. See *Toyoda and Sekiguchi*, 1
- Takenaka, O. See *Narita, Oda, Moriyama, and Kageyama*, 1010
- Taketani, Y. See *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Miyamoto, Hisano, Fukui, and Takeda*, 50
- Taketomi, T., Hara, A., Uemura, K., Kurahashi, H., and Sugiyama, E. Preparation of Various Lysogangliosides Including Lysophytosyl GM1 and Delayed Extraction Matrix-Assisted Laser Desorption Ionization Time-of-Flight Mass Spectrometric Analysis, 264
- Takeuchi, M. See *Kawahire, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, and Horigome*, 881
- Takeuchi, T. See *Toda, Hori, Ito, and Sato*, 1035
- Takezawa, D. See *Ramachandiran, Wang, and Poovaiah*, 984
- Takiguchi, M. See *Tomomura, Tomomura, Musa, Horiuchi, Mori, and Saheki*, 172
- Takino, H. See *Matsuba, Yano, Abiru, Akazawa, Nagataki, and Yasukawa*, 20
- Takita, H. See *Tsuruga, Itoh, Wakisaka, and Kuboki*, 317
- Takita, T., Hashimoto, S., Ohkubo, Y., Muto, T., Shimizu, N., Sukata, T., Inouye, K., Hiromi, K., and Tonomura, B. Lysyl-tRNA Synthetase from *Bacillus stearothermophilus*. Formation and Isolation of an Enzyme-Lysyladenylate Complex and Its Analogue, 244
- Takuma, T. and Ichida, T. Role of Ca^{2+} -Independent Phospholipase A2 in Exocytosis of Amylase from Parotid Acinar Cells, 1018
- Tamanoue, Y. See *Kim, Jeohn, Iwamatsu, Yokota, Kim, Takahashi, and Takahashi*, 82
- Tamaoki, H., Setoyama, C., Miura, R., Hazekawa, I., Nishina, Y., and Shiga, K. Spectroscopic Studies of Rat Liver Acyl-CoA Oxidase with Reference to Recognition and Activation of Substrate, 1139
- Tamura, M. See *Sakanoue, Ichikawa, and Nomura*, 29
- Tamura, T. See *Suda, Ogawa, Kashihara, Oikawa, Shimoyama, Hayashi, and Kusumoto*, 1129
- Tanabe, O. See *Ariki, Usui, Hayashi, Inoue, Nishito, Kagamiyama, and Takeda*, 104
- Tanaka, A. See *Soga, Kinoshita, and Ueda*, 25
- Tanaka, H., Akatsuka, T., Murakami, T., Ogoma, Y., Abe, K., and Kondo, Y. *In Situ* Observation of Bovine Serum Albumin-Adsorbed Stearic Acid Monolayer by Brewster Angle Microscopy, 206
- Tanaka, I. See *Kawanura, Yamasaki, and Kimura*, 448
- Tanaka, K. See *Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, and Ichihara*, 842
- Tanaka, S. See *Nakagawa, Okaya, Yatsunomi, Ohtsu, Fukui, Watanabe, and Ichikawa*, 935
- Tanaka, Yoichiro. See *Sakamoto, Kuwabara, Kim, Kurihara, Katahira, and Uesugi*, 1123
- Tanaka, Yoshimasa. See *Aiba, Fang, Yamaguchi, and Urushihara*, 238
- Tanaka, Yoshimi, Ohta, A., Terashima, K., and Sakamoto, H. Polycistronic Expression and RNA-Binding Specificity of the *C. elegans* Homologue of the Spliceosome-Associated Protein SAP49, 739
- Tanaka, Yuji. See *Suzuki, Ishida, Ishizuka, Yamagishi, and Oshima*, 1031
- Tani, F. See *Shirai, Higasa, and Yasumoto*, 787
- Taniguchi, N. See *Yanagidani, Uozumi, Ihara, Miyoshi, and Yamaguchi*, 626
- Tanimoto, Y., Onishi, Y., Hashimoto, S., and Kizaki, H. Peptidyl Aldehyde Inhibitors of Proteasome Induce Apoptosis Rapidly in Mouse Lymphoma RVC Cells, 542
- Tashiro, Misao. See *Seeram, Hiraga, Saji, and Oda*, 1088
- Tashiro, Masato. See *Beppu, Imamura, Towatari, Ariga, and Kido*, 309
- Tatsumi, S. See *Katai, Segawa, Haga, Morita, Arai, Taketani, Miyamoto, Hisano, Fukui, and Takeda*, 50
- Terada, K. See *Kanazawa, Kato, and Mori*, 890
- Terashima, K. See *Tanaka, Ohta, and Sakamoto*, 739
- Tetsuka, T. See *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, and Tominaga*, 95
- Thauer, R.K. See *Shima, Goubeaud, Vinzenz, and Ermler*, 829
- Titani, K. See *Matsui, Kunishima, Hamako, Katayama, Kamiya, Naoe, Ozeki, and Fujimura*, 376
- . See *Abid, Sasaki, and Miyazaki*, 769
- Tobita, K. See *Yamada, Osada, Nishihara, and Imagawa*, 731
- Toda, H., Takeuchi, T., Hori, N., Ito, K., and Sato, K. Inverted Repeats in the TATA-Less Promoter of the Rat Catalase Gene, 1035
- Tokunaga, F. See *Mihara, Hisatomi, Ima-moto, and Kataoka*, 876
- Tominaga, N. See *Harada, Watanabe, Shimokawa, Ishiguro, and Sakakibara*, 724
- Tominaga, S. See *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, and Tetsuka*, 95
- Tomita, M., Kitajima, T., and Yoshizato, K. Formation of Recombinant Human Procollagen I Heterotrimers in a Baculovirus Expression System, 1061
- Tomizuka, H. See *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Miura, Kasahara, Tetsuka, and Tominaga*, 95
- Tomoda, Y. See *Nakanishi, Kadomatsu, Okamoto, Ichihara-Tanaka, Kojima, Saito, and Muramatsu*, 197
- Tomomura, A. See *Tomomura, Musa, Horiuchi, Takiguchi, Mori, and Saheki*, 172
- Tomomura, M., Tomomura, A., Musa, D.A., Horiuchi, M., Takiguchi, M., Mori, M., and Saheki, T. Suppressed Expression of the Urea Cycle Enzyme Genes in the Liver of Carnitine-Deficient Juvenile Visceral Steatosis (JVS) Mice in Infancy and during Starvation in Adulthood, 172
- Tomoo, K. See *Yamamoto, Hara, Ishida*,

T (cont'd)

- Fujii, Hata, Murata, and Kitamura, 974
 Tonomura, B. See Lee and Inouye, 231
 —. See Takita, Hashimoto, Ohkubo, Muto, Shimizu, Sukata, Inouye, and Hiromi, 244
 Towatari, T. See Beppu, Imamura, Tashiro, Ariga, and Kido, 309
 Toyoda, T., Sekiguchi, T., and Takenaka, A. Crystallization of Eukaryotic E3, Lipopamide Dehydrogenase, from Yeast, for Exhibiting X-Ray Diffraction beyond 2.5 Å Resolution, and Preliminary Structure Analysis, 1
 Tsuchiya, M. See Itoga, Ishino, and Shimoymaya, 1041
 Tsuchiya, Terumasa, Okada, M., Ueda, M., and Yasukochi, Y. Activation of the Erythropoietin Promoter by a Point Mutation from GATA to TATA in the -30 Region, 193
 Tsuchiya, Tomofusa. See Noumi, Inoue, Sakurai, and Kanazawa, 661
 Tsugita, A. See Kawakami, Kamo, Takamoto, Miyazaki, Chow, and Ueno, 68
 Tsuji, A. See Mori, Kii, Nagahama, Ima-maki, Hayashi, Akamatsu, Nagamune, and Matsuda, 941
 Tsujimoto, N., Kontani, K., Inoue, S., Hoshino, S., Hazeki, O., Malavasi, F., and Katada, T. Potentiation of Chemotactic Peptide-Induced Superoxide Generation by CD38 Ligation in Human Myeloid Cell Lines, 949
 Tsujishita, Y. See Kadotani, Nishiura, Nanahoshi, Ogita, Nakamura, Kikkawa, and Asaoka, 1047
 Tsuru, M. See Oda, Hatakeyama, Nagatomo, Muramatsu, and Yamasaki, 560
 Tsurufuji, S. See Hanzawa, Haruyama, Konishi, and Watanabe, 835
 Tsuruga, E., Takita, H., Itoh, H., Wakisaka, Y., and Kuboki, Y. Pore Size of Porous Hydroxyapatite as the Cell-Substratum Controls BMP-Induced Osteogenesis, 317
 Tzen, J.T.C., Peng, C.-C., Cheng, D.-J., Chen, E.C.F., and Chiu, J.M.H. A New Method for Seed Oil Body Purification and Examination of Oil Body Integrity Following Germination, 762

U

- Uchida, T. See Imahori, 179
 Udagawa, J. See Irie, Ohgi, Iwama, Koizumi, Sasayama, Harada, Yano, and Kawasaki, 849
 Ueda, Masatsugu. See Tsuchiya, Okada, and Yasukochi, 193
 Ueda, Mitsuyoshi. See Soga, Kinoshita, and Tanaka, 25
 Ueda, Tadashi. See Motoshima, Mine, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, and Imoto, 1076
 Ueda, Takayuki. See Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Kuwano, Hikawa, Ichimura, Omata, and Horigome, 881
 Ueda, Takuya. See Hayashi, Yokogawa, Kawai, Nishikawa, and Watanabe, 1115
 Ueda, Y. See Madoiwa, Arai, Ishizuka, Mimuro, Asakura, Matsuda, and Sakata, 278

- Ueki, M. See Fukai, Hasebe, Mutoh, Ohgi, Takahashi, Takeda, and Katayama, 189
 Uemura, K. See Takeuchi, Hara, Kurahashi, and Sugiyama, 264
 Uemura, T. See Liu, Nemoto, and Feng, 961
 Uemura, Y. See Kamisato, Takami, and Okamoto, 862
 Ueno, Y. See Kawakami, Kamo, Takamoto, Miyazaki, Chow, and Tsugita, 68
 Uesugi, S. See Gohda, Matsuo, Oda, and Ikebara, 219
 —. See Sakamoto, Kim, Kurihara, Sasaki, Noguchi, and Katahira, 288
 —. See Sakamoto, Tanaka, Kuwabara, Kim, Kurihara, and Katahira, 1123
 Umehara, T., Kida, S., Hasegawa, S., Fujimoto, H., and Horikoshi, M. Restricted Expression of a Member of the Transcription Elongation Factor S-II Family in Testicular Germ Cells during and after Meiosis, 598
 Uozumi, N. See Yanagidani, Ihara, Miyoshi, Yamaguchi, and Taniguchi, 626
 Urushihara, H. See Aiba, Fang, Yamaguchi, and Tanaka, 238
 Usui, H. See Ariki, Tanabe, Hayashi, Inoue, Nishito, Kagamiyama, and Takeda, 104
 V
 Vinzenz, D. See Shima, Goubeaud, Thauer, and Ermler, 829
 Vo, M. See Smolich, Buckley, Plowman, and Papkoff, 382
 W
 Wachi, H. See Ikeda, Seyama, and Tajima, 5
 Wada, Y. See Nakamura, Matsuura, and Ohsumi, 338
 Wakabayashi, S. See Ikeda, Schmitt, Pouys-seur, and Shigeoka, 295
 Wakabayashi, T. See Sambongi, Yoshimizu, Omote, Oka, and Futai, 1169
 Wakisaka, Y. See Tsuruga, Takita, Itoh, and Kuboki, 317
 Wang, W. See Ramachandiran, Takezawa, and Poovaiah, 984
 Wang, X., Yanagi, S., Yang, C., Inatome, R., and Yamamura, H. Tyrosine Phosphorylation and Syk Activation Are Involved in Thrombin-Induced Aggregation of Epinephrine-Potentiated Platelets, 325
 Watanabe, H. See Satsu, Arai, and Shimizu, 1082
 Watanabe, Kazuyoshi. See Hanzawa, Haruyama, Konishi, and Tsurufuji, 835
 Watanabe, Kimitsun. See Hayashi, Yokogawa, Kawai, Ueda, and Nishikawa, 1115
 Watanabe, M. See Harada, Tominaga, Shimokawa, Ishiguro, and Sakakibara, 724
 Watanabe, N. See Kobayashi, Nagatake, and Shimozato, 896
 Watanabe, Takehiko. See Nakagawa, Okaya, Yatsuhashi, Tanaka, Ohtsu, Fukui, and Ichikawa, 935
 Watanabe, Tsuyoshi, Takemasa, T., Yonemura, I., and Hirabayashi, T. Regulation of Troponin T Gene Expression in Chicken Fast Skeletal Muscle: Involvement of an M-CAT-Like Element Distinct from the Standard M-CAT, 212
 Watanabe, Y. See Kano, Takeda, Aizawa, and Akaike, 677
 Wen, J. See Nakaguchi, Arakawa, Philo, Ishimoto, and Yamaguchi, 350
 Wiegandt, H. See Jennemann and Bauer, 150
 Woo, S.K., Baek, S.H., Lee, J.I., Yoo, Y.J., Cho, C.M., Kang, M.-S., and Chung, C.H. Purification and Characterization of a New Ubiquitin C-Terminal Hydrolase (UCH-1) with Isopeptidase Activity from Chick Skeletal Muscle, 684
 X
 Xiong, Y. and Ru, B. Purification and Characteristics of Recombinant Mouse Metallothionein-I from *Escherichia coli*, 1102
 Xu, X. See Zhou, Jiang, Dou, and Zhu, 930
 Xu, Z., Yang, S., and Zhu, D. GroE Assists Refolding of Recombinant Human Pro-Urokinase, 331
 Y
 Yamada, K. See Hung, Lim, Mori, Yuki, and Sugano, 1054
 Yamada, T., Tobita, K., Osada, S., Nishihara, T., and Imagawa, M. CCAAT/Enhancer-Binding Protein δ Gene Expression Is Mediated by APRF/STAT3, 731
 Yamagishi, A. See Suzuki, Tanaka, Ishida, Ishizuka, and Oshima, 1031
 Yamaguchi, H. See Nakaguchi, Arakawa, Philo, Wen, and Ishimoto, 350
 Yamaguchi, Naohiro, Igami, K., and Kasai, M. Kinetics of Depolarization-Induced Calcium Release from Skeletal Muscle Triads *In Vitro*, 432
 Yamaguchi, Nobuyuki. See Aiba, Fang, Tanaka, and Urushihara, 238
 Yamaguchi, Nozomi. See Yanagidani, Uozumi, Ihara, Miyoshi, and Taniguchi, 626
 Yamamoto, A., Hara, T., Tomoo, K., Ishida, T., Fujii, T., Hata, Y., Murata, M., and Kitamura, K. Binding Mode of CA074, a Specific Irreversible Inhibitor, to Bovine Cathepsin B as Determined by X-Ray Crystal Analysis of the Complex, 974
 Yamamoto, H. See Yuasa, Sato, and Takagi, 671
 Yamamoto, Kazuhiko. See Goto, Yoshida, Suzuki, and Sinohara, 619
 Yamamoto, Kazuo, Konami, Y., and Irimura, T. Sialic Acid-Binding Motif of *Maackia amurensis* Lectins, 756
 Yamamoto, M. See Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rassoulzadegan, and Engel, 251
 —. See Nagai, Harigae, Furuyama, Munakata, Hayashi, Endo, and Sassa, 487
 Yamamoto, T. See Nagata and Nakamura, 648
 Yamamoto, Y. See Kambayashi, Yamashita, and Niki, 425
 Yamamura, H. See Wang, Yanagi, Yang, and Inatome, 325
 Yamasaki, M. See Osada, Daimon, Ikeda, Nishihara, Yano, and Imagawa, 355
 Yamasaki, N. See Hatakeyama, Miyamoto, Nagatomo, and Sallay, 63
 —. See Kawamura, Tanaka, and Kimura, 448
 —. See Kouzuma and Kimura, 456
 —. See Oda, Tsuru, Hatakeyama, Nagatomo,

- Y (cont'd)
- and Muramatsu*, 560
Yamashita, K. See *Fukushima and Ohkura*, 415
Yamashita, S. See *Kambayashi, Niki, and Yamamoto*, 425
Yamazaki, S., *Harashima*, S., *Sakaguchi*, M., and *Mihara*, K. Identification and Functional Characterization of Yeast ζ -COP, 8
Yamazaki, Y. See *Maeda, Kandori, Nishimura, Hatanaka, Chon, Sasaki, Needlemen, and Lanyi*, 399
Yanagi, S. See *Wang, Yang, Inatome, and Yamamura*, 325
Yanagidani, S., *Uozumi*, N., *Ihara*, Y., *Miyoshi*, E., *Yamaguchi*, N., and *Taniguchi*, N. Purification and cDNA Cloning of GDP-L-Fuc:N-Acetyl- β -D-Glucosaminide: α 1-6 Fucosyltransferase (α 1-6 FucT) from Human Gastric Cancer MKN45 Cells, 626
Yanagisawa, K., *Naito*, Y., *Kuroiwa*, K., *Arai*, T., *Furukawa*, Y., *Tomizuka*, H., *Miura*, Y., *Kasahara*, T., *Tetsuka*, T., and *Tominaga*, S. The Expression of ST2 Gene in Helper T Cells and the Binding of ST2 Protein to Myeloma-Derived RPMI8226 Cells, 95
Yang, C. See *Wang, Yanagi, Inatome, and Yamamura*, 325
Yang, L. See *Yatomi, Igarashi, Hisano, Qi, Asazuma, Satoh, Ozaki, and Kume*, 969
Yang, S. See *Xu and Zhu*, 331
Yano, K. See *Osada, Daimon, Ikeda, Nishihara, Yamasaki, and Imagawa*, 355
Yano, Mayumi. See *Matsuba, Abiru, Takino, Akazawa, Nagataki, and Yasukawa*, 20
Yano, Mitsuo. See *Ozaki, Ohwaki, Ihara, and Ishikawa*, 440
Yano, Y. See *Irie, Ohgi, Iwama, Koizumi, Sasayama, Harada, Udagawa, and Kawasaki*, 849
Yaoi, T., *Miyazaki*, K., and *Oshima*, T. Substrate Recognition of Isocitrate Dehydrogenase and 3-Isopropylmalate Dehydrogenase from *Thermus thermophilus* HB8, 77
Yasukawa, K. See *Matsuba, Yano, Abiru, Takino, Akazawa, and Nagataki*, 20
Yasukochi, Y. See *Tsuchiya, Okada, and Ueda*, 193
Yasumoto, K. See *Shirai, Tani, and Higasa*, 787
Yasuoka, J. See *Hashimoto, Suda, Takada, Yoshida, Kotani, and Kusumoto*, 779
Yatomi, Y., *Igarashi*, Y., *Yang*, L., *Hisano*, N., *Qi*, R., *Asazuma*, N., *Satoh*, K., *Ozaki*, Y., and *Kume*, S. Sphingosine 1-Phosphate, a Bioactive Sphingolipid Abundantly Stored in Platelets, Is a Normal Constituent of Human Plasma and Serum, 969
Yatsunami, K. See *Nakagawa, Okaya, Tanaka, Ohtsu, Fukui, Watanabe, and Ichikawa*, 935
Yazawa, M. See *Masato, Numata, Katoh, and Morita*, 225
Yokogawa, T. See *Hayashi, Kawai, Ueda, Nishikawa, and Watanabe*, 1115
Yokota, A. See *Kim, Tamanoue, Jeohn, Iwamatsu, Kim, Takahashi, and Takahashi*, 82
Yomogida, K. See *Onodera, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rasoulzadegan, Engel, and Yamamoto*, 251
Yoneda, Y. How Proteins Are Transported from Cytoplasm to the Nucleus, 811
Yonemura, I. See *Watanabe, Takemasa, and Hirabayashi*, 212
- Yoo*, Y.J. See *Woo, Baek, Lee, Cho, Kang, and Chung*, 684
Yoshida, Keiichi. See *Ishihara, Kariya, Kikuchi, and Minamisawa*, 345
Yoshida, Koji. See *Goto, Suzuki, Yamamoto, and Sinohara*, 619
Yoshida, S. See *Fujimoto, Mizuno, Kuno, Kobayashi, and Kusakabe*, 826
Yoshida, T. See *Hashimoto, Yasuoka, Suda, Takada, Kotani, and Kusumoto*, 779
Yoshikawa, H. See *Sha, Minakuchi, Higaki, Sato, Ohtsu, Kurata, Kotaru, Masumura, Ichihara, and Tanaka*, 842
Yoshimizu, T. See *Sambongi, Wakabayashi, Omote, Oka, and Futai*, 1169
Yoshimura, Tetsuro. See *Hagihara, Enjyoji, Ômasa, Katakura, Suga, Igarashi, Matsura, Kato, and Goto*, 128
Yoshimura, Tohru. See *Liu, Endo, Esaki, and Soda*, 1155
Yoshizato, K. See *Tomita and Kitajima*, 1061
Yuasa, H.J., *Sato*, S., *Yamamoto*, H., and *Takagi*, T. Structure of the Ascidian, *Halocynthia roretzi*, Troponin C Gene, 671
Yuki, T. See *Hung, Yamada, Lim, Mori, and Sugano*, 1054

Z

- Zhou*, A., *Jiang*, X., *Dou*, F., *Zhu*, D., and *Xu*, X. Renaturation, Purification, and Characterization of Human Plasminogen Activator Inhibitor Type 2 (PAI-2) Accumulated at High Level in *Escherichia coli*, 930
Zhu, D. See *Xu and Yang*, 331
—. See *Zhou, Jiang, Dou, and Xu*, 930
Zhu, X.F. See *Suzuki, Okada, Kamiya, Nakagawa, Kawamukai, and Matsuda*, 496

INDEX TO KEY WORDS

A

acetohexamide analog, acetohexamide reductase, drug-metabolizing enzyme, structural requirement, substrate-binding region, *Imamura, Koga, Migita, Ryu, Otagiri, Nozawa, Akita*, 705
 acetohexamide reductase, acetohexamide analog, drug-metabolizing enzyme, structural requirement, substrate-binding region, *Imamura, Koga, Migita, Ryu, Otagiri, Nozawa, Akita*, 705
 acrylodan, actin-actin interface, cooperativity, crosslinking, *Miyata, Kinosita, Marriott*, 527
 actin, calcium regulation, disuccinimidyl substrate, motility, tropomodulin-tropomyosin complex, *Honda, Tagami, Hatori, Matsuno*, 47
 actin-actin interface, acrylodan, cooperativity, crosslinking, *Miyata, Kinosita, Marriott*, 527
 activation segment, house musk shrew, pepsin, pepsinogen, proteolytic specificity, *Narita, Oda, Moriyama, Takenaka, Kageyama*, 1010
 active site, site-directed mutagenesis, substrate specificity, thermophilic enzymes, *Yaoi, Miyazaki, Oshima*, 77
 actomyosin ATPase, essential light chains, filament assembly, monomer conformation, smooth muscle myosin, *Katoh, Morita*, 56
 acute phase response, APRF/STAT3, CCA-AT/enhancer-binding protein, interleukin-6, transcription, *Yamada, Tobita, Osada, Nishihara, Imagawa*, 731
 acyl-CoA, diacylglycerol, diacylglycerol acyltransferase, fungi, phosphatidic acid, *Kamisaka, Mishra, Nakahara*, 1107
 acyl-CoA dehydrogenase, acyl-CoA oxidase, charge-transfer interaction, flavoenzyme, resonance Raman spectra, *Tamaoki, Setoyama, Miura, Hazekawa, Nishina, Shiga*, 1139
 acyl-CoA oxidase, acyl-CoA dehydrogenase, charge-transfer interaction, flavoenzyme, resonance Raman spectra, *Tamaoki, Setoyama, Miura, Hazekawa, Nishina, Shiga*, 1139
 adaptive regulation, Caco-2, human small intestine, taurine, transporter, *Satsu, Watanabe, Arai, Shimizu*, 1082
 adhesion, anti-adhesion, extracellular matrix, fibronectin, integrin, *Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takahashi, Takeda, Katayama*, 189
 ADP-ribosylation, bovine brain, glyceraldehyde-3-phosphate, glyceraldehyde-3-phosphate dehydrogenase, nitric oxide, *Itoga, Tsuchiya, Ishino, Shimoyama*, 1041
 aggregation, chaperone, GroE, pro-UK, refolding, *Xu, Yang, Zhu*, 331
 air pollution, ganglioside, glycosphingolipid, ozone, *Jennemann, Bauer, Wiegandt*, 150
 alimentary tract, cysteine proteinase, gene

family, germ cells, maize weevil, *Matsu moto, Emori, Abe, Arai*, 464
 alternative splicing, gene structure, *Halocynthia roretzi*, tropomodulin C, *Yuasa, Sato, Yamamoto, Takagi*, 671
 Alzheimer's disease, amyloid- β protein, phosphorylation of tau, pyruvate dehydrogenase, tau protein kinases I and II, *Imahori, Uchida*, 179
 —, amyloid precursor protein, endosomal/lysosomal pathway, targeting sequence, *Ono, Kinouchi, Sorimachi, Ishiura, Suzuki*, 585
 amino acid sequence, aromatic residue, cationic residue, king cobra α -neurotoxin, *Lin, Leu, Chang, Chang*, 690
 —, arrowhead proteinase inhibitor, site-directed mutagenesis, *Luo, Lu, Chi*, 991
 aminoacyl-tRNA synthetase, fluorescence titration, lysine hydroxamate, lysyladenylate, lysyl-tRNA synthetase, *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Sukata, Inouye, Hiromi, Tonomura*, 244
 5-aminolevulinate synthase, globin mRNA, hemin, hemoglobin synthesis, human leukemic cells, *Nagai, Harigae, Furuyama, Munakata, Hayashi, Endo, Sassa, Yamamoto*, 487
 ammonia starvation, hydroxylamine oxidoreductase, *Nitrosomonas europaea, Nejedat, Shmueli, Abeliovich*, 957
 AMP, assembly, conformation, electron-transferring flavoprotein, subunit, *Sato, Nishina, Shiga*, 477
 α -amylase inhibitor, kidney bean, post-translational processing, primary structure, subunit structure, *Nakaguchi, Arakawa, Philo, Wen, Ishimoto, Yamaguchi*, 350
 amyloid- β protein, Alzheimer's disease, phosphorylation of tau, pyruvate dehydrogenase, tau protein kinases I and II, *Imahori, Uchida*, 179
 amyloid precursor protein, Alzheimer's disease, endosomal/lysosomal pathway, targeting sequence, *Ono, Kinouchi, Sorimachi, Ishiura, Suzuki*, 585
 anti-adhesion, adhesion, extracellular matrix, fibronectin, integrin, *Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takahashi, Takeda, Katayama*, 189
 antibody engineering, bivalent scFv, *Pichia pastoris*, single-chain Fv, *Luo, Geng, Noujaim, Madiyalakan*, 831
 anti-cardiolipin syndrome, autoimmune diseases, β_2 -glycoprotein I, *Pichia pastoris*, protein-lipid interaction, *Hagihara, Enyoji, Ōmura, Kataoka, Suga, Igarashi, Matsuura, Kato, Yoshimura, Goto*, 128
 antioxidant, decaprenyl diphosphate synthase, glutathione, isoprenoid, ubiquinone, *Suzuki, Okada, Kamiya, Zhu, Nakagawa, Kawamukai, Matsuda*, 496
 anti-polyamine antibody, diacetylspermidine, ELISA, polyamine, tumor marker, *Hiramatsu, Miura, Sugimoto, Kamei, Iwasaki, Kawakita*, 1134
 apoptosis, Bip, calcium homeostasis, heat shock protein, PC12, *Aoki, Koike, Nakano, Shibahara, Kondo, Kikuchi, Honjo*, 122
 —, cell cycle, lymphoma cells, proteasome inhibitor, ubiquitin, *Tanimoto, Onishi, Hashimoto, Kizaki*, 542
 —, endothelial cell, phospholipase, signal transduction, *Miao, Kaji, Hayashi, Araki*, 612
 —, cell cycle, hepatocytes, IFN- γ , p53, *Kano, Watanabe, Takeda, Aizawa, Akaike*, 677
 APRF/STAT3, acute phase response, CCA-AT/enhancer-binding protein, interleukin-6, transcription, *Yamada, Tobita, Osada, Nishihara, Imagawa*, 731
 aromatic amino acid aminotransferase, aspartate aminotransferase, *Paracoccus denitrificans*, pyridoxal 5'-phosphate, substrate specificity, *Oue, Okamoto, Nakai, Nakahira, Shibatani, Hayashi, Kagamiyama*, 161
 L-aromatic amino acid decarboxylase, L-dopa, dopamine, Pictet-Spengler reaction, pyridoxal 5'-phosphate, *Nishino, Hayashi, Ishii, Kagamiyama*, 604
 aromatic residue, amino acid sequence, cationic residue, king cobra α -neurotoxin, *Lin, Leu, Chang, Chang*, 690
 arrest-relief, development, pausing, RNA polymerase II, spermatogenesis, *Umeshara, Kida, Hasegawa, Fujimoto, Horikoshi*, 598
 arrowhead proteinase inhibitor, amino acid sequence, site-directed mutagenesis, *Luo, Lu, Chi*, 991
 aspartate aminotransferase, aromatic amino acid aminotransferase, *Paracoccus denitrificans*, pyridoxal 5'-phosphate, substrate specificity, *Oue, Okamoto, Nakai, Nakahira, Shibatani, Hayashi, Kagamiyama*, 161
 aspartate β -D-semialdehyde dehydrogenase, deep-sea barophilic bacteria, gene expression, high pressure, *Shewanella* sp., *Kato, Smorawinska, Li, Horikoshi*, 717
 D-aspartate oxidase, cDNA, expression, flavoenzyme, human brain, *Setoyama, Miura*, 798
 aspartic proteinase, milk-clotting enzyme, *Rhizomucor pusillus* pepsin, site-directed mutagenesis, *Park, Aikawa, Nishiyama, Horinouchi, Beppu*, 118
 Asp-C cleavage, Asp-Pro cleavage, Gly-Thr cleavage, perfluoric acid, Ser-N cleavage, *Kawakami, Kamo, Takamoto, Miyazaki, Chow, Ueno, Tsugita*, 68
 Asp-Pro cleavage, Asp-C cleavage, Gly-Thr cleavage, perfluoric acid, Ser-N cleavage, *Kawakami, Kamo, Takamoto, Miyazaki, Chow, Ueno, Tsugita*, 68
 assembly, AMP, conformation, electron-transferring flavoprotein, subunit, *Sato, Nishina, Shiga*, 477
 assignment of imino proton signals, $^1\text{H-NMR}$,

A (cont'd)

magnesium effect, mitochondrial tRNA,
¹⁵N-labeling, *Hayashi, Yokogawa, Kawai, Ueda, Nishikawa, Watanabe*, 1115
atherosclerosis, LDL, Lp(a), oxidation, ultracentrifugation, *Napolì, Mancini, Corso, Malorni, Crescenzi, Postiglione, Palumbo*, 1096
ATP depletion, domain structure, growth factor, intracellular Ca²⁺, Na^{+/H⁺} exchanger, *Ikeda, Schmitt, Pouyssegur, Wakabayashi, Shigekawa*, 295
autoantibody, ELISA, GAD, IDDM, myeloma cell, *Matsuba, Yano, Abiru, Takino, Akazawa, Nagataki, Yasukawa*, 20
autoimmune diseases, anti-cardiolipin syndrome, β -glycoprotein I, *Pichia pastoris*, protein-lipid interaction, *Hagihara, Enyōji, Ōmasa, Kataoka, Suga, Igarashi, Matsuura, Kato, Yoshimura, Goto*, 128
autoinhibitory domain, calcin, calmodulin, visinin-like domain, *Ramachandiran, Takezawa, Wang, Poovaiah*, 984
autophagy, vacuolar H⁺-ATPase, vacuole, yeast, *Nakamura, Matsuura, Wada, Ohsumi*, 338
autophosphorylation, LIM motif, protein kinase, tyrosine phosphorylation, *Smolich, Vo, Buckley, Plowman, Papkoff*, 382
autophosphorylation sites, c-Yes, N-terminal sequence, purification, rat liver plasma membrane, *Ariki, Tanabe, Usui, Hayashi, Inoue, Nishito, Kaganuyama, Takeda*, 104

B

bacilli, DNA binding protein HU, salt bridge, site-directed mutagenesis, thermostability, *Kawamura, Tanaka, Yamasaki, Kimura*, 448
Bacillus pumilus, cloning, glutamate racemase, purification, sequencing, *Liu, Yoshimura, Endo, Esaki, Soda*, 1155
bacteriorhodopsin, FT-IR, halorhodopsin, proton pathway, rhodopsin, *Maeda, Kandori, Yamazaki, Nishimura, Hatanaka, Chon, Sasaki, Needleman, Lanyi*, 399
baculovirus vector, collagen, heterotrimer, molecular assembly, recombinant protein, *Tomita, Kitajima, Yoshizato*, 1061
basement membrane, coiled-coil, disulfide-bonding, heptad motif, laminin, *Niimi, Miki, Kitagawa*, 854
base non-specific ribonuclease, histidine residue, mechanism of enzymatic action, *Rhizopus niveus*, second step reaction, *Irie, Ohgi, Iwama, Koizumi, Sasayama, Harada, Yano, Udagawa, Kawasaki*, 849
bifunctional enzyme, fructose-2,6-bisphosphatase, fructose-6-phosphate, 2-kinase, glycolysis, inhibitor, *Harada, Tominaga, Watanabe, Shimokawa, Ishiguro, Sakakibara*, 724
bifunctional protein, enzyme structure, human enzyme, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, *Jiang, Miyazawa, Souris, Hashimoto*, 364
—, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, β -oxidation, peroxisomal, *Jiang, Kurosawa, Sato, Suzuki, Hashimoto*, 506

bioconjugate material, EGF, immobilization, juxtarcline, tissue engineering, *Ito, Li, Takahashi, Imanishi, Okabayashi, Kido, Kasuga*, 514
Bip, apoptosis, calcium homeostasis, heat shock protein, PC12, *Aoki, Koike, Nakano, Shibahara, Kondo, Kikuchi, Honjo*, 122
BiP, heat shock element, heat shock protein, Ssa1, transcriptional regulation, *Oka, Kimata, Mori, Kohno*, 578
—, defective folding, linear polymerization, ovalbumin, serpin superfamily, *Shira, Tani, Higasa, Yasumoto*, 787
bivalent scFv, antibody engineering, *Pichia pastoris*, single-chain Fv, *Luo, Geng, Noujaim, Madiyalakan*, 831
bone morphogenetic protein, extracellular matrix, osteogenesis, pore size, porous hydroxyapatite, *Tsuruga, Takita, Itoh, Wakisaka, Kuboki*, 317
botrocetin, collagen, ELISA, glycoacalacin, von Willebrand factor, *Matsui, Kunishima, Hamako, Katayama, Kamiya, Naoe, Ozeki, Fujimura, Titani*, 376
bovine brain, ADP-ribosylation, glyceraldehyde-3-phosphate, glyceraldehyde-3-phosphate dehydrogenase, nitric oxide, *Itoga, Tsuchiya, Ishino, Shimoyama*, 1041
bovine serum albumin, Brewster angle microscopy, cytochrome c, fluorescence, monolayer, *Tanaka, Akatsuka, Murakami, Ogoma, Abe, Kondo*, 206
brain, Ca²⁺/calmodulin, CaM-kinase kinase, isoform, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 155
brain development, heparan sulfate, midkine, syndecan, *Nakanishi, Kadomatsu, Okamoto, Ichihara-Tanaka, Kojima, Saito, Tomoda, Muramatsu*, 197
branched-chain amino acid aminotransferase, pyridoxal enzyme, substrate recognition, three-dimensional structure, X-ray crystallography, *Okada, Hirotsu, Sato, Hayashi, Kaganuyama*, 637
Brewster angle microscopy, bovine serum albumin, cytochrome c, fluorescence, monolayer, *Tanaka, Akatsuka, Murakami, Ogoma, Abe, Kondo*, 206

C

CA074, cathepsin B, complex, crystal structure, irreversible inhibitor, *Yamamoto, Hara, Tomoo, Ishida, Fujii, Hata, Murata, Kitamura*, 974
Ca²⁺-ATPase, molecular interaction, reconstitution, sarcoplasmic reticulum, temperature sensitivity, *Nagata, Nakamura, Yamamoto*, 648
Ca²⁺-binding protein, EF-hand protein, ER-resident protein, reticulocalbin, *Tachikui, Nave, Ozawa*, 145
Ca²⁺/calmodulin, brain, CaM-kinase kinase, isoform, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 155
Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase IV, CaM-kinase kinase, phosphorylation site, protein phosphorylation, *Kitani, Okuno, Fujisawa*, 804
CaM-kinase kinase, brain, Ca²⁺/calmodulin, isoform, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 155
—, Ca²⁺/calmodulin-dependent protein kinase, CaM-kinase IV, phosphorylation site, protein phosphorylation, *Kitani, Okuno, Fujisawa*, 804
Candida tropicalis, catalase, heme, peroxisomes, pyridine hemochrome method, *Soga, Kinoshita, Ueda, Tanaka*, 25
carbohydrate-recognition domain, cDNA, lectin, primary structure, sialic acid, *Yamamoto, Konami, Irimura*, 756
carbon monoxide, heme oxygenase, nitric oxide, nitroprusside, stress protein, *Takahashi, Hara, Ogawa, Kimura, Fujita, Shibahara*, 1162
carboxyl group, flavin, flavoprotein, hydrogen bond, Raman spectra, *Hazekawa, Nishina, Sato, Shichiri, Miura, Shiga*, 1147
carnitine deficiency, gene expression, starvation, transcription factor, urea cycle enzymes, *Tomomura, Tomomura, Musa, Horiuchi, Takiguchi, Mori, Saeki*, 172
catalase, *Candida tropicalis*, heme, peroxy-

C (cont'd)

- somes, pyridine hemochrome method, *Soga, Kinoshita, Ueda, Tanaka*, 25
- catalase gene, *cis*-acting element, DNA binding protein, initiator, TATA-less promoter, *Toda, Takeuchi, Hori, Ito, Sato*, 1035
- cathepsin B, CA074, complex, crystal structure, irreversible inhibitor, *Yamamoto, Hara, Tomoo, Ishida, Fujii, Hata, Murata, Kitamura*, 974
- cationic residue, amino acid sequence, aromatic residue, king cobra α -neurotoxin, *Lin, Leu, Chang, Chang*, 690
- cation transport, Li^+ resistance, mutagenesis, Na^+/H^+ antiporter, temperature sensitivity, *Noumi, Inoue, Sakurai, Tsuchiya, Kanazawa*, 661
- CCAAT/enhancer-binding protein, acute phase response, APRF/STAT3, interleukin-6, transcription, *Yamada, Tobita, Osada, Nishihara, Imagawa*, 731
- CD38, chemotactic receptors, G proteins, tyrosine phosphorylation, superoxide generation, *Tsujimoto, Kontani, Inoue, Hoshino, Hazeki, Malavasi, Katada*, 949
- cDNA, fucosyltransferase, glycosyltransferase, *N*-glycan, purification, *Yanagidani, Uozumi, Ihara, Miyoshi, Yamaguchi, Taniguchi*, 626
- , carbohydrate-recognition domain, lectin, primary structure, sialic acid, *Yamamoto, Konami, Irimura*, 756
 - , D-aspartate oxidase, expression, flavoenzyme, human brain, *Setoyama, Miura*, 798
 - , cDNA cloning, *Erythrina variegata*, overexpression, tissue-type plasminogen activator inhibitor, trypsin inhibitor, *Kouzuma, Yamasaki, Kimura*, 456
 - , peptidylarginine deiminase type III, purification, rat epidermis, tissue-specific expression, *Nishijo, Kawada, Kanno, Shiraiwa, Takahara*, 868
- C. elegans*, *in vitro* selection, polycistronic expression, RNA-binding specificity, split-cesome-associated protein (SAP), *Tanaka, Ohta, Terashima, Sakamoto*, 739
- , frontal affinity chromatography, β -galactoside-binding lectin, galectin, tandem-repeat-type galectin, *Arata, Hirabayashi, Kasai*, 1002
 - cell adhesion, inside-out signaling, integrin, ligand binding, monoclonal antibody, *Takagi, Isobe, Takada, Saito*, 914
 - , fibrinogen, fibronectin, inhibitory effect, integrin, *Liu, Nemoto, Feng, Uemura*, 961
 - cell cycle, cell signaling, intermediate filament, protein kinases, site- and phosphorylation state-specific antibodies, *Inagaki, Inagaki, Takahashi, Takai*, 407
 - , apoptosis, lymphoma cells, proteasome inhibitor, ubiquitin, *Tanimoto, Onishi, Hashimoto, Kizaki*, 542
 - , apoptosis, hepatocytes, IFN- γ , p53, *Kano, Watanabe, Takeda, Aizawa, Akaike*, 677
 - cell-cycle dependency, dehydrololichyldiphosphate synthase, farnesyl diphosphate synthase, lipid-linked oligosaccharides, rat 3Y1 cell, *Fukushima, Ohkura, Yamashita*, 415
 - cell-fusion related protein, cell-surface glyco-
- protein, *Dictyostelium discoideum*, sexual cell fusion, *Aiba, Fang, Yamaguchi, Tanaka, Urushihara*, 238
- cell signaling, cell cycle, intermediate filament, protein kinases, site- and phosphorylation state-specific antibodies, *Inagaki, Inagaki, Takahashi, Takai*, 407
- cell-surface glycoprotein, cell-fusion related protein, *Dictyostelium discoideum*, sexual cell fusion, *Aiba, Fang, Yamaguchi, Tanaka, Urushihara*, 238
- chaperone, aggregation, GroE, pro-UK, refolding, *Xu, Yang, Zhu*, 331
- chaperonin, GroEL, hydrogen exchange, α -lactalbumin, molecular chaperone, *Oka-zaki, Katsumata, Kuwajima*, 534
- characteristics, *Escherichia coli*, expression, metallothionein, recombinant protein, *Xiong, Ru*, 1102
- charge-transfer interaction, acyl-CoA dehydrogenase, acyl-CoA oxidase, flavoenzyme, resonance Raman spectra, *Tamaoki, Setoyama, Miura, Hazekawa, Nishina, Shiga*, 1139
- chemical cross-linking, intermolecular interaction, monoclonal antibody, pre-domain, preIL-1, *Kobayashi, Nagatake, Shimozato, Watanabe*, 896
- chemical modifications, DNA-protein interaction, EcoRI, phosphodiester hydrolysis, synthetic oligonucleotides, *Gohda, Matsuo, Oda, Ichihara, Uesugi*, 219
- chemical shift, equilibrium, IL-8 family, NMR, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji*, 835
- chemotactic receptors, CD38, G proteins, tyrosine phosphorylation, superoxide generation, *Tsujimoto, Kontani, Inoue, Hoshino, Hazeki, Malavasi, Katada*, 949
- chemotaxis, cyclic GMP, cyclic GMP-dependent protein kinase, α -elastin, macrophage, *Kamisato, Uemura, Takami, Okamoto*, 862
- chicken gizzard, filament assembly, myosin monomer conformation, smooth muscle myosin, telokin, *Masato, Numata, Katoh, Morita, Yazawa*, 225
- chicken liver, cytosolic phosphoenolpyruvate carboxykinase, nucleotide sequence analysis, promoter, transient expression, *Sato, Takahashi, Konishi, Suzuki, Kochi*, 711
- chimeric protein, outer membrane protein, pro-sequence, protein secretion, *Serratia serine protease, Ohnishi, Beppu, Horinouchi*, 902
- chromatin binding, heterochromatin, lamin B receptor, NBP60, nuclear membrane protein, *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, Horigome*, 881
- chromophore/protein interaction, expression, *in vitro* mutagenesis, opsin shift, photoactive yellow protein, *Mihara, Hisatomi, Imamoto, Kataoka, Tokunaga*, 876
- cis*-acting element, catalase gene, DNA binding protein, initiator, TATA-less promoter, *Toda, Takeuchi, Hori, Ito, Sato*, 1035
- 2-cistrion expression system, expression efficiency, GC-rich gene, 3-isopropyl-malate dehydrogenase, *Thermus thermophilus, Suzuki, Tanaka, Ishida, Ishizuka, Yama-*
- gishi, Oshima*, 1031
- cloning, *Bacillus pumilus*, glutamate racemase, purification, sequencing, *Liu, Yoshimura, Endo, Esaki, Soda*, 1155
- c-Myb binding motif, human basophilic leukemia cells, human L-histidine decarboxylase gene, nuclear factor, regulatory element, *Nakagawa, Okaya, Yatsunami, Tanaka, Ohtsu, Fukui, Watanabe, Ichikawa*, 935
- c-Myc, CACGTG sequence-binding protein, immunoaffinity purification, Max, monoclonal antibody, *Nozaki, Naoe, Okazaki*, 550
- Co^{2+} ion activation, metalloprotease, partial amino acid sequence, *Pseudomonas fluorescens*, sequence homology, *Kim, Tamanoue, Jeohn, Iwamatsu, Yokota, Kim, Takahashi, Takahashi*, 82
- coatomer, COPI, double lysine motif, endoplasmic reticulum, vesicle transport, *Yamazaki, Harashima, Sakaguchi, Mihara*, 8
- coenzyme F₄₃₀, methanogenic Archaea, methyl-coenzyme M reductase, protein crystallization, X-ray crystallography, *Shima, Goubeaud, Vinzenz, Thauer, Ermler*, 829
- coiled-coil, basement membrane, disulfide-bonding, heptad motif, laminin, *Niimi, Miki, Kitagawa*, 854
- collagen, botrocetin, ELISA, glycocalcin, von Willebrand factor, *Matsui, Kunishima, Hanako, Katayama, Kamiya, Naoe, Ozeki, Fujimura, Titani*, 376
- , baculovirus vector, heterotrimer, molecular assembly, recombinant protein, *Tomita, Kitajima, Yoshizato*, 1061
 - complex, CA074, cathepsin B, crystal structure, irreversible inhibitor, *Yamamoto, Hara, Tomoo, Ishida, Fujii, Hata, Murata, Kitamura*, 974
 - conformation, fibrin, kinetics, monoclonal antibody, plasminogen, *Madoiwa, Arai, Ueda, Ishizuka, Mimuro, Asakura, Matsuda, Sakata*, 278
 - , AMP, assembly, electron-transferring flavoprotein, subunit, *Sato, Nishina, Shiga*, 477
 - , energy transfer, glycopeptides, substrates, *Lee*, 818
 - cooperativity, acrylodan, actin-actin interface, crosslinking, *Miyata, Kinoshita, Marriott*, 527
 - coordination structure, β,δ -diazamesoporphyrin, electronic spectra, ligand binding, myoglobin, *Neya, Hori, Imai, Kawamura-Konishi, Suzuki, Shiro, Iizuka, Funasaki*, 654
 - COPI, coatomer, double lysine motif, endoplasmic reticulum, vesicle transport, *Yamazaki, Harashima, Sakaguchi, Mihara*, 8
 - copper transporting ATPase, *Caenorhabditis elegans*, immunofluorescence microscopy, Menkes/Wilson disease gene homologue, yeast CCC2 gene, *Sambongi, Wakabayashi, Yoshimizu, Omote, Oka, Futai*, 1169
 - countertrypsin, fetuin homologue, molecular evolution, Mongolian gerbil, *Goto, Yoshida, Suzuki, Yamamoto, Sinohara*, 619
 - crosslinking, acrylodan, actin-actin interface,

C (cont'd)

cooperativity, *Miyata, Kinoshita, Marriott*, 527
 cross-talk, endothelin, endothelin receptor, *Girardi* heart cell, signal transduction, *Ozaki, Ohwaki, Ihara, Ishikawa, Yano*, 440
 crystallization, lipoamide dehydrogenase, X-ray study, *Toyoda, Sekiguchi, Takenaka*, 1
 —, *Streptomyces olivaceoviridis*, X-ray crystallography, β -xylose, *Fujimoto, Mizuno, Kuno, Yoshida, Kobayashi, Kusakabe*, 826
 crystal structure, novel subfamily, substrate recognition pocket, zinc metalloprotease, *Kurisu, Kinoshita, Sugimoto, Nagara, Kai, Kasai, Harada*, 304
 —, CA074, cathepsin B, complex, irreversible inhibitor, *Yamamoto, Hara, Tomoo, Ishida, Fujii, Hata, Murata, Kitamura*, 974
Cucumaria echinata, calcium, hemolysin, lectin, toxin, *Hatakeyama, Miyamoto, Nagatomo, Sallay, Yamasaki*, 63
 cyclic GMP, chemotaxis, cyclic GMP-dependent protein kinase, α -elastin, macrophage, *Kamisato, Uemura, Takami, Okamoto*, 862
 cyclic GMP-dependent protein kinase, chemotaxis, cyclic GMP, α -elastin, macrophage, *Kamisato, Uemura, Takami, Okamoto*, 862
 c-Yes, autophosphorylation sites, N-terminal sequence, purification, rat liver plasma membrane, *Ariki, Tanabe, Usui, Hayashi, Inoue, Nishito, Kagamiyama, Takeda*, 104
 cysteine protease, growth phase, papain family, *Tetrahymena*, tetrain, *Suzuki, Hosoya, Takahashi, Kosaka, Hosoya*, 642
 cysteine proteinase, alimentary tract, gene family, germ cells, maize weevil, *Matsu-moto, Emori, Abe, Arai*, 464
 cytochrome c, bovine serum albumin, Brewster angle microscopy, fluorescence, monolayer, *Tanaka, Akatsuka, Murakami, Ogomma, Abe, Kondo*, 206
 cytosolic phosphoenolpyruvate carboxykinase, chicken liver, nucleotide sequence analysis, promoter, transient expression, *Sato, Takahashi, Konishi, Suzuki, Kochi*, 711
 cytosolic phospholipase A2, Ca^{2+} -independent phospholipase A2, exocytosis, parotid acinar cell, phospholipase A2 inhibitor, *Takuma, Ichida*, 1018
 cytotoxicity, hemolysis, lectin, pore-forming protein, *Oda, Tsuru, Hatakeyama, Nagatomo, Muramatsu, Yamasaki*, 560

D

D89501, genomic DNA, PBI, proline-rich protein, salivary protein, *Isemura, Saitoh*, 1025
 decaprenyl diphosphate synthase, antioxidant, glutathione, isoprenoid, ubiquinone, *Suzuki, Okada, Kamiya, Zhu, Nakagawa, Kawamukai, Matsuda*, 496
 deep-sea barophilic bacteria, aspartate β -D-semialdehyde dehydrogenase, gene expression, high pressure, *Shewanella* sp.,

Kato, Smorawinska, Li, Horikoshi, 717
 defective folding, BiP, linear polymerization, ovalbumin, serpin superfamily, *Shirai, Tani, Higasa, Yasunoto*, 787
 dehydroascorbate reductase activity, glutaredoxin (thioltransferase), rice bran, thiol-disulfide interchange, thioredoxin, *Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, Tanaka*, 842
 dehydrodolichydiphosphate synthase, cell-cycle dependency, farnesyl diphosphate synthase, lipid-linked oligosaccharides, rat 3Y1 cell, *Fukushima, Ohkura, Yamashita*, 415
 delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry, fucosyl-GM1 ganglioside, ganglioside, lysoganglioside, sphingosine, *Taketomi, Hara, Uemura, Kurahashi, Sugiyama*, 264
 deoxyhypusine synthase, eukaryotic initiation factor 5A, hypusine, post-translational modification, yeast, *Abid, Sasaki, Titani, Miyazaki*, 769
 desulfation, FGF-1, FGF-2, heparan sulfate, heparin, *Ishihara, Kariya, Kikuchi, Minamisawa, Yoshida*, 345
 development, arrest-relief, pausing, RNA polymerase II, spermatogenesis, *Umeshima, Kida, Hasegawa, Fujimoto, Horikoshi*, 598
 diacetylspermidine, anti-polyamine antibody, ELISA, polyamine, tumor marker, *Hiramatsu, Miura, Sugimoto, Kanei, Iwasaki, Kawakita*, 1134
 diacylglycerol, phorbol ester, phospholipid, protein kinase C, tyrosine phosphorylation, *Kadotani, Nishiumi, Nanahoshi, Tsujishita, Ogita, Nakamura, Kikkawa, Asaoka*, 1047
 —, acyl-CoA, diacylglycerol acyltransferase, fungi, phosphatidic acid, *Kamisaka, Mishra, Nakahara*, 1107
 diacylglycerol acyltransferase, acyl-CoA, diacylglycerol, fungi, phosphatidic acid, *Kamisaka, Mishra, Nakahara*, 1107
 β,δ -diazamesoporphyrin, coordination structure, electronic spectra, ligand binding, myoglobin, *Neya, Hori, Imai, Kawamura-Konishi, Suzuki, Shiro, Iizuka, Funasaki*, 654
Dictyostelium discoideum, cell-surface glycoprotein, cell-fusion related protein, sexual cell fusion, *Aiba, Fang, Yamaguchi, Tanaka, Urushihara*, 238
 diet, kidney, lysosome, phosphate, transporter, *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, Takeda*, 50
 differential scanning calorimetry, thermodynamic stability, protein/ligand interaction, *Calanzano, Gambuti, Graziano, Barone*, 568
 1,25-dihydroxyvitamin D₃, promoter, rat genomic fragment, vitamin D receptor, vitamin D response element, *Sakoda, Suzuki, Arai, Imagawa, Nishikawa, Nishihara*, 89
 dimerization, G-CSF receptor, sedimentation equilibrium, receptor purification, *Horan, Martin, Simonet, Arakawa, Philo*, 370
 disuccinimidyl suberate, actin, calcium regulation, motility, troponin-tropomyosin complex, *Honda, Tagami, Hatori, Matsuno*, 47
 disulfide-bonding, basement membrane, coiled-coil, heptad motif, laminin, *Niimi, Miki, Kitagawa*, 854
 divalent cations, fluorescence, fluorescence anisotropy, kinetics, triplex DNA, *Ellouze, Piot, Takahashi*, 521
 DNA binding, RecA protein, homologous recombination, search of homologous DNA, strand exchange, *Ellouze, Nordén, Takahashi*, 1070
 DNA-binding protein, papillomavirus, site-directed mutagenesis, *Matsumoto, Nakashima, Takase, Hirochika, Mizuno*, 138
 DNA binding protein, catalase gene, cis-acting element, initiator, TATA-less promoter, *Toda, Takeuchi, Hori, Ito, Sato*, 1035
 DNA binding protein HU, bacilli, salt bridge, site-directed mutagenesis, thermostability, *Kawamura, Tanaka, Yamasaki, Kimura*, 448
 DnaJ homolog, farnesylation, HSDJ, mitochondrial protein import, molecular chaperone, *Kanazawa, Terada, Kato, Mori*, 890
 DNA-protein interaction, chemical modifications, EcoRI, phosphodiester hydrolysis, synthetic oligonucleotides, *Gohda, Matsuo, Oda, Ikebara, Uesugi*, 219
 DNA synthesis, imaginal disc, nuclear localization, prolyl endopeptidase, *Sarcophaga peregrina, Ohtsuki, Homma, Kurata, Natori*, 1176
 domain structure, ATP depletion, growth factor, intracellular Ca^{2+} , Na^+/H^+ exchanger, *Ikeda, Schmitt, Pouysségur, Wakabayashi, Shigeoka*, 295
 L-dopa, aromatic L-amino acid decarboxylase, dopamine, Pictet-Spengler reaction, pyridoxal 5'-phosphate, *Nishino, Hayashi, Ishii, Kagamiyama*, 604
 dopamine, aromatic L-amino acid decarboxylase, L-dopa, Pictet-Spengler reaction, pyridoxal 5'-phosphate, *Nishino, Hayashi, Ishii, Kagamiyama*, 604
 double lysine motif, coatomer, COP1, endoplasmic reticulum, vesicle transport, *Yamazaki, Harashima, Sakaguchi, Mihara*, 8
 drug-metabolizing enzyme, acetohexamide analog, acetohexamide reductase, structural requirement, substrate-binding region, *Imamura, Koga, Migita, Ryu, Otagiri, Nozawa, Akita*, 705

E

E box, fast muscle troponin T, M-CAT, M-CAT-like element, MEF2, *Watanabe, Takemasa, Yonemura, Hirabayashi*, 212
 EcoRI, chemical modifications, DNA-protein interaction, phosphodiester hydrolysis, synthetic oligonucleotides, *Gohda, Matsuo, Oda, Ikebara, Uesugi*, 219
 EF-hand protein, Ca^{2+} -binding protein, ER-resident protein, reticulocalbin, *Tachikui, Navet, Ozawa*, 145
 EGF, bioconjugate material, immobilization, juxtarcline, tissue engineering, *Ito, Li, Takahashi, Imanishi, Okabayashi, Kido, Kasuga*, 514

E (cont'd)

elastin, intracellular degradation, monensin, secretion, smooth muscle cell, *Ikeda, Wachi, Seyama, Tajima*, 5
 α -elastin, chemotaxis, cyclic GMP, cyclic GMP-dependent protein kinase, macrophage, *Kamisato, Uemura, Takami, Okamoto*, 862
 electronic spectra, coordination structure, β , δ -diazamesoporphyrin, ligand binding, myoglobin, *Neya, Hori, Imai, Kawamura, Konishi, Suzuki, Shiro, Iizuka, Funasaki*, 654
 electron-transferring flavoprotein, AMP, assembly, conformation, subunit, *Sato, Nishina, Shiga*, 477
 ELISA, autoantibody, GAD, IDDM, myeloma cell, *Matsuba, Yano, Abiru, Takino, Akazawa, Nagataki, Yasukawa*, 20
 —, botrocetin, collagen, glyccocalicin, von Willebrand factor, *Matsui, Kunishima, Hamako, Katayama, Kamiya, Naoe, Ozeki, Fujimura, Titani*, 376
 —, anti-polyamine antibody, diacetylspermidine, polyamine, tumor marker, *Hiramatsu, Miura, Sugimoto, Kamei, Iwasaki, Kawakita*, 1134
 endoplasmic reticulum, coatomer, COPI, double lysine motif, vesicle transport, *Yamazaki, Harashima, Sakaguchi, Miura, Shiga*, 8
 —, CaBP1, CaBP2, liver, protein kinase CK2, *Janson, Ek, Ek*, 112
 endosomal/lysosomal pathway, Alzheimer's disease, amyloid precursor protein, targeting sequence, *Ono, Kinouchi, Sorimachi, Ishiura, Suzuki*, 585
 endothelial cell, apoptosis, phospholipase, signal transduction, *Miao, Kaji, Hayashi, Araki*, 612
 endothelin, cross-talk, endothelin receptor, Girardi heart cell, signal transduction, *Ozaki, Ohwaki, Ihara, Ishikawa, Yano*, 440
 endothelin receptor, cross-talk, endothelin, Girardi heart cell, signal transduction, *Ozaki, Ohwaki, Ihara, Ishikawa, Yano*, 440
 energy transfer, conformation, glycopeptides, substrates, *Lee*, 818
 enzyme mechanism, farnesyl diphosphate, geranylgeranyl diphosphate synthase, isoprenoids, prenyltransferase, *Ohnuma, Hemmi, Ohto, Nakane, Nishino*, 696
 enzyme structure, bifunctional protein, human enzyme, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, *Jiang, Miyazawa, Souri, Hashimoto*, 364
 epinephrine, potentiation, Syk, thrombin, tyrosine phosphorylation, *Wang, Yanagi, Yang, Inatome, Yamanura*, 325
 equilibrium, chemical shift, IL-8 family, NMR, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji*, 835
 ER-resident protein, Ca^{2+} -binding protein, EF-hand protein, reticulocalbin, *Tachikui, Naret, Ozawa*, 145
 ER translocation, hydrophobic region, presecretory protein, signal peptide, SRP, *Hatsuzawa, Tagaya, Mizushima*, 270

Erythrina variegata, cDNA cloning, overexpression, tissue-type plasminogen activator inhibitor, trypsin inhibitor, *Kouzuma, Yamasaki, Kimura*, 456

erythrocyte, glucose-carrying polymer, monoclonal antibody, type-1 glucose transporter (GLUT-1), *Park, Takei, Goto, Maruyama, Kobayashi, Kobayashi, Akaishi*, 997

erythropoietin, GATA motif, point mutation, promoter, TATA motif, *Tsuchiya, Okada, Ueda, Yasukochi*, 193

Escherichia coli, characteristics, expression, metallothionein, recombinant protein, *Xiong, Ru*, 1102

essential light chains, actomyosin ATPase, filament assembly, monomer conformation, smooth muscle myosin, *Katoh, Morita*, 56

eukaryotic initiation factor 5A, deoxyhypusine synthase, hypusine, post-translational modification, yeast, *Abid, Sasaki, Titani, Miyazaki*, 769

excitation-contraction coupling, calcium release channel, calsequestrin, sarcoplasmic reticulum, transverse tubule, *Yamaguchi, Igami, Kasai*, 432

exocytosis, Ca^{2+} -independent phospholipase A2, cytosolic phospholipase A2, parotid acinar cell, phospholipase A2 inhibitor, *Takuma, Ichida*, 1018

expression, D-aspartate oxidase, cDNA, flavoenzyme, human brain, *Setoyama, Miura*, 798

—, chromophore/protein interaction, *in vitro* mutagenesis, opsin shift, photoactive yellow protein, *Mihara, Hisatomi, Imamoto, Kataoka, Tokunaga*, 876

—, characteristics, *Escherichia coli*, metallothionein, recombinant protein, *Xiong, Ru*, 1102

expression efficiency, 2-cistron expression system, GC-rich gene, 3-isopropyl-malate dehydrogenase, *Thermus thermophilus, Suzuki, Tanaka, Ishida, Ishizuka, Yamagishi, Oshima*, 1031

extracellular matrix, adhesion, anti-adhesion, fibronectin, integrin, *Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takahashi, Takeda, Katayama*, 189

—, bone morphogenetic protein, osteogenesis, pore size, porous hydroxyapatite, *Tsuruga, Takita, Itoh, Wakisaka, Kuboki*, 317

F

farnesylation, Dnaj homolog, HSDJ, mitochondrial protein import, molecular chaperone, *Kanazawa, Terada, Kato, Mori*, 890

farnesyl diphosphate, enzyme mechanism, geranylgeranyl diphosphate synthase, isoprenoids, prenyltransferase, *Ohnuma, Hemmi, Ohto, Nakane, Nishino*, 696

farnesyl diphosphate synthase, cell-cycle dependency, dehydrololichyldiphosphate synthase, lipid-linked oligosaccharides, rat 3Y1 cell, *Fukushima, Ohkura, Yamashita*, 415

fast muscle troponin T, E box, M-CAT, M-CAT-like element, MEF2, *Watanabe, Takemasa, Yonemura, Hirabayashi*, 212

fatty alcohol, β -oxidation, peroxisome, plasmalogens, very-long-chain fatty acid, *Watanabe, Shimokawa, Ishiguro, Sakakibara*, 724

Hayashi, Hara, 978

fetuin homologue, countertrypin, molecular evolution, Mongolian gerbil, *Goto, Yoshida, Suzuki, Yamamoto, Sinohara*, 619

FGF-1, desulfation, FGF-2, heparan sulfate, heparin, *Ishihara, Kariya, Kikuchi, Minamisawa, Yoshida*, 345

FGF-2, desulfation, FGF-1, heparan sulfate, heparin, *Ishihara, Kariya, Kikuchi, Minamisawa, Yoshida*, 345

fibrin, conformation, kinetics, monoclonal antibody, plasminogen, *Madoiwa, Arai, Ueda, Ishizuka, Mimuro, Asakura, Matsuda, Sakata*, 278

fibrinogen, cell adhesion, fibronectin, inhibitory effect, integrin, *Liu, Nemoto, Feng, Uemura*, 961

fibronectin, adhesion, anti-adhesion, extracellular matrix, integrin, *Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takahashi, Takeda, Katayama*, 189

—, cell adhesion, fibrinogen, inhibitory effect, integrin, *Liu, Nemoto, Feng, Uemura*, 961

filament assembly, actomyosin ATPase, essential light chains, monomer conformation, smooth muscle myosin, *Katoh, Morita*, 56

—, chicken gizzard, myosin monomer conformation, smooth muscle myosin, telokin, *Masato, Numata, Katoh, Morita, Yazawa*, 225

flavin, carbonyl group, flavoprotein, hydrogen bond, Raman spectra, *Hazekawa, Nishina, Sato, Shichiri, Miura, Shiga*, 1147

flavoenzyme, D-aspartate oxidase, cDNA, expression, human brain, *Setoyama, Miura*, 798

—, acyl-CoA dehydrogenase, acyl-CoA oxidase, charge-transfer interaction, resonance Raman spectra, *Tamaoki, Setoyama, Miura, Hazekawa, Nishina, Shiga*, 1139

flavoprotein, carbonyl group, flavin, hydrogen bond, Raman spectra, *Hazekawa, Nishina, Sato, Shichiri, Miura, Shiga*, 1147

fluorescence, bovine serum albumin, Brewster angle microscopy, cytochrome c, monolayer, *Tanaka, Akatsuka, Murakami, Ogomma, Abe, Kondo*, 206

—, divalent cations, fluorescence anisotropy, kinetics, triplex DNA, *Ellouze, Piot, Takahashi*, 521

fluorescence anisotropy, divalent cations, fluorescence, kinetics, triplex DNA, *Ellouze, Piot, Takahashi*, 521

fluorescence quenching, hepatocyte, mitochondrial energy state, NIRS, Rhodamine 800, *Sakanoue, Ichikawa, Nomura, Tamura*, 29

fluorescence titration, aminoacyl-tRNA synthetase, lysine hydroxamate, lysyladenylate, lysyl-tRNA synthetase, *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Sukata, Inouye, Hiromi, Tonomura*, 244

frontal affinity chromatography, *C. elegans*, β -galactoside-binding lectin, galectin, tandem-repeat-type galectin, *Arata, Hirabayashi, Kasai*, 1002

fructose-2,6-bisphosphatase, bifunctional enzyme, fructose-6-phosphate, 2-kinase, glycolysis, inhibitor, *Harada, Tominaga, Watanabe, Shimokawa, Ishiguro, Sakakibara*, 724

F (cont'd)

fructose-6-phosphate-2-kinase, bifunctional enzyme, fructose-2,6-bisphosphatase, glycolysis, inhibitor, *Harada, Tominaga, Watanabe, Shimokawa, Ishiguro, Sakakibara*, 724
 FT-IR, bacteriorhodopsin, halorhodopsin, proton pathway, rhodopsin, *Maeda, Kandori, Yamazaki, Nishimura, Hatanaka, Chon, Sasaki, Needleman, Lanyi*, 399
 fucosyl-GM1 ganglioside, delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry, ganglioside, lysoganglioside, sphingosine, *Taketomi, Hara, Uemura, Kurahashi, Sugiyama*, 264
 fucosyltransferase, cDNA, glycosyltransferase, *N*-glycan, purification, *Yanagidani, Uozumi, Ihara, Miyoshi, Yamaguchi, Taniguchi*, 626
 fungi, acyl-CoA, diacylglycerol, diacylglycerol acyltransferase, phosphatidic acid, *Kamisaka, Mishra, Nakahara*, 1107

G

GAD, autoantibody, ELISA, IDDM, myeloma cell, *Matsuba, Yano, Abiru, Takino, Akazawa, Nagataki, Yasukawa*, 20
 β -galactoside-binding lectin, *C. elegans*, frontal affinity chromatography, galectin, tandem-repeat-type galectin, *Arata, Hirabayashi, Kasai*, 1002
 galectin, *C. elegans*, frontal affinity chromatography, β -galactoside-binding lectin, tandem-repeat-type galectin, *Arata, Hirabayashi, Kasai*, 1002
 ganglioside, air pollution, glycosphingolipid, ozone, *Jennemann, Bauer, Wiegandt*, 150—, delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry, fucosyl-GM1 ganglioside, lysoganglioside, sphingosine, *Taketomi, Hara, Uemura, Kurahashi, Sugiyama*, 264
 GATA-1, promoter, Sertoli cell, testis, transcription factor, *Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rassoulzadegan, Engel, Yamamoto*, 251
 GATA binding protein, H^+/K^+ -ATPase, promoter, stomach, transcription, *Nishi, Kubo, Hasebe, Maeda, Futai*, 922
 GATA motif, erythropoietin, point mutation, promoter, TATA motif, *Tsuchiya, Okada, Ueda, Yasukochi*, 193
 GC-rich gene, 2-cistron expression system, expression efficiency, 3-isopropyl-malate dehydrogenase, *Thermus thermophilus, Suzuki, Tanaka, Ishida, Ishizuka, Yamagishi, Oshima*, 1031
 G-CSF receptor, sedimentation equilibrium, dimerization, receptor purification, *Horan, Martin, Simonet, Arakawa, Philo*, 370
 gene expression, carnitine deficiency, starvation, transcription factor, urea cycle enzymes, *Tomomura, Tomomura, Musa, Horiuchi, Takiguchi, Mori, Saheki*, 172—, aspartate β -D-semialdehyde dehydrogenase, deep-sea barophilic bacteria, high pressure, *Shewanella* sp, *Kato, Smorawska, Li, Horikoshi*, 717—, inclusion body, plasminogen activator

inhibitor 2 (PAI-2), renaturation, serine protease inhibitor (SERPIN), *Zhou, Jiang, Dou, Zhu, Xu*, 930

gene family, alimentary tract, cysteine protease, germ cells, maize weevil, *Matsushige, Emori, Abe, Arai*, 464

gene structure, alternative splicing, *Halocyathia roretzi*, troponin C, *Yuasa, Sato, Yamamoto, Takagi*, 671

genomic DNA, D89501, PBI, proline-rich protein, salivary protein, *Isemura, Saitoh*, 1025

geranylgeranyl diphosphate synthase, enzyme mechanism, farnesyl diphosphate, isoprenoids, prenyltransferase, *Ohnuma, Hemmi, Ohta, Nakane, Nishino*, 696

germ cells, alimentary tract, cysteine protease, gene family, maize weevil, *Matsushige, Emori, Abe, Arai*, 464

Girardi heart cell, cross-talk, endothelin, endothelin receptor, signal transduction, *Ozaki, Ohwaki, Ihara, Ishikawa, Yano*, 440

globin mRNA, 5-aminolevulinate synthase, hemin, hemoglobin synthesis, human leukemia cells, *Nagai, Harigae, Furuyama, Munakata, Hayashi, Endo, Sassa, Yamamoto*, 487

glucose-carrying polymer, erythrocyte, monoclonal antibody, type-1 glucose transporter (GLUT-1), *Park, Takei, Goto, Maruyama, Kobayashi, Kobayashi, Akaike*, 997

glutamate racemase, *Bacillus pumilus*, cloning, purification, sequencing, *Liu, Yoshimura, Endo, Esaki, Soda*, 1155

glutaredoxin (thioltransferase), dehydroascorbate reductase activity, rice bran, thiodisulfide interchange, thioredoxin, *Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, Tanaka*, 842

glutathione, antioxidant, decaprenyl diphosphate synthase, isoprenoid, ubiquinone, *Suzuki, Okada, Kamiya, Zhu, Nakagawa, Kawamukai, Matsuda*, 496

N-glycan, cDNA, fucosyltransferase, glycosyltransferase, purification, *Yanagidani, Uozumi, Ihara, Miyoshi, Yamaguchi, Taniguchi*, 626

glyceraldehyde-3-phosphate, ADP-ribosylation, bovine brain, glyceraldehyde-3-phosphate dehydrogenase, nitric oxide, *Itoga, Tsuchiya, Ishino, Shimoyama*, 1041

glyceraldehyde-3-phosphate dehydrogenase, ADP-ribosylation, bovine brain, glyceraldehyde-3-phosphate, nitric oxide, *Itoga, Tsuchiya, Ishino, Shimoyama*, 1041

glycocalicin, botrocetin, collagen, ELISA, von Willebrand factor, *Matsui, Kunishima, Hamako, Katayama, Kamiya, Naoe, Ozeki, Fujimura, Titani*, 376

glycolipid, lipoteichoic acid, mass spectrometry, NMR, structural analysis, *Hashimoto, Yasuoka, Suda, Takada, Yoshida, Kotani, Kusumoto*, 779

glycolysis, bifunctional enzyme, fructose-2,6-bisphosphatase, fructose-6-phosphate, 2-kinase, inhibitor, *Harada, Tominaga, Watanabe, Shimokawa, Ishiguro, Sakakibara*, 724

glycopeptides, energy transfer, conforma-

tion, substrates, *Lee*, 818

β -glycoprotein I, anti-cardiolipin syndrome, autoimmune diseases, *Pichia pastoris*, protein-lipid interaction, *Hagihara, Enyoyaji, Ômura, Kataoka, Suga, Igarashi, Matsuura, Kato, Yoshiimura, Goto*, 128

glycosphingolipid, air pollution, ganglioside, ozone, *Jennemann, Bauer, Wiegandt*, 150 glycosyltransferase, cDNA, fucosyltransferase, *N*-glycan, purification, *Yanagidani, Uozumi, Ihara, Miyoshi, Yamaguchi, Taniguchi*, 626

Gly-Thr cleavage, Asp-C cleavage, Asp-Pro cleavage, perfluoric acid, Ser-N cleavage, *Kawakami, Kamo, Takamoto, Miyazaki, Chow, Ueno, Tsugita*, 68

G proteins, CD38, chemotactic receptors, tyrosine phosphorylation, superoxide generation, *Tsujimoto, Kontani, Inoue, Hoshino, Hazeki, Malavasi, Katada*, 949

GroE, aggregation, chaperone, pro-UK, refolding, *Xu, Yang, Zhu*, 331

GroEL, chaperonin, hydrogen exchange, α -lactalbumin, molecular chaperone, *Okazaki, Katsumata, Kuwajima*, 534

growth factor, ATP depletion, domain structure, intracellular Ca^{2+} , Na^+/H^+ exchanger, *Ikeda, Schmitt, Pouyssegur, Wakabayashi, Shigekawa*, 295

growth phase, cysteine protease, papain family, *Tetrahymena*, tetrain, *Suzuki, Hosoya, Takahashi, Kosaka, Hosoya*, 642

GST-P, nuclear factor 1, purification, silencer element, transcription factor, *Osada, Daimon, Ikeda, Nishihara, Yano, Yamasaki, Imagawa*, 355

H

H^+/K^+ -ATPase, GATA binding protein, promoter, stomach, transcription, *Nishi, Kubo, Hasebe, Maeda, Futai*, 922

Halocynthia roretzi, alternative splicing, gene structure, troponin C, *Yuasa, Sato, Yamamoto, Takagi*, 671

halorhodopsin, bacteriorhodopsin, FT-IR, proton pathway, rhodopsin, *Maeda, Kandori, Yamazaki, Nishimura, Hatanaka, Chon, Sasaki, Needleman, Lanyi*, 399

hammerhead, metal binding, oligonucleotide, ribozyme, RNA, *Sakamoto, Kim, Kurihara, Sasaki, Noguchi, Katahira, Uesugi*, 288

heat shock element, BiP, heat shock protein, Ssa1, transcriptional regulation, *Oka, Kimata, Mori, Kohno*, 578

heat shock protein, apoptosis, Bip, calcium homeostasis, PC12, *Aoki, Koike, Nakano, Shibahara, Kondo, Kikuchi, Honjo*, 122

—, BiP, heat shock element, Ssa1, transcriptional regulation, *Oka, Kimata, Mori, Kohno*, 578

Helicobacter pylori, lipid A, lipopolysaccharide MS, NMR, *Suda, Ogawa, Kashihara, Oikawa, Shimoyama, Hayashi, Tamura, Kusumoto*, 1129

helper T-lymphocytes, interleukin-1 receptor family, ligand of ST2, ST2 gene product, Th1 and Th2 cells, *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, Tominaga*, 95

heme, *Candida tropicalis*, catalase, peroxisomes, pyridine hemochrome method, *Lee*, 818

- H (cont'd)
- Soga, Kinoshita, Ueda, Tanaka*, 25
- heme oxygenase, carbon monoxide, nitric oxide, nitroprusside, stress protein, *Takahashi, Hara, Ogawa, Kimura, Fujita, Shibahara*, 1162
- hemin, 5-aminolevulinate synthase, globin mRNA, hemoglobin synthesis, human leukemia cells, *Nagai, Harigae, Furuyama, Munakata, Hayashi, Endo, Sassa, Yamamoto*, 487
- hemoglobin synthesis, 5-aminolevulinate synthase, globin mRNA, hemin, human leukemia cells, *Nagai, Harigae, Furuyama, Munakata, Hayashi, Endo, Sassa, Yamamoto*, 487
- hemolysin, calcium, *Cucumaria echinata*, lectin, toxin, *Hatakeyama, Miyamoto, Nagatomo, Sallay, Yamasaki*, 63
- hemolysis, cytotoxicity, lectin, pore-forming protein, *Oda, Tsuru, Hatakeyama, Nagatomo, Muramatsu, Yamasaki*, 560
- hen lysozyme, NMR, site-directed mutagenesis, stability, X-ray crystallography, *Motomura, Mine, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, Ueda, Imoto*, 1076
- heparan sulfate, brain development, midkine, syndecan, *Nakanishi, Kadomatsu, Okamoto, Ichihara-Tanaka, Kojima, Saito, Tomoda, Muramatsu*, 197
- , desulfation, FGF-1, FGF-2, heparin, *Ishihara, Kariya, Kikuchi, Minamisawa, Yoshida*, 345
- heparin, desulfation, FGF-1, FGF-2, heparan sulfate, *Ishihara, Kariya, Kikuchi, Minamisawa, Yoshida*, 345
- hepatitis delta virus, metal binding, oligonucleotide, ribozyme, RNA, *Sakamoto, Tanaka, Kuwabara, Kim, Kurthara, Katahira, Uesugi*, 1123
- hepatocyte, fluorescence quenching, mitochondrial energy state, NIRS, Rhodamine 800, *Sakanoue, Ichikawa, Nomura, Tamura*, 29
- hepatocytes, apoptosis, cell cycle, IFN- γ , p53, *Kano, Watanabe, Takeda, Aizawa, Akaike*, 677
- heptad motif, basement membrane, coiled-coil, disulfide-bonding, laminin, *Niimi, Miki, Kitagawa*, 854
- herpes simplex virus type 1, human immunoglobulin, optical biosensor, virus-cell interaction, *Inoue, Arai, Aoyagi*, 633
- heterochromatin, chromatin binding, lamin B receptor, NBP60, nuclear membrane protein, *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, Horigome*, 881
- heterotrimer, baculovirus vector, collagen, molecular assembly, recombinant protein, *Tomita, Kitajima, Yoshizato*, 1061
- high pressure, aspartate β -D-semialdehyde dehydrogenase, deep-sea barophilic bacteria, gene expression, *Shewanella sp, Kato, Smorawinska, Li, Horikoshi*, 717
- histidine residue, base non-specific ribonuclease, mechanism of enzymatic action, *Rhizopus niveus*, second step reaction, *Irie, Ohgi, Iwama, Koizumi, Sasayama, Hara, Yano, Udagawa, Kawasaki*, 849
- histone fold motif, histone octamer, TAF, TFIID, transcription factor, *Bando, Ijuin, Hasegawa, Horikoshi*, 591
- histone octamer, histone fold motif, TAF, TFIID, transcription factor, *Bando, Ijuin, Hasegawa, Horikoshi*, 591
- homologous recombination, RecA protein, search of homologous DNA, DNA binding, strand exchange, *Ellouze, Nordén, Takahashi*, 1070
- house musk shrew, activation segment, pepsin, pepsinogen, proteolytic specificity, *Narita, Oda, Moriyama, Takenaka, Kageyama*, 1010
- HSDJ, DnaJ homolog, farnesylation, mitochondrial protein import, molecular chaperone, *Kanazawa, Terada, Kato, Mori*, 890
- human basophilic leukemia cells, c-Myb binding motif, human L-histidine decarboxylase gene, nuclear factor, regulatory element, *Nakagawa, Okaya, Yatsunami, Tanaka, Ohtsu, Fukui, Watanabe, Ichikawa*, 935
- human brain, D-aspartate oxidase, cDNA, expression, flavoenzyme, *Setoyama, Miura*, 798
- human enzyme, bifunctional protein, enzyme structure, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, *Jiang, Miyazawa, Souris, Hashimoto*, 364
- human immunoglobulin, herpes simplex virus type 1, optical biosensor, virus-cell interaction, *Inoue, Arai, Aoyagi*, 633
- human leukemia cells, 5-aminolevulinate synthase, globin mRNA, hemin, hemoglobin synthesis, *Nagai, Harigae, Furuyama, Munakata, Hayashi, Endo, Sassa, Yamamoto*, 487
- human L-histidine decarboxylase gene, c-Myb binding motif, human basophilic leukemia cells, nuclear factor, regulatory element, *Nakagawa, Okaya, Yatsunami, Tanaka, Ohtsu, Fukui, Watanabe, Ichikawa*, 935
- human small intestine, adaptive regulation, Caco-2, taurine, transporter, *Satsu, Watanabe, Arai, Shimizu*, 1082
- hydrogen bond, carbonyl group, flavin, flavoprotein, Raman spectra, *Hazezawa, Nishina, Sato, Shichiri, Miura, Shiga*, 1147
- hydrogen exchange, chaperonin, GroEL, α -lactalbumin, molecular chaperone, *Okazaki, Katsumata, Kuwajima*, 534
- hydrophobic region, ER translocation, presecretory protein, signal peptide, SRP, *Hatsuzawa, Tagaya, Mizushima*, 270
- hydrophobic sequence, proline-rich domain, protein-protein interaction, transcription factor, zinc finger protein, *Kojima, Kobayashi, Gotoh, Ohkuma, Fujii-Kuriyama, Sogawa*, 389
- D-3-hydroxyacyl-CoA dehydratase, bifunctional protein, enzyme structure, human enzyme, D-3-hydroxyacyl-CoA dehydrogenase, *Jiang, Miyazawa, Souris, Hashimoto*, 364
- , bifunctional protein, D-3-hydroxyacyl-CoA dehydrogenase, β -oxidation, peroxisomal, *Jiang, Kurosawa, Sato, Suzuki, Hashimoto*, 506
- D-3-hydroxyacyl-CoA dehydrogenase, bi-
- functional protein, enzyme structure, human enzyme, D-3-hydroxyacyl-CoA dehydratase, *Jiang, Miyazawa, Souris, Hashimoto*, 364
- , bifunctional protein, D-3-hydroxyacyl-CoA dehydratase, β -oxidation, peroxisomal, *Jiang, Kurosawa, Sato, Suzuki, Hashimoto*, 506
- hydroxylamine oxidoreductase, ammonia starvation, *Nitrosomonas europaea, Nejediat, Shmueli, Abeliovich*, 957
- hypusine, deoxyhypusine synthase, eukaryotic initiation factor 5A, post-translational modification, yeast, *Abid, Sasaki, Titani, Miyazaki*, 769

I

- IDDM, autoantibody, ELISA, GAD, myeloma cell, *Matsuba, Yano, Abiru, Takino, Akazawa, Nagataki, Yasukawa*, 20
- IFN- γ , apoptosis, cell cycle, hepatocytes, p53, *Kano, Watanabe, Takeda, Aizawa, Akaike*, 677
- IL-8 family, chemical shift, equilibrium, NMR, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji*, 835
- imaginal disc, DNA synthesis, nuclear localization, prolyl endopeptidase, *Sarcophaga peregrina, Ohtsuki, Homma, Kurata, Natori*, 1176
- immobilization, bioconjugate material, EGF, juxtacline, tissue engineering, *Ito, Li, Takahashi, Imanishi, Okabayashi, Kido, Kasuga*, 514
- immunoaffinity purification, CACGTG sequence-binding protein, c-Myc, Max, monoclonal antibody, *Nozaki, Naoe, Okazaki*, 550
- immunofluorescence microscopy, *Caenorhabditis elegans*, copper transporting ATPase, Menkes/Wilson disease gene homologue, yeast CCC2 gene, *Sambongi, Wakabayashi, Yoshimizu, Omote, Oka, Futai*, 1169
- immunoglobulin, lipid peroxidation, α -tocopherol, unsaturated fatty acids, *Hung, Yamada, Lim, Mori, Yuki, Sugano*, 1054
- inclusion body, gene expression, plasminogen activator inhibitor 2 (PAI-2), renaturation, serine protease inhibitor (SERPIN), *Zhou, Jiang, Dou, Zhu, Xu*, 930
- inducible nitric oxide synthase, interferon- γ , lipopolysaccharide, macrophage activation, murine macrophage-like cell line, *Noda, Amano*, 38
- influenza virus, mucus protease inhibitor, Sendai virus, typtase Clara, virus infection, *Beppu, Imamura, Tashiro, Towatari, Ariga, Kido*, 309
- inhibitor, bifunctional enzyme, fructose-2,6-biphosphatase, fructose-6-phosphate, 2-kinase, glycolysis, *Harada, Tominaga, Watanabe, Shimokawa, Ishiguro, Sakakibara*, 724
- inhibitory effect, cell adhesion, fibrinogen, fibronectin, integrin, *Liu, Nemoto, Feng, Uemura*, 961
- initiator, catalase gene, cis-acting element, DNA binding protein, TATA-less promoter, *Toda, Takeuchi, Hori, Ito, Sato, 1035*
- inside-out signaling, cell adhesion, integrin,

I (cont'd)

ligand binding, monoclonal antibody, *Takagi, Isobe, Takada, Saito*, 914
 integrin, adhesion, anti-adhesion, extracellular matrix, fibronectin, *Fukai, Hasebe, Ueki, Mutoh, Ohgi, Takahashi, Takeda, Katayama*, 189
 —, cell adhesion, inside-out signaling, ligand binding, monoclonal antibody, *Takagi, Isobe, Takada, Saito*, 914
 —, cell adhesion, fibrinogen, fibronectin, inhibitory effect, *Liu, Nemoto, Feng, Uemura*, 961
 interferon- γ , inducible nitric oxide synthase, lipopolysaccharide, macrophage activation, murine macrophage-like cell line, *Noda, Amano*, 38
 interleukin-1 receptor family, helper T-lymphocytes, ligand of ST2, ST2 gene product, Th1 and Th2 cells, *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, Tominaga*, 95
 interleukin-6, acute phase response, APRF/STAT3, CCAAT/enhancer-binding protein, transcription, *Yamada, Tobita, Oeda, Nishihara, Imagawa*, 731
 intermediate filament, cell cycle, cell signaling, protein kinases, site- and phosphorylation state-specific antibodies, *Inagaki, Inagaki, Takahashi, Takai*, 407
 intermolecular interaction, chemical cross-linking, monoclonal antibody, pre-domain, preIL-1, *Kobayashi, Nagatake, Shimozato, Watanabe*, 896
 intracellular Ca^{2+} , ATP depletion, domain structure, growth factor, Na^+/H^+ exchanger, *Ikeda, Schmitt, Pouysségur, Wakabayashi, Shigekawa*, 295
 intracellular degradation, elastin, monensin, secretion, smooth muscle cell, *Ikeda, Wachi, Seyama, Tajima*, 5
in vitro mutagenesis, chromophore/protein interaction, expression, opsin shift, photoactive yellow protein, *Mihara, Hisatomi, Imamoto, Kataoka, Tokunaga*, 876
in vitro selection, *C. elegans*, polycistronic expression, RNA-binding specificity, spliceosome-associated protein (SAP), *Tanaka, Ohta, Terashima, Sakamoto*, 739
 irreversible inhibitor, CA074, cathepsin B, complex, crystal structure, *Yamamoto, Hara, Tomoo, Ishida, Fujii, Hata, Murata, Kitamura*, 974
 isoform, brain, Ca^{2+} /calmodulin, CaM-kinase kinase, protein kinase kinase, *Okuno, Kitani, Fujisawa*, 155
 isopeptidase, ubiquitin C-terminal hydrolase, ubiquitin specific protease, *Woo, Baek, Lee, Yoo, Cho, Kang, Chung*, 684
 isoprenoid, antioxidant, decaprenyl diphosphate synthase, glutathione, ubiquinone, *Suzuki, Okada, Kamiya, Zhu, Nakagawa, Kawamukai, Matsuda*, 496
 isoprenoids, enzyme mechanism, farnesyl diphosphate, geranylgeranyl diphosphate synthase, prenyltransferase, *Ohnuma, Hemmi, Ohto, Nakane, Nishino*, 696
 3-isopropyl-malate dehydrogenase, 2-cistron expression system, expression efficiency, GC-rich gene, *Thermus thermophilus, Suzuki, Tanaka, Ishida, Ishizuka, Yama-*

gishi, Oshima, 1031

J

juxtracrine, bioconjugate material, EGF, immobilization, tissue engineering, *Ito, Li, Takahashi, Imanishi, Okabayashi, Kido, Kasuga*, 514

K

kexin-like protease, PACE4E, PACE4 isoform, processing, subtilisin like proprotein convertase 4, *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, Nagamune, Matsuda*, 941

kidney, diet, lysosome, phosphate, transporter, *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, Takeda*, 50

kidney bean, α -amylase inhibitor, post-translational processing, primary structure, subunit structure, *Nakaguchi, Arakawa, Philo, Wen, Ishimoto, Yamaguchi*, 350

kinetics, conformation, fibrin, monoclonal antibody, plasminogen, *Madoiwa, Arai, Ueda, Ishizuka, Mimuro, Asakura, Matsuda, Sakata*, 278

—, divalent cations, fluorescence, fluorescence anisotropy, triplex DNA, *Ellouze, Piot, Takahashi*, 521

king cobra α -neurotoxin, amino acid sequence, aromatic residue, cationic residue, *Lin, Leu, Chang, Chang*, 690

K_1 value, metalloproteinase, proteinaceous inhibitor, reactive site, *Streptomyces, Seeram, Hiraga, Saji, Tashiro, Oda*, 1088

L

α -lactalbumin, chaperonin, GroEL, hydrogen exchange, molecular chaperone, *Okazaki, Katsumata, Kuwajima*, 534

lamin B receptor, chromatin binding, heterochromatin, NBP60, nuclear membrane protein, *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, Horigome*, 881

laminin, basement membrane, coiled-coil, disulfide-bonding, heptad motif, *Niimi, Miki, Kitagawa*, 854

LDL, atherosclerosis, Lp(a), oxidation, ultracentrifugation, *Napoli, Mancini, Corso, Malorni, Crescenzi, Postiglione, Palumbo*, 1096

lectin, calcium, *Cucumaria echinata*, hemolysin, toxin, *Hatakeyama, Miyamoto, Nagatomo, Sallay, Yamasaki*, 63

—, cytotoxicity, hemolysis, pore-forming protein, *Oda, Tsuru, Hatakeyama, Nagatomo, Muramatsu, Yamasaki*, 560

—, carbohydrate-recognition domain, cDNA, primary structure, sialic acid, *Yamamoto, Konami, Irimura*, 756

Li^+ resistance, cation transport, mutagenesis, Na^+/H^+ antiporter, temperature sensitivity, *Nouri, Inoue, Sakurai, Tsuchiya, Kanazawa*, 661

ligand binding, coordination structure, β,δ -diazamesoporphyrin, electronic spectra, myoglobin, *Neya, Hori, Imai, Kawamura-Konishi, Suzuki, Shiro, Izuka, Funasaki*, 654

—, cell adhesion, inside-out signaling, integrin, monoclonal antibody, *Takagi, Isobe, Takada, Saito*, 914

ligand of ST2, helper T-lymphocytes, interleukin-1 receptor family, ST2 gene product, Th1 and Th2 cells, *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, Tominaga*, 95

LIM motif, autophosphorylation, protein kinase, tyrosine phosphorylation, *Smolich, Vo, Buckley, Plowman, Papkoff*, 382

linear polymerization, BiP, defective folding, ovalbumin, serpin superfamily, *Shirai, Tani, Higasa, Yasumoto*, 787

lipid A, *Helicobacter pylori*, lipopolysaccharide MS, NMR, *Suda, Ogawa, Kashihara, Oikawa, Shimoyama, Hayashi, Tamura, Kusumoto*, 1129

lipid-linked oligosaccharides, cell-cycle dependency, dehydrodolichydiphosphate synthase, farnesyl diphosphate synthase, rat 3Y1 cell, *Fukushima, Ohkura, Yamashita*, 415

lipid peroxidation, immunoglobulin, α -tocopherol, unsaturated fatty acids, *Hüng, Yamada, Lim, Mori, Yuki, Sugano*, 1054

lipoamide dehydrogenase, crystallization, X-ray study, *Toyoda, Sekiguchi, Takenaka*, 1 lipopolysaccharide, inducible nitric oxide synthase, interferon- γ , macrophage activation, murine macrophage-like cell line, *Noda, Amano*, 38

lipopolysaccharide MS, *Helicobacter pylori*, lipid A, NMR, *Suda, Ogawa, Kashihara, Oikawa, Shimoyama, Hayashi, Tamura, Kusumoto*, 1129

liposome, poly(*N*-isopropylacrylamide), temperature-sensitive release, *Kim, Bae, Kim*, 15

lipoteichoic acid, glycolipid, mass spectrometry, NMR, structural analysis, *Hashimoto, Yasuoka, Suda, Takada, Yoshida, Kotani, Kusumoto*, 779

liver, CaBP1, CaBP2, endoplasmic reticulum, protein kinase CK2, *Janson, Ek, Ek*, 112

Lp(a), atherosclerosis, LDL, oxidation, ultracentrifugation, *Napoli, Mancini, Corso, Malorni, Crescenzi, Postiglione, Palumbo*, 1096

lymphoma cells, apoptosis, cell cycle, proteasome inhibitor, ubiquitin, *Tanimoto, Onishi, Hashimoto, Kizaki*, 542

lysine hydroxamate, aminoacyl-tRNA synthetase, fluorescence titration, lysyladenylate, lysyl-tRNA synthetase, *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Sukata, Inouye, Hiromi, Tonomura*, 244

lysoganglioside, delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry, fucosyl-GM1 ganglioside, ganglioside, sphingosine, *Taketomi, Hara, Uemura, Kurahashi, Sugiyama*, 264

lysosome, diet, kidney, phosphate, transporter, *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, Takeda*, 50

lysyladenylate, aminoacyl-tRNA synthetase, fluorescence titration, lysine hydroxamate, lysyl-tRNA synthetase, *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Sukata, Inouye, Hiromi, Tonomura*, 244

L (cont'd)

lysyl-tRNA synthetase, aminoacyl-tRNA synthetase, fluorescence titration, lysine hydroxamate, lysyladenylate, *Takita, Hashimoto, Ohkubo, Muto, Shimizu, Suzuki, Inouye, Hiromi, Tonomura*, 244

M

macrophage, chemotaxis, cyclic GMP, cyclic GMP-dependent protein kinase, α -elastin, *Kamisato, Uemura, Takami, Okamoto*, 862 macrophage activation, inducible nitric oxide synthase, interferon- γ , lipopolysaccharide, murine macrophage-like cell line, *Noda, Amano*, 38

magnesium effect, assignment of imino proton signals, $^1\text{H-NMR}$, mitochondrial tRNA, ^{15}N -labeling, *Hayashi, Yokogawa, Kawai, Ueda, Nishikawa, Watanabe*, 1115

maize weevil, alimentary tract, cysteine proteinase, gene family, germ cells, *Matsu-moto, Emori, Abe, Arai*, 464

mass spectrometry, glycolipid, lipoteichoic acid, NMR, structural analysis, *Hashimoto, Yasuoka, Suda, Takada, Yoshida, Kotani, Kusumoto*, 779

Max, CACGTG sequence-binding protein, c-Myc, immunoaffinity purification, monoclonal antibody, *Nozaki, Naoe, Okazaki*, 550

M-CAT, E box, fast muscle troponin T, M-CAT-like element, *MEF2, Watanabe, Takemasa, Yonemura, Hirabayashi*, 212 M-CAT-like element, E box, fast muscle troponin T, M-CAT, *MEF2, Watanabe, Takemasa, Yonemura, Hirabayashi*, 212

mechanism of enzymatic action, base non-specific ribonuclease, histidine residue, *Rhizopus niveus*, second step reaction, *Irie, Ohgi, Iwama, Koizumi, Sasayama, Hara-da, Yano, Udagawa, Kawasaki*, 849

MEF2, E box, fast muscle troponin T, M-CAT, M-CAT-like element, *Watanabe, Takemasa, Yonemura, Hirabayashi*, 212

membrane potential, mitochondria, NADH:ubiquinone reductase, ubiquinone, *Ghelli, Benelli, Esposti*, 746

Menkes/Wilson disease gene homologue, *Caenorhabditis elegans*, copper transporting ATPase, immunofluorescence microscopy, yeast CCC2 gene, *Sambongi, Wakabayashi, Yoshimizu, Omote, Oka, Futai*, 1169

metal binding, hammerhead, oligonucleotide, ribozyme, RNA, *Sakamoto, Kim, Kurihara, Sasaki, Noguchi, Katahira, Uesugi*, 288

—, hepatitis delta virus, oligonucleotide, ribozyme, RNA, *Sakamoto, Tanaka, Kuwabara, Kim, Kurihara, Katahira, Uesugi*, 1123

metalloprotease, Co^{2+} ion activation, partial amino acid sequence, *Pseudomonas fluorescens*, sequence homology, *Kim, Tamanoue, Jeohn, Iwamatsu, Yokota, Kim, Takahashi, Takahashi*, 82

metalloproteinase, nitration, pH-jump, thermolysin, tyrosine, *Lee, Inouye, Tonomura*, 231

—, K_i value, proteinaceous inhibitor, reactive site, *Streptomyces, Seeram, Hiraga, Saji*,

Tashiro, Oda, 1088

metallothionein, characteristics, *Escherichia coli*, expression, recombinant protein, *Xiong, Ru*, 1102

methanogenic Archaea, coenzyme F_{430} , methyl-coenzyme M reductase, protein crystallization, X-ray crystallography, *Shima, Goubeaud, Vinzenz, Thauer, Ermler*, 829

methyl-coenzyme M reductase, coenzyme F_{430} , methanogenic Archaea, protein crystallization, X-ray crystallography, *Shima, Goubeaud, Vinzenz, Thauer, Ermler*, 829

midkine, brain development, heparan sulfate, syndecan, *Nakanishi, Kadomatsu, Okamoto, Ichihara-Tanaka, Kojima, Saito, Tomoda, Muramatsu*, 197

milk-clotting enzyme, aspartic proteinase, *Rhizomucor pusillus* pepsin, site-directed mutagenesis, *Park, Aikawa, Nishiyama, Horinouchi, Beppu*, 118

mitochondria, membrane potential, NADH:ubiquinone reductase, ubiquinone, *Ghelli, Benelli, Esposti*, 746

mitochondrial energy state, fluorescence quenching, hepatocyte, NIRS, Rhodamine 800, *Sakanoue, Ichikawa, Nomura, Tamura*, 29

mitochondrial protein import, DnaJ homolog, farnesylation, HSDJ, molecular chaperone, *Kanazawa, Terada, Kato, Mori*, 890

mitochondrial tRNA, assignment of imino proton signals, $^1\text{H-NMR}$, magnesium effect, ^{15}N -labeling, *Hayashi, Yokogawa, Kawai, Ueda, Nishikawa, Watanabe*, 1115

molecular assembly, baculovirus vector, collagen, heterotrimer, recombinant protein, *Tomita, Kitajima, Yoshizato*, 1061

molecular chaperone, chaperonin, GroEL, hydrogen exchange, α -lactalbumin, *Okazaki, Katsumata, Kuwajima*, 534

—, DnaJ homolog, farnesylation, HSDJ, mitochondrial protein import, *Kanazawa, Terada, Kato, Mori*, 890

molecular evolution, chymotrypsin, fetuin homologue, Mongolian gerbil, *Goto, Yoshida, Suzuki, Yamamoto, Sinohara*, 619

molecular interaction, Ca^{2+} -ATPase, reconstitution, sarcoplasmic reticulum, temperature sensitivity, *Nagata, Nakamura, Yamamoto*, 648

monensin, elastin, intracellular degradation, secretion, smooth muscle cell, *Ikeda, Wachi, Seyama, Tajima*, 5

Mongolian gerbil, chymotrypsin, fetuin homologue, molecular evolution, *Goto, Yoshida, Suzuki, Yamamoto, Sinohara*, 619

monoclonal antibody, conformation, fibrin, kinetics, plasminogen, *Madoiwa, Arai, Ueda, Ishizuka, Mimuro, Asakura, Matsuda, Sakata*, 278

—, CACGTG sequence-binding protein, c-Myc, immunoaffinity purification, Max, *Nozaki, Naoe, Okazaki*, 550

—, chemical cross-linking, intermolecular interaction, pre-domain, preIL-1, *Kobayashi, Nagatake, Shimozato, Watanabe*, 896

—, cell adhesion, inside-out signaling, integrin, ligand binding, *Takagi, Isobe, Taka-da, Saito*, 914

—, erythrocyte, glucose-carrying polymer,

type-1 glucose transporter (GLUT-1), *Park, Takei, Goto, Maruyama, Kobayashi, Kobayashi, Akaike*, 997

monolayer, bovine serum albumin, Brewster angle microscopy, cytochrome c, fluorescence, *Tanaka, Akatsuka, Murakami, Ogoma, Abe, Kondo*, 206

monomer conformation, actomyosin ATPase, essential light chains, filament assembly, smooth muscle myosin, *Katoh, Morita*, 56 motility, actin, calcium regulation, disuccinimidyl suberate, tropomin-tropomyosin complex, *Honda, Tagami, Hatori, Matsuno*, 47

mucus protease inhibitor, influenza virus, Sendai virus, typtase Clara, virus infection, *Beppu, Immura, Tashiro, Towatari, Ariga, Kido*, 309

murine macrophage-like cell line, inducible nitric oxide synthase, interferon- γ , lipopolysaccharide, macrophage activation, *Noda, Amano*, 38

mutagenesis, cation transport, Li^+ resistance, Na^+/H^+ antiporter, temperature sensitivity, *Noumi, Inoue, Sakurai, Tsuchiya, Kanazawa*, 661

myeloma cell, autoantibody, ELISA, GAD, IDDM, *Matsuba, Yano, Abiru, Takino, Akazawa, Nagataki, Yasukawa*, 20

myoglobin, coordination structure, β,δ -di-azamesoporphyrin, electronic spectra, ligand binding, *Neya, Hori, Imai, Kawamura-Konishi, Suzuki, Shiro, Iizuka, Funasaki*, 654

myosin monomer conformation, chicken gizzard, filament assembly, smooth muscle myosin, telokin, *Masato, Numata, Katoh, Morita, Yazawa*, 225

N

Na^+/H^+ antiporter, cation transport, Li^+ resistance, mutagenesis, temperature sensitivity, *Noumi, Inoue, Sakurai, Tsuchiya, Kanazawa*, 661

Na^+/H^+ exchanger, ATP depletion, domain structure, growth factor, intracellular Ca^{2+} , *Ikeda, Schmitt, Pouysségur, Wakabayashi, Shigekawa*, 295

NADH:ubiquinone reductase, membrane potential, mitochondria, ubiquinone, *Ghelli, Benelli, Esposti*, 746

NBP60, chromatin binding, heterochromatin, lamin B receptor, nuclear membrane protein, *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, Horigome*, 881

NIRS, fluorescence quenching, hepatocyte, mitochondrial energy state, Rhodamine 800, *Sakanoue, Ichikawa, Nomura, Tamura*, 29

nitration, metalloproteinase, pH-jump, thermolysin, tyrosine, *Lee, Inouye, Tonomura*, 231

nitric oxide, ADP-ribosylation, bovine brain, glyceraldehyde-3-phosphate, glyceraldehyde-3-phosphate dehydrogenase, *Itoga, Tsuchiya, Ishino, Shimoyama*, 1041

—, carbon monoxide, heme oxygenase, nitroprusside, stress protein, *Takahashi, Hara, Ogawa, Kimura, Fujita, Shibahara*, 1162

nitroprusside, carbon monoxide, heme oxy-

N (cont'd)

genase, nitric oxide, stress protein, *Takahashi, Hara, Ogawa, Kimura, Fujita, Shibahara*, 1162

Nitrosomonas europaea, ammonia starvation, hydroxylamine oxidoreductase, *Nejedat, Shmueli, Abelsonich*, 957

¹⁵N-labeling, assignment of imino proton signals, ¹H-NMR, magnesium effect, mitochondrial tRNA, *Hayashi, Yokogawa, Kawai, Ueda, Nishikawa, Watanabe*, 1115

NMR, glycolipid, lipoteichoic acid, mass spectrometry, structural analysis, *Hashimoto, Yasuoka, Suda, Takada, Yoshida, Kotani, Kusumoto*, 779

—, chemical shift, equilibrium, IL-8 family, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji*, 835

—, hen lysozyme, site-directed mutagenesis, stability, X-ray crystallography, *Motoshima, Mine, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, Ueda, Imoto*, 1076

—, *Helicobacter pylori*, lipid A, lipopolysaccharide MS, *Suda, Ogawa, Kashihara, Oikawa, Shimoyama, Hayashi, Tamura, Kusumoto*, 1129

¹³H-NMR, assignment of imino proton signals, magnesium effect, mitochondrial tRNA, ¹⁵N-labeling, *Hayashi, Yokogawa, Kawai, Ueda, Nishikawa, Watanabe*, 1115

novel subfamily, crystal structure, substrate recognition pocket, zinc metalloprotease, *Kurisu, Kinoshita, Sugimoto, Nagara, Kai, Kasai, Harada*, 304

N-terminal sequence, autophosphorylation sites, c-Yes, purification, rat liver plasma membrane, *Ariki, Tanabe, Usui, Hayashi, Inoue, Nishito, Kagamiyama, Takeda*, 104

nuclear factor, c-Myb binding motif, human basophilic leukemia cells, human L-histidine decarboxylase gene, regulatory element, *Nakagawa, Okaya, Yatsunomi, Tanaka, Otsu, Fukui, Watanabe, Ichikawa*, 935

nuclear factor 1, GST-P, purification, silencer element, transcription factor, *Osada, Daimon, Ikeda, Nishihara, Yano, Yamasaki, Imagawa*, 355

nuclear localization, DNA synthesis, imaginal disc, prolyl endopeptidase, *Sarcophaga peregrina, Ohtsuki, Homma, Kurata, Natori*, 1176

nuclear localization signal, nuclear pore complex, nuclear pore-targeting complex, nucleocytoplasmic transport, semi-intact cell, *Yoneda*, 811

nuclear membrane protein, chromatin binding, heterochromatin, lamin B receptor, NBP60, *Kawahire, Takeuchi, Gohshi, Sasagawa, Shimada, Takahashi, Abe, Ueda, Kuwano, Hikawa, Ichimura, Omata, Horigome*, 881

nuclear pore complex, nuclear localization signal, nuclear pore-targeting complex, nucleocytoplasmic transport, semi-intact cell, *Yoneda*, 811

nuclear pore-targeting complex, nuclear localization signal, nuclear pore complex, nucleocytoplasmic transport, semi-intact cell, *Yoneda*, 811

nucleocytoplasmic transport, nuclear localiza-

tion signal, nuclear pore complex, nuclear pore-targeting complex, semi-intact cell, *Yoneda*, 811

nucleotide sequence analysis, chicken liver, cytosolic phosphoenolpyruvate carboxykinase, promoter, transient expression, *Sato, Takahashi, Konishi, Suzuki, Kochi*, 711

O

oil body, oleosin, organelle integrity, purification, sesame, *Tzen, Peng, Cheng, Chen, Chiu*, 762

oleosin, oil body, organelle integrity, purification, sesame, *Tzen, Peng, Cheng, Chen, Chiu*, 762

oligonucleotide, hammerhead, metal binding, ribozyme, RNA, *Sakamoto, Kim, Kurihara, Sasaki, Noguchi, Katahira, Uesugi*, 288

—, hepatitis delta virus, metal binding, ribozyme, RNA, *Sakamoto, Tanaka, Kuwabara, Kim, Kurihara, Katahira, Uesugi*, 1123

opsin shift, chromophore/protein interaction, expression, *in vitro* mutagenesis, photoactive yellow protein, *Mihara, Hisatomi, Imamoto, Kataoka, Tokunaga*, 876

optical biosensor, herpes simplex virus type 1, human immunoglobulin, virus-cell interaction, *Inoue, Arai, Aoyagi*, 633

organelle integrity, oil body, oleosin, purification, sesame, *Tzen, Peng, Cheng, Chen, Chiu*, 762

osteogenesis, bone morphogenetic protein, extracellular matrix, pore size, porous hydroxyapatite, *Tsuruga, Takita, Itoh, Wakisaka, Kuboki*, 317

outer membrane protein, chimeric protein, pro-sequence, protein secretion, *Serratia serine protease, Ohnishi, Beppu, Horinouchi*, 902

ovalbumin, BiP, defective folding, linear polymerization, serpin superfamily, *Shirai, Tani, Higasa, Yasumoto*, 787

overexpression, cDNA cloning, *Erythrina variegata*, tissue-type plasminogen activator inhibitor, trypsin inhibitor, *Kouzuma, Yamasaki, Kimura*, 456

oxidation, atherosclerosis, LDL, Lp(a), ultracentrifugation, *Napoli, Mancini, Corso, Malorni, Crescenzi, Postiglione, Palumbo*, 1096

β -oxidation, bifunctional protein, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, peroxisomal, *Jiang, Kurokawa, Sato, Suzuki, Hashimoto*, 506

—, fatty alcohol, peroxisome, plasmalogen, very-long-chain fatty acid, *Hayashi, Hara*, 978

ozone, air pollution, ganglioside, glycosphingolipid, *Jennemann, Bauer, Wiegandt*, 150

P

p53, apoptosis, cell cycle, hepatocytes, IFN- γ , *Kano, Watanabe, Takeda, Aizawa, Akaike*, 677

PACE4E, kexin-like protease, PACE4 isoform, processing, subtilisin like proprotein convertase 4, *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, Nagamune, Matsuda*, 941

PACE4 isoform, kexin-like protease, PACE4E, processing, subtilisin like proprotein convertase 4, *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, Nagamune, Matsuda*, 941

papain family, cysteine protease, growth phase, *Tetrahymena, tetrain, Suzuki, Hosoya, Takahashi, Kosaka, Hosoya*, 642

paramyovirus, DNA-binding protein, site-directed mutagenesis, *Matsumoto, Nakashima, Takase, Hirochika, Mizuno*, 138

Paracoccus denitrificans, aromatic amino acid aminotransferase, aspartate aminotransferase, pyridoxal 5'-phosphate, substrate specificity, *Oue, Okamoto, Nakai, Nakahira, Shibatani, Hayashi, Kagamiyama*, 161

parotid acinar cell, Ca^{2+} -independent phospholipase A2, cytosolic phospholipase A2, exocytosis, phospholipase A2 inhibitor, *Takuma, Ichida*, 1018

partial amino acid sequence, Co^{2+} ion activation, metalloprotease, *Pseudomonas fluorescens*, sequence homology, *Kim, Tamano, Jeohn, Iwamatsu, Yokota, Kim, Takahashi, Takahashi*, 82

pausing, arrest-relief, development, RNA polymerase II, spermatogenesis, *Umeshara, Kida, Hasegawa, Fujimoto, Horikoshi*, 598

PBI, D89501, genomic DNA, proline-rich protein, salivary protein, *Isemura, Saitoh*, 1025

PC12, apoptosis, Bip, calcium homeostasis, heat shock protein, *Aoki, Koike, Nakano, Shibahara, Kondo, Kikuchi, Honjo*, 122

pepsin, activation segment, house musk shrew, pepsinogen, proteolytic specificity, *Narita, Oda, Moriyama, Takenaka, Kageyama*, 1010

pepsinogen, activation segment, house musk shrew, pepsin, proteolytic specificity, *Narita, Oda, Moriyama, Takenaka, Kageyama*, 1010

peptidylarginine deiminase type III, cDNA cloning, purification, rat epidermis, tissue-specific expression, *Nishijo, Kawada, Kanno, Shiraiwa, Takahara*, 868

perfluoric acid, Asp-C cleavage, Asp-Pro cleavage, Gly-Thr cleavage, Ser-N cleavage, *Kawakami, Kamo, Takamoto, Miyazaki, Chow, Ueno, Tsugita*, 68

peroxidase, phospholipase, phospholipid hydroperoxide, α -tocopherol, ubiquinol-9, *Kambayashi, Yamashita, Niki, Yamamoto*, 425

peroxisomal, bifunctional protein, D-3-hydroxyacyl-CoA dehydratase, D-3-hydroxyacyl-CoA dehydrogenase, β -oxidation, *Jiang, Kurokawa, Sato, Suzuki, Hashimoto*, 506

peroxisome, fatty alcohol, β -oxidation, plasmalogen, very-long-chain fatty acid, *Hayashi, Hara*, 978

peroxisomes, *Candida tropicalis*, catalase, heme, pyridine hemochrome method, *Soga, Kinoshita, Ueda, Tanaka*, 25

pH-jump, metalloproteinase, nitration, thermolysin, tyrosine, *Lee, Inouye, Tonomura*, 231

Pho2p, *PHO* regulon, Pho4p, transcriptional regulator, yeast, *Magbanua, Ogawa, Harashima, Oshima*, 1182

Pho4p, *PHO* regulon, Pho2p, transcriptional

- P (cont'd)
- regulator, yeast, *Magbanua, Ogawa, Harashima, Oshima*, 1182
- phorbol ester, diacylglycerol, phospholipid, protein kinase C, tyrosine phosphorylation, *Kadotani, Nishiuma, Nanahoshi, Tsujishita, Ogita, Nakamura, Kikkawa, Asaoka*, 1047
- PHO* regulon, *Pho2p, Pho4p*, transcriptional regulator, yeast, *Magbanua, Ogawa, Harashima, Oshima*, 1182
- phosphate, diet, kidney, lysosome, transporter, *Katai, Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, Takeda*, 50
- phosphatidic acid, acyl-CoA, diacylglycerol, diacylglycerol acyltransferase, fungi, *Kamisaka, Mishra, Nakahara*, 1107
- phosphodiester hydrolysis, chemical modifications, DNA-protein interaction, *EcoRI, synthetic oligonucleotides, Gohda, Matsuo, Oda, Ikehara, Uesugi*, 219
- phospholipase, peroxidase, phospholipid hydroperoxide, α -tocopherol, ubiquinol-9, *Kambayashi, Yamashita, Niki, Yamamoto*, 425
- , apoptosis, endothelial cell, signal transduction, *Miao, Kaji, Hayashi, Araki*, 612
- phospholipase A2 inhibitor, Ca^{2+} -independent phospholipase A2, cytosolic phospholipase A2, exocytosis, parotid acinar cell, *Takuma, Ichida*, 1018
- phospholipid, diacylglycerol, phorbol ester, protein kinase C, tyrosine phosphorylation, *Kadotani, Nishiuma, Nanahoshi, Tsujishita, Ogita, Nakamura, Kikkawa, Asaoka*, 1047
- phospholipid hydroperoxide, peroxidase, phospholipase, α -tocopherol, ubiquinol-9, *Kambayashi, Yamashita, Niki, Yamamoto*, 425
- phosphorylation of tau, Alzheimer's disease, amyloid- β protein, pyruvate dehydrogenase, tau protein kinases I and II, *Imahori, Uchida*, 179
- phosphorylation site, Ca^{2+} /calmodulin-dependent protein kinase, CaM-kinase IV, CaM-kinase kinase, protein phosphorylation, *Kitani, Okuno, Fujisawa*, 804
- photoactive yellow protein, chromophore/protein interaction, expression, *in vitro* mutagenesis, opsin shift, *Mihara, Hisatomi, Imamoto, Kataoka, Tokunaga*, 876
- Pichia pastoris*, anti-cardiolipin syndrome, autoimmune diseases, β -glycoprotein I, protein-lipid interaction, *Hagihara, Enyoji, Omasa, Katakura, Suga, Igashii, Matsuura, Kato, Yoshimura, Goto*, 128
- , antibody engineering, bivalent scFv, single-chain Fv, *Luo, Geng, Noujaim, Madiyalakan*, 831
- Pictet-Spengler reaction, aromatic L-amino acid decarboxylase, L-dopa, dopamine, pyridoxal 5'-phosphate, *Nishino, Hayashi, Ishii, Kagamiyama*, 604
- plasma, platelet, sphingosine, sphingosine kinase, sphingosine 1-phosphate, *Yatomi, Igashii, Yang, Hisano, Qi, Asazuma, Satoh, Ozaki, Kume*, 969
- plasmalogens, fatty alcohol, β -oxidation, peroxisome, very-long-chain fatty acid, *Hayashi, Hara*, 978
- plasminogen, conformation, fibrin, kinetics, monoclonal antibody, *Madoiwa, Arai, Ueda, Ishizuka, Mimuro, Asakura, Matsuda, Sakata*, 278
- plasminogen activator inhibitor 2 (PAI-2), gene expression, inclusion body, renaturation, serine protease inhibitor (SERPIN), *Zhou, Jiang, Dou, Zhu, Xu*, 930
- platelet, plasma, sphingosine, sphingosine kinase, sphingosine 1-phosphate, *Yatomi, Igashii, Yang, Hisano, Qi, Asazuma, Satoh, Ozaki, Kume*, 969
- point mutation, erythropoietin, GATA motif, promoter, TATA motif, *Tsuchiya, Okada, Ueda, Yasukochi*, 193
- polyamine, anti-polyamine antibody, diacetylspermidine, ELISA, tumor marker, *Hiramatsu, Miura, Sugimoto, Kanei, Iwasaki, Kawakita*, 1134
- polycistronic expression, *C. elegans*, *in vitro* selection, RNA-binding specificity, spliceosome-associated protein (SAP), *Tanaka, Ohta, Terashima, Sakamoto*, 739
- poly(*N*-isopropylacrylamide), liposome, temperature-sensitive release, *Kim, Bae, Kim*, 15
- pore-forming protein, cytotoxicity, hemolysis, lectin, *Oda, Tsuru, Hatakeyama, Nagatomo, Muramatsu, Yamasaki*, 560
- pore size, bone morphogenetic protein, extracellular matrix, osteogenesis, porous hydroxyapatite, *Tsuruga, Takita, Itoh, Wakisaka, Kuboki*, 317
- porous hydroxyapatite, bone morphogenetic protein, extracellular matrix, osteogenesis, pore size, *Tsuruga, Takita, Itoh, Wakisaka, Kuboki*, 317
- post-translational modification, deoxyhypusine synthase, eukaryotic initiation factor 5A, hypusine, yeast, *Abid, Sasaki, Titani, Miyazaki*, 769
- post-translational processing, α -amylase inhibitor, kidney bean, primary structure, subunit structure, *Nakaguchi, Arakawa, Philo, Wen, Ishimoto, Yamaguchi*, 350
- potentiation, epinephrine, Syk, thrombin, tyrosine phosphorylation, *Wang, Yanagi, Yang, Inatome, Yamamura*, 325
- pre-domain, chemical cross-linking, intermolecular interaction, monoclonal antibody, preIL-1, *Kobayashi, Nagatake, Shimozato, Watanabe*, 896
- preIL-1, chemical cross-linking, intermolecular interaction, monoclonal antibody, pre-domain, *Kobayashi, Nagatake, Shimozato, Watanabe*, 896
- prenyltransferase, enzyme mechanism, farnesyl diphosphate, geranylgeranyl diphosphate synthase, isoprenoids, *Ohnuma, Hemmi, Ohta, Nakane, Nishino*, 696
- presecretory protein, ER translocation, hydrophobic region, signal peptide, SRP, *Hatsuzawa, Tagaya, Mizushima*, 270
- primary structure, α -amylase inhibitor, kidney bean, post-translational processing, subunit structure, *Nakaguchi, Arakawa, Philo, Wen, Ishimoto, Yamaguchi*, 350
- , carbohydrate-recognition domain, cDNA, lectin, sialic acid, *Yamamoto, Konami, Irimura*, 756
- processing, kexin-like protease, PACE4E, PACE4 isoform, subtilisin like proprotein convertase 4, *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, Nagamune, Matsuda*, 941
- proline-rich domain, hydrophobic sequence, protein-protein interaction, transcription factor, zinc finger protein, *Kojima, Kobayashi, Gotoh, Ohkuma, Fujii-Kuriyama, Sogawa*, 389
- proline-rich protein, D89501, genomic DNA, PBI, salivary protein, *Isemura, Saitoh*, 1025
- prolyl endopeptidase, DNA synthesis, imaginal disc, nuclear localization, *Sarcophaga peregrina, Ohtsuki, Homma, Kurata, Natori*, 1176
- promoter, 1,25-dihydroxyvitamin D₃, rat genomic fragment, vitamin D receptor, vitamin D response element, *Sakoda, Suzuki, Arai, Imagawa, Nishikawa, Nishihara*, 89
- , erythropoietin, GATA motif, point mutation, TATA motif, *Tsuchiya, Okada, Ueda, Yasukochi*, 193
- , GATA-1, Sertoli cell, testis, transcription factor, *Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rassoulzadegan, Engel, Yamamoto*, 251
- , chicken liver, cytosolic phosphoenolpyruvate carboxykinase, nucleotide sequence analysis, transient expression, *Sato, Takahashi, Konishi, Suzuki, Kochi*, 711
- , GATA binding protein, H^+/K^+ -ATPase, stomach, transcription, *Nishi, Kubo, Hasebe, Maeda, Futai*, 922
- pro-sequence, chimeric protein, outer membrane protein, protein secretion, *Serratia serine protease, Ohnishi, Beppu, Horinouchi*, 902
- proteasome inhibitor, apoptosis, cell cycle, lymphoma cells, ubiquitin, *Tanimoto, Onishi, Hashimoto, Kizaki*, 542
- proteinaceous inhibitor, K_1 value, metalloproteinase, reactive site, *Streptomyces, Seoram, Hiraga, Saji, Tashiro, Oda*, 1088
- protein crystallization, coenzyme F₄₃₀, methanogenic Archaea, methyl-coenzyme M reductase, X-ray crystallography, *Shima, Goubeaud, Vinzenz, Thauer, Ermel*, 829
- protein kinase, autophosphorylation, LIM motif, tyrosine phosphorylation, *Smolich, Vo, Buckley, Plowman, Papkoff*, 382
- protein kinase C, diacylglycerol, phorbol ester, phospholipid, tyrosine phosphorylation, *Kadotani, Nishiuma, Nanahoshi, Tsujishita, Ogita, Nakamura, Kikkawa, Asaoka*, 1047
- protein kinase CK2, CaBP1, CaBP2, endoplasmic reticulum, liver, *Janson, Ek, Ek*, 112
- protein kinase kinase, brain, Ca^{2+} /calmodulin, CaM-kinase kinase, isoform, *Okuno, Kitani, Fujisawa*, 155
- protein kinases, cell cycle, cell signaling, intermediate filament, site- and phosphorylation state-specific antibodies, *Inagaki, Inagaki, Takahashi, Takai*, 407
- protein/ligand interaction, differential scanning calorimetry, thermodynamic stability, *Catanzano, Gambuti, Graziano, Barone*, 568
- protein-lipid interaction, anti-cardiolipin

P (cont'd)

syndrome, autoimmune diseases, β -glycoprotein I, *Pichia pastoris*, *Hagiwara*, *En-jiyoji*, *Omasa*, *Katakura*, *Suga*, *Igarashi*, *Matsuura*, *Kato*, *Yoshimura*, *Goto*, 128
 protein phosphorylation, Ca^{2+} /calmodulin-dependent protein kinase, CaM-kinase IV, CaM-kinase kinase, phosphorylation site, *Kitani*, *Okuno*, *Fujisawa*, 804
 protein-protein interaction, hydrophobic sequence, proline-rich domain, transcription factor, zinc finger protein, *Kojima*, *Kobayashi*, *Gotoh*, *Ohkuma*, *Fujii-Kuriyama*, *Sogawa*, 389
 protein secretion, chimeric protein, outer membrane protein, pro-sequence, *Serratia* serine protease, *Ohnishi*, *Beppu*, *Horinouchi*, 902
 proteolytic specificity, activation segment, house musk shrew, pepsin, pepsinogen, *Narita*, *Oda*, *Moriyama*, *Takenaka*, *Kagayama*, 1010
 proton pathway, bacteriorhodopsin, FT-IR, halorhodopsin, rhodopsin, *Maeda*, *Kandori*, *Yamazaki*, *Nishimura*, *Hatanaka*, *Chon*, *Sasaki*, *Needleman*, *Lanyi*, 399
 pro-UK, aggregation, chaperone, GroE, refolding, *Xu*, *Yang*, *Zhu*, 331
Pseudomonas fluorescens, Co^{2+} ion activation, metalloprotease, partial amino acid sequence, sequence homology, *Kim*, *Tamanoue*, *Jeohn*, *Iwamatsu*, *Yokota*, *Kim*, *Takahashi*, *Takahashi*, 82
 purification, autophosphorylation sites, c-Yes, N-terminal sequence, rat liver plasma membrane, *Ariki*, *Tanabe*, *Usui*, *Hayashi*, *Inoue*, *Nishito*, *Kagamiyama*, *Takeda*, 104
 —, GST-P, nuclear factor 1, silencer element, transcription factor, *Osada*, *Daimon*, *Ikeda*, *Nishihara*, *Yano*, *Yamasaki*, *Imagawa*, 355
 —, cDNA, fucosyltransferase, glycosyltransferase, N-glycan, *Yanagidani*, *Uozumi*, *Ihara*, *Miyoshi*, *Yamaguchi*, *Taniguchi*, 626
 —, oil body, oleosin, organelle integrity, sesame, *Tzen*, *Peng*, *Cheng*, *Chen*, *Chiu*, 762
 —, cDNA cloning, peptidylarginine deiminase type III, rat epidermis, tissue-specific expression, *Nishijo*, *Kawada*, *Kanno*, *Shiraiwa*, *Takahara*, 868
 —, *Bacillus pumilus*, cloning, glutamate racemase, sequencing, *Liu*, *Yoshimura*, *Endo*, *Esaki*, *Soda*, 1155
 pyridine hemochromate method, *Candida tropicalis*, catalase, heme, peroxisomes, *Soga*, *Kinoshita*, *Ueda*, *Tanaka*, 25
 pyridoxal 5'-phosphate, aromatic amino acid aminotransferase, aspartate aminotransferase, *Paracoccus denitrificans*, substrate specificity, *Oue*, *Okamoto*, *Nakai*, *Nakahira*, *Shibatani*, *Hayashi*, *Kagamiyama*, 161
 —, aromatic L-amino acid decarboxylase, L-dopa, dopamine, Pictet-Spengler reaction, *Nishino*, *Hayashi*, *Ishii*, *Kagamiyama*, 604
 pyridoxal enzyme, branched-chain amino acid aminotransferase, substrate recognition, three-dimensional structure, X-ray

crystallography, *Okada*, *Hirotsu*, *Sato*, *Hayashi*, *Kagamiyama*, 637
 pyruvate dehydrogenase, Alzheimer's disease, amyloid- β protein, phosphorylation of tau, tau protein kinases I and II, *Imahori*, *Uchida*, 179

R

Raman spectra, carbonyl group, flavin, flavoprotein, hydrogen bond, *Hazekawa*, *Nishina*, *Sato*, *Shichiri*, *Miura*, *Shiga*, 1147
 rat 3Y1 cell, cell-cycle dependency, dehydrodolichydiphosphate synthase, farnesyl diphosphate synthase, lipid-linked oligosaccharides, *Fukushima*, *Ohkura*, *Yamashita*, 415

rat epidermis, cDNA cloning, peptidylarginine deiminase type III, purification, tissue-specific expression, *Nishijo*, *Kawada*, *Kanno*, *Shiraiwa*, *Takahara*, 868
 rat genomic fragment, 1,25-dihydroxyvitamin D₃ promoter, vitamin D receptor, vitamin D response element, *Sakoda*, *Suzuki*, *Arai*, *Imagawa*, *Nishikawa*, *Nishihara*, 89

rat liver plasma membrane, autoprophosphorylation sites, c-Yes, N-terminal sequence, purification, *Ariki*, *Tanabe*, *Usui*, *Hayashi*, *Inoue*, *Nishito*, *Kagamiyama*, *Takeda*, 104
 reactive site, *K_i* value, metalloproteinase, proteinaceous inhibitor, *Streptomyces*, *Seeram*, *Hiraga*, *Saji*, *Tashiro*, *Oda*, 1088

RecA protein, homologous recombination, search of homologous DNA, DNA binding, strand exchange, *Ellouze*, *Nordén*, *Takahashi*, 1070

receptor purification, G-CSF receptor, sedimentation equilibrium, dimerization, *Horan*, *Martin*, *Simonet*, *Arakawa*, *Philo*, 370

recombinant protein, baculovirus vector, collagen, heterotrimer, molecular assembly, *Tomita*, *Kitajima*, *Yoshizato*, 1061
 —, characteristics, *Escherichia coli*, expression, metallothionein, *Xiong*, *Ru*, 1102

reconstitution, Ca^{2+} -ATPase, molecular interaction, sarcoplasmic reticulum, temperature sensitivity, *Nagata*, *Nakamura*, *Yamamoto*, 648

refolding, aggregation, chaperone, GroE, pro-UK, *Xu*, *Yang*, *Zhu*, 331

regulatory element, c-Myb binding motif, human basophilic leukemia cells, human L-histidine decarboxylase gene, nuclear factor, *Nakagawa*, *Okaya*, *Yatsunami*, *Tanaka*, *Ohtsu*, *Fukui*, *Watanabe*, *Ichikawa*, 935

renaturation, gene expression, inclusion body, plasminogen activator inhibitor 2 (PAI-2), serine protease inhibitor (SERPIN), *Zhou*, *Jiang*, *Dou*, *Zhu*, *Xu*, 930

resonance Raman spectra, acyl-CoA dehydrogenase, acyl-CoA oxidase, charge-transfer interaction, flavoenzyme, *Tamaoki*, *Setoyama*, *Miura*, *Hazekawa*, *Nishina*, *Shiga*, 1139

reticulocalbin, Ca^{2+} -binding protein, EF-hand protein, ER-resident protein, *Tachikui*, *Navet*, *Ozawa*, 145

Rhizomucor pusillus pepsin, aspartic proteinase, milk-clotting enzyme, site-directed mutagenesis, *Park*, *Aikawa*, *Nishiyama*,

Horinouchi, *Beppu*, 118

Rhizopus niveus, base non-specific ribonuclease, histidine residue, mechanism of enzymatic action, second step reaction, *Irie*, *Ohgi*, *Iwama*, *Koizumi*, *Sasayama*, *Hara*, *Yano*, *Udagawa*, *Kawasaki*, 849

Rhodamine 800, fluorescence quenching, hepatocyte, mitochondrial energy state, NIRS, *Sakanoue*, *Ichikawa*, *Nomura*, *Tamura*, 29

rhodopsin, bacteriorhodopsin, FT-IR, halorhodopsin, proton pathway, *Maeda*, *Kandori*, *Yamazaki*, *Nishimura*, *Hatanaka*, *Chon*, *Sasaki*, *Needleman*, *Lanyi*, 399

ribozyme, hammerhead, metal binding, oligonucleotide, RNA, *Sakamoto*, *Kim*, *Kurihara*, *Sasaki*, *Noguchi*, *Katahira*, *Uesugi*, 288

—, hepatitis delta virus, metal binding, oligonucleotide, RNA, *Sakamoto*, *Tanaka*, *Kuwabara*, *Kim*, *Kurihara*, *Katahira*, *Uesugi*, 1123

rice bran, dehydroascorbate reductase activity, glutaredoxin (thioltransferase), thiol-disulfide interchange, thioredoxin, *Sha*, *Minakuchi*, *Higaki*, *Sato*, *Ohtsuki*, *Kurata*, *Yoshikawa*, *Kotaru*, *Masumura*, *Ichihara*, *Tanaka*, 842

RNA, hammerhead, metal binding, oligonucleotide, ribozyme, *Sakamoto*, *Kim*, *Kurihara*, *Sasaki*, *Noguchi*, *Katahira*, *Uesugi*, 288

—, hepatitis delta virus, metal binding, oligonucleotide, ribozyme, *Sakamoto*, *Tanaka*, *Kuwabara*, *Kim*, *Kurihara*, *Katahira*, *Uesugi*, 1123

RNA-binding specificity, *C. elegans*, in vitro selection, polycistronic expression, spliceosome-associated protein (SAP), *Tanaka*, *Ohta*, *Terashima*, *Sakamoto*, 739

RNA polymerase II, arrest-relief, development, pausing, spermatogenesis, *Umeshara*, *Kida*, *Hasegawa*, *Fujimoto*, *Horikoshi*, 598

S

salivary protein, D89501, genomic DNA, PBI, proline-rich protein, *Isemura*, *Saitoh*, 1025

salt bridge, bacilli, DNA binding protein HU, site-directed mutagenesis, thermostability, *Kawamura*, *Tanaka*, *Yamasaki*, *Kimura*, 448

Sarcophaga peregrina, DNA synthesis, imaginal disc, nuclear localization, prolyl endopeptidase, *Ohtsuki*, *Homma*, *Kurata*, *Natori*, 1176

sarcoplasmic reticulum, calcium release channel, calsequestrin, excitation-contraction coupling, transverse tubule, *Yamaguchi*, *Igami*, *Kasai*, 432

—, Ca^{2+} -ATPase, molecular interaction, reconstitution, temperature sensitivity, *Nagata*, *Nakamura*, *Yamamoto*, 648

scallop, Ca^{2+} -regulation, smooth muscle, tropomyosin, troponin, *Nishita*, *Ojima*, *Takahashi*, *Inoue*, 419

search of homologous DNA, RecA protein, homologous recombination, DNA binding, strand exchange, *Ellouze*, *Nordén*, *Takahashi*, 1070

second step reaction, base non-specific ribonuclease, histidine residue, mechanism of

S (cont'd)

- enzymatic action, *Rhizopus niveus*, *Irie, Ohgi, Iwama, Koizumi, Sasayama, Hara-da, Yano, Udagawa, Kawasaki*, 849
- secretion, elastin, intracellular degradation, monensin, smooth muscle cell, *Ikeda, Wachi, Seyama, Tajima*, 5
- sedimentation equilibrium, G-CSF receptor, dimerization, receptor purification, *Horan, Martin, Simonet, Arakawa, Philo*, 370
- semi-intact cell, nuclear localization signal, nuclear pore complex, nuclear pore-targeting complex, nucleocytoplasmic transport, *Yoneda*, 811
- Sendai virus, influenza virus, mucus protease inhibitor, typtase Clara, virus infection, *Beppu, Imamura, Tashiro, Towatari, Ariga, Kido*, 309
- sequence homology, Co²⁺ ion activation, metalloprotease, partial amino acid sequence, *Pseudomonas fluorescens*, *Kim, Tamanoue, Jeohn, Iwanatsu, Yokota, Kim, Takahashi, Takahashi*, 82
- sequencing, *Bacillus pumilus*, cloning, glutamate racemase, purification, *Liu, Yoshimura, Endo, Esaki, Soda*, 1155
- serine protease inhibitor (SERPIN), gene expression, inclusion body, plasminogen activator inhibitor 2 (PAI-2), renaturation, *Zhou, Jiang, Dou, Zhu, Xu*, 930
- Ser-N cleavage, Asp-C cleavage, Asp-Pro cleavage, Gly-Thr cleavage, perfluoric acid, *Kawakami, Kamo, Takamoto, Miyazaki, Chow, Ueno, Tsugita*, 68
- serpin superfamily, BiP, defective folding, linear polymerization, ovalbumin, *Shirai, Tani, Higasa, Yasumoto*, 787
- Serratia* serine protease, chimeric protein, outer membrane protein, pro-sequence, protein secretion, *Ohnishi, Beppu, Horino-uchi*, 902
- Sertoli cell, GATA-1, promoter, testis, transcription factor, *Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rassoulzadegan, Engel, Yamamoto*, 251
- sesame, oil body, oleosin, organelle integrity, purification, *Tzen, Peng, Cheng, Chen, Chiu*, 762
- sexual cell fusion, cell-surface glycoprotein, cell-fusion related protein, *Dictyostelium discoideum*, *Aiba, Fang, Yamaguchi, Tanaka, Urushihara*, 238
- Shewanella* sp, aspartate β-D-semialdehyde dehydrogenase, deep-sea barophilic bacteria, gene expression, high pressure, *Kato, Smorawska, Li, Horikoshi*, 717
- sialic acid, carbohydrate-recognition domain, cDNA, lectin, primary structure, *Yamamoto, Konami, Irimura*, 756
- signal peptide, ER translocation, hydrophobic region, presecretory protein, SRP, *Hatsuzawa, Tagaya, Mizushima*, 270
- signal transduction, cross-talk, endothelin, endothelin receptor, Girardi heart cell, *Ozaki, Ohwaki, Ihara, Ishikawa, Yano*, 440
- , apoptosis, endothelial cell, phospholipase, *Miao, Kaji, Hayashi, Araki*, 612
- silencer element, GST-P, nuclear factor 1, purification, transcription factor, *Osada, Daimon, Ikeda, Nishihara, Yano, Yamasaki, Imagawa*, 355
- single-chain Fv, antibody engineering, bi-valent scFv, *Pichia pastoris*, *Luo, Geng, Noujaim, Madiyalakan*, 831
- site- and phosphorylation state-specific antibodies, cell cycle, cell signaling, intermediate filament, protein kinases, *Inagaki, Inagaki, Takahashi, Takai*, 407
- site-directed mutagenesis, active site, substrate specificity, thermophilic enzymes, *Yaoi, Miyazaki, Oshima*, 77
- , aspartic proteinase, milk-clotting enzyme, *Rhizomucor pusillus* pepsin, *Park, Aikawa, Nishiyama, Horinouchi, Beppu*, 118
- , DNA-binding protein, papillomavirus, *Matsunoto, Nakashima, Takase, Hirochika, Mizuno*, 138
- , bacilli, DNA binding protein HU, salt bridge, thermostability, *Kawamura, Tanaka, Yamasaki, Kimura*, 448
- , amino acid sequence, arrowhead proteinase inhibitor, *Luo, Lu, Chi*, 991
- , hen lysozyme, NMR, stability, X-ray crystallography, *Motoshima, Mine, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, Ueda, Imoto*, 1076
- smooth muscle, Ca²⁺-regulation, scallop, tropomyosin, troponin, *Nishita, Ojima, Takahashi, Inoue*, 419
- smooth muscle cell, elastin, intracellular degradation, monensin, secretion, *Ikeda, Wachi, Seyama, Tajima*, 5
- smooth muscle myosin, actomyosin ATPase, essential light chains, filament assembly, monomer conformation, *Katoh, Morita*, 56
- , chicken gizzard, filament assembly, myosin monomer conformation, telokin, *Masato, Numata, Katoh, Morita, Yazawa*, 225
- spermatogenesis, arrest-relief, development, pausing, RNA polymerase II, *Umeshara, Kida, Hasegawa, Fujimoto, Horikoshi*, 598
- sphingosine, delayed extraction matrix-assisted laser desorption ionization time-of-flight mass spectrometry, fucosyl-GM1 ganglioside, ganglioside, lysoganglioside, *Taketomi, Hara, Uemura, Kurahashi, Sugiyama*, 264
- , plasma, platelet, sphingosine kinase, sphingosine 1-phosphate, *Yatomi, Igashiki, Yang, Hisano, Qi, Asazuma, Satoh, Ozaki, Kume*, 969
- sphingosine 1-phosphate, plasma, platelet, sphingosine, sphingosine kinase, *Yatomi, Igashiki, Yang, Hisano, Qi, Asazuma, Satoh, Ozaki, Kume*, 969
- sphingosine kinase, plasma, platelet, sphingosine, sphingosine 1-phosphate, *Yatomi, Igashiki, Yang, Hisano, Qi, Asazuma, Satoh, Ozaki, Kume*, 969
- spliceosome-associated protein (SAP), *C. elegans*, in vitro selection, polycistronic expression, RNA-binding specificity, *Tanaka, Ohta, Terashima, Sakamoto*, 739
- SRP, ER translocation, hydrophobic region, presecretory protein, signal peptide, *Hatsuzawa, Tagaya, Mizushima*, 270
- Ssa1, BiP, heat shock element, heat shock protein, transcriptional regulation, *Oka, Kimata, Mori, Kohno*, 578
- ST2 gene product, helper T-lymphocytes, interleukin-1 receptor family, ligand of ST2, Th1 and Th2 cells, *Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, Tomi-naga*, 95
- stability, hen lysozyme, NMR, site-directed mutagenesis, X-ray crystallography, *Motoshima, Mine, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, Ueda, Imoto*, 1076
- starvation, carnitine deficiency, gene expression, transcription factor, urea cycle enzymes, *Tomomura, Tomomura, Musa, Horiochi, Takiguchi, Mori, Saheki*, 172
- stomach, GATA binding protein, H⁺/K⁺-ATPase, promoter, transcription, *Nishi, Kubo, Hasebe, Maeda, Futai*, 922
- strand exchange, RecA protein, homologous recombination, search of homologous DNA, DNA binding, *Ellouze, Nordén, Takahashi*, 1070
- Streptomyces*, K_i value, metalloproteinase, proteinaceous inhibitor, reactive site, *Seeram, Hiraga, Saji, Tashiro, Oda*, 1088
- Streptomyces olivaceoviridis*, crystallization, X-ray crystallography, β-xylanase, *Fujimoto, Mizuno, Kuno, Yoshida, Kobayashi, Kusakabe*, 826
- stress protein, carbon monoxide, heme oxygenase, nitric oxide, nitroprusside, *Takahashi, Hara, Ogawa, Kimura, Fujita, Shibahara*, 1162
- structural analysis, glycolipid, lipoteichoic acid, mass spectrometry, NMR, *Hashimoto, Yasuoka, Suda, Takada, Yoshida, Kotani, Kusumoto*, 779
- structural requirement, acetoxyhexamide analog, acetoxyhexamide reductase, drug-metabolizing enzyme, substrate-binding region, *Imamura, Koga, Migita, Ryu, Otagiri, Nozawa, Akita*, 705
- substrate-binding region, acetoxyhexamide analog, acetoxyhexamide reductase, drug-metabolizing enzyme, structural requirement, *Imamura, Koga, Migita, Ryu, Otagiri, Nozawa, Akita*, 705
- substrate recognition, branched-chain amino acid aminotransferase, pyridoxal enzyme, three-dimensional structure, X-ray crystallography, *Okada, Hirotsu, Sato, Hayashi, Kagamiyama*, 637
- substrate recognition pocket, crystal structure, novel subfamily, zinc metalloprotease, *Kuriu, Kinoshita, Sugimoto, Nagarai, Kai, Kasai, Harada*, 304
- substrates, energy transfer, conformation, glycopeptides, *Lee*, 818
- substrate specificity, active site, site-directed mutagenesis, thermophilic enzymes, *Yaoi, Miyazaki, Oshima*, 77
- , aromatic amino acid aminotransferase, aspartate aminotransferase, *Paracoccus denitrificans*, pyridoxal 5'-phosphate, *Oue, Okamoto, Nakai, Nakahira, Shibatani, Hayashi, Kagamiyama*, 161
- subtilisin like proprotein convertase 4, kexin-like protease, PACE4E, PACE4 isoform, processing, *Mori, Kii, Tsuji, Nagahama, Imamaki, Hayashi, Akamatsu, Nagamune, Matsuda*, 941
- subunit, AMP, assembly, conformation, electron-transferring flavoprotein, *Sato, Nishina, Shiga*, 477

S (cont'd)

subunit structure, α -amylase inhibitor, kidney bean, post-translational processing, primary structure, Nakaguchi, Arakawa, Philo, Wen, Ishimoto, Yamaguchi, 350 superoxide generation, CD38, chemotactic receptors, G proteins, tyrosine phosphorylation, Tsujimoto, Kontani, Inoue, Hoshino, Hazeki, Malavasi, Katada, 949 Syk, epinephrine, potentiation, thrombin, tyrosine phosphorylation, Wang, Yanagi, Yang, Inatome, Yamamura, 325 syndecan, brain development, heparan sulfate, midkine, Nakanishi, Kadomatsu, Okamoto, Ichihara-Tanaka, Kojima, Saito, Tomoda, Muramatsu, 197 synthetic oligonucleotides, chemical modifications, DNA-protein interaction, EcoRI, phosphodiester hydrolysis, Gohda, Matsu-o, Oda, Ikebara, Uesugi, 219

T

TAF, histone fold motif, histone octamer, TFIID, transcription factor, Bando, Ijuin, Hasegawa, Horikoshi, 591 tandem-repeat-type galectin, *C. elegans*, frontal affinity chromatography, β -galactoside-binding lectin, galectin, Arata, Hirabayashi, Kasai, 1002 targeting sequence, Alzheimer's disease, amyloid precursor protein, endosomal/lysosomal pathway, Ono, Kinouchi, Soricuchi, Ishiura, Suzuki, 585 TATA-less promoter, catalase gene, *cis*-acting element, DNA binding protein, initiator, Toda, Takeuchi, Hori, Ito, Sato, 1035 TATA motif, erythropoietin, GATA motif, point mutation, promoter, Tsuchiya, Okada, Ueda, Yasukochi, 193 tau protein kinases I and II, Alzheimer's disease, amyloid- β protein, phosphorylation of tau, pyruvate dehydrogenase, Imahori, Uchida, 179 taurine, adaptive regulation, Caco-2, human small intestine, transporter, Satsu, Watanabe, Arai, Shimizu, 1082 telokin, chicken gizzard, filament assembly, myosin monomer conformation, smooth muscle myosin, Masato, Numata, Katoh, Morita, Yazawa, 225 temperature-sensitive release, liposome, poly(*N*-isopropylacrylamide), Kim, Bae, Kim, 15 temperature sensitivity, Ca^{2+} -ATPase, molecular interaction, reconstitution, sarco-plasmic reticulum, Nagata, Nakamura, Yamamoto, 648 —, cation transport, Li^+ resistance, mutagenesis, Na^+/H^+ antiporter, Noumi, Inoue, Sakurai, Tsuchiya, Kanazawa, 661 testis, GATA-1, promoter, Sertoli cell, transcription factor, Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rassoulzadegan, Engel, Yamamoto, 251 Tetrahymena, cysteine protease, growth phase, papain family, tetrain, Suzuki, Hosoya, Takahashi, Kosaka, Hosoya, 642 tetrain, cysteine protease, growth phase, papain family, Tetrahymena, Suzuki, Hosoya, Takahashi, Kosaka, Hosoya, 642

TFIID, histone fold motif, histone octamer, TAF, transcription factor, Bando, Ijuin, Hasegawa, Horikoshi, 591 Th1 and Th2 cells, helper T-lymphocytes, interleukin-1 receptor family, ligand of ST2, ST2 gene product, Yanagisawa, Naito, Kuroiwa, Arai, Furukawa, Tomizuka, Miura, Kasahara, Tetsuka, Tomonaga, 95 thermodynamic stability, differential scanning calorimetry, protein/ligand interaction, Catanzano, Gambuti, Graziano, Barone, 568 thermolysin, metalloproteinase, nitration, pH-jump, tyrosine, Lee, Inouye, Tomonaga, 231 thermophilic enzymes, active site, site-directed mutagenesis, substrate specificity, Yaoi, Miyazaki, Oshima, 77 thermostability, bacilli, DNA binding protein HU, salt bridge, site-directed mutagenesis, Kawamura, Tanaka, Yamasaki, Kimura, 448 *Thermus thermophilus*, 2-cistron expression system, expression efficiency, GC-rich gene, 3-isopropyl-malate dehydrogenase, Suzuki, Tanaka, Ishida, Ishizuka, Yamagishi, Oshima, 1031 thiol-disulfide interchange, dehydroascorbate reductase activity, glutaredoxin (thioltransferase), rice bran, thioredoxin, Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, Tanaka, 842 thioredoxin, dehydroascorbate reductase activity, glutaredoxin (thioltransferase), rice bran, thiol-disulfide interchange, Sha, Minakuchi, Higaki, Sato, Ohtsuki, Kurata, Yoshikawa, Kotaru, Masumura, Ichihara, Tanaka, 842 three-dimensional structure, branched-chain amino acid aminotransferase, pyridoxal enzyme, substrate recognition, X-ray crystallography, Okada, Hirotsu, Sato, Hayashi, Kagamiyama, 637 thrombin, epinephrine, potentiation, Syk, tyrosine phosphorylation, Wang, Yanagi, Yang, Inatome, Yamamura, 325 tissue engineering, bioconjugate material, EGF, immobilization, juxtacline, Ito, Li, Takahashi, Imanishi, Okabayashi, Kido, Kasuga, 514 tissue-specific expression, cDNA cloning, peptidylarginine deiminase type III, purification, rat epidermis, Nishijo, Kawada, Kanno, Shiraiwa, Takahara, 868 tissue-type plasminogen activator inhibitor, cDNA cloning, *Erythrina variegata*, overexpression, trypsin inhibitor, Kouzuma, Yamasaki, Kimura, 456 α -tocopherol, peroxidase, phospholipase, phospholipid hydroperoxide, ubiquinol-9, Kambayashi, Yamashita, Niki, Yamamoto, 425 —, immunoglobulin, lipid peroxidation, unsaturated fatty acids, Hung, Yamada, Lim, Mori, Yuki, Sugano, 1054 toxin, calcium, *Cucumaria echinata*, hemolysin, lectin, Hatakeyama, Miyamoto, Nagatomo, Sallay, Yamasaki, 63 transcription, acute phase response, APRF/STAT3, CCAAT/enhancer-binding pro-tein, interleukin-6, Yamada, Tobita, Osada, Nishihara, Imagawa, 731 —, GATA binding protein, H^+/K^+ -ATPase, promoter, stomach, Nishi, Kubo, Hasebe, Maeda, Futai, 922 transcriptional regulation, BiP, heat shock element, heat shock protein, Ssa1, Oka, Kimata, Mori, Kohno, 578 transcriptional regulator, PHO regulon, Pho2p, Pho4p, yeast, Magbanua, Ogawa, Harashima, Oshima, 1182 transcription factor, carnitine deficiency, gene expression, starvation, urea cycle enzymes, Tomomura, Tomomura, Musa, Horiuchi, Takiguchi, Mori, Saheki, 172 —, GATA-1, promoter, Sertoli cell, testis, Onodera, Yomogida, Suwabe, Takahashi, Muraosa, Hayashi, Ito, Gu, Rassoulzadegan, Engel, Yamamoto, 251 —, GST-P, nuclear factor 1, purification, silencer element, Osada, Daimon, Ikeda, Nishihara, Yano, Yamasaki, Imagawa, 355 —, hydrophobic sequence, proline-rich domain, protein-protein interaction, zinc finger protein, Kojima, Kobayashi, Gotoh, Ohkuma, Fujii-Kuriyama, Sogawa, 389 —, histone fold motif, histone octamer, TAF, TFIID, Bando, Ijuin, Hasegawa, Horikoshi, 591 transient expression, chicken liver, cytosolic phosphoenolpyruvate carboxykinase, nucleotide sequence analysis, promoter, Sato, Takahashi, Konishi, Suzuki, Kochi, 711 transporter, diet, kidney, lysosome, phosphate, Katai Segawa, Haga, Morita, Arai, Tatsumi, Taketani, Miyamoto, Hisano, Fukui, Takeda, 50 —, adaptive regulation, Caco-2, human small intestine, taurine, Satsu, Watanabe, Arai, Shimizu, 1082 transverse tubule, calcium release channel, calsequestrin, excitation-contraction coupling, sarcoplasmic reticulum, Yamaguchi, Igami, Kasai, 432 triplex DNA, divalent cations, fluorescence, fluorescence anisotropy, kinetics, Ellouze, Piot, Takahashi, 521 tropomyosin, Ca^{2+} -regulation, scallop, smooth muscle, tropomodulin, Nishita, Ojima, Takahashi, Inoue, 419 troponin, Ca^{2+} -regulation, scallop, smooth muscle, tropomyosin, Nishita, Ojima, Takahashi, Inoue, 419 troponin C, alternative splicing, gene structure, Halocynthia roretzi, Yuasa, Sato, Yamamoto, Takagi, 671 troponin-tropomyosin complex, actin, calcium regulation, disuccinimidyl suberate, motility, Honda, Tagami, Hatori, Matsuno, 47 trypsin inhibitor, cDNA cloning, *Erythrina variegata*, overexpression, tissue-type plasminogen activator inhibitor, Kouzuma, Yamasaki, Kimura, 456 tumor marker, anti-polyamine antibody, diacetylpiperazine, ELISA, polyamine, Hiramatsu, Miura, Sugimoto, Kamei, Iwasaki, Kawakita, 1134 type-1 glucose transporter (GLUT-1), erythrocyte, glucose-carrying polymer, monoclonal antibody, Park, Takei, Goto, Maru-

T (cont'd)

- yama, Kobayashi, Kobayashi, Akaike*, 997
 typtase Clara, influenza virus, mucus protease inhibitor, Sendai virus, virus infection, *Beppu, Imamura, Tashiro, Towatari, Ariga, Kido*, 309
 tyrosine, metalloproteinase, nitration, pH-jump, thermolysin, *Lee, Inouye, Tomonura*, 231
 tyrosine phosphorylation, epinephrine, potentiation, *Syk, thrombin, Wang, Yanagi, Yang, Inatome, Yamamura*, 325
 —, autophosphorylation, LIM motif, protein kinase, *Smolich, Vo, Buckley, Plowman, Papkoff*, 382
 —, CD38, chemotactic receptors, G proteins, superoxide generation, *Tsujimoto, Kontani, Inoue, Hoshino, Hazeki, Malavasi, Katada*, 949
 —, diacylglycerol, phorbol ester, phospholipid, protein kinase C, *Kadotani, Nishiuma, Nanahoshi, Tsujishita, Ogita, Nakamura, Kikkawa, Asaoka*, 1047

U

- ubiquinol-9, peroxidase, phospholipase, phospholipid hydroperoxide, α -tocopherol, *Kambayashi, Yamashita, Niki, Yamamoto*, 425
 ubiquinone, antioxidant, decaprenyl diphosphate synthase, glutathione, isoprenoid, *Suzuki, Okada, Kamiya, Zhu, Nakagawa, Kawamukai, Matsuda*, 496
 —, membrane potential, mitochondria, NADH:ubiquinone reductase, *Ghelli, Benelli, Esposti*, 746
 ubiquitin, apoptosis, cell cycle, lymphoma cells, proteasome inhibitor, *Tanimoto, Onishi, Hashimoto, Kizaki*, 542
 ubiquitin C-terminal hydrolase, isopeptidase, ubiquitin specific protease, *Woo, Baek, Lee, Yoo, Cho, Kang, Chung*, 684
 ubiquitin specific protease, isopeptidase, ubiquitin C-terminal hydrolase, *Woo, Baek, Lee, Yoo, Cho, Kang, Chung*, 684
 ultracentrifugation, atherosclerosis, LDL, Lp(a), oxidation, *Napoli, Mancini, Corso, Malorni, Crescenzi, Postiglione, Palumbo*,

1096

- unsaturated fatty acids, immunoglobulin, lipid peroxidation, α -tocopherol, *Hung, Yamada, Lim, Mori, Yuki, Sugano*, 1054
 urea cycle enzymes, carnitine deficiency, gene expression, starvation, transcription factor, *Tomomura, Tomomura, Musa, Horuchi, Takiguchi, Mori, Saheki*, 172

V

- vacuolar H⁺-ATPase, autophagy, vacuole, yeast, *Nakamura, Matsuura, Wada, Ohsumi*, 338
 vacuole, autophagy, vacuolar H⁺-ATPase, yeast, *Nakamura, Matsuura, Wada, Ohsumi*, 338

- very-long-chain fatty acid, fatty alcohol, β -oxidation, peroxisome, plasmalogen, *Hayashi, Hara*, 978

- vesicle transport, coatomer, COPI, double lysine motif, endoplasmic reticulum, *Yamazaki, Harashima, Sakaguchi, Miura, Miura*, 8

- virus-cell interaction, herpes simplex virus type 1, human immunoglobulin, optical biosensor, *Inoue, Arai, Aoyagi*, 633

- virus infection, influenza virus, mucus protease inhibitor, Sendai virus, typtase Clara, *Beppu, Imamura, Tashiro, Towatari, Ariga, Kido*, 309

- visinin-like domain, autoinhibitory domain, calcium, calmodulin, *Ramachandiran, Takezawa, Wang, Poovaiah*, 984

- vitamin D receptor, 1,25-dihydroxyvitamin D₃, promoter, rat genomic fragment, vitamin D response element, *Sakoda, Suzuki, Arai, Imagawa, Nishikawa, Nishihara*, 89

- vitamin D response element, 1,25-dihydroxyvitamin D₃, promoter, rat genomic fragment, vitamin D receptor, *Sakoda, Suzuki, Arai, Imagawa, Nishikawa, Nishihara*, 89
 von Willebrand factor, botrocetin, collagen, ELISA, glycocalicin, *Matsui, Kunishima, Hamako, Katayama, Kamiya, Naoe, Ozeki, Fujimura, Titani*, 376

X

- X-ray crystallography, branched-chain amino acid aminotransferase, pyridoxal enzyme,

- substrate recognition, three-dimensional structure, *Okada, Hirotsu, Sato, Hayashi, Kagamiyama*, 637

- , crystallization, *Streptomyces olivaceoviridis*, β -xylanase, *Fujimoto, Mizuno, Kuno, Yoshida, Kobayashi, Kusakabe*, 826

- , coenzyme F₄₃₀, methanogenic Archaea, methyl-coenzyme M reductase, protein crystallization, *Shima, Goubeaud, Vinzenz, Thauer, Ermler*, 829

- , hen lysozyme, NMR, site-directed mutagenesis, stability, *Motoshima, Mine, Masumoto, Abe, Iwashita, Hashimoto, Chijiwa, Ueda, Imoto*, 1076

- X-ray study, crystallization, lipoamide dehydrogenase, *Toyoda, Sekiguchi, Takenaka*, 1

- β -xylanase, crystallization, *Streptomyces olivaceoviridis*, X-ray crystallography, *Fujimoto, Mizuno, Kuno, Yoshida, Kobayashi, Kusakabe*, 826

Y

- yeast, autophagy, vacuolar H⁺-ATPase, vacuole, *Nakamura, Matsuura, Wada, Ohsumi*, 338

- , deoxyhypusine synthase, eukaryotic initiation factor 5A, hypusine, post-translation modification, *Abid, Sasaki, Titani, Miyazaki*, 769

- , PHO regulon, Pho2p, Pho4p, transcriptional regulator, *Magbanua, Ogawa, Harashima, Oshima*, 1182

- yeast CCC2 gene, *Caenorhabditis elegans*, copper transporting ATPase, immunofluorescence microscopy, Menkes/Wilson disease gene homologue, *Sambongi, Wakabayashi, Yoshimizu, Omote, Oka, Futai, 1169*

Z

- zinc finger protein, hydrophobic sequence, proline-rich domain, protein-protein interaction, transcription factor, *Kojima, Kobayashi, Gotoh, Ohkuma, Fujii-Kuriyama, Sogawa*, 389

- zinc metalloprotease, crystal structure, novel subfamily, substrate recognition pocket, *Kurisu, Kinoshita, Sugimoto, Nagara, Kai, Kasai, Harada*, 304