

INDEX TO KEY WORDS

A

- α subunit, down-regulation, stimulatory G protein (G_s), translocation, VIP, *Yajima, Akita, Saito, Kawashima*, 1024
- ACC deaminase, 1-aminocyclopropane-1-carboxylate (ACC), *Hansenula saturnus, Minami, Uchiyama, Murakami, Kawai, Mikami, Yamada, Yokoi, Ito, Matsui, Honma*, 1112
- actin, Ca^{2+} -induced conformational change, fluorescence resonance energy transfer, skeletal muscle thin filaments, troponin, *Miki, Kobayashi, Kimura, Hagiwara, Hai, Maeda*, 324
- , actin-binding protein, cytokinesis, phagocytosis, *Tetrahymena, Watanabe, Kurasawa, Watanabe, Numata*, 607
- , biocytin, kabiramide D, marine natural product, mycalolide B, *Wada, Matsunaga, Saito, Fusetani, Watabe*, 946
- , FRET, skeletal muscle regulation, steric blocking theory, tropomyosin, *Miki, Miura, Sano, Kimura, Kondo, Ishida, Maeda*, 1104
- actin-binding protein, actin, cytokinesis, phagocytosis, *Tetrahymena, Watanabe, Kurasawa, Watanabe, Numata*, 607
- actin depolymerization, bistheonellide A, dimeric macrolide, mycalolide B, swinholide A, *Saito, Watabe, Ozaki, Kobayashi, Suzuki, Kobayashi, Fusetani, Karaki*, 571
- active site, chemical modification, flavoenzyme, peptide sequencing, phenylglyoxal, *Mukouyama, Hirose, Suzuki*, 1097
- activin, mesoderm induction, midkine, neural formation, pleiotrophin, *Yokota, Takahashi, Eisaki, Asashima, Akhter, Muramatsu, Kadomatsu*, 339
- activity staining, cathepsin K, cysteine proteinase, osteoclast, *Kamiya, Kobayashi, Kanaoka, Nakashima, Kato, Mizuno, Sakai*, 752
- acylamino acid-releasing enzyme, catalytic triad, oligopeptidase, serine protease, site-directed mutagenesis, *Mitta, Miyagi, Kato, Tsunasawa*, 924
- ω -*N*-acylhistamines, β -glucosidase, inhibition, 4-arylimidazoles, 4-(ω -phenylalkyl)-imidazoles, *Li, Hsu, Chang, Chen*, 416
- adaptive response, phosphotransfer, regulator, signal transduction, sensor, *Mizuno*, 555
- adenylate kinase, bi-topological distribution, co-translational import, mitochondria, non-cleavable protein, *Nobumoto, Yamada, Song, Inouye, Nakazawa*, 128
- adipocyte, diabetes, macrophage migration inhibitory factor, tumor necrosis factor α , tyrosine kinase, *Hirokawa, Sakaue, Furuya, Ishii, Hasegawa, Tagami, Kawakami, Sakai, Nishi, Nishihira*, 733
- advanced glycation end products, atherosclerosis, foam cell formation, Maillard reaction, modified low density lipoprotein, *Jinnouchi, Sano, Nagai, Hakamata, Kodama, Suzuki, Yoshida, Ueda, Horiuchi*, 1208
- aggregation, glycosylphosphatidylinositol, hypophosphatasia, intracellular transport, tissue-nonspecific alkaline phosphatase, *Shibata, Fukushi, Igarashi, Misumi, Ikehara, Ohashi, Oda*, 968
- AK activity, human AK2 isozymes, post-transcriptional regulation, recombinant protein, tissue specificity, *Lee, Kim, Lee, Kim, Lee, Park, Choe*, 47
- alcohol, calorimetry, DSC, *Pseudomonas cepacia* lipase, thermal unfolding, *Tanaka*, 289
- aldehyde reductase, 3-deoxyglucosone, dicarbonyls, Maillard reaction, methylglyoxal, *Suzuki, Koh, Mizuno, Hamaoka, Tani-guchi*, 353
- aldehydes, antioxidants, antioxidative defense, 4-hydroxynonenal (HNE), lipid peroxidation, mouse thymocytes, *Siems, Pimenov, Esterbauer, Grune*, 534
- aleurone layer, embryo, oil body, oleosin, rice, *Wu, Wang, Chen, Chen, Tzen*, 386
- alkaline protease, β -helix structure, Ca-binding sequence motif, *Pseudomonas aeruginosa*, site-directed mutagenesis, *Miyajima, Hata, Fukushima, Kawamoto, Okuda, Shibano, Morihara*, 24
- Alport syndrome, basement membrane, bidirectional promoter, collagen IV, diffuse leiomyomatosis associated with Alport syndrome, *Sado, Kagawa, Naito, Ueki, Seki, Momota, Oohashi, Ninomiya*, 767
- alternative splicing, gene amplification, HL-60 cells, OS-9 cDNAs, *Kimura, Nakazawa, Yamada*, 876
- Alu family DNA, Ku antigen, *Tsuchiya, Saegusa, Taira, Mimori, Iguchi-Ariga, Ariga*, 120
- aluminum toxicity, iron, neuronal cells, transferrin-independent iron uptake, transferrin receptor, *Oshiro, Kawahara, Mika, Muramoto, Kobayashi, Ishige, Nozawa, Hori, Yung, Kitajima, Kuroda*, 42
- aminoacyl- β -naphthylamide, aminopeptidase, inactivating enzyme, puromycin, *Streptomyces morookaensis, Nishimura, Matsuo, Nakamura, Sugiyama*, 247
- amino compound, bacterial expression, cDNA, rabbit, sulfotransferase, *Yoshinari, Nagata, Ogino, Fujita, Shiraga, Iwasaki, Hata, Yamazoe*, 479
- 1-aminocyclopropane-1-carboxylate (ACC), ACC deaminase, *Hansenula saturnus, Minami, Uchiyama, Murakami, Kawai, Mikami, Yamada, Yokoi, Ito, Matsui, Honma*, 1112
- ϵ -amino-*n*-caproic acid, kringle domain, lysine binding site, plasminogen, staphylokinase, *Arai, Madoiwa, Mimuro, Asakura, Matsuda, Sako, Sakata*, 71
- aminopeptidase, aminoacyl- β -naphthylamide, inactivating enzyme, puromycin, *Streptomyces morookaensis, Nishimura, Matsuo, Nakamura, Sugiyama*, 247
- β -aminopropionitrile, L-ascorbic acid 2-phosphate, fibroblast, type I collagen, type VI collagen, *Hazeki, Yamato, Imamura, Sasaki, Nakazato, Yamamoto, Konomi, Hayashi*, 587
- amphioxus, evolution, frog, lamprey, tropinin C, *Yuasa, Cox, Takagi*, 1180
- amphipathic helix, antimicrobial activity, apolipoprotein A-II, HDL, membrane, *Motizuki, Itoh, Yamada, Shimamura, Tsurugi*, 675
- amphotericin B, cholesterol, complex formation, monolayer, vesicle, *Saka, Mita*, 798
- α -amylase, amylopullulanase, neopullulanase- α -amylase, pullulanase, site-directed mutagenesis, *Ibuka, Tonozuka, Matsuzawa, Sakai*, 275
- α -amylase inhibitor, β -D-galactosidase, galactosyl maltooligosaccharide, oligosaccharidolactone, transglycosylation, *Takada, Ogawa, Saito, Murata, Usui*, 508
- amylopullulanase, α -amylase, neopullulanase- α -amylase, pullulanase, site-directed mutagenesis, *Ibuka, Tonozuka, Matsuzawa, Sakai*, 275
- 1,5-anhydro-D-fructose, 1,5-anhydro-D-fructose reductase, 1,5-anhydro-D-glucitol, glycogen, glycogenolysis, *Sakuma, Kametani, Akanuma*, 189
- 1,5-anhydro-D-fructose reductase, 1,5-anhydro-D-fructose, 1,5-anhydro-D-glucitol, glycogen, glycogenolysis, *Sakuma, Kametani, Akanuma*, 189
- 1,5-anhydro-D-glucitol, 1,5-anhydro-D-fructose, 1,5-anhydro-D-fructose reductase, glycogen, glycogenolysis, *Sakuma, Kametani, Akanuma*, 189
- 1,5-anhydro-D-glucitol, 1,5-anhydro-D-fructose, 1,5-anhydro-D-fructose reductase, glycogen, glycogenolysis, *Sakuma, Kametani, Akanuma*, 189
- antibody, apoptosis, gel electrophoresis retardation assay, sandwich ELISA, single-stranded DNA, *Kawarada, Miura, Sugiyama*, 492
- antigen binding fragment, binding affinity, single-chain antibody, surface plasmon resonance, UV-damaged DNA, *Kobayashi, Morioka, Torizawa, Kato, Shimada, Nikaido, Ohtsuka*, 182
- antimicrobial activity, amphipathic helix, apolipoprotein A-II, HDL, membrane, *Motizuki, Itoh, Yamada, Shimamura, Tsurugi*, 675
- antimony, arsenic, metalloregulation, resistance, transport, *Xu, Zhou, Kuroda, Rosen*, 16
- antioxidants, aldehydes, antioxidative defense, 4-hydroxynonenal (HNE), lipid peroxidation, mouse thymocytes, *Siems, Pimenov, Esterbauer, Grune*, 534
- antioxidative defense, aldehydes, antioxidants, 4-hydroxynonenal (HNE), lipid peroxidation, mouse thymocytes, *Siems, Pimenov, Esterbauer, Grune*, 534
- apo B, fatty liver, suncus, VLDL, *Liang, Kinoshita, Muto, Fujimaki, Matsuki, Saito*

A (cont'd)

- Yamanaka, Teramoto*, 28
- apolipoprotein A-II, amphipathic helix, antimicrobial activity, HDL, membrane, *Motizuki, Itoh, Yamada, Shimamura, Tsurugi*, 675
- apoptosis, antibody, gel electrophoresis retardation assay, sandwich ELISA, single-stranded DNA, *Kawarada, Miura, Sugiyama*, 492
- , Chinese hamster ovary cell, lipid transport, phosphatidylserine, *Uchida, Emoto, Daleke, Inoue, Umeda*, 1073
- arachidonic acid, ATP, Ca²⁺-independent phospholipase A₂, rat parotid gland, secretory granular membranes, *Mizuno-Kamiya, Kameyama, Yashiro, Fujita*, 205
- ARF, G-protein, lysis, lysosome, *Arai, Matsuda, Sai, Ohkuma*, 637
- Arg-gingipain, Lys-gingipain, lysine-specific cysteine proteinase, periodontal disease, *Porphyromonas gingivalis, Abe, Kadowaki, Okamoto, Nakayama, Ohishi, Yamamoto*, 305
- arsenic, antimony, metalloregulation, resistance, transport, *Xu, Zhou, Kuroda, Rosen*, 16
- artificial liver, artificial matrix, Eudragit, hepatocyte, spheroid, *Yamada, Kamihira, Hamamoto, Iijima*, 1017
- artificial matrix, artificial liver, Eudragit, hepatocyte, spheroid, *Yamada, Kamihira, Hamamoto, Iijima*, 1017
- artificial substrates, enzyme mechanism, geranylgeranyl diphosphate synthase, isoprenoids, prenyltransferase, *Ohnuma, Hemmi, Koyama, Ogura, Nishino*, 1036
- 4-arylimidazoles, β -glucosidase, inhibition, ω -N-acylhistamines, 4-(ω -phenylalkyl)-imidazoles, *Li, Hsu, Chang, Chen*, 416
- L-ascorbic acid 2-phosphate, β -aminopropionitrile, fibroblast, type I collagen, type VI collagen, *Hazeki, Yamato, Imamura, Sasaki, Nakazato, Yamamoto, Konomi, Hayaishi*, 587
- Asn-glycan, Asn-glycan function, glycoprotein, protein folding, ribonuclease B, *Nishimura, Uchida, Inohana, Setoh, Daba, Nishimura, Yamaguchi*, 516
- Asn-glycan function, Asn-glycan, glycoprotein, protein folding, ribonuclease B, *Nishimura, Uchida, Inohana, Setoh, Daba, Nishimura, Yamaguchi*, 516
- assay methods, fluorogenic substrate, glycogen debranching enzyme, HPLC, *Omichi, Hase*, 932
- atherosclerosis, gravin, growth regulation, MAP kinase, oxidized LDL, *Sato, Kokame, Shimokado, Kato, Miyata*, 1119
- , advanced glycation end products, foam cell formation, Maillard reaction, modified low density lipoprotein, *Jinnouchi, Sano, Nagai, Hakamata, Kodama, Suzuki, Yoshida, Ueda, Horiuchi*, 1208
- ATP, arachidonic acid, Ca²⁺-independent phospholipase A₂, rat parotid gland, secretory granular membranes, *Mizuno-Kamiya, Kameyama, Yashiro, Fujita*, 205
- , cysteine protease, mitochondrial intermembrane space, proteolysis, rat, *Sitte, Dubiel, Kloetzel*, 408
- ATPase, elongation factors, 40S ribosomal subunits, 5S ribosomal RNA-L5 protein, 30S-5SRNP ribosomal particles, *Ogata, Ohno, Terao, Iwasaki, Endo*, 294
- , cooperativity, DNA-binding, RecA protein, recombination, *Mikawa, Masui, Kuramitsu*, 450
- Na⁺, K⁺-ATPase, ATP binding, conformation change, fluorescein, pyridoxal, *Tsuda, Kaya, Funatsu, Hayashi, Taniguchi*, 169
- ATP binding, conformation change, fluorescein, Na⁺, K⁺-ATPase, pyridoxal, *Tsuda, Kaya, Funatsu, Hayashi, Taniguchi*, 169
- , cardiolipin, DNA replication, DnaA protein, glycerol, *Hase, Ishikawa, Sekimizu, Tsuchiya, Mizushima*, 680
- ATP-dependent proteolysis, PA28, PA700, proteasomes (20S and 26S), ubiquitin, *Tanaka*, 195
- axonal pathfinding, brain development, cerebral cortex, growth cones, neurite growth, *Ho, Wakatsuki, Arioka, Yamasaki, Kitamoto*, 332
- L-azetidine 2-carboxylic acid, cycloheximide, stress protein, stress protein gene control, thermotolerance, *Akagawa, Ishii, Mizuno*, 226

B

- Bacillus stearothermophilus*, denaturation, guanidine hydrochloride, multienzyme complex, pyruvate dehydrogenase, *Hiro-masa, Aso, Mayanagi, Inoue, Fujisawa, Meno, Ueki*, 564
- Bacillus subtilis*, readthrough, suppressor tRNA, translation, UGA codon, *Matsugi, Murao, Ishikura*, 853
- , glutamate racemase, poly- γ -glutamate producer, poly- γ -glutamate, *Ashiuchi, Tani, Soda, Misono*, 1156
- bacterial expression, amino compound, cDNA, rabbit, sulfotransferase, *Yoshinari, Nagata, Ogino, Fujita, Shiraga, Iwasaki, Hata, Yamazoe*, 479
- , cDNA, hydroxysteroid, rabbit, sulfotransferase, *Yoshinari, Nagata, Shiraga, Iwasaki, Hata, Ogino, Ueda, Fujita, Shimada, Yamazoe*, 740
- bacterial sialyltransferase, cloning, *Photobacterium damsela* JT0160, α 2,6-sialyltransferase, *Yamamoto, Nakashizuka, Terada*, 94
- bacteriophage, cisplatin, *Escherichia coli*, nucleotide excision repair, *uvrA, Tanaka, Saito, Kimoto, Taketo*, 821
- bacteriorhodopsin, ¹³C NMR, high-resolution solid-state NMR, stability of α -helical domain, *Yamaguchi, Tuzi, Seki, Tani, Needleman, Lanyi, Naito, Saito*, 78
- baculovirus expression, CYP2D, cytochrome P450, dog, drug metabolism, *Tasaki, Nakamura, Itoh, Ohashi, Yamamoto, Masuda, Iwata, Kazusaka, Kamataki, Fujita*, 162
- , caldecrin, chymotrypsin-like protease, elastase, serine protease, *Yoshino-Yasuda, Kobayashi, Akiyama, Itoh, Tomomura, Saheki*, 546
- basement membrane, Alport syndrome, bidirectional promoter, collagen IV, diffuse leiomyomatosis associated with Alport syndrome, *Sado, Kagawa, Naito, Ueki,*

- Seki, Momota, Oohashi, Ninomiya*, 767
- basic fibroblast growth factor, chondrocytes, interleukin-1 β , matrix metalloproteinase, nitric oxide, *Sasaki, Hattori, Fujisawa, Takahashi, Inoue, Takigawa*, 431
- β -helix structure, alkaline protease, Ca-binding sequence motif, *Pseudomonas aeruginosa*, site-directed mutagenesis, *Miyajima, Hata, Fukushima, Kawamoto, Okuda, Shibano, Morihara*, 24
- bidirectional promoter, Alport syndrome, basement membrane, collagen IV, diffuse leiomyomatosis associated with Alport syndrome, *Sado, Kagawa, Naito, Ueki, Seki, Momota, Oohashi, Ninomiya*, 767
- bifunctional protein, bile acid, peroxisome, sterol carrier protein x, thiolase, *Bun-ya, Maebuchi, Kamiryō, Kurosawa, Sato, Tohma, Jiang, Hashimoto*, 347
- bile acid, bifunctional protein, peroxisome, sterol carrier protein x, thiolase, *Bun-ya, Maebuchi, Kamiryō, Kurosawa, Sato, Tohma, Jiang, Hashimoto*, 347
- binding activity, cyclic AMP response element, CRE-binding protein, osteoblast development, phosphorylation, *Sakamoto, Suzuki, Takiya, Yoshimura, Imai, Matsumoto, Nakamura*, 399
- binding affinity, antigen binding fragment, single-chain antibody, surface plasmon resonance, UV-damaged DNA, *Kobayashi, Morioka, Torizawa, Kato, Shimada, Nikaido, Ohtsuka*, 182
- binding avidity, Fc receptor, guinea pig, polymorphonuclear leukocytes, proteolysis, *Isashi, Yamashita, Nagasawa, Tanaka, Murakami, Uede*, 959
- binding specificity, glycoprobe, GT1b ganglioside, neoglycoprotein, sialoadhesin, *Hashimoto, Suzuki, Crocker, Suzuki*, 468
- biocytin, actin, kabiramide D, marine natural product, mycalolide B, *Wada, Matsunaga, Saito, Fusetani, Watabe*, 946
- biomaterials, glycopolymers, lectins, oligosaccharides, *Tsuchida, Akimoto, Usui, Kobayashi*, 715
- bistheonellide A, actin depolymerization, dimeric macrolide, mycalolide B, swinholid A, *Saito, Watabe, Ozaki, Kobayashi, Suzuki, Kobayashi, Fusetani, Karaki*, 571
- bi-topological distribution, adenylate kinase, co-translational import, mitochondria, non-cleavable protein, *Nobumoto, Yamada, Song, Inouye, Nakazawa*, 128
- bovine brain, gangliosides, sialic acid, sialidase, synaptosome, *Hata, Wada, Hasegawa, Kiso, Miyagi*, 899
- brain development, axonal pathfinding, cerebral cortex, growth cones, neurite growth, *Ho, Wakatsuki, Arioka, Yamasaki, Kitamoto*, 332
- , carbohydrate modification, chondroitin sulfate proteoglycan, protein tyrosine phosphatase, subcellular localization, *Nishiwaki, Maeda, Noda*, 458
- brain-specific, development dependent, membrane glycoprotein, pyridylamination, sugar chain, *Nakakita, Natsuka, Ikenaka, Hase*, 1164

C

- Ca²⁺-independent phospholipase A₂, ara-

C (cont'd)

- chidonic acid, ATP, rat parotid gland, secretory granular membranes, *Mizuno-Kamiya, Kameyama, Yashiro, Fujita*, 205
- Ca²⁺-induced conformational change, actin, fluorescence resonance energy transfer, skeletal muscle thin filaments, troponin, *Miki, Kobayashi, Kimura, Hagiwara, Hai, Maeda*, 324
- Ca-binding sequence motif, alkaline protease, β -helix structure, *Pseudomonas aeruginosa*, site-directed mutagenesis, *Miyajima, Hata, Fukushima, Kawamoto, Okuda, Shibano, Morihara*, 24
- calcium, PC12, p130^{cas}, Src-family kinases, tyrosine phosphorylation, *Kobayashi, Okumura, Okada, Nagai*, 624
- calcium binding protein, cellular localization, human leukemia cells, MRP, MRP binding site, *Koike, Kondo, Makita, Kajiyama, Yoshida, Morikawa*, 1079
- calcium ion, complex, lipase activator protein, *Pseudomonas*, reactivation, *Shibata, Kato, Oda*, 136
- caldecrin, baculovirus expression, chymotrypsin-like protease, elastase, serine protease, *Yoshino-Yasuda, Kobayashi, Akiyama, Itoh, Tomomura, Saheki*, 546
- calorimetry, alcohol, DSC, *Pseudomonas cepacia* lipase, thermal unfolding, *Tanaka*, 289
- cAMP, dexamethasone, hepatocytes, tissue-type plasminogen activator, type-1 plasminogen activator inhibitor, *Uno, Nakamura, Ohomagari, Matsuyama, Seki, Ariga*, 806
- capsule, glycosyltransferases, polysaccharides, *Streptococcus pneumoniae*, *Kolkman, van der Zeijst, Nuijten*, 937
- carbohydrate modification, brain development, chondroitin sulfate proteoglycan, protein tyrosine phosphatase, subcellular localization, *Nishiwaki, Maeda, Noda*, 458
- cardiolipin, ATP-binding, DNA replication, DnaA protein, glycerol, *Hase, Ishikawa, Sekimizu, Tsuchiya, Mizushima*, 680
- carotenoid, complement, *Escherichia coli*, isoprenoid, mutant, *Hemmi, Ohnuma, Nagaoka, Nishino*, 1088
- carp, extracellular signal-regulated kinase, fish, MAP kinase, mitogen-activated protein kinase, *Hashimoto, Yokoyama, Matsuo, Toyohara, Kohno, Sakaguchi*, 1031
- catalase gene promoter, hydrogen peroxide, *Schizosaccharomyces pombe*, stress response, transcriptional regulation, *Nakagawa, Yamada, Mutoh*, 1048
- catalytic domain, EGF-R, protein kinase, *Borowski, Kornetzky, Laufs*, 380
- catalytic RNA, intron, ribozyme, self-splicing, *trans*-activation, *Ikawa, Shiraishi, Inoue*, 528
- catalytic triad, acylamino acid-releasing enzyme, oligopeptidase, serine protease, site-directed mutagenesis, *Mitta, Miyagi, Kato, Tsunasawa*, 924
- cathepsin A, serine carboxypeptidase, protective protein, *Matsuzaki, Ueno, Hayashi, Liao*, 701
- cathepsin K, activity staining, cysteine proteinase, osteoclast, *Kamiya, Kobayashi, Kanaoka, Nakashima, Kato, Mizuno, Sakai*, 752
- CD59, detergent-insoluble complex, GPI-anchored protein, nuclear pellet, subcellular distribution, *Hatanaka, Seya, Miyagawa, Matsumoto, Hara, Tanaka, Shimizu*, 579
- cDNA, mitochondrial DNA, mitochondrial RNA, mitochondrial transcription, polyadenylated RNA, *Nakamichi, Rhoads, Hayashi, Kagawa, Matsumura*, 392
- , amino compound, bacterial expression, rabbit, sulfotransferase, *Yoshinari, Nagata, Ogino, Fujita, Shiraga, Iwasaki, Hata, Yamazoe*, 479
- , bacterial expression, hydroxysteroid, rabbit, sulfotransferase, *Yoshinari, Nagata, Shiraga, Iwasaki, Hata, Ogino, Ueda, Fujita, Shimada, Yamazoe*, 740
- cell cycle, DNA synthesis, G2 arrest, high pressure, premature mitosis, *Matsumoto, Yamaguchi, Fukumaki, Yasunaga, Terada*, 87
- cell targeting, cocktail effect, fibronectin, gene transduction, retrovirus vector, *Asada, Uemori, Ueno, Hashino, Koyama, Kawamura, Kato*, 1041
- cellular injury, hepatocyte, IFN λ , *Liang, Akaike*, 213
- cellular localization, calcium binding protein, human leukemia cells, MRP, MRP binding site, *Koike, Kondo, Makita, Kajiyama, Yoshida, Morikawa*, 1079
- cellular recognition, drug delivery, drugs encapsulation, peritoneal macrophages, rat carrier erythrocytes, *Alvarez, Jordán, Herráez, Díez, Tejedor*, 233
- central bare zone, Cy3-EDA-ATP, fluorescent ATP analogue, myosin, thick filament, *Oiwa, Yamaga, Yamada*, 614
- ceramide, platelet, protein kinase C, sphingosine, sphingosine 1-phosphate, *Hisano, Yatomi, Fujino, Igarashi, Kume, Ozaki*, 263
- , desaturase, dihydroceramide, rat, skin, *Mikami, Kashiwagi, Tsuchihashi, Akino, Gasa*, 906
- cerebral cortex, axonal pathfinding, brain development, growth cones, neurite growth, *Ho, Wakatsuki, Arioka, Yamasaki, Kitamoto*, 332
- chemical modification, active site, flavoenzyme, peptide sequencing, phenylglyoxal, *Mukouyama, Hirose, Suzuki*, 1097
- chemokine, dimer, inflammation, NMR, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji*, 62
- chicken ovalbumin gene upstream promoter transcription factor, hepatocyte nuclear factor-4, nuclear receptor, peroxisome proliferator, peroxisome proliferator-activated receptor, *Nishiyama, Hi, Osada, Osumi*, 1174
- Chinese hamster ovary cell, apoptosis, lipid transport, phosphatidylserine, *Uchida, Emoto, Daleke, Inoue, Umeda*, 1073
- cholesterol, amphotericin B, complex formation, monolayer, vesicle, *Saka, Mita*, 798
- , HMG CoA synthase, NF-Y, squalene synthase, SREBP, *Inoue, Sato, Maeda*, 1191
- cholesterol-binding cytolysin, membrane insertion, perfringen O, pore-forming toxin, tryptophan, *Nakamura, Sekino-Suzuki, Mitsui, Ohno-Iwashita*, 1145
- cholesterol sulfate, gangliosides, pancreatic elastase, *Pseudomonas aeruginosa* elastase, sulfatide, *Ito, Iwamori, Hanaoka, Iwamori*, 107
- chondrocytes, basic fibroblast growth factor, interleukin-1 β , matrix metalloproteinase, nitric oxide, *Sasaki, Hattori, Fujisawa, Takahashi, Inoue, Takigawa*, 431
- chondroitin sulfate proteoglycan, brain development, carbohydrate modification, protein tyrosine phosphatase, subcellular localization, *Nishiwaki, Maeda, Noda*, 458
- chymotrypsin-like protease, baculovirus expression, caldecrin, elastase, serine protease, *Yoshino-Yasuda, Kobayashi, Akiyama, Itoh, Tomomura, Saheki*, 546
- circular dichroism, fluorescence spectroscopy, 5'-nucleotidase, seminal plasma, thermostability, *Fini, Coli, Floridi, D'Auria, Staiano, Nucci, Rossi*, 269
- cisplatin, bacteriophage, *Escherichia coli*, nucleotide excision repair, *urwA, Tanaka, Saito, Kimoto, Taketo*, 821
- cloning, bacterial sialyltransferase, *Photobacterium damsela* JTO160, α 2,6-sialyltransferase, *Yamamoto, Nakashizuka, Terada*, 94
- Clostridium pasteurianum*, *Rhodococcus* sp. MR11, *McTavish*, 644
- ¹³C NMR, bacteriorhodopsin, high-resolution solid-state NMR, stability of α -helical domain, *Yamaguchi, Tuzi, Seki, Tanio, Needleman, Lanyi, Naito, Saitō*, 78
- , *Halobacterium salinarium*, pyruvate metabolism, tca cycle, *Majumdar, Sonawat*, 115
- , isotope-labeling, interaction under highly denaturing conditions, lysozyme, *Abe, Ueda, Kawano, Tanaka, Imoto*, 313
- cocktail effect, cell targeting, fibronectin, gene transduction, retrovirus vector, *Asada, Uemori, Ueno, Hashino, Koyama, Kawamura, Kato*, 1041
- collagen IV, Alport syndrome, basement membrane, bidirectional promoter, diffuse leiomyomatosis associated with Alport syndrome, *Sado, Kagawa, Naito, Ueki, Seki, Momota, Oohashi, Ninomiya*, 767
- complement, carotenoid, *Escherichia coli*, isoprenoid, mutant, *Hemmi, Ohnuma, Nagaoka, Nishino*, 1088
- complex, calcium ion, lipase activator protein, *Pseudomonas*, reactivation, *Shibata, Kato, Oda*, 136
- complex formation, amphotericin B, cholesterol, monolayer, vesicle, *Saka, Mita*, 798
- conformation change, ATP binding, fluorescent, Na⁺,K⁺-ATPase, pyridoxal, *Tsuda, Kaya, Funatsu, Hayashi, Taniguchi*, 169
- cooperativity, ATPase, DNA-binding, RecA protein, recombination, *Mikawa, Masui, Kuramitsu*, 450
- co-translational import, adenylate kinase, bi-topological distribution, mitochondria, noncleavable protein, *Nobumoto, Yamada, Song, Inouye, Nakazawa*, 128
- CP-230821, hamster, HepG2 cells, HMG-CoA reductase, LDL receptor, *Shimokawa, Goto, Ida, Goto, Nishijima, Kodama*, 596
- CRE-binding protein, binding activity, cyclic

C (cont'd)

- AMP response element, osteoblast development, phosphorylation, *Sakamoto, Suzuki, Takiya, Yoshimura, Imai, Matsumoto, Nakamura*, 399
- crystallization, cysteine proteinase inhibitor, oryzacystatin, rice seed, X-ray crystallography, *Kudo, Nishiyama, Sasaki, Abe, Arai, Tanokura*, 568
- crystal structure, lipoamide dehydrogenase, 2-oxoglutarate dehydrogenase complex, pyruvate dehydrogenase complex, X-ray analysis, *Toyoda, Suzuki, Sekiguchi, Reed, Takenaka*, 668
- Cy3-EDA-ATP, central bare zone, fluorescent ATP analogue, myosin, thick filament, *Oiwa, Yamaga, Yamada*, 614
- cyanocysteine, dihydrofolate reductase, mass spectrometry, molecular dissection, peptide bond, *Takenawa, Oda, Ishihama, Iwakura*, 1137
- cyclic AMP response element, binding activity, CRE-binding protein, osteoblast development, phosphorylation, *Sakamoto, Suzuki, Takiya, Yoshimura, Imai, Matsumoto, Nakamura*, 399
- cycloheximide, L-azetidine 2-carboxylic acid, stress protein, stress protein gene control, thermotolerance, *Akagawa, Ishii, Mizuno*, 226
- CYP2D, baculovirus expression, cytochrome P450, dog, drug metabolism, *Tasaki, Nakamura, Itoh, Ohashi, Yamamoto, Masuda, Iwata, Kazusaka, Kamataki, Fujita*, 162
- , cytochrome P450, dog, microsomes, propranolol, *Tasaki, Iwata, Kazusaka, Fujita*, 747
- cysteine protease, ATP, mitochondrial intermembrane space, proteolysis, rat, *Sitte, Dubiel, Kloetzel*, 408
- cysteine proteinase, recombinant enzyme, *Sitophilus zeamais*, *Matsumoto, Abe, Arai, Emori*, 693
- , activity staining, cathepsin K, osteoclast, *Kamiya, Kobayashi, Kanaoka, Nakashima, Kato, Mizuno, Sakai*, 752
- cysteine proteinase inhibitor, crystallization, oryzacystatin, rice seed, X-ray crystallography, *Kudo, Nishiyama, Sasaki, Abe, Arai, Tanokura*, 568
- cytochrome c oxidase, membrane protein, quinol oxidase, three-dimensional structure, X-ray crystallography, *Iwata*, 369
- cytochrome P450, baculovirus expression, CYP2D, dog, drug metabolism, *Tasaki, Nakamura, Itoh, Ohashi, Yamamoto, Masuda, Iwata, Kazusaka, Kamataki, Fujita*, 162
- , CYP2D, dog, microsomes, propranolol, *Tasaki, Iwata, Kazusaka, Fujita*, 747
- cytokinesis, actin, actin-binding protein, phagocytosis, *Tetrahyena, Watanabe, Kurasawa, Watanabe, Numata*, 607
- D
- denaturation, *Bacillus stearothermophilus*, guanidine hydrochloride, multienzyme complex, pyruvate dehydrogenase, *Hiro-masa, Aso, Mayanagi, Inoue, Fujisawa, Meno, Ueki*, 564
- 3-deoxyglucosone, aldehyde reductase, dicarbonyls, Maillard reaction, methylglyoxal, *Suzuki, Koh, Mizuno, Hamaoka, Taniguchi*, 353
- desaturase, ceramide, dihydroceramide, rat, skin, *Mikami, Kashiwagi, Tsuchihashi, Akino, Gasa*, 906
- Desulfovibrio vulgaris*, expression, flavodoxin, FMN-binding, site-directed mutagenesis, *Kitamura, Sagara, Taniguchi, Ashida, Ezo, Kohno, Kojima, Ozawa, Akutsu, Kumagai, Nakaya*, 891
- detergent-insoluble complex, CD59, GPI-anchored protein, nuclear pellet, subcellular distribution, *Hatanaka, Seya, Miyagawa, Matsumoto, Hara, Tanaka, Shimizu*, 579
- development dependent, brain-specific, membrane glycoprotein, pyridylation, sugar chain, *Nakakita, Natsuka, Ikenaka, Hase*, 1164
- dexamethasone, cAMP, hepatocytes, tissue-type plasminogen activator, type-1 plasminogen activator inhibitor, *Uno, Nakamura, Ohmagari, Matsuyama, Seki, Ariga*, 806
- DHFR, hammerhead, *in vivo* selection, ribozyme, translation, *Hamada, Fujita, Kise, Jigami, Taira*, 684
- diabetes, adipocyte, macrophage migration inhibitory factor, tumor necrosis factor α , tyrosine kinase, *Hirokawa, Sakaue, Furu-ya, Ishii, Hasegawa, Tagami, Kawakami, Sakai, Nishi, Nishihira*, 733
- diacetyl, α -dicarbonyl, diketone, D-erythrose reductase, tetrose, *Maeda, Hosomi, Mizoguchi, Nishihara*, 602
- α -dicarbonyl, diacetyl, diketone, D-erythrose reductase, tetrose, *Maeda, Hosomi, Mizoguchi, Nishihara*, 602
- dicarbonyls, aldehyde reductase, 3-deoxyglucosone, Maillard reaction, methylglyoxal, *Suzuki, Koh, Mizuno, Hamaoka, Taniguchi*, 353
- differential titration calorimetry, entropy-enthalpy compensation, heat capacity change, hydrophobic interactions, *Yasui, Ito, Kurosawa*, 827
- diffuse leiomyomatosis associated with Alport syndrome, Alport syndrome, basement membrane, bidirectional promoter, collagen IV, *Sado, Kagawa, Naito, Ueki, Seki, Momota, Oohashi, Ninomiya*, 767
- dihydroceramide, ceramide, desaturase, rat, skin, *Mikami, Kashiwagi, Tsuchihashi, Akino, Gasa*, 906
- dihydrofolate reductase, double mutants, flexible loops, long-range interactions, stability and function, *Ohmae, Iriyama, Ichihara, Gekko*, 33
- , enzyme function, point mutation, role of flexible loop, structural stability, *Ohmae, Ishimura, Iwakura, Gekko*, 839
- , cyanocysteine, mass spectrometry, molecular dissection, peptide bond, *Takenawa, Oda, Ishihama, Iwakura*, 1137
- diketone, diacetyl, α -dicarbonyl, D-erythrose reductase, tetrose, *Maeda, Hosomi, Mizoguchi, Nishihara*, 602
- dimer, chemokine, inflammation, NMR, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji*, 62
- dimeric macrolide, actin depolymerization, bistheonellide A, mycalolide B, swinholid A, *Saito, Watabe, Ozaki, Kobayashi, Suzuki, Kobayashi, Fusetani, Karaki*, 571
- Dis3, Gsp1p, Ran, Rrp44, rRNA, *Shiomi, Fukushima, Suzuki, Nakashima, Noguchi, Nishimoto*, 883
- disaccharide analysis, heparan sulfate, heparin, ion-pairing reversed-phase HPLC, paranitrophenyl hydrazine-labeling, *Kariya, Herrmann, Suzuki, Isomura, Ishihara*, 240
- discoidal complex, fragmentation, glucagon, liposome, vesicular complex, *Ryu, Han, Kim*, 55
- disulfide bond, F protein, HN protein, intracellular transport, protein folding, *Segawa, Kato, Yamashita, Taira*, 1064
- DnaA protein, ATP-binding, cardiolipin, DNA replication, glycerol, *Hase, Ishikawa, Sekimizu, Tsuchiya, Mizushima*, 680
- DNA-binding, ATPase, cooperativity, RecA protein, recombination, *Mikawa, Masui, Kuramitsu*, 450
- DNA methylation, DNA methyltransferase, gene expression, vertebrates, *Tajima, Suetake*, 993
- DNA methyltransferase, DNA methylation, gene expression, vertebrates, *Tajima, Suetake*, 993
- DNA replication, Epstein-Barr virus, replication origin, transient replication assay, *Shirakata, Hirai*, 175
- , ATP-binding, cardiolipin, DnaA protein, glycerol, *Hase, Ishikawa, Sekimizu, Tsuchiya, Mizushima*, 680
- DNA synthesis, cell cycle, G2 arrest, high pressure, premature mitosis, *Matsumoto, Yamaguchi, Fukumaki, Yasunaga, Terada*, 87
- , nuclear localization, prolyl endopeptidase, Swiss 3T3 cells, *Ishino, Ohtsuki, Homma, Natori*, 540
- dog, baculovirus expression, CYP2D, cytochrome P450, drug metabolism, *Tasaki, Nakamura, Itoh, Ohashi, Yamamoto, Masuda, Iwata, Kazusaka, Kamataki, Fujita*, 162
- , CYP2D, cytochrome P450, microsomes, propranolol, *Tasaki, Iwata, Kazusaka, Fujita*, 747
- double knockout mice, erythropoiesis, NF-E2 p45, Nrf2, thrombopoiesis, *Kuroha, Takahashi, Komeno, Itoh, Nagasawa, Yamamoto*, 376
- double mutants, dihydrofolate reductase, flexible loops, long-range interactions, stability and function, *Ohmae, Iriyama, Ichihara, Gekko*, 33
- down-regulation, α subunit, stimulatory G protein (G_s), translocation, VIP, *Yajima, Akita, Saito, Kawashima*, 1024
- Down syndrome, *mtpd* gene, tetratricopeptide repeat, *TPRD* gene, *Tsukahara, Urakawa, Hattori, Hirai, Ohba, Yoshioka, Sakaki, Muraki*, 1055
- drug delivery, cellular recognition, drugs encapsulation, peritoneal macrophages, rat carrier erythrocytes, *Alvarez, Jordán, Herráez, Díez, Tejedor*, 233
- drug metabolism, baculovirus expression, CYP2D, cytochrome P450, dog, *Tasaki, Nakamura, Itoh, Ohashi, Yamamoto*,

D (cont'd)

- Masuda, Iwata, Kazusaka, Kamataki, Fujita*, 162
 drugs encapsulation, cellular recognition, drug delivery, peritoneal macrophages, rat carrier erythrocytes, *Alvarez, Jordán, Herráez, Diez, Tejedor*, 233
 DSC, alcohol, calorimetry, *Pseudomonas cepacia* lipase, thermal unfolding, *Tanaka*, 289

E

- 4E-BP1, eIF-4E, expression, interaction, synthetic gene, *Nishi, Morino, Tomoo, Youtani, Ishida*, 157
 EGF, MAP kinase, MS-430, neuronal differentiation, NGF, *Ikeuchi, Nakatani, Yamada, Itokazu, Awaya, Hatanaka*, 423
 —, high glucose, insulin, pioglitazone, PTPase, *Obata, Maegawa, Kashiwagi, Pillay, Kikkawa*, 813
 EGF-R, catalytic domain, protein kinase, *Borowski, Kornetzký, Laufs*, 380
 eIF-4E, 4E-BP1, expression, interaction, synthetic gene, *Nishi, Morino, Tomoo, Youtani, Ishida*, 157
 elastase, baculovirus expression, caldesmin, chymotrypsin-like protease, serine protease, *Yoshino-Yasuda, Kobayashi, Akiyama, Itoh, Tomomura, Saheki*, 546
 elongated structure, modeling, porcine amelogenin, small-angle X-ray scattering, *Matsushima, Izumi, Aoba*, 150
 elongation factors, ATPase, 40S ribosomal subunits, 5S ribosomal RNA-L5 protein, 30S-5SRNP ribosomal particles, *Ogata, Ohno, Terao, Iwasaki, Endo*, 294
 embryo, aleurone layer, oil body, oleosin, rice, *Wu, Wang, Chen, Chen, Tzen*, 386
 endoglycosylceramidase, ¹⁴C-glycosphingolipids, reverse hydrolysis reaction, sphingolipid ceramide *N*-deacylase, *Mitsutake, Kita, Nakagawa, Ito*, 859
 endothelial cells, hemodialysis, heparin, midkine, uremic complications, *Fujisawa, Matsumoto, Muramatsu, Shinzato, Hiramatsu, Horie, Cai, Oka, Amano, Muramatsu, Maeda*, 864
 enhancer, genomic imprinting, insulin-like growth factor II, promoter usage, transgenic mouse, *Hatano, Eversole-Cire, Ferguson-Smith, Jones, Surani, Sasaki*, 984
 entropy-enthalpy compensation, differential titration calorimetry, heat capacity change, hydrophobic interactions, *Yasui, Ito, Kurosawa*, 827
 enzyme function, dihydrofolate reductase, point mutation, role of flexible loop, structural stability, *Ohmae, Ishimura, Iwakura, Gekko*, 839
 enzyme mechanism, artificial substrates, geranylgeranyl diphosphate synthase, isoprenoids, prenyltransferase, *Ohnuma, Hemmi, Koyama, Ogura, Nishino*, 1036
 Epstein-Barr virus, DNA replication, replication origin, transient replication assay, *Shirakata, Hirai*, 175
 equine brain, ganglioside, horse brain, NMR, sialic acid, *Mikami, Kashiwagi, Tsuchihashi, Daino, Akino, Gasa*, 487
 erythropoiesis, hematopoietic microenviron-

- ment, IAP/CD47, stromal cell, *Furusawa, Yanai, Hara, Miyajima, Obinata*, 101
 —, double knockout mice, NF-E2 p45, Nrf2, thrombopoiesis, *Kuroha, Takahashi, Komeno, Itoh, Nagasawa, Yamamoto*, 376
 D-erythrose reductase, diacetyl, α -dicarbonyl, diketone, tetrose, *Maeda, Hosomi, Mizoguchi, Nishihara*, 602
Escherichia coli, bacteriophage, cisplatin, nucleotide excision repair, *uvrA, Tanaka, Saito, Kimoto, Taketo*, 821
 —, carotenoid, complement, isoprenoid, mutant, *Hemmi, Ohnuma, Nagaoka, Nishino*, 1088
 Eudragit, artificial liver, artificial matrix, hepatocyte, spheroid, *Yamada, Kamihira, Hamamoto, Iijima*, 1017
 evolution, amphioxus, frog, lamprey, tropinin C, *Yuasa, Cox, Takagi*, 1180
 expression, 4E-BP1, eIF-4E, interaction, synthetic gene, *Nishi, Morino, Tomoo, Youtani, Ishida*, 157
 —, *Desulfovibrio vulgaris*, flavodoxin, FMN-binding, site-directed mutagenesis, *Kitamura, Sagara, Taniguchi, Ashida, Ezoë, Kohno, Kojima, Ozawa, Akutsu, Kumagai, Nakaya*, 891
 extracellular signal-regulated kinase, carp, fish, MAP kinase, mitogen-activated protein kinase, *Hashimoto, Yokoyama, Matsuo, Toyohara, Kohno, Sakaguchi*, 1031

F

- families, galactosyltransferase, glycosyltransferase, peptide motif, sequence analysis, *Breton, Bettler, Joziassé, Geremia, Imberty*, 1000
 fatty liver, apo B, suncus, VLDL, *Liang, Kinoshita, Muto, Fujimaki, Matsuki, Saito, Yamanaka, Teramoto*, 28
 Fc ϵ RI, linker region, RBL-2H3, signal transduction, *Syk, Yamashita, Kairyama, Araki, Nagasawa*, 1199
 Fc receptor, binding avidity, guinea pig, polymorphonuclear leukocytes, proteolysis, *Isashi, Yamashita, Nagasawa, Tanaka, Murakami, Uede*, 959
 ferredoxin, hyperthermophile, iron-sulfur cluster, *Pyrobaculum islandicum, Nakajima, Fujiwara, Fukumori*, 521
 fibroblast, β -aminopropionitrile, L-ascorbic acid 2-phosphate, type I collagen, type VI collagen, *Hazeki, Yamato, Imamura, Sasaki, Nakazato, Yamamoto, Konomi, Hayaishi*, 587
 fibronectin, cell targeting, cocktail effect, gene transduction, retrovirus vector, *Asada, Uemori, Ueno, Hashino, Koyama, Kawamura, Kato*, 1041
 filament, flagella, flagellin, outer membrane, *Nishioka, Furuno, Kawagishi, Homma*, 1169
 fish, carp, extracellular signal-regulated kinase, MAP kinase, mitogen-activated protein kinase, *Hashimoto, Yokoyama, Matsuo, Toyohara, Kohno, Sakaguchi*, 1031
 flagella, flagellin, filament, outer membrane, *Nishioka, Furuno, Kawagishi, Homma*, 1169
 flagellin, flagella, filament, outer membrane, *Nishioka, Furuno, Kawagishi, Homma*, 1169
 flavodoxin, *Desulfovibrio vulgaris*, expression, FMN-binding, site-directed mutagenesis, *Kitamura, Sagara, Taniguchi, Ashida, Ezoë, Kohno, Kojima, Ozawa, Akutsu, Kumagai, Nakaya*, 891
 flavoenzyme, site-directed mutagenesis, protein conformation, *Stoltz, Brandsch*, 445
 —, active site, chemical modification, peptide sequencing, phenylglyoxal, *Mukouyama, Hirose, Suzuki*, 1097
 flexible loops, dihydrofolate reductase, double mutants, long-range interactions, stability and function, *Ohmae, Iriyama, Ichihara, Gekko*, 33
 fluorescein, ATP binding, conformation change, Na⁺, K⁺-ATPase, pyridoxal, *Tsuda, Kaya, Funatsu, Hayashi, Taniguchi*, 169
 fluorescence quenching, gramicidin B Aib analogue (GBA), helical peptide pore-former, peptide-lipid interaction, vesicle surface adsorption, *Jelokhani-Niaraki, Nakashima, Kodama, Kondo*, 790
 fluorescence resonance energy transfer, actin, Ca²⁺-induced conformational change, skeletal muscle thin filaments, troponin, *Miki, Kobayashi, Kimura, Hagiwara, Hai, Maéda*, 324
 fluorescence spectroscopy, circular dichroism, 5'-nucleotidase, seminal plasma, thermostability, *Fini, Coli, Floridi, D'Auria, Staiano, Nucci, Rossi*, 269
 fluorescent ATP analogue, central bare zone, Cy3-EDA-ATP, myosin, thick filament, *Oiwa, Yamaga, Yamada*, 614
 fluorogenic substrate, assay methods, glycogen debranching enzyme, HPLC, *Omichi, Hase*, 932
 FMN-binding, *Desulfovibrio vulgaris*, expression, flavodoxin, site-directed mutagenesis, *Kitamura, Sagara, Taniguchi, Ashida, Ezoë, Kohno, Kojima, Ozawa, Akutsu, Kumagai, Nakaya*, 891
 foam cell formation, advanced glycation end products, atherosclerosis, Maillard reaction, modified low density lipoprotein, *Jinnouchi, Sano, Nagai, Hakamata, Kodama, Suzuki, Yoshida, Ueda, Horiuchi*, 1208
 folding, α -lactalbumin, nutrition, signal peptide, transgenic tobacco, *Takase, Hagiwara*, 440
 F protein, disulfide bond, HN protein, intracellular transport, protein folding, *Segawa, Kato, Yamashita, Taira*, 1064
 fragmentation, discoidal complex, glucagon, liposome, vesicular complex, *Ryu, Han, Kim*, 55
 FRET, actin, skeletal muscle regulation, steric blocking theory, tropomyosin, *Miki, Miura, Sano, Kimura, Kondo, Ishida, Maéda*, 1104
 frog, amphioxus, evolution, lamprey, tropinin C, *Yuasa, Cox, Takagi*, 1180
 Fv fragment, phage antibody, surface plasmon resonance, valency, *Ito, Kurosawa*, 832

G

- G2 arrest, cell cycle, DNA synthesis, high pressure, premature mitosis, *Matsumoto, Yamaguchi, Fukumaki, Yasunaga, Terada*, 87
- β -D-galactosidase, α -amylase inhibitor, galactosyl maltooligosaccharide, oligosaccharidolactone, transglycosylation, *Takada, Ogawa, Saito, Murata, Usui*, 508
- galactosyl maltooligosaccharide, α -amylase inhibitor, β -D-galactosidase, oligosaccharidolactone, transglycosylation, *Takada, Ogawa, Saito, Murata, Usui*, 508
- galactosyltransferase, families, glycosyltransferase, peptide motif, sequence analysis, *Breton, Bettler, Joziasse, Geremia, Imberty*, 1000
- ganglioside, cholesterol sulfate, pancreatic elastase, *Pseudomonas aeruginosa* elastase, sulfatide, *Ito, Iwamori, Hanaoka, Iwamori*, 107
- , equine brain, horse brain, NMR, sialic acid, *Mikami, Kashiwagi, Tsuchihashi, Daino, Akino, Gasa*, 487
- , bovine brain, sialic acid, sialidase, synaptosome, *Hata, Wada, Hasegawa, Kiso, Miyagi*, 899
- gel electrophoresis retardation assay, antibody, apoptosis, sandwich ELISA, single-stranded DNA, *Kawarada, Miura, Sugiyama*, 492
- gene amplification, alternative splicing, HL-60 cells, OS-9 cDNAs, *Kimura, Nakazawa, Yamada*, 876
- gene expression, DNA methylation, DNA methyltransferase, vertebrates, *Tajima, Suetake*, 993
- gene transduction, cell targeting, cocktail effect, fibronectin, retrovirus vector, *Asada, Uemori, Ueno, Hashino, Koyama, Kawamura, Kato*, 1041
- genomic imprinting, enhancer, insulin-like growth factor II, promoter usage, transgenic mouse, *Hatano, Eversole-Cire, Ferguson-Smith, Jones, Surani, Sasahi*, 984
- geranylgeranyl diphosphate synthase, artificial substrates, enzyme mechanism, isoprenoids, prenyltransferase, *Ohnuma, Hemmi, Koyama, Ogura, Nishino*, 1036
- glucagon, discoidal complex, fragmentation, liposome, vesicular complex, *Ryu, Han, Kim*, 55
- (1,3)- β -D-glucans, horseshoe crab, host defense, innate immunity, lipopolysaccharides, *Iwanaga, Kawabata, Muta*, 1
- β -glucosidase, inhibition, 4-arylimidazoles, ω -N-acylhistamines, 4-(ω -phenylalkyl)imidazoles, *Li, Hsu, Chang, Chen*, 416
- glutamate racemase, *Bacillus subtilis*, poly- γ -glutamate producer, poly- γ -glutamate, *Ashiuchi, Tani, Soda, Misono*, 1156
- N-glycan, microheterogeneity, *Nicotiana glauca*, ribonuclease, self-incompatibility, *Oxley, Munro, Craik, Bacic*, 978
- glycerol, ATP-binding, cardiolipin, DNA replication, DnaA protein, *Hase, Ishikawa, Sekimizu, Tsuchiya, Mizushima*, 680
- glycoconjugate, Golgi apparatus, modulation of glycosylation, molecular cloning, nucleotide sugar transporter, *Kawahita, Ishida, Miura, Sun-Wada, Yoshioka*, 777
- glycogen, 1,5-anhydro-D-fructose, 1,5-anhydro-D-fructose reductase, 1,5-anhydro-D-glucitol, glycogenolysis, *Sakuma, Kame-tani, Akanuma*, 189
- glycogen debranching enzyme, assay methods, fluorogenic substrate, HPLC, *Omichi, Hase*, 932
- glycogenolysis, 1,5-anhydro-D-fructose, 1,5-anhydro-D-fructose reductase, 1,5-anhydro-D-glucitol, glycogen, *Sakuma, Kame-tani, Akanuma*, 189
- glycopolymers, biomaterials, lectins, oligosaccharides, *Tsuchida, Akimoto, Usui, Kobayashi*, 715
- glycoprobe, binding specificity, GT1b ganglioside, neoglycoprotein, sialoadhesin, *Hashimoto, Suzuki, Crocker, Suzuki*, 468
- glycoprotein, Asn-glycan, Asn-glycan function, protein folding, ribonuclease B, *Nishimura, Uchida, Inohana, Setoh, Daba, Nishimura, Yamaguchi*, 516
- , human serum/plasma, platelet-activating factor (PAF), platelet-activating factor acetylhydrolase, *Akiyama, Sugatani, Suzuki, Suzuki, Miwa*, 786
- ¹⁴C-glycosphingolipids, endoglycosamidase, reverse hydrolysis reaction, sphingolipid ceramide N-deacylase, *Mitsutake, Kita, Nakagawa, Ito*, 859
- glycosylphosphatidylinositol, aggregation, hypophosphatase, intracellular transport, tissue-nonspecific alkaline phosphatase, *Shibata, Fukushi, Igarashi, Misumi, Ikehara, Ohashi, Oda*, 968
- glycosyltransferase, capsule, polysaccharides, *Streptococcus pneumoniae*, *Kolkman, van der Zeijst, Nuijten*, 937
- , families, galactosyltransferase, peptide motif, sequence analysis, *Breton, Bettler, Joziasse, Geremia, Imberty*, 1000
- Golgi apparatus, glycoconjugate, modulation of glycosylation, molecular cloning, nucleotide sugar transporter, *Kawahita, Ishida, Miura, Sun-Wada, Yoshioka*, 777
- GPI-anchored protein, CD59, detergent-insoluble complex, nuclear pellet, subcellular distribution, *Hatanaka, Seya, Miyagawa, Matsumoto, Hara, Tanaka, Shimizu*, 579
- G-protein, GTP γ , *Sai, Matsuda, Arai, Ohkuma*, 630
- , ARF, lysis, lysosome, *Arai, Matsuda, Sai, Ohkuma*, 637
- gramicidin B Aib analogue (GBA), fluorescence quenching, helical peptide pore-former, peptide-lipid interaction, vesicle surface adsorption, *Jelokhani-Niaraki, Nakashima, Kodama, Kondo*, 790
- gravin, atherosclerosis, growth regulation, MAP kinase, oxidized LDL, *Sato, Kokame, Shimokado, Kato, Miyata*, 1119
- growth cones, axonal pathfinding, brain development, cerebral cortex, neurite growth, *Ho, Wakatsuki, Arioka, Yamasaki, Kitamoto*, 332
- growth factor, heparin, midkine, neurite outgrowth, plasminogen activator, *Akhter, Ichihara-Tanaka, Kojima, Muramatsu, Inui, Kimura, Kaneda, Talukder, Kadamatsu, Inagaki, Muramatsu*, 1127
- growth regulation, atherosclerosis, gravin, MAP kinase, oxidized LDL, *Sato, Kokame, Shimokado, Kato, Miyata*, 1119
- Gsp1p, Dis3, Ran, Rrp44, rRNA, *Shiomi, Fukushima, Suzuki, Nakashima, Noguchi, Nishimoto*, 883
- GT1b ganglioside, binding specificity, glycoprobe, neoglycoprotein, sialoadhesin, *Hashimoto, Suzuki, Crocker, Suzuki*, 468
- GTP γ , G-protein, *Sai, Matsuda, Arai, Ohkuma*, 630
- guanidine hydrochloride, *Bacillus stearothermophilus*, denaturation, multienzyme complex, pyruvate dehydrogenase, *Hiromasu, Aso, Mayanagi, Inoue, Fujisawa, Meno, Ueki*, 564
- guinea pig, binding avidity, Fc receptor, polymorphonuclear leukocytes, proteolysis, *Isashi, Yamashita, Nagasawa, Tanaka, Murakami, Ueda*, 959

H

- Halobacterium salinarum*, ¹³C NMR, pyruvate metabolism, tca cycle, *Majumdar, Sonawat*, 115
- halophilicity, metalloproteinase, salt-activation, solubility, thermolysin, *Inouye, Kuzuya, Tonomura*, 847
- hammerhead, DHFR, *in vivo* selection, ribozyme, translation, *Hamada, Fujita, Kise, Jigami, Taira*, 684
- hamster, CP-230821, HepG2 cells, HMG-CoA reductase, LDL receptor, *Shimokawa, Goto, Ida, Goto, Nishijima, Kodama*, 596
- Hansenula saturnus*, 1-aminocyclopropane-1-carboxylate (ACC), ACC deaminase, *Minami, Uchiyama, Murakami, Kawai, Mikami, Yamada, Yokoi, Ito, Matsui, Honma*, 1112
- HDL, amphipathic helix, antimicrobial activity, apolipoprotein A-II, membrane, *Motizuki, Itoh, Yamada, Shimamura, Tsurugi*, 675
- heat capacity change, differential titration calorimetry, entropy-enthalpy compensation, hydrophobic interactions, *Yasui, Ito, Kurosawa*, 827
- helical peptide pore-former, fluorescence quenching, gramicidin B Aib analogue (GBA), peptide-lipid interaction, vesicle surface adsorption, *Jelokhani-Niaraki, Nakashima, Kodama, Kondo*, 790
- hematopoietic microenvironment, erythropoiesis, IAP/CD47, stromal cell, *Furusawa, Yanai, Hara, Miyajima, Obinata*, 101
- hemodialysis, endothelial cells, heparin, midkine, uremic complications, *Fujisawa, Matsumoto, Muramatsu, Shinzato, Hiramatsu, Horie, Cai, Oka, Amano, Muramatsu, Maeda*, 864
- heparan sulfate, disaccharide analysis, heparin, ion-pairing reversed-phase HPLC, paranitrophenyl hydrazine-labeling, *Kariya, Herrmann, Suzuki, Isomura, Ishihara*, 240
- heparin, disaccharide analysis, heparan sulfate, ion-pairing reversed-phase HPLC, paranitrophenyl hydrazine-labeling, *Kariya, Herrmann, Suzuki, Isomura, Ishihara*, 240
- , heparin-lyase, oral bacterium, sulfated glycosaminoglycan, sulfated oligosaccharide, *Watanabe, Tsuda, Yamada, Shibata, Nakamura, Sugahara*, 283

H (cont'd)

- , endothelial cells, hemodialysis, midkine, uremic complications, *Fujisawa, Matsu-moto, Muramatsu, Shinzato, Hiramatsu, Horie, Cai, Oka, Amano, Muramatsu, Maeda*, 864
- , growth factor, midkine, neurite out-growth, plasminogen activator, *Akhter, Ichihara-Tanaka, Kojima, Muramatsu, Inui, Kimura, Kaneda, Talukder, Kado-matsu, Inagaki, Muramatsu*, 1127
- heparin-lyase, heparin, oral bacterium, sul-fated glycosaminoglycan, sulfated oligosac-charide, *Watanabe, Tsuda, Yamada, Shibata, Nakamura, Sugahara*, 283
- hepatocyte, cellular injury, IFN γ , *Liang, Akaike*, 213
- , cAMP, dexamethasone, tissue-type plasminogen activator, type-1 plasmino-gen activator inhibitor, *Uno, Nakamura, Ohomagari, Matsuyama, Seki, Ariga*, 806
- , artificial liver, artificial matrix, Eudragit, spheroid, *Yamada, Kamihira, Hamamoto, Iijima*, 1017
- hepatocyte nuclear factor-4, chicken oval-bumin gene upstream promoter transcrip-tion factor, nuclear receptor, peroxisome proliferator, peroxisome proliferator-acti-vated receptor, *Nishiyama, Hi, Osada, Osumi*, 1174
- HepG2 cells, CP-230821, hamster, HMG-CoA reductase, LDL receptor, *Shimokawa, Goto, Ida, Goto, Nishijima, Kodama*, 596
- heterologous expression, human UDP-galactose transporter, nucleotide-sugar trans-porter, *Saccharomyces cerevisiae*, *Sun-Wada, Yoshioka, Ishida, Kawakita*, 912
- high glucose, EGF, insulin, pioglitazone, PTPase, *Obata, Maegawa, Kashiwagi, Pillay, Kikkawa*, 813
- high pressure, cell cycle, DNA synthesis, G2 arrest, premature mitosis, *Matsumoto, Yamaguchi, Fukumaki, Yasunaga, Terada*, 87
- high-resolution solid-state NMR, bacterio-rhodopsin, ^{13}C NMR, stability of α -helical domain, *Yamaguchi, Tuzi, Seki, Tanio, Needleman, Lanyi, Naito, Saito*, 78
- HL-60 cells, hnRNP, myeloperoxidase, RNA binding protein, transcriptional repression, *Tsuchiya, Kamei, Takano, Matsui, Yama-da*, 499
- , alternative splicing, gene amplification, OS-9 cDNAs, *Kimura, Nakazawa, Yama-da*, 876
- HMG-CoA reductase, CP-230821, hamster, HepG2 cells, LDL receptor, *Shimokawa, Goto, Ida, Goto, Nishijima, Kodama*, 596
- HMG CoA synthase, cholesterol, NF-Y, squalene synthase, SREBP, *Inoue, Sato, Maeda*, 1191
- HN protein, disulfide bond, F protein, intra-cellular transport, protein folding, *Segawa, Kato, Yamashita, Taira*, 1064
- hnRNP, HL-60 cells, myeloperoxidase, RNA binding protein, transcriptional repression, *Tsuchiya, Kamei, Takano, Matsui, Yama-da*, 499
- horse brain, equine brain, ganglioside, NMR, sialic acid, *Mikami, Kashiwagi, Tsuchi-hashi, Daino, Akino, Gasa*, 487
- horseshoe crab, (1,3)- β -D-glucans, host de-fense, innate immunity, lipopolysaccha-rides, *Iwanaga, Kawabata, Muta*, 1
- host defense, (1,3)- β -D-glucans, horseshoe crab, innate immunity, lipopolysaccha-rides, *Iwanaga, Kawabata, Muta*, 1
- HPLC, assay methods, fluorogenic substrate, glycogen debranching enzyme, *Omichi, Hase*, 932
- human AK2 isozymes, AK activity, post-transcriptional regulation, recombinant protein, tissue specificity, *Lee, Kim, Lee, Kim, Lee, Park, Choe*, 47
- human leukemia cells, calcium binding pro-tein, cellular localization, MRP, MRP bind-ing site, *Koike, Kondo, Makita, Kajiyama, Yoshida, Morikawa*, 1079
- human plasma, 4-hydroxy-2-*trans*-nonenal, lipid peroxidation, malondialdehyde, NICI-GC-MS, *Rauli, Puppo, Magni, Kienle*, 918
- human serum/plasma, glycoprotein, platelet-activating factor (PAF), platelet-activating factor acetylhydrolase, *Akiyama, Suga-tani, Suzuki, Suzuki, Miwa*, 786
- human UDP-galactose transporter, hetero-logical expression, nucleotide-sugar trans-porter, *Saccharomyces cerevisiae*, *Sun-Wada, Yoshioka, Ishida, Kawakita*, 912
- hydrogen peroxide, catalase gene promoter, *Schizosaccharomyces pombe*, stress re-sponse, transcriptional regulation, *Naka-gawa, Yamada, Mutoh*, 1048
- hydrophobic interactions, differential titra-tion calorimetry, entropy-enthalpy com-pensation, heat capacity change, *Yasui, Ito, Kurosawa*, 827
- 4-hydroxy-2-*trans*-nonenal, human plasma, lipid peroxidation, malondialdehyde, NICI-GC-MS, *Rauli, Puppo, Magni, Kienle*, 918
- 4-hydroxynonenal (HNE), aldehydes, antiox-idants, antioxidative defense, lipid perox-idation, mouse thymocytes, *Siems, Pime-nov, Esterbauer, Grune*, 534
- hydroxysteroid, bacterial expression, cDNA, rabbit, sulfotransferase, *Yoshinari, Naga-ta, Shiraga, Iwasaki, Hata, Ogino, Ueda, Fujita, Shimada, Yamazoe*, 740
- hyperthermophile, ferredoxin, iron-sulfur cluster, *Pyrobaculum islandicum*, *Naka-jima, Fujiwara, Fukumori*, 521
- hypophosphatasia, aggregation, glycosylphos-phatidylinositol, intracellular transport, tissue-nonspecific alkaline phosphatase, *Shibata, Fukushi, Igarashi, Misumi, Ike-hara, Ohashi, Oda*, 968

I

- IAP/CD47, erythropoiesis, hematopoietic microenvironment, stromal cell, *Furu-sawa, Yanai, Hara, Miyajima, Obinata*, 101
- IFN γ , cellular injury, hepatocyte, *Liang, Akaike*, 213
- immunofluorescence, isoform, oil body, oleo-sin, organelle stability, *Tzen, Chuang, Chen, Wu*, 318
- immunoregulation, ITIM, KIR, SHP, SHIP, *Yamashita, Fukuta, Tsuji, Nagabukuro, Matsuda, Nishikawa, Ohyama, Ohmori*,

- Ono, Takai*, 358
- inactivating enzyme, aminoacyl- β -naphthyl-amide, aminopeptidase, puromycin, *Strepto-myces morookaensis, Nishimura, Matsuo, Nakamura, Sugiyama*, 247
- indolizine inhibitor, non-steroidal anti-in-flammatory drug, phospholipase A₂, struc-ture-based drug design, X-ray crystallogra-phy, *Kitadokoro, Hagishita, Sato, Ohtani, Miki*, 619
- inflammation, chemokine, dimer, NMR, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji*, 62
- inhibition, β -glucosidase, 4-arylimidazoles, ω -*N*-acylhistamines, 4-(ω -phenylalkyl)-imidazoles, *Li, Hsu, Chang, Chen*, 416
- inhibitor, lysophosphatidylinositol, lysophos-phatidylserine, phosphatidylinositol, phos-pholipase D, *Kawabe, Kodaki, Katayama, Okamura, Mori, Yamashita*, 870
- innate immunity, (1,3)- β -D-glucans, horse-shoe crab, host defense, lipopolysaccha-rides, *Iwanaga, Kawabata, Muta*, 1
- inner membrane, mitochondria, precursor, Tim proteins, protein import, *Ishihara, Mihara*, 722
- insulin, EGF, high glucose, pioglitazone, PTPase, *Obata, Maegawa, Kashiwagi, Pillay, Kikkawa*, 813
- insulin-like growth factor II, enhancer, geno-mic imprinting, promoter usage, transgenic mouse, *Hatano, Eversole-Cire, Ferguson-Smith, Jones, Surani, Sasaki*, 984
- interaction, 4E-BP1, eIF-4E, expression, synthetic gene, *Nishi, Morino, Tomoo, Youtani, Ishida*, 157
- interaction under highly denaturing condi-tions, ^{13}C -NMR, isotope-labeling, lyso-zyme, *Abe, Ueda, Kawano, Tanaka, Imoto*, 313
- interleukin-1 β , basic fibroblast growth fac-tor, chondrocytes, matrix metallopro-teinase, nitric oxide, *Sasaki, Hattori, Fujisawa, Takahashi, Inoue, Takigawa*, 431
- interleukin-3, mSos, Ras, thrombin, *Tago, Kaziro, Satoh*, 659
- intracellular transport, aggregation, glycosyl-phosphatidylinositol, hypophosphatasia, tissue-nonspecific alkaline phosphatase, *Shibata, Fukushi, Igarashi, Misumi, Ike-hara, Ohashi, Oda*, 968
- , disulfide bond, F protein, HN protein, protein folding, *Segawa, Kato, Yamashita, Taira*, 1064
- intron, catalytic RNA, ribozyme, self-splic-ing, *trans*-activation, *Ikawa, Shiraiishi, Inoue*, 528
- in vivo* selection, DHFR, hammerhead, ribo-zyme, translation, *Hamada, Fujita, Kise, Jigami, Taira*, 684
- ion-pairing reversed-phase HPLC, disaccha-ride analysis, heparan sulfate, heparin, paranitrophenyl hydrazine-labeling, *Kari-ya, Herrmann, Suzuki, Isomura, Ishihara*, 240
- ion trap, MARCKS, mass spectrometry, protein kinase C, protein structure, *Yama-uchi, Kiyonami, Kanai, Taniguchi*, 760
- iron, aluminum toxicity, neuronal cells, transferrin-independent iron uptake, transferrin receptor, *Oshiro, Kawahara*,

I (cont'd)

Mika, Muramoto, Kobayashi, Ishige, Nozawa, Hori, Yung, Kitajima, Kuroda, 42
 iron-sulfur cluster, ferredoxin, hyperthermophile, *Pyrobaculum islandicum*, *Nakajima, Fujiwara, Fukumori*, 521
 isoform, immunofluorescence, oil body, oleosin, organelle stability, *Tzen, Chuang, Chen, Wu*, 318
 isomerization, all-*trans*-retinol, 11-*cis*-retinol, phospholipid, rhodopsin, *Shimizu, Ishiguro, Tamai*, 953
 isoprenoid, carotenoid, complement, *Escherichia coli*, mutant, *Hemmi, Ohnuma, Nagao, Nishino*, 1088
 —, artificial substrates, enzyme mechanism, geranylgeranyl diphosphate synthase, prenyltransferase, *Ohnuma, Hemmi, Koyama, Ogura, Nishino*, 1036
 isotope-labeling, ¹³C-NMR, interaction under highly denaturing conditions, lysozyme, *Abe, Ueda, Kawano, Tanaka, Imoto*, 313
 ITIM, immunoregulation, KIR, SHP, SHIP, *Yamashita, Fukuta, Tsuji, Nagabukuro, Matsuda, Nishikawa, Ohyama, Ohmori, Ono, Takai*, 358

K

kabiramide D, actin, biocytin, marine natural product, mycalolide B, *Wada, Matsunaga, Saito, Fusetani, Watabe*, 946
 KIR, immunoregulation, ITIM, SHP, SHIP, *Yamashita, Fukuta, Tsuji, Nagabukuro, Matsuda, Nishikawa, Ohyama, Ohmori, Ono, Takai*, 358
 kringle domain, ϵ -amino-*n*-caproic acid, lysine binding site, plasminogen, staphylokinase, *Arai, Madoiwa, Mimuro, Asakura, Matsuda, Sako, Sakata*, 71
 Ku antigen, *Alu* family DNA, *Tsuchiya, Saegusa, Taira, Mimori, Iguchi-Arigo, Ariga*, 120
 Kupffer cells, leukotriene, lipopolysaccharide, prostaglandin, thromboxane, *Kimura, Moriyama, Nishisako, Kannan, Shiota, Sakurada, Musashi, Sugano*, 142
 kynurenine 3-monooxygenase, mitochondrial outer membrane, monoclonal antibody, pig liver, UV/visible absorption spectrum, *Uemura, Hirai*, 253

L

α -lactalbumin, folding, nutrition, signal peptide, transgenic tobacco, *Takase, Hagiwara*, 440
 lamprey, amphioxus, evolution, frog, tropinin C, *Yuasa, Cox, Takagi*, 1180
 LDL receptor, CP-230821, hamster, HepG2 cells, HMG-CoA reductase, *Shimokawa, Goto, Ida, Goto, Nishijima, Kodama*, 596
 lectins, biomaterials, glycopolymers, oligosaccharides, *Tsuchida, Akimoto, Usui, Kobayashi*, 715
 leukotriene, Kupffer cells, lipopolysaccharide, prostaglandin, thromboxane, *Kimura, Moriyama, Nishisako, Kannan, Shiota, Sakurada, Musashi, Sugano*, 142
 linker region, Fc ϵ RI, RBL-2H3, signal transduction, Syk, *Yamashita, Kairiyama, Araki, Nagasawa*, 1199
 lipase activator protein, calcium ion, com-

plex, *Pseudomonas*, reactivation, *Shibata, Kato, Oda*, 136

lipid peroxidation, aldehydes, antioxidants, antioxidative defense, 4-hydroxynonenal (HNE), mouse thymocytes, *Siems, Pimenov, Esterbauer, Grune*, 534
 —, human plasma, 4-hydroxy-2-*trans*-nonenal, malondialdehyde, NCI-GC-MS, *Rauli, Puppo, Magni, Kienle*, 918
 lipid transport, apoptosis, Chinese hamster ovary cell, phosphatidylserine, *Uchida, Emoto, Daleke, Inoue, Umeda*, 1073
 lipamide dehydrogenase, crystal structure, 2-oxoglutarate dehydrogenase complex, pyruvate dehydrogenase complex, X-ray analysis, *Toyoda, Suzuki, Sekiguchi, Reed, Takenaka*, 668
 lipopolysaccharide, Kupffer cells, leukotriene, prostaglandin, thromboxane, *Kimura, Moriyama, Nishisako, Kannan, Shiota, Sakurada, Musashi, Sugano*, 142
 lipopolysaccharides, (1,3)- β -D-glucans, horseshoe crab, host defense, innate immunity, *Iwanaga, Kawabata, Muta*, 1
 liposome, discoidal complex, fragmentation, glucagon, vesicular complex, *Ryu, Han, Kim*, 55

long-range interactions, dihydrofolate reductase, double mutants, flexible loops, stability and function, *Ohmae, Iriyama, Ichihara, Gekko*, 33

low-temperature, phosphatase, psychrophilic enzyme, purification, *Tsuruta, Tsuneta, Ishida, Watanabe, Uno, Aizono*, 219

Lys-gingipain, Arg-gingipain, lysine-specific cysteine proteinase, periodontal disease, *Porphyromonas gingivalis*, *Abe, Kadowaki, Okamoto, Nakayama, Ohishi, Yamamoto*, 305

lysine binding site, ϵ -amino-*n*-caproic acid, kringle domain, plasminogen, staphylokinase, *Arai, Madoiwa, Mimuro, Asakura, Matsuda, Sako, Sakata*, 71

lysine-specific cysteine proteinase, Arg-gingipain, Lys-gingipain, periodontal disease, *Porphyromonas gingivalis*, *Abe, Kadowaki, Okamoto, Nakayama, Ohishi, Yamamoto*, 305

lysis, ARF, G-protein, lysosome, *Arai, Matsuda, Sai, Ohkuma*, 637

lysophosphatidylinositol, inhibitor, lysophosphatidylserine, phosphatidylinositol, phospholipase D, *Kawabe, Kodaki, Katayama, Okamura, Mori, Yamashita*, 870

lysophosphatidylserine, inhibitor, lysophosphatidylinositol, phosphatidylinositol, phospholipase D, *Kawabe, Kodaki, Katayama, Okamura, Mori, Yamashita*, 870

lysosome, ARF, G-protein, lysis, *Arai, Matsuda, Sai, Ohkuma*, 637

lysozyme, ¹³C-NMR, isotope-labeling, interaction under highly denaturing conditions, *Abe, Ueda, Kawano, Tanaka, Imoto*, 313

M

macrophage migration inhibitory factor, adipocyte, diabetes, tumor necrosis factor α , tyrosine kinase, *Hirokawa, Sakae, Furuya, Ishii, Hasegawa, Tagami, Kawakami, Sakai, Nishi, Nishihira*, 733
 Maillard reaction, aldehyde reductase, 3-deoxyglucosone, dicarbonyls, methylglyoxal,

Suzuki, Koh, Mizuno, Hamaoka, Taniguchi, 353

—, advanced glycation end products, atherosclerosis, foam cell formation, modified low density lipoprotein, *Jinnouchi, Sano, Nagai, Hakamata, Kodama, Suzuki, Yoshida, Ueda, Horiuchi*, 1208

malondialdehyde, human plasma, 4-hydroxy-2-*trans*-nonenal, lipid peroxidation, NCI-GC-MS, *Rauli, Puppo, Magni, Kienle*, 918

MAP kinase, EGF, MS-430, neuronal differentiation, NGF, *Ikeuchi, Nakatani, Yamada, Itokazu, Awaya, Hatanaka*, 423

—, carp, extracellular signal-regulated kinase, fish, mitogen-activated protein kinase, *Hashimoto, Yokoyama, Matsuo, Toyohara, Kohno, Sakaguchi*, 1031

—, atherosclerosis, gravin, growth regulation, oxidized LDL, *Sato, Kokame, Shimokado, Kato, Miyata*, 1119

MARCKS, ion trap, mass spectrometry, protein kinase C, protein structure, *Yamauchi, Kiyonami, Kanai, Taniguchi*, 760

marine natural product, actin, biocytin, kabiramide D, mycalolide B, *Wada, Matsunaga, Saito, Fusetani, Watabe*, 946

mass spectrometry, ion trap, MARCKS, protein kinase C, protein structure, *Yamauchi, Kiyonami, Kanai, Taniguchi*, 760

—, cyanocysteine, dihydrofolate reductase, molecular dissection, peptide bond, *Take-nawa, Oda, Ishihama, Iwakura*, 1137

matrix metalloproteinase, basic fibroblast growth factor, chondrocytes, interleukin-1 β , nitric oxide, *Sasaki, Hattori, Fujisawa, Takahashi, Inoue, Takigawa*, 431

MDX-mouse muscle, myonase, mRNA, purification, serine proteinase, *Hori, Ohtani, Hori, Nohihara*, 650

membrane, amphipathic helix, antimicrobial activity, apolipoprotein A-II, HDL, *Motizuki, Itoh, Yamada, Shimamura, Tsurugi*, 675

membrane glycoprotein, brain-specific, development dependent, pyridylamination, sugar chain, *Nakakita, Natsuka, Ikenaka, Hase*, 1164

membrane insertion, cholesterol-binding cytolysin, perfringen O, pore-forming toxin, tryptophan, *Nakamura, Sekino-Suzuki, Mitsui, Ohno-Iwashita*, 1145

membrane protein, cytochrome c oxidase, quinol oxidase, three-dimensional structure, X-ray crystallography, *Iwata*, 369

mesoderm induction, activin, midkine, neural formation, pleiotrophin, *Yokota, Takahashi, Eisaki, Asashima, Akhter, Muramatsu, Kadomatsu*, 339

metalloproteinase, halophilicity, salt-activation, solubility, thermolysin, *Inouye, Kuzuya, Tonomura*, 847

metalloregulation, arsenic, antimony, resistance, transport, *Xu, Zhou, Kuroda, Rosen*, 16

methylglyoxal, aldehyde reductase, 3-deoxyglucosone, dicarbonyls, Maillard reaction, *Suzuki, Koh, Mizuno, Hamaoka, Taniguchi*, 353

microheterogeneity, N-glycan, *Nicotiana alata*, ribonuclease, self-incompatibility, *Oxley, Munro, Craik, Bacic*, 978

M (cont'd)

- microsomes, CYP2D, cytochrome P450, dog, propranolol, *Tasaki, Iwata, Kazusaka, Fujita, 747*
- midkine, activin, mesoderm induction, neural formation, pleiotrophin, *Yokota, Takahashi, Eisaki, Asashima, Akhter, Muramatsu, Kadomatsu, 339*
- , endothelial cells, hemodialysis, heparin, uremic complications, *Fujisawa, Matsumoto, Muramatsu, Shinzato, Hiramatsu, Hori, Cai, Oka, Amano, Muramatsu, Maeda, 864*
- , growth factor, heparin, neurite outgrowth, plasminogen activator, *Akhter, Ichihara-Tanaka, Kojima, Muramatsu, Inui, Kimura, Kaneda, Talukder, Kadomatsu, Inagaki, Muramatsu, 1127*
- mitochondria, adenylate kinase, bi-topological distribution, co-translational import, noncleavable protein, *Nobumoto, Yamada, Song, Inouye, Nakazawa, 128*
- , inner membrane, precursor, Tim proteins, protein import, *Ishihara, Mihara, 722*
- , mitochondria import stimulation factor, mitochondrial protein import, mitochondria-targeting sequence, processing peptidase, *Omura, 1010*
- mitochondria import stimulation factor, mitochondria, mitochondrial protein import, mitochondria-targeting sequence, processing peptidase, *Omura, 1010*
- mitochondrial DNA, cDNA, mitochondrial RNA, mitochondrial transcription, polyadenylated RNA, *Nakamichi, Rhoads, Hayashi, Kagawa, Matsumura, 392*
- mitochondrial intermembrane space, ATP, cysteine protease, proteolysis, rat, *Sitte, Dubiel, Kloetzel, 408*
- mitochondrial outer membrane, kynurenine 3-monooxygenase, monoclonal antibody, pig liver, UV/visible absorption spectrum, *Uemura, Hirai, 253*
- mitochondrial protein import, mitochondria, mitochondria import stimulation factor, mitochondria-targeting sequence, processing peptidase, *Omura, 1010*
- mitochondrial RNA, cDNA, mitochondrial DNA, mitochondrial transcription, polyadenylated RNA, *Nakamichi, Rhoads, Hayashi, Kagawa, Matsumura, 392*
- mitochondrial transcription, cDNA, mitochondrial DNA, mitochondrial RNA, polyadenylated RNA, *Nakamichi, Rhoads, Hayashi, Kagawa, Matsumura, 392*
- mitochondria-targeting sequence, mitochondria, mitochondria import stimulation factor, mitochondria protein import, processing peptidase, *Omura, 1010*
- mitogen-activated protein kinase, carp, extracellular signal-regulated kinase, fish, MAP kinase, *Hashimoto, Yokoyama, Matsuo, Toyohara, Kohno, Sakaguchi, 1031*
- modeling, elongated structure, porcine amelogenin, small-angle X-ray scattering, *Matsushima, Izumi, Aoba, 150*
- modified low density lipoprotein, advanced glycation end products, atherosclerosis, foam cell formation, Maillard reaction, *Jinnouchi, Sano, Nagai, Hakamata, Kodama, Suzuki, Yoshida, Ueda, Horiuchi, 1208*
- modulation of glycosylation, glycoconjugate, Golgi apparatus, molecular cloning, nucleotide sugar transporter, *Kawakita, Ishida, Miura, Sun-Wada, Yoshioka, 777*
- molecular cloning, glycoconjugate, Golgi apparatus, modulation of glycosylation, nucleotide sugar transporter, *Kawakita, Ishida, Miura, Sun-Wada, Yoshioka, 777*
- molecular dissection, cyanocysteine, dihydrofolate reductase, mass spectrometry, peptide bond, *Takenawa, Oda, Ishihama, Iwakura, 1137*
- monoclonal antibody, kynurenine 3-monooxygenase, mitochondrial outer membrane, pig liver, UV/visible absorption spectrum, *Uemura, Hirai, 253*
- monolayer, amphotericin B, cholesterol, complex formation, vesicle, *Saka, Mita, 798*
- mouse thymocytes, aldehydes, antioxidants, antioxidative defense, 4-hydroxynonenal (HNE), lipid peroxidation, *Siems, Pimenov, Esterbauer, Grune, 534*
- mRNA, MDX-mouse muscle, myonase, purification, serine proteinase, *Hori, Ohtani, Hori, Nohihara, 650*
- MRP, calcium binding protein, cellular localization, human leukemia cells, MRP binding site, *Koike, Kondo, Makita, Kajiyama, Yoshida, Morikawa, 1079*
- MRP binding site, calcium binding protein, cellular localization, human leukemia cells, MRP, *Koike, Kondo, Makita, Kajiyama, Yoshida, Morikawa, 1079*
- MS-430, EGF, MAP kinase, neuronal differentiation, NGF, *Ikeuchi, Nakatani, Yamada, Itokazu, Awaya, Hatanaka, 423*
- mSos, interleukin-3, Ras, thrombin, *Tago, Kaziro, Satoh, 659*
- mtprd* gene, Down syndrome, tetratricopeptide repeat, *TPRD* gene, *Tsukahara, Urakawa, Hattori, Hirai, Ohba, Yoshioka, Sakaki, Muraki, 1055*
- multienzyme complex, *Bacillus stearothermophilus*, denaturation, guanidine hydrochloride, pyruvate dehydrogenase, *Hiro-masa, Aso, Mayanagi, Inoue, Fujisawa, Meno, Ueki, 564*
- mutant, carotenoid, complement, *Escherichia coli*, isoprenoid, *Hemmi, Ohnuma, Nagao, Nishino, 1088*
- mycalolide B, actin depolymerization, bistheonellide A, dimeric macrolide, swinholide A, *Suito, Watabe, Ozaki, Kobayashi, Suzuki, Kobayashi, Fusetani, Karaki, 571*
- , actin, biocytin, kabiramide D, marine natural product, *Wada, Matsunaga, Saito, Fusetani, Watabe, 946*
- myeloperoxidase, HL-60 cells, hnRNP, RNA binding protein, transcriptional repression, *Tsuchiya, Kamei, Takano, Matsui, Yamada, 499*
- myonase, MDX-mouse muscle, mRNA, purification, serine proteinase, *Hori, Ohtani, Hori, Nohihara, 650*
- myosin, central bare zone, Cy3-EDA-ATP, fluorescent ATP analogue, thick filament, *Oiwa, Yamaga, Yamada, 614*
- neoglycoprotein, binding specificity, glyco-
- probe, GT1b ganglioside, sialoadhesin, *Hashimoto, Suzuki, Crocker, Suzuki, 468*
- neopullulanase- α -amylase, α -amylase, amylopullulanase, pullulanase, site-directed mutagenesis, *Ibuka, Tonozuka, Matsuzawa, Sakai, 275*
- neural formation, activin, mesoderm induction, midkine, pleiotrophin, *Yokota, Takahashi, Eisaki, Asashima, Akhter, Muramatsu, Kadomatsu, 339*
- neurite growth, axonal pathfinding, brain development, cerebral cortex, growth cones, *Ho, Wakatsuki, Arioka, Yamasaki, Kitamoto, 332*
- neurite outgrowth, growth factor, heparin, midkine, plasminogen activator, *Akhter, Ichihara-Tanaka, Kojima, Muramatsu, Inui, Kimura, Kaneda, Talukder, Kadomatsu, Inagaki, Muramatsu, 1127*
- neuronal cells, aluminum toxicity, iron, transferrin-independent iron uptake, transferrin receptor, *Oshiro, Kawahara, Mika, Muramoto, Kobayashi, Ishige, Nozawa, Hori, Yung, Kitajima, Kuroda, 42*
- neuronal differentiation, EGF, MAP kinase, MS-430, NGF, *Ikeuchi, Nakatani, Yamada, Itokazu, Awaya, Hatanaka, 423*
- neurotrophin, PC12 cells, signal transduction, survival promotion, TrkB receptor, *Nakatani, Yamada, Asada, Okada, Ikeuchi, Hatanaka, 707*
- NF-E2 p45, double knockout mice, erythropoiesis, Nrf2, thrombopoiesis, *Kuroha, Takahashi, Komeno, Itoh, Nagasawa, Yamamoto, 376*
- NF-Y, cholesterol, HMG CoA synthase, squalene synthase, SREBP, *Inoue, Sato, Maeda, 1191*
- NGF, EGF, MAP kinase, MS-430, neuronal differentiation, *Ikeuchi, Nakatani, Yamada, Itokazu, Awaya, Hatanaka, 423*
- NICI-GC-MS, human plasma, 4-hydroxy-2-trans-nonenal, lipid peroxidation, malondialdehyde, *Rauli, Puppo, Magni, Kienle, 918*
- Nicotiana alata*, N-glycan, microheterogeneity, ribonuclease, self-incompatibility, *Oxley, Munro, Craik, Bacic, 978*
- nitric oxide, basic fibroblast growth factor, chondrocytes, interleukin- 1β , matrix metalloproteinase, *Sasaki, Hattori, Fujisawa, Takahashi, Inoue, Takigawa, 431*
- NMR, chemokine, dimer, inflammation, *Hanzawa, Haruyama, Konishi, Watanabe, Tsurufuji, 62*
- , equine brain, ganglioside, horse brain, sialic acid, *Mikami, Kashiwagi, Tsuchihashi, Daino, Akino, Gasa, 487*
- noncleavable protein, adenylate kinase, bi-topological distribution, co-translational import, mitochondria, *Nobumoto, Yamada, Song, Inouye, Nakazawa, 128*
- non-steroidal anti-inflammatory drug, indolizine inhibitor, phospholipase A₂, structure-based drug design, X-ray crystallography, *Kitadokoro, Hagishita, Sato, Ohtani, Miki, 619*
- Nrf2, double knockout mice, erythropoiesis, NF-E2 p45, thrombopoiesis, *Kuroha, Takahashi, Komeno, Itoh, Nagasawa, Yamamoto, 376*
- nuclear localization, DNA synthesis, prolyl

N

N (cont'd)

endopeptidase, Swiss 3T3 cells, *Ishino, Ohtsuki, Homma, Natori*, 540
 nuclear pellet, CD59, detergent-insoluble complex, GPI-anchored protein, subcellular distribution, *Hatanaka, Seya, Miyagawa, Matsumoto, Hara, Tanaka, Shimizu*, 579
 nuclear receptor, chicken ovalbumin gene upstream promoter transcription factor, hepatocyte nuclear factor-4, peroxisome proliferator, peroxisome proliferator-activated receptor, *Nishiyama, Hi, Osada, Osumi*, 1174
 5'-nucleotidase, circular dichroism, fluorescence spectroscopy, seminal plasma, thermostability, *Fini, Coli, Floridi, D'Auria, Staiano, Nucci, Rossi*, 269
 nucleotide excision repair, bacteriophage, cisplatin, *Escherichia coli*, *wvrA*, *Tanaka, Saito, Kimoto, Taketo*, 821
 nucleotide sugar transporter, glycoconjugate, Golgi apparatus, modulation of glycosylation, molecular cloning, *Kawakita, Ishida, Miura, Sun-Wada, Yoshioka*, 777
 —, heterologous expression, human UDP-galactose transporter, *Saccharomyces cerevisiae*, *Sun-Wada, Yoshioka, Ishida, Kawakita*, 912
 nutrition, folding, α -lactalbumin, signal peptide, transgenic tobacco, *Takase, Hagiwara*, 440

O

oil body, immunofluorescence, isoform, oleosin, organelle stability, *Tzen, Chuang, Chen, Wu*, 318
 —, aleurone layer, embryo, oleosin, rice, *Wu, Wang, Chen, Chen, Tzen*, 386
 oleosin, immunofluorescence, isoform, oil body, organelle stability, *Tzen, Chuang, Chen, Wu*, 318
 —, aleurone layer, embryo, oil body, rice, *Wu, Wang, Chen, Chen, Tzen*, 386
 oligopeptidase, acylamino acid-releasing enzyme, catalytic triad, serine protease, site-directed mutagenesis, *Mitta, Miyagi, Kato, Tsunasawa*, 924
 oligosaccharides, biomaterials, glycopolymers, lectins, *Tsuchida, Akimoto, Usui, Kobayashi*, 715
 oligosaccharidonolactone, α -amylase inhibitor, β -D-galactosidase, galactosyl maltoligosaccharide, transglycosylation, *Takada, Ogawa, Saito, Murata, Usui*, 508
 oral bacterium, heparin, heparin-lyase, sulfated glycosaminoglycan, sulfated oligosaccharide, *Watanabe, Tsuda, Yamada, Shibata, Nakamura, Sugahara*, 283
 organelle stability, immunofluorescence, isoform, oil body, oleosin, *Tzen, Chuang, Chen, Wu*, 318
 oryzacystatin, crystallization, cysteine proteinase inhibitor, rice seed, X-ray crystallography, *Kudo, Nishiyama, Sasaki, Abe, Arai, Tanokura*, 568
 OS-9 cDNAs, alternative splicing, gene amplification, HL-60 cells, *Kimura, Nakazawa, Yamada*, 876
 osteoblast development, binding activity, cyclic AMP response element, CRE-binding

protein, phosphorylation, *Sakamoto, Suzuki, Takiya, Yoshimura, Imai, Matsumoto, Nakamura*, 399
 osteoclast, activity staining, cathepsin K, cysteine proteinase, *Kamiya, Kobayashi, Kanaoka, Nakashima, Kato, Mizuno, Sakai*, 752
 outer membrane, flagella, flagellin, filament, *Nishioka, Furuno, Kawagishi, Homma*, 1169
 oxidized LDL, atherosclerosis, gravin, growth regulation, MAP kinase, *Sato, Kokame, Shimokado, Kato, Miyata*, 1119
 2-oxoglutarate dehydrogenase complex, crystal structure, lipamide dehydrogenase, pyruvate dehydrogenase complex, X-ray analysis, *Toyoda, Suzuki, Sekiguchi, Reed, Takenaka*, 668

P

p130^{cas}, calcium, PC12, Src-family kinases, tyrosine phosphorylation, *Kobayashi, Okumura, Okada, Nagai*, 624
 PA28, ATP-dependent proteolysis, PA700, proteasomes (20S and 26S), ubiquitin, *Tanaka*, 195
 PA700, ATP-dependent proteolysis, PA28, proteasomes (20S and 26S), ubiquitin, *Tanaka*, 195
 pancreatic elastase, cholesterol sulfate, gangliosides, *Pseudomonas aeruginosa* elastase, sulfate, *Ito, Iwamori, Hanaoka, Iwamori*, 107
 paranitrophenyl hydrazine-labeling, disaccharide analysis, heparan sulfate, heparin, ion-pairing reversed-phase HPLC, *Kariya, Herrmann, Suzuki, Isomura, Ishihara*, 240
 PC12, calcium, p130^{cas}, Src-family kinases, tyrosine phosphorylation, *Kobayashi, Okumura, Okada, Nagai*, 624
 PC12 cells, neurotrophin, signal transduction, survival promotion, TrkB receptor, *Nakatani, Yamada, Asada, Okada, Ikeuchi, Hatanaka*, 707
 peptide bond, cyanocysteine, dihydrofolate reductase, mass spectrometry, molecular dissection, *Takenawa, Oda, Ishihama, Iwakura*, 1137
 peptide-lipid interaction, fluorescence quenching, gramicidin B Aib analogue (GBA), helical peptide pore-former, vesicle surface adsorption, *Jelokhani-Niaraki, Nakashima, Kodama, Kondo*, 790
 peptide motif, families, galactosyltransferase, glycosyltransferase, sequence analysis, *Bretton, Bettler, Joziassse, Geremia, Imberty*, 1000
 peptide sequencing, active site, chemical modification, flavoenzyme, phenylglyoxal, *Mukouyama, Hirose, Suzuki*, 1097
 perfringen O, cholesterol-binding cytolysin, membrane insertion, pore-forming toxin, tryptophan, *Nakamura, Sekino-Suzuki, Mitsui, Ohno-Iwashita*, 1145
 periodontal disease, Arg-gingipain, Lys-gingipain, lysine-specific cysteine proteinase, *Porphyromonas gingivalis*, *Abe, Kadawaki, Okamoto, Nakayama, Ohishi, Yamamoto*, 305
 peritoneal macrophages, cellular recognition, drug delivery, drugs encapsulation, rat carrier erythrocytes, *Alvarez, Jordán, Herráez, Díez, Tejedor*, 233
 peroxisome, bifunctional protein, bile acid, sterol carrier protein x, thiolase, *Bun-ya, Maebuchi, Kamiryo, Kurosawa, Sato, Tohma, Jiang, Hashimoto*, 347
 peroxisome proliferator, chicken ovalbumin gene upstream promoter transcription factor, hepatocyte nuclear factor-4, nuclear receptor, peroxisome proliferator-activated receptor, *Nishiyama, Hi, Osada, Osumi*, 1174
 peroxisome proliferator-activated receptor, chicken ovalbumin gene upstream promoter transcription factor, hepatocyte nuclear factor-4, nuclear receptor, peroxisome proliferator, *Nishiyama, Hi, Osada, Osumi*, 1174
 phage antibody, Fv fragment, surface plasmon resonance, valency, *Ito, Kurosawa*, 832
 phagocytosis, actin, actin-binding protein, cytokinesis, *Tetrahymina*, *Watanabe, Kurasawa, Watanabe, Numata*, 607
 4-(ω -phenylalkyl)imidazoles, β -glucosidase, inhibition, 4-arylimidazoles, ω -N-acyl-histamines, *Li, Hsu, Chang, Chen*, 416
 phenylglyoxal, active site, chemical modification, flavoenzyme, peptide sequencing, *Mukouyama, Hirose, Suzuki*, 1097
 phosphatase, low-temperature, psychrophilic enzyme, purification, *Tsuruta, Tsuneta, Ishida, Watanabe, Uno, Aizono*, 219
 phosphatidylinositol, inhibitor, lysophosphatidylinositol, lysophosphatidylserine, phospholipase D, *Kawabe, Kodaki, Katayama, Okamura, Mori, Yamashita*, 870
 phosphatidylserine, apoptosis, Chinese hamster ovary cell, lipid transport, *Uchida, Emoto, Daleke, Inoue, Umeda*, 1073
 phospholipase A₂, indolizine inhibitor, non-steroidal anti-inflammatory drug, structure-based drug design, X-ray crystallography, *Kitadokoro, Hagishita, Sato, Ohtani, Miki*, 619
 phospholipase D, inhibitor, lysophosphatidylinositol, lysophosphatidylserine, phosphatidylinositol, *Kawabe, Kodaki, Katayama, Okamura, Mori, Yamashita*, 870
 phospholipid, all-trans-retinol, 11-cis-retinol, isomerization, rhodopsin, *Shimizu, Ishiguro, Tamai*, 953
 phosphorylation, binding activity, cyclic AMP response element, CRE-binding protein, osteoblast development, *Sakamoto, Suzuki, Takiya, Yoshimura, Imai, Matsumoto, Nakamura*, 399
 phosphotransfer, adaptive response, regulator, signal transduction, sensor, *Mizuno*, 555
Photobacterium damsela JT0160, bacterial sialyltransferase, cloning, α 2,6-sialyltransferase, *Yamamoto, Nakashizuka, Terada*, 94
 pig liver, kynurenine 3-monooxygenase, mitochondrial outer membrane, monoclonal antibody, UV/visible absorption spectrum, *Uemura, Hirai*, 253
 pioglitazone, EGF, high glucose, insulin, PTPase, *Obata, Maegawa, Kashiwagi, Pillay, Kikkawa*, 813
 plasminogen, ϵ -amino-n-caproic acid, kringle domain, lysine binding site, staphyloki-

- P (cont'd)
- nase, *Arai, Madoiwa, Mimuro, Asakura, Matsuda, Sako, Sakata*, 71
- plasminogen activator, growth factor, heparin, midkine, neurite outgrowth, *Akhter, Ichihara-Tanaka, Kojima, Muramatsu, Inui, Kimura, Kaneda, Talukder, Kadamatsu, Inagaki, Muramatsu*, 1127
- platelet, ceramide, protein kinase C, sphingosine, sphingosine 1-phosphate, *Hisano, Yatomi, Fujino, Igarashi, Kume, Ozaki*, 263
- platelet-activating factor (PAF), glycoprotein, human serum/plasma, platelet-activating factor acetylhydrolase, *Akiyama, Sugatani, Suzuki, Suzuki, Miwa*, 786
- platelet-activating factor acetylhydrolase, glycoprotein, human serum/plasma, platelet-activating factor (PAF), *Akiyama, Sugatani, Suzuki, Suzuki, Miwa*, 786
- pleiotrophin, activin, mesoderm induction, midkine, neural formation, *Yokota, Takahashi, Eisaki, Asashima, Akhter, Muramatsu, Kadomatsu*, 339
- point mutation, dihydrofolate reductase, enzyme function, role of flexible loop, structural stability, *Ohmae, Ishimura, Iwakura, Gekko*, 839
- polyadenylated RNA, cDNA, mitochondrial DNA, mitochondrial RNA, mitochondrial transcription, *Nakamichi, Rhoads, Hayashi, Kagawa, Matsumura*, 392
- poly- γ -glutamate, glutamate racemase, *Bacillus subtilis*, poly- γ -glutamate producer, *Ashiuchi, Tani, Soda, Misono*, 1156
- poly- γ -glutamate producer, glutamate racemase, *Bacillus subtilis*, poly- γ -glutamate, *Ashiuchi, Tani, Soda, Misono*, 1156
- polymorphonuclear leukocytes, binding avidity, Fc receptor, guinea pig, proteolysis, *Isashi, Yamashita, Nagasawa, Tanaka, Murakami, Uede*, 959
- polysaccharides, capsule, glycosyltransferases, *Streptococcus pneumoniae*, *Kolkman, van der Zeijst, Nuijten*, 937
- porcine amelogenin, elongated structure, modeling, small-angle X-ray scattering, *Matsushima, Izumi, Aoba*, 150
- pore-forming toxin, cholesterol-binding cytolysin, membrane insertion, perfringen O, tryptophan, *Nakamura, Sekino-Suzuki, Mitsui, Ohno-Iwashita*, 1145
- Porphyromonas gingivalis*, Arg-gingipain, Lys-gingipain, lysine-specific cysteine proteinase, periodontal disease, *Abe, Kado-waki, Okamoto, Nakayama, Ohishi, Yamamoto*, 305
- post-transcriptional regulation, AK activity, human AK2 isozymes, recombinant protein, tissue specificity, *Lee, Kim, Lee, Kim, Lee, Park, Choe*, 47
- precursor, inner membrane, mitochondria, Tim proteins, protein import, *Ishihara, Mihara*, 722
- premature mitosis, cell cycle, DNA synthesis, G2 arrest, high pressure, *Matsumoto, Yamaguchi, Fukumaki, Yasunaga, Terada*, 87
- prenyltransferase, artificial substrates, enzyme mechanism, geranylgeranyl diphosphate synthase, isoprenoids, *Ohnuma, Hemmi, Koyama, Ogura, Nishino*, 1036
- processing peptidase, mitochondria, mitochondria import stimulation factor, mitochondrial protein import, mitochondria-targeting sequence, *Omura*, 1010
- prolyl endopeptidase, DNA synthesis, nuclear localization, Swiss 3T3 cells, *Ishino, Ohtsuki, Homma, Natori*, 540
- promoter usage, enhancer, genomic imprinting, insulin-like growth factor II, transgenic mouse, *Hatano, Eversole-Cire, Ferguson-Smith, Jones, Surani, Sasaki*, 984
- propranolol, CYP2D, cytochrome P450, dog, microsomes, *Tasaki, Iwata, Kazusaka, Fujita*, 747
- prostaglandin, Kupffer cells, leukotriene, lipopolysaccharide, thromboxane, *Kimura, Moriyama, Nishisako, Kannan, Shiota, Sakurada, Musashi, Sugano*, 142
- proteasomes (20S and 26S), ATP-dependent proteolysis, PA28, PA700, ubiquitin, *Tanaka*, 195
- protective protein, cathepsin A, serine carboxypeptidase, *Matsuzaki, Ueno, Hayashi, Liao*, 701
- protein conformation, flavoenzymes, site-directed mutagenesis, *Stoltz, Brandsch*, 445
- protein folding, Asn-glycan, Asn-glycan function, glycoprotein, ribonuclease B, *Nishimura, Uchida, Inohana, Setoh, Daba, Nishimura, Yamaguchi*, 516
- , disulfide bond, F protein, HN protein, intracellular transport, *Segawa, Kato, Yamashita, Taira*, 1064
- protein import, inner membrane, mitochondria, precursor, Tim proteins, *Ishihara, Mihara*, 722
- protein kinase, catalytic domain, EGF-R, *Borowski, Kornetzkzy, Laufs*, 380
- protein kinase C, ceramide, platelet, sphingosine, sphingosine 1-phosphate, *Hisano, Yatomi, Fujino, Igarashi, Kume, Ozaki*, 263
- , ion trap, MARCKS, mass spectrometry, protein structure, *Yamauchi, Kiyonami, Kanai, Taniguchi*, 760
- protein structure, ion trap, MARCKS, mass spectrometry, protein kinase C, *Yamauchi, Kiyonami, Kanai, Taniguchi*, 760
- protein tyrosine phosphatase, brain development, carbohydrate modification, chondroitin sulfate proteoglycan, subcellular localization, *Nishiwaki, Maeda, Noda*, 458
- proteolysis, ATP, cysteine protease, mitochondrial intermembrane space, rat, *Sitte, Dubiel, Kloetzel*, 408
- , binding avidity, Fc receptor, guinea pig, polymorphonuclear leukocytes, *Isashi, Yamashita, Nagasawa, Tanaka, Murakami, Uede*, 959
- Pseudomonas*, calcium ion, complex, lipase activator protein, reactivation, *Shibata, Kato, Oda*, 136
- Pseudomonas aeruginosa*, alkaline protease, β -helix structure, Ca-binding sequence motif, site-directed mutagenesis, *Miyajima, Hata, Fukushima, Kawamoto, Okuda, Shibano, Morigara*, 24
- Pseudomonas aeruginosa* elastase, cholesterol sulfate, gangliosides, pancreatic elastase, sulfatide, *Ito, Iwamori, Hanaoka, Iwamori*, 107
- Pseudomonas cepacia* lipase, alcohol, calorimetry, DSC, thermal unfolding, *Tanaka*, 289
- psychrophilic enzyme, low-temperature, phosphatase, purification, *Tsuruta, Tsuneta, Ishida, Watanabe, Uno, Aizono*, 219
- PTPase, EGF, high glucose, insulin, pioglitazone, *Obata, Maegawa, Kashiwagi, Pillay, Kikkawa*, 813
- pullulanase, α -amylase, amylopullulanase, neopullulanase- α -amylase, site-directed mutagenesis, *Ibuka, Tonozuka, Matsuzawa, Sakai*, 275
- purification, low-temperature, phosphatase, psychrophilic enzyme, *Tsuruta, Tsuneta, Ishida, Watanabe, Uno, Aizono*, 219
- , MDX-mouse muscle, myonase, mRNA, serine proteinase, *Hori, Ohtani, Hori, Nokihara*, 650
- puromycin, aminoacyl- β -naphthylamide, aminopeptidase, inactivating enzyme, *Streptomyces morookaensis, Nishimura, Matsuo, Nakamura, Sugiyama*, 247
- pyridoxal, ATP binding, conformation change, fluorescein, Na^+ , K^+ -ATPase, *Tsuda, Kaya, Funatsu, Hayashi, Taniguchi*, 169
- pyridylation, brain-specific, development dependent, membrane glycoprotein, sugar chain, *Nakakita, Natsuka, Ikenaka, Hase*, 1164
- Pyrobaculum islandicum*, ferredoxin, hyperthermophile, iron-sulfur cluster, *Nakajima, Fujiwara, Fukumori*, 521
- pyruvate dehydrogenase, *Bacillus stearothermophilus*, denaturation, guanidine hydrochloride, multienzyme complex, *Hiromasa, Aso, Mayanagi, Inoue, Fujisawa, Meno, Ueki*, 564
- pyruvate dehydrogenase complex, crystal structure, lipoamide dehydrogenase, 2-oxoglutarate dehydrogenase complex, X-ray analysis, *Toyoda, Suzuki, Sekiguchi, Reed, Takenaka*, 668
- pyruvate metabolism, ^{13}C NMR, *Halobacterium salinarium*, tca cycle, *Majumdar, Sonawat*, 115
- Q
- quinol oxidase, cytochrome c oxidase, membrane protein, three-dimensional structure, X-ray crystallography, *Iwata*, 369
- R
- rabbit, amino compound, bacterial expression, cDNA, sulfotransferase, *Yoshinari, Nagata, Ogino, Fujita, Shiraga, Iwasaki, Hata, Yamazoe*, 479
- , bacterial expression, cDNA, hydroxysteroid, sulfotransferase, *Yoshinari, Nagata, Shiraga, Iwasaki, Hata, Ogino, Ueda, Fujita, Shimada, Yamazoe*, 740
- Ran, Dis3, Gsp1p, Rrp44, rRNA, *Shiomi, Fukushima, Suzuki, Nakashima, Noguchi, Nishimoto*, 883
- Ras, interleukin-3, mSos, thrombin, *Tago, Kaziro, Satoh*, 659
- rat, ATP, cysteine protease, mitochondrial intermembrane space, proteolysis, *Sitte, Dubiel, Kloetzel*, 408
- , ceramide, desaturase, dihydroceramide,

R (cont'd)

- skin, *Mikami, Kashiwagi, Tsuchihashi, Akino, Gasa*, 906
- rat carrier erythrocytes, cellular recognition, drug delivery, drugs encapsulation, peritoneal macrophages, *Alvarez, Jordán, Herráez, Díez, Tejedor*, 233
- rat parotid gland, arachidonic acid, ATP, Ca²⁺-independent phospholipase A₂, secretory granular membranes, *Mizuno-Kamiya, Kameyama, Yashiro, Fujita*, 205
- RBL-2H3, FcεRI, linker region, signal transduction, *Syk, Yamashita, Kairiyama, Araki, Nagasawa*, 1199
- reactivation, calcium ion, complex, lipase activator protein, *Pseudomonas, Shibata, Kato, Oda*, 136
- readthrough, *Bacillus subtilis*, suppressor tRNA, translation, UGA codon, *Matsugi, Murao, Ishikura*, 853
- RecA protein, ATPase, cooperativity, DNA-binding, recombination, *Mikawa, Masui, Kuramitsu*, 450
- recombinant enzyme, cysteine proteinase, *Sitophilus zeamais*, *Matsumoto, Abe, Arai, Emori*, 693
- recombinant protein, AK activity, human AK2 isozymes, post-transcriptional regulation, tissue specificity, *Lee, Kim, Lee, Kim, Lee, Park, Choe*, 47
- recombination, ATPase, cooperativity, DNA-binding, RecA protein, *Mikawa, Masui, Kuramitsu*, 450
- regulator, adaptive response, phosphotransfer, signal transduction, sensor, *Mizuno*, 555
- replication origin, DNA replication, Epstein-Barr virus, transient replication assay, *Shirakata, Hirai*, 175
- resistance, arsenic, antimony, metalloregulation, transport, *Xu, Zhou, Kuroda, Rosen*, 16
- 11-*cis*-retinol, all-*trans*-retinol, isomerization, phospholipid, rhodopsin, *Shimizu, Ishiguro, Tamai*, 953
- all-*trans*-retinol, 11-*cis*-retinol, isomerization, phospholipid, rhodopsin, *Shimizu, Ishiguro, Tamai*, 953
- retrovirus vector, cell targeting, cocktail effect, fibronectin, gene transduction, *Asada, Uemori, Ueno, Hashino, Koyama, Kawamura, Kato*, 1041
- reverse hydrolysis reaction, endoglycoceramidase, ¹⁴C-glycosphingolipids, sphingolipid ceramide *N*-deacylase, *Mitsutake, Kita, Nakagawa, Ito*, 859
- Rhodococcus* sp. MR11, *Clostridium pasteurianum*, *McTavish*, 644
- rhodopsin, all-*trans*-retinol, 11-*cis*-retinol, isomerization, phospholipid, *Shimizu, Ishiguro, Tamai*, 953
- ribonuclease, *N*-glycan, microheterogeneity, *Nicotiana alata*, self-incompatibility, *Oxley, Munro, Craik, Bacic*, 978
- ribonuclease B, Asn-glycan, Asn-glycan function, glycoprotein, protein folding, *Nishimura, Uchida, Inohana, Setoh, Daba, Nishimura, Yamaguchi*, 516
- 5S ribosomal RNA-L5 protein, ATPase, elongation factors, 40S ribosomal subunits, 30S-5SRNP ribosomal particles, *Ogata, Ohno, Terao, Iwasaki, Endo*, 294
- 40S ribosomal subunits, ATPase, elongation factors, 5S ribosomal RNA-L5 protein, 30S-5SRNP ribosomal particles, *Ogata, Ohno, Terao, Iwasaki, Endo*, 294
- ribozyme, catalytic RNA, intron, self-splicing, *trans*-activation, *Ikawa, Shiraishi, Inoue*, 528
- , DHFR, hammerhead, *in vivo* selection, translation, *Hamada, Fujita, Kise, Jigami, Taira*, 684
- rice, aleurone layer, embryo, oil body, oleosin, *Wu, Wang, Chen, Chen, Tzen*, 386
- rice seed, crystallization, cysteine proteinase inhibitor, oryzacystatin, X-ray crystallography, *Kudo, Nishiyama, Sasaki, Abe, Arai, Tanokura*, 568
- RNA binding protein, HL-60 cells, hnRNP, myeloperoxidase, transcriptional repression, *Tsuchiya, Kamei, Takano, Matsui, Yamada*, 499
- role of flexible loop, dihydrofolate reductase, enzyme function, point mutation, structural stability, *Ohmae, Ishimura, Iwakura, Gekko*, 839
- rRNA, Dis3, Gsp1p, Ran, Rrp44, *Shiomi, Fukushima, Suzuki, Nakashima, Noguchi, Nishimoto*, 883
- Rrp44, Dis3, Gsp1p, Ran, rRNA, *Shiomi, Fukushima, Suzuki, Nakashima, Noguchi, Nishimoto*, 883

S

- Saccharomyces cerevisiae*, heterologous expression, human UDP-galactose transporter, nucleotide-sugar transporter, *Sun-Wada, Yoshioka, Ishida, Kawakita*, 912
- salt-activation, halophilicity, metalloproteinase, solubility, thermolysin, *Inouye, Kuzuya, Tonomura*, 847
- sandwich ELISA, antibody, apoptosis, gel electrophoresis retardation assay, single-stranded DNA, *Kawarada, Miura, Sugiyama*, 492
- Schizosaccharomyces pombe*, catalase gene promoter, hydrogen peroxide, stress response, transcriptional regulation, *Nakagawa, Yamada, Mutoh*, 1048
- secretory granular membranes, arachidonic acid, ATP, Ca²⁺-independent phospholipase A₂, rat parotid gland, *Mizuno-Kamiya, Kameyama, Yashiro, Fujita*, 205
- self-incompatibility, *N*-glycan, microheterogeneity, *Nicotiana alata*, ribonuclease, *Oxley, Munro, Craik, Bacic*, 978
- self-splicing, catalytic RNA, intron, ribozyme, *trans*-activation, *Ikawa, Shiraishi, Inoue*, 528
- seminal plasma, circular dichroism, fluorescence spectroscopy, 5'-nucleotidase, thermostability, *Fini, Coli, Floridi, D'Auria, Staiano, Nucci, Rossi*, 269
- sensor, adaptive response, phosphotransfer, regulator, signal transduction, *Mizuno*, 555
- sequence analysis, families, galactosyltransferase, glycosyltransferase, peptide motif, *Breton, Bettler, Joziassse, Geremia, Imberty*, 1000
- serine carboxypeptidase, cathepsin A, protective protein, *Matsuzaki, Ueno, Hayashi, Liao*, 701
- serine protease, baculovirus expression, cal-

- decrin, chymotrypsin-like protease, elastase, *Yoshino-Yasuda, Kobayashi, Akiyama, Itoh, Tomomura, Saheki*, 546
- , acylamino acid-releasing enzyme, catalytic triad, oligopeptidase, site-directed mutagenesis, *Mitta, Miyagi, Kato, Tsunawasa*, 924
- serine proteinase, MDX-mouse muscle, myonase, mRNA, purification, *Hori, Oh-tani, Hori, Nokihara*, 650
- SHIP, immunoregulation, ITIM, KIR, SHP, *Yamashita, Fukuta, Tsuji, Nagabukuro, Matsuda, Nishikawa, Ohyama, Ohmori, Ono, Takai*, 358
- SHP, immunoregulation, ITIM, KIR, SHIP, *Yamashita, Fukuta, Tsuji, Nagabukuro, Matsuda, Nishikawa, Ohyama, Ohmori, Ono, Takai*, 358
- sialic acid, equine brain, ganglioside, horse brain, NMR, *Mikami, Kashiwagi, Tsuchihashi, Daino, Akino, Gasa*, 487
- , bovine brain, gangliosides, sialidase, synaptosome, *Hata, Wada, Hasegawa, Kiso, Miyagi*, 899
- sialidase, bovine brain, gangliosides, sialic acid, synaptosome, *Hata, Wada, Hasegawa, Kiso, Miyagi*, 899
- sialoadhesin, binding specificity, glycoprobe, GT1b ganglioside, neoglycoprotein, *Hashimoto, Suzuki, Crocker, Suzuki*, 468
- α2,6-sialyltransferase, bacterial sialyltransferase, cloning, *Photobacterium damsela* JTO160, *Yamamoto, Nakashizuka, Tera-da*, 94
- signal peptide, folding, α-lactalbumin, nutrition, transgenic tobacco, *Takase, Hagiwara*, 440
- signal transduction, adaptive response, phosphotransfer, regulator, sensor, *Mizuno*, 555
- , neurotrophin, PC12 cells, survival promotion, TrkB receptor, *Nakatani, Yamada, Asada, Okada, Ikeuchi, Hatanaka*, 707
- , FcεRI, linker region, RBL-2H3, *Syk, Yamashita, Kairiyama, Araki, Nagasawa*, 1199
- single-chain antibody, antigen binding fragment, binding affinity, surface plasmon resonance, UV-damaged DNA, *Kobayashi, Morioka, Torizawa, Kato, Shimada, Nikaido, Ohtsuka*, 182
- single-stranded DNA, antibody, apoptosis, gel electrophoresis retardation assay, sandwich ELISA, *Kawarada, Miura, Sugiyama*, 492
- site-directed mutagenesis, alkaline protease, β-helix structure, Ca-binding sequence motif, *Pseudomonas aeruginosa*, *Miyajima, Hata, Fukushima, Kawamoto, Okuda, Shibano, Morihara*, 24
- , α-amylase, amylopullulanase, neopullulanase-α-amylase, pullulanase, *Ibuka, Tonozuka, Matsuzawa, Sakai*, 275
- , flavoenzymes, protein conformation, *Stoltz, Brandsch*, 445
- , *Desulfovibrio vulgaris*, expression, flavodoxin, FMN-binding, *Kitamura, Sagara, Taniguchi, Ashida, Ezo, Kohno, Kojima, Ozawa, Akutsu, Kumagai, Nakaya*, 891
- , acylamino acid-releasing enzyme, catalytic triad, oligopeptidase, serine protease, *Mitta, Miyagi, Kato, Tsunawasa*, 924

S (cont'd)

- Sitophilus zeamais*, cysteine proteinase, recombinant enzyme, *Matsumoto, Abe, Arai, Emori*, 693
- skeletal muscle regulation, actin, FRET, steric blocking theory, tropomyosin, *Miki, Miura, Sano, Kimura, Kondo, Ishida, Maeda*, 1104
- skeletal muscle thin filaments, actin, Ca²⁺-induced conformational change, fluorescence resonance energy transfer, troponin, *Miki, Kobayashi, Kimura, Hagiwara, Hai, Maeda*, 324
- skin, ceramide, desaturase, dihydroceramide, rat, *Mikami, Kashiwagi, Tsuchihashi, Akino, Gasa*, 906
- small-angle X-ray scattering, elongated structure, modeling, porcine amelogenin, *Matsushima, Izumi, Aoba*, 150
- solubility, halophilicity, metalloproteinase, salt-activation, thermolysin, *Inouye, Kuzuya, Tonomura*, 847
- spheroid, artificial liver, artificial matrix, Eudragit, hepatocyte, *Yamada, Kamihira, Hamamoto, Iijima*, 1017
- N*-sphingolipid ceramide deacylase, endoglycoceramidase, ¹⁴C-glycosphingolipids, reverse hydrolysis reaction, *Mitsutake, Kita, Nakagawa, Ito*, 859
- sphingosine, ceramide, platelet, protein kinase C, sphingosine 1-phosphate, *Hisano, Yatomi, Fujino, Igarashi, Kume, Ozaki*, 263
- sphingosine 1-phosphate, ceramide, platelet, protein kinase C, sphingosine, *Hisano, Yatomi, Fujino, Igarashi, Kume, Ozaki*, 263
- squalene synthase, cholesterol, HMG CoA synthase, NF-Y, SREBP, *Inoue, Sato, Maeda*, 1191
- Src-family kinases, calcium, PC12, p130^{cas}, tyrosine phosphorylation, *Kobayashi, Okumura, Okada, Nagai*, 624
- SREBP, cholesterol, HMG CoA synthase, NF-Y, squalene synthase, *Inoue, Sato, Maeda*, 1191
- 30S-5SRNP ribosomal particles, ATPase, elongation factors, 40S ribosomal subunits, 5S ribosomal RNA-L5 protein, *Ogata, Ohno, Terao, Iwasaki, Endo*, 294
- stability and function, dihydrofolate reductase, double mutants, flexible loops, long-range interactions, *Ohmae, Iriyama, Ichihara, Gekko*, 33
- stability of α -helical domain, bacteriorhodopsin, ¹³C NMR, high-resolution solid-state NMR, *Yamaguchi, Tuzi, Seki, Tanio, Needleman, Lanyi, Naito, Saito*, 78
- staphylokinase, ϵ -amino-*n*-caproic acid, kringle domain, lysine binding site, plasminogen, *Arai, Madoiwa, Mimuro, Asakura, Matsuda, Sako, Sakata*, 71
- steric blocking theory, actin, FRET, skeletal muscle regulation, tropomyosin, *Miki, Miura, Sano, Kimura, Kondo, Ishida, Maeda*, 1104
- sterol carrier protein x, bifunctional protein, bile acid, peroxisome, thiolase, *Bun-ya, Maebuchi, Kamiryo, Kurosawa, Sato, Tohma, Jiang, Hashimoto*, 347
- stimulatory G protein (G_s), α subunit, down-regulation, translocation, VIP, *Yajima, Akita, Saito, Kawashima*, 1024
- Streptococcus pneumoniae*, capsule, glycosyltransferases, polysaccharides, *Kolkman, van der Zeijst, Nuijten*, 937
- Streptomyces morookaensis*, aminoacyl- β -naphthylamide, aminopeptidase, inactivating enzyme, puromycin, *Nishimura, Matsuo, Nakamura, Sugiyama*, 247
- stress protein, L-azetidine 2-carboxylic acid, cycloheximide, stress protein gene control, thermotolerance, *Akagawa, Ishii, Mizuno*, 226
- stress protein gene control, L-azetidine 2-carboxylic acid, cycloheximide, stress protein, thermotolerance, *Akagawa, Ishii, Mizuno*, 226
- stress response, catalase gene promoter, hydrogen peroxide, *Schizosaccharomyces pombe*, transcriptional regulation, *Nakagawa, Yamada, Mutoh*, 1048
- stromal cell, erythropoiesis, hematopoietic microenvironment, IAP/CD47, *Furusawa, Yanai, Hara, Miyajima, Obinata*, 101
- structural stability, dihydrofolate reductase, enzyme function, point mutation, role of flexible loop, *Ohmae, Ishimura, Iwakura, Gekko*, 839
- structure-based drug design, indolizine inhibitor, non-steroidal anti-inflammatory drug, phospholipase A₂, X-ray crystallography, *Kitadokoro, Hagishita, Sato, Ohtani, Miki*, 619
- subcellular distribution, CD59, detergent-insoluble complex, GPI-anchored protein, nuclear pellet, *Hatanaka, Seya, Miyagawa, Matsumoto, Hara, Tanaka, Shimizu*, 579
- subcellular localization, brain development, carbohydrate modification, chondroitin sulfate proteoglycan, protein tyrosine phosphatase, *Nishiwaki, Maeda, Noda*, 458
- sugar chain, brain-specific, development dependent, membrane glycoprotein, pyridyl-amination, *Nakakita, Natsuka, Ikenaka, Hase*, 1164
- sulfated glycosaminoglycan, heparin, heparin-lyase, oral bacterium, sulfated oligosaccharide, *Watanabe, Tsuda, Yamada, Shibata, Nakamura, Sugahara*, 283
- sulfated oligosaccharide, heparin, heparin-lyase, oral bacterium, sulfated glycosaminoglycan, *Watanabe, Tsuda, Yamada, Shibata, Nakamura, Sugahara*, 283
- sulfatide, cholesterol sulfate, gangliosides, pancreatic elastase, *Pseudomonas aeruginosa* elastase, *Ito, Iwamori, Hanaoka, Iwamori*, 107
- sulfotransferase, amino compound, bacterial expression, cDNA, rabbit, *Yoshinari, Nagata, Ogino, Fujita, Shiraga, Iwasaki, Hata, Yamazoe*, 479
- , bacterial expression, cDNA, hydroxysteroid, rabbit, *Yoshinari, Nagata, Shiraga, Iwasaki, Hata, Ogino, Ueda, Fujita, Shimada, Yamazoe*, 740
- suncus, apo B, fatty liver, VLDL, *Liang, Kinoshita, Muto, Fujimaki, Matsuki, Saito, Yamanaka, Teramoto*, 28
- suppressor tRNA, *Bacillus subtilis*, read-through, translation, UGA codon, *Matsugi, Murao, Ishikura*, 853
- surface plasmon resonance, antigen binding fragment, binding affinity, single-chain antibody, UV-damaged DNA, *Kobayashi, Morioka, Torizawa, Kato, Shimada, Nikaido, Ohtsuka*, 182
- , Fv fragment, phage antibody, valency, *Ito, Kurosawa*, 832
- survival promotion, neurotrophin, PC12 cells, signal transduction, TrkB receptor, *Nakatani, Yamada, Asada, Okada, Ikeuchi, Hatanaka*, 707
- swinholid A, actin depolymerization, bis-theonellide A, dimeric macrolide, mycalolide B, *Saito, Watabe, Ozaki, Kobayashi, Suzuki, Kobayashi, Fusetani, Karaki*, 571
- Swiss 3T3 cells, DNA synthesis, nuclear localization, prolyl endopeptidase, *Ishino, Ohtsuki, Homma, Natori*, 540
- Syk, Fc ϵ RI, linker region, RBL-2H3, signal transduction, *Yamashita, Kairiyama, Araki, Nagasawa*, 1199
- synaptosome, bovine brain, gangliosides, sialic acid, sialidase, *Hata, Wada, Hasegawa, Kiso, Miyagi*, 899
- synthetic gene, 4E-BP1, eIF-4E, expression, interaction, *Nishi, Morino, Tomoo, Youtani, Ishida*, 157

T

- tca cycle, ¹³C NMR, *Halobacterium salinarum*, pyruvate metabolism, *Majumdar, Sonawat*, 115
- Tetrahymena*, actin, actin-binding protein, cytokinesis, phagocytosis, *Watanabe, Kurasawa, Watanabe, Numata*, 607
- tetratricopeptide repeat, Down syndrome, *mtpd* gene, *TPRD* gene, *Tsukahara, Urakawa, Hattori, Hirai, Ohba, Yoshioka, Sakaki, Muraki*, 1055
- tetrose, diacetyl, α -dicarbonyl, diketone, D-erythrose reductase, *Maeda, Hosomi, Mizoguchi, Nishihara*, 602
- thermal unfolding, alcohol, calorimetry, DSC, *Pseudomonas cepacia* lipase, *Tanaka*, 289
- thermolysin, halophilicity, metalloproteinase, salt-activation, solubility, *Inouye, Kuzuya, Tonomura*, 847
- thermostability, circular dichroism, fluorescence spectroscopy, 5'-nucleotidase, seminal plasma, *Fini, Coli, Floridi, D'Auria, Staiano, Nucci, Rossi*, 269
- thermotolerance, L-azetidine 2-carboxylic acid, cycloheximide, stress protein, stress protein gene control, *Akagawa, Ishii, Mizuno*, 226
- thick filament, central bare zone, Cy3-EDA-ATP, fluorescent ATP analogue, myosin, *Oiwa, Yamaga, Yamada*, 614
- thiolase, bifunctional protein, bile acid, peroxisome, sterol carrier protein x, *Bun-ya, Maebuchi, Kamiryo, Kurosawa, Sato, Tohma, Jiang, Hashimoto*, 347
- three-dimensional structure, cytochrome c oxidase, membrane protein, quinol oxidase, X-ray crystallography, *Iwata*, 369
- thrombin, interleukin-3, mSos, Ras, *Tago, Kaziro, Satoh*, 659
- thrombopoiesis, double knockout mice, erythropoiesis, NF-E2 p45, Nrf2, *Kuroha, Takahashi, Komeno, Itoh, Nagasawa, Yamamoto*, 376
- thromboxane, Kupffer cells, leukotriene,

T (cont'd)

lipopolysaccharide, prostaglandin, *Kimura, Moriyama, Nishisako, Kannan, Shiota, Sakurada, Musashi, Sugano*, 142

Tim proteins, inner membrane, mitochondria, precursor, protein import, *Ishihara, Mihara*, 722

tissue-nonspecific alkaline phosphatase, aggregation, glycosylphosphatidylinositol, hypophosphatasia, intracellular transport, *Shibata, Fukushi, Igarashi, Misumi, Ikehara, Ohashi, Oda*, 968

tissue specificity, AK activity, human AK2 isozymes, post-transcriptional regulation, recombinant protein, *Lee, Kim, Lee, Kim, Lee, Park, Choe*, 47

tissue-type plasminogen activator, cAMP, dexamethasone, hepatocytes, type-1 plasminogen activator inhibitor, *Uno, Nakamura, Ohomagari, Matsuyama, Seki, Ariga*, 806

TPRD gene, Down syndrome, *mtprd* gene, tetratricopeptide repeat, *Tsukahara, Urakawa, Hatori, Hirai, Ohba, Yoshioka, Sakaki, Muraki*, 1055

trans-activation, catalytic RNA, intron, ribozyme, self-splicing, *Ikawa, Shiraiishi, Inoue*, 528

transcriptional regulation, catalase gene promoter, hydrogen peroxide, *Schizosaccharomyces pombe*, stress response, *Nakagawa, Yamada, Mutoh*, 1048

transcriptional repression, HL-60 cells, hnRNP, myeloperoxidase, RNA binding protein, *Tsuchiya, Kamei, Takano, Matsui, Yamada*, 499

transferrin-independent iron uptake, aluminum toxicity, iron, neuronal cells, transferrin receptor, *Oshiro, Kawahara, Mika, Muramoto, Kobayashi, Ishige, Nozawa, Hori, Yung, Kitajima, Kuroda*, 42

transferrin receptor, aluminum toxicity, iron, neuronal cells, transferrin-independent iron uptake, *Oshiro, Kawahara, Mika, Muramoto, Kobayashi, Ishige, Nozawa, Hori, Yung, Kitajima, Kuroda*, 42

transgenic mouse, enhancer, genomic imprinting, insulin-like growth factor II, promoter usage, *Hatano, Eversole-Cire, Ferguson-Smith, Jones, Surani, Sasaki*, 984

transgenic tobacco, folding, α -lactalbumin, nutrition, signal peptide, *Takase, Hagiwara*, 440

transglycosylation, α -amylase inhibitor, β -D-galactosidase, galactosyl maltooligosaccharide, oligosaccharidonolactone, *Takada, Ogawa, Saito, Murata, Usui*, 508

transient replication assay, DNA replication, Epstein-Barr virus, replication origin, *Shirakata, Hirai*, 175

translation, DHFR, hammerhead, *in vivo*

selection, ribozyme, *Hamada, Fujita, Kise, Jigami, Taira*, 684

—, *Bacillus subtilis*, readthrough, suppressor tRNA, UGA codon, *Matsugi, Murao, Ishikura*, 853

translocation, α subunit, down-regulation, stimulatory G protein (G_s), VIP, *Yajima, Akita, Saito, Kawashima*, 1024

transport, arsenic, antimony, metalloregulation, resistance, *Xu, Zhou, Kuroda, Rosen*, 16

TrkB receptor, neurotrophin, PC12 cells, signal transduction, survival promotion, *Nakatani, Yamada, Asada, Okada, Ikeuchi, Hatanaka*, 707

tropomyosin, actin, FRET, skeletal muscle regulation, steric blocking theory, *Miki, Miura, Sano, Kimura, Kondo, Ishida, Maeda*, 1104

troponin, actin, Ca^{2+} -induced conformational change, fluorescence resonance energy transfer, skeletal muscle thin filaments, *Miki, Kobayashi, Kimura, Hagiwara, Hai, Maeda*, 324

troponin C, amphioxus, evolution, frog, lamprey, *Yuasa, Cox, Takagi*, 1180

tryptophan, cholesterol-binding cytolysin, membrane insertion, perfringen O, pore-forming toxin, *Nakamura, Sekino-Suzuki, Mitsui, Ohno-Iwashita*, 1145

tumor necrosis factor α , adipocyte, diabetes, macrophage migration inhibitory factor, tyrosine kinase, *Hirokawa, Sakae, Furuya, Ishii, Hasegawa, Tagami, Kawakami, Sakai, Nishi, Nishihira*, 733

type-1 plasminogen activator inhibitor, cAMP, dexamethasone, hepatocytes, tissue-type plasminogen activator, *Uno, Nakamura, Ohomagari, Matsuyama, Seki, Ariga*, 806

type I collagen, β -aminopropionitrile, L-ascorbic acid 2-phosphate, fibroblast, type VI collagen, *Hazeki, Yamato, Imamura, Sasaki, Nakazato, Yamamoto, Konomi, Hayashi*, 587

type VI collagen, β -aminopropionitrile, L-ascorbic acid 2-phosphate, fibroblast, type I collagen, *Hazeki, Yamato, Imamura, Sasaki, Nakazato, Yamamoto, Konomi, Hayashi*, 587

tyrosine kinase, adipocyte, diabetes, macrophage migration inhibitory factor, tumor necrosis factor α , *Hirokawa, Sakae, Furuya, Ishii, Hasegawa, Tagami, Kawakami, Sakai, Nishi, Nishihira*, 733

tyrosine phosphorylation, calcium, PC12, p130^{cas}, Src-family kinases, *Kobayashi, Okumura, Okada, Nagai*, 624

U

ubiquitin, ATP-dependent proteolysis, PA28, PA700, proteasomes (20S and 26S), *Tanaka*, 195

UGA codon, *Bacillus subtilis*, readthrough, suppressor tRNA, translation, *Matsugi, Murao, Ishikura*, 853

uremic complications, endothelial cells, hemodialysis, heparin, midkine, *Fujisawa, Matsumoto, Muramatsu, Shinzato, Hiramatsu, Horie, Cai, Oka, Amano, Muramatsu, Maeda*, 864

UV-damaged DNA, antigen binding fragment, binding affinity, single-chain antibody, surface plasmon resonance, *Kobayashi, Morioka, Torizawa, Kato, Shimada, Nikaido, Ohtsuka*, 182

uraA, bacteriophage, cisplatin, *Escherichia coli*, nucleotide excision repair, *Tanaka, Saito, Kimoto, Taketo*, 821

UV/visible absorption spectrum, kynurenine 3-monooxygenase, mitochondrial outer membrane, monoclonal antibody, pig liver, *Uemura, Hirai*, 253

V

valency, Fv fragment, phage antibody, surface plasmon resonance, *Ito, Kurosawa*, 832

vertebrates, DNA methylation, DNA methyltransferase, gene expression, *Tajima, Suetake*, 993

vesicle, amphotericin B, cholesterol, complex formation, monolayer, *Saka, Mita*, 798

vesicle surface adsorption, fluorescence quenching, gramicidin B Aib analogue (GBA), helical peptide pore-former, peptide-lipid interaction, *Jelokhani-Niaraki, Nakashima, Kodama, Kondo*, 790

vesicular complex, discoidal complex, fragmentation, glucagon, liposome, *Ryu, Han, Kim*, 55

VIP, α subunit, down-regulation, stimulatory G protein (G_s), translocation, *Yajima, Akita, Saito, Kawashima*, 1024

VLDL, apo B, fatty liver, suncus, *Liang, Kinoshita, Muto, Fujimaki, Matsuki, Saito, Yamanaka, Teramoto*, 28

X

X-ray analysis, crystal structure, lipoamide dehydrogenase, 2-oxoglutarate dehydrogenase complex, pyruvate dehydrogenase complex, *Toyoda, Suzuki, Sekiguchi, Reed, Takenaka*, 668

X-ray crystallography, cytochrome *c* oxidase, membrane protein, quinol oxidase, three-dimensional structure, *Iwata*, 369

—, crystallization, cysteine proteinase inhibitor, oryzacystatin, rice seed, *Kudo, Nishiyama, Sasaki, Abe, Arai, Tanokura*, 568

—, indolizine inhibitor, non-steroidal anti-inflammatory drug, phospholipase A₂, structure-based drug design, *Kitadokoro, Hagi-shita, Sato, Ohtani, Miki*, 619