

INDEX TO AUTHORS

A

- Abe, K. See *Asano-Miyoshi, Kusakabe, and Emori*, 927
 Abeliovich, A. See *Wilhelm and Nejidat*, 811
 Ahn, T. and Yun, C.-H. Phase Separation in Phosphatidylcholine/Anionic Phospholipid Membranes in the Liquid-Crystalline State Revealed with Fluorescent Probes, 622
 Aikawa, J. See *Sasai, Saburi, Tojo, Tanaka, Ogawa, and Shiota*, 999
 Aiuchi, T., Mihara, S., Nakaya, M., Masuda, Y., Nakajo, S., and Nakaya, K. Zinc Ions Prevent Processing of Caspase-3 during Apoptosis Induced by Geranylgeraniol in HL-60 Cells, 300
 Akagawa, K. See *Masaki, Yamamoto, and Tashiro*, 311
 Akedo, H. See *Saeki, Seya, Hazeki, Uj, and Hazeki*, 1020
 Akita, E. See *Takita, Inouye, and Tonomura*, 45
 Alexander, L.J. See *Furutani, Kato, Yasue, Beattie, and Hirose*, 491
 Amachi, T. See *Kondo, Shibano, Cronin, Oda, and Dunn*, 141
 Amae, S. See *Suzuki, Takahashi, Yasumoto, Yoshizawa, Fuse, and Shibahara*, 992
 Ando, A. See *Ito, Ando, Ando, Saijoh, Inoko, and Fujimoto*, 347
 Ando, H. See *Ito, Ando, Ando, Saijoh, Inoko, and Fujimoto*, 347
 Ando, J. See *Ito, Ando, Ando, Saijoh, Inoko, and Fujimoto*, 347
 Ando, S. See *Kuma, Inoue, Fu, Lee, Sugihara, and Hamasaki*, 509
 Andrew, M. See *Berry and Chan*, 434
 Ångström, J. See *Hugosson, Olsson, Bergström, Fredlund, Olcén, and Teneberg*, 1138
 Anzai, K. See *Lee, Hirashima, and Kirino*, 798
 Aoki, T., Satoh, M., and Watabe, H. Detection of Blotted Antigen Using a Fusion Protein between Protein A and Pepsinogen C, 572
 Aoyama, Y., Horiuchi, T., Gotoh, O., Noshiro, M., and Yoshida, Y. *CYP51*-Like Gene of *Mycobacterium tuberculosis* Actually Encodes a P450 Similar to Eukaryotic CYP51, 694
 Arakaki, N. See *Kazi, Nakamura, Ohnishi, Kajihara, Nakagawa, and Daikuvara*, 179
 Araki, T. See *Hasegawa, Tsuwaki, Yamada, Kimura, Sugawara, Yamamoto, and Okamoto*, 421
 Araki, Y. See *Saeki, Sakakibara, Yanagisawa, Suiko, Nakajima, and Liu*, 55
 Asahara, H. See *Ohno, Yokogawa, Fujii, Inokuchi, and Nishikawa*, 1065
 Asakura, S., Yang, W., Sottile, J., Zhang, Q., Jin, Y., Ohkubo, I., Sasaki, M., Matsuda, M., Hirata, H., and Mosher, D.F. Opposing Effects of Low and High Molecular Weight Kininogens on Cell Adhesion, 473

Asano, T. See *Ueda, Morishita, Katoh-Semba, and Kato*, 1033

- Asano-Miyoshi, M., Kusakabe, Y., Abe, K., and Emori, Y. Identification of Taste-Tissue-Specific cDNA Clones from a Subtraction cDNA Library of Rat Circumvallate and Foliate Papillae, 927
 Ashikari, T. See *Yonekura-Sakakibara, Tanaka, Kusumi, and Hase*, 615
 Awan-Khan, R. See *Suiko, Sakakibara, Sakaida, Yoshikawa, Ranasinghe, and Liu*, 707

B

- Bai, J.-H. See *Luo, Xie, and Zhou*, 702
 Bassi, R. See *Riboni, Prinetti, Viani, and Tettamanti*, 900
 Bauchart, D. See *Graulet, Gruffat, and Durand*, 1212
 Beattie, C.W. See *Furutani, Kato, Yasue, Alexander, and Hirose*, 491
 Beppu, M. See *Fujino, Tada, and Kikugawa*, 1077
 Bergström, J. See *Hugosson, Ångström, Olsson, Fredlund, Olcén, and Teneberg*, 1138
 Berry, L., Chan, A.K.C., and Andrew, M. Polypeptide-Polysaccharide Conjugates Produced by Spontaneous Non-Enzymatic Glycation, 434
 Bonacci, G.R. See *Sánchez, Chiabrandi, Guglielmino, Rabinovich, and Vides*, 274

C

- Chan, A.K.C. See *Berry and Andrew*, 434
 Chang, C. See *Chang and Lin*, 764
 Chang, L., Lin, S., and Chang, C. Identification of Arg-30 as the Essential Residue for the Enzymatic Activity of Taiwan Cobra Phospholipase A₂, 764
 Chen, H. See *Jiang, Zhang, Ding, Yao, Zhu, and Muramatsu*, 980
 Chiabrandi, G.A. See *Sánchez, Guglielmino, Bonacci, Rabinovich, and Vides*, 274
 Cho, K.-H. See *Kim, Sakong, and Lee*, 1094
 Cho, Y. See *Kim, Inagaki, Suzuki, Ioka, Yoshioka, Magoori, Kang, Nakano, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
 Colonna, G. See *Gallo, Rossi, Saviano, Pedone, and Ragone*, 880
 Costa, T. See *Nose, Fujita, Nakajima, Inoue, and Shimohigashi*, 354
 Cronin, N. See *Kondo, Shibano, Amachi, Oda, and Dunn*, 141

D

- Daikuvara, Y. See *Kazi, Nakamura, Ohnishi, Arakaki, Kajihara, and Nakagawa*, 179
 Deligeer. See *Inoue, Gotowda, Kataoka, Yamaguchi, Suzuki, Watanabe, Gohow, and Kai*, 876
 Denoroy, L. See *Soulie, Le Caer, Hamasaki, Groves, and le Maire*, 417
 Deyashiki, Y. See *Matsuura, Shiraishi*,

Hara, Sato, Ninomiya, and Sakai, 940
 Ding, Y. See *Jiang, Zhang, Yao, Chen, Zhu, and Muramatsu*, 980

- Doi-Kawano, K., Kouzuma, Y., Yamasaki, N., and Kimura, M. Molecular Cloning, Functional Expression, and Mutagenesis of cDNA Encoding a Cysteine Proteinase Inhibitor from Sunflower Seeds, 911
 Dunn, B.M. See *Kondo, Shibano, Amachi, Cronin, and Oda*, 141
 —. See *Shibata and Oda*, 642
 Durand, D. See *Graulet, Gruffat, and Bauchart*, 1212

E

- Emori, Y. See *Asano-Miyoshi, Kusakabe, and Abe*, 927
 Esaki, N. See *Li, Hata, Fujii, and Kurihara*, 20
 —. See *Fuchikami, Yoshimura, Gutierrez, and Soda*, 905
 —. See *Kurokawa, Watanabe, Yoshimura, and Soda*, 1163
 Eto, M. See *Hiratsuka, Yazawa, and Morita*, 609
 Eulitz, M. See *Lehnerer, Schulze, Pernecky, Lewis, and Hlavica*, 396

F

- Fan, Q.-W. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawa, Kadomatsu, and Muramatsu*, 670
 —. See *Taguchi, Muramatsu, Kurosawa, Sobue, and Muramatsu*, 1220
 Fredlund, H. See *Hugosson, Ångström, Olsson, Bergström, Olcén, and Teneberg*, 1138
 Fu, G. See *Kuma, Inoue, Ando, Lee, Sugihara, and Hamasaki*, 509
 Fuchikami, Y., Yoshimura, T., Gutierrez, A., Soda, K., and Esaki, N. Construction and Properties of a Fragmentary D-Amino Acid Aminotransferase, 905
 Fujihira, E. See *Hirata, Kimura-Someya, and Yamaguchi*, 1206
 Fujii, Chifumi. See *Morii, Miyoshi, Iwami, and Itagaki*, 1026
 Fujii, Chizuko. See *Fujii, Ikeda, Watanabe, Kawasaki, Suzuki, Takahashi, and Taniguchi*, 340
 Fujii, I. See *Ohno, Yokogawa, Asahara, Inokuchi, and Nishikawa*, 1065
 Fujii, J., Ikeda, Y., Watanabe, T., Kawasaki, Y., Suzuki, K., Fujii, C., Takahashi, M., and Taniguchi, N. A Defect in the Mitochondrial Import of Mutant Mn-Superoxide Dismutase Produced in Sf21 Cells, 340
 Fujii, S., Inoue, B., Yamamoto, H., Ogata, K., Shinki, T., Inoue, S., Tomita, M., Tamura, H., Tsukamoto, K., Ikezawa, H., and Ikeda, K. Mg²⁺ Binding and Catalytic Function of Sphingomyelinase from *Bacillus cereus*, 1178

- F (cont'd)
- Fujii, Takaaki. See *Ueno, Hara, Kamo, and Miyake*, 485
- Fujii, Tomomi. See *Li, Hata, Kurihara, and Esaki*, 20
- Fujimaki, H. See *Nohara and Kunimoto*, 194
- Fujimoto, H. See *Ito, Ando, Ando, Ando, Saijoh, and Inoko*, 347
- Fujimoto, Y. See *Iwaki-Egawa, Watanabe, and Kikuya*, 428
- Fujino, Takahiro. See *Oikawa, Iijima, Suzuki, Sasano, Sato, Kamataki, Nagura, Kang, Suzuki, and Yamamoto*, 679
- . See *Tomita, Kim, Magoori, and Yamamoto*, 784
- . See *Kim, Inagaki, Suzuki, Ioka, Yoshioka, Magoori, Kang, Cho, Nakano, Liu, Suzuki, Sasano, and Yamamoto*, 1072
- Fujino, Tomofumi, Tada, T., Beppu, M., and Kikugawa, K. Purification and Characterization of a Serine Protease in Erythrocyte Cytosol That Is Adherent to Oxidized Membranes and Preferentially Degrades Proteins Modified by Oxidation and Glycation, 1077
- Fujita, M. and Sadaie, Y. Promoter Selectivity of the *Bacillus subtilis* RNA Polymerase σ^A and σ^H Holoenzymes, 89
- Fujita, M. and Sadaie, Y. Feedback Loops Involving Spo0A and AbrB in *In Vitro* Transcription of the Genes Involved in the Initiation of Sporulation in *Bacillus subtilis*, 98
- Fujita, S. See *Yamamoto, Ishizuka, and Takada*, 503
- Fujita, Toshiki, Maegawa, H., Kashiwagi, A., Hirai, H., and Kikkawa, R. Opposite Regulation of Tyrosine-Phosphorylation of p130 ca by Insulin and Insulin-Like Growth Factor I, 1111
- Fujita, Tsugumi. See *Nose, Nakajima, Inoue, Costa, and Shimohigashi*, 354
- Fujita, Tuyosi, Suzuki, K., Tada, T., Yoshihara, Y., Hamaoka, R., Uchida, K., Matuo, Y., Sasaki, T., Hanafusa, T., and Taniguchi, N. Human Erythrocyte Bisphosphoglycerate Mutase: Inactivation by Glycation *In Vivo* and *In Vitro*, 1237
- Fujiwara, K., Kaminishi, Y., Kitagawa, T., Tsuru, D., Yabuuchi, M., Kanetake, H., and Nomata, K. Preparation of Monoclonal Antibodies against *N*-(γ -Maleimidobutyryloxy)succinimide (GMBS)-Conjugated Acetylspermine, and Development of an Enzyme-Linked Immunosorbent Assay (ELISA) for *N¹,N¹²*-Diacetylspermine, 244
- Fujiwara, S. See *Kawamura, Hayata, and Yubisui*, 1004
- Fukamizo, T. See *Okajima, Goto, Fukui, and Tanizawa*, 359
- Fukuda, M. See *Ichikawa, Hashimoto, and Tagawa*, 886
- Fukui, T. See *Okajima, Fukamizo, Goto, and Tanizawa*, 359
- Fukui, Y., Ihara, S., and Nagata, S. Downstream of Phosphatidylinositol-3 Kinase, a Multifunctional Signaling Molecule, and Its Regulation in Cell Responses, 1
- Fukumoto, S. See *Wang, Gao, Tademoto, Sato, and Hirai*, 892
- Fürlinger, M., Satory, M., Haltrich, D., Kulbe, K.D., and Nidetzky, B. Control of the Association State of Tetrameric Glucose-Fructose Oxidoreductase from *Zymomonas mobilis* as the Rationale for Stabilization of the Enzyme in Biochemical Reactors, 280
- Furutani, Y., Kato, A., Yasue, H., Alexander, L.J., Beattie, C.W., and Hirose, S. Evolution of the Trappin Multigene Family in the Suidae, 491
- Fuse, N. See *Suzuki, Takahashi, Yasumoto, Amae, Yoshihara, and Shibahara*, 992
- Futai, M., Oka, T., Moriyama, Y., and Wada, Y. Diverse Roles of Single Membrane Organelles: Factors Establishing the Acid Luminal pH, 259
- G
- Gallo, P., Rossi, F., Saviano, M., Pedone, C., Colonna, G., and Ragone, R. Specific Interaction between Bovine Cyclophilin A and Synthetic Analogues of Cyclolinopeptide A, 880
- Gao, X. See *Wang, Fukumoto, Tademoto, Sato, and Hirai*, 892
- Gohow, M. See *Inoue, Gotowda, Deligeer, Kataoka, Yamaguchi, Suzuki, Watanabe, and Kai*, 876
- Goto, M. See *Niioka, Ishibashi, and Kadokawa*, 1086
- Goto, S. See *Okajima, Fukamizo, Fukui, and Tanizawa*, 359
- Gotoh, O. See *Aoyama, Horiuchi, Noshiro, and Yoshida*, 694
- Gotowda, M. See *Inoue, Deligeer, Kataoka, Yamaguchi, Suzuki, Watanabe, Gohow, and Kai*, 876
- Graulet, B., Gruffat, D., Durand, D., and Bauchart, D. Fatty Acid Metabolism and Very Low Density Lipoprotein Secretion in Liver Slices from Rats and Preruminant Calves, 1212
- Grobe, K., Sartori, B., Traving, C., Schauer, R., and Roggentin, P. Enzymatic and Molecular Properties of the *Clostridium tertium* Sialidase, 1101
- Groves, J.D. See *Soulié, Denoroy, Le Caer, Hanasaki, and le Maire*, 417
- Gruffat, D. See *Graulet, Durand, and Bauchart*, 1212
- Guglielmino, H.A. See *Sánchez, Chiabrando, Bonacci, Rabinovich, and Vides*, 274
- Gutierrez, A. See *Fuchikami, Yoshimura, Soda, and Esaki*, 905
- H
- Ha, C.-R. and Iuchi, I. Enzyme Responsible for Egg Envelope (Chorion) Hardening in Fish: Purification and Partial Characterization of Two Transglutaminases Associated with Their Substrate, Unfertilized Egg Chorion, of the Rainbow Trout, *Oncorhynchus mykiss*, 917
- Habuchi, O. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsusaka, Kannagi, Yokoyama, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
- Haga, T. See *Tsuga and Kameyama*, 863
- Haltrich, D. See *Fürlinger, Satory, Kulbe, and Nidetzky*, 280
- Hamada, N. See *Ohmoto, Kinoshita, Moriyoshi, Sakai, and Ohe*, 591
- Hamamoto, R., Yamada, K., Kamihira, M., and Iijima, S. Differentiation and Proliferation of Primary Rat Hepatocytes Cultured as Spheroids, 972
- Hamaoka, R. See *Fujita, Suzuki, Tada, Yoshihara, Uchida, Matuo, Sasaki, Hanafusa, and Taniguchi*, 1237
- Hamasaki, N. See *Soulié, Denoroy, Le Caer, Groves, and le Maire*, 417
- . See *Kuma, Inoue, Fu, Ando, Lee, and Sugihara*, 509
- Hanada, K. See *Suzuki, Suzuki, Hashimoto, Redpath, Stanbridge, Nishijima, and Kitagawa*, 383
- Hanafusa, T. See *Fujita, Suzuki, Tada, Yoshihara, Hamaoka, Uchida, Matuo, Sasaki, and Taniguchi*, 1237
- Hansen, H. See *Rotenberg, Zhu, Li, Sun, Michels, and Riedel*, 756
- Hara, A. See *Matsuura, Shiraishi, Sato, Deyashiki, Ninomiya, and Sakai*, 940
- Hara, M. See *Ueno, Kamo, Fujii, and Miyake*, 485
- Harada, N. See *Nomura, Kawabe, Matsushita, Oka, Hatano, Nawata, and Morohashi*, 217
- Hase, T. See *Yonekura-Sakakibara, Ashikari, Tanaka, and Kusumi*, 615
- Hasegawa, Y., Tsuwaki, S., Yamada, N., Araki, T., Kimura, S., Sugawara, J., Yamamoto, K., and Okamoto, Y. Subcellular Localization of Myosin I in A10 Smooth Muscle Cell, 421
- Hashida, M. See *Okamoto, Watanabe, and Takakura*, 697
- Hashimoto, A. See *Suzuki, Suzuki, Hanada, Redpath, Stanbridge, Nishijima, and Kitagawa*, 383
- Hashimoto, T. See *Ichikawa, Fukuda, and Tagawa*, 886
- Hashimoto, Y. See *Nonaka and Takio*, 157
- Hata, Y. See *Li, Fujii, Kurihara, and Esaki*, 20
- Hatano, K., Tanokura, M., and Takahashi, K. The Amino Acid Sequences of Isoforms of the Bromelain Inhibitor from Pineapple Stem, 457
- Hatano, O. See *Nomura, Kawabe, Matsushita, Oka, Harada, Nawata, and Morohashi*, 217
- Hatsuzawa, K. See *Yamaguchi, Nakayama, Tani, Hineno, and Tagaya*, 1229
- Hattori, N. See *Imamura, Shiota, and Ogawa*, 534
- Hayashi, R. See *Tanimizu and Ueno*, 410
- . See *Jung and Ueno*, 446
- Hayata, D. See *Kawamura, Fujiwara, and Yubisui*, 1004
- Hazeki, K. See *Saeki, Seya, Ui, Hazeki, and Akedo*, 1020
- Hazeki, O. See *Sasaki, Maehama, Yamamoto, Takasuga, Hoshino, Nishina, and Katada*, 934
- . See *Saeki, Seya, Hazeki, Ui, and Akedo*, 1020
- Hida, A., Uchijima, Y., and Seyama, Y. Sexual Differences in Branched Chain Amino Acid Metabolism into Fatty Acids and Cholesterol in Harderian Gland of Golden Hamster, 648

- H (cont'd)
- Hidaka, M. See *Takashima, Iikura, Nakamura, Masaki, and Uozumi*, 717
- Higashi, S. See *Shofuda, Moriyama, Nishimashi, Mizushima, Yasumitsu, Miki, Sato, Seiki, and Miyazaki*, 462
- Himeno, M. See *Yamaguchi, Nakayama, Hatsuzawa, Tani, and Tagaya*, 1229
- Hioki, K. See *Masuya, Tokunaga, and Taketani*, 628
- Hirai, H. See *Fujita, Maegawa, Kashiwagi, and Kikkawa*, 1111
- Hirai, K. See *Wang, Gao, Fukumoto, Tadomoto, and Sato*, 892
- Hiramatsu, K., Miura, H., Kamei, S., Iwasaki, K., and Kawakita, M. Development of a Sensitive and Accurate Enzyme-Linked Immunosorbent Assay (ELISA) System That Can Replace HPLC Analysis for the Determination of *N¹,N¹²*-Diacetylspermine in Human Urine, 231
- Hirashima, N. See *Lee, Anzai, and Kirino*, 798
- Hirata, H. See *Asakura, Yang, Sottile, Zhang, Jin, Ohkubo, Sasaki, Matsuda, and Mosher*, 473
- Hirata, T., Fujihira, E., Kimura-Someya, T., and Yamaguchi, A. Membrane Topology of the *Staphylococcal* Tetracycline Efflux Protein Tet(K) Determined by Antibacterial Resistance Gene Fusion, 1206
- Hiratsuka, Y., Eto, M., Yazawa, M., and Morita, F. Reactivities of Cys⁷⁰⁷ (SH1) in Intermediate States of Myosin Subfragment-1 ATPase, 609
- Hirose, Shigehisa. See *Furutani, Kato, Yasue, Alexander, and Beattie*, 491
- Hirose, Susumu. Chromatin Remodeling and Transcription, 1060
- Hisanaga, S. See *Wada, Ishiguro, Itoh, Uchida, Hotani, Saito, and Kishimoto*, 738
- Hitomi, K. See *Maki, Yamaguchi, Kitaura, and Satoh*, 1170
- Hlavica, P. See *Lechnerer, Schulze, Pernecký, Lewis, and Eulitz*, 396
- Hohenadl, C. See *Hosokawa, Satoh, Kühn, and Nagata*, 654
- Homma, K. See *Maruta*, 528
- . See *Maruta and Ohki*, 578
- Hong, H.N. See *Sato, Yanai, and Obinata*, 209
- Horikoshi, M. See *Suzuki, Yamamoto, Kubayashi, Nagai, and Yazaki*, 389
- Horiuchi, T. See *Aoyama, Gotoh, Noshiro, and Yoshida*, 694
- Hoshino, S. See *Sasaki, Maehama, Yamamoto, Takasuga, Nishina, Hazeki, and Katada*, 934
- Hosoi, K., Tada, J., Tsumura, K., Kanamori, N., and Yamanaka, N. Expression of an Allozyme of Prorenin-Converting Enzyme in the Submandibular Gland of DBA/2N Mice, 368
- Hosokawa, N., Hohenadl, C., Satoh, M., Kühn, K., and Nagata, K. HSP47, a Collagen-Specific Molecular Chaperone, Delays the Secretion of Type III Procollagen Transfected in Human Embryonic Kidney Cell Line 293: A Possible Role for HSP47 in Collagen Modification, 654
- Hotani, H. See *Wada, Ishiguro, Itoh, Uchida*,
- Saito, Kishimoto, and Hisanaga*, 738
- Hugosson, S., Ångström, J., Olsson, B.-M., Bergström, J., Fredlund, H., Olcén, P., and Teneberg, S. Glycosphingolipid Binding Specificities of *Neisseria meningitidis* and *Haemophilus influenzae*: Detection, Isolation, and Characterization of a Binding-Acitive Glycosphingolipid from Human Oro-pharyngeal Epithelium, 1138
- I
- I-Ogawa, H. See *Ishii, Sonezaki, Iwasaki, Tauchi, Shingu, Okita, Kato, and Kondo*, 842
- Ichihara, K. See *Matsunaga, Yamada, Kusunose, and Miki*, 105
- Ichikawa, N., Fukuda, M., Hashimoto, T., and Tagawa, K. The Carboxyl-Terminal Region of the Yeast ATPase Inhibitor Is Indispensable for the Stability of the Protein in Mitochondria, 886
- Ichinose, A. See *Takahatake and Souri*, 540
- Ihara, S. See *Fukui and Nagata*, 1
- Iijima, H. See *Oikawa, Suzuki, Sasano, Sato, Kamataki, Nagura, Kang, Fujino, Suzuki, and Yamamoto*, 679
- , Miyazawa, M., Sakai, J., Magoori, K., Ito, M.R., Suzuki, H., Nose, M., Kawarabayasi, Y., and Yamamoto, T.T. Expression and Characterization of a Very Low Density Lipoprotein Receptor Variant Lacking the O-Linked Sugar Region Generated by Alternative Splicing, 747
- Iijima, S. See *Hamamoto, Yamada, and Kamihira*, 972
- Iikura, H. See *Takashima, Nakamura, Hidaka, Masaki, and Uozumi*, 717
- Iio, T. See *Sano and Takahashi*, 602
- Ikebe, M. See *Maruta, Mitsuhashi, and Yamada*, 557
- Ikeda, Katsumi. See *Michihara, Sawamura, Nara, and Yamori*, 40
- Ikeda, Kiyoshi. See *Fujii, Inoue, Yamamoto, Ogata, Shinki, Inoue, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 1178
- Ikeda, Y. See *Fujii, Watanabe, Kawasaki, Suzuki, Fujii, Takahashi, and Taniguchi*, 340
- Ikeguchi, M. See *Shimizu, Tanba, Ogata, and Sugai*, 319
- Ikezawa, H. See *Fujii, Inoue, Yamamoto, Ogata, Shinki, Inoue, Tomita, Tamura, Tsukamoto, and Ikeda*, 1178
- Imagawa, M. See *Kawasaki, Satonaka, Naito, and Kawasaki*, 1188
- Imamura, T., Hattori, N., Shiota, K., and Ogawa, T. Generation and Characterization of a Monoclonal Antibody Recognizing a Fetal Brain Enriched O-Linked Sialoglycoprotein, FOG100, 534
- Imoto, T. See *Ueda and Tsurumaru*, 712
- Inagaki, Y. See *Kim, Suzuki, Ioka, Yoshioka, Magoori, Kang, Cho, Nakano, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
- Inoko, H. See *Ito, Ando, Ando, Saitoh, and Fujimoto*, 347
- Inokuchi, H. See *Ohno, Yokogawa, Fujii, Asahara, and Nishikawa*, 1065
- Inokuchi, N., Saitoh, S., Kobayashi, H., Itagaki, T., Koyama, T., Uchiyama, S., Iwama, M., Ohgi, K., and Irie, M. Characterization and Primary Structure of a Base Non-Specific and Acid Ribonuclease from *Dictyostelium discoideum*, 848
- Inoue, B. See *Fujii, Yamamoto, Ogata, Shinki, Inoue, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 1178
- Inoue, Kaori. See *Kuma, Fu, Ando, Lee, Sugihara, and Hamasaki*, 509
- Inoue, Kyoichi. See *Miyazaki, Naitoh, Nakashashi, Yanagitani, Kuno, Ueno, and Okajima*, 65
- Inoue, S. See *Fujii, Inoue, Yamamoto, Ogata, Shinki, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 1178
- Inoue, T., Gotowda, M., Deligeer, Kataoka, K., Yamaguchi, K., Suzuki, S., Watanabe, H., Gohow, M., and Kai, Y. Type 1 Cu Structure of Blue Nitrite Reductase from *Alcaligenes xylosoxidans* GIFU 1051 at 2.05 Å Resolution: Comparison of Blue and Green Nitrite Reductases, 876
- Inoue, Y. See *Nose, Fujita, Nakajima, Costa, and Shimohigashi*, 354
- Inouye, K. See *Takita, Akita, and Tonomura*, 45
- , Lee, S.-B., and Tonomura, B. Effects of Nitration and Amination of Tyrosyl Residues in Thermolysin on Its Hydrolytic Activity and Its Remarkable Activation by Salts, 72
- Ioka, R.X. See *Kim, Inagaki, Suzuki, Yoshioka, Magoori, Kang, Cho, Nakano, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
- Irie, M. See *Inokuchi, Saitoh, Kobayashi, Itagaki, Koyama, Uchiyama, Iwama, and Ohgi*, 848
- Irimura, T. See *Shirotani*, 585
- Ishibashi, T. See *Niioka, Goto, and Kaduwaki*, 1086
- Ishida, A. See *Yamanishi, Yamada, Yamuchi, and Toraya*, 598
- Ishida, N., Ito, M., Yoshioka, S., Sun-Wada, G.-H., and Kawakita, M. Functional Expression of Human Golgi CMP-Sialic Acid Transporter in the Golgi Complex of a Transporter-Deficient Chinese Hamster Ovary Cell Mutant, 171
- Ishidoh, K. See *Watanabe, Ueno, Sato, and Kominami*, 947
- Ishiguro, K. See *Wada, Itoh, Uchida, Hotani, Saito, Kishimoto, and Hisanaga*, 738
- Ishihara, N., Komiya, T., Sakaguchi, M., Ito, A., and Mihara, K. Characterization of the Initial Steps of Precursor Import into Rat Liver Mitoplasts, 824
- Ishii, K. See *Satoh, Samejima, Watanabe, Nogi, Takahashi, Kaji, Teplyakov, Obmolova, and Kuranova*, 79
- Ishii, Y., Sonezaki, S., Iwasaki, Y., Tauchi, E., Shingu, Y., Okita, K., I-Ogawa, H., Kato, Y., and Kondo, A. Single-Step Purification and Characterization of MBP (Maltose Binding Protein)-DnaJ Fusion Protein and Its Utilization for Structure-Function Analysis, 842
- Ishiura, S. See *Masumoto, Yoshizawa, Sorimachi, Nishino, and Suzuki*, 957
- Ishizeki, K. See *Shimo, Nakanishi, Kimura, Nishida, Matsumura, and Takigawa*, 130
- Ishizuka, M. See *Yamamoto, Takada, and Fujita*, 503
- Isohata, M. See *Matsumoto, Ogawa, Kasa-*

- I (cont'd)
- kura, Shimada, Mitsui, Maruya, Yahara, and Murakami-Murofushi*, 326
- Itagaki, E. See *Morii, Fujii, Miyoshi, and Iwami*, 1026
- Itagaki, T. See *Inokuchi, Saitoh, Kobayashi, Koyama, Uchiyama, Iwama, Ohgi, and Irie*, 848
- Ito, A. See *Ishihara, Komiya, Sakaguchi, and Miura*, 824
- . See *Song and Ogishima*, 1045
- Ito, K. See *Tanabe, Tanaka, Uchikawa, Kabashima, Nonaka, Mitsui, Tsuru, and Yoshimoto*, 634
- Ito, M. See *Ishida, Yoshioka, Sun-Wada, and Kawakita*, 171
- Ito, M.R. See *Iijima, Miyazawa, Sakai, Magoori, Suzuki, Nose, Kawarabayasi, and Yamamoto*, 747
- Ito, Y., Ando, A., Ando, H., Ando, J., Saijoh, Y., Inoko, H., and Fujimoto, H. Genomic Structure of the Spermatid-Specific *HSP70* Homolog Gene Located in the Class III Region of the Major Histocompatibility Complex of Mouse and Man, 347
- Itoh, T.J. See *Wada, Ishiguro, Uchida, Hotani, Saito, Kishimoto, and Hisanaga*, 738
- Iuchi, I. See *Ha*, 917
- Iwaki-Egawa, S., Watanabe, Y., Kikuya, Y., and Fujimoto, Y. Dipeptidyl Peptidase IV from Human Serum: Purification, Characterization, and N-Terminal Amino Acid Sequence, 428
- Iwakura, M., Takenawa, T., and Nakamura, T. Topological Mutation of *Escherichia coli* Dihydrofolate Reductase, 769
- Iwama, M. See *Inokuchi, Saitoh, Kobayashi, Itagaki, Koyama, Uchiyama, Ohgi, and Irie*, 848
- Iwami, M. See *Morii, Fujii, Miyoshi, and Itagaki*, 1026
- Iwamoto, M. See *Shimono, Sumi, and Kamo*, 404
- Iwamuro, S. See *Kim, Yamaguchi, Sekine, Saeki, and Kato*, 35
- Iwanaga, S., Yamasaki, N., and Kimura, M. Chymotrypsin Inhibitor from *Erythrina variegata* Seeds: Involvement of Amino Acid Residues within the Primary Binding Loop in Potent Inhibitory Activity toward Chymotrypsin, 663
- Iwasaki, K. See *Hiramatsu, Miura, Kamei, and Kawakita*, 231
- Iwasaki, Y. See *Ishii, Sonezaki, Tauchi, Shingu, Okita, I.-Ogawa, Kato, and Kondo*, 842
- J
- Jiang, X., Zhang, M., Ding, Y., Yao, J., Chen, H., Zhu, D., and Muramatu, M. *Escherichia coli prlC* Gene Encodes a Trypsin-Like Proteinase Regulating the Cell Cycle, 980
- Jin, Y. See *Asakura, Yang, Sottile, Zhang, Ohkubo, Sasaki, Matsuda, Hirata, and Mosher*, 473
- Jordan, B.R. Large-Scale Expression Measurement by Hybridization Methods: From High-Density Membranes to "DNA Chips", 251
- Jourdi, H. See *Nagano and Nawa*, 869
- Jung, G., Ueno, H., and Hayashi, R. Proton-Relay System of Carboxypeptidase Y as a Sole Catalytic Site: Studies on Mutagenic Replacement of His 397, 446
- K
- Kabashima, T. See *Tanabe, Tanaka, Uchikawa, Ito, Nonaka, Mitsui, Tsuru, and Yoshimoto*, 634
- Kadomatsu, K. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawara, and Muramatsu*, 670
- Kadowaki, M. See *Niioka, Goto, and Ishibashi*, 1086
- Kai, Y. See *Inoue, Gotowda, Deligeer, Kataoka, Yamaguchi, Suzuki, Watanabe, and Gohow*, 876
- Keji, H. See *Satoh, Samejima, Watanabe, Nogi, Takahashi, Teplyakov, Obmolova, Kuranova, and Ishii*, 79
- Kajihara, T. See *Kazi, Nakamura, Ohnishi, Arakaki, Nakagawa, and Daikuvara*, 179
- Kamataki, A. See *Oikawa, Iijima, Suzuki, Sasano, Sato, Nagura, Kang, Fujino, Suzuki, and Yamamoto*, 679
- Kamei, S. See *Hiramatsu, Miura, Iwasaki, and Kawakita*, 231
- Kameyama, K. See *Tsuga and Haga*, 863
- Kamihira, M. See *Hamamoto, Yamada, and Iijima*, 972
- Kaminishi, Y. See *Fujiwara, Kitagawa, Tsuru, Yabuuchi, Kanetake, and Nomata*, 244
- Kamitori, S. See *Nagarajan and Okuyama*, 1117
- Kamo, N. See *Shimono, Iwamoto, and Sumi*, 404
- . See *Ueno, Hara, Fujii, and Miyake*, 485
- Kaname, T. See *Uchimura, Muramatsu, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
- Kanamori, K. See *Uyama, Kinoshita, Takahashi, Satoh, and Michibata*, 377
- Kanamori, N. See *Hosoi, Tada, Tsumura, and Yamanka*, 368
- Kanetake, H. See *Fujiwara, Kaminishi, Kitagawa, Tsuru, Yabuuchi, and Nomata*, 244
- Kang, M.-J. See *Oikawa, Iijima, Suzuki, Sasano, Sato, Kamataki, Nagura, Fujino, Suzuki, and Yamamoto*, 679
- . See *Kim, Inagaki, Suzuki, Ioka, Yoshioka, Magoori, Cho, Nakano, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
- Kannagi, R. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
- Kasakura, T. See *Matsumoto, Ogawa, Shimada, Mitsui, Maruya, Isohata, Yahara, and Murakami-Murofushi*, 326
- Kashiwagi, A. See *Fujita, Maegawa, Hirai, and Kikkawa*, 1111
- Katada, T. See *Sasaki, Maehama, Yamamoto, Takasuga, Hoshino, Nishina, and Hazeki*, 934
- Kataoka, A. See *Mine, Morita, Mizushima, and Tsuchiya*, 187
- Kataoka, K. See *Inoue, Gotowda, Deligeer, Yamaguchi, Suzuki, Watanabe, Gohow, and Kai*, 876
- Kataoka, T. See *Konno, Matsuya, Okamoto, Sato, Tanaka, Yokoyama, Nagai, Wasserman, and Ohkuma*, 547
- Kato, A. See *Furutani, Yasue, Alexander, Beattie, and Hirose*, 491
- Kato, I. See *Tsunasawa, Nakura, and Tani-gawa*, 778
- Kato, K. See *Ueda, Morishita, Katoh-Semba, and Asano*, 1033
- Kato, M., Nishiyama, J., and Kuninori, T. Reactivity of Soybean Lipoxygenase-1 to Linoleic Acid Entrapped in Phosphatidyl-choline Vesicles, 294
- Kato, S. See *Kim, Yamaguchi, Sekine, Saeki, and Iwamuro*, 35
- Kato, Y. See *Ishii, Sonezaki, Iwasaki, Tauuchi, Shingu, Okita, I.-Ogawa, and Kondo*, 842
- Katoh, T. See *Konishi, Morita, and Yazawa*, 163
- Katoh-Semba, R. See *Ueda, Morishita, Kato, and Asano*, 1033
- Kawabe, K. See *Nomura, Matsushita, Oka, Hatano, Harada, Nawata, and Morohashi*, 217
- Kawai, G. See *Ohtsuki and Watanabe*, 28
- Kawakita, M. See *Ishida, Ito, Yoshioka, and Sun-Wada*, 171
- . See *Hiramatsu, Miura, Kamei, and Iwasaki*, 231
- Kawamura, K., Hayata, D., Fujiwara, S., and Yubisui, T. Serine Protease Inhibitors Expressed in the Process of Budding of Tunicates as Revealed by EST Analysis, 1004
- Kawarabayasi, Y. See *Iijima, Miyazawa, Sakai, Magoori, Ito, Suzuki, Nose, and Yamamoto*, 747
- Kawasaki, N., Satonaka, M., Imagawa, M., Naito, H., and Kawasaki, T. Functional Characterization of the Bovine Conglutinin Promoter: Presence of a Novel Element for Transcriptional Regulation of a C-Type Mammalian Lectin Containing a Collagen-Like Domain, 1188
- Kawasaki, T. See *Kawasaki, Satonaka, Imagawa, and Naito*, 1188
- Kawasaki, Y. See *Fujii, Ikeda, Watanabe, Suzuki, Fujii, Takahashi, and Taniguchi*, 340
- Kazi, J.A., Nakamura, O., Ohnishi, T., Arakaki, N., Kajihara, T., Nakagawa, S., and Daikuvara, Y. Changes with Age of the Rat Fetuin Concentration in Serum and Its mRNA Expression, 179
- Kikkawa, R. See *Fujita, Maegawa, Kashiwagi, and Hirai*, 1111
- Kikugawa, K. See *Fujino, Tada, and Beppu*, 1077
- Kikuya, Y. See *Iwaki-Egawa, Watanabe, and Fujimoto*, 428
- Kim, D.-H. See *Kim, Magoori, Saeki, and Yamamoto*, 451
- . See *Tomita, Magoori, Fujino, and Yamamoto*, 784
- . Inagaki, Y., Suzuki, T., Ioka, R.X., Yoshioka, S.Z., Magoori, K., Kang, M.-J., Cho, Y., Nakano, A.Z., Liu, Q., Fujino, T.,

- K (cont'd)
- Suzuki, H., Sasano, H., and Yamamoto, T. T. A New Low Density Lipoprotein Receptor Related Protein, LRP5, Is Expressed in Hepatocytes and Adrenal Cortex, and Recognizes Apolipoprotein E, 1072
- Kim, H.-J., Kim, D.-H., Magoori, K., Saeki, S., and Yamamoto, T.T. Evolution of the Apolipoprotein E Receptor 2 Gene by Exon Loss, 451
- Kim, N.-S., Yamaguchi, T., Sekine, S., Saeki, M., Iwamuro, S., and Kato, S. Cloning of Human Polyubiquitin cDNAs and a Ubiquitin-Binding Assay Involving Its *In Vitro* Translation Product, 35
- Kim, Y.-K., Sakong, J., Cho, K.-H., and Lee, C.O. Vanadate-Sensitive Microsomal ATPase and Microsomal $^{45}\text{Ca}^{2+}$ Uptake in Tracheal Epithelial Cells, 1094
- Kimata, K. See Watanabe and Yamada, 687
- Kimura, K. See Saito, Oka, and Nakano, 816
- Kimura, M. See Iwanaga and Yamasaki, 663
- . See Doi-Kawano, Kouzuma, and Yamasaki, 911
- and Yamaguchi, I. Convergent Transcription Units and Their Promoters at Both Ends of *Pot2*, an Inverted Repeat Transposon from the Rice Blast Fungus, 268
- Kimura, N., Uchida, M., Nishimura, S., and Yamaguchi, H. Promotion of Polypeptide Folding by Interactions with Asn-Glycans, 857
- Kimura, S. See Hasegawa, Tsuwaki, Yamada, Araki, Sugawara, Yamamoto, and Okamoto, 421
- Kimura, Y. See Shimo, Nakanishi, Nishida, Ishizeki, Matsumura, and Takigawa, 130
- Kimura-Someya, T. See Hirata, Fujihira, and Yamaguchi, 1206
- Kinoshita, Tomoko. See Uyama, Takahashi, Satoh, Kanamori, and Michibata, 377
- Kinoshita, Toshihiko. See Ohmoto, Moriyoshi, Sakai, Hamada, and Ohe, 591
- Kirino, Y. See Lee, Anzai, and Hirashima, 798
- Kishimoto, T. See Wada, Ishiguro, Itoh, Uchida, Hotani, Saito, and Hisanaga, 738
- Kitagawa, Takayuki. See Suzuki, Suzuki, Hanada, Hashimoto, Redpath, Stanbridge, and Nishijima, 383
- Kitagawa, Tsunehiro. See Fujiwara, Kaminihi, Tsuru, Yabuuchi, Kanetake, and Nomata, 244
- Kitaura, Y. See Maki, Yamaguchi, Satoh, and Hitomi, 1170
- Kobayashi, H. See Inokuchi, Saitoh, Itagaki, Koyama, Uchiyama, Iwama, Ohgi, and Irie, 848
- Koike-Takeshita, A., Koyama, T., and Ogura, K. Intersubunit Structure within Heterodimers of Medium-Chain Prenyl Diphosphate Synthases. Formation of a Hybrid-Type Heptaprenyl Diphosphate Synthase, 790
- Kojima, N., Tachida, Y., and Tsuji, S. Alpha 1,6-Linked Fucose Affects the Expression and Stability of Polysialic Acid-Carrying Glycoproteins in Chinese Hamster Ovary Cells, 726
- Kojima, S. See Taguchi, Yamada, and Momose, 804
- Komatsu, N., Oda, T., and Muramatsu, T. Involvement of Both Caspase-Like Proteases and Serine Proteases in Apoptotic Cell Death Induced by Ricin, Modeccin, Diphtheria Toxin, and *Pseudomonas* Toxin, 1038
- Komatsu, Y., Shirai, M., and Ohtsuka, E. Modification and Application of Self-Trimming Hairpin Ribozymes to Targeting a Transcribed RNA *In Vitro*, 986
- Kominami, E. See Watanabe, Ishidoh, Ueno, and Sato, 947
- Komiya, T. See Ishihara, Sakaguchi, Ito, and Mihara, 824
- Kondo, A. See Ishii, Sonezaki, Iwasaki, Tauchi, Shingu, Okita, I.-Ogawa, and Kato, 842
- Kondo, H., Shibano, Y., Amachi, T., Cronin, N., Oda, K., and Dunn, B.M. Substrate Specificities and Kinetic Properties of Proteinase A from the Yeast *Saccharomyces cerevisiae* and the Development of a Novel Substrate, 141
- Konishi, K., Katoh, T., Morita, F., and Yazawa, M. Coformation, Filament Assembly, and Activity of Single-Headed Smooth Muscle Myosin, 163
- Konno, H., Matsuya, H., Okamoto, M., Sato, T., Tanaka, Y., Yokoyama, K., Kataoka, T., Nagai, K., Wasserman, H.H., and Ohkuma, S. Prodigiosins Uncouple Mitochondrial and Bacterial F-ATPases: Evidence for Their H^+/Cl^- Symport Activity, 547
- Kono, M. See Shimogiri, Mannen, Mizutani, and Tsuji, 962
- Kouzuma, Y. See Doi-Kawano, Yamasaki, and Kimura, 911
- Koyama, Takashi. See Inokuchi, Saitoh, Kobayashi, Itagaki, Uchiyama, Iwama, Ohgi, and Irie, 848
- Koyama, Tanetoshi. See Koike-Takeshita and Ogura, 790
- Kühn, K. See Hosokawa, Hohenadl, Satoh, and Nagata, 654
- Kulbe, K.D. See Fürlinger, Satory, Haltrich, and Niedetzky, 280
- Kuma, H., Inoue, K., Fu, G., Ando, S., Lee, S., Sugihara, G., and Hamasaki, N. Secondary Structures of Synthetic Peptides Corresponding to the First Membrane-Contact Portion of Normal Band 3 and Its Deletion Mutant (Southeast Asian Ovalocytosis), 509
- Kumagai, T. and Sugiyama, M. Protection of Mammalian Cells from the Toxicity of Bleomycin by Expression of a Bleomycin-Binding Protein Gene from *Streptomyces verticillatus*, 835
- Kunimoto, M. See Nohara and Fujimaki, 194
- Kuninori, T. See Kato and Nishiyama, 294
- Kuno, K. See Miyazaki, Naitoh, Nakahashi, Yanagitani, Ueno, Okajima, and Inoue, 65
- Kurabayashi, M. See Suzuki, Yamamoto, Nagai, Yazaki, and Horikoshi, 389
- Kuranova, I. See Satoh, Samjima, Watanabe, Nogi, Takahashi, Kaji, Teplyakov, Obmolova, and Ishii, 79
- Kurihara, T. See Li, Hata, Fujii, and Esaki, 20
- Kurokawa, Y., Watanabe, A., Yoshimura, T., Esaki, N., and Soda, K. Transamination as a Side-Reaction Catalyzed by Alanine Racemase of *Bacillus stearothermophilus*, 1163
- Kurosawa, N. See Taguchi, Muramatsu, Fan, Sobue, and Muramatsu, 1220
- Kusakabe, Y. See Asano-Miyoshi, Abe, and Emori, 927
- Kusumi, T. See Yonekura-Sakakibara, Ashikari, Tanaka, and Hase, 615
- Kusunose, E. See Matsunaga, Yamada, Miki, and Ichihara, 105
- L
- Le Caer, J.-P. See Soulié, Denoroy, Hamasaki, Groves, and le Maire, 417
- Le Goffic, F. See Nguyen, Nungaray, Martel, Mollé, and Léonil, 287
- le Maire, M. See Soulié, Denoroy, Le Caer, Hamasaki, and Groves, 417
- Lee, C.O. See Kim, Sakong, and Cho, 1094
- Lee, D.-S., Anzai, K., Hirashima, N., and Kirino, Y. Phospholipid Translocation from the Outer to the Inner Leaflet of Synaptic Vesicle Membranes Isolated from the Electric Organ of Japanese Electric Ray *Narke japonica*, 798
- Lee, S. See Kuma, Inoue, Fu, Ando, Sugihara, and Hamasaki, 509
- Lee, S.-B. See Inouye and Tonomura, 72
- Lechnerer, M., Schulze, J., Pernecky, S.J., Lewis, D.F.V., Eulitz, M., and Hlavica, P. Influence of Mutation of the Amino-Terminal Signal Anchor Sequence of Cytochrome P450 2B4 on the Enzyme Structure and Electron Transfer Processes, 396
- Léonil, J. See Nguyen, Nungaray, Martel, Le Goffic, and Mollé, 287
- Lewis, D.F.V. See Lechnerer, Schulze, Pernecky, Eulitz, and Hlavica, 396
- Li, S., Norioka, S., and Sakiyama, F. Bacteriolytic Activity and Specificity of *Achromobacter* β -Lytic Protease, 332
- Li, X. See Røtenberg, Zhu, Hansen, Sun, Michels, and Riedel, 756
- Li, Y.-F., Hata, Y., Fujii, T., Kurihara, T., and Esaki, N. X-Ray Structure of a Reaction Intermediate of L-2-Haloacid Dehalogenase with L-2-Chloropropionamide, 20
- Lin, S. See Chang and Chang, 764
- Liu, M.-C. See Saeki, Sakakibara, Araki, Yanagisawa, Suiko, and Nakajima, 55
- . See Suiko, Sakakibara, Awan-Khan, Sakaida, Yoshikawa, and Ranasinghe, 707
- Liu, Q. See Kim, Inagaki, Suzuki, Ioka, Yoshioka, Magoori, Kang, Cho, Nakano, Fujino, Suzuki, Sasano, and Yamamoto, 1072
- Luo, W., Xie, W.-Z., Bai, J.-H., and Zhou, H.-M. Kinetics of Slow Reversible Inhibition of Human Muscle Creatine Kinase by Planar Anions, 702
- M
- Maegawa, H. See Fujita, Kashiwagi, Hirai, and Kikkawa, 1111
- Maehama, T. See Sasaki, Yamamoto, Takanaga, Hoshino, Nishina, Hazeki, and Katada, 934
- Maeng, J.-H. and Yoon, J.-B. The Human PTF γ /SNAP43 Gene: Structure, Chromosomal Location, and Identification of a VNTR in 5'-UTR, 23

- M (cont'd)
- Magoori, K. See *Kim, Kim, Saeki, and Yamamoto*, 451
 —. See *Iijima, Miyazawa, Sakai, Ito, Suzuki, Nose, Kawarabayasi, and Yamamoto*, 747
 —. See *Tomita, Kim, Fujino, and Yamamoto*, 784
 —. See *Kim, Inagaki, Suzuki, Ioka, Yoshioka, Kang, Cho, Nakano, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
 Main, L.A., Okumura-Noji, K., Ohnishi, T., and Yokoyama, S. Cholesteryl Ester Transfer Protein Reaction between Plasma Lipoproteins, 237
 Majumder, H.K. See *Mitra and Sadhukhan*, 1198
 Maki, M., Yamaguchi, K., Kitaura, Y., Satoh, H., and Hitomi, K. Calcium-Induced Exposure of a Hydrophobic Surface of Mouse ALG-2, Which Is a Member of the Penta-EF-Hand Protein Family, 1170
 Mannen, H. See *Shimogiri, Kono, Mizutani, and Tsuji*, 962
 Martel, A. See *Nguyen, Nungaray, Le Goffic, Mollé, and Léonil*, 287
 Maruta, S. and Homma, K. A Unique Loop Contributing to the Structure of the ATP-Binding Cleft of Skeletal Muscle Myosin Communicates with the Actin-Binding Site, 528
 Maruta, S., Homma, K., and Ohki, T. Conformational Changes at the Highly Reactive Cystein and Lysine Regions of Skeletal Muscle Myosin Induced by Formation of Transition State Analogues, 578
 Maruta, S., Mitsuhashi, S., Yamada, M., and Ikebe, M. ADP/Vanadate Mediated Photo-cleavage of Myosin Light Chain Kinase at the Autoinhibitory Region, 557
 Maruya, M. See *Matsumoto, Ogawa, Kasakura, Shimada, Mitsui, Isohata, Yahara, and Murakami-Murofushi*, 326
 Masaki, H. See *Takashima, Iikura, Nakamura, Hidaka, and Uozumi*, 717
 Masaki, R., Yamamoto, A., Akagawa, K., and Tashiro, Y. Important Roles of the C-Terminal Portion of HPC-1/Syntaxin 1A in Membrane Anchoring and Intracellular Localization, 311
 Masuda, Y. See *Aiuchi, Mihara, Nakaya, Nakajo, and Nakaya*, 300
 Masumoto, H., Yoshizawa, T., Sorimachi, H., Nishino, T., Ishiura, S., and Suzuki, K. Overexpression, Purification, and Characterization of Human m-Calpain and Its Active Site Mutant, m-C105S-Calpain, Using a Baculovirus Expression System, 957
 Matsuya, Y., Hioki, K., Tokunaga, R., and Taketani, S. Involvement of the Tyrosine Phosphorylation Pathway in Induction of Human Heme Oxygenase-1 by Hemin, Sodium Arsenite, and Cadmium Chloride, 628
 Matsuda, M. See *Asakura, Yang, Sottile, Zhang, Jin, Ohkubo, Sasaki, Hirata, and Mosher*, 473
 Matsui, K. See *Nishina, Sato, Miura, and Shiga*, 200
 Matsumoto, S., Ogawa, M., Kasakura, T., Shimada, Y., Mitsui, M., Maruya, M., Isohata, M., Yahara, I., and Murakami-Murofushi, K. A Novel 66-kDa Stress Protein, p66, Associated with the Process of Cyst Formation of *Physarum polycephalum* Is a *Physarum* Homologue of a Yeast Actin-Interacting Protein, AIP1, 326
 Matsumura, T. See *Shimo, Nakanishi, Kimura, Nishida, Ishizeki, and Takigawa*, 130
 Matsunaga, I., Yamada, M., Kusunose, E., Miki, T., and Ichihara, K. Further Characterization of Hydrogen Peroxide-Dependent Fatty Acid α -Hydroxylase from *Sphingomonas paucimobilis*, 105
 Matsushika, A. and Mizuno, T. The Structure and Function of the Histidine-Containing Phosphotransfer (HPt) Signaling Domain of the *Escherichia coli* ArcB Sensor, 440
 Matsushita, S. See *Nomura, Kawabe, Oka, Hatano, Harada, Nawata, and Morohashi*, 217
 Matsuura, K., Shiraishi, H., Hara, A., Sato, K., Deyashiki, Y., Ninomiya, M., and Sakai, S. Identification of a Principal mRNA Species for Human 3 α -Hydroxy-steroid Dehydrogenase Isoform (AKR1C3) That Exhibits High Prostaglandin D₂ 11-Ketoreductase Activity, 940
 Matsuya, H. See *Konno, Okamoto, Sato, Tanaka, Yokoyama, Kataoka, Nagai, Wasserman, and Ohkuma*, 547
 Matuo, Y. See *Fujita, Suzuki, Tada, Yoshihara, Hamaoka, Uchida, Sasaki, Hanafusa, and Taniguchi*, 1237
 Mekada, E. See *Tsuneoka*, 1013
 Michels, C.A. See *Rotenberg, Zhu, Hansen, Li, Sun, and Riedel*, 756
 Michibata, H. See *Uyama, Kinoshita, Takahashi, Sato, and Kanamori*, 377
 Michihara, A., Sawamura, M., Nara, Y., Ikeda, K., and Yamori, Y. Lower Mevalonate Pyrophosphate Decarboxylase Activity Is Caused by the Reduced Amount of Enzyme in Stroke-Prone Spontaneously Hypertensive Rat, 40
 Mihara, K. See *Ishihara, Komiya, Sakaguchi, and Ito*, 824
 Mihara, S. See *Aiuchi, Nakaya, Masuda, Nakajo, and Nakaya*, 300
 Miki, K. See *Shofuda, Moriyama, Nishihashi, Higashi, Mizushima, Yasumitsu, Sato, Seiki, and Miyazaki*, 462
 Miki, T. See *Matsunaga, Yamada, Kusunose, and Ichihara*, 105
 Mine, T., Morita, Y., Kataoka, A., Mizushima, T., and Tsuchiya, T. Evidence for Chloramphenicol/H⁺ Antiport in Cmr (MdfA) System of *Escherichia coli* and Properties of the Antiporter, 187
 Mitsuhashi, S. See *Maruta, Yamada, and Ikebe*, 557
 Mitsui, M. See *Matsumoto, Ogawa, Kasakura, Shimada, Maruya, Isohata, Yahara, and Murakami-Murofushi*, 326
 Mitsui, Y. See *Tanabe, Tanaka, Uchikawa, Kabashima, Ito, Nonaka, Tsuru, and Yoshimoto*, 634
 Mitsuoka, C. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Kanagai, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
 Mittra, B., Sadhukhan, P.K., and Majumder, H.K. A Novel Endonuclease from Kinetoplastid Hemoflagellated Protozoan Parasite *Leishmania*, 1198
 Miura, H. See *Hiramatsu, Kamei, Iwasaki, and Kawakita*, 231
 Miura, R. See *Nishina, Sato, Matsui, and Shiga*, 200
 Miura, Y. See *Nakajima and Yamagata*, 148
 Miyake, J. See *Ueno, Hara, Kamo, and Fujii*, 485
 Miyazaki, H., Naitoh, Y., Nakahashi, Y., Yanagitani, S., Kuno, K., Ueno, Y., Okajima, A., and Inoue, K. Induction of Metallothionein Isoforms in Rat Hepatoma Cells by Various Anticancer Drugs, 65
 Miyazaki, K. See *Shofuda, Moriyama, Nishihashi, Higashi, Mizushima, Yasumitsu, Miki, Sato, and Seiki*, 462
 Miyazawa, K., Mori, A., and Okudaira, H. Regulation of Interleukin-1 β -Induced Interleukin-6 Gene Expression in Human Fibroblast-Like Synoviocytes by Glucocorticoids, 1130
 Miyazawa, K., Mori, A., and Okudaira, H. Establishment and Characterization of a Novel Human Rheumatoid Fibroblast-Like Synoviocyte Line, MH7A, Immortalized with SV40 T Antigen, 1153
 Miyazawa, M. See *Iijima, Sakai, Magoori, Ito, Suzuki, Nose, Kawarabayasi, and Yamamoto*, 747
 Miyoshi, T. See *Morii, Fujii, Iwami, and Itagaki*, 1026
 Mizuno, T. See *Matsushika*, 440
 Mizushima, H. See *Shofuda, Moriyama, Nishihashi, Higashi, Yasumitsu, Miki, Sato, Seiki, and Miyazaki*, 462
 Mizushima, S. See *Mori, Sugiyama, Yamana, Sato, and Tagaya*, 122
 Mizushima, T. See *Mine, Morita, Kataoka, and Tsuchiya*, 187
 Mizutani, M. See *Shimogiri, Kono, Mannen, and Tsuji*, 962
 Mollé, D. See *Nguyen, Nungaray, Martel, Le Goffic, and Léonil*, 287
 Momose, H. See *Taguchi, Yamada, and Kojima*, 804
 Mori, A. See *Miyazawa and Okudaira*, 1130
 —. See *Miyazawa and Okudaira*, 1153
 Mori, H., Sugiyama, H., Yamana, M., Sato, K., Tagaya, M., and Mizushima, S. Amino-Terminal Region of SecA Is Involved in the Function of SecG for Protein Translocation into *Escherichia coli* Membrane Vesicles, 122
 Morii, S., Fujii, C., Miyoshi, T., Iwami, M., and Itagaki, E. 3-Ketosteroid- Δ^1 -Dehydrogenase of *Rhodococcus rhodochrous*: Sequencing of the Genomic DNA and Hyperexpression, Purification, and Characterization of the Recombinant Enzyme, 1026
 Morishita, R. See *Ueda, Katoh-Semba, Katoh, and Asano*, 1033
 Morita, F. See *Konishi, Katoh, and Yazawa*, 163
 —. See *Hiratsuka, Eto, and Yazawa*, 609
 Morita, Y. See *Mine, Kataoka, Mizushima, and Tsuchiya*, 187
 Moriyama, K. See *Shofuda, Nishihashi, Higashi, Mizushima, Yasumitsu, Miki, Sato, Seiki, and Miyazaki*, 462

- M (cont'd)
- Moriyama, Y. See *Futai, Oka, and Wada*, 259
- Moriyoshi, K. See *Ohmoto, Kinoshita, Sakai, Hamada, and Ohe*, 591
- Morohashi, K. See *Nomura, Kawabe, Matsushita, Oka, Hatano, Harada, and Nawata*, 217
- Mosher, D.F. See *Asakura, Yang, Sottile, Zhang, Jin, Ohkubo, Sasaki, Matsuda, and Hirata*, 473
- Murakami-Murofushi, K. See *Matsumoto, Ogawa, Kasakura, Shimada, Mitsui, Maruya, Isohata, and Yahara*, 326
- Muramatsu, H. See *Uchimura, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
- . See *Taguchi, Fan, Kurosawa, Sobue, and Muramatsu*, 1220
- Muramatsu, Takashi. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Kadomatsu*, 670
- . See *Taguchi, Muramatsu, Fan, Kurosawa, and Sobue*, 1220
- Muramatsu, Tsuyoshi. See *Komatsu and Oda*, 1038
- Muramatu, M. See *Jiang, Zhang, Ding, Yao, Chen, and Zhu*, 980
- N
- Nagai, K. See *Konno, Matsuya, Okamoto, Sato, Tanaka, Yokoyama, Kataoka, Wasserman, and Ohkuma*, 547
- Nagai, R. See *Suzuki, Yamamoto, Kurabayashi, Yazaki, and Horikoshi*, 389
- Naganou, T., Jourdi, H., and Nawa, H. Emerging Roles of Dlg-Like PDZ Proteins in the Organization of the NMDA-Type Glutamatergic Synapse, 869
- Nagao, T., Shimada, Y., Sugihara, A., and Tominaga, Y. C-Terminal Peptide of *Fusarium heterosporum* Lipase Is Necessary for Its Increasing Thermostability, 1124
- Nagarajan, V., Kamitori, S., and Okuyama, K. Crystal Structure Analysis of Collagen Model Peptide (Pro-Pro-Gly)₁₀, 1117
- Nagata, K. See *Hosokawa, Hohenadl, Satoh, and Kühn*, 654
- Nagata, S. See *Fukui and Ihara*, 1
- Nagura, H. See *Oikawa, Iijima, Suzuki, Sasano, Sato, Kamataki, Kang, Fujino, Suzuki, and Yamamoto*, 679
- Naito, H. See *Kawasaki, Satonaka, Imagawa, and Kawasaki*, 1188
- Naitoh, Y. See *Miyazaki, Nakahashi, Yanagitani, Kuno, Ueno, Okajima, and Inoue*, 65
- Nakagawa, S. See *Kazi, Nakamura, Ohnishi, Arakaki, Kajihara, and Daikuvara*, 179
- Nakagawara, A. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Kadomatsu, and Muramatsu*, 670
- Nakahashi, Y. See *Miyazaki, Naitoh, Yanagitani, Kuno, Ueno, Okajima, and Inoue*, 65
- Nakajima, Hideki, Miura, Y., and Yamagata, T. Glycosylation of Amphipathic Lactoside Primers with Consequent Inhibition of Endogenous Glycosphingolipid Synthesis, 148
- Nakajima, Hiroshi. See *Saeki, Sakakibara, Araki, Yanagisawa, Suiko, and Liu*, 55
- Nakajima, M. See *Nose, Fujita, Inoue, Costa, and Shimohigashi*, 354
- Nakajo, S. See *Aiuchi, Mihara, Nakaya, Masuda, and Nakaya*, 300
- Nakamura, A. See *Takashima, Iikura, Hidaka, Masaki, and Uozumi*, 717
- Nakamura, O. See *Kazi, Ohnishi, Arakaki, Kajihara, Nakagawa, and Daikuvara*, 179
- Nakamura, T. See *Iwakura and Takenawa*, 769
- Nakanishi, T. See *Shimo, Kimura, Nishida, Ishizeki, Matsumura, and Takigawa*, 130
- Nakano, A. See *Saito, Kimura, and Oka*, 816
- Nakano, A.Z. See *Kim, Inagaki, Suzuki, Ioka, Yoshioka, Magoori, Kang, Cho, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
- Nakaya, K. See *Aiuchi, Mihara, Nakaya, Masuda, and Nakaya*, 300
- Nakaya, M. See *Aiuchi, Mihara, Masuda, Nakajo, and Nakaya*, 300
- Nakayama, K. See *Yamaguchi, Hatsuwa, Tani, Himeno, and Tagaya*, 1229
- Nakura, S. See *Tsunasawa, Tanigawa, and Kato*, 778
- Nara, Y. See *Michihara, Sawamura, Ikeda, and Yamori*, 40
- Nawa, H. See *Nagano and Jourdi*, 869
- Nawata, H. See *Nomura, Kawabe, Matsushita, Oka, Hatano, Harada, and Morohashi*, 217
- Nejidat, A. See *Wilhelm and Abeliovich*, 811
- Nguyen, A.-D., Nungaray, J., Martel, A., Le Goffic, F., Mollé, D., and Léonil, J. Purification and Characterization of the Main Pepsinogen from the Shark, *Centroscymnus coelolepis*, 287
- Nidetzky, B. See *Fürlinger, Satory, Haltrich, and Kulbe*, 280
- Niioka, S., Goto, M., Ishibashi, T., and Kadowaki, M. Identification of Autolysosomes Directly Associated with Proteolysis on the Density Gradients in Isolated Rat Hepatocytes, 1086
- Ninomiya, M. See *Matsuura, Shiraishi, Hara, Sato, Deyashiki, and Sakai*, 940
- Nishida, T. See *Shimo, Nakanishi, Kimura, Ishizeki, Matsumura, and Takigawa*, 130
- Nishihashi, A. See *Shofuda, Moriyama, Higashi, Mizushima, Yasumitsu, Miki, Sato, Seiki, and Miyazaki*, 462
- Nishijima, M. See *Suzuki, Suzuki, Hanada, Hashimoto, Redpath, Stanbridge, and Kitagawa*, 383
- Nishikawa, K. See *Ohno, Yokogawa, Fujii, Asahara, and Inokuchi*, 1065
- Nishimura, S. See *Kimura, Uchida, and Yamaguchi*, 857
- Nishina, H. See *Sasaki, Maehama, Yamamoto, Takasuga, Hoshino, Hazeki, and Katada*, 934
- Nishina, Y., Sato, K., Miura, R., Matsui, K., and Shiga, K. Resonance Raman Study on Reduced Flavin in Purple Intermediate of Flavoenzyme: Use of [4-Carbonyl-¹⁸O]-Enriched Flavin, 200
- Nishino, T. See *Masumoto, Yoshizawa, Sorimachi, Ishiura, and Suzuki*, 957
- Nishita, K. See *Tanaka and Ojima*, 304
- Nishiyama, J. See *Kato and Kuninori*, 294
- Nogi, S. See *Satoh, Samejima, Watanabe, Takahashi, Kaji, Teplyakov, Obmolova, Kuranova, and Ishii*, 79
- Nobara, K., Kunimoto, M., and Fujimaki, H. Antibody against Ganglioside GD1c Containing NeuGcα2-8NeuGc Cooperates with CD3 and CD4 in Rat T Cell Activation, 194
- Nomata, K. See *Fujiwara, Kaminishi, Kitagawa, Tsuru, Yabuuchi, and Kanetake*, 244
- Nomura, M., Kawabe, K., Matsushita, S., Oka, S., Hatano, O., Harada, N., Nawata, H., and Morohashi, K. Adrenocortical and Gonadal Expression of the Mammalian *Ftz-F1* Gene Encoding Ad4BP/SF-1 Is Independent of Pituitary Control, 217
- Nonaka, Takamasa. See *Tanabe, Tanaka, Uchikawa, Kabashima, Ito, Mitsui, Tsuru, and Yoshimoto*, 634
- Nonaka, Takashi, Hashimoto, Y., and Takio, K. Kinetic Characterization of Lysine-Specific Metalloendopeptidases from *Grifola frondosa* and *Pleurotus ostreatus* Fruiting Bodies, 157
- Norioka, S. See *Li and Sakiyama*, 332
- Nose, M. See *Iijima, Miyazawa, Sakai, Magoori, Ito, Suzuki, Kawarabayasi, and Yamamoto*, 747
- Nose, T., Fujita, T., Nakajima, M., Inoue, Y., Costa, T., and Shimohigashi, Y. Interaction Mode of the Phe-Phenyl Group of Thrombin Receptor-Tethered Ligand SFLLRNP in Receptor Activation, 354
- Noëhiro, M. See *Aoyama, Horiuchi, Gotoh, and Yoshida*, 694
- Nungaray, J. See *Nguyen, Martel, Le Goffic, Mollé, and Léonil*, 287
- O
- Obinata, M. See *Sato, Hong, and Yanai*, 209
- Obmolova, G. See *Satoh, Samejima, Watanabe, Nogi, Takahashi, Kaji, Teplyakov, Kuranova, and Ishii*, 79
- Oda, K. See *Kondo, Shibano, Amachi, Cronin, and Dunn*, 141
- . See *Shibata and Dunn*, 642
- Oda, T. See *Komatsu and Muramatsu*, 1038
- Ogata, I. See *Shimizu, Tanba, Ikeguchi, and Sugai*, 319
- Ogata, K. See *Fujii, Inoue, Yamamoto, Shin-ki, Inoue, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 1178
- Ogawa, H. See *Uchimura, Muramatsu, Kaname, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
- Ogawa, M. See *Matsumoto, Kasakura, Shimada, Mitsui, Maruya, Isohata, Yahara, and Murakami-Murofushi*, 326
- Ogawa, T. See *Imamura, Hattori, and Shiota*, 534
- . See *Sasai, Aikawa, Saburi, Tojo, Tanaka, and Shiota*, 999
- Ogishima, T. See *Song and Ito*, 1045
- Ogura, K. See *Koike-Takeshita and Koyama*, 790
- Ohe, T. See *Ohmoto, Kinoshita, Moriyoshi*,

- O (cont'd)
- Sakai, and Hamada*, 591
Ohgi, K. See *Inokuchi, Saitoh, Kobayashi, Itagaki, Koyama, Uchiyama, Iwama, and Irie*, 848
Ohki, T. See *Maruta and Homma*, 578
Ohkubo, I. See *Asakura, Yang, Sottile, Zhang, Jin, Sasaki, Matsuda, Hirata, and Mosher*, 473
Ohkuma, S. See *Konno, Matsuya, Okamoto, Sato, Tanaka, Yokoyama, Kataoka, Nagai, and Wasserman*, 547
Ohmoto, T., Kinoshita, T., Moriyoshi, K., Sakai, K., Hamada, N., and Ohe, T. Purification and Some Properties of 2-Hydroxychromene-2-Carboxylate Isomerase from Naphthalenesulfonate-Assimilating *Pseudomonas* sp. TA-2, 591
Ohnishi, Taira. See *Main, Okumura-Noji, and Yokoyama*, 237
Ohnishi, Tomokazu. See *Kazi, Nakamura, Arakaki, Kajihara, Nakagawa, and Daikuhara*, 179
Ohno, S., Yokogawa, T., Fujii, I., Asahara, H., Inokuchi, H., and Nishikawa, K. Co-Expression of Yeast Amber Suppressor tRNA^{tyr} and Tyrosyl-tRNA Synthetase in *Escherichia coli*: Possibility to Expand the Genetic Code, 1065
Ohtsuka, E. See *Komatsu and Shirai*, 986
Ohtsuki, T., Kawai, G., and Watanabe, K. Stable Isotope-Edited NMR Analysis of *Ascaris suum* Mitochondrial tRNA^{Met} Having a TV-Replacement Loop, 28
Oikawa, E., Iijima, H., Suzuki, T., Sasano, H., Sato, H., Kamataki, A., Nagura, H., Kang, M.-J., Fujino, T., Suzuki, H., and Yamamoto, T.T. A Novel Acyl-CoA Synthetase, ACS5, Expressed in Intestinal Epithelial Cells and Proliferating Preadipocytes, 679
Ojima, T. See *Tanaka and Nishita*, 304
Oka, S. See *Nomura, Kawabe, Matsushita, Hatano, Harada, Nawata, and Morohashi*, 217
Oka, T. See *Futai, Moriyama, and Wada*, 259
—. See Saito, Kimura, and Nakano, 816
Okajima, A. See *Miyazaki, Naitoh, Nakashiba, Yanagitani, Kuno, Ueno, and Inoue*, 65
Okajima, T., Fukamizo, T., Goto, S., Fukui, T., and Tanizawa, K. Exchange of Nucleoside Monophosphate-Binding Domains in Adenylate Kinase and UMP/CMP Kinase, 359
Okamoto, M. See *Konno, Matsuya, Sato, Tanaka, Yokoyama, Kataoka, Nagai, Wasserman, and Ohkuma*, 547
Okamoto, S., Watanabe, Y., Takakura, Y., and Hashida, M. Cationic Liposome-Mediated Efficient Induction of Type I Interferons by a Low Dose of Poly I:Poly C in Mouse Cell Lines, 697
Okamoto, Y. See *Hasegawa, Tsuwaki, Yamada, Araki, Kimura, Sugawara, and Yamamoto*, 421
Okita, K. See *Ishii, Sonezaki, Iwasaki, Tauchi, Shingu, I.Ogawa, Kato, and Kondo*, 842
Okubo, A. See *Sato and Yamazaki*, 51
Okudaira, H. See *Miyazawa and Mori*, 1130
—. See Miyazawa and Mori, 1153
Okumura-Noji, K. See *Main, Ohnishi, and Yokoyama*, 237
Okuyama, K. See *Nagarajan and Kamitori*, 1117
Olcén, P. See *Hugosson, Ångström, Olsson, Bergström, Fredlund, and Teneberg*, 1138
Olsson, B.-M. See *Hugosson, Ångström, Bergström, Fredlund, Olcén, and Teneberg*, 1138
Ozaki, T. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Nakagawa, Kadomatsu, and Muramatsu*, 670

P

Pedone, C. See *Gallo, Rossi, Saviano, Colonna, and Ragone*, 880
Pernecke, S.J. See *Lehnerer, Schulze, Lewis, Eulitz, and Hlavica*, 396
Prinetti, A. See *Riboni, Bassi, Viani, and Tettamanti*, 900

R

Rabinovich, G.A. See *Sánchez, Chiabrando, Guglielmino, Bonacci, and Vides*, 274
Ragone, R. See *Gallo, Rossi, Saviano, Pedone, and Colonna*, 880
Ranasinghe, J.G.S. See *Suiko, Sakakibara, Awan-Khan, Sakaida, Yoshikawa, and Liu*, 707
Redpath, J.L. See *Suzuki, Suzuki, Hanada, Hashimoto, Stanbridge, Nishijima, and Kitagawa*, 383
Riboni, L., Prinetti, A., Bassi, R., Viani, P., and Tettamanti, G. The Effects of Exogenous Sphingosine on Neuro2a Cells Are Strictly Related to the Overall Capacity of Cells to Matabolize Sphingosine, 900
Riedel, H. See *Rotenberg, Zhu, Hansen, Li, Sun, and Michels*, 756
Roggentin, P. See *Grobe, Sartori, Traving, and Schauer*, 1101
Rossi, F. See *Gallo, Saviano, Pedone, Colonna, and Ragone*, 880
Rotenberg, S.A., Zhu, J., Hansen, H., Li, X., Sun, X., Michels, C.A., and Riedel, H. Deletion Analysis of Protein Kinase Cα Reveals a Novel Regulatory Segment, 756

S

Saburi, S. See *Sasai, Aikawa, Tojo, Tanaka, Ogawa, and Shiota*, 999
Sadaie, Y. See *Fujita*, 89, 98
Sadhukhan, P.K. See *Mitra and Majumder*, 1198
Saeki, M. See *Kim, Yamaguchi, Sekine, Iwamuro, and Kato*, 35
Saeki, S. See *Kim, Kim, Magoori, and Yamamoto*, 451
Saeki, Yoshiko, Seya, T., Hazeki, K., Ui, M., Hazeki, O., and Akedo, H. Involvement of Phosphoinositide 3-Kinase in Regulation of Adhesive Activity of Highly Metastatic Hepatoma Cells, 1020
Saeki, Yuichi, Sakakibara, Y., Araki, Y., Yanagisawa, K., Suiko, M., Nakajima, H., and Liu, M.-C. Molecular Cloning, Expression, and Characterization of a Novel Mouse Liver SULT1B1 Sulfotransferase, 55
Saijoh, Y. See *Ito, Ando, Ando, Ando, Inoko, and Fujimoto*, 347
Saito, T. See *Wada, Ishiguro, Itoh, Uchida, Hotani, Kishimoto, and Hisanaga*, 738
Saito, Y., Kimura, K., Oka, T., and Nakano, A. Activities of Mutant Sar1 Proteins in Guanine Nucleotide Binding, GTP Hydrolysis, and Cell-Free Transport from the Endoplasmic Reticulum to the Golgi Apparatus, 816
Saitoh, S. See *Inokuchi, Kobayashi, Itagaki, Koyama, Uchiyama, Iwama, Ohgi, and Irie*, 848
Sakaguchi, M. See *Ishihara, Komiya, Ito, and Mihara*, 824
Sakai, H. and Tsukihara, T. Structures of Membrane Proteins Determined at Atomic Resolution, 1051
Sakai, J. See *Iijima, Miyazawa, Magoori, Ito, Suzuki, Nose, Kawarabayasi, and Yamamoto*, 747
Sakai, K. See *Ohmoto, Kinoshita, Moriyoshi, Hamada, and Ohe*, 591
Sakai, S. See *Matsuura, Shirashi, Hara, Sato, Deyashiki, and Ninomiya*, 940
Sakaida, H. See *Suiko, Sakakibara, Awan-Khan, Yoshikawa, Ranasinghe, and Liu*, 707
Sakakibara, Y. See *Saeki, Araki, Yanagisawa, Suiko, Nakajima, and Liu*, 55
—. See Suiko, Awan-Khan, Sakaida, Yoshikawa, Ranasinghe, and Liu, 707
Sakiyama, F. See *Li and Norioka*, 332
Sakong, J. See *Kim, Cho, and Lee*, 1094
Samejima, T. See *Satoh, Watanabe, Nogi, Takahashi, Kaji, Teplyakov, Obmolova, Kuranova, and Ishii*, 79
Sánchez, M.C., Chiabrando, G.A., Guglielmino, H.A., Bonacci, G.R., Rabinovich, G.A., and Vides, M.A. Interaction of Human Tissue Plasminogen Activator (t-PA) with Pregnancy Zone Protein: A Comparative Study with t-PA- α -Macroglobulin Interaction, 274
Sano, H., Takahashi, S., and Iio, T. Fluorescence Energy Transfer of Complexes of Skeletal Muscle Troponin C and Melittin Derivatives, 602
Sartori, B. See *Grobe, Traving, Schauer, and Roggentin*, 1101
Sasai, K., Aikawa, J., Saburi, S., Tojo, H., Tanaka, S., Ogawa, T., and Shiota, K. Functions of the N-Glycans of Rat Leukemia Inhibitory Factor Expressed in Chinese Hamster Ovary Cells, 999
Sasaki, M. See *Asakura, Yang, Sottile, Zhang, Jin, Ohkubo, Matsuda, Hirata, and Mosher*, 473
Sasaki, Takashi. See *Fujita, Suzuki, Tada, Yoshihara, Hamaoka, Uchida, Matuo, Hanafusa, and Taniguchi*, 1237
Sasaki, Takehiko, Maehama, T., Yamamoto, T., Takasuga, S., Hoshino, S., Nishina, H., Hazeki, O., and Katada, T. Activation of c-Jun N-Terminal Kinase (JNK) by Lysophosphatidic Acid in Swiss 3T3 Fibroblasts, 934
Sasano, H. See *Oikawa, Iijima, Suzuki, Sato, Kanataki, Nagura, Kang, Fujino, Suzuki, and Yamamoto*, 679
—. See Kim, Inagaki, Suzuki, Ioka, Yoshioka,

- S (cont'd)
- Magoori, Kang, Cho, Nakano, Liu, Fujino, Suzuki, and Yamamoto, 1072
- Sato, Hiroshi. See Shofuda, Moriyama, Nishihashi, Higashi, Mizushima, Yasumitsu, Miki, Seiki, and Miyazaki, 462
- Sato, Hiroyuki. See Oikawa, Iijima, Suzuki, Sasano, Kamataki, Nagura, Kang, Fujino, Suzuki, and Yamamoto, 679
- Sato, Ken. See Mori, Sugiyama, Yamanaka, Tagaya, and Mizushima, 122
- Sato, Kenzo. See Wang, Gao, Fukumoto, Tademoto, and Hirai, 892
- . See Matsuura, Shiraishi, Hara, Deyashiki, Ninomiya, and Sakai, 940
- Sato, Kiichi, Okubo, A., and Yamazaki, S. Characterization of a Multi-Copper Enzyme, Nitrous Oxide Reductase, from *Rhodobacter sphaeroides* f. sp. *denitrificans*, 51
- Sato, Kyosuke. See Nishina, Miura, Matsui, and Shiga, 200
- Sato, N. See Watanabe, Ishidoh, Ueno, and Kominami, 947
- Sato, T. See Konno, Matsuya, Okamoto, Tanaka, Yokoyama, Kataoka, Nagai, Wasserman, and Ohkuma, 547
- Sato, Y., Hong, H.N., Yanai, N., and Obinata, M. Involvement of Stromal Membrane-Associated Protein (SMAP-1) in Erythropoietic Microenvironment, 209
- Satoh, H. See Maki, Yamaguchi, Kitaura, and Hitomi, 1170
- Satoh, Mamoru. See Hosokawa, Hohenadl, Kühn, and Nagata, 654
- Satoh, Miyoko. See Aoki and Watabe, 572
- Satoh, N. See Uyama, Kinoshita, Takahashi, Kanamori, and Michibata, 377
- Satoh, T., Samejima, T., Watanabe, M., Nogi, S., Takahashi, Y., Kaji, H., Tepljakov, A., Obmolova, G., Kuranova, I., and Ishii, K. Molecular Cloning, Expression, and Site-Directed Mutagenesis of Inorganic Pyrophosphatase from *Thermus thermophilus* HB8, 79
- Satonaka, M. See Kawasaki, Imagawa, Naito, and Kawasaki, 1188
- Satory, M. See Fürlinger, Haltrich, Kulbe, and Nidetzky, 280
- Saviano, M. See Gallo, Rossi, Pedone, Colonna, and Ragone, 880
- Sawamura, M. See Michihara, Nara, Ikeda, and Yamori, 40
- Schauer, R. See Vandamme-Feldhaus, 111
- . See Grobe, Sartori, Traving, and Roggentin, 1101
- Schulze, J. See Lehnerer, Pernecký, Lewis, Eulitz, and Hlavica, 396
- Seiki, M. See Shofuda, Moriyama, Nishihashi, Higashi, Mizushima, Yasumitsu, Miki, Sato, and Miyazaki, 462
- Sekine, S. See Kim, Yamaguchi, Saeki, Iwamuro, and Kato, 35
- Seya, T. See Saeki, Hazeki, Ui, Hazeki, and Akedo, 1020
- Seyama, Y. See Hida and Uchijima, 648
- Shibahara, S. See Suzuki, Takahashi, Yasumoto, Amae, Yoshizawa, and Fuse, 992
- Shibano, Y. See Kondo, Amachi, Cronin, Oda, and Dunn, 141
- Shibata, M., Dunn, B.M., and Oda, K. Substrate Specificity of Pepstatin-Insensitive Carboxyl Proteinase from *Bacillus coagulans* J-4, 642
- Shiga, K. See Nishina, Sato, Miura, and Matsui, 200
- Shimada, Yuji. See Nagao, Sugihara, and Tominaga, 1124
- Shimada, Yukiko. See Matsumoto, Ogawa, Kasakura, Mitsui, Maruya, Isohata, Yahara, and Murakami-Murofushi, 326
- Shimizu, A., Tanba, T., Ogata, I., Ikeguchi, M., and Sugai, S. The Region of α -Lactalbumin Recognized by GroEL, 319
- Shimo, T., Nakanishi, T., Kimura, Y., Nishida, T., Ishizeki, K., Matsumura, T., and Takigawa, M. Inhibition of Endogenous Expression of Connective Tissue Growth Factor by Its Antisense Oligonucleotide and Antisense RNA Suppresses Proliferation and Migration of Vascular Endothelial Cells, 130
- Shimogiri, T., Kono, M., Mannen, H., Mizutani, M., and Tsuji, S. Chicken Ornithine Transcarbamylase Gene, Structure, Regulation, and Chromosomal Assignment: Repetitive Sequence Motif in Intron 3 Regulates This Enzyme Activity, 962
- Shimohigashi, Y. See Nose, Fujita, Nakajima, Inoue, and Costa, 354
- Shimono, K., Iwamoto, M., Sumi, M., and Kamo, N. V108M Mutant of *pharaonis* Phoborhodopsin: Substitution Caused No Absorption Change but Affected Its M-State, 404
- Shingu, Y. See Ishii, Sonezaki, Iwasaki, Tauchi, Okita, I.-Ogawa, Kato, and Kondo, 842
- Shinki, T. See Fujii, Inoue, Yamamoto, Ogata, Inoue, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda, 1178
- Shiota, K. See Imamura, Hattori, and Ogawa, 534
- K. See Sasai, Aikawa, Saburi, Tojo, Tanaka, and Ogawa, 999
- Shirai, M. See Komatsu and Ohtsuka, 986
- Shiraishi, H. See Matsuura, Hara, Sato, Deyashiki, Ninomiya, and Sakai, 940
- Shirakawa, H. See Yumoto, Yoshida, Suwa, Watanabe, and Teraoka, 519
- Shirotani, K. and Irimura, T. Purification of Nuclear Proteins That Potentially Regulate Transcription of the MUC1 Mucin Gene Induced by a Soluble Factor, 585
- Shofuda, K., Moriyama, K., Nishihashi, A., Higashi, S., Mizushima, H., Yasumitsu, H., Miki, K., Sato, H., Seiki, M., and Miyazaki, K. Role of Tissue Inhibitor of Metalloproteinases-2 (TIMP-2) in Regulation of Pro-Gelatinase A Activation Catalyzed by Membrane-Type Matrix Metalloproteinase-1 (MT1-MMP) in Human Cancer Cells, 462
- Sobue, G. See Taguchi, Muramatsu, Fan, Kurosawa, and Muramatsu, 1220
- Soda, K. See Fuchikami, Yoshimura, Gutierrez, and Esaki, 905
- . See Kurokawa, Watanabe, Yoshimura, and Esaki, 1163
- Sonezaki, S. See Ishii, Iwasaki, Tauchi, Shingu, Okita, I.-Ogawa, Kato, and Kondo, 842
- Song, M.-C., Ogishima, T., and Ito, A. Importance of Residues Carboxyl Terminal Relative to the Cleavage Site in Substrates of Mitochondrial Processing Peptidase for Their Specific Recognition and Cleavage, 1045
- Sorimachi, H. See Masumoto, Yoshizawa, Nishina, Ishiura, and Suzuki, 957
- Sottile, J. See Asakura, Yang, Zhang, Jin, Ohkubo, Sasaki, Matsuda, Hirata, and Mosher, 473
- Soulić, S., Denoroy, L., Le Caer, J.-P., Hamasaki, N., Groves, J.D., and le Maire, M. Treatment with Crystalline Ultra-Pure Urea Reduces the Aggregation of Integral Membrane Proteins without Inhibiting N-Terminal Sequencing, 417
- Souri, M. See Takabatake and Ichinose, 540
- Stanbridge, E.J. See Suzuki, Suzuki, Handa, Hashimoto, Redpath, Nishijima, and Kitagawa, 383
- Sugai, S. See Shimizu, Tanba, Ogata, and Ikeguchi, 319
- Sugawara, J. See Hasegawa, Tsuwaki, Yamada, Araki, Kimura, Yamamoto, and Okamoto, 421
- Sugihara, A. See Nagao, Shimada, and Tominaga, 1124
- Sugihara, G. See Kuma, Inoue, Fu, Ando, Lee, and Hamasaki, 509
- Sugiyama, H. See Mori, Yamanaka, Sato, Tagaya, and Mizushima, 122
- Sugiyama, M. See Kumagai, 835
- Suiko, M. See Saeki, Sakakibara, Araki, Yanagisawa, Nakajima, and Liu, 55
- , Sakakibara, Y., Awan-Khan, R., Sakaida, H., Yoshikawa, H., Ranasinghe, J.G.S., and Liu, M.-C. Substrate Specificity of Human Monoamine (M)-Form Phenol Sulfotransferase: Preparation and Analysis of Dopa 3-O-Sulfate and Dopa 4-O-Sulfate, 707
- Sumi, M. See Shimono, Iwamoto, and Kamo, 404
- Sun, X. See Rotenberg, Zhu, Hansen, Li, Michels, and Riedel, 756
- Sun-Wada, G.-H. See Ishida, Ito, Yoshioka, and Kawakita, 171
- Suwa, A. See Yumoto, Shirakawa, Yoshida, Watanabe, and Teraoka, 519
- Suzuki, H. See Oikawa, Iijima, Suzuki, Sasano, Sato, Kamataki, Nagura, Kang, Fujino, and Yamamoto, 679
- . See Iijima, Miyazawa, Sakai, Magoori, Ito, Nose, Kawarabayasi, and Yamamoto, 747
- . See Kim, Inagaki, Suzuki, Ioka, Yoshioka, Magoori, Kang, Cho, Nakano, Liu, Fujino, Sasano, and Yamamoto, 1072
- . Takahashi, K., Yasumoto, K., Amae, S., Yoshizawa, M., Fuse, N., and Shibahara, S. Role of Neurofibromin in Modulation of Expression of the Tyrosinase-Related Protein 2 Gene, 992
- Suzuki, Keiichiro. See Fujii, Ikeda, Watanabe, Kawasaki, Fujii, Takahashi, and Taniguchi, 340
- . See Fujita, Tada, Yoshihara, Hamaoka, Uchida, Matuo, Sasaki, Hanafusa, and Taniguchi, 1237
- Suzuki, Kinuko. See Suzuki and Vanier, 8
- Suzuki, Koichi. See Masumoto, Yoshizawa, Sorimachi, Nishino, and Ishiura, 957

- S (cont'd)
- Suzuki, Kunihiko, Vanier, M.T., and Suzuki, K. Induced Mouse Models of Abnormal Sphingolipid Metabolism, 8
- Suzuki, S. See *Inoue, Gotowda, Deligeer, Kataoka, Yamaguchi, Watanabe, Gohow, and Kai*, 876
- Suzuki, Takashi. See *Oikawa, Iijima, Sasano, Sato, Kamataki, Nagura, Kang, Fujino, Suzuki, and Yamamoto*, 679
- . See *Kim, Inagaki, Ioka, Yoshioka, Magoori, Kang, Cho, Nakano, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
- Suzuki, Toru, Yamamoto, T., Kurabayashi, M., Nagai, R., Yazaki, Y., and Horikoshi, M. Isolation and Initial Characterization of GBF, a Novel DNA-Binding Zinc Finger Protein That Binds to the GC-Rich Binding Sites of the HIV-1 Promoter, 389
- Suzuki, Toshikazu, Suzuki, Y., Hanada, K., Hashimoto, A., Redpath, J.L., Stanbridge, E.J., Nishijima, M., and Kitagawa, T. Reduction of Caveolin-1 Expression in Tumorigenic Human Cell Hybrids, 383
- Suzuki, Y. See *Suzuki, Hanada, Hashimoto, Redpath, Stanbridge, Nishijima, and Kitagawa*, 383
- T
- Tachida, Y. See *Kojima and Tsuji*, 726
- Tada, J. See *Hosoi, Tsumura, Kanamori, and Yamanaka*, 368
- Tada, Takakiyo. See *Fujita, Suzuki, Yoshihara, Hamaoka, Uchida, Matuo, Sasaki, Hanafusa, and Taniguchi*, 1237
- Tada, Tomohiro. See *Fujino, Beppu, and Kikugawa*, 1077
- Tademoto, S. See *Wang, Gao, Fukumoto, Sato, and Hirai*, 892
- Tagawa, K. See *Ichikawa, Fukuda, and Hashimoto*, 886
- Tagaya, M. See *Mori, Sugiyama, Yamanaka, Sato, and Mizushima*, 122
- . See *Yamaguchi, Nakayama, Hatsuzawa, Tani, and Himeno*, 1229
- Taguchi, E., Muramatsu, H., Fan, Q.-W., Kurosawa, N., Sobue, G., and Muramatsu, T. Zep: A Novel Zinc Finger Protein Containing a Large Proline-Rich Domain, 1220
- Taguchi, S., Yamada, S., Kojima, S., and Momose, H. An Endogenous Target Protease, SAM-P26, of *Streptomyces* Protease Inhibitor (SSI): Primary Structure, Enzymatic Characterization, and Its Interaction with SSI, 804
- Takabatake, N., Souri, M., and Ichinose, A. Multiple Novel Transcripts for Apolipoprotein(a)-Related Gene II Generated by Alternative Splicing in Tissue- and Cell Type-Specific Manners, 540
- Takada, A. See *Yamamoto, Ishizuka, and Fujii*, 503
- Takahashi, H. See *Uyama, Kinoshita, Satoh, Kanamori, and Michibata*, 377
- Takahashi, Kazuhiro. See *Suzuki, Yasumoto, Amae, Yoshizawa, Fuse, and Shibahara*, 992
- Takahashi, Kenji. See *Hatano and Tanokura*, 457
- Takahashi, M. See *Fujii, Ikeda, Watanabe*,
- Kawasaki, Suzuki, Fujii, and Taniguchi, 340
- Takahashi, S. See *Sano and Iio*, 602
- Takahashi, Y. See *Satoh, Samejima, Watanabe, Nogi, Kaji, Teplyakov, Obmolova, Kuranova, and Ishii*, 79
- Takakura, Y. See *Okamoto, Watanabe, and Hashida*, 697
- Takashima, S., Iikura, H., Nakamura, A., Hidaka, M., Masaki, H., and Uozumi, T. Isolation of the Gene and Characterization of the Enzymatic Properties of a Major Exoglucanase of *Humicola grisea* without a Cellulose-Binding Domain, 717
- Takasuga, S. See *Sasaki, Machama, Yamamoto, Hoshino, Nishina, Hazeki, and Katada*, 934
- Takenawa, T. See *Iwakura and Nakamura*, 769
- Taketani, S. See *Masuya, Hioki, and Tokunaga*, 628
- Takeuchi, N., Ueda, T., and Watanabe, K. Expression and Characterization of Bovine Mitochondrial Methionyl-tRNA Transformylase, 1069
- Takigawa, M. See *Shimo, Nakanishi, Kimura, Nishida, Ishizeki, and Matsumura*, 130
- Takio, K. See *Nonaka and Hashimoto*, 157
- Takita, T., Akita, E., Inouye, K., and Tonomura, B. Lysyl-tRNA Synthetase from *Bacillus stearothermophilus*. Stopped-Flow Kinetic Analysis of Enzyme-Lysyladenylate Formation, 45
- Tamura, H. See *Fujii, Inoue, Yamamoto, Ogata, Shinki, Inoue, Tomita, Tsukamoto, Ikezawa, and Ikeda*, 1178
- Tanabe, T., Tanaka, N., Uchikawa, K., Kabashima, T., Ito, K., Nonaka, T., Mitsui, Y., Tsuru, M., and Yoshimoto, T. Roles of the Ser146, Tyr159, and Lys163 Residues in the Catalytic Action of 7 α -Hydroxy-steroid Dehydrogenase from *Escherichia coli*, 634
- Tanaka, H., Ojima, T., and Nishita, K. Amino Acid Sequence of Troponin-I from Akazara Scallop Striated Adductor Muscle, 304
- Tanaka, N. See *Tanabe, Uchikawa, Kabashima, Ito, Nonaka, Mitsui, Tsuru, and Yoshimoto*, 634
- Tanaka, S. See *Sasai, Aikawa, Saburi, Tojo, Ogawa, and Shiota*, 999
- Tanaka, Yasufumi. See *Konno, Matsuya, Okamoto, Sato, Yokoyama, Kataoka, Nagai, Wasserman, and Ohkuma*, 547
- Tanaka, Yoshikazu. See *Yonekura-Sakakibara, Ashikari, Kusumi, and Hase*, 615
- Tanba, T. See *Shimizu, Ogata, Ikeguchi, and Sugai*, 319
- Tani, K. See *Yamaguchi, Nakayama, Hatsuzawa, Himeno, and Tagaya*, 1229
- Tanigawa, T. See *Tsunasawa, Nakura, and Kato*, 778
- Taniguchi, N. See *Fujii, Ikeda, Watanabe, Kawasaki, Suzuki, Fujii, and Takahashi*, 340
- . See *Fujita, Suzuki, Tada, Yoshihara, Hamaoka, Uchida, Matuo, Sasaki, and Hanafusa*, 1237
- Tanimizu, N., Ueno, H., and Hayashi, R. Role of Phe120 in the Activity and Structure of Bovine Pancreatic Ribonuclease A, 410
- Tanizawa, K. See *Okajima, Fukamizo, Goto, and Fukui*, 359
- Tanokura, M. See *Hatano and Takahashi*, 457
- Tashiro, Y. See *Masaki, Yamamoto, and Akagawa*, 311
- Tauchi, E. See *Ishii, Sonezaki, Iwasaki, Shingu, Okita, I-Ogawa, Kato, and Kondo*, 842
- Teneberg, S. See *Hugosson, Ångström, Olssson, Bergström, Fredlund, and Olcén*, 1138
- Teplyakov, A. See *Satoh, Samejima, Watanabe, Nogi, Kaji, Takahashi, Obmolova, Kuranova, and Ishii*, 79
- Teraoka, H. See *Yunoto, Shirakawa, Yoshiida, Suwa, and Watanabe*, 519
- Tettamanti, G. See *Riboni, Prinetti, Bassi, and Viani*, 900
- Tojo, H. See *Sasai, Aikawa, Saburi, Tanaka, Ogawa, and Shiota*, 999
- Tokunaga, R. See *Masuya, Hioki, and Takeuchi*, 628
- Tominaga, Y. See *Nagao, Shimada, and Sugihara*, 1124
- Tomita, M. See *Fujii, Inoue, Yamamoto, Ogata, Shinki, Inoue, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 1178
- Tomita, Y., Kim, D.-H., Magoori, K., Fujino, T., and Yamamoto, T.T. A Novel Low-Density Lipoprotein Receptor-Related Protein with Type II Membrane Protein-Like Structure Is Abundant in Heart, 784
- Tonomura, B. See *Takita, Akita, and Inouye*, 45
- . See *Inouye and Lee*, 72
- Toraya, T. See *Yamanishi, Yamada, Ishida, and Yamauchi*, 598
- Traving, C. See *Grobe, Sartori, Schauer, and Roggentin*, 1101
- Tsuchiya, T. See *Mine, Morita, Kataoka, and Mizushima*, 187
- Tsuga, H., Kameyama, K., and Haga, T. Desensitization of Human Muscarinic Acetylcholine Receptor m2 Subtypes Is Caused by Their Sequestration/Internalization, 863
- Tsuji, Shuichi. See *Kojima and Tachida*, 726
- Tsuji, Soichi. See *Shimogiri, Kono, Mannen, and Mizutani*, 962
- Tsukamoto, K. See *Fujii, Inoue, Yamamoto, Ogata, Shinki, Inoue, Tomita, Tamura, Ikezawa, and Ikeda*, 1178
- Tsukihara, T. See *Sakai*, 1051
- Tsumura, K. See *Hosoi, Tada, Kanamori, and Yamanaka*, 368
- Tsunasawa, S., Nakura, S., Tanigawa, T., and Kato, I. Pyrrolidone Carboxyl Peptidase from the Hyperthermophilic Archaeon *Pyrococcus furiosus*: Cloning and Overexpression in *Escherichia coli* of the Gene, and Its Application of Protein Sequence Analysis, 778
- Tsuneoka, M. and Mekada, E. N-myc Transactivates RCC1 Gene Expression in Rat Fibroblast Cells Transformed by N-myc and v-ras, 1013
- Tsuru, D. See *Fujiwara, Kaminishi, Kitagawa, Yabuuchi, Kanetake, and Nomata*, 244
- Tsuru, M. See *Tanabe, Tanaka, Uchikawa, Kabashima, Ito, Nonaka, Mitsui, and Yoshimoto*, 634

T (cont'd)

- Tsurumaru, M. See *Ueda and Imoto*, 712
 Tsuwaki, S. See *Hasegawa, Yamada, Araki, Kimura, Sugawara, Yamamoto, and Okamoto*, 421

U

- Uchida, K. See *Fujita, Suzuki, Tada, Yoshihara, Hamaoka, Matuo, Sasaki, Hanafusa, and Taniguchi*, 1237

- Uchida, M. See *Kimura, Nishimura, and Yamaguchi*, 857

- Uchida, T. See *Wada, Ishiguro, Itoh, Hotani, Saito, Kishimoto, and Hisanaga*, 738

- Uchijima, Y. See *Hida and Seyama*, 648

- Uchikawa, K. See *Tanabe, Tanaka, Kabashima, Ito, Nonaka, Mitsui, Tsuru, and Yoshimoto*, 634

- Uchimura, K., Muramatsu, H., Kaname, T., Ogawa, H., Yamakawa, T., Fan, Q.-W., Mitsuoka, C., Kannagi, R., Habuchi, O., Yokoyama, I., Yamamura, K., Ozaki, T., Nakagawa, A., Kadomatsu, K., and Muramatsu, T. Human *N*-Acetylglucosamine-6-O-Sulfotransferase Involved in the Biosynthesis of 6-Sulfo Sialyl Lewis X: Molecular Cloning, Chromosomal Mapping, and Expression in Various Organs and Tumor Cells, 670

- Uchiyama, S. See *Inokuchi, Saitoh, Kobayashi, Itagaki, Koyama, Iwama, Ohgi, and Irie*, 848

- Ueda, H., Morishita, R., Katoh-Semba, R., Kato, K., and Asano, T. G Protein γ Subunits Coimmunoprecipitated with Antibodies against α Subunits: Identification of Major Isoforms in Cultured Cells by Silver Stain and Immunoblotting with Conventional Transfer Procedure, 1033

- Ueda, Tadashi, Tsurumaru, M., and Imoto, T. Kinetic Measurement of the Interaction between a Lysozyme and Its Immobilized Substrate Analogue by Means of Surface Plasmon Resonance, 712

- Ueda, Takuya. See *Takeuchi and Watanabe*, 1069

- Ueno, H. See *Tanimizu and Hayashi*, 410
 —. See *Jung and Hayashi*, 446

- Ueno, Takao, Hara, M., Kamo, N., Fujii, T., and Miyake, J. Control of the Unidirectional Topological Orientation of a Cross-Linked Complex Composed of the Bacterial Photosynthetic Reaction Center and Horse Heart Cytochrome c Reconstituted into Proteoliposomes, 485

- Ueno, Takashi. See *Watanabe, Ishidoh, Sato, and Kominami*, 947

- Ueno, Y. See *Miyazaki, Naitoh, Nakahashi, Yanagitani, Kuno, Okajima, and Inoue*, 65

- Ui, M. See *Saeki, Seya, Hazeki, Hazeki, and Akedo*, 1020

- Uozumi, T. See *Takashima, Iikura, Nakamura, Hidaka, and Masaki*, 717

- Uyama, T., Kinoshita, T., Takahashi, H., Sato, N., Kanamori, K., and Michibata, H. 6-Phosphogluconate Dehydrogenase Is a 45-kDa Antigen Recognized by S4D5, a Monoclonal Antibody Specific to Vanadocytes in the Vanadium-Rich Ascidian *Ascidia sydneiensis samea*, 377

V

- Vandamme-Feldhaus, V. and Schauer, R. Characterization of the Enzymatic 7-O-Acetylation of Sialic Acids and Evidence for Enzymatic O-Acetyl Migration from C-7 to C-9 in Bovine Submandibular Gland, 111

- Vanier, M.T. See *Suzuki and Suzuki*, 8

- Viani, P. See *Riboni, Prinetti, Bassi, and Tettamanti*, 900

- Vides, M.A. See *Sánchez, Chiabrando, Guglielmino, Bonacci, and Rabinovich*, 274

W

- Wada, Yasutaka, Ishiguro, K., Itoh, T.J., Uchida, T., Hotani, H., Saito, T., Kishimoto, T., and Hisanaga, S. Microtubule-Stimulated Phosphorylation of Tau at Ser202 and Thr205 by CDK5 Decreases Its Microtubule Nucleation Activity, 738

- Wada, Yoh. See *Futai, Oka, and Moriyama*, 259

- Wakayama, J. See *Yuri and Yamada*, 565

- Wang, H., Gao, X., Fukumoto, S., Tademoto, S., Sato, K., and Hirai, K. Post-Isolation Inducible Nitric Oxide Synthase Gene Expression Due to Collagenase Buffer Perfusion and Characterization of the Gene Regulation in Primary Cultured Murine Hapatocytes, 892

- Wasserman, H.H. See *Konno, Matsuya, Okamoto, Sato, Tanaka, Yokoyama, Kataoka, Nagai, and Ohkuma*, 547

- Watabe, H. See *Aoki and Satoh*, 572

- Watanabe, A. See *Kurokawa, Yoshimura, Esaki, and Soda*, 1163

- Watanabe, F. See *Yumoto, Shirakawa, Yoshida, Suwa, and Teraoka*, 519

- Watanabe, Hideto, Yamada, Y., and Kimata, K. Roles of Aggrecan, a Large Chondroitin Sulfate Proteoglycan, in Cartilage Structure and Function, 687

- Watanabe, Hirotaka. See *Inoue, Gotowda, Deligeer, Kataoka, Yamaguchi, Suzuki, Gohow, and Kai*, 876

- Watanabe, Kenichi, Ishidoh, K., Ueno, T., Sato, N., and Kominami, E. Suppression of Lysosomal Proteolysis at Three Different Steps in Regenerating Rat Liver, 947

- Watanabe, Kimitsuna. See *Ohtsuki and Kawai*, 28

- . See *Takeuchi and Ueda*, 1069

- Watanabe, M. See *Satoh, Samejima, Nogi, Takahashi, Kaji, Teplyakov, Obmolova, Kuranova, and Ishii*, 79

- Watanabe, T. See *Fujii, Ikeda, Kawasaki, Suzuki, Fujii, Takahashi, and Taniguchi*, 340

- Watanabe, Yasuhiro. See *Iwaki-Egawa, Kikuya, and Fujimoto*, 428

- Watanabe, Yoshihiko. See *Okamoto, Takakura, and Hashida*, 697

- Wilhelm, R., Abeliovich, A., and Nejidat, A. Effect of Long-Term Ammonia Starvation on the Oxidation of Ammonia and Hydroxylamine by *Nitrosomonas europaea*, 811

X

- Xie, W.-Z. See *Luo, Bai, and Zhou*, 702

Y

- Yabuuchi, M. See *Fujiwara, Kaminishi, Kitagawa, Tsuru, Kanetake, and Nomata*, 244

- Yahara, I. See *Matsumoto, Ogawa, Kasakura, Shimada, Mitsui, Maruya, Ishihata, and Murakami-Murofushi*, 326

- Yamada, K. See *Hamamoto, Kamihira, and Iijima*, 972

- Yamada, Maki. See *Matsunaga, Kusunose, Miki, and Ichihara*, 105

- Yamada, Misato. See *Maruta, Mitsuhashi, and Ikebe*, 557

- Yamada, N. See *Hasegawa, Tsuwaki, Araki, Kimura, Sugawara, Yamamoto, and Okamoto*, 421

- Yamada, Seiki. See *Yamanishi, Ishida, Yamauchi, and Toraya*, 598

- Yamada, Shigeru. See *Taguchi, Kojima, and Momose*, 804

- Yamada, T. See *Yuri and Wakayama*, 565

- Yamada, Y. See *Watanabe and Kimata*, 687

- Yamağata, T. See *Nakajima and Miura*, 148

- Yamaguchi, A. See *Hirata, Fujihira, and Kimura-Someya*, 1206

- Yamaguchi, H. See *Kimura, Uchida, and Nishimura*, 857

- Yamaguchi, I. See *Kimura*, 268

- Yamaguchi, Kazuya. See *Inoue, Gotowda, Deligeer, Kataoka, Suzuki, Watanabe, Gohow, and Kai*, 876

- Yamaguchi, Kyoko. See *Maki, Kitaura, Satoh, and Hitomi*, 1170

- Yamaguchi, Tomohiro, Nakayama, K., Hatsuzawa, K., Tani, K., Himeno, M., and Tagaya, M. ADP-Ribosylation Factor-1 Is Sensitive to *N*-Ethylmaleimide, 1229

- Yamaguchi, Tomoko. See *Kim, Sekine, Saeki, Iwamuro, and Kato*, 35

- Yamakawa, T. See *Uchimura, Muramatsu, Kaname, Ogawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Yamamura, Ozaki, Nakagawa, Kadomatsu, and Muramatsu*, 670

- Yamamoto, A. See *Masaki, Akagawa, and Tashiro*, 311

- Yamamoto, H. See *Fujii, Inoue, Ogata, Shinki, Inoue, Tomita, Tamura, Tsukamoto, Ikezawa, and Ikeda*, 1178

- Yamamoto, K. See *Hasegawa, Tsuwaki, Yamada, Araki, Kimura, Sugawara, and Okamoto*, 421

- Yamamoto, Tohru. See *Suzuki, Kurabayashi, Nagai, Yazaki, and Horikoshi*, 389

- Yamamoto, Toshiyoshi. See *Sasaki, Maezawa, Takasuga, Hoshino, Nishina, Hazeiki, and Katada*, 934

- Yamamoto, T.T. See *Kim, Kim, Magoori, and Saeki*, 451

- . See *Oikawa, Iijima, Suzuki, Sasano, Sato, Kamataki, Nagura, Kang, Fujino, and Suzuki*, 679

- . See *Iijima, Miyazawa, Sakai, Magoori, Ito, Suzuki, Nose, and Kawarabayasi*, 747

- . See *Tomita, Kim, Magoori, and Fujino*, 784

- . See *Kim, Inagaki, Suzuki, Ioka, Yoshioka, Magoori, Kang, Cho, Nakano, Liu, Fujino, Suzuki, and Sasano*, 1072

- Yamamoto, Y., Ishizuka, M., Takada, A., and Fujita, S. Cloning, Tissue Distribution, and

- Y (cont'd)**
- Functional Expression of Two Novel Rabbit Cytochrome P450 Isozymes, CYP2D23 and CYP2D24, 503
- Yamamura, K. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yokoyama, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
- Yamanaka, M. See *Mori, Sugiyama, Sato, Tagaya, and Mizushima*, 122
- Yamanaka, N. See *Hosoi, Tada, Tsumura, and Kanamori*, 368
- Yamanishi, M., Yamada, S., Ishida, A., Yamauchi, J., and Toraya, T. EPR Spectroscopic Evidence for the Mechanism-Based Inactivation of Adenosylcobalamin-Dependent Diol Dehydratase by Coenzyme Analogs, 598
- Yamasaki, N. See *Iwanaga and Kimura*, 663
—. See *Doi-Kawano, Kouzuma, and Kimura*, 911
- Yamauchi, J. See *Yamanishi, Yamada, Ishida, and Toraya*, 598
- Yamazaki, S. See *Sato and Okubo*, 51
- Yamori, Y. See *Michihara, Sawamura, Nara, and Ikeda*, 40
- Yanagisawa, K. See *Saeki, Sakakibara, Araki, Suiko, Nakajima, and Liu*, 55
- Yanagitani, S. See *Miyazaki, Naitoh, Nakahashi, Kuno, Ueno, Okajima, and Inoue*, 65
- Yanai, N. See *Sato, Hong, and Obinata*, 209
- Yang, W. See *Asakura, Sottile, Zhang, Jin, Ohkubo, Sasaki, Matsuda, Hirata, and Mosher*, 473
- Yao, J. See *Jiang, Zhang, Ding, Chen, Zhu, and Muramatu*, 980
- Yasue, H. See *Furutani, Kato, Alexander, Beattie, and Hirose*, 491
- Yasumitsu, H. See *Shofuda, Moriyama, Nishihashi, Higashi, Mizushima, Miki, Sato, Seiki, and Miyazaki*, 462
- Yasumoto, K. See *Suzuki, Takahashi, Amae, Yoshizawa, Fuse, and Shibahara*, 992
- Yazaki, Y. See *Suzuki, Yamamoto, Kubabayashi, Nagai, and Horikoshi*, 389
- Yazawa, M. See *Konishi, Katoh, and Morita*, 163
—. See *Hiratsuka, Eto, and Morita*, 609
- Yokogawa, T. See *Ohno, Fujii, Asahara, Inokuchi, and Nishikawa*, 1065
- Yokoyama, I. See *Uchimura, Muramatsu, Kaname, Ogawa, Yamakawa, Fan, Mitsuoka, Kannagi, Habuchi, Yamamura, Ozaki, Nakagawara, Kadomatsu, and Muramatsu*, 670
- Yokoyama, K. See *Konno, Matsuya, Okamoto, Sato, Tanaka, Kataoka, Nagai, Wasserman, and Ohkuma*, 547
- Yokoyama, S. See *Main, Okumura-Noji, and Ohnishi*, 237
- Yonekura-Sakakibara, K., Ashikari, T., Tanaka, Y., Kusumi, T., and Hase, T. Molecular Characterization of Tobacco Sulfitide Reductase: Enzyme Purification, Gene Cloning, and Gene Expression Analysis, 615
- Yoon, J.-B. See *Maeng*, 23
- Yoshida, M. See *Yumoto, Shirakawa, Suwa, Watanabe, and Teraoka*, 519
- Yoshida, Y. See *Aoyama, Horiuchi, Gotoh, and Noshiro*, 694
- Yoshihara, Y. See *Fujita, Suzuki, Tada, Hamaoka, Uchida, Matuo, Sasaki, Hanafusa, and Taniguchi*, 1237
- Yoshikawa, H. See *Suiko, Sakakibara, Awan-Khan, Sakaida, Ranasinghe, and Liu*, 707
- Yoshimoto, T. See *Tanabe, Tanaka, Uchikawa, Kabashima, Ito, Nonaka, Mitsui, and Tsuru*, 634
- Yoshimura, T. See *Fuchikami, Gutierrez, Soda, and Esaki*, 905
—. See *Kurokawa, Watanabe, Esaki, and Soda*, 1163
- Yoshioka, S. See *Ishida, Ito, Sun-Wada, and Kawakita*, 171
- Yoshioka, S.Z. See *Kim, Inagaki, Suzuki, Ioka, Magoori, Kang, Cho, Nakano, Liu, Fujino, Suzuki, Sasano, and Yamamoto*, 1072
- Yoshizawa, M. See *Suzuki, Takahashi, Yasumoto, Amae, Fuse, and Shibahara*, 992
- Yoshizawa, T. See *Masumoto, Sorimachi, Nishino, Ishiura, and Suzuki*, 957
- Yu, J.-S. Activation of Protein Phosphatase 2A by the Fe²⁺/Ascorbate System, 225
- Yubisui, T. See *Kawamura, Hayata, and Fujiwara*, 1004
- Yumoto, Y., Shirakawa, H., Yoshida, M., Suwa, A., Watanabe, F., and Teraoka, H. High Mobility Group Proteins 1 and 2 Can Function as DNA-Binding Regulatory Components for DNA-Dependent Protein Kinase *In Vitro*, 519
- Yun, C.-H. See *Ahn*, 622
- Yuri, K., Wakayama, J., and Yamada, T. Isometric Contractile Properties of Single Myofibrils of Rabbit Skeletal Muscle, 565
- Z**
- Zhang, M. See *Jiang, Ding, Yao, Chen, Zhu, and Muramatu*, 980
- Zhang, Q. See *Asakura, Yang, Sottile, Jin, Ohkubo, Sasaki, Matsuda, Hirata, and Mosher*, 473
- Zhou, H.-M. See *Luo, Xie, and Bai*, 702
- Zhu, D. See *Jiang, Zhang, Ding, Yao, Chen, and Muramatu*, 980
- Zhu, J. See *Rotenberg, Hansen, Li, Sun, Michels, and Riedel*, 756